



Subject Index of Volume 503

- II–VI
 properties of CdS films deposited by the electron beam evaporation technique 170
 sol–gel dip coated CdO:Al films 350
- Activation energy
 interfacial reactions on Pb-free solders with Au/Pd/Ni/Cu multilayer substrates 25
- AFM
 electrochemical and surface investigation of zirconium based metallic glass $Zr_{59}Ti_3Cu_{20}Al_{10}Ni_8$ alloy in nitric acid and sodium chloride media 50
- Aligned nanorods
 fabrication of well-aligned and dumbbell-shaped hexagonal ZnO nanorod arrays and their dye sensitized solar cell applications L40
- Alkali metal selenides
 electronic and optical properties of alkali metal selenides in anti-CaF₂ crystal structure from first-principles 10
- Al–Ni composites
 Al–Ni intermetallic composites produced in situ by friction stir processing 494
- AIP
 refinement of hypereutectic Al–Si alloy by a new Al–Zr–P master alloy L26
- Al–Si alloy
 refinement of hypereutectic Al–Si alloy by a new Al–Zr–P master alloy L26
 production and corrosion behaviours of the Al–12Si–XMG alloys containing in situ Mg₂Si particles 122
- Al–Ti–B master alloy
 effects of trace C addition on the microstructure and refining efficiency of Al–Ti–B master alloy 286
- Al–TiW–Pd₂Si/*n*-Si Schottky barrier diodes
 the interface states and series resistance effects on the forward and reverse bias *I*–*V*, *C*–*V* and *G*/ ω –*V* characteristics of Al–TiW–Pd₂Si/*n*-Si Schottky barrier diodes 96
- Aluminium metal matrix composite
 microstructural characteristics of spray formed zircon sand reinforced LM13 composite 410
- Aluminum nitride
 catalyst-free synthesis, morphology evolution and optical property of one-dimensional aluminum nitride nanostructure arrays L34
 properties and microstructure of AlN prepared using alumina crucible and MoSi₂ heating element 76
- Amides
 studies of covalent amides for hydrogen storage systems: Structures and bonding of the MAI(NH₂)₄ phases with M = Li, Na and K 194
- Amorphisation
 electrochemical and surface investigation of zirconium based metallic glass $Zr_{59}Ti_3Cu_{20}Al_{10}Ni_8$ alloy in nitric acid and sodium chloride media 50
- Anisotropy
 the anisotropic magnetocaloric effect described by Maxwell formulation: Application to DyAl₂ and TbNi₂ 277
 effects of Cu dilution in NiO on the magnetic properties of NiFe₂O₄/Ni_{1–x}Cu_xO nanocomposites 354
- Anneal
 thermoelectric properties of n-type CoSb₃ fabricated with high pressure sintering 490
- Antiferromagnetic
 magnetic properties of B and AB-spinels Zn_{1–x}M_xFe₂O₄ (M = Ni, Mg) materials 299
- Atomic force microscopy
 electrical properties and interfacial reactions of rapidly annealed Ni/Ru Schottky rectifiers on n-type GaN 186
- Au/Pd/Ni/Cu multilayer substrate
 interfacial reactions on Pb-free solders with Au/Pd/Ni/Cu multilayer substrates 25
- Band gap
 influence of Pb doping on the structural, optical and electrical properties of nanocomposite Se–Te thin films 397
- Band structure
 nitrogen–electronegativity–induced bowing character in ternary zincblende Ga_{1–x}In_xN alloys 529
- BiFeO₃
 microwave-induced solid-state decomposition of the Bi[Fe(CN)₆].5H₂O precursor: A novel route for the rapid and facile synthesis of pure and single-phase BiFeO₃ nanopowder 439
- Bi₄Ge₃O₁₂
 crystal growth and spectroscopic properties of MoO₃ and WO₃ doped Bi₄Ge₃O₁₂ by optical floating zone method 380
- Bismuth molybdate
 preparation of a novel Bi_{3.64}Mo_{0.36}O_{6.55} nanophotocatalyst by molten salt method and evaluation for photocatalytic decomposition of rhodamine B 159
- ¹³C CP-MAS-NMR spectroscopy
 synthesis, ¹³C NMR-MAS, AC conductivity and structural characterization of [C₇H₁₂N₂]ZnCl₄ 340
- Ca_{0.8}Sr_{0.2}TiO₃
 microwave dielectric properties of $x(Mg_{0.7}Zn_{0.3})_{0.95}Co_{0.05}TiO_3-(1-x)Ca_{0.8}Sr_{0.2}TiO_3$ ceramics with a zero temperature coefficient of resonant frequency 392
- Ca₃Co₄O₉
 synthesis, mechanical and magnetic properties of transition metals-doped Ca₃Co_{3.8}M_{0.2}O₉ 431
- Calcium cobaltate
 self-propagating High-temperature Synthesis of Ca_{1.24}Co_{1.62}O_{3.86} thermoelectric powders 402
- Capacitance–frequency characteristics
 effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/n-CdMnTe/GaAs magnetic diode for photocapacitance applications 213
- Carbon coating
 optimization of carbon coatings on LiFePO₄: Carbonization temperature and carbon content 370

- Carbon content
 optimization of carbon coatings on LiFePO₄: Carbonization temperature and carbon content 370
- Carbonization temperature
 optimization of carbon coatings on LiFePO₄: Carbonization temperature and carbon content 370
- CBD
 PVA assisted growth of hydrophobic honeycomb network of CdS thin films 422
- CdS
 PVA assisted growth of hydrophobic honeycomb network of CdS thin films 422
- CdS nanotubes
 sacrificial template method for the synthesis of CdS nanosponges and their photocatalytic properties 485
- Ceramic–matrix composites
In situ reaction synthesis of Ti–TiB composites containing high volume fraction of TiB by spark plasma sintering process 145
- Ceramics
 effect of temperature on dielectric properties of Si₃N₄/SiO₂ composite and silica ceramic L9
 acetone mediated electrophoretic deposition of nanocrystalline SDC on NiO–SDC ceramics 266
 improvement in electrical stability of ZnO varistors by infiltration of molten Bi₂O₃ 507
- Ce_{1-x}M_xO₂₋₈ (M = In, Y)
 TEM and ED confirmation of conversion of 3D and 2D perovskite-type into fluorite-type structure L5
- Chalcogenides
 X-ray and optical properties of chemically deposited nanocrystalline CdSe thin films 220
- Chemical synthesis
 crystal structure of the phases Hg₅C^{III}₂X₈ (C^{III} = Ga, In; X = Se, Te) 40
 fabrication of lead tungstate microcrystals on a lead surface at room temperature 248
 fine size (Y,Gd)BO₃:Eu phosphor powders prepared from precursor powders with hollow shape and large size 260
 influence of anodisation voltage on the dimension of titania nanotubes 359
 microwave-induced solid-state decomposition of the Bi[Fe(CN)₆].5H₂O precursor: A novel route for the rapid and facile synthesis of pure and single-phase BiFeO₃ nanopowder 439
 room temperature synthesis of ZnO nanoflowers on Si substrate via seed-layer assisted solution route 514
- CMR
 lateral parameter variations on the properties of La_{0.7}Sr_{0.3}MnO₃ films prepared on Si (1 0 0) substrates by dc magnetron sputtering 163
- CO₂ capture synthesis
 TEM and ED confirmation of conversion of 3D and 2D perovskite-type into fluorite-type structure L5
- Coating materials
 laser surface remelting of plasma-sprayed nanostructured Al₂O₃–13 wt%TiO₂ coatings on magnesium alloy 127
- Cobalt–nickel alloys
 electrodeposition of CoNi and CoNiP alloys in sulphamate electrolytes 454
- Combustion synthesis
 self-propagating High-temperature Synthesis of Ca_{1.24}Co_{1.62}O_{3.86} thermoelectric powders 402
- Combustion synthesis method
 synthesis and characteristics of Li-doped ZnO powders for p-type ZnO 436
- Complex hydrides
 novel hydrogen storage materials: A review of lightweight complex hydrides 303
- Composite materials
 microstructure and properties of sol–gel derived PbTiO₃/NiFe₂O₄ multiferroic composite thin film with the two nano-crystalline phases dispersed homogeneously 426
- Composition fluctuations
 numerical and experimental investigation of microporosity formation in a ternary Al–Cu–Si alloy 31
- Computational modeling
 three-dimensional multispecies current density simulation of molten-salt electrorefining 177
- Computer simulations
 numerical and experimental investigation of microporosity formation in a ternary Al–Cu–Si alloy 31
- Consolidation behavior
 consolidation behavior of Mg–10Gd–2Y–0.5Zr chips during solid-state recycling 253
- Conventional extrusion (CE)
 consolidation behavior of Mg–10Gd–2Y–0.5Zr chips during solid-state recycling 253
- Co-precipitation
 influence of sintering temperature on the structural, magnetic and dielectric properties of Ni_{0.8}Zn_{0.2}Fe₂O₄ synthesized by co-precipitation route 111
- Core–shell nanostructure
 Ni@Pt core–shell nanoparticles with enhanced catalytic activity for oxygen reduction reaction L1
- Corrosion
 corrosion and pitting behaviour of ultrafine eutectic Ti–Fe–Sn alloys 19
 electrochemical and surface investigation of zirconium based metallic glass Zr₅₉Ti₃Cu₂₀Al₁₀Ni₈ alloy in nitric acid and sodium chloride media 50
 effects of irradiation on the electrochemical behavior of the alloy Ti₆₀Ni₄₀ 192
- Corrosion properties
 production and corrosion behaviours of the Al–12Si–XMg alloys containing *in situ* Mg₂Si particles 122
- Coupling
 room-temperature ferromagnetism in Si–SiO₂ composite film on glass substrate 6
- CrAlN film
 influence of total gas pressure on the microstructure and properties of CrAlN films deposited by a pulsed DC balanced magnetron sputtering system 389
- Creep
 influence of the addition of indium on the mechanical creep of Sn–3.5%Ag alloy 65
- Critical current
 structural and superconducting properties of YBaCuO superconductors at different atomic compositions 1
- Critical temperature
 properties and microstructure of AlN prepared using alumina crucible and MoSi₂ heating element 76
- Crystal growth
 hydrothermal synthesis of novel Zn₂SnO₄ octahedron microstructures assembled with hexagon nanoplates L21
 X-ray and optical properties of chemically deposited nanocrystalline CdSe thin films 220
 investigation of physical properties of quaternary AgGa_{0.5}In_{0.5}Te₂ thin films deposited by thermal evaporation 468
 sacrificial template method for the synthesis of CdS nanosponges and their photocatalytic properties 485
- Crystal structure
 crystal structure of the phases Hg₅C^{III}₂X₈ (C^{III} = Ga, In; X = Se, Te) 40
 synthesis, ¹³C NMR-MAS, AC conductivity and structural characterization of [C₇H₁₂N₂]ZnCl₄ 340
- Current density
 three-dimensional multispecies current density simulation of molten-salt electrorefining 177
- Cyclic extrusion compression (CEC)
 consolidation behavior of Mg–10Gd–2Y–0.5Zr chips during solid-state recycling 253
- Defects
 room-temperature ferromagnetism in Si–SiO₂ composite film on glass substrate 6
- Density
 IR, density and DTA studies the effect of replacing Pb₃O₄ by CuO in pseudo-binary Li₂B₄O₇–Pb₃O₄ glass system 384

- DFT calculations
studies of covalent amides for hydrogen storage systems: Structures and bonding of the $MAI(NH_2)_4$ phases with $M = Li, Na$ and K 194
- 2,4-Diammonium toluene tetrachlorozincate (II)
synthesis, ^{13}C NMR-MAS, AC conductivity and structural characterization of $[C_7H_{12}N_2]ZnCl_4$ 340
- Dielectric
properties and microstructure of AlN prepared using alumina crucible and $MoSi_2$ heating element 76
- Dielectric ceramics
characterization and dielectric behavior of a new dielectric ceramics $MgTiO_3-Ca_{0.8}Sr_{0.2}TiO_3$ at microwave frequencies 365
- Dielectric response
effect of temperature on dielectric properties of Si_3N_4/SiO_2 composite and silica ceramic L9
- Differential thermal analysis
IR, density and DTA studies the effect of replacing Pb_3O_4 by CuO in pseudo-binary $Li_2B_4O_7-Pb_3O_4$ glass system 384
- Diffusion
small angle X-ray scattering study of the strengthen mechanism of Al-Mg-Li alloy during retrogression and reaging treatment 291
improvement in electrical stability of ZnO varistors by infiltration of molten Bi_2O_3 507
- Diffusion-controlled
interfacial reactions on Pb-free solders with Au/Pd/Ni/Cu multilayer substrates 25
- Drop calorimetry
thermodynamic measurements in the Mg-Zn system 44
- Dumbbell-shaped nanorods
fabrication of well-aligned and dumbbell-shaped hexagonal ZnO nanorod arrays and their dye sensitized solar cell applications L40
- Dye sensitized solar cell
fabrication of well-aligned and dumbbell-shaped hexagonal ZnO nanorod arrays and their dye sensitized solar cell applications L40
- Dy_2O_3
sonochemical synthesis of $Dy_2(CO_3)_3$ nanoparticles and their conversion to Dy_2O_3 and $Dy(OH)_3$: Effects of synthesis parameters 500
- $Dy(OH)_3$
sonochemical synthesis of $Dy_2(CO_3)_3$ nanoparticles and their conversion to Dy_2O_3 and $Dy(OH)_3$: Effects of synthesis parameters 500
- Dysprosium carbonates
sonochemical synthesis of $Dy_2(CO_3)_3$ nanoparticles and their conversion to Dy_2O_3 and $Dy(OH)_3$: Effects of synthesis parameters 500
- Electrical and magnetic properties
lateral parameter variations on the properties of $La_{0.7}Sr_{0.3}MnO_3$ films prepared on Si (1 0 0) substrates by dc magnetron sputtering 163
- Electrical and optical properties
role of molybdenum ions on physical, optical, electrical and vibrational studies in Er^{3+} co-doped $TeO_2-ZrO_2-PbCl_2$ glasses 242
- Electrical and structural properties
electrical properties and interfacial reactions of rapidly annealed Ni/Ru Schottky rectifiers on n-type GaN 186
- Electrical conductivity
effect of ethanol on the formation and properties of a Cu-NbC composite 228
- Electrical properties
influence of Zn/O ratio on structural, electrical and optical properties of ZnO thin films fabricated by plasma-assisted molecular beam epitaxy 155
microstructure and piezoelectric properties of $Na_{0.5}K_{0.5}NbO_3-BiNiO_3-LiSbO_3$ lead-free ceramics 209
X-ray and optical properties of chemically deposited nanocrystalline CdSe thin films 220
effect of Bi_2O_3 doping methods on the positive temperature coefficient property of $Ba_{0.999}(Bi_{0.5}Na_{0.5})_{0.001}TiO_3$ ceramics 237
synthesis, ^{13}C NMR-MAS, AC conductivity and structural characterization of $[C_7H_{12}N_2]ZnCl_4$ 340
- Electrical transport
influence of Pb doping on the structural, optical and electrical properties of nanocomposite Se-Te thin films 397
- Electrochemical performance
optimization of carbon coatings on $LiFePO_4$: Carbonization temperature and carbon content 370
- Electrochemical properties
studies of V doping for the $LiFePO_4$ -based Li Ion batteries 204
- Electrodeposition
electrodeposition of CoNi and CoNiP alloys in sulphamate electrolytes 454
- Electron diffraction
TEM and ED confirmation of conversion of 3D and 2D perovskite-type into fluorite-type structure L5
- Electronic and optical properties
electronic and optical properties of alkali metal selenides in anti- CaF_2 crystal structure from first-principles 10
- Electronic materials
properties of CdS films deposited by the electron beam evaporation technique 170
effect of Bi_2O_3 doping methods on the positive temperature coefficient property of $Ba_{0.999}(Bi_{0.5}Na_{0.5})_{0.001}TiO_3$ ceramics 237
- Electronic properties
acetone mediated electrophoretic deposition of nanocrystalline SDC on NiO-SDC ceramics 266
- Electrorefining
three-dimensional multispecies current density simulation of molten-salt electrorefining 177
- Electrospinning
preparation and photocatalytic property of mesoporous ZnO/SnO₂ composite nanofibers 103
- Energy transfer
luminescence properties of full-color single-phased phosphors for white LEDs 118
- Entropy
the anisotropic magnetocaloric effect described by Maxwell formulation: Application to $DyAl_2$ and $TbNi_2$ 277
- Epitaxy
influence of oxygen partial pressure on the epitaxial $MgFe_2O_4$ thin films deposited on $SrTiO_3$ (1 0 0) substrate 460
- Exchange bias effect
effects of Cu dilution in NiO on the magnetic properties of $NiFe_2O_4/Ni_{1-x}Cu_xO$ nanocomposites 354
- FePt
composition and film thickness effects on microstructure and magnetic properties of ordered $L1_0$ -structured $Fe_{100-x}Pt_x$ films 233
- Ferrimagnetic
magnetic properties of B and AB-spinels $Zn_{1-x}M_xFe_2O_4$ ($M = Ni, Mg$) materials 299
- Ferrite
rod-like ferrites obtained through thermal degradation of a molecular ferrimagnet 449
- Ferroelectric materials
synthesis of $LiVO_3$ thin films by spray pyrolysis technique 445
- Ferroelectricity
effect of Bi_2O_3 doping methods on the positive temperature coefficient property of $Ba_{0.999}(Bi_{0.5}Na_{0.5})_{0.001}TiO_3$ ceramics 237
- Ferroelectrics
microstructure and properties of sol-gel derived $PbTiO_3/NiFe_2O_4$ multiferroic composite thin film with the two nano-crystalline phases dispersed homogeneously 426
- Ferromagnetic shape memory alloys
giant magneto-caloric effect near room temperature in Ni-Mn-Sn-Ga alloys 273
- FESEM
influence of Pb doping on the structural, optical and electrical properties of nanocomposite Se-Te thin films 397
- FETEM
influence of Pb doping on the structural, optical and electrical properties of nanocomposite Se-Te thin films 397
- First-principles calculations
electronic and optical properties of alkali metal selenides in anti- CaF_2 crystal structure from first-principles 10

- Formation enthalpy
thermodynamic measurements in the Mg–Zn system 44
- FP-LAPW
electronic and optical properties of alkali metal selenides in anti-CaF₂ crystal structure from first-principles 10
- Friction stir processing
Al–Ni intermetallic composites produced in situ by friction stir processing 494
- Full-color
luminescence properties of full-color single-phased phosphors for white LEDs 118
- Gas–solid reaction
fine size (Y,Gd)BO₃:Eu phosphor powders prepared from precursor powders with hollow shape and large size 260
- Generalized gradient approximation
electronic and optical properties of alkali metal selenides in anti-CaF₂ crystal structure from first-principles 10
- Germanate glasses
mixing up-conversion excitation behaviors in Er³⁺/Yb³⁺-codoped aluminum germanate glasses for visible waveguide devices 133
- Grain refinement
effects of trace C addition on the microstructure and refining efficiency of Al–Ti–B master alloy 286
- Hardness
properties and microstructure of AlN prepared using alumina crucible and MoSi₂ heating element 76
- Heat treatment
Al–Ni intermetallic composites produced in situ by friction stir processing 494
- High-resolution transmission electron microscopy
TEM and ED confirmation of conversion of 3D and 2D perovskite-type into fluorite-type structure 15
- High-temperature series expansions
magnetic properties of B and AB-spinels Zn_{1-x}M_xFe₂O₄ (M = Ni, Mg) materials 299
- Honeycomb
PVA assisted growth of hydrophobic honeycomb network of CdS thin films 422
- Hot-pressing method
effect of Bi doping on the thermoelectric properties of Zn₄Sb₃ 464
- HPS
thermoelectric properties of n-type CoSb₃ fabricated with high pressure sintering 490
- Hydrogen
effect of hydrogen content on superplastic forming/diffusion bonding of TC21 alloys 151
- Hydrogen storage
studies of covalent amides for hydrogen storage systems: Structures and bonding of the MAI(NH₂)₄ phases with M = Li, Na and K 194
novel hydrogen storage materials: A review of lightweight complex hydrides 303
- Hydrogen storage material
improved dehydrogenation performance of LiBH₄/MgH₂ composite with Pd nanoparticles addition 345
- Hydrophobic
PVA assisted growth of hydrophobic honeycomb network of CdS thin films 422
- Illumination effect
the interface states and series resistance effects on the forward and reverse bias *I*–*V*, *C*–*V* and *G*/*ω*–*V* characteristics of Al–TiW–Pd₂Si/*n*-Si Schottky barrier diodes 96
- Impedance spectroscopy
comparative studies on properties of scandia-stabilized zirconia synthesized by the polymeric precursor and the polyacrylamide techniques 474
- In situ Mg₂Si particles
production and corrosion behaviours of the Al–12Si–XMg alloys containing in situ Mg₂Si particles 122
- Infrared
IR, density and DTA studies the effect of replacing Pb₃O₄ by CuO in pseudo-binary Li₂B₄O₇–Pb₃O₄ glass system 384
- Infrared spectroscopy
studies of covalent amides for hydrogen storage systems: Structures and bonding of the MAI(NH₂)₄ phases with M = Li, Na and K 194
- Interface
an experimental investigation of the interface characteristics of aluminium/silicon carbide 92
- Interface states
the interface states and series resistance effects on the forward and reverse bias *I*–*V*, *C*–*V* and *G*/*ω*–*V* characteristics of Al–TiW–Pd₂Si/*n*-Si Schottky barrier diodes 96
effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/*n*-CdMnTe/GaAs magnetic diode for photocapacitance applications 213
- Interfacial reaction
interfacial reactions on Pb-free solders with Au/Pd/Ni/Cu multilayer substrates 25
- Intermetallics
the anisotropic magnetocaloric effect described by Maxwell formulation: Application to DyAl₂ and TbNi₂ 277
investigation of in-situ synthesis of NbAl₃/Al₂O₃ nanocomposite by mechanical alloying and its formation mechanism 294
Al–Ni intermetallic composites produced in situ by friction stir processing 494
- Joint grains
effect of hydrogen content on superplastic forming/diffusion bonding of TC21 alloys 151
- L1₀ phase
composition and film thickness effects on microstructure and magnetic properties of ordered L1₀-structured Fe_{100-x}Pt_x films 233
- Laser processing
laser surface remelting of plasma-sprayed nanostructured Al₂O₃–13 wt%TiO₂ coatings on magnesium alloy 127
- Lead tungstate
fabrication of lead tungstate microcrystals on a lead surface at room temperature 248
- Lead-free solder
interfacial reactions on Pb-free solders with Au/Pd/Ni/Cu multilayer substrates 25
- Li⁺ diffusion coefficient
studies of V doping for the LiFePO₄-based Li Ion batteries 204
- Li-doped ZnO
synthesis and characteristics of Li-doped ZnO powders for p-type ZnO 436
- LiFePO₄
optimization of carbon coatings on LiFePO₄: Carbonization temperature and carbon content 370
- Light sensitive capacitor
effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/*n*-CdMnTe/GaAs magnetic diode for photocapacitance applications 213
- Light weight hydrides
novel hydrogen storage materials: A review of lightweight complex hydrides 303
- Lithium borohydride
improved dehydrogenation performance of LiBH₄/MgH₂ composite with Pd nanoparticles addition 345
- Long-distance diffusion
doping of high concentration of Beryllium in GaAs layers, by molecular-beam epitaxy 71
- Low temperature molten salt
preparation of a novel Bi_{3.64}Mo_{0.36}O_{6.55} nanophotocatalyst by molten salt method and evaluation for photocatalytic decomposition of rhodamine B 159

- Low-temperature MBE growth
doping of high concentration of Beryllium in GaAs layers, by molecular-beam epitaxy 71
- LSMO
lateral parameter variations on the properties of $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ films prepared on Si (1 0 0) substrates by dc magnetron sputtering 163
- Luminescence
photoluminescence and concentration quenching of $\text{NaCa}_4(\text{BO}_3)_3:\text{Eu}^{3+}$ phosphor L14
room temperature synthesis of ZnO nanoflowers on Si substrate via seed-layer assisted solution route 514
- Machined chips
consolidation behavior of Mg–10Gd–2Y–0.5Zr chips during solid-state recycling 253
- Magnesium
thermodynamic measurements in the Mg–Zn system 44
- Magnesium hydride
improved dehydrogenation performance of $\text{LiBH}_4/\text{MgH}_2$ composite with Pd nanoparticles addition 345
- Magnetic diode
effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/n-CdMnTe/GaAs magnetic diode for photocapacitance applications 213
- Magnetic films and multilayers
microstructure and properties of sol–gel derived $\text{PbTiO}_3/\text{NiFe}_2\text{O}_4$ multiferroic composite thin film with the two nano-crystalline phases dispersed homogeneously 426
- Magnetic materials
synthesis of iron oxide nanocubes via microwave-assisted solvothermal method L31
- Magnetic measurements
synthesis, mechanical and magnetic properties of transition metals-doped $\text{Ca}_3\text{Co}_{3.8}\text{M}_{0.2}\text{O}_9$ 431
synthesis, structure, magnetic, optical and Mössbauer properties of $\text{Na}_2\text{FeSn}(\text{PO}_4)_3$ 480
- Magnetic phase diagram
magnetic properties of B and AB-spinels $\text{Zn}_{1-x}\text{M}_x\text{Fe}_2\text{O}_4$ (M = Ni, Mg) materials 299
- Magnetic properties
composition and film thickness effects on microstructure and magnetic properties of ordered L1_0 -structured $\text{Fe}_{100-x}\text{Pt}_x$ films 233
electrodeposition of CoNi and CoNiP alloys in sulphamate electrolytes 454
influence of oxygen partial pressure on the epitaxial MgFe_2O_4 thin films deposited on SrTiO_3 (1 0 0) substrate 460
- Magnetically ordered material
magnetic structure of ErCu_2Ge_2 L18
- Magnetocaloric
the anisotropic magnetocaloric effect described by Maxwell formulation: Application to DyAl_2 and TbNi_2 277
- Magneto-caloric effect
giant magneto-caloric effect near room temperature in Ni–Mn–Sn–Ga alloys 273
- Magnetocrystalline anisotropy
composition and film thickness effects on microstructure and magnetic properties of ordered L1_0 -structured $\text{Fe}_{100-x}\text{Pt}_x$ films 233
- Martensitic transition
giant magneto-caloric effect near room temperature in Ni–Mn–Sn–Ga alloys 273
- Mechanical alloying
effect of ethanol on the formation and properties of a Cu–NbC composite 228
- Mechanical properties
laser surface remelting of plasma-sprayed nanostructured Al_2O_3 –13 wt% TiO_2 coatings on magnesium alloy 127
In situ reaction synthesis of Ti–TiB composites containing high volume fraction of TiB by spark plasma sintering process 145
improvement in adhesion and decrease in stress of MgO thin films due to vapour chopping 224
synthesis, mechanical and magnetic properties of transition metals-doped $\text{Ca}_3\text{Co}_{3.8}\text{M}_{0.2}\text{O}_9$ 431
- Mechanochemical processing
investigation of in-situ synthesis of $\text{NbAl}_3/\text{Al}_2\text{O}_3$ nanocomposite by mechanical alloying and its formation mechanism 294
- Mesopores
preparation and photocatalytic property of mesoporous ZnO/SnO₂ composite nanofibers 103
- Metal matrix composites
an experimental investigation of the interface characteristics of aluminium/silicon carbide 92
effect of ethanol on the formation and properties of a Cu–NbC composite 228
- Metal–ceramic bonding
an experimental investigation of the interface characteristics of aluminium/silicon carbide 92
- Metallic glasses
electrochemical and surface investigation of zirconium based metallic glass $\text{Zr}_{59}\text{Ti}_3\text{Cu}_{20}\text{Al}_{10}\text{Ni}_8$ alloy in nitric acid and sodium chloride media 50
wear behavior of a Zr-based bulk metallic glass and its composites 138
effects of irradiation on the electrochemical behavior of the alloy $\text{Ti}_{60}\text{Ni}_{40}$ 192
- Metals and alloys
corrosion and pitting behaviour of ultrafine eutectic Ti–Fe–Sn alloys 19
numerical and experimental investigation of microporosity formation in a ternary Al–Cu–Si alloy 31
phase equilibria of the Al–Pr–Zr ternary system at 773 K 57
determination of the phase equilibria in the Al–Er–V ternary system at 773 K 61
small angle X-ray scattering study of the strengthen mechanism of Al–Mg–Li alloy during retrogression and reaging treatment 291
- Metastable fluorites
TEM and ED confirmation of conversion of 3D and 2D perovskite-type into fluorite-type structure L5
- Mg
production and corrosion behaviours of the Al–12Si–XMg alloys containing in situ Mg_2Si particles 122
($\text{Mg}_{0.7}\text{Zn}_{0.3}$)_{0.95} $\text{Co}_{0.05}\text{TiO}_3$
microwave dielectric properties of $x(\text{Mg}_{0.7}\text{Zn}_{0.3})_{0.95}\text{Co}_{0.05}\text{TiO}_3$ –(1 – x) $\text{Ca}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ ceramics with a zero temperature coefficient of resonant frequency 392
- MgFe_2O_4
influence of oxygen partial pressure on the epitaxial MgFe_2O_4 thin films deposited on SrTiO_3 (1 0 0) substrate 460
- Mg–10Gd–2Y–0.5Zr
consolidation behavior of Mg–10Gd–2Y–0.5Zr chips during solid-state recycling 253
- Microcrystals
fabrication of lead tungstate microcrystals on a lead surface at room temperature 248
- Microhardness
electrodeposition of CoNi and CoNiP alloys in sulphamate electrolytes 454
- Microstructure
refinement of hypereutectic Al–Si alloy by a new Al–Zr–P master alloy L26
catalyst-free synthesis, morphology evolution and optical property of one-dimensional aluminum nitride nanostructure arrays L34
corrosion and pitting behaviour of ultrafine eutectic Ti–Fe–Sn alloys 19
influence of the addition of indium on the mechanical creep of Sn–3.5%Ag alloy 65
laser surface remelting of plasma-sprayed nanostructured Al_2O_3 –13 wt% TiO_2 coatings on magnesium alloy 127
In situ reaction synthesis of Ti–TiB composites containing high volume fraction of TiB by spark plasma sintering process 145

- Microwave**
 characterization and dielectric behavior of a new dielectric ceramics MgTiO₃-Ca_{0.8}Sr_{0.2}TiO₃ at microwave frequencies 365
- Microwave dielectric properties**
 microwave dielectric properties of $x(\text{Mg}_{0.7}\text{Zn}_{0.3})_{0.95}\text{Co}_{0.05}\text{TiO}_3-(1-x)\text{Ca}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ ceramics with a zero temperature coefficient of resonant frequency 392
- Microwave heating**
 microwave-induced solid-state decomposition of the Bi[Fe(CN)₆].5H₂O precursor: A novel route for the rapid and facile synthesis of pure and single-phase BiFeO₃ nanopowder 439
- Mixing up-conversion process**
 mixing up-conversion excitation behaviors in Er³⁺/Yb³⁺-codoped aluminum germanate glasses for visible waveguide devices 133
- Molar ratio**
 influence of pH values on (Nd + Y):Al molar ratio of Nd:YAG nanopowders and preparation of transparent ceramics 525
- Molecular magnet**
 rod-like ferrites obtained through thermal degradation of a molecular ferrimagnet 449
- MoO₃**
 crystal growth and spectroscopic properties of MoO₃ and WO₃ doped Bi₄Ge₃O₁₂ by optical floating zone method 380
- Morphology**
 catalyst-free synthesis, morphology evolution and optical property of one-dimensional aluminum nitride nanostructure arrays L34
 fabrication of lead tungstate microcrystals on a lead surface at room temperature 248
 influences in high quality zinc oxide films and their photoelectrochemical performance 416
- Mössbauer spectroscopy**
 synthesis, structure, magnetic, optical and Mössbauer properties of Na₂FeSn(PO₄)₃ 480
- Multiferroic materials**
 microwave-induced solid-state decomposition of the Bi[Fe(CN)₆].5H₂O precursor: A novel route for the rapid and facile synthesis of pure and single-phase BiFeO₃ nanopowder 439
- N₂/Ar ratio**
 influence of total gas pressure on the microstructure and properties of CrAlN films deposited by a pulsed DC balanced magnetron sputtering system 389
- Na₂FeSn(PO₄)₃**
 synthesis, structure, magnetic, optical and Mössbauer properties of Na₂FeSn(PO₄)₃ 480
- Nanocomposite**
 investigation of in-situ synthesis of NbAl₃/Al₂O₃ nanocomposite by mechanical alloying and its formation mechanism 294
 influence of Pb doping on the structural, optical and electrical properties of nanocomposite Se-Te thin films 397
- Nanofabrications**
 acetone mediated electrophoretic deposition of nanocrystalline SDC on NiO-SDC ceramics 266
- Nanofibers**
 preparation and photocatalytic property of mesoporous ZnO/SnO₂ composite nanofibers 103
- Nanomaterials**
 synthesis of iron oxide nanocubes via microwave-assisted solvothermal method L31
 sacrificial template method for the synthesis of CdS nanosponges and their photocatalytic properties 485
- Nanoparticles**
 preparation of a novel Bi_{3.64}Mo_{0.36}O_{6.55} nanophotocatalyst by molten salt method and evaluation for photocatalytic decomposition of rhodamine B 159
 sonochemical synthesis of Dy₂(CO₃)₃ nanoparticles and their conversion to Dy₂O₃ and Dy(OH)₃: Effects of synthesis parameters 500
- Nanopowder**
 microwave-induced solid-state decomposition of the Bi[Fe(CN)₆].5H₂O precursor: A novel route for the rapid and facile synthesis of pure and single-phase BiFeO₃ nanopowder 439
- Nanostructured materials**
 catalyst-free synthesis, morphology evolution and optical property of one-dimensional aluminum nitride nanostructure arrays L34
 investigation of in-situ synthesis of NbAl₃/Al₂O₃ nanocomposite by mechanical alloying and its formation mechanism 294
 effects of Cu dilution in NiO on the magnetic properties of NiFe₂O₄/Ni_{1-x}Cu_xO nanocomposites 354
 influence of anodisation voltage on the dimension of titania nanotubes 359
 order-sintering of mechanically alloyed FeAl nanostructures 375
 room temperature synthesis of ZnO nanoflowers on Si substrate via seed-layer assisted solution route 514
- Nasicon-phosphates**
 synthesis, structure, magnetic, optical and Mössbauer properties of Na₂FeSn(PO₄)₃ 480
- n-Butanol**
 solvothermal synthesis of monodisperse self-assembly CeO₂ nanospheres and their enhanced blue-shifting in ultraviolet absorption 519
- Nd:YAG**
 influence of pH values on (Nd + Y):Al molar ratio of Nd:YAG nanopowders and preparation of transparent ceramics 525
- Neutron diffraction**
 magnetic structure of ErCu₂Ge₂ L18
- Ni@Pt nanoparticles**
 Ni@Pt core-shell nanoparticles with enhanced catalytic activity for oxygen reduction reaction L1
- Non-equilibrium structure**
 doping of high concentration of Beryllium in GaAs layers, by molecular-beam epitaxy 71
- n-type GaN**
 electrical properties and interfacial reactions of rapidly annealed Ni/Ru Schottky rectifiers on n-type GaN 186
- Olivine compound**
 studies of V doping for the LiFePO₄-based Li Ion batteries 204
- Optical floating zone**
 crystal growth and spectroscopic properties of MoO₃ and WO₃ doped Bi₄Ge₃O₁₂ by optical floating zone method 380
- Optical properties**
 photoluminescence and concentration quenching of NaCa₄(BO₃)₃:Eu³⁺ phosphor L14
 hydrothermal synthesis of novel Zn₂SnO₄ octahedron microstructures assembled with hexagon nanoplates L21
 influence of X-ray irradiation on the optical properties of ruthenium(II)octa-(*n*-hexyl)-phthalocyanine thin film 86
 influence of Zn/O ratio on structural, electrical and optical properties of ZnO thin films fabricated by plasma-assisted molecular beam epitaxy 155
 influence of pH values on (Nd + Y):Al molar ratio of Nd:YAG nanopowders and preparation of transparent ceramics 525
- Optoelectronic properties**
 influences in high quality zinc oxide films and their photoelectrochemical performance 416
- Order-disorder effects**
 order-sintering of mechanically alloyed FeAl nanostructures 375
- Ostwald ripening**
 synthesis of iron oxide nanocubes via microwave-assisted solvothermal method L31
- Oxide glass**
 IR, density and DTA studies the effect of replacing Pb₃O₄ by CuO in pseudo-binary Li₂B₄O₇-Pb₃O₄ glass system 384
- Oxides materials**
 improvement in adhesion and decrease in stress of MgO thin films due to vapour chopping 224
 influence of anodisation voltage on the dimension of titania nanotubes 359
 self-propagating High-temperature Synthesis of Ca_{1.24}Co_{1.62}O_{3.86} thermoelectric powders 402
 improvement in electrical stability of ZnO varistors by infiltration of molten Bi₂O₃ 507
- Oxygen reduction reaction**
 Ni@Pt core-shell nanoparticles with enhanced catalytic activity for oxygen reduction reaction L1

- Padé approximants
magnetic properties of B and AB-spinels $Zn_{1-x}M_xFe_2O_4$ ($M = Ni, Mg$) materials 299
- Pd nanoparticles
improved dehydrogenation performance of $LiBH_4/MgH_2$ composite with Pd nanoparticles addition 345
- PEC performance
influences in high quality zinc oxide films and their photoelectrochemical performance 416
- PEM fuel cell
Ni@Pt core-shell nanoparticles with enhanced catalytic activity for oxygen reduction reaction L1
- Permeability
influence of sintering temperature on the structural, magnetic and dielectric properties of $Ni_{0.8}Zn_{0.2}Fe_2O_4$ synthesized by co-precipitation route 111
- Permittivity
influence of sintering temperature on the structural, magnetic and dielectric properties of $Ni_{0.8}Zn_{0.2}Fe_2O_4$ synthesized by co-precipitation route 111
- Perovskite ceramics
microstructure and piezoelectric properties of $Na_{0.5}K_{0.5}NbO_3-BiNiO_3-LiSbO_3$ lead-free ceramics 209
- Perovskite-type oxide
microwave-induced solid-state decomposition of the $Bi[Fe(CN)_6] \cdot 5H_2O$ precursor: A novel route for the rapid and facile synthesis of pure and single-phase $BiFeO_3$ nanopowder 439
- pH values
influence of pH values on (Nd + Y):Al molar ratio of Nd:YAG nanopowders and preparation of transparent ceramics 525
- σ phase
the crystal structure of La-doped $Co_{40}V_{60}$ compound 281
- Phase diagrams
phase equilibria of the Al-Pr-Zr ternary system at 773 K 57
determination of the phase equilibria in the Al-Er-V ternary system at 773 K 61
- Phase transformation
refinement of hypereutectic Al-Si alloy by a new Al-Zr-P master alloy L26
- Phase transitions
laser surface remelting of plasma-sprayed nanostructured $Al_2O_3-13 \text{ wt\%TiO}_2$ coatings on magnesium alloy 127
- Phosphors
photoluminescence and concentration quenching of $NaCa_4(BO_3)_3:Eu^{3+}$ phosphor L14
luminescence properties of full-color single-phased phosphors for white LEDs 118
- Photocatalyst
preparation and photocatalytic property of mesoporous ZnO/SnO_2 composite nanofibers 103
preparation of a novel $Bi_{3.64}Mo_{0.36}O_{6.55}$ nanophotocatalyst by molten salt method and evaluation for photocatalytic decomposition of rhodamine B 159
- Photocatalytic activity
sacrificial template method for the synthesis of CdS nanospheres and their photocatalytic properties 485
- Photoconduction
investigation of physical properties of quaternary $AgGa_{0.5}In_{0.5}Te_2$ thin films deposited by thermal evaporation 468
- Photoluminescence
nitrogen-electronegativity-induced bowing character in ternary zincblende $Ga_{1-x}In_xN$ alloys 529
- Phthalocyanines
influence of X-ray irradiation on the optical properties of ruthenium(II)octa-(*n*-hexyl)-phthalocyanine thin film 86
- Piezoelectricity
microstructure and piezoelectric properties of $Na_{0.5}K_{0.5}NbO_3-BiNiO_3-LiSbO_3$ lead-free ceramics 209
- PLD
influence of oxygen partial pressure on the epitaxial $MgFe_2O_4$ thin films deposited on $SrTiO_3$ (1 0 0) substrate 460
- Powder synthesis
comparative studies on properties of scandia-stabilized zirconia synthesized by the polymeric precursor and the polyacrylamide techniques 474
- Precipitation
small angle X-ray scattering study of the strengthen mechanism of Al-Mg-Li alloy during retrogression and reaging treatment 291
effects of Cu dilution in NiO on the magnetic properties of $NiFe_2O_4/Ni_{1-x}Cu_xO$ nanocomposites 354
- Pressure effect
influence of oxygen partial pressure on the epitaxial $MgFe_2O_4$ thin films deposited on $SrTiO_3$ (1 0 0) substrate 460
- Probability law
magnetic properties of B and AB-spinels $Zn_{1-x}M_xFe_2O_4$ ($M = Ni, Mg$) materials 299
- Pseudo-binary $Li_2B_4O_7-Pb_3O_4$ glass system
IR, density and DTA studies the effect of replacing Pb_3O_4 by CuO in pseudo-binary $Li_2B_4O_7-Pb_3O_4$ glass system 384
- p-Type
synthesis and characteristics of Li-doped ZnO powders for p-type ZnO 436
- Pulse width
influence of total gas pressure on the microstructure and properties of CrAlN films deposited by a pulsed DC balanced magnetron sputtering system 389
- Pulsed DC magnetron sputtering
influence of total gas pressure on the microstructure and properties of CrAlN films deposited by a pulsed DC balanced magnetron sputtering system 389
- Pure red upconversion emission
pure red upconversion emission from $Yb_3Al_5O_{12}$ phase doped with high Er^{3+} concentration 82
- PVA
PVA assisted growth of hydrophobic honeycomb network of CdS thin films 422
- Pyroprocessing
three-dimensional multispecies current density simulation of molten-salt electrorefining 177
- P-ZnTe/n-CdMnTe/GaAs
effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/n-CdMnTe/GaAs magnetic diode for photocapacitance applications 213
- Raman
role of molybdenum ions on physical, optical, electrical and vibrational studies in Er^{3+} co-doped $TeO_2-ZrO_2-PbCl_2$ glasses 242
- Rapid-solidification
corrosion and pitting behaviour of ultrafine eutectic Ti-Fe-Sn alloys 19
microstructural characteristics of spray formed zircon sand reinforced LM13 composite 410
- Rare earth intermetallics
magnetic structure of $ErCu_2Ge_2$ L18
- Rare earth metal incorporation
the crystal structure of La-doped $Co_{40}V_{60}$ compound 281
- Rare-earth ions
mixing up-conversion excitation behaviors in Er^{3+}/Yb^{3+} -codoped aluminum germanate glasses for visible waveguide devices 133
- Relaxation time
effect of illumination and frequency on the capacitance spectroscopy and the relaxation process of p-ZnTe/n-CdMnTe/GaAs magnetic diode for photocapacitance applications 213
- Rhodamine B
preparation of a novel $Bi_{3.64}Mo_{0.36}O_{6.55}$ nanophotocatalyst by molten salt method and evaluation for photocatalytic decomposition of rhodamine B 159
- Rietveld
synthesis, structure, magnetic, optical and Mössbauer properties of $Na_2FeSn(PO_4)_3$ 480
- Room-temperature ferromagnetism
room-temperature ferromagnetism in Si-SiO₂ composite film on glass substrate 6

- Ruthenium thin films
influence of X-ray irradiation on the optical properties of ruthenium(II)octa-
(*n*-hexyl)-phthalocyanine thin film 86
- Scanning electron microscope (SEM)
microstructural characteristics of spray formed zircon sand reinforced LM13
composite 410
- Scanning electron microscopy
acetone mediated electrophoretic deposition of nanocrystalline SDC on
NiO-SDC ceramics 266
- Schottky rectifiers
electrical properties and interfacial reactions of rapidly annealed Ni/Ru
Schottky rectifiers on *n*-type GaN 186
- Secondary ion mass spectrometer
electrical properties and interfacial reactions of rapidly annealed Ni/Ru
Schottky rectifiers on *n*-type GaN 186
- Self-assembly
solvothermal synthesis of monodisperse self-assembly CeO₂ nanospheres
and their enhanced blue-shifting in ultraviolet absorption 519
- SEM
fabrication of lead tungstate microcrystals on a lead surface at room
temperature 248
influence of oxygen partial pressure on the epitaxial MgFe₂O₄ thin films
deposited on SrTiO₃ (1 0 0) substrate 460
improvement in electrical stability of ZnO varistors by infiltration of molten
Bi₂O₃ 507
- Semiconductors
hydrothermal synthesis of novel Zn₂SnO₄ octahedron microstructures
assembled with hexagon nanoplates L21
properties of CdS films deposited by the electron beam evaporation
technique 170
effect of Bi₂O₃ doping methods on the positive temperature coefficient
property of Ba_{0.999}(Bi_{0.5}Na_{0.5})_{0.001}TiO₃ ceramics 237
sol-gel dip coated CdO:Al films 350
room temperature synthesis of ZnO nanoflowers on Si substrate via seed-
layer assisted solution route 514
- III-V semiconductors
nitrogen-electronegativity-induced bowing character in ternary zincblende
Ga_{1-x}In_xN alloys 529
- Series resistance
the interface states and series resistance effects on the forward and reverse
bias *I-V*, *C-V* and *G/ω-V* characteristics of Al-TiW-Pd₂Si/*n*-Si Schottky
barrier diodes 96
- Sintering
effect of temperature on dielectric properties of Si₃N₄/SiO₂ composite and
silica ceramic L9
order-sintering of mechanically alloyed FeAl nanostructures 375
improvement in electrical stability of ZnO varistors by infiltration of molten
Bi₂O₃ 507
- Si-SiO₂ composite film
room-temperature ferromagnetism in Si-SiO₂ composite film on glass
substrate 6
- Skutterudite compounds
thermoelectric properties of *n*-type CoSb₃ fabricated with high pressure
sintering 490
- Small angle X-ray scattering
small angle X-ray scattering study of the strengthen mechanism of
Al-Mg-Li alloy during retrogression and reaging treatment 291
- Sn-Ag-In
influence of the addition of indium on the mechanical creep of Sn-3.5%Ag
alloy 65
- Sodium potassium niobate
microstructure and piezoelectric properties of Na_{0.5}K_{0.5}NbO₃-BiNiO₃-LiSbO₃
lead-free ceramics 209
- Solar cells
investigation of physical properties of quaternary AgGa_{0.5}In_{0.5}Te₂ thin films
deposited by thermal evaporation 468
- Soldering
influence of the addition of indium on the mechanical creep of Sn-3.5%Ag
alloy 65
- Sol-gel processes
microstructure and properties of sol-gel derived PbTiO₃/NiFe₂O₄ multiferroic
composite thin film with the two nano-crystalline phases dispersed
homogeneously 426
- Sol-gel synthesis
synthesis, mechanical and magnetic properties of transition metals-doped
Ca₃Co_{3.8}M_{0.2}O₉ 431
- Sol-gel technique
sol-gel dip coated CdO:Al films 350
- Solid solution
effect of ethanol on the formation and properties of a Cu-NbC composite
228
- Solid-gas phase synthesis
TEM and ED confirmation of conversion of 3D and 2D perovskite-type into
fluorite-type structure L5
- Solid-state reactions
photoluminescence and concentration quenching of NaCa₄(BO₃)₃:Eu³⁺
phosphor L14
- Solid-state recycling
consolidation behavior of Mg-10Gd-2Y-0.5Zr chips during solid-state
recycling 253
- Solution method
fabrication of well-aligned and dumbbell-shaped hexagonal ZnO nanorod
arrays and their dye sensitized solar cell applications L40
- Solvothermal
synthesis of iron oxide nanocubes via microwave-assisted solvothermal
method L31
- Solvothermal
solvothermal synthesis of monodisperse self-assembly CeO₂ nanospheres
and their enhanced blue-shifting in ultraviolet absorption 519
- Spark plasma sintering
In situ reaction synthesis of Ti-TiB composites containing high volume
fraction of TiB by spark plasma sintering process 145
effect of ethanol on the formation and properties of a Cu-NbC composite
228
- Specific heat
magnetic structure of ErCu₂Ge₂ L18
thermodynamic measurements in the Mg-Zn system 44
- Spent nuclear fuel
three-dimensional multispecies current density simulation of molten-salt
electrorefining 177
- Spinel
magnetic properties of B and AB-spinels Zn_{1-x}M_xFe₂O₄ (M = Ni, Mg)
materials 299
- Spray pyrolysis
influences in high quality zinc oxide films and their photoelectrochemical
performance 416
synthesis of LiVO₃ thin films by spray pyrolysis technique 445
- Sputtering
lateral parameter variations on the properties of La_{0.7}Sr_{0.3}MnO₃ films
prepared on Si (1 0 0) substrates by dc magnetron sputtering
163
- Stability and crystal structure
the crystal structure of La-doped Co₄₀V₆₀ compound 281
- Stoichiometric
influence of Zn/O ratio on structural, electrical and optical properties of
ZnO thin films fabricated by plasma-assisted molecular beam epitaxy
155
- Structure
role of molybdenum ions on physical, optical, electrical and vibrational
studies in Er³⁺ co-doped TeO₂-ZrO₂-PbCl₂ glasses 242
- Superconductivity
structural and superconducting properties of YBaCuO superconductors at
different atomic compositions 1

- Superplastic forming and diffusion bonding
effect of hydrogen content on superplastic forming/diffusion bonding of TC21 alloys 151
- Surfactant/template-free
solvothermal synthesis of monodisperse self-assembly CeO₂ nanospheres and their enhanced blue-shifting in ultraviolet absorption 519
- Tellurite-lead-zirconium-molybdenum-rare earth-glasses
role of molybdenum ions on physical, optical, electrical and vibrational studies in Er³⁺ co-doped TeO₂-ZrO₂-PbCl₂ glasses 242
- Temperature stable
characterization and dielectric behavior of a new dielectric ceramics MgTiO₃-Ca_{0.8}Sr_{0.2}TiO₃ at microwave frequencies 365
- Thermal analyses (TG/DSC)
self-propagating High-temperature Synthesis of Ca_{1.24}Co_{1.62}O_{3.86} thermoelectric powders 402
- Thermal analysis
numerical and experimental investigation of microporosity formation in a ternary Al-Cu-Si alloy 31
studies of covalent amides for hydrogen storage systems: Structures and bonding of the MAI(NH₂)₄ phases with M = Li, Na and K 194
- Thermal conductivity
properties and microstructure of AlN prepared using alumina crucible and MoSi₂ heating element 76
- Thermal degradation
rod-like ferrites obtained through thermal degradation of a molecular ferrimagnet 449
- Thermodynamic modeling
the anisotropic magnetocaloric effect described by Maxwell formulation: Application to DyAl₂ and TbNi₂ 277
- Thermoelectric
synthesis, mechanical and magnetic properties of transition metals-doped Ca₃Co_{3.8}M_{0.2}O₉ 431
- Thermoelectric materials
self-propagating High-temperature Synthesis of Ca_{1.24}Co_{1.62}O_{3.86} thermoelectric powders 402
- Thermoelectric properties
effect of Bi doping on the thermoelectric properties of Zn₄Sb₃ 464
thermoelectric properties of n-type CoSb₃ fabricated with high pressure sintering 490
- Thermogravimetry
effect of hydrogen content on superplastic forming/diffusion bonding of TC21 alloys 151
- Thin film
improvement in adhesion and decrease in stress of MgO thin films due to vapour chopping 224
acetone mediated electrophoretic deposition of nanocrystalline SDC on NiO-SDC ceramics 266
PVA assisted growth of hydrophobic honeycomb network of CdS thin films 422
- Thin films
properties of CdS films deposited by the electron beam evaporation technique 170
X-ray and optical properties of chemically deposited nanocrystalline CdSe thin films 220
sol-gel dip coated CdO:Al films 350
microstructure and properties of sol-gel derived PbTiO₃/NiFe₂O₄ multiferroic composite thin film with the two nano-crystalline phases dispersed homogeneously 426
synthesis of LiVO₃ thin films by spray pyrolysis technique 445
influence of oxygen partial pressure on the epitaxial MgFe₂O₄ thin films deposited on SrTiO₃ (1 0 0) substrate 460
- TiB₂
effects of trace C addition on the microstructure and refining efficiency of Al-Ti-B master alloy 286
- TiC
effects of trace C addition on the microstructure and refining efficiency of Al-Ti-B master alloy 286
- Total sputtering pressure
influence of total gas pressure on the microstructure and properties of CrAlN films deposited by a pulsed DC balanced magnetron sputtering system 389
- Transparent ceramics
influence of pH values on (Nd + Y):Al molar ratio of Nd:YAG nanopowders and preparation of transparent ceramics 525
- Tribological properties
wear behavior of a Zr-based bulk metallic glass and its composites 138
- Ultrasonic
sonochemical synthesis of Dy₂(CO₃)₃ nanoparticles and their conversion to Dy₂O₃ and Dy(OH)₃: Effects of synthesis parameters 500
- UV-visible
synthesis, structure, magnetic, optical and Mössbauer properties of Na₂FeSn(PO₄)₃ 480
- Vacuum deposition
investigation of physical properties of quaternary AgGa_{0.5}In_{0.5}Te₂ thin films deposited by thermal evaporation 468
- Vapor deposition
catalyst-free synthesis, morphology evolution and optical property of one-dimensional aluminum nitride nanostructure arrays L34
- Vapour deposition
improvement in adhesion and decrease in stress of MgO thin films due to vapour chopping 224
- V-ion doping
studies of V doping for the LiFePO₄-based Li Ion batteries 204
- Visible waveguide
mixing up-conversion excitation behaviors in Er³⁺/Yb³⁺-codoped aluminum germanate glasses for visible waveguide devices 133
- Volume percentage
room-temperature ferromagnetism in Si-SiO₂ composite film on glass substrate 6
- Wear resistant applications
wear behavior of a Zr-based bulk metallic glass and its composites 138
- White LED
luminescence properties of full-color single-phased phosphors for white LEDs 118
- WO₃
crystal growth and spectroscopic properties of MoO₃ and WO₃ doped Bi₄Ge₃O₁₂ by optical floating zone method 380
- X-ray diffraction
crystal structure of the phases Hg₅C^{III}₂X₈ (C^{III} = Ga, In; X = Se, Te) 40
phase equilibria of the Al-Pr-Zr ternary system at 773 K 57
determination of the phase equilibria in the Al-Er-V ternary system at 773 K 61
electrical properties and interfacial reactions of rapidly annealed Ni/Ru Schottky rectifiers on n-type GaN 186
improvement in adhesion and decrease in stress of MgO thin films due to vapour chopping 224
the crystal structure of La-doped Co₄₀V₆₀ compound 281
order-sintering of mechanically alloyed FeAl nanostructures 375
self-propagating High-temperature Synthesis of Ca_{1.24}Co_{1.62}O_{3.86} thermoelectric powders 402
electrodeposition of CoNi and CoNiP alloys in sulphamate electrolytes 454
investigation of physical properties of quaternary AgGa_{0.5}In_{0.5}Te₂ thin films deposited by thermal evaporation 468
comparative studies on properties of scandia-stabilized zirconia synthesized by the polymeric precursor and the polyacrylamide techniques 474
- XRD
influence of Pb doping on the structural, optical and electrical properties of nanocomposite Se-Te thin films 397
influence of oxygen partial pressure on the epitaxial MgFe₂O₄ thin films deposited on SrTiO₃ (1 0 0) substrate 460

- YBaCuO
structural and superconducting properties of YBaCuO superconductors at different atomic compositions 1
- $\text{Yb}_3\text{Al}_5\text{O}_{12}$ (YbAG)
pure red upconversion emission from $\text{Yb}_3\text{Al}_5\text{O}_{12}$ phase doped with high Er^{3+} concentration 82
- Zinc
thermodynamic measurements in the Mg–Zn system 44
- Zinc oxide
influences in high quality zinc oxide films and their photoelectrochemical performance 416
- Zirconia–scandia
comparative studies on properties of scandia-stabilized zirconia synthesized by the polymeric precursor and the polyacrylamide techniques 474
- ZnO
fabrication of well-aligned and dumbbell-shaped hexagonal ZnO nanorod arrays and their dye sensitized solar cell applications L40
preparation and photocatalytic property of mesoporous ZnO/SnO₂ composite nanofibers 103
influence of Zn/O ratio on structural, electrical and optical properties of ZnO thin films fabricated by plasma-assisted molecular beam epitaxy 155
- $\beta\text{-Zn}_4\text{Sb}_3$
effect of Bi doping on the thermoelectric properties of Zn_4Sb_3 464
- ZrP
refinement of hypereutectic Al–Si alloy by a new Al–Zr–P master alloy L26