



## Subject Index of Volume 504

- AC impedance**  
layered Aurivillius compound: Synthesis, characterization and electrical properties 413
- Acoustic emission**  
acoustic emission from deformed Mg–Y–Nd alloy and this alloy reinforced with SiC particles L28
- Activated carbon**  
a novel asymmetric hybrid supercapacitor based on  $\text{Li}_2\text{FeSiO}_4$  and activated carbon electrodes 224
- Activated reactive evaporation**  
electrical and optical properties of  $\text{In}_2\text{O}_3$ :Mo thin films prepared at various Mo-doping levels 351
- Adhesion**  
influence of sodium silicate concentration on structural and tribological properties of microarc oxidation coatings on 2017A aluminum alloy substrate 519
- Adsorption**  
Ag enhances optical and switching properties of gadolinium hydride films 233
- Ag–Cu–In alloys**  
investigation of gap filling ability of Ag–Cu–In brazing filler metals 325
- $\text{Al}_2\text{O}_3$ /TiC composite**  
role of nano-size  $\text{TiO}_2$  particles on the crystallite size of microwave–Combustion synthesized  $\text{Al}_2\text{O}_3$ /TiC composite 566
- Alumina coating**  
influence of sodium silicate concentration on structural and tribological properties of microarc oxidation coatings on 2017A aluminum alloy substrate 519
- Aluminum alloy**  
effects of the casting temperature on microstructure and mechanical properties of the squeeze-cast Al–Zn–Mg–Cu alloy L42
- Amorphous materials**  
phase transformations of  $\text{Fe}_{73.5}\text{Cu}_1\text{Nb}_3\text{Si}_{15.5}\text{B}_7$  amorphous alloy upon thermal treatment 462  
optical band gap, glass transition temperature and structural studies of  $(100 - 2x)\text{TeO}_2 - x\text{Ag}_2\text{O} - x\text{WO}_3$  glass system 468
- Anisotropy**  
influence of octanoic acid on  $\text{SmCo}_5$  nanoflakes prepared by surfactant-assisted high-energy ball milling 391
- Annealing**  
influence of annealing on the structure and ferroelectric properties of  $\text{Sr}_{0.13}\text{Na}_{0.37}\text{Bi}_{0.50}\text{TiO}_3$  thin films prepared by metalorganic solution deposition 155
- Antimonide**  
thermoelectric properties of  $\text{A}_{0.05}\text{Mo}_3\text{Sb}_{5.4}\text{Te}_{1.6}$  (A = Mn, Fe, Co, Ni) 314
- Anti-perovskite**  
first-principles study of the structural, elastic and electronic properties of the anti-perovskites  $\text{SnBSc}_3$  and  $\text{PbBSc}_3$  296
- Atom probe tomography**  
morphological evolution of  $\text{Ag}_2\text{Te}$  precipitates in thermoelectric PbTe 37
- Ball milling**  
influence of filler element and Ni-substitution on thermoelectric properties of multi-filled skutterudites 53  
study of formation mechanism of barium hexaferrite by sintering curve 70  
the effect of high-pressure torsion on the microstructure and hydrogen absorption kinetics of ball-milled  $\text{Mg}_{70}\text{Ni}_{30}$  83  
decomposition behavior of unmilled and ball milled lithium alanate ( $\text{LiAlH}_4$ ) including long-term storage and moisture effects 89
- Band structures**  
structural, electronic, optical and thermal properties of  $\text{Al}_x\text{Ga}_{1-x}\text{As}_y\text{Sb}_{1-y}$  quaternary alloys: First-principles study 559
- Band tailing**  
effect of dysprosium doping on the optical properties of SrS:Dy,Cl phosphor 257
- Barium hexaferrite**  
study of formation mechanism of barium hexaferrite by sintering curve 70
- Barium strontium titanate**  
synthesis  $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ - $\text{ZnNb}_2\text{O}_6$  composite ceramics using chemical coating method 362
- $\text{BaTi}_4\text{O}_9$**   
swift heavy ion induced modifications in nano-crystalline microwave dielectric  $\text{BaTi}_4\text{O}_9$  ceramics 407
- $\text{BiFeO}_3$**   
energy levels and photoluminescence properties of nickel-doped bismuth ferrite 27
- Biotemplate**  
synthesis of yeast-assisted  $\text{Co}_3\text{O}_4$  hollow microspheres—A novel biotemplating technique L10
- BM effect**  
effect of dysprosium doping on the optical properties of SrS:Dy,Cl phosphor 257
- Bonding**  
applying an electron counting rule to screen prospective thermoelectric alloys: The thermoelectric properties of  $\text{YCrB}_4$  and  $\text{Er}_3\text{CrB}_7$ -type phases 265
- Borate crystals**  
optical features of  $\text{Ca}_4\text{Nd}(\text{BO}_3)_3$ :Yb single crystals under CW laser illumination 197
- Boride**  
applying an electron counting rule to screen prospective thermoelectric alloys: The thermoelectric properties of  $\text{YCrB}_4$  and  $\text{Er}_3\text{CrB}_7$ -type phases 265
- Brazing**  
investigation of gap filling ability of Ag–Cu–In brazing filler metals 325
- Cadmium-free**  
investigation of gap filling ability of Ag–Cu–In brazing filler metals 325
- Cadmium–gadolinium oxide**  
structural, electrical and optical properties of  $\text{Cd}_{1-x}\text{Gd}_x\text{O}$  nanocomposite thin films 7

- CaHfO<sub>3</sub>  
thermomechanical properties of calcium series perovskite-type oxides 201
- Calcium polyphosphate  
the microstructure, mechanical and corrosion properties of calcium polyphosphate reinforced ZK60A magnesium alloy composites 585
- CALPHAD  
thermodynamic assessment of the Cu–Ge binary system 159  
experimental determination of phase equilibria and reassessment of Ag–Pd system 431
- Capillary rise height  
investigation of gap filling ability of Ag–Cu–In brazing filler metals 325
- Catalysis  
effect of preparation method on the physical and catalytic property of nanocrystalline Fe<sub>2</sub>O<sub>3</sub> 371
- Cathode materials  
a novel asymmetric hybrid supercapacitor based on Li<sub>2</sub>FeSiO<sub>4</sub> and activated carbon electrodes 224
- Cathodoluminescence  
facile hydrothermal synthesis of novel ZnO nanocubes L1
- CaTiO<sub>3</sub>  
thermomechanical properties of calcium series perovskite-type oxides 201
- Cation distribution  
electrical and magnetic behaviour of nanostructured MgFe<sub>2</sub>O<sub>4</sub> spinel ferrite 395
- CaZrO<sub>3</sub>  
thermomechanical properties of calcium series perovskite-type oxides 201
- Ce-based bulk metallic glass  
thermal stability of cerium-based bulk metallic glasses. Influence of iron addition 357
- Ceramics  
preparation and characterization of Mg-doped fluorapatite nanopowders by sol–gel method 141  
fabrication and characterization of xPrTiTaO<sub>6</sub>(1 – x)YTiNbO<sub>6</sub> microwave ceramic composites 151  
phase formation, microstructure and dielectric properties of Sr<sub>0.53</sub>Ba<sub>0.47</sub>Nb<sub>2–x</sub>Ta<sub>x</sub>O<sub>6</sub> ceramics 211  
effects of TiC and TiN addition on combustion synthesis of Ti<sub>2</sub>AlC<sub>0.5</sub>N<sub>0.5</sub> solid solutions 386  
the role of doping on the structural and functional properties of BiFe<sub>1–x</sub>Mn<sub>x</sub>O<sub>3</sub> magnetoelectric ceramics 420  
electrical and magnetic properties of NiCuZn–CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> composites doped with Bi<sub>2</sub>O<sub>3</sub> 435  
correlation between structural and electrical properties of Mg<sub>1–2x</sub>Zn<sub>x</sub>Ni<sub>x</sub>Al<sub>2</sub>O<sub>4</sub> (x = 0.0–0.5) ceramic nanomaterials synthesized by a urea assisted microwave combustion method 440  
the kinetics of Ni–Co/SiC composite coatings electrodeposition 514
- Cerium oxide  
effect of heat treatment on corrosion properties of sol–gel titania–ceria nanocomposite coating 237
- Characterization method  
synthesis and characterization of Sn–Mo mixtures as negative electrode materials for Li-ion batteries 50
- Charge order  
doped Pr<sub>0.7–x</sub>Bi<sub>x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> manganite: A structural, electrical and magnetic effect L39
- Chemical coating method  
synthesis Ba<sub>0.6</sub>Sr<sub>0.4</sub>TiO<sub>3</sub>–ZnNb<sub>2</sub>O<sub>6</sub> composite ceramics using chemical coating method 362
- Chemical precipitation  
synthesis and characterization of Sn–Mo mixtures as negative electrode materials for Li-ion batteries 50
- Chemical synthesis  
dependence of energy transfer and photoluminescence on tailored defects in Eu-doped ZnO nanosheets-based microflowers 22  
TiO<sub>x</sub>/N<sub>y</sub> nanowire arrays: NH<sub>3</sub>-assisted controllable vertical oriented growth and the electrophotocatalytic properties 32  
hydrothermal synthesis of transition-metal sulfide dendrites or microspheres with functional imidazolium salt L31  
the process of combustion synthesis of WC–Co composites under the action of an electric field 277  
synthesis and characterization of tin dioxide/multiwall carbon nanotube composites 457
- Citrate-gel processing  
swift heavy ion induced modifications in nano-crystalline microwave dielectric BaTi<sub>4</sub>O<sub>9</sub> ceramics 407
- Coating materials  
effect of heat treatment on corrosion properties of sol–gel titania–ceria nanocomposite coating 237  
the kinetics of Ni–Co/SiC composite coatings electrodeposition 514
- Combustion synthesis  
combustion synthesis of titania nanoparticles in a premixed methane flame 115  
effects of TiC and TiN addition on combustion synthesis of Ti<sub>2</sub>AlC<sub>0.5</sub>N<sub>0.5</sub> solid solutions 386  
role of nano-size TiO<sub>2</sub> particles on the crystallite size of microwave–Combustion synthesized Al<sub>2</sub>O<sub>3</sub>/TiC composite 566
- Composite  
fabrication and characterization of xPrTiTaO<sub>6</sub>(1 – x)YTiNbO<sub>6</sub> microwave ceramic composites 151  
electrical and magnetic properties of NiCuZn–CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> composites doped with Bi<sub>2</sub>O<sub>3</sub> 435  
the microstructure, mechanical and corrosion properties of calcium polyphosphate reinforced ZK60A magnesium alloy composites 585
- Composite ceramics  
synthesis Ba<sub>0.6</sub>Sr<sub>0.4</sub>TiO<sub>3</sub>–ZnNb<sub>2</sub>O<sub>6</sub> composite ceramics using chemical coating method 362
- Composite electrolyte film  
anode-supported LaGaO<sub>3</sub>-based electrolyte SOFCs with Y<sub>2</sub>O<sub>3</sub>-doped Bi<sub>2</sub>O<sub>3</sub> and La-doped CeO<sub>2</sub> buffer layers L21
- Composite materials  
effect of ZnO whisker content on sinterability and fracture behaviour of PZT piezoelectric composites 123  
the process of combustion synthesis of WC–Co composites under the action of an electric field 277  
rapid synthesis and consolidation of nanostructured TaSi<sub>2</sub>–SiC–Si<sub>3</sub>N<sub>4</sub> composite from mechanically activated powders by high-frequency induction-heated combustion 548
- Computer simulations  
influence of the morphologic evolution of the eutectic carbides at high temperature on the thermal expansion behavior of refractory cast alloys 243
- Co<sub>3</sub>O<sub>4</sub>  
synthesis of yeast-assisted Co<sub>3</sub>O<sub>4</sub> hollow microspheres—A novel biotemplating technique L10
- Copper alloys  
mechanical alloying of Cu–xCr (x = 3, 5 and 8 wt.%) alloys 102
- Coprecipitation  
hydrothermal synthesis of perovskite strontium doped lanthanum chromite fine powders and its sintering 251
- Corrosion  
effect of heat treatment on corrosion properties of sol–gel titania–ceria nanocomposite coating 237  
lower temperature fabrication of continuous intermetallic coatings on AZ91D magnesium alloy in molten salts 377  
the microstructure, mechanical and corrosion properties of calcium polyphosphate reinforced ZK60A magnesium alloy composites 585
- CoSb<sub>3</sub>  
high temperature oxidation behavior of cobalt triantimonide thermoelectric material 552
- Crystal growth  
ferro-piezoelectric properties of 0.94(Na<sub>0.5</sub>Bi<sub>0.5</sub>)TiO<sub>3</sub>–0.06BaTiO<sub>3</sub> thin film prepared by metal–organic decomposition 129  
dielectric properties of magnesium oxide at microwave frequency 284
- Crystal structure  
solid-state phase equilibria in the Co–Pt–Dy ternary system at 1173 K 65  
combustion synthesis of titania nanoparticles in a premixed methane flame 115  
effect of preparation method on the physical and catalytic property of nanocrystalline Fe<sub>2</sub>O<sub>3</sub> 371
- Crystallite size  
role of nano-size TiO<sub>2</sub> particles on the crystallite size of microwave–Combustion synthesized Al<sub>2</sub>O<sub>3</sub>/TiC composite 566

- Crystallization  
thermal stability of cerium-based bulk metallic glasses. Influence of iron addition 357
- Cu/Sn/Cu interconnect  
effect of electromigration on intermetallic compound formation in line-type Cu/Sn/Cu interconnect 535
- Cu–Co nano-granular alloys  
effect of annealing and additive agent on magnetoresistance properties of pulse plated Cu–Co nano-granular alloys 452
- Cu–Ge binary system  
thermodynamic assessment of the Cu–Ge binary system 159
- CuO  
preparation and characterization of CuO nanoparticles with different morphology through a simple quick-precipitation method in DMAC–water mixed solvent 45
- Deformation  
the effect of high-pressure torsion on the microstructure and hydrogen absorption kinetics of ball-milled  $Mg_{70}Ni_{30}$  83
- Degenerate semiconductors  
structural, electrical and optical properties of  $Cd_{1-x}Gd_xO$  nanocomposite thin films 7
- Desorption temperature and kinetics  
decomposition behavior of unmilled and ball milled lithium alanate ( $LiAlH_4$ ) including long-term storage and moisture effects 89
- DFT  
structural, electronic, optical and thermal properties of  $Al_xGa_{1-x}As_ySb_{1-y}$  quaternary alloys: First-principles study 559
- Dielectric ceramics  
characterization and dielectric behavior of  $B_2O_3$ -doped  $0.9Mg_{0.95}Co_{0.05}TiO_3-0.1Ca_{0.6}La_{0.8/3}TiO_3$  ceramic system at microwave frequency 228
- Dielectric function  
structural, electronic, optical and thermal properties of  $Al_xGa_{1-x}As_ySb_{1-y}$  quaternary alloys: First-principles study 559
- Dielectric properties  
swift heavy ion induced modifications in nano-crystalline microwave dielectric  $BaTi_4O_9$  ceramics 407  
electrical and magnetic properties of  $NiCuZn-CaCu_3Ti_4O_{12}$  composites doped with  $Bi_2O_3$  435
- Dielectric response  
dielectric properties of magnesium oxide at microwave frequency 284  
the role of doping on the structural and functional properties of  $BiFe_{1-x}Mn_xO_3$  magnetoelectric ceramics 420
- Differential scanning calorimetry (DSC)  
decomposition behavior of unmilled and ball milled lithium alanate ( $LiAlH_4$ ) including long-term storage and moisture effects 89
- Diffusion  
isothermal section at 1100 °C of the Fe–Ni–Ta system 181  
the process of combustion synthesis of WC–Co composites under the action of an electric field 277  
lower temperature fabrication of continuous intermetallic coatings on AZ91D magnesium alloy in molten salts 377
- Diffusion barrier  
novel Cu–RuN<sub>x</sub> composite layer with good solderability and very low consumption rate L25
- Directional solidification  
dependency of microhardness on solidification processing parameters and microstructure characteristics in the directionally solidified Ti–46Al–0.5W–0.5Si alloy 60
- Dislocation  
characterization of dislocation etch pits in HVPE-grown GaN using different wet chemical etching methods 186
- δ-Doping  
p-Type MgZnO thin films grown using N delta-doping by plasma-assisted molecular beam epitaxy 484
- Doping  
preparation, characterization and properties of thermochromic tungsten-doped vanadium dioxide by thermal reduction and annealing 503
- DSC  
optical band gap, glass transition temperature and structural studies of  $(100-2x)TeO_2-xAg_2O-xWO_3$  glass system 468
- Dynamic mechanical analysis  
thermal stability of cerium-based bulk metallic glasses. Influence of iron addition 357
- Dynamic susceptibility  
temperature dependence of the FMR absorption lines in viscoelastic magnetic materials 289
- EB-PVD  
hot corrosion behavior of  $La_2Zr_2O_7$  with the addition of  $Y_2O_3$  thermal barrier coatings in contacts with vanadate–sulfate salts 382
- EDTA ferric sodium salt  
controlled synthesis of  $Fe_3O_4$  nanosheets via one-step pyrolysis of EDTA ferric sodium salt L45
- Elastic modulus  
thermomechanical properties of calcium series perovskite-type oxides 201
- Elastic properties  
first-principles study of the structural, elastic and electronic properties of the anti-perovskites  $SnBSc_3$  and  $PbBSc_3$  296
- Elasticity  
room temperature Young's modulus, shear modulus, and Poisson's ratio of  $Ce_{0.9}Fe_{3.5}Co_{0.5}Sb_{12}$  and  $Co_{0.95}Pd_{0.05}Te_{0.05}Sb_3$  skutterudite materials 303
- Electrical behaviour  
electrical and magnetic behaviour of nanostructured  $MgFe_2O_4$  spinel ferrite 395
- Electrical conductivity  
crystal structure and physical properties of Yb-based intermetallics  $Yb(Cu, Ag)_2(Si, Ge)_2$ ,  $Yb(Cu_{1-x}Zn_x)_2Si_2$  ( $x = 0.65, 0.77$ ) and  $Yb(Ag_{0.18}Si_{0.82})_2$  1  
direct synthesis of Mg–Ni compounds from their oxides 134  
hydrothermal synthesis of perovskite strontium doped lanthanum chromite fine powders and its sintering 251
- Electrochemical reactions  
synthesis and characterization of tin dioxide/multiwall carbon nanotube composites 457
- Electrode materials  
effects of organic acids as reducing agents in the synthesis of  $LiFePO_4$  166  
synthesis and characterization of tin dioxide/multiwall carbon nanotube composites 457
- Electromigration  
effect of electromigration on intermetallic compound formation in line-type Cu/Sn/Cu interconnect 535
- Electron counting  
applying an electron counting rule to screen prospective thermoelectric alloys: The thermoelectric properties of  $YCrB_4$  and  $Er_3CrB_7$ -type phases 265
- Electron microprobe  
isothermal section at 1100 °C of the Fe–Ni–Ta system 181
- Electronic packaging  
novel Cu–RuN<sub>x</sub> composite layer with good solderability and very low consumption rate L25
- Electronic properties  
first-principles study of the structural, elastic and electronic properties of the anti-perovskites  $SnBSc_3$  and  $PbBSc_3$  296
- Electronic structure  
thermoelectric properties of  $A_{0.05}Mo_3Sb_{5.4}Te_{1.6}$  ( $A = Mn, Fe, Co, Ni$ ) 314
- Electrophotochemical properties  
 $TiO_x/N_y$  nanowire arrays:  $NH_3$ -assisted controllable vertical oriented growth and the electrophotochemical properties 32
- Electroreduction  
direct synthesis of Mg–Ni compounds from their oxides 134
- Energy density  
a novel asymmetric hybrid supercapacitor based on  $Li_2FeSiO_4$  and activated carbon electrodes 224
- Energy storage materials  
effects of organic acids as reducing agents in the synthesis of  $LiFePO_4$  166
- Equation of state  
pressure-induced phase transition phenomena in NpSe and NpTe 427
- Etch pits  
characterization of dislocation etch pits in HVPE-grown GaN using different wet chemical etching methods 186

- FED  
synthesis and luminescence of sub-micron sized  $\text{Ca}_3\text{Sc}_2\text{Si}_3\text{O}_{12}:\text{Ce}$  green phosphors for white light-emitting diode and field-emission display applications 488
- $\text{Fe}_3\text{O}_4$  nanosheet  
controlled synthesis of  $\text{Fe}_3\text{O}_4$  nanosheets via one-step pyrolysis of EDTA ferric sodium salt L45
- Ferroelectric properties  
influence of annealing on the structure and ferroelectric properties of  $\text{Sr}_{0.13}\text{Na}_{0.37}\text{Bi}_{0.50}\text{TiO}_3$  thin films prepared by metalorganic solution deposition 155
- Ferroelectrics  
ferro-piezoelectric properties of  $0.94(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3-0.06\text{BaTiO}_3$  thin film prepared by metal-organic decomposition 129  
sol-Gel synthesis of  $\text{SrBi}_2\text{Ta}_2\text{O}_9$  nanowires 367
- Ferroelectromagnetics  
magnetic and ferroelectric properties of  $\text{PbFe}_{1/2}\text{Nb}_{1/2}\text{O}_3$  synthesized by a solution precipitation method 508
- Ferromagnetic resonance  
temperature dependence of the FMR absorption lines in viscoelastic magnetic materials 289
- FP-LAPW  
structural, electronic, optical and thermal properties of  $\text{Al}_x\text{Ga}_{1-x}\text{As}_y\text{Sb}_{1-y}$  quaternary alloys: First-principles study 559
- Fracture  
interfacial and fracture behavior of short-fibers reinforced AE44 based magnesium matrix composites 527
- Frenkel-Poole emission  
temperature dependency and carrier transport mechanisms of Ti/p-type InP Schottky rectifiers 146
- FTIR  
the structural role of manganese ions in some zinc phosphate glasses and glass ceramics 479
- Fully crystalline  
hydrothermal synthesis of fully crystalline  $\text{Nd}:\text{Lu}_2\text{O}_3$  nanopowders under a low temperature L36
- GaN  
characterization of dislocation etch pits in HVPE-grown GaN using different wet chemical etching methods 186
- Gap formation  
applying an electron counting rule to screen prospective thermoelectric alloys: The thermoelectric properties of  $\text{YCrB}_4$  and  $\text{Er}_3\text{CrB}_7$ -type phases 265
- Gas-solid reactions  
synthesis of Pt-Zn and Au-Zn compounds by isopiestic method 475
- Gd-doped CdO  
structural, electrical and optical properties of  $\text{Cd}_{1-x}\text{Gd}_x\text{O}$  nanocomposite thin films 7
- $\text{Gd}_2\text{Ti}_2\text{O}_7$   
X-ray diffraction and Raman spectroscopy on  $\text{Gd}_2(\text{Ti}_{2-y}\text{Te}_y)\text{O}_7$  prepared at high pressure and high temperature 446
- $(\text{Gd}_{1-x}\text{Dy}_x)_3\text{Al}_2$  alloy  
low-field magnetocaloric effect in  $(\text{Gd}_{1-x}\text{Dy}_x)_3\text{Al}_2$  alloys 310
- Ge-related oxygen-deficient centers  
long lasting phosphorescence in oxygen-deficient zinc-boron-germanosilicate glass-ceramics 177
- Glass-ceramic  
long lasting phosphorescence in oxygen-deficient zinc-boron-germanosilicate glass-ceramics 177
- Grain boundary penetration  
Sn concentration effect on the formation of intermetallic compounds in high-Pb/Ni reactions 341
- Graphite  
observation of enhanced positive magnetoresistance at low temperatures in  $\text{Ni}_{0.8}\text{Fe}_{0.2}/\text{C}$  granular composites 110
- Green-emitting phosphors  
synthesis and luminescence of sub-micron sized  $\text{Ca}_3\text{Sc}_2\text{Si}_3\text{O}_{12}:\text{Ce}$  green phosphors for white light-emitting diode and field-emission display applications 488
- $\text{H}_2/\text{Ar}$   
the influence of  $\text{H}_2/\text{Ar}$  ratio on Ge content of the  $\mu\text{c-SiGe}:\text{H}$  films deposited by PECVD 403
- Half-Heusler  
high-temperature thermoelectric properties of  $\text{Ti}_{0.5}(\text{ZrHf})_{0.5-x}\text{Nb}_x\text{Ni}_{0.9}\text{Pd}_{0.1}\text{Sn}_{0.98}\text{Sb}_{0.02}$  half-Heusler alloys 192
- Hardness  
thermomechanical properties of calcium series perovskite-type oxides 201  
lower temperature fabrication of continuous intermetallic coatings on AZ91D magnesium alloy in molten salts 377
- Heat treatment  
effect of heat treatment on corrosion properties of sol-gel titania-ceria nanocomposite coating 237
- High pressure  
pressure-induced phase transition phenomena in NpSe and NpTe 427
- High-energy ball milling  
electrical and magnetic behaviour of nanostructured  $\text{MgFe}_2\text{O}_4$  spinel ferrite 395
- Highly oriented growth  
 $\text{TiO}_x/\text{N}_y$  nanowire arrays:  $\text{NH}_3$ -assisted controllable vertical oriented growth and the electrophotochemical properties 32
- High-pressure synthesis  
X-ray diffraction and Raman spectroscopy on  $\text{Gd}_2(\text{Ti}_{2-y}\text{Te}_y)\text{O}_7$  prepared at high pressure and high temperature 446
- High-speed ball-milling  
novel mechanochemical synthesis of fine  $\text{FeTiO}_3$  nanoparticles by a high-speed ball-milling process L17
- High-temperature alloys  
assessment of creep rupture life of heat resistant Mg-Al-Ca alloys 261
- Hot corrosion  
hot corrosion behavior of  $\text{La}_2\text{Zr}_2\text{O}_7$  with the addition of  $\text{Y}_2\text{O}_3$  thermal barrier coatings in contacts with vanadate-sulfate salts 382
- Hybrid supercapacitor  
a novel asymmetric hybrid supercapacitor based on  $\text{Li}_2\text{FeSiO}_4$  and activated carbon electrodes 224
- Hydride vapor phase epitaxy  
characterization of dislocation etch pits in HVPE-grown GaN using different wet chemical etching methods 186
- Hydrides  
Ag enhances optical and switching properties of gadolinium hydride films 233
- Hydrogen storage  
the effect of high-pressure torsion on the microstructure and hydrogen absorption kinetics of ball-milled  $\text{Mg}_{70}\text{Ni}_{30}$  83  
hydrogen storage and structure variation in Mg/Pd multi-layer film 493
- Hydrogen storage materials  
decomposition behavior of unmilled and ball milled lithium alanate ( $\text{LiAlH}_4$ ) including long-term storage and moisture effects 89
- Hydrothermal  
hydrothermal synthesis of fully crystalline  $\text{Nd}:\text{Lu}_2\text{O}_3$  nanopowders under a low temperature L36
- Hydrothermal method  
nanostructures and optical properties of hydrothermal synthesized  $\text{CeOHCO}_3$  and calcined  $\text{CeO}_2$  with PVP assistance 498
- Hydrothermal synthesis  
hydrothermal synthesis of perovskite strontium doped lanthanum chromite fine powders and its sintering 251
- Ilmenite  
novel mechanochemical synthesis of fine  $\text{FeTiO}_3$  nanoparticles by a high-speed ball-milling process L17
- Indium oxide  
electrical and optical properties of  $\text{In}_2\text{O}_3:\text{Mo}$  thin films prepared at various Mo-doping levels 351
- Indium tin oxide  
synthesis of indium tin oxide nanotubes using 2-methoxyethanol as solvent via simple template method 171
- Inorganic composite materials  
synthesis and characterization of tin dioxide/multiwall carbon nanotube composites 457

- InP  
temperature dependency and carrier transport mechanisms of Ti/p-type InP Schottky rectifiers 146
- Interface  
interfacial and fracture behavior of short-fibers reinforced AE44 based magnesium matrix composites 527
- Interfacial free energy  
hydrogen storage and structure variation in Mg/Pd multi-layer film 493
- Interfacial reaction  
effect of electromigration on intermetallic compound formation in line-type Cu/Sn/Cu interconnect 535
- Intermediate valent systems  
crystal structure and physical properties of Yb-based intermetallics Yb(Cu, Ag)<sub>2</sub>(Si, Ge)<sub>2</sub>, Yb(Cu<sub>1-x</sub>Zn<sub>x</sub>)<sub>2</sub>Si<sub>2</sub> ( $x = 0.65, 0.77$ ) and Yb(Ag<sub>0.18</sub>Si<sub>0.82</sub>)<sub>2</sub> 1
- Intermetallic compound  
Sn concentration effect on the formation of intermetallic compounds in high-Pb/Ni reactions 341  
effect of electromigration on intermetallic compound formation in line-type Cu/Sn/Cu interconnect 535
- Intermetallics  
dependency of microhardness on solidification processing parameters and microstructure characteristics in the directionally solidified Ti-46Al-0.5W-0.5Si alloy 60  
Al-Fe hypoeutectic alloys directionally solidified under steady-state and unsteady-state conditions 205  
synthesis of Pt-Zn and Au-Zn compounds by isopiestic method 475
- Ion irradiation  
swift heavy ion induced modifications in nano-crystalline microwave dielectric BaTi<sub>4</sub>O<sub>9</sub> ceramics 407
- I-V-T characteristics  
temperature dependency and carrier transport mechanisms of Ti/p-type InP Schottky rectifiers 146
- Judd-Ofelt theory  
energy transfer and 1.8  $\mu\text{m}$  emission in Tm<sup>3+</sup>/Yb<sup>3+</sup> codoped lanthanum tungsten tellurite glasses 573
- Kinetics  
the kinetics of Ni-Co/SiC composite coatings electrodeposition 514
- Knudsen effusion method  
experimental determination of phase equilibria and reassessment of Ag-Pd system 431
- Lanthanum chromite  
hydrothermal synthesis of perovskite strontium doped lanthanum chromite fine powders and its sintering 251
- La<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>  
hot corrosion behavior of La<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub> with the addition of Y<sub>2</sub>O<sub>3</sub> thermal barrier coatings in contacts with vanadate-sulfate salts 382
- Li<sub>2</sub>FeSiO<sub>4</sub>  
a novel asymmetric hybrid supercapacitor based on Li<sub>2</sub>FeSiO<sub>4</sub> and activated carbon electrodes 224
- Lifshitz-Landau equation  
temperature dependence of the FMR absorption lines in viscoelastic magnetic materials 289
- Li-ion batteries  
synthesis and characterization of Sn-Mo mixtures as negative electrode materials for Li-ion batteries 50
- Liquid metal infiltration (LMI)  
interfacial and fracture behavior of short-fibers reinforced AE44 based magnesium matrix composites 527
- Lithium alanate (LiAlH<sub>4</sub>)  
decomposition behavior of unmilled and ball milled lithium alanate (LiAlH<sub>4</sub>) including long-term storage and moisture effects 89
- Long lasting phosphorescence  
long lasting phosphorescence in oxygen-deficient zinc-boron-germanosilicate glass-ceramics 177
- Low temperature magneto-resistance  
observation of enhanced positive magneto-resistance at low temperatures in Ni<sub>0.8</sub>Fe<sub>0.2</sub>/C granular composites 110
- Low temperature sintering  
characterization and dielectric behavior of B<sub>2</sub>O<sub>3</sub>-doped 0.9Mg<sub>0.95</sub>Co<sub>0.05</sub>TiO<sub>3</sub>-0.1Ca<sub>0.6</sub>La<sub>0.8/3</sub>TiO<sub>3</sub> ceramic system at microwave frequency 228
- Luminescence  
synthesis and luminescence of sub-micron sized Ca<sub>3</sub>Sc<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>:Ce green phosphors for white light-emitting diode and field-emission display applications 488  
synthesis, crystal structure and photoluminescence of Eu- $\alpha$ -SiAlON 579
- 1.8  $\mu\text{m}$  emission  
energy transfer and 1.8  $\mu\text{m}$  emission in Tm<sup>3+</sup>/Yb<sup>3+</sup> codoped lanthanum tungsten tellurite glasses 573
- Magnesium  
hydrogen storage and structure variation in Mg/Pd multi-layer film 493  
the microstructure, mechanical and corrosion properties of calcium polyphosphate reinforced ZK60A magnesium alloy composites 585
- Magnesium alloy  
acoustic emission from deformed Mg-Y-Nd alloy and this alloy reinforced with SiC particles L28  
lower temperature fabrication of continuous intermetallic coatings on AZ91D magnesium alloy in molten salts 377
- Magnesium matrix composite  
effect of submicron size SiC particulates on microstructure and mechanical properties of AZ91 magnesium matrix composites 542
- Magnesium oxide  
direct synthesis of Mg-Ni compounds from their oxides 134
- Magnesium-tin (Mg-Sn) alloys  
effects of strontium on microstructure and mechanical properties of as-cast Mg-5 wt.%Sn alloy 345
- Magnetic entropy  
determination of the spontaneous magnetization by analysis of the magnetic entropy change in La<sub>0.40</sub>Nd<sub>0.30</sub>Sr<sub>0.30</sub>Mn<sub>0.70</sub>Cr<sub>0.30</sub>O<sub>3</sub> 12
- Magnetic materials  
controlled synthesis of Fe<sub>3</sub>O<sub>4</sub> nanosheets via one-step pyrolysis of EDTA ferric sodium salt L45
- Magnetic nanoparticle  
temperature dependence of the FMR absorption lines in viscoelastic magnetic materials 289
- Magnetic properties  
controlled synthesis of Fe<sub>3</sub>O<sub>4</sub> nanosheets via one-step pyrolysis of EDTA ferric sodium salt L45  
study of formation mechanism of barium hexaferrite by sintering curve 70  
electrical and magnetic properties of NiCuZn-CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> composites doped with Bi<sub>2</sub>O<sub>3</sub> 435
- Magnetism  
crystal structure and physical properties of Yb-based intermetallics Yb(Cu, Ag)<sub>2</sub>(Si, Ge)<sub>2</sub>, Yb(Cu<sub>1-x</sub>Zn<sub>x</sub>)<sub>2</sub>Si<sub>2</sub> ( $x = 0.65, 0.77$ ) and Yb(Ag<sub>0.18</sub>Si<sub>0.82</sub>)<sub>2</sub> 1
- Magnetization  
effect of annealing and additive agent on magneto-resistance properties of pulse plated Cu-Co nano-granular alloys 452
- Magnetocaloric effect  
determination of the spontaneous magnetization by analysis of the magnetic entropy change in La<sub>0.40</sub>Nd<sub>0.30</sub>Sr<sub>0.30</sub>Mn<sub>0.70</sub>Cr<sub>0.30</sub>O<sub>3</sub> 12  
low-field magnetocaloric effect in (Gd<sub>1-x</sub>Dy<sub>x</sub>)<sub>3</sub>Al<sub>2</sub> alloys 310
- Magneto-resistance  
effect of annealing and additive agent on magneto-resistance properties of pulse plated Cu-Co nano-granular alloys 452
- Manganese ions  
the structural role of manganese ions in some zinc phosphate glasses and glass ceramics 479
- Manganites  
doped Pr<sub>0.7-x</sub>Bi<sub>x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> manganite: A structural, electrical and magnetic effect L39
- Mechanical alloying  
mechanical alloying of Cu-xCr ( $x = 3, 5$  and  $8$  wt.%) alloys 102
- Mechanical properties  
influence of thermal aging on microhardness and microstructure of Sn-0.3Ag-0.7Cu-xIn lead-free solders L5  
calculating the optimum pressure and temperature for vacancy minimization from theory: Niobium is an example L14



- effects of the casting temperature on microstructure and mechanical properties of the squeeze-cast Al–Zn–Mg–Cu alloy L42
- structure–property correlation in cellular silica processed through hydrophobized fused silica powder for aerospace application 76
- effect of ZnO whisker content on sinterability and fracture behaviour of PZT piezoelectric composites 123
- influence of the morphologic evolution of the eutectic carbides at high temperature on the thermal expansion behavior of refractory cast alloys 243
- assessment of creep rupture life of heat resistant Mg–Al–Ca alloys 261
- effect of submicron size SiC particulates on microstructure and mechanical properties of AZ91 magnesium matrix composites 542
- rapid synthesis and consolidation of nanostructured TaSi<sub>2</sub>–SiC–Si<sub>3</sub>N<sub>4</sub> composite from mechanically activated powders by high-frequency induction-heated combustion 548
- Mechanochemical**
- novel mechanochemical synthesis of fine FeTiO<sub>3</sub> nanoparticles by a high-speed ball-milling process L17
- Metal and alloys**
- the kinetics of Ni–Co/SiC composite coatings electrodeposition 514
- Metal matrix composites**
- the kinetics of Ni–Co/SiC composite coatings electrodeposition 514
- Metal-alkoxide**
- synthesis of indium tin oxide nanotubes using 2-methoxyethanol as solvent via simple template method 171
- Metal–insulator transition**
- doped Pr<sub>0.7–x</sub>Bi<sub>x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> manganite: A structural, electrical and magnetic effect L39
- Metallic glasses**
- physical properties of Zr<sub>50</sub>Cu<sub>40–x</sub>Al<sub>10</sub>Pd<sub>x</sub> bulk glassy alloys 16
  - phase transformations of Fe<sub>73.5</sub>Cu<sub>1</sub>Nb<sub>3</sub>Si<sub>15.5</sub>B<sub>7</sub> amorphous alloy upon thermal treatment 462
- Metal-matrix composites (MMCs)**
- interfacial and fracture behavior of short-fibers reinforced AE44 based magnesium matrix composites 527
- Metalorganic solution deposition**
- influence of annealing on the structure and ferroelectric properties of Sr<sub>0.13</sub>Na<sub>0.37</sub>Bi<sub>0.50</sub>TiO<sub>3</sub> thin films prepared by metalorganic solution deposition 155
- Metals and alloys**
- influence of thermal aging on microhardness and microstructure of Sn–0.3Ag–0.7Cu–xIn lead-free solders L5
  - Al–Fe hypoeutectic alloys directionally solidified under steady-state and unsteady-state conditions 205
  - influence of the morphologic evolution of the eutectic carbides at high temperature on the thermal expansion behavior of refractory cast alloys 243
  - assessment of creep rupture life of heat resistant Mg–Al–Ca alloys 261
  - effect of the addition of Ta on microstructure and properties of Ti–Nb alloys 330
  - phase transformations of Fe<sub>73.5</sub>Cu<sub>1</sub>Nb<sub>3</sub>Si<sub>15.5</sub>B<sub>7</sub> amorphous alloy upon thermal treatment 462
- 2-Methoxyethanol**
- synthesis of indium tin oxide nanotubes using 2-methoxyethanol as solvent via simple template method 171
- MgNi<sub>2</sub>**
- direct synthesis of Mg–Ni compounds from their oxides 134
- MgZnO thin film**
- p-Type MgZnO thin films grown using N delta-doping by plasma-assisted molecular beam epitaxy 484
- Microarc oxidation**
- influence of sodium silicate concentration on structural and tribological properties of microarc oxidation coatings on 2017A aluminum alloy substrate 519
- Microcrystalline silicon germanium films**
- the influence of H<sub>2</sub>/Ar ratio on Ge content of the μc-SiGe:H films deposited by PECVD 403
- Microhardness**
- dependency of microhardness on solidification processing parameters and microstructure characteristics in the directionally solidified Ti–46Al–0.5W–0.5Si alloy 60
- Microsphere**
- synthesis of yeast-assisted Co<sub>3</sub>O<sub>4</sub> hollow microspheres—A novel biotemplating technique L10
- Microstructure**
- influence of thermal aging on microhardness and microstructure of Sn–0.3Ag–0.7Cu–xIn lead-free solders L5
  - hydrothermal synthesis of transition-metal sulfide dendrites or microspheres with functional imidazolium salt L31
  - effects of the casting temperature on microstructure and mechanical properties of the squeeze-cast Al–Zn–Mg–Cu alloy L42
  - morphological evolution of Ag<sub>2</sub>Te precipitates in thermoelectric PbTe 37
  - Al–Fe hypoeutectic alloys directionally solidified under steady-state and unsteady-state conditions 205
  - influence of the morphologic evolution of the eutectic carbides at high temperature on the thermal expansion behavior of refractory cast alloys 243
  - room temperature Young's modulus, shear modulus, and Poisson's ratio of Ce<sub>0.9</sub>Fe<sub>3.5</sub>Co<sub>0.5</sub>Sb<sub>12</sub> and Co<sub>0.95</sub>Pd<sub>0.05</sub>Te<sub>0.05</sub>Sb<sub>3</sub> skutterudite materials 303
  - effect of the addition of Ta on microstructure and properties of Ti–Nb alloys 330
  - effects of strontium on microstructure and mechanical properties of as-cast Mg–5 wt.%Sn alloy 345
  - the role of doping on the structural and functional properties of BiFe<sub>1–x</sub>Mn<sub>x</sub>O<sub>3</sub> magnetoelectric ceramics 420
  - effect of submicron size SiC particulates on microstructure and mechanical properties of AZ91 magnesium matrix composites 542
- Microwave**
- fabrication and characterization of xPrTiTaO<sub>6</sub>(1 – x)YTiNbO<sub>6</sub> microwave ceramic composites 151
  - characterization and dielectric behavior of B<sub>2</sub>O<sub>3</sub>-doped 0.9Mg<sub>0.95</sub>Co<sub>0.05</sub>TiO<sub>3</sub>–0.1Ca<sub>0.6</sub>La<sub>0.8/3</sub>TiO<sub>3</sub> ceramic system at microwave frequency 228
  - role of nano-size TiO<sub>2</sub> particles on the crystallite size of microwave–Combustion synthesized Al<sub>2</sub>O<sub>3</sub>/TiC composite 566
- Mobility**
- structural, electrical and optical properties of Cd<sub>1–x</sub>Gd<sub>x</sub>O nanocomposite thin films 7
- Molten salt**
- lower temperature fabrication of continuous intermetallic coatings on AZ91D magnesium alloy in molten salts 377
- Mössbauer spectroscopy**
- electrical and magnetic behaviour of nanostructured MgFe<sub>2</sub>O<sub>4</sub> spinel ferrite 395
- Multiferroics**
- magnetic and ferroelectric properties of PbFe<sub>1/2</sub>Nb<sub>1/2</sub>O<sub>3</sub> synthesized by a solution precipitation method 508
- Multi-filling**
- influence of filler element and Ni-substitution on thermoelectric properties of multi-filled skutterudites 53
- Multi-layer thin films**
- hydrogen storage and structure variation in Mg/Pd multi-layer film 493
- Nanoindentation**
- room temperature Young's modulus, shear modulus, and Poisson's ratio of Ce<sub>0.9</sub>Fe<sub>3.5</sub>Co<sub>0.5</sub>Sb<sub>12</sub> and Co<sub>0.95</sub>Pd<sub>0.05</sub>Te<sub>0.05</sub>Sb<sub>3</sub> skutterudite materials 303
- Nanomaterials**
- TiO<sub>x</sub>/N<sub>y</sub> nanowire arrays: NH<sub>3</sub>-assisted controllable vertical oriented growth and the electrophotocatalytic properties 32
  - influence of filler element and Ni-substitution on thermoelectric properties of multi-filled skutterudites 53
  - rapid synthesis and consolidation of nanostructured TaSi<sub>2</sub>–SiC–Si<sub>3</sub>N<sub>4</sub> composite from mechanically activated powders by high-frequency induction-heated combustion 548
- Nanoparticles**
- novel mechanochemical synthesis of fine FeTiO<sub>3</sub> nanoparticles by a high-speed ball-milling process L17
- Nano-size TiO<sub>2</sub>**
- role of nano-size TiO<sub>2</sub> particles on the crystallite size of microwave–Combustion synthesized Al<sub>2</sub>O<sub>3</sub>/TiC composite 566
- Nanostructure**
- mechanical alloying of Cu–xCr (x = 3, 5 and 8 wt.%) alloys 102
  - the effect of high-pressure torsion on the microstructure and hydrogen absorption kinetics of ball-milled Mg<sub>70</sub>Ni<sub>30</sub> 83

- Nanostructured materials  
 preparation and characterization of Mg-doped fluorapatite nanopowders by sol-gel method 141  
 effect of preparation method on the physical and catalytic property of nanocrystalline  $\text{Fe}_2\text{O}_3$  371  
 correlation between structural and electrical properties of  $\text{Mg}_{1-2x}\text{Zn}_x\text{Ni}_x\text{Al}_2\text{O}_4$  ( $x = 0.0-0.5$ ) ceramic nanomaterials synthesized by a urea assisted microwave combustion method 440
- Nanostructured  $\text{MgFe}_2\text{O}_4$   
 electrical and magnetic behaviour of nanostructured  $\text{MgFe}_2\text{O}_4$  spinel ferrite 395
- Nanostructures  
 preparation and characterization of CuO nanoparticles with different morphology through a simple quick-precipitation method in DMAC-water mixed solvent 45  
 facile hydrothermal synthesis of novel ZnO nanocubes L1
- Nanotubes  
 synthesis of indium tin oxide nanotubes using 2-methoxyethanol as solvent via simple template method 171
- Nanowires  
 $\text{TiO}_x/\text{N}_y$  nanowire arrays:  $\text{NH}_3$ -assisted controllable vertical oriented growth and the electrophotocatalytic properties 32  
 growth, structural, Raman, and photoluminescence properties of rutile  $\text{TiO}_2$  nanowires synthesized by the simple thermal treatment 217  
 sol-Gel synthesis of  $\text{SrBi}_2\text{Ta}_2\text{O}_9$  nanowires 367
- Nb  
 calculating the optimum pressure and temperature for vacancy minimization from theory: Niobium is an example L14
- Nd: $\text{Lu}_2\text{O}_3$   
 hydrothermal synthesis of fully crystalline Nd: $\text{Lu}_2\text{O}_3$  nanopowders under a low temperature L36
- Nickel oxide  
 direct synthesis of Mg-Ni compounds from their oxides 134
- Nitride  
 synthesis, crystal structure and photoluminescence of Eu- $\alpha$ -SiAlON 579
- Octanoic acid  
 influence of octanoic acid on  $\text{SmCo}_5$  nanoflakes prepared by surfactant-assisted high-energy ball milling 391
- Optical absorption  
 optical band gap, glass transition temperature and structural studies of  $(100 - 2x)\text{TeO}_2 - x\text{Ag}_2\text{O} - x\text{WO}_3$  glass system 468
- Optical materials  
 optical features of  $\text{Ca}_4\text{NdO}(\text{BO}_3)_3:\text{Yb}$  single crystals under CW laser illumination 197
- Optical microscopy  
 structure-property correlation in cellular silica processed through hydrophobized fused silica powder for aerospace application 76
- Optical properties  
 structural, electrical and optical properties of  $\text{Cd}_{1-x}\text{Gd}_x\text{O}$  nanocomposite thin films 7  
 dependence of energy transfer and photoluminescence on tailored defects in Eu-doped ZnO nanosheets-based microflowers 22  
 Ag enhances optical and switching properties of gadolinium hydride films 233
- Optoelectronic properties  
 the influence of  $\text{H}_2/\text{Ar}$  ratio on Ge content of the  $\mu\text{c-SiGe:H}$  films deposited by PECVD 403
- Oxidation  
 high temperature oxidation behavior of cobalt triantimonide thermoelectric material 552
- Oxidation resistance  
 high-temperature behaviour of Ti-Al-Si alloys produced by reactive sintering 320
- Oxide materials  
 dependence of energy transfer and photoluminescence on tailored defects in Eu-doped ZnO nanosheets-based microflowers 22
- Oxides  
 structural, electrical and optical properties of  $\text{Cd}_{1-x}\text{Gd}_x\text{O}$  nanocomposite thin films 7  
 preparation and characterization of CuO nanoparticles with different morphology through a simple quick-precipitation method in DMAC-water mixed solvent 45
- Palladium  
 experimental determination of phase equilibria and reassessment of Ag-Pd system 431
- Particulate reinforced composite  
 acoustic emission from deformed Mg-Y-Nd alloy and this alloy reinforced with SiC particles L28
- PECVD  
 the influence of  $\text{H}_2/\text{Ar}$  ratio on Ge content of the  $\mu\text{c-SiGe:H}$  films deposited by PECVD 403
- Permalloy  
 observation of enhanced positive magnetoresistance at low temperatures in  $\text{Ni}_{0.8}\text{Fe}_{0.2}/\text{C}$  granular composites 110
- Perovskites  
 determination of the spontaneous magnetization by analysis of the magnetic entropy change in  $\text{La}_{0.40}\text{Nd}_{0.30}\text{Sr}_{0.30}\text{Mn}_{0.70}\text{Cr}_{0.30}\text{O}_3$  12  
 thermomechanical properties of calcium series perovskite-type oxides 201
- PFN ceramics  
 magnetic and ferroelectric properties of  $\text{PbFe}_{1/2}\text{Nb}_{1/2}\text{O}_3$  synthesized by a solution precipitation method 508
- Phase diagrams  
 solid-state phase equilibria in the Co-Pt-Dy ternary system at 1173 K 65  
 thermodynamic assessment of the Cu-Ge binary system 159  
 isothermal section at 1100 °C of the Fe-Ni-Ta system 181
- Phase transition  
 pressure-induced phase transition phenomena in NpSe and NpTe 427  
 phase transformations of  $\text{Fe}_{73.5}\text{Cu}_1\text{Nb}_3\text{Si}_{15.5}\text{B}_7$  amorphous alloy upon thermal treatment 462
- Phosphors  
 hydrothermal synthesis of fully crystalline Nd: $\text{Lu}_2\text{O}_3$  nanopowders under a low temperature L36  
 effect of dysprosium doping on the optical properties of SrS:Dy,Cl phosphor 257
- Photoluminescence  
 growth, structural, Raman, and photoluminescence properties of rutile  $\text{TiO}_2$  nanowires synthesized by the simple thermal treatment 217  
 effect of dysprosium doping on the optical properties of SrS:Dy,Cl phosphor 257
- Physical properties  
 physical properties of  $\text{Zr}_{50}\text{Cu}_{40-x}\text{Al}_{10}\text{Pd}_x$  bulk glassy alloys 16  
 thermoelectric properties of  $\text{A}_{0.05}\text{Mo}_3\text{Sb}_{5.4}\text{Te}_{1.6}$  ( $\text{A} = \text{Mn, Fe, Co, Ni}$ ) 314
- Piezoelectricity  
 ferro-piezoelectric properties of  $0.94(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3 - 0.06\text{BaTiO}_3$  thin film prepared by metal-organic decomposition 129
- Plastic deformation  
 acoustic emission from deformed Mg-Y-Nd alloy and this alloy reinforced with SiC particles L28
- Polyvinyl pyrrolidone  
 nanostructures and optical properties of hydrothermally synthesized  $\text{CeOHCO}_3$  and calcined  $\text{CeO}_2$  with PVP assistance 498
- Porosity  
 structure-property correlation in cellular silica processed through hydrophobized fused silica powder for aerospace application 76
- Powder metallurgy  
 high-temperature behaviour of Ti-Al-Si alloys produced by reactive sintering 320  
 the microstructure, mechanical and corrosion properties of calcium polyphosphate reinforced ZK60A magnesium alloy composites 585
- Powder technology  
 rapid synthesis and consolidation of nanostructured  $\text{TaSi}_2\text{-SiC-Si}_3\text{N}_4$  composite from mechanically activated powders by high-frequency induction-heated combustion 548
- PP-PW method  
 first-principles study of the structural, elastic and electronic properties of the anti-perovskites  $\text{SnBSc}_3$  and  $\text{PbBSc}_3$  296
- Precipitation  
 morphological evolution of  $\text{Ag}_2\text{Te}$  precipitates in thermoelectric PbTe 37  
 preparation and characterization of CuO nanoparticles with different morphology through a simple quick-precipitation method in DMAC-water mixed solvent 45
- p-Type  
 p-Type MgZnO thin films grown using N delta-doping by plasma-assisted molecular beam epitaxy 484

- PXRD  
layered Aurivillius compound: Synthesis, characterization and electrical properties 413
- Pyrochlores  
X-ray diffraction and Raman spectroscopy on  $Gd_2(Ti_{2-y}Te_y)O_7$  prepared at high pressure and high temperature 446
- Pyrolysis  
controlled synthesis of  $Fe_3O_4$  nanosheets via one-step pyrolysis of EDTA ferric sodium salt L45
- PZT/ $ZnO_w$   
effect of ZnO whisker content on sinterability and fracture behaviour of PZT piezoelectric composites 123
- Quaternary alloys  
structural, electronic, optical and thermal properties of  $Al_xGa_{1-x}As_ySb_{1-y}$  quaternary alloys: First-principles study 559
- Raman  
growth, structural, Raman, and photoluminescence properties of rutile  $TiO_2$  nanowires synthesized by the simple thermal treatment 217
- Raman spectroscopy  
fabrication and characterization of  $xPrTiTaO_6(1-x)YTiNbO_6$  microwave ceramic composites 151  
X-ray diffraction and Raman spectroscopy on  $Gd_2(Ti_{2-y}Te_y)O_7$  prepared at high pressure and high temperature 446  
optical band gap, glass transition temperature and structural studies of  $(100-2x)TeO_2-xAg_2O-xWO_3$  glass system 468
- Rapid solidification  
assessment of creep rupture life of heat resistant Mg–Al–Ca alloys 261
- Rare earth  
dependence of energy transfer and photoluminescence on tailored defects in Eu-doped ZnO nanosheets-based microflowers 22  
viscosity and thermal expansion of rare earth containing soda–lime–silicate glass 273
- Rare earth oxides  
structural, electrical and optical properties of  $Cd_{1-x}Gd_xO$  nanocomposite thin films 7
- Rare earths  
synthesis and luminescence of sub-micron sized  $Ca_3Sc_2Si_3O_{12}:Ce$  green phosphors for white light-emitting diode and field-emission display applications 488
- Rare-earth alloys and compounds  
influence of octanoic acid on  $SmCo_5$  nanoflakes prepared by surfactant-assisted high-energy ball milling 391
- Rare-earth compounds  
solid-state phase equilibria in the Co–Pt–Dy ternary system at 1173 K 65
- Reactive sintering  
high-temperature behaviour of Ti–Al–Si alloys produced by reactive sintering 320
- Refrigerant capacity  
low-field magnetocaloric effect in  $(Gd_{1-x}Dy_x)_3Al_2$  alloys 310
- Scanning electron microscopy  
hydrothermal synthesis of transition-metal sulfide dendrites or microspheres with functional imidazolium salt L31  
isothermal section at 1100 °C of the Fe–Ni–Ta system 181  
the process of combustion synthesis of WC–Co composites under the action of an electric field 277  
correlation between structural and electrical properties of  $Mg_{1-2x}Zn_xNi_xAl_2O_4$  ( $x = 0.0-0.5$ ) ceramic nanomaterials synthesized by a urea assisted microwave combustion method 440
- Schottky contacts  
temperature dependency and carrier transport mechanisms of Ti/p-type InP Schottky rectifiers 146
- Schottky emission  
temperature dependency and carrier transport mechanisms of Ti/p-type InP Schottky rectifiers 146
- Second-order transition  
low-field magnetocaloric effect in  $(Gd_{1-x}Dy_x)_3Al_2$  alloys 310
- Seebeck coefficient  
high-temperature thermoelectric properties of  $Ti_{0.5}(ZrHf)_{0.5-x}Nb_xNi_{0.9}Pd_{0.1}Sn_{0.98}Sb_{0.02}$  half-Heusler alloys 192
- SEM  
mechanical alloying of Cu–xCr ( $x = 3, 5$  and 8 wt.%) alloys 102  
the structural role of manganese ions in some zinc phosphate glasses and glass ceramics 479
- Semiconductors  
hydrothermal synthesis of transition-metal sulfide dendrites or microspheres with functional imidazolium salt L31  
 $TiO_x/N_y$  nanowire arrays:  $NH_3$ -assisted controllable vertical oriented growth and the electrophotocatalytic properties 32  
correlation between structural and electrical properties of  $Mg_{1-2x}Zn_xNi_xAl_2O_4$  ( $x = 0.0-0.5$ ) ceramic nanomaterials synthesized by a urea assisted microwave combustion method 440
- SiAlON  
synthesis, crystal structure and photoluminescence of Eu- $\alpha$ -SiAlON 579
- Silica foam  
structure–property correlation in cellular silica processed through hydrophobized fused silica powder for aerospace application 76
- Silicate glass  
viscosity and thermal expansion of rare earth containing soda–lime–silicate glass 273
- Silver  
experimental determination of phase equilibria and reassessment of Ag–Pd system 431
- Sintering  
effect of ZnO whisker content on sinterability and fracture behaviour of PZT piezoelectric composites 123  
phase formation, microstructure and dielectric properties of  $Sr_{0.53}Ba_{0.47}Nb_{2-x}Ta_xO_6$  ceramics 211  
hydrothermal synthesis of perovskite strontium doped lanthanum chromite fine powders and its sintering 251  
rapid synthesis and consolidation of nanostructured  $TaSi_2-SiC-Si_3N_4$  composite from mechanically activated powders by high-frequency induction-heated combustion 548
- Sintering shrinkage curve  
study of formation mechanism of barium hexaferrite by sintering curve 70
- Skutterudite  
influence of filler element and Ni-substitution on thermoelectric properties of multi-filled skutterudites 53
- Smart materials  
magnetic and ferroelectric properties of  $PbFe_{1/2}Nb_{1/2}O_3$  synthesized by a solution precipitation method 508
- SNBT thin films  
influence of annealing on the structure and ferroelectric properties of  $Sr_{0.13}Na_{0.37}Bi_{0.50}TiO_3$  thin films prepared by metalorganic deposition 155
- Sn–Mo  
synthesis and characterization of Sn–Mo mixtures as negative electrode materials for Li-ion batteries 50
- Soldering  
Sn concentration effect on the formation of intermetallic compounds in high-Pb/Ni reactions 341
- Sol–gel  
energy levels and photoluminescence properties of nickel-doped bismuth ferrite 27  
effect of heat treatment on corrosion properties of sol–gel titania–ceria nanocomposite coating 237  
sol–Gel synthesis of  $SrBi_2Ta_2O_9$  nanowires 367  
layered Aurivillius compound: Synthesis, characterization and electrical properties 413
- Sol–gel processes  
preparation and characterization of Mg-doped fluorapatite nanopowders by sol–gel method 141
- Solid oxide fuel cells  
anode-supported  $LaGaO_3$ -based electrolyte SOFCs with  $Y_2O_3$ -doped  $Bi_2O_3$  and La-doped  $CeO_2$  buffer layers L21



- Solid solution  
effects of TiC and TiN addition on combustion synthesis of  $Ti_2AlC_{0.5}N_{0.5}$  solid solutions 386
- Solid state hydrogen storage  
decomposition behavior of unmilled and ball milled lithium alanate ( $LiAlH_4$ ) including long-term storage and moisture effects 89
- Solid-state reactions  
effects of organic acids as reducing agents in the synthesis of  $LiFePO_4$  166  
the role of doping on the structural and functional properties of  $BiFe_{1-x}Mn_xO_3$  magnetoelectric ceramics 420
- Solution precipitation method  
magnetic and ferroelectric properties of  $PbFe_{1/2}Nb_{1/2}O_3$  synthesized by a solution precipitation method 508
- Spectroscopy  
energy levels and photoluminescence properties of nickel-doped bismuth ferrite 27
- Sphere- or disc-like structures  
nanostructures and optical properties of hydrothermal synthesized  $CeOHCO_3$  and calcined  $CeO_2$  with PVP assistance 498
- Spontaneous magnetization  
determination of the spontaneous magnetization by analysis of the magnetic entropy change in  $La_{0.40}Nd_{0.30}Sr_{0.30}Mn_{0.70}Cr_{0.30}O_3$  12
- Sputtering  
hydrogen storage and structure variation in Mg/Pd multi-layer film 493
- Squeeze casting  
effects of the casting temperature on microstructure and mechanical properties of the squeeze-cast Al-Zn-Mg-Cu alloy L42
- $SrBi_2Ta_2O_9$   
sol-Gel synthesis of  $SrBi_2Ta_2O_9$  nanowires 367
- Strength  
the microstructure, mechanical and corrosion properties of calcium polyphosphate reinforced ZK60A magnesium alloy composites 585
- Strontium- and magnesium-doped lanthanum gallate  
anode-supported  $LaGaO_3$ -based electrolyte SOFCs with  $Y_2O_3$ -doped  $Bi_2O_3$  and La-doped  $CeO_2$  buffer layers L21
- Strontium (Sr)  
effects of strontium on microstructure and mechanical properties of as-cast Mg-5 wt.%Sn alloy 345
- Structure  
synthesis, crystal structure and photoluminescence of Eu- $\alpha$ -SiAlON 579
- Submicron-SiC particulate  
effect of submicron size SiC particulates on microstructure and mechanical properties of AZ91 magnesium matrix composites 542
- Superconductivity  
calculating the optimum pressure and temperature for vacancy minimization from theory: Niobium is an example L14
- Surface diffusion  
Ag enhances optical and switching properties of gadolinium hydride films 233
- Surface finish  
novel Cu-Ru $N_x$  composite layer with good solderability and very low consumption rate L25
- Surface roughness  
influence of sodium silicate concentration on structural and tribological properties of microarc oxidation coatings on 2017A aluminum alloy substrate 519
- Synthesis  
synthesis, crystal structure and photoluminescence of Eu- $\alpha$ -SiAlON 579
- TCO  
structural, electrical and optical properties of  $Cd_{1-x}Gd_xO$  nanocomposite thin films 7
- Telluride  
thermoelectric properties of  $A_{0.05}Mo_3Sb_{5.4}Te_{1.6}$  (A = Mn, Fe, Co, Ni) 314
- Tensile properties  
effects of strontium on microstructure and mechanical properties of as-cast Mg-5 wt.%Sn alloy 345
- Ternary alloy systems  
isothermal section at 1100 °C of the Fe-Ni-Ta system 181
- Thermal analysis  
Al-Fe hypoeutectic alloys directionally solidified under steady-state and unsteady-state conditions 205  
experimental determination of phase equilibria and reassessment of Ag-Pd system 431  
phase transformations of  $Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$  amorphous alloy upon thermal treatment 462
- Thermal barrier coatings  
hot corrosion behavior of  $La_2Zr_2O_7$  with the addition of  $Y_2O_3$  thermal barrier coatings in contacts with vanadate-sulfate salts 382
- Thermal decomposition  
layered Aurivillius compound: Synthesis, characterization and electrical properties 413
- Thermal expansion  
influence of the morphologic evolution of the eutectic carbides at high temperature on the thermal expansion behavior of refractory cast alloys 243  
viscosity and thermal expansion of rare earth containing soda-lime-silicate glass 273
- Thermal expansion coefficient  
thermomechanical properties of calcium series perovskite-type oxides 201
- Thermal reduction  
preparation, characterization and properties of thermochromic tungsten-doped vanadium dioxide by thermal reduction and annealing 503
- Thermal stability  
high-temperature behaviour of Ti-Al-Si alloys produced by reactive sintering 320
- Thermal treatment  
growth, structural, Raman, and photoluminescence properties of rutile  $TiO_2$  nanowires synthesized by the simple thermal treatment 217
- Thermodynamic  
thermodynamic assessment of the Cu-Ge binary system 159
- Thermodynamic properties  
calculating the optimum pressure and temperature for vacancy minimization from theory: Niobium is an example L14  
synthesis of Pt-Zn and Au-Zn compounds by isopiestic method 475
- Thermoelectric  
high-temperature thermoelectric properties of  $Ti_{0.5}(ZrHf)_{0.5-x}Nb_xNi_{0.9}Pd_{0.1}Sn_{0.98}Sb_{0.02}$  half-Heusler alloys 192  
applying an electron counting rule to screen prospective thermoelectric alloys: The thermoelectric properties of  $YCrB_4$  and  $Er_3CrB_7$ -type phases 265  
high temperature oxidation behavior of cobalt triantimonide thermoelectric material 552
- Thermoelectric materials  
morphological evolution of  $Ag_2Te$  precipitates in thermoelectric PbTe 37  
room temperature Young's modulus, shear modulus, and Poisson's ratio of  $Ce_{0.9}Fe_{3.5}Co_{0.5}Sb_{12}$  and  $Co_{0.95}Pd_{0.05}Te_{0.05}Sb_3$  skutterudite materials 303
- Thermoelectricity  
influence of filler element and Ni-substitution on thermoelectric properties of multi-filled skutterudites 53
- Thin films  
ferro-piezoelectric properties of  $0.94(Na_{0.5}Bi_{0.5})TiO_3-0.06BaTiO_3$  thin film prepared by metal-organic decomposition 129
- Ti  
temperature dependency and carrier transport mechanisms of Ti/p-type InP Schottky rectifiers 146
- $Ti_2AlC_{0.5}N_{0.5}$   
effects of TiC and TiN addition on combustion synthesis of  $Ti_2AlC_{0.5}N_{0.5}$  solid solutions 386
- $TiO_2$   
growth, structural, Raman, and photoluminescence properties of rutile  $TiO_2$  nanowires synthesized by the simple thermal treatment 217
- Titania nanoparticles  
combustion synthesis of titania nanoparticles in a premixed methane flame 115
- Titanium aluminide  
dependency of microhardness on solidification processing parameters and microstructure characteristics in the directionally solidified Ti-46Al-0.5W-0.5Si alloy 60

- high-temperature behaviour of Ti–Al–Si alloys produced by reactive sintering 320
- Titanium oxide  
effect of heat treatment on corrosion properties of sol–gel titania–ceria nanocomposite coating 237
- Titanium silicide  
high-temperature behaviour of Ti–Al–Si alloys produced by reactive sintering 320
- Tm<sup>3+</sup>/Yb<sup>3+</sup> codoping  
energy transfer and 1.8 μm emission in Tm<sup>3+</sup>/Yb<sup>3+</sup> codoped lanthanum tungsten tellurite glasses 573
- Transition metal compounds  
solid-state phase equilibria in the Co–Pt–Dy ternary system at 1173 K 65
- Transmission electron microscope  
combustion synthesis of titania nanoparticles in a premixed methane flame 115
- Transmission electron microscopy  
morphological evolution of Ag<sub>2</sub>Te precipitates in thermoelectric PbTe 37
- Transparent conducting oxide  
electrical and optical properties of In<sub>2</sub>O<sub>3</sub>:Mo thin films prepared at various Mo-doping levels 351
- Tungsten  
preparation, characterization and properties of thermochromic tungsten-doped vanadium dioxide by thermal reduction and annealing 503
- Tungsten tellurite glass  
energy transfer and 1.8 μm emission in Tm<sup>3+</sup>/Yb<sup>3+</sup> codoped lanthanum tungsten tellurite glasses 573
- Twinning  
acoustic emission from deformed Mg–Y–Nd alloy and this alloy reinforced with SiC particles L28
- Ultrasonics  
room temperature Young's modulus, shear modulus, and Poisson's ratio of Ce<sub>0.9</sub>Fe<sub>3.5</sub>Co<sub>0.5</sub>Sb<sub>12</sub> and Co<sub>0.95</sub>Pd<sub>0.05</sub>Te<sub>0.05</sub>Sb<sub>3</sub> skutterudite materials 303
- Under bump metallurgy  
novel Cu–RuN<sub>x</sub> composite layer with good solderability and very low consumption rate L25
- Vacancy  
calculating the optimum pressure and temperature for vacancy minimization from theory: Niobium is an example L14
- Vanadium oxide  
preparation, characterization and properties of thermochromic tungsten-doped vanadium dioxide by thermal reduction and annealing 503
- Viscosity  
viscosity and thermal expansion of rare earth containing soda–lime–silicate glass 273  
temperature dependence of the FMR absorption lines in viscoelastic magnetic materials 289
- Wear  
influence of sodium silicate concentration on structural and tribological properties of microarc oxidation coatings on 2017A aluminum alloy substrate 519
- White LED  
synthesis and luminescence of sub-micron sized Ca<sub>3</sub>Sc<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>:Ce green phosphors for white light-emitting diode and field-emission display applications 488
- XPS  
effect of preparation method on the physical and catalytic property of nanocrystalline Fe<sub>2</sub>O<sub>3</sub> 371
- X-ray diffraction  
hydrothermal synthesis of transition-metal sulfide dendrites or microspheres with functional imidazolium salt L31  
solid-state phase equilibria in the Co–Pt–Dy ternary system at 1173 K 65  
combustion synthesis of titania nanoparticles in a premixed methane flame 115  
preparation and characterization of Mg-doped fluorapatite nanopowders by sol–gel method 141  
phase formation, microstructure and dielectric properties of Sr<sub>0.53</sub>Ba<sub>0.47</sub>Nb<sub>2–x</sub>Ta<sub>x</sub>O<sub>6</sub> ceramics 211  
the process of combustion synthesis of WC–Co composites under the action of an electric field 277  
effect of the addition of Ta on microstructure and properties of Ti–Nb alloys 330  
thermal stability of cerium-based bulk metallic glasses. Influence of iron addition 357  
effect of preparation method on the physical and catalytic property of nanocrystalline Fe<sub>2</sub>O<sub>3</sub> 371  
effects of TiC and TiN addition on combustion synthesis of Ti<sub>2</sub>AlC<sub>0.5</sub>N<sub>0.5</sub> solid solutions 386  
correlation between structural and electrical properties of Mg<sub>1–2x</sub>Zn<sub>x</sub>Ni<sub>x</sub>Al<sub>2</sub>O<sub>4</sub> (x = 0.0–0.5) ceramic nanomaterials synthesized by a urea assisted microwave combustion method 440  
X-ray diffraction and Raman spectroscopy on Gd<sub>2</sub>(Ti<sub>2–y</sub>Te<sub>y</sub>)O<sub>7</sub> prepared at high pressure and high temperature 446  
synthesis and characterization of tin dioxide/multiwall carbon nanotube composites 457
- X-ray diffraction (XRD)  
decomposition behavior of unmilled and ball milled lithium alanate (LiAlH<sub>4</sub>) including long-term storage and moisture effects 89
- XRD  
mechanical alloying of Cu–xCr (x = 3, 5 and 8 wt.%) alloys 102  
the structural role of manganese ions in some zinc phosphate glasses and glass ceramics 479
- Yeast  
synthesis of yeast-assisted Co<sub>3</sub>O<sub>4</sub> hollow microspheres—A novel biotemplating technique L10
- Y<sub>2</sub>O<sub>3</sub>  
hot corrosion behavior of La<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub> with the addition of Y<sub>2</sub>O<sub>3</sub> thermal barrier coatings in contacts with vanadate–sulfate salts 382
- Y<sub>2</sub>O<sub>3</sub>-doped Bi<sub>2</sub>O<sub>3</sub>  
anode-supported LaGaO<sub>3</sub>-based electrolyte SOFCs with Y<sub>2</sub>O<sub>3</sub>-doped Bi<sub>2</sub>O<sub>3</sub> and La-doped CeO<sub>2</sub> buffer layers L21
- Ytterbium intermetallics  
crystal structure and physical properties of Yb-based intermetallics Yb(Cu, Ag)<sub>2</sub>(Si, Ge)<sub>2</sub>, Yb(Cu<sub>1–x</sub>Zn<sub>x</sub>)<sub>2</sub>Si<sub>2</sub> (x = 0.65, 0.77) and Yb(Ag<sub>0.18</sub>Si<sub>0.82</sub>)<sub>2</sub> 1
- Zinc niobium oxide  
synthesis Ba<sub>0.6</sub>Sr<sub>0.4</sub>TiO<sub>3</sub>–ZnNb<sub>2</sub>O<sub>6</sub> composite ceramics using chemical coating method 362
- Zinc phosphate glasses  
the structural role of manganese ions in some zinc phosphate glasses and glass ceramics 479
- Zn<sub>3</sub>N<sub>2</sub>  
p-Type MgZnO thin films grown using N delta-doping by plasma-assisted molecular beam epitaxy 484
- ZnO  
facile hydrothermal synthesis of novel ZnO nanocubes L1