ERRATA

Grafting of Acrylates and Vinyl Chains onto Collagen with Ceric Initiator

G. M. BRAUER and D. J. TERMINI, Dental Research Section, National Bureau of Standards, Washington, D.C. 20234

(article in J. Appl. Polym. Sci., 17, 2557, 1973)

- p. 2559—18th line from bottom should read poly(α -chloroacrylonitrile).
- p. 2559—14th line from bottom should be 1.3 N/m², instead of 1.3 M/m².
- p. 2566—what appears as the bottom of the figure should be the top.

Fractionation of Ethylene-Propylene Copolymers

TOSHIO OGAWA, SHOICHI TANAKA, and TADAMI INABA, Hirakata Plastics Laboratory, Ube Industries Ltd., Hirakata, Osaka 573, Japan

(article in J. Appl. Polym. Sci., 17, 319, 1973)

The curves appearing in Figure 3 show the following systems.

----: PP ----: PE

 $\hfill \square$: xylene–butyl cellosolve system

• : decalin-ethyl carbitol system
• : m-decane-butyl carbitol system

○ : n-decane-butyl carbitol system
 ○ : tetralin-ethyl carbitol system
 △ : decalin-butyl carbitol system

The numbers in parentheses in Figure 4 indicates ethylene content in wt- $\frac{9}{6}$.