

Journal of Applied Polymer Science

Author Index to Volume 65

- Abbate, M.**
—; Martuscelli, E.; Musto, P.; Ragosta, G.: Thermosetting Bismaleimide/Reactive Rubber Blends: Curing Kinetics and Mechanical Behavior, 979
- Abd Alla, S. G.** See El-Naggar, A. M., 1091
- Abdelkader, H. I.** See Shahada, L., 1653
- Abhiraman, A. S.** See Sharma, V., 2603; Thadani, S., 2613
- Abraham, G. A.**
—; Frontini, P. M.; Cuadrado, T. R.: Physical and Mechanical Behavior of Sterilized Biomedical Segmented Polyurethanes, 1193
- Abraham, S.**
—; Rajan, P. K.; Sreekumar, K.: Polymeric Analog of Isoxazolinium Permanganate: Preparation and Use as Synthetic Reagent, 1169
- Aburto, J.** See Thiebaud, S., 705
- Acierno, D.** See Di, Y., 951
- Adachi, H.**
—; Hasegawa, T.; Asano, T.: Cell Distributions in Flexible Polyurethane Foams, 1395
- Aguilar-Vega, M. De J.** See Herrera-Franco, P. J., 197
- Ahmad, S. R.** See Khan, F., 459
- Ahmed, M. G. M.** See Saad, A. L. G., 27
- Ahmed, N.**
—; Sankarapapavinasam, S.; Nagendrappa, G.: Electropolymerization of Trimethylsilylphenols to Silyated Polyphenylene Oxides and Investigation of Their Properties. Enhanced Conductivity of PPO by Silyl Group, 1121
- Ajo', D.** See Bertolin, M., 2201
- Akbulut, U.** See Saçak, M., 1103
- Alam, S.**
—; Kandpal, L. D.; Varma, I. K.: Bis(3-aminophenyl)methyl Phosphine Oxide-Based (Methyl) nadicimide Resins, 861
- Albertsson, A.-C.** See Eriksson, P.-A., 1619, 1631
- Ali, K. M. I.** See Hassiruzzaman, M., 1571
- Alric, I.** See Thiebaud, S., 705
- Aly, A. S.**
—; Jeon, B. D.; Park, Y. H.: Preparation and Evaluation of the Chitin Derivatives for Wastewater Treatments, 1939
- Aminabhavi, T. M.**
—; Harlapur, S. F.: Sorption/Desorption and Diffusion Kinetics of Ketones and Nitriles into Fluoropolymer Membranes, 635
- An, S.-K.** See Kim, E.-Y., 99
- Ando, M.** See Shindo, T., 1675
- Andreopoulos, A. G.** See Tarantili, P. A., 267
- Antonucci, J. M.** See Farahani, M., 561
- Arnauts, J. E. F.** See Bouma, R. H. B., 2679
- Arribas, J. M.** See Marco, C., 2665
- Arzak, A.**
—; Eguiazabal, J. I.; Nazabal, J.: Biphasic Compatible Blends from Injection Molded Poly(Ether Ether Ketone)/Polysulfone, 1503
- Asano, T.** See Adachi, H., 1395
- Asrey, R.** See Banerjee, S., 1789
- Assano, E. M.** See Sabadini, E., 595
- Atvars, T. D. Z.** See Sabadini, E., 595
- Azuma, J.-I.** See Iwata, T., 1511
- Babu, P. R.**
—; Sastry, T. P.; Rose, C.; Muralidhara Rao, N.: Hydrogels Based on Gelatin Poly(hydroxyethyl methacrylate) and Poly(butyl acrylate) Graft Copolymer Impregnated with Fibrin, 555
- Bacquet, M.** See Gailliez-Degremont, E., 871
- Bae, Y. C.** See Han, S., 1745
- Bafna, S. S.**
—; Beall, A.: A Design of Experiments Study on the Factors Affecting Variability in the Melt Index Measurement, 277
- Baik, K. J.** See Kim, J. Y., 2643
- Baker, W. E.** See Sun, Y.-J., 1385
- Banerjee, A.** See Mukhopadhyay, S. K., 2075
- Banerjee, S.**
—; Asrey, R.; Saxena, C.; Vyas, K.; Bhattacharya, A.: Kinetics of Diffusion of Water and Dimethylmethylphosphonate through Poly(dimethylsiloxane) Membrane Using Coated Quartz Piezoelectric Sensor, 1789
- ; See Murthy, L. V. R., 731
- Banu, P.** See Mahesh, G. N., 2105
- Barbosa, R. V.** See Soares, B. G., 2141
- Basu, D.** See Mukhopadhyay, S. K., 2075
- Baysal, B.** See Cvetkovska, M., 2173
- Bayülken, S.** See Dinçer, B., 37
- Beall, A.** See Bafna, S. S., 277
- Beckham, H. W.** See Thadani, S., 2613
- Becu, L.**
—; Maazouz, A.; Sautereau, H.; Gerard, J. F.: Fracture Behavior of Epoxy Polymers Modified with Core-Shell Rubber Particles, 2419
- Belomoina, N.** See Sava, I., 1533
- Beltrame, P. L.**
—; Castelli, A.; Munaretto, G.; Canetti, M.; Seves, A.: Characterization of

- Polypropylene–Poly(1-butene)–Hydrogenated Olygo(cyclopentadiene) Ternary Blends, 1659
- Bendak, A.**
—; Kantouch, A.; Nasr, M. F.: Some Studies on Thermal Treatments of Polyester Fibers: Structural Changes, 2773
- Bertani, R.** See Minto, F., 217
- Bertolin, M.**
—; Zecca, M.; Favero, G.; Palma, G.; Lora, S.; Ajo', D.; Corain, B.: High-Yield γ -Ray-Induced Polymerization of Bis-2-Acetoacetoxyethyl methacrylate Copper (II), 2201
- Bhattacharya, A.** See Banerjee, S., 1789
- Bhattacharya, A. K.** See Mallick, A., 135
- Bhowmick, A. K.** See Kar, K. K., 1429
- Bhuvanesh, Y. C.** See Gupta, V. B., 1773
- Bikiaris, D.** See Thiebaud, S., 705
- Binga, T. D.** See Visser, S. A., 1441, 1443
- Bistac, S.**
—; Cheret, D.; Vallat, M. F.; Schultz, J.: Interphases in Ethylene–Vinyl Acetate Copolymer/Steel Sandwiches, 347
- Boiteux, G.** See Friedrich, K., 2529
- Boiteux, G.** See Ulański, J., 1143
- Bonfield, W.** See Ladizesky, N. H., 1865
- Bongiovanni, R.** See Malucelli, G., 491
- Borredon, E.** See Thiebaud, S., 705
- Borzatta, V.** See Minto, F., 217
- Bosnyak, C. P.** See Wu, S., 2209
- Bouma, R. H. B.**
—; Nauta, W. J.; Arnauts, J. E. F.; Van Den Boomgaard, TH.; Steuten, J. M.; Strathmann, H.: Foam Stability Related to Polymer Permeability. I. Low Molecular Weight Additives, 2679
- Bovenkamp, J.** See Xiao, S., 1833
- Boydell, P.** See Eriksson, P.-A., 1619, 1631
- Bravar, M.** See Hrnjak-Murđić, Z., 991
- Bremner, T.**
—; Hill, D. J. T.; Killeen, M. I.; O'Donnell, J. H.; Pomery, P. J.; St. John. D.; Whittaker, A. K.: Development of Wear-Resistant Thermoplastic Polyurethanes by Blending with Poly(dimethyl siloxane): II. A Packing Model, 939
- Brooks, B. W.** See Zerfa, M., 127
- Brown, G. R.** See Caldas, V., 1759
- Bruma, M.** See Sava, I., 1533
- Brunel, S.** See Mosquet, M., 2545
- Bu, W.**
—; Isayev, A. I.: Prepregs and Laminates of Polyetherimide-Reinforced by a Thermotropic LCP, 329
- Bucheńska, J.**
Modification of Polyester Fibers by Grafting with Poly(acrylic acid), 967
Modified Polyacrylonitrile Fibers (PAN), 1955
- Buchhammer, H.-M.** See Kramer, G., 41
- Buggy, M.**
—; O'Byrne, K.: The Effects of Skydrol (A Hydraulic Fluid) on the Network Structure of TGDDM/DDS-Based Resins, 2025
- Cádiz, V.** See Giménez, V., 1643
- Cai, Y.**
—; Petermann, J.; Wittich, H.: Transcrystallization in Fiber-Reinforced Isotactic Polypropylene Composites in a Temperature Gradient, 67
- Cakmak, M.**
—; Kim, J. C.: Necking Mechanism and Its Elimination in Uniaxially Drawn Films of Poly(ethylene naphthalate) (PEN)/Polyetherimide (PEI) Blends, 2059
- Caldas, V.**
—; Brown, G. R.; Nohr, R. S.; MacDonald, J. G.; Raboin, L. E.: Enhancement of Tensile Properties of Isotactic Polypropylene Spunbonded Fabrics by a Surface-Modified Silica/Silicone Copolymer Additive, 1759
- Campoy, I.** See Marco, C., 2665
- Canetti, M.** See Beltrame, P. L., 1659
- Capodanno, V.**
—; Petrillo, E.; Romano, G.; Russo, R.; Vittoria, V.: The Effect of Physical Aging on the Properties of Films of Amorphous Poly(Ether ether ketone) (PEEK), 2635
- Capps, R.** See Su, J., 1363
- Carvalho, D. L.** See Coutinho, F. M. B., 1227
- Casalini, R.**
—; Corezzi, S.; Livi, A.; Levita, G.; Rolla, P. A.: Dielectric Parameters to Monitor the Crosslink of Epoxy Resins, 17
- Cassagnau, P.**
—; Mélis, F.; Michel, A.: Correlation of Linear Viscoelastic Behavior and Molecular Weight Evolution in the Bulk Urethane Polymerization, 2395
- Castelli, A.** See Beltrame, P. L., 1659
- Cavalcanti, M. J. R.**
—; Pinto, J. C.: Modeling and Optimization of Suspension SAN Polymerization Reactors, 1683
- Caze, C.** See Pak, S. H., 143
- Cebe, P.** See Rich, D. C., 1151
- Chabert, B.** See Duchet, J., 2481
- Chabot, S.**
—; Roy, C.; Chowdhury, G.; Matsuura, T.: Development of Polyvinylidene Fluoride Hollow-Fiber Membranes for the Treatment of Water/Organic Vapor Mixtures, 1263
- Chakraborty, B. C.** See Patri, M., 549; Ratna, D., 901
- Chan, C.-M.** See Mi, Y., 295
- Chang, C. H.** See Yang, J. M., 109
- Chang, F.-C.** See Chiou, K.-C., 655; Lo, D.-W., 739
- Chan, H. S. O.** See Ong, C. H., 391

- Chan, W.-H.**
—; Ng, C.-F.; Lam-Leung, S.-Y.; He, X.; Cheung, O.-C.: Water-Alcohol Separation by Pervaporation Through Poly(amide-sulfonamide)s (PASAs) Membranes, 1113
- Chapel, J.-P.** See Duchet, J., 2481
- Chauchard, J.** See Dole, P., 2507
- Chauhan, G. S.**
—; Guleria, L. K.; Misra, B. N.; Rawat, B. R.: Grafting onto Wool. XXX. Effects of Solvent Composition on the Radiation-Induced Graft Copolymerization of Some Acrylates onto Wool Fiber, 191
- Chauhan, R. S.** See Murthy, L. V. R., 731
- Chen, M.** See Pan, Y., 341
- Chen, W.-C.** See Yang, M.-C., 289
- Chen, X.**
—; Li, W.; Zhong, W.; Lu, Y.; Yu, T.: pH Sensitivity and Ion Sensitivity of Hydrogels Based on Complex-Forming Chitosan/Silk Fibroin Interpenetrating Polymer Network, 2257
- Chen, X.** See Lang, M., 1667; Wang, G., 789
- Cheret, D.** See Bistac, S., 347
- Cheung, O.-C.** See Chan, W.-H., 1113
- Chevalier, Y.** See Mosquet, M., 2545
- Chiang, C.-R.** See Lo, D.-W., 739
- Chiang, W.-Y.**
—; Tzeng, G.-L.: Effect of the Compatibilizers on Flame-Retardant Polycarbonate (PC)/Acrylonitrile-Butadiene-Styrene (ABS) Alloy, 795
- Chian, K. S.**
Factors Affecting the Morphology and Mechanical Properties of a Coagulated Thermoplastic Polyurethane, 1947
- Chiou, K.-C.**
—; Hsu, H.-C.; Chang, F.-C.: Precrack Hysteresis Energy in Determining Polycarbonate Ductile-Brittle Transition. IV. Effect of Strain Rate, 655
- Chiu, W.-Y.** See Lee, C.-F., 425
- Choi, S.-S.**
Migration of Antidegradants to the Surface in NR and SBR Vulcanizates, 117
- Chowdhury, G.** See Chabot, S., 1263
- Chung, T.-S.**
—; Kafchinski, E. R.: The Effects of Spinning Conditions on Asymmetric 6FDA/6FDAM Polyimide Hollow Fibers for Air Separation, 1555
- Claramma, N. M.**
—; Mathew, N. M.: Effect of Temperature on Sulfur Pre Vulcanization of Natural Rubber Latex, 1913
- Coen, M. C.** See Mäder, D., 567
- Cohen, R. E.** See Sohn, B. H., 723
- Collar, E. P.** See García-Martínez, J. M., 1333
- Cong, G.** See Pan, Y., 341
- Cook, J. W.**
—; Edge, S.; Packham, D. E.; Thompson, A. S.: The Thermal Behavior of Natural Rubber and Chlorinated Rubber Blends, 1379
- Cook, R. C.** See Lambert, S. M., 2111
- Corain, B.** See Bertolin, M., 2201
- Corezzi, S.** See Casalini, R., 17
- Costa, T. H. S.** See Coutinho, F. M. B., 1227
- Coutinho, F. M. B.**
—; Costa, T. H. S.; Carvalho, D. L.: Polypropylene-Wood Fiber Composites: Effect of Treatment and Mixing Conditions on Mechanical Properties, 1227
- ; Neves, M. A. F. S.; Dias, M. L.: Porous Structure and Swelling Properties of Styrene-Divinylbenzene Copolymers for Size Exclusion Chromatography, 1257
- Covas, J. C.** See Soares, B. G., 2141
- Cuadrado, T. R.** See Abraham, G. A., 1193
- Cuillery, P.**
—; Gaertner, R.; Tatibouet, J.; Mantel, M.: Structural Effects on Dynamic Features of Sandwich Metal/Polymer/Metal, 2493
- Cui, M.-H.**
—; Guo, J.-S.; Xie, H.-Q.; Wu, Z.-H.; Qiu, S.-C.: All-Solid-State Complementary Electrochromic Windows Based on the Oxymethylene-Linked Polyoxyethylene Complexed with LiClO₄, 1739
- Cun, L. F.** See Peng, Y. X., 1883
- Cuney, S.**
—; Gérard, J. F.; Dumon, M.; Pascault, J. P.; Vigier, G.; Dušek, K.: Hydroxyl-Terminated Oligomers Crosslinked by Alkoxysilane Sol-Gel or Polyurethane Chemistries: A Comparison, 2373
- ; See Damian, C., 2579
- Cvetkovska, M.**
—; Lazarevic, M.; Koseva, S.; Baysal, B.; Hamurcu, E. E.; Uyanik, N.: Macro-Azo-Initiators Having Poly(ethylene glycol) Units: Synthesis, Characterization, and Application to AB Block Copolymerization, 2173
- Dai, H. S.** See Peng, Y. X., 1883
- Damian, C.**
—; Espuche, E.; Escoubes, M.; Cuney, S.; Pascault, J. P.: Gas Permeability of Model Polyurethane Networks and Hybrid Organic-Inorganic Materials: Relations with Morphology, 2579
- Damink, B.** See Kemperman, A. J. B., 1205
- D'Amore, A.** See Di, Y., 951
- Daniels, E. S.** See He, Y., 511, 1967; Nelliappan, V., 581
- David, L.** See Gauthier, C., 2517
- De, S. K.** See Mallick, A., 135
- De Kee, D.** See Xiao, S., 1833
- Deb, P. C.** See Patri, M., 549; Ratna, D., 901
- Decker, C.**
—; Elzaouk, B.: Laser-induced Cross-linking Polymerization of Acrylic Photoresists, 833
- Delair, T.** See Ladavière, C., 2567
- Delamar, M.** See Xiao, G. Z., 449

- Delgado, A. V.** See Vera, P., 2721
- Deng, X.** See Zhang, L., 1849
- Denizli, A.**
—; Salih, B.; Pişkin, E.: Comparison of Metal Chelate Affinity Sorption of BSA onto Dye/Zn(II)-Derived Poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) Microbeads, 2085
- Derks, F.** See Loontjens, T., 1813
- Desai, P.** See Sharma, V., 2603; Thadani, S., 2613
- Di, Y.**
—; Acierno, D.; D'Amore, A.; Nobile, R.; Nicolais, L.: Capillary Extrusion Behavior of Phenolphthalein Poly(ether-ether-sulphone) (PES-C), 951
- Dias, M. L.** See Coutinho, F. M. B., 1257
- Diñer, B.**
—; Mustafaev, M. I.; Bayülken, S.: High-Performance Liquid Chromatography Study of Water-Soluble Ternary Polyacrylamide-Metal-Protein Complexes, 37
- Divekar, P. K.** See Gupta, D. C., 355
- Dole, P.**
—; Chauchard, J.: Thermal Aging of Polyethylene-co-methyl Acrylate Elastomer Activation Energies of Physical and Physicochemical Mechanisms, 2507
- Domard, A.** See Ladavière, C., 2567
- Don, S.** See Kim, S., 1795
- Dorau, K.** See Urbanczyk, G., 807
- D'Orazio, L.**
—; Guarino, R.; Mancarella, C.; Martuscelli, E.: Isotactic Polypropylene/Polystyrene Blends: Effects of the Addition of a Graft Polymer of Propylene with Styrene, 1539
- Dos Santos, A. M.**
—; McKenna, T. F.; Guillot, J.: Emulsion Copolymerization of Styrene and *n*-Butyl Acrylate in Presence of Acrylic and Methacrylic Acids: Effect of pH on Kinetics and Carboxyl Group Distribution, 2343
- Dounis, D. V.**
—; Wilkes, G. L.: Influence of Diethanolamine on Hard Segment Ordering in Flexible Polyurethane Foams, 525
- Duchet, J.**
—; Chapel, J.-P.; Chabert, B.; Spitz, R.; Gérard, J.-F.: Synthesis and Grafting Ability of Silane-Terminated Polyethylenes on Silica Surfaces, 2481
- Duda, J. L.** See Hong, S.-U., 51
- Dumon, M.** See Cuney, S., 2373
- Dupuy, J.**
—; Spitz, R.: Modification of Ziegler-Natta Catalysts by Cyclopentadienyl-Type Ligands: Activation of Titanium-Based Catalysts, 2281
- Dušek, K.** See Cuney, S., 2373
- Easawi, K. H.** See Fouda, I. M., 1293
- Edge, S.** See Cook, J. W., 1379
- Eguiazabal, J. I.** See Arzak, A., 1503
- Eisenberg, P.**
—; Lucas, J. C.; Williams, R. J. J.: Unsaturated Polyesters: Influence of the Molar Mass on the Cure with Styrene and the Properties of the Resulting Networks, 755
- El-Aasser, M. S.** See He, Y., 511, 1967; Nelliappan, V., 581
- Elaïssari, A.** See Ganachaud, F., 2315; Sauzedde, F., 2331
- Ellis, G.** See Marco, C., 2665
- El-Naggar, A. M.**
—; Emara, A. S.; Abd Alla, S. G.: Effect of Gamma Irradiation on the Metal Sorption and Separation of Some Divalent Metals by Some New Polymeric Bifunctional Resins, 1091
- El-Sharkawy, F. M.** See Hamza, A. A., 2031
- El-Tonsy, M. M.** See Fouda, I. M., 1293
- Elzaouk, B.** See Decker, C., 833
- Emara, A. S.** See El-Naggar, A. M., 1091
- Endo, F.** See Mochizuki, A., 1713
- Eriksson, K.** See Eriksson, P.-A., 1619
- Eriksson, P.-A.**
—; Boydell, P.; Eriksson, K.; Månson, J.-A. E.; Albertsson, A.-C.: Effect of Thermal-Oxidative Aging on Mechanical, Chemical, and Thermal Properties of Recycled Polyamide 66, 1619
—; Boydell, P.; Månson, J.-A. E.; Albertsson, A.-C.: Durability Study of Recycled Glass-Fiber-Reinforced Polyamide 66 in a Service-Related Environment, 1631
- Erismann, F.**
—; Fong, H.; Graef, G. L.; Risbud, S. H.: IR Optical Properties of ZnS/ZnSe-Modified High-Density Polyethylene, 2727
- Ershad-Langroudi, A.**
—; Mai, C.; Vigier, G.; Vassoille, R.: Hydrophobic Hybrid Inorganic-Organic Thin Film Prepared by a Sol-Gel Process for Glass Protection and Strengthening Applications, 2387
- Escoubes, M.** See Damian, C., 2579
- Espuche, E.** See Damian, C., 2579
- Fanta, G. F.**
—; Shogren, R. L.: Modification of Starch-Poly(methyl acrylate) Graft Copolymers by Steam Jet Cooking, 1021
- Farahani, M.**
—; Antonucci, J. M.; Phinney, C. S.; Karam, L. R.: Mass Spectrometric Analysis of Polymers Derived from *N*-Aryl- α -Amino Acid Initiators, 561
- Fatou, J. G.** See Marco, C., 2665
- Fauvarque, J. F.** See Salmon, E., 601
- Favero, G.** See Bertolin, M., 2201
- Feng, J.** See Mi, Y., 295
- Feng, L.** See Xu, J., 925
- Feng, N.** See Lang, M., 1667
- Ferrar, W. T.** See Visser, S. A., 1441, 1443
- Ferrero, F.** See Malucelli, G., 491

- Fisa, B.** See Meddad, A., 2013
- Fiske, T. J.**
—; Gokturk, H.; Kalyon, D. M.: Enhancement of the Relative Magnetic Permeability of Polymeric Composites with Hybrid Particulate Fillers, 1371
- Fitzgerald, J. J.** See Visser, S. A., 1441, 1443
- Földes, E.**
—; Lohmeijer, J.: Polymer/Additive Compatibility: Study of Primary Antioxidants in PBD, 761
- Fong, H.** See Erismann, F., 2727
- Fonseca, J. L. C.** See Monteiro, E. E. C., 2227
- Fontecha, A.** See Marco, C., 2665
- Fouda, I. M.**
—; El-Tonsy, M. M.; Metawe, F. M.; Hosny, H. M.; Easawi, K. H.: Optothermal Properties of Fibers. VII. Optical Investigation of Annealed Nylon-6 Fibers, 1293
—; See Hamza, A. A., 2031
- Freakley, P. K.**
—; Sirisinha, C.: The Influence of State-of-Mix on the Extrudate Swell of a Carbon Black-Filled Styrene-Butadiene Rubber Compound, 305
- Friedrich, CHR.** See Lobbrecht, A., 209
- Friedrich, K.**
—; Vinh-Tung, C.; Boiteux, G.; Seytre, G.; Ulański, J.: Buildup of Thermoset and Crystallization of Thermoplastics Studied by Electrical Techniques, 2529
—; See Ulański, J., 1143
- Frontini, P. M.** See Abraham, G. A., 1193
- Fukuda, A.** See Kubota, H., 1313
- Fukuda, W.** See Iijima, T., 1349, 1451
- Fukuoka, T.** See Mochizuki, A., 1723
- Fukushima, A.** See Iwata, T., 1511
- Funae, Y.** See Matsuda, T., 2247
- Furusawa, K.** See Kunioka, M., 1889
- Gaertner, R.** See Cuillery, P., 2493
- Gailliez-Degremont, E.**
—; Bacquet, M.; Laureyns, J.; Morcellet, M.: Polyamines Adsorbed onto Silica Gel: A Raman Microprobe Analysis, 871
- Gallardo, V.** See Vera, P., 2721
- Gallot, B.**
—; Lenclud, A.-L.; He, L.: Thermotropic Comblike Polymers with Lipobiphenyl Side Chains: Factors Governing Nature of Mesophases, 2407
- Galy, J.** See Georjon, O., 2471
- Ganachaud, F.**
—; Sauzedde, F.; Elaïssari, A.; Pichot, C.: Emulsifier-Free Emulsion Copolymerization of Styrene with Two Different Amino-Containing Cationic Monomers: I. Kinetic Studies, 2315
—; See Sauzedde, F., 2331
- Gao, F.**
—; Xu, Y.: Polymeric Pseudocrown Ether Resins Containing Azacrown and Azathiacrown Ethers: Synthesis and Adsorption for Metal Ions, 931
- Gao, Q.-Y.** See Yu, S.-Y., 481
- Garcia, R.**
—; Pizzi, A.; Merlin, A.: Ionic Polycondensation Effects on the Radical Autocondensation of Polyflavonoid Tannins: An ESR Study, 2623
- García-Martínez, J. M.**
—; Laguna, O.; Collar, E. P.: Role of Reaction Time in Batch Process Modification of Atactic Polypropylene by Maleic Anhydride in Melt, 1333
- Garro-Galvez, J. M.**
—; Riedl, B.: Pyrogallol-Formaldehyde Thermosetting Adhesives, 399
- Gauthier, C.**
—; David, L.; Ladouce, L.; Quinson, R.; Perez, J.: Nonlinear Mechanical Response of Amorphous Polymers Below and through Glass Transition Temperature, 2517
- Gauvin, P.** See Wloczyński, P., 1595
- Gawdzik, B.** See Matynia, T., 1525
- Georjon, O.**
—; Galy, J.: Effects of Crosslink Density on Mechanical Properties of High Glass Transition Temperature Polycyanurate Networks, 2471
- Gérard, J. F.** See Becu, L., 2419; Cuney, S., 2373; Duchet, J., 2481
- Gesser, H. D.** See McComb, M. E., 1175
- Giménez, V.**
—; Mantecón, A.; Ronda, J. C.; Cádiz, V.: Poly(vinyl alcohol) Modified with Carboxylic Acid Anhydrides: Crosslinking Through Carboxylic Groups, 1643
- Girard-Reydet, E.**
—; Vicard, V.; Pascault, J. P.; Sautereau, H.: Polyetherimide-Modified Epoxy Networks: Influence of Cure Conditions on Morphology and Mechanical Properties, 2433
- Gleria, M.** See Minto, F., 217
- Gnanasundaram, P.** See Thamizharasi, S., 1285
- Godet, M.** See Salmon, E., 601
- Goh, S. H.** See Ong, C. H., 391
- Gokturk, H.** See Fiske, T. J., 1371
- Gómez, M. A.** See Marco, C., 2665
- Gong, D.** See Kaang, S., 917
- Gould, S. A. C.**
—; Schiraldi, D. A.; Occelli, M. L.: Analysis of Poly(ethylene terephthalate) (PET) Films by Atomic Force Microscopy, 1237
- Goux, A.** See Guyot, A., 2289
- Gozzelino, G.** See Malucelli, G., 491
- Graef, G. L.** See Erismann, F., 2727
- Grégoire, M.** See Pesneau, I., 2457
- Gu, T.** See Yin, W., 1

- Guarino, R.** See D'Orazio, L., 1539
- Guicquero, J. P.** See Mosquet, M., 2545
- Guillot, J.** See Dos Santos, A. M., 2343; Martinet, F., 2297
- Guinot, S.** See Salmon, E., 601
- Guleria, L. K.** See Chauhan, G. S., 191
- Gunatillake, P.** See McCarthy, S. J., 1319
- Güner, A.**
Spectrophotometric Behavior of Poly(vinylpyrrolidone) in Aqueous Solutions: II. The Effects of Denaturing Agents, 1307
- Guo, J.-S.** See Cui, M.-H., 1739
- Guo, Q.** See Mi, Y., 295
- Guo, X.-Y.**
—; Rempel, G. L.: Catalytic Hydrogenation of Nitrile-Butadiene Copolymer Emulsion, 667
- Gupta, B. R.** See Mallick, A., 135
- Gupta, D. C.**
—; Divekar, P. K.; Phadke, V. K.: HTPB-Based Polyurethanes for Inhibition of Composite-Modified Double-Base (CMDB) Propellents, 355
- Gupta, K.**
—; Yaseen, M.: Viscosity-Temperature Relationship of Dilute Solution of Poly(vinyl chloride) in Cyclohexanone and in Its Blends with Xylene, 2749
- Gupta, V. B.**
—; Mondal, S. A.; Bhuvanesh, Y. C.: Spinning Speed-Throughput Rate Relationships for Polyester, Nylon, and Polypropylene Fibers, 1773
- Guyot, A.**
—; Goux, A.: Styrene Emulsion Polymerization in the Presence of a Maleate-Functional Surfactant, 2289
- Haga, T.** See Mori, R., 155
- Hamaide, T.** See Tortosa, K., 2357
- Hamurcu, E. E.** See Cvetkovska, M., 2173
- Hamza, A. A.**
—; Fouda, I. M.; Kabeel, M. A.; Seisa, E. A.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. VIII. Structure Orientation Study of Annealed Egyptian Polyester Fibers, 2031
- Han, S.**
—; Moon, T. J.; Kim, T. J.; Im, S. S.; Bae, Y. C.: Physical Properties of Poly(ethylene adipate)/Low-Density Polyethylene Blends, 1745
- Han-Adebekun, G. C.**
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XVII. Experimental Study and Model Interpretation of Some Aspects of Olefin Polymerization over a $\text{TiCl}_4/\text{MgCl}_2$ Catalyst, 1037
- Hara, M.**
—; Higuchi, M.; Minoura, N.; Higuchi, A.: Recognition of Hormones by Membrane Potential and Circular Dichroism of Immobilized Protein Membranes, 251
- Harlapur, S. F.** See Aminabhavi, T. M., 635
- Hasegawa, T.** See Adachi, H., 1395
- Hassan, A. M.** See Saad, A. L. G., 27
- Hassan, H. M.** See Shahada, L., 1653
- Hassiruzzaman, M.**
—; Khan, M. A.; Ali, K. M. I.: Effect of Benzohydroxamate-Ethylenediamine-Titanium Complex on Modification of Jute and Cotton Yarns by UV-Radiation-Induced Urethane Acrylate, 1571
- He, L.** See Gallot, B., 2407
- He, T.** See Zhou, J., 1857
- He, X.** See Chan, W.-H., 1113
- He, Y.**
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Grafting Behavior of *n*-Butyl Acrylate onto Poly(butadiene-*co*-styrene) Latexes, 511
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Study of the Consumption of TMI® in Latex Using Attenuated Total Reflectance FTIR (ATR-FTIR), 1967
- Heino, M.**
—; Kirjava, J.; Hietaoja, P.; Seppälä, J.: Compatibilization of Polyethylene Terephthalate/Polypropylene Blends with Styrene-Ethylene/Butylene-Styrene (SEBS) Block Copolymers, 241
- Herrera-Franco, P. J.**
—; Aguilar-Vega, M. De J.: Effect of Fiber Treatment on the Mechanical Properties of LDPE-Henequen Cellulosic Fiber Composites, 197
- Hewitt, C. E.** See Visser, S. A., 1441, 1443
- Hietalahti, K.**
—; Root, A.; Skrifvars, M.; Sundholm, F.: Crosslinking of Unsaturated Polyester Resins Studied by Low-Resolution $^1\text{H-NMR}$ Spectroscopy, 77
- Hietaoja, P.** See Heino, M., 241
- Higuchi, A.** See Hara, M., 251
- Higuchi, M.** See Hara, M., 251
- Hill, D. J. T.** See Bremner, T., 939
- Hill, M. J.**
—; Puig, C. C.: Liquid-liquid Phase Separation in Blends of a Linear Low-Density Polyethylene with a Low-Density Polyethylene, 1921
- Hokudoh, T.** See Kuroki, T., 1031
- Homma, T.** See Tazaki, M., 1517
- Hong, S.-U.**
—; Duda, J. L.: Penetrant Transport in Polyethylene-Polystyrene Semi-Interpenetrating Polymer Networks, 51
- Hoshi, M.**
—; Kogure, M.; Saitoh, T.; Nakagawa, T.: Separation of Aqueous Phenol through Polyurethane Membranes by Pervaporation, 469
- Hosny, H. M.** See Fouda, I. M., 1293
- Hrnjak-Murčić, Z.**
—; Jelenčić, J.; Bravar, M.; Marovic, M.: Influence of the Network on the Interaction

- Parameter in System EPDM Vulcanizate-Solvent, 991
- Hsieh, F.** See Lin, Y., 695
- Hsu, H.-C.** See Chiou, K.-C., 655
- Hsu, Y. G.** See Yang, J. M., 109
- Hu, P.** See Sun, Y., 959
- Hua, Z.** See Ling, H., 1837
- Huang, J.**
- ; Huang, X.; Liu, H.: Photochemical-Induced Polymerization Kinetics of Styrene and Methyl Methacrylate by Initiation of Binary System Composed of Polyethylene Oxide with Aniline End Group and Benzophenone, 2095
- Huang, K. S.**
- ; Min, R. R.; Yen, M. S.: The Effects of Pregrafting Cotton Fabrics with MAA/MAM on the Dyeing Kinetics of Direct Dyes in a Finite Bath, 1139
- Huang, P.-Y.** See Yang, J.-M., 365
- Huang, X.** See Huang, J., 2095
- Huang, Y.** See Pan, Y., 341
- Huang, Z.** See Zhang, L., 1849
- Huff, H. E.** See Lin, Y., 695
- Iijima, T.**
- ; Ohnishi, K.; Fukuda, W.; Tomoi, M.: Modification of Bismaleimide Resin with *N*-Phenylmaleimide-Styrene-*p*-Hydroxystyrene and *N*-Phenylmaleimide-Styrene-*p*-Allyloxystyrene Terpolymers, 1451
- ; Shiono, H.; Fukuda, W.; Tomoi, M.: Toughening of Bismaleimide Resin by Modification with Poly(ethylene phthalate) and Poly(ethylene phthalate-*co*-ethylene isophthalate), 1349
- Ikehara, T.** See Lee, J.-C., 409
- Im, S. S.** See Han, S., 1745
- Iroh, J. O.** See Su, W., 417, 617
- Isayev, A. I.** See Bu, W., 329
- Iso, M.** See Omi, S., 2655
- Iwata, T.**
- ; Fukushima, A.; Okamura, K.; Azuma, J.-I.: DSC Study on Regioselectively Substituted Cellulose Heteroesters, 1511
- Jang, J.** See Shin, S., 2237
- Jantas, R.**
- Synthesis and Characterization of Acryloyloxystarch, 2123
- Järvelä, P. A.**
- ; Shucai, L.; Järvelä, P. K.: Dynamic Mechanical and Mechanical Properties of Polypropylene/Poly(vinyl butyral)/Mica Composites, 2003
- Järvelä, P. K.** See Järvelä, P. A., 2003
- Jelenčić, J.** See Hrnjak-Murgić, Z., 991
- Jeon, B. D.** See Aly, A. S., 1939
- Jeziorny, A.** See Urbanczyk, G., 807
- Jianjin, N.** See Ling, H., 1837
- John, S. A.**
- ; Ramaraj, R.: Regulation of Dye Assembly Within Wet and Dry Nafion Films, 777
- John, T.** See Rezac, M. E., 1983
- Jurkowski, B.**
- ; Olkhov, Y. A.: New Aspects of Polyamide 6 Mixing in Molten State with Low-Density Polyethylene, 1807
- ; See Olkhov, Y., 499; Pesetskii, S. S., 1493
- Kaang, S.**
- ; Gong, D.; Nah, C.: Some Physical Characteristics of Double-Networked Natural Rubber, 917
- Kabeel, M. A.** See Hamza, A. A., 2031
- Kafchinski, E. R.** See Chung, T.-S., 1555
- Kakavas, P. A.**
- Fracture Analysis of Bonded Elastomeric Disks Subjected to Triaxial Stress, 1821
- Kaliyappan, T.** See Murugavel, S. C., 2151
- Kalyon, D. M.** See Fiske, T. J., 1371
- Kandpal, L. D.** See Alam, S., 861
- Kaneko, K.** See Omi, S., 2655
- Kannan, P.** See Murugavel, S. C., 2151
- Kantouch, A.** See Bendak, A., 2773
- Kaptan, H. Y.**
- ; Tatar, L.: An Electron Spin Resonance Study of Mechanical Fracture of Poly(methyl methacrylate), 1161
- Kar, K. K.**
- ; Bhowmick, A. K.: High-Strain Hysteresis of Rubber Vulcanizates Over a Range of Compositions, Rates, and Temperatures, 1429
- Karakışla, M.** See Saçak, M., 1103
- Karam, L. R.** See Farahani, M., 561
- Kassem, M. E.** See Shahada, L., 1653
- Katami, K.** See Omi, S., 2655
- Kawahara, Y.**
- ; Shioya, M.: Mechanical Properties of Tussah Silk Fibers Treated with Methacrylamide, 2051
- Kemperman, A. J. B.**
- ; Damink, B.; van den Boomgaard, Th.; Strathmann, H.: Stabilization of Supported Liquid Membranes by Gelation With PVC, 1205
- Khan, F.**
- ; Ahmad, S. R.: Graft Copolymerization Reaction of Water-Emulsified Methyl Methacrylate With Preirradiated Jute Fiber, 459
- Khan, M. A.** See Hassiruzzaman, M., 1571
- Kikutani, T.** See Miyata, K., 1415
- Killeen, M. I.** See Bremner, T., 939
- Kim, B. S.**
- Effect of Cyanate Ester on the Cure Behavior and Thermal Stability of Epoxy Resin, 85
- Kim, C. H.** See Su, J., 1363
- Kim, E.-Y.**
- ; An, S.-K.; Kim, H.-D.: Graft Copolymerization of ϵ -Caprolactam onto Kevlar-49 Fiber Surface and Properties of Grafted Kevlar Fiber Reinforced Composite, 99
- Kim, H.-D.** See Kim, E.-Y., 99
- Kim, J. C.** See Cakmak, M., 2059
- Kim, J. L.** See Suh, K. D., 821
- Kim, J. Y.**
- ; Lee, H. K.; Baik, K. J.; Kim, S. C.: Liquid-Liquid Phase

- Separation in Polysulfone/
Solvent/Water Systems, 2643
—; See Suh, K. D., 821
- Kim, S.**
—; Don, S.; Mainwaring, D. E.:
Effect of Ion-Binding on the
Formation of Temporary
Viscoelastic Networks of
Proanthocyanidin
Biopolymers, 1795
- Kim, S. C.** See Kim, J. Y., 2643
- Kim, S. Y.** See Shin, H. S., 685
- Kim, T. J.** See Han, S., 1745
- Kim, W. G.**
—; Ryu, J. H.: Physical Properties
of Epoxy Molding Compound
for Semiconductor
Encapsulation According to
the Coupling Treatment
Process Change of Silica,
1975
- Kirjava, J.** See Heino, M., 241
- Kitano, S.** See Narisawa, M., 261
- Klein, A.** See He, Y., 511, 1967;
Nelliappan, V., 581;
Sambasivam, M., 1001
- Kocher, C. W.** See Krongauz,
V. V., 1271
- Kogure, M.** See Hoshi, M., 469
- Kojima, Y.**
—; Matsuoka, T.; Takahashi, H.;
Kurauchi, T.: High-Pressure
Synthesis of Polystyrene-
Bound C₆₀ Gel (note), 2781
- Konstantinova, T.** See
Miloshev, S., 91
- Koseva, S.** See Cvetkovska, M.,
2173
- Koshiro, S.** See Shimizu, T., 179
- Kowalska, S.** See Urbanczyk, G.,
807
- Kramer, G.**
—; Buchhammer, H.-M.;
Lunkwitz, K.: Surface
Modification by
Polyelectrolyte Complexes:
Influence of Modification
Procedure, Polyelectrolyte
Components, and Substrates,
41
- Kressler, J.** See Mäder, D., 567
- Krivoguz, Y. M.** See Pesetskii,
S. S., 1493
- Krongauz, V. V.**
—; Kocher, C. W.: Kinetics of Ion
Exchange in Monodisperse
Resin, 1271
- Kubota, H.**
—; Fukuda, A.:
Photopolymerization
Synthesis of Poly(*N*-
isopropylacrylamide)
Hydrogels, 1313
- Kumar, A.** See Sailaja, R. R. N.,
845
- Kumar K., S.** See Thorat, H. B.,
2715
- Kunioka, M.**
—; Furusawa, K.: Poly(γ -
Glutamic Acid) Hydrogel
Prepared from Microbial
Poly(γ -Glutamic Acid) and
Alkanediamine with Water-
Soluble Carbodiimide, 1889
- Künzler, J.**
—; Ozark, R.: Methacrylate-
Capped Fluoro Side Chain
Siloxanes: Synthesis,
Characterization, and Their
Use in the Design of Oxygen-
Permeable Hydrogels, 1081
- Kuo, S.-C.** See Yen, M.-S., 883
- Kurauchi, T.** See Kojima, Y.,
2781
- Kuroki, T.**
—; Tanaka, Y.; Hokudoh, T.;
Yabuki, K.: Heat Resistance
Properties of Poly(*p*-
phenylene-2,6-
benzobisoxazole) Fiber, 1031
- La Mantia, F. P.** See Mlecnik,
E., 2761
- Lacoste, J.** See Vaillant, D., 609
- Ladavière, C.**
—; Veron, L.; Delair, T.; Domard,
A.; Pichot, C.; Mandrand, B.:
Reactive Polymers in
Diagnostics: Syntheses and
Characterizations of Nucleic
Acid Probes and Maleic
Anhydride-*co*-Methyl Vinyl
Ether Polymers, 2567
- Ladizesky, N. H.**
—; Ward, I. M.; Bonfield, W.:
Hydroxyapatite/High-
Performance Polyethylene
Fiber Composites for High-
Load-Bearing Bone
Replacement Materials, 1865
- Ladouce, L.** See Gauthier, C.,
2517
- Laguna, O.** See García-
Martínez, J. M., 1333
- Lambert, S. M.**
—; Overturf, G. E., III; Wilemski,
G.; Letts, S. A.; Cook, R. C.;
Schroen-Carey, D.:
Fabrication of Low-Density
Foam Shells from Resorcinol-
Formaldehyde Aerogel, 2111
- Lam-Leung, S.-Y.** See Chan,
W.-H., 1113
- Lang, M.**
—; Zhang, G.; Feng, N.; Li, S.;
Chen, X.: Poly(ethylene
glycol)-*Block*-Poly(butyl
acrylate). I. Synthesis, 1667
- Laureyns, J.** See Gailliez-
Degremont, E., 871
- Law, S. J.**
—; Mukhopadhyay, S. K.: The
Construction of a Phase
Diagram for a Ternary
System Used for the Wet
Spinning of Acrylic Fibers
Based on a Linearized
Cloudpoint Curve
Correlation, 2131
- Lazarevic, M.** See Cvetkovska,
M., 2173
- Le Perchec, P.** See Mosquet, M.,
2545
- Lee, C.-F.**
—; Chiu, W.-Y.: Kinetic Study on
the Poly(methyl
methacrylate) Seeded
Soapless Emulsion
Polymerization of Styrene.
III. Seeds with Crosslinking,
425
- Lee, D.-K.**
—; Tsai, H.-B.: Synthesis and
Properties of Poly(alkylene
p,p'-biphenylene-*co*-adipate)s,
893
- Lee, H. K.** See Kim, J. Y., 2643
- Lee, J.-C.**
—; Nakajima, K.; Ikehara, T.;
Nishi, T.: Conductive-Filler-
Filled Poly(ϵ -caprolactone)/
Poly(vinyl butyral) Blends. II.
Electric Properties (Positive
Temperature Coefficient
Phenomenon), 409
- Lee, W.-F.**
—; Yeh, P.-L.: Thermoreversible
Hydrogels. II. Effect of Some
Factors on the Swelling
Behavior of *N,N*-
Dimethylacrylamide and *n*-
Butoxymethyl Acrylamide
Copolymeric Gels, 909
- Lee, Y. M.** See Shin, H. S., 685
- Lemaire, J.** See Vaillant, D., 609

- Lenclud, A.-L.** See Gallot, B., 2407
- Leroux, D.** See Revillon, A., 2557
- Letts, S. A.** See Lambert, S. M., 2111
- Leung, L. M.** See Pan, Y., 341
- Levita, G.** See Casalini, R., 17
- Li, B.** See Zhou, J., 1857; Zhuang, G., 649
- Li, F.-M.** See Yu, S.-Y., 481
- Li, G.** See Zhou, J., 1857
- Li, J.**
—; Revol, J.-F.; Marchessault, R. H.: Effect of Degree of Deacetylation of Chitin on the Properties of Chitin Crystallites, 373
- Li, J.** See Yin, W., 1
- Li, M.** See Wang, G., 789
- Li, S.** See Lang, M., 1667
- Li, W.** See Chen, X., 2257; Wang, H., 1445
- Li, Y.**
—; Yang, J.: Effect of Electrolyte Concentration on the Properties of the Electropolymerized Polypyrrole Films, 2739
- Li, Z.-C.** See Yu, S.-Y., 481
- Liao, B.** See Pan, Y., 341
- Liaw, D.-J.**
Preparation and Properties of Flame-Retardant Polyphosphate Esters: Low-Temperature Solution Polycondensation of 3,3',5,5'-Tetrabromobisphenol AF and Aryl Phosphorodichloridates, 59
- Lin, W.-P.** See Wang, H.-H., 1581
- Lin, Y.**
—; Hsieh, F.; Huff, H. E.: Water-Blown Flexible Polyurethane Foam Extended with Biomass Materials, 695
- Ling, H.**
—; Xingxiang, Z.; Hua, Z.; Jianjin, N.; Xuecheng, W.: Structures and Properties of Modified Ethylcellulose Oxygen-Enriched Membranes (Note), 1837
- Lipp-Symonowicz, B.** See Urbanczyk, G., 807
- Liu, C.** See Yin, W., 1
- Liu, H.** See Huang, J., 2095
- Liu, H.** See Yin, W., 1
- Liu, J. L.** See Peng, Y. X., 1883
- Liu, Y.** See Sun, Y., 959
- Livi, A.** See Casalini, R., 17
- Llauro, M. F.** See Pesneau, I., 2457
- Lo, D.-W.**
—; Chiang, C.-R.; Chang, F.-C.: Reactive Compatibilization of PET and PPE Blends by Epoxy Couplers, 739
- Lobbrecht, A.**
—; Friedrich, CHR.; Sernetz, F. G.; Mülhaupt, R.: Viscoelastic Properties of Poly(ethylene-co-styrene) Copolymers, 209
- Lohmeijer, J.** See Földes, E., 761
- Loontjens, T.**
—; Pauwels, K.; Derks, F.; Neilen, M.; Sham, C. K.; Serné, M.: The Action of Chain Extenders in Nylon-6, PET, and Model Compounds, 1813
- Lora, S.** See Bertolin, M., 2201
- Lu, X.**
—; Xu, G.: Thermally Conductive Polymer Composites for Electronic Packaging, 2733
- Lu, Y.** See Chen, X., 2257; Wang, H., 1445
- Lubczak, J.**
Study of Reaction Between *N,N,N',N',N''*-Pentakis(hydroxymethyl)-melamine and Ethylene or Propylene Oxide, 2589
- Lucas, J. C.** See Eisenberg, P., 755
- Lunkwitz, K.** See Kramer, G., 41
- Luo, S.-G.**
—; Tan, H.-M.; Zhang, J.-G.; Wu, Y.-J.; Pei, F.-K.; Meng, X.-H.: Catalytic Mechanisms of Triphenyl Bismuth, Dibutyltin Dilaurate, and Their Combination in Polyurethane-Forming Reaction, 1217
- Ma, G.-H.** See Omi, S., 2655
- Ma, M.** See Sun, Y., 959
- Maazouz, A.** See Becu, L., 2419
- MacDonald, J. G.** See Caldas, V., 1759
- Mäder, D.**
—; Coen, M. C.; Kressler, J.; Mülhaupt, R.; Weber, M.: The Interfacial Reaction of Modified Poly(arylether sulfone)s and Polyaramides, 567
- Maeda, H.** See Shindo, T., 1675
- Mahesh, G. N.**
—; Banu, P.; Radhakrishnan, G.: Investigations on Polyurethane Ionomers. II. 3,4-Dihydroxycinnamic Acid-Based Anionomers, 2105
- Mai, C.** See Ershad-Langroudi, A., 2387
- Mainwaring, D. E.** See Kim, S., 1795
- Malhotra, B. D.** See Pandey, S. S., 2745
- Mallick, A.**
—; Bhattacharya, A. K.; Gupta, B. R.; Tripathy, D. K.; De, S. K.: Effect of HAF Carbon Black Filler on Chemorheological Behavior of Poly(acrylic acid)-Epoxidized Natural Rubber Blend, 135
- Malucelli, G.**
—; Gozzelino, G.; Ferrero, F.; Bongiovanni, R.; Priola, A.: Synthesis of Poly(propylene-Glycol-Diacrylates) and Properties of the Photocured Networks, 491
- Mancarella, C.** See D'Orazio, L., 1539
- Mandrand, B.** See Ladavière, C., 2567
- Månson, J.-A. E.** See Eriksson, P.-A., 1619, 1631
- Mantecón, A.** See Giménez, V., 1643
- Mantel, M.** See Cuillery, P., 2493
- Manzur, A.**
—; Olayo, R.; Ramos, E.: Effect of EPDM on LDPE/LLDPE Blends: Mechanical Properties, 677
- Marchessault, R. H.** See Li, J., 373
- Marco, C.**
—; Ellis, G.; Gómez, M. A.; Fatou, J. G.; Arribas, J. M.; Campoy, I.; Fontecha, A.: Rheological Properties, Crystallization, and Morphology of Compatibilized Blends of Isotactic Polypropylene and Polyamide, 2665
- Marovic, M.** See Hrnjak-Murgić, Z., 991

- Marsh, R. A.** See Munichandraiah, N., 2191
- Martinet, F.**
—; Guillot, J.: Copolymerization with Depropagation: Experiments and Prediction of Kinetics and Properties of α -Methylstyrene/Methyl Methacrylate Copolymers. Part I: Solution Copolymerization, 2297
- Martinez-Quiroz, E.** See Rodríguez, A. S., 187
- Martuscelli, E.** See Abbate, M., 979; D'Orazio, L., 1539
- Mathew, N. M.** See Claramma, N. M., 1913
- Mathur, G. N.** See Saroop, M., 2691, 2703
- Matsuda, T.**
—; Funae, Y.; Yoshida, M.; Yamamoto, T.; Takaya, T.: Optical Material Having High Refractive Index, Low Specific Gravity, and Excellent Impact Resistance Prepared by Unsaturated Nitrile-Polyfunctional Methacrylate-Styrenic Monomer Copolymerization, 2247
- Matsuoka, T.** See Kojima, Y., 2781
- Matsushima, K.** See Mochizuki, A., 1723
- Matsuura, T.** See Chabot, S., 1263
- Matynia, T.**
—; Gawdzik, B.: Glycidyl Amine Adducts as Accelerators for the Curing of Unsaturated Polyester Resin, 1525
- McCarthy, S. J.**
—; Meijs, G. F.; Gunatillake, P.: Synthesis, Characterization, and Stability of Poly[(alkylene oxide) ester] Thermoplastic Elastomers, 1319
- McComb, M. E.**
—; Gesser, H. D.: Preparation of Polyacryloamidoxime Chelating Cloth for the Extraction of Heavy Metals from Water, 1175
- McKenna, T. F.** See Dos Santos, A. M., 2343
- Mechin, F.** See Samson, N., 2265
- Meddad, A.**
—; Fisa, B.: A Model for Filler-Matrix Debonding in Glass Bead-Filled Viscoelastic Polymers, 2013
- Meichsner, J.** See Nitschke, M., 381
- Meijs, G. F.** See McCarthy, S. J., 1319
- Mélis, F.** See Cassagnau, P., 2395
- Meng, X.-H.** See Luo, S.-G., 1217
- Menon, A. R. R.**
Stress-Relaxation Characteristics of Natural Rubber Modified with Phosphorylated Cashew Nut Shell Liquid Prepolymer, 2183
- Mercer, F.** See Sava, I., 1533
- Merlin, A.** See Garcia, R., 2623
- Metawe, F. M.** See Fouda, I. M., 1293
- Mi, Y.**
—; Feng, J.; Chan, C.-M.; Guo, Q.: Blends of the Alternating Ethylene-Tetrafluoroethylene Copolymer with Poly(vinylidene fluoride), 295
- Michel, A.** See Cassagnau, P., 2395; Pesneau, I., 2457
- Miloshev, S.**
—; Konstantinova, T.; Novakov, K.; Novakov, P.: On The Copolymerization of Styrene and Methyl Methacrylate with Some Monomeric Benzanthrone-Derivative Dyes, 91
- Min, R. R.** See Huang, K. S., 1139
- Minoura, N.** See Hara, M., 251
- Minto, F.**
—; Borzatta, V.; Bertani, R.; Gleria, M.: Functionalization of Polyorganophosphazenes. VII. Photooxidative Stabilization of Aryloxy-Substituted Polyorganophosphazenes Induced by Grafting HALS Groups Through Anhydride Moieties, 217
- Miola, C.** See Tortosa, K., 2357
- Misra, B. N.** See Chauhan, G. S., 191
- Miyata, K.**
—; Kikutani, T.; Okui, N.: Fiber Structure Formation in Ultra-High-Speed Melt Spinning of Poly(ethylene 2,6-naphthalene dicarboxylate), 1415
- Mlecnik, E.**
—; La Mantia, F. P.: Influence of Calcium-Based Fillers and Vegetable Oil on the Processability and Yield Behavior of Polyolefins, 2761
- Mochizuki, A.**
—; Seita, Y.; Endo, F.; Nishi, T.; Saiga, N.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. II. Morphologies and Permeability Characteristics of Polyether-Segmented Nylon 610 Membrane Prepared by the Phase Inversion Method, 1713
—; Seita, Y.; Nakazaki, T.; Fukuoka, T.; Matsushima, K.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. III. Preparation and Properties of New Polyether-Segmented Nylon, 1723
—; Seita, Y.; Saiga, N.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. IV. Membrane Morphologies and Permeability Characteristics of Dialysis Membrane Composed of Poly(ethylene oxide)-Segmented Ny69/M10, 1731
—; See Seita, Y., 1703
- Mondal, S. A.** See Gupta, V. B., 1773
- Monteiro, E. E. C.**
—; Fonseca, J. L. C.: Phase Segregation and Viscoelastic Behavior of Poly(ether urethane urea)s, 2227
- Moon, T. J.** See Han, S., 1745
- Morcellet, M.** See Gailliez-Degremont, E., 871
- Moresoli, C.** See Xiao, S., 1833
- Mori, R.**
—; Haga, T.; Takagishi, T.: Changes in Dyeability and Morphology of Cotton Fiber Subjected to Cellulase Treatment, 155

- Mosquet, M.**
—; Chevalier, Y.; Brunel, S.; Guicquero, J. P.; Le Perchec, P.: Polyoxyethylene Di-Phosphonates as Efficient Dispersing Polymers for Aqueous Suspensions, 2545
- Moszner, N.** See Pavlinec, J., 165
- Mukhopadhyay, S. K.**
—; Basu, D.; Banerjee, A.: DSC, FTIR, and TGA Studies on Crosslinking and Thermal Behavior of Vinyl Acetate–Ethylhexyl Acrylate Copolymer and Hexamethoxymethylmelamine Blends, 2075
—; See Law, S. J., 2131
- Mülhaupt, R.** See Lobbrecht, A., 209; Mäder, D., 567
- Munaretto, G.** See Beltrame, P. L., 1659
- Munichandraiah, N.**
—; Sivasankar, G.; Scanlon, L. G.; Marsh, R. A.: Characterization of PEO–PAN Hybrid Solid Polymer Electrolytes, 2191
- Muralidhara Rao, N.** See Babu, P. R., 555
- Murthy, L. V. R.**
—; Banerjee, S.; Singh, B.; Chauhan, R. S.: Studies on Sorption Behavior of Sulfur Mustard and Oxygen Analog of Sulfur Mustard in Nitrile and Natural Rubber Blends, 731
- Murugavel, S. C.**
—; Kaliyappan, T.; Swaminathan, C. S.; Kannan, P.: Synthesis and Spectral, Thermal, and Photocrosslinking Studies of Poly(benzylidene phosphoramidate ester)s, 2151
- Mustafaev, M. I.** See Dinçer, B., 37
- Musto, P.** See Abbate, M., 979
- Nagai, M.** See Omi, S., 2655
- Nagendrappa, G.** See Ahmed, N., 1121; Padma, A., 1751
- Nah, C.** See Kaang, S., 917
- Nakagawa, M.** See Seita, Y., 1703
- Nakagawa, T.** See Hoshi, M., 469
- Nakajima, K.** See Lee, J.-C., 409
- Nakajima, N.**
—; Yamaguchi, Y.: Mill Processability of *cis*-1,4-Polybutadienes and Deformational Characteristics, 1995
- Nakamura, H.**
—; Tachi, K.: Effects of Hydrophobic Interactions on Swelling of Carboxylated Core–Shell Structured Latex Particles, 1933
- Nakayama, A.** See Omi, S., 2655
- Nakazaki, T.** See Mochizuki, A., 1723
- Narisawa, M.**
—; Oda, S.; Kitano, S.; Okamura, K.: Dissolution of Oxidation-Cured Poly(carbosilane) Fiber into Polar Organic Solvents, 261
- Nasr, M. F.** See Bendak, A., 2773
- Nauta, W. J.** See Bouma, R. H. B., 2679
- Nazabal, J.** See Arzak, A., 1503
- Neilen, M.** See Loontjens, T., 1813
- Nele, M.**
—; Pinto, J. C.: Dynamic Behavior of a Continuous Autothermal Isobutylene Polymerization Reactor, 1403
- Nelliappan, V.**
—; El-Aasser, M. S.; Klein, A.; Daniels, E. S.; Roberts, J. E.; Pearson, R. A.: Effect of the Core/Shell Latex Particle Interphase on the Mechanical Behavior of Rubber-Toughened Poly(methyl methacrylate), 581
- Neves, M. A. F. S.** See Coutinho, F. M. B., 1257
- Ng, C.-F.** See Chan, W.-H., 1113
- Nicolais, L.** See Di, Y., 951
- Nishi, T.** See Lee, J.-C., 409; Mochizuki, A., 1713
- Nitschke, M.**
—; Meichsner, J.: Low-Pressure Plasma Polymer Modification from the FTIR Point of View, 381
- Nobile, R.** See Di, Y., 951
- Nohr, R. S.** See Caldas, V., 1759
- Novakov, K.** See Miloshev, S., 91
- Novakov, P.** See Miloshev, S., 91
- O'Byrne, K.** See Buggy, M., 2025
- Ocelli, M. L.** See Gould, S. A. C., 1237
- Oda, S.** See Narisawa, M., 261
- O'Donnell, J. H.** See Bremner, T., 939
- Ohnishi, K.** See Iijima, T., 1451
- Okabe, M.** See Tazaki, M., 1517
- Okamura, K.** See Iwata, T., 1511
- Okamura, K.** See Narisawa, M., 261
- Okui, N.** See Miyata, K., 1415
- Olayo, R.** See Manzur, A., 677
- Olkhov, Y.**
—; Jurkowski, B.: Thermomechanical Study of Molecular and Topological Structure of Different Kinds of Sulfur, 499
- Olkhov, Y. A.** See Jurkowski, B., 1807
- Omi, S.**
—; Kaneko, K.; Nakayama, A.; Katami, K.; Taguchi, T.; Iso, M.; Nagai, M.; Ma, G.-H.: Application of Porous Microspheres Prepared by SPG (Shirasu Porous Glass) Emulsification as Immobilizing Carriers of Glucoamylase (GluA), 2655
- Ong, C. H.**
—; Goh, S. H.; Chan, H. S. O.: Miscibility of Conductive Blends of Poly(*o*-anisidine) with Poly(2-alkyl-2-oxazoline)s, 391
- Oommen, Z.**
—; Thomas, S.: Mechanical Properties and Failure Mode of Thermoplastic Elastomers from Natural Rubber/Poly(methyl methacrylate)/Natural Rubber-g-Poly(methyl methacrylate) Blends, 1245
- Overturf, G. E., III** See Lambert, S. M., 2111
- Ozark, R.** See Künzler, J., 1081
- Packham, D. E.** See Cook, J. W., 1379
- Padma, A.**
—; Rao, R. M. V. G. K.; Nagendrappa, G.: Effect of Prereaction on Curing of Elastomer-Modified Epoxy Resins, 1751
- Pak, S. H.**
—; Caze, C.: Acid–Base Interactions on Interfacial Adhesion and Mechanical

- Responses for Glass-Fiber-Reinforced Low-Density Polyethylene, 143
- Palma, G.** See Bertolin, M., 2201
- Pan, Y.**
—; Huang, Y.; Liao, B.; Chen, M.; Cong, G.; Leung, L. M.: Studies on Miscibility of Poly(phenylene oxide)-Based Ionomer/Polystyrene-Based Ionomer Blends, 341
—; Ruan, J.; Zhou, D.: Solid-Phase Grafting of Glycidyl Methacrylate onto Polypropylene, 1905
- Panayiotou, C.** See Thiebaud, S., 705
- Pandey, S. S.**
—; Ram, M. K.; Srivastava, V. K.; Malhotra, B. D.: Electrical Properties of Metal(indium)/Polyaniline Schottky Devices, 2745
- Pandya, M. V.** See Thorat, H. B., 2715
- Papirer, E.** See Wloczynski, P., 1595, 1609
- Park, Y. H.** See Aly, A. S., 1939
- Pascault, J. P.** See Cuney, S., 2373; Damian, C., 2579; Girard-Reydet, E., 2433; Samson, N., 2265; Taha, M., 2447
- Patri, M.**
—; Samui, A. B.; Chakraborty, B. C.; Deb, P. C.: Studies on IPNs Based on Nitrile Rubber and Polyalkyl Methacrylates, 549
—; See Ratna, D., 901
- Pauwels, K.** See Loontjens, T., 1813
- Pavlinec, J.**
—; Moszner, N.: Photocured Polymer Networks Based on Multifunctional β -Ketoesters and Acrylates, 165
- Pearson, R. A.** See Nelliappan, V., 581
- Pei, F.-K.** See Luo, S.-G., 1217
- Peng, Y. X.**
—; Dai, H. S.; Cun, L. F.; Liu, J. L.: Cationic Copolymerization of 1,3-Pentadiene with 1,3-Cyclopentadiene, 1883
- Perez, J.** See Gauthier, C., 2517
- Perrut, V.** See Taha, M., 2447
- Pesetskii, S. S.**
—; Jurkowski, B.; Krivoguz, Y. M.; Urbanowicz, R.: Itaconic Acid Grafting on LDPE Blended in Molten State, 1493
- Pesneau, I.**
—; Llauro, M. F.; Grégoire, M.; Michel A.: Morphology Control of Polyester-Polyolefin Blends by Transesterification during Processing Operations in the Presence of Dibutyltin Oxide, 2457
- Petermann, J.** See Cai, Y., 67
- Petrillo, E.** See Capodanno, V., 2635
- Petropoulos, J. H.** See Stamatiadis, D. F., 317
- Pfromm, P. H.** See Rezac, M. E., 1983
- Phadke, V. K.** See Gupta, D. C., 355
- Phinney, C. S.** See Farahani, M., 561
- Pichot, C.** See Ganachaud, F., 2315; Ladavière, C., 2567; Sauzedde, F., 2331
- Pinto, J. C.** See Cavalcanti, M. J. R., 1683; Nele, M., 1403
- Pişkin, E.** See Denizli, A., 2085
- Pizzi, A.**
On the Correlation of Some Theoretical and Experimental Parameters in Polycondensation Crosslinked Networks. II. Interfacial Energy and Adhesion on Cellulose Substrates (Note), 1843
—; See Garcia, R., 2623
- Policroniades, R.** See Rodríguez, A. S., 187
- Pomery, P. J.** See Bremner, T., 939
- Pötschke, P.** See Wallheinke, K., 2217
- Prabhu, C. S.** See Thorat, H. B., 2715
- Prinos, J.** See Thiebaud, S., 705
- Priola, A.** See Malucelli, G., 491
- Puig, C. C.** See Hill, M. J., 1921
- Qi, M.**
—; Shaw, M. T.: Sedimentation-Resistant Electrorheological Fluids Based on PVAL-Coated Microballoons, 539
- Qiu, J.** See Yu, S.-Y., 481
- Qiu, S.-C.** See Cui, M.-H., 1739
- Quinson, R.** See Gauthier, C., 2517
- Raboin, L. E.** See Caldas, V., 1759
- Radhakrishnan, G.** See Mahesh, G. N., 2105
- Radhakrishnan, S.** See Saujanya, C., 1127
- Ragosta, G.** See Abbate, M., 979
- Rajan, P. K.** See Abraham, S., 1169
- Ramaraj, R.** See John, S. A., 777
- Ram, M. K.** See Pandey, S. S., 2745
- Ramos, E.** See Manzur, A., 677
- Rao, R. M. V. G. K.** See Padma, A., 1751
- Ratna, D.**
—; Patri, M.; Chakraborty, B. C.; Deb, P. C.: Amine-Terminated Polysulfone as Modifier for Epoxy Resin, 901
- Rawat, B. R.** See Chauhan, G. S., 191
- Ray, W. H.** See Han-Adebekun, G. C., 1037; Shaffer, W. K. A., 1053
- Reddy, B. S. R.** See Thamizharasi, S., 1285
- Reddy, V. N.** See Sava, I., 1533
- Rempel, G. L.** See Guo, X.-Y., 667
- Revillon, A.**
—; Leroux, D.: Acidic Properties of Functionalized Silica-Supported Polymers: Relation Between Reactivity and Morphology, 2557
- Revol, J.-F.** See Li, J., 373
- Rezac, M. E.**
—; John, T.; Pfromm, P. H.: Effect of Copolymer Composition on the Solubility and Diffusivity of Water and Methanol in a Series of Polyether Amides, 1983
- Rezai, E.**
—; Warner, R. R.: Polymer-Grafted Cellulose Fibers: I. Enhanced Water Absorbency and Tensile Strength, 1463
—; See Warner, R. R., 1487
- Rich, D. C.**
—; Sichel, E.; Cebe, P.: Alignment of Nematic Liquid Crystals on Photo-Irradiated

- Polyamide-Imide Surfaces, 1151
- Riedl, B.** See Garro-Galvez, J. M., 399
- Risbud, S. H.** See Erismann, F., 2727
- Roberts, J. E.** See Nelliappan, V., 581
- Roche, A. A.** See Taha, M., 2447
- Rodríguez, A. S.**
—; Policroniades, R.; Martinez-Quiroz, E.: Polyacrylonitrile Determination in Acrylonitrile-Butadiene Rubber, 187
- Rolla, P. A.** See Casalini, R., 17
- Romano, G.** See Capodanno, V., 2635
- Ronda, J. C.** See Giménez, V., 1643
- Root, A.** See Hietalahti, K., 77
- Rose, C.** See Babu, P. R., 555
- Royappa, A. T.**
On the Copolymerization of Epichlorohydrin and Glycidol, 1897
- Roy, C.** See Chabot, S., 1263
- Ruan, J.** See Pan, Y., 1905
- Ruiz, M. A.** See Vera, P., 2721
- Russo, R.** See Capodanno, V., 2635
- Ryu, J. H.** See Kim, W. G., 1975
- Saad, A. L. G.**
—; Hassan, A. M.; Youssif, M. A.; Ahmed, M. G. M.: Studies of Electrical Properties of Some Fire-Retarding Poly(vinyl chloride) Compositions, 27
- Sabadini, E.**
—; Assano, E. M.; Atvars, T. D. Z.: Molecular Weight of Polyethylene Glycols by Vapor Pressure Osmometry: An Alternative Data Treatment, 595
- Saçak, M.**
—; Karakişla, M.; Akbulut, U.: A 316 Steel Electrode Coated with Polycarbonate for Electropolymerization of Aniline, 1103
- Saiga, N.** See Mochizuki, A., 1713, 1731
- Sailaja, R. R. N.**
—; Kumar, A.: Evaluation of Rate Constants from Experimental Batch Reactor Data for Anionic Polymerization of Poly(methyl methacrylate) at High Temperatures, 845
- Saitoh, T.** See Hoshi, M., 469
- Salcedo, J.** See Vera, P., 2721
- Salih, B.** See Denizli, A., 2085
- Salmon, E.**
—; Guinot, S.; Godet, M.; Fauvarque, J. F.: Structural Characterization of New Poly(ethylene oxide)-Based Alkaline Solid Polymer Electrolytes, 601
- Sambasivam, M.**
—; Klein, A.; Sperling, L. H.: The Molecular Basis of Fracture in Crosslinked Glassy Polymers, 1001
- Samson, N.**
—; Mechin, F.; Pascault J.-P.: Relationships Between Synthesis and Mechanical Properties of New Polyurea Materials, 2265
- Samui, A. B.** See Patri, M., 549
- Sankarapapavinasam, S.** See Ahmed, N., 1121
- Sanopoulou, M.** See Stamatialis, D. F., 317
- Sarooop, M.**
—; Mathur, G. N.: Studies on the Dynamically Vulcanized Polypropylene (PP)/Butadiene Styrene Block Copolymer (SBS) Blends—Mechanical Properties, 2691
—; Mathur, G. N.: Studies on the Dynamically Vulcanized Polypropylene (pp)/Butadiene Styrene Block Copolymer (SBS) Blends—Melt Rheological Properties, 2703
- Sastry, T. P.** See Babu, P. R., 555
- Satoh, M.** See Tsubokawa, N., 2165
- Saujanya, C.**
—; Radhakrishnan, S.: Crystallization Behavior of Polyethylene Oxide/*Para*-Nitroaniline Microdispersed Composites, 1127
- Sautereau, H.** See Becu, L., 2419; Girard-Reydet, E., 2433
- Sauzedde, F.**
—; Ganachaud, F.; diElaïssari, ee A.; Pichot, C.: Emulsifier-Free Emulsion Copolymerization of Styrene with Two Different Amino-Containing Monomers: 2. Surface and Colloidal Characterization, 2331
—; See Ganachaud, F., 2315
- Sava, I.**
—; Bruma, M.; Schulz, B.; Mercer, F.; Reddy, V. N.; Belomoina, N.: Synthesis and Properties of Silicon-containing Polyamides, 1533
- Saxena, C.** See Banerjee, S., 1789
- Scanlon, L. G.** See Munichandraiah, N., 2191
- Schiraldi, D. A.** See Gould, S. A. C., 1237
- Schroen-Carey, D.** See Lambert, S. M., 2111
- Schultz, J.** See Bistac, S., 347
- Schulz, B.** See Sava, I., 1533
- Seferis, J. C.** See Shim, S.-B., 5
- Sehanobish, K.** See Wu, S., 2209
- Seisa, E. A.** See Hamza, A. A., 2031
- Seita, Y.**
—; Mochizuki, A.; Nakagawa, M.; Takanashi, K.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. I. Preparation and Permeability Characteristics of Polyether-Segmented Nylon 610 Hemodialysis Membrane, 1703
—; See Mochizuki, A., 1713, 1723, 1731
- Seppälä, J.** See Heino, M., 241
- Serné, M.** See Loontjens, T., 1813
- Sernetz, F. G.** See Lobbrecht, A., 209
- Seves, A.** See Beltrame, P. L., 1659
- Seytre, G.** See Friedrich, K., 2529; Ulański, J., 1143
- Shaffer, W. K. A.**
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XVIII. A Kinetic Explanation for Unusual Effects, 1053
- Shahada, L.**
—; Kassem, M. E.; Abdelkader, H. I.; Hassan, H. M.: Optical

- and Electrical Properties of a New Polymer, 1653
- Sham, C. K.** See Loontjens, T., 1813
- Shanahan, M. E. R.** See Xiao, G. Z., 449
- Shao, Z.** See Sun, Y., 959
- Sharma, V.**
—; Desai, P.; Abhiraman, A. S.: Crystallinity Vis-à-Vis Two-Phase Models of Oriented Polymers: Inferences from an Experimental Study of Poly(ethylene terephthalate), 2603
- Shaw, M. T.** See Qi, M., 539
- Shearer, O.**
—; Tzoganakis, C.: Free Radical Hydrosilylation of Polypropylene, 439
- Shilton, S. J.**
Flow Profile Induced in Spinneret During Hollow Fiber Membrane Spinning, 1359
- Shim, S.-B.**
—; Seferis, J. C.: Thermal and Air Permeation Properties of a Carbon Fiber/Toughened Epoxy Based Prepreg System, 5
- Shimizu, T.**
—; Koshiro, S.; Yamada, Y.; Tada, K.: Effect of Cell Structure on Oil Absorption of Highly Oil Absorptive Polyurethane Foam for On-Site Use, 179
- Shin, H. S.**
—; Kim, S. Y.; Lee, Y. M.: Indomethacin Release Behaviors from pH and Thermo-responsive Poly(vinyl alcohol) and Poly(acrylic acid) IPN Hydrogels for Site-Specific Drug Delivery, 685
- Shin, S.**
—; Jang, J.: Toughness Improvement of High-Performance Epoxy Resin Using Aminated Polyetherimide, 2237
- Shindo, T.**
—; Maeda, H.; Ando, M.: Preparation and Electrooptical Properties of Liquid Crystal Dispersed Film by Electron-Beam Irradiation, 1675
- Shiono, H.** See Iijima, T., 1349
- Shioya, M.** See Kawahara, Y., 2051
- Shogren, R. L.** See Fanta, G. F., 1021
- Shucai, L.** See Järvelä, P. A., 2003
- Sichel, E.** See Rich, D. C., 1151
- Singh, B.** See Murthy, L. V. R., 731
- Sirisinha, C.** See Freakley, P. K., 305
- Sivasankar, G.** See Munichandraiah, N., 2191
- Skrifvars, M.** See Hietalahti, K., 77
- Soares, B. G.**
—; Barbosa, R. V.; Covas, J. C.: Polystyrene/EVA Melt Blends Compatibilized with EVA-graft-Polystyrene, 2141
- Sohn, B. H.**
—; Cohen, R. E.: Electrical Properties of Block Copolymers Containing Silver Nanoclusters Within Oriented Lamellar Microdomains, 723
- Sperling, L. H.** See Sambasivam, M., 1001
- Spitz, R.** See Duchet, J., 2481; Dupuy, J., 2281
- Sreekumar, K.** See Abraham, S., 1169
- Sreenivasan, K.**
On the Restriction of the Release of Water-Soluble Component from Polyvinyl Alcohol Film by Blending β -Cyclodextrin, 1829
Effect of Added Silver Ions on Physicochemical Properties of Polyurethane, 2081
- Srivastava, V. K.** See Pandey, S. S., 2745
- St. John, D.** See Bremner, T., 939
- Stamatialis, D. F.**
—; Sanopoulou, M.; Petropoulos, J. H.: Phenomena Affecting the Interferometric Determination of Concentration Profiles of Micromolecules Diffusing Along a Stiff-Chain Polymer Film, 317
- Steuten, J. M.** See Bouma, R. H. B., 2679
- Strathmann, H.** See Bouma, R. H. B., 2679; Kemperman, A. J. B., 1205
- Stutz, H.** See Wallheinke, K., 2217
- Su, J.**
—; Zhang, Q. M.; Kim, C. H.; Ting, R. Y.; Capps, R.: Effects of Transitional Phenomena on the Electric Field Induced Strain-Electrostrictive Response of a Segmented Polyurethane Elastomer, 1363
- Su, W.**
—; Iroh, J. O.: Formation of Polypyrrole Coatings onto Low Carbon Steel by Electrochemical Process, 417
—; Iroh, J. O.: Kinetics and Efficiency of Aqueous Electropolymerization of Pyrrole onto Low-Carbon Steel, 617
- Suh, K. D.**
—; Kim, J. Y.; Kim, J. L.: Novel Amphiphilic Polyurethane Networks: Gelation Mechanism and Swelling Behaviors, 821
- Sun, Y.**
—; Shao, Z.; Ma, M.; Hu, P.; Liu, Y.; Yu, T.: Acrylic Polymer-Silk Fibroin Blend Fibers, 959
- Sun, Y.-J.**
—; Baker, W. E.: Polyolefin/Polystyrene *In Situ* Compatibilization Using Friedel-Crafts Alkylation, 1385
- Sundholm, F.** See Hietalahti, K., 77
- Swaminathan, C. S.** See Murugavel, S. C., 2151
- Szosland, I.** See Urbanczyk, G., 807
- Sztajnert, E.** See Urbanczyk, G., 807
- Sztajnowski, S.** See Urbanczyk, G., 807
- Tachi, K.** See Nakamura, H., 1933
- Tada, K.** See Shimizu, T., 179
- Taguchi, T.** See Omi, S., 2655
- Taha, M.**
—; Perrut, V.; Roche, A. A.; Pascault, J. P.: Synthesis, by Reactive Extrusion, of High

- Molar Mass Epoxy
Prepolymers Containing
Rubber Preformed Particles,
2447
- Takagishi, T.** See Mori, R., 155
- Takahashi, H.** See Kojima, Y.,
2781
- Takanashi, K.** See Seita, Y.,
1703
- Takaya, T.** See Matsuda, T.,
2247
- Tan, H.-M.** See Luo, S.-G., 1217
- Tan, T. T. M.**
Cardanol-Glycols and Cardanol-
Glycol-Based Polyurethane
Films, 507
- Tanaka, H.** See Wu, Z.-H., 2159
- Tanaka, Y.** See Kuroki, T., 1031
- Tarantili, P. A.**
—; Andreopoulos, A. G.:
Mechanical Properties of
Epoxyes Reinforced with
Chloride-Treated Aramid
Fibers, 267
- Tatar, L.** See Kaptan, H. Y.,
1161
- Tatibouet, J.** See Cuillery, P.,
2493
- Tazaki, M.**
—; Wada, R.; Okabe, M.; Homma,
T.: Crystallization and
Gelation of Poly(vinylidene
fluoride) in Organic Solvents,
1517
- Thadani, S.**
—; Beckham, H. W.; Desai, P.;
Abhiraman, A. S.:
Thermorheological
Consequences of Crystalline-
Phase Crosslinking in
Polyamide Fibers, 2613
- Thamizharasi, S.**
—; Gnanasundaram, P.; Reddy,
B. S. R.: Copolymerization of
4-Nitrophenyl Acrylate with
Glycidyl Methacrylate:
Synthesis, Characterization,
and Reactivity Ratios, 1285
- Thiebaud, S.**
—; Aburto, J.; Alric, I.; Borredon,
E.; Bikiaris, D.; Prinos, J.;
Panayiotou, C.: Properties of
Fatty-Acid Esters of Starch
and Their Blends with
LDPE, 705
- Thomas, S.** See Oommen, Z.,
1245
- Thompson, A. S.** See Cook,
J. W., 1379
- Thorat, H. B.**
—; Prabhu, C. S.; Kumar K., S.;
Pandya, M. V.: γ -Ray-
Induced Degradation—A
Comparative Study for
Homo- and Copolymer of
Polypropylene, 2715
- Ting, C.-Y.** See Yang, C.-P., 233
- Ting, R. Y.** See Su, J., 1363
- Tomoi, M.** See Iijima, T., 1349,
1451
- Tortosa, K.**
—; Miola, C.; Hamaide, T.:
Synthesis of Low Molecular
Weight-Hydroxy
Polycaprolactone
Macromonomers by
Coordinated Anionic
Polymerization in Protic
Conditions, 2357
- Tripathy, D. K.** See Mallick, A.,
135
- Tsai, H.-B.** See Lee, D.-K., 893
- Tshabalala, M. A.**
Determination of the Acid-Base
Characteristics of
Lignocellulosic Surfaces by
Inverse Gas
Chromatography, 1013
- Tsubokawa, N.**
—; Satoh, M.: Surface Grafting of
Polymers onto Glass Plate:
Polymerization of Vinyl
Monomers Initiated by
Initiating Groups Introduced
onto the Surface, 2165
- Tzeng, G.-L.** See Chiang, W.-Y.,
795
- Tzoganakis, C.** See Shearer, O.,
439
- Ugbolue, S. C. O.** See Uzomah,
T. C., 625
- Ulański, J.**
—; Friedrich, K.; Boiteux, G.;
Seytre, G.: Evolution of Ion
Mobility in Cured Epoxy-
Amine System as Determined
by Time-of-Flight Method,
1143
- Ulański, J.** See Friedrich, K.,
2529
- Urbanczyk, G.**
—; Lipp-Symonowicz, B.;
Szosland, I.; Jeziorny, A.;
Urbaniak-Domagala, W.;
Dorau, K.; Wrzosek, H.;
Sztajnowski, S.; Kowalska,
S.; Sztajnert, E.: Chitin
Filaments from
Dibutylchitin Precursor:
Fine Structure and Physical
and Physicochemical
Properties, 807
- Urbaniak-Domagala, W.** See
Urbanczyk, G., 807
- Urbanowicz, R.** See Pesetskii,
S. S., 1493
- Uyanik, N.** See Cvetkovska, M.,
2173
- Uzomah, T. C.**
—; Ugbolue, S. C. O.: Time and
Temperature Effects on the
Tensile Yield Properties of
Polypropylene, 625
- Vaillant, D.**
—; Lacoste, J.; Lemaire, J.:
Stabilization of Isotactic
Polypropylene. Problems
Bound to the Interactions of
Stabilizers with Pigments
ANF Fillers, 609
- Vallat, M. F.** See Bistac, S., 347
- Van Den Boomgaard, T.H.** See
Bouma, R. H. B., 2679;
Kemperman, A. J. B., 1205
- Varma, I. K.** See Alam, S., 861
- Vassoille, R.** See Ershad-
Langroudi, A., 2387
- Vera, P.**
—; Gallardo, V.; Salcedo, J.; Ruiz,
M. A.; Delgado, A. V.:
Electrokinetics and Stability
of a Cellulose Acetate
Phthalate Latex, 2721
- Veron, L.** See Ladavière, C.,
2567
- Vicard, V.** See Girard-Reydet,
E., 2433
- Vidal, A.** See Wloczysiak, P.,
1595, 1609
- Vigier, G.** See Cuney, S., 2373;
Ershad-Langroudi, A., 2387
- Vinh-Tung, C.** See Friedrich, K.,
2529
- Visser, S. A.**
—; Hewitt, C. E.; Fitzgerald, J. J.;
Ferrar, W. T.; Binga, T. D.:
Erratum to "Effect of Filler
Type on the Response of
Polysiloxane Elastomers to
Cyclic Stress at Elevated
Temperature", 1441
—; Hewitt, C. E.; Fitzgerald, J. J.;
Ferrar, W. T.; Binga, T. D.:

- Erratum to "Stabilization of Filled Polysiloxane Elastomers to Cyclic Stress at Elevated Temperature Through Use of Zinc Oxide Fillers", 1443
- Vittoria, V.** See Capodanno, V., 2635
- Vyas, K.** See Banerjee, S., 1789
- Wada, R.** See Tazaki, M., 1517
- Wallheinke, K.**
—; Pötschke, P.; Stutz, H.: Influence of Compatibilizer Addition on Particle Size and Coalescence in TPU/PP Blends, 2217
- Wang, G.**
—; Li, M.; Chen, X.: Inverse Suspension Polymerization of Sodium Acrylate, 789
- Wang, H.**
—; Li, W.; Lu, Y.; Wang, Z.: Studies on Chitosan and Poly(acrylic acid) Interpolymer Complex. I. Preparation, Structure, pH-sensitivity, and Salt Sensitivity of Complex-Forming Poly(acrylic acid): Chitosan Semi-Interpenetrating Polymer Network, 1445
- Wang, H.-H.**
—; Lin, W.-P.: Synthesis and Properties of Thermostable Naphthalate-Containing Copoly(amide-imide)s, 1581
- Wang, M. C.** See Yang, J. M., 109
- Wang, W.** See Yang, J.-M., 365
- Wang, Z.** See Wang, H., 1445
- Ward, I. M.** See Ladizesky, N. H., 1865
- Warner, R. R.**
—; Rezai, E.: Polymer-Grafted Cellulose Fibers. III. Interactions of Grafted and Ungrafted Fibers in Handsheets, 1487
—; See Rezai, E., 1463
- Weber, M.** See Mäder, D., 567
- Whittaker, A. K.** See Bremner, T., 939
- Wilemski, G.** See Lambert, S. M., 2111
- Wilkes, G. L.** See Dounis, D. V., 525
- Williams, R. J. J.** See Eisenberg, P., 755
- Wittich, H.** See Cai, Y., 67
- Wloczyński, P.**
—; Vidal, A.; Papirer, E.: Relationships between Rheological Properties, Morphological Characteristics, and Composition of Bitumen-Styrene Butadiene Styrene Copolymers Mixes. II. A Thermodynamical Interpretation, 1609
—; Vidal, A.; Papirer, E.; Gauvin, P.: Relationships between Rheological Properties, Morphological Characteristics, and Composition of Bitumen-Styrene Butadiene Styrene Copolymers Mixes. I. A Three-Phase System, 1595
- Wrzosek, H.** See Urbanczyk, G., 807
- Wu, S.**
—; Bosnyak, C. P.; Sehanobish, K.: Design of Impact Modifiers for Thermoplastic Polymers Based on Micromechanics, 2209
- Wu, Y.-J.** See Luo, S.-G., 1217
- Wu, Z.-H.**
—; Tanaka, H.: Effects of Polyamine Structure on Rosin Sizing Under Neutral Papermaking Conditions, 2159
- Wu, Z.-H.** See Cui, M.-H., 1739
- Xiao, G. Z.**
—; Delamar, M.; Shanahan, M. E. R.: Irreversible Interactions Between Water and DGEBA/DDA Epoxy Resin During Hygrothermal Aging, 449
- Xiao, S.**
—; Moresoli, C.; Bovenkamp, J.; De Kee, D.: Sorption and Permeation of Organic Contaminants through High-density Polyethylene Geomembranes (Note), 1833
- Xie, H.-Q.** See Cui, M.-H., 1739
- Xie, T.** See Xu, J., 925
- Xingxiang, Z.** See Ling, H., 1837
- Xuecheng, W.** See Ling, H., 1837
- Xu, G.** See Lu, X., 2733
- Xu, J.**
—; Feng, L.; Xie, T.; Yang, S.: The Roles of Grignard Reagent in the Ziegler-Natta Catalyst for Propylene Polymerization, 925
- Xu, Y.** See Gao, F., 931
- Yabuki, K.** See Kuroki, T., 1031
- Yamada, Y.** See Shimizu, T., 179
- Yamaguchi, Y.** See Nakajima, N., 1995
- Yamamoto, T.** See Matsuda, T., 2247
- Yamashita, S.** See Seita, Y., 1703, 1713, 1723, 1731
- Yang, C.-P.**
—; Ting, C.-Y.: The Study of Twice Electrodeposition Coating (I) Topcoat Acrylic Resin-Primer: Epoxy Resin with Anticorrosion and Weather Resistance Performances, 233
- Yang, G.-X.** See Yu, S.-Y., 481
- Yang, J.** See Li, Y., 2739
- Yang, J.-M.**
—; Wang, M. C.; Hsu, Y. G.; Chang, C. H.: Preparation of SBS-g-VP Copolymer Membrane by UV Radiation Without Degassing, 109
—; Huang, P.-Y.; Yang, M.-C.; Wang, W.: The Grafting of Methyl Methacrylate onto Ultrahigh Molecular Weight Polyethylene Fiber by Plasma and UV Treatment, 365
- Yang, M.-C.**
—; Chen, W.-C.: Viscous Behavior of Ultrahigh Molecular Weight Polyethylene Solution, 289
—; See Yang, J.-M., 365
- Yang, S.** See Xu, J., 925
- Yang, Y.** See Zhuang, G., 649
- Yao, G.-Q.** See Yu, S.-Y., 481
- Yaseen, M.** See Gupta, K., 2749
- Yeh, P.-L.** See Lee, W.-F., 909
- Yen, M.-S.**
—; Kuo, S.-C.: PCL-PEG-PCL Triblock Copolydiol-Based Waterborne Polyurethane. I. Effects of the Soft-Segment Composition on the Structure and Physical Properties, 883
- Yen, M. S.** See Huang, K. S., 1139

- Yin, W.**
—; Liu, C.; Li, J.; Liu, H.; Gu, T.:
High-Quality Conductive
Polypyrrole Within a
Secondary Crosslinked
Interpenetrating Polymer
Network, 1
- Yoshida, M.** See Matsuda, T.,
2247
- Youssif, M. A.** See Saad,
A. L. G., 27
- Yu, S.-Y.**
—; Qiu, J.; Li, Z.-C.; Yao, G.-Q.;
Gao, Q.-Y.; Yang, G.-X.;
Zhang, J.-X.; Li, F.-M.: Vinyl
Monomers Bearing
Chromophore Moieties and
Their Polymers. VI.
Synthesis and Photochemical
Behavior of Acrylic Monomer
Bearing Phenoxazine Moiety
and Its Polymer, 481
- Yu, T.** See Chen, X., 2257; Sun,
Y., 959
- Zecca, M.** See Bertolin, M., 2201
- Zerfa, M.**
—; Brooks, B. W.: Experimental
Investigation of Vinyl
Chloride Drop Behavior
During Suspension
Polymerization, 127
- Zhang, G.** See Lang, M., 1667
- Zhang, J.-G.** See Luo, S.-G.,
1217
- Zhang, J.-X.** See Yu, S.-Y., 481
- Zhang, L.**
—; Deng, X.; Zhao, S.; Huang, Z.:
Biodegradable Polymer
Blends of Poly(3-
hydroxybutyrate) and
Poly(D,L-lactide)-*co*-
Poly(ethylene glycol), 1849
- Zhang, Q. M.** See Su, J., 1363
- Zhao, S.** See Zhang, L., 1849
- Zhong, W.** See Chen, X., 2257
- Zhou, D.** See Pan, Y., 1905
- Zhou, J.**
—; Li, G.; Li, B.; He, T.: Flexural
Fatigue Behavior of Injection-
Molded Composites Based on
Poly(phenylene ether ketone),
1857
- Zhuang, G.**
—; Yang, Y.; Li, B.: Reinforced
Effect of Wollastonite on
Phenolphthalein Poly(ether
ketone), 649