

Journal of Applied Polymer Science

Subject Index to Volume 65

- AB block copolymers, 2173
Absolute viscosity, 2749
Absorbency, 1463
2-acetoacetoxyethyl methacrylate copper (II), 2201
Accelerated thermal aging, 1631
Accelerators, 1525
Acidic polymer catalysts reactivity, selectivity, and morphology, 2557
Acid-base interaction, 143
Acid-base sensor, 777
Acrylate, 165, 833
Acrylates, 191
Acrylic acid, 967
Acrylic and methacrylic acids, 2343
Acrylic fibers, 2131
Acrylonitrile, 1463
Acrylonitrile-butadiene copolymer, 187
Acryloyloxyamylose, 2123
Activation energy, 135, 2507
Additive, 761
Additives, 1759
Adhesion, 197, 1379
Adsorption, 41, 931
AEM, 1487
Aging, 2507
Air flow, 179
Air permeation, 5
Air separation, 1555
Alcohol dehydration acid catalysis, 2557
Alkanediamine, 1889
All-solid-state, 1739
Alternating ethylene-tetrafluoroethylene copolymer (ETFE), 295
Alternative and direct current measurements, 2529
Aluminium alkoxides, 2357
Aluminum stearate, 289
Amination, 2237
Amino surface charges, 2331
Amino-containing monomers, 2315
Amorphous polymers, 2517
Amorphous regions, 1237
Amphiphilic polyurethane gels, 821
Anionic polymerization, 845
Anionic ring-opening polymerization, 2357
Anionomers, 2105
Anisotropy, 329
Annealing, 1293
Anticorrosion, 233
Antidegradants, 117
Antioxidant, 761
Aqueous electropolymerization, 617
Aqueous medium, 2075
Aqueous solutions, 1307
Aqueous suspensions, 2545
Aramid, 1031
Aramid fibers, 267
Aromatic polyamides, 1533
Aromatic polyimide, 1581
Artificial bone, 1865
Artificial muscle, 2257
Atactic polypropylene, 1333
Atomic force microscope, 1237
Atomic force microscopy, 2481
ATR-FTIR, 1967
Attenuated total reflection, 381
Attrition, 539
Autothermal reactor, 1403
Azacrown ether, 931
Azathiacrown ether, 931
Azo group, 2165
Benzohydroxamato-ethylenediamine-titanium complex, 1571
Benzophenone, 2095
Bifurcation, 1403
Binary initiation system, 2095
Biocide polyacrylonitrile fibers, 1955
Biocide poly(ethylene terephthalate) fibers, 967
Biodegradation, 705
Biomaterial, 109
Biomedical polyurethanes, 1193
Biopolymers, 1795
Bismaleimide resin, 1349, 1451
Bitumen, 1595
Bitumen-SBS mixes, 1609
Blend, 1849
Blend compatibilization, 2141
Blend fibers, 959
Blend morphology, 2457
Blends, 241, 295, 391, 409, 705, 731, 739, 795, 939, 979, 1245, 1379, 1493, 1503, 1539, 1659, 1745, 2059, 2075, 2665
Block copolymers, 723
Branched polymer, 2165
Butadiene styrene block copolymer, 2691, 2703
Butyl acrylate, 555

C₆₀, 481, 2781
Calcium-based fillers, 2761
Capillary flow, 951
Carbon black, 409
Carboxyl group, 1933
Carboxyl groups, 2343
Carboxylic acid anhydride, 1643
Carboxylic acid groups, 1643
Cardanol-glycols (CGs), 507
Catalyst, 2281
Catalytic mechanism, 1217
Cationic, 1403, 1897
Cationic monomers, 2331
Cationic polymerization, 1883
Cell, 1395
Cell number, 1395
Cell structure, 179
Cellulase, 155
Cellulose acetate phthalate latex, 2721
Cellulose acetate transport of liquid penetrants in films of, 317
Cellulose triesters, 1511
Ceramic precursor polymer, 261
CG-based polyurethane (CGPU) films, 507
Chain extenders, 1813
Char yield, 2075
Characterization, 2123
Charge reversal, 2721
Charge transfer complex, 481
Charge-transfer polymerization, 2095
Chelating resin, 931
Chelation, 2085
Chemical interaction, 135
Chemisorption, 1333
Chemorheology, 135
Chitin, 807, 1939

- Chitin crystallites, 373
 Chitosan, 1445
 Chitosan/silk fibroin semi-IPN, 2257
 Chlorinated rubber, 1379
 Cholesteric phase, 373
 Circular dichroism, 251
cis-1,4-polybutadiene, 1995
 Cloudpoint curve correlation, 2131
 Coagulants, 1947
 Coatings, 417
 Cole-Cole method, 1653
 Comblike polymers, 2407
 Compatibility, 761
 Compatibilization, 241
 Compatibilizer addition, 2217
 Compatibilizers, 795
 Compatibilizing agent, 2665
 Complex, 2257
 Compliant, 1947
 Composite, 143, 649
 Composite-modified double-base (CMDB) propellants, 355
 Composites, 267, 1127, 1227, 1371, 1857
 Compound film, 1675
 Compounds, 1813
 Concentration, 289
 Concentration profiles, 317
 Conducting polymers, 391
 Conducting poly-silylphenols, 1121
 Conductive polyaniline/polycarbonate films, 1103
 Conductivity, 2739
 Contact angle, 2165
 Contact lens, 1081
 Contaminants, 1833
 Coolant aging, 1631
 Copolymer, 2457
 Copolymeric gels, 909
 Copolymerization, 1285, 1883, 1897, 2201, 2297
 Copolymers, 209
 Core/shell latex particle interphase, 581
 Core-shell particles, 2419
 Core-shell particle, 1933
 Cornstarch, 695
 Cotton, 1139
 Cotton fiber, 155
 Cotton yarns, 1571
 Coupling agent, 739
 Creep, 2507
 Creep and recovery, 917
 Critical dissolution time, 2773
 Crosslink density, 2471
 Crosslinked copolymers, 2201
 Crosslinked glassy polymers, 1001
 Crosslinking, 5, 425, 507, 511, 1643, 1843, 2123
 Crystalline complex, 601
 Crystalline morphology, 2665
 Crystalline regions, 1237
 Crystalline-phase crosslinking, 2613
 Crystallinity, 893
 Crystallizable oriented polymers, 2603
 Crystallization, 883, 1127, 1517, 2603, 2665
 Crystallization of thermoplastic, 2529
 Cure, 85
 Curing, 979, 1525
 Cyanate, 2471
 Cyanate ester, 85
 β -cyclodextrin, 1829
 1,3-cyclopentadiene, 1883
 Damage, 2013
 Damping, 2493
 DC-conductivity, 1653
 Deacetylation, 373
 Debonding, 2013
 Decomposition, 861
 Deformation recovery, 2471
 Deformational data, 1995
 Degradation, 1319
 Degree of absorption, 789
 Denaturing agents, 1307
 Depropagation, 2297
 Diacetylene, 2613
 Diacid-terminated naphthalate monomers, 1581
 Dialysis membrane, 1703, 1713, 1731
 Diamines, 2265
 Dibutyltin dilaurate, 1217
 Dibutyltin oxide, 2457
 Dielectric loss, 2733
 Dielectric monitoring, 17
 Differential scanning calorimetry, 399, 2665
 Differential scanning calorimetry (DSC), 685, 795
 Diffusion, 51, 635, 761, 1789
 Diffusion cell, 1789
 Di-phosphonate group, 2545
 Direct-current measurements, 1143
 Dispersion, 2545
 Distannoxane, 2457
 Divalent metals, 1091
 Double networks, 917
 Drilling apparatus, 1161
 Drug delivery system, 685
 DSC, 1619, 1723
 Ductile-brittle transition, 655
 Ductile-brittle transition temperature, 2209
 Durability, 1631
 Dye removal, 1939
 Dyeability, 155
 Dyeing, 1139
 Dynamic mechanical, 901
 Dynamic mechanical properties, 1609
 Dynamic properties, 2003
 Dynamic vulcanization, 2691
 Dynamics, 1403

 ϵ -caprolactam, 99
 Effect on cure, 1751
 Elasticity, 1821
 Elastomeric disk, 1821
 Electric field induced strain, 1363
 Electrochemical polymerization, 417
 Electrochromic window, 1739
 Electrolyte concentration, 2739
 Electron beam, 1675
 Electron microscopy, 1487
 Electron spin resonance (ESR), 2623
 Electronic packaging, 2733
 Electronic spectral behavior, 1307
 Electrooptical property, 1675
 Electrophoretic mobility, 2721
 Electropolymerization, 1103, 2739
 Electropolymerization of silyl-phenols, 1121
 Electrorheology, 539
 Electrostatic interaction, 1933
 Electrostriction and transitional phenomena, 1363
 Ellipsometry, 2481
 Emulsion copolymerization, 2343
 Emulsion polymerization, 581, 2289, 2331
 Encapsulation, 2111
 Engineering plastics, 567
 Entrance pressure drop, 951
 EPA, 1487
 Epichlorohydrin, 1897
 Epoxidized natural rubber, 135
 Epoxies, 2025
 Epoxy, 85, 739, 901
 Epoxy cure, 17
 Epoxy matrix, 267
 Epoxy molding compound, 1975
 Epoxy networks, 2419
 Epoxy resin, 233, 449

- Epoxy toughened thermosets, 2433
 Epoxy-acrylate resin, 491
 Epoxy-amine system under isothermal curing, 1143
 ER effectiveness number, 539
 ER fluids, 539
 ESR, 1161
 Ethylcellulose, 1837
 Ethylene oxide, 2589
 Ethylene polymerization, 2281
 Ethylene-propylene-diene (EPDM), 991
 Ethylene-vinyl acetate copolymer, 347
 Exotherm, 1897
 Extrudate swell, 305, 951
 Facilitated transport, 1205
 Fatigue, 1857
 Fatigue crack-propagation, 2419
 6FDA polyimide membranes, 1555
 Fiber, 2613
 Fiber treatment, 197
 Fibers, 267, 959, 1293, 2031
 Fibrillation, 329
 Fibrin, 555
 Filament, 807
 Filler, 2013
 Filler/matrix adhesion, 2761
 Fillers, 609, 1371
 Fire hazard, 2075
 Fire resistance, 27
 Fire-retarding compositions, 27
 Flame retardancy, 59
 Flame-retardant PC/ABS alloys, 795
 Flammability, 795
 Flexibilizer, 901
 Flexible polyurethane foam, 695, 1395
 Flexural fatigue tests, 1857
 Flocculation, 2289
 Flow profile, 1359
 Fluorescence lifetime, 481
 Fluorescence self-quenching effect, 481
 Fluoro side chain siloxanes, 1081
 Fluoropolymer, 635
 Foam (extrusion), 2679
 Foams, 525
 Formaldehyde, 2111
 Fourier transform infrared (FTIR) measurements, 1517
 Fracture, 1001
 Fracture toughness, 1349, 1451, 2419
 Free radical acceptor, 135
 Free radicals, 439
 Free volume, 51
 Free-radical grafting, 1905
 Friedel-Crafts alkylation of polystyrene, 1385
 FTIR, 449
 FTIR spectroscopy, 1619
 Functionalization, 1333
 Functionalized particles, 2331
 Gallic acid, 399
 Gamma irradiation, 1091
 Gamma rays, 37
 Gas transport properties, 2579
 Gel, 789
 Gel time, 77
 Gelatin, 555
 Gelation, 821, 1205, 1517
 Gels, 821
 Geomembranes, 1833
 Glass fiber, 143
 Glass plate, 2165
 Glass protection, 2387
 Glass transition temperature, 755, 2517
 Glass-fiber-reinforced polyamide 66, 1631
 Glassy polymers, 1001, 2635
 γ -globulin, 251
 Glucoamylase, 2655
 Glycidol, 1897
 Glycidyl amine adducts, 1525
 Graft copolymer, 109, 1021, 2141
 Graft copolymerization, 99, 191, 459, 555, 967, 1939, 1955
 Grafted fibers, 1487
 Grafting, 365, 511, 1139, 1493, 1539, 1905, 2481
 Grignard reagent, 925
¹H-NMR analysis, 1285
 HAF carbon black, 135
 HALS, 217
 Handsheets, 1487
 Hard segment domains, 525
 Heat resistance in an oxidative environment, 1619
 Heavy metals removal, 1939
 Heterogeneous, 2281
 Heterogeneous catalysis, 1037, 1053
 Heterogeneous polymerization, 2357
 High modulus polyethylene fibers, 1865
 High molar mass epoxy prepolymers, 2447
 High refractive index, 2247
 High-performance liquid chromatography, 37
 High-speed melt spinning, 1415
 High-temperature property, 1031
 Himachali wool, 191
 Hindered Amine Stabilizers (HAS), 609
 Hollow fiber spinning, 1359
 Hollow-fiber membrane, 1263, 1555
 Hormone, 251
 Hybrid organic-inorganic networks, 2579
 Hybrid solid polymer electrolytes, 2191
 Hydraulic fluid, 2025
 Hydrogel, 1313, 1889
 Hydrogels, 685, 909
 Hydrogenated oligo(cyclopentadiene), 1659
 Hydrophobic hybrid inorganic-organic thinfilms, 2387
 Hydrophobic interaction, 1933
 Hydrosilylation, 439
 Hydrostatic extrusion, 1865
 Hydroxyapatite, 1865
 Hydroxyethyl methacrylate, 555
 Hygrothermal aging, 449
 Hysteresis, 655, 1429
 ICF, 2111
 Imaging, 833
 Immobilization, 2567, 2655
 Impact, 2419
 Impact modification, 2209
 Impact resistance, 2247
 Impact strength, 2691
 Impregnation, 5
In situ compatibilization of polyolefin and polystyrene, 1385
In situ electric monitoring, control of cure, 2529
 Indium, 2745
 Industrial waste, 1333
 Infrared reflection absorption spectroscopy, 381
 Inhibitor, 1403
 Injection molded poly(ether ether ketone)/polysulfone, 1503
 Injection-molded short fiber composites, 1857
 Interactions, 2395
 Interface, 41, 143, 2493
 Interface shear, 67
 Interface temperature gradient, 67
 Interfacial adhesion, 1843
 Interfacial crosslinking, 1967

- Interfacial fracture toughness, 567
 Interfacial reactions, 567
 Interfacial resistance, 2191
 Interferometry, 317
 Interpenetrating polymer network, 1445
 Interpenetrating polymer network (IPN), 425
 Interpenetrating polymer network (IPN) hydrogels, 685
 Interpenetrating polymer networks (IPNs), 549
 Interpolymer interaction, 391
 Inverse gas chromatography, 1013
 Inverse suspension polymerization, 789
 Ion conductivity, 1143, 2529
 Ion sensitivity, 2257
 Ion-binding, 1795
 Ion-exchange kinetics, 1271
 Ionic carriers mobility, 1143, 2529
 Ionic conductivity, 2191
 Ionic coreactants, 2623
 Ionic hardening mechanisms, 2623
 Ionomers, 2105
 Irradiation, 1193
 γ -irradiation, 2715
 Irreversible interactions, 449
 Isotactic polypropylene, 609, 1759
 Isothermal curing, 861
 Isoxazolinium permanganate, 1169
 Itaconic acid, 1493

 Jute fiber, 459
 Jute yarns, 1571

 β -ketoester, 165
 Ketones, 635, 1517
 Kevlar-49, 99
 Kinetic, 2395
 Kinetics, 1139, 2095, 2297, 2343
 Kinetics of diffusion, 1789

 Lamellae, 67
 Lamellar morphology, 723
 Laminates, 329
 Laser curing, 833
 Latex films, 1967
 Latex particles, 511, 1967
 LDPE, 705, 1807
 LDPE–henequen cellulose fiber composites, 197
 Lens, 2247

 Lewis acid catalyst, 1385
 Light scattering, 2567
 Light-induced-grafting, 217
 Lignocellulosic surfaces, 1013
 Linear low-density/low density, 1921
 Lipobiphenyl side chains, 2407
 Liquid crystals, 1151
 Liquid crystal–polymer film, 1675
 Liquid membrane stability, 1205
 Liquid–liquid phase separation, 2643
 LOI, 59
 Low carbon steel, 417
 Low-carbon steel, 617
 Low-pressure plasma, 381
 Low-resolution NMR, 77
 Low-temperature solution polycondensation, 59

 MAA/MAM, 1139
 Macro-azo-initiators (MAIs), 2173
 Macromonomer, 2357
 Maleic anhydride, 217
 Maleic anhydride copolymers, 2567
 Maleic anhydride hemiester, 2289
 Mass spectrometry, 561
 Material parameters, 209
 Maxwell stress, 1363
 Mechanical compatibilization, 1807
 Mechanical fracture, 1161
 Mechanical properties, 197, 1081, 1193, 1865, 2003, 2051, 2265, 2471, 2635
 Mechanical property, 649
 Mechanical relaxation, 2373
 Mechanical response, 2517
 Mechanoradical, 1161
 Melt elasticity, 2703
 Melt fracture, 951, 2703
 Melt index (MI), 277
 Melt spinning, 1773
 Melt viscosity, 2703
 Melting behavior, 1659
 Melting point, 1511
 Melt-mixing, 295
 Membrane morphology, 1731
 Membrane potential, 251
 Membrane vapor separation, 1983
 Membranes, 1837
 Mercerization, 155
 Mesomorphic structures, 2407
 Metal chelate affinity chromatography, 2085
 Metal laminates, 347
 Metal nanoclusters, 723

 Metal sorption, 1091
 Metallocene, 2281
 Metals, 1175
 Methacrylamide, 2051
 Methacrylate copolymer, 2247
 Methanol and water sorption and diffusion, 1983
 Methyl acrylate, 1463, 1487
 Methyl methacrylate, 365
 Microbeads, 2085
 Micromechanics, 2209
 Migration, 117
 Mill behavior, 1995
 Mineral sulfur, 499
 Miscibility, 341
 Mixing rules, 209
 Modeling, 1683
 Modification, 1349, 1451
 β modification crystals, 1415
 Modification of fibers, 1955
 Modified polyacrylonitrile fibers, 1955
 Modified starch, 705
 Modifier, 901
 Modulus, 1745
 Modulus modeling, 2373
 Moisture resistance, 2733
 Molecular simulation, 117
 Molecular structure, 2031, 2159
 Molecular weight, 595
 Molecular weight distribution, 499
 Molecular weight distribution (MWD), 845
 Molten state, 1333
 Monodisperse resins, 1271
 Monomer reactivity ratios, 1285
 Monomeric benzanthrone dyes, 91
 Moore's equation, 2749
 Morphology, 127, 1487, 1595, 1659, 1713, 1849, 2373, 2433, 2579
 Multifunctional epoxy, 1751

N-acryloylphenoxyazine, 481
 Nafion film, 777
N-aryl- α -amino acids (NAAA), 561
 Natural rubber, 917, 1245, 1379, 1429
 Natural rubber latex, 1913
 Natural rubber (NR), 2183
n-butyl acrylate, 511, 2343
 Neat or toughened epoxy–amine and polyimide curing, 2529
 Necking mechanism, 2059
 Nematic liquid crystals, 1151
 Network formation, 2529
 Network structure, 2025

- Networks, 491, 2373
 Neutral papermaking, 2159
 Neutron activation analysis, 1271
 Nickel oxide, 1739
 Nitrate removal, 1205
 Nitrile rubber, 549
 Nitrile rubber hydrogenation, 667
 Nitriles, 635
 Nitrogen determination, 187
 NMR spectroscopy, 1217
N,N,N',N''-
 pentakis(hydroxymethyl)-
 melamine, 2589
 Noble metal ions, 931
n-phenylmaleimide-styrene-*p*-
 allyloxystyrene terpolymers,
 1451
N-phenylmaleimide-styrene-*p*-
 hydroxystyrene terpolymers,
 1451
 Nucleation, 67, 1759
 Nylon 6, 1773
 Nylon 610, 1713
 Nylon-6, 1813
 Nylon-6 fibers, 1293
 Nylon-6/polypropylene, 2665
- Oil absorption, 179
 Oil-absorptive polyurethane foam,
 179
 Olefins, 1037, 1053
 Oligodeoxyribonucleotides, 2567
 On-site foaming, 179
 Optical anisotropy, 1293
 Optical material, 2247
 Optical orientation functions,
 2031
 Optical permittivity, 1653
 Optics, 2727
 Optimization, 1683
 Organic aerogel, 2111
 Organic solvents, 1517
 Organic-inorganic hybrids, 2373
 Orientation-induced
 crystallization, 1415
 Oxidation curing, 261
 Oxiranes, 2589
 Oxygen permeability, 1081
 Oxygen-enriched membranes,
 1837
 Oxymethylene-linked
 polyoxyethylene, 1739
- PA6, 1807
 PAC, 959
 Paper, 1463
 Particle size, 127
 Particleboards, 399
- PBO, 1031
 PCL-PEG-PCL ester-ether
 triblock copolydiol, 883
 PDMS membrane, 1789
 PEBATM, 1983
 1,3-pentadiene, 1883
 Permeability, 2679
 Peroxide degradation, 439
 Pervaporation, 469, 1113
 PET, 739
 pH sensitivity, 1445, 2257
 Phase inversion method, 1731
 Phase segregation, 2227
 Phase separation, 883, 1921,
 2433, 2643
 Phase-inversion process, 1555
 Phases, 1595
 Phenazine dye, 777
 Phenolphthalein poly(ether
 ketone), 649
 Phenolphthalein poly(ether-ether-
 sulphone) (PES-C), 951
 Phenol-water mixture, 469
 Phenothiazine dyes, 777
 Phosphorylated cashew nut shell
 liquid (PCNSL) prepolymer,
 2183
 Photocuring, 165
 Photoinitiator, 1313
 Photolyses, 2151
 Photooxidation, 217
 Photopolymerization, 1313
 Photoresist, 833
 Photostabilization, 217
 Physical aging, 2635
 Physical properties, 135, 1751
 Physicochemical properties, 2081
 Piezoelectric sensor, 1789
Pinus radiata bark, 1795
 Plasma, 365
 Plastic foam, 1395
 Plasticization, 939
 Platelet adhesion, 1723
 PMMA, 1161
 PnBA elastomer, 1751
 Poly (1-butene), 1659
 Polyacrylamide, 37
 Poly(acrylic acid), 135, 1955
 Polyacrylamidoxime chelating
 cloth, 1175
 Polyalkyl methacrylates, 549
 Poly(alkylene *p,p'*-bibenzoate-*co*-
 adipate)s, 893
 Polyamide, 2613
 Polyamide 66, 1619
 Poly(amide-sulfonamide)s, 1113
 Polyamide-imide surfaces, 1151
 Polyamines, 871, 2159
- Polyaniline, 2745
 Polybenzazole, 1031
 Poly(benzylidene phosphoramido
 ester)s, 2151
 Polybutadiene (PBD), 761
 Polycaprolactone, 2357
 Polycarbonate, 655
 Poly(carbosilane), 261
 Polycondensates, 1843
 Poly(decamethylene oxide), 1319
 Poly(dimethyl siloxane), 939
 Poly(D,L-lactide)-*co*-poly(ethylene
 glycol), 1849
 Polyelectrolyte, 41
 Polyelectrolyte complex, 41, 1445
 Polyester fibers, 2773
 Poly(ether ether ketone), 2635
 Polyetherimide, 2237
 Polyether-segmented nylon, 1703,
 1713, 1723, 1731
 Polyethylene, 143, 2679
 Poly(ethylene 2,6-naphthalene
 dicarboxylate), 1415
 Poly(ethylene adipate) (PEA)/low-
 density polyethylene (LDPE),
 1745
 Polyethylene blends, 1921
 Poly(ethylene glycol) (PEG) units,
 2173
 Polyethylene glycols (PEGs), 595
 Polyethylene lenses, 2727
 Poly(ethylene oxide), 601, 2095
 Poly(ethylene oxide)-*block*-poly
 (butyl acrylate), 1667
 Poly(ethylene phthalate), 1349
 Poly(ethylene phthalate-*co*-
 ethylene isophthalate), 1349
 Polyethylene terephthalate, 241
 Poly(ethylene terephthalate),
 1773
 Poly(ethylene terephthalate)
 fibers, 2603
 Poly(ethylene terephthalate) film,
 1237
 Poly(ethylene terephthalate)
 (PET), 1813
 Poly(ethylene-*co*-methyl acrylate),
 2507
 Poly(ethylene-*co*-styrene), 209
 Polyflavonoid tannins, 2623
 Poly(hexamethylene oxide), 1319
 Polymer, 51
 Polymer additive, 2679
 Polymer chemical stability, 2721
 Polymer composites, 2733
 Polymer electrolyte, 1739
 Polymer hydrogenation, 667
 Polymer network, 165

- Polymer structure, 2773
 Polymeric sulfur, 499
 Polymerizable sensitizer, 481
 Polymerization, 17, 1403, 1683, 2051, 2123
 Poly(methyl acrylate), 1021
 Poly(*N*-isopropylacrylamide), 1313
 Polyolefins, 2761
 Polyorganophosphazenes, 217
 Polyoxyethylenes, 2545
 Poly(phenylene oxide)-based ionomers, 341
 Poly(*p*-phenylene-2,6-benzobisoxazole), 1031
 Polypropylene, 241, 1659, 1773, 2691, 2703, 2715
 Polypropylene films, 625
 Polypropylene functionalization, 439
 Poly(propylene-glycol diacrylates), 491
 Polypropylene/poly(vinyl butyral)/mica composites, 2003
 Polypropylene/wood fiber composites, 1227
 Polypyrrole, 1, 2739
 Polypyrrole coatings, 417
 Polystyrene, 2331
 Polystyrene-based ionomers, 341
 Polystyrene-bound C₆₀ gel, 2781
 Polystyrene/EVA blends, 2141
 Polysulfone, 901
 Polysulfone (PSf)/solvent/water systems, 2643
 Poly(tetramethylene oxide), 1319
 Polytrimethylsilylphenols, 1121
 Polyurea, 2265
 Polyurethane, 939, 2081, 2395
 Polyurethane elastomer, 1363
 Polyurethane foams, 525
 Polyurethane membrane, 469
 Polyurethane networks, 2579
 Polyurethanes, 355, 2105, 2227
 Poly(vinyl alcohol) (PVA), 1643
 Poly(vinyl butyral), 409
 Poly(vinyl chloride), 27, 2749
 Polyvinylchloride, 1205
 Poly(vinylidene fluoride) (PVF₂), 295
 Poly(3-hydroxybutyrate), 1849
 Poly(ϵ -caprolactone), 409
 Poly(γ -glutamic acid), 1889
 Poly[(alkylene oxide) ester], 1319
 Porosity, 5
 Porous microspheres, 2655
 Porous structure, 1257
 Positive temperature coefficient, 409
 Postirradiation oxidation, 2715
 Potassium hydroxide, 601
 PPE, 739
 Preparation, 1723
 Prepolymer, 1667
 Prepreg, 5
 Prepregs, 329
 Prereaction, 1751
 Prevulcanization, 1913
 Productivity, 1773
 1,3-propanediamine, 1889
 Properties, 165, 807
 Propylene, 1539
 Propylene oxide, 2589
 Protein adsorption, 1703
 Pseudo-first order, 373
 Pseudomolecular distribution, 1807
 Pulp and paper industry, 1983
 PVAL-coated microballoons, 539
 PVDF, 1263
 Pyrogallol, 399
 Pyrrole, 617
 Quantitative determination of acrylonitrile in copolymer, 187
 Quantitative microscopy, 1395
 Radiation-induced method, 191
 Radical autocondensation, 2623
 Radical polymerization, 1667
 Radical process, 1333
 Radioprotector, 37
 Radio-tracer techniques, 1271
 Raman microprobe, 871
 Randomness, 893
 Ratio of acrylonitrile to butadiene, 187
 γ -rays, 2201
 Reaction condition, 1667
 Reaction time, 1333
 Reactive compatibilizer, 739
 Reactive extrusion, 439, 2447
 Reactivity ratio, 1883
 Reactor, 1683
 Reagents, 1169
 Recycling, 1619, 1631
 Recycling of mixed plastic stream, 1385
 Refractive index vs. concentration relation, 317
 Regioselectively substituted cellulose heteroesters, 1511
 Reinforcement, 649
 Relative magnetic permeability, 1371
 Relaxation, 2507
 Resins, 861, 1091, 1271
 Resorcinol, 2111
 Rheology, 1359, 1595
 Rosin, 2159
 Rubber, 305
 Rubber blends, 731
 Rubber dispersions, 2447
 Rubber vulcanizate, 117
 Rubber vulcanizes, 1429
 Rubber-toughened poly(methyl methacrylate) (PMMA), 581
 Salicyclic acid, 1829
 Salt sensitivity, 1445
 Saltykov's theory, 1395
 SAN, 1683
 Sandwich, 2493
 SBR latex, 511
 Schottky devices, 2745
 Secondary crosslinked interpenetrating polymer network, 1
 Sedimentation, 539
 Seeded soapless emulsion polymerization, 425
 Segmented polyurethanes, 1193
 Self-reinforced composites, 329
 SEM, 1487
 Semiconductor encapsulation, 1975
 Semi-IPNs, 51
 Serum albumin, 251
 Sheath-core structure, 959
 Silane coupling, 1975
 Silane-functionalized polyethylene surface energy, 2481
 Silica, 1759
 Silica gels, 871
 Silica surface, 2481
 Silica-supported functional polymers, 2557
 Silicon, 1533
 Silicone, 1759
 Silicone-hydrogel, 1081
 Silk fibroin, 959
 Silver ions, 2081
 Simulation, 1683
 Size exclusion chromatography, 2567
 Size exclusion chromatography (SEC), 1257
 Sizing, 2159
 Soap-free emulsion copolymerization, 2315
 Sodium acrylate, 789
 Sol-gel process, 2387
 Solid polymer electrolytes, 601

- Solidification temperature, 1415
 Solid-phase grafting, 1905
 Solubility, 261, 761, 1723
 Solute permeability, 1703, 1713, 1731
 Solution, 289
 Solution copolymerization, 2297
 Solution polycondensation, 1533
 Solvency power, 2749
 Solvent, 51
 Solvent blend, 2749
 Solvent composition, 191
 Solvents, 991
 Sorption, 135, 635
 Soy fiber, 695
 Soy protein isolate, 695
 Spectral studies, 2151
 SPG membrane, 2655
 Spinning speed, 1773
 Spin-spin relaxation time, 77
 Spot disc test (SDT) method, 731
 Spunbonded fabrics, 1759
 Stabilizer, 127
 Starch, 1021
 State-of-mix, 305
 Static mixer, 1807
 Steam jet cooking, 1021
 316 Steel electrode, 1103
 Sterilization, 1193
 Stern-Volmer plot, 481
 Strain, 625
 Strain rate, 655
 Stress, 625
 Stress analysis, 2209
 Stress relaxation, 2227
 Stress-relaxation characteristics, 2183
 Stress-strain behavior, 2013
 Stretching rate, 677
 Structural features, 155
 Structure, 601, 807
 Styrene, 1539, 2289, 2315, 2343
 Styrene and methyl methacrylate copolymers, 91
 Styrene butadiene rubber, 1429
 Styrene-ethylene/butylene-styrene block copolymer, 241
 Styrene/UP ratio, 755
 Styrene-butadiene copolymers, 1595
 Styrene-butadiene-styrene block copolymer, 109
 Styrene-divinylbenzene copolymers, 1257
 Substrate, 41, 347
 Sulfur, 499
 Sulfur mustard (SM), 731
 Superwater-absorbent resin, 789
 Supported polymers catalysts, 2557
 Surface charge, 373
 Surface coating, 2075
 Surface grafting of polymer, 2165
 Surface roughness, 1237
 Suspension polymerization, 127, 2655
 Swelling, 507, 821, 909, 917, 991, 1933
 Swelling of the membrane in the thickness direction, 317
 Symmetric nonporous membrane, 1113
 Synthesis, 1667
 Tanning agent, 2051
 Tara tannin, 399
 Temperature, 289
 Tensile properties, 1759
 Tensile property, 917
 Tensile strength, 1463, 1745, 2739
 Tensile tests, 625
 Ternary blends, 677
 Ternary system, 2131
 3,3',5,5'-tetrabromobisphenol AF, 59
 Tetrafunctional epoxy, 2237
 Thermal aging, 625
 Thermal behavior, 1849
 Thermal conductivity, 2733
 Thermal stability, 59, 85, 2151
 Thermal transitions, 2025
 Thermal treatment, 197, 2773
 Thermomechanical method, 1807
 Thermoplastic, 2433
 Thermoplastic elastomer, 1319
 Thermoplastic elastomers, 1245
 Thermoplastic polymer, 2209
 Thermoplastic polyurethane, 1947
 Thermoplastics, 277
 Thermoreversible hydrogels, 909
 Thermosetting bismaleimide resin, 979
 Thermostable naphthalate-containing copoly(amide-imide), 1581
 Thermotropic properties, 2407
 Thinfilms, 2387
 Throughput rate, 1773
 TiCl₄/MgCl₂ catalyst, 1037
 Time of flight of ionic carriers, 2529
 Time-of-flight of ionic carriers, 1143
 Toluene alkylation acid catalysis, 2557
 Torsion, 2493
 Total heterogeneous oxidation, 2507
 Toughening, 2237
 TPU/PP blends, 2217
 Transcrystallization, 67
 Transesterification, 2457
 Transfer mechanism, 2315
 Transfer rate constants, 2315
 Transport, 761
 Transport properties, 2635
 Triaxial stress, 1821
 Triethylamine catalyst, 2589
 Trimethylsilylated polyphenols, 1121
 Triphenyl bismuth, 1217
 Tungsten oxide, 1739
 Tussah silk, 2051
 Twice electrodeposition (ED) coating, 233
 Ultimate properties, 677
 Ultrafiltration rate, 1703, 1713
 Ultrahigh molecular weight polyethylene, 289, 365
 Uniaxially drawn films, 2059
 Unsaturated polyester, 77
 Unsaturated polyester resin, 1525
 Unsaturated polyesters, 755
 Urethane, 2373
 Urethane polymer, 1217
 UV, 365
 UV curing, 491
 UV radiation, 1571
 Vacuum pyrolysis, 1263
 Vacuum technique, 117
 Vapor permeation, 1263
 Vapor pressure osmometry, 595
 Vascular prosthesis, 1947
 Vegetable oil, 2761
 Vibrational spectroscopy, 2665
 Vinyl alcohol-vinyl ester copolymers, 1643
 Vinyl chloride, 127
 Vinyl pyridine, 109
 Viscoelastic measurements, 1609
 Viscoelastic networks, 1795
 Viscoelasticity, 209, 2227, 2395, 2493
 Viscosity, 289
 Wastewater treatment, 1939
 Water, 449
 Water absorption, 755
 Water vapor permeability, 883
 Waterborne polyurethane, 883

- Water-emulsified solution, 459
Water-permeable membrane,
 1113
Water-soluble carbodiimide, 1889
Water-soluble component, 1829
Water-alcohol separation, 1113
Wear, 939
Weather resistance, 233
- Wet spinning, 2131
White light immunity, 2727
Wollastonite, 649
Wood fiber, 1463, 1487
Wood fibers, 1227
- XPS, 449
X-ray diffraction, 2407, 2773
- X-ray scattering, 2373
Yield stress, 2691
- Zeta potential, 2721
Ziegler-Natta catalyst, 925
ZnS pigmented polymers, 2727