

ERRATUM

An Analysis of the Influence of the Accelerator/Sulfur Ratio in the Cure Reaction and the Uniaxial Stress-Strain Behavior of SBR

A. J. Marzocca,¹ S. Goyanes^{1,2}

¹Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, LPMPyMC, Pabellón 1, Buenos Aires (1428), Argentina

²Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Argentina

(Article in J Appl Polym Sci 2004, 91, 2601–2609)

When this article was printed, Eq. 8 was incorrect. It is shown below in its correct form:

$$\alpha = 3.04 \left(\frac{G_N^0}{G_n} \right)^{1/2} \quad (8)$$

Eq. 14 was also incorrect. It is shown below in its correct form:

$$\theta = \frac{M_t - M_l}{M_h - M_l}$$

Finally the ordinate axes of the graphs in Figures 2 and 3 were incorrect. They are reprinted here in their correct forms (see next page).




Figure 2 Normalized rheometer curves fitted to eq. (14) for SBR at 433 K: •, experimental data; —, eq. (13). TBBS 1.2 phr, sulfur variable.




Figure 3 Normalized rheometer curves fitted to eq. (14) for SBR at 433 K: •, experimental data; —, eq. (13). TBBS vari