

Corrigendum: p(AAm/TA)-based IPN hydrogel films with antimicrobial and antioxidant properties for biomedical applications

Mehtap Sahiner, Selin Sagbas, Behzat Oral Bitlisci

Article First Published online: 8 January 2015

DOI: 10.1002/app.42273

[Article in *J. Appl. Polym. Sci.* 2015, **132**, DOI: 10.1002/app.41876]

In the published article cited above, a duplicate of Table V was incorrectly provided as Table I. The correct Table I is shown below. The authors apologize for any confusion this may have caused.

Table I. The Amount of Tannic Acid (TA), Initiator, and the Crosslinkers for 1 g AAm Used in the Polymerization and Crosslinking Reactions, and Their Amounts After Drying to Constant Weight

Concentration of hydrogel ($\mu\text{g ml}^{-1}$)	TA X IPN		6TA s-IPN		p(AAm)	
	% apoptosis	% necrosis	% apoptosis	% necrosis	% apoptosis	% necrosis
0	1.0 ± 1.0	1.0 ± 0.5	1.0 ± 1.0	1.0 ± 0.5	1.0 ± 1.0	1.0 ± 0.5
4.6	5.0 ± 0.5	15.0 ± 1.0	4.5 ± 0.8	13.5 ± 1.0	4.0 ± 1.4	1.5 ± 1.0
9.37	7.0 ± 1.0	22.5 ± 2.0	6.0 ± 1.5	16.0 ± 0.7	6.5 ± 1.0	5.0 ± 0.7
18.75	8.0 ± 0.7	25.5 ± 1.0	7.0 ± 2.0	22.0 ± 0.5	7.0 ± 0.7	8.5 ± 2.0
37.5	8.5 ± 2.0	27.0 ± 0.8	8.0 ± 1.2	28.5 ± 2.0	8.5 ± 2.0	15.0 ± 1.4
75	10.0 ± 1.4	32 ± 0.5	9.5 ± 1.0	30.0 ± 0.8	9.0 ± 1.5	23.5 ± 1.0
150	15.0 ± 0.6	39.5 ± 1.0	11 ± 0.5	34.5 ± 1.0	13.0 ± 2.0	30.0 ± 1.5