

## Contents of Volume 28, 2004

### Vol. 28 No. 1 January 2004

Editorial	v
<i>Research papers</i>	
BACUS: A Bayesian protocol for the identification of protein NOESY spectra via unassigned spin systems A. Grishaev and M. Llinás	1–10
Rotational-echo double-resonance NMR-restrained model of the ternary complex of 5-enolpyruvylshikimate-3-phosphate synthase L.M. McDowell, B. Poliks, D.R. Studelska, R.D. O'Connor, D.D. Beusen and J. Schaefer	11–29
Improvement of hydrogen bond geometry in protein NMR structures by residual dipolar couplings – an assessment of the interrelation of NMR restraints P.R. Jensen, J.B. Axelsen, M.H. Lerche and F.M. Poulsen	31–41
An evaluation of detergents for NMR structural studies of membrane proteins R.D. Krueger-Koplin, P.L. Sorgen, S.T. Krueger-Koplin, I.O. Rivera-Torres, S.M. Cahill, D.B. Hicks, L. Grinius, T.A. Krulwich and M.E. Girvin	43–57
New applications of 2D filtered/edited NOESY for assignment and structure elucidation of RNA and RNA-protein complexes R.D. Peterson, C.A. Theimer, H. Wu and J. Feigon	59–67
New NMR experiments for RNA nucleobase resonance assignment and chemical shift analysis of an RNA UUCG tetraloop B. Fürtig, C. Richter, W. Bermel and H. Schwalbe	69–79
<i>Letter to the Editor: New NMR structures</i>	
Solution structure of hypothetical protein TA1414 from <i>Thermoplasma acidophilum</i> D. Monleón, A. Yee, C.S. Liu, C. Arrowsmith and B. Celda	81–84
<i>Letters to the Editor: New NMR assignments</i>	
Backbone <sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N resonance assignments of the response regulator HP1043 from <i>Helicobacter pylori</i> E. Hong, J.-W. Jung, J. Shin, J.H. Kim, Y.-H. Jeon, T. Yamazaki and W. Lee	85–86
<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N resonance assignments for the N-cadherin prodomain A.W. Koch, A. Farooq, L. Zeng, D.R. Colman and M.-M. Zhou	87–88
Assignments of <sup>1</sup> H and <sup>15</sup> N resonances of the bacteriophage λ capsid stabilizing protein gpD H. Iwai, P. Forrer, A. Plückthun and P. Güntert	89–90
Backbone <sup>1</sup> H, <sup>15</sup> N and <sup>13</sup> C assignments for the 21 kDa <i>Caenorhabditis elegans</i> homologue of 'brain-specific' protein D. Monleón, YW. Chiang, J.M. Aramini, G.V.T. Swapna, D. Macapagal, K.C. Gunsalus, S. Kim, T. Szyperski and G.T. Montelione	91–92
Backbone resonance assignment of an aminoglycoside-3'-phosphotransferase type IIa M. Stoldt, E. Kupče, B.H.A. Rehm and M. Görlach	93–94
<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N backbone resonance assignments of the dimeric yeast peroxiredoxin YLR109w X. Trivelli, I. Krimm, L. Verdoucq, Y. Chartier, P. Tsan, Y. Meyer and J.-M. Lancelin	95–96
Instructions for Authors	97–102

*Research papers*

- Measurement of dipolar cross-correlation in methylene groups in uniformly  $^{13}\text{C}$ -,  $^{15}\text{N}$ -labeled proteins  
Y. Zheng and D. Yang 103–116
- GFT NMR experiments for polypeptide backbone and  $^{13}\text{C}^\beta$  chemical shift assignment  
S. Kim and T. Szyperski 117–130
- A selective intra-HN(CA)CO experiment for the backbone assignment of deuterated proteins  
D. Nietlispach 131–136
- Solution structure and backbone dynamics of the pleckstrin homology domain of the human protein kinase B (PKB/Akt). Interaction with inositol phosphates  
D. Auguin, P. Barthe, M.-T. Augé-Sénégas, M.-H. Stern, M. Noguchi and C. Roumestand 137–155
- Heteronuclear 2D  $^1\text{H}$ - $^{13}\text{C}$  MAS NMR resolves the electronic structure of coordinated histidines in light-harvesting complex II: Assessment of charge transfer and electronic delocalization effect  
Alia, J. Matysik, I. de Boer, P. Gast, H.J. van Gorkom and H.J.M. de Groot 157–164
- An isotope labeling strategy for methyl TROSY spectroscopy  
V. Tugarinov and L.E. Kay 165–172
- Evidence of slow motions by cross-correlated chemical shift modulation in deuterated and protonated proteins  
L. Vugmeyster, C. Perazzolo, J. Wist, D. Frueh and G. Bodenhausen 173–177

*Short communications*

- Phosphorus-31 transverse relaxation rate measurements by NMR spectroscopy: Insight into conformational exchange along the nucleic acid backbone  
L.J. Catoire 179–184
- Triple resonance MAS NMR with ( $^{13}\text{C}$ ,  $^{15}\text{N}$ ) labelled molecules: Reduced dimensionality data acquisition via  $^{13}\text{C}$ - $^{15}\text{N}$  heteronuclear two-spin coherence transfer pathways  
J. Leppert, B. Heise, O.-L. Ohlenschläger, M. Görlach and R. Ramachandran 185–190

*Letters to the Editor: New NMR assignments*

- Backbone resonance assignment of the L-arabinose binding protein in complex D-Galactose  
A. Hernández Daranas, A.P. Kalverda, A. Chiovitti and S.W. Homans 191–192
- Sequence-specific  $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{15}\text{N}$  resonance assignments and secondary structure of the carboxyterminal domain of the *E. coli* transcription factor NusA  
A. Eisenmann, S. Schwarz, P. Rösch and K. Schweimer 193–194
- $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{15}\text{N}$  assignments of single-stranded DNA binding domains from the 70 kDa subunit of Human Replication Protein A  
S. Bhattacharya, A.I. Arunkumar, S.L. Sullivan, M.-V. Botuyan, C.H. Arrowsmith and W.J. Chazin 195–196
- The C-terminal domain of Viral IAP associated factor (cVIAF) is a structural homologue of phosphatidylinositol 3-kinase: Resonance assignments and secondary structure of the C-terminal domain of VIAF  
J. Jacob, J.M. Louis, B.W.M. Richter, C.S. Duckett and D.A. Torchia 197–198
- Backbone  $^1\text{H}$ ,  $^{13}\text{C}$ , and  $^{15}\text{N}$  assignments of a 42 kDa RecR homodimer  
M. Honda, S. Rajesh, D. Nietlispach, T. Mikawa, T. Shibata and Y. Ito 199–200
- Assignment of the  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonances of the LpxC deacetylase from *Aquifex aeolicus* in complex with the substrate-analog inhibitor TU-514  
B.E. Coggins, X. Li, O. Hindsgaul, C.R.H. Raetz and P. Zhou 201–202
- Backbone resonance assignments of human adult hemoglobin in the carbonmonoxy form  
J.A. Lukin, G. Kontaxis, V. Simplaceanu, Y. Yuan, A. Bax and C. Ho 203–204

**Vol. 28 No. 3 March 2004***Research papers*

- Improving the accuracy of NMR structures of large proteins using pseudocontact shifts as long-range restraints  
V. Gaponenko, S.P. Sarma, A.S. Altieri, D.A. Horita, J. Li and R.A. Byrd 205–212
- Probing slow backbone dynamics in proteins using TROSY-based experiments to detect cross-correlated time-modulation of isotropic chemical shifts  
A. Majumdar and R. Ghose 213–227
- RFDR with adiabatic inversion pulses: Application to internuclear distance measurements  
J. Leppert, O. Ohlenschläger, M. Görlach and R. Ramachandran 229–233
- Protein signal assignments using specific labeling and cell-free synthesis  
J. Shi, J.G. Pelton, H.S. Cho and D.E. Wemmer 235–247
- Paramagnetism-based restraints for Xplor-NIH  
L. Banci, I. Bertini, G. Cavallaro, A. Giachetti, C. Luchinat and G. Parigi 249–261
- Triple quantum decoherence under multiple refocusing: Slow correlated chemical shift modulations of C' and N nuclei in proteins  
J. Wist, D. Frueh, J.R. Tolman and G. Bodenhausen 263–272
- Application of correlated residual dipolar couplings to the determination of the molecular alignment tensor magnitude of oriented proteins and nucleic acids  
D.L. Bryce and A. Bax 273–287

*Communication*

- 3D TROSY-HNCA<sup>coded</sup>CB and TROSY-HNCA<sup>coded</sup>CO experiments: Triple resonance NMR experiments with two sequential connectivity pathways and high sensitivity  
C. Ritter, T. Lührs, W. Kwiatkowski and R. Riek 289–294

*Letters to the Editor: New NMR assignments*

- <sup>1</sup>H, <sup>15</sup>N and <sup>13</sup>C NMR resonance assignments of staphostatin A, a specific *Staphylococcus aureus* cysteine proteinase inhibitor  
G. Dubin, G. Popowicz, M. Krajewski, J. Potempa, A. Dubin and T.A. Holak 295–296
- Complete <sup>1</sup>H, <sup>15</sup>N and <sup>13</sup>C assignment of the soluble domain of the *ba*<sub>3</sub> oxidase subunit II of *Thermus thermophilus* in the reduced state  
M.D. Mukrasch, C. Lücke, F. Löhr, O. Maneg, B. Ludwig and H. Rüterjans 297–298
- Resonance assignments and topology of the <sup>15</sup>N, <sup>13</sup>C labelled 23 kDa core domain of Xenopus Mob1  
L. Ponchon, C. Dumas, D. Fesquet and A. Padilla 299–300
- <sup>1</sup>H, <sup>13</sup>C, and <sup>15</sup>N backbone assignments and secondary structure for the 60.8 kD dimer of the NAD<sup>+</sup> synthetase from *Bacillus subtilis*  
M.A. Markus, L. Doliveira, K. Malakian, D. Keeney, A. Severin, K.W. Underwood and D.H.H. Tsao 301–302
- <sup>1</sup>H, <sup>13</sup>C and <sup>15</sup>N resonance assignments of the region 1463-1617 of the mouse p53 Binding Protein 1 (53BP1)  
G. Charier, B. Alpha-Bazin, J. Couprie, I. Callebaut, F. Bérenguer, E. Quémeneur, B. Gilquin and S. Zinn-Justin 303–304
- Sequential <sup>1</sup>H, <sup>15</sup>N and <sup>13</sup>C NMR assignment of human calbindin D28k  
M. Helgstrand, C. Vanbelle, E. Thulin, S. Linse and M. Akke 305–306
- Backbone <sup>1</sup>H, <sup>13</sup>C and <sup>15</sup>N resonance assignments for the 18.7 kDa GTPase domain of *Escherichia coli* MnmE protein  
D. Monleón, L. Yim, M. Martínez-Vicente, M.E. Armengod and B. Celda 307–308

Complete backbone resonance assignments of p47: The 41kDa adaptor protein of the AAA ATPase p97

X. Yuan, P. Simpson, H. Kondo, C. Mckeown, I. Dreveny, X. Zhang, P.S. Freemont and S. Matthews 309–310

**Vol. 28 No. 4 April 2004**

*Research papers*

Signal assignments and chemical-shift structural analysis of uniformly  $^{13}\text{C}$ ,  $^{15}\text{N}$ -labeled peptide, mastoparan-X, by multidimensional solid-state NMR under magic-angle spinning  
T. Fujiwara, Y. Todokoro, H. Yanagishita, M. Tawarayama, T. Kohno, K. Wakamatsu and H. Akutsu 311–325

Predicting  $^{15}\text{N}$  chemical shifts in proteins using the preceding residue-specific individual shielding surfaces from  $\phi$ ,  $\psi^{i-1}$ , and  $\chi^1$  torsion angles  
Y. Wang and O. Jardetzky 327–340

Assignment validation software suite for the evaluation and presentation of protein resonance assignment data  
H.N.B. Moseley, G. Sahota and G.T. Montelione 341–355

Using codon optimization, chaperone co-expression, and rational mutagenesis for production and NMR assignments of human eIF2 $\alpha$   
T. Ito and G. Wagner 357–367

Temperature-dependent spectral density analysis applied to monitoring backbone dynamics of major urinary protein-I complexed with the pheromone 2-*sec*-butyl-4,5-dihydrothiazole  
H. Křížová, L. Židek, M.J. Stone, M.V. Novotny and V. Sklenář 369–384

*Communications*

Quantitation of rapid proton-deuteron amide exchange using hadamard spectroscopy  
C. Bougault, L. Feng, J. Glushka, E. Kupče and J.H. Prestegard 385–390

Fast reconstruction of four-dimensional NMR spectra from plane projections  
E. Kupče and R. Freeman 391–395

*Letter to the Editor: New NMR structures*

Structure of the hypothetical protein At3g17210 from *Arabidopsis thaliana*  
B.L. Lytle, F.C. Peterson, K.L. Kjer, R.O. Frederick, Q. Zhao, S. Thao, C. Bingman, K.A. Johnson, G.N. Phillips, Jr. and B.F. Volkman 397–400

*Letters to the Editor: New NMR assignments*

$^1\text{H}$ ,  $^{13}\text{C}$ , and  $^{15}\text{N}$  resonance assignments of the hepatocyte nuclear factor 6 $\alpha$  (HNF-6 $\alpha$ )  
W. Sheng, Y. Tan and X. Liao 401–402

Sequence-specific  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonance assignments of the C-terminal domain of KaiA, a circadian clock protein  
I. Vakonakis and A.C. LiWang 403–404

Backbone  $\text{H}^N$ , N,  $\text{C}^\alpha$ ,  $\text{C}'$  and  $\text{C}^\beta$  chemical shift assignments and secondary structure of FkpA, a 245-residue peptidyl-prolyl *cis/trans* isomerase with chaperone activity  
K. Hu, A. Plückthun and K. Pervushin 405–406

Assignment of  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonances of the death domain of TRADD  
D.H.H. Tsao, W.-T. Hum, S. Hsu, M. Mcguire, K. Malakian and L.-L. Lin 407–408

$^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonance assignments of human RGSZ1  
G.-Y. Xu, W.-T. Hum, S.F. Sukits, C.-L. Hsiao, Y. Liu, K. Malakian, K. Monteiro, S. Wolfrom, Y. Wang, K.H. Young and F.J. Moy 409–410

Assignment of the  $^1\text{H}$ ,  $^{13}\text{C}$ , and  $^{15}\text{N}$  resonances of the AXH domain of the transcription factor HBPI  
C. de Chiara, G. Kelly, T.A. Frenkiel and A. Pastore 411–412

$^1\text{H}$ ,  $^{15}\text{N}$ , and  $^{13}\text{C}$  resonance assignments of DARPP-32 (dopamine and cAMP-regulated phosphoprotein, *Mr*: 32,000) – a protein inhibitor of protein phosphatase-1  
T.-H. Lin, Y.-C. Huang, M.-l. Chin, Y.-c. Chen, H.-H. Jeng, F.-M. Lin, M.-S. Shiao, A. Horiuchi, P. Greengard, A.C. Nairn and H.-b. Huang

413–414

Author Index

415–416

Keyword Index

417–419

Volume Contents

421–425