

## Contents of Volume 29, 2004

### Vol. 29 No. 1 May 2004

#### *Research papers*

- Assignment of protein backbone resonances using connectivity, torsion angles and  $^{13}\text{C}^\alpha$  chemical shifts  
L.C. Morris, H. Valafar and J.H. Prestegard 1–9
- Dipolar assisted rotational resonance NMR of tryptophan and tyrosine in rhodopsin  
E. Crocker, A.B. Patel, M. Eilers, S. Jayaraman, E. Getmanova, P.J. Reeves, M. Ziliox, H.G. Khorana, M. Sheves and S.O. Smith 11–20
- Interpretation of NMR relaxation properties of Pin1, a two-domain protein, based on Brownian dynamic simulations  
P. Bernadó, M.X. Fernandes, D.M. Jacobs, K. Fiebig, J.G. de la Torre and M. Pons 21–35
- A complete set of novel 2D correlation NMR experiments based on heteronuclear J-cross polarization  
T. Parella 37–55
- Combined frequency- and time-domain NMR spectroscopy. Application to fast protein resonance assignment  
B. Brutscher 57–64
- Trans-hydrogen bond deuterium isotope effects of A:T base pairs in DNA  
I. Vakonakis and A.C. LiWang 65–72
- NMR structural characterization of the N-terminal domain of the adenylyl cyclase-associated protein (CAP) from *Dictyostelium discoideum*  
C. Mavoungou, L. Israel, T. Rehm, D. Ksiazek, M. Krajewski, G. Popowicz, A.A. Noegel, M. Schleicher and T.A. Holak 73–84
- Communication*
- Solution structures of reduced and oxidized bacteriophage T4 glutaredoxin  
Y. Wang, G. Amegbey and D.S. Wishart 85–90
- Letters to the Editor: New NMR assignments*
- Sequence-specific backbone NMR assignments for the C-terminal globular domain of EMILIN-1  
G. Verdone, S.A. Colebrooke, J. Boyd, P. Viglino, A. Corazza, R. Doliana, G. Mungiguerra, A. Colombatti, G. Esposito and I.D. Campbell 91–92
- Sequence-specific  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonance assignments of Ara h 6, an allergenic 2S albumin from peanut  
K. Lehmann, K. Schweimer, P. Neudecker and P. Rösch 93–94
- Sequence specific  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonance assignments of the hath-domain of human hepatoma-derived growth factor  
S.-C. Sue, J.-Y. Chen and T.-h. Huang 95–96
- $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  backbone resonance assignments of the hyaluronan-binding domain of CD44  
M. Takeda, H. Terasawa, M. Sakakura, Y. Yamaguchi, M. Kajiwara, H. Kawashima, M. Miyasaka and I. Shimada 97–98
- NMR assignment of TM1442, a putative anti- $\sigma$  factor antagonist from *Thermotoga maritima*  
T. Etezady-Esfarjani and K. Wüthrich 99–100

NMR assignment of the hypothetical protein HI0004 from <i>Haemophilus influenzae</i> – a putative essential gene product D.C. Yeh, J.F. Parsons, L.M. Parsons, F. Liu, E. Eisenstein and J. Orban	101–102
Sequential resonance assignments of the extracellular domain of the human TGF $\beta$ type II receptor in complex with monomeric TGF $\beta$ 3 U. Ilangoan, S. Deep, C.S. Hinck and A.P. Hinck	103–104
Instructions for Authors	105–110

## Vol. 29 No. 2 June 2004

### Research papers

An expectation/maximization nuclear vector replacement algorithm for automated NMR resonance assignments C.J. Langmead and B.R. Donald	111–138
Characterization of threonine side chain dynamics in an antifreeze protein using natural abundance $^{13}\text{C}$ NMR spectroscopy M.E. Daley and B.D. Sykes	139–150
Side chain dynamics monitored by $^{13}\text{C}$ - $^{13}\text{C}$ cross-relaxation K. Houben and R. Boelens	151–166
Adiabatic TOBSY in rotating solids J. Leppert, O. Ohlenschläger, M. Görlach and R. Ramachandran	167–173
Binding ability of a HHP-tagged protein towards $\text{Ni}^{2+}$ studied by paramagnetic NMR relaxation: The possibility of obtaining long-range structure information M.R. Jensen, C. Lauritzen, S.W. Dahl, J. Pedersen and J.J. Led	175–185
Carbonyl carbon transverse relaxation dispersion measurements and ms- $\mu\text{s}$ timescale motion in a protein hydrogen bond network R. Ishima, J. Baber, J.M. Louis and D.A. Torchia	187–198

### Communication

Cyclic enterobacterial common antigen: Potential contaminant of bacterially expressed protein preparations P.J.A. Erbel, R. Seidel, S.E. Macintosh, L.N. Gentile, J.C. Amor, R.A. Kahn, J.H. Prestegard, L.P. McIntosh and K.H. Gardner	199–204
--	---------

### Letters to the Editor: New NMR assignments

NMR assignment of the hypothetical ENTH-VHS domain At3g16270 from <i>Arabidopsis thaliana</i> B. López-Méndez, D. Pantoja-Uceda, T. Tomizawa, S. Koshiha, T. Kigawa, M. Shirouzu, T. Terada, M. Inoue, T. Yabuki, M. Aoki, E. Seki, T. Matsuda, H. Hirota, M. Yoshida, A. Tanaka, T. Osanai, M. Seki, K. Shinozaki, S. Yokoyama and P. Güntert	205–206
NMR assignment of the hypothetical rhodanese domain At4g01050 from <i>Arabidopsis thaliana</i> D. Pantoja-Uceda, B. López-Méndez, S. Koshiha, T. Kigawa, M. Shirouzu, T. Terada, M. Inoue, T. Yabuki, M. Aoki, E. Seki, T. Matsuda, H. Hirota, M. Yoshida, A. Tanaka, T. Osanai, M. Seki, K. Shinozaki, S. Yokoyama and P. Güntert	207–208
Backbone $^1\text{H}$ , $^{15}\text{N}$ and $^{13}\text{C}$ resonance assignments of $\alpha$ -ADT and $\beta$ -ADT M. John, M. Heller, M. Coles, G. Bosch, W. Baumeister and H. Kessler	209–210
$^1\text{H}$ , $^{13}\text{C}$ , $^{15}\text{N}$ backbone and sidechain resonance assignments of apo-NosL, a novel copper(I) binding protein from the nitrous oxide reductase gene cluster of <i>Achromobacter cycloclastes</i> L.M. Taubner, M.A. McGuirl, D.M. Dooley and V. Copié	211–212

NMR assignment of HI1723 from <i>Haemophilus influenzae</i> – a sequence homologue from the iron sulfur cluster assembly (IscA) family D.C. Yeh, F. Liu, N. Bonander, E. Eisenstein and J. Orban	213–214
Assignment of the $^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonances of the catalytic domain of guanine nucleotide exchange factor BopE from <i>Burkholderia pseudomallei</i> H.-L. Wu, C. Williams, A. Upadhyay, E.E. Galyov and S. Bagby	215–216
$^1\text{H}$ , $^{15}\text{N}$ and $^{13}\text{C}$ resonance assignments of the C345C domain of the complement component C5 J. Bramham, M. Rance, C.-T. Thai, D. Uhrin, N. Assa-Munt, R.T. Ogata and P.N. Barlow	217–218
Erratum	219
Erratum	221

### Vol. 29 No. 3 July 2004

#### Research papers

Exact solutions for internuclear vectors and backbone dihedral angles from NH residual dipolar couplings in two media, and their application in a systematic search algorithm for determining protein backbone structure L. Wang and B.R. Donald	223–242
Model-free analysis of protein dynamics: assessment of accuracy and model selection protocols based on molecular dynamics simulation J. Chen, C.L. Brooks, III and P.E. Wright	243–257
Measurement of scaled residual dipolar couplings in proteins using variable-angle sample spinning N. Lancelot, K. Elbayed, A. Bianco and M. Piotto	259–269
NMR structural studies of domain 1 of receptor-associated protein YB. Wu, M. Migliorini, J. Walsh, P. Yu, D.K. Strickland and Y.-X. Wang	271–279
$^{13}\text{C}$ NMR chemical shifts of the triclinic and monoclinic crystal forms of valinomycin T. Kameda, G. McGeorge, A.M. Orendt and D.M. Grant	281–288
Uniform and residue-specific $^{15}\text{N}$ -labeling of proteins on a highly deuterated background J. Fiaux, E.B. Bertelsen, A.L. Horwich and K. Wüthrich	289–297
Characterization of phospholipid mixed micelles by translational diffusion J.J. Chou, J.L. Baber and A. Bax	299–308
Quantification of H/D isotope effects on protein hydrogen-bonds by $^{\text{h}3}\text{J}_{\text{NC}'}$ and $^1\text{J}_{\text{NC}'}$ couplings and peptide group $^{15}\text{N}$ and $^{13}\text{C}'$ chemical shifts V.A. Jaravine, F. Cordier and S. Grzesiek	309–318
Adiabatic heteronuclear decoupling in rotating solids J. Leppert, O. Ohlenschläger, M. Görlach and R. Ramachandran	319–324
Model building of a protein-protein complexed structure using saturation transfer and residual dipolar coupling without paired intermolecular NOE T. Matsuda, T. Ikegami, N. Nakajima, T. Yamazaki and H. Nakamura	325–338
Novel techniques for weak alignment of proteins in solution using chemical tags coordinating lanthanide ions T. Ikegami, L. Verdier, P. Sakhaii, S. Grimme, B. Pescatore, K. Saxena, K.M. Fiebig and C. Griesinger	339–349
Site-specific labelling with a metal chelator for protein-structure refinement G. Pintacuda, A. Moshref, A. Leonchiks, A. Sharipo and G. Otting	351–361
Prediction of methyl-side chain dynamics in proteins D. Ming and R. Brüschweiler	363–368

$^1\text{H}$ , $^{13}\text{C}$ - $^1\text{H}$ , $^1\text{H}$ dipolar cross-correlated spin relaxation in methyl groups V. Tugarinov and L.E. Kay	369–376
Correlation times and adiabatic barriers for methyl rotation in SNase D.C. Chatfield, A. Augsten and C. D’Cunha	377–385
<i>Letters to the Editor: New NMR structures</i>	
Solution structure of a homodimeric hypothetical protein, At5g22580, a structural genomics target from <i>Arabidopsis thaliana</i> G. Cornilescu, C.C. Cornilescu, Q. Zhao, R.O. Frederick, F.C. Peterson, S. Thao and J.L. Markley	387–390
Solution structure of the hypothetical protein SAV1595 from <i>Staphylococcus aureus</i> , a putative RNA binding protein D. Liu and D.F. Wyss	391–394
NMR structure of a variant 434 repressor DNA-binding domain devoid of hydroxyl groups H. Iwai, G. Wider and K. Wüthrich	395–398
NMR structure of the Apo-S100P protein Y.-C. Lee, D.E. Volk, V. Thiviyanathan, Q. Kleerekoper, A.V. Gribenko, S. Zhang, D.G. Gorenstein, G.I. Makhatadze and B.A. Luxon	399–402
NMR structure determination of the hypothetical protein TM1290 from <i>Thermotoga maritima</i> using automated NOESY analysis T. Etezady-Esfarjani, T. Herrmann, W. Peti, H.E. Klock, S.A. Lesley and K. Wüthrich	403–406
<i>Letters to the Editor: New NMR assignments</i>	
$^1\text{H}$ , $^{15}\text{N}$ and $^{13}\text{C}$ backbone assignment of the carboxyl terminal domain of the cytokine binding module of the interleukin-6 receptor A. Schwantner, A.J. Dingley, S. Özbek, O. Hecht, S. Rose-John and J. Grötzinger	407–408
Complete resonance assignments of a ‘donor-strand complemented’ AfaE: The afimbrial adhesin from Diffusely Adherent <i>E. coli</i> K.L. Anderson, E. Cota, P. Simpson, H.A. Chen, L. du Merle, C. Le Bouguéneć and S. Matthews	409–410
Complete resonance assignments of the ‘donor-strand complemented’ AfaD: The afimbrial invasin from Diffusely Adherent <i>E. coli</i> E. Cota, H.A. Chen, K.L. Anderson, P. Simpson, L. du Merle, C. Bernier-Fébreau, R. Piąatek, B. Zalewska, B. Nowicki, J. Kur, C. Le Bouguéneć and S. Matthews	411–412
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of the conserved core of hAsf1 A F. Mousson, J. Couprie, J.-Y. Thuret, J.-M. Neumann, C. Mann and F. Ochsenbein	413–414
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of human microtubule-associated protein light chain-3 T. Kouno, M. Mizuguchi, I. Tanida, T. Ueno, E. Kominami and K. Kawano	415–416
$^1\text{H}$ , $^{15}\text{N}$ , $^{13}\text{C}$ resonance assignments of the human protein tyrosine phosphatase PRL-1 J.S. Laurence, K. Hallenga and C.V. Stauffacher	417–418
Complete $^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ assignments of a monomeric, biologically active apolipoprotein E carboxyl-terminal domain D. Fan, L.A. Korando, R.S. Dothager, Q. Li and J. Wang	419–420
NMR assignment of the <i>Drosophila</i> Argonaute2 PAZ domain A. Lingel, B. Simon, E. Izaurrealde and M. Sattler	421–422
$^1\text{H}$ , $^{15}\text{N}$ , $^{13}\text{C}$ resonance assignments of the ApaG protein of the phytopathogen <i>Xanthomonas axonopodis</i> pv. <i>citri</i> Â.M. Katsuyama, D.O. Cicero, A. Spisni, M. Paci, C.S. Farah and T.A. Pertinhez	423–424
Backbone resonance assignments of the 45.3 kDa catalytic domain of human BACE1 D. Liu, Y.-S. Wang, J.J. Gesell, E. Wilson, B.M. Beyer and D.F. Wyss	425–426

Complete resonance assignments of bundlin (BfpA) from the bundle-forming pilus of enteropathogenic <i>Escherichia coli</i> S. Ramboarina, P. Fernandes, P. Simpson, G. Frankel, M. Donnenberg and S. Matthews	427–428
Backbone and sidechain $^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of human cofilin K.M. Zierler-Gould, B.J. Pope, A.G. Weeds and L.J. Ball	429–430
Sequence specific assignment of domain C1 of the N-terminal myosin-binding site of human cardiac Myosin Binding Protein C (MyBP-C) A. Ababou, L. Zhou, M. Gautel and M. Pfuhl	431–432
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ backbone resonance assignments for TEM-1, a 28.9 kDa $\beta$ -lactamase from <i>E. coli</i> P.-Y. Savard, A. Sosa-Peinado, R.C. Levesque, M.W. Makinen and S.M. Gagné	433–434
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignment of the human Spred2 EVH1 domain J. Zimmermann, T. Jarchau, U. Walter, H. Oschkinat and L.J. Ball	435–436
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignment of the nucleotide binding domain of KdpB from <i>Escherichia coli</i> M. Haupt, M. Coles, V. Truffault, M. Bramkamp, K. Altendorf and H. Kessler	437–438
Backbone $^1\text{H}$ , $^{15}\text{N}$ and $^{13}\text{C}$ assignments for the subunit <i>a</i> of the <i>E. coli</i> ATP synthase O.Y. Dmitriev, F. Abildgaard, J.L. Markley and R.H. Fillingame	439–440
$^1\text{H}$ , $^{15}\text{N}$ and $^{13}\text{C}$ resonance assignments and $^{15}\text{N}$ - $^1\text{H}$ residual dipolar couplings for the $\alpha$ -adaptin ear-domain A.Yu. Denisov, B. Ritter, P.S. McPherson and K. Gehring	441–442
$^1\text{H}$ , $^{13}\text{C}$ , and $^{15}\text{N}$ resonance assignments of human Notch-1 calcium binding EGF domains 11-13 A. Muranyi, S. Hambleton, V. Knott, A. McMichael, P.A. Handford and A.K. Downing	443–444
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments for domain III of the West Nile Virus envelope protein D.E. Volk, D.A. Kallick, M.R. Holbrook, D.W.C. Beasley, A.D.T. Barrett and D.G. Gorenstein	445–446
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of the N-terminal 16 kDa domain of <i>Escherichia coli</i> Ada protein H. Takinowaki, Y. Matsuda, T. Yoshida, Y. Kobayashi and T. Ohkubo	447–448
Resonance assignment and secondary structure of the La motif D. Sanfelice, J. Babon, G. Kelly, S. Curry and M.R. Conte	449–450
Sequence-specific resonance assignments of the tandem SH3 domains in an autoinhibitory form of p47 <sup>phox</sup> S. Yuzawa, M. Yokochi, Y. Fujioka, K. Ogura, H. Sumimoto and F. Inagaki	451–452
$^1\text{H}$ -, $^{13}\text{C}$ - and $^{15}\text{N}$ -NMR assignment of the conserved hypothetical protein TM0487 from <i>Thermotoga maritima</i> M.S. Almeida, W. Peti and K. Wüthrich	453–454
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments and the secondary structures of human Coactosin like protein (hCLP) D123N H. Dai, J. Wu, Y. Xu, T. Yajun, D. Husheng and Y. Shi	455–456
$^1\text{H}$ , $^{15}\text{N}$ , and $^{13}\text{C}$ resonance assignment of the 23 kDa organomercurial lyase MerB in its free and mercury-bound forms P. Di Lello, G.C. Benison, J.G. Omichinski and P. Legault	457–458
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of a <i>Bacillus subtilis</i> arsenate reductase K. Peng, X.-d. Su, B. Xia and C. Jin	459–460
Assignment of the $^1\text{H}$ , $^{13}\text{C}$ , and $^{15}\text{N}$ resonances of holo isoform 4 of <i>Lethocerus indicus</i> Troponin C GF. De Nicola, R. Biekofsky, G. Kelly, B. Agianian, F. Qiu, B. Bullard and A. Pastore	461–462

Backbone $^1\text{H}$ , $^{13}\text{C}$ , and $^{15}\text{N}$ resonance assignments for a 29 kD monomeric variant of <i>Pseudomonas aeruginosa</i> dimethylarginine dimethylaminohydrolase B.S. Magalhães, R. Harris, M.J. Plevin and P.C. Driscoll	463–464
Erratum	465

### Vol. 29 No. 4 August 2004

#### Research papers

(3,2)D GFT-NMR experiments for fast data collection from proteins Y. Xia, G. Zhu, S. Veeraraghavan and X. Gao	467–476
Experiments for correlating quaternary carbons in RNA bases R. Fiala, M.L. Munzarová and V. Sklenář	477–490
Automated evaluation of chemical shift perturbation spectra: New approaches to quantitative analysis of receptor-ligand interaction NMR spectra C. Peng, S.W. Unger, F.V. Filipp, M. Sattler and S. Szalma	491–504
NMR spectroscopic filtration of polypeptides and proteins in complex mixtures S. Rajagopalan, C. Chow, V. Raghunathan, C.G. Fry and S. Cavagnero	505–516
Alignment of chain-like molecules M. Louhivuori, K. Fredriksson, K. Pääkkönen, P. Permi and A. Annala	517–524

#### Communication

Measurements of residual dipolar couplings in peptide inhibitors weakly aligned by transient binding to peptide amyloid fibrils Z. Chen and B. Reif	525–530
--	---------

#### Letters to the Editor: New NMR assignments

$^1\text{H}$ , $^{15}\text{N}$ , and $^{13}\text{C}$ resonance assignments of calmodulin complexed with the calmodulin-binding domain of calcineurin T.-H. Lin, J.-W. Huang, H.-b. Huang, Y.-c. Chen, C.-Y. Liu, C.-j. Lo, T.C. Tang and C.-L. Chyan	531–532
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of the third spectrin repeat of $\alpha$ -actinin-4 K. Kowalski, A.L. Merkel and G.W. Booker	533–534
Backbone and side chain resonance assignments of domain III of the tick-borne Langkat flavivirus envelope protein M. Mukherjee, K. Dutta, S.M. Pascal and R.O. Fox	535–536
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ backbone resonance assignments of matrilysin (MMP7) complexed with a sulfonamide hydroxamate-type inhibitor L. Ou, Q. Zhang, J. Ma, W. Wu, Z. Wang, F. Zhang, D. Ma and H. Wu	537–538
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ assignments of the tandem WW domains of human MAGI-1/BAP-1 Y. Kato, A. Akai, R. Suzuki, H. Hosokawa, H. Ninomiya, T. Masaki, K. Nagata and M. Tanokura	539–540
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignment of Cu(I)-pseudoazurin from <i>Alcaligenes faecalis</i> S-6 A. Impagliazzo and M. Ubbink	541–542
$^1\text{H}$ , $^{13}\text{C}$ , $^{15}\text{N}$ resonance assignments of the cytokine LECT2 M. Ito, K. Nagata, F. Yumoto, S. Yamagoe, K. Suzuki, K. Adachi and M. Tanokura	543–544
Backbone resonance assignments of the 18.5 kDa isoform of murine myelin basic protein (MBP) D.S. Libich, V.J. Robertson, M.M. Monette and G. Harauz	545–546
$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ resonance assignments of human 5,10-methenyltetrahydrofolates synthetase E.H. Copeland, I. Ekiel and M. Cygler	547–548

Resonance assignments for the 18 kDa protein CC1736 from <i>Caulobacter crescentus</i>	
Y. Shen, H.S. Atreya, R. Xiao, T.B. Acton, R. Shastry, LC. Ma, G.T. Montelione and T. Szyperski	549–550
<sup>1</sup> H, <sup>15</sup> N, and <sup>13</sup> C chemical shift assignments of the <i>Vibrio harveyi</i> histidine phosphotransferase protein LuxU	
D.L. Ulrich, R. Thompson, B. Bassler, J. Cavanagh and J.P. Loria	551–552
<sup>1</sup> H, <sup>15</sup> N and <sup>13</sup> C resonance assignments of the apo Sm14-M20(C62V) protein, a mutant of <i>Schistosoma mansoni</i> Sm14	
T.A. Pertinhez, M.L. Sforça, A.C. Alves, C.R.R. Ramos, P.L. Ho, M. Tandler, N.I.T. Zanchin and A. Spisni	553–554
Author Index	555–558
Keyword Index	559–562
Volume Contents	563–569