

## Contents of Volume 31, 2005

### Vol. 31 No. 1 January 2005

#### *Research papers*

- Simultaneous  $^1\text{H}$ - or  $^2\text{H}$ -,  $^{15}\text{N}$ - and multiple-band-selective  $^{13}\text{C}$ -decoupling during acquisition in  $^{13}\text{C}$ -detected experiments with proteins and oligonucleotides**  
B. Vögeli, H. Kovacs and K. Pervushin 1–9
- Quantitation of protein expression in a cell-free system: Efficient detection of yields and  $^{19}\text{F}$  NMR to identify folded protein**  
M. Neerathilingam, L.H. Greene, S.A. Colebrooke, I.D. Campbell and D. Staunton 11–19
- Influence of chemical shift tolerances on NMR structure calculations using ARIA protocols for assigning NOE data**  
M. Fossi, J. Linge, D. Labudde, D. Leitner, M. Nilges and H. Oschkinat 21–34
- Efficient and precise measurement of  $\text{H}^\alpha\text{-C}^\alpha$ ,  $\text{C}^\alpha\text{-C}'$ ,  $\text{C}^\alpha\text{-C}^\beta$  and  $\text{H}^{\text{N}}\text{-N}$  residual dipolar couplings from 2D  $\text{H}^{\text{N}}\text{-N}$  correlation spectra**  
R.L. McFeeters, C.A. Fowler, V.V. Gaponenko and R.A. Byrd 35–47
- TEDOR with adiabatic inversion pulses: Resonance assignments of  $^{13}\text{C}/^{15}\text{N}$  labelled RNAs**  
K. Riedel, J. Leppert, O. Ohlenschläger, M. Görlach and R. Ramachandran 49–57

#### *Communication*

- Generation of native-like protein structures from limited NMR data, modern force fields and advanced conformational sampling**  
J. Chen, H.-S. Won, W. Im, H.J. Dyson and C.L. Brooks III 59–64

#### *Letters to the Editor: New NMR assignments*

- Assignments for the *Bombyx mori* pheromone-binding protein fragment BmPBP(1–128) at pH 6.5**  
E. Michel, F.F. Damberger, A.M. Chen, Y. Ishida, W.S. Leal and K. Wüthrich 65
- NMR resonance assignments for the DNA-supercoiling domain of the human protein DEK**  
M. Devany and H. Matsuo 65
- $^1\text{H}$ ,  $^{15}\text{N}$  and  $^{13}\text{C}$  Backbone resonance assignments of the 37 kDa surface antigen protein Bd37 from *Babesia divergens***  
Y.-S. Yang, S. Delbecq, M.-P. Strub, F. Löhr, T. Schettters, A. Gorenflot, E. Precigout and C. Roumestand 67–68
- Backbone  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  assignments of the 25 kDa SPRY domain-containing SOCS box protein 2 (SSB-2)**  
S. Yao, S.L. Masters, J.-G. Zhang, K.R. Palmer, J.J. Babon, N.A. Nicola, S.E. Nicholson and R.S. Norton 69–70
- Resonance assignments of the double-stranded RNA-binding domains of adenosine deaminase acting on RNA 2 (ADAR2)**  
R. Stefl, L. Skrisovska, M. Xu, R.B. Emeson and F.H.-T. Allain 71–72

|   |       |
|---|-------|
| <b>NMR assignments of the cold-shock protein ribosome-binding factor A (RbfA) from <i>Thermotoga maritima</i></b><br>S.K. Grimm and J. Wöhnert  | 73–74 |
| <b>NMR assignments of the DNA-bound human Csx/Nkx2.5 homeodomain and NK2-specific domain</b><br>H.S. Lee, J.M. Gruschus, T. Zhang and J.A. Ferretti   | 75–76 |
| <b><math>^1\text{H}</math>, <math>^{13}\text{C}</math>, <math>^{15}\text{N}</math> backbone and sidechain resonance assignment of Mip<sup>(77–213)</sup> the PPIase domain of the <i>Legionella pneumophila</i> Mip protein</b><br>M. Horstmann, T. Kamphausen, K. Schweimer, M. Steinert, J. Hacker, A. Haase, P. Rösch, G. Fischer and C. Faber | 77–78 |
| <b><math>^1\text{H}</math>, <math>^{13}\text{C}</math>, and <math>^{15}\text{N}</math> resonance assignments of the N-terminal domain of the SARS CoV nucleocapsid protein</b><br>N. Zhong, Q. Huang, C. Jin and B. Xia   | 79–80 |
| <b>Instructions for Authors</b>   | 81–85 |

## Vol. 31 No. 2 February 2005

### *Research papers*

|   |         |
|---|---------|
| <b>A protein backbone <math>\psi</math> and <math>\phi</math> angle dependence of <math>^2J_{\text{N}(i),\text{C}\alpha(i-1)}</math>: The new NMR experiment and quantum chemical calculations</b><br>W. Koźmiński, I. Zhukov, M. Pecul and J. Sadlej   | 87–95   |
| <b>NMR structure determination of proteins supplemented by quantum chemical calculations: Detailed structure of the <math>\text{Ca}^{2+}</math> sites in the EGF34 fragment of protein S</b><br>Y.-W. Hsiao, T. Drakenberg and U. Ryde  | 97–114  |
| <b>A modified strategy for sequence specific assignment of protein NMR spectra based on amino acid type selective experiments</b><br>M. Schubert, D. Labudde, D. Leitner, H. Oschkinat and P. Schmieder   | 115–127 |
| <b><math>^1\text{H}</math> and <math>^{15}\text{N}</math> resonance assignment, secondary structure and dynamic behaviour of the C-terminal domain of human papillomavirus oncoprotein E6</b><br>Y. Nominé, S. Charbonnier, L. Miguet, N. Potier, A. Van Dorsselaer, R.A. Atkinson, G. Travé and B. Kieffer | 129–141 |

### *Communications*

|  |         |
|--|---------|
| <b>A simple method to adjust inconsistently referenced <math>^{13}\text{C}</math> and <math>^{15}\text{N}</math> chemical shift assignments of proteins</b><br>Y. Wang and D.S. Wishart                          | 143–148 |
| <b>Spin-state selection for increased confidence in cross-correlation rates measurements</b><br>P.R. Vasos, J.B. Hall and D. Fushman   | 149–154 |
| <b>Probing protein-peptide binding surfaces using charged stable free radicals and transverse paramagnetic relaxation enhancement (PRE)</b><br>M.L. Deschamps, E.S. Pilka, J.R. Potts, I.D. Campbell and J. Boyd | 155–160 |
| <b>Suppression of anti-TROSY lines in a sensitivity enhanced gradient selection TROSY scheme</b><br>D. Nietlispach   | 161–166 |

*Letter to the Editor: New NMR structures***NMR structure note – Solution structure of a bacterial BolA-like protein XC975 from a plant pathogen *Xanthomonas campestris* pv. *campestris***

K.-H. Chin, F.-Y. Lin, Y.-C. Hu, K.H. Sze, P.-C. Lyu and S.-H. Chou 167–172

*Letters to the Editor: New NMR assignments***<sup>1</sup>H, <sup>15</sup>N, and <sup>13</sup>C resonance assignment of the amino-terminal domain of the Tfb1 subunit of yeast TFIIH**

B.D. Nguyen, P. Di Lello, P. Legault and J.G. Omichinski 173–174

**<sup>1</sup>H, <sup>13</sup>C and <sup>15</sup>N resonance assignments and secondary structure of murine angiogenin 4**

Y.-R. Pan, K.-P. Wu, Y.-C. Lou, Y.-D. Liao and C. Chen 175–176

**Complete resonance assignments of the C-terminal domain from MIC1: A micronemal protein from *Toxoplasma gondii***

S. Saouros, H.A. Chen, P. Simpson, E. Cota, B. Edwards-Jones, D. Soldati-Favre and S. Matthews 177–178

**Backbone and side chain assignments of human Peptidylprolyl Isomerase Like 1 (hPPIL1)**

C. Xu, Y. Xu, Y. Tang, J. Wu, Y. Shi, Q. Huang and Q. Zhang 179–180

**<sup>1</sup>H, <sup>13</sup>C, and <sup>15</sup>N resonance assignments of the 17 kDa Ap<sub>4</sub>A hydrolase from *Homo sapiens* in the presence and absence of ATP**

J.D. Swarbrick, S. Buyya, D. Gunawardana, J.I. Fletcher, K. Branson, B. Smith, S. Pepe, A.G. McLennan, K.R. Gayler and P.R. Gooley 181–182

**<sup>1</sup>H, <sup>15</sup>N and <sup>13</sup>C resonance assignments of the BRCT region of the large subunit of human Replication Factor C**

M. Kobayashi and G. Siegal 183–184

**Vol. 31 No. 3 March 2005***Research papers***Structure of calmodulin complexed with an olfactory CNG channel fragment and role of the central linker: Residual dipolar couplings to evaluate calmodulin binding modes outside the kinase family**

G.M. Contessa, M. Orsale, S. Melino, V. Torre, M. Paci, A. Desideri and D.O. Cicero 185–199

**Measurement of eight scalar and dipolar couplings for methine–methylene pairs in proteins and nucleic acids**

E. Miclet, J. Boisbouvier and A. Bax 201–216

**<sup>1</sup>H–<sup>15</sup>N correlation spectroscopy of nanocrystalline proteins**

C.R. Morcombe, E.K. Paulson, V. Gaponenko, R.A. Byrd and K.W. Zilm 217–230

**Accurate measurement of <sup>15</sup>N–<sup>13</sup>C residual dipolar couplings in nucleic acids**

C.P. Jaroniec, J. Boisbouvier, I. Tworowska, E.P. Nikonowicz and A. Bax 231–241

**Determining the optimal size of small molecule mixtures for high throughput NMR screening**

K.A. Mercier and R. Powers 243–258

*Letters to the Editor: New NMR assignments*

- <sup>1</sup>H, <sup>13</sup>C, and <sup>15</sup>N resonance assignments of SAP18**  
S.A. McCallum, J. Yin and W.J. Fairbrother 259
- NMR assignment of the R-module from the *Azotobacter vinelandii* Mannuronan C5-epimerase AlgE4**  
F.L. Aachmann, B.G. Svanem, S. Valla, S.B. Petersen and R. Wimmer 259
- NMR assignment of the *Xenopus laevis* prion protein fragment xIPrP (98-226)**  
D.R. Pérez and K. Wüthrich 260
- <sup>1</sup>H, <sup>13</sup>C, and <sup>15</sup>N assignments of MMP-12, a key protease implicated in lung tissue remodeling**  
M.A. Markus, B. Dwyer, S. Wolfrom, J. Li, W. Li, K. Malakian, J. Wilhelm and D.H.H. Tsao 260
- Backbone and side-chain <sup>1</sup>H, <sup>15</sup>N, and <sup>13</sup>C assignments for the  $\beta$  domain of the bacterial cell division protein DivIB**  
S.A. Robson, V.Y. Gorbatyuk, M.W. Maciejewski and G.F. King 261–262
- <sup>1</sup>H, <sup>15</sup>N, and <sup>13</sup>C resonance assignments of reduced glutaredoxin C1 from *Populus tremula x tremuloides***  
Y. Feng, N. Rouhier, J.-P. Jacquot and B. Xia 263–264
- <sup>1</sup>H, <sup>15</sup>N and <sup>13</sup>C assignments of the alkaline proteinase inhibitor APRin from *Pseudomonas aeruginosa***  
S. Arumugam, R.D. Gray and A.N. Lane 265–266
- Resonance assignments and secondary structure of hPrxVI, a 25 kDa 1-cys human peroxiredoxin enzyme**  
E. Hong, J. Shin, S.W. Kang, T. Tanaka and W. Lee 267–268
- <sup>1</sup>H, <sup>15</sup>N and <sup>13</sup>C backbone and side-chain assignments of the rice phytochrome B PAS1 domain and backbone assignments of the PAS1-PAS2 domain**  
T. Kobayashi, M. Mishima, K. Akagi, N. Sakai, E. Katoh, M. Takano, T. Yamazaki and C. Kojima 269–270
- Backbone and side chain resonance assignments of a TRAV14-3 mouse T cell receptor domain**  
J.-S. Hu, D. Plaksin and D.H. Margulies 271–272

**Vol. 31 No. 4 April 2005***Articles*

- Detection of C',C $\alpha$  correlations in proteins using a new time- and sensitivity-optimal experiment**  
D. Lee, B. Vögeli and K. Pervushin 273–278
- Residual backbone and side-chain <sup>13</sup>C and <sup>15</sup>N resonance assignments of the intrinsic transmembrane light-harvesting 2 protein complex by solid-state Magic Angle Spinning NMR spectroscopy**  
A.J. van Gammeren, F.B. Hulsbergen, J.G. Hollander and H.J.M. de Groot 279–293
- Detection of dynamic water molecules in a microcrystalline sample of the SH3 domain of  $\alpha$ -spectrin by MAS solid-state NMR**  
V. Chevelkov, K. Faelber, A. Diehl, U. Heinemann, H. Oschkinat and B. Reif 295–310

- Dynamics in the cyclic Enterobacterial common antigen as studied by  $^{13}\text{C}$  NMR relaxation**  
A. Andersson, Å. Ahl, R. Eklund, G. Widmalm and L. Måler 311–320
- A set of HA-detected experiments for measuring scalar and residual dipolar couplings**  
P. Würtz, K. Fredriksson and P. Permi 321–330
- Characterisation of hydrogen bonding networks in RNAs via magic angle spinning solid state NMR spectroscopy**  
K. Riedel, J. Leppert, O. Ohlenschläger, M. Görlach and R. Ramachandran 331–336
- Communications*
- Cross-correlated spin relaxation effects in methyl  $^1\text{H}$  CPMG-based relaxation dispersion experiments: Complications and a simple solution**  
D.M. Korzhnev, A.K. Mittermaier and L.E. Kay 337–342
- Efficient uniform isotope labeling of Abl kinase expressed in Baculovirus-infected insect cells**  
A. Strauss, F. Bitsch, G. Fendrich, P. Graff, R. Knecht, B. Meyhack and W. Jahnke 343–349
- NMR structure notes*
- NMR solution structure of the monomeric form of the bacteriophage  $\lambda$  capsid stabilizing protein gpD**  
H. Iwai, P. Forrer, A. Plückthun and P. Güntert 351–356
- Solution structure of the Src homology 2 domain from the human feline sarcoma oncogene Fes**  
A. Scott, D. Pantoja-Uceda, S. Koshiba, M. Inoue, T. Kigawa, T. Terada, M. Shirouzu, A. Tanaka, S. Sugano, S. Yokoyama and P. Güntert 357–361
- Letters to the Editor: New NMR assignments*
- Backbone assignment of PCF11 CTD binding domain**  
D. Hollingworth, G. Kelly, T.A. Frenkiel, C.G. Noble, I.A. Taylor and A. Ramos 363
- NMR assignments of a low molecular weight protein tyrosine phosphatase (PTPase) from *Bacillus subtilis***  
H. Xu, P. Zhang and C. Jin 363
- $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonance assignments of the first cadherin domain of Cadherin-related neuronal receptor (CNR)/protocadherin  $\alpha$**   
M. Umitsu, H. Morishita, Y. Murata, K. Udaka, H. Akutsu, T. Yagi and T. Ikegami 365–366
- Assignment of the  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  resonances of Mlc1p from *Saccharomyces cerevisiae***  
S. Melino, M. Pennestri, A. Santoprete, P. Bielli, M. Paci, A. Ragnini-Wilson and D.O. Cicero 367–368
- $^1\text{H}$ ,  $^{15}\text{N}$  and  $^{13}\text{C}$  Resonance assignments and secondary structure determination reveal that the minimal Rac1 GTPase binding domain of plexin-B1 has a ubiquitin fold**  
Y. Tong and M. Buck 369–370
- Backbone chemical shift assignments of the LexA catalytic domain in its active conformation**  
M. Okon, R.A. Pfuetzner, M. Vuckovic, J.W. Little, N.C.J. Strynadka and L.P. McIntosh 371–372
- Backbone and side chain  $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  assignments for *Escherichia coli* SdiA1-171, the autoinducer-binding domain of a quorum sensing protein**  
Y. Yao, M.A. Martinez-Yamout and H.J. Dyson 373–374

|  |         |
|--|---------|
| <b>Backbone <math>^1\text{H}</math>, <math>^{13}\text{C}</math> and <math>^{15}\text{N}</math> resonance assignments for the <math>\text{Mg}^{2+}</math>-bound form of the <math>\text{Ca}^{2+}</math>-binding photoprotein aequorin</b> |         |
| W. Ohashi, S. Inouye, T. Yamazaki, Y. Doi-Katayama, S. Yokoyama and H. Hirota  | 375–376 |
| <b>Backbone resonance assignment of the homodimeric, 35 kDa chaperone CesT from enteropathogenic <i>Escherichia coli</i></b>   |         |
| S. Rumpel, H.-Y. Kim, V. Vijayan, S. Becker and M. Zweckstetter  | 377–378 |
| <b>Sequence specific <math>^1\text{H}^{\text{N}}</math>, <math>^{13}\text{C}</math> and <math>^{15}\text{N}</math> resonance assignments of a novel calcium-binding protein from <i>Entamoeba histolytica</i></b>                        |         |
| R. Bansal-Mutalik, S.M. Mustafi, A. Bhattacharya and K.V.R. Chary  | 379–380 |
| <b>Assignment of <math>^1\text{H}</math>, <math>^{13}\text{C}</math>, and <math>^{15}\text{N}</math> resonances of WT matrix protein and its R55F mutant from Mason-Pfizer monkey virus</b>  |         |
| J. Vlach, J. Lipov, V. Veverka, M. Rumlová, T. Ruml and R. Hrabal  | 381–382 |
| <b>Author index Volume 31, 2005</b>  | 383–385 |
| <b>Key word index Volume 31, 2005</b>  | 387–389 |
| <b>Contents of Volume 31, 2005</b>   | 391–396 |