

Contents of Volume 34, 2006

Vol. 34 No. 1 January 2006

Editorial	1
<i>Articles</i>	
Automated protein NMR structure determination in crude cell-extract T. Etezady-Esfarjani, T. Herrmann, R. Horst and K. Wüthrich	3–11
Amino-acid type identification in ^{15}N-HSQC spectra by combinatorial selective ^{15}N-labelling P.S.C. Wu, K. Ozawa, S. Jergic, X.-C. Su, N.E. Dixon and G. Otting	13–21
Rapid preparation of stable isotope labeled peptides that bind to target proteins by a phage library system Y. Mizukoshi, H. Takahashi and I. Shimada	23–30
Determination of all nOes in ^1H–^{13}C–Me-ILV-U–^2H–^{15}N proteins with two time-shared experiments D.P. Frueh, D.A. Vosburg, C.T. Walsh and G. Wagner	31–40
PASA – A program for automated protein NMR backbone signal assignment by pattern-filtering approach Y. Xu, X. Wang, J. Yang, J. Vaynberg and J. Qin	41–56
Instructions for authors	57–62

Online publication of Letters to the Editor: New NMR Assignment

Vol. 34 No. 2 February 2006

<i>Articles</i>	
Assignment strategy for fast relaxing signals: complete aminoacid identification in thulium substituted Calbindin D_{9K} S. Balayssac, B. Jiménez and M. Piccioli	63–73
^{13}C, ^{15}N Resonance assignment of parts of the HET-s prion protein in its amyloid form A.B. Siemer, C. Ritter, M.O. Steinmetz, M. Ernst, R. Riek and B.H. Meier	75–87
Structural basis for non-covalent interaction between ubiquitin and the ubiquitin conjugating enzyme variant human MMS2 M.J. Lewis, L.F. Saltibus, D.D. Hau, W. Xiao and L. Spyracopoulos	89–100
A thorough dynamic interpretation of residual dipolar couplings in ubiquitin N.A. Lakomek, T. Carlonagno, S. Becker, C. Griesinger and J. Meiler	101–115

A refined model for the structure of acireductone dioxygenase from *Klebsiella ATCC 8724* incorporating residual dipolar couplings

T.C. Pochapsky, S.S. Pochapsky, T. Ju, C. Hoefler and J. Liang

117–127

Online publication of Letters to the Editor: New NMR Assignment

Vol. 34 No. 3 March 2006

Articles

Assessment of the effects of increased relaxation dispersion data on the extraction of 3-site exchange parameters characterizing the unfolding of an SH3 domain

P. Neudecker, D.M. Korzhnev and L.E. Kay

129–135

Rapid determination of protein solubility and stability conditions for NMR studies using incomplete factorial design

T. Ducat, N. Declerck, T. Gostan, M. Kochoyan and H. Déméné

137–151

Comparison of different torsion angle approaches for NMR structure determination

B. Bardiaux, T.E. Malliauvin, M. Nilges and A.K. Mazur

153–166

Utilization of methyl proton resonances in cross-saturation measurement for determining the interfaces of large protein–protein complexes

H. Takahashi, M. Miyazawa, Y. Ina, Y. Fukunishi, Y. Mizukoshi, H. Nakamura and I. Shimada

167–177

PR-CALC: A program for the reconstruction of NMR spectra from projections

B.E. Coggins and P. Zhou

179–195

NMR Structure Notes

Solution structure of the FK506-binding domain of human FKBP38

M. Maestre-Martínez, F. Edlich, F. Jarczowski, M. Weiwig, G. Fischer and C. Lücke

197–202

Solution structure of the first Src homology 3 domain of human Nck2

S. Park, K. Takeuchi and G. Wagner

203–208

Online publication of Letters to the Editor: New NMR Assignment

Vol. 34 No. 4 April 2006

Articles

Accuracy of optimized chemical-exchange parameters derived by fitting CPMG R_2 dispersion profiles when $R_2^{0a} \neq R_2^{0b}$

R. Ishima and D.A. Torchia

209–219

Structural studies of Bcl-xL/ligand complexes using ^{19}F NMR

L. Yu, P.J. Hajduk, J. Mack and E.T. Olejniczak

221–227

Computational and empirical trans-hydrogen bond deuterium isotope shifts suggest that N1–N3 A:U hydrogen bonds of RNA are shorter than those of A:T hydrogen bonds of DNA	
Y.-I. Kim, M.N. Manalo, L.M. Peréz and A. LiWang	229–236
Combining NMR relaxation with chemical shift perturbation data to drive protein–protein docking	
A.D.J. van Dijk, R. Kaptein, R. Boelens and A.M.J.J. Bonvin	237–244
Band-selective ^{13}C homonuclear 3D spectroscopy for solid proteins at high field with rotor-synchronized soft pulses	
D.H. Zhou, K.D. Kloepper, K.A. Winter and C.M. Rienstra	245–257
Identification of zinc-ligated cysteine residues based on $^{13}\text{C}\alpha$ and $^{13}\text{C}\beta$ chemical shift data	
G.J. Kornhaber, D. Snyder, H.N.B. Moseley and G.T. Montelione	259–269
Author index	271
Key word index	273–274
Volume Contents	275–277

Online publication of Letters to the Editor: New NMR Assignment