
This article was downloaded by: On: 23 January 2011 Access details: Access Details: Free Access Publisher Taylor & Francis Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



To cite this Article (1999) 'Errata', Journal of Carbohydrate Chemistry, 18: 8, 1033 – 1035 To link to this Article: DOI: 10.1080/07328309908544052 URL: http://dx.doi.org/10.1080/07328309908544052

## PLEASE SCROLL DOWN FOR ARTICLE


Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.


## ERRATA

The manuscript entitled "Crystalline Transformation of Chitosan from Hydrated to Anhydrous Polymorph via Chitosan Monocarboxylic Acid Salts" by J. Kawada, Y. Abe, T. Yui, K. Okuyama and K. Ogawa published in Volume 18, Number 5, 1999 contained a figure rotated out of position. The correct figure is shown below.



**Figure 1.** Fiber patterns of the chitosan formic (top) and acetic (bottom) acid salts. Left: freshly prepared, right: aged at 100% r.h. Fiber axes are vertical. The formic acid salt was prepared at 25 °C for 3 h, and the acetic acid salt, at 110 °C for 10 min.


The following two pages were omitted from "Preparation of Primary and Secondary Azidosugars from Diols Using the Dioxaphosphorane Methodology" by D. Lafont and P. Boullanger, published in Volume 18, Number 6, pages 675-688. They should follow page 678 in the published article.



1 
$$R^2 = R^3 = Bn, R^4 = R^6 = OH$$
  
2  $R^2 = R^3 = Bn, R^4 = OTMS, R^6 = N_3$   
3  $R^2 = R^3 = Bn, R^4 = OH, R^6 = N_3$   
4  $R^2 = R^3 = Ac, R^4 = R^6 = OH$   
5  $R^2 = R^3 = Ac, R^4 = OTMS, R^6 = N_3$   
21  $R^2 = R^3 = Bn, R^4 = R^6 = N_3$   
23  $R^2 = R^3 = Bn, R^4 = N_3, R^6 = OH$   
27  $R^2 = R^3 = Bn, R^4 = N_3, R^6 = OTMS$ 

$$R^{3}O$$
  $R^{2}OOMe$ 

 $R^2 = R^3 = Ac$ ,  $R^4 = R^6 = OH$  $R^2 = R^3 = Ac$ ,  $R^4 = OTMS$ ,  $R^6 = N_3$  $R^2 = R^4 = Ac$ ,  $R^3 = OTMS$ ,  $R^6 = N_3$  $R^2 = R^4 = Ac$ ,  $R^3 = R^6 = OTMS$  $R^2 = R^3 = Bn$ ,  $R^4 = R^6 = OH$  $R^2 = R^3 = Bn$ ,  $R^4 = OH$ ,  $R^6 = N_3$  $R^2 = R^3 = Bn$ ,  $R^4$ ,  $R^6 = OTMS$  $R^2 = R^3 = Bn$ ,  $R^4 = OTMS$ ,  $R^6 = N_3$ 



- 6  $R^3 = Bn, R^5 = OH, R^6 = CH_2OH$ 7  $R^3 = Bn, R^5 = OTMS, R^6 = CH_2N_3$ 8  $R^3 = Bn, R^5 = OH, R^6 = CH_2N_3$ 9  $R^3 = Ac, R^5 = OH, R^6 = CH_2OH$ 10  $R^3 = Ac, R^5 = OTMS, R^6 = CH_2N_3$ 11  $R^3 = H, R^5 = OH, R^6 = H$ 12  $R^3 = TMS, R^5 = N_3, R^6 = H$ 13  $R^3 = TMS, R^5 = OTMS, R^6 = H$
- 14  $R^3 = H, R^5 = N_3, R^6 = H$

