

Between 40° and 70°C, the decomposition is unimolecular:

$$k_{\text{specific}} = 1.5 \times 10^8 \exp -(13200/RT) \text{ sec}^{-1}\text{m}^2.$$

Between 90° and 110°C, the biomolecular mechanism takes over:

$$k_{\text{specific}} = 3.6 \times 10^{10} \exp -(24600/RT) \text{ liters/mole-sec-m}^2.$$

Data on products and changes of catalytic activity with time are given. The authors also compared data obtained by the inhibitor technique with those obtained by the direct decomposition of the hydroperoxide.

Modification of the Iron Catalyst for Ammonia Synthesis by Certain Metals

P. D. RABINA, L. D. KUZNETSOV,
E. KH. ENIKHEYEV, AND
M. M. IVANOV

The State Research and Design Institute for the Nitrogen and the Organic Synthesis Industries; Chemical Department, The Lomonosov State University, Moscow

The authors have studied the activities and work functions of industrial type GK catalysts for the ammonia synthesis. Various concentrations of Cu, Ni, and Co were introduced, and these caused changes in activity which could be correlated with changes in the work function. Addition of cobalt (0-4%) does not alter either the $\Delta\phi$ or the $\log k_{\text{specific}}$, but Ni and Cu increase the $\Delta\phi$ and decrease the k_{specific} .

Integrated Study of the Porosity of Catalysts. I. Some Questions on the Present Status of the Sorption Technique

A. P. KARNAUKHOV

The Institute of Catalysis, Siberian Department, Academy of Sciences, USSR

Analysis of the capillary condensation technique showed that its accuracy in determining the porosity of solids can be improved if one knows the shape of the pores; the latter can be found by electron microscopy. The author also analyzed the methods for selecting (for calculations) one branch of the capillary condensation hysteresis curve, as well as the selection of adsorbates. He shows that much better results are obtained by using the desorption data.

The Effect of Adsorption of Metal Vapor on the Conductivity of Zinc Oxide Films

I. A. MYASNIKOV AND E. V. BOL'SHUN
The Karpov Physicochemical Institute

Vapors of Na, Zn, and In were adsorbed on thin zinc oxide films, and the conductivity of the latter was then measured. The kinetics of ZnO conductivity under the influence of metal vapors were studied, and it was shown that all metals act as donors on the ZnO surface. Their behavior is extremely complex. The thin ZnO film technique permits detection of very small concentrations (less than 10^7 - 10^8 atoms/cm³) of metal atoms. By a probe technique the authors have measured the evaporation of these nonstoichiometric Na atoms from the ZnO surface, and have determined the heats of vaporization.

Supported Chromium Oxide Catalysts for Polymerization of Ethylene. The Reason for Stabilization of Hexavalent Chromium

L. G. KARAKCHIYEV, YU. I. ERMAKOV,
AND G. D. KOLOVERTNOV

The Institute of Catalysis, Siberian Department, Academy of Sciences, USSR

Spectral analysis of these catalysts shows that deposition of chromium trioxide on silica gel or an aluminum silicate with a low aluminum content leads to formation of bichromate ions on the surface, but that chromate ions are formed on γ -Al₂O₃. It is this formation of salts of chromic acids that stabilizes the hexavalent chromium upon the deposition of chromium trioxide on supports.

Effect of the Preparative Technique on the Porosity and Strength of Catalysts and Supports. I. Silica Gels of Uniform Porosity

V. A. DZIŠKO, D. V. TARASOVA,
AND G. P. VISHNYAKOVA

The Institute of Catalysis, Siberian Department, Academy of Sciences, USSR

The authors have studied the porosity and strength of silica gels of uniform porosity as functions of the moisture content of the paste used as the starting material, the activation treatment and the calcining temperature. It was found that at lower moisture contents in the paste, the volume and radius of the pores decreases. The increase in strength accompanying this phenomenon is due to the increased number of contacts between individual globules, with no reduction in strength