

## Cumulative Subject Index for Volumes 205–212<sup>1</sup>

### A

- Acetaldehyde  
formation by acetic acid reduction  
over FePt catalysts, **209**, 87  
over iron catalysts  
kinetics, **208**, 158  
Mössbauer spectroscopy, DRIFTS, TPD, and TPR studies, **208**, 170  
formation by ethanol oxidation over Pt catalysts, electrochemical promotion, **211**, 521
- Acetic acid  
formation by partial oxidation of ethane over Mo<sub>1</sub>V<sub>0.25</sub>Nb<sub>0.12</sub>Pd<sub>0.0005</sub>O<sub>x</sub> catalyst performance and reaction mechanism, **205**, 16  
kinetic modeling, **205**, 32  
hydrogenolysis to ethanol over Pd(111), Re(0001), and PdRe alloys, reaction paths in, **209**, 289  
reduction to acetaldehyde over iron catalysts  
kinetics, **208**, 158  
Mössbauer spectroscopy, DRIFTS, TPD, and TPR studies, **208**, 170  
reduction by H<sub>2</sub>  
on PtFe catalysts, **209**, 87  
on supported Pt catalysts, DRIFTS and TPD/TPR study, **207**, 317
- Acetone  
direct synthesis of MIBK from, over bifunctional metal/base catalysts, **209**, 166  
formation by selective oxidation of propylene, supported V<sub>2</sub>O<sub>5</sub> catalysts for, microcalorimetric adsorption study, **205**, 248
- d*<sub>3</sub>-Acetonitrile  
in analysis of accessible sites for skeletal isomerization of *n*-butene over aged H-ferrierite, **212**, 86
- Acetophenone  
aldol condensation of benzaldehyde with, on basic solids, **208**, 30  
derivatives, racemic and enantioselective Pt-catalyzed hydrogenation, **209**, 489
- Acetylene  
carburizing mixture with H<sub>2</sub>, molybdenum carbide preparation with, **211**, 183  
furan synthesis from, over β-UO<sub>3</sub>, **206**, 155  
partial hydrogenation over Pt/Pb alloy, catalyst composition and performance during, *in situ* electrochemical control, **210**, 237  
selective hydrogenation on TiO<sub>2</sub>-added Pd catalysts, **208**, 310
- Acidity  
Ce-containing MCM-41-type mesoporous materials, **207**, 213  
importance in selective ring opening of six-membered-ring naphthenes, **210**, 137  
MCM-22 with different Al concentrations, **206**, 23  
mesoporous acid catalysts for gas-phase synthesis of MTBE from MeOH and Bu'OH, **209**, 433; *erratum*, **211**, 566  
modified zeolite BEA surface, effect on cycloisomerization of 5-(*o*-tolyl)-pentene, **207**, 183  
NaY zeolite, modification by H<sub>2</sub>S adsorption, IR study, **207**, 353  
NiSO<sub>4</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts, relationship to ethylene dimerization activity, **209**, 69  
role in skeletal isomerization of 1-butene, **211**, 216  
SAPO-34 catalysts for oxidative dehydrogenation of ethane, **208**, 479  
silica–zirconia aerogels, modification by *in situ* and *ex situ* sulfation, **210**, 218  
SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>/MCM-41 acid catalysts, effect of ZrO<sub>2</sub> loading, **205**, 318  
Y zeolites used in formulation of FCC catalysts, impact of deactivation conditions, FTIR study, **211**, 64
- zeolite beta  
effect of steam activation: Al *K* edge XANES study of aluminum coordination, **211**, 540  
on surface, effect of treatment with NaAlO<sub>2</sub> solution, **205**, 58
- Acid sites, *see also* Brønsted acid sites; Lewis acid sites  
external, on Mo/H-ZSM-5, silanation of, effects on structure and catalytic behavior, **206**, 14
- Acrolein  
adsorption structures on Pt(111), DFT study, **211**, 398  
partial oxidation to acrylic acid, kinetics and oxygen activity in single-phase oxidic catalysts and their mixture during, simultaneous determination, **209**, 177
- Acrylic acid  
formation by oxidation of propane and propene over MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445  
formation by partial oxidation of acrolein, kinetics and oxygen activity in single-phase oxidic catalysts and their mixture during, simultaneous determination, **209**, 177  
formation by propane oxidation on Mo–V–Sb–Nb mixed oxide catalysts, **211**, 226
- Acrylonitrile  
production by propane ammoxidation  
FeVSbO<sub>4</sub> mixed oxide catalysts for, active site characterization, **205**, 97  
Sb–V–O/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for, effects of Sb/V ratio and Sb + V coverage, **206**, 339  
Ritter-type reaction with isopropyl alcohol over H–ZSM-5 to form *N*-isopropylacrylamide, **207**, 194
- Actinides  
carbon efficiency and surface chemistry, **206**, 155
- Activated carbon  
FeO<sub>x</sub>-modified, support of Au catalysts, CO oxidation at low temperature, **210**, 149  
support of  
Au(0) sols, for liquid-phase oxidation of ethylene glycol, **211**, 464  
Pd catalysts, hydrodechlorination of chlorine-containing organic compounds, reaction steps, **211**, 192
- Activation energy  
relationship to stability of reaction intermediates, density functional theory calculations, **209**, 275
- Active carbon  
support of Pd–Cu catalysts, nitrate hydrogenation to nitrogen in water, **207**, 37  
support of Ru catalysts, NH<sub>3</sub> synthesis, working state of Ba promoter in, **211**, 33
- Active sites  
FeVSbO<sub>4</sub> mixed oxide catalysts for propane ammoxidation, **205**, 97  
Fe-ZSM-5 zeolites, in selective catalytic reduction of NO by isobutane, **212**, 157

<sup>1</sup> Numbers in boldface type refer to volumes; numbers in lightface type refer to pages.

- H-ZSM-5 with low Fe concentrations, in benzene oxidation to phenol with N<sub>2</sub>O, **211**, 109
- Ni catalysts for steam reforming, graphite formation at, **209**, 365
- silica catalysts, concentration of, effect on partial oxidation of CH<sub>4</sub> to formaldehyde, **207**, 232
- solid bases, determination of number of, isophorone isomerization as model reaction for, **211**, 144
- TiO<sub>2</sub>, for photocatalytic oxidation of formic acid, effects of H<sub>2</sub>O and temperature, **209**, 105
- Adipic acid  
formation by oxidation of cyclohexane, cyclohexanone, and cyclohexanol by non-HNO<sub>3</sub> route over Co/Mn cluster complexes, **212**, 39
- Adiponitrile  
selective half-hydrogenation to aminocapronitrile on Ni-based catalysts from lamellar double hydroxide precursors, **211**, 511
- Adsorption  
butadiene on Ag/α-Al<sub>2</sub>O<sub>3</sub> catalysts, effects of Cs and Cl, **206**, 29
- carbon monoxide  
on PtAu cluster-derived catalysts, **212**, 125  
on reduced Cr/SiO<sub>2</sub> system, theoretical analysis, **205**, 177
- cinchonidine on Pd/Al<sub>2</sub>O<sub>3</sub>, comparison with adsorption on Pt/Al<sub>2</sub>O<sub>3</sub>, *in situ* AT-IR study, **210**, 160
- 2,4-dinitrotoluene on Pd/C catalysts, computational study, **211**, 296
- dynamic and static studies of Co catalysts supported on Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>, and TiO<sub>2</sub>, **212**, 10
- on Gd-Pd/TiO<sub>2</sub> sol-gel catalysts in NO reduction with CH<sub>4</sub>, DRIFTS and TPD studies, **210**, 295
- hydrogen sulfide by NaY zeolite, effect on acidic properties, IR study, **207**, 353
- isothermal, N<sub>2</sub> on Cs-promoted binary nitride catalysts, **208**, 180
- nitric oxide and NO + O<sub>2</sub> on WO<sub>3</sub>-ZrO<sub>2</sub> catalysts, surface species formed after, nature and reactivity, **209**, 539
- nitrogen dioxide on transition metal zeolite model, theoretical study, **205**, 107
- nitrous oxide on Fe-ZSM-5, **209**, 151
- olefins on H-[Fe]ZSM-5, Brønsted acid sites for, **210**, 106
- sulfur dioxide on Pd/ceria catalysts, species formed by, TPD and FTIR studies, **210**, 397
- (*R,R*)-tartaric acid on Cu(110), chiral phase creation by, molecular details, **205**, 123
- unsaturated aldehydes on Pt(111), structures in, DFT study, **211**, 398
- Adsorption energy  
relationship to catalytic activity, **209**, 275
- Aerogels  
iron oxide-silica, catalysis of selective oxidation of NH<sub>3</sub> and reduction of NO by NH<sub>3</sub>, **206**, 143
- MnO<sub>x</sub>-SiO<sub>2</sub>, synthesis, structure, and selective oxidation of NH<sub>3</sub>, **207**, 88
- silica-zirconia, acid properties, modification by *in situ* and *ex situ* sulfation, **210**, 218
- Alcohols  
electrooxidation using cerium salts as mediators: importance of substrate size in catalyst regeneration, **209**, 394
- formation by Meerwein-Ponndorf-Verley reduction of ketones, beta zeolite active in, Al-Lewis site structure, **210**, 171
- liquid-phase aerobic oxidation on Pd catalysts, role of oxygen, **211**, 244
- selective gas-phase oxidation using light-activated TiO<sub>2</sub>, **211**, 434
- Aldehydes  
partial oxidation to carboxylic acid, kinetics and oxygen activity in single-phase oxidic catalysts and their mixture during, simultaneous determination, **209**, 177
- unsaturated, adsorption structures on Pt(111), DFT study, **211**, 398
- Alcohol condensation  
benzaldehyde with acetophenone on basic solids, **208**, 30
- in one-step synthesis of 4-methyl-2-pentanone from 2-propanol, **208**, 114
- Aldonic acids  
Ruff oxidative degradation, catalysis by Cu(II)-containing solids, **209**, 217
- Alkaline carbonates  
*in situ* generation of strong bases from, **205**, 244
- Alkaline earth carbonates  
*in situ* generation of strong bases from, **205**, 244
- n*-Alkanes  
C<sub>7</sub> and C<sub>9</sub>, molecular competition in vapor- and liquid-phase hydroconversion over bifunctional Pt-USY zeolites, **210**, 445
- Alkenes  
epoxidation, catalysis by chiral and achiral nitrogen-base adducts of methyltrioxorhenium(VII), **210**, 192
- hydrogenation, size- and shape-selective reactions over SiO<sub>2</sub>-attached molecular-imprinting Rh dimer catalyst, **211**, 496
- nonfunctionalized, enantioselective epoxidation over Jacobsen catalyst analogue with in-built phase transfer capability, **209**, 99
- terminal, hydrogenation, extremely active catalysts for, **205**, 294
- Alkylation  
aromatic compounds over zeolite ITQ-17, effects of pore-volume topology, **207**, 46
- isobutane with 2-butene using large-pore zeolites, catalyst activity and selectivity in, effect of pore structure, **211**, 6
- toluene by styrene over silica-zirconia-supported heteropoly acid catalysts, **212**, 231
- Alkyl carbonates  
unsymmetrical, synthesis from diethyl carbonate over MCM-41-TBD, **205**, 199
- Allyl alcohol  
epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Allylbenzene  
epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- isomerization over base catalysts, **211**, 556
- Allyl bromide  
epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Allyl chloride  
epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Allylic alcohols  
secondary, formation by reduction of prostaglandin unsaturated ketones by hydrogen transfer over mesoporous supported PtSn catalysts, **206**, 218
- Aluminum  
Al-Lewis site structure in beta zeolite active in Meerwein-Ponndorf-Verley reduction of ketone to alcohol, **210**, 171
- concentrations in MCM-22, effects on acid and catalytic properties, **206**, 23
- Cu-Zn-Al catalyst, reverse topotactic transformation during wet Pd impregnation, relevance for methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, **210**, 273
- Cu-Zn-Zr-Al-O catalyst, direct synthesis of ethanol from ethyl acetate under pressure, **212**, 207
- extraframework species in zeolites, ab initio molecular dynamics simulation, **209**, 480
- incorporation into MCM-41 structure by thermal treatment of AlCl<sub>3</sub>-grafted Si-MCM-41, **205**, 221
- Ni model alloys with, electrocatalytic activity, **207**, 23
- Aluminum chloride  
AlCl<sub>3</sub>-grafted Si-MCM-41, surface properties and Al incorporation, effect of thermal treatment conditions, **205**, 221

## Aluminum oxide

- Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>, support of PtSn catalysts, microstructure and oxidative dehydrogenation of *n*-butane, **208**, 467
- Ba-Al<sub>2</sub>O<sub>3</sub>, support of Pd catalysts for combustion reactions, characterization and activity, **207**, 139
- BaO/Al<sub>2</sub>O<sub>3</sub>, support of Pt catalysts, NO<sub>2</sub> ↔ NO + 1/2O<sub>2</sub> reaction, effects of Pt oxide formation and Pt dispersion, **210**, 340
- (Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub>, support of Pd-Ce catalysts, CO and NO elimination, effects of Cu, **206**, 281
- chlorinated, catalysis of *n*-propylbenzene hydrodealkylation in reforming conditions, kinetics and mechanism, **210**, 431
- Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts, hydrogen production by partial oxidation of methanol: effect of catalyst initial state on start-up behavior of reformer, **212**, 112
- Ga<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, selective catalytic reduction of NO by propene, *in situ* FTIR study, **206**, 114
- La-Al<sub>2</sub>O<sub>3</sub>, support of Pd catalysts for combustion reactions, characterization and activity, **207**, 139
- MoO<sub>x</sub> dispersed as small domains on, selective oxidation of dimethyl ether to formaldehyde, **208**, 1
- SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, catalysis of isopropylation of *m*-xylene, comparison with USY zeolite, **212**, 216
- SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, support of
- Cr<sub>2</sub>O<sub>3</sub> catalysts, oxidative dehydrogenation of propane: effects of support and chromia loading, **211**, 482
  - NiMo catalysts, hydrodenitrogenation of methylcyclohexylamine, **210**, 183
  - Pd and Pt catalysts, hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63
- sol-gel, nickel formate decomposition on, product of, characterization by XPS and TOF-SIMS, **205**, 7
- support of
- Au catalysts, chloride in, effect on selective catalytic oxidation of carbon monoxide, **210**, 375
  - CeO<sub>2</sub>-ZrO<sub>2</sub> catalysts, reducibility and structure of, effects of preparation method and redox treatment, **209**, 417
  - chromia dehydrogenation catalysts, irreversible deactivation of, spectroscopic study, **210**, 418
  - Co catalysts, characterization, **212**, 10
  - CoMo catalysts, hydrodenitrogenation of methyl-substituted quinolines, **212**, 201
  - Cr<sub>2</sub>O<sub>3</sub> catalysts, oxidative dehydrogenation of propane: effects of support and chromia loading, **211**, 482
  - CuAg catalysts, for NH<sub>3</sub> oxidation to nitrogen at low temperature, **206**, 60
  - Cu sol-gel catalysts, reduction of NO by urea under lean conditions, **208**, 15
  - Fe catalysts, NO-assisted decomposition of N<sub>2</sub>O, **208**, 211
  - In<sub>2</sub>O<sub>3</sub> catalysts for NO<sub>x</sub> reduction in lean conditions, **210**, 97
  - KF catalysts, epoxidation of activated olefins, **211**, 150
  - MoO<sub>3</sub> catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
  - Nb<sub>2</sub>O<sub>5</sub> catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
  - Ni catalysts
    - ex situ* presulfided, for pyrolysis gasoline hydrogenation, **209**, 245
    - Mn-promoted, CO<sub>2</sub> reforming of methane, **209**, 6
  - NiMo catalysts
    - hydrodenitrogenation of methylcyclohexylamine, **210**, 183
    - hydrodenitrogenation of methyl-substituted quinolines, **212**, 201
  - NiW sulfided catalysts, WS<sub>2</sub> morphology and dispersion in, effects of fluorine, HRTEM study, **206**, 368

## Pd catalysts

- adsorption of cinchonidine, comparison with adsorption on Pt/Al<sub>2</sub>O<sub>3</sub>, *in situ* AT-IR study, **210**, 160
- hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- liquid-phase aerobic oxidation of alcohols, role of oxygen, **211**, 244

## Pt catalysts

- adsorption of cinchonidine, comparison with adsorption on Pt/Al<sub>2</sub>O<sub>3</sub>, *in situ* AT-IR study, **210**, 160
- chlorine effects during oxidation reactions, kinetics, FTIR, and controlled atmosphere EXAFS study, **209**, 341
- CO oxidation, experimental and kinetic model for lights-off tests in excess CO, **209**, 126
- dehydrogenation of methylcyclohexane to toluene, performance of porous Vycor in, **212**, 182
- hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- NO<sub>2</sub> ↔ NO + 1/2O<sub>2</sub> reaction, effects of Pt oxide formation and Pt dispersion, **210**, 340
- NO reduction by H<sub>2</sub>, promoter effects in, **208**, 435
- oxidation of adsorbed CO species, mass spectroscopic kinetic study, **209**, 114
- PtRe catalysts, heptane reforming over, reaction network, kinetics, and catalyst deactivation, **206**, 188
- vanadia catalysts, oxidative dehydrogenation of ethane and propane, effects of catalyst structure, **208**, 139
- V<sub>2</sub>O<sub>5</sub> catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- W sulfided catalysts, WS<sub>2</sub> morphology and dispersion in, effects of fluorine, HRTEM study, **206**, 368

 $\alpha$ -Aluminum oxide

- support of Ag catalysts, butadiene adsorption on, effects of Cs and Cl, **206**, 29
- support of Pt catalysts, oxidative dehydrogenation of ethane at millisecond contact times, effect of chlorine addition, **212**, 46

 $\gamma$ -Aluminum oxide

- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, support of *in situ* fluorinated NiMoS catalysts, hydrogenation of cyclohexene, **207**, 286
- hydroxyl groups on surface of, DFT study, **211**, 1
- passivated Ni-on-alumina catalysts for toluene hydrogenation, *in situ* reactivation in dielectric field, **207**, 1

## support of

- Au catalysts
  - active morphology, EXAFS analysis, **209**, 62
  - prepared by impregnation, low-temperature CO oxidation, **206**, 305; corrigendum, **211**, 283
- Co-based Fischer-Tropsch catalysts, effects of thermal treatment, *in situ* XRD study, **205**, 346
- Co catalysts, CO<sub>2</sub> reforming of CH<sub>4</sub>, carbon deposition and catalytic deactivation during, **205**, 289
- CrO<sub>x</sub> catalysts, characterization by kinetic analysis of H<sub>2</sub>-TPR data, **207**, 57
- CuCl<sub>2</sub> catalysts, effects of exposure to O<sub>2</sub> and HCl, **205**, 375
- KF catalysts, hydrogen transfer reduction of 4-*tert*-butylcyclohexanone and aldol condensation of benzaldehyde with acetophenone, **208**, 30
- Ni catalysts promoted with Mn, CO<sub>2</sub> reforming of methane, **209**, 6
- NiMoS catalysts fluorinated *in situ*, hydrogenation of cyclohexene, **207**, 286
- NiMo sulfided and reduced catalysts, hydrodeoxygenation of benzofuran, reaction network of, **206**, 177
- NiSO<sub>4</sub> catalysts, ethylene dimerization, relationship to acidic properties, **209**, 69

- Pd catalysts  
 Ba-promoted, for emission control of natural gas vehicles and bio-fuel combustion systems, **206**, 248  
 for combustion reactions, characterization and activity, **207**, 139  
 ethanol steam reforming, hydrogen production in, **209**, 306
- Pt catalysts  
 benzene and chlorobenzene combustion, mechanistic study, **211**, 355  
 CO oxidation in H<sub>2</sub> at low temperature for PEM fuel cells, pretreatment promoting, **210**, 460  
 dihydrocinchonidine-modified, enantioselective hydrogenation of ethyl pyruvate in acetic acid, ESI-MS study, **205**, 168
- PtRh catalysts, CO + NO reaction kinetics, effects of ceria incorporation in noble metals, **207**, 202
- PtSn catalysts, microstructure and oxidative dehydrogenation of *n*-butane, **208**, 467
- PtSn highly dispersed particles, effect on size and composition, **211**, 335
- Ru nanoparticle catalysts, methane reaction with NO, **207**, 66
- Sb-V-O catalysts for propane ammoxidation to acrylonitrile, effects of Sb/V ratio and Sb + V coverage, **206**, 339
- VO<sub>x</sub> catalyst, oxidative dehydrogenation of propane, Raman spectroscopy with online activity measurement, **209**, 197
- V<sub>2</sub>O<sub>5</sub> catalysts for selective oxidation of propylene to acetone, microcalorimetric adsorption study, **205**, 248
- δ-Aluminum oxide  
 support of Pt-Ge catalysts, behavior in transformation of hydrocarbons, **208**, 490
- Aminocapronitrile  
 formation by selective half-hydrogenation of adiponitrile on Ni-based catalysts from lamellar double hydroxide precursors, **211**, 511
- Ammonia  
 H<sub>2</sub>/D<sub>2</sub> exchange with, in analysis of NO reduction by H<sub>2</sub> on Pd monolith, **210**, 17  
 oxidation to nitrogen at low temperature, Cu-Ag/Al<sub>2</sub>O<sub>3</sub> catalysts for, **206**, 60  
 selective catalytic oxidation to nitrogen  
 over Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> prepared by sol-gel method, **207**, 158  
 over iron oxide-silica aerogels, **206**, 143  
 over MnO<sub>x</sub>-SiO<sub>2</sub> aerogels, **207**, 88  
 selective catalytic reduction of NO  
 over egg-shell MnO<sub>x</sub>/NaY composite catalysts, **206**, 98  
 over Fe<sup>3+</sup>-exchanged mordenite, catalytic performance, characterization, and mechanism, **207**, 274  
 over Fe-ZSM-5 catalyst, mechanism, **207**, 224  
 over fluorinated carbon-supported Pt catalysts, catalyst-support interaction in, **211**, 308  
 over HZSM-5, effects of steaming and sodium exchange, **208**, 106  
 over iron oxide-silica aerogels, **206**, 143  
 selective catalytic reduction of NO<sub>2</sub> over HZSM-5  
 effects of steaming and sodium exchange, **208**, 106  
 kinetics, **208**, 100
- synthesis  
 on Ba-promoted Ru/BaX catalyst, isotopic transient analysis, importance of product readsorption during, **211**, 379  
 on Cs-promoted binary nitride catalysts, **208**, 180  
 on Cs-promoted Ru/MgO catalysts, isotopic transient kinetic analysis, **210**, 387  
 optimal catalyst curves: linkage of density functional theory with industrial reactor design and catalyst selection, **205**, 382  
 on Ru-Ba catalysts supported on graphitic nanofilaments, **211**, 278  
 on Ru-based catalysts, kinetics, effect of Ba and Cs, **205**, 205  
 on Ru catalyst supported on active carbon, working state of Ba promoter in, **211**, 33  
 by selective catalytic reduction of NO<sub>2</sub> with C<sub>2</sub>H<sub>4</sub> over H-ferrierite, **211**, 53
- Ammoxidation  
 propane, FeVSbO<sub>4</sub> mixed oxide catalysts for, active site characterization, **205**, 97  
 propane to acrylonitrile, Sb-V-O/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for, effects of Sb/V ratio and Sb + V coverage, **206**, 339
- Amorphous aluminosilicates  
 support of Pd catalysts  
 hydrodesulfurization activity, effect of gold, **212**, 56  
 hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63
- Aniline  
 and derivatives, oxidative carbonylation in syntheses of carbamates and symmetric ureas, polymer-immobilized Au catalysts for, **211**, 548
- Annular reactor  
 selective gas-phase oxidation of alcohols using light-activated TiO<sub>2</sub>, **211**, 434
- Anode materials  
 La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3-δ</sub> for solid oxide fuel cell, surface properties and physicochemical characterization, **209**, 25
- Anomalous small-angle X-ray scattering  
 nonpyrophoric Raney-type Ni catalyst, **205**, 354
- Anthracene  
 complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42
- Anti-Anderson-Schultz-Flory distribution  
 Fischer-Tropsch hydrocarbons in supercritical-phase reactions, **207**, 371
- Antimony  
 Mo-V-Sb-Nb mixed oxide catalysts, oxidation of propane kinetics and mechanistic studies, **211**, 226  
 mechanism, effect of catalyst activation methods, **211**, 235  
 Sb-V-O/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for propane ammoxidation to acrylonitrile, effects of Sb/V ratio and Sb + V coverage, **206**, 339  
 tin oxide nanophase catalysts doped with, correlated atomic resolution microscopy and spectroscopy, **205**, 266
- Antisolvent precipitation  
 with supercritical CO<sub>2</sub>, amorphous vanadium phosphate catalysts prepared by, **208**, 197
- Arabinonic acid  
 catalytic hydrogenation to arabitol, **208**, 247
- D-Arabinose  
 formation by Ruff oxidative degradation of calcium D-gluconate, catalysis by Cu(II)-containing solids, **209**, 217
- Arabitol  
 formation by catalytic hydrogenation of arabinonic acid and lactones, **208**, 247
- Aromatic compounds  
 complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42  
 formation by CH<sub>4</sub> conversion in direct plasma-catalytic process, **206**, 91  
 halogenated, hydrodehalogenation over Ni/SiO<sub>2</sub> catalysts, cleavage of C-Cl and C-Br bonds in, **211**, 451  
 product selectivity and distribution in ethene conversion over H-GaAlMFI zeolite, effects of temperature, **205**, 398
- Aromatization  
 methane, Mo/HMCM-22 catalysts for, carbonaceous deposition on, temperature-programmed studies, **208**, 260
- Arylation  
 oxidative, ethylene with benzene over Rh catalysts for direct synthesis of styrene, **206**, 272
- Attenuated total reflection infrared spectroscopy  
 cinchonidine adsorption on Pd/Al<sub>2</sub>O<sub>3</sub> or Pt/Al<sub>2</sub>O<sub>3</sub>, **210**, 160  
 oxygen role in liquid-phase aerobic oxidation of alcohols on Pd catalysts, **211**, 244

## Automotive emissions

microwave-assisted purification, **211**, 560

## Automotive fuel

processing, noble metal-based water–gas shift catalysts for, evaluation, **206**, 169

## B

## Barium

Ba–Al<sub>2</sub>O<sub>3</sub>, support of Pd catalysts for combustion reactions, characterization and activity, **207**, 139

effect on kinetics of Ru/MgO in NH<sub>3</sub> synthesis, **205**, 205

effects on skeletal isomerization of 1-butene over clinoptilolite, **211**, 216

Pd catalysts promoted with, for emission control of natural gas vehicles and biofuel combustion systems, **206**, 248

promoter in Ru catalyst supported on active carbon, working state in NH<sub>3</sub> synthesis, **211**, 33

Ru–Ba catalysts supported on graphitic nanofilaments for NH<sub>3</sub> synthesis, **211**, 278

Ru/BaX catalyst promoted by, NH<sub>3</sub> synthesis, isotopic transient analysis, importance of product readsorption during, **211**, 379

## Barium nitrate

as promoter precursor in NH<sub>3</sub> synthesis over Ru catalyst supported on active carbon, **211**, 33

## Barium oxide

BaO/Al<sub>2</sub>O<sub>3</sub>, support of Pt catalysts, NO<sub>2</sub> ↔ NO + 1/2O<sub>2</sub> reaction, effects of Pt oxide formation and Pt dispersion, **210**, 340

## Barium titanate

support of Ni catalysts, prepared by solid-phase crystallization, partial oxidation of CH<sub>4</sub>, **207**, 307

## Base catalysts

immobilized proton sponge on inorganic carriers: synergic effect of support on catalytic activity, **211**, 208

isomerization of 3-phenyl-1-propene, **211**, 556

solid, dibenzothiophene oxidation by H<sub>2</sub>O<sub>2</sub>, **211**, 103

strong, *in situ* generation from alkaline and alkaline earth carbonates, **205**, 244

## Basic sites

on surface of carbon supports, role in properties of Pd/carbon catalysts, **209**, 355

## Benzaldehyde

aldol condensation with acetophenone on basic solids, **208**, 30

Knoevenagel and Claisen–Schmidt condensations on immobilized proton sponge on inorganic carrier, **211**, 208

## Benzene

alkylation over zeolite ITQ-17, effects of pore-volume topology, **207**, 46

catalytic combustion, mechanistic study, **211**, 355

complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42

deep oxidation over Pt/BN catalysts, **210**, 39

formation under pressurized dehydrocondensation of methane on Mo/H-ZSM-5 catalysts, **206**, 134

hydroxylation, selectivity enhancement by tailoring MCM-41 catalyst surface affinity for reactive molecules, **212**, 22

oxidation to phenol with N<sub>2</sub>O over H-ZSM-5 with low Fe concentrations, active sites in, **211**, 109

oxidative arylation of ethylene over Rh catalysts for direct synthesis of styrene, **206**, 272

transformation, behavior of Pt–Ge/Al<sub>2</sub>O<sub>3</sub> catalysts in, **208**, 490

## Benzofuran

hydrodeoxygenation over sulfided and reduced Ni–Mo/Al<sub>2</sub>O<sub>3</sub> catalysts, reaction network of, **206**, 177

## Benzothiophene

derivatives of, isomerization catalyzed by acidic mordenite, periodic density functional theory study, **205**, 388

hydrodesulfurization over MgO-supported Co–Mo and Ni–Mo sulfide catalysts, **205**, 314

## Benzyl alcohol

selective oxidation with OMS-2 catalyst, role of lattice oxygen in, kinetic and isotope labeling study, **210**, 46

## Biofuels

combustion systems, emission control in, Ba-promoted Pd catalysts for, **206**, 248

## Biomass gasification

to hydrogen and syngas at low temperature on Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in fluidized-bed reactor, **208**, 255

## 1,8-Bis(dimethylaminonaphthalene)

immobilized on inorganic carriers: synergic effect of support on catalytic activity, **211**, 208

## Bond dissociation

carbon–carbon, in ethanol reaction over Rh–Pt/CeO<sub>2</sub> catalysts, role of Rh, **208**, 393

## Boron

in amorphous Ni model alloys, effects on electrocatalytic activity, **207**, 23

Co/TiO<sub>2</sub> catalysts modified by, characterization and activity in butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470

## Boron nitride

support of Pt catalysts, deep oxidation of benzene, **210**, 39

## Bromine

bonds with carbon, cleavage in catalytic hydrodehalogenation of halogenated aromatics, **211**, 451

## Bromobenzene

C–Br bond cleavage in hydrodehalogenation over Ni/SiO<sub>2</sub> catalysts, **211**, 451

## Brønsted acid sites

genesis during 2-butanol dehydration on WO<sub>x</sub> catalysts, **205**, 44

H-ferrierite, accessible sites in aged catalysts for skeletal isomerization of *n*-butene, probing with *d*<sub>3</sub>-acetonitrile, **212**, 86

H-[Fe]ZSM-5, for olefin oligomerization and adsorption, **210**, 106

iron oxide–silica aerogels, correlation with catalytic activity, **206**, 143

in modified zeolite BEA due to framework Al, effects on cycloisomerization of 5-(*o*-tolyl)-pentene, **207**, 183

SAPO-34 catalysts for oxidative dehydrogenation of ethane, **208**, 479

silica–zirconia aerogels, modification by *in situ* and *ex situ* sulfation, **210**, 218

small zeolitic cluster, interaction with dibenzothiophene, **208**, 89

on zeolite β surface, effect of treatment with NaAlO<sub>2</sub> solution, **205**, 58

(n-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub>

immobilization on mesoporous MCM-41 and amorphous silicas for photocatalytic oxidation of cycloalkanes with O<sub>2</sub>, **209**, 210

## Butadiene

adsorption on Ag/α-Al<sub>2</sub>O<sub>3</sub> catalysts, effects of Cs and Cl, **206**, 29

*n*-Butane

isomerization on sulfated zirconia, effect of olefin addition, **211**, 316

mild oxidation to maleic anhydride over niobium-doped vanadium phosphorus oxide catalyst, **208**, 238

oxidative dehydrogenation on PtSn catalysts supported on alumina and alumina–zirconia, **208**, 467

selective oxidation to maleic anhydride, amorphous VPO catalysts for, preparation with supercritical CO<sub>2</sub> as antisolvent, **208**, 197

## 2-Butanol

conversion over boron-modified Co/TiO<sub>2</sub> catalysts, **211**, 470

dehydration on WO<sub>x</sub> catalysts, genesis of Brønsted acid sites during, **205**, 44

- 2-Butanone  
cyclization to collidine, shape-selective reaction over modified zeolites, **208**, 332
- 1-Butene  
conversion on H-ferrierite,  $^{13}\text{C}$  MAS NMR study, **211**, 165  
effect on *n*-butane isomerization over sulfated zirconia catalysts, **211**, 316  
isomerization on H-FER, sorbed species during, *in situ* IR study, **211**, 366  
one-stage Wacker-type oxidation, catalysis by aqueous  $\text{PdCl}_2$ -heteropoly-anion system, kinetics, **211**, 445  
skeletal isomerization  
over aged and selective H-ferrierite, accessible sites for, probing with  $d_3$ -acetonitrile, **212**, 86  
over clinoptilolite, effects of metal cation, **211**, 216
- 2-Butene  
alkylation of isobutane using large-pore zeolites, catalyst activity and selectivity in, effect of pore structure, **211**, 6
- sec*-Butyl alcohol  
conversion over boron-modified  $\text{Co/TiO}_2$  catalysts, **211**, 470  
dehydration on  $\text{WO}_x$  catalysts, genesis of Brønsted acid sites during, **205**, 44
- tert*-Butyl alcohol  
conversion to MTBE over  $\text{SO}_4^{2-}/\text{ZrO}_2/\text{MCM-41}$  acid catalysts, effect of  $\text{ZrO}_2$  loading, **205**, 318  
and methanol, gas-phase synthesis of MTBE from, mesoporous acid catalysts for, structure, acidity, and activity, **209**, 433; *erratum*, **211**, 566
- 4-*tert*-Butyl cyclohexanone  
hydrogen transfer reduction on basic solids, **208**, 30  
Meerwein-Ponndorf-Verley reduction to alcohol, beta zeolite active in, Al-Lewis site structure, **210**, 171
- tert*-Butyl hydroperoxide  
epoxidation of activated olefins on solid bases, **211**, 150  
epoxidation of olefins over organotin-oxometalate coordination polymers, **209**, 237
- C**
- Calcium  
Ce-Zr-Ca mixed oxides, structural characteristics and oxygen handling properties, **211**, 326
- Calcium D-gluconate  
Ruff oxidative degradation, catalysis by Cu(II)-containing solids, **209**, 217
- Calcium titanate  
support of Ni catalysts, prepared by solid-phase crystallization, partial oxidation of  $\text{CH}_4$ , **207**, 307
- Calorimetry  
partial oxidation of methanol on  $\text{V}_2\text{O}_5/\text{TiO}_2$  catalysts, **208**, 301
- Carbamates  
synthesis from diethyl carbonate over MCM-41-TBD, **205**, 199  
synthesis by oxidative carbonylation of aniline and derivatives, polymer-immobilized Au catalysts for, **211**, 548
- Carbenium ions  
as active centers for skeletal isomerization of *n*-butene over aged H-ferrierite, **212**, 86
- Carbide catalysts  
Ni-W bimetallic carbide catalysts, preparation, **209**, 318
- Carbon  
bonds with chlorine or bromine, cleavage in catalytic hydrodehalogenation of halogenated aromatics, **211**, 451  
deposition during  $\text{CO}_2$  reforming of  $\text{CH}_4$  over  $\text{Co}/\gamma\text{-Al}_2\text{O}_3$  catalysts, **205**, 289  
deposits in aged H-ferrierite for skeletal isomerization of *n*-butene, analysis, **212**, 86  
effect on hydrotreating catalysts, **212**, 76  
 $\text{FeO}_x$ -modified activated carbon, support of Au catalysts, CO oxidation at low temperature, **210**, 149  
filamentous, formation by methane decomposition over Ni/SiO<sub>2</sub> catalysts, structure of Ni species during, **208**, 54  
fishbone nanofibers, small Rh metal particles on, preparation and activity, **211**, 85  
fluorinated, support of Pt catalysts, NO reaction with  $\text{NH}_3$ , catalyst-support interaction in, **211**, 308  
graphite formation associated with steam reforming on Ni catalysts, **209**, 365  
graphite nanofilaments, support of Ru-Ba catalysts for  $\text{NH}_3$  synthesis, **211**, 278  
nanofiber formation, catalysis by acicular iron particles, **208**, 150  
nanotubes, hydrogen spillover from metal oxide catalysts onto, implications for hydrogen storage, **206**, 165; *erratum*, **211**, 565  
Sibunit, support of Pd-Au catalysts, characterization and hydrodechlorination of dichlorodifluoromethane, **209**, 528  
support of  
Au catalysts, selective oxidation of D-glucose, **206**, 242  
Au(0) sols, for liquid-phase oxidation of ethylene glycol, **211**, 464  
Fe catalysts, reduction of acetic acid to acetaldehyde kinetics, **208**, 158  
Mössbauer spectroscopy, DRIFTS, TPD, and TPR studies, **208**, 170  
noble metal catalysts, piperazine-(2*S*)-carboxylic acid preparation by diastereoselective hydrogenation of pyrazine derivatives, **208**, 404  
Pd catalysts  
hydrodechlorination of chlorine-containing organic compounds, reaction steps, **211**, 192  
hydrogenation of 2,4-dinitrotoluene, factors affecting mechanism of, computational study, **211**, 296  
hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472  
liquid-phase hydrodechlorination of  $\text{CCl}_4$  to  $\text{CHCl}_3$ , nature and role of Pd active species in, **209**, 279  
PdCu catalysts, nitrate hydrogenation to nitrogen in water, **207**, 37  
Pt catalysts  
hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472  
properties of, role of carbon surface sites, **209**, 355  
PtFe catalysts, acetic acid reduction by  $\text{H}_2$ , **209**, 87  
Ru catalysts  
ammonia synthesis, working state of Ba promoter in, **211**, 33  
hydrogenation of arabinonic acid and lactones to arabitol, **208**, 247  
hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472  
linoleic acid isomerization, **210**, 354
- Carbonaceous residues  
deposition on Mo/HMCM-22 catalysts for methane aromatization, temperature-programmed studies, **208**, 260  
removal by deuterium from Pt catalysts, **208**, 276
- Carbon dioxide  
coupling reaction with epoxides, poly(4-vinylpyridine)-supported zinc halide catalysts for, **205**, 226  
hydrogenation to methanol  
on Ga/SiO<sub>2</sub> and Ga-Pd/SiO<sub>2</sub> catalysts, gallium-hydrogen bond formation in, **211**, 252  
Pd-modified Cu-Zn catalysts for, structures and performance, **210**, 285  
relevance of reverse topotactic transformation of Cu-Zn-Al catalyst during wet Pd impregnation, **210**, 273

- promotion of ethylbenzene dehydrogenation over vanadium oxide-loaded MgO catalyst, **209**, 16
- promotion of pressurized dehydrocondensation of methane toward benzene and naphthalene on Mo/H-ZSM-5 catalyst, **206**, 134
- reforming of methane  
 over Co/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, carbon deposition and catalytic deactivation during, **205**, 289  
 hydrogen production with Ni-Rh/La<sub>2</sub>O<sub>3</sub> catalysts for use at low temperature in membrane reactor, **210**, 7  
 over Ni/Al<sub>2</sub>O<sub>3</sub> catalysts promoted with Mn, **209**, 6  
 over NiRh/ZrO<sub>2</sub> low-temperature catalysts suitable for membrane reactors, hydrogen production in, **210**, 263
- supercritical  
 as antisolvent in precipitation of amorphous vanadium phosphate catalysts, **208**, 197  
 and epoxide, formation of cyclic carbonates over lanthanide oxychloride, **209**, 547
- Carbon monoxide  
 adsorption  
 on PtAu cluster-derived catalysts, **212**, 125  
 on reduced Cr/SiO<sub>2</sub> system, theoretical analysis, **205**, 177  
 conversion by noble metal-based water-shift catalysts, **206**, 169  
 formation as intermediate during methanol decomposition on Cu(111), DFT study, **208**, 291  
 hydrogenation  
 promoting effect of VO<sub>x</sub> overlayers on Rh, role of reduction temperature, **208**, 422  
 on Ru-promoted Co/MCM-41 catalysts, **211**, 530  
 oxidation  
 over Au/FeO<sub>x</sub>/C catalysts at low temperature, **210**, 149  
 below room temperature over Ir/TiO<sub>2</sub> catalysts prepared by deposition precipitation, **208**, 485  
 over Co<sub>3</sub>O<sub>4</sub> catalyst  
 DFT study, **210**, 198  
 low-temperature reactions, **211**, 387  
 in H<sub>2</sub> at low-temperature for PEM fuel cells, Pt/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for, pretreatment promoting, **210**, 460  
 low-temperature reaction over Au/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts prepared by impregnation, **206**, 305; corrigendum, **211**, 283  
 in microfabricated differential reactor, **209**, 401  
 on nanostructured CuO<sub>x</sub>/CeO<sub>2</sub> composite particles characterized by HREM, XPS, XAS, and high-energy diffraction, **211**, 119  
 Pd-Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd-Cu/(Ce,Zr)O<sub>x</sub> catalysts for, effects of Cu, **206**, 281  
 on Pt/Al<sub>2</sub>O<sub>3</sub> catalyst  
 lights-off tests in excess CO, experimental and kinetic model, **209**, 126  
 mass spectroscopic kinetic study of adsorbed CO oxidation, **209**, 114  
 on supported nano-Au catalysts synthesized from [Au<sub>6</sub>(PPh<sub>3</sub>)<sub>6</sub>](BF<sub>4</sub>)<sub>2</sub> complex, **207**, 247  
 synergistic catalysis over CuO supported on samaria-doped ceria, **208**, 370  
 on ZrO<sub>2</sub>-supported La,Mn oxides and LaMnO<sub>3</sub> perovskite, **205**, 309  
 reaction with NO over Pt-Rh/Al<sub>2</sub>O<sub>3</sub> catalysts, kinetics of, effects of ceria incorporation into noble metal, **207**, 202  
 removal from Pd catalysts by oxygen in liquid-phase aerobic oxidation of alcohols, **211**, 244  
 selective catalytic oxidation, effect of chloride of supported Au catalysts, **210**, 375
- Carbon tetrachloride  
 hydrodechlorination to CHCl<sub>3</sub> on Pd/carbon catalysts in liquid phase, nature and role of Pd active species in, **209**, 279
- Carbonylation  
 soluble and polymer-anchored Rh catalysts for, kinetics and mechanism of diphenylurea formation, **210**, 255
- Carbonyl compounds  
 formation by selective gas-phase oxidation of alcohols using light-activated TiO<sub>2</sub>, **211**, 434  
 $\alpha,\beta$ -unsaturated, epoxidation over titanosilicates, **205**, 332
- Carboxylic acids  
 formation by partial oxidation of acrolein, kinetics and oxygen activity in single-phase oxidic catalysts and their mixture during, simultaneous determination, **209**, 177
- Ceric oxide  
 CeO<sub>2</sub>-ZrO<sub>2</sub>, support of  
 PdRh catalysts, spillover of hydrogen adsorbed on, titration by oxygen, **206**, 82  
 Pt catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124  
 CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, reducibility and structure of, effects of preparation method and redox treatment, **209**, 417  
 CeO<sub>2</sub>-ZrO<sub>2</sub>-Y<sub>2</sub>O<sub>3</sub>, support of Pt catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124  
 incorporation into Pt-Rh/Al<sub>2</sub>O<sub>3</sub> catalysts, effects on kinetics of CO + NO reaction, **207**, 202  
 Pd-Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd-Cu/(Ce,Zr)O<sub>x</sub> catalysts, CO and NO elimination, effects of Cu, **206**, 281  
 Pt/CeO<sub>2</sub>-SiO<sub>2</sub> catalysts, metal-support interaction in, improvement after Zn addition, **210**, 127  
 Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in fluidized-bed reactor, biomass gasification to hydrogen and syngas at low temperature, **208**, 255  
 samaria-doped, support of CuO catalysts, oxidation of CO, **208**, 370  
 silica-doped, support of noble metal catalysts, reduction and oxygen storage behavior, **211**, 407  
 support of  
 Cu catalysts, temperature-programmed reaction spectroscopy, **205**, 339  
 CuO<sub>x</sub> nanostructured composite catalyst particles characterized by HREM, XPS, XAS, and high-energy diffraction, oxidation of CO, **211**, 119  
 Pd catalysts  
 deactivation during water-gas-shift reaction, mechanisms, **212**, 225  
 ethanol steam reforming, hydrogen production in, **209**, 306  
 nitrate reduction in water, **206**, 363  
 sulfur poisoning, **210**, 397  
 Pt water-gas shift catalysts, practicality in automotive fuel processing, **206**, 169  
 RhPt catalysts, hydrogen production from ethanol: Rh role in dissociation of carbon-carbon bond, **208**, 393  
 temperature-programmed reaction spectroscopy, **205**, 339  
 zirconia containing, support of Ag lean-deNO<sub>x</sub> catalysts, SO<sub>x</sub> resistance, **209**, 271
- Cerium  
 Ce-Zr-Ca mixed oxides, structural characteristics and oxygen handling properties, **211**, 326  
 MCM-41-type mesoporous materials with, acidic and redox catalytic properties, **207**, 213  
 TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151  
 VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts modified by NaCl, epoxidation of propylene with O<sub>2</sub> as oxidant, **211**, 552
- Cerium(IV) *p*-methoxybenzenesulfonate  
 mediation of hydroxyl compound electrooxidation: importance of substrate size in catalyst regeneration, **209**, 394
- Cerium(IV) *p*-toluenesulfonate  
 mediation of hydroxyl compound electrooxidation: importance of substrate size in catalyst regeneration, **209**, 394

- Cesium  
 effects on butadiene adsorption on Ag/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalysts, **206**, 29  
 effects on kinetics of Ru/MgO in NH<sub>3</sub> synthesis, **205**, 205  
 promotion of binary nitride catalysts: isothermal N<sub>2</sub> adsorption, microkinetic model, and NH<sub>3</sub> synthesis, **208**, 180  
 Ru/MgO catalysts promoted by, ammonia synthesis, isotopic transient kinetic analysis, **210**, 387
- Ce<sub>0.6</sub>Zr<sub>0.35</sub>Y<sub>0.05</sub>  
 Pd-, Pt-, and Rh-loaded three-way catalysts, performance and redox properties, **206**, 1
- Chain growth  
 in Fischer–Tropsch synthesis over Ru(0001), mechanisms, **212**, 136
- Chemisorption  
 CO and O<sub>2</sub> on MoP/SiO<sub>2</sub> catalysts, **207**, 266  
 dissociative, formic acid to surface formate species on bulk metal oxide catalysts, **210**, 241
- Chemoselectivity  
 in heterogeneous catalytic hydrogenation of 2,2'-pyridoin and derivatives, **209**, 472
- Chiral surfaces  
 Cu(110), creation by (*R,R*)-tartaric acid adsorption, **205**, 123
- Chloride  
 in supported Au catalysts, effect on selective catalytic oxidation of carbon monoxide, **210**, 375
- Chlorinated volatile organics  
 destruction, dealuminated Y zeolites for, **209**, 145
- Chlorination  
 $\gamma$ -alumina surfaces, DFT study, **211**, 1
- Chlorine  
 bonds with carbon, cleavage in catalytic hydrodehalogenation of halogenated aromatics, **211**, 451  
 effects on butadiene adsorption on Ag/ $\alpha$ -Al<sub>2</sub>O<sub>3</sub> catalysts, **206**, 29  
 effects on oxidative dehydrogenation of ethane at millisecond contact times, **212**, 46  
 effects on supported Pt catalysts during oxidation reactions, kinetics, FTIR, and controlled atmosphere EXAFS study, **209**, 341  
 or K + Cl, electrochemical promotion of Ag-catalyzed epoxidation of propene and ethene, **207**, 331  
 organic compounds with, hydrodechlorination on Pd catalysts, reaction steps for, **211**, 192
- p*-Chloroacetophenone  
 hydrodechlorination and hydrogenation over Raney–Ni under multiphase conditions, kinetics and selectivity, **211**, 347
- Chlorobenzene  
 catalytic combustion, mechanistic study, **211**, 355  
 C–Cl bond cleavage in hydrodehalogenation over Ni/SiO<sub>2</sub> catalysts, **211**, 451
- 1-Chlorobutane  
 dehydrochlorination, nanocrystalline MgO as catalyst for, **206**, 40
- 2-Chlorobutane  
 dehydrochlorination, nanocrystalline MgO as catalyst for, **206**, 40
- Chloroform  
 formation by CCl<sub>4</sub> hydrodechlorination on Pd/carbon catalysts in liquid phase, nature and role of Pd active species in, **209**, 279
- 1-Chloro-2-methyl propane  
 dehydrochlorination, nanocrystalline MgO as catalyst for, **206**, 40
- 2-Chloro-2-methyl propane  
 dehydrochlorination, nanocrystalline MgO as catalyst for, **206**, 40
- Chloropentafluoroethane  
 hydrodechlorination over tungsten carbides, effects of surface stoichiometry, **206**, 358
- Chromic oxide  
 supported catalysts, oxidative dehydrogenation of propane, effects of supports and chromia loading, **211**, 482
- Chromium  
 SiO<sub>2</sub>-supported Phillips-type catalysts  
 polymerization-active dinuclear Cr sites, **206**, 331  
 polymerization-active mononuclear Cr sites, **205**, 366  
 SiO<sub>2</sub>-supported reduced catalyst, adsorption of CO, theoretical analysis, **205**, 177
- Chromium oxide  
 Al<sub>2</sub>O<sub>3</sub>-supported dehydrogenation catalysts, irreversible deactivation of, spectroscopic study, **210**, 418  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported CrO<sub>x</sub> catalysts, characterization by kinetic analysis of H<sub>2</sub>-TPR data, **207**, 57
- Cinchonidine  
 adsorption on Pd/Al<sub>2</sub>O<sub>3</sub>, comparison with adsorption on Pt/Al<sub>2</sub>O<sub>3</sub>, *in situ* AT–IR study, **210**, 160  
 Pd/TiO<sub>2</sub> catalysts modified by, enantioselective hydrogenation on, mechanistic study, **205**, 213
- Cinnamaldehyde  
 Meerwein–Ponndorf–Verley reduction, hydrous zirconia as selective catalyst for, **206**, 321
- Cinnamyl alcohol  
 liquid-phase aerobic oxidation on Pd catalysts, role of oxygen, **211**, 244
- Claisen–Schmidt condensation  
 benzaldehyde and 2'-hydroxyacetophenone on immobilized proton sponge on inorganic carrier, **211**, 208
- Classical promotion  
 modeling, **208**, 38
- Clinoptilolite  
 catalysis of skeletal isomerization of 1-butene, effects of metal cation, **211**, 216
- Cobalt  
 Al<sub>2</sub>O<sub>3</sub>-supported catalysts, characterization, **212**, 10  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts  
 CO<sub>2</sub> reforming of CH<sub>4</sub>, carbon deposition and catalytic deactivation during, **205**, 289  
 for Fischer–Tropsch synthesis, effects of thermal treatment, *in situ* XRD study, **205**, 346  
 catalysis of Fischer–Tropsch synthesis, effect of water, **210**, 84  
 catalysts supported on mesoporous silicas, Fischer–Tropsch synthesis, effects of pore size, **206**, 230  
 cation effects on activity and stability of isolated Pd(II) ions in zeolite matrices for SCR of NO with CH<sub>4</sub>, **211**, 75  
 CoLa/SiO<sub>2</sub> catalysts, supercritical-phase Fischer–Tropsch synthesis reactions, anti-ASF distribution in, **207**, 371
- CoMn catalysts  
 cluster complexes, oxidation of cyclohexane, cyclohexanone, and cyclohexanol to adipic acid by non-HNO<sub>3</sub> route, **212**, 39  
 TiO<sub>2</sub>-supported, characterization, **212**, 10
- CoMo catalysts  
 Al<sub>2</sub>O<sub>3</sub>-supported, hydrodenitrogenation of methyl-substituted quinolines, **212**, 201  
 hydrotreating catalysts, effect of carbon, **212**, 76  
 MgO-supported sulfided hydrodesulfurization catalysts, preparation, **205**, 314
- Cu–Co synergism in Cu<sub>1-x</sub>Co<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> catalysts: phenol methylation and XPS study, **210**, 405
- effects on skeletal isomerization of 1-butene over clinoptilolite, **211**, 216
- ion siting and distribution in beta zeolite, UV–Vis–NIR and FTIR study, **211**, 198
- MCM-41-supported catalysts promoted by Ru, hydrogenation of CO, **211**, 530
- SiO<sub>2</sub>-supported catalysts  
 characterization, **212**, 10  
 Fischer–Tropsch synthesis, rate and selectivity, effects of water, **211**, 422



- supercritical-phase Fischer–Tropsch synthesis reactions, anti-ASF distribution in, **207**, 371
- supported catalysts, ethanol steam reforming, hydrogen production in, **209**, 306
- TiO<sub>2</sub>-supported catalysts
- boron-modified, characterization and activity in butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470
  - characterization, **212**, 10
- zeolite-supported catalysts, combinatorial selection, indexed libraries for, **209**, 413
- ZrO<sub>2</sub>-supported Fischer–Tropsch catalysts, effects of thermal treatment, *in situ* XRD study, **205**, 346
- Cobaltic-cobaltous oxide
- catalysis of CO oxidation
    - DFT study, **210**, 198
    - low-temperature reactions, **211**, 387
- Cobalt molybdenum nitrides
- Cs-promoted catalysts, isothermal N<sub>2</sub> adsorption, microkinetic model, and NH<sub>3</sub> synthesis, **208**, 180
  - for thiophene hydrodesulfurization, XRD, TEM, and XPS studies, **207**, 10
- Cobalt phosphide
- CoP synthesis, characterization, and hydrotreating ability, **208**, 321
- Coke
- deposition in fluid cracking catalysts during gas oil cracking at microactivity test conditions, location and effects, **209**, 385
  - deposits on HZSM-5, <sup>1</sup>H NMR imaging, **208**, 224
- Collidines
- shape-selective synthesis over modified zeolites, **208**, 332
- Combinatorial chemistry
- heterogeneous catalyst selection, indexed libraries for, **209**, 413
- Combustion
- benzene and chlorobenzene on Pt/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, mechanistic study, **211**, 355
  - biofuel systems, emission control, Ba-promoted Pd catalysts for, **206**, 248
  - methane
    - supported Pd catalysts for, characterization and activity, **207**, 139
    - on ZrO<sub>2</sub>-supported La,Mn oxides and LaMnO<sub>3</sub> perovskite, **205**, 309
- Compensation effects
- in *n*-hexane reactions on Pt catalysts, **205**, 86
- Condensation
- ethyl acetate self-condensation over strong bases generated *in situ* from alkaline and alkaline earth carbonates, **205**, 244
- Co(Ni)MoS
- nanocatalysts, promoter-sensitive shapes in sulfo-reductive conditions, **212**, 33
- Coordination polymers
- organotin–oxometalate, catalysis of olefin epoxidation, **209**, 237
- Copper
- alumina-supported sol–gel catalysts, reduction of NO by urea under lean conditions, **208**, 15
  - bifunctional catalysts, one-step synthesis of 4-methyl-2-pentanone from 2-propanol, **208**, 114
  - CeO<sub>2</sub>-supported catalysts, temperature-programmed reaction spectroscopy, **205**, 339
  - Cu(110), adsorption of (*R,R*)-tartaric acid, chiral phase creation by, molecular details, **205**, 123
  - Cu(111), methanol decomposition on, DFT study, **208**, 291
  - Cu–Ag/Al<sub>2</sub>O<sub>3</sub> catalysts, for NH<sub>3</sub> oxidation to nitrogen at low temperature, **206**, 60
  - Cu(II)-containing solids, catalysis of Ruff oxidative degradation of aldonic acids, **209**, 217
  - Cu–Co synergism in Cu<sub>1-x</sub>Co<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> catalysts: phenol methylation and XPS study, **210**, 405
  - Cu–MgO, preparation by mechanochemistry and catalytic applications, **206**, 71
  - Cu–Pt/SiO<sub>2</sub> catalysts, metal dispersion and surface composition, **208**, 381
  - Cu–Zn–Al catalyst, reverse topotactic transformation during wet Pd impregnation, relevance for methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, **210**, 273
  - CuZn catalysts modified by Pd, for methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, structures and performance, **210**, 285
  - Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts, hydrogen production by partial oxidation of methanol: effect of catalyst initial state on start-up behavior of reformer, **212**, 112
  - Cu/ZnO/SiO<sub>2</sub> catalyst surface structure, dynamic behavior, **210**, 229
  - Cu–Zn–Zr–Al–O catalyst, direct synthesis of ethanol from ethyl acetate under pressure, **212**, 207
- Fe-based catalysts promoted with, for Fischer–Tropsch synthesis, design, synthesis, site densities, and catalytic properties, **206**, 202
- oxidation state, effect on activity of Cu sites in catalysts for dehydrogenation of cyclohexanol, **195**, 20; comment, **208**, 494; reply, **208**, 497
- PdCu(110) alloy surface, mechanism of trichloroethene dechlorination on, periodic density functional theory study, **207**, 127
- PdCu catalysts supported on active carbon, nitrate hydrogenation to nitrogen in water, **207**, 37
- PdCu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and PdCu/(Ce,Zr)O<sub>x</sub> catalysts, CO and NO elimination, effects of Cu, **206**, 281
- VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts modified by NaCl, epoxidation of propylene with O<sub>2</sub> as oxidant, **211**, 552
- Copper(II) chloride
- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts, effects of exposure to O<sub>2</sub> and HCl, **205**, 375
- Copper molybdate
- and mixtures with Mo–V–O<sub>x</sub>, kinetics and oxygen activity in partial oxidations over, simultaneous determination, **209**, 177
- Copper oxide
- CeO<sub>2</sub>-supported nanostructured composite catalyst particles characterized by HREM, XPS, XAS, and high-energy diffraction, oxidation of CO, **211**, 119
- Copper(II) oxide
- supported on samaria-doped ceria, synergistic catalysis of CO oxidation, **208**, 370
- Cracking
- dibenzothiophene over small zeolitic cluster, theoretical study, **208**, 89
  - gas oil at microactivity test conditions, coke deposition in fluid cracking catalysts during, location and effects, **209**, 385
  - n*-heptane, heterogeneous catalysts for, indexed libraries for combinatorial selection of, **209**, 413
  - IM-5 zeolite shape selectivity in, **206**, 125
  - octane over MCM-22, effects of Al concentrations, **206**, 23
- CrAPO-5
- characterization in conversion of 2-methyl-3-butyn-2-ol and isopropanol, **208**, 270
- m*-Cresol
- isopropylation over mesoporous Al–MCM-41 molecular sieves, **210**, 367
- Crotonaldehyde
- adsorption structures on Pt(111), DFT study, **211**, 398
  - hydrogenation
    - over Ir/TiO<sub>2</sub> catalysts, role of catalyst interfacial properties, **208**, 229
    - over Pt/CeO<sub>2</sub>–SiO<sub>2</sub> catalysts, **210**, 127
    - over Sn/Pt(111) alloy model catalysts, **205**, 278
- vapor-phase reaction on TiO<sub>2</sub>-supported Pt and PtSn SMSI catalysts, **212**, 94
- Crystallization
- solid-phase method, Ni/SrTiO<sub>3</sub> catalysts prepared by, partial oxidation of CH<sub>4</sub>, **207**, 307

- Cu<sub>1-x</sub>Co<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> catalysts  
phenol methylation, Cu–Co synergism and XPS study, **210**, 405
- Cumene  
formation by benzene alkylation over zeolite ITQ-17, effects of pore-volume topology, **207**, 46
- Cyclic carbonates  
synthesis from supercritical CO<sub>2</sub> and epoxide over lanthanide oxychloride, **209**, 547
- Cyclic voltammetry  
electrocatalytic activity of crystalline and amorphous Ni model alloys, **207**, 23
- Cycloalkanes  
photooxidation with O<sub>2</sub> over (*n*-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub> immobilized on mesoporous MCM-41 and amorphous silica, **209**, 210
- Cyclohexane  
oxidation to adipic acid by non-HNO<sub>3</sub> route over Co/Mn cluster complexes, **212**, 39  
selective oxidation over MCM-41, **211**, 134
- Cyclohexanol  
dehydration over Ce-containing MCM-41-type mesoporous materials, **207**, 213  
dehydrogenation on Cu-containing catalysts, effect of Cu oxidation state on activity of Cu sites, **195**, 20; comment, **208**, 494; reply, **208**, 497  
formation by selective oxidation of cyclohexane over MCM-41, **211**, 134  
oxidation to adipic acid by non-HNO<sub>3</sub> route over Co/Mn cluster complexes, **212**, 39
- Cyclohexanone  
formation by selective oxidation of cyclohexane over MCM-41, **211**, 134  
oxidation to adipic acid by non-HNO<sub>3</sub> route over Co/Mn cluster complexes, **212**, 39
- Cyclohexene  
epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea–H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339  
hydrogenation  
over *in situ* fluorinated NiMoS catalysts supported on Al<sub>2</sub>O<sub>3</sub> and silica–alumina, **207**, 286  
over small Rh metal particles on fishbone carbon nanofibers, **211**, 85  
oxidation with H<sub>2</sub>O<sub>2</sub> on ZrO<sub>2</sub>–SiO<sub>2</sub>, effects of catalyst surface hydrophilicity, **212**, 193  
transformation, behavior of Pt–Ge/Al<sub>2</sub>O<sub>3</sub> catalysts in, **208**, 490
- 2-Cyclohexen-1-one  
epoxidation on solid bases, **211**, 150
- Cycloisomerization  
5-(*o*-tolyl)-pentene over modified zeolite BEA, **207**, 183
- Cyclooctene  
epoxidation over organotin–oxometalate coordination polymers, **209**, 237
- Cyclopentane  
hydroconversion, deactivation behavior of bifunctional Pt/H-zeolite catalysts during, **205**, 231

## D

- Deactivation  
bifunctional Pt/H-zeolite catalysts during cyclopentane hydroconversion, **205**, 231  
Co/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts during CO<sub>2</sub> reforming of CH<sub>4</sub>, **205**, 289  
light-activated TiO<sub>2</sub> catalyzing selective gas-phase oxidation of alcohols, **211**, 434  
Pd catalysts in liquid-phase aerobic oxidation of alcohols, protective role of oxygen, **211**, 244  
Pd/ceria during water–gas-shift reaction, mechanisms, **212**, 225  
PtRe/Al<sub>2</sub>O<sub>3</sub> catalysts in heptane reforming, **206**, 188  
Y zeolites, conditions for, impact on zeolite acidity, FTIR study, **211**, 64
- Dealumination  
Y zeolites for destruction of chlorinated volatile organics, **209**, 145
- Decarbonylation  
deactivation of Pd catalysts by, in liquid-phase aerobic oxidation of alcohols, protective role of oxygen, **211**, 244
- Dechlorination  
hydrogen-assisted, 1,2-dichloroethane over Pt–Sn/SiO<sub>2</sub> catalysts, effect of Pt/Sn atomic ratio, **211**, 173  
trichloroethene on PdCu(110) alloy surface, mechanism, periodic density functional theory study, **207**, 127
- Decoking  
*in situ*, in dielectric field, passivated Ni-on-alumina catalysts for toluene hydrogenation, **207**, 1
- Decomposition  
alkaline and alkaline earth carbonates: *in situ* generation of strong bases, **205**, 244  
hydrazine on tungsten carbide catalysts, effects of adsorbed oxygen, **210**, 1  
methane on Ni/SiO<sub>2</sub> catalysts, structure of Ni species during, **208**, 54  
methanol on Cu(111), DFT study, **208**, 291  
nickel formate on sol–gel alumina: product characterization by XPS and TOF-SIMS, **205**, 7  
nitric oxide  
on Cu–NbZSM-5, **207**, 101  
steady-state reaction on Cu–ZSM-5, kinetics and mechanism, **209**, 75  
nitrous oxide  
assisted by NO over Fe-based catalysts, effects of gas-phase composition and catalyst constitution, **208**, 211  
on Cu/ZnO/SiO<sub>2</sub> catalyst, LEIS analysis: dynamic behavior of surface structure, **210**, 229  
on Fe/MFI, oxygen deposited by, identification by isotopic exchange, **210**, 453  
on Fe–ZSM-5, **209**, 151
- Dehydration  
2-butanol on WO<sub>x</sub> catalysts, genesis of Brønsted acid sites during, **205**, 44  
cyclohexanol over Ce-containing MCM-41-type mesoporous materials, **207**, 213  
ethanol over potassium and silver salts of tungstophosphoric acid, **207**, 296
- Dehydrochlorination  
chlorobutane isomers, nanocrystalline MgO as catalyst for, **206**, 40
- Dehydrocondensation  
pressurized, methane toward benzene and naphthalene on Mo/H-ZSM-5 catalysts, **206**, 134
- Dehydrogenation  
alcohols in liquid-phase aerobic reaction on Pd catalysts, role of oxygen, **211**, 244  
chromia/alumina catalysts for, irreversible deactivation, spectroscopic study, **210**, 418  
complexes of aromatic compounds and of fullerene C<sub>60</sub> with Pt/SiO<sub>2</sub>, IR study, **211**, 42  
cyclohexanol on Cu-containing catalysts, effect of Cu oxidation state on activity of Cu sites, **195**, 20; comment, **208**, 494; reply, **208**, 497  
ethylbenzene  
over potassium-promoted iron oxide model catalyst films, **212**, 104  
over vanadium oxide-loaded MgO catalyst, promoting effect of CO<sub>2</sub>, **209**, 16  
methylcyclohexane to toluene, performance of porous Vycor in, **212**, 182  
2-propanol over Cu–MgO catalysts prepared by mechanochemistry, **206**, 71
- Dehydrohalogenation  
nanocrystalline MgO catalysts for, **206**, 40
- Density functional theory  
adsorption structures of unsaturated aldehydes on Pt(111), **211**, 398

- carbon monoxide adsorption on reduced Cr/SiO<sub>2</sub> system, **205**, 177
- carbon monoxide oxidation over Co<sub>3</sub>O<sub>4</sub>, **210**, 198
- chain growth mechanisms in Fischer–Tropsch synthesis over Ru(0001), **212**, 136
- Cr/SiO<sub>2</sub> Phillips-type catalysts
- polymerization-active dinuclear Cr(II) sites, **206**, 331
  - polymerization-active mononuclear Cr(II) sites, **205**, 366
- dibenzothiophene hydrodesulfurization and hydrogenation catalyzed by small zeolitic cluster, **208**, 89
- hydroxyl groups on  $\gamma$ -alumina surfaces, **211**, 1
- industrial reactor design and catalyst selection, **205**, 382
- methanol decomposition on Cu(111), **208**, 291
- MoS<sub>2</sub> catalytic nanoparticle shape and edge modifications induced by working conditions, **207**, 76
- nitrogen dioxide adsorption on transition metal zeolite model, **205**, 107
- periodic DFT study
- isomerization of thiophenic derivatives catalyzed by acidic mordenite, **205**, 388
  - trichloroethene dechlorination mechanism on PdCu(110) alloy surface, **207**, 127
- promoter-sensitive shapes of Co(Ni)MoS in sulfo-reductive conditions, **212**, 33
- universality in heterogeneous catalysis, **209**, 275
- Deposition precipitation
- Au particles on rutile TiO<sub>2</sub>(110), SEM and RHEED–REM study, **212**, 119
  - Ir/TiO<sub>2</sub> catalysts prepared by, oxidation of CO below room temperature, **208**, 485
- Desulfurization
- thiophene, pathways using propane or dihydrogen as co-reactants, deuterium isotopic tracer studies, **207**, 31
- Deuterium
- removal of carbonaceous residues from Pt catalysts, **208**, 276
- Diastereoselectivity
- in heterogeneous catalytic hydrogenation of 2,2'-pyridoin and derivatives, **209**, 472
- Dibenzothiophene
- hydrodesulfurization
    - over iron group transition metal phosphides, **208**, 321
    - over MCM-41-supported sulfided Ni–Mo catalysts, **210**, 319
    - over MoS<sub>2</sub> mesoporous catalysts prepared by *in situ* activation of tetraalkylammonium thiomolybdates, **208**, 359
    - over Ni<sub>2</sub>P/SiO<sub>2</sub> catalysts, effects of catalyst phosphorus content, **210**, 207  - hydrodesulfurization and hydrogenation, catalysis by small zeolitic cluster, theoretical study, **208**, 89
  - hydroprocessing over SiO<sub>2</sub>-supported MoP and WP catalysts, **207**, 256
  - oxidation by H<sub>2</sub>O<sub>2</sub>, catalysis by solid bases, **211**, 103
- Dichlorodifluoromethane
- hydrodechlorination over Pd–Au/Sibunit carbon catalysts, **209**, 528
- 1,2-Dichloroethane
- destruction, dealuminated Y zeolites for, **209**, 145
  - hydrogen-assisted dechlorination over Pt–Sn/SiO<sub>2</sub> catalysts, effect of Pt/Sn atomic ratio, **211**, 173
- Dichloromethane
- destruction, dealuminated Y zeolites for, **209**, 145
- Dielectric field
- in situ* reactivation of passivated Ni-on-alumina catalysts for toluene hydrogenation, **207**, 1
- Diesel soot particulates
- catalytic removal by Au–V-based catalysts, **209**, 515
- Diethyl carbonate
- synthesis of carbamates and unsymmetrical alkyl carbonates from, over MCM-41-TBD, **205**, 199
- Diffuse reflectance infrared Fourier transform spectroscopy
- acetic acid reduction
    - to acetaldehyde over iron catalysts, **208**, 170
    - by H<sub>2</sub> over supported Pt catalysts, **207**, 317  - adsorption characteristics of Gd–Pd/TiO<sub>2</sub> sol-gel catalysts in NO reduction with CH<sub>4</sub>, **210**, 295
  - Cu effects on Pd–Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd–Cu/(Ce,Zr)O<sub>x</sub> catalysts for CO and NO elimination, **206**, 281
  - Cu–ZSM-5 before and during N<sub>2</sub>O decomposition, **207**, 166
  - surface oxygen in vanadia reduction by hydrogen on V/TiO<sub>2</sub> catalyst, **205**, 115
  - TS-1 and TS-2 redox molecular sieves using urea–H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Diffuse reflectance ultraviolet-visible spectroscopy
- chromia/alumina dehydrogenation catalysts: irreversible deactivation, **210**, 418
  - supported Cr<sub>2</sub>O<sub>3</sub> catalysts for oxidative dehydrogenation of propane, **211**, 482
- Dihydrocinchonidine
- Pt/Al<sub>2</sub>O<sub>3</sub> catalysts modified by, enantioselective hydrogenation of ethyl pyruvate in acetic acid, ESI–MS study, **205**, 168
- 1,1-Diiodoneopentane
- chemistry on Pt(111): analysis of intermediates during hydrocarbon catalytic conversion, **208**, 345
- 1,3-Diiodoneopentane
- chemistry on Pt(111): analysis of intermediates during hydrocarbon catalytic conversion, **208**, 345
- Diisopropyl-naphthalene
- production by naphthalene isopropylation, shape selectivity in, zeolite pore entrance effect on, **210**, 313
- Dimerization
- ethylene over NiSO<sub>4</sub>/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, relationship to acidic properties, **209**, 69
- Dimethyl cumenes
- formation by isopropylation of xylenes over USY zeolite and other solid acid catalysts, **212**, 216
- Dimethyl ether
- selective oxidation to formaldehyde on small MoO<sub>x</sub> domains, **208**, 1
- Dimethyl (1-methyl ethyl) benzenes
- formation by isopropylation of xylenes over USY zeolite and other solid acid catalysts, **212**, 216
- 1,5-Dimethyltetralin
- formation by cycloisomerization of 5-(*o*-tolyl)-pentene over modified zeolite BEA, **207**, 183
- 2,4-Dinitrotoluene
- hydrogenation on Pd/C catalysts, factors affecting mechanism of, computational study, **211**, 296
- Diols
- electrooxidation using cerium salts as mediators: importance of substrate size in catalyst regeneration, **209**, 394
- Diphenylurea
- formation by carbonylation of nitroaromatics over soluble and polymer-anchored Rh catalysts, kinetics and mechanism, **210**, 255
- Dispersion
- metals in supported Cu–Pt catalysts, **208**, 381
  - Pt, effects on NO<sub>2</sub>  $\leftrightarrow$  NO + 1/2O<sub>2</sub> reaction over Pt/Al<sub>2</sub>O<sub>3</sub> and Pt/BaO/Al<sub>2</sub>O<sub>3</sub> catalysts, **210**, 340
  - WS<sub>2</sub> in sulfided W/Al<sub>2</sub>O<sub>3</sub> and NiW/Al<sub>2</sub>O<sub>3</sub> catalysts, effects of fluorine, HRTEM study, **206**, 368

## E

Electrocatalysts

- crystalline and amorphous Ni model alloys, **207**, 23

- Electrochemical promotion  
 effects of alkali, NO<sub>x</sub>, and chlorine in Ag-catalyzed epoxidation of propene and ethene, **207**, 331  
 ethanol oxidation over Pt catalysts, **211**, 521  
 modeling, **208**, 38  
 propane and propene oxidation on Pt/YSZ, **208**, 412
- Electrochemistry  
*in situ* control of alloy composition and performance during reaction, **210**, 237
- Electrolytes  
 solid, silver on, emission of O<sup>-</sup> radical anions and electrons, **209**, 256
- Electron energy loss spectroscopy  
 atomic scale observations of chemistry at metal-oxide interface in heterogeneous catalysts, **205**, 1  
 Sn(Sb)O<sub>2</sub> nanophase catalysts, **205**, 266
- Electronic properties  
 dispersed metal oxides, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- Electronic structure  
 $\alpha$ -substituted ketones, relationship to reactivity in racemic and enantioselective Pt-catalyzed hydrogenation, **209**, 489
- Electron microscopy  
 Co catalysts supported on Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>, and TiO<sub>2</sub>, **212**, 10
- Electron paramagnetic resonance  
 chromia/alumina dehydrogenation catalysts: irreversible deactivation, **210**, 418  
 Cu effects on Pd-Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd-Cu/(Ce,Zr)O<sub>x</sub> catalysts for CO and NO elimination, **206**, 281  
 extraframework iron species in Fe silicalite after steaming, **208**, 83  
 Mo-V-Sb-Nb mixed oxide catalysts for propane oxidation, **211**, 235  
 supported Cr<sub>2</sub>O<sub>3</sub> catalysts for oxidative dehydrogenation of propane, **211**, 482  
 TS-1 and TS-2 redox molecular sieves using urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Electrons  
 emission from silver on solid electrolyte, **209**, 256
- Electrooxidation  
 hydroxyl compounds using cerium salts as mediators: importance of substrate size in catalyst regeneration, **209**, 394
- Electrospray ionization-mass spectrometry  
 enantioselective hydrogenation of ethyl pyruvate on dihydrocinchonidine-modified Pt/Al<sub>2</sub>O<sub>3</sub> in acetic acid, **205**, 168
- Electrostatic potential  
 nitrogen atom of 1,2,3,4-tetrahydroquinoline methyl analogs, correlation with formation of *ortho*-propylaniline, **212**, 201
- Enantioselectivity  
 alkene epoxidation over chiral and achiral nitrogen-base adducts of methyltrioxorhenium(VII), **210**, 192  
 Cu(110) catalysts with adsorbed (*R,R*)-tartaric acid, **205**, 123  
 epoxidation of nonfunctionalized alkenes over Jacobsen catalyst analogue with in-built phase transfer capability, **209**, 99  
 ethyl pyruvate hydrogenation on dihydrocinchonidine-modified Pt/Al<sub>2</sub>O<sub>3</sub> catalysts in acetic acid, ESI-MS study, **205**, 168  
 hydrogenation on Pd catalysts: limitations of continuous fixed-bed reactor operation, **210**, 466  
 4-hydroxy-6-methyl-2-pyrone hydrogenation on cinchona-modified metal catalysts, mechanistic study, **205**, 213  
 Pt-catalyzed hydrogenation of  $\alpha$ -substituted ketones, relationship to ketone electronic structure, **209**, 489
- Energy-dispersive X-ray microanalysis  
 and scanning electron microscopy, MoVTaNbO catalysts prepared by hydrothermal synthesis, **209**, 445
- Energy-dispersive X-ray spectrometry  
 and scanning transmission electron microscopy, support effects on highly dispersed Pt-Sn particles, **211**, 335
- Epoxidation  
 activated olefins by solid bases, **211**, 150  
 alkenes, catalysis by chiral and achiral nitrogen-base adducts of methyltrioxorhenium(VII), **210**, 192  
 enantioselective, nonfunctionalized alkenes over Jacobsen catalyst analogue with in-built phase transfer capability, **209**, 99  
 ethene over Ag catalysts, analysis using electrochemical promotion of effects of alkali, NO<sub>x</sub>, and chlorine, **207**, 331  
 olefins  
 over organotin-oxometalate coordination polymers, **209**, 237  
 over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339  
 propylene  
 over Ag catalysts, analysis using electrochemical promotion of effects of alkali, NO<sub>x</sub>, and chlorine, **207**, 331  
 over Au/Ti-MCM-48 in vapor phase using H<sub>2</sub> and O<sub>2</sub>, **209**, 331  
 on NaCl-modified VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts with O<sub>2</sub> as oxidant, **211**, 552  
 styrene with H<sub>2</sub>O<sub>2</sub> over Fe-containing MCM-41, **209**, 186  
 terpene derivatives, manganese(III) porphyrin catalysts for, **206**, 349  
 $\alpha,\beta$ -unsaturated carbonyl compounds over titanosilicates, **205**, 332
- Epoxides  
 coupling reaction with CO<sub>2</sub>, poly(4-vinylpyridine)-supported zinc halide catalysts for, **205**, 226  
 and supercritical CO<sub>2</sub>, formation of cyclic carbonates over lanthanide oxychloride, **209**, 547
- Erbium  
 TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151
- Ethane  
 effects on heterogeneous production of water from hydrogen and oxygen over Pt in stagnation flow, **208**, 21  
 oxidative dehydrogenation  
 acid SAPO-34 catalysts for, **208**, 479  
 on alumina-supported vanadia catalysts, effects of catalyst structure, **208**, 139  
 over boron-modified Co/TiO<sub>2</sub> catalysts, **211**, 470  
 at millisecond contact times, effect of chlorine addition, **212**, 46  
 over Mo/Si:Ti catalysts, **208**, 124  
 over perovskite-based monolithic reactor, **209**, 51  
 partial oxidation to acetic acid over Mo<sub>1</sub>V<sub>0.25</sub>Nb<sub>0.12</sub>Pd<sub>0.0005</sub>O<sub>x</sub> catalyst performance and reaction mechanism, **205**, 16  
 kinetic modeling, **205**, 32
- Ethanol  
 dehydration over potassium and silver salts of tungstophosphoric acid, **207**, 296  
 direct synthesis from ethyl acetate under pressure, **212**, 207  
 formation by acetic acid hydrogenolysis over Pd(111), Re(0001), and PdRe alloys, reaction paths in, **209**, 289  
 hydrogen production from, over Rh-Pt/CeO<sub>2</sub> catalysts: Rh role in dissociation of carbon-carbon bond, **208**, 393  
 oxidation  
 Mo/SnO<sub>2</sub> catalysts for, surface properties of, IR study, **209**, 427  
 over Pt catalysts, electrochemical promotion, **211**, 521  
 steam reforming over supported Co catalysts, hydrogen production in, **209**, 306
- Ethyl acetate  
 direct synthesis from ethanol under pressure, **212**, 207  
 self-condensation over strong bases generated *in situ* from alkaline and alkaline earth carbonates, **205**, 244
- Ethylbenzene  
 dehydrogenation  
 over potassium-promoted iron oxide model catalyst films, **212**, 104  
 over vanadium oxide-loaded MgO catalyst, promoting effect of CO<sub>2</sub>, **209**, 16

- formation by benzene alkylation over zeolite ITQ-17, effects of pore-volume topology, **207**, 46
- Ethylene  
conversion over H-GaAlMFI zeolite, aromatic product selectivity and distribution in, effects of temperature, **205**, 398  
dimerization over NiSO<sub>4</sub>/γ-Al<sub>2</sub>O<sub>3</sub> catalysts, relationship to acidic properties, **209**, 69  
epoxidation over Ag catalysts, analysis using electrochemical promotion of effects of alkali, NO<sub>x</sub>, and chlorine, **207**, 331  
hydration over potassium and silver salts of tungstophosphoric acid, **207**, 296  
one-stage Wacker-type oxidation, catalysis by aqueous PdCl<sub>2</sub>-heteropoly-anion system, kinetics, **211**, 445  
oxidative arylation with benzene over Rh catalysts for direct synthesis of styrene, **206**, 272  
polymerization  
over dinuclear Cr(II) sites in Cr/SiO<sub>2</sub> Phillips-type catalysts, **206**, 331  
over mononuclear Cr(II) B sites in Cr/SiO<sub>2</sub> Phillips-type catalysts, **205**, 366  
SiO<sub>2</sub>-supported Ziegler-Natta catalyst for, formation of, **210**, 328  
production by acetylene hydrogenation, selectivity of TiO<sub>2</sub>-added Pd catalysts, **208**, 310  
selective catalytic reduction of NO<sub>2</sub> over H-ferrierite, product analysis, **211**, 53
- Ethylene glycol  
oxidation, heterogeneous liquid-phase catalysts for, Au(0) sols as precursors for, **211**, 464
- Ethyl pyruvate  
enantioselective hydrogenation on dihydrocinchonidine-modified Pt/Al<sub>2</sub>O<sub>3</sub> in acetic acid, ESI-MS study, **205**, 168
- Extended X-ray absorption fine structure  
Au/γ-Al<sub>2</sub>O<sub>3</sub> active morphology, **209**, 62  
chlorine effect on supported Pt catalysts during oxidation reactions, **209**, 341  
Fe-ZSM-5 active sites for selective reduction of NO by isobutane, **212**, 157  
MoO<sub>3</sub> reduction with propene and MoO<sub>2</sub> oxidation with oxygen, **210**, 67  
phosphorus content effects in nickel phosphide catalysts, **210**, 207  
SiO<sub>2</sub>-attached molecular-imprinting Rh dimer catalyst for size- and shape-selective hydrogenation of alkenes, **211**, 496  
small Rh metal particles on fishbone carbon nanofibers, **211**, 85
- F**
- Faujasite  
support of Pd and Pt catalysts, hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63
- Ferrierite  
H-FER  
aged and selective, accessible sites for skeletal isomerization of *n*-butene, probing with *d*<sub>3</sub>-acetonitrile, **212**, 86  
*n*-butene conversion, <sup>13</sup>C MAS NMR study, **211**, 165  
but-1-ene isomerization, sorbed species during, *in situ* IR study, **211**, 366  
selective catalytic reduction of NO<sub>2</sub> with C<sub>2</sub>H<sub>4</sub>, product analysis, **211**, 53  
Pd(II) ions in matrices for SCR of NO with CH<sub>4</sub>, activity and stability, effects of Co cations, **211**, 75
- Ferrosulfuric oxide  
catalysts for styrene formation, potassium loss from, energetics, **211**, 265
- Fischer-Tropsch synthesis  
Co-based catalysts for, effects of thermal treatment, *in situ* XRD study, **205**, 346  
over Co catalysts supported on mesoporous silicas, pore size effects, **206**, 230  
Co-catalyzed, effect of water, **210**, 84  
over Co/SiO<sub>2</sub> catalysts, rate and selectivity, effects of water, **211**, 422  
hydrocarbons formed in supercritical-phase reactions, anti-ASF distribution, **207**, 371  
promoted Fe-based catalysts for, design, synthesis, site densities, and catalytic properties, **206**, 202  
over Ru(0001) catalysts, chain growth in, mechanisms, **212**, 136  
on Ru-promoted Co/MCM-41 catalysts, **211**, 530
- Fixed-bed reactor  
continuous, limitations in enantioselective hydrogenation on palladium, **210**, 466
- Flame synthesis  
active Pt/TiO<sub>2</sub> catalysts for SO<sub>2</sub> oxidation, **205**, 404
- Fluid catalytic cracking  
coke deposition on catalysts for, location and effects during gas oil cracking at microactivity test conditions, **209**, 385  
IM-5 zeolite shape selectivity, **206**, 125  
Y zeolite catalysts  
acidity, impact of deactivation conditions, FTIR study, **211**, 64  
destruction, role of Na and V, **207**, 237
- Fluidized-bed reactor  
Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in, biomass gasification to hydrogen and syngas at low temperature, **208**, 255
- Fluorination  
*in situ* effects on methylcyclohexylamine hydrodenitrogenation, **210**, 183
- Fluorine  
effects on cyclohexene hydrogenation over sulfided NiMo catalysts supported on Al<sub>2</sub>O<sub>3</sub> and silica-alumina, **207**, 286  
effects on WS<sub>2</sub> morphology and dispersion in sulfided W/Al<sub>2</sub>O<sub>3</sub> and NiW/Al<sub>2</sub>O<sub>3</sub> catalysts, HRTEM study, **206**, 368
- Formaldehyde  
formation as intermediate during methanol decomposition on Cu(111), DFT study, **208**, 291  
formation by partial oxidation of methane: theoretic-experimental approach to process design and catalyst development, **207**, 232  
formation by selective oxidation of dimethyl ether on small MoO<sub>x</sub> domains, **208**, 1
- Formic acid  
oxidation, catalytic activity of bulk metal oxides for, **210**, 241  
photocatalytic oxidation on TiO<sub>2</sub>, active sites for, effects of H<sub>2</sub>O and temperature, **209**, 105
- Friedel-Crafts acylation  
catalysis by heteropoly acids, **208**, 448  
over MCM-22, effects of Al concentrations, **206**, 23
- Fuel cell  
PEM, low-temperature oxidation of CO in H<sub>2</sub> for, promotion of Pt/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for, **210**, 460  
solid oxide, La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3-δ</sub> as anode material for, surface properties and physicochemical characterization, **209**, 25
- Fuel processing  
noble metal-based water-gas shift catalysts for, evaluation, **206**, 169
- Fullerene  
C<sub>60</sub>, complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42
- Furan  
direct formation from acetylene over β-UO<sub>3</sub>, **206**, 155
- G**
- Gadolinium  
Gd-Pd/TiO<sub>2</sub> sol-gel catalysts, adsorption characteristics in NO reduction with CH<sub>4</sub>, DRIFTS and TPD studies, **210**, 295

- TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151
- Gallium  
Ga/SiO<sub>2</sub> and Ga–Pd/SiO<sub>2</sub> catalysts, gallium–hydrogen bond formation on, **211**, 252
- Gallium oxide  
Ga<sub>2</sub>O<sub>3</sub>–Al<sub>2</sub>O<sub>3</sub> catalysts, selective catalytic reduction of NO by propene, *in situ* FTIR study, **206**, 114  
Ga<sub>2</sub>O<sub>3</sub>/H-ZSM-5 and Ga<sub>2</sub>O<sub>3</sub>/WO<sub>3</sub> catalysts, conversion of methanol to hydrocarbons, **205**, 358
- Gas oil  
cracking at microactivity test conditions, coke deposition in fluid cracking catalysts during, location and effects, **209**, 385
- Gasoline  
hydrogenation, *ex situ* presulfided Ni/Al<sub>2</sub>O<sub>3</sub> catalysts for, characterization, **209**, 245
- Germanium  
Pt–Ge/Al<sub>2</sub>O<sub>3</sub> catalysts, behavior in transformation of hydrocarbons, **208**, 490
- Gluconic acid  
formation by selective oxidation of D-glucose on Au catalyst, **206**, 242
- D-Glucose  
selective oxidation on Au catalysts, **206**, 242
- Gmelinite  
ab initio molecular dynamics simulation, **209**, 480  
linear hydrocarbons adsorbed on, at 700 K, *ab initio* molecular dynamics simulation, **205**, 147
- Gold  
Al<sub>2</sub>O<sub>3</sub>-supported catalysts, chloride in, effect on selective catalytic oxidation of carbon monoxide, **210**, 375  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts  
active morphology, EXAFS analysis, **209**, 62  
prepared by impregnation, low-temperature CO oxidation, **206**, 305; corrigendum, **211**, 283  
Au(0) sols, as precursors for heterogeneous liquid-phase oxidation catalysts, **211**, 464  
Au/Ti–MCM-48, vapor-phase epoxidation of propene using H<sub>2</sub> and O<sub>2</sub>, **209**, 331  
Au–VO<sub>x</sub> catalysts supported on TiO<sub>2</sub> and ZrO<sub>2</sub>, removal of diesel soot particulates and spectroscopic study, **209**, 515  
carbon-supported catalysts, selective oxidation of D-glucose, **206**, 242  
effect on hydrodesulfurization activity of supported Pd catalysts, **212**, 56  
FeO<sub>x</sub>-modified-carbon-supported catalysts, CO oxidation at low temperature, **210**, 149  
particles deposited on rutile TiO<sub>2</sub>(110) by deposition precipitation and gas-phase grafting, SEM and RHEED–REM study, **212**, 119  
PdAu/Sibunit carbon catalysts, characterization and hydrodechlorination of dichlorodifluoromethane, **209**, 528  
polymer-immobilized catalysts for syntheses of carbamates and symmetric ureas by oxidative carbonylation of aniline and derivatives, **211**, 548  
promotion of steam reforming on Ni catalysts by suppression of graphite formation, **209**, 365  
PtAu cluster-derived supported catalysts, kinetic and spectroscopic characterization, **212**, 125  
TiO<sub>2</sub>-supported nanocatalysts synthesized from [Au<sub>6</sub>(PPh<sub>3</sub>)<sub>6</sub>](BF<sub>4</sub>)<sub>2</sub> complex, oxidation of CO, **207**, 247
- Grafting  
gas-phase, Au particle deposition on rutile TiO<sub>2</sub>(110), SEM and RHEED–REM study, **212**, 119
- Graphite  
formation associated with steam reforming on Ni catalysts, **209**, 365  
nanofilaments, support of Ru–Ba catalysts for NH<sub>3</sub> synthesis, **211**, 278
- H**
- Halogenated aromatics  
hydrodehalogenation over Ni/SiO<sub>2</sub> catalysts, cleavage of C–Cl and C–Br bonds in, **211**, 451
- Hausmannite  
aerogels with SiO<sub>2</sub>, synthesis, structure, and selective oxidation of NH<sub>3</sub>, **207**, 88
- Heck chemistry  
Pd–zeolites as heterogeneous catalysts in, **209**, 225
- n*-Heptane  
cracking/isomerization, heterogeneous catalysts for, indexed libraries for combinatorial selection of, **209**, 413  
isomerization over phosphorus-doped tungsten oxynitrides, **205**, 191  
and nonane, molecular competition in vapor- and liquid-phase hydroconversion over bifunctional Pt–USY zeolites, **210**, 445  
reforming over Pt–Re/Al<sub>2</sub>O<sub>3</sub> catalysts, reaction network, kinetics, and catalyst deactivation, **206**, 188
- Heterogeneous catalysts  
combinatorial selection, indexed libraries for, **209**, 413  
gas phase testing, microfabricated differential reactor for, **209**, 401
- Heteropoly acids  
catalysis of Friedel–Crafts acylation, **208**, 448  
SiO<sub>2</sub>–ZrO<sub>2</sub>-supported, FTIR and reaction studies of styrene and toluene over, **212**, 231
- Heteropoly anions  
aqueous system with PdCl<sub>2</sub>, catalysis of one-stage Wacker-type oxidation of C<sub>2</sub>–C<sub>4</sub> olefins, kinetics, **211**, 445
- n*-Hexane  
adsorbed on gmelinite at 700 K, *ab initio* molecular dynamics simulation, **205**, 147  
hydroisomerization over Pt-loaded solid acid catalysts, intrinsic kinetics, **206**, 295  
isomerization over sulfated ZrO<sub>2</sub> catalysts, role of surface and subsurface Pt, **212**, 173  
reactions on Pt catalysts, mechanism: hydrogen pressure and compensation effects, **205**, 86  
transformation, behavior of Pt–Ge/Al<sub>2</sub>O<sub>3</sub> catalysts in, **208**, 490
- 1,6-Hexanedinitrile  
hydrogenation on Ni–MgO catalysts, **209**, 202
- 1-Hexene  
epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea–H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339  
hydrogenation, extremely active catalysts for, **205**, 294
- 3-Hexene  
adsorbed on gmelinite at 700 K, *ab initio* molecular dynamics simulation, **205**, 147
- High-energy diffraction  
CuO<sub>x</sub>/CeO<sub>2</sub> nanostructured composite catalyst particles characterized by, oxidation of CO, **211**, 119
- High-resolution electron microscopy  
CuO<sub>x</sub>/CeO<sub>2</sub> nanostructured composite catalyst particles characterized by, oxidation of CO, **211**, 119  
PtSn catalysts supported on alumina and alumina–zirconia, **208**, 467  
Sn(Sb)O<sub>2</sub> nanophase catalysts, **205**, 266  
structured Au/FeO<sub>x</sub>/C catalysts for low-temperature CO oxidation, **210**, 149
- High-resolution transmission electron microscopy  
boron-modified Co/TiO<sub>2</sub> catalysts for butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470  
fluorine effects on morphology and dispersion of WS<sub>2</sub> in sulfided W/Al<sub>2</sub>O<sub>3</sub> and NiW/Al<sub>2</sub>O<sub>3</sub> catalysts, **206**, 368  
Ni/Al<sub>2</sub>O<sub>3</sub> catalysts presulfided *ex situ* for pyrolysis gasoline hydrogenation, **209**, 245

- Pt particle size and distribution in SiO<sub>2</sub> impregnated with [Pt<sup>2+</sup>(NH<sub>3</sub>)<sub>4</sub>](NO<sub>3</sub>)<sub>2</sub>: effect of pretreatment, **205**, 135
- Hydration  
ethylene over potassium and silver salts of tungstophosphoric acid, **207**, 296
- Hydrazine  
decomposition on tungsten carbide catalysts, effects of adsorbed oxygen, **210**, 1
- Hydrocarbons  
formation by methanol conversion over Ga<sub>2</sub>O<sub>3</sub>/H-ZSM-5 and Ga<sub>2</sub>O<sub>3</sub>/WO<sub>3</sub> catalysts, **205**, 358  
formed in supercritical-phase Fischer–Tropsch synthesis reactions, anti-ASF distribution, **207**, 371  
linear, adsorbed on gmelinite at 700 K, *ab initio* molecular dynamics simulation, **205**, 147  
selective catalytic reduction of NO over Ir catalysts, sensitivity to catalyst structure, **205**, 157  
transformation, behavior of Pt–Ge/Al<sub>2</sub>O<sub>3</sub> catalysts in, **208**, 490
- Hydrocracking  
C<sub>7</sub> and C<sub>9</sub> *n*-alkanes over bifunctional Pt–USY zeolites: molecular competition in vapor- and liquid-phase reactions, **210**, 445
- Hydrodealkylation  
*n*-propylbenzene over Pt(Sn)/SiO<sub>2</sub> catalysts in reforming conditions, kinetics and mechanisms, **210**, 431
- Hydrodechlorination  
carbon tetrachloride to CHCl<sub>3</sub> on Pd/carbon catalysts in liquid phase, nature and role of Pd active species in, **209**, 279  
chlorine-containing organic compounds, reaction steps on Pd catalysts, **211**, 192  
chloropentafluoroethane over tungsten carbides, effects of surface stoichiometry, **206**, 358  
dichlorodifluoromethane over Pd–Au/Sibunit carbon catalysts, **209**, 528  
over Raney–Ni under multiphase conditions: role of multiphase environment in kinetics and selectivity, **211**, 347
- Hydrodehalogenation  
halogenated aromatics over Ni/SiO<sub>2</sub> catalysts, cleavage of C–Cl and C–Br bonds in, **211**, 451
- Hydrodenitrogenation  
methylcyclohexylamine, effects of *in situ* fluorination and support, **210**, 183  
2-methylpiperidine and 2-methylpyridine, role of β hydrogen atoms, **206**, 263  
methyl-substituted quinolines, **212**, 201  
push–pull mechanism over SiO<sub>2</sub>-supported MoP, WP, and MoS<sub>2</sub> hydroprocessing catalysts, **210**, 116  
quinoline  
over iron group transition metal phosphides, **208**, 321  
over Ni<sub>2</sub>P/SiO<sub>2</sub> catalysts, effects of catalyst phosphorus content, **210**, 207  
over SiO<sub>2</sub>-supported MoP and WP catalysts, **207**, 256
- Hydrodeoxygenation  
benzofuran over sulfided and reduced Ni–Mo/Al<sub>2</sub>O<sub>3</sub> catalysts, reaction network of, **206**, 177
- Hydrodesulfurization  
dibenzothiophene  
catalysis by small zeolitic cluster, theoretical study, **208**, 89  
over iron group transition metal phosphides, **208**, 321  
over MCM-41-supported sulfided Ni–Mo catalysts, **210**, 319  
over MoS<sub>2</sub> mesoporous catalysts prepared by *in situ* activation of tetraalkylammonium thiomolybdates, **208**, 359  
over Ni<sub>2</sub>P/SiO<sub>2</sub> catalysts, effects of catalyst phosphorus content, **210**, 207  
over SiO<sub>2</sub>-supported MoP and WP catalysts, **207**, 256  
MgO-supported Co–Mo and Ni–Mo sulfide catalysts for, preparation, **205**, 314  
petroleum feedstocks with Ni<sub>2</sub>P/SiO<sub>2</sub> catalyst, **209**, 1  
thiophene, *see* Thiophene hydrodesulfurization  
working conditions for, induction of shape and edge modifications in MoS<sub>2</sub> catalytic nanoparticles, theoretical study, **207**, 76
- Hydrogen  
carburizing mixture with C<sub>2</sub>H<sub>2</sub>, molybdenum carbide preparation with, **211**, 183  
and CO<sub>2</sub>, methanol synthesis  
Pd-modified Cu–Zn catalysts for, structures and performance, **210**, 285  
relevance of reverse topotactic transformation of Cu–Zn–Al catalyst during wet Pd impregnation, **210**, 273  
1,2-dichloroethane dechlorination assisted by, catalysis by Pt–Sn/SiO<sub>2</sub>, effect of Pt/Sn atomic ratio, **211**, 173  
gallium–hydrogen bond formation on Ga/SiO<sub>2</sub> and Ga–Pd/SiO<sub>2</sub> catalysts, **211**, 252  
interaction with Fe silicalites, effect on migration of Fe species from framework to extraframework positions, **208**, 64  
interaction with Ru/MgO catalysts, **209**, 501  
molecular, thiophene desulfurization pathway using, deuterium isotopic tracer studies, **207**, 31  
NO/H<sub>2</sub>/O<sub>2</sub> reaction on Pt/La<sub>0.7</sub>Sr<sub>0.2</sub>Ce<sub>0.1</sub>FeO<sub>3</sub> catalysts at low temperatures, **209**, 456  
and O<sub>2</sub>  
catalytic formation of H<sub>2</sub>O<sub>2</sub> from, role of colloidal Pd, **206**, 173  
reaction to produce water over Pt in stagnation reactor, effects of methane and ethane, **208**, 15  
vapor-phase epoxidation of propene over Au/Ti–MCM-48, **209**, 331  
production  
by biomass gasification at low temperature on Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in fluidized-bed reactor, **208**, 255  
from ethanol over Rh–Pt/CeO<sub>2</sub> catalysts: Rh role in dissociation of carbon–carbon bond, **208**, 393  
from ethanol steam reforming over supported Co catalysts, **209**, 306  
by methane decomposition over Ni/SiO<sub>2</sub> catalysts, structure of Ni species during, **208**, 54  
with NiRh/La<sub>2</sub>O<sub>3</sub> catalysts for use at low temperature in membrane reactor, **210**, 7  
with NiRh/ZrO<sub>2</sub> as potential low-temperature catalysts for membrane reactors, **210**, 263  
by partial oxidation of methanol over Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts: effect of catalyst initial state on start-up behavior of reformer, **212**, 112  
reduction of acetic acid  
to acetaldehyde over iron catalysts, kinetics, **208**, 158  
on PtFe catalysts, **209**, 87  
over supported Pt catalysts, DRIFTS and TPD/TPR study, **207**, 317  
reduction of nitric oxide  
under lean-burn conditions, promoter effects in, **208**, 435  
on Pd monolith, H<sub>2</sub>/D<sub>2</sub> exchange with H<sub>2</sub>O and NH<sub>3</sub>, **210**, 17  
reduction of sulfur dioxide over TiO<sub>2</sub>-supported catalysts derived from Ru salts and Ru cluster complexes, **206**, 159  
spillover  
from metal oxide catalyst onto carbon nanotubes, implications for hydrogen storage, **206**, 165; *erratum*, **211**, 565  
from PdRh/CeO<sub>2</sub>–ZrO<sub>2</sub> catalysts, titration by oxygen, **206**, 82  
role in promoting effect of Pd on Cu–Zn–Al catalyst in methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, **210**, 273
- Hydrogenation  
acetylene  
partial hydrogenation over Pt/Pb alloy, catalyst composition and performance during, *in situ* electrochemical control, **210**, 237  
selective reaction on TiO<sub>2</sub>-added Pd catalysts, **208**, 310  
adiponitrile half-hydrogenation to aminocapronitrile on Ni-based catalysts from lamellar double hydroxide precursors, **211**, 511

- alkenes, size- and shape-selective reactions over SiO<sub>2</sub>-attached molecular-imprinting Rh dimer catalyst, **211**, 496
- arabinonic acid and lactones to arabitol, **208**, 247
- carbon dioxide to methanol  
on Ga/SiO<sub>2</sub> and Ga-Pd/SiO<sub>2</sub> catalysts, gallium-hydrogen bond formation in, **211**, 252  
Pd-modified Cu-Zn catalysts for, structures and performance, **210**, 285  
relevance of reverse topotactic transformation of Cu-Zn-Al catalyst during wet Pd impregnation, **210**, 273
- carbon monoxide  
promoting effect of VO<sub>x</sub> overlayers on Rh, role of reduction temperature, **208**, 422  
on Ru-promoted Co/MCM-41 catalysts, **211**, 530
- complexes of aromatic compounds and of fullerene C<sub>60</sub> with Pt/SiO<sub>2</sub>, IR study, **211**, 42
- crotonaldehyde  
over Ir/TiO<sub>2</sub> catalysts, role of catalyst interfacial properties, **208**, 229  
over Pt/CeO<sub>2</sub>-SiO<sub>2</sub> catalysts, **210**, 127  
over Sn/Pt(111) alloy model catalysts, **205**, 278  
vapor-phase reaction on TiO<sub>2</sub>-supported Pt and PtSn SMSI catalysts, **212**, 94
- cyclohexene  
over *in situ* fluorinated NiMoS catalysts supported on Al<sub>2</sub>O<sub>3</sub> and silica-alumina, **207**, 286  
over small Rh metal particles on fishbone carbon nanofibers, **211**, 85  
diastereoselective, pyrazine derivatives, preparation of piperazine-(2*S*)-carboxylic acid by, **208**, 404
- dibenzothiophene, catalysis by small zeolitic cluster, theoretical study, **208**, 89
- 2,4-dinitrotoluene on Pd/C catalysts, factors affecting mechanism of, computational study, **211**, 296
- enantioselective  
ethyl pyruvate on dihydrocinchonidine-modified Pt/Al<sub>2</sub>O<sub>3</sub> in acetic acid, ESI-MS study, **205**, 168  
4-hydroxy-6-methyl-2-pyrone on cinchona-modified metal catalysts, mechanistic study, **205**, 213  
on Pd catalysts: limitations of continuous fixed-bed reactor operation, **210**, 466
- gasoline, *ex situ* presulfided Ni/Al<sub>2</sub>O<sub>3</sub> catalysts for, characterization, **209**, 245
- 1,6-hexanedinitrile on Ni-MgO catalysts, **209**, 202
- 1-methylnaphthalene over edge-bonded MoS<sub>2</sub> catalysts on TiO<sub>2</sub>, **207**, 361
- nitrate to nitrogen in water over Pd-Cu catalysts supported on active carbon, **207**, 37
- propene  
over phosphorus-doped molybdenum oxynitrides and oxygen-modified molybdenum carbides, turnover rates for, **208**, 187  
over phosphorus-doped tungsten oxynitrides, **205**, 191
- 2,2'-pyridoin and derivatives over noble metal catalysts, chemo- and diastereoselectivity, **209**, 472
- over Raney-Ni under multiphase conditions: role of multiphase environment in kinetics and selectivity, **211**, 347
- $\alpha$ -substituted ketones, racemic and enantioselective Pt-catalyzed reactions, relationship to ketone electronic structure, **209**, 489
- terminal alkenes, extremely active catalysts for, **205**, 294
- toluene  
passivated Ni-on-alumina catalysts for, *in situ* reactivation in dielectric field, **207**, 1  
over Pt/CeO<sub>2</sub>-SiO<sub>2</sub> catalysts, **210**, 127  
over sulfated ZrO<sub>2</sub> catalysts, role of surface and subsurface Pt, **212**, 173  
over supported Pt and Pd catalysts: effects of structural factors on sulfur tolerance, **212**, 63  
unsaturated aldehydes on Pt(111), selectivity, effect of adsorption structures on, DFT study, **211**, 398
- Hydrogen chloride  
effects on CuCl<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts, **205**, 375
- Hydrogen cyanide  
formation by selective catalytic reduction of NO<sub>2</sub> with C<sub>2</sub>H<sub>4</sub> over H-ferrierite, **211**, 53
- Hydrogen-deuterium exchange  
catalytic combustion of benzene and chlorobenzene, **211**, 355  
NO reduction by H<sub>2</sub> on Pd monolith, **210**, 17, 30
- Hydrogenolysis  
acetic acid to ethanol over Pd(111), Re(0001), and PdRe alloys, reaction paths in, **209**, 289
- Hydrogen peroxide  
adduct with urea, as oxidizing agent in epoxidation of olefinic compounds over TS-1 and TS-2 molecular sieves, **208**, 339  
catalytic formation from H<sub>2</sub> and O<sub>2</sub>, role of colloidal Pd, **206**, 173  
epoxidation of activated olefins on solid bases, **211**, 150  
epoxidation of olefins over organotin-oxometalate coordination polymers, **209**, 237  
epoxidation of styrene over Fe-containing MCM-41, **209**, 186  
oxidation of cyclohexene on ZrO<sub>2</sub>-SiO<sub>2</sub>, effects of catalyst surface hydrophilicity, **212**, 193  
oxidation of dibenzothiophene, catalysis by solid bases, **211**, 103  
Ruff oxidative degradation of aldonic acids, catalysis by Cu(II)-containing solids, **209**, 217  
Ti- $\beta$ /H<sub>2</sub>O<sub>2</sub>/H<sub>2</sub>O, catalysis of direct formation of pinacols from olefins, **209**, 260
- Hydrogen pressure  
effects in *n*-hexane reactions on Pt catalysts, **205**, 86
- Hydrogen sulfide  
adsorption by NaY zeolite, effect on acidic properties, IR study, **207**, 353  
formation by exposure of Pd/ceria catalysts to SO<sub>2</sub> in presence of H<sub>2</sub>, **210**, 397  
formation during thiophene desulfurization by pathways using propane or dihydrogen, <sup>2</sup>H isotopic tracer studies, **207**, 31
- Hydrogen transfer reduction  
4-*tert*-butylcyclohexanone on basic solids, **208**, 30  
prostaglandin unsaturated ketones to secondary allylic alcohols over mesoporous supported PtSn catalysts, **206**, 218
- Hydroisomerization  
*n*-hexane over Pt-loaded solid acid catalysts, intrinsic kinetics, **206**, 295
- Hydrophilicity  
ZrO<sub>2</sub>-SiO<sub>2</sub> catalyst surface, control of, effects on oxidation of cyclohexene with H<sub>2</sub>O<sub>2</sub>, **212**, 193
- Hydrotalcite catalysts  
dibenzothiophene oxidation by H<sub>2</sub>O<sub>2</sub>, **211**, 103  
epoxidation of activated olefins, **211**, 150  
hydrogen transfer reduction of 4-*tert*-butylcyclohexanone and aldol condensation of benzaldehyde with acetophenone, **208**, 30
- Hydrothermal stability  
IM-5 zeolite for shape-selective cracking, **206**, 125  
Y zeolite, role of Na and V, **207**, 237
- Hydrothermal synthesis  
MoVTeNbO catalysts prepared by, preparation, characterization, and catalytic behavior, **209**, 445
- 2'-Hydroxyacetophenone  
and benzaldehyde, Claisen-Schmidt condensation on immobilized proton sponge on inorganic carrier, **211**, 208
- Hydroxylation  
benzene, selectivity enhancement by tailoring MCM-41 catalyst surface affinity for reactive molecules, **212**, 22  
1-naphthol over Ce-containing MCM-41-type mesoporous materials, **207**, 213



## Hydroxyl compounds

electrooxidation using cerium salts as mediators: importance of substrate size in catalyst regeneration, **209**, 394

## Hydroxyl groups

on  $\gamma$ -alumina surfaces, DFT study, **211**, 1

## 4-Hydroxy-6-methyl-2-pyrone

enantioselective hydrogenation on cinchona-modified metal catalysts, mechanistic study, **205**, 213

## I

## Indexed libraries

construction for combinatorial selection of heterogeneous catalysts, **209**, 413

## Indium oxide

Al<sub>2</sub>O<sub>3</sub>-supported catalysts for NO<sub>x</sub> reduction in lean conditions, **210**, 97

## Industrial reactors

design, linkage of density functional theory and microkinetic model in, **205**, 382

## Infrared spectroscopy

adsorbed CO: impact of deactivation conditions on acidity of Y zeolites for formulation of FCC catalysts, **211**, 64

alloy formation in Li-promoted Pd/SiO<sub>2</sub> catalysts for methanol synthesis, **211**, 273

boron-modified Co/TiO<sub>2</sub> catalysts for butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470

carbonaceous deposits in aged H-ferrierite selective for skeletal isomerization of *n*-butene, **212**, 86

carbon monoxide adsorption on reduced Cr/SiO<sub>2</sub> system, theoretical analysis, **205**, 177

carbon monoxide oxidation over Co<sub>3</sub>O<sub>4</sub> catalysts at low temperature, **211**, 387

chiral phase creation by (*R,R*)-tartaric acid adsorption on Cu(II), **205**, 123

chlorine effect on supported Pt catalysts during oxidation reactions, **209**, 341

cluster-derived supported PtAu catalysts, **212**, 125

Co ion siting and distribution in beta zeolite, **211**, 198

extraframework iron species in Fe silicalite after steaming, **208**, 83

hydrogenation and dehydrogenation of complexes of aromatic compounds and of fullerene C<sub>60</sub> with Pt/SiO<sub>2</sub>, **211**, 42

hydroxyl groups on  $\gamma$ -alumina surfaces, **211**, 1

MAPO-5 and MAPO-36 catalysts, **205**, 299

metal cation effects on skeletal isomerization of 1-butene over clinoptilolite, **211**, 216

modification of acidic properties of NaY zeolite by H<sub>2</sub>S adsorption, **207**, 353

Mo/SnO<sub>2</sub> catalyst surface properties, **209**, 427

MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445

nitric oxide adsorption and NO + O<sub>2</sub> coadsorption on WO<sub>3</sub>-ZrO<sub>2</sub> catalyst surface, **209**, 539

selective catalytic reduction of NO with propene over Ga<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, **206**, 114

sorbed species on H-FER during but-1-ene isomerization, **211**, 366

species formed by exposure of Pd/ceria catalysts to SO<sub>2</sub>, **210**, 397

styrene and toluene over silica-zirconia-supported heteropoly acid catalysts, **212**, 231

## Iridium

catalysts for selective ring opening of naphthenic molecules, **210**, 137

TiO<sub>2</sub>-supported catalysts

interfacial properties, role in crotonaldehyde hydrogenation, **208**, 229

prepared by deposition precipitation, oxidation of CO below room temperature, **208**, 485

## Iridium black

catalysis of selective catalytic reduction of NO with hydrocarbons, **205**, 157

## Iron

acicular particles, synthesis, characterization, and catalytic use, **208**, 150

catalysis of acetic acid reduction to acetaldehyde kinetics, **208**, 158

Mössbauer spectroscopy, DRIFTS, TPD, and TPR studies, **208**, 170

catalysts supported on zeolites, Al<sub>2</sub>O<sub>3</sub>, and SiO<sub>2</sub>, NO-assisted decomposition of N<sub>2</sub>O, **208**, 211

evolution and formation of  $\alpha$ -sites upon FeZSM-5 activation, **207**, 341

extraframework species in Fe silicalite, evolution

effect of Fe content, activation temperature, and interaction with redox agents, **208**, 64

effect of steaming, **208**, 83

Fe/MFI catalysts, N<sub>2</sub>O decomposition, oxygen deposited on catalyst by identification, **210**, 453

MCM-41 containing, characterization and catalysis of styrene epoxidation with H<sub>2</sub>O<sub>2</sub>, **209**, 186

Ni model alloys with, electrocatalytic activity, **207**, 23

promoted catalysts based on, for Fischer-Tropsch synthesis, design, synthesis, site densities, and catalytic properties, **206**, 202

PtFe catalysts, acetic acid reduction by H<sub>2</sub>, **209**, 87

zeolite-supported catalysts, combinatorial selection, indexed libraries for, **209**, 413

## Iron antimonate

FeSbVO<sub>4</sub> mixed oxide catalysts for propane ammoxidation, active site characterization, **205**, 97

## Iron oxide

carbon modified by, support of Au catalysts, CO oxidation at low temperature, **210**, 149

iron oxide-silica aerogels, catalysis of selective oxidation of NH<sub>3</sub> and reduction of NO by NH<sub>3</sub>, **206**, 143

potassium-promoted model catalyst films, dehydrogenation of ethylbenzene, **212**, 104

## Iron(III) oxide

catalysts for styrene formation, potassium loss from, energetics, **211**, 265

Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> prepared by sol-gel method, selective catalytic oxidation of NH<sub>3</sub> to nitrogen, **207**, 158

## Iron phosphide

Fe<sub>2</sub>P synthesis, characterization, and hydrotreating ability, **208**, 321

## Iron silicalite

extraframework Fe species in, evolution

effect of Fe content, activation temperature, and interaction with redox agents, **208**, 64

effect of steaming, **208**, 83

## Isobutane

alkylation with 2-butene using large-pore zeolites, catalyst activity and selectivity in, effect of pore structure, **211**, 6

conversion over USY zeolite, reaction kinetics study and analysis of reaction schemes, **205**, 67

selective catalytic reduction of NO over Fe-ZSM-5 zeolites, active sites in, **212**, 157

## Isobutene

formation by skeletal isomerization of *n*-butene over aged H-ferrierite, accessible sites for, probing with *d*<sub>3</sub>-acetonitrile, **212**, 86

## Isocyanic acid

formation by selective catalytic reduction of NO<sub>2</sub> with C<sub>2</sub>H<sub>4</sub> over H-ferrierite, **211**, 53

## Isomerization

aromatic compounds over zeolite ITQ-17, effects of pore-volume topology, **207**, 46

*n*-butane on sulfated zirconia, effect of olefin addition, **211**, 316

- 1-butene  
 over aged and selective H-ferrierite, accessible sites for, probing with  $d_3$ -acetonitrile, **212**, 86  
 over clinoptilolite, effects of metal cation, **211**, 216  
 over H-ferrierite  
 $^{13}\text{C}$  MAS NMR study, **211**, 165  
 sorbed species during, *in situ* IR study, **211**, 366
- n*-heptane  
 heterogeneous catalysts for, indexed libraries for combinatorial selection of, **209**, 413  
 over phosphorus-doped tungsten oxynitrides, **205**, 191
- n*-hexane over sulfated  $\text{ZrO}_2$  catalysts, role of surface and subsurface Pt, **212**, 173
- isophorone, as model reaction for solid base characterization, application to determination of site number, **211**, 144
- linoleic acid over Ru/C and Ni/H-MCM-41 catalysts, **210**, 354
- 3-phenyl-1-propene over base catalysts, **211**, 556
- thiophenic derivatives, catalyzed by acidic mordenite, periodic density functional theory study, **205**, 388
- m*-xylene over MAPO-5 and MAPO-36 catalysts, effects of Mg contents, **205**, 299
- cis-trans* Isomerization  
 in hydrogenation of 2,2'-pyridoin and derivatives over heterogeneous catalysts, **209**, 472
- Isophorone  
 isomerization, as model reaction for solid base characterization, application to determination of site number, **211**, 144
- $\beta$ -Isophorone  
 epoxidation on solid bases, **211**, 150
- Isopropanol, *see* Isopropyl alcohol
- N*-Isopropylacrylamide  
 synthesis from acrylonitrile and isopropyl alcohol via Ritter-type reaction over H-ZSM-5, **207**, 194
- Isopropyl alcohol  
 alkylation of *m*-cresol over mesoporous Al-MCM-41 molecular sieves, **210**, 367  
 conversion reactions, CrAPO-5 characterization in, **208**, 270  
 dehydrogenation over Cu-MgO catalysts prepared by mechanochemistry, **206**, 71  
 in one-step synthesis of 4-methyl-2-pentanone, **208**, 114  
 Ritter-type reaction with acrylonitrile over H-ZSM-5 to form *N*-isopropylacrylamide, **207**, 194
- Isopropylation  
*m*-cresol over mesoporous Al-MCM-41 molecular sieves, **210**, 367  
 naphthalene, shape selectivity in, zeolite pore entrance effect on, **210**, 313  
 xylenes over USY zeolite and other solid acid catalysts, **212**, 216
- Isopropylnaphthalene  
 production by naphthalene isopropylation, shape selectivity in, zeolite pore entrance effect on, **210**, 313
- Isotope exchange  
 analysis of reaction steps in hydrodechlorination of chlorine-containing organic compounds on Pd catalysts, **211**, 192  
 hydrogen-deuterium  
 catalytic combustion of benzene and chlorobenzene, **211**, 355  
 NO reduction by  $\text{H}_2$  on Pd monolith, **210**, 17, 30  
 identification of oxygen deposited on Fe/MFI by decomposition of  $\text{N}_2\text{O}$ , **210**, 453
- Isotopic labeling  
 analysis of lattice oxygen role in benzyl alcohol oxidation with OMS-2 catalyst, **210**, 46  
 methane with  $^{13}\text{C}$ , for assessment of low-temperature nonoxidative activation over H-galloaluminosilicate zeolite, **205**, 217
- Isotopic tracer studies  
 sulfur behavior on Mo/TiO<sub>2</sub> catalysts with various surface areas, **209**, 266
- thiophene desulfurization pathways using deuterium-labeled propane or dihydrogen as co-reactants, **207**, 31
- ## J
- Jacobsen catalyst  
 analogue with in-built phase transfer capability, enantioselective epoxidation of nonfunctionalized alkenes, **209**, 99
- ## K
- Ketones  
 Meerwein-Ponndorf-Verley reduction to alcohol, beta zeolite active in, Al-Lewis site structure, **210**, 171  
 $\alpha$ -substituted, electronic structure, relationship to reactivity in racemic and enantioselective Pt-catalyzed hydrogenation, **209**, 489
- Kinetics  
 acetic acid reduction to acetaldehyde over iron catalysts, **208**, 158  
 ammonia synthesis  
 on Ba-promoted Ru/BaX catalyst, isotopic transient analysis, importance of product readsorption during, **211**, 379  
 over Cs-promoted Ru/MgO catalysts, isotopic transient analysis, **210**, 387  
 over Ru-based catalysts, effect of Ba and Cs, **205**, 205  
 benzyl alcohol oxidation with OMS-2 catalyst: role of lattice oxygen, **210**, 46  
 carbonylation of nitroaromatics over soluble and polymer-anchored Rh catalysts, **210**, 255  
 chlorine effect on supported Pt catalysts during oxidation reactions, **209**, 341  
 cluster-derived supported PtAu catalysts, **212**, 125  
 CO + NO reaction over Pt-Rh/Al<sub>2</sub>O<sub>3</sub> catalysts, effects of ceria incorporation, **207**, 202  
 dibenzothiophene oxidation by H<sub>2</sub>O<sub>2</sub> with solid base catalysts, **211**, 103  
 electrochemical and classical promotion, modeling, **208**, 38  
 Fischer-Tropsch synthesis over Co/SiO<sub>2</sub> catalysts, effects of water, **211**, 422  
 heptane reforming over Pt-Re/Al<sub>2</sub>O<sub>3</sub> catalysts, **206**, 188  
 heterogeneous gas phase catalyst testing with differential packed-bed microreactor, **209**, 401  
*n*-hexane hydroisomerization over Pt-loaded solid acid catalysts, **206**, 295  
 H<sub>2</sub>-TPR of CrO<sub>x</sub>/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, **207**, 57  
 hydrodechlorination and hydrogenation over Raney-Ni catalysts under multiphase conditions, **211**, 347  
 isobutane conversion over USY zeolite, **205**, 67  
 MoO<sub>3</sub> oxidation with propene and MoO<sub>2</sub> oxidation with oxygen, bulk structural study, **210**, 67  
 one-stage Wacker-type oxidation of C<sub>2</sub>-C<sub>4</sub> olefins catalyzed by aqueous PdCl<sub>2</sub>-heteropoly-anion system, **211**, 445  
 oxidation of CO on Pt/Al<sub>2</sub>O<sub>3</sub> catalysts  
 lighting-off tests in excess CO, **209**, 126  
 mass spectroscopic study of reaction of adsorbed species, **209**, 114  
 and oxygen activity, simultaneous determination in single-phase oxidic catalysts and their mixture during partial oxidations, **209**, 177  
 partial oxidation of ethane to acetic acid over Mo<sub>1</sub>V<sub>0.25</sub>Nb<sub>0.12</sub>Pd<sub>0.0005</sub>O<sub>x</sub>, **205**, 32  
 promoter effects in NO reduction by H<sub>2</sub> under lean-burn conditions, SSITKA study, **208**, 435  
 propane oxidation on Mo-V-Sb-Nb mixed oxide catalysts, **211**, 226  
*n*-propylbenzene hydrodealkylation over Pt(Sn)/SiO<sub>2</sub> catalysts in reforming conditions, **210**, 431  
 reduction of monolayer vanadia by hydrogen on V/TiO<sub>2</sub> catalyst, **205**, 115

- selective catalytic reduction of NO<sub>2</sub> by NH<sub>3</sub> over HZSM-5, **208**, 100  
 SiO<sub>2</sub>-attached molecular-imprinting Rh dimer catalyst in size- and shape-selective hydrogenation of alkenes, **211**, 496  
 steady-state catalytic NO decomposition on Cu-ZSM-5, **209**, 75  
 Knight shift  
 in <sup>31</sup>P NMR of nickel phosphides on silica, **208**, 456  
 Knoevenagel condensation  
 benzaldehyde and methylene compounds on immobilized proton sponge on inorganic carrier, **211**, 208

## L

- Lactones  
 catalytic hydrogenation to arabitol, **208**, 247  
 Langmuir-Hinshelwood-Hougen-Watson kinetics  
 effective double layer extension, modeling of electrochemical and classical promotion with, **208**, 38  
 Lanthanide oxychloride  
 catalysis of cyclic carbonate synthesis from supercritical CO<sub>2</sub> and epoxide, **209**, 547  
 Lanthanum  
 CoLa/SiO<sub>2</sub> catalysts, supercritical-phase Fischer-Tropsch synthesis reactions, anti-ASF distribution in, **207**, 371  
 La-Al<sub>2</sub>O<sub>3</sub>, support of Pd catalysts for combustion reactions, characterization and activity, **207**, 139  
 TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151  
 Lanthanum chromites  
 La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3-δ</sub> anode material for solid oxide fuel cells, surface properties and physicochemical characterization, **209**, 25  
 Lanthanum manganese oxides  
 ZrO<sub>2</sub>-supported catalysts, methane combustion and CO oxidation on, **205**, 309  
 Lanthanum oxide  
 catalysis of hydrogen transfer reduction of 4-*tert*-butylcyclohexanone and aldol condensation of benzaldehyde with acetophenone, **208**, 30  
 support of  
 NiRh catalysts for use at low temperature in membrane reactor, hydrogen production with, **210**, 7  
 Pd catalysts, ethanol steam reforming, hydrogen production in, **209**, 306  
 La<sub>0.7</sub>Sr<sub>0.2</sub>Ce<sub>0.1</sub>FeO<sub>3</sub>  
 support of Pt catalysts, NO/H<sub>2</sub>/O<sub>2</sub> reaction at low temperatures, **209**, 456  
 Lead  
 Pt/Pb alloy, composition and performance during reaction, *in situ* electrochemical control, **210**, 237  
 Lewis acid sites  
 Al-Lewis site structure in beta zeolite active in Meerwein-Ponndorf-Verley reduction of ketone to alcohol, **210**, 171  
 iron oxide-silica aerogels, correlation with catalytic activity, **206**, 143  
 Mo/SnO<sub>2</sub> catalyst, IR study, **209**, 427  
 SAPO-34 catalysts for oxidative dehydrogenation of ethane, **208**, 479  
 silica-zirconia aerogels, modification by *in situ* and *ex situ* sulfation, **210**, 218  
 on zeolite β surface, effect of treatment with NaAlO<sub>2</sub> solution, **205**, 58  
 Lighting-off tests  
 CO oxidation on Pt/Al<sub>2</sub>O<sub>3</sub> catalysts in excess CO, experimental and kinetic model, **209**, 126  
 Linoleic acid  
 isomerization over Ru/C and Ni/H-MCM-41 catalysts, **210**, 354  
 Lithium  
 Pd/SiO<sub>2</sub> catalysts promoted by, for methanol synthesis, alloy formation in, **211**, 273

- Low-energy electron diffraction  
 chiral phase creation by (*R,R*)-tartaric acid adsorption on Cu(II), **205**, 123  
 Low-energy ion scattering  
 dynamic behavior of Cu/ZnO/SiO<sub>2</sub> catalyst surface structure, **210**, 229

## M

- Magnesium  
 content in MAPO-5 and MAPO-36, effects on catalytic properties, **205**, 299  
 Magnesium aluminum oxide  
 support of Pt-Sn highly dispersed particles, effect on size and composition, **211**, 335  
 Magnesium lanthanum mixed oxides  
 catalysis of dibenzothiophene oxidation by H<sub>2</sub>O<sub>2</sub>, **211**, 103  
 catalysis of epoxidation of activated olefins, **211**, 150  
 Magnesium orthovanadate  
 highly oriented thin-film catalysts, deposition and characterization: effect of exposure to reaction conditions, **208**, 6  
 Magnesium oxide  
 Cu-MgO, preparation by mechanochemistry and catalytic applications, **206**, 71  
 nanocrystalline, as dehydrohalogenation catalyst, **206**, 40  
 Ni-MgO catalysts, hydrogenation of 1,6-hexanedinitrile, **209**, 202  
 support of  
 CoMo and NiMo sulfide hydrodesulfurization catalysts, preparation, **205**, 314  
 Pd catalysts, ethanol steam reforming, hydrogen production in, **209**, 306  
 PtSn highly dispersed particles, effect on size and composition, **211**, 335  
 Ru catalysts, ammonia synthesis  
 on Cs-promoted catalysts, isotopic transient kinetic analysis, **210**, 387  
 kinetics, effect of Ba and Cs, **205**, 205  
 Ru catalysts, interaction with hydrogen, **209**, 501  
 V<sub>2</sub>O<sub>5</sub> catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35  
 vanadium oxide-loaded catalyst, dehydrogenation of ethylbenzene, promoting effect of CO<sub>2</sub>, **209**, 16  
 V<sub>2</sub>O<sub>5</sub>-MgO catalysts prepared by thermolysis of OV(O'Bu)<sub>3</sub> in presence of nanocrystalline MgO, oxidative dehydrogenation of propane, **206**, 49  
 Magnesium saponite  
 Pt-loaded, hydroisomerization of *n*-hexane, intrinsic kinetics, **206**, 295  
 Magnetic resonance imaging  
 coke deposits on HZSM-5, **208**, 224  
 Maleic anhydride  
 formation by *n*-butane oxidation  
 amorphous VPO catalysts for, preparation with supercritical CO<sub>2</sub> as antisolvent, **208**, 197  
 niobium-doped vanadium phosphorus oxide catalysts for, **208**, 238  
 Manganese  
 CoMn catalysts  
 cluster complexes, oxidation of cyclohexane, cyclohexanone, and cyclohexanol to adipic acid by non-HNO<sub>3</sub> route, **212**, 39  
 TiO<sub>2</sub>-supported, characterization, **212**, 10  
 Jacobsen catalyst analogue with in-built phase transfer capability, enantioselective epoxidation of nonfunctionalized alkenes, **209**, 99  
 Ni/Al<sub>2</sub>O<sub>3</sub> catalysts promoted by, CO<sub>2</sub> reforming of methane, **209**, 6  
 Manganese oxide  
 egg-shell MnO<sub>x</sub>/NaY composite catalysts, selective catalytic reduction of NO by NH<sub>3</sub>, **206**, 98

- MnO<sub>x</sub>-SiO<sub>2</sub> aerogels, synthesis, structure, and selective oxidation of NH<sub>3</sub>, **207**, 88
- Manganese(III) porphyrins  
catalysts for oxidation of terpene derivatives, **206**, 349
- MAPO-5  
characterization and catalytic properties, effects of Mg content, **205**, 299
- MAPO-36  
characterization and catalytic properties, effects of Mg content, **205**, 299
- Mars-van Krevelen mechanism  
MoO<sub>3</sub> oxidation with propene and MoO<sub>2</sub> oxidation with oxygen, bulk structural study, **210**, 67
- Mass spectrometry  
Au-V-based catalysts, TGA-MS study, **209**, 515  
enantioselective hydrogenation of ethyl pyruvate on dihydrocinchonidine-modified Pt/Al<sub>2</sub>O<sub>3</sub> in acetic acid, ESI-MS study, **205**, 168  
kinetics of oxidation of CO species adsorbed on Pt/Al<sub>2</sub>O<sub>3</sub> catalysts, **209**, 114  
Pt particle size and distribution in SiO<sub>2</sub> impregnated with [Pt<sup>2+</sup>(NH<sub>3</sub>)<sub>4</sub>](NO<sub>3</sub>)<sub>2</sub>: effect of pretreatment, **205**, 135  
TOF-SIMS, product of nickel formate decomposition on sol-gel alumina, **205**, 7
- MCM-22  
acid and catalytic properties at different Al concentrations, **206**, 23
- MCM-41  
Al-MCM-41, isopropylation of *m*-cresol, **210**, 367  
catalysis of benzene hydroxylation, selectivity enhancement by tailoring catalyst surface affinity for reactive molecules, **212**, 22  
catalysis of selective oxidation of cyclohexane, **211**, 134  
Ce-containing, acidic and redox catalytic properties, **207**, 213  
Fe-containing, characterization and catalysis of styrene epoxidation with H<sub>2</sub>O<sub>2</sub>, **209**, 186  
H-MCM-41, support of Ni catalysts, linoleic acid isomerization, **210**, 354  
mesoporous, (*n*-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub> immobilization on, for photocatalytic oxidation of cycloalkanes with O<sub>2</sub>, **209**, 210  
proton sponge immobilized on, analysis: synergic effect of support on catalytic activity, **211**, 208
- Si-MCM-41  
AlCl<sub>3</sub>-grafted, surface properties and Al incorporation, effect of thermal treatment conditions, **205**, 221  
support of mesoporous acid catalysts for gas-phase synthesis of MTBE from MeOH and Bu'OH, structure, acidity, and activity, **209**, 433; *erratum*, **211**, 566
- SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>/MCM-41 acid catalysts, structure, acidity, and activity, effect of ZrO<sub>2</sub> loading, **205**, 318
- support of  
Co catalysts  
Fischer-Tropsch synthesis, effects of pore size, **206**, 230  
Ru-promoted, hydrogenation of CO, **211**, 530  
PtSn catalysts, reduction of prostaglandin unsaturated ketones to secondary allylic alcohols by hydrogen transfer, **206**, 218  
sulfided NiMo catalysts, hydrodesulfurization of dibenzothiophene, **210**, 319
- TBD-anchored catalysts, synthesis of carbamates and unsymmetrical alkyl carbonates from diethyl carbonate, **205**, 199
- MCM-48  
support of PtSn catalysts, reduction of prostaglandin unsaturated ketones to secondary allylic alcohols by hydrogen transfer, **206**, 218
- Ti-MCM-48, support of Au catalysts, vapor-phase epoxidation of propene using H<sub>2</sub> and O<sub>2</sub>, **209**, 331
- Mechanochemistry  
Cu-MgO preparation for catalytic applications, **206**, 71
- Meerwein-Ponndorf-Verley reduction  
cinnamaldehyde, hydrous zirconia as selective catalyst for, **206**, 321  
ketone to alcohol, beta zeolite active in, Al-Lewis site structure, **210**, 171
- Membrane reactors  
NiRh/ZrO<sub>2</sub> low-temperature catalysts suitable for, hydrogen production in, **210**, 263
- Mesitylene  
complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42
- Metal oxide catalysts  
formic acid oxidation activity, quantitative determination, **210**, 241  
hydrogen spillover from, onto carbon nanotubes, implications for hydrogen storage, **206**, 165; *erratum*, **211**, 565
- Metal-support interaction  
NiRh/La<sub>2</sub>O<sub>3</sub> catalysts producing hydrogen at low temperature in membrane reactor, **210**, 7  
Pd combustion catalysts supported on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, Ba-Al<sub>2</sub>O<sub>3</sub>, or La-Al<sub>2</sub>O<sub>3</sub>, **207**, 139  
Pt/CeO<sub>2</sub>-SiO<sub>2</sub> catalysts, improvement after Zn addition, **210**, 127  
VO<sub>x</sub> overlayers on Rh, **208**, 422
- Methane  
aromatization, Mo/HMCM-22 catalysts for, carbonaceous deposition on, temperature-programmed studies, **208**, 260  
combustion on ZrO<sub>2</sub>-supported La,Mn oxides and LaMnO<sub>3</sub> perovskite, **205**, 309  
conversion into aromatics in direct plasma-catalytic process, **206**, 91  
decomposition on Ni/SiO<sub>2</sub> catalysts, structure of Ni species during, **208**, 54  
effects on heterogeneous production of water from hydrogen and oxygen over Pt in stagnation flow, **208**, 21  
fuel cell under, La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3- $\delta$</sub>  as anode material for, surface properties and physicochemical characterization, **209**, 25  
low-temperature nonoxidative activation over H-galloaluminosilicate zeolite, <sup>13</sup>C labeling study, **205**, 217  
oxidation, supported Pd catalysts for, characterization and activity, **207**, 139  
partial oxidation  
to formaldehyde: theoretic-experimental approach to process design and catalyst development, **207**, 232  
over Ni/SrTiO<sub>3</sub> catalysts prepared by solid-phase crystallization, **207**, 307  
to synthesis gas over molybdenum carbide catalysts prepared with C<sub>2</sub>H<sub>2</sub>/H<sub>2</sub> carburizing mixture, **211**, 183  
pressurized dehydrocondensation toward benzene and naphthalene on Mo/H-ZSM-5 catalysts, **206**, 134  
reactions on Mo/H-ZSM-5, effects of silanation of external acid sites, **206**, 14  
reduction of NO  
adsorption characteristics of Gd-Pd/TiO<sub>2</sub> sol-gel catalysts in, DRIFTS and TPD studies, **210**, 295  
over Ru/Al<sub>2</sub>O<sub>3</sub> nanoparticle catalysts, **207**, 66  
reforming by CO<sub>2</sub>  
over Co/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, carbon deposition and catalytic deactivation during, **205**, 289  
hydrogen production with Ni-Rh/La<sub>2</sub>O<sub>3</sub> catalysts for use at low temperature in membrane reactor, **210**, 7  
over Ni/Al<sub>2</sub>O<sub>3</sub> catalysts promoted with Mn, **209**, 6  
over NiRh/ZrO<sub>2</sub> low-temperature catalysts suitable for membrane reactors, hydrogen production in, **210**, 263  
selective catalytic reduction of NO, activity and stability of Pd(II) ions in zeolite matrices for, effects of Co cations, **211**, 75
- Methanethiol  
synthesis from methanol over reduced molybdenum sulfide catalysts based on Mo<sub>6</sub>S<sub>8</sub> cluster, **211**, 285
- Methanol  
and *tert*-butanol, gas-phase synthesis of MTBE from, mesoporous acid catalysts for, structure, acidity, and activity, **209**, 433; *erratum*, **211**, 566

- conversion to hydrocarbons over  $\text{Ga}_2\text{O}_3/\text{H-ZSM-5}$  and  $\text{Ga}_2\text{O}_3/\text{WO}_3$  catalysts, **205**, 358
- decomposition on  $\text{Cu}(111)$ , DFT study, **208**, 291
- methanethiol synthesis from, over reduced molybdenum sulfide catalysts based on  $\text{Mo}_6\text{S}_8$  cluster, **211**, 285
- oxidative dehydrogenation over polycrystalline Ag catalyst, mechanistic studies with temporal-analysis-of-products approach, **210**, 53
- partial oxidation
- on  $\text{Cu}/\text{ZnO}/\text{Al}_2\text{O}_3$  catalysts, production of hydrogen: effect of catalyst initial state on start-up behavior of reformer, **212**, 112
  - on  $\text{V}_2\text{O}_5/\text{TiO}_2$  catalysts, TPD-TGA and calorimetric studies, **208**, 301
- synthesis
- alloy formation in Li-promoted  $\text{Pd}/\text{SiO}_2$  catalysts for, **211**, 273
  - from  $\text{CO}_2/\text{H}_2$  mixtures
    - on  $\text{Ga}/\text{SiO}_2$  and  $\text{Ga-Pd}/\text{SiO}_2$  catalysts, gallium-hydrogen bond formation in, **211**, 252
    - $\text{Pd}$ -modified  $\text{Cu-Zn}$  catalysts for, structures and performance, **210**, 285
    - relevance of reverse topotactic transformation of  $\text{Cu-Zn-Al}$  catalyst during wet  $\text{Pd}$  impregnation, **210**, 273
    - on  $\text{Cu}/\text{ZnO}/\text{SiO}_2$  catalysts, surface structure during, **210**, 229
- 4-Methoxy-4-methyl-2-pyrone
- enantioselective hydrogenation on  $\text{Pd}$  catalysts: limitations of continuous fixed-bed reactor operation, **210**, 466
- Methylallyl chloride
- epoxidation over TS-1 and TS-2 redox molecular sieves using anhydrous urea- $\text{H}_2\text{O}_2$  as oxidizing agent, **208**, 339
- Methylation
- phenol over  $\text{Cu}_{1-x}\text{Co}_x\text{Fe}_2\text{O}_4$  catalysts, Cu-Co synergism and XPS study, **210**, 405
- Methyl *tert*-butyl ether
- formation from *tert*-butyl alcohol over  $\text{SO}_4^{2-}/\text{ZrO}_2/\text{MCM-41}$  acid catalysts, effect of  $\text{ZrO}_2$  loading, **205**, 318
  - gas-phase synthesis from  $\text{MeOH}$  and  $\text{Bu}^t\text{OH}$ , mesoporous acid catalysts for, structure, acidity, and activity, **209**, 433; *erratum*, **211**, 566
- 2-Methyl-3-buten-2-ol
- conversion reactions, CrAPO-5 characterization in, **208**, 270
- Methylcyclohexane
- dehydrogenation to toluene, performance of porous Vycor in, **212**, 182
- Methylcyclohexylamine
- hydrodenitrogenation, effects of *in situ* fluorination and support, **210**, 183
- Methylene compounds
- and benzaldehyde, Knoevenagel condensation on immobilized proton sponge on inorganic carrier, **211**, 208
- Methyl isobutyl ketone
- direct synthesis from acetone over bifunctional metal/base catalysts, **209**, 166
  - synthesis over  $\text{Cu-MgO}$  catalysts prepared by mechanochemistry, **206**, 71
- 1-Methylnaphthalene
- hydrogenation over edge-bonded  $\text{MoS}_2$  catalysts on  $\text{TiO}_2$ , **207**, 361
- 4-Methyl-2-pentanone
- one-step synthesis from 2-propanol, **208**, 114
- 2-Methylpiperidine
- hydrodenitrogenation, role of  $\beta$  hydrogen atoms, **206**, 263
- 2-Methylpyridine
- hydrodenitrogenation, role of  $\beta$  hydrogen atoms, **206**, 263
- Methyltrioxorhenium(VII)
- chiral and achiral nitrogen-base adducts of, catalysis of alkene epoxidation, **210**, 192
- Microcalorimetric adsorption
- characterization of supported  $\text{V}_2\text{O}_5$  catalysts for selective oxidation of propylene to acetone, **205**, 248
- Microfabricated differential reactor
- for heterogeneous gas phase catalyst testing, **209**, 401
- Microkinetic model
- and density functional theory, in industrial reactor design and catalyst selection, **205**, 382
  - promotion of binary nitride catalysts, **208**, 180
- Microwave-assisted catalysis
- purification of automotive emissions, **211**, 560
- Molecular dynamics
- extraframework Al species in zeolites, **209**, 480
  - hexane and hexene adsorbed on gmelinite at 700 K, **205**, 147
- Molecular sieves
- Al-MCM-41, isopropylation of *m*-cresol, **210**, 367
  - Fe-MCM-41, characterization and catalysis of styrene epoxidation with  $\text{H}_2\text{O}_2$ , **209**, 186
  - MCM-41, catalysis of selective oxidation of cyclohexane, **211**, 134
  - OMS-2, catalysis of selective benzyl alcohol oxidation, role of lattice oxygen in, kinetic and isotope labeling study, **210**, 46
  - TS-1 and TS-2, epoxidation of olefinic compounds using anhydrous urea- $\text{H}_2\text{O}_2$  as oxidizing agent, **208**, 339
- Molybdenum
- CoMo catalysts
- $\text{Al}_2\text{O}_3$ -supported, hydrodenitrogenation of methyl-substituted quinolines, **212**, 201
  - hydrotreating catalysts, effect of carbon, **212**, 76
  - $\text{MgO}$ -supported sulfided hydrodesulfurization catalysts, preparation, **205**, 314
- HMCM-22-supported catalysts for methane aromatization, carbonaceous deposition on, temperature-programmed studies, **208**, 260
- in situ* fluorinated NiMoS catalysts supported on  $\text{Al}_2\text{O}_3$  and  $\text{SiO}_2$ - $\text{Al}_2\text{O}_3$ , hydrogenation of cyclohexene, **207**, 286
- loading effects in Mo/Si:Ti catalysts in oxidative dehydrogenation of ethane, **208**, 124
- Mo/H-ZSM-5
- pressurized dehydrocondensation of methane toward benzene and naphthalene, **206**, 134
  - silanation of external acid sites on, effects on structure and catalytic behavior, **206**, 14
- Mo-V-O<sub>x</sub>, and mixtures with  $\text{CuMoO}_4$ , kinetics and oxygen activity in partial oxidations over, simultaneous determination, **209**, 177
- Mo-V-Sb-Nb mixed oxide catalysts, oxidation of propane kinetics and mechanistic studies, **211**, 226
- mechanism, effect of catalyst activation methods, **211**, 235
- NiMo catalysts
- $\text{Al}_2\text{O}_3$ -supported
    - hydrodenitrogenation of methylcyclohexylamine, **210**, 183
    - hydrodenitrogenation of methyl-substituted quinolines, **212**, 201
    - sulfided and reduced, hydrodeoxygenation of benzofuran, reaction network of, **206**, 177  - $\text{SiO}_2$ - $\text{Al}_2\text{O}_3$ -supported, hydrodenitrogenation of methylcyclohexylamine, **210**, 183
  - sulfided
    - MCM-41-supported, hydrodesulfurization of dibenzothiophene, **210**, 319
    - $\text{MgO}$ -supported hydrodesulfurization catalysts, preparation, **205**, 314
- organotin-oxometalate coordination polymers, catalysis of olefin epoxidation, **209**, 237
- promoter effects in NO reduction by  $\text{H}_2$  under lean-burn conditions, **208**, 435
- $\text{SnO}_2$ -supported catalysts, surface properties, IR study, **209**, 427
- $\text{TiO}_2$ -supported catalysts, sulfur behavior on, variation with surface area, analysis by  $^{35}\text{S}$  tracer methods, **209**, 266
- Molybdenum carbide
- oxygen-modified, phosphorus-doped, synthesis, characterization, and turnover rates for propene hydrogenation, **208**, 187
  - preparation with  $\text{C}_2\text{H}_2/\text{H}_2$  carburizing mixture, and catalytic performance, **211**, 183

- Molybdenum dioxide  
oxidation with oxygen after MoO<sub>3</sub> reduction with propene, bulk structural study, **210**, 67
- Molybdenum disulfide  
catalytic nanoparticles, shape and edge modifications induced by working conditions, theoretical study, **207**, 76  
mesoporous catalysts prepared by *in situ* activation of tetraalkylammonium thiomolybdates, characterization and HDS activity, **208**, 359  
SiO<sub>2</sub>-supported catalysts, hydrodenitrogenation reactions, push–pull mechanism, **210**, 116
- Molybdenum oxide  
small domains, selective oxidation of dimethyl ether to formaldehyde, **208**, 1
- Molybdenum oxynitride  
phosphorus-doped, synthesis, characterization, and turnover rates for propene hydrogenation, **208**, 187
- Molybdenum phosphide  
SiO<sub>2</sub>-supported catalysts  
hydrodenitrogenation reactions, push–pull mechanism, **210**, 116  
for hydroprocessing, <sup>31</sup>P NMR study, **207**, 256  
synthesis, characterization, and hydrodesulfurization properties, **207**, 266
- Molybdenum sulfide  
edge-bonded catalysts on TiO<sub>2</sub>, formation and catalytic properties, **207**, 361  
reduced catalysts based on Mo<sub>6</sub>S<sub>8</sub> cluster, methanethiol synthesis from methanol, **211**, 285
- Molybdenum trioxide  
Al<sub>2</sub>O<sub>3</sub>-supported catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35  
reduction with propene followed by MoO<sub>2</sub> oxidation with oxygen, bulk structural study, **210**, 67
- Monolithic reactors  
perovskite-based, oxidative dehydrogenation of ethane, **209**, 51
- Monte Carlo model  
2,4-dinitrotoluene hydrogenation on Pd/C catalysts, **211**, 296  
supported catalyst sintering, **211**, 19
- Mordenite  
alkylation of isobutane with 2-butene, activity and selectivity in, effect of pore structure, **211**, 6  
Fe<sup>3+</sup>-exchanged, characterization, selective catalytic reduction of NO with NH<sub>3</sub>, and mechanistic study, **207**, 274  
H-mordenite  
isomerization of thiophenic derivatives, periodic density functional theory study, **205**, 388  
isopropylation of *m*-xylene, comparison with USY, **212**, 216  
Pd(II) ions in matrices for SCR of NO with CH<sub>4</sub>, activity and stability, effects of Co cations, **211**, 75  
Pt-loaded bifunctional catalysts, deactivation during cyclopentane hydroconversion, **205**, 231  
support of metal catalysts, combinatorial selection of, indexed libraries for, **209**, 413
- Mössbauer spectroscopy  
acetic acid reduction to acetaldehyde over iron catalysts, **208**, 170  
Fe-ZSM-5  
activation-associated evolution of iron states and formation of  $\alpha$ -sites, **207**, 341  
active sites for selective reduction of NO by isobutane, **212**, 157  
isomorphously substituted catalysts during activation, **207**, 113
- Mo<sub>1</sub>V<sub>0.25</sub>Nb<sub>0.12</sub>Pd<sub>0.005</sub>O<sub>x</sub>  
catalysis of acetic acid formation by partial oxidation of ethane  
catalyst performance and reaction mechanism, **205**, 16  
kinetic modeling, **205**, 32
- MoVTenbO catalysts  
prepared by hydrothermal synthesis, preparation, characterization, and catalytic behavior, **209**, 445
- N
- Nanocatalysts  
Au/FeO<sub>x</sub>/C, CO oxidation at low temperature, **210**, 149  
Au/TiO<sub>2</sub>, synthesized from [Au<sub>6</sub>(PPh<sub>3</sub>)<sub>6</sub>](BF<sub>4</sub>)<sub>2</sub> complex, oxidation of CO, **207**, 247  
CeO<sub>2</sub> and CuO/CeO<sub>2</sub>, temperature-programmed reaction spectroscopy, **205**, 339  
Ce–Zr–Ca mixed oxides, structural characteristics and oxygen handling properties, **211**, 326  
Co(Ni)MoS, promoter-sensitive shapes in sulfo-reductive conditions, **212**, 33  
CuO<sub>x</sub>/CeO<sub>2</sub> composite particles characterized by HREM, XPS, XAS, and high-energy diffraction, oxidation of CO, **211**, 119  
FeZSM-5, isomorphously substituted, physicochemical characterization during activation, **207**, 113
- MgO  
for dehydrohalogenation reactions, **206**, 40  
OV(O<sup>t</sup>Bu)<sub>3</sub> thermolysis in presence of, V<sub>2</sub>O<sub>5</sub>–MgO catalysts prepared by, oxidative dehydrogenation of propane, **206**, 49  
modified zeolite BEA, cycloisomerization of 5-(*o*-tolyl)-pentene, **207**, 183
- MoS<sub>2</sub>, shape and edge modifications induced by working conditions, theoretical study, **207**, 76  
rare-earth-doped TiO<sub>2</sub>, preparation, characterization, and photocatalytic activity, **207**, 151  
Ru/Al<sub>2</sub>O<sub>3</sub>, methane reaction with NO, **207**, 66  
Sn(Sb)O<sub>2</sub>, correlated atomic resolution microscopy and spectroscopy, **205**, 266  
TiO<sub>2</sub>, photoactivity of, effects of synthesis method and particle size, **212**, 145  
Ti–W mixed oxides, photocatalytic degradation of toluene with sunlight-type excitation, effect of doping, **212**, 1
- Nanofibers  
carbon, formation of, catalysis by acicular iron particles, **208**, 150  
fishbone carbon, small Rh metal particles on, preparation and activity, **211**, 85
- Nanofilaments  
graphitic, support of Ru–Ba catalysts for NH<sub>3</sub> synthesis, **211**, 278
- Nanotubes  
carbon, hydrogen spillover from metal oxide catalysts onto, implications for hydrogen storage, **206**, 165; *erratum*, **211**, 565
- Naphthalene  
complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42  
formation under pressurized dehydrocondensation of methane on Mo/H-ZSM-5 catalysts, **206**, 134  
isopropylation, shape selectivity in, zeolite pore entrance effect on, **210**, 313
- Naphthenic molecules  
selective ring opening, **210**, 137
- 1-Naphthol  
hydroxylation over Ce-containing MCM-41-type mesoporous materials, **207**, 213
- Natural gas vehicles  
emission control, Ba-promoted Pd catalysts for, **206**, 248
- NEMCA  
ethanol oxidation over Pt catalysts, **211**, 521  
propane and propene oxidation on Pt/YSZ, **208**, 412
- Neodymium  
TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151
- Nickel  
Al<sub>2</sub>O<sub>3</sub>-supported catalysts  
*ex situ* presulfided, for pyrolysis gasoline hydrogenation, **209**, 245  
Mn-promoted, CO<sub>2</sub> reforming of methane, **209**, 6

- catalysis of steam reforming, associated graphite formation, **209**, 365
- catalysts from lamellar double hydroxide precursors, selective half-hydrogenation of adiponitrile to aminocapronitrile, **211**, 511
- electrocatalytic activity of crystalline and amorphous model alloys, **207**, 23
- H-MCM-41-supported catalysts, linoleic acid isomerization, **210**, 354
- in situ* fluorinated NiMoS catalysts supported on Al<sub>2</sub>O<sub>3</sub> and SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, hydrogenation of cyclohexene, **207**, 286
- NiMgO catalysts, hydrogenation of 1,6-hexanedinitrile, **209**, 202
- NiMo catalysts
- Al<sub>2</sub>O<sub>3</sub>-supported
    - hydrodenitrogenation of methylcyclohexylamine, **210**, 183
    - hydrodenitrogenation of methyl-substituted quinolines, **212**, 201
    - sulfided and reduced, hydrodeoxygenation of benzofuran, reaction network of, **206**, 177
  - SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>-supported, hydrodenitrogenation of methylcyclohexylamine, **210**, 183
  - sulfided
    - MCM-41-supported, hydrodesulfurization of dibenzothiophene, **210**, 319
    - MgO-supported hydrodesulfurization catalysts, preparation, **205**, 314
- Ni/Pt(111) bimetallic surfaces with monolayer Ni coverage, catalysis of low-temperature thiophene hydrodesulfurization, **205**, 259
- NiRh catalysts for hydrogen production at low temperature in membrane reactor
- La<sub>2</sub>O<sub>3</sub>-supported catalysts, **210**, 7
  - ZrO<sub>2</sub>-supported catalysts, **210**, 263
- NiW catalysts
- Al<sub>2</sub>O<sub>3</sub>-supported sulfided catalysts, WS<sub>2</sub> morphology and dispersion in, effects of fluorine, HRTEM study, **206**, 368
  - bimetallic carbide catalysts, preparation, **209**, 318
- nonpyrophoric Raney-type catalysts, anomalous small-angle X-ray scattering, **205**, 354
- passivated Ni-on-alumina catalysts for toluene hydrogenation, *in situ* reactivation in dielectric field, **207**, 1
- SiO<sub>2</sub>-supported catalysts
- hydrodehalogenation of halogenated aromatics, cleavage of C-Cl and C-Br bonds in, **211**, 451
  - methane decomposition, structure of Ni species during, **208**, 54
- SrTiO<sub>3</sub>-supported catalysts prepared by solid-phase crystallization, partial oxidation of CH<sub>4</sub>, **207**, 307
- zeolite-supported catalysts, combinatorial selection, indexed libraries for, **209**, 413
- Nickel carbide
- formation during methane decomposition on Ni/SiO<sub>2</sub> catalysts, **208**, 54
- Nickel formate
- decomposition on sol-gel alumina: product characterization by XPS and TOF-SIMS, **205**, 7
- Nickel phosphide
- effects of phosphorus content in, **210**, 207
  - SiO<sub>2</sub>-supported catalysts
    - hydrodesulfurization of petroleum feedstocks, **209**, 1
    - preparation and <sup>31</sup>P NMR, **208**, 456
    - synthesis, characterization, and hydrotreating ability, **208**, 321
- Nickel sulfate
- γ-Al<sub>2</sub>O<sub>3</sub>-supported catalysts, ethylene dimerization, relationship to acidic properties, **209**, 69
- Niobium
- Mo-V-Sb-Nb mixed oxide catalysts, oxidation of propane kinetics and mechanistic studies, **211**, 226
  - mechanism, effect of catalyst activation methods, **211**, 235
  - vanadium phosphorus oxide catalyst doped with, mild oxidation of n-butane to maleic anhydride, **208**, 238
- Niobium pentoxide
- Al<sub>2</sub>O<sub>3</sub>-supported catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- Nitrate
- hydrogenation to nitrogen in water over Pd-Cu catalysts supported on active carbon, **207**, 37
  - reduction in water on monometallic Pd/CeO<sub>2</sub> catalyst, **206**, 363
- Nitric oxide
- adsorption on WO<sub>3</sub>-ZrO<sub>2</sub> catalysts, surface species formed after, nature and reactivity, **209**, 539
  - decomposition on Cu-NbZSM-5, **207**, 101
  - elimination, Pd-Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd-Cu/(Ce,Zr)O<sub>x</sub> catalysts for, effects of Cu, **206**, 281
  - interaction with Fe silicalites, effect on migration of Fe species from framework to extraframework positions, **208**, 64
  - and K, electrochemical promotion of Ag-catalyzed epoxidation of propene and ethene, **207**, 331
  - N<sub>2</sub>O decomposition assisted by, over Fe-based catalysts, effects of gas-phase composition and catalyst constitution, **208**, 211
  - and O<sub>2</sub>, coadsorption on WO<sub>3</sub>-ZrO<sub>2</sub> catalysts, surface species formed after, nature and reactivity, **209**, 539
  - oxidation to NO<sub>2</sub> over Pt/Al<sub>2</sub>O<sub>3</sub> and Pt/BaO/Al<sub>2</sub>O<sub>3</sub> catalysts, effects of Pt oxide formation and Pt dispersion, **210**, 340
  - reaction with H<sub>2</sub> and O<sub>2</sub> on Pt/La<sub>0.7</sub>Sr<sub>0.2</sub>Ce<sub>0.1</sub>FeO<sub>3</sub> catalysts at low temperatures, **209**, 456
  - reduction
    - by CO over Pt-Rh/Al<sub>2</sub>O<sub>3</sub> catalysts, kinetics of, effects of ceria incorporation into noble metal, **207**, 202
    - by hydrogen under lean-burn conditions, promoter effects in, **208**, 435
    - by methane, adsorption characteristics of Gd-Pd/TiO<sub>2</sub> sol-gel catalysts in, DRIFTS and TPD studies, **210**, 295
    - by urea under lean conditions over single-step sol-gel Cu/alumina catalyst, **208**, 15
  - reduction by H<sub>2</sub> on Pd monolith
    - H<sub>2</sub>/D<sub>2</sub> exchange with H<sub>2</sub>O and NH<sub>3</sub>, **210**, 17
    - H<sub>2</sub>/D<sub>2</sub> exchange in reduction of NO, **210**, 30
  - selective catalytic reduction
    - by ammonia
      - over egg-shell MnO<sub>x</sub>/NaY composite catalysts, **206**, 98
      - over Fe<sup>3+</sup>-exchanged mordenite, catalytic performance, characterization, and mechanism, **207**, 274
      - over Fe-ZSM-5 catalyst, mechanism, **207**, 224
      - over fluorinated carbon-supported Pt catalysts, catalyst-support interaction in, **211**, 308
      - over HZSM-5, effects of steaming and sodium exchange, **208**, 106
      - over iron oxide-silica aerogels, **206**, 143
    - by hydrocarbons over Ir catalysts, sensitivity to catalyst structure, **205**, 157
    - by isobutane over Fe-ZSM-5 zeolites, active sites in, **212**, 157
    - by methane
      - activity and stability of Pd(II) ions in zeolite matrices for, effects of Co cations, **211**, 75
      - over Ru/Al<sub>2</sub>O<sub>3</sub> nanoparticle catalysts, **207**, 66
    - by propylene
      - over Ga<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, *in situ* FTIR study, **206**, 114
      - over PtAu cluster-derived supported catalysts, **212**, 125
  - steady-state catalytic decomposition on Cu-ZSM-5, kinetics and mechanism, **209**, 75
- Nitride catalysts
- binary, Cs-promoted, isothermal N<sub>2</sub> adsorption, microkinetic model, and NH<sub>3</sub> synthesis, **208**, 180
- Nitrite
- photodegradation over rare-earth-doped TiO<sub>2</sub> nanoparticles, **207**, 151
- Nitroaromatics
- carbonylation over soluble and polymer-anchored Rh catalysts: kinetics and mechanism of diphenylurea formation, **210**, 255

- Nitrobenzene  
 carbonylation over soluble and polymer-anchored Rh catalysts: kinetics and mechanism of diphenylurea formation, **210**, 255
- Nitroethylene  
 formation by selective catalytic reduction of NO<sub>2</sub> with C<sub>2</sub>H<sub>4</sub> over H-ferrierite, **211**, 53
- Nitrogen  
 chiral and achiral nitrogen-base adducts of methyltrioxorhenium(VII), catalysis of alkene epoxidation, **210**, 192  
 formation by ammonia oxidation  
 over Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> catalysts prepared by sol-gel method, **207**, 158  
 at low temperature, Cu-Ag/Al<sub>2</sub>O<sub>3</sub> catalysts for, **206**, 60  
 formation by nitrate hydrogenation in water over Pd-Cu catalysts supported on active carbon, **207**, 37  
 isothermal adsorption on Cs-promoted binary nitride catalysts, **208**, 180
- Nitrogen dioxide  
 adsorption on transition metal zeolite model, theoretical study, **205**, 107  
 dissociation to NO and O<sub>2</sub> over Pt/Al<sub>2</sub>O<sub>3</sub> and Pt/BaO/Al<sub>2</sub>O<sub>3</sub> catalysts, effects of Pt oxide formation and Pt dispersion, **210**, 340  
 enhanced reoxidation of vanadia in fast SCR reaction, **209**, 159  
 selective catalytic reduction  
 by ammonia over HZSM-5  
 effects of steaming and sodium exchange, **208**, 106  
 kinetics, **208**, 100  
 by ethylene over H-ferrierite, product analysis, **211**, 53
- Nitrogen oxides  
 Ag lean-deNO<sub>x</sub> catalysts, SO<sub>x</sub> resistance of, improvement by support on CeO<sub>2</sub>-containing zirconia, **209**, 271  
 reduction over In<sub>2</sub>O<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts in lean conditions, **210**, 97
- 1-Nitropropane  
 electrochemical reduction with crystalline and amorphous Ni model alloys, **207**, 23
- Nitrous oxide  
 adsorption and decomposition on Fe-ZSM-5, **209**, 151  
 decomposition  
 on Cu/ZnO/SiO<sub>2</sub> catalyst, LEIS analysis: dynamic behavior of surface structure, **210**, 229  
 on Cu-ZSM-5, DRIFTS study before and during, **207**, 166  
 on Fe/MFI, oxygen deposited by, identification by isotopic exchange, **210**, 453  
 on FeZSM-5, effect of activation, **207**, 341  
 NO-assisted, over Fe-based catalysts, effects of gas-phase composition and catalyst constitution, **208**, 211  
 interaction with Fe silicalites, effect on migration of Fe species from framework to extraframework positions, **208**, 64  
 oxidation of benzene to phenol over H-ZSM-5 with low Fe concentrations, active sites in, **211**, 109
- Noble metals  
 water-gas shift catalysts based on, practicality in automotive fuel processing, **206**, 169
- Nonane  
 and heptane, molecular competition in vapor- and liquid-phase hydroconversion over bifunctional Pt-USY zeolites, **210**, 445
- Non-Faradaic electrochemical modification of catalytic activity  
 ethanol oxidation over Pt catalysts, **211**, 521  
 propane and propene oxidation on Pt/YSZ, **208**, 412
- Nuclear magnetic resonance  
<sup>27</sup>Al MAS NMR, modified zeolite BEA in cycloisomerization of 5-(*o*-tolyl)-pentene, **207**, 183  
<sup>13</sup>C MAS NMR, conversion of *n*-butane on H-ferrierite, **211**, 165  
 coke deposit imaging on HZSM-5, **208**, 224  
 MAPO-5 and MAPO-36 catalysts, **205**, 299  
 metal cation effects on skeletal isomerization of 1-butene over clinoptilolite, **211**, 216
- <sup>31</sup>P  
 MoP/SiO<sub>2</sub> and WP/SiO<sub>2</sub> hydroprocessing catalysts, **207**, 256  
 nickel phosphides on silica, **208**, 456  
<sup>29</sup>Si MAS NMR of MCM-22 with different Al concentrations, **206**, 23
- O**
- Octane  
 cracking over MCM-22, effects of Al concentrations, **206**, 23
- 1-Octene  
 hydrogenation, extremely active catalysts for, **205**, 294
- Olefin epoxidation  
 over organotin-oxometalate coordination polymers, **209**, 237  
 to pinacols over titanosilicates, **209**, 260  
 by solid bases, **211**, 150  
 over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Olefins  
 C<sub>2</sub>-C<sub>4</sub>, one-stage Wacker-type oxidation, catalysis by aqueous PdCl<sub>2</sub>-heteropoly-anion system, kinetics, **211**, 445  
 oligomerization and adsorption on H-[Fe]ZSM-5, Brønsted acid sites for, **210**, 106
- Oligomerization  
 olefins on H-[Fe]ZSM-5, Brønsted acid sites for, **210**, 106
- OMS-2 catalyst  
 selective oxidation of benzyl alcohol, role of lattice oxygen in, kinetic and isotope labeling study, **210**, 46
- Organotins  
 coordination polymers with oxometalates, catalysis of olefin epoxidation, **209**, 237
- Oxidation  
 alcohols  
 in liquid-phase aerobic reaction on Pd catalysts, role of oxygen, **211**, 244  
 selective gas-phase reaction using light-activated TiO<sub>2</sub>, **211**, 434  
 ammonia  
 to nitrogen at low temperature, Cu-Ag/Al<sub>2</sub>O<sub>3</sub> catalysts for, **206**, 60  
 selective reaction over iron oxide-silica aerogels, **206**, 143  
 selective reaction over MnO<sub>x</sub>-SiO<sub>2</sub> aerogels, **207**, 88  
 benzene  
 to phenol with N<sub>2</sub>O over H-ZSM-5 with low Fe concentrations, active sites in, **211**, 109  
 over Pt/BN catalysts, **210**, 39  
 benzyl alcohol with OMS-2 catalyst, role of lattice oxygen in, kinetic and isotope labeling study, **210**, 46  
*n*-butane to maleic anhydride  
 amorphous VPO catalysts for, preparation with supercritical CO<sub>2</sub> as antisolvent, **208**, 197  
 niobium-doped vanadium phosphorus oxide catalysts for, **208**, 238  
 carbon monoxide  
 on Au/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts prepared by impregnation, reaction at low temperature, **206**, 305; corrigendum, **211**, 283  
 on Au/FeO<sub>x</sub>/C catalysts at low temperature, **210**, 149  
 below room temperature over Ir/TiO<sub>2</sub> catalysts prepared by deposition precipitation, **208**, 485  
 on Co<sub>3</sub>O<sub>4</sub> catalyst  
 DFT study, **210**, 198  
 low-temperature reactions, **211**, 387  
 in H<sub>2</sub> at low-temperature for PEM fuel cells, Pt/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for, pretreatment promoting, **210**, 460  
 in microfabricated differential reactor, **209**, 401  
 on nanostructured CuO<sub>x</sub>/CeO<sub>2</sub> composite particles characterized by HREM, XPS, XAS, and high-energy diffraction, **211**, 119



- Pd-Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd-Cu/(Ce,Zr)O<sub>x</sub> catalysts for, effects of Cu, **206**, 281
- on Pt/Al<sub>2</sub>O<sub>3</sub> catalyst
- lights-off tests in excess CO, experimental and kinetic model, **209**, 126
  - mass spectroscopic kinetic study of adsorbed CO oxidation, **209**, 114
- on supported nano-Au catalysts synthesized from [Au<sub>6</sub>(PPh<sub>3</sub>)<sub>6</sub>](BF<sub>4</sub>)<sub>2</sub> complex, **207**, 247
- synergistic catalysis over CuO supported on samaria-doped ceria, **208**, 370
- on ZrO<sub>2</sub>-supported La,Mn oxides and LaMnO<sub>3</sub> perovskite, **205**, 309
- cyclohexane, cyclohexanone, and cyclohexanol to adipic acid by non-HNO<sub>3</sub> route over Co/Mn cluster complexes, **212**, 39
- cyclohexane, selective reaction over MCM-41, **211**, 134
- cyclohexene with H<sub>2</sub>O<sub>2</sub> on ZrO<sub>2</sub>-SiO<sub>2</sub>, effects of catalyst surface hydrophilicity, **212**, 193
- dibenzothiophene by H<sub>2</sub>O<sub>2</sub>, catalysis by solid bases, **211**, 103
- dimethyl ether to formaldehyde on small MoO<sub>x</sub> domains, **208**, 1
- ethane partial oxidation to acetic acid over Mo<sub>0.1</sub>V<sub>0.25</sub>Nb<sub>0.12</sub>Pd<sub>0.0005</sub>O<sub>x</sub> catalyst performance and reaction mechanism, **205**, 16
- kinetic modeling, **205**, 32
- ethanol
- Mo/SnO<sub>2</sub> catalysts for, surface properties of, IR study, **209**, 427
  - over Pt catalysts, electrochemical promotion, **211**, 521
- formic acid, catalytic activity of bulk metal oxides for, **210**, 241
- D-glucose, selective reaction on Au catalysts, **206**, 242
- heterogeneous liquid-phase catalysts for, Au(0) sols as precursors for, **211**, 464
- methane, partial oxidation
- to formaldehyde: theoretic-experimental approach to process design and catalyst development, **207**, 232
  - over Ni/SrTiO<sub>3</sub> catalysts prepared by solid-phase crystallization, **207**, 307
  - by NO over Ru/Al<sub>2</sub>O<sub>3</sub> nanoparticle catalysts, **207**, 66
  - to synthesis gas over molybdenum carbide catalysts prepared with C<sub>2</sub>H<sub>2</sub>/H<sub>2</sub> carburizing mixture, **211**, 183
- methane, supported Pd catalysts for, characterization and activity, **207**, 139
- methanol, partial oxidation
- on Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts, production of hydrogen: effect of catalyst initial state on start-up behavior of reformer, **212**, 112
  - on V<sub>2</sub>O<sub>5</sub>/TiO<sub>2</sub> catalysts, TPD-TGA and calorimetric studies, **208**, 301
- MoO<sub>2</sub> with oxygen after MoO<sub>3</sub> reduction with propene, bulk structural study, **210**, 67
- nitric oxide to NO<sub>2</sub> over Pt/Al<sub>2</sub>O<sub>3</sub> and Pt/BaO/Al<sub>2</sub>O<sub>3</sub> catalysts, effects of Pt oxide formation and Pt dispersion, **210**, 340
- partial, kinetics and oxygen activity in single-phase oxidic catalysts and their mixture during, simultaneous determination, **209**, 177
- propane
- on Mo-V-Sb-Nb mixed oxide catalysts
    - kinetics and mechanistic studies, **211**, 226
    - mechanism, effect of catalyst activation methods, **211**, 235  - on V<sub>2</sub>O<sub>5</sub>/ZrO<sub>2</sub> catalysts, *in situ* UV-vis-NIR diffuse reflectance and Raman spectroscopic studies, **209**, 43
- propane and propene
- to acrylic acid over MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445
  - on Pt/YSZ, electrochemical promotion of, **208**, 412
- propylene
- to acetone, supported V<sub>2</sub>O<sub>5</sub> catalysts for, microcalorimetric adsorption study, **205**, 248
  - on Mo-V-Sb-Nb mixed oxide catalysts, **211**, 235
- sulfur dioxide, active Pt/TiO<sub>2</sub> catalysts for, one-step flame synthesis, **205**, 404
- over supported Pt catalysts, chlorine effects during, kinetics, FTIR, and controlled atmosphere EXAFS study, **209**, 341
- terpene derivatives, manganese(III) porphyrin catalysts for, **206**, 349
- vanadia reoxidation by NO<sub>2</sub> in fast SCR reaction, **209**, 159
- Oxidation state
- Cu in catalysts, effect on activity of Cu sites for dehydrogenation of cyclohexanol, **195**, 20; comment, **208**, 494; reply, **208**, 497
- Oxidative arylation
- ethylene with benzene over Rh catalysts for direct synthesis of styrene, **206**, 272
- Oxidative carbonylation
- aniline and derivatives in syntheses of carbamates and symmetric ureas, polymer-immobilized Au catalysts for, **211**, 548
- Oxidative coupling
- acetylene over β-UO<sub>3</sub> to form furan, **206**, 155
- Oxidative dehydrogenation
- n*-butane on PtSn catalysts supported on alumina and alumina-zirconia, **208**, 467
- ethane
- acid SAPO-34 catalysts for, **208**, 479
  - on alumina-supported vanadia catalysts, effects of catalyst structure, **208**, 139
  - on boron-modified Co/TiO<sub>2</sub> catalysts, **211**, 470
  - at millisecond contact times, effect of chlorine addition, **212**, 46
  - on Mo/Si:Ti catalysts, **208**, 124
  - on perovskite-based monolithic reactor, **209**, 51
- methanol over polycrystalline Ag catalyst, mechanistic studies with temporal-analysis-of-products approach, **210**, 53
- propane
- on alumina-supported vanadia catalysts
    - effects of catalyst structure, **208**, 139
    - Raman spectroscopy with online activity measurement, **209**, 197  - on Cr<sub>2</sub>O<sub>3</sub> catalysts, effects of oxide supports and chromia loading, **211**, 482
  - on dispersed metal oxides, relationship to catalyst electronic and redox properties, **209**, 35
  - on V<sub>2</sub>O<sub>5</sub>-MgO catalysts prepared by thermolysis of OV(O'Bu)<sub>3</sub> in presence of nanocrystalline MgO, **206**, 49
- reaction conditions during, effects on highly oriented Mg<sub>3</sub>(VO<sub>4</sub>)<sub>2</sub> thin-film catalysts, **208**, 6
- α-terpinene, manganese(III) porphyrin catalysts for, **206**, 349
- Oxometalates
- organotin-oxometalate coordination polymers, catalysis of olefin epoxidation, **209**, 237
- Oxygen
- adsorbed on tungsten carbide, effect on catalytic decomposition of hydrazine, **210**, 1
  - deposited on Fe/MFI by decomposition of N<sub>2</sub>O, identification by isotopic exchange, **210**, 453
  - effects on CuCl<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts, **205**, 375
- epoxidation of propylene on NaCl-modified VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts, **211**, 552
- and H<sub>2</sub>
- catalytic formation of H<sub>2</sub>O<sub>2</sub> from, role of colloidal Pd, **206**, 173
  - vapor-phase epoxidation of propene over Au/Ti-MCM-48, **209**, 331
- handling by Ce-Zr-Ca mixed oxides, **211**, 326
- interaction with Fe silicalites, effect on migration of Fe species from framework to extraframework positions, **208**, 64
- lattice, role in selective benzyl alcohol oxidation with OMS-2 catalyst, kinetic and isotope labeling study, **210**, 46
- mobility and storage in Pd-, Pt-, and Rh-loaded Ce<sub>0.6</sub>Zr<sub>0.35</sub>Y<sub>0.05</sub> three-way catalysts, **206**, 1
- molecular, photooxidation of cycloalkanes over (*n*-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub> immobilized on mesoporous MCM-41 and amorphous silica, **209**, 210

and NO, coadsorption on  $\text{WO}_3\text{-ZrO}_2$  catalysts, surface species formed after, nature and reactivity, **209**, 539  
 NO/ $\text{H}_2/\text{O}_2$  reaction on  $\text{Pt/La}_{0.7}\text{Sr}_{0.2}\text{Ce}_{0.1}\text{FeO}_3$  catalysts at low temperatures, **209**, 456  
 oxidation of  $\text{MoO}_2$  after  $\text{MoO}_3$  reduction with propene, bulk structural study, **210**, 67  
 reaction with hydrogen to produce water over Pt in stagnation reactor, effects of methane and ethane, **208**, 15  
 role in liquid-phase aerobic oxidation of alcohols on Pd catalysts, **211**, 244  
 storage by noble metals supported on silica-doped ceria, **211**, 407  
 storage/release on planar catalyst, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124  
 titration of spillover hydrogen adsorbed on  $\text{Pd-Rh/CeO}_2\text{-ZrO}_2$  catalysts, **206**, 82

## Oxygen anion radical

emission from silver on solid electrolyte, **209**, 256

## P

## Palladium

$\text{Al}_2\text{O}_3$ -supported catalysts  
 adsorption of cinchonidine, comparison with adsorption on  $\text{Pt/Al}_2\text{O}_3$ , *in situ* AT-IR study, **210**, 160  
 hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472  
 liquid-phase aerobic oxidation of alcohols, role of oxygen, **211**, 244  
 $\gamma\text{-Al}_2\text{O}_3$ -supported combustion catalysts, characterization and activity, **207**, 139  
 amorphous aluminosilicate-supported catalysts  
 hydrodesulfurization activity, effect of gold, **212**, 56  
 hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63  
 Ba-promoted catalysts, for emission control of natural gas vehicles and biofuel combustion systems, **206**, 248  
 carbon-supported catalysts  
 2,4-dinitrotoluene hydrogenation, factors affecting mechanism of, computational study, **211**, 296  
 hydrodechlorination of chlorine-containing organic compounds, reaction steps, **211**, 192  
 hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472  
 liquid-phase hydrodechlorination of  $\text{CCl}_4$  to  $\text{CHCl}_3$ , nature and role of Pd active species in, **209**, 279  
 piperazine-(2*S*)-carboxylic acid preparation by diastereoselective hydrogenation of pyrazine derivatives, **208**, 404  
 $\text{CeO}_2\text{-SiO}_2$ -supported catalysts, reduction and oxygen storage behavior, **211**, 407  
 $\text{CeO}_2$ -supported catalysts  
 deactivation during water-gas-shift reaction, mechanisms, **212**, 225  
 nitrate reduction in water, **206**, 363  
 sulfur poisoning, **210**, 397  
 $\text{Ce}_{0.6}\text{Zr}_{0.35}\text{Y}_{0.05}$  three-way catalysts loaded with, performance and redox properties, **206**, 1  
 colloidal, role in catalytic formation of  $\text{H}_2\text{O}_2$  from  $\text{H}_2$  and  $\text{O}_2$ , **206**, 173  
 $\text{CuZn}$  catalysts modified by, for methanol synthesis from  $\text{CO}_2/\text{H}_2$  mixtures, structures and performance, **210**, 285  
 enantioselective hydrogenation on, limitations of continuous fixed-bed reactor operation for, **210**, 466  
 faujasite-supported catalysts, hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63  
 $\text{GaPd/SiO}_2$  catalysts, gallium-hydrogen bond formation on, **211**, 252  
 $\text{GdPd/TiO}_2$  sol-gel catalysts, adsorption characteristics in NO reduction with  $\text{CH}_4$ , DRIFTS and TPD studies, **210**, 295

monolith catalyst, NO reduction by  $\text{H}_2$   
 $\text{H}_2/\text{D}_2$  exchange with  $\text{H}_2\text{O}$  and  $\text{NH}_3$ , **210**, 17  
 $\text{H}_2/\text{D}_2$  exchange in reduction of NO, **210**, 30  
 Ni model alloys with, electrocatalytic activity, **207**, 23  
 $\text{Pd}(111)$  catalysts, hydrogenolysis of acetic acid to ethanol, reaction paths in, **209**, 289  
 $\text{PdAu/Sibunit}$  carbon catalysts, characterization and hydrodechlorination of dichlorodifluoromethane, **209**, 528  
 $\text{PdCu}(110)$  alloy surface, mechanism of trichloroethene dechlorination on, periodic density functional theory study, **207**, 127  
 $\text{PdCu}$  catalysts supported on active carbon, nitrate hydrogenation to nitrogen in water, **207**, 37  
 $\text{PdCu}/(\text{Ce,Zr})\text{O}_x/\text{Al}_2\text{O}_3$  and  $\text{PdCu}/(\text{Ce,Zr})\text{O}_x$  catalysts, CO and NO elimination, effects of Cu, **206**, 281  
 $\text{Pd}(\text{II})$  ions in zeolite matrices for SCR of NO with  $\text{CH}_4$ , activity and stability, effects of Co cations, **211**, 75  
 $\text{PdRe}$  catalysts, hydrogenolysis of acetic acid to ethanol, reaction paths in, **209**, 289  
 $\text{PdRh/CeO}_2\text{-ZrO}_2$  catalysts, spillover of hydrogen adsorbed on, titration by oxygen, **206**, 82  
 Pd-zeolites, as heterogeneous catalysts in Heck chemistry, **209**, 225  
 and Pt and Rh, catalysts with, microwave-assisted purification of automotive emissions, **211**, 560  
 $\text{SiO}_2$ -supported catalysts  
 $\text{H}_2\text{O}$  formation from  $\text{H}_2$  and  $\text{O}_2$ , role of colloidal Pd, **206**, 173  
 Li-promoted, for methanol synthesis, alloy formation in, **211**, 273  
 $\text{TiO}_2$ -added catalysts, selective hydrogenation of acetylene, **208**, 310  
 $\text{TiO}_2$ -supported catalysts modified by cinchonidine, enantioselective hydrogenation on, mechanistic study, **205**, 213  
 wet impregnation of  $\text{Cu-Zn-Al}$  catalyst with, reverse topotactic transformation during, relevance for methanol synthesis from  $\text{CO}_2/\text{H}_2$  mixtures, **210**, 273  
 zeolite-supported catalysts, combinatorial selection, indexed libraries for, **209**, 413  
 Palladium black  
 catalysis of hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472  
 Palladium(II) chloride  
 aqueous system with heteropolyanions, catalysis of one-stage Wacker-type oxidation of  $\text{C}_2\text{-C}_4$  olefins, kinetics, **211**, 445  
 Particulates  
 diesel soot, catalytic removal by Au-V-based catalysts, **209**, 515  
 Passivation  
 zeolite BEA, effect on cycloisomerization of 5-(*o*-tolyl)-pentene, **207**, 183  
 Pentylamine  
 hydrodenitrogenation over  $\text{SiO}_2$ -supported MoP, WP, and  $\text{MoS}_2$  hydroprocessing catalysts, push-pull mechanism, **210**, 116  
 Perovskites  
 $\text{LaMnO}_3/\text{ZrO}_2$  catalysts, methane combustion and CO oxidation on, **205**, 309  
 $\text{La}_{0.7}\text{Sr}_{0.2}\text{Ce}_{0.1}\text{FeO}_3$  support of Pt catalysts, **209**, 456  
 $\text{La}_{1-x}\text{Sr}_x\text{Cr}_{1-y}\text{Ru}_y\text{O}_{3-\delta}$  anode material for solid oxide fuel cell, surface properties and physicochemical characterization, **209**, 25  
 monolithic reactor, oxidative dehydrogenation of ethane, **209**, 51  
 $\text{SrTiO}_3$ , support of Ni catalysts, prepared by solid-phase crystallization, partial oxidation of  $\text{CH}_4$ , **207**, 307  
 Petroleum feedstocks  
 hydrodesulfurization with  $\text{Ni}_2\text{P/SiO}_2$  catalyst, **209**, 1  
 Phase transfer  
 Jacobsen catalyst analogue with in-built capability for, enantioselective epoxidation of nonfunctionalized alkenes, **209**, 99  
 Phenol  
 formation by benzene oxidation with  $\text{N}_2\text{O}$  over H-ZSM-5 with low Fe concentrations, active sites in, **211**, 109

- methylation over  $\text{Cu}_{1-x}\text{Co}_x\text{Fe}_2\text{O}_4$  catalysts, Cu-Co synergism and XPS study, **210**, 405
- photooxidation,  $\text{TiO}_2$  photoactivity for, effects of synthesis method and particle size, **212**, 145
- 3-Phenyl-1-propene, *see* Allylbenzene
- Phillips catalyst
- Cr/SiO<sub>2</sub>
- CO adsorption on reduced catalyst, theoretical analysis, **205**, 177
- polymerization-active dinuclear Cr sites, **206**, 331
- polymerization-active mononuclear Cr sites, **205**, 366
- Phosphine
- complex with gold, Au/TiO<sub>2</sub> nanocatalysts synthesized from, oxidation of CO, **207**, 247
- Phosphorus
- effects on molybdenum oxynitrides and oxygen-modified molybdenum carbides, **208**, 187
- effects on nickel phosphide catalysts, **210**, 207
- tungsten oxynitrides doped with, synthesis, characterization, and catalysis of propene hydrogenation and *n*-heptane isomerization, **205**, 191
- Photocatalysis
- cycloalkane oxidation with O<sub>2</sub> over (*n*-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub> immobilized on mesoporous MCM-41 and amorphous silica, **209**, 210
- formic acid oxidation on TiO<sub>2</sub>, active sites for, effects of H<sub>2</sub>O and temperature, **209**, 105
- rare-earth-doped TiO<sub>2</sub> nanoparticles for, preparation, characterization, and activities, **207**, 151
- selective gas-phase oxidation of alcohols using TiO<sub>2</sub>, **211**, 434
- by TiO<sub>2</sub>, effects of synthesis method and particle size, **212**, 145
- by Ti-W nanosized mixed oxides, toluene degradation with sunlight-type excitation, effect of doping, **212**, 1
- Pinacols
- direct formation from olefins over titanosilicates, **209**, 260
- $\alpha$ -Pinene
- oxidation, manganese(III) porphyrin catalysts for, **206**, 349
- Piperazine-(2*S*)-carboxylic acid
- preparation by diastereoselective hydrogenation of pyrazine derivatives, **208**, 404
- Plasma catalysis
- methane conversion to aromatics, **206**, 91
- Platinum
- Al<sub>2</sub>O<sub>3</sub>-supported catalysts
- adsorption of cinchonidine, comparison with adsorption on Pd/Al<sub>2</sub>O<sub>3</sub>, *in situ* AT-IR study, **210**, 160
- chlorine effects during oxidation reactions, kinetics, FTIR, and controlled atmosphere EXAFS study, **209**, 341
- CO oxidation, experimental and kinetic model for lights-off tests in excess CO, **209**, 126
- dehydrogenation of methylcyclohexane to toluene, performance of porous Vycor in, **212**, 182
- hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- NO<sub>2</sub>  $\leftrightarrow$  NO + 1/2O<sub>2</sub> reaction, effects of Pt oxide formation and Pt dispersion, **210**, 340
- NO reduction by H<sub>2</sub>, promoter effects in, **208**, 435
- oxidation of adsorbed CO species, mass spectroscopic kinetic study, **209**, 114
- $\alpha$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts, oxidative dehydrogenation of ethane at millisecond contact times, effect of chlorine addition, **212**, 46
- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts
- benzene and chlorobenzene combustion, mechanistic study, **211**, 355
- CO oxidation in H<sub>2</sub> at low temperature for PEM fuel cells, pretreatment promoting, **210**, 460
- dihydrocinchonidine-modified, enantioselective hydrogenation of ethyl pyruvate in acetic acid, ESI-MS study, **205**, 168
- amorphous aluminosilicate-supported catalysts, hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63
- BaO/Al<sub>2</sub>O<sub>3</sub>-supported catalysts, NO<sub>2</sub>  $\leftrightarrow$  NO + 1/2O<sub>2</sub> reaction, effects of Pt oxide formation and Pt dispersion, **210**, 340
- BN-supported catalysts, deep oxidation of benzene, **210**, 39
- carbonaceous residues on, removal by deuterium, **208**, 276
- carbon-supported catalysts
- hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- piperazine-(2*S*)-carboxylic acid preparation by diastereoselective hydrogenation of pyrazine derivatives, **208**, 404
- properties of, role of carbon surface sites, **209**, 355
- catalysis of racemic and enantioselective hydrogenation of  $\alpha$ -substituted ketones, relationship to ketone electronic structure, **209**, 489
- catalysis of water production from hydrogen and oxygen in stagnation flow, effects of methane and ethane, **208**, 21
- CeO<sub>2</sub>-SiO<sub>2</sub>-supported catalysts, reduction and oxygen storage behavior, **211**, 407
- CeO<sub>2</sub>-ZrO<sub>2</sub>-supported planar catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124
- CeO<sub>2</sub>-ZrO<sub>2</sub>-Y<sub>2</sub>O<sub>3</sub>-supported planar catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124
- Ce<sub>0.6</sub>Zr<sub>0.35</sub>Y<sub>0.05</sub> three-way catalysts loaded with, performance and redox properties, **206**, 1
- CsX zeolite-supported catalysts, direct synthesis of MIBK from acetone, **209**, 166
- CuPt/SiO<sub>2</sub> catalysts, metal dispersion and surface composition, **208**, 381
- EUROPT-1 catalysts, *n*-hexane reactions on, mechanism: hydrogen pressure and compensation effects, **205**, 86
- faujasite-supported catalysts, hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63
- fluorinated carbon-supported catalysts, NO reaction with NH<sub>3</sub>, catalyst-support interaction in, **211**, 308
- La<sub>0.7</sub>Sr<sub>0.2</sub>Ce<sub>0.1</sub>FeO<sub>3</sub>-supported catalysts, NO/H<sub>2</sub>/O<sub>2</sub> reaction at low temperatures, **209**, 456
- NaX zeolite-supported catalysts, direct synthesis of MIBK from acetone, **209**, 166
- Ni/Pt(111) bimetallic surfaces with monolayer Ni coverage, catalysis of low-temperature thiophene hydrodesulfurization, **205**, 259
- particle size and distribution in SiO<sub>2</sub> impregnated with [Pt<sup>2+</sup>(NH<sub>3</sub>)<sub>4</sub>](NO<sub>3</sub>)<sub>2</sub>, effect of pretreatment, **205**, 135
- and Pd and Rh, catalysts with, microwave-assisted purification of automotive emissions, **211**, 560
- Pt(111) catalysts
- chemistry of 1,1- and 1,3-diiodoneopentanes on, **208**, 345
- hydrogenation of unsaturated aldehydes, effect of adsorption structures, DFT study, **211**, 398
- PtAu cluster-derived supported catalysts, kinetic and spectroscopic characterization, **212**, 125
- PtFe catalysts, acetic acid reduction by H<sub>2</sub>, **209**, 87
- PtGe/Al<sub>2</sub>O<sub>3</sub> catalysts, behavior in transformation of hydrocarbons, **208**, 490
- Pt/H-zeolite bifunctional catalysts, deactivation during cyclopentane hydroconversion, **205**, 231
- Pt/Pb alloy, composition and performance during reaction, *in situ* electrochemical control, **210**, 237
- PtRe/Al<sub>2</sub>O<sub>3</sub> catalysts, heptane reforming over, reaction network, kinetics, and catalyst deactivation, **206**, 188
- PtRh/Al<sub>2</sub>O<sub>3</sub> catalysts, CO + NO reaction kinetics, effects of ceria incorporation in noble metals, **207**, 202
- PtSn catalysts
- on alumina and alumina-zirconia supports, microstructure and oxidative dehydrogenation of *n*-butane, **208**, 467

- highly dispersed particles, size and composition of, effect of support, **211**, 335
- on mesoporous supports, reduction of prostaglandin unsaturated ketones to secondary allylic alcohols by hydrogen transfer, **206**, 218
- SiO<sub>2</sub>-supported
- hydrogen-assisted dechlorination of 1,2-dichloroethane, effect of Pt/Sn atomic ratio, **211**, 173
  - n*-propylbenzene hydrodealkylation in reforming conditions, kinetics and mechanism, **210**, 431
- TiO<sub>2</sub>-supported, vapor-phase hydrogenation of crotonaldehyde, **212**, 94
- RhPt/CeO<sub>2</sub> catalysts, hydrogen production from ethanol: Rh role in dissociation of carbon-carbon bond, **208**, 393
- SiO<sub>2</sub>-supported catalysts
- CeO<sub>2</sub>-promoted, metal-support interaction in, improvement after Zn addition, **210**, 127
  - chemistry at metal-oxide interface, atomic scale observations, **205**, 1
  - chlorine effects during oxidation reactions, kinetics, FTIR, and controlled atmosphere EXAFS study, **209**, 341
  - complexes with aromatic compounds and fullerene C<sub>60</sub>, hydrogenation and dehydrogenation of, IR study, **211**, 42
  - NO reduction by H<sub>2</sub>, promoter effects in, **208**, 435
  - preparation by interaction of platinum tetrammine hydroxide and silica surface, **209**, 135
- Sn/Pt(111) alloy model catalysts, hydrogenation of crotonaldehyde, **205**, 278
- solid acid catalysts loaded with, hydroisomerization of *n*-hexane, intrinsic kinetics, **206**, 295
- in surface and subsurface of sulfated zirconia catalysts, role in toluene hydrogenation and *n*-hexane isomerization, **212**, 173
- TiO<sub>2</sub>-supported catalysts
- acetic acid reduction by H<sub>2</sub>, DRIFTS and TPD/TPR study, **207**, 317
  - for SO<sub>2</sub> oxidation, one-step flame synthesis, **205**, 404
  - vapor-phase hydrogenation of crotonaldehyde, **212**, 94
- water-gas shift catalysts based on, practicality in automotive fuel processing, **206**, 169
- yttria-stabilized ZrO<sub>2</sub>-supported catalysts, electrochemical promotion ethanol oxidation, **211**, 521
- propane and propene oxidation, **208**, 412
- zeolite-supported catalysts, combinatorial selection, indexed libraries for, **209**, 413
- Platinum black
- n*-hexane reactions on, mechanism: hydrogen pressure and compensation effects, **205**, 86
- Platinum oxide
- formation, effects on NO<sub>2</sub> ↔ NO + 1/2O<sub>2</sub> reaction over Pt/Al<sub>2</sub>O<sub>3</sub> and Pt/BaO/Al<sub>2</sub>O<sub>3</sub> catalysts, **210**, 340
- Platinum(IV) oxide
- catalysis of hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- Platinum tetrammine hydroxide
- interaction with silica surface in preparation of Pt/SiO<sub>2</sub> catalysts, **209**, 135
- Polymerization
- ethylene, SiO<sub>2</sub>-supported Ziegler-Natta catalyst for, formation of, **210**, 328
  - ethylene over dinuclear Cr(II) sites in Cr/SiO<sub>2</sub> Phillips-type catalysts, **206**, 331
  - ethylene over mononuclear Cr(II) B sites in Cr/SiO<sub>2</sub> Phillips-type catalysts, **205**, 366
- Polyoxotungstates
- (*n*-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub>, immobilization on mesoporous MCM-41 and amorphous silicas for photooxidation of cycloalkanes with O<sub>2</sub>, **209**, 210
- Poly(4-vinylpyridine)
- support of zinc halide catalysts for coupling reactions of CO<sub>2</sub> and epoxides, **205**, 226
- Pore size
- effects on Fischer-Tropsch synthesis over Co catalysts supported on mesoporous silicas, **206**, 230
- Pore structure
- large-pore zeolites, effects on activity and selectivity in isobutane alkylation with 2-butene, **211**, 6
  - zeolite beta, effect of steam activation: Al *K* edge XANES study of aluminum coordination, **211**, 540
- Pore-volume topology
- zeolite ITQ-17, effects in alkylation and isomerization of aromatic compounds, **207**, 46
- Potassium
- Fe-based catalysts promoted with, for Fischer-Tropsch synthesis, design, synthesis, site densities, and catalytic properties, **206**, 202
  - iron oxide model catalyst films promoted by, dehydrogenation of ethylbenzene, **212**, 104
  - loss from styrene catalyst model components, energetics, **211**, 265
  - and NO, or K + Cl, electrochemical promotion of Ag-catalyzed epoxidation of propene and ethene, **207**, 331
  - promotion of steam reforming on Ni catalysts by suppression of graphite formation, **209**, 365
- Potassium dodecatungstophosphate
- catalysis of ethanol dehydration and ethylene hydration, **207**, 296
- Potassium ferrites
- catalysts for styrene formation, potassium loss from, energetics, **211**, 265
- Potassium fluoride
- Al<sub>2</sub>O<sub>3</sub>-supported catalysts
    - epoxidation of activated olefins, **211**, 150
    - hydrogen transfer reduction of 4-*tert*-butylcyclohexanone and aldol condensation of benzaldehyde with acetophenone, **208**, 30
- Praseodymium
- TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151
- Precipitation
- antisolvent, with supercritical CO<sub>2</sub>, amorphous vanadium phosphate catalysts prepared by, **208**, 197
- Prenal
- adsorption structures on Pt(111), DFT study, **211**, 398
- Pressure
- direct synthesis of ethanol from ethyl acetate under, **212**, 207
- Presulfiding
- Ni/Al<sub>2</sub>O<sub>3</sub> catalysts *ex situ* for pyrolysis gasoline hydrogenation, **209**, 245
- Propane
- ammoxidation
    - to acrylonitrile, Sb-V-O/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for, effects of Sb/V ratio and Sb + V coverage, **206**, 339
    - FeVSbO<sub>4</sub> mixed oxide catalysts for, active site characterization, **205**, 97  - dehydrogenation, chromia/alumina catalysts for, irreversible deactivation of, spectroscopic study, **210**, 418
  - oxidation
    - to acrylic acid over MoVTenbO catalysts prepared by hydrothermal synthesis, **209**, 445
    - on Mo-V-Sb-Nb mixed oxide catalysts
      - kinetics and mechanistic studies, **211**, 226
      - mechanism, effect of catalyst activation methods, **211**, 235    - on Pt/YSZ, electrochemical promotion of, **208**, 412
    - over V<sub>2</sub>O<sub>5</sub>/ZrO<sub>2</sub> catalysts, *in situ* UV-vis-NIR diffuse reflectance and Raman spectroscopic studies, **209**, 43  - oxidative dehydrogenation
    - on alumina-supported vanadia catalysts
      - effects of catalyst structure, **208**, 139

Raman spectroscopy with online activity measurement, **209**, 197  
 on Cr<sub>2</sub>O<sub>3</sub> catalysts, effects of oxide supports and chromia loading, **211**, 482  
 on dispersed metal oxides, relationship to catalyst electronic and redox properties, **209**, 35  
 on V<sub>2</sub>O<sub>5</sub>-MgO catalysts prepared by thermolysis of OV(O'Bu)<sub>3</sub> in presence of nanocrystalline MgO, **206**, 49  
 thiophene desulfurization pathways using, deuterium isotopic tracer studies, **207**, 31

2-Propanol, *see* Isopropyl alcohol

Propene, *see* Propylene

*n*-Propylbenzene  
 hydrodealkylation over Pt(Sn)/SiO<sub>2</sub> catalysts in reforming conditions, kinetics and mechanisms, **210**, 431

Propylene  
 epoxidation  
 on Ag catalysts, analysis using electrochemical promotion of effects of alkali, NO<sub>x</sub>, and chlorine, **207**, 331  
 on Au/Ti-MCM-48 in vapor phase using H<sub>2</sub> and O<sub>2</sub>, **209**, 331  
 on NaCl-modified VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts with O<sub>2</sub> as oxidant, **211**, 552

hydrogenation  
 on phosphorus-doped molybdenum oxynitrides and oxygen-modified molybdenum carbides, turnover rates for, **208**, 187  
 on phosphorus-doped tungsten oxynitrides, **205**, 191

one-stage Wacker-type oxidation, catalysis by aqueous PdCl<sub>2</sub>-heteropoly-anion system, kinetics, **211**, 445

oxidation  
 to acrylic acid over MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445  
 on Mo-V-Sb-Nb mixed oxide catalysts, **211**, 235  
 on Pt/YSZ, electrochemical promotion of, **208**, 412

reaction with surface NO<sub>x</sub> species on WO<sub>3</sub>-ZrO<sub>2</sub> catalyst surface, **209**, 539

reduction of MoO<sub>3</sub> followed by MoO<sub>2</sub> oxidation with oxygen, bulk structural study, **210**, 67

selective catalytic reduction of NO  
 over Ga<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, *in situ* FTIR study, **206**, 114  
 over PtAu cluster-derived supported catalysts, **212**, 125

selective oxidation to acetone, supported V<sub>2</sub>O<sub>5</sub> catalysts for, microcalorimetric adsorption study, **205**, 248

Propylene carbonate  
 synthesis from supercritical CO<sub>2</sub> and propylene oxide over lanthanide oxychloride, **209**, 547

Propylene oxide  
 and supercritical CO<sub>2</sub>, formation of propylene carbonate over lanthanide oxychloride, **209**, 547

Prostaglandin unsaturated ketones  
 reduction to secondary allylic alcohols by hydrogen transfer over mesoporous supported PtSn catalysts, **206**, 218

Proton sponge  
 immobilized, on inorganic carriers: synergic effect of support on catalytic activity, **211**, 208

[Pt<sup>2+</sup>(NH<sub>3</sub>)<sub>4</sub>](NO<sub>3</sub>)<sub>2</sub>  
 SiO<sub>2</sub> impregnated with, Pt particle size and distribution in, effect of pretreatment procedure, **205**, 135

Pyrazine-2-carboxylic acid  
 chirally modified, diastereoselective hydrogenation, preparation of piperazine-(2*S*)-carboxylic acid by, **208**, 404

2,2'-Pyridoin  
 and derivatives, hydrogenation over heterogeneous catalysts, chemo- and diastereoselectivity in, **209**, 472

Pyrolysis gasoline hydrogenation  
*ex situ* presulfided Ni/Al<sub>2</sub>O<sub>3</sub> catalysts for, characterization, **209**, 245

## Q

Quartz glass  
 silver on, emission of O<sup>-</sup> radical anions and electrons, **209**, 256

Quick extended X-ray absorption fine structure  
 Pt particle size and distribution in SiO<sub>2</sub> impregnated with [Pt<sup>2+</sup>(NH<sub>3</sub>)<sub>4</sub>](NO<sub>3</sub>)<sub>2</sub>: effect of pretreatment, **205**, 135

Quinoline  
 hydrodenitrogenation  
 over iron group transition metal phosphides, **208**, 321  
 over Ni<sub>2</sub>P/SiO<sub>2</sub> catalysts, effects of catalyst phosphorus content, **210**, 207

hydroprocessing over SiO<sub>2</sub>-supported MoP and WP catalysts, **207**, 256

Quinolines  
 methyl-substituted, hydrodenitrogenation, **212**, 201

## R

Raman spectroscopy  
 Au-V-based catalysts, **209**, 515  
 boron-modified Co/TiO<sub>2</sub> catalysts for butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470

Mo loading effects over Mo/Si:Ti catalysts in oxidative dehydrogenation of ethane, **208**, 124

Ni/Al<sub>2</sub>O<sub>3</sub> catalysts presulfided *ex situ* for pyrolysis gasoline hydrogenation, **209**, 245

propane oxidation over V<sub>2</sub>O<sub>5</sub>/ZrO<sub>2</sub> catalysts *in situ*, **209**, 43

supported Cr<sub>2</sub>O<sub>3</sub> catalysts for oxidative dehydrogenation of propane, **211**, 482

VO<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> catalyst during propane oxidative dehydrogenation with online activity measurement, **209**, 197

V/TiO<sub>2</sub> catalysts: characterization of surface vanadia, **205**, 115

Raney-nickel catalysts  
 hydrodechlorination and hydrogenation under multiphase conditions: kinetics and selectivity, **211**, 347

Raney-type catalysts  
 nonpyrophoric, anomalous small-angle X-ray scattering of Ni particles in, **205**, 354

Redox properties  
 Ce-containing MCM-41-type mesoporous materials, **207**, 213

CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, effects of preparation method, **209**, 417

Ce<sub>0.6</sub>Zr<sub>0.35</sub>Y<sub>0.05</sub> three-way catalysts loaded with Pd, Pt, and Rh, **206**, 1

dispersed metal oxides, relationship to turnover rates in oxidative dehydrogenation, **209**, 35

La,Mn oxides and LaMnO<sub>3</sub> perovskite catalysts supported on ZrO<sub>2</sub>, methane combustion and CO oxidation on, **205**, 309

Reduction, *see also* Selective catalytic reduction  
 acetic acid by H<sub>2</sub>  
 to acetaldehyde over iron catalysts  
 kinetics, **208**, 158  
 Mössbauer spectroscopy, DRIFTS, TPD, and TPR studies, **208**, 170  
 on PtFe catalysts, **209**, 87  
 on supported Pt catalysts, DRIFTS and TPD/TPR study, **207**, 317

4-*tert*-butylcyclohexanone by hydrogen transfer on basic solids, **208**, 30

cinnamaldehyde by Meerwein-Ponndorf-Verley reaction, hydrous zirconia as selective catalyst for, **206**, 321

ketone to alcohol by Meerwein-Ponndorf-Verley reaction, beta zeolite active in, Al-Lewis site structure, **210**, 171

MoO<sub>3</sub> with propene followed by MoO<sub>2</sub> oxidation with oxygen, bulk structural study, **210**, 67

nitrate in water on monometallic Pd/CeO<sub>2</sub> catalyst, **206**, 363

nitric oxide  
 by carbon monoxide over Pt-Rh/Al<sub>2</sub>O<sub>3</sub> catalysts, kinetics of, effects of ceria incorporation, **207**, 202

- by hydrogen under lean-burn conditions, promoter effects in, **208**, 435
- by hydrogen on Pd monolith
- H<sub>2</sub>/D<sub>2</sub> exchange with H<sub>2</sub>O and NH<sub>3</sub>, **210**, 17
- H<sub>2</sub>/D<sub>2</sub> exchange in reduction of NO, **210**, 30
- by methane, adsorption characteristics of Gd–Pd/TiO<sub>2</sub> sol-gel catalysts in, DRIFTS and TPD studies, **210**, 295
- Pd–Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd–Cu/(Ce,Zr)O<sub>x</sub> catalysts for, effects of Cu, **206**, 281
- by urea under lean conditions over single-step sol-gel Cu/alumina catalyst, **208**, 15
- 1-nitropropane, electrochemical reaction with crystalline and amorphous Ni model alloys, **207**, 23
- noble metals supported on silica-doped ceria, **211**, 407
- NO<sub>x</sub> over In<sub>2</sub>O<sub>3</sub>/Al<sub>2</sub>O<sub>3</sub> catalysts in lean conditions, **210**, 97
- prostaglandin unsaturated ketones to secondary allylic alcohols by hydrogen transfer over mesoporous supported PtSn catalysts, **206**, 218
- sulfur dioxide with hydrogen over TiO<sub>2</sub>-supported catalysts derived from Ru salts and Ru cluster complexes, **206**, 159
- Reflection adsorption infrared spectroscopy
- chiral phase creation by (*R,R*)-tartaric acid adsorption on Cu(II), **205**, 123
- Reflection high-energy electron diffraction–reflection electron microscopy
- Au particles deposited on rutile TiO<sub>2</sub>(110) by deposition precipitation and gas-phase grafting, **212**, 119
- Reforming reactions
- heptane over PtRe/Al<sub>2</sub>O<sub>3</sub> catalysts, reaction network, kinetics, and catalyst deactivation, **206**, 188
- methane by CO<sub>2</sub>
- over Co/γ-Al<sub>2</sub>O<sub>3</sub> catalysts, carbon deposition and catalytic deactivation during, **205**, 289
- hydrogen production with NiRh/La<sub>2</sub>O<sub>3</sub> catalysts for use at low temperature in membrane reactor, **210**, 7
- over Ni/Al<sub>2</sub>O<sub>3</sub> catalysts promoted with Mn, **209**, 6
- over NiRh/ZrO<sub>2</sub> low-temperature catalysts suitable for membrane reactors, hydrogen production in, **210**, 263
- Resins
- Cu(II)-containing solids, catalysis of Ruff oxidative degradation of aldonic acids, **209**, 217
- Rhenium
- PtRe/Al<sub>2</sub>O<sub>3</sub> catalysts, heptane reforming over, reaction network, kinetics, and catalyst deactivation, **206**, 188
- Re(0001) and PdRe catalysts, hydrogenolysis of acetic acid to ethanol, reaction paths in, **209**, 289
- Rhodium
- carbon-supported catalysts, piperazine-(2*S*)-carboxylic acid preparation by diastereoselective hydrogenation of pyrazine derivatives, **208**, 404
- catalysis of direct synthesis of styrene by oxidative arylation of ethylene with benzene, **206**, 272
- CeO<sub>2</sub>–SiO<sub>2</sub>-supported catalysts, reduction and oxygen storage behavior, **211**, 407
- Ce<sub>0.6</sub>Zr<sub>0.35</sub>Y<sub>0.05</sub> three-way catalysts loaded with, performance and redox properties, **206**, 1
- NiRh catalysts, for hydrogen production at low temperature in membrane reactor
- La<sub>2</sub>O<sub>3</sub>-supported catalysts, **210**, 7
- ZrO<sub>2</sub>-supported catalysts, **210**, 263
- and Pd and Pt, catalysts with, microwave-assisted purification of automotive emissions, **211**, 560
- PdRh/CeO<sub>2</sub>–ZrO<sub>2</sub> catalysts, spillover of hydrogen adsorbed on, titration by oxygen, **206**, 82
- PtRh/Al<sub>2</sub>O<sub>3</sub> catalysts, CO + NO reaction kinetics, effects of ceria incorporation in noble metals, **207**, 202
- Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in fluidized-bed reactor, biomass gasification to hydrogen and syngas at low temperature, **208**, 255
- RhPt/CeO<sub>2</sub> catalysts, hydrogen production from ethanol: Rh role in dissociation of carbon–carbon bond, **208**, 393
- SiO<sub>2</sub>-attached molecular-imprinting dimer catalyst, performance and kinetics in size- and shape-selective hydrogenation of alkenes, **211**, 496
- small metal particles on fishbone carbon nanofibers, preparation and activity, **211**, 85
- soluble and polymer-anchored catalysts for carbonylation: kinetics and mechanism of diphenylurea formation, **210**, 255
- VO<sub>x</sub> overlayers on, composition and promoting effect in CO hydrogenation, role of reduction temperature, **208**, 422
- Rhodium black
- catalysis of hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- Ring opening
- naphthenic molecules, selective reactions, **210**, 137
- Ritter-type reaction
- N*-isopropylacrylamide synthesis from acrylonitrile and isopropyl alcohol over H–ZSM-5, **207**, 194
- Ruff degradation
- aldonic acids, catalysis by Cu(II)-containing solids, **209**, 217
- Ruthenium
- active carbon-supported catalyst, NH<sub>3</sub> synthesis, working state of Ba promoter in, **211**, 33
- γ-Al<sub>2</sub>O<sub>3</sub>-supported nanoparticle catalysts, methane reaction with NO, **207**, 66
- BaX zeolite-supported catalyst promoted by Ba, isotopic transient analysis, importance of product readsorption during, **211**, 379
- carbon-supported catalysts
- hydrogenation of arabinonic acid and lactones to arabitol, **208**, 247
- hydrogenation of 2,2'-pyridoin and derivatives, chemo- and diastereoselectivity, **209**, 472
- linoleic acid isomerization, **210**, 354
- piperazine-(2*S*)-carboxylic acid preparation by diastereoselective hydrogenation of pyrazine derivatives, **208**, 404
- cluster complexes and salts, TiO<sub>2</sub>-supported catalysts derived from, reduction of SO<sub>2</sub> with hydrogen, **206**, 159
- Co/MCM-41 catalysts promoted by, hydrogenation of CO, **211**, 530
- Fe-based catalysts promoted with, for Fischer–Tropsch synthesis, design, synthesis, site densities, and catalytic properties, **206**, 202
- La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3-δ</sub> anode material for solid oxide fuel cell, surface properties and physicochemical characterization, **209**, 25
- MgO-supported catalysts
- ammonia synthesis, kinetics of, effect of Ba and Cs, **205**, 205
- cesium-promoted, ammonia synthesis, isotopic transient kinetic analysis, **210**, 387
- interaction with hydrogen, **209**, 501
- Ru(0001), catalysis of Fischer–Tropsch synthesis, mechanisms of chain growth in, **212**, 136
- Ru–Ba catalysts supported on graphitic nanofilaments for NH<sub>3</sub> synthesis, **211**, 278

## S

- Samaria
- ceria doped with, support of CuO catalysts, oxidation of CO, **208**, 370
- Samarium
- TiO<sub>2</sub> nanoparticles doped with, preparation, characterization, and photocatalytic activity, **207**, 151
- Samarium oxide
- support of Pd catalysts, ethanol steam reforming, hydrogen production in, **209**, 306

- Samarium oxychloride  
catalysis of cyclic carbonate synthesis from supercritical CO<sub>2</sub> and epoxide, **209**, 547
- SAPO-34  
acid catalysts for oxidative dehydrogenation of ethane, **208**, 479
- SBA-15  
support of Co catalysts, Fischer–Tropsch synthesis, effects of pore size, **206**, 230
- Scanning electron microscopy  
Au particles deposited on rutile TiO<sub>2</sub>(110) by deposition precipitation and gas-phase grafting, **212**, 119  
Co(Ni)MoS: promoter-sensitive shapes in sulfo-reductive conditions, **212**, 33  
and EDX microanalysis, MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445  
MoP/SiO<sub>2</sub> catalysts, **207**, 266
- Scanning transmission electron microscopy  
atomic scale observations of chemistry at metal–oxide interface in heterogeneous catalysts, **205**, 1  
with energy-dispersive X-ray spectrometry, support effects on size and composition of highly dispersed Pt–Sn particles, **211**, 335  
Sn(Sb)O<sub>2</sub> nanophase catalysts, **205**, 266
- Scanning tunneling microscopy  
chiral phase creation by (*R,R*)-tartaric acid adsorption on Cu(II), **205**, 123  
potassium-promoted iron oxide model catalyst films for dehydrogenation of ethylbenzene, **212**, 104  
shape and edge modifications in MoS<sub>2</sub> catalytic nanoparticles induced by working conditions, **207**, 76
- Selective catalytic oxidation  
ammonia to nitrogen  
over Fe<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> prepared by sol–gel method, **207**, 158  
over iron oxide–silica aerogels, **206**, 143  
over MnO<sub>x</sub>–SiO<sub>2</sub> aerogels, **207**, 88  
carbon monoxide, effect of chloride of supported Au catalysts, **210**, 375
- Selective catalytic reduction  
fast, enhanced vanadia reoxidation by NO<sub>2</sub> in, **209**, 159  
nitric oxide  
by ammonia  
over egg-shell MnO<sub>x</sub>/NaY composite catalysts, **206**, 98  
over Fe<sup>3+</sup>-exchanged mordenite, catalytic performance, characterization, and mechanism, **207**, 274  
over Fe-ZSM-5 catalyst, mechanism, **207**, 224  
over fluorinated carbon-supported Pt catalysts, catalyst–support interaction in, **211**, 308  
over HZSM-5, effects of steaming and sodium exchange, **208**, 106  
over iron oxide–silica aerogels, **206**, 143  
by hydrocarbons over Ir catalysts, sensitivity to catalyst structure, **205**, 157  
by isobutane over Fe-ZSM-5 zeolites, active sites in, **212**, 157  
by methane  
activity and stability of Pd(II) ions in zeolite matrices for, effects of Co cations, **211**, 75  
over Ru/Al<sub>2</sub>O<sub>3</sub> nanoparticle catalysts, **207**, 66  
by propylene  
over Ga<sub>2</sub>O<sub>3</sub>–Al<sub>2</sub>O<sub>3</sub> catalysts, *in situ* FTIR study, **206**, 114  
over PtAu cluster-derived supported catalysts, **212**, 125
- nitrogen dioxide  
by ammonia over HZSM-5  
effects of steaming and sodium exchange, **208**, 106  
kinetics, **208**, 100  
by ethylene over H–ferrierite, product analysis, **211**, 53  
surface species formed after NO adsorption and NO + O<sub>2</sub> coadsorption on WO<sub>3</sub>–ZrO<sub>2</sub> catalyst, **209**, 539
- Selectivity  
acetic acid reduction by H<sub>2</sub> to acetaldehyde over PtFe catalysts, **209**, 87  
acetylene hydrogenation over Pt/Pb alloy: *in situ* electrochemical control of catalyst composition and performance, **210**, 237  
alkene hydrogenation over SiO<sub>2</sub>-attached molecular-imprinting Rh dimer catalyst, **211**, 496  
benzene hydroxylation, enhancement by tailoring MCM-41 catalyst surface affinity for reactive molecules, **212**, 22  
benzyl alcohol oxidation with OMS-2 catalyst, role of lattice oxygen in, kinetic and isotope labeling study, **210**, 46  
epoxidation of olefinic compounds over TS-1 and TS-2 redox molecular sieves using urea–H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339  
epoxidation of propene and ethene over Ag catalysts, **207**, 331  
ethylene conversion over H-galloaluminosilicate zeolite, effects of temperature, **205**, 398  
ethylene production by hydrogenation of acetylene over TiO<sub>2</sub>-added Pd catalysts, **208**, 310  
Fischer–Tropsch synthesis over Co/SiO<sub>2</sub> catalysts, effects of water, **211**, 422  
*n*-hexane reaction over Pt black and EUROPT-1 catalysts, **205**, 86  
hydrodechlorination of dichlorodifluoromethane over Pd–Au/Sibunit carbon catalysts, **209**, 528  
hydrodechlorination and hydrogenation over Raney-Ni catalysts under multiphase conditions, **211**, 347  
hydrogenation of unsaturated aldehydes on Pt(111), effect of adsorption structures, DFT study, **211**, 398  
isobutane alkylation with 2-butene using large-pore zeolites, effect of pore structure, **211**, 6  
isomerization and alkylation of aromatic compounds over zeolite ITO-17, **207**, 46  
Meerwein–Ponndorf–Verley reduction of cinnamaldehyde over hydrous zirconia, **206**, 321  
oxidative dehydrogenation of propane over Cr<sub>2</sub>O<sub>3</sub> catalysts, effects of oxide supports and chromia loading, **211**, 482  
partial oxidation of CH<sub>4</sub> to formaldehyde over silica catalysts, **207**, 232  
ring opening of naphthenic molecules, **210**, 137
- Shape selectivity  
alkene hydrogenation over SiO<sub>2</sub>-attached molecular-imprinting Rh dimer catalyst, **211**, 496  
cracking reactions over IM-5 zeolite, **206**, 125  
in naphthalene isopropylation, zeolite pore entrance effect on, **210**, 313  
synthesis of collidines over modified zeolites, **208**, 332
- Sibunit carbon  
support of Pd–Au catalysts, characterization and hydrodechlorination of dichlorodifluoromethane, **209**, 528
- Silanation  
external acid sites, effects on Mo/H-ZSM-5 structure and catalytic behavior, **206**, 14
- Silicon  
in amorphous Ni model alloys, effects on electrocatalytic activity, **207**, 23  
differential packed-bed microreactor for heterogeneous gas phase catalyst testing, **209**, 401
- Silicon dioxide  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>, support of *in situ* fluorinated NiMoS catalysts, hydrogenation of cyclohexene, **207**, 286  
amorphous, (*n*-Bu<sub>4</sub>N)<sub>4</sub>W<sub>10</sub>O<sub>32</sub> immobilization on, for photocatalytic oxidation of cycloalkanes with O<sub>2</sub>, **209**, 210  
catalysis of partial oxidation of methane to formaldehyde: process design and catalyst development, **207**, 232  
CeO<sub>2</sub> doped with, support of noble metal catalysts, reduction and oxygen storage behavior, **211**, 407  
Cu/ZnO/SiO<sub>2</sub> catalyst surface structure, dynamic behavior, **210**, 229  
impregnated with [Pt<sup>2+</sup>(NH<sub>3</sub>)<sub>4</sub>](NO<sub>3</sub>)<sub>2</sub>, Pt particle size and distribution in, effect of pretreatment, **205**, 135  
iron oxide–silica aerogels, catalysis of selective oxidation of NH<sub>3</sub> and reduction of NO by NH<sub>3</sub>, **206**, 143

- MnO<sub>x</sub>-SiO<sub>2</sub> aerogels, synthesis, structure, and selective oxidation of NH<sub>3</sub>, **207**, 88
- molecular-imprinting Rh dimer catalyst attached to, performance and kinetics in size- and shape-selective hydrogenation of alkenes, **211**, 496
- Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in fluidized-bed reactor, biomass gasification to hydrogen and syngas at low temperature, **208**, 255
- silica-zirconia aerogels, acid properties, modification by *in situ* and *ex situ* sulfation, **210**, 218
- SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, catalysis of isopropylation of *m*-xylene, comparison with USY zeolite, **212**, 216
- SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, support of
- Cr<sub>2</sub>O<sub>3</sub> catalysts, oxidative dehydrogenation of propane: effects of support and chromia loading, **211**, 482
  - NiMo catalysts, hydrodenitrogenation of methylcyclohexylamine, **210**, 183
  - Pd and Pt catalysts, hydrogenation of toluene: effects of structural factors on sulfur tolerance, **212**, 63
- SiO<sub>2</sub>-TiO<sub>2</sub>, support of Mo catalysts, oxidative dehydrogenation of ethane, **208**, 124
- SiO<sub>2</sub>-ZrO<sub>2</sub>, support of heteropoly acid catalysts, FTIR and reaction studies of styrene and toluene over, **212**, 231
- support of
- Co catalysts, characterization, **212**, 10
  - Co catalysts, Fischer-Tropsch synthesis
    - effects of pore size, **206**, 230
    - rate and selectivity, effects of water, **211**, 422
    - supercritical-phase reactions, anti-ASF distribution in, **207**, 371
  - CoLa catalysts, supercritical-phase Fischer-Tropsch synthesis reactions, anti-ASF distribution in, **207**, 371
  - CoP catalysts, synthesis, characterization, and hydrotreating ability, **208**, 321
  - Cr catalysts, adsorption of CO, theoretical analysis, **205**, 177
  - Cr<sub>2</sub>O<sub>3</sub> catalysts, oxidative dehydrogenation of propane: effects of support and chromia loading, **211**, 482
  - Cr Phillips-type catalysts
    - polymerization-active dinuclear Cr sites, **206**, 331
    - polymerization-active mononuclear Cr sites, **205**, 366
  - CuPt catalysts, metal dispersion and surface composition, **208**, 381
  - Fe catalysts
    - acetic acid reduction to acetaldehyde, **208**, 158, 170
    - NO-assisted decomposition of N<sub>2</sub>O, **208**, 211
  - Fe<sub>2</sub>P catalysts, synthesis, characterization, and hydrotreating ability, **208**, 321
  - Ga and GaPd catalysts, gallium-hydrogen bond formation on, **211**, 252
  - heteropoly acid catalysts, Friedel-Crafts acylation, **208**, 448
  - MoP catalysts
    - hydrodenitrogenation reactions, push-pull mechanism, **210**, 116 for hydroprocessing, <sup>31</sup>P NMR study, **207**, 256
    - synthesis, characterization, and hydrodesulfurization properties, **207**, 266
  - MoS<sub>2</sub> catalysts, hydrodenitrogenation reactions, push-pull mechanism, **210**, 116
  - Ni catalysts
    - hydrodehalogenation of halogenated aromatics, cleavage of C-Cl and C-Br bonds in, **211**, 451
    - methane decomposition, structure of Ni species during, **208**, 54
  - Ni<sub>2</sub>P catalysts
    - effects of phosphorus content, **210**, 207
    - hydrodesulfurization of petroleum feedstocks, **209**, 1
    - preparation and <sup>31</sup>P NMR, **208**, 456
    - synthesis, characterization, and hydrotreating ability, **208**, 321
  - Pd catalysts
    - ethanol steam reforming, hydrogen production in, **209**, 306
    - H<sub>2</sub>O<sub>2</sub> formation from H<sub>2</sub> and O<sub>2</sub>, role of colloidal Pd, **206**, 173
    - Li-promoted, for methanol synthesis, alloy formation in, **211**, 273
  - PtAu cluster-derived catalysts, kinetic and spectroscopic characterization, **212**, 125
  - Pt catalysts
    - CeO<sub>2</sub>-promoted, metal-support interaction in, improvement after Zn addition, **210**, 127
    - chemistry at metal-oxide interface, atomic scale observations, **205**, 1
    - chlorine effects during oxidation reactions, kinetics, FTIR, and controlled atmosphere EXAFS study, **209**, 341
    - complexes with aromatic compounds and fullerene C<sub>60</sub>, hydrogenation and dehydrogenation of, IR study, **211**, 42
    - NO reduction by H<sub>2</sub>, promoter effects in, **208**, 435
    - preparation by interaction of platinum tetrammine hydroxide and silica surface, **209**, 135
  - PtFe catalysts, acetic acid reduction by H<sub>2</sub>, **209**, 87
  - PtSn catalysts
    - hydrogen-assisted dechlorination of 1,2-dichloroethane, effect of Pt/Sn atomic ratio, **211**, 173
    - n*-propylbenzene hydrodealkylation in reforming conditions, kinetics and mechanism, **210**, 431
  - WP catalysts
    - hydrodenitrogenation reactions, push-pull mechanism, **210**, 116 for hydroprocessing, <sup>31</sup>P NMR study, **207**, 256
  - Ziegler-Natta catalyst for ethylene polymerization, formation of, **210**, 328
  - ZrO<sub>2</sub>-SiO<sub>2</sub> catalysts, oxidation of cyclohexene with H<sub>2</sub>O<sub>2</sub>, effects of catalyst surface hydrophilicity, **212**, 193
- Silver
- $\alpha$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts, butadiene adsorption on, effects of Cs and Cl, **206**, 29
  - catalysis of ethene and propene epoxidation, analysis using electrochemical promotion by alkali, NO<sub>x</sub>, and chlorine, **207**, 331
- CuAg/Al<sub>2</sub>O<sub>3</sub> catalysts for NH<sub>3</sub> oxidation to nitrogen at low temperature, **206**, 60
- polycrystalline catalysts, oxidative dehydrogenation of methanol, mechanistic studies with temporal-analysis-of-products approach, **210**, 53
- on solid electrolyte, emission of O<sup>-</sup> radical anions and electrons, **209**, 256
- Silver dodecatungstophosphate
- catalysis of ethanol dehydration and ethylene hydration, **207**, 296
- Sintering
- supported catalyst, Monte Carlo model for, **211**, 19
- Sodium
- exchange, HZSM-5 catalysts modified by, selective catalytic reduction of NO and NO<sub>2</sub> by NH<sub>3</sub>, **208**, 106
  - role in pathways for Y zeolite destruction, **207**, 237
- Sodium aluminate
- aqueous solution, effect on surface acid properties of zeolite  $\beta$ , **205**, 58
- Sodium chloride
- VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts modified by, epoxidation of propylene with O<sub>2</sub> as oxidant, **211**, 552
- Sodium hydride
- nanometer-size, titanocene complexes with, hydrogenation of terminal alkenes, **205**, 294
- Sol-gel catalysts
- CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, reducibility and structure of, effects of preparation method and redox treatment, **209**, 417
  - Cu/alumina, prepared by single-step process, reduction of NO by urea under lean conditions, **208**, 15
  - Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, selective catalytic oxidation of NH<sub>3</sub> to nitrogen, **207**, 158
- GdPd/TiO<sub>2</sub>, adsorption characteristics in NO reduction with CH<sub>4</sub>, DRIFTS and TPD studies, **210**, 295
- rare-earth-doped TiO<sub>2</sub> nanoparticles, preparation, characterization, and photocatalytic activity, **207**, 151



- Solid acid catalysts  
 isopropylation of xylenes, **212**, 216  
 Pt-loaded, hydroisomerization of *n*-hexane, intrinsic kinetics, **206**, 295  
 SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>/MCM-41, structure, acidity, and activity, effect of ZrO<sub>2</sub> loading, **205**, 318
- Solid base catalysts  
 characterization, isophorone isomerization as model reaction for, application to determination of site number, **211**, 144  
 dibenzothiophene oxidation by H<sub>2</sub>O<sub>2</sub>, **211**, 103  
 epoxidation of activated olefins, **211**, 150
- Solid electrolyte potentiometry  
 simultaneous determination of kinetics and oxygen activity in single-phase oxidic catalysts and their mixture during partial oxidations, **209**, 177
- Stagnation flow reactor  
 heterogeneous production of water from hydrogen and oxygen over Pt, effects of methane and ethane, **208**, 21
- Steam activation  
 effect on zeolite beta pore structure and acidity: Al *K* edge XANES study of aluminum coordination, **211**, 540
- Steaming  
 effects on evolution of extraframework iron species in Fe silicalite, **208**, 83  
 effects on selective catalytic reduction of NO and NO<sub>2</sub> by NH<sub>3</sub> over HZSM-5, **208**, 106
- Steam reforming  
 ethanol over supported Co catalysts, hydrogen production in, **209**, 306  
 on Ni catalysts, associated graphite formation, **209**, 365
- Steric hindrance  
 effects on mechanism of 2,4-dinitrotoluene hydrogenation on Pd/C catalysts, computational study, **211**, 296
- Strong metal-support interaction  
 alloy formation in Li-promoted Pd/SiO<sub>2</sub> catalysts for methanol synthesis, **211**, 273  
 in Pt/CeO<sub>2</sub>-SiO<sub>2</sub> catalysts after Zn addition, **210**, 127  
 TiO<sub>2</sub>-added Pd catalysts in hydrogenation of acetylene, **208**, 310  
 TiO<sub>2</sub>-supported Pt and PtSn catalysts in vapor-phase hydrogenation of crotonaldehyde, **212**, 94
- Strontium  
 La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3-δ</sub> anode material for solid oxide fuel cell, surface properties and physicochemical characterization, **209**, 25
- Strontium titanate  
 support of Ni catalysts, prepared by solid-phase crystallization, partial oxidation of CH<sub>4</sub>, **207**, 307
- Structure  
 CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> catalysts, effects of preparation method and redox treatment, **209**, 417  
 Ce-Zr-Ca mixed oxides, **211**, 326  
 CuZn catalysts modified by Pd for methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, **210**, 285  
 Cu/ZnO/SiO<sub>2</sub> catalyst surface, dynamic behavior, **210**, 229  
 large-pore zeolite pores, effects on activity and selectivity in isobutane alkylation with 2-butene, **211**, 6  
 mesoporous acid catalysts for gas-phase synthesis of MTBE from MeOH and Bu'OH, **209**, 433; *erratum*, **211**, 566  
 MnO<sub>x</sub>-SiO<sub>2</sub> aerogels, **207**, 88  
 Mo/H-ZSM-5, effects of silanation of external acid sites, **206**, 14  
 Ni species in Ni/SiO<sub>2</sub> catalyst during methane decomposition, **208**, 54  
 PtSn catalysts supported on alumina and alumina-zirconia, microstructure, **208**, 467  
 Sb-V-O/γ-Al<sub>2</sub>O<sub>3</sub> catalysts for propane ammoxidation to acrylonitrile, effects of Sb/V ratio and Sb + V coverage, **206**, 339  
 SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>/MCM-41 acid catalysts, effect of ZrO<sub>2</sub> loading, **205**, 318  
 vanadia/alumina catalysts, effects on oxidative dehydrogenation of ethane and propane, **208**, 139
- Styrene  
 direct synthesis by Rh-catalyzed oxidative arylation of ethylene with benzene, **206**, 272  
 epoxidation  
 with H<sub>2</sub>O<sub>2</sub> over Fe-containing MCM-41, **209**, 186  
 over TS-1 and TS-2 redox molecular sieves using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339  
 hydrogenation, extremely active catalysts for, **205**, 294  
 synthesis, iron oxide and potassium ferrite catalysts for, energetics of potassium loss from, **211**, 265  
 and toluene, FTIR and reaction studies over silica-zirconia-supported heteropoly acid catalysts, **212**, 231
- Sulfate  
 SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>/MCM-41 acid catalysts, structure, acidity, and activity, effect of ZrO<sub>2</sub> loading, **205**, 318
- Sulfation  
 effect on Cu-NbZSM-5, **207**, 101  
 modification of acid properties of silica-zirconia aerogels, **210**, 218
- Sulfur  
 behavior on Mo/TiO<sub>2</sub> catalysts, variation with surface area, analysis by <sup>35</sup>S tracer methods, **209**, 266  
 poisoning of Pd/ceria catalysts, **210**, 397  
 promotion of steam reforming on Ni catalysts by suppression of graphite formation, **209**, 365
- Sulfur dioxide  
 oxidation, active Pt/TiO<sub>2</sub> catalysts for, one-step flame synthesis, **205**, 404  
 Pd/ceria catalyst exposure to, species formed by, TPD and FTIR studies, **210**, 397  
 poisoning of Cu-NbZSM-5, **207**, 101  
 reduction with hydrogen over TiO<sub>2</sub>-supported catalysts derived from Ru salts and Ru cluster complexes, **206**, 159
- Sulfur oxides  
 resistance of Ag lean-deNO<sub>x</sub> catalysts, improvement by support on CeO<sub>2</sub>-containing zirconia, **209**, 271
- Sulfur resistance  
 Ba-promoted Pd catalysts for emission control of natural gas vehicles and biofuel combustion systems, **206**, 248
- Sulfur tolerance  
 supported Pd and Pt catalysts for hydrogenation of toluene, effects of structural factors, **212**, 63
- Surface energy  
 Co(Ni)MoS nanocatalysts used in hydrotreatment, **212**, 33
- Surfaces  
 AlCl<sub>3</sub>-grafted Si-MCM-41, effect of thermal treatment conditions, **205**, 221  
 CuPt/SiO<sub>2</sub> catalysts, composition, **208**, 381  
 La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3-δ</sub> anode material for solid oxide fuel cell, **209**, 25  
 MoS<sub>2</sub> catalytic nanoparticles, shape and edge modifications induced by working conditions, theoretical study, **207**, 76  
 Mo/SnO<sub>2</sub> catalysts, infrared spectroscopic study, **209**, 427  
 potassium-promoted iron oxide model catalyst films for dehydrogenation of ethylbenzene, structure and phases, **212**, 104  
 β-UO<sub>3</sub>, high oxygen anion mobility on, **206**, 155
- Synthesis gas  
 formation by biomass gasification at low temperature on Rh/CeO<sub>2</sub>/SiO<sub>2</sub> catalysts in fluidized-bed reactor, **208**, 255  
 formation by partial oxidation of methane over molybdenum carbide catalysts prepared with C<sub>2</sub>H<sub>2</sub>/H<sub>2</sub> carburizing mixture, **211**, 183

## T

- (*R,R*)-Tartaric acid  
 adsorption on Cu(110), chiral phase creation by, molecular details, **205**, 123

## Temperature effects

- composition and promoting effects of VO<sub>x</sub> overlayers on Rh, **208**, 422
- evolution of extraframework iron species in Fe silicalites, **208**, 64
- photocatalytic oxidation of formic acid on TiO<sub>2</sub>, **209**, 105
- product selectivity and distribution of total and C<sub>8</sub> aromatics in ethene conversion over H-GaAlMFI zeolite, **205**, 398
- steady-state decomposition of NO on Cu-ZSM-5, **209**, 75

## Temperature-programmed desorption

- acetic acid reduction to acetaldehyde over iron catalysts, **208**, 170
- acetic acid reduction by H<sub>2</sub> over supported Pt catalysts, **207**, 317
- ammonia on MAPO-5 and MAPO-36 catalysts, **205**, 299
- ammonia on MCM-22 with different Al concentrations, **206**, 23
- Gd-Pd/TiO<sub>2</sub> sol-gel catalyst adsorption characteristics in NO reduction with CH<sub>4</sub>, **210**, 295
- Ni/Al<sub>2</sub>O<sub>3</sub> catalysts presulfided *ex situ* for pyrolysis gasoline hydrogenation, **209**, 245

- NO on Pt/La<sub>0.7</sub>Sr<sub>0.2</sub>Ce<sub>0.1</sub>FeO<sub>3</sub> catalysts, **209**, 456
- species formed by exposure of Pd/ceria catalysts to SO<sub>2</sub>, **210**, 397
- TPD-TGA study of partial oxidation of methanol on V<sub>2</sub>O<sub>5</sub>/TiO<sub>2</sub> catalysts, **208**, 301

## Temperature-programmed hydride decomposition

- PdAu/Sibunit carbon catalysts, **209**, 528

## Temperature-programmed hydrogenation

- carbonaceous deposition on Mo/HMCM-22 catalysts for methane aromatization, **208**, 260

## Temperature-programmed oxidation

- carbonaceous deposition on Mo/HMCM-22 catalysts for methane aromatization, **208**, 260
- Co catalysts supported on Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>, and TiO<sub>2</sub>, **212**, 10
- Mo/H-ZSM-5 catalyst for pressurized dehydrocondensation of methane toward benzene and naphthalene, **206**, 134
- Pd combustion catalysts supported on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, Ba-Al<sub>2</sub>O<sub>3</sub>, or La-Al<sub>2</sub>O<sub>3</sub>, **207**, 139

## Temperature-programmed reaction

- acetic acid reduction to acetaldehyde over iron catalysts, **208**, 170
- acetic acid reduction by H<sub>2</sub> over supported Pt catalysts, **207**, 317
- tungsten carbide catalysts prepared by, decomposition of hydrazine on, effects of adsorbed oxygen, **210**, 1

## Temperature-programmed reaction spectroscopy

- CeO<sub>2</sub> and CuO/CeO<sub>2</sub> catalysts, **205**, 339
- chiral phase creation by (*R,R*)-tartaric acid adsorption on Cu(II), **205**, 123

## Temperature-programmed reduction

- Co catalysts supported on Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>, and TiO<sub>2</sub>, **212**, 10
- CrO<sub>x</sub>/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts with H<sub>2</sub>, kinetics, **207**, 57
- Fe-ZSM-5 for selective reduction of NO by isobutane: active sites, **212**, 157
- La<sub>1-x</sub>Sr<sub>x</sub>Cr<sub>1-y</sub>Ru<sub>y</sub>O<sub>3- $\delta$</sub>  anode material for solid oxide fuel cell, **209**, 25
- Ni/Al<sub>2</sub>O<sub>3</sub> catalysts presulfided *ex situ* for pyrolysis gasoline hydrogenation, **209**, 245
- noble metals supported on silica-doped ceria, **211**, 407
- supported Cr<sub>2</sub>O<sub>3</sub> catalysts for oxidative dehydrogenation of propane, **211**, 482
- V/TiO<sub>2</sub> catalysts in hydrogen: characterization of surface vanadia, **205**, 115

## Temperature-programmed surface reaction

- carbonaceous deposition on Mo/HMCM-22 catalysts for methane aromatization, **208**, 260

## Temporal analysis of products

- mechanistic studies of oxidative dehydrogenation of methanol over polycrystalline Ag catalysts, **210**, 53

## Terpenols

- electrooxidation using cerium salts as mediators: importance of substrate size in catalyst regeneration, **209**, 394

 $\alpha$ -Terpinene

- oxidation, manganese(III) porphyrin catalysts for, **206**, 349

## Tetraalkylammonium thiomolybdates

- in situ* activation, mesoporous MoS<sub>2</sub> catalysts prepared by, characterization and HDS activity, **208**, 359

## Thermal analysis

- nickel formate decomposition on sol-gel alumina, **205**, 7

## Thermal gravimetric analysis

- TPD-TGA study of partial oxidation of methanol on V<sub>2</sub>O<sub>5</sub>/TiO<sub>2</sub> catalysts, **208**, 301

## Thermal stability

- IM-5 zeolite for shape-selective cracking, **206**, 125

## Thermal treatment

- effects on Co-based Fischer-Tropsch catalysts, *in situ* XRD study, **205**, 346
- effects on surface properties and Al incorporation in AlCl<sub>3</sub>-grafted Si-MCM-41, **205**, 221

## Thermolysis

- OV(O<sup>+</sup>Bu)<sub>3</sub> in presence of nanocrystalline MgO, V<sub>2</sub>O<sub>5</sub>-MgO catalysts prepared by, oxidative dehydrogenation of propane, **206**, 49

## Thin film catalysts

- highly oriented Mg<sub>3</sub>(VO<sub>4</sub>)<sub>2</sub>, deposition and characterization: effect of exposure to reaction conditions, **208**, 6

## Thiophene

- desulfurization by pathways using propane or dihydrogen as co-reactants, deuterium isotopic tracer studies, **207**, 31

## Thiophene hydrodesulfurization

- CoMo catalysts for, effect of carbon, **212**, 76
- CoMo nitride catalysts for, XRD, TEM, and XPS studies, **207**, 10
- low-temperature, on Ni/Pt(111) bimetallic surfaces with monolayer Ni coverage, **205**, 259
- over MoP/SiO<sub>2</sub> catalysts, **207**, 266
- over supported Pd catalysts, effect of gold, **212**, 56

## Three-way catalysts

- CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, reducibility and structure of, effects of preparation method and redox treatment, **209**, 417
- Ce<sub>0.6</sub>Zr<sub>0.35</sub>Y<sub>0.05</sub>, loaded with Pd, Pt, and Rh, performance and redox properties, **206**, 1
- noble metals supported on silica-doped ceria, reduction and oxygen storage behavior, **211**, 407
- PdRh/CeO<sub>2</sub>-ZrO<sub>2</sub>, spillover of hydrogen adsorbed on, titration by oxygen, **206**, 82

## Time-of-flight secondary ion mass spectrometry

- product of nickel formate decomposition on sol-gel alumina, **205**, 7

## Tin

## PtSn catalysts

- on alumina and alumina-zirconia supports, microstructure and oxidative dehydrogenation of *n*-butane, **208**, 467
- highly dispersed particles, size and composition of, effect of support, **211**, 335
- on mesoporous supports, reduction of prostaglandin unsaturated ketones to secondary allylic alcohols by hydrogen transfer, **206**, 218

SiO<sub>2</sub>-supported

- hydrogen-assisted dechlorination of 1,2-dichloroethane, effect of Pt/Sn atomic ratio, **211**, 173
- n*-propylbenzene hydrodealkylation in reforming conditions, kinetics and mechanism, **210**, 431

TiO<sub>2</sub>-supported, vapor-phase hydrogenation of crotonaldehyde, **212**, 94

- Sn/Pt(111) alloy model catalysts, hydrogenation of crotonaldehyde, **205**, 278

## Tin(IV) oxide

- MoO<sub>x</sub> dispersed as small domains on, selective oxidation of dimethyl ether to formaldehyde, **208**, 1

- Sb-doped nanophase catalysts, correlated atomic resolution microscopy and spectroscopy, **205**, 266  
support of Mo catalysts, surface properties, IR study, **209**, 427
- Titanium
- Ti- $\beta$ /H<sub>2</sub>O<sub>2</sub>/H<sub>2</sub>O, catalysis of direct formation of pinacols from olefins, **209**, 260
- Ti-W nanosized mixed oxides, photocatalytic degradation of toluene with sunlight-type excitation, effect of doping, **212**, 1
- Titanium dioxide
- Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> prepared by sol-gel method, selective catalytic oxidation of NH<sub>3</sub> to nitrogen, **207**, 158  
light-activated, catalysis of selective gas-phase oxidation of alcohols, **211**, 434  
nanostructured, photoactivity of, effects of synthesis method and particle size, **212**, 145  
photocatalytic oxidation of formic acid, active sites for, effects of H<sub>2</sub>O and temperature, **209**, 105  
rare-earth-doped nanoparticles, preparation, characterization, and photocatalytic activity, **207**, 151  
rutile TiO<sub>2</sub>(110), deposition precipitation and gas-phase grafting of Au particles on, SEM and RHEED-REM study, **212**, 119  
SiO<sub>2</sub>-TiO<sub>2</sub>, support of Mo catalysts, oxidative dehydrogenation of ethane, **208**, 124  
support of  
  Au nanocatalysts synthesized from [Au<sub>6</sub>(PPh<sub>3</sub>)<sub>6</sub>](BF<sub>4</sub>)<sub>2</sub> complex, oxidation of CO, **207**, 247  
  Au(0) sols, for liquid-phase oxidation of ethylene glycol, **211**, 464  
  Au-VO<sub>x</sub> catalysts, removal of diesel soot particulates and spectroscopic study, **209**, 515  
  catalysts derived from Ru salts and Ru cluster complexes, reduction of SO<sub>2</sub> with hydrogen, **206**, 159  
  Co catalysts, characterization, **212**, 10  
  Co catalysts modified by boron, characterization and activity in butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470  
  Cr<sub>2</sub>O<sub>3</sub> catalysts, oxidative dehydrogenation of propane: effects of support and chromia loading, **211**, 482  
  edge-bonded MoS<sub>2</sub> catalysts, formation and catalytic properties, **207**, 361  
  GdPd sol-gel catalysts, adsorption characteristics in NO reduction with CH<sub>4</sub>, DRIFTS and TPD studies, **210**, 295  
  Ir catalysts  
    interfacial properties, role in crotonaldehyde hydrogenation, **208**, 229  
    prepared by deposition precipitation, oxidation of CO below room temperature, **208**, 485  
  Mo catalysts, sulfur behavior on, variation with surface area, analysis by <sup>35</sup>S tracer methods, **209**, 266  
  Pd catalysts  
    cinchonidine-modified, enantioselective hydrogenation on, mechanistic study, **205**, 213  
    ethanol steam reforming, hydrogen production in, **209**, 306  
  Pt catalysts  
    acetic acid reduction by H<sub>2</sub>, DRIFTS and TPD/TPR study, **207**, 317  
    for SO<sub>2</sub> oxidation, one-step flame synthesis, **205**, 404  
    vapor-phase hydrogenation of crotonaldehyde, **212**, 94  
  PtSn catalysts, vapor-phase hydrogenation of crotonaldehyde, **212**, 94  
  V catalysts, surface vanadia forms on, characterization, **205**, 115  
  V<sub>2</sub>O<sub>5</sub> catalysts  
    partial oxidation of methanol, TPD-TGA and calorimetric studies, **208**, 301  
    for selective oxidation of propylene to acetone, microcalorimetric adsorption study, **205**, 248
- TiO<sub>2</sub>-added Pd catalysts, selective hydrogenation of acetylene, **208**, 310
- Titanocene complexes  
  with nanometer-size sodium hydride, hydrogenation of terminal alkenes, **205**, 294
- Titanosilicates  
  catalysis of direct formation of pinacols from olefins, **209**, 260  
  catalysis of epoxidation of  $\alpha,\beta$ -unsaturated carbonyl compounds, **205**, 332
- Titration  
  by oxygen of spillover hydrogen adsorbed on Pd-Rh/CeO<sub>2</sub>-ZrO<sub>2</sub> catalysts, **206**, 82
- Toluene  
  alkylation over zeolite ITQ-17, effects of pore-volume topology, **207**, 46  
  complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42  
  formation by dehydrogenation of methylcyclohexane, performance of porous Vycor in, **212**, 182  
  hydrogenation  
    passivated Ni-on-alumina catalysts for, *in situ* reactivation in dielectric field, **207**, 1  
    over Pt/CeO<sub>2</sub>-SiO<sub>2</sub> catalysts, **210**, 127  
    over sulfated ZrO<sub>2</sub> catalysts, role of surface and subsurface Pt, **212**, 173  
    over supported Pt and Pd catalysts: effects of structural factors on sulfur tolerance, **212**, 63  
  photocatalytic degradation with sunlight-type excitation on nanosize Ti-W mixed oxides, effect of doping, **212**, 1  
  and styrene, FTIR and reaction studies over silica-zirconia-supported heteropoly acid catalysts, **212**, 231
- 5-(*o*-Tolyl)-pentene  
  cycloisomerization over modified zeolite BEA, **207**, 183
- Transmission electron microscopy  
  cobalt molybdenum nitride catalysts for thiophene hydrodesulfurization, **207**, 10  
  MoP/SiO<sub>2</sub> catalysts, **207**, 266
- Transmission electron microscopy-X-ray energy dispersive spectrometry  
  Cu effects on Pd-Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd-Cu/(Ce,Zr)O<sub>x</sub> catalysts for CO and NO elimination, **206**, 281
- 1,5,7-Triazabicyclo[4.4.0]dec-5-ene  
  MCM-41 catalysts anchored to, synthesis of carbamates and unsymmetrical alkyl carbonates from diethyl carbonate, **205**, 199
- 1,3,5-Trichlorobenzene  
  hydrodechlorination and hydrogenation over Raney-Ni under multiphase conditions, kinetics and selectivity, **211**, 347
- Trichloroethylene  
  dechlorination on PdCu(110) alloy surface, mechanism, periodic density functional theory study, **207**, 127  
  destruction, dealuminated Y zeolites for, **209**, 145
- Trifluoro acetophenone  
  derivatives, racemic and enantioselective Pt-catalyzed hydrogenation, **209**, 489
- TS-1 catalysts  
  epoxidation of olefinic compounds using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- TS-2 catalysts  
  epoxidation of olefinic compounds using anhydrous urea-H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- Tungsten  
  Al<sub>2</sub>O<sub>3</sub>-supported sulfided catalysts, WS<sub>2</sub> morphology and dispersion in, effects of fluorine, HRTEM study, **206**, 368  
  NiW/Al<sub>2</sub>O<sub>3</sub> sulfided catalysts, WS<sub>2</sub> morphology and dispersion in, effects of fluorine, HRTEM study, **206**, 368  
  NiW bimetallic carbide catalysts, preparation, **209**, 318

- organotin–oxometalate coordination polymers, catalysis of olefin epoxidation, **209**, 237
- TiW nanosized mixed oxides, photocatalytic degradation of toluene with sunlight-type excitation, effect of doping, **212**, 1
- Tungsten carbide  
catalysis of hydrazine decomposition, effects of adsorbed oxygen, **210**, 1
- catalysis of hydrodechlorination of chloropentafluoroethane, effects of surface stoichiometry, **206**, 358
- Tungsten disulfide  
morphology and dispersion in sulfided W/Al<sub>2</sub>O<sub>3</sub> and NiW/Al<sub>2</sub>O<sub>3</sub> catalysts, effects of fluorine, HRTEM study, **206**, 368
- Tungsten oxide  
WO<sub>x</sub>–ZrO<sub>2</sub> catalysts, 2-butanol dehydration on, genesis of Brønsted acid sites during, **205**, 44
- Tungsten oxynitrides  
phosphorus-doped, synthesis, characterization, and catalysis of propene hydrogenation and *n*-heptane isomerization, **205**, 191
- Tungsten phosphide  
SiO<sub>2</sub>-supported catalysts  
hydrodenitrogenation reactions, push–pull mechanism, **210**, 116  
for hydroprocessing, <sup>31</sup>P NMR study, **207**, 256
- Tungsten trioxide  
composite with Ga<sub>2</sub>O<sub>3</sub>, conversion of methanol to hydrocarbons, **205**, 358
- WO<sub>x</sub>–ZrO<sub>2</sub> catalysts, adsorption of NO and coadsorption of NO + O<sub>2</sub>, surface species formed after, nature and reactivity, **209**, 539
- ZrO<sub>2</sub>-supported catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- Tungstophosphoric acid  
potassium and silver salts, catalysis of ethanol dehydration and ethylene hydration, **207**, 296
- 12-Tungstophosphoric acid  
Si-MCM-41-supported catalysts for gas-phase synthesis of MTBE from MeOH and Bu'OH, structure, acidity, and activity, **209**, 433; *erratum*, **211**, 566
- SiO<sub>2</sub>–ZrO<sub>2</sub>-supported, FTIR and reaction studies of styrene and toluene over, **212**, 231

## U

- Ultraviolet–visible–near-infrared diffuse reflectance spectroscopy  
Co ion siting and distribution in beta zeolite, **211**, 198  
propane oxidation over V<sub>2</sub>O<sub>5</sub>/ZrO<sub>2</sub> catalysts *in situ*, **209**, 43
- Ultraviolet–visible spectroscopy  
boron-modified Co/TiO<sub>2</sub> catalysts for butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470
- Brønsted acid site genesis during 2-butanol dehydration on tungsten oxide catalysts, **205**, 44
- TS-1 and TS-2 redox molecular sieves using urea–H<sub>2</sub>O<sub>2</sub> as oxidizing agent, **208**, 339
- $\alpha,\beta$ -Unsaturated carbonyl compounds  
epoxidation over titanosilicates, **205**, 332
- $\beta$ -Uranium trioxide  
catalysis of direct formation of furan from acetylene, **206**, 155
- Urea  
reduction of NO under lean conditions over single-step sol–gel Cu/alumina catalyst, **208**, 15
- Urea–hydrogen peroxide adduct  
anhydrous, as oxidizing agent in epoxidation of olefinic compounds over TS-1 and TS-2 redox molecular sieves, **208**, 339
- Ureas  
symmetric, synthesis by oxidative carbonylation of aniline and derivatives, polymer-immobilized Au catalysts for, **211**, 548

## V

- Valence state  
Sb in Sn(Sb)O<sub>2</sub> nanophase catalysts, **205**, 266
- Vanadium  
Mo–V–O<sub>x</sub>, and mixtures with CuMoO<sub>4</sub>, kinetics and oxygen activity in partial oxidations over, simultaneous determination, **209**, 177
- Mo–V–Sb–Nb mixed oxide catalysts, oxidation of propane  
kinetics and mechanistic studies, **211**, 226  
mechanism, effect of catalyst activation methods, **211**, 235  
role in pathways for Y zeolite destruction, **207**, 237
- Sb–V–O/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts for propane ammoxidation to acrylonitrile, effects of Sb/V ratio and Sb + V coverage, **206**, 339
- TiO<sub>2</sub>-supported catalysts, surface vanadia forms on, characterization, **205**, 115
- VCe<sub>1-x</sub>Cu<sub>x</sub> oxide catalysts modified by NaCl, epoxidation of propylene with O<sub>2</sub> as oxidant, **211**, 552
- Vanadium antimonate  
Fe-substituted mixed oxide catalysts for propane ammoxidation, active site characterization, **205**, 97
- Vanadium oxide  
Al<sub>2</sub>O<sub>3</sub>-supported catalysts, oxidative dehydrogenation  
ethane and propane, effects of catalyst structure, **208**, 139  
propane, Raman spectroscopy with online activity measurement, **209**, 197
- Au–VO<sub>x</sub> catalysts supported on TiO<sub>2</sub> and ZrO<sub>2</sub>, removal of diesel soot particulates and spectroscopic study, **209**, 515
- MgO catalyst loaded with, dehydrogenation of ethylbenzene, promoting effect of CO<sub>2</sub>, **209**, 16
- overlayers on Rh, composition and promoting effect in CO hydrogenation, role of reduction temperature, **208**, 422
- Vanadium pentoxide  
Al<sub>2</sub>O<sub>3</sub>-supported catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported catalysts, for selective oxidation of propylene to acetone, microcalorimetric adsorption study, **205**, 248
- enhanced reoxidation by NO<sub>2</sub> in fast SCR reaction, **209**, 159
- MgO-supported catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- support of Pd catalysts, ethanol steam reforming, hydrogen production in, **209**, 306
- surface forms on V/TiO<sub>2</sub> catalyst, characterization, **205**, 115
- TiO<sub>2</sub>-supported catalysts  
partial oxidation of methanol, TPD-TGA and calorimetric studies, **208**, 301
- for selective oxidation of propylene to acetone, microcalorimetric adsorption study, **205**, 248
- V<sub>2</sub>O<sub>5</sub>–MgO catalysts prepared by thermolysis of OV(O'Bu)<sub>3</sub> in presence of nanocrystalline MgO, oxidative dehydrogenation of propane, **206**, 49
- ZrO<sub>2</sub>-supported catalysts  
electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
- oxidation of propane, *in situ* UV–vis–NIR diffuse reflectance and Raman spectroscopic studies, **209**, 43
- Vanadium phosphate  
amorphous catalysts prepared using precipitation with supercritical CO<sub>2</sub> as antisolvent, **208**, 197
- Vanadium phosphorus oxide  
niobium-doped, mild oxidation of *n*-butane to maleic anhydride, **208**, 238
- 5-Vinyl-2-norbornene  
oxidation, manganese(III) porphyrin catalysts for, **206**, 349
- Volatile organics  
chlorinated, destruction of, dealuminated Y zeolites for, **209**, 145

## Vycor

porous, performance in dehydrogenation of methylcyclohexane to toluene, **212**, 182

## W

## Wacker oxidation

C<sub>2</sub>–C<sub>4</sub> olefins in one-stage reaction, catalysis by aqueous PdCl<sub>2</sub>–heteropoly-anion system, kinetics, **211**, 445

## Water

displacement of formic acid in photocatalytic oxidation on TiO<sub>2</sub>, **209**, 105

effect on Co-catalyzed Fischer–Tropsch synthesis rate and selectivity, **211**, 422

surface carbon intermediates involved in, **210**, 84

H<sub>2</sub>/D<sub>2</sub> exchange with, in analysis of NO reduction by H<sub>2</sub> on Pd monolith, **210**, 17

heterogeneous production from hydrogen and oxygen over Pt in stagnation flow, effects of methane and ethane, **208**, 21

interaction with Fe silicalites, effect on migration of Fe species from framework to extraframework positions, **208**, 64

nitrate reduction in, on monometallic Pd/CeO<sub>2</sub> catalyst, **206**, 363

Ti-β/H<sub>2</sub>O<sub>2</sub>/H<sub>2</sub>O, catalysis of direct formation of pinacols from olefins, **209**, 260

## Water–gas shift reaction

deactivation of Pd/ceria catalysts during, mechanisms, **212**, 225

noble metal-based catalysts for, practicality in automotive fuel processing, **206**, 169

## X

## X-ray absorption fine structure

MoO<sub>3</sub> reduction with propene and MoO<sub>2</sub> oxidation with oxygen, **210**, 67

phosphorus content effects in nickel phosphide catalysts, **210**, 207

## X-ray absorption near-edge structure

Al *K* edge study of effect of steam activation on aluminum coordination in zeolite beta, **211**, 540

carbon monoxide oxidation over Co<sub>3</sub>O<sub>4</sub> catalysts at low temperature, **211**, 387

Cu effects on Pd–Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd–Cu/(Ce,Zr)O<sub>x</sub> catalysts for CO and NO elimination, **206**, 281

## X-ray absorption spectroscopy

CuO<sub>x</sub>/CeO<sub>2</sub> nanostructured composite catalyst particles characterized by, oxidation of CO, **211**, 119

MoO<sub>3</sub> reduction with propene and MoO<sub>2</sub> oxidation with oxygen, **210**, 67

## X-ray diffraction

boron-modified Co/TiO<sub>2</sub> catalysts for butan-2-ol conversion and oxidative dehydrogenation of ethane, **211**, 470

carbon monoxide oxidation over Co<sub>3</sub>O<sub>4</sub> catalysts at low temperature, **211**, 387

chromia/alumina dehydrogenation catalysts: irreversible deactivation, **210**, 418

Co catalysts supported on Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>, and TiO<sub>2</sub>, **212**, 10

CoMo nitride catalysts for thiophene hydrodesulfurization, **207**, 10

Cu effects on Pd–Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd–Cu/(Ce,Zr)O<sub>x</sub> catalysts for CO and NO elimination, **206**, 281

MoO<sub>3</sub> reduction with propene and MoO<sub>2</sub> oxidation with oxygen, **210**, 67

MoP/SiO<sub>2</sub> catalysts, **207**, 266

Mo–V–Sb–Nb mixed oxide catalysts for propane oxidation, **211**, 235

MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445

phosphorus content effects in nickel phosphide catalysts, **210**, 207

thermal treatment effects on Co-based Fischer–Tropsch catalysts, **205**, 346

## X-ray photoelectron spectroscopy

Ag-catalyzed epoxidation of propene and ethene, **207**, 331

carbon monoxide oxidation over Co<sub>3</sub>O<sub>4</sub> catalysts at low temperature, **211**, 387

chromia/alumina dehydrogenation catalysts: irreversible deactivation, **210**, 418

Co catalysts supported on Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>, and TiO<sub>2</sub>, **212**, 10

CoMo nitride catalysts for thiophene hydrodesulfurization, **207**, 10

Cu–Co synergism in Cu<sub>1–x</sub>Co<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> catalysts, **210**, 405

CuO<sub>x</sub>/CeO<sub>2</sub> nanostructured composite catalyst particles characterized by, oxidation of CO, **211**, 119

La<sub>1–x</sub>Sr<sub>x</sub>Cr<sub>1–y</sub>Ru<sub>y</sub>O<sub>3–δ</sub> anode material for solid oxide fuel cell, **209**, 25

MAPO-5 and MAPO-36 catalysts, **205**, 299

Mo loading effects over Mo/Si:Ti catalysts in oxidative dehydrogenation of ethane, **208**, 124

MoP/SiO<sub>2</sub> catalysts, **207**, 266

Mo–V–Sb–Nb mixed oxide catalysts for propane oxidation, **211**, 235

MoVTeNbO catalysts prepared by hydrothermal synthesis, **209**, 445

Pd/carbon catalytic active site in liquid-phase hydrodechlorination of CCl<sub>4</sub> to CHCl<sub>3</sub>, **209**, 279

Pd combustion catalysts supported on γ-Al<sub>2</sub>O<sub>3</sub>, Ba-Al<sub>2</sub>O<sub>3</sub>, or La-Al<sub>2</sub>O<sub>3</sub>, **207**, 139

product of nickel formate decomposition on sol–gel alumina, **205**, 7

PtSn catalysts supported on alumina and alumina–zirconia, **208**, 467

tungsten carbide catalyst surface stoichiometry: effects on hydrodechlorination of chloropentafluoroethane, **206**, 358

VCe<sub>1–x</sub>Cu<sub>x</sub> oxide catalysts modified by NaCl for epoxidation of propylene with O<sub>2</sub> as oxidant, **211**, 552

*m*-Xylene

isomerization over MAPO-5 and MAPO-36 catalysts, effects of Mg contents, **205**, 299

isomerization over zeolite ITQ-17, effects of pore-volume topology, **207**, 46

*p*-Xylene

complexes with Pt/SiO<sub>2</sub>, hydrogenation and dehydrogenation reactions, IR study, **211**, 42

## Xylenes

isopropylation over USY zeolite and other solid acid catalysts, **212**, 216

## Y

## Yttrium oxide

CeO<sub>2</sub>–ZrO<sub>2</sub>–Y<sub>2</sub>O<sub>3</sub>, support of Pt catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124

ZrO<sub>2</sub> stabilized by

silver on, emission of O<sup>–</sup> radical anions and electrons, **209**, 256

support of Pt catalysts

oxidation of ethanol: electrochemical promotion, **211**, 521

propane and propene oxidation on, electrochemical promotion, **208**, 412

## Z

## Z-contrast imaging

atomic scale observations of chemistry at metal–oxide interface in heterogeneous catalysts, **205**, 1

Sn(Sb)O<sub>2</sub> nanophase catalysts, **205**, 266

- Zeolites
- acidic, loaded with Pt, hydroisomerization of *n*-hexane, intrinsic kinetics, **206**, 295
  - BaX, support of Ru catalyst promoted by Ba, isotopic transient analysis, importance of product readsorption during, **211**, 379
  - BEA
    - modified, cycloisomerization of 5-(*o*-tolyl)-pentene, **207**, 183
    - support of metal catalysts, combinatorial selection of, indexed libraries for, **209**, 413
  - beta
    - active in Meerwein–Ponndorf–Verley reduction of ketone to alcohol, Al–Lewis site structure in, **210**, 171
    - alkylation of isobutane with 2-butene, activity and selectivity in, effect of pore structure, **211**, 6
    - Co ion siting and distribution, UV–Vis–NIR and FTIR study, **211**, 198
    - Pd(II) ions in matrices for SCR of NO with CH<sub>4</sub>, activity and stability, effects of Co cations, **211**, 75
    - pore structure and acidity, effect of steam activation: Al *K* edge XANES study of aluminum coordination, **211**, 540
    - Pt-loaded bifunctional catalysts, deactivation during cyclopentane hydroconversion, **205**, 231
    - surface acid properties, effect of treatment with NaAlO<sub>2</sub> solution, **205**, 58
  - clinoptilolite, skeletal isomerization of 1-butene, effects of metal cation, **211**, 216
  - Co-exchanged, adsorption of NO<sub>2</sub>, theoretical study, **205**, 107
  - CsX, support of Pt catalysts, direct synthesis of MIBK from acetone, **209**, 166
  - Cu(II)-containing solids, catalysis of Ruff oxidative degradation of aldonic acids, **209**, 217
  - Cu-exchanged, adsorption of NO<sub>2</sub>, theoretical study, **205**, 107
  - Cu–NbZSM-5, physicochemical properties and catalytic activity, **207**, 101
  - Cu–ZSM-5
    - DRIFTS study before and during catalysis of N<sub>2</sub>O decomposition, **207**, 166
    - steady-state decomposition of NO, kinetics and mechanism, **209**, 75
  - extraframework Al species in, *ab initio* molecular dynamics simulation, **209**, 480
  - Fe-exchanged, adsorption of NO<sub>2</sub>, theoretical study, **205**, 107
  - Fe/MFI, N<sub>2</sub>O decomposition, oxygen deposited on catalyst by, identification, **210**, 453
  - FER, support of metal catalysts, combinatorial selection of, indexed libraries for, **209**, 413
  - Fe–ZSM-5
    - activation, associated evolution of iron states and formation of  $\alpha$ -sites, **207**, 341
    - isomorphously substituted, physicochemical characterization during activation, **207**, 113
    - N<sub>2</sub>O adsorption and decomposition, **209**, 151
    - selective catalytic reduction of NO with NH<sub>3</sub>, mechanism, **207**, 224
    - for selective reduction of NO by isobutane, active sites in, **212**, 157
    - support of Fe catalysts, NO-assisted decomposition of N<sub>2</sub>O, **208**, 211
  - gmelinite, linear hydrocarbons adsorbed at 700 K on, *ab initio* molecular dynamics simulation, **205**, 147
  - H-beta, isopropylation of *m*-xylene, comparison with USY, **212**, 216
  - H-[Fe]ZSM-5, Brønsted acid sites for olefin oligomerization and adsorption, **210**, 106
  - H-galloaluminosilicate
    - ethene conversion, aromatic product selectivity and distribution in, effects of temperature, **205**, 398
    - nonoxidative activation of methane at low temperature, <sup>13</sup>C labeling study, **205**, 217
  - HMCM-22, support of Mo catalysts for methane aromatization, carbonaceous deposition on, temperature-programmed studies, **208**, 260
  - HY, isopropylation of *m*-xylene, comparison with USY, **212**, 216
  - H-ZSM-5
    - coke deposits on, <sup>1</sup>H NMR imaging, **208**, 224
    - composite with Ga<sub>2</sub>O<sub>3</sub>, conversion of methanol to hydrocarbons, **205**, 358
    - N*-isopropylacrylamide synthesis from acrylonitrile and isopropyl alcohol via Ritter-type reaction, **207**, 194
    - with low Fe concentrations, active sites in benzene oxidation to phenol with N<sub>2</sub>O, **211**, 109
  - Mo/H-ZSM-5
    - pressurized dehydrocondensation of methane toward benzene and naphthalene, **206**, 134
    - silanation of external acid sites on, effects on structure and catalytic behavior, **206**, 14
    - selective catalytic reduction of NO<sub>2</sub> by NH<sub>3</sub> over HZSM-5, **208**, 100
    - selective catalytic reduction of NO and NO<sub>2</sub> by NH<sub>3</sub>, effects of steaming and sodium exchange, **208**, 106
  - IM-5, thermal and hydrothermal stability and shape-selective cracking activity, **206**, 125
  - ITQ-17, pore-volume topology, effects in alkylation and isomerization of aromatic compounds, **207**, 46
  - large-pore, activity and selectivity in alkylation of isobutane with 2-butene, effect of pore structure, **211**, 6
  - LTL
    - alkylation of isobutane with 2-butene, activity and selectivity in, effect of pore structure, **211**, 6
    - Pt-loaded bifunctional catalysts, deactivation during cyclopentane hydroconversion, **205**, 231
  - NaBEA, hydrogen transfer reduction of 4-*tert*-butylcyclohexanone and aldol condensation of benzaldehyde with acetophenone, **208**, 30
  - NaX, support of Pt catalysts, direct synthesis of MIBK from acetone, **209**, 166
  - NaY
    - acidic properties, modification by H<sub>2</sub>S adsorption, IR study, **207**, 353
    - composite catalysts with MnO<sub>x</sub> prepared by egg-shell precipitation, selective catalytic reduction of NO by NH<sub>3</sub>, **206**, 98
  - Ni-exchanged, adsorption of NO<sub>2</sub>, theoretical study, **205**, 107
  - Pd–zeolites, as heterogeneous catalysts in Heck chemistry, **209**, 225
  - pore entrance effect on shape selectivity in naphthalene isopropylation, **210**, 313
  - Pt–USY, vapor- and liquid-phase hydroconversion of C<sub>7</sub> and C<sub>9</sub> alkanes, **210**, 445
  - small cluster, catalysis of dibenzothiophene hydrodesulfurization and hydrogenation, theoretical study, **208**, 89
  - support of Fe catalysts, NO-assisted decomposition of N<sub>2</sub>O, **208**, 211
  - transition metal-exchanged, adsorption of NO<sub>2</sub>, theoretical study, **205**, 107
  - USY
    - isobutane alkylation with 2-butene, activity and selectivity in, effect of pore structure, **211**, 6
    - isobutane conversion, reaction kinetics study and analysis of reaction schemes, **205**, 67
    - isopropylation of xylenes, **212**, 216
    - support of metal catalysts, combinatorial selection of, indexed libraries for, **209**, 413
  - Y
    - dealuminated, for destruction of chlorinated volatile organic compounds, **209**, 145
    - destruction, pathways of, role of Na and V, **207**, 237
    - for formulation of FCC catalysts, acidity of, impact of deactivation conditions, **211**, 64
    - Pd(II) ions in matrices for SCR of NO with CH<sub>4</sub>, activity and stability, effects of Co cations, **211**, 75

- Pt-loaded bifunctional catalysts, deactivation during cyclopentane hydroconversion, **205**, 231
- Zn-exchanged, adsorption of NO<sub>2</sub>, theoretical study, **205**, 107
- ZSM-5
- cation-modified, shape-selective synthesis of collidines, **208**, 332
  - Pd(II) ions in matrices for SCR of NO with CH<sub>4</sub>, activity and stability, effects of Co cations, **211**, 75
  - support of metal catalysts, combinatorial selection of, indexed libraries for, **209**, 413
- ZSM-12
- isobutane alkylation with 2-butene, activity and selectivity in, effect of pore structure, **211**, 6
  - Pt-loaded bifunctional catalysts, deactivation during cyclopentane hydroconversion, **205**, 231
- Ziegler–Natta catalyst
- SiO<sub>2</sub>-supported catalyst for ethylene polymerization, formation of, **210**, 328
- Zinc
- Cu–Zn–Al catalyst, reverse topotactic transformation during wet Pd impregnation, relevance for methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, **210**, 273
  - CuZn catalysts modified by Pd, for methanol synthesis from CO<sub>2</sub>/H<sub>2</sub> mixtures, structures and performance, **210**, 285
  - Cu–Zn–Zr–Al–O catalyst, direct synthesis of ethanol from ethyl acetate under pressure, **212**, 207
  - effect on metal–support interaction in Pt/CeO<sub>2</sub>–SiO<sub>2</sub> catalysts, **210**, 127
- Zinc halides
- poly(4-vinylpyridine)-supported catalysts for coupling reactions of CO<sub>2</sub> and epoxides, **205**, 226
- Zinc oxide
- Cu/ZnO/Al<sub>2</sub>O<sub>3</sub> catalysts, hydrogen production by partial oxidation of methanol: effect of catalyst initial state on start-up behavior of reformer, **212**, 112
  - Cu/ZnO/SiO<sub>2</sub> catalyst surface structure, dynamic behavior, **210**, 229
  - support of Pd catalysts, ethanol steam reforming, hydrogen production in, **209**, 306
- Zirconium
- Ce–Zr–Ca mixed oxides, structural characteristics and oxygen handling properties, **211**, 326
  - Cu–Zn–Zr–Al–O catalyst, direct synthesis of ethanol from ethyl acetate under pressure, **212**, 207
- Zirconium oxide
- Al<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub>, support of PtSn catalysts, microstructure and oxidative dehydrogenation of *n*-butane, **208**, 467
  - CeO<sub>2</sub>-containing, support of Ag lean-deNO<sub>x</sub> catalysts, SO<sub>x</sub> resistance, **209**, 271
  - CeO<sub>2</sub>–ZrO<sub>2</sub>, support of
    - PdRh catalysts, spillover of hydrogen adsorbed on, titration by oxygen, **206**, 82
    - Pt catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124
    - CeO<sub>2</sub>–ZrO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> catalysts, reducibility and structure of, effects of preparation method and redox treatment, **209**, 417
    - CeO<sub>2</sub>–ZrO<sub>2</sub>–Y<sub>2</sub>O<sub>3</sub>, support of Pt catalysts, oxygen storage/release on, measurement on millisecond time scale, **211**, 157; *erratum*, **212**, 124
    - effect on structure, acidity, and activity of SO<sub>4</sub><sup>2-</sup>/ZrO<sub>2</sub>/MCM-41 acid catalysts, **205**, 318
    - hydrous, as selective catalyst for Meerwein–Ponndorf–Verley reduction of cinnamaldehyde, **206**, 321
    - MoO<sub>x</sub> dispersed as small domains on, selective oxidation of dimethyl ether to formaldehyde, **208**, 1
    - Pd–Cu/(Ce,Zr)O<sub>x</sub>/Al<sub>2</sub>O<sub>3</sub> and Pd–Cu/(Ce,Zr)O<sub>x</sub> catalysts, CO and NO elimination, effects of Cu, **206**, 281
    - silica–zirconia aerogels, acid properties, modification by *in situ* and *ex situ* sulfation, **210**, 218
    - SiO<sub>2</sub>–ZrO<sub>2</sub>, support of heteropoly acid catalysts, FTIR and reaction studies of styrene and toluene over, **212**, 231
    - sulfated catalysts
      - n*-butane isomerization, effect of olefin addition, **211**, 316
      - isopropylation of *m*-xylene, comparison with USY zeolite, **212**, 216
      - Pt in surface and subsurface of, role in toluene hydrogenation and *n*-hexane isomerization, **212**, 173    - support of
      - Au–VO<sub>x</sub> catalysts, removal of diesel soot particulates and spectroscopic study, **209**, 515
      - Co-based Fischer–Tropsch catalysts, effects of thermal treatment, *in situ* XRD study, **205**, 346
      - La,Mn oxides and LaMnO<sub>3</sub> perovskite, methane combustion and CO oxidation on, **205**, 309
      - NiRh low-temperature catalysts suitable for membrane reactors, hydrogen production, **210**, 263
      - V<sub>2</sub>O<sub>5</sub> catalysts
        - electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35
        - propane oxidation, *in situ* UV–vis–NIR diffuse reflectance and Raman spectroscopic studies, **209**, 43      - WO<sub>3</sub> catalysts, electronic and redox properties, relationship to turnover rates in oxidative dehydrogenation, **209**, 35  - WO<sub>x</sub>–ZrO<sub>2</sub> catalysts, 2-butanol dehydration on, genesis of Brønsted acid sites during, **205**, 44
  - WO<sub>3</sub>–ZrO<sub>2</sub> catalysts, adsorption of NO and coadsorption of NO + O<sub>2</sub>, surface species formed after, nature and reactivity, **209**, 539
  - yttria-stabilized
    - silver on, emission of O<sup>-</sup> radical anions and electrons, **209**, 256
    - support of Pt catalysts
      - oxidation of ethanol: electrochemical promotion, **211**, 521
      - propane and propene oxidation on, electrochemical promotion, **208**, 412  - ZrO<sub>2</sub>–SiO<sub>2</sub> catalysts, oxidation of cyclohexene with H<sub>2</sub>O<sub>2</sub>, effects of catalyst surface hydrophilicity, **212**, 193
- Zirconium 1-propoxide
- grafted, as selective catalyst for Meerwein–Ponndorf–Verley reduction of cinnamaldehyde, **206**, 321