

SUBJECT INDEX

- AC impedance
 AC impedance behaviour and state-of-charge dependence of $Zr_{0.5}Ti_{0.5}V_{0.6}Cr_{0.2}Ni_{1.2}$ metal-hydride electrodes 527
- Ab-initio* calculations
 Benzyl alcohol-ammonia (1:1) cluster structure investigated by combined IR-UV double resonance spectroscopy by jet and *ab initio* calculation 235
- AB₂ alloys
 AC impedance behaviour and state-of-charge dependence of $Zr_{0.5}Ti_{0.5}V_{0.6}Cr_{0.2}Ni_{1.2}$ metal-hydride electrodes 527
- Acetoacetanilide
 Synthesis and characterisation of Cu(II), Ni(II), Mn(II), Zn(II) and VO(II) Schiff base complexes derived from *o*-phenylenediamine and acetoacetanilide 183
- Acid medium
 Kinetics of oxidation of acidic amino acids by sodium N-bromobenzenesulphonamide in acid medium: A mechanistic approach 325
- Acidic amino acids
 Kinetics of oxidation of acidic amino acids by sodium N-bromobenzenesulphonamide in acid medium: A mechanistic approach 325
- Air/water interface
 Anomalous spreading behaviour of polyethyleneglycoldistearate monolayers at air/water interface 119
- Aliphatic alcohols
 Kinetic and mechanism of oxidation of aliphatic alcohols by tetrabutylammonium tribromide 139
- N-alkylphenothiazines
 Dioxobridged complexes of molybdenum(IV) and tungsten(IV) with N-alkylphenothiazines and their interactions with L-cysteine and L-histidine 165
- Allyl and benzyl ethers
 A convenient procedure for the synthesis of allyl and benzyl ethers from alcohols and phenols 191
- Ambient temperature
 New mesogenic homologous series of *a*-methylcinnamates 95
- Amphiphilic Schiff bases
 Preparation of copper sulphide clusters in organic-inorganic composites of Langmuir-Blodgett films of amphiphilic Schiff bases 147
- Anionic clays
 The many ways of making anionic clays 671
- Anomalous behaviour
 Anomalous spreading behaviour of polyethyleneglycoldistearate monolayers at air/water interface 119
- Anti-ferromagnetic interaction
 Synthetic, spectral and solution studies on imidazolate-bridged copper(II)-copper(II) and copper(II)-zinc(II) complexes 21
- Antitumour activity
 Spectral, magnetic and biological studies of 1,4-dibenzoyl-3-thiosemicarbide complexes with some first row transition metal ions 257
- Arylazoheterocycles
 Studies on the reactivity of *cis*-RuCl₂ fragment in Ru(PPh₃)₂ (TaiMe) Cl₂ with N,N-chelators (TaiMe = 1-methyl-2-(*p*-tolylazo)imidazole). Spectral and electrochemical characterisation of the products 173
- Benzyl alcohol-ammonia cluster
 Benzyl alcohol-ammonia (1:1) cluster structure investigated by combined IR-UV double resonance spectroscopy by jet and *ab initio* calculation 235
- Benzyltrimethylammonium tribromide
 Kinetics and mechanism of the oxidation of some diols by benzyltrimethylammonium tribromide 43
- Benzytrimethylammonium dichloroiodate
 Kinetics and mechanism of the oxidation of formic and oxalic acids by benzytrimethylammonium dichloroiodate 103
- Bile salt micelles
 Small-angle neutron scattering study of sodium cholate and sodium deoxycholate interacting micelles in aqueous medium 55
- Bimetallic complexes
 Synthesis of cyano-bridged bimetallic complexes of *h*⁵-indenyl ruthenium(II): Characterization and spectroscopic studies 29
- Binary mixtures
 Excess molar volume and viscosities of binary mixtures of 1,2-diethoxyethane with chloroalkanes at 208.15 K 215

- Binary mixtures
Relaxation in binary mixtures: Non-ideality, heterogeneity and re-entrance 393
- Binuclear complex
Metal–selenium interactions. Crystal structure of binuclear [(¹*h*-indo)-(²*h*-mindo) (triphenyl selenophosphorane-Se) mercury(II)₂ complex 89
- Bio-mimetic synthesis
Applications of self-assembled monolayers in materials chemistry 659
- Biosurfactants
Small-angle neutron scattering study of sodium cholate and sodium deoxycholate interacting micelles in aqueous medium 55
- Bis*-oxalates
Thermal decomposition of potassium *bis*-oxalatodiaquaindate(III) monohydrate 275
- Bromamine-B
Kinetics of oxidation of acidic amino acids by sodium N-bromobenzenesulphonamide in acid medium: A mechanistic approach 325
- Cadmium
Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35
- d*-Camphorsulphonic acid
Enantioselective solvent-free Robinson annulation reactions 197
- Ce_{1-x}Zr_xO₂ solid solutions
XRD and UV-Vis diffuse reflectance analysis of CeO₂-ZrO₂ solid solutions synthesized by combustion method 651
- Centrosymmetric
Metal–selenium interactions. Crystal structure of binuclear [(¹*h*-indo)-(²*h*-mindo) (triphenyl selenophosphorane-Se) mercury(II)₂ complex 89
- Ceramics
Phase analysis and dielectric properties of oxides obtained in the MgO-(1-x)Nb₂O₅-(x)Ta₂O₅ system 603
- CF₂ radicals
TEA CO₂ laser-induced reaction of CH₃NO₂ with CF₂HCl: A mechanistic study 333
- Chloroalkanes
Excess molar volume and viscosities of binary mixtures of 1,2-diethoxyethane with chloroalkanes at 208.15 K 215
- Cluster
Computer simulation study of water using a fluctuating charge model 579
- Cobalt
Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35
- Combustion solutions
XRD and UV-Vis diffuse reflectance analysis of CeO₂-ZrO₂ solid solutions synthesised by combustion method 651
- Compartmental ligand
Synthesis and spectral characterization of homo- and hetero-dinuclear complexes with a new septadentate Schiff base ligand 11
Design, synthesis and physicochemical investigation of a dinuclear zinc(II) complex with a novel ‘end-off’ compartmental ligand 285
- Complex inorganic open architectures
Basic building units, self-assembly and crystallization in the formation of complex inorganic open architectures 363
- Complexes of amino acids
Dioxobridged complexes of molybdenum(IV) and tungsten(IV) with N-alkylphenothiazines and their interactions with L-cysteine and L-histidine 165
- Composition fluctuation
Relaxation in binary mixtures: Non-ideality, heterogeneity and re-entrance 393
- Condensed microcrystallites
Anomalous spreading behaviour of polyethyleneglycoldistearate monolayers at air/water interface 119
- Conformation
Hydrocarbon chain conformation in intercalated surfactant monolayer and bilayer 539
- Copper complexes
Synthesis and spectral characterization of homo- and hetero-dinuclear complexes with a new septadentate Schiff base ligand 11
- Copper sulphide clusters
Preparation of copper sulphide clusters in organic–inorganic composites of Langmuir–Blodgett films of amphiphilic Schiff bases 147
- Cupronickels
An insight into the passivation of cupronickel alloys in chloride environment 63
- Cyano-bridged
Synthesis of cyano-bridged bimetallic complexes of *h*²-indenyl ruthenium(II): Characterization and spectroscopic studies 29
- Cyclic voltammetry
An insight into the passivation of cupronickel alloys in chloride environment 63
- Cyclic voltammetry
Synthesis and physicochemical studies on binuclear Cu(II) complexes derived from 2,6-(N-phenylpiperazin-1-yl) methyl-4-substituted phenols 245

- Cyclisation
 Enantioselective solvent-free Robinson annulation reactions 197
 Cysteine methylester
 Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35
- 1,2-Diethoxy-ethane
 Excess molar volume and viscosities of binary mixtures of 1,2-diethoxyethane with chloroalkanes at 208.15 K 215
- 2,6-Diformyl-*p*-cresol
 Design, synthesis and physicochemical investigation of a dinuclear zinc(II) complex with a novel 'end-off' compartmental ligand 285
- Diffuse reflectance spectroscopy (DRS)
 XRD and UV-Vis diffuse reflectance analysis of CeO₂-ZrO₂ solid solutions synthesized by combustion method 651
- Diffusion
 Effects of hydrogen-bond environment on a single particle and pair dynamics in liquid water 591
- Diffusion hydrocarbons
 Diffusion of hydrocarbons in confined media: Translational and rotational motion 559
- a*,*N*-diarylnitrones
 Histidine as a catalyst in organic synthesis: A facile *in situ* synthesis of *a*,*N*-diarylnitrones 291
- Dimethyl sulphide
 Multiphoton dissociation/ionisation of dimethyl sulphide (CH₃SCH₃) at 355 and 532 nm 129
- Dinuclear complexes
 Synthesis and physicochemical studies on binuclear Cu(II) complexes derived from 2,6-(*N*-phenylpiperazin-1-yl) methyl-4-substituted phenols 245
- Diols
 Kinetics and mechanism of the oxidation of some diols by benzyltrimethylammonium tribromide 43
- Dioxobridged complexes of Mo(IV) & W(VI)
 Dioxobridged complexes of molybdenum(IV) and tungsten(IV) with *N*-alkylphenothiazines and their interactions with L-cysteine and L-histidine 165
- Direct proton transfer
 Theoretical study of the mechanism of proton transfer in tautomeric systems: Alloxan 297
- Disproportionation reactions
 Infrared and Raman spectroscopic studies of glasses with NASICON-type chemistry 497
- Dissociative process
 Theoretical study of the mechanism of proton transfer in tautomeric systems: Alloxan 297
- Dynamical bond-switching mechanism
 Infrared and Raman spectroscopic studies of glasses with NASICON-type chemistry 497
- Electrocatalytic reduction of CO₂
 Reduction of CO₂ by nickel (II) macrocycle catalyst at HMDE 343
- Electrochemical reduction
 Reduction of CO₂ by nickel (II) macrocycle catalyst at HMDE 343
- Electron-electron interactions
 Electron-electron interactions in the chemical bond: "1/3" effect in the bond length of hydrogen molecule 415
- Electron spin resonance
 Synthesis and characterisation of Cu(II), Ni(II), Mn(II), Zn(II) and VO(II) Schiff base complexes derived from *o*-phenylenediamine and acetoacetanilide 183
- Electronegativity
 Computer simulation study of water using a fluctuating charge model 579
- Electronic and magnetic structures
 Properties of a new magnetic material: Sr₂FeMo₆ 515
- Electronic charge density
 An investigation of the photo-reactive and unreactive polymorphs of *o*-ethoxy cinnamic acid and of its photodimer 307
- Electronic materials
 Phase analysis and dielectric properties of oxides obtained in the MgO-(1-*x*)Nb₂O₅-(*x*)Ta₂O₅ system 603
- Enantioselective annulation
 Enantioselective solvent-free Robinson annulation reactions 197
- Energy transfer
 TEA CO₂ laser-induced reaction of CH₃NO₂ with CF₂HCl: A mechanistic study 333
- Enzyme catalysis
 Peroxidase-like catalytic activities of ionic metalloporphyrins supported on functionalised polystyrene surface 1
- Epitaxial films
 Epitaxial oxide thin films by pulsed laser deposition: Retrospect and prospect 445
- ESR correlation times
 Small-angle neutron scattering study of sodium cholate and sodium deoxycholate interacting micelles in aqueous medium 55

- ESR spectra
 Synthesis and spectral characterization of homo- and hetero-dinuclear complexes with a new septadentate Schiff base ligand 11
- Ethoxy cinnamic acid
 An investigation of the photo-reactive and unreactive polymorphs of *o*-ethoxy cinnamic acid and of its photodimer 307
- 2-Ethylimidazolate-bridged
 Synthetic, spectral and solution studies on imidazolate-bridged copper(II)–copper(II) and copper(II)-zinc(II) complexes 21
- Excess volumes
 Excess molar volume and viscosities of binary mixtures of 1,2-diethoxyethane with chloroalkanes at 208.15 K 215
- Excitation dissociation
 TEA CO₂ laser-induced reaction of CH₃NO₂ with CF₂HCl: A mechanistic study 333
- Ferroelectricity
 Visualizing lone pairs in compounds containing heavier congeners of the carbon and nitrogen elements 487
- Ferromagnet oxide films
 Epitaxial oxide thin films by pulsed laser deposition: Retrospect and prospect 445
- Fluctuating charge
 Computer simulation study of water using a fluctuating charge model 579
- Fluorescence
 TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- GaN
 Nanotubes and nanowires 375
- Gas phase clusters
 M₄C₉⁺ (M = Ti, V): New gas phase clusters 681
- High temperature applications
 Synthesis and properties of MoSi₂ based engineering ceramics 633
- Histidine as catalyst
 Histidine as a catalyst in organic synthesis: A facile *in situ* synthesis of *α*,N-diaryl-nitrone 291
- Histidine methylester
 Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35
- Homo/hetero-binuclear complexes
 Synthetic, spectral and solution studies on imidazolate-bridged copper(II)–copper(II) and copper(II)-zinc(II) complexes 21
- Hydride ion transfer
 Kinetic and mechanism of oxidation of aliphatic alcohols by tetrabutylammonium tribromide 139
- Hydrocarbons
 Powder XRD investigations on dotriacontane in mixtures: Phase strength and super lattices 109
- Hydrogen bonds
 Effects of hydrogen-bond environment on a single particle and pair dynamics in liquid water 591
- Hydrogen molecule bond length
 Electron–electron interactions in the chemical bond: “1/3” effect in the bond length of hydrogen molecule 415
- Hydrogen-storage alloy
 A.C. impedance behaviour and state-of-charge dependence of Zr_{0.5}Ti_{0.5}V_{0.6}Cr_{0.2}Ni_{1.2} metal–hydride electrodes 527
- Hydrotalcite
 The many ways of making anionic clays 671
- h*⁵-Indenyl
 Synthesis of cyano-bridged bimetallic complexes of *h*⁵-indenyl ruthenium(II): Characterization and spectroscopic studies 29
- Indium(III)
 Thermal decomposition of potassium bis-oxalatodiaquaindate(III) monohydrate 275
- Infrared fluorescence
 TEA CO₂ laser-induced reaction of CH₃NO₂ with CF₂HCl: A mechanistic study 333
- Intercalation
 Hydrocarbon chain conformation in intercalated surfactant monolayer and bilayer 539
 Morpholinium intercalated vanadophosphates 621
- IR-UV double resonance
 Benzyl alcohol–ammonia (1:1) cluster structure investigated by combined IR-UV double resonance spectroscopy by jet and *ab initio* calculation 235
- Iron(III)-phenanthroline complex
 Mechanism of oxidation of l-methionine by iron(III)-1,10-phenanthroline complex-A kinetic study 351
- Jet-cooled molecular beams
 Benzyl alcohol–ammonia (1:1) cluster structure investigated by combined IR-UV double resonance spectroscopy by jet and *ab initio* calculation 235

- Kinetic isotope effect
 Kinetics and mechanism of the oxidation of some diols by benzyltrimethylammonium tribromide 43
- Kinetics
 Kinetics and mechanism of the oxidation of some diols by benzyltrimethylammonium tribromide 43
- Lamellar structure
 Self-assembling bilayers of palladium-thiolates in organic media 611
- Langmuir–Blodgett films
 Preparation of copper sulphide clusters in organic–inorganic composites of Langmuir–Blodgett films of amphiphilic Schiff bases 147
- Layered compound
 Hydrocarbon chain conformation in intercalated surfactant monolayer and bilayer 539
- Layered double hydroxides
 The many ways of making anionic clays 671
- Lithium–lanthanum perovskites
 New lithium-ion conducting perovskite oxides related to (Li,La)TiO₃ 427
- Lithium–lanthanum titanates
 New lithium-ion conducting perovskite oxides related to (Li,La)TiO₃ 427
- Lithium ion conductors
 New lithium-ion conducting perovskite oxides related to (Li,La)TiO₃ 427
- Lone pairs
 Visualizing lone pairs in compounds containing heavier congeners of the carbon and nitrogen elements 487
- Magnetic nanoclusters
 Quantum phenomena in magnetic nano clusters 459
- Main group elements
 Visualizing lone pairs in compounds containing heavier congeners of the carbon and nitrogen elements 487
- Marine environment
 An insight into the passivation of cupronickel alloys in chloride environment 63
- Mechanism
 Kinetics and mechanism of the oxidation of some diols by benzyltrimethylammonium tribromide 43
- Mercury(II) iodide
 Metal–selenium interactions. Crystal structure of binuclear [(¹*h*-indo)-(²*h*-indo) (triphenyl selenophosphorane-Se) mercury(II)₂ complex 89
- Mesoporous aluminosilicate spheres
 Synthesis and characterization of sub-micron-sized mesoporous aluminosilicates spheres 227
- Mesoporous solids
 Synthesis and characterization of submicron-sized mesoporous aluminosilicates spheres 227
- Metal–hydride electrode
 A.C. impedance behaviour and state-of-charge dependence of Zr_{0.5}Ti_{0.5}V_{0.6}Cr_{0.2}Ni_{1.2} metal–hydride electrodes 527
- Metal carbon clusters
 M₄C₉⁺ (M = Ti, V): New gas phase clusters 681
- Metal chalcogenides
 Nanotubes and nanowires 375
- 3*d*-Metal complexes
 Spectral, magnetic and biological studies of 1,4-dibenzoyl-3-thiosemicarbide complexes with some first row transition metal ions 257
- Metal oxides
 Nanotubes and nanowires 375
- Metalloporphyrins
 Peroxidase-like catalytic activities of ionic metalloporphyrins supported on functionalised polystyrene surface 1
- N-methyl-indolyl-3-thiohydrazone
 Design, synthesis and physicochemical investigation of a dinuclear zinc(II) complex with a novel ‘end-off’ compartmental ligand 285
- α-Methylcinnamates
 New mesogenic homologous series of α-methylcinnamates 95
- Mixed ligand molybdenum(IV) compound with a 6-substituted pterin
 Functional model of oxomolybdoenzyme: Synthesis and characterisation of molybdenum complex with sulphur and pterin ligands exhibiting saturation kinetics with pyridine N-oxide 77
- Mixtures
 Powder XRD investigations on dotri-acontane in mixtures: Phase strength and super lattices 109
- MLCT
 Studies on the reactivity of *cis*-RuCl₂ fragment in Ru(PPh₃)₂ (TaiMe) Cl₂ with N,N-chelators (TaiMe = 1-methyl-2-(*p*-tolylazo)imidazole). Spectral and electrochemical characterisation of the products 173

- Model system of oxomolybdoenzymes
 Functional model of oxomolybdoenzyme:
 Synthesis and characterisation of molybdenum complex with sulphur and pterin ligands exhibiting saturation kinetics with pyridine N-oxide 77
- Molecular dynamics
 Diffusion of hydrocarbons in confined media: Translational and rotational motion 559
- Molecular electronics
 Applications of self-assembled monolayers in materials chemistry 659
- Molecular magnets
 Quantum phenomena in magnetic nano clusters 459
- Molybdenum disilicide
 Synthesis and properties of MoSi₂ based engineering ceramics 633
- Monolayer protected clusters
 Applications of self-assembled monolayers in materials chemistry 659
- Morpholinium
 Morpholinium intercalated vanadophosphates 621
- Multiphoton ionisation
 Multiphoton dissociation/ionisation of dimethyl sulphide (CH₃SCH₃) at 355 and 532 nm 129
- Nano magnets
 Quantum phenomena in magnetic nano clusters 459
- Nano scale materials and structures
 Quantum phenomena in magnetic nano clusters 459
- Nanotubes
 Nanotubes and nanowires 375
- Nanowires
 Nanotubes and nanowires 375
- NASICON glasses
 Infrared and Raman spectroscopic studies of glasses with NASICON-type chemistry 497
- Nickel(II) azamacrocyclic
 Reduction of CO₂ by nickel (II) macrocyclic catalyst at HMDE 343
- Nile red
 TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- Nitromethane
 TEA CO₂ laser-induced reaction of CH₃NO₂ with CF₂HCl: A mechanistic study 333
- Non-ideality
 Relaxation in binary mixtures: Non-ideality, heterogeneity and re-entrance 393
- One-dimensional ladder
 Basic building units, self-assembly and crystallization in the formation of complex inorganic open architectures 363
- Open framework metal phosphate
 Basic building units, self-assembly and crystallization in the formation of complex inorganic open architectures 363
- Order-disorder effects
 Properties of a new magnetic material: Sr₂FeMo₆ 515
- Organic acids
 Kinetics and mechanism of the oxidation of formic and oxalic acids by benzyltrimethylammonium dichloroiodate 103
- Organic synthesis
 Histidine as a catalyst in organic synthesis: A facile *in situ* synthesis of *α*,N-diarylnitrones 291
- Organic-inorganic composites
 Preparation of copper sulphide clusters in organic-inorganic composites of Langmuir-Blodgett films of amphiphilic Schiff bases 147
- Organized molecular assemblies
 TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- Orientational preference
 Diffusion of hydrocarbons in confined media: Translational and rotational motion 559
- Orientational relaxation
 Relaxation in binary mixtures: Non-ideality, heterogeneity and re-entrance 393
 Effects of hydrogen-bond environment on a single particle and pair dynamics in liquid water 591
- Oxidation
 Kinetics and mechanism of the oxidation of some diols by benzyltrimethylammonium tribromide 43
- Oxidation kinetics
 Kinetics of oxidation of acidic amino acids by sodium N-bromobenzenesulphonamide in acid medium: A mechanistic approach 325
- Oxidation of methionine
 Mechanism of oxidation of L-methionine by iron(III)-1,10-phenanthroline complex-A kinetic study 351
- Oxides
 Phase analysis and dielectric properties of oxides obtained in the MgO-(1-x)Nb₂O₅-(x)Ta₂O₅ system 603
- Oxygen atom transfer reaction
 Functional model of oxomolybdoenzyme: Synthesis and characterisation of

- molybdenum complex with sulphur and pterin ligands exhibiting saturation kinetics with pyridine N-oxide 77
- Palladiumthiolates
Self-assembling bilayers of palladium-thiolates in organic media 611
- Pattern decomposition
Ab-initio structure determination via powder X-ray diffraction 435
- Peroxidase model
Peroxidase-like catalytic activities of ionic metalloporphyrins supported on functionalised polystyrene surface 1
- Phase strength
Powder XRD investigations on dotriacontane in mixtures: Phase strength and super lattices 109
- S-phenylalanine
Enantioselective solvent-free Robinson annulation reactions 197
- o*-Phenylenediamine
Synthesis and characterisation of Cu(II), Ni(II), Mn(II), Zn(II) and VO(II) Schiff base complexes derived from *o*-phenylenediamine and acetoacetanilide 183
- Phosphine
Studies on the reactivity of *cis*-RuCl₂ fragment in Ru(PPh₃)₂ (TaiMe) Cl₂ with N,N-chelators (TaiMe = 1-methyl-2-(*p*-tolylazo)imidazole). Spectral and electrochemical characterisation of the products 173
- Phosphine chalcogenides
Metal-selenium interactions. Crystal structure of binuclear [(¹*h*-indo)-(²*h*-indo) (triphenyl selenophosphorane-Se) mercury(II)₂ complex 89
- Phosphovanadate
Morpholinium intercalated vanadophosphates 621
- Photoreactivity
An investigation of the photo-reactive and unreactive polymorphs of *o*-ethoxy cinnamic acid and of its photodimer 307
- Polyhalogens
Kinetics and mechanism of the oxidation of formic and oxalic acids by benzyltrimethylammonium dichloriodate 103
- Polymorphism
An investigation of the photo-reactive and unreactive polymorphs of *o*-ethoxy cinnamic acid and of its photodimer 307
- Polystyrene support
Peroxidase-like catalytic activities of ionic metalloporphyrins supported on functionalised polystyrene surface 1
- Polythyleneglycoldistearate
Anomalous spreading behaviour of polyethyleneglycoldistearate monolayers at air/water interface 119
- Potassium hydroxide
A convenient procedure for the synthesis of allyl and benzyl ethers from alcohols and phenols 191
- Potassium indium oxalate
Thermal decomposition of potassium bisoxalatodiaquaindate(III) monohydrate 275
- Powder X-ray diffraction
Ab-initio structure determination via powder X-ray diffraction 435
- S-proline
Enantioselective solvent-free Robinson annulation reactions 197
- Proton transfers
Theoretical study of the mechanism of proton transfer in tautomeric systems: Alloxan 297
- Pulsed laser deposition
Epitaxial oxide thin films by pulsed laser deposition: Retrospect and prospect 445
- Quantum phenomena in magnetic systems
Quantum phenomena in magnetic nano clusters 459
- Quantum hall effect
Electron-electron interactions in the chemical bond: "1/3" effect in the bond length of hydrogen molecule 415
- Reactive infiltration
Synthesis and properties of MoSi₂ based engineering ceramics 633
- Room temperature colossal magnetoresistance
Properties of a new magnetic material: Sr₂FeMo₆ 515
- Ruthenium
Synthesis of cyano-bridged bimetallic complexes of *h*⁵-indenyl ruthenium(II): Characterization and spectroscopic studies 29
- Ruthenium(II) mixed chelates
Studies on the reactivity of *cis*-RuCl₂ fragment in Ru(PPh₃)₂ (TaiMe) Cl₂ with N,N-chelators (TaiMe = 1-methyl-2-(*p*-tolylazo)imidazole). Spectral and electrochemical characterisation of the products 173
- SANS study
Small-angle neutron scattering study of sodium cholate and sodium deoxycholate interacting micelles in aqueous medium 55

- Schiff base complexes
 Synthesis and characterisation of Cu(II), Ni(II), Mn(II), Zn(II) and VO(II) Schiff base complexes derived from *o*-phenylenediamine and acetoacetanilide 183
- Self-assembled monolayer
 Applications of self-assembled monolayers in materials chemistry 659
- Self-assembling bilayers
 Self-assembling bilayers of palladium-thiolates in organic media 611
- Septadentate Schiff base
 Synthesis and spectral characterization of homo- and hetero-dinuclear complexes with a new septadentate Schiff base ligand 11
- Single crystal structure
 Morpholinium intercalated vanadophosphates 621
- Smectic A
 New mesogenic homologous series of *a*-methylcinnamates 95
- Sodium deoxycholate micelles
 Small-angle neutron scattering study of sodium cholate and sodium deoxycholate interacting micelles in aqueous medium 55
- Solid-state model
 An insight into the passivation of cupronickel alloys in chloride environment 63
- Solvation dynamics
 TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- Solvent relaxation
 TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- Solvent-free conditions
 A convenient procedure for the synthesis of allyl and benzyl ethers from alcohols and phenols 191
- Spectral characterisation
 Synthesis and spectral characterization of homo- and hetero-dinuclear complexes with a new septadentate Schiff base ligand 11
- Stability constants
 Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35
- State-of-charge
 AC impedance behaviour and state-of-charge dependence of $Zr_{0.5}Ti_{0.5}V_{0.6}Cr_{0.2}Ni_{1.2}$ metal-hydride electrodes 527
- Stereochemistry
 Visualizing lone pairs in compounds containing heavier congeners of the carbon and nitrogen elements 487
- Structure refinements
Ab-initio structure determination via powder X-ray diffraction 435
- Subnormal magnetic moment
 Synthesis and spectral characterization of homo- and hetero-dinuclear complexes with a new septadentate Schiff base ligand 11
- Super lattices
 Powder XRD investigations on dotriacontane in mixtures: Phase strength and super lattices 109
 Epitaxial oxide thin films by pulsed laser deposition: Retrospect and prospect 445
 Applications of self-assembled monolayers in materials chemistry 659
- Superconducting oxide films
 Epitaxial oxide thin films by pulsed laser deposition: Retrospect and prospect 445
- Supramolecular inorganic materials
 Basic building units, self-assembly and crystallization in the formation of complex inorganic open architectures 363
- Surface determination
Ab-initio structure determination via powder X-ray diffraction 435
- Surface pressure–area isotherms
 Anomalous spreading behaviour of polyethyleneglycoldistearate monolayers at air/water surface 119
- Surfactant assembly
 Hydrocarbon chain conformation in intercalated surfactant monolayer and bilayer 539
- Surfactant templating
 Synthesis and characterization of submicron-sized mesoporous aluminosilicate spheres 227
- Synthetic models
 Synthesis and physicochemical studies on binuclear Cu(II) complexes derived from 2,6-(*N*-phenylpiperazin-1-yl) methyl-4-substituted phenols 245
- Tautomerism
 Theoretical study of the mechanism of proton transfer in tautomeric systems: Alloxan 297
- Tetrabutylammonium tribromide
 Kinetic and mechanism of oxidation of aliphatic alcohols by tetrabutylammonium tribromide 139
- Thermal decomposition
 Thermal decomposition of potassium bisoxalatoaquaindate(III) monohydrate 275
- Thermodynamic parameters
 Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35

- Thiosemicarbazide
Spectral, magnetic and biological studies of 1,4-dibenzoyl-3-thiosemicarbazide complexes with some first row transition metal ions 257
- Time-of-flight mass spectroscopy
Multiphoton dissociation/ionisation of dimethyl sulphide (CH_3SCH_3) at 355 and 532 nm 129
- TRANES
TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- Translational-orientational coupling
Diffusion of hydrocarbons in confined media: Translational and rotational motion 559
- TRES
TRANES analysis of the fluorescence of Nile red in organized molecular assemblies confirms emission from two species 157
- Triphenyl seleno-phosphorane Se
Metal-selenium interactions. Crystal structure of binuclear [$(^1\text{h-indo})$ -($^2\text{h-mindo}$) (triphenyl selenophosphorane-Se) mercury(II) $_2$] complex 89
- Tunnel-like defects
Powder XRD investigations on dotriacontane in mixtures: Phase strength and super lattices 109
- Unsymmetrical ligands
Synthesis and physicochemical studies on binuclear Cu(II) complexes derived from 2,6-(N-phenylpiperazin-1-yl) methyl-4-substituted phenols 245
- Vanadyl phosphate
Morpholinium intercalated vanadophosphates 621
- Viscosity deviations
Excess molar volume and viscosities of binary mixtures of 1,2-diethoxyethane with chloroalkanes at 208.15 K 215
- Water
Computer simulation study of water using a fluctuating charge model 579
Effects of hydrogen-bond environment on a single particle and pair dynamics in liquid water 591
- X-ray structure
An investigation of the photo-reactive and unreactive polymorphs of *o*-ethoxy cinnamic acid and of its photodimer 307
- Y-junction
Nanotubes and nanowires 375
- Zinc dust
Histidine as a catalyst in organic synthesis: A facile *in situ* synthesis of α ,N-diarylnitrones 291
- Zinc finger
Can Co(II) or Cd(II) substitute for Zn(II) in zinc fingers? 35
- Zn(II) complex of thiohydrazone
Design, synthesis and physicochemical investigation of a dinuclear zinc(II) complex with a novel 'end-off' compartmental ligand 285