

SUBJECT INDEX

- Absorption
Effect of NaCl on the spectral and kinetic properties of cresyl violet (CV)-sodium dodecyl sulphate (SDS) complex 299
- Acid catalysts
Temperature-programmed desorption of water and ammonia on sulphated zirconia catalysts for measuring their strong acidity and acidity distribution 281
- Acidity distribution
Temperature-programmed desorption of water and ammonia on sulphated zirconia catalysts for measuring their strong acidity and acidity distribution 281
- Adsorption
Structure of solid monolayers and multilayers of *n*-hexane on graphite 663
- AFM and TEM studies
Rigid rod spaced fullerene as building block for nanoclusters 321
- Aggregate
Synthesis of gold nanoparticles stabilised by metal-chelator and the controlled formation of close-packed aggregates by them 613
- Aldol reaction
Proline and benzylpenicillin derivatives grafted into mesoporous MCM-41: Novel organic-inorganic hybrid catalysts for direct aldol reaction 365
- Aliphatic alcohols
Kinetics and mechanism of oxidation of aliphatic primary alcohols by quinolinium bromochromate 75
- Alkylcobaloximes
Equilibria and kinetics of pH-dependent axial ligation of bromomethyl(aquo)cobaloxime by aliphatic amine ligands 83
- Alkylcobaloximes
Equilibrium and kinetic studies on ligand substitution reactions of chloromethyl(aquo)cobaloxime with aromatic and aliphatic N-donor ligands 175
- Ambidentate coordination
Rhodium(I) complexes of *a*-keto-stabilised 1,2-*bis*(diphenylphosphino)alkane mono ylides 741
- b*-Amino acids
Non-protein amino-acids in peptide design 373
- D-Amino acids
Non-protein amino-acids in peptide design 373
- b*-Amyloid
Probing folding energy landscape of small proteins through minimalistic models: Folding of HP-36 and *b*-amyloid 621
- Aromaticity
Measures to evaluate heteroaromaticity and their limitations: Story of skeletally substituted benzenes 49
Aromaticity in benzene-like rings – An experimental electron density investigation 637
Heptaphyrins: Expanded porphyrins with seven heterocyclic rings 711
- Arylazoimidazole
Synthesis, spectral characterization and redox properties of iron (II) complexes of 1-alkyl-2-(arylazo)imidazole 169
- Assemblies
Investigations on geometrical features in induced ordering of collagen by small molecules 751
- Atomic force microscopy
Ultra thin films of nanocrystalline Ge studied by AFM and interference enhanced Raman scattering 401
Preparation of Cu, Ag, Fe and Al nanoparticles by the exploding wire technique 499
- Axial ligation
Equilibria and kinetics of pH-dependent axial ligation of bromomethyl(aquo)cobaloxime by aliphatic amine ligands 83
- $a_3Co_{1+x}Ir_{1-x}O_6$
Structural and magnetic anomalies among the spin-chain compounds, $Ca_3Co_{1+x}Ir_{1-x}O_6$ 553
- α*-Azidobenzyl carbocations
Carbocation lifetimes and entropy of water addition to carbocations dependent on their stability 41
- BCT
Relaxor type perovskites: Primary candidates of nano-polar regions 775
- $Bi_2Mo_2O_9$
Following the crystallisation of $Bi_2Mo_2O_9$ catalyst by combined XRD/QuEXAFS 525
- Bile acid
A new bile acid-derived lariat-ether: Design, synthesis and cation binding properties 607
- Binucleating ligands
Magnetic, catalytic, EPR and electrochemical studies on binuclear copper(II)

- complexes derived from 3,4-disubstituted phenol 1
- Boson systems
The one-dimensional extended Bose–Hubbard model 721
- Bromomethyl(aquo)cobaloxime
Equilibria and kinetics of pH-dependent axial ligation of bromomethyl(aquo)cobaloxime by aliphatic amine ligands 83
- Caged proton
Kinetics of proton transfer in a green fluorescent protein: A laser-induced pH jump study 307
- Carbocation lifetimes
Carbocation lifetimes and entropy of water addition to carbocations dependent on their stability 41
- Carbon-13
Yield and enrichment studies of C-13 isotope by multi-photon dissociation of Freon-22 at low temperatures 219
- Ceria
Hydrogen transfer reaction of cyclohexanone with 2-propanol catalysed by CeO₂-ZnO materials: Promoting effect of ceria 561
- Ce_{1-x}Sr_xTiO₃
Electron spectroscopic investigation of metal–insulator transition in Ce_{1-x}Sr_xTiO₃ 491
- Cetyltrimethylammonium permanganate
Kinetics and mechanism of the oxidation of substituted benzylamines by cetyltrimethylammonium permanganate 129
- C–H...O hydrogen bond
Non-protein amino-acids in peptide design 373
- Chemisorption
Electrostatic potential profile and nonlinear current in an interacting one-dimensional molecular wire 533
- tris*-Chelates
Synthesis, spectral characterization and redox properties of iron (II) complexes of 1-alkyl-2-(arylozo)imidazole 169
- Chirality
A low-cost Raman spectrometer design used to study Raman scattering from single-walled carbon nanotube 689
- Chlorobenzene
Regioselective nitration of aromatic substrates in zeolite cages 113
- Chola crown
A new bile acid-derived lariat-ether: Design, synthesis and cation binding properties 607
- Ciprofloxacin
Ciprofloxacin@SiO₂: Fluorescent nanobubbles 703
- Cobalt nitrate
Cobalt (II)–EDTA complex as a new reductant for phosphomolybdic acid used for the assay of trazodone 29
- Collagen
Investigations on geometrical features in induced ordering of collagen by small molecules 751
- Colossal magnetoresistance
Colossal magnetoresistance manganites: A new approach 767
- Properties of CMR composites 587
- Combustion of dilute propane
Low temperature complete combustion of dilute propane over Mn-doped ZrO₂ (cubic) catalysts 287
- Composites
Properties of CMR composites 587
- Confinement
Chemical reactivity of the compressed noble gas atoms and their reactivity dynamics during collisions with protons 195
- Coordination polymer
A two-dimensional yttrium phthalate coordination polymer, [Y₄(H₂O)₂(C₈H₄O₄)₆]_∞, exhibiting different coordination geometries 573
- Copper core–copper oxide shell
Electrical conduction in composites containing copper core–copper oxide shell nanostructure in silica gel 341
- Core modification
Heptaphyrins: Expanded porphyrins with seven heterocyclic rings 711
- Corner shared structure
Dilatometric studies of Y₂W₃O₁₂ with added Al₂O₃ 695
- Correlation analysis
Kinetics and mechanism of the oxidation of some vicinal and non-vicinal diols by tetrabutylammonium tribromide 135
- Cresyl violet
Effect of NaCl on the spectral and kinetic properties of cresyl violet (CV)-sodium dodecyl sulphate (SDS) complex 299
- Cr^{III}-borate complexes in solution
Equilibrium study on the reactions of boric acid with some *cis*-diaqua Cr^{III}-complexes 241
- Crown ether
A new bile acid-derived lariat-ether: Design, synthesis and cation binding properties 607
- Cryo-crystallography
Phase transitions in A₄Li(HSO₄)₃(SO₄); A = Rb, K: Single crystal X-ray diffraction studies 473

- Crystal structure
 Non-protein amino-acids in peptide design 373
 Phase transitions in $A_4Li(HSO_4)_3(SO_4)$; A = Rb, K: Single crystal X-ray diffraction studies 473
 Rhodium(I) complexes of *a*-keto-stabilised 1,2-*bis*(diphenylphosphino)alkane mono ylides 741
 Cu^{II}-iminodiacetate-imidazole/benzimidazole ternary complexes
Fac-mer equilibria of coordinated iminodiacetate (ida^{2-}) in ternary Cu^{II}(*ida*)(H₁B)-complex formation (B = imidazole, benzimidazole) in aqueous solution 249
 CV
 Synthesis, characterisation and electrochemical behaviour of Cu(II), Co(II), Ni(II) and Zn(II) complexes derived from acetylacetone and *p*-anisidine and their antimicrobial activity 161
 Cyclic voltammetry
 Synthesis and room temperature single crystal EPR studies of a dinickel complex having an $\{Ni_2(m\text{-phenoxide})_2\}^{2+}$ unit supported by a macrocyclic ligand environment $[Ni_2(L)_2(OCIO_3)_2]$ [L = 2-[(4-methyl-pyridin-2-ylimno)-methyl]-phenol] 91
 Cycloamines
 Equilibria and kinetics of pH-dependent axial ligation of bromomethyl(aquo)cobaloxime by aliphatic amine ligands 83
 Cyclodextrin
 Regioselective photamination of 4-nitroveratrole upon cyclodextrin complexation 273
 Cyclohexanone
 Hydrogen transfer reaction of cyclohexanone with 2-propanol catalysed by CeO₂-ZnO materials: Promoting effect of ceria 561
 DFT
 Measures to evaluate heteroaromaticity and their limitations: Story of skeletally substituted benzenes 49
cis-Diaqua Cr^{III} complex -boric acid equilibria
 Equilibrium study on the reactions of boric acid with some *cis*-diaqua Cr^{III}-complexes 241
 Dicopper(II) complexes
 Magnetic, catalytic, EPR and electrochemical studies on binuclear copper(II) complexes derived from 3,4-disubstituted phenol 1
 Dielectric material
 New perovskite-related oxides having high dielectric constant: $Ln_2Ba_2CaZn_2Ti_3O_{14}$ (Ln = La and Pr) 431
 Diffuse reflectance
 Hydrogen transfer reaction of cyclohexanone with 2-propanol catalysed by CeO₂-ZnO materials: Promoting effect of ceria 561
 Diffusion
 Influence of temperature inhomogeneity on product profile of reactions occurring within zeolites 543
 N,N'-Diformylhydrazine
 Equilibrium and spectral studies on ligational behaviour of N,N'-diformylhydrazine 23
 Dilatometric studies
 Dilatometric studies of Y₂W₃O₁₂ with added Al₂O₃ 695
 Dissociation dynamics
 A numerical study of time-dependent Schrödinger equation for multiphoton vibrational interaction of NO molecule, modelled as Morse oscillator, with intense far-infrared femtosecond lasers 349
 3,4-Disubstituted phenols
 Magnetic, catalytic, EPR and electrochemical studies on binuclear copper(II) complexes derived from 3,4-disubstituted phenol 1
 Donor-acceptor complex
 Solvent effects on some new *meso*-aryl substituted octabromoporphyrins 263
 Driven systems
 Understanding milling induced changes: Some results 727
 Expanded porphyrins
 Heptaphyrins: Expanded porphyrins with seven heterocyclic rings 711
 Electrical conduction in composites
 Electrical conduction in composites containing copper core-copper oxide shell nanostructure in silica gel 341
 Electro explosion of wires
 Preparation of Cu, Ag, Fe and Al nanoparticles by the exploding wire technique 499
 Electron paramagnetic resonance
 Synthesis and room temperature single crystal EPR studies of a dinickel complex having an $\{Ni_2(m\text{-phenoxide})_2\}^{2+}$ unit supported by a macrocyclic ligand environment $[Ni_2(L)_2(OCIO_3)_2]$ [L = 2-[(4-methyl-pyridin-2-ylimno)-methyl]-phenol] 91
 Electron transfer processes
 Contributions in organic functional group transformations and photochemical and photophysical studies of selective organic substrates 225
 Electronic spectra
 Solvent effects on some new *meso*-aryl substituted octabromoporphyrins 263

- Elementary excitations
The one-dimensional extended Bose–Hubbard model 721
- Enamine
Proline and benzylpenicillin derivatives grafted into mesoporous MCM-41: Novel organic–inorganic hybrid catalysts for direct aldol reaction 365
- Entropy of water addition
Carbocation lifetimes and entropy of water addition to carbocations dependent on their stability 41
- EPR
Synthesis, characterisation and electrochemical behaviour of Cu(II), Co(II), Ni(II) and Zn(II) complexes derived from acetylacetone and *p*-anisidine and their antimicrobial activity 161
Hydrogen transfer reaction of cyclohexanone with 2-propanol catalysed by CeO₂-ZnO materials: Promoting effect of ceria 561
- Ethylenediamine tetra acetic acid
Cobalt (II)–EDTA complex as a new reductant for phosphomolybdic acid used for the assay of trazodone 29
- Experimental electron density
Aromaticity in benzene-like rings – An experimental electron density investigation 637
- Extended hubbard model
Electrostatic potential profile and nonlinear current in an interacting one-dimensional molecular wire 533
- Fac–mer* equilibria
Fac–mer equilibria of coordinated iminodiacetate (ida^{2−}) in ternary Cu^{II}(ida)(H₁B)-complex formation (B = imidazole, benzimidazole) in aqueous solution 249
- Fe(II) complexes
Synthesis, spectral characterization and redox properties of iron (II) complexes of 1-alkyl-2-(aryloxy)imidazole 169
- Ferroelastic
Phase transitions in A₄Li(HSO₄)₃(SO₄); A = Rb, K: Single crystal X-ray diffraction studies 473
- Ferromagnet
Ab initio study of ferromagnetic La_{0.5}Ba_{0.5}CoO₃ 439
- Fluorescence
Ciprofloxacin@SiO₂: Fluorescent nanobubbles 703
- Free energy landscape
Probing folding energy landscape of small proteins through minimalistic models: Folding of HP-36 and *b*-amyloid 621
- Fullerene clusters
Contributions in organic functional group transformations and photochemical and photophysical studies of selective organic substrates 225
- Fullerenes
Rigid rod spaced fullerene as building block for nanoclusters 321
- Functional group transformations
Contributions in organic functional group transformations and photochemical and photophysical studies of selective organic substrates 225
- GaN
Gallium nitride nanoparticles for solar-blind detectors 459
- Gladstone–Dale relation
Application of refractive index mixing rules in binary systems of hexadecane and heptadecane with *n*-alkanols at different temperatures 147
- Gold nanoparticles
Synthesis of gold nanoparticles stabilised by metal-chelator and the controlled formation of close-packed aggregates by them 613
Water-dispersible nanoparticles via interdigitation of sodium dodecylsulphate molecules in octadecylamine-capped gold nanoparticles at a liquid–liquid interface 679
- Grafting
Proline and benzylpenicillin derivatives grafted into mesoporous MCM-41: Novel organic–inorganic hybrid catalysts for direct aldol reaction 365
- Graphite
Structure of solid monolayers and multilayers of *n*-hexane on graphite 663
- Green fluorescent protein
Kinetics of proton transfer in a green fluorescent protein: A laser-induced pH jump study 307
- Ground state
The one-dimensional extended Bose–Hubbard model 721
- Hard and soft ligands
Equilibrium and kinetic studies on ligand substitution reactions of chloromethyl(aquo)cobaloxime with aromatic and aliphatic N-donor ligands 175
- Heavy metal ions
Heavy metal ion uptake properties of polystyrene-supported chelating polymer resins 155
- Heller relation
Application of refractive index mixing rules in binary systems of hexadecane and hepta-

- decane with *n*-alkanols at different temperatures 147
- Heptadecane
Application of refractive index mixing rules in binary systems of hexadecane and heptadecane with *n*-alkanols at different temperatures 147
- Heptaphyrins
Heptaphyrins: Expanded porphyrins with seven heterocyclic rings 711
- Heteroaromaticity
Measures to evaluate heteroaromaticity and their limitations: Story of skeletally substituted benzenes 49
- Hexadecane
Application of refractive index mixing rules in binary systems of hexadecane and heptadecane with *n*-alkanols at different temperatures 147
- Hexadecylaniline-modified gold nanoparticle films
Lamellar multilayer hexadecylaniline-modified gold nanoparticle films deposited by the Langmuir–Blodgett technique 185
- Hexagonal molybdates
Direct hydrothermal synthesis of metal intercalated hexagonal molybdates, $M_x^+ Mo_{6-x/3} O_{18-x}(OH)_x \cdot yH_2O$ ($M = Li, Rb, Cs, NH_4$) 411
- n*-Hexane
Structure of solid monolayers and multilayers of *n*-hexane on graphite 663
- HP-36
Probing folding energy landscape of small proteins through minimalistic models: Folding of HP-36 and *b*-amyloid 621
- Hsalamp
Synthesis and room temperature single crystal EPR studies of a dinickel complex having an $\{Ni_2(\text{phenoxide})_2\}^{2+}$ unit supported by a macrocyclic ligand environment $[Ni_2(L)_2(OCIO_3)_2]$ [$L = 2-[(4\text{-methyl-pyridin-2-ylimino})\text{-methyl}]\text{-phenol}$] 91
- Hybrid catalysts
Proline and benzylpenicillin derivatives grafted into mesoporous MCM-41: Novel organic–inorganic hybrid catalysts for direct aldol reaction 365
- Hybrid peptides
Non-protein amino-acids in peptide design 373
- Hydrazinium salts
Preparation, spectral and thermal studies of pyrazinecarboxylic acids and their hydrazinium salts 103
- Hydride ion transfer
Kinetics and mechanism of oxidation of aliphatic primary alcohols by quinolinium bromochromate 75
- Kinetics and mechanism of the oxidation of substituted benzylamines by cetyltrimethylammonium permanganate 129
- Hydrogen bonding
Synthesis of gold nanoparticles stabilised by metal-chelator and the controlled formation of close-packed aggregates by them 613
- Hydrothermal synthesis
Hydrothermal synthesis of a new ethylenediammonium intercalated vanadyl phosphate, $(H_3NCH_2CH_2NH_3)_{0.5} [V_{0.32}^{4+} V_{0.68}^{5+} O^{2-}_4 \{P(OH)_2\}_{0.44}]$ 33
- Direct hydrothermal synthesis of metal intercalated hexagonal molybdates, $M_x^+ Mo_{6-x/3} O_{18-x}(OH)_x \cdot yH_2O$ ($M = Li, Rb, Cs, NH_4$) 411
- Hydrothermal synthesis and characterisation of new methylenediphosphonates of molybdenum(VI), $A[MoO_2(O_3PCH_2PO_3H)]$ ($A = Rb, NH_4$ and Tl) 419
- Ilide-phosphine
Rhodium(I) complexes of *a*-keto-stabilised 1,2-*bis*(diphenylphosphino)alkane mono ylides 741
- Impedance spectroscopy
Monitoring sealed automotive lead-acid batteries by sparse-impedance spectroscopy 465
- Inorganic ion exchangers
A comparative study of the proton transport properties of metal (IV) tungstates 15
- Intercalation
Hydrothermal synthesis of a new ethylenediammonium intercalated vanadyl phosphate, $(H_3NCH_2CH_2NH_3)_{0.5} [V_{0.32}^{4+} V_{0.68}^{5+} O^{2-}_4 \{P(OH)_2\}_{0.44}]$ 33
- Direct hydrothermal synthesis of metal intercalated hexagonal molybdates, $M_x^+ Mo_{6-x/3} O_{18-x}(OH)_x \cdot yH_2O$ ($M = Li, Rb, Cs, NH_4$) 411
- Interdigitation
Water-dispersible nanoparticles via interdigitation of sodium dodecylsulphate molecules in octadecylamine-capped gold nanoparticles at a liquid–liquid interface 679
- Interference enhanced Raman spectroscopy
Ultra thin films of nanocrystalline Ge studied by AFM and interference enhanced Raman scattering 401
- Internal resistance
Monitoring sealed automotive lead-acid batteries by sparse-impedance spectroscopy 465
- Ion beam sputtering
Ultra thin films of nanocrystalline Ge studied by AFM and interference enhanced Raman scattering 401

- Ion exchange reaction
 Low temperature synthesis of layered Na_xCoO_2 and K_xCoO_2 from NaOH/KOH fluxes and their ion exchange properties 447
- IR spectra
 Preparation, spectral and thermal studies of pyrazinecarboxylic acids and their hydrazinium salts 103
- Isotope separation
 Yield and enrichment studies of C-13 isotope by multi-photon dissociation of Freon-22 at low temperatures 219
- Jahn–Teller polarons and electron–phonon interaction
 Colossal magnetoresistance manganites: A new approach 767
- pH-jump
 Kinetics of proton transfer in a green fluorescent protein: A laser-induced pH jump study 307
- Keto-enol forms
 Equilibrium and spectral studies on ligational behaviour of N,N' -diformylhydrazine 23
- Lamellar multilayer films
 Lamellar multilayer hexadecylaniline-modified gold nanoparticle films deposited by the Langmuir–Blodgett technique 185
- Langmuir–Blodgett
 Lamellar multilayer hexadecylaniline-modified gold nanoparticle films deposited by the Langmuir–Blodgett technique 185
- Lanthanum barium cobalt oxide
Ab initio study of ferromagnetic $\text{La}_{0.5}\text{Ba}_{0.5}\text{CoO}_3$ 439
- Lanthanum iron oxide
 Magnetic properties of lanthanum orthoferrite fine powders prepared by different chemical routes 519
- Lanthanum ferrite dielectric behaviour
 Preparation structure and dielectric behaviour of the system $\text{Sr}_{1-x}\text{La}_x\text{Ti}_{1-x}\text{Fe}_x\text{O}_3$ ($x \leq 0.50$) 649
- Layered oxides
 Low temperature synthesis of layered Na_xCoO_2 and K_xCoO_2 from NaOH/KOH fluxes and their ion exchange properties 447
- Layered structure
 Hydrothermal synthesis and characterisation of new methylenediphosphonates of molybdenum(VI), $\text{A}[\text{MoO}_2(\text{O}_3\text{PCH}_2\text{PO}_3\text{H})]$ ($\text{A} = \text{Rb}, \text{NH}_4$ and Ti) 419
 A two-dimensional yttrium phthalate coordination polymer, $[\text{Y}_4(\text{H}_2\text{O})_2(\text{C}_8\text{H}_4\text{O}_4)_6]_\infty$, exhibiting different coordination geometries 573
- Ligand substitution reactions
 Equilibrium and kinetic studies on ligand substitution reactions of chloromethyl(aquo) cobaloxime with aromatic and aliphatic N-donor ligands 175
- Ligational behaviour
 Equilibrium and spectral studies on ligational behaviour of N,N' -diformylhydrazine 23
- Linear chain hydrocarbons
 Linear $\text{C}_{32}\text{H}_{66}$ hydrocarbon in the mixed state with $\text{C}_{10}\text{H}_{22}$, $\text{C}_{12}\text{H}_{26}$, $\text{C}_{14}\text{H}_{30}$, $\text{C}_{16}\text{H}_{34}$ and $\text{C}_{18}\text{H}_{38}$: Comparison of strength phases and role of tunnel-like defects 67
- Linkage-cum geometrical isomerization
 A triad of rhenium-mediated transformation 333
- Liquid and solid helium
 The one-dimensional extended Bose–Hubbard model 721
- Liquid–liquid interface
 Water-dispersible nanoparticles via interdigitation of sodium dodecylsulphate molecules in octadecylamine-capped gold nanoparticles at a liquid–liquid interface 679
- Long-range
 Following the crystallisation of $\text{Bi}_2\text{Mo}_2\text{O}_9$ catalyst by combined XRD/QuEXAFS 525
- Lorentz–Lorenz relation
 Application of refractive index mixing rules in binary systems of hexadecane and heptadecane with *n*-alkanols at different temperatures 147
- Low temperature
 Yield and enrichment studies of C-13 isotope by multi-photon dissociation of Freon-22 at low temperatures 219
- Manganites
 Properties of CMR composites 587
- Magnetization
 Magnetic properties of lanthanum orthoferrite fine powders prepared by different chemical routes 519
- Manganites
 Colossal magnetoresistance manganites: A new approach 767
- MCM-41
 Proline and benzylpenicillin derivatives grafted into mesoporous MCM-41: Novel organic–inorganic hybrid catalysts for direct aldol reaction 365
- Mechanical milling
 Understanding milling induced changes: Some results 727
- Mechanochemistry
 Understanding milling induced changes: Some results 727

- Metal (IV) tungstates
A comparative study of the proton transport properties of metal (IV) tungstates 15
- Metal chelator
Synthesis of gold nanoparticles stabilised by metal-chelator and the controlled formation of close-packed aggregates by them 613
- Metal diphosphonate
Hydrothermal synthesis and characterisation of new methylenediphosphonates of molybdenum(VI), $A[MoO_2(O_3PCH_2PO_3H)]$ ($A = Rb, NH_4$ and Tl) 419
- Metal ion binding
A new bile acid-derived lariat-ether: Design, synthesis and cation binding properties 607
- Metal(II) tetradentate complexes
Synthesis, characterisation and electrochemical behaviour of Cu(II), Co(II), Ni(II) and Zn(II) complexes derived from acetylacetone and *p*-anisidine and their antimicrobial activity 161
- Metal-insulator transition
Electron spectroscopic investigation of metal-insulator transition in $Ce_{1-x}Sr_xTiO_3$ 491
- Metal-insulator transitions and other electronic transitions
Colossal magnetoresistance manganites: A new approach 767
- Metallic nanoparticles
Preparation of Cu, Ag, Fe and Al nanoparticles by the exploding wire technique 499
- Mixed ligand Cr^{III} -borate complexes
Equilibrium study on the reactions of boric acid with some *cis*-diaqua Cr^{III} -complexes 241
- Mn-doped ZrO_2 (cubic) catalyst
Low temperature complete combustion of dilute propane over Mn-doped ZrO_2 (cubic) catalysts 287
- Molecular wire
Electrostatic potential profile and nonlinear current in an interacting one-dimensional molecular wire 533
- Monolayer commensurate
Structure of solid monolayers and multilayers of *n*-hexane on graphite 663
- Morse oscillator
A numerical study of time-dependent Schrödinger equation for multiphoton vibrational interaction of NO molecule, modelled as Morse oscillator, with intense far-infrared femtosecond lasers 349
- Nanoclusters
Rigid rod spaced fullerene as building block for nanoclusters 321
- Nanoparticles
Gallium nitride nanoparticles for solar-blind detectors 459
Magnetic properties of lanthanum orthoferrite fine powders prepared by different chemical routes 519
- Nanostructure
Electrical conduction in composites containing copper core-copper oxide shell nanostructure in silica gel 341
- Nanotubes
A new method of preparing single-walled carbon nanotubes 509
- NaOH and KOH fluxes
Low temperature synthesis of layered Na_xCoO_2 and K_xCoO_2 from NaOH/KOH fluxes and their ion exchange properties 447
- Nebulized spray pyrolysis
Magnetic properties of lanthanum orthoferrite fine powders prepared by different chemical routes 519
- Negative thermal expansion
Dilatometric studies of $Y_2W_3O_{12}$ with added Al_2O_3 695
- 4-Nitroveratrole
Regioselective photamination of 4-nitroveratrole upon cyclodextrin complexation 273
- NMR
Rhodium(I) complexes of *α*-keto-stabilised 1,2-*bis*(diphenylphosphino)alkane mono ylides 741
- 1H -NMR spectra
Synthesis, characterisation and electrochemical behaviour of Cu(II), Co(II), Ni(II) and Zn(II) complexes derived from acetylacetone and *p*-anisidine and their antimicrobial activity 161
- NO molecule
A numerical study of time-dependent Schrödinger equation for multiphoton vibrational interaction of NO molecule, modelled as Morse oscillator, with intense far-infrared femtosecond lasers 349
- Nonlinear current
Electrostatic potential profile and nonlinear current in an interacting one-dimensional molecular wire 533
- Nucleophilic solvation
Carbocation lifetimes and entropy of water addition to carbocations dependent on their stability 41
- Octabromoporphyrins
Solvent effects on some new *meso*-aryl substituted octabromoporphyrins 263
- Other topics in quantum fluids and solids
The one-dimensional extended Bose-Hubbard model 721

- Oxidations by sulphate radical anion
 Kinetics and mechanism of protection of thymine from sulphate radical anion under anoxic conditions 123
- Oxidation of caffeic acid
 Kinetics and mechanism of protection of thymine from sulphate radical anion under anoxic conditions 123
- Oxides
 New perovskite-related oxides having high dielectric constant: $\text{Ln}_2\text{Ba}_2\text{CaZn}_2\text{Ti}_3\text{O}_{14}$ ($\text{Ln} = \text{La}$ and Pr) 431
- Oxygen atom transfer
 A triad of rhenium-mediated transformation 333
- Peptide design
 Non-protein amino-acids in peptide design 373
- Perovskite oxide
 Preparation structure and dielectric behaviour of the system $\text{Sr}_{1-x}\text{La}_x\text{Ti}_{1-x}\text{Fe}_x\text{O}_3$ ($x \leq 0.50$) 649
- Perovskite structure
 New perovskite-related oxides having high dielectric constant: $\text{Ln}_2\text{Ba}_2\text{CaZn}_2\text{Ti}_3\text{O}_{14}$ ($\text{Ln} = \text{La}$ and Pr) 431
- Perylene
 Aromaticity in benzene-like rings – An experimental electron density investigation 637
- Phase transfer
 Water-dispersible nanoparticles via interdigitation of sodium dodecylsulphate molecules in octadecylamine-capped gold nanoparticles at a liquid–liquid interface 679
- Phase transition
Ab initio study of ferromagnetic $\text{La}_{0.5}\text{Ba}_{0.5}\text{CoO}_3$ 439
 Phase transitions in $\text{A}_4\text{Li}(\text{HSO}_4)_3(\text{SO}_4)$; $\text{A} = \text{Rb}, \text{K}$: Single crystal X-ray diffraction studies 473
- Phenol
 Regioselective nitration of aromatic substrates in zeolite cages 113
- Phonon confinement
 Ultra thin films of nanocrystalline Ge studied by AFM and interference enhanced Raman scattering 401
- Phonons
Ab initio study of ferromagnetic $\text{La}_{0.5}\text{Ba}_{0.5}\text{CoO}_3$ 439
- Phosphomolybdic acid
 Cobalt (II)–EDTA complex as a new reductant for phosphomolybdic acid used for the assay of trazodone 29
- Photoamination
 Regioselective photamination of 4-nitroveratrole upon cyclodextrin complexation 273
- Photocurrent
 Gallium nitride nanoparticles for solar-blind detectors 459
- Photodetector
 Gallium nitride nanoparticles for solar-blind detectors 459
- Photoemission
 Electron spectroscopic investigation of metal–insulator transition in $\text{Ce}_{1-x}\text{Sr}_x\text{TiO}_3$ 491
- Photophysical studies
 Contributions in organic functional group transformations and photochemical and photophysical studies of selective organic substrates 225
- Phototransformations
 Contributions in organic functional group transformations and photochemical and photophysical studies of selective organic substrates 225
- Phthalic acid
 A two-dimensional yttrium phthalate coordination polymer, $[\text{Y}_4(\text{H}_2\text{O})_2(\text{C}_8\text{H}_4\text{O}_4)_6]_\infty$, exhibiting different coordination geometries 573
- PLD
 Relaxor type perovskites: Primary candidates of nano-polar regions 775
- PMN-PT
 Relaxor type perovskites: Primary candidates of nano-polar regions 775
- Polyphenols
 Investigations on geometrical features in induced ordering of collagen by small molecules 751
- Potential profile
 Electrostatic potential profile and nonlinear current in an interacting one-dimensional molecular wire 533
- Powder X-ray diffraction
 Low temperature synthesis of layered Na_xCoO_2 and K_xCoO_2 from NaOH/KOH fluxes and their ion exchange properties 447
- Proline
 Proline and benzylpenicillin derivatives grafted into mesoporous MCM-41: Novel organic–inorganic hybrid catalysts for direct aldol reaction 365
- Protein dynamics
 Kinetics of proton transfer in a green fluorescent protein: A laser-induced pH jump study 307
- Protein folding
 Probing folding energy landscape of small proteins through minimalistic models: Folding of HP-36 and *b*-amyloid 621
- Proton conduction
 A comparative study of the proton transport properties of metal (IV) tungstates 15

- Proton transfer
 Kinetics of proton transfer in a green fluorescent protein: A laser-induced pH jump study 307
- Pulse reaction of propane
 Low temperature complete combustion of dilute propane over Mn-doped ZrO₂ (cubic) catalysts 287
- Purification
 A new method of perparing single-walled carbon nanotubes 509
- Pyrazinecarboxylic acids
 Preparation, spectral and thermal studies of pyrazinecarboxylic acids and their hydrazinium salts 103
- Quantum fluid density functional theory
 Chemical reactivity of the compressed noble gas atoms and their reactivity dynamics during collisions with protons 195
- Quantum statistical theory
 The one-dimensional extended Bose–Hubbard model 721
- Quinolinium bromochromate
 Kinetics and mechanism of oxidation of aliphatic primary alcohols by quinolinium bromochromate 75
- Radial-breathing mode
 A low-cost Raman spectrometer design used to study Raman scattering from single-walled carbon nanotube 689
- Raman spectrometer
 A low-cost Raman spectrometer design used to study Raman scattering from single-walled carbon nanotube 689
- Reaction
 Influence of temperature inhomogeneity on product profile of reactions occurring within zeolites 543
- Reactivity dynamics
 Chemical reactivity of the compressed noble gas atoms and their reactivity dynamics during collisions with protons 195
- Recyclability
 Heavy metal ion uptake properties of polystyrene-supported chelating polymer resins 155
- Refractive index
 Application of refractive index mixing rules in binary systems of hexadecane and heptadecane with *n*-alkanols at different temperatures 147
- Regioselective nitration
 Regioselective nitration of aromatic substartes in zeolite cages 113
- Regiospecific imine oxidation
 A triad of rhenium-mediated transformation 333
- Relaxor
 Relaxor type perovskites: Primary candidates of nano-polar regions 775
- Repair of thymine by caffeic acid
 Kinetics and mechanism of protection of thymine from sulphate radical anion under anoxic conditions 123
- Resonance hybrid
 Equilibrium and spectral studies on ligational behaviour of N,N'-diformylhydrazine 23
- Rh(I) complexes
 Rhodium(I) complexes of *a*-keto-stabilised 1,2-bis(diphenylphosphino)alkane mono ylides 741
- Rhenium-mediated transformations
 A triad of rhenium-mediated transformation 333
- Ring inversion
 Heptaphyrins: Expanded porphyrins with seven heterocyclic rings 711
- Salt effect
 Effect of NaCl on the spectral and kinetic properties of cresyl violet (CV)-sodium dodecyl sulphate (SDS) complex 299
- Schiff base complexes
 Synthesis, characterisation and electrochemical behaviour of Cu(II), Co(II), Ni(II) and Zn(II) complexes derived from acetylacetone and *p*-anisidine and their antimicrobial activity 161
- Sealed lead-acid batteries
 Monitoring sealed automotive lead-acid batteries by sparse-impedance spectroscopy 465
- Selectivity
 Heavy metal ion uptake properties of polystyrene-supported chelating polymer resins 155
- Simulation
 Structure of solid monolayers and multilayers of *n*-hexane on graphite 663
- Single crystal structure
 Hydrothermal synthesis of a new ethylenediammonium intercalated vanadyl phosphate, (H₃NCH₂CH₂NH₃)_{0.5} [V⁴⁺_{0.32} V⁵⁺_{0.68} O²⁻ PO₄³⁻ {P(OH)₂}_{0.44}] 33
- Single-walled nanotubes
 A low-cost Raman spectrometer design used to study Raman scattering from single-walled carbon nanotube 689
- SiO₂ nanobubble
 Ciprofloxacin@SiO₂: Fluorescent nanobubbles 703

- Skeletally substituted benzene
Measures to evaluate heteroaromaticity and their limitations: Story of skeletally substituted benzenes 49
- Sol-gel synthesis
Magnetic properties of lanthanum orthoferrite fine powders prepared by different chemical routes 519
- Solvent effects
Solvent effects on some new *meso*-aryl substituted octabromoporphyrins 263
- Spin glass
Structural and magnetic anomalies among the spin-chain compounds, $\text{Ca}_3\text{Co}_{1+x}\text{Ir}_{1-x}\text{O}_6$ 553
- Spin-chain oxides
Structural and magnetic anomalies among the spin-chain compounds, $\text{Ca}_3\text{Co}_{1+x}\text{Ir}_{1-x}\text{O}_6$ 553
- Spin-Hamiltonian parameters
Synthesis and room temperature single crystal EPR studies of a dinickel complex having an $\{\text{Ni}_2(\text{m-phenoxide})_2\}^{2+}$ unit supported by a macrocyclic ligand environment $[\text{Ni}_2(\text{L})_2(\text{OCIO}_3)_2]$ [$\text{L} = 2\text{-(4-methyl-pyridin-2-ylimino)-methyl-phenol}$] 91
- Stability constants
Fac-mer equilibria of coordinated iminodiacetate (ida^{2-}) in ternary $\text{Cu}^{\text{II}}(\text{ida})(\text{H}_1\text{B})^-$ complex formation (B = imidazole, benzimidazole) in aqueous solution 249
- State-of-charge
Monitoring sealed automotive lead-acid batteries by sparse-impedance spectroscopy 465
- State-of-health
Monitoring sealed automotive lead-acid batteries by sparse-impedance spectroscopy 465
- Stopped-flow
Effect of NaCl on the spectral and kinetic properties of cresyl violet (CV)-sodium dodecyl sulphate (SDS) complex 299
- Strength of phases
Linear $\text{C}_{32}\text{H}_{66}$ hydrocarbon in the mixed state with $\text{C}_{10}\text{H}_{22}$, $\text{C}_{12}\text{H}_{26}$, $\text{C}_{14}\text{H}_{30}$, $\text{C}_{16}\text{H}_{34}$ and $\text{C}_{18}\text{H}_{38}$: Comparison of strength phases and role of tunnel-like defects 67
- Strong correlation
Electron spectroscopic investigation of metal-insulator transition in $\text{Ce}_{1-x}\text{Sr}_x\text{TiO}_3$ 491
- Strongly correlated electron systems
Colossal magnetoresistance manganites: A new approach 767
- Strontium titanate
Preparation structure and dielectric behaviour of the system $\text{Sr}_{1-x}\text{La}_x\text{Ti}_{1-x}\text{Fe}_x\text{O}_3$ ($x \leq 0.50$) 649
- Substituted benzylamines
Kinetics and mechanism of the oxidation of substituted benzylamines by cetyltrimethylammonium permanganate 129
- Sulphated zirconia
Temperature-programmed desorption of water and ammonia on sulphated zirconia catalysts for measuring their strong acidity and acidity distribution 281
- Super lattices
Linear $\text{C}_{32}\text{H}_{66}$ hydrocarbon in the mixed state with $\text{C}_{10}\text{H}_{22}$, $\text{C}_{12}\text{H}_{26}$, $\text{C}_{14}\text{H}_{30}$, $\text{C}_{16}\text{H}_{34}$ and $\text{C}_{18}\text{H}_{38}$: Comparison of strength phases and role of tunnel-like defects 67
- Surfactant
Effect of NaCl on the spectral and kinetic properties of cresyl violet (CV)-sodium dodecyl sulphate (SDS) complex 299
- Synthesis
A new method of preparing single-walled carbon nanotubes 509
Synthesis of gold nanoparticles stabilised by metal-chelator and the controlled formation of close-packed aggregates by them 613
- Tanning
Investigations on geometrical features in induced ordering of collagen by small molecules 751
- Tb^{3+}
Ciprofloxacin@ SiO_2 : Fluorescent nanobubbles 703
- TEA CO_2 laser
Yield and enrichment studies of C-13 isotope by multi-photon dissociation of Freon-22 at low temperatures 219
- Temperature inhomogeneity
Influence of temperature inhomogeneity on product profile of reactions occurring within zeolites 543
- Temperature-programmed desorption
Temperature-programmed desorption of water and ammonia on sulphated zirconia catalysts for measuring their strong acidity and acidity distribution 281
- Tetrabutyl ammonium tribromide
Kinetics and mechanism of the oxidation of some vicinal and non-vicinal diols by tetrabutylammonium tribromide 135
- Tetranaphthylporphyrins
Solvent effects on some new *meso*-aryl substituted octabromoporphyrins 263
- Tetratolylporphyrins
Solvent effects on some new *meso*-aryl substituted octabromoporphyrins 263

- Tetravalent metal acid salts
 A comparative study of the proton transport properties of metal (IV) tungstates 15
- Theoretical calculations
 Measures to evaluate heteroaromaticity and their limitations: Story of skeletally substituted benzenes 49
- Thermal decomposition
 Preparation, spectral and thermal studies of pyrazinecarboxylic acids and their hydrazinium salts 103
- Toluene
 Regioselective nitration of aromatic substrates in zeolite cages 113
- Transient intermediates
 Contributions in organic functional group transformations and photochemical and photophysical studies of selective organic substrates 225
- Transport properties
 A comparative study of the proton transport properties of metal (IV) tungstates 15
- Trazodone
 Cobalt (II)–EDTA complex as a new reductant for phosphomolybdic acid used for the assay of trazodone 29
- Tunnel-like phases
 Linear C₃₂H₆₆ hydrocarbon in the mixed state with C₁₀H₂₂, C₁₂H₂₆, C₁₄H₃₀, C₁₆H₃₄ and C₁₈H₃₈: Comparison of strength phases and role of tunnel-like defects 67
- Ultra thin Ge films
 Ultra thin films of nanocrystalline Ge studied by AFM and interference enhanced Raman scattering 401
- Uptake properties
 Heavy metal ion uptake properties of polystyrene-supported chelating polymer resins 155
- Vanadyl phosphate
 Hydrothermal synthesis of a new ethylenediammonium intercalated vanadyl phosphate, (H₃NCH₂CH₂NH₃)_{0.5} [V⁴⁺_{0.32}V⁵⁺_{0.68}O²PO₄{P(OH)₂}_{0.44}] 33
- Vibrational ATD spectra
 A numerical study of time-dependent Schrödinger equation for multiphoton vibrational interaction of NO molecule, modelled as Morse oscillator, with intense far-infrared femtosecond lasers 349
- Vibrational HHG spectra
 A numerical study of time-dependent Schrödinger equation for multiphoton vibrational interaction of NO molecule, modelled as Morse oscillator, with intense far-infrared femtosecond lasers 349
- Vicinal and non-vicinal diols
 Kinetics and mechanism of the oxidation of some vicinal and non-vicinal diols by tetrabutylammonium tribromide 135
- Vogel–Fulcher
 Relaxor type perovskites: Primary candidates of nano-polar regions 775
- Weiner relation
 Application of refractive index mixing rules in binary systems of hexadecane and heptadecane with *n*-alkanols at different temperatures 147
- X-ray diffraction
 Hydrothermal synthesis and characterisation of new methylenediphosphonates of molybdenum(VI), A[MoO₂(O₃PCH₂PO₃H)] (A = Rb, NH₄ and Tl) 419
- XRD/QuEXAFS
 Following the crystallisation of Bi₂Mo₂O₉ catalyst by combined XRD/QuEXAFS 525
- Yttrium
 A two-dimensional yttrium phthalate coordination polymer, [Y₄(H₂O)₂(C₈H₄O₄)₆]_∞, exhibiting different coordination geometries 573
- Zeolites
 Regioselective nitration of aromatic substrates in zeolite cages 113
 Influence of temperature inhomogeneity on product profile of reactions occurring within zeolites 543
- ZnO
 Hydrogen transfer reaction of cyclohexanone with 2-propanol catalysed by CeO₂–ZnO materials: Promoting effect of ceria 561