

Bibliography Section

Paper Chromatography

3. TECHNIQUES I (MATERIAL, SOLVENTS, DEVELOPMENT, DETECTION, QUANTITATIVE ANALYSIS)

PEYRON, L.: (Radial development chromatography. V.). *Riv. Ital. Essenze-Profumi, Piante Offic., Aromi, Saponi, Cosmet., Aerosol*, 52 (1970) 137-139; *C.A.*, 73 (1970) 44413y — a review with 64 references.

6. ALCOHOLS

KOMÁREK, K., CHURÁČEK, J. AND VAŇÁSEK, V.: (Chromatographic identification of alcohols in the form of *p*-nitrobenzoates). *Sb. Ved. Prac. Vys. Sk. Chem.-Technol. Pardubice*, No. 21 (Pt. 3) (1969) 71-81; *C.A.*, 73 (1970) 94386n.

LARINI, L. AND CAMARGO, L. A. DE A.: (Paper chromatography of C₁-C₅ aliphatic alcohols by the potassium xanthate method). *Rev. Fac. Farm. Odontol. Araraquara*, 3 (1969) 185-189; *C.A.*, 73 (1970) 83673c.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

BORODIN, L. I., LITVINEVSKA, V. I. AND KURINNAYA, N. V.: (New flavonoid C-glycosides from *Gratiola officinalis*). *Khim. Priv. Soedin.*, 6 (1970) 19-24; *C.A.*, 73 (1970) 56362u.

10. CARBOHYDRATES

10a. Mono and oligosaccharides; structural studies

ANKEL, H., ANKEL, E., SCHUTZBACH, J. S. AND GARANCIS, J. C.: Mannosyl transfer in *Cryptococcus laurentii*. *J. Biol. Chem.*, 245 (1970) 3945-3955.

COULING, T. E. AND GOODEY, R.: The inhibition of N-acetyl- β -D-glucosaminase by the (1-4)- and (1-5)-lactones of N-acetylgalactosaminic acid. *Biochem. J.*, 119 (1970) 303-306.

FERGUSON, J. A. AND BALLOU, C. E.: Biosynthesis of a mycobacterial lipopolysaccharide. Properties of the polysaccharide methyltransferase. *J. Biol. Chem.*, 245 (1970) 4213-4223. FRANSSON, L. Å. AND HAVSMARK, B.: Structure of dermatan sulfate. VII. The copolymeric structure of dermatan sulfate from horse aorta. *J. Biol. Chem.*, 245 (1970) 4770-4783. ROBYT, J. F. AND FRENCH, D.: The action pattern of porcine pancreatic α -amylase in relationship to the substrate binding site of the enzyme. *J. Biol. Chem.*, 245 (1970) 3917-3927 — development of maltodextrins at 65°.

SAID, F., AMER, M. M. AND ABOU EL-KHIER, A.: Chromatographic identification and ferrimetric estimation of some sugars. *Bull. Fac. Pharm., Cairo Univ.*, 6 (1967) 217-236; *C.A.*, 73 (1970) 88090v.

TARENTINO, A., PLUMMER, JR., T. H. AND MALEY, F.: Studies on the oligosaccharide sequence of ribonuclease B. *J. Biol. Chem.*, 245 (1970) 4150-4157.

See also TLC section.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

BRIDGES, J. W., FRENCH, M. R., SMITH, R. L. AND WILLIAMS, R. T.: The fate of benzoic acid in various species. *Biochem. J.*, 118 (1970) 47-51.

LOZANO, J. A., GREGER, C. R. AND COUCH, J. R.: Isolation and identification of phenolic acids from distillers' dried solubles using paper partition, thin-layer and gas-liquid chromatography. *Res. Commun. Chem. Pathol. Pharmacol.*, 1 (1970) 502-516; *C.A.*, 73 (1970) 86486e — PC, TLC and GC.

PATIL, B. N.: Chromatographic estimation of oxalic acid. *Environ. Health*, 12 (1970) 149-151; *C.A.*, 73 (1970) 80355q.

11b. Lipids and their constituents

WENGER, D. A., SUBBA RAO, K. AND PIERINGER, R. A.: The metabolism of glyceride glycolipids. III. Biosynthesis of digalactosyl diglyceride by galactosyl transferase pathways in brain. *J. Biol. Chem.*, 245 (1970) 2513-2519 — PC and TLC.

See also TLC section.

14. STEROID GLYCOSIDES AND SAPONINS

- KAZARINOV, N. A., PUCHKOVA, E. I. AND DZYUBA, N. P.: (Quantitative determination of *Convolvularia* cardiac glycosides. II. Separate determination of glycosides in Corglycon). *Farm. Zh. (Kiev)*, 25, No. 3 (1970) 14-16; *C.A.*, 73 (1970) 69895v.
 MAKAREVICH, I. F.: (3-Epistrophanthidin and 3-epistrophanthidol). *Khim. Prir. Soedin.*, 5 (1969) 508-511; *C.A.*, 73 (1970) 45683y.

16. NITRO AND NITROSO COMPOUNDS

- BOYLAND, E. AND SPEYER, B. E.: Enzyme-catalysed reactions between some 2-substituted 5-nitrofuran derivatives and glutathione. *Biochem. J.*, 119 (1970) 463-472.
 VICH, J., CHURÁČEK, J. AND KUČERA, V.: (Chromatographic analysis of nitric esters). *Explosivstoffe*, 18, No. 2 (1970) 42-48; *C.A.*, 73 (1970) 57623s — PC and TLC.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

- MANSON, D.: Isolation of 2-amino-1-naphthyl hydrogen sulphate with cetylpyridinium bromide from metabolic and chemical oxidations of 2-naphthylamine. *Biochem. J.*, 119 (1970) 541-546 — PC and TLC; R_F values for 14 compounds.
 PRASAD, CH. AND SRINIVASAN, V. R.: Tryptophan catabolism during sporulation in *Bacillus cereus*. *Biochem. J.*, 119 (1970) 343-349.

18. AMINO ACIDS

- EVTIKHOV, P. N., MOLODOVA, G. A. AND SOLODOVNIKOVA, N. I.: (The use of partition chromatography for the determination of amino acid acylases). *Prikl. Biokhim. Mikrobiol.*, 6 (1970) 234-238; *C.A.*, 73 (1970) 62728j — PC and TLC.
 JACKSON, S. H., SARDHARWALLA, I. B. AND EBERS, G. C.: Two systems of amino acid chromatography suitable for mass screening. *Clin. Biochim.*, 2 (1968) 163-167; *C.A.*, 73 (1970) 52879v — PC and TLC.
 KAKIMOTO, Y. AND AKAZAWA, S.: Isolation and identification of NG, N'G-NG, N'G-dimethylarginine, N^e-mono-, di-, and trimethyllysine, and glycosylgalactosyl- and galactosyl- δ -hydroxylysine from human urine. *J. Biol. Chem.*, 245 (1970) 5751-5758.
 SHINDE, V. A. AND MEHROTRA, T. N.: Technique for the separation of overlapping amino acids. *Curr. Sci.*, 39 (1970) 303-304; *C.A.*, 73 (1970) 72834e.
 WEICHERT, R.: (Paper adsorption chromatographic separation of amino acid racemates). *Ark. Kemi*, 31 (1969) 517-523; *C.A.*, 73 (1970) 56388g.

19. PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

19a. Peptides

- WASIELEWSKI, C. AND HOFFMAN, M.: (Depsipeptides. VII. Chromatographic separation of dia stereoisomers of didepsipeptides). *Roczn. Chem.*, 44 (1970) 465-467; *C.A.*, 73 (1970) 84471x.

19b. Elucidation of structure of proteins

- GRANT, W. D. AND WICKEN, A. J.: Autolysis of cell walls of *Bacillus stearothermophilus* B 65 and the chemical structure of the peptidoglycan. *Biochem. J.*, 118 (1970) 859-868 — PC and TLC.
 KAGAMIYAMA, H., MORINO, Y. AND SNELL, E. E.: The chemical structure of tryptophanase from *Escherichia coli*. I. Isolation and structure of a pyridoxyl decapeptide from borohydride-reduced holotryptophanase. *J. Biol. Chem.*, 245 (1970) 2819-2824.

20. PROTEINS (INCLUDING ENZYMES)

- NENTWICHHOVA, M. AND PECHAN, Z.: (Remarks on the paper chromatography method elaborated by RAIBLE and modified by KAREL for the determination of proteins in wort). *Kvasny Prum.*, 16 (1970) 17; *C.A.*, 73 (1970) 43862g.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- BABIOR, B. M.: The mechanism of action of ethanolamine ammonialyase, a B_{12} -dependent enzyme. VII. The mechanism of hydrogen transfer. *J. Biol. Chem.*, 245 (1970) 6123-6133.
 EL-KHATIB, S. K., RO-CHOI, T. S., CHOI, Y. C. AND BUSCH, H.: Studies on nuclear 4,5 S ribonucleic acid III of Novikoff hepatoma ascites cells. *J. Biol. Chem.*, 245 (1970) 3416-3421.
 HECHT, S. M., GUPTA, A. S. AND LEONARD, N. J.: Mass spectra of ribonucleoside components of tRNA. II. *Anal. Biochem.*, 38 (1970) 230-251 — R_F values for 16 ribonucleosides.

- MURAD, F., MANGANELLO, V. AND VAUGHAN, M.: Effects of guanosine 3',5'-monophosphate on glycerol production and accumulation of adenosine 3',5'-monophosphate by fat cells. *J. Biol. Chem.*, 245 (1970) 3352-3360.
- NAKANISHI, Y., SONOHARA, H. AND SUZUKI, S.: Sulfation of sugar nucleotides. III. Diversity of sulfated sugar nucleotides occurring in hen oviduct. *J. Biol. Chem.*, 245 (1970) 6046-6051.
- SHAPIRO, R., COHEN, B. I. AND CLAGETT, D. C.: Specific acylation of the guanine residues of ribonucleic acid. *J. Biol. Chem.*, 245 (1970) 2633-2639 — PC and TLC.
- SMRT, J., KEMPER, W., CASKEY, T. AND NIRENBERG, M.: Template activity of modified terminator codons. *J. Biol. Chem.*, 245 (1970) 2753-2757.
- SWISLOCKI, N. I.: Decomposition of dibutyryl cyclic AMP in aqueous buffers. *Anal. Biochem.*, 38 (1970) 260-269.
- TSUJI, M., SHIMIDZU, S., NAKANISHI, Y. AND SUZUKI, S.: Sulfation of sugar nucleotides. II. A particulate sulfotransferase system catalyzing the sulfation of uridine diphosphate N-acetylgalactosamine. *J. Biol. Chem.*, 245 (1970) 6039-6045.
- WOOLFOLK, C. A., WOOLFOLK, B. S. AND WHITELEY, H. R.: 2-Oxypurine dehydrogenase from *Micrococcus aerogenes*. I. Isolation, specificity and some chemical and physical properties. *J. Biol. Chem.*, 245 (1970) 3167-3178.

22. ALKALOIDS

- VUKCEVIC-KOVACEVIC, V. AND BOZIN, Z.: (Chromatographic and spectrophotometric quantitative analysis of alkaloids in cinchona tincture). *Acta Pharm. Jugosl.*, 18 (1968) 111-116; *C.A.*, 73 (1970) 59326w.

See also TLC section.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

- KEFELI, V. I., TURETSKAYA, R. Kh. AND KOV, E. M.: (Possibilities and limitations of a method for determining natural auxins and growth inhibitors in plants). *Fiziol. Rast.*, 17 (1970) 627-634; *C.A.*, 73 (1970) 75888m.

24. ORGANIC SULPHUR COMPOUNDS

- RUTKOWSKI, A., KOZLOWSKA, H. AND POGORZELSKA, E.: Determination of the individual mustard oils in rapeseeds and rapeseed meals by paper chromatography. *Zesz. Probl. Postępow. Nauk Roln.*, No. 91 (1970) 487-491; *C.A.*, 73 (1970) 78794p.

25. ORGANIC PHOSPHORUS COMPOUNDS

- HALSTEAD, R. L. AND ANDERSON, G.: Chromatographic fractionation of organic phosphates from alkali, acid, and aqueous acetylacetone extracts of soils. *Can. J. Soil Sci.*, 50 (1970) 111-119; *C.A.*, 73 (1970) 76207a.
- HANNA, R. AND MENDICINO, J.: Synthesis of α -D-glucose 1,6-diphosphate, α -D-mannose 1,6-diphosphate, α -D-ribose 1,5-diphosphate, and N-acetyl- α -D-glucosamine 1,6-diphosphate. *J. Biol. Chem.*, 245 (1970) 4031-4037.
- MENDICINO, J. AND HANNA, R.: The synthesis of isomers of D-apiofuranosyl 1-phosphate. *J. Biol. Chem.*, 245 (1970) 6113-6124 — PC and TLC.
- POSTNIKOVA, G. B. AND SUKHORUCHKINA, L. V.: (Paper and thin-layer chromatography of organic derivatives of phosphorus (III) and phosphorus (V) acids (review)). *Zh. Anal. Khim.*, 25 (1970) 772-787; *C.A.*, 73 (1970) 62413c — PC and TLC; a review with 85 references.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

- KOZINA, I. Z. AND SUBBOTINA, A. I.: (Paper chromatographic separation and determination of organotitanium compounds). *Zavod. Lab.*, 36 (1970) 670-671; *C.A.*, 73 (1970) 83677g.

28. ANTIBIOTICS

- DESHMUKH, P. V., MEHTA, S. I. AND VAIDYA, M. G.: Separation of neomycins by paper and thin-layer chromatography. *Hind. Antibiot. Bull.*, 12, No. 2-3 (1969) 68-70; *C.A.*, 73 (1970) 66890q — PC and TLC.
- ILLARIONOVA, R. P., DYKHOVICHNAYA, D. E. AND BONDARENKO, B. N.: Determination of dissociation constants of antibiotics of the oligomycin-mitramycin group by chromatography on paper. *Antibiotiki (Moscow)*, 15 (1970) 415-418; *C.A.*, 73 (1970) 80448x.
- WALKER, J. E. AND ABRAHAM, E. P.: Isolation of bacilysin and a new amino acid from culture filtrates of *Bacillus subtilis*. *Biochem. J.*, 118 (1970) 557-561.

See also TLC section.

29. INSECTICIDES AND OTHER PESTICIDES

- MISHINA, R. V.: (Determination of some organophosphorus compounds in biological material by paper chromatography). *Sud.-Med. Ekspert. Kriminalistika Sluzhbe Sledstviya*, No. 5 (1970) 651-654; *C.A.*, 73 (1970) 76027s.

30. SYNTHETIC AND NATURAL DYES

- ARINO ESPADA, M.: (Chromatographic identification of dyes used in carbonated beverages). *Inform. Quim. Anal.*, 24, No. 2 (1970) 63-67; *C.A.*, 73 (1970) 86611s.
 KACPRZAK, F., KLIMEK, B. AND KWAPINSKA, H.: (*Chromatography of Dyes*). WNT, Warsaw, 1969, 130 pp.; *C.A.*, 73 (1970) 67659x.
 MESICEK, N. AND PERPAR, M.: (Paper and thin-layer chromatography of Cibacron Pront dyes). *Kem. Ind. (Zagreb)*, 18 (1969) 727-730; *C.A.*, 73 (1970) 46611k — PC and TLC.

31. PLASTICS AND THEIR INTERMEDIATES

- PLATH, L.: (Detection and separation of aminoplasts by paper chromatography). *Adhaesion*, No. 5 (1970) 174, 176, 179, 180; *C.A.*, 73 (1970) 46075p.
 RAVEN, D. J. AND EARLAND, C.: Chromatographic identification of nylons. *J. Soc. Dyers Colour.*, 86 (1970) 313; *C.A.*, 73 (1970) 88289s — PC and TLC.

32. PHARMACEUTICAL AND FORENSIC APPLICATIONS

32a. *Synthetic drugs and systematic analysis*

- ELLERT, H. AND MODRAS, Z.: (Stability of N-carbethoxy-N'-phthalazinohydrazine hydrochloride. I. Chromatographic study of thermal decomposition products of N-carbethoxy-N'-phthalazinohydrazine hydrochloride). *Farm. Pol.*, 26 (1970) 115-120; *C.A.*, 73 (1970) 91207u.
 GARBER, C. AND ASSEM DE JUAREZ, E. M.: (Paper chromatography of some sulphonamides. V). *Rev. Asoc. Bioquim. Argent.*, 34 (1969) 160-167; *C.A.*, 73 (1970) 91305z.
 PAWEŁCZYK, E. AND PŁOTKOWIAKOWA, Z.: (Analysis of the products of drug decomposition. XXV. Spectrophotometric determination of sodium nalidixate). *Acta Pol. Pharm.*, 27 (1970) 105-111; *C.A.*, 73 (1970) 91300u.
 SASAKI, T., IKURA, Z. AND YOKOTSUKA, T.: Determination of dulcin in soy sauce and similar seasonings. *Chomi Kagaku*, 16, No. 2 (1969) 6-10; *C.A.*, 73 (1970) 43956r.

32b. *Metabolism of drugs, toxicological applications*

- CLAPP, J. J. AND YOUNG, L.: Formation of mercapturic acids in rats after the administration of aralkyl esters. *Biochem. J.*, 118 (1970) 765-771 — PC and TLC.
 JORDAN, T. W., MCNAUGHT, R. W. AND SMITH, J. N.: Detoxications in peripatus. Sulphate, phosphate and histidine conjugations. *Biochem. J.*, 118 (1970) 1-8 — R_F values for 43 compounds (acids, quinoline derivatives and phenols).

33. INORGANIC SUBSTANCES

- BAG, B. C. AND SYAMAL, A.: Paper chromatography of some inert cobalt (III) complexes. *J. Indian Chem. Soc.*, 47 (1970) 475-477; *C.A.*, 73 (1970) 51786a.
 CHOMAKOV, M. AND DIMITROVA, N.: (The use of paper chromatography for the determination of metals during electric trauma). *Sud.-Med. Ekspert. Kriminalistika Sluzhbe Sledstviya*, No. 5 (1967) 275-276; *C.A.*, 73 (1970) 85955v.
 KRASNOPOL'SKAYA, M. B., GANELINA, E. SH. AND KOTEGOV, K. V.: (Chromatographic study of tungsten-tellurium heteropoly acids). *Zh. Neorg. Khim.*, 15 (1970) 1905-1909; *C.A.*, 73 (1970) 94263v.
 KUENTZEL, A. AND MAHDI, H.: (Detection and separation of various chromium compounds in green chromium sulphate solutions by paper and column ion-exchange chromatography). *Leder*, 21, No. 5 (1970) 123-131; *C.A.*, 73 (1970) 83365d.
 KUNKEL, A.: (Usefulness of paper partition chromatography in routine lithological examinations of clay rocks). *Przegl. Geol.*, 18, No. 2 (1970) 79-83; *C.A.*, 73 (1970) 68659j.
 KUPOV, I. YA.: The use of direct paper chromatography in the diagnosis of gunshot wounds. *Sud.-Med. Ekspert. Kriminalistika Sluzhbe Sledstviya*, No. 5 (1967) 75-79; *C.A.*, 73 (1970) 85954u.
 KURBATOVA, E. G., OSTRIKOV, M. S. AND NEMIROV, G. V.: (Change in shrinkage stresses in paper under the influence of adsorbed cations). *Zh. Prikl. Khim. (Leningrad)*, 43 (1970) 920-922; *C.A.*, 73 (1970) 57373k.
 LONGO, A.: (Analysis of cations of the analytical groups IV-V by paper chromatography). *Rev. Fac. Odontol. Araraquara*, 3 (1969) 231-241; *C.A.*, 73 (1970) 83499a.

- MANEVA, D.: (Chromatographic separation and identification of trivalent and pentavalent antimony). *Nauch. Tr., Viss. Inst. Khranit. Vkusova Prom., Plovdiv*, 14, Pt. 1 (1967) 233-236; *C.A.*, 73 (1970) 51886h.
- MANEVA, D. AND BONEVA, A.: (Formation of three spots during the chromatographic determination of iron (III)). *Nauch. Tr., Viss. Inst. Khranit. Vkusova Prom., Plovdiv*, 14, Pt. 1 (1967) 237-240; *C.A.*, 73 (1970) 51989u.
- MANEVA, D., STAMATOVA, B. AND PAVLOV, IV.: (Separation and quantitative determination of zinc and iron (III) by paper chromatography). *Nauch. Tr., Viss. Inst. Khranit. Vkusova Prom., Plovdiv*, 14, Pt. 1 (1967) 241-246; *C.A.*, 73 (1970) 52042s.
- PRZESZLAKOWSKI, S.: (Chromatography of some metal ions on paper impregnated with hydrobromic and hydroiodic acid solutions using benzene and chloroform solutions of liquid anion exchangers as mobile phases). *Roczn. Chem.*, 44 (1970) 489-502; *C.A.*, 73 (1970) 59521f.
- RYABCHIKOV, D. I., VARSHAL, G. M. AND SENYAVIN, M. M.: (Mechanism of the paper chromatographic separation of rare earth mixtures). *Khim. Anal. Formuly Miner.*, (1969) 66-87; *C.A.*, 73 (1970) 94259y.
- SETHI, S. AND RAI, R.: Paper chromatographic separation of a few inorganic cations by complexing with *m*-nitrobenzoic acid in dioxane and acetone media. *J. Inst. Chem. Calcutta*, 42, Pt. 2 (1970) 61-64; *C.A.*, 73 (1970) 51885g.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35c. Complex mixtures and non-identified compounds

- LINDSTEDT, G. AND LINDSTEDT, S.: Cofactor requirements of γ -butyrobetaine hydroxylase from rat liver. *J. Biol. Chem.*, 245 (1970) 4178-4186 — PC and TLC.

Thin-layer Chromatography

1. REVIEWS AND BOOKS

- HELFFERICH, F. G. AND KLEIN, G.: *Multicomponent Chromatography, Theory of Interference*, M. Dekker, New York, 1970, 419 pp.; *C.A.*, 73 (1970) 70175s.
- VOLYNETS, M. P. AND ERMakov, A. N.: (Advances in the thin-layer chromatography of inorganic ions). *Usp. Khim.*, 39 (1970) 934-959; *C.A.*, 73 (1970) 62233u — a review with 228 references.

2. FUNDAMENTALS, THEORY AND GENERAL

- TAKITANI, S. AND SUZUKI, M.: Relation between thin-layer chromatography and column chromatography. III. Utilization of mixed fluorescent substances. *Eisei Kagaku*, 16, No. 2 (1970) 86-89; *C.A.*, 73 (1970) 91768c.

3. TECHNIQUES I (MATERIAL, SOLVENTS, DEVELOPMENT, DETECTION, QUANTITATIVE ANALYSIS)

- ACKERMANN, G., FREY, H. P., WOLF, M., REBENTISCH, H. AND ZOEBISCH, B.: (Cellulose powder supports for thin-layer chromatography). *Ger. (East) Pat.*, 71, 282 (Cl. D 21c), 05 Feb. 1970, Appl. 28 Jan. 1969, 2 pp.; *C.A.*, 73 (1970) 78723q.
- BELENKII, B. G., GANKINA, E. S., ANIKINA, T. B., LIPKIND, B. A., VAINSSTEIN, S. M., FALINA, A. S. AND KUSTOVA, G. L.: (Silica gel sorbent (for thin-layer chromatography)). *USSR Pat.*, 269,922 (Cl. C 01b) 08 May 1970, Appl. 04 Jan. 1969; *C.A.*, 73 (1970) 59540m.
- BERGER, J. A. AND PETIT, J.: (Flexible supports for thin-layer chromatography). *Mises Point Chim. Anal. Org. Pharm. Bromatol.*, 19 (1970) 57-77; *C.A.*, 73 (1970) 52099r.
- CREMER, E. AND KRAUS, T.: (Thin-layer plates for ascending chromatography). *Ger. Pat.*, Offen. 1,943,304 (Cl. G 01n) 16 Apr. 1970; Swiss Appl. 28 Aug. 1968; 25 pp.; *C.A.*, 73 (1970) 52083f — metal oxide surfaces.
- GORDON, J. E.: Aromatic nitration by silver nitrate impregnated silicic acid in the presence of carbon tetrachloride. *J. Org. Chem.*, 35 (1970) 2722-2725; *C.A.*, 73 (1970) 65715p.
- HERMANN, T. S., LEVY, R. L., LENG, L. J. AND POST, A. A.: Characterization of commercial formulations by combining several chromatographic techniques with multiple-internal-reflection and mass spectrometry. *Develop. Appl. Spectrosc.*, 7B (1968, Pub. 1970) 128-137; *C.A.*, 73 (1970) 51902k.
- KUENNERT, B. AND KRUG, H.: (Method of thin-layer chromatography of tissue sections). *Acta Histochem.*, 37 (1970) 194-196; *C.A.*, 73 (1970) 73665n.

- LESTIENNE, A. F. P. AND BOUDIN, G. M.: (Chamber for thin-layer chromatography). *Ger. Pat.*, 1,801,692 (Cl. G 01n) 09 Apr. 1970, Fr. Appl. 09 Oct. 1967; 6 pp.; *C.A.*, 73 (1970) 91830s.
- MALCOLM, E. W.: (Effective material for thin-layer chromatography). *Ger. Pat.*, Offen. 1,916,116 (Cl. G 01n) 14 May 1970; US Appl. 17 Apr. 1968; 36 pp.; *C.A.*, 73 (1970) 52082e.
- MESSERSCHMIDT, W.: (Present possibilities for utilisation of thin-layer fluorometry). *Praep. Pharm.*, 6, No. 5 (1970) 92-99; *C.A.*, 73 (1970) 54142y — a review.
- PETIT, J., BERGER, J. A., CHABARD, J. L. AND GAILLARD, G.: (New technical possibilities for thin-layer chromatography on flexible plastic sheets). *Labo-Pharma-Probl. Tech.*, 18 (1970) 86-87; *C.A.*, 73 (1970) 48570v.
- RÖDER, E. AND MUTSCHLER, E.: Über die Verwendung von homogenen azeotropen Gemischen in der Dünnschichtchromatographie. 8. Mitt. Gaschromatographische Untersuchung einiger Flüssigkeiten vor und nach ihrer Verwendung. *Arch. Pharm.*, 303 (1970) 637-640.
- SAIER, E. L., ACEVEDO, H. F. AND DICK, B. M.: Adaptation of multiple internal reflection spectroscopy to the identification of steroids from thin-layer chromatographic zones. *Anal. Biochem.*, 37 (1970) 345-352.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

- GOEBGEN, H. G.: (Rapid determination of mineral oils in waste waters by thin-layer chromatography). *Haus Tech.*, Essen, Vortragsveroeff., No. 231 (1970) 55-64; *C.A.*, (1970) 91057v.
- KRIVITSKAYA, L. S.: (Turbidimetric-chromatographic method for determining petroleum impurities in water). *Gig. Sanit.*, 35, No. 5 (1970) 69-72; *C.A.*, 73 (1970) 69671u.
- SCHAAD, R.: Thin-layer chromatographic separation of some polynuclear hydrocarbons. *Microchem. J.*, 15 (1970) 208-210; *C.A.*, 73 (1970) 72844h.
- SEMEONOV, A. D., STRADOMSKAYA, A. G. AND ZURINA, L. F.: (Rapid luminescent chromatographic method for determining petroleum products in natural waters). *Gig. Sanit.*, 35, No. 5 (1970) 65-68; *C.A.*, 73 (1970) 69672v.

6. ALCOHOLS

- MAYNERT, E. W., FOREMAN, R. L. AND WATABE, T.: Epoxides as obligatory intermediates in the metabolism of olefins to glycols. *J. Biol. Chem.*, 245 (1970) 5234-5238.
- VAMOS, J., BRANTNER, A., SZASZ, G. AND VEGH, A.: (Thin-layer chromatographic investigation of alcohols. II. Detection of higher alcohol impurities in ethyl alcohol). *Acta Pharm. Hung.*, 40 (1970) 135-141; *C.A.*, 73 (1970) 83669f.

7. PHENOLS

- CSUPOR, L.: Desoxy-rhaponticin, ein neues natürliches Stilbenderivat in Rhizoma *Rhei Rhapontici* (L.). *Arch. Pharm.*, 303 (1970) 681-687.
- HEIER, H.: (Qualitative thin-layer chromatography of phenols and quantitative evaluation of chromatograms with the extinction recording apparatus ERI 10). *Fortschr. Wasserchem. Ihrer Grenzgeb.*, No 12 (1970) 20-26; *C.A.*, 73 (1970) 59094u.
- VALTON, J. J. AND BADINAND, A.: (New thin-layer chromatographic technique applicable to the diagnosis of melanogenurias). *Labo-Pharma-Probl. Tech.*, 18 (1970) 89-90 and 93; *C.A.*, 73 (1970) 73688x.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

- BOUTIBONNES, P., JACQUET, J. AND TEHERANI, A.: (Rapid thin-layer chromatography of flavotoxins contained in foods). *Bull. Acad. Vet. Fr.*, 42 (1969) 825-833; *C.A.*, 73 (1970) 75105d.
- FRIEDLANDER, A. AND GONEN, M.: Use of polyamide thin-layer chromatography for detection of aflatoxins. *Isr. J. Chem.*, 8 (1970) 87-91; *C.A.*, 73 (1970) 85950q.
- KARAWYA, M. S., KHAYYAL, S. E. AND YOUSSEF, G. F.: Estimation of xanthotoxin, imperatorin and bergapten in *Annona majus* fruits and formulations. *Planta Med.*, 18 (1970) 195-200; *C.A.*, 73 (1970) 69904x.
- Rossi, P. F. AND BAROLD, P.: (Thin-layer chromatography of tannin extracts on thin layers of cortical cells from wool). *Rass. Chim.*, 22, No. 3 (1970) 73-77; *C.A.*, 73 (1970) 78567s.
- TOTH, L., TAUCHMANN, F. AND LEISTNER, L.: Fluorometric identification of aflatoxins in solution and on silica gel. *Fleischwirtschaft*, 50 (1970) 349-350; *C.A.*, 73 (1970) 43335n.

9. OXO COMPOUNDS

- BADOVSKAYA, L. A., EFENDIEVA, N. F. AND KUL'NEVICH, V. G.: (Determination of carbonyl-containing compounds in furan aldehyde oxidation products). *Izv. Vyssh. Uchebn. Zaved., Pishch. Tekhnol.*, No. 2 (1970) 124-127; *C.A.*, 73 (1970) 72872r.

- DREWETT, K. G. AND LAWS, D. R. J.: Humulinic acid in isomerized hop extracts. *J. Inst. Brew. London*, 76 (1970) 48-50; *C.A.*, 73 (1970) 75615v.
 FERM, R. AND NILSSON, R.: Analysis of microbially degraded lignosulfonates by thin-layer chromatography and ultrafiltration. *Sv. Papperstidn.*, 73 (1970) 283-286; *C.A.*, 73 (1970) 46849u.
 WOOD, P. M. AND CRANE, F. L.: Method for determination of plastoquinone A and plastoquinol A levels in spinach chloroplasts. *Anal. Biochem.*, 36 (1970) 127-135.

10. CARBOHYDRATES

10a. Mono and oligosaccharides; structural studies

- BRUNELLI, B., MEZZETTI, T., LEONE, P. AND CIUFFINI, G.: (Analysis of carbohydrates in urine by thin-layer chromatography). *Riv. Clin. Pediatr.*, 81 (1968) 1058-1059; *C.A.*, 73 (1970) 5289y.
 HOTTA, K., HAMAZAKI, H., KUROKAWA, M. AND ISAKA, S.: Isolation and properties of a new type of sialopolysaccharide-protein complex from the jelly coat of sea urchin eggs. *J. Biol. Chem.*, 245 (1970) 5434-5440.
 HOTTA, K., KUROKAWA, M. AND ISAKA, S.: Isolation and identification of two sialic acids from the jelly coat of sea urchin eggs. *J. Biol. Chem.*, 245 (1970) 6307-6311.
 TSAI, C. S.: Determination of degree of polymerization of N-acetyl chitooligoses by chromatographic methods. *Anal. Biochem.*, 36 (1970) 114-122 — TLC and PC.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- HAMBERG, M. AND ISRAELSSON, U.: Metabolism of prostaglandin E₂ in guinea pig liver. I. Identification of seven metabolites. *J. Biol. Chem.*, 245 (1970) 5107-5114.
 HERMANSON, H. P., SIEWIERSKI, M. AND WINNETT, A. G.: Thin-layer chromatographic separation of vernolate, suspected metabolites and derivatives. *Bull. Environ. Contam. Toxicol.*, 5 (1970) 38-41; *C.A.*, 73 (1970) 75891g.
 HUMBEL, R.: (Thin-layer chromatography of phenolic acid from urine. Technique and clinical application). *Rev. Roum. Biochim.*, 7 (1970) 45-51; *C.A.*, 73 (1970) 53831k.

See also PC section.

11b. Lipids and their constituents

- GOSSELIN, L.: (Analysis of serum lipids in pathological medicine). *Rev. Med. Liege*, 25 (1970) 238-246; *C.A.*, 73 (1970) 63004g — a review with 13 references.
 GRYNBERG, H. AND CEGLOWSKA, K.: Determining the composition of triglycerides of *Crambe abyssinica* oil by thin-layer chromatography. *Zesz. Prabl. Postepow Nauk Roln.*, No. 91 (1970) 151-155; *C.A.*, 73 (1970) 78782h.
 ROUSER, G., FLEISCHER, S. AND YAMAMOTO, A.: Two-dimensional thin-layer chromatographic separation of polar lipids and determination of phospholipids by phosphorus analysis of spots. *Lipids*, 5 (1970) 494-496; *C.A.*, 73 (1970) 52888x.
 SCHEWE, T. AND COUTELLE, CH.: (Benzene-glacial acetic acid as a solvent for chromatographic separation of neutral classes and their hydrolytic products). *Acta Biol. Med. Ger.*, 24 (1970) 223-226; *C.A.*, 73 (1970) 73664m.
 SCHNEIDER, P. B.: Stimulation of thyroidal phospholipid turnover by osmotic shock. *J. Biol. Chem.*, 245 (1970) 6281-6284.
 TAKAYAMA, K. AND GOLDMAN, D. S.: Enzymatic synthesis of mannosyl- α -phosphoryl-decaprenol by a cell-free system of *Mycobacterium tuberculosis*. *J. Biol. Chem.*, 245 (1970) 6251-6257 — TLC and PC.
 VIOQUE, E., MURILLO, H. AND MASA M. P.: (Densitometry on thin-layer chromatography plates). *Grasas Aceites (Seville)*, 21, No. 2 (1970) 72-74; *C.A.*, 73 (1970) 52101k.
 WYKLE, R. L. AND SNYDER, F.: Biosynthesis of an O-alkyl analogue phosphatidic acid and O-alkylglycerols via O-alkyl ketone intermediates by microsomal enzymes of Ehrlich ascites tumor. *J. Biol. Chem.*, 245 (1970) 3047-3058.

See also TLC section.

13. STEROIDS

- ARI, N.: (Identification of norethisterone acetate, testosterone 17-enanthate, estradiol 17 β -valerate and estradiol benzoate by thin-layer chromatography in oily preparations). *Turk. Hig. Terv. Biyal. Degr.*, 29 (1969) 200-206; *C.A.*, 73 (1970) 48569h.
 BELLOMONTE, G., CARELLI, G., VERZURA, G., CAVINA, G. AND CINGOLANI, E.: (Use of thin-layer chromatography in the identification and the control of purity of corticosteroids). *Farmaco (Pavia)*, Ed. Prat., 25 (1970) 446-456; *C.A.*, 73 (1970) 91274p.

- MILLER, W. L. AND GAYLOR, J. L.: Investigation of the component reactions of oxidative sterol demethylation. Oxidation of a 4α -methyl sterol to a 4α -carboxylic acid during cholesterol biosynthesis. *J. Biol. Chem.*, 245 (1970) 5369-5374.
- MILLER, W. L. AND GAYLOR, J. L.: Investigation of the component reactions of oxidative sterol demethylation. Oxidation of a $4,4$ -dimethylsterol to a 4β -methyl- 4α -carboxylic acid during cholesterol biosynthesis. *J. Biol. Chem.*, 245 (1970) 5375-5381.
- MIOTTI DE CARABAJAL, A. AND PAEZ, D. M.: (Thin-layer chromatographic separation and spectrophotometric determination of urinary pregnanediol). *Rev. Asoc. Bioquim. Argent.*, 34 (1969) 108-114; *C.A.*, 73 (1970) 73385w.
- MORGAN, M. D. AND WILSON, J. D.: Intracellular metabolism of [$1,2-^3\text{H}$]progesterone in the hen oviduct. *J. Biol. Chem.*, 245 (1970) 3781-3789 — development with CHCl_3 at 4° .
- MUKHINA, M. V., KSENOFONTOVA, E. V. AND KHALETSKII, A. M.: (Determination of β -sitosterol 3-acetate in neutral products of its oxidation). *Tr. Leningr. Khim.-Farm. Inst.*, No. 28 (1969) 18-25; *C.A.*, 73 (1970) 72853k.
- PETROV, A. P. AND GOLIKOV, P. P.: (Quantitative determination of aldosterone in urine by two-dimensional thin-layer silica gel chromatography). *Veg. Blokada Adrenal. Sist.*, (1969) 179-185; *C.A.*, 73 (1970) 84238b.

14. STEROID GLYCOSIDES AND SAPONINS

- FREY, M. J. AND JACOBSON, G. M.: Cleavage of cardiac glycosides in organic media. *Anal. Biochem.*, 36 (1970) 78-85.
- FRIJNS, J. M. G. J.: (Chromatographic isolation and spectrofluorimetric evaluation of the chromatogram of microgram doses of drugs. I. Evaluation of injection fluids containing digoxin, digitoxin and acetyl-digitoxin). *Pharm. Weekbl.*, 105 (1970) 209-226; *C.A.*, 73 (1970) 69906z.
- FRIJNS, J. M. G. J.: (Chromatographic isolation and direct spectrofluorimetric determination from the chromatogram of drugs in microgram doses. II. Injection solutions containing deslanoside and ouabain). *Pharm. Weekbl.*, 105 (1970) 709-719; *C.A.*, 73 (1970) 59327x.
- HOLIK, L. AND PETRICIC, J.: (Determination of *Folia Digitalis purpureae*). *Farm. Glas.*, 25 (1969) 511-514; *C.A.*, 73 (1970) 91270j.
- PEKIC, B.: (Chromatographic determination of the glycoside digitalis on a thin talc layer). *Acat Pharm. Jugosl.*, 18 (1968) 141-148; *C.A.*, 73 (1970) 48568a.
- PEKIC, B. AND DJORDJEVIC, S.: (Talc thin-layer chromatographic determination of lanatosides). *Arh. Farm.*, 20 (1970) 1-6; *C.A.*, 73 (1970) 91269r.

15 TERPENES, ESSENTIAL OILS AND OTHER VOLATILE AROMATIC COMPOUNDS

- AZIMOV, M. A.: (Euphorbol hexocozonate from *Euphorbia jaxartica*). *Khim. Prir. Soedin.*, 6 (1970) 136-137; *C.A.*, 73 (1970) 84625a.
- GOUGH, D. P. AND HEMMING, F. W.: The characterization and stereochemistry of biosynthesis of dolichols in rat liver. *Biochem. J.*, 118 (1970) 163-166.
- IDE, H. AND TOKI, S.: Metabolism of β -ionone. *Biochem. J.*, 119 (1970) 281-287.

16. NITRO AND NITROSO COMPOUNDS

See PC section.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

- AMANO, K., YAMADA, K., HARADA, K. AND KAMIMOTO, Y.: Separation and identification of volatile amines from some marine animals by thin-layer chromatography. *Tokaiku Suisan Kenkyusho Kenkyu Hokoku*, No. 53 (1968) 95-105; *C.A.*, 73 (1970) 63618k.
- DENISENKO, V. P. AND KHILYA, V. P.: (Thin-layer chromatography of quaternary ammonium compounds of aliphatic diamine derivatives). *Khim.-Farm. Zh.*, 4, No. 6 (1970) 56-59; *C.A.*, 73 (1970) 80552b.
- KITANI, K., IMAI, K. AND TAMURA, Z.: Detection of catecholamines after N-dansylation on the surface of alumina. *Chem. Pharm. Bull. (Tokyo)*, 18 (1970) 1495-1496; *C.A.*, 73 (1970) 80474c.
- KURTEVA, R. AND KALINKOVA, S.: (Thin-layer chromatography of N-derivatives of aniline). *Khim. Ind. (Sofia)*, No. 2 (1970) 69-71; *C.A.*, 73 (1970) 83638v.
- MASSA, V., PELLECUE, J. AND ANDARY, C.: (Photodensitometric determination of betaine and choline following thin-layer chromatography. Applications to pharmaceutical preparations and biological extracts). *Trav. Soc. Pharm. Montpellier*, 30 (1970) 113-120; *C.A.*, 73 (1970) 91266n.

ROTH, H. J. AND ASSADI, F.: Photoreaktion von Tetralon- und Indanon-Mannichbasen. 3. Mitt. Photochemische Reaktionen von Anilinobenzylketonen. *Arch. Pharm.*, 303 (1970) 732-741.
See also PC section.

18. AMINO ACIDS

- BREMER, J. H., MARX, D., NÜTZENADEL, W. UND BICKEL, H.: Die Dünnschichtchromatographie der Aminosäuren im Urin. *Klin. Wochschr.*, 11 (1970) 682-688.
- DAVIS, J. L. AND FALLON, H. J.: Studies on the role of 3-phosphoglycerate dehydrogenase in regulation of serine biosynthesis in rat liver. *J. Biol. Chem.*, 245 (1970) 5838-5846.
- ERSSER, R. S.: Screening for amino acid disorders using prepared thin layers of cellulose on aluminum foil. *J. Med. Lab. Technol.*, 27 (1970) 142-153; *C.A.*, 73 (1970) 52887w.
- HARTMANN, N. AND VOGLER, H.: (Experiences with thin-layer chromatographic separation of thyroid hormones). *Biol. Med. Ger.*, 24 (1970) 219-221; *C.A.*, 73 (1970) 73366r.
- KALIS, V., KARSAKEVICH, A. S., ZUKOVSKA, V. AND LESINS, A.: (Preparative chromatography in peptide chemistry. V. Preparation of a set of amino acid derivatives for peptide synthesis in one reaction mixture). *Latv. PSR Zinat. Akad. Vestis, Khim. Ser.*, No. 3 (1970) 333-338; *C.A.*, 73 (1970) 77574e.
- KRAFFCZYK, F., HELGER, R. AND LANG, H.: Two-dimensional thin-layer chromatography on two-layer plates of amino acids in untreated urine. *Clin. Chem.*, 16 (1970) 662-666; *C.A.*, 73 (1970) 84459z.
- LAPUK, V. KH., STRONGINA, A. A. AND ZALESSKII, M. Z.: (Microphotometric determination of 1-dimethylamino-5-naphthylsulfonylamino acids illustrated by glycine). *Khim. Prir. Soedin.*, 5 (1969) 531-535; *C.A.*, 73 (1970) 52102m.
- MASSA, V.: (Identification of some L- and D-amino acids following reaction with specific oxidases and thin-layer chromatography). *Trav. Soc. Pharm. Montpellier*, 29 (1969) 261-264; *C.A.*, 73 (1970) 52110n.
- WU, C. AND LING, R. C.: Determination of iodoamino acids and inorganic iodide by thin-layer chromatography. *Anal. Biochem.*, 37 (1970) 313-319.

See also PC section.

19. PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

19a. Peptides

FRIDKIN, M. AND GOREN, H. J.: Detection of peptide active esters by thin-layer chromatography. *Anal. Biochem.*, 37 (1970) 450-457 — esters are converted into hydroxamic acids.

19b. Elucidation of structure of proteins

ROCHAT, C., ROCHAT, H. AND EDMAN, P.: Some S-alkyl derivatives of cysteine suitable for sequence determination by the phenylisothiocyanate technique. *Anal. Biochem.*, 37 (1970) 259-267.

See also PC section.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

BUTEAU, G. H., JR. AND SIMMONS, J. E.: Determination of nucleoside composition of deoxyribonucleic acid by thin-layer chromatography. *Anal. Biochem.*, 37 (1970) 461-466.

CASHEL, M. AND KALBACHER, B.: The control of ribonucleic acid synthesis in *Escherichia coli*. V. Characterization of a nucleotide associated with the stringent response. *J. Biol. Chem.*, 245 (1970) 2309-2318.

See also PC section.

22. ALKALOIDS

HABIB, M. S. AND HARKISS, K. J.: Quantitative determination of emetine and cephaeline in ipecacuanha root and its preparations. *Planta Med.*, 18 (1970) 270-274; *C.A.*, 73 (1970) 69889w.

KALASHNIKOV, I. D.: (Separation of alkaloids from *Galanthus nivalis*). *Farm. Zh. (Kiev)*, 25, No. 3 (1970) 40-44; *C.A.*, 73 (1970) 91195p.

LEARY, J. D.: Alkaloids of the seeds of *Datura sanguinea*. *Lloydia*, 33 (1970) 264-266; *C.A.*, 73 (1970) 91197r — TLC and PC.

NEKRASOV, V. I. AND DAVYDOVA, O. N.: (Spectrophotometric determination of lysergic acid diethylamide in salts and in blood of animals). *Farmatsiya (Moscow)* 19, No. 3 (1970) 39-49; *C.A.*, 73 (1970) 69907a.

TULUS, R. AND ISKENDER, G.: (Combination of the Bamford method with thin-layer chromatography in the analysis of alkaloids. III. Groups 4-7). *Istanbul Univ. Eczacilik Fak. Mecm.*, 5 (1969) 130-142; *C.A.*, 73 (1970) 69887u.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

- DOERFLING, P., DUMMLER, W. AND MUECKE, D.: (Occurrence of coproporphyrin in *Poteriochro-monas stipitata* cultures following incubation with 3-amino-1,2,4-triazole (Amitrole)). *Experientia*, 26 (1970) 728; *C.A.*, 73 (1970) 84773x.
- DOSS, M.: Analytical and preparative thin-layer chromatography of porphyrin methyl esters. *Z. Klin. Chem. Klin. Biochem.*, 8 (1970) 197-207; *C.A.*, 73 (1970) 84475b.
- GORDIS, E.: Degradation of [¹⁴C]acetate: Modification of Roseman's benzimidazole procedure. *Anal. Biochem.*, 36 (1970) 168-173.
- SCHULZ, H. AND WAKIL, S. J.: Reactions of hydroxylamine with acetoacetyl thioesters or ethyl acetoacetate. *Anal. Biochem.*, 37 (1970) 457-461.

24. ORGANIC SULPHUR COMPOUNDS

- ROTH, H. J. AND ALLMER, I.: Photoreaktionen von Sulfonamid-Mannichbasen. 4. Mitt. Photochemische Reaktionen von Anilino-benzyl-ketonen. *Arch. Pharm.*, 303 (1970) 741-753.

25. ORGANIC PHOSPHORUS COMPOUNDS

- MARTIN, J. K.: Preparation of ³²P-labeled inositol hexaphosphate. *Anal. Biochem.*, 36 (1970) 233-237.

See also PC section.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

- NEFEDOV, V. D., SINOTOVA, E. N., TIMOFEEV, S. A. AND KAZAKOV, M. I.: (Chromatographic behaviour of phenyl derivatives of tellurium on thin-layers of aluminium oxide). *Zh. Obshch. Khim.*, 40 (1970) 1103-1105; *C.A.*, 73 (1970) 83648y.

27. VITAMINS AND VARIOUS GROWTH FACTORS

- ADAMSKI, R. AND SAWICKA, J.: (Separation and determination of vitamin D₃ present together with vitamin A in aqueous and oil solutions). *Farm. Pol.*, 26 (1970) 131-134; *C.A.*, 73 (1970) 91276r.
- AMOS, W. H. JR. AND NEAL, R. A.: Isolation and identification of 3-(2'-methyl-4'-amino-5'-pyrimidylmethyl)-4-methylthiazole-5-acetic acid (thiamineacetic acid) and 2-methyl-4-amino-5-formylaminomethylpyrimidine as metabolites of thiamine in the rat. *J. Biol. Chem.*, 245 (1970) 5643-5648.
- BACHER, A. AND LINGENS, F.: Biosynthesis of riboflavin. Formation of 2,5-diamino-6-hydroxy-4-(1'-D-ribitylamino) pyrimidine in a riboflavin auxotroph. *J. Biol. Chem.*, 245 (1970) 4647-4652.
- CHIANG, H. C. AND WU, Y. C.: Polyamide-silica gel mixed layer chromatography of water soluble vitamins. *J. Chin. Chem. Soc. (Taipei)*, 17 (1970) 104-107; *C.A.*, 73 (1970) 69898y.
- KAJITA, T., TSUTSUMI, K. AND TOMINAGA, I.: Thin-layer chromatographic separation of L-ascorbic acid and erythorbic acid. *Nippon Shokuhin Kogyo Gakkai-Shi*, 16 (1969) 282-283; *C.A.*, 73 (1970) 94389r.
- KNAPP, I., WANNER, Ch., LAUTERBACH, W., MAUSER, B., MAUSER, B. AND KALIWODA, G.: (Qualitative and quantitative determination of vitamin E). *Praktikantenbriefe*, 16, No. 5 (1970) 33-40; *C.A.*, 73 (1970) 80535y.
- NEAL, R. A.: Bacterial metabolism of thiamine. III. Metabolism of thiamine to 3-(2'-methyl-4'-amino-5'-pyrimidylmethyl)-4-methylthiazole-5-acetic acid (thiamineacetic acid) by a flavoprotein isolated from a soil microorganism. *J. Biol. Chem.*, 245 (1970) 2599-2604.

28. ANTIBIOTICS

- ABOU-ZEID, A. Z. A.: Thin-layer and paper chromatographic separation of tetracyclines from fermentation broth of *Streptomyces aureofaciens*. *Indian J. Pharm.*, 32, No. 3 (1970) 59-61; *C.A.*, 73 (1970) 43871j — TLC and PC.
- MURAKAWA, T., WAKAI, Y., NISHIDA, M., FUJII, R., KONNO, M., OKADA, K., GOTO, S. AND KUWAHARA, S.: Chromatographic assay of the mixed penicillins, ampicillin and cloxacillin, in body fluids. *J. Antibiot.*, 23 (1970) 250-251; *C.A.*, 73 (1970) 43449c.
- WALKER, J. E. AND ABRAHAM, E. P.: The structure of bacilysin and other products of *Bacillus subtilis*. *Biochem. J.*, 118 (1970) 563-570.

See also PC section.

29. INSECTICIDES AND OTHER PESTICIDES

- GOLUBEV, T. I. AND VOLKOVA, V. A.: (Micromethod for determining phosphamide in grapes, European black currants and lemons). *Khim. Sel. Khoz.*, 8 (1970) 356-357; *C.A.*, 73 (1970) 54923d.
- OL'SHANOVA, K. M., FEKLISOVA, L. S., POTAPOVA, M. A. AND ERMAKOVA, P. N.: (Determination of residual amounts of DDT in milk). *Izv. Vyssh. Uchebn. Zaved., Fishch. Tekhnol.*, No. 2 (1970) 221-222; *C.A.*, 73 (1970) 43964s.
- PIS'MENNAYA, V. M.: (Determination of chlorophos in milk by thin-layer chromatography). *Vopr. Pitani.*, 29, No. 3 (1970) 18-21; *C.A.*, 73 (1970) 75742j.
- ROEDER, C. H. AND WEINMANN, W. D.: (Analytical method for determination of rotenone in pesticides). *Nachrichtenbl. Deut. Pflanzenschutzdienstes (Brunswick)*, 21 (1969) 185-190; *C.A.*, (1970) 54924e.
- ZIMAK, J. AND ZERO, M.: (Determination of HCH and of DDT and its metabolites in hen eggs by thin-layer chromatography). *Rocz. Panstw. Zakl. Hig.*, 21 (1970) 29-34; *C.A.*, 73 (1970) 65100j.

30. SYNTHETIC AND NATURAL DYES

- HIRTENSTEIN, M. D. AND AKHTAR, M.: A convenient synthesis of labelled rhodopsin and studies on its active site. *Biochem. J.*, 119 (1970) 359-366.
- LEHMANN, G. AND COLLET, P.: Nachweis synthetischer Farbstoffe in Arzneimitteln. VIII. Mitt. Beitrage zur Analytik von Farbstoffen. *Arch. Pharm.*, 303 (1970) 855-860.
- LIN, S. C., LIN, Y. AND CHIANG, H. CH.: Polyamide thin-layer chromatography of food colors. *T'ai-Wan Yao Hsueh Tsa Chih*, 19, No. 12 (1967) 45-47; *C.A.*, 73 (1970) 54673x.

See also PC section.

31. PLASTICS AND THEIR INTERMEDIATES

- GOMORYOVA, A.: (Separation and identification of inhibitors by thin-layer chromatography). *Plast. Hmoty Kauc.*, 7 (1970) 203-205; *C.A.*, 73 (1970) 88822k.
- OTOCKA, E. P. AND HELLMAN, M. Y.: Fractionation of polymers by thin-layer chromatography. I. Separation. *Macromolecules*, 3 (1970) 362-365; *C.A.*, 73 (1970) 45937j.

See also PC section.

32. PHARMACEUTICAL AND FORENSIC APPLICATIONS

32a. Synthetic drugs and systematic analysis

- ADAMSKI, R. AND PAWELCZYK, K.: (Stability of aminophenazone in aqueous solutions. III. Stability of an aqueous solution of aminophenazone). *Farm. Pol.*, 26 (1970) 51-53; *C.A.*, 73 (1970) 59266b.
- ASCIONE, P. P.: Application of thin-layer chromatographic techniques in pharmaceutical analysis. *Bull. Parenteral Drug. Assoc.*, 23 (1969) 137-141; *C.A.*, 73 (1970) 69747y — a review with 8 references.
- BEGLIOMINI, A. AND FRAVOLINI, A.: (Separation and identification of antithyroid drugs in feeds and biological samples by means of thin-layer chromatography). *Arch. Vet. Ital.*, 21 (1970) 63-68; *C.A.*, 73 (1970) 86595q.
- BRUTKO, L. I., SAPEGINA, L. P., CHICHIRO, V. E. AND YASKINA, D. Z.: (Polybuffer distribution. Lattice-polybuffer micromethod). *Farmatsiya (Moscow)*, 19, No. 2 (1970) 42-45; *C.A.*, 73 (1970) 69883q.
- CHIANG, H. C. AND LIU, C. C.: Polyamide-silica gel mixed layer chromatography of antipyretics. *J. Chin. Chem. Soc. (Taipei)*, 17 (1970) 101-103; *C.A.*, 73 (1970) 69909c.
- GEORGIEVSKI, V. P. AND SHRAIBER, M. S.: (Use of thin-layer chromatography in pharmaceutical analysis). *Farm. Zh. (Kiev)*, 25, No. 2 (1970) 42-52; *C.A.*, 73 (1970) 80517u — a review with 217 references.
- GUVEN, K. C. AND BERGISADI, N.: (Identification of glybenzyclamide (HB 410) by thin-layer chromatography). *Eczacilik Bul.*, 12, No. 2 (1970) 30-32; *C.A.*, 73 (1970) 69767e.
- MAJLAT, P. AND GOTHLJE-ZABRAK, E.: (Thin-layer chromatographic investigation of compound powders of the Formulae Normales V. I. Antiasthmatic compound powders). *Acta Pharm. Hung.*, 40 (1970) 128-134; *C.A.*, 73 (1970) 48574z.
- STREET, R. L. AND PERRY, W. F.: Rapid identification of common sedatives and stimulants by thin-layer chromatography. *Clin. Biochem.*, 2 (1969) 197-203; *C.A.*, 73 (1970) 43447a.
- SZASZ-ZACSKO, M. AND SZASZ, G.: (Properties of a fluorescent thin layer substance (Kieselgel GF₂₅₁ "Merck")). *Acta Pharm. Hung.*, 40 (1970) 38-43; *C.A.*, 73 (1970) 69926f.
- TULUS, R. AND ZEYTINOGLU, L.: (2,4-Dinitrophenylsulphenyl derivatives of sympathomimetic amines. II. Thin-layer chromatography). *Istanbul Univ. Eczacilik Fak. Mecm.*, 5 (1969) 159-169; *C.A.*, 73 (1970) 59331u.

32b. Metabolism of drugs, toxicological applications

- KAUL, P. N., CONWAY, M. W. AND CLARK, M. L.: Sensitive quantitative determination of chlorpromazine metabolites. *Nature (London)*, 226 (1970) 372-373; *C.A.*, 73 (1970) 54158h.
 VALANJU, N. N., BADEN, M. M., VERMA, S. K. AND UMBERGER, CH. J.: Analytical toxicological determination of drugs in biological material. I. Acidic drugs. *Acta Pharm. Jugosl.*, 20 (1970) 11-17; *C.A.*, 73 (1970) 85946t.

See also PC section.

32c. Plant extracts

- REIMERS, F.: (Simplified thin-layer chromatography used in identity testing in the pharmacy. VIII. Identity testing of compounds and single preparations of vegetable drugs). *Arch. Pharm. Chemi*, 77 (1970) 301-310; *C.A.*, 73 (1970) 91263j.

33. INORGANIC SUBSTANCES

- LONGO, A. AND ZUANON NETTO, J.: (Study of anions from group I of Treadwell's scheme by thin-layer chromatography and spot tests. I). *Rev. Fac. Farm. Odontol. Araraquara*, 3 (1969) 225-230; *C.A.*, 73 (1970) 83497y.
 MASSA, V.: (Determination of silver in the presence of other metals by chromatography and photodensitometry of its dithizonate derivative. Application to drug control). *Trav. Soc. Pharm. Montpellier*, 29 (1969) 221-224; *C.A.*, 73 (1970) 69930c.
 TAKITANI, S., SUZUKI, M., NAMAI, T. AND NAGATA, F.: Thin-layer chromatography of inorganic compounds. XIII. Determination of metallic dithizonates by densitometry of thin-layer chromatograms. *Eisei Kagaku*, 16, No. 2 (1970) 83-85; *C.A.*, 73 (1970) 72748e.
 VOLYNETS, M. P., ERMakov, A. N., NIKITINA, L. P. AND EZERSKAYA, N. A.: (Thin-layer chromatography of noble metals. 2. Separation of palladium, gold, platinum, and rhodium (iridium) by a complexing chromatographic method). *Zh. Anal. Khim.*, 25 (1970) 759-764; *C.A.*, 73 (1970) 72713q.
 YONEDA, H. AND BABA, T.: Studies of thin-layer chromatography of inorganic salts. V. Resolution of the racemic triethylenediaminecobalt(III) complex by means of thin-layer chromatography on silica gel. *J. Chromatogr.*, 53 (1970) 610-612.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- MATUCHA, M., NOVÁK, J. AND VÁVRA, S.: (Determination of hippuran and Rose Bengal labeled with radioiodine). *Jad. Energ.*, 16 (1970) 168-170; *C.A.*, 73 (1970) 62457v.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35b. Antioxidants and preservatives

- RITZ, M. AND FILAJDIC, M.: (Determination of antioxidants in cosmetic creams). *Kem. Ind.*, 19, No. 1 (1970) 31-37; *C.A.*, 73 (1970) 69729u.
 SCHNEIDER, W.: (Thin-layer chromatographic separation and identification of antioxidants). *Kosmetik*, 43 (1970) 559-561; *C.A.*, 73 (1970) 91166e.
 WANG, R. T., CHOU, S. S. AND LIN, C. H.: Simple and rapid thin-layer chromatographic method for detection of preservatives and mimosine in soy sauce. *T'ai-Wan Yao Hsueh Tsa Chih*, 19, No. 12 (1967) 48-54; *C.A.*, 73 (1970) 54674y.

35c. Complex mixtures and non-identified compounds

- HOU, C. T., CIEGLER, A. AND HESSELTINE, C. W.: Tremorgenic toxins from Penicillia. I. Colorimetric determination of tremortins A and B. *Anal. Biochem.*, 37 (1970) 422-428.

See also PC section.

Column Chromatography

3. TECHNIQUES I (MATERIAL, SOLVENTS, DEVELOPMENT, DETECTION, QUANTITATIVE ANALYSIS)

- JANICKI, C. A. AND MOORE, C. E.: The synthesis of some nitrated polyamine resins and their use as ion exchangers for the alkali and alkaline earth metals. *Anal. Chim. Acta*, 45 (1969) 485-491 — polyamine resins.

- MASSART, D. L.: A study of the mechanism of the adsorption on columns of salts. The sorption of europium and cadmium oxalate. *Anal. Chim. Acta*, 45 (1969) 183-186 — Cadmium oxalate.
- SCHROEDER, W. A., HUISMAN, T. H. J., SHELTON, J. R. AND WILSON, J. B.: An improved method for quantitative determination of human fetal hemoglobin. *Anal. Biochem.*, 35 (1970) 235-243 — DEAE-Sephadex A-50.
- SIE, S. T. AND VAN DEN HOED, N.: Preparation and performance of high efficiency columns for liquid chromatography. *J. Chromatogr. Sci.*, 7 (1969) 257-266; *Anal. Abstr.*, 19 (1970) 1846 — silica, silica gel, alumina, Sil-O-Cel.
- PITERZYK, D. J.: Ion-exchange resins in non-aqueous solvents. III. Solvent-uptake properties of ion-exchange resins and related adsorbents. *Talanta*, 16 (1969) 169-179; *Anal. Abstr.*, 18 (1970) 4469 — various resins, alumina, silica gel.

4. TECHNIQUES II (AUTOMATION, PREPARATIVE PROCEDURES)

- BENZ, C. AND KELLEY, R. M.: An automated ion-exchange method for the determination of sodium monofluorophosphate in dentifrices. *Anal. Chim. Acta*, 46 (1969) 83-90 — Dowex 1 X8.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

- BERSON, J. A., GAJEWSKI, J. J. AND DONALD, D. S.: Memory effects in multiple carbonium ion rearrangements. I. The ring-expansion route to cations of the bicyclo [2.2.2]octenyl series. *J. Amer. Chem. Soc.*, 91 (1969) 5550-5566 — silica gel.
- ROEDIG, A., MÁRKI, G. AND SCHALLER, H.: Umlagerungen vinylöger Carbonsäurechloride. IX. Synthese und Ringschlussreaktionen von polyhalogenierten *cis, cis*-2,4,6-Heptatriensäuren und -Heptatrienalen. *Chem. Ber.*, 103 (1970) 1011-1021 — alumina.
- SARTORI, P. AND GOLLOCH, A.: Notiz über das intermediäre Auftreten von Tetrafluorbenzin bei der Pyrolyse von Silbertetrafluorphthalat. *Chem. Ber.*, 103 (1970) 313-314 — alumina.
- SNYDER, L. R.: Determination of asphalt molecular weight distributions by gel permeation chromatography. *Anal. Chem.*, 41 (1969) 1223-1227 — Styragel.
- STAAB, H. A. AND GRAF, F.: Zur Konjugation in makrocyclischen Bindungssystemen. XV. Benzo(12)annulene. 5,6,11,12,17,18-Hexadehydrotribenzo[*a,e,i*]cyclodecen. *Chem. Ber.*, 103 (1970) 1107-1118 — alumina.

6. ALCOHOLS

- GASSMAN, P. G., MARSHALL, J. L. AND HORNBACK, J. M.: The synthesis and acetolysis of the epimeric 7-tosyloxynorbornan-2-ones. *J. Amer. Chem. Soc.*, 91 (1969) 5811-5817 — silica gel.
- NUGENT, M. J. AND VIGO, T. L.: The stereochemistry of rigid [2.2]paracyclophenylphenonium ions. The formolysis of the *exo-endo* isomers of 17-tosyloxymethyl-4,5-tetramethylene[2.2]-paracyclophane. *J. Amer. Chem. Soc.*, 91 (1969) 5483-5486 — silica gel.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

- SIEGRIST, A. E. AND MEYER, H. R.: Anil-Synthese. 2. Mitt. Über die Darstellung von Stilben- und Styryl-Derivaten stickstoffreier Sauerstoff- und Schwefel-Heterocyclen aromatischen Charakters. *Helv. Chim. Acta*, 52 (1969) 1282-1323 — Alumina.

9. OXO COMPOUNDS

- BOHLMANN, F. AND GRENZ, M.: Neue Isopentenyl-acetophenon-derivate aus *Helianthella uniflora*. *Chem. Ber.*, 103 (1970) 90-96 — alumina (act. II).
- BROCKMANN, H. AND CHRISTIANSON, P.: Actinomycetenfarbstoffe. XI. Phenocyclinon. *Chem. Ber.*, 103 (1970) 708-717 — Kieselgel.
- CUNTZE, U. AND MUSSO, H.: Zur Autoxidation von Resorcinderivaten. Über die Zersetzung des 6-Hydroxy-3-*tert*-butyl-benzochinons in Alkali. *Chem. Ber.*, 103 (1970) 62-70 — Kieselgel.
- YATES, P. AND HAND, E. S.: Photodimeric cage compounds. V. Transformations of the dioximes of the photodimers of 2,6-dimethyl- and 2,6-diethyl-4-pyrone. *J. Amer. Chem. Soc.*, 91 (1969) 4749-4760 — alumina.

10. CARBOHYDRATES

10a. Mono and oligosaccharides; structural studies

- KOZAK, L. P. AND BRETTHAUER, R. K.: Studies on the biosynthesis of *Hansenula holstii* mannans from guanosine diphosphate mannose. *Biochemistry*, 9 (1970) 1115-1122 — Sephadex G-15.

- ROBINSON, H. C. AND DORFMAN, A.: The sulfation of chondroitin sulfate in embryonic chick cartilage epiphyses. *J. Biol. Chem.*, 244 (1969) 348-352 — Dowex 1 X₄, 50 X₁₂, DEAE-Sephadex A-50.
- SCOCCA, J. AND LEE, Y. C.: The composition and structure of the carbohydrate of pineapple stem bromelain. *J. Biol. Chem.*, 244 (1969) 4852-4863 — Dowex 50 X₂, Dowex 1 X₈, Sephadex G-100, G-25, G-50, SE-Sephadex C-50.
- rob. Polysaccharides, mucopolysaccharides and lipopolysaccharides*
- HOWARD, S. M. AND PIERCE, J. G.: The tryptic glycopeptides of bovine thyrotropin. Their composition and similarities to those of luteinizing hormone. *J. Biol. Chem.*, 244 (1969) 6468-6476 — Bio-gel P-10, Dowex 50 X₂.
- ROMANOWSKA, E.: Sepharose gel filtration method of purification of lipopolysaccharides. *Anal. Biochem.*, 33 (1970) 383-389 — Sepharose 2B and 4B.
- STROBEL, G. A.: A phytotoxic glycopeptide from potato plants infected with *Corynebacterium sepedonicum*. *J. Biol. Chem.*, 245 (1970) 32-38 — Dowex 50, Dowex 1, Sephadex G-200.
- TAKE, S., FRIDHANDLER, L. AND BERK, J. E.: Macroamylasemia: Possible role of polysaccharide in composition of macroamylase. *Clin. Chim. Acta*, 27 (1970) 369-371 — Sephadex G-200.
- THOMAS, D. B. AND WINZLER, R. J.: Structural studies on human erythrocyte glycoproteins. Alkali-labile oligosaccharides. *J. Biol. Chem.*, 244 (1969) 5943-5946 — Sephadex G-15, G-25, Dowex 50 X₈, Aminex A-4.
- WAGH, P. V., BORNSTEIN, I. AND WINZLER, R. J.: The structure of a glycopeptide from human orosomucoid (α_1 -acid glycoprotein). *J. Biol. Chem.*, 244 (1969) 658-665 — sulphoethyl cellulose, Sephadex G-25, G-15.
- YAMANE, K. AND NATHENSON, S. G.: Murine histocompatibility-(H₂) alloantigens. Purification and some chemical properties of a second class of fragments (class II) solubilized by papain from cell membranes of H₂^a and H₂^d mice. *Biochemistry*, 9 (1970) 1336-1347 — DEAE-Sephadex, Sephadex G-75.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- BHATTACHARJEE, J. K. AND TUCCI, A. F.: Relationship of glutaric acid to the homocitric acid pathway of biosynthesis of lysine in yeast. *J. Biol. Chem.*, 244 (1969) 1417-1423 — Dowex 1 X₈, 50 X₈, silicic acid.
- PANOS, C. AND ROTTEM, S.: Incorporation and elongation of fatty acids isomers by *Mycoplasma laidlawi* A. *Biochemistry*, 9 (1970) 407-412 — silicic acid.

11b. Lipids and their constituents

- STRÁNSKÝ, K. AND STREIBL, M.: On natural waxes. XII. Composition of hydrocarbons in morphologically different plant parts. *Coll. Czech. Chem. Commun.*, 34 (1969) 103-117 — alumina.
- TAYLOR, S. S. AND HEATH, E. C.: The incorporation of β -hydroxy fatty acids into a phospholipid of *Escherichia coli* B. *J. Biol. Chem.*, 244 (1969) 6605-6616 — DEAE-cellulose, Sephadex LH-20, silicic acid.

13. STEROIDS

- DROSDOWSKY, M. A., NGYEN, T. T., POPULU, J. AND JAYLE, M. F.: Determination of testosterone and epitestosterone in human urine. *Bull. Soc. Chim. Biol.* 50 (1969) 1723-1737; *Anal. Abstr.*, 18 (1970) 1137 — alumina.
- FISHMAN, J., GUZIK, H. AND HELLMAN, L.: Aromatic ring hydroxylation of estradiol in man. *Biochemistry*, 9 (1970) 1593-1598 — Hyflo super cel.
- GIOCOLI, G., CAVINA, G. AND SEMPRINI, M. E.: Determination of total corticosteroids in a fragment of human adrenal gland. *Ann. Ist. Super. Sanit.* 5 (1969) 67-68; *Anal. Abstr.*, 18 (1970) 4242 — silica gel.
- KALVODA, J. AND ANNER, G.: Über Steroide, 218. Mitt. Abwandlungen von 18-Cyanopregnannen. II. Synthese von Derivaten des 18-Homoconanins. 18-Homoconessin. *Helv. Chim. Acta*, 52 (1969) 2106-2118 — alumina.
- MONDER, C. AND WALKER, M. C.: Interactions between corticosteroids and histones. *Biochemistry*, 9 (1970) 2489-2497 — Sephadex G-10.
- ZIMMERING, P. E., KAHN, I. AND LIEBERMAN, S.: Estradiol and progesterone binding to a fraction of ovine endometrial cytoplasm. *Biochemistry*, 9 (1970) 2498-2506 — Sephadex G-25, G-200.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

GUTMANN, H. R. AND ERICKSON, R. R.: The conversion of the carcinogen N-hydroxy-2-fluorenyl-acetamide to *o*-amidophenols by rat liver *in vitro*. An inducible enzymatic reaction. *J. Biol. Chem.*, 244 (1969) 1729-1740 — DEAE-cellulose.

18. AMINO ACIDS

- GERSHEY, E. L., HASLETT, G. W., VIDALI, G. AND ALLFREY, V. G.: Chemical studies of histone methylation. Evidence for the occurrence of 3-methylhistidine in avian erythrocyte histone fractions. *J. Biol. Chem.*, 244 (1969) 4871-4877 — Amberlite CG-50.
- PODUŠKA, K., RUDINGER, J., GLOEDE, J. AND GROSS, H.: Aminosäuren und Peptide. XC. Synthese des β -Pyrrolo-L-alanins, der L-2-Amino-4-pyrrolobuttersäure und der L-2-Amino-5-pyrrolo-valeriansäure. *Coll. Czech. Chem. Commun.*, 34 (1969) 1002-1006 — Dowex 1 X2 (Acetate-form), DEAE-cellulose, Zerolite 225.
- SAMYN, W., CARTON, D. AND HOOFT, C.: Column chromatography of amino acids in the study of metabolic diseases. *Clin. Chim. Acta*, 28 (1970) 83-88 — Technicon amino acid analyser.
- STELLWAGEN, R. H. AND COLE, R. D.: Histone biosynthesis in the mammary gland during development and lactation. *J. Biol. Chem.*, 244 (1969) 4878-4887 — Amberlite IRC-50, Dowex 50.
- SUN, M. W., STEIN, E. AND GRUEN, F. W.: Single column method for the determination of urinary 5-aminolaevulinic acid. *Clin. Chem.*, 15 (1969) 183-189; *Anal. Abstr.*, 18 (1970) 4223 — Dowex 50W X8 (acid form).

19. PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

19a. Peptides

- BELL, P. H., COLUCCI, D. F., DZIOBKOWSKI, C., SNEDEKER, E. H., BARG, JR., W. F. AND PAUL, R.: Isolation, purification and properties of porcine calcitonins. *Biochemistry*, 9 (1970) 1665-1670 — Sephadex G-50.
- BLAKE, J. J., CROOKS, R. W. AND LI, C. H.: Solid phase synthesis of (5-glutamine)- α -melanotropin. *Biochemistry*, 9 (1970) 2071-2074 — CM-cellulose.
- BOTES, D. P. AND STRYDOM, D. J.: A neurotoxin, toxin α , from Egyptian cobra (*Naja haje haje*) venom. I. Purification, properties and complete amino acid sequence. *J. Biol. Chem.*, 244 (1969) 4147-4157 — Amberlite CG-50, Sephadex G-50, DEAE-cellulose.
- EFREMOV, G. D., HUISMAN, T. H. J., SMITH, L. L., WILSON, J. B., KITCHENS, J. L., WRIGHTSTONE, R. N. AND ADAMS, H. R.: Hemoglobin Richmond, a human hemoglobin which forms asymmetric hybrids with other hemoglobins. *J. Biol. Chem.*, 244 (1969) 6105-6116 — DEAE-Sephadex, Sephadex G-25, Dowex 50 X2, 1 X2, CM-cellulose.
- GUT, V. AND CIMROVÁ, M.: Amino acids and peptides XCI. Chromatography of protected peptides on Sephadex LH-20. *Coll. Czech. Chem. Commun.*, 34 (1969) 1620-1623 — Sephadex LH-20.
- HARDEGGER, E., ROSTETTER, C., SERES, J. AND ANDREATTA, R.: Welkstoffe und Antibiotika. 38. Mitt. Zur Synthese der Anhydrolycomarašminsäure. *Helv. Chim. Acta*, 52 (1969) 873-880 — Kieselgel, alumina.
- MUIR, L. AND LEE, Y. C.: Structures of the D-galactose oligosaccharides from earthworm cuticle collagen. *J. Biol. Chem.*, 244 (1969) 2343-2349 — Bio-gel P-2, Sephadex G-15, Dowex 1 X2, 50 X2.
- SHIN, S., LABELLA, F. AND QUEEN, G.: Characterization of amino acids and low-molecular-weight peptides bound to cytoplasmic granules from the posterior pituitary. *Can. J. Biochem.*, 48 (1970) 455-462 — Dowex 1 X2, 50W X2, Sephadex G-10, G-25, G-50.
- SIEGEL, R. C. AND MARTIN, G. R.: Collagen cross-linking. Enzymatic synthesis of lysine-derived aldehydes and the production of cross-linked components. *J. Biol. Chem.*, 245 (1970) 1653-1658 — CM-cellulose, phosphocellulose, agarose A-1,5.
- VISCONTINI, M. AND MATTERN, G.: Über Pterinchemie. 29. Mitt. Hydroxylierung der Phenylreste in Phenylalanylpeptiden mittels Tetrahydropoterin unter physiologischen Bedingungen. *Helv. Chim. Acta*, 53 (1970) 377-383 — Amberlite.
- VULPIS, G. AND BANK, A.: Peptide analysis of mouse embryonic globin chains. *Biochim. Biophys. Acta*, 207 (1970) 390-394 — Sephadex G-25, CM-cellulose.

19b. Elucidation of structure of proteins

- ADELSTEIN, R. S. AND KUEHL, W. M.: Structural studies on rabbit skeletal actin. I. Isolation and characterization of the peptides produced by cyanogen bromide cleavage. *Biochemistry*, 9 (1970) 1355-1364 — Sephadex G-50.
- BÁRÁNY, M., BAILIN, G. AND BÁRÁNY, K.: Reaction of myosin with 1-fluoro-2,4-dinitrobenzene at low ionic strength. *J. Biol. Chem.*, 244 (1969) 648-657 — Sephadex G-200.

- BARG, JR., W. F., ENGLERT, M. E., DAVIES, M. C., COLUCCI, D. F., SNEDEKER, E. H., DZIOBKOWSKI, C. AND BELL, P. H.: Degradation and structure of porcine calcitonin I. *Biochemistry*, 9 (1970) 1671-1676 — Dowex 50 X₂.
- BORNSTEIN, P.: Structure of α_1 -CB8, a large cyanogen bromide produced fragment from the α_1 chain of rat collagen. The nature of a hydroxylamine sensitive bond and composition of tryptic peptides. *Biochemistry*, 9 (1970) 2408-2421 — Agarose, Dowex 1 X₂, 50 X₄, CM-cellulose, DEAE-cellulose.
- BUSTIN, M. AND COLE, R. D.: Regions of high and low cationic charge in a lysine-rich histone. *J. Biol. Chem.*, 245 (1970) 1458-1466 — Sephadex G-100, G-50, G-25.
- ELZINGA, M.: Amino acid sequence studies on rabbit skeletal muscle actin. Cyanogen bromide cleavage of the protein and determination of the sequences of seven resulting peptides. *Biochemistry*, 9 (1970) 1365-1374 — Sephadex G-50, phosphocellulose, DEAE-cellulose.
- FRANĚK, F., KEIL, B. AND ŠORM, F.: Amino acid sequence of a 22-residue section from the variable part of pig immunoglobulin λ -chains. *Eur. J. Biochem.*, 11 (1969) 170-174 — Sephadex G-25, QAE-Sephadex, Dowex 1 X₂.
- KOSTKA, V., MORÁVEK, L. AND ŠORM, F.: Amino acid sequence of C-terminal fragment of hog pepsin. *Eur. J. Biochem.*, 13 (1970) 447-454 — Dowex 50 X₂, Sephadex G-25.
- PICHTER, S. E. AND KONIGSBERG, W.: The sequence of the NH₂-terminal cyanogen bromide fragment from the heavy chain of a γ G1 myeloma protein. *J. Biol. Chem.*, 245 (1970) 1267-1274 — Dowex 50 X₂, 50 X₄, Sephadex G-75.
- STRAUSBAUCH, P. H. AND FISCHER, E. H.: Structure of the binding site of pyridoxal 5'-phosphate to *Escherichia coli* glutamate decarboxylase. *Biochemistry*, 9 (1970) 233-238 — Sephadex G-50, Dowex 1 X₂, 50 X₂.
- WALSH, K. A., ERICSSON, L. H., BRADSHAW, R. A. AND NEURATH, H.: Chemical evidence of a disulfide bond in bovine carboxypeptidase A. *Biochemistry*, 9 (1970) 219-225 — Beckman-Spinco amino acid analyser.
- YAMASAKI, N., KIKUTANI, M. AND SONNENBERG, M.: Peptides of biologically active tryptic digest of bovine growth hormone. *Biochemistry*, 9 (1970) 1107-1114 — DEAE-cellulose, Sephadex G-75.

20. PROTEINS (INCLUDING ENZYMEs)

20b. Plasma proteins

- BERNINI, L. F.: Estimation of haemoglobin A₂ by DEAE column chromatography. *Biochem. Genet.*, 2 (1969) 305-310; *Anal. Abstr.*, 19 (1970) 556 — DEAE-cellulose.
- BERNINI, L. F. AND BORRI-VOLTATTORNI, C.: Studies on the structure of human haptoglobins. I. Spontaneous refolding after extensive reduction and dissociation. *Biochim. Biophys. Acta*, 200 (1970) 203-219 — DEAE-Sephadex, Sephadex G-75, G-200.
- CASTELLINO, F. J. AND HILL, R. L.: The carboxymethylation of bovine α -lactalbumin. *J. Biol. Chem.*, 245 (1970) 417-424 — Sephadex G-100, G-25, G-50, Dowex 50.
- COX, A. CH. AND HANAHAN, D. J.: The isolation of undegraded bovine prothrombin and its partial characterization. *Biochim. Biophys. Acta*, 207 (1970) 49-64 — DEAE-cellulose, Sephadex G-150.
- FOŘTOVÁ-ŠÍPALOVÁ, H. AND VODRÁŽKA, Z.: Some physico-chemical properties of isolated α and β chains of human globin. *Coll. Czech. Chem. Commun.*, 35 (1970) 1261-1269 — carboxymethylcellulose, Sephadex G-100, G-200.
- KIERMEIER, F. AND PICHA, B.: Verhalten der alkalischen Phosphatase der Milch gegenüber organischen Phosphorsäureestern. *Z. Lebensm. Unters. Forsch.*, 142 (1970) 96-101 — Sephadex G-200.
- KUSHNER, I. AND SOMERVILLE, J. A.: Estimation of the molecular size of C-reactive protein and C_x-reactive protein in serum. *Biochim. Biophys. Acta*, 207 (1970) 105-114 — Sephadex G-200.
- LABAT, J., ISHIGURO, M., FUJISAKI, Y. AND SCHMID, K.: A sialic acid-free β_1 -glycoprotein of normal human plasma. *J. Biol. Chem.*, 244 (1969) 4975-4980 — Sephadex G-25, DEAE-cellulose.
- LENARD, J.: Protein and glycolipid components of human erythrocyte membranes. *Biochemistry*, 9 (1970) 1129-1132 — Sephadex G-200.
- LEYKO, W., DUDA, W., DMOCHOWSKA, M. AND POLITOWSKA, R.: Erythrocyte metabolism of sideropoenic and haemolytic anaemia patients. *Clin. Chim. Acta*, 28 (1970) 161-168 — Dowex 1 X formate.
- NACHMAN, R. L. AND FERRIS, B.: Human platelet membrane protein. *Biochemistry*, 9 (1970) 200-205 — Sepharose 4 B.
- PHILIP, G., MORAN, J. AND COLMAN, R. W.: Dissociation and association of the oligomeric forms of factor V. *Biochemistry*, 9 (1970) 2212-2218 — Sephadex G-200.

- PIQUILLOUD, Y., REINHARZ, A. AND ROTH, M.: Studies on the angiotensin converting enzyme with different substrates. *Biochim. Biophys. Acta*, 206 (1970) 136-142 — Sephadex G-200.
- SCHECHTER, A. N., MORÁVEK, L. AND ANFINSEN, C. B.: Hydrogen exchange in proteins as a measure of solvent exclusion due to ligands. *J. Biol. Chem.*, 244 (1969) 4981-4988 — Sephadex G-25.
- SHTERN, T. L. AND KIBARDIN, S. A.: (Simple preparative separation of haemoglobin and catalase on a column of hydroxylapatite). *Vopr. Med. Khim.*, 15 (1969) 321-322; *Anal. Abstr.*, 18 (1970) 4262 — hydroxylapatite.
- SUMMERELL, S. H. AND DAVIES, D. A. L.: Physical properties of mouse H-2 transplantation alloantigens. *Biochim. Biophys. Acta*, 207 (1970) 92-104 — Sephadex G-200.

20c. Structural proteins

- GODFREY, J. E. AND HARRINGTON, W. F.: Self-association in the myosin system at high ionic strength. II. Evidence for the presence of a monomer \rightleftharpoons dimer equilibrium. *Biochemistry*, 9 (1970) 894-908 — DEAE-Sephadex A-50.
- ROBSON, R. M., GOLL, D. E., ARAKAWA, N. AND STROMER, M. H.: Purification and properties of α -actinin from rabbit skeletal muscle. *Biochim. Biophys. Acta*, 200 (1970) 296-318 — Sepharose B₄, DEAE-cellulose.

20d. Protamines, histones and other nuclear proteins

- DEIBLER, G. E., MARTELSON, R. E. AND KIES, M. W.: Gel filtration of proteins at acid pH. Application to molecular weight estimation of myelin basic proteins. *Biochim. Biophys. Acta*, 200 (1970) 342-352 — Sephadex G-100.
- DE LANGE, R. J., FAMBROUGH, D. M., SMITH, E. L. AND BONNER, J.: Calf and pea histone IV. III. Complete amino acid sequence of pea seedling histone IV; comparison with the homologous calf thymus histone. *J. Biol. Chem.*, 244 (1969) 5669-5679 — Sephadex G-25, G-50.
- MEISLER, M. H. AND LANGAN, T. A.: Characterization of a phosphatase specific for phosphorylated histones and protamine. *J. Biol. Chem.*, 244 (1969) 4961-4968 — DEAE-cellulose, Sephadex G-200.
- QUAGLIAROTTI, G., OGAWA, Y., TAYLOR, C. W., SAUTIERRE, P., JORDAN, J., STARBUCK, W. C. AND BUSCH, H.: Structural analysis of the glycerine-rich, arginine-rich histone. II. Sequence of the half of the molecule containing the aromatic amino acids. *J. Biol. Chem.*, 244 (1969) 1796-1802 — Sephadex G-25, Aminex A-4.
- SADGOPAL, A. AND BONNER, J.: Chromosomal proteins of interphase HeLa cells. *Biochim. Biophys. Acta*, 207 (1970) 206-226 — Amberlite CG 50.
- SLUYSER, M. AND SNELLEN-JURGENS, N. H.: Interaction of histones and nucleic acids *in vitro*. *Biochim. Biophys. Acta*, 199 (1970) 490-499 — Sephadex G-100.

20e. Chromoproteins

- AISEN, P., AASA, R. AND REDFIELD, A. G.: The chromium, manganese and cobalt complexes of transferrin. *J. Biol. Chem.*, 244 (1969) 4628-4633 — Sephadex G-25, Chelex 100, Amberlite IR-120.
- BIGGINS, D. R. AND KELLY, M.: Interaction of nitrogenase from *Klebsiella pneumoniae* with ATP or cyanide. *Biochim. Biophys. Acta*, 205 (1970) 288-299 — Sephadex G-50.

20f. Varia, with special reference to non-identified tissue proteins

- AFRICA, B. AND CARPENTIER, F. H.: Preparation and characterization of diphenylthiocarbamyl-insulin and des-gly A¹ des-phe B¹ insulin (bovine). *Biochemistry*, 9 (1970) 1962-1972 — DEAE-cellulose, DEAE-Sephadex.
- HARTZ, J. W. AND DEUTSCH, H. F.: Preparation and physicochemical properties of human erythrocuprein. *J. Biol. Chem.*, 244 (1969) 4565-4572 — Sephadex G-75, G-100, DEAE-cellulose.
- KIEHN, E. D. AND HOLLAND, J. J.: Membrane and nonmembrane proteins of mammalian cells. Organ, species and tumor specificities. *Biochemistry*, 9 (1970) 1729-1738 — Bio-gel P-200.
- MA, L., BROVETTO-CROZ, J. AND LI, C. H.: Pituitary lactogenic hormone. Reaction of tetraniitromethane with ovine hormone. *Biochemistry*, 9 (1970) 2302-2306 — Sephadex G-100.
- OZAWA, H.: Reaction of insulin with ethyl glycinate and 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide. *Biochemistry*, 9 (1970) 2158-2163 — CM-cellulose.
- ROSE, D., DAVIES, D. T. AND YAGUCHI, M.: Determination of the major components of casein mixtures by column chromatography on DEAE-cellulose. *J. Dairy Sci.*, 52 (1969) 8-11; *Anal. Abstr.*, 18 (1970) 4349 — DEAE-cellulose.
- TASSERON, J. G., DIRINGER, H., FROHWIRTH, N., MIRIVISH, S. AND HEIDELBERGER, C.: Partial purification of soluble protein from mouse skin to which carcinogenic hydrocarbons are specifically bound. *Biochemistry*, 9 (1970) 1636-1643 — Sephadex G-100, DEAE-cellulose.

20g. Enzymes: oxidoreductases

- ALLISON, W. S., ADMIRAAL, J. AND KAPLAN, N. O.: The subunits of dogfish M₄ lactic dehydrogenase. *J. Biol. Chem.*, 244 (1969) 4743-4749 — Dowex 50 X₂, Sephadex G-25, G-50.
- KAWACHI, T. AND RUDNEY, H.: Solubilization and purification of β -hydroxy- β -methylglutaryl coenzyme A reductase from rat liver. *Biochemistry*, 9 (1970) 1700-1705 — Sephadex G-200.
- MILLER, L. O., NEWCOMBE, R. AND TRIPPLETT, E. L.: Isolation and partial characterization of amphibian tyrosine oxidase. *Comp. Biochem. Physiol.*, 32 (1970) 555-567 — DEAE-cellulose.
- MURALI, D. K. AND RADHAKRISHNAN, A. N.: Preparation and properties of an electrophoretically homogeneous monoamine oxidase from monkey intestine. *Biochim. Biophys. Acta*, 206 (1970) 61-70 — Sepharose 4B.
- TENHUNEN, R., ROSS, M. E., MARVER, H. S. AND SCHMID, R.: Reduced nicotinamide-adenine dinucleotide phosphate dependent biliverdin reductase: partial purification and characterization. *Biochemistry*, 9 (1970) 298-303 — DEAE-cellulose, Sephadex G-200.
- WANG, S.-F. AND GABRIEL, O.: Biological mechanisms involved in the formation of deoxysugars. VI. Role and function of enzyme-bound nicotinamide adenine dinucleotide in thymidine diphosphate D-glucose oxidoreductase. *J. Biol. Chem.*, 245 (1970) 8-14 — Sephadex G-100.

20h. Enzymes: transferases

- ACTON, G. J., LEWINGTON, R. J. AND MYERS, A.: The effect of light upon ribonuclease activity of etiolated *Lupinus albus* hypocotyls. *Biochim. Biophys. Acta*, 204 (1970) 144-155 — Sephadex G-100.
- ALBRECHT, U., PRENZEL, K. AND RICHTER, D.: Amino acid transfer factors from yeast. III. Relationships between transfer factors and functionally similar protein factors. *Biochemistry*, 9 (1970) 361-368 — Sephadex G-100.
- BERTHILLIER, G., COLDBERT, L., RICHARD, M. AND GOT, R.: Glucokinases du foie de rat. Purification et propriétés des formes particulées. *Biochim. Biophys. Acta*, 206 (1970) 1-16 — DEAE-cellulose, DEAE-Sephadex, Bio-gel P-1, P-2.
- DE VINCENZI, D. L. AND HEDRICK, J. L.: Gel filtration, aggregation and the enzymatic activity of glycogen phosphorylase. *Biochemistry*, 9 (1970) 2048-2058 — Sephadex G-200.
- JARKOVSKY, Z., MARCUS, D. M. AND GROLLMAN, A. P.: Fucosyltransferase found in human milk. Product of the Lewis blood group gene. *Biochemistry*, 9 (1970) 1123-1128 — CM-cellulose.
- LEE, E. Y. C., CARTER, J. H., NIELSEN, L. D. AND FISCHER, E. H.: Purification and properties of yeast amylo-1,6-glucosidase-oligo-1,4 \rightarrow 1,4-glucan transferase. *Biochemistry*, 9 (1970) 2347-2355 — DEAE-cellulose, Sephadex G-200.
- LELIÈVRE, Y.: Purification de la phosphoglycérate kinase de cerveau de mouton. *Biochim. Biophys. Acta*, 206 (1970) 187-189 — DEAE-Sephadex A-50.
- WOLF, D. P., FISCHER, E. H. AND KREBS, E. G.: Amino acid sequence of the phosphorylated site in rabbit liver glycogen phosphorylase. *Biochemistry*, 9 (1970) 1923-1929 — DEAE-cellulose.

20i. Enzymes: hydrolases

- BAUER, E. A., EISEN, A. Z. AND JEFFREY, J. J.: Immunologic relationship of a purified human skin collagenase to other human and animal collagenases. *Biochim. Biophys. Acta*, 206 (1970) 152-160 — Sephadex G-75, G-100.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21b. Nucleic acids: RNA

- ILAN, J., ILAN, J. AND PATEL, N.: Mechanism of gene expression in *Tenebrio molitor*. Juvenile hormone determination of translational control through transfer ribonucleic acid and enzyme. *J. Biol. Chem.*, 245 (1970) 1275-1281 — DEAE-cellulose, Dowex 50 X₂.
- JONÁK, J. AND RYCHLÍK, I.: Contribution to the investigation of the biological function of 5S RNA. *Coll. Czech. Chem. Commun.*, 35 (1970) 1613-1616 — column containing a 1-cm layer of 5% and a 5-cm layer of 10% acrylamide gel.
- LIEW, C. C., HASLETT, G. W. AND ALLFREY, V. G.: N-Acetyl-seryl-tRNA and polypeptide chain initiation during histone biosynthesis. *Nature*, 226 (1970) 414-417 — DEAE-cellulose.
- LOESER, R., RÖSCHENTHALER, R. AND HERRLICH, P.: Separation of 5S RNA from other nucleic acids by polyaminoacid Kieselguhr chromatography. *Biochemistry*, 9 (1970) 2364-2366 — polyarginine-Kieselguhr.
- ÖBERG, B. AND PHILIPSON, L.: Replication of poliovirus RNA studied by gel filtration and electrophoresis. *Eur. J. Biochem.*, 11 (1969) 305-315 — Sepharose 2B (agarose).
- ROEDER, R. G. AND RUTTER, W. J.: Multiple ribonucleic acid polymerases and ribonucleic acid synthesis during sea urchin development. *Biochemistry*, 9 (1970) 2543-2553 — DEAE-Sephadex.

SCHOFIELD, P.: Isolation and some properties of methionine transfer ribonucleic acid from *Escherichia coli*. *Biochemistry*, 9 (1970) 1694-1700 — hydroxylapatite, DEAE-Sephadex.

21c. Nucleic acids; DNA

BECKER, W. H., HELL, A., PAUL, J. AND WILLIAMSON, R.: Isolation of mammalian RNA-DNA hybrids by hydroxylapatite fractionation and CsCl density centrifugation. *Biochim. Biophys. Acta*, 199 (1970) 348-362 — hydroxylapatite.

33. INORGANIC SUBSTANCES

AKKI, S. B. AND KHOPKAR, S. M.: Cation exchange behaviour of manganese(II) on Dowex 50W X8. Separation from mixtures by selective methods. *Chromatographia*, 3 (1970) 363-365 — Dowex 50W X8.

JANAUER, G. E., VAN WART, H. E. AND CARRANO, J. T.: Cation exchange in dimethyl sulfoxide media. *Anal. Chem.*, 42 (1970) 215-220 — Dowex 50W X8, Amberlyst.

KIELCZEWSKI, W. AND OHLMAN, W.: (Separation of molybdenum from mixtures of elements by a chromatographic method). *Roczn. Wydz. Szk. Roln. Poznań*, 30 (1966) 145-150; *C.A.*, 72 (1970) 74436e — Cupron.

MUZZARELLI, R. A. A.: Separation of boric acid from uranyl nitrate by anion exchange chromatography. *Anal. Chem.*, 39 (1967) 365-366 — Dowex 1 X8.

TERMENDZHIAN, Z. Z. AND GAIBAKYAN, D. S.: (Chromatographic study of Complexing. III. Determination of the comparative stability of tungsten citrate, oxalate and tartrate complexes by an ion-exchange method). *Arm. Khim. Zh.*, 23 (1970) 230-233; *C.A.*, 73 (1970) 49117q — cation exchanger KO-2.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

WAKAT, A. AND GRIFFIN, C.: Rapid isolation of individual rare earths from fission and identification of neodymium-152. *Radiochem. Radioanal. Lett.*, 2 (1969) 351-357; *C.A.*, 72 (1970) 61737d — Dowex 50W X12.

Gas Chromatography

1. REVIEWS AND BOOKS

VIGDERGAUZ, M. S. AND IZMAILOV, R. I.: (*Application of Gas Chromatography to the Determination of the Physico-chemical Characteristics of Substances*.) Izd. Nauka, Moscow, 1970, 159 pp.

BEREZKIN, V. G. AND TATARINSKII, V. S.: (*Gas Chromatographic Methods of Analysis of Admixtures*), Izd. Nauka, Moscow, 1970, 213 pp.

GIDDINGS, J. C. AND KELLER, R. A. (Editors): *Advances in Chromatography*, Vol. 9, M. Dekker, New York, 1970, XIV + 358 pp.

JONES, R. A.: *An Introduction to Gas-Liquid Chromatography*, Academic Press, London, 1970, XI + 202 pp.

KAEGLER, S. H.: *Neue Mineralölanalyse. Spektroskopie und Chromatographie in Grundlagen, Geräten und Anwendung*, Huethig Verlag, Heidelberg, 1969, 700 pp.

SZEPESY, L.: (New potential applications of gas chromatography). *Magy. Kem. Lapja*, 23 (1968) 601-609.

2. FUNDAMENTALS, THEORY AND GENERAL

2b. Gas-solid systems

KACHAŇÁK, S., MONCMANOVÁ, A. AND VALTÝNI, J.: Kinetics and dynamics of gas and vapour adsorption on solid sorbents. I. Material balances and similitude criteria. *Chem. Zvesti*, 24 (1970) 182-188.

2c. Thermodynamics and theoretical relationships

PARATELLA, A., OREFICE, V. AND GIORDANO, N.: Concentration profiles in pulse gas chromatographic column. *Chem. Eng. Sci.*, 23 (1968) 373-379.

2d. General

TIJSSEN, R.: Effect of column-coiling on the dispersion of solutes in gas chromatography. Part I. Theory. *Chromatographia*, 3 (1970) 525-531.

3. TECHNIQUES I

3a. Detectors

- CHUMACHENKO, M. N. AND LEVINA, N. B.: (Coulometric determination of water in the system of the chromatographic CNH-analyzer. I. Selection of a coulometric cell). *Izv. Akad. Nauk SSSR, Ser. Khim.*, 35 (1970) 2438-2442.
- FUNASAKA, W., KOJIMA, T. AND SEO, Y.: (Selective detection of nitrogen, halogen, and sulphur compounds in gas chromatography). *Japan Analyst*, 17 (1968) 464-469.
- KAMADA, H. AND KOKUBUN, N.: (Gas chromatographic detector based on emission spectrometry using a high-frequency discharge method). *Japan Analyst*, 17 (1968) 575-579.
- KHOL'KIN, YU. I., GRIDYUSHKO, G. S. AND POTAPOVICH, A. K.: A simple device for the selection of fractions in gas chromatography. *J. Chromatogr.*, 53 (1970) 354-357.
- SCHOENGOLD, D. M. AND MUNSON, B.: Combination of gas chromatography and chemical ionization mass spectrometry. *Anal. Chem.*, 42 (1970) 1811-1813.
- SMIT, H. C.: Random input and correlation methods to improve the signal-to-noise ratio in chromatographic trace analysis. *Chromatographia*, 3 (1970) 515-518.

3b. Column performance and filling studies

- NOVITSKAYA, R. N. AND VIGDERGAUZ, M. S.: (Investigation of some polystyrene colloid solutions as stationary phases for gas chromatography). *Izv. Akad. Nauk SSSR, Ser. Khim.*, 35 (1970) 2798-2800.

3c. Apparatus, accessories and materials for GC

- HILL, R. L. AND SONLEY, J. M.: A four-channel chromatograph for rapid gas analyses. *Lab. Pract.*, 17 (1968) 55-59.
- KJELLBORG, C. AND FAYETTE, G.: Modification of the bailey bottle for use with modern gas analyzers. *J. Appl. Physiol.*, 24 (1968) 412-413.
- LANDIS, W. R., PERRINE, T. D. AND THOMAS, C.: A multiple column gas chromatograph. *J. Chromatogr.*, 53 (1970) 125-134.
- LIPTAY, G., BÉKÁSSY, S. AND TAKÁCS, J.: (Derivatographic method for the evaluation of gas chromatographic partitioning liquids and support materials). *Magy. Kem. Foly.*, 74 (1968) 511-516.
- MILAZZO, B., PETRAKIS, L. AND BROWN, P. M.: Microsampling techniques for combined gas chromatography and high-resolution nuclear magnetic resonance spectroscopy. *Appl. Spectrosc.*, 22, Part 1 (1968) 574-575.
- RISTAU, W. T. AND VANDERBORGH, N. E.: Simplified laser degradation inlet system for gas chromatography. *Anal. Chem.*, 42 (1970) 1848-1849.
- ROWAN, JR., R. AND SORRELL, J. B.: Modified silica gel adsorbents in gas-solid chromatography. *Anal. Chem.*, 42 (1970) 1716-1719.
- SMITH, K. A. AND HARRIS, W.: An automatic device for injection of gas samples into a gas chromatograph. *J. Chromatogr.*, 53 (1970) 358-362.
- WARITZ, R. S. AND KWON, B. K.: Inhalation toxicity of pyrolysis products of polytetrafluoroethylene heated below 500°C. *Amer. Ind. Hyg. Assoc. J.*, 29 (1968) 19-26.

4. TECHNIQUES II

4a. Preparative-scale GC

- RYAN, J. M., TIMMINS, R. S. AND O'DONNELL, J. F.: Production scale chromatography. *Chem. Eng. Progr.*, 64 No. 8 (1968) 53-59 — production of α - and β -pinene proved; economy given.

4b. Programmed temperature and programmed pressure GC

- MÁZOR, L., KUSCERÁNÉ, P. M., PAJCSÁNYI, P. AND TAKÁCS, J.: (Contributions to the theory of programmed-flow gas chromatography). *Magy. Kem. Foly.*, 74 (1968) 465-467.

4d. Special microtechniques and functional analysis

- KIKUCHI, N. AND MIKI, T.: (Microanalysis of mixed alkoxy groups by gas chromatography). *Japan Analyst*, 17 (1968) 1102-1107.
- SUZUKI, M., TSUGE, S. AND TAKEUCHI, T.: Gas chromatographic estimation of occluded solvents in adhesive tape by periodic introduction method. *Anal. Chem.*, 42 (1970) 1705-1708.

4e. Automation

- BUCKLEY, C. F., BROWN, G. W., DEMING, P. L., FOWLER, L. AND GANT, G. H.: In-line chromatograph analyzer solves process control problems. *Chem. Eng. Progr.*, 64, No. 18 (1968) 50-52.

4f. Measurement of physico-chemical and related values

- CADOGAN, D. F. AND PURNELL, J. H.: The measurement of organic complex formation constants by gas-liquid chromatography. *J. Chem. Soc., Ser. A* (1968) 2133-2137.
- CZUBRYT, J. J., MYERS, M. N. AND GIDDINGS, J. C.: Solubility phenomena in dense carbon dioxide gas in the range 270-1900 atm. *J. Phys. Chem.*, 74 (1970) 4260-4266.
- GIDDINGS, J. C., HOVINGH, M. E. AND THOMPSON, G. H.: Measurement of thermal diffusion factors by thermal field-flow fractionation. *J. Phys. Chem.*, 74 (1970) 4291-4294.
- NELSON, P. E. AND HOFF, J. E.: Food volatiles: Gas chromatographic determination of partition coefficients in water-lipid systems. *J. Food Sci.*, 33 (1968) 479-482.
- SCHMIEGEL, W. W., LITT, F. A. AND COWAN, D. O.: A convenient gas chromatographic method for determining activation energies of first order reactions. *J. Org. Chem.*, 33 (1968) 3334-3335.
- SORRELL, J. B. AND ROWAN, JR., R.: Nitrogen adsorption on chemically modified silica gels. *Anal. Chem.*, 42 (1970) 1712-1715.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5b. Other hydrocarbons

- CHATOT, G., CASTEGNARO, M., ROCHE, J. L. AND FONTANGES, R.: Étude des hydrocarbures polycycliques aromatiques de l'atmosphère de Lyon. *Chromatographia*, 3 (1970) 507-514.
- DUSWALT, J. M. AND MAYER, T. J.: Separation and characterization of methylethynaphthalene isomers by chromatographic and spectrometric methods. *Anal. Chem.*, 42 (1970) 1789-1794.
- HAHN, J.: Eine gaschromatographische Methode zur schnellen Charakterisierung der organischen Substanz von Bohrkernen und anderen Sedimentproben. *Erdoel Kohle*, 33 (1970) 790-792.
- STREIBL, M. AND STRÁNSKÝ, K.: Über Naturwachse. XI. Synthesen und Gas-Chromatographie höherer Cyclohexylparaffine. *Fette-Seifen-Anstrichmittel*, 70 (1968) 543-548.

5c. Halogen derivatives of hydrocarbons

- HABBOUSH, A. E. AND TAMEESH, A. H.: Gas-liquid chromatography of disubstituted benzene isomers. I. Separation and study of the dichlorobenzenes. *J. Chromatogr.*, 53 (1970) 143-149.

6. ALCOHOLS

- KAHN, J. H., TRENT, F. M., SHIPLEY, P. A. AND VORDENBERG, R. A.: Gas chromatography of fusel oils in alcoholic distillates. *J. Assoc. Offic. Anal. Chem.*, 51 (1968) 1330-1333.
- WOOD, R. AND BAUMANN, W. J.: Gas-liquid chromatographic analyses of 1,2-ethanediol monoethers and monoesters. *J. Lipid Res.*, 9 (1968) 733-738

9. OXO COMPOUNDS

- BUTTERY, R. G. AND SEIFERT, R. M.: Volatile tomato constituents: identification of 2,6-dimethyl-undeca-2,6-dien-10-one. *J. Agr. Food Chem.*, 16 (1968) 1053.

10. CARBOHYDRATES

10a. Mono and oligosaccharides; structural studies

- KIMURA, M., HATTORI, Y., YOSHIZAWA, I. AND TOHMA, M.: (Quantitative analysis of sugar components in steroid saponins by gas-liquid chromatography). *Chem. Pharm. Bull. (Tokyo)*, 16 (1968) 613-617.
- KOVÁČ, P.: Alternative syntheses of methylated sugars. II. 3,4,6-Tri-O-methyl-D-glucopyranose. *Chem. Zvesti*, 24 (1970) 218-221.
- MYHRE, D. V.: Glycolipids of soft wheat flour. I. Isolation and characterization of 1-O-(6-O-acyl- β -D-galactopyranosyl)-2,3-di-O-acyl-D-glyceritols and phytosteryl 6-O-acyl- β -D-glucopyranosides. *Can. J. Chem.*, 46 (1968) 3071-3077.
- ŠIKL, D., MASLER, L. AND BAUER, S.: Polysaccharides of *Torulopsis colliculose* (Hartman) saccardo. Isolation and structural features of extracellular mannan and of cell-wall mannan. *Coll. Czech. Chem. Commun.*, 35 (1970) 2965-2972.
- SLONEKER, J. H., ORENTAS, D. G., KNUTSON, C. A., WATSON, P. R., AND JEANES, A.: Structure of the extracellular bacterial polysaccharide from *Arthrobacter viscosus* NRRL-B-1973. *Can. J. Chem.*, 46 (1968) 3353-3361.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- FROEHLICH, J. AND WIELAND, O.: Bestimmung von Acetat in biologischem Material durch Gaschromatographie. *Z. Klin. Chem. Klin. Biochem.*, 6 (1968) 277-280.

HASEBE, N., KITAGAWA, M. AND HIGUCHI, S.: (Gas chromatographic determination of sodium 1,4-naphthoquinone-2-sulphonate). *J. Chem. Soc. Japan, Ind. Chem. Sec.*, 71 (1968) 127-129.

11b. Lipids and their constituents

- CAPELLA, P., GALLI, C. AND FUMAGALLI, R.: Hydroxy fatty acids from cerebrosides of the central nervous system: GLC determination and mass spectrometric identification. *Lipids*, 3 (1968) 431-438.
- GHOSH, A., GHOSH, A. AND DUTTA, J.: Separation and analysis of component fatty acids of some commercial butters by gas-liquid chromatography. *Indian J. Technol.*, 6 (1968) 19-22.
- PALO, V. AND ILKOVÁ, H.: Direct gas chromatographic estimation of lower alcohols, acetaldehyde, acetone and diacetyl in milk products. *J. Chromatogr.*, 53 (1970) 363-367.
- SOULA, G., SOUILLARD, C., MAURY, Y. AND DOUSTE-BLAZY, L.: Étude chromatographique des stéroïdes et des esters méthyliques des noyaux d'hématies nucléées. *J. Chromatogr.*, 53 (1970) 217-224.
- VAVER, V. A., USHAKOV, A. N., SITNIKOVA, M. L., KOLESOVA, N. P. AND BERGEL'SON, L. D.: (Diol lipids. 14. Gas chromatography of products from hydrolysis of diol phosphatides). *Izv. Akad. Nauk SSSR, Ser. Khim.*, 35 (1970) 2432-2437.

12. ORGANIC PEROXIDES

- BENÁTSKÝ, M.: (Peroxo compounds in 1-butanol. II. Purification of 1-butanol from peroxy compounds). *Chem. Listy*, 64 (1970) 1272-1280.

13. STEROIDS

- CHAMBERLAIN, J., MORRIS, N. F. AND SMITH, N. C.: Gas chromatographic analysis of the unconjugated, neutral non-polar steroids of human placenta. *J. Endocr.*, 40 (1968) 91-100.
- HOEK, W. AND VAN KAMPEN, E. J.: Urinary steroid spectra by gas chromatography. *Clin. Chim. Acta*, 19 (1968) 371-381.
- HORLICK, L.: Effect of diethylstilbestrol on skin sterols of the male rat. *J. Lipid Res.*, 9 (1968) 773-781.
- NILSSON, I. AND BENGTSSON, L. PH.: Gas chromatographic determination of urinary oestriol in intra-uterine foetal death. *Acta Obstet. Gynecol. Scand.*, 47 (1968) 213-224.
- TAN, L., CLEMENCE, M. AND GASS, J.: Gas chromatographic analysis of fecal pollution sterols on a single combined packed column. *J. Chromatogr.*, 53 (1970) 209-215.

15. TERPENES, ESSENTIAL OILS AND OTHER VOLATILE AROMATIC COMPOUNDS

- BRECKLER, P. N. AND BETTS, T. J.: Relative retention time changes with temperature for the gas chromatographic identification of volatile oil components. *J. Chromatogr.*, 53 (1970) 163-170.
- BUTTERY, R. G., SEIFERT, R. M., GUADAGNI, D. G., BLACK, D. R. AND LING, L. C.: Characterization of some volatile constituents of carrots. *J. Agr. Food Chem.*, 16 (1968) 1009-1015.
- HUMPHREY, A. M.: The examination of volatile oils by combined gas-liquid chromatography/thin-layer chromatography. *J. Chromatogr.*, 53 (1970) 375-378.
- MURRAY, K. E., SHIPTON, J., WHITFIELD, F. B., KENNEDY, B. H. AND STANLEY, G.: Volatile flavor components from green peas (*Pisum sativum*). I. Alcohols in unblanched frozen peas. *J. Food Sci.*, 33 (1968) 290-294 — GC-MS.
- RYMAL, K. S., WOLFORD, R. W., AHMED, E. M. AND DENNISON, R. A.: Changes in volatile flavor constituents of canned single-strength orange juice as influenced by storage temperature. *Food Technol.*, 22 (1968) 96-99.

16. NITRO AND NITROSO COMPOUNDS

- ALTHORPE, J., GODDARD, D. A., SISSONS, D. J. AND TELLING, G. M.: The gas chromatographic determination of nitrosamines at the picogram level by conversion to their corresponding nitramines. *J. Chromatogr.*, 53 (1970) 371-373.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

- CRANMER, M. F.: Estimation of the acetylcholine levels in brain tissue by gas chromatography of acetic acid. *Life Sci.*, 7 (1968) 995-1000.
- HANIN, I., MASSARELLI, R. AND COSTA, E.: Acetylcholine concentrations in rat brain: diurnal oscillation. *Science*, 170 (1970) 341-342.

- KAWAI, S. AND TAMURA, Z.: (Gas chromatography of catecholamines as their trifluoroacetates). *Chem. Pharm. Bull. (Tokyo)*, 16 (1968) 699-701.
 ZÁHORA, J., BIELKOVÁ, M. AND KALÁB, V.: (Analytical control of saponification of acrylonitrile to acrylamide). *Chem. Prum.*, 20 (1970) 534-535.

18. AMINO ACIDS

- CORBIN, J. A. AND ROGERS, L. B.: Separations of enantiomeric derivatives of amines and amino acids by adsorption chromatography. *Anal. Chem.*, 42 (1970) 1786-1789.
 GEHRKE, C. W. AND LEIMER, K.: The effect of salts on the derivatization and chromatography of amino acids. *J. Chromatogr.*, 53 (1970) 195-200.
 GEHRKE, C. W. AND LEIMER, K.: Trimethylsilylation of amino acids. Effect of solvents on derivatization using bis(trimethylsilyl)trifluoroacetamide. *J. Chromatogr.*, 53 (1970) 201-208.
 ZUMWALT, R. W., ROACH, D. AND GEHRKE, C. W.: Gas-liquid chromatography of amino acids in biological substances. *J. Chromatogr.*, 53 (1970) 171-194.

23. OTHER SUBSTANCES CONTAINING HETERO CYCLIC NITROGEN

- BULLOCK, A. L. AND ROWLAND, S. P.: Gas-liquid chromatographic study of selected derivatives of 2-imidazolidinone. *Anal. Chem.*, 42 (1970) 1783-1786.

24. ORGANIC SULPHUR COMPOUNDS

- MRAVEC, D., KALAMÁR, J. AND HŘIVNÁK, J.: The study of the isomerisation of benzyl thiocyanate and 4-bromobenzyl thiocyanate under catalysis with quaternary ammonium salts. *Coll. Czech. Chem. Commun.*, 35 (1970) 3274-3279.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

- FONTAINE, R., SANTONI, B., POMMIER, C. AND GUIOCHON, G.: Préparation et analyse par chromatographie en phase gazeuse de chélates de thorium et d'uranium. *Chromatographia*, 3 (1970) 532-533.
 SCHWARBERG, J. E., SIEVERS, R. E. AND MOSHIER, R. W.: Gas chromatographic and related properties of the alkaline earth chelates with 2,2,6,6-tetramethyl-3,5-heptanedione. *Anal. Chem.*, 42 (1970) 1828-1830.

27. VITAMINS AND VARIOUS GROWTH FACTORS

- MITRUKA, B. M., NORCROSS, N. L. AND ALEXANDER, M.: Gas chromatographic detection of *in vivo* activity of equine infectious anaemia virus. *Appl. Microbiol.*, 16 (1968) 1093-1094.

29. INSECTICIDES AND OTHER PESTICIDES

- BACHE, C. A. AND LISK, D. J.: Note on the versatility of OV-17 substrate for gas chromatography of pesticides. *J. Assoc. Offic. Anal. Chem.*, 51 (1968) 1270-1271.
 GIANG, B. Y. AND BECKMAN, H. F.: Determination of bidrin, azodrin, and their metabolites with the thermionic detector. *J. Agr. Food Chem.*, 16 (1968) 899-902.
 GUTENMANN, W. H. AND LISK, D. J.: Metabolic fate of methyl 2,3,5,6-tetrachloro-N-methoxy-N-methylterephthalamate (OCS-21693) herbicide in a lactating cow. *J. Dairy Sci.*, 51 (1968) 1855-1857.
 LISK, D. J.: The analysis of pesticide residues: new problems and methods. *Science*, 170 (1970) 589-593.
 MATTSSON, P. E. AND KIRSTEN, W. J.: Determination of 2,3,6-trichlorobenzoic acid residues in grain and straw with electron-capture gas chromatography. *J. Agr. Food Chem.*, 16 (1968) 908-912.
 MOSEMAN, R. F. AND AUE, W. A.: The determination of picloram in fescue by gas-liquid chromatography. *J. Chromatogr.*, 53 (1970) 367-370.

31. PLASTICS AND THEIR INTERMEDIATES

- KUPEL, R. E. AND SCHEEL, L. D.: Experimental method for evaluating the decomposition of fluorocarbon plastics by heat. *Amer. Ind. Hyg. Assoc. J.*, 29 (1968) 27-32.

32. PHARMACEUTICAL AND FORENSIC APPLICATIONS

32a. Synthetic drugs and systematic analysis

- BRANDENBERGER, H.: Die Gaschromatographie in der toxikologischen Analytik. Verbesserung von Selektivität und Empfindlichkeit durch Einsatz multipler Detektoren. *Pharm. Acta Helv.*, 45 (1970) 394-413.

- RYABTSEVA, I. M., KULESHOVA, M. I., RUDENKO, B. A. AND KUCHEROV, V. F.: (Gas-liquid chromatography of pharmaceuticals). *Izv. Akad. Nauk SSSR, Ser. Khim.*, 35 (1970) 2676-2680.
- TEMPLETON, R. J., ARNETT, W. A. AND JAKOVLJEVIC, I. M.: Comparative study of a new fluorometric assay. Mestranol in tablets with GLC and colorimetric assays. *J. Pharm. Sci.*, 57 (1968) 1168-1172.
- TOWNLEY, E., PEREZ, I. AND KABASAKALIAN, P.: Gas-liquid chromatographic determination of chlorpheniramine in blood plasma. *Anal. Chem.*, 42 (1970) 1759-1761.
- 32b. Metabolism of drugs, toxicological applications*
- DE SILVA, J. A. F. AND PUGLISI, C. V.: Determination of medazepam (nobrium), diazepam (valium) and their major biotransformation products in blood and urine by electron capture gas-liquid chromatography. *Anal. Chem.*, 42 (1970) 1725-1736.
- ŠEDIVEC, V. AND FLEK, J.: Bestimmung toxischer Substanzen und ihrer Metaboliten in biologischen Flüssigkeiten mittels des Gaschromatographie. V. Hippursäure im Urin. *Coll. Czech. Chem. Commun.*, 35 (1970) 3265-3273.
- STENLAKE, J. B., WILLIAMS, W. D. AND SKELLERN, G. G.: Development and comparison of thin-layer chromatographic and gas-liquid chromatographic methods for measurement of methimazole in rat urine. *J. Chromatogr.*, 53 (1970) 285-291.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- DI CORCIA, A., FRITZ, D. AND BRUNER, F.: The use of high efficiency packed columns for gas-solid chromatography. III. Separation of deuterium substituted compounds. *J. Chromatogr.*, 53 (1970) 135-141.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35a. Surfactants

- SIGGIA, S. AND WHITLOCK, L. R.: Pyrolysis gas chromatographic determination of arylsulfonic acids and salts. *Anal. Chem.*, 42 (1970) 1719-1724.

35b. Antioxidants and preservatives

- HUNDERT, M. B.: The application of gas chromatography to the analysis of coating solvents. *J. Paint Technol.*, 40 (1968) 33-48.
- MESZAROS, M., RUFF, F. AND DUFEK, L.: (Spectrophotometric determination of the components of antioxidants based on 6-ethoxy-2,2,4-trimethyl-1,2-dihydroquinoline). *Magy. Kem. Folyoirat*, 74 (1968) 482-484.

35c. Complex mixtures and non-identified compounds

- FORTINA, L., MAGGIORE, R. AND TOSCANO, G.: (Gas chromatographic analysis of oxidation products). *Ann. Chim. (Rome)*, 58 (1968) 794-800.
- HABBOUSH, A. E. AND TAMEESH, A. H.: Gas-liquid chromatography of disubstituted benzene isomers. II. Separation and study of the halonitrobenzenes, anisoles and toluenes. *J. Chromatogr.*, 53 (1970) 151-162.
- KOMODA, H., KOIZUMI, T. AND YAMADA, M.: (Aroma components of various fermented beverages. Part VII. Gas chromatography of volatiles in the fermented whiskey mash). *J. Agr. Chem. Soc. Japan*, 42 (1968) 445-449.
- KOMODA, H. AND YAMADA, M.: (Aroma components of various fermented beverages. Part VI. Gas chromatography of volatiles in the fermented molasses mash). *J. Agr. Chem. Soc. Japan*, 42 (1968) 413-417.
- MAIER, H. G.: Flüchtige Aromastoffe in Lebensmitteln. *Angew. Chem.*, 82 (1970) 965-974.
- mitsuda, H., YASUMOTO, K. AND IWAMI, K.: (Analysis of volatile components in rice bran). *Agr. Biol. Chem.*, 32 (1968) 453-458.
- NORMAN, V., NEWSOME, J. R. AND KEITH, C. H.: Smoking machines for the analysis of the vapor phase of cigarette smoke. *Tobacco Sci.*, 12 (1968) 216-221.
- Novotný, J.: Determination of pyridine bases, aromatic hydrocarbons and ketones in waste waters by gas chromatography. *Chem. Prum.*, 20 (1970) 575-579.

Electrophoretic Techniques

1. REVIEWS AND BOOKS

- LEDERER, M.: Results in inorganic paper chromatography and electrophoresis. *Int. Symp. Chromatogr. Electrophoresis, 5th, 1968*, (1969) 11-19; *C.A.*, 72 (1970) 59445P.

- RENN, D. W. AND MUELLER, G. P.: Agarose in gel filtration, electrophoresis and immunology. *Drugs Sea Trans. Symp.*, 1967, (1968) 277-290; *C.A.*, 72 (1970) 51590m.
 SMITH, I.: In D. R. Browning (Editor), *Zone Electrophoresis. Chromatography*, McGraw-Hill, London, 1969, pp. 120-135; *C.A.*, 72 (1970) 104240f.
 STRICKLAND, R. D.: Electrophoresis. *Anal. Chem.*, 42 (1970) 32R-57R.

2. FUNDAMENTALS, THEORY AND GENERAL

- LANCELOT, F. AND GILBERT, J.: Electrophoresis of a strong acid. Anodic accumulation. *C. R. Acad. Sci. (Paris), Ser. C*, 269 (1969) 1333-1335; *C.A.*, 72 (1970) 59582f.
 MORRISON, JR., F. A. AND STUKEL, J. J.: Electrophoresis of an insulating sphere normal to a conducting plane. *J. Colloid Interface Sci.*, 33 (1970) 88-93; *C.A.*, 72 (1970) 136816q.
 TAKAHASHI, T., NODA, I. AND NAGASAWA, M.: Electrophoresis of a rod-like polyelectrolyte in salt solution. *J. Phys. Chem.*, 74 (1970) 1280-1284; *C.A.*, 72 (1970) 104243j — free flow electrophoresis.

3. TECHNIQUES I (MATERIAL, SOLVENTS, DEVELOPMENT, DETECTION, QUANTITATIVE ANALYSIS)

- ALPER, CH. A. AND JOHNSON, A. M.: Immunofixation electrophoresis. A technique for the study of protein polymorphism. *Vox Sang.*, 17 (1969) 445-452; *C.A.*, 72 (1970) 41008p.
 BERKING, S.: Series disc electrophoresis. *Anal. Biochem.*, 36 (1970) 227-232.
 DAHLGREN, D. A.: Separation of proteins by column gel electrophoresis. *Cer. Pat.*, Offen. 1,919,894 (Cl.C 08 h), 06 Nov. 1969; US Appl. 24 Apr. 1968, 12 pp.; *C.A.*, 72 (1970) 39712v.
 GUSSMANN, ST.: Apparatus for the demonstration of enzyme polymorphism (enlargement and improvement of the apparatus of Radam and Strauch). *Ärztl. Lab.*, 15 (1969) 333-335; *C.A.*, 72 (1970) 39642x — gel electrophoresis.
 IANDOLO, J. J.: Device for slicing polyacrylamide gels. *Anal. Biochem.*, 36 (1970) 6-10.
 INUI, S., MATUTOMO, K., ANDO, H., KOJIMA, M., HAYASHI, M., IRIYAMA, H., YOSHIDA, T., FUJITA, T. AND KATO, H.: (Measuring microquantities of protein by immunoelctrodiffusion). *Seibutsu Butsuri Kagaku*, 14 (1969) 173-177; *C.A.*, 72 (1970) 41006m — Agar gel.
 LOUDERBACK, A. L., NATLAND, M. C. AND SHANBROM, E.: Electrophoresis method. *U.S. Pat.*, 3,497,437 (Cl. 204-180; B 01 k), 24 Feb. 1970; *Appl.* 21 Jun. 1967, 2 pp.; *C.A.*, 72 (1970) 104269x — agar gel.
 SHIOW, S. J., TERAMOTO, Y., KAWAHATA, K., FUJITA, S., ABE, T. AND YAMADA, S.: Practical conditions for electrophoresis using cellulose acetate membranes. *Shika Igaku*, 31 (1968) 655-662; *C.A.*, 72 (1970) 39646b — cellulose acetate.
 SOVA, O.: (Apparatus for electrophoretic separation of blood proteins in acrylamide gel). *Chem. Listy*, 63 (1969) 1360-1363; *C.A.*, 72 (1970) 51636f.
 VAN OSS, C. J. AND BRONSON, P. M.: Immunorheophoresis. *Immunochemistry*, 6 (1969) 775-778; *C.A.*, 72 (1970) 40995w.

4. TECHNIQUES II (AUTOMATION, PREPARATIVE PROCEDURES)

- STRICKLER, A.: Injection and collection pressure control in continuous electrophoresis apparatus. *U.S. Pat.*, 3,496,090 (Cl. 204-299; B 01 k), 17 Feb. 1970; *Appl.* 05 Jul. 1967, 6 pp.; *C.A.*, 72 (1970) 104270r.

11. ORGANIC ACIDS AND LIPIDS

11b. Lipids and their constituents

- FROSOLONO, M. F., CHARMS, B. L., PAWLowski, R. AND SLIVKA, S.: Isolation, characterization and surface chemistry of a surface-active fraction from dog lung. *J. Lipid Res.*, 11 (1970) 439-457 — polyacrylamide gel.

11c. Lipoproteins

- CAMEJO, G., SUÁREZ, Z. M. AND MUÑOZ, V.: The apo-lipoproteins of human plasma high density lipoprotein: a study of their lipid binding capacity and interaction with lipid monolayers. *Anal. Biochem.*, 218 (1970) 155-166 — polyacrylamide gel.
 IUCHI, I. AND MIYAKE, H.: (Serum lipoprotein analysis by paper electrophoresis and ultracentrifugation). *Rinsho Byori*, 17 (1969) 589-596; *C.A.*, 72 (1970) 40978t.
 SATA, T., ESTRICH, D. L., WOOD, P. D. S. AND KINSELL, L. W.: Evaluation of gel chromatography for plasma lipoprotein fractionation. *J. Lipid Res.*, 11 (1970) 331-340 — paper.

13. STEROIDS

MUFSON, D. AND HIGUCHI, W. I.: Microelectrophoresis and adsorption studies of cholesterol particles in bile salt and alkyl surfactant systems. *J. Pharm. Sci.*, 59 (1970) 601-605; *C.A.*, 73 (1970) 41873n.

18. AMINO ACIDS

FREIMUTH, V., NOETZOLD, H. AND FENK, L.: Thin-layer electrophoretic demonstration of glutamic acid in foods. *Nahrung*, 13 (1969) 373-374; *C.A.*, 72 (1970) 41839k — Supergel plaster. HILL-COTTINGHAM, D. G. AND COOPER, D. R.: Extraction and analysis of amino acids from apple tree material. *J. Sci. Food Agr.*, 20 (1969) 662-645; *C.A.*, 72 (1970) 51605v.

JONES, R. W., BECKWITH, A. C., KHOO, V. AND INGLETT, C. E.: Protein composition of proso millet. *J. Agr. Food Chem.*, 18 (1970) 37-39; *C.A.*, 72 (1970) 53851w.

WRONSKI, A.: (Separation of a complex mixture of ninhydrin-positive compounds by medium voltage electrophoresis and partition chromatography). *Chem. Anal. (Warsaw)*, 14 (1969) 1189-1192; *C.A.*, 72 (1970) 117448e — Whatman No. 1 paper.

19. PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

HUESO, J. A.: Electrophoresis and chromatography techniques in peptide studies. *Invest. Inform. Text.*, 12 (1969) 317-325; *C.A.*, 72 (1970) 39644z — paper.

19a. Peptides

MELVILLE, J. C. AND RYAN, C. A.: Chymotrypsin inhibitor I from potatoes: A multisite inhibitor composed of subunits. *Arch. Biochem. Biophys.*, 138 (1970) 700-702 — polyacrylamide gel.

19b. Elucidation of structure of proteins

PHILLIPS, G. T., NIXON, J. E., ABRAMOVITZ, A. S. AND PORTER, J. W.: Identification of the sites of binding of acetyl and amonyl groups to the pigeon liver fatty acid synthetase complex. *Arch. Biochem. Biophys.*, 138 (1970) 357-371 — paper.

20. PROTEINS (INCLUDING ENZYMEs)

KINGSBURY, N. AND MASTERS, C. J.: On the determination of component molecular weights in protein mixtures by means of disc electrophoresis. *Anal. Biochem.*, 36 (1970) 144-158 — polyacrylamide gel.

20a. Proteins of plant origin including bacteria

ADRIAANSE, A., KLOP, W. AND ROBERTS, J. E.: Characterization of *Phaseolus vulgaris* cultivars by their electrophoretic patterns. *J. Sci. Food Agr.*, 20 (1969) 647-650; *C.A.*, 72 (1970) 39760j — starch gel.

ELDRIDGE, A. C. AND WOLF, W. J.: Polyacrylamide gel electrophoresis of reduced and alkylated soybean trypsin inhibitors. *Cereal Chem.*, 46 (1969) 470-478; *C.A.*, 72 (1970) 51200j — polyacrylamide gel.

FEILLE, T. P. AND NIMMO, C. C.: Soluble proteins of wheat. III. Isolation and characterization of two albumins, Alb 13A and 13B, from flour. *Cereal Chem.*, 47 (1970) 447-464 — cellulose.

POLTER, C. AND MUELLER-STOLL, W. R.: Behaviour of the soluble proteins of pea roots separated by extended electrophoresis in acrylamide gels. *Z. Naturforsch.*, B24 (1969) 1180-1183; *C.A.*, 72 (1970) 39832j — polyacrylamide gel.

ŠAŠEK, A.: (Das Studium der Eiweißstoffe des tschechoslovakischen Weizensortiments mittels der Küvettenelektrophorese). *Genetika Šlechtění (Prag)*, 6 (1970) 67-72 — free-flow electrophoresis.

THORSON, B., SKAARE, K. AND HOYEN, T.: (Identification of caseinate and soy(bean) protein by means of polyacrylamide gel electrophoresis). *Nord. Veterinaermed.*, 21 (1969) 436-439; *C.A.*, 72 (1970) 41842f — polyacrylamide gel.

20b. Plasma proteins

BROWN, E. R. AND DEWITT, W.: Hemoglobin changes during metamorphosis in *Triturus viridescens*. *Comp. Biochem. Physiol.*, 35 (1970) 495-497 — polyacrylamide gel.

GARRAWAY, K. L. AND KOBYLKA, D.: Comparative studies of erythrocyte membranes by gel electrophoresis. *Biochim. Biophys. Acta*, 219 (1970) 238-241 — polyacrylamide gel.

GOETZ, A. AND COENEN, W.: (Serum proteins of animals. Biochemical and immunological characterization of swine serum proteins). *Zentralbl. Veterinaermed., Reihe A*, 16 (1969) 631-640; *C.A.*, 72 (1970) 406683 — paper.

MARCHALONIS, J. J., ALLEN, R. B. AND SAARNI, E. S.: Immunoglobulin classes of the clawed toad, *Xenopus laevis*. *Comp. Biochem. Physiol.*, 35 (1970) 49-56 — acrylamide gel.

- NELSTROP, A. E., TAYLOR, G. AND COLLARD, P.: Comparative studies of serum and haemolymph proteins. *Comp. Biochem. Physiol.*, 35 (1970) 191-199 — cellulose acetate, agar gel, gel filtration electrophoresis.
- OELZE, J. AND DREWS, G.: Variations of NADH oxidase activity and bacteriochlorophyll contents during membrane differentiation in *Rhodospirillum rubrum*. *Biochim. Biophys. Acta*, 219 (1970) 131-140 — polyacrylamide gel.
- YAMASHITA, A.: (Haematological study of a species of rockfish, *Sebastiscus marmoratus*. III. Change of serum protein fractions during storage). *Nippon Suisan Gakkaishi*, 34 (1968) 1059-1065; *C.A.*, (1970) 53816p.
- 20d. Protamines, histones and other nuclear proteins*
- MÖHBERG, J. AND RUSCH, H. P.: Nuclear histones in *Physarum polycephalum* during growth and differentiation. *Arch. Biochem. Biophys.*, 138 (1970) 418-432 — polyacrylamide gel.
- OSHIRO, Y. AND EYLAR, E. H.: Allergic encephalomyelitis: preparation of the encephalitogenic basic protein from bovine brain. *Arch. Biochem. Biophys.*, 138 (1970) 392-396 — polyacrylamide gel.
- OSHIRO, Y. AND EYLAR, E. H.: Allergic encephalomyelitis: a comparison of the encephalitogenic A₁ protein from human and bovine brain. *Arch. Biochem. Biophys.*, 138 (1970) 606-613 — polyacrylamide gel.
- PETERSON, G. L.: The effects of urea on solubility and electrophoretic characteristics of protein from the eye lens nucleus of four shark species and a teleost. *Comp. Biochem. Physiol.*, 35 (1970) 299-302 — cellulose acetate.
- 20e. Chromoproteins*
- GENTILINI, M. AND PANNETIER, J.: Systematic electrophoretic study of hemoglobin in 1500 West African migrant workers. *J. Ann. Soc. Belge Med. Trop.*, 49 (1969) 193-197; *C.A.*, 72 (1970) 52729a.
- RANNEY, H. M., JACOBS, A. S., RAMOT, B. AND BRADLEY, JR., T. B.: Hemoglobin NYU, a delta chain variant, $\alpha_2 \delta_2^{(12\text{-lysine})}$. *J. Clin. Invest.*, 48 (1969) 2057-2062; *C.A.*, 72 (1970) 51009d — starch gel.
- 20f. Varia, with special reference to non-identified and tissue proteins*
- ANDRONESCU, M. AND IONITA, C.: Value of urinary electrophoresis and immunoelectrophoresis in the study of glomerular nephropathies. *Stud. Cercet. Med. Intern.*, 10 (1969) 353-359; *C.A.*, 72 (1970) 53013z.
- FREIMUTH, U. AND KRAUSE, W.: Electrophoretic detection of binders in meat products on the basis of their casein content. *Nahrung*, 13 (1969) 447-448; *C.A.*, 72 (1970) 41841e — polyacrylamide gel.
- FREIMUTH, U. AND TRUEBACH, A.: Maillard reaction. II. Physiochemical changes of β -lactoglobulin after reaction with lactose in the dry state. *Nahrung*, 13 (1969) 207-214; *C.A.*, 72 (1970) 38995c — polyacrylamide gel.
- KURCZ, M., NAGY, I., GERHARDT, V. J. AND BARANYAI, P.: Analysis of the levels of somatotropin and luteinizing hormone of the anterior lobe of the hypophysis in androgenized female and male rats with the aid of acrylamide gel electrophoresis. *Probl. Endokrinol.*, 15 (1969) 65-69; *C.A.*, 72 (1970) 39344b — polyacrylamide gel.
- 20g. Enzymes: oxidoreductases*
- KNUDSEN, F. U., KNUDSEN, H. E. AND GORMSEN, J.: Temperatures in polyacrylamide gel electrophoresis, influence on LDH isoenzymes. *Anal. Biochem.*, 36 (1970) 192-196 — polyacrylamide gel.
- LAKOVAARA, S. AND SAURA, A.: Isoenzymes of alcohol dehydrogenase in the species of the *Drosophila obscura* group. *Ann. Acad. Sci. Fenn.*, Ser. A4, 163 (1970) 10; *C.A.*, 73 (1970) 41925f — starch and agar gel.
- RHOADS, R. E. AND UDENFRIEND, S.: Purification and properties of collagen proline hydroxylase from newborn rat skin. *Arch. Biochem. Biophys.*, 139 (1970) 329-339 — polyacrylamide gel.
- 20i. Enzymes: hydrolases*
- DOANE, W. W.: Amylase variants in *Drosophila melanogaster*: linkage studies and characterization of enzyme extracts. *J. Exp. Zool.*, 171 (1969) 321-341; *C.A.*, 72 (1970) 40221r.
- EGUCHI, H. AND MATSUI, T.: Relations between genome constitution and esterase composition in brassica. *J. Fac. Agr. Kyushu Univ.*, 15 (1969) 331-344; *C.A.*, 72 (1969) 51884k — esterase.
- GILBAULT, G. G., KUAN, S. S., TULLY, J. AND HACKNEY, D.: New procedure for rapid and sensitive detection of cholinesterase separated by polyacrylamide gel electrophoresis. *Anal. Biochem.*, 36 (1970) 72-77 — polyacrylamide gel.

- JOHNSON, H. N. AND DEBUSK, A. G.: The β -galactosidase system of *Neurospora crassa*. I. Purification and properties of the pH 4.2 enzyme. *Arch. Biochem. Biophys.*, 138 (1970) 408-411 — polyacrylamide gel.
- JOHNSON, H. N. AND DEBUSK, A. G.: The β -galactosidase system of *Neurospora crassa*. II. Extracellular nature of the pH 4.2 enzyme. *Arch. Biochem. Biophys.*, 138 (1970) 412-417 — Electrophoresis.
- NARASAKI, T.: (Starch zone electrophoresis of microbial lipoprotein lipases). *Kagawa Dargaku Nogakubu Gakujutsu Hokoku*, 1968, 20 (Publ. 1969) 49-56; *C.A.*, 72 (1970) 51163z — starch gel.
- NEU, H. C. AND WINSHELL, E. B.: Purification and characterization of penicillinas from *Salmonella typhimurium* and *Escherichia coli*. *Arch. Biochem. Biophys.*, 139 (1970) 278-290 — polyacrylamide gel.
- SCHLEISINGER, M. J. AND OLSEN, R.: A new, simple, rapid procedure for purification of *Escherichia coli* alkaline phosphatase. *Anal. Biochem.*, 36 (1970) 86-90 — polyacrylamide gel.
- TRONIER, B. AND ORY, R. L.: Association of bound β -amylase with protein bodies in barley. *Cereal Chem.*, 47 (1970) 464-471.
- YMAN, L. AND KULLING, B.: Aminopeptidase from human serum specific for hydrolysis of α -L-dicarboxylic amino acid residues. I. Purification from retroplacental serum of preparative polyacrylamide gel electrophoresis. *Acta Pharm. Suecica*, 6 (1969) 561-568; *C.A.*, 72 (1970) 39134h — polyacrylamide gel.
- zon. Enzymes: complex mixtures*
- BEREZHINSKAYA, T. E.: Electrophoresis of some enzymes during γ -irradiation. *Sb. Tr. Agron. Fiz.*, 17 (1969) 145-149; *C.A.*, 72 (1970) 39589k — agar gel.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- FUJIMURA, R. K.: Nucleotide analysis of deoxyribonucleic acid containing deoxybromouridylic acid. *Anal. Biochem.*, 36 (1970) 62-71 — cellulose layers.
- OHTSUKA, E., UBASAWA, M. AND IKEHARA, M.: Polynucleotides. VIII. A new method for the synthesis of protected deoxyribonucleotides with 5'-phosphate. *J. Am. Chem. Soc.*, 92 (1970) 5507-5510 — paper.

21b. Nucleic acid: RNA

- JACOB, D. AND HOFSCHEIDER, P. H.: Replication of the single-stranded DNA bacteriophage M 13: messenger RNA synthesis directed by M 13 replicative form DNA. *J. Mol. Biol.*, 46 (1969) 359-363; *C.A.*, 72 (1970) 52140b — polyacrylamide gel.
- KNIGHT, JR., E. AND SUGIVAMA, T.: Transfer RNA: comparison by gel electrophoresis of the tRNA in HeLa cytoplasm, HeLa mitochondrial fraction and *Escherichia coli*. *Proc. Nat. Acad. Sci. US*, 63 (1969) 1383-1388; *C.A.*, 72 (1970) 38911x — polyacrylamide gel.

25. ORGANIC PHOSPHORUS COMPOUNDS

- KWAPNIEWSKI, Z., SABLICK, J., PRZYBYLA, H. AND NIZINSKA, M.: (Thin-layer chromatography and ionophoresis in the determination of the purity of phytin compounds). *Zesz. Nauk Politech. Krakow Chem.*, (1968) 25-31; *C.A.*, 72 (1970) 136490d.

28. ANTIBIOTICS

- MAEDA, K., YAGI, A., NAGANAWA, H., KONDO, S. AND UMEZAWA, H.: Application of high-voltage paper electrophoresis for separation and identification of antibiotics. *J. Antibiot.*, 22 (1969) 635-636; *C.A.*, 72 (1970) 103787c — paper.

30. SYNTHETIC AND NATURAL DYES

- PLEVEN, J., SCHMELTZ, C. AND RIGHI, D.: Method of P. DUCHAUFOUR AND J. JACQUIN for the extraction and the separation of humic compounds. *Bull. Ass. Fr. Étud. Sol.*, (1967) 15-25; *C.A.*, 72 (1970) 54131y.
- TONET, N.: High-voltage electrophoresis identification of water soluble dyes. *Mitt. Geb. Lebensmittelunters. Hyg.*, 60 (1969) 201-205; *C.A.*, 72 (1970) 139446e.

31. PLASTICS AND THEIR INTERMEDIATES

- BAUTERS, M.: Electrophoretic identification of nylons 66, 6 and 11. *Bull. Inst. Text Fr.*, 24 (1970) 7-12; *C.A.*, 72 (1970) 133439h — paper.

33. INORGANIC SUBSTANCES

- EORCHEMNAYA, E. K., NAUMOVA, V. I. AND ERMAKOV, A. N.: (Electromigration behavior of rare-earth elements in citric acid). *Zh. Anal. Khim.*, 24 (1969) 1670-1673; *C.A.*, 72 (1970) 62422j — paper.
- MORI, I., SHINOGI, M. AND TSUNEMATSU, N.: Rapid separation of inorganic anions using a small electrophoretic apparatus. *Yakugaku Zasshi*, 89 (1969) 1726-1728; *C.A.*, 72 (1970) 62424m — silica gel.
- MORI, I., TSUNEMATSU, N. AND SHINOGI, M.: (Rapid separation of metallic ions and barium-140-lanthanum-140 by thin-layer electrophoresis). *Yakugaku Zasshi*, 89 (1969) 1669-1672; *C.A.*, 72 (1970) 62423k — silica gel.
- YONEDA, H. AND MIURA, T.: Complete resolution of the racemic triethylenediaminecobalt(III) complex into its optical antipodes by means of electrophoresis. *Bull. Chem. Soc. Jap.*, 43 (1970) 574; *C.A.*, 72 (1970) 139130x — paper.

J. Chromatogr., 60 (1971) 284-312