

**Subject Index**

- N-Acetyl-*p*-aminobenzoic acid**  
High-performance LC method for the determination of *p*-aminobenzoic acid and some of its metabolites 635
- N-Acetyl-*p*-aminohippuric acid**  
High-performance LC method for the determination of *p*-aminobenzoic acid and some of its metabolites 635
- Activity coefficients**  
Theoretical investigation of the excess free energy of binary *n*-alkane systems 193
- Adenine**  
The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- Air particulates**  
Recent advances in the GC and LC of fluorescent compounds. II) A direct gas-phase isolation and injection system for the analysis of polynuclear arenes in — by GLC 697
- Aldehydes**  
An evaluation of polyalkylimines as specific carbonyl abstractors in GC 319
- Alkaloids**  
Identification of catecholamine-derived — in mammals by GC and MS 567
- n*-Alkane**  
Theoretical investigation of the excess free energy of binary — systems 193
- Amines**  
Analysis of biogenic — and their metabolites by GC-chemical ionization MS 575
- Amino acids**  
GLC of —. A solution to the histidine problem 495
- p*-Aminobenzoic acid**  
High-performance LC method for the determination of — and some of its metabolites 635
- p*-Aminohippuric acid**  
High-performance LC method for the determination of *p*-aminobenzoic acid and some of its metabolites 635
- Antibiotics**  
Analysis of cefoxitin, cephalothin and their deacylated metabolites in human urine by high-performance LC 609
- Antibiotic**  
Quantitative high-pressure LC analysis of bacitracin, a polypeptide — 597
- Antibiotics**  
Separation of polyene antifungal — by highspeed LC 619
- Antineoplastic agents**  
Application of GC-chemical ionization mass fragmentography in the evaluation of bases and nucleoside analogues used in cancer chemotherapy 519
- Arenes**  
Recent advances in the GC and LC of fluorescent compounds. I. A direct gas-phase isolation and injection system for the analysis of polynuclear — in air particulates by GLC 697
- Atmospheric pressure ionization mass spectrometry**  
Liquid chromatograph-mass spectrometer-computer analytical systems. A continuous-flow system based on — 13
- Bacitracin**  
Quantitative high-pressure LC analysis of —, a polypeptide antibiotic 597
- Bases**  
Application of GC-chemical ionization mass fragmentography in the evaluation of — and nucleoside analogues used in cancer chemotherapy 519
- Bentone 34**  
The use of —-coated supports in CC and their potential application in the field of organic pollution analysis 721
- Benzoic acids**  
The plasma chromatograph as a qualitative detector for GC 257
- Bile acids**  
Simultaneous qualitative and quantitative analyses of — by mass chromatography 553
- Binary *n*-alkane systems**  
Theoretical investigation of the excess free energy of — 193
- Biogenic amines**  
Analysis of — and their metabolites by GC-chemical ionization MS 575
- Biological mixtures**  
Rapid computerized identification of compounds in complex — by GC-MS 507
- $\mu$ Bondapak®**  
Considerations of small particles in different modes of LC 407

- Borosilicate glass capillary columns  
 Thermostable polar-phase open-tubular glass capillary columns 103
- Cancer chemotherapy  
 Application of GC-chemical ionization mass fragmentography in the evaluation of bases and nucleoside analogues used in — 519
- Candididin  
 Separation of polyene antifungal antibiotics by high-speed LC 619
- Capillary columns  
 Preparation, performance and special applications of glass — 63
- Capillary columns  
 A study of packed — 111
- Capillary columns  
 Surface characteristics of treated glasses for the preparation of glass — in GLC 81
- Capillary columns  
 Thermostable polar-phase open-tubular glass — 103
- Carbamates  
 GLC and mass fragmentography of *S*-*n*-propyl N-monoalkyl dithio — 291
- Carbon black  
 Use of graphitized — in environmental analysis 661
- Carbon number  
 GC retention and molecular structure. An approach to systematic identification of functional groups and — 203
- Carbonyl abstractors  
 An evaluation of polyalkylimines as specific — in GC 319
- Catalysis  
 Advances in the application of GC to the study of heterogeneous — 281
- Catecholamine  
 Identification of — -derived alkaloids in mammals by GC and MS 567
- Cefoxitin  
 Analysis of —, cephalothin and their deacylated metabolites in human urine by high-performance LC 609
- Centrifugal elution chromatography  
 — with eluate monitoring 35
- Cephalothin  
 Analysis of cefoxitin, — and their deacylated metabolites in human urine by high-performance LC 609
- Chromatographic peaks  
 Guidelines for the development of a computer scheme to identify — 243
- Chromosorb P  
 Advances in the application of GC to the study of heterogeneous catalysis 281
- Clonazepam  
 Determination of — and flunitrazepam in blood by electron-capture GLC 447
- Columns  
 Analytical performance of a novel nitrogen-sensitive detector and its applications with glass open tubular — 339
- Columns  
 Highly permeable open-pore polyurethan — for LC 123
- Columns  
 Preparation, performance and special applications of glass capillary — 63
- Columns  
 A study of packed capillary — 111
- Columns  
 Surface characteristics of treated glasses for the preparation of glass capillary — in GLC 81
- Columns  
 Thermostable polar-phase open-tubular glass capillary — 103
- Computer  
 Liquid chromatograph-mass spectrometer— analytical systems. A continuous-flow system based on atmospheric pressure ionization MS 13
- Computer scheme  
 Guidelines for the development of a — to identify chromatographic peaks 243
- Continuous-flow system  
 Liquid chromatograph-mass spectrometer-computer analytical systems. A — based on atmospheric pressure ionization MS 13
- Copper(II)  
 Non-fluorinated tetradentate  $\beta$ -ketoamines as derivatizing ligands for the GC analysis of —, Ni(II) and Pd(II) 309
- Coulometric detector  
 The electron capture detector. Theory and practice 3
- Cytosine  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- Dalmane®, *see* Flurazepam 461
- Data handling  
 Polymer molecular weight distribution analysis at very high speed using on-line — 425
- Deacetylcephalothin  
 Analysis of cefoxitin, cephalothin and their deacylated metabolites in human urine by high-performance LC 609

- Decarbamylocefoxitin  
 Analysis of cefoxitin, cephalothin and their deacylated metabolites in human urine by high-performance LC 609
- Detectors  
 Analytical fluidic sampling systems 267
- Detector  
 Analytical performance of a novel nitrogen-sensitive — and its applications with glass open tubular columns 339
- Detector  
 The electron capture —. Theory and practice 3
- Detector  
 The plasma chromatograph as a qualitative — for GC 257
- Diatomaceous earth  
 GC on modified supports 45
- Differential enthalpy of evaporation from solution  
 Use of thermodynamic solubility parameters for the characterization of liquid phases 173
- Dithiocarbamates  
 GLC and mass fragmentography of *S-n*-propyl *N*-monoalkyl — 291
- $\sigma$ -Donor molecules  
 Thermodynamics of molecular association by GLC. — and dimeric 3-trifluoroacetylcamphorates of Mn(II), Co(II) and Ni(II) 147
- L-DOPA  
 Identification of catecholamine-derived alkaloids in mammals by GC and MS 567
- Dopamine  
 Mass fragmentography of — and 6-hydroxydopamine. Application to the determination of dopamine in human brain biopsies from the caudate nucleus 529
- Drugs  
 Analysis of cefoxitin, cephalothin and their deacylated metabolites in human urine by high-performance LC 609
- Drugs  
 Determination of clonazepam and flunitrazepam in blood by electron-capture GLC 447
- Drugs  
 Determination of flurazepam (Dalmane®) and its major metabolites in blood by electron-capture GLC and in urine by differential pulse polarography 461
- Drugs  
 Identification of catecholamine-derived alkaloids in mammals by GC and MS 567
- Drugs  
 Quantitative high-pressure LC analysis of bacitracin, a polypeptide antibiotic 597
- Drugs  
 Studies of urinary metabolites of 2-(4-isobutylphenyl)propionic acid by GLC-MS 541
- Electron capture detector  
 The —. Theory and practice 3
- Electro-osmosis  
 —. A new concept for high-speed LC 23
- Eluate monitoring  
 Centrifugal elution chromatography with — 35
- Elution chromatography  
 Centrifugal — with eluate monitoring 35
- Environmental analysis  
 Use of graphitized carbon black in — 661
- p*-(*p*-Ethoxyphenylazo)phenyl undecylenate  
 The behavior of — (EPAPU) liquid crystal as a chromatographic liquid phase on glass beads 135
- Eurocicin  
 Separation of polyene antifungal antibiotics by high-speed LC 619
- Excess free energy  
 Theoretical investigation of the — of binary *n*-alkane systems 193
- Fiber glass-epoxy resin  
 Laser pyrolysis-GC-MS analysis of polymeric materials 301
- Flame excitation  
 Detection of heteroatoms in GLC effluents by ion-exchange — and ionization 349
- Flame ionization  
 Detection of heteroatoms in GLC effluents by ion-exchange flame excitation and ionization 349
- Flame ionization detector  
 Analytical fluidic sampling systems 267
- Fluidic sampling systems  
 Analytical — 267
- Flunitrazepam  
 Determination of clonazepam and — in blood by electron-capture GLC 447
- Fluorescent compounds  
 Recent advances in the GC and LC of —. I. A direct gas-phase isolation and injection system for the analysis of polynuclear arenes in air particulates by GLC 697
- Fluorimetry  
 A new fluorimetric procedure for the detection and quantitation of organic compounds in TLC 643

- Flurazepam**  
 Determination of — (Dalmane®) and its major metabolites in blood by electron-capture GLC and in urine by differential pulse polarography 461
- Free energy of adsorption**  
 Advances in the application of GC to the study of heterogeneous catalysis 281
- Functional groups**  
 GC retention and molecular structure. An approach to systematic identification of — and carbon number 203
- Gas chromatography**  
 — on modified supports 45
- Gas-phase isolation and injection system**  
 Recent advances in the GC and LC of fluorescent compounds. I. A direct — for the analysis of polynuclear arenes in air particulates by GLC 697
- Gel permeation chromatography**  
 High-performance — with a new type of silica packing material 435
- Glass beads**  
 The behavior of *p*-(*p*-ethoxyphenylazo)phenyl undecylenate (EPAPU) liquid crystal as a chromatographic liquid phase coated on — 135
- Glass capillary columns**  
 Preparation, performance and special applications of — 63
- Glass capillary columns**  
 Surface characteristics of treated glasses for the preparation of — in GLC 81
- Glass capillary columns**  
 Thermostable polar-phase open-tubular — 103
- Glass open tubular columns**  
 Analytical performance of a novel nitrogen-sensitive detector and its applications with — 339
- Graphitized carbon black**  
 Use of — in environmental analysis 661
- Guanine**  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- High-pressure liquid chromatography**  
 Influence of the particle size (5–35  $\mu\text{m}$ ) of spherical silica on column efficiencies in — 377
- High-speed liquid chromatography**  
 Electro-osmosis. A new concept for — 23
- Histidine**  
 GLC of amino acids. A solution to the — problem 495
- Homologous compounds**  
 Influence of reference substances on retention behaviour of — on stationary phases of increasing polar character 329
- Hormones**  
 Lipophilic gel and gas-phase analysis of steroid —. Application to the human newborn 485
- Hydrocarbons**  
 Advances in the utilization of the retention index system for characterizing — in complex mixtures by GC 215
- Hydrocarbons**  
 Polyphenyl ether sulfones. Thermally stable polar phases for GC 51
- 6-Hydroxydopamine**  
 Mass fragmentography of dopamine and —. Application to the determination of dopamine in human brain biopsies from the caudate nucleus 529
- Hypoxanthine**  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- Ibuprofen**  
 Studies of urinary metabolites of 2-(4-isobutylphenyl)propionic acid by GLC-MS 541
- Interface**  
 — for on-line LC-MS analysis 395
- Ion-exchange flame excitation**  
 Detection of heteroatoms in GLC effluents by — and ionization 349
- Ionization mass spectrometry**  
 Liquid chromatograph-mass spectrometer-computer analytical systems. A continuous-flow system based on atmospheric pressure — 13
- 2-(4-Isobutylphenyl)propionic acid**  
 Studies of urinary metabolites of — by GLC-MS 541
- $\beta$ -Ketoamines**  
 Non-fluorinated tetradentate — as derivatizing ligands for the GC analysis of Cu(II), Ni(II) and Pd(II) 309
- Ketones**  
 An evaluation of polyalkylimines as specific carbonyl abstractors in GC 319
- Laser pyrolysis-GC-MS**  
 — analysis of polymeric materials 301
- Ligands**  
 Non-fluorinated tetradentate  $\beta$ -ketoamines as derivatizing — for the analysis of Cu(II), Ni(II) and Pd(II) 309

- Lipophilic gel chromatography  
Lipophilic gel and gas-phase analysis of steroid hormones application to the human newborn 485
- Liquid chromatograph  
—mass spectrometer-computer analytical systems. A continuous-flow system based on atmospheric pressure ionization MS 13
- Liquid chromatography  
Electro-osmosis. A new concept for high-speed — 23
- Liquid chromatography  
Highly permeable open-pore polyurethane columns for — 123
- Liquid chromatography  
Influence of the particle size (5–35  $\mu\text{m}$ ) of spherical silica on column efficiencies in high-pressure — 377
- Liquid chromatography  
Study of the pertinency of pressure in —. I. Theoretical analysis 357
- Liquid chromatography-mass spectroscopy  
Interface for on-line — analysis 395
- Liquid crystal  
The behavior of *p*-(*p*-ethoxyphenylazo)-phenyl undecylenate (EPAPU) — as a chromatographic liquid phase coated on glass beads 135
- Liquid phase  
The behavior of *p*-(*p*-ethoxyphenylazo)-phenyl undecylenate (EPAPU) liquid crystal as a chromatographic — coated on glass beads 135
- Liquid phases  
Use of thermodynamic solubility parameters for the characterization of — 173
- Macroreticular resins  
Use of — in the analysis of water for trace organic contaminants 745
- Mass spectrometer  
Liquid chromatograph—computer analytical systems. A continuous-flow system based on atmospheric pressure ionization MS 13
- Mass spectroscopy  
Interface for on-line LC— analysis 395
- Metal chelates  
Thermodynamics of molecular association by GLC.  $\sigma$ -Donor molecules and dimeric 3-trifluoroacetylcamphorates of Mn(II), Co(II) and Ni(II) 147
- Molecular association  
Thermodynamics of — by GLC.  $\sigma$ -Donor molecules and dimeric 3-trifluoroacetylcamphorates of Mn(II), Co(II) and Ni(II) 147
- Molecular structure  
GC retention and —. An approach to systematic identification of functional groups and carbon number 203
- Molecular weight distribution  
Polymer — analysis at very high speed using on-line data handling 425
- Nickel(II)  
Non-fluorinated tetradentate  $\beta$ -ketoamines as derivatizing ligands for the GC analysis of Cu(II), — and Pd(II) 309
- Nitrogen-sensitive detector  
Analytical performance of a novel — and its applications with glass open tubular columns 339
- Non-fluorinated tetradentate  $\beta$ -ketoamines  
— as derivatizing ligands for the GC analysis of Cu(II), Ni(II) and Pd(II) 309
- Non-volatile matrices  
Quantitative determination of volatiles in — 709
- Nucleosides  
The analysis of purine and pyrimidine bases and their — by high-pressure LC 587
- Nucleoside  
Application of GC-chemical ionization mass fragmentography in the evaluation of bases and — analogues used in cancer chemotherapy 519
- Nucleotides  
Template chromatography: Application of the principles of molecular biology for the selective separation of — and peptides. A progress report 31
- Olefins  
Use of graphitized carbon black in environmental analysis 661
- Oligonucleotides  
Template chromatography: Application of the principles of molecular biology for the selective separation of nucleotides and peptides. A progress report 31
- On-column catalysis  
Advances in the application of GC to the study of heterogeneous catalysis 281
- On-line data handling  
Polymer molecular weight distribution analysis at very high speed using — 425
- On-line liquid chromatography-mass spectroscopy  
Interface for — analysis 395
- Open-pore polyurethane columns  
Highly permeable — for LC 123
- Organic compounds  
A new fluorimetric procedure for the detection and quantitation of — in TLC 643

- Organic contaminants**  
Use of macroreticular resins in the analysis of water for trace — 745
- Organic pollution**  
The use of Bentone 34-coated supports in CC and their potential application in the field of — analysis 721
- Organic volatiles**  
Concentration and analysis of — in Skylab 4 673
- Packings**  
Considerations of small particles in different modes of LC 407
- Packing**  
High-performance GPC with a new type of silica — material 435
- Palladium(II)**  
Non-fluorinated tetradentate  $\beta$ -ketoamines as derivatizing ligands for the GC analysis of Cu(II), Ni(II) and — 309
- Particle diameter**  
Study of the pertinency of pressure in LC. I. Theoretical analysis 357
- Particle size**  
Influence of the — (5–35  $\mu\text{m}$ ) of spherical silica on column efficiencies in high-pressure LC 377
- Peaks**  
Guidelines for the development of a computer scheme to identify chromatographic — 243
- Peptides**  
Template chromatography: Application of the principles of molecular biology for the selective separation of nucleotides and —. A progress report 31
- Pharmacokinetics**  
Application of GC-chemical ionization mass fragmentography in the evaluation of bases and nucleoside analogues in cancer chemotherapy 519
- Phenols**  
A highly sensitive technique for the LC analysis of — and other environmental pollutants 731
- Phenylketonuria**  
Mass fragmentography of dopamine and 6-hydroxydopamine. Application to the determination of dopamine in human brain biopsies from the caudate nucleus 529
- Phthalic acids**  
The plasma chromatograph as a qualitative detector for GC 257
- Plasma chromatograph**  
Analytical fluidic sampling systems 267
- Plasma chromatograph**  
The — as a qualitative detector for GC 257
- Pollutants**  
A highly sensitive technique for the LC analysis of phenols and other environmental — 731
- Pollution**  
The use of Bentone 34-coated supports in CC and their potential application in the field of organic — analysis 721
- Polyalkylimines**  
An evaluation of — as specific carbonyl abstractors in GC 319
- Polyene**  
Separation of — antifungal antibiotics by high-speed LC 619
- Polyethyleneimine**  
An evaluation of polyalkylimines as specific carbonyl abstractors in GC 319
- Polymer**  
— molecular weight distribution analysis at very high speed using on-line data handling 425
- Polymeric materials**  
Laser pyrolysis-GC-MS analysis of — 301
- Polymer layers**  
GC on modified supports 45
- Polynuclear arenes**  
Recent advances in the GC and LC of fluorescent compounds. I. A direct gas-phase isolation and injection system for the analysis of — in air particulates by GLC 697
- Polynuclear aromatics**  
GC on modified supports 45
- Polynuclear hydrocarbons**  
The use of Bentone 34-coated supports in CC and their potential application in the field of organic pollution analysis 721
- Polyphenyl ether sulfones**  
—, Thermally stable polar phases for GC 51
- Polypropyleneimine**  
An evaluation of polyalkylimines as specific carbonyl abstractors in GC 319
- Polyurethane columns**  
Highly permeable open-pore — for LC 123
- Polyvinyl alcohol**  
Template chromatography: Application of the principles of molecular biology for the selective separation of nucleotides and peptides. A progress report 31

- $\mu$ Porasil®  
 Considerations of small particles in different modes of LC 407
- Pressure  
 Study of the pertinency of — in LC. I. Theoretical analysis 357
- Programmed multiple development  
 —. Spot behavior during solvent advance; a mathematical treatment 231
- S-*n*-Propyl N-monoalkyl dithiocarbamates  
 GLC and mass fragmentography of — 291
- Purine bases  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- Purine bases  
 Application of GC-chemical ionization mass fragmentography in the evaluation of bases and nucleoside analogues used in cancer chemotherapy 519
- Pyrimidine bases  
 The analysis of purine and — and their nucleosides by high-pressure LC 587
- Pyrimidine bases  
 Application of GC-chemical ionization mass fragmentography in the evaluation of bases and nucleoside analogues used in cancer chemotherapy 519
- Retention  
 GC — and molecular structure. An approach to systematic identification of functional groups and carbon number 203
- Retention behaviour  
 Influence of reference substances on — of homologous compounds on stationary phases of increasing polar character 329
- Retention index system  
 Advances in the utilization of the — for characterizing hydrocarbons in complex mixtures by GC 215
- Sampling systems  
 Analytical fluidic — 267
- Silica  
 Influence of the particle size (5–35  $\mu\text{m}$ ) of spherical — on column efficiencies in high-pressure LC 377
- Silica packing  
 High-performance GPC with a new type of — material 435
- Single-ion monitoring  
 GLC and mass fragmentography of S-*n*-propyl N-monoalkyl dithiocarbamates 291
- Skylab 4  
 Concentration and analysis of organic volatiles in — 673
- Small particles  
 Considerations of — in different modes of LC 407
- Solvent advance  
 Programmed multiple development. Spot behavior during —; a mathematical treatment 231
- Spot behavior  
 Programmed multiple development. — during solvent advance; a mathematical treatment 231
- Stationary phases  
 The behavior of *p*-(*p*-ethoxyphenylazo)-phenyl undecylenate (EPAPU) liquid crystal as a chromatographic liquid phase coated on glass beads 135
- Stationary phases  
 GC on modified supports 45
- Stationary phases  
 GC retention and molecular structure. An approach to systematic identification of functional groups and carbon number 203
- Stationary phases  
 Influence of reference substances on retention behaviour of homologous compounds on — of increasing polar character 329
- Stationary phase  
 Polyphenyl ether sulfones. Thermally stable polar phases for GC 51
- Stationary phases  
 Preparation, performance and special applications of glass capillary columns 63
- Stationary phases  
 Surface characteristics of treated glasses for the preparation of glass capillary columns in GLC 81
- Stationary phases  
 Thermostable polar-phase open-tubular glass capillary columns 103
- Stationary phases  
 Use of thermodynamic solubility parameters for the characterization of liquid phases 173
- Steroid hormones  
 Lipophilic gel and gas-phase analysis of —. Application to the human newborn 485
- Sterols  
 Polyphenyl ether sulfones. Thermally stable polar phases for GC 51
- $\mu$ Styragel®  
 Considerations of small particles in different modes of LC 407
- Sulphur compounds  
 Use of graphitized carbon black in environmental analysis 661

- Supports  
 GC on modified ——— 45
- Surface characteristics  
 ——— of treated glasses for the preparation of glass capillary columns in GLC 81
- Template chromatography  
 ———: Application of the principles of molecular biology for the selective separation of nucleotides and peptides. A progress report 31
- Tetrahydropapaveroline  
 Identification of catecholamine-derived alkaloids in mammals by GC and MS 567
- Thermally stable polar phases  
 Polyphenyl ether sulfones. ——— for GC 51
- Thermionic detector  
 Analytical performance of a novel nitrogen-sensitive detector and its applications with glass open tubular columns 339
- Thermodynamic parameters  
 Thermodynamics of molecular association by GLC.  $\sigma$ -Donor molecules and dimeric 3-trifluoroacetylcamphorates of Mn(II), Co(II) and Ni(II) 147
- Thermodynamic solubility parameters  
 Use of ——— for the characterization of liquid phases 173
- Thymine  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- Trace components  
 Effect of water vapour in the quantitation of ——— concentrated by frontal GC on Tenax-GC® 689
- Trace organic contaminants  
 Use of macroreticular resins in the analysis of water for ——— 745
- Tranquilizers  
 Determination of clonazepam and flunitrazepam in blood by electron-capture GLC 447
- Tranquilizers  
 Determination of flurazepam (Dalmane®) and its major metabolites in blood by electron-capture GLC and in urine by differential pulse polarography 461
- 3-Trifluoroacetylcamphorates  
 Thermodynamics of molecular association by GLC.  $\sigma$ -Donor molecules and dimeric ——— of Mn(II), Co(II) and Ni(II) 147
- Uracil  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587
- Urinary metabolites  
 Rapid computerized identification of compounds in complex biological mixtures by GC-MS 507
- Urinary metabolites  
 Studies of ——— of 2-(4-isobutylphenyl)propionic acid by GLC-MS 541
- Vacuum distillation-gas chromatography  
 Quantitative determination of volatiles in non-volatile matrices 709
- Volatiles  
 Quantitative determination of ——— in non-volatile matrices 709
- Water vapour  
 Effect of ——— in the quantitation of trace components concentrated by frontal GC on Tenax-GC® 689
- Water  
 Use of macroreticular resins in the analysis of ——— for trace organic contaminants 745
- Xanthine  
 The analysis of purine and pyrimidine bases and their nucleosides by high-pressure LC 587