

## Author Index

- Agarwal, N. L.  
 — and Mital, R. L.  
 Thin-layer chromatographic separation and differentiation of some nuclear acetamides 213
- Agurell, S., see Fonseka, K. 343
- Ambrosius, D., see Klimisch, H.-J. 299
- Anneus, H.  
 —, Gabel, D. and Kasche, V.  
 Resolution in affinity chromatography. The effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases 391
- Arx, E. von, see Von Arx, E. 224
- Baars, A. J.  
 —, Vermeulen, R. J. and Breimer, D. D.  
 Gas chromatographic determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces 217
- Baerheim Svendsen, A., see Verpoorte, R. 203
- Baty, J. D., see Chan, K. 349
- Belabbes, R.  
 —, Le Parlouer, P. and Vergnaud, J.-M.  
 Chromatographie en phase gazeuse avec "backflushing" et avec programmation du gradient longitudinal positif de température durant l'inversion du sens du gaz vecteur 81
- Bernard, D. M.  
 — and Vercauteren, R. E.  
 A fluorogenic spray for the detection of phospholipids on thin-layer chromatograms 211
- Bertoni, G., see Bruner, F. 200, 307
- Bombardelli, E.  
 —, Bonati, A., Gabetta, B., Martinelli, E. M., Mustich, G. and Danieli, B.  
 Gas-liquid chromatographic and mass spectrometric identification of anthocyanidins 115
- Bonati, A., see Bombardelli, E. 115
- Breimer, D. D., see Baars, A. J. 217
- Brugger, M., see Von Arx, E. 224
- Bruner, F.  
 —, Ciccioi, P. and Bertoni, G.  
 Analysis of sulphur compounds in environmental samples with specific detection and selective columns 200
- , Bertoni, G. and Ciccioi, P.  
 Comparison of physical and gas chromatographic properties of Sterling FT and Carbo-pack C graphitized carbon blacks 307
- Calvey, T. N., see Chan, K. 349
- Champagnol, F.  
 Chromatographie d'affinité de l'anhydrase carbonique végétale 489
- Chan, K.  
 —, Williams, N. E., Baty, J. D. and Calvey, T. N.  
 A quantitative gas-liquid chromatographic method for the determination of neostigmine and pyridostigmine in human plasma 349
- Chang, S. H.  
 —, Gooding, K. M. and Regnier, F. E.  
 Use of oxiranes in the preparation of bonded phase supports 321
- Chizhkov, V. P.  
 —, Yushina, G. A., Sinitzina, L. A. and Rudenko, B. A.  
 Preparative-scale circulation gas chromatography. Comparison of long packed columns with columns incorporated into circulation schemes 35
- Chmutov, K. V., see Kalinichev, A. I. 249
- Christie, J.  
 —, White, M. W. and Wiles, J. M.  
 A chromatographic method for the detection of LSD in biological fluids 496
- Ciccioi, P., see Bruner, F. 200, 307
- Clerk, K. de, see Cloete, C. E. 1, 17, 29
- Cloete, C. E.  
 —, Smuts, T. W. and De Clerk, K.  
 The gas chromatographic determination of binary diffusion coefficients. I. A theoretical design study 1
- , Smuts, T. W. and De Clerk, K.  
 The gas chromatographic determination of binary diffusion coefficients. II. An experimental evaluation 17
- , Smuts, T. W. and De Clerk, K.  
 The chromatographic determination of the parameters in the Lennard-Jones 12-6 potential 29
- Cossu, P., see Rinaldi, A. 221
- Čoupek, J.  
 —, Pokorný, S., Mareš, E., Žežulková, L., Luan, N.-T. and Pokorný, J.  
 Comparison of chromatographic methods for the analysis of glycerol esters 411
- Danieli, B., see Bombardelli, E. 115
- De Clerk, K., see Cloete, C. E. 1, 17, 29
- Deguchi, T.  
 Gel chromatographic behaviour of EDTA complexes on Sephadex columns 159

- De Marco, C., see Rinaldi, A. 221
- De Silva, J. A. F., see Puglisi, C. V. 457
- Fagerston, I. S., see Sabbagh, N. K. 55
- Faupel, M., see Von Arx, E. 224
- Filimonov, V. Ya., see Kalinichev, A. I. 249
- Fonseka, K.
- , Widman, M. and Agurell, S.  
Chromatographic separation of cannabinoids and their monooxygenated derivatives 343
- Fox, K., see Klimisch, H.-J. 482
- Gabel, D., see Amneus, H. 391
- Gabetta, B., see Bombardelli, E. 115
- Gelbke, H. P.
- and Stubenrauch, G.  
The detection of A-ring-hydroxylated estrogens and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms 239
- Gonnet, C.
- and Rocca, J. L.  
Séparation de produits pharmaceutiques par chromatographie en phase liquide à haute performance. Influence de l'eau. II. 419
- Gooding, K. M. see Chang, S. H. 321
- Goodrich J. E. see Mattox, V. R. 435
- Gorvin, A. E. P. see Twitchett, P. J. 359
- Góralski J. see Paryjczak, T. 291
- Goryacheva N. A., see Kalinichev, A. I. 249
- Gray, D. O., see Sharpe, S. 473
- Gunatilaka, A. A. L.  
Thin-layer chromatography of N-nitrosamines 229
- Henke, U.
- and Tschesche, R.  
Separation and identification of trimethylsilyl derivatives of tyramines and methoxytyramines by gas-liquid chromatography 477
- Hokin-Neaverson, M.
- and Sadeghian, K.  
Separation of [<sup>3</sup>H]inositol monophosphates and [<sup>3</sup>H]inositol on silica gel glass-fiber sheets 502
- Horn, A., see Wenz, I. 187
- Hoshika, Y.
- and Takata, Y.  
Gas chromatographic separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns 379
- Hulshoff, A.
- and Perrin, J. H.  
A reversed-phase thin-layer chromatographic method for the determination of relative partition coefficients of very lipophilic compounds 65
- Imai, K.
- , Tamura, Z., Mashige, F. and Osuga, T.  
Gas chromatography of bile acids as their hexafluoroisopropyl ester-trifluoroacetyl derivatives 181
- Jönsson, J. A., see Jönsson, R. 197
- Jönsson, R.
- and Jönsson, J. A.  
Injection system for small volatile samples in gas chromatography 197
- Joanson, V. A.
- and Loog, E. P.  
A dual-channel flame photometric detector with a separate combustion chamber 285
- Józwiak, W., see Paryjczak, T. 291
- Kalinichev, A. I.
- , Pronin, A. Ya., Zolotarev, P. P., Goryacheva, N. A., Chmutov, K. V. and Filimonov, V. Ya.  
Moment analysis in non-linear frontal-elution and elution chromatography 249
- Kasche, V., see Amneus, H. 391
- Kawasaki, T.  
Theory of chromatography of rigid rod-like macromolecules on hydroxyapatite columns. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns 257
- Theory of chromatography of rigid molecules on hydroxyapatite columns with small loads. III. Theory on the basis of the classical theory of adsorption chromatography for the case when molecules are adsorbed on to a single type of crystal site 271
- Kawazu, K.  
Chromatographic separation of metal ions on a macro-reticular cation-exchange resin with hydrochloric acid in mixed solvents 171
- Kinget, R.
- and Michael, A.  
Thin-layer chromatography of pancuronium bromide and its hydrolysis products 234
- Klimisch, H.-J.
- and Ambrosius, D.  
Trennung polyzyklischer aromatischer Kohlenwasserstoffe durch Hochdruckflüssigkeitschromatographie. Vergleich einer Bestimmung von Benzo[a]pyren nach Trennung an Säulen mit quervernetztem Celluloseacetat und einem reversed-phase System 299

- and Fox, K.  
Zur Trennung N-heteropolyzyklischer aromatischer Kohlenwasserstoffe von polyzyklischen aromatischen Kohlenwasserstoffen. Abtrennung durch Komplexchromatographie 482
- Kōno, M., see Makita, M. 129
- Lauback, R. G., see Mays, D. L. 93
- Lehrfeld, J.  
Separation of some perbenzoylated carbohydrates by high-performance liquid chromatography 141
- Le Parlouer, P., see Belabbes, R. 81
- Liberti, A., Zoccolillo, L. 485
- Litwiller, R. D., see Mattox, V. R. 435
- Loesche, W., see Wenz, I. 187
- Loog, E. P., see Joonson, V. A. 285
- Luan, N.-T., see Čoupek, J. 411
- Maeda, M.  
— and Tsuji, A.  
Determination of benomyl and 2-(4-thiazolyl)benzimidazole in plant tissues by high-performance liquid chromatography using fluorimetric detection 449
- Makita, M.  
—, Yamamoto, S. and Kōno, M.  
Gas-liquid chromatographic analysis of protein amino acids as N-isobutyloxycarbonyl-amino acid methyl esters 129
- Marco, C. De, see Rinaldi, A. 221
- Mareš, E., see Čoupek, J. 411
- Martinelli, E. M., see Bombardelli, E. 115
- Mashige, F., see Imai, K. 181
- Mattox, V. R.  
—, Litwiller, R. D., Goodrich, J. E. and Tan, W. C.  
Liquid ion exchangers in reversed-phase systems for chromatography of steroidal glucosiduronic acids 435
- Mays, D. L.  
—, Van Apeldoorn, R. J. and Lauback, R. G.  
High-performance liquid chromatographic determination of kanamycin 93
- Michael, A., see Kinget, R. 234
- Mital, R. L., see Agarwal, N. L. 213
- Mizutani, A., see Mizutani, T. 206
- Mizutani, T.  
— and Mizutani, A.  
Use of controlled-pore glass for adsorption chromatography of proteins 206
- Moffat, A. C., see Twitchett, P. J. 359
- Mustich, G., see Bombardelli, E. 115
- Musty, P. R.  
— and Nickless, G.  
Extractants for organochlorine insecticides and polychlorinated biphenyls from water 369
- Muto, G., see Nakae, A. 47
- Nakae, A.  
— and Muto, G.  
Chromatographic behaviour of alkylbenzenes and benzoates on porous microspherical poly(styrene-divinyl-benzene) gel 47
- Nickless, G., see Musty, P. R. 369
- Nikashina, V. A.  
—, Zvereva, L. I., Olshanova, K. M. and Potapova, M. A.  
Study of the selectivity of different types of zeolites towards some non-ferrous metals 155
- Olshanova, K. M., see Nikashina, V. A. 155
- Osuga, T., see Imai, K. 181
- Parlouer, P. le, see Belabbes, R. 81
- Paryjczak, T.  
—, Józwiak, W. and Góralski, J.  
Chemisorption method for the determination and removal of trace amounts of oxygen in unreactive gases 291
- Peetre, I.-B., see Tullberg, L. 103
- Perrin, J. H., see Hulshoff, A. 65
- Petermann, H., see Wenz, I. 187
- Pfreppe, G.  
Ionenaustausch bei hohen Konzentrationen der Lösung. VI. Einfluss des Vernetzungsgrades auf die Sorption anionischer Komplexe von Thallium(III) und Eisen(III) durch sulfonsaure Kationaustauscher 399
- Plattner, R. D., see Spencer, G. F. 335
- Pokorný, J., see Čoupek, J. 411
- Pokorný, S., see Čoupek, J. 411
- Potapova, M. A., see Nikashina, V. A. 155
- Powell, R. G., see Spencer, G. F. 335
- Pronin, A. Ya., see Kalinichev, A. I. 249
- Puglisi, C. V.  
— and De Silva, J. A. F.  
Determination of the carotenoid phytoene in blood by high-pressure liquid chromatography 457
- Rasmussen, K. E.  
Quantitative morphine assay by means of gas-liquid chromatography and on-column silylation 491
- Regnier, F. E., see Chang, S. H. 321
- Rinaldi, A.  
—, Cossu, P. and De Marco, C.  
Ion-exchange chromatography of S-(carboxymethyl)cysteine and Se-(carboxymethyl)selenocysteine 221
- Rocca, J. L., see Gonnet, C. 419
- Romagnoli, E., see Tortolani, G. 149
- Rosseel, M.-T., see Vanderheeren, F. A. J. 123
- Rudenko, B. A., see Chizhkov, V. P. 35

- Sabbagh, N. K.  
 — and Fageron, I. S.  
 Gel chromatography of glucose oligomers. A study of operational parameters 55
- Sadeghian, K., see Hokin-Neaverson, M. 502
- Sharpe, S.  
 — and Gray, D. O.  
 The advantages of carboxymethylcellulose for the separation of amines from amino acids 473
- Silva, J. A. F. de, see Puglisi, C. V. 457
- Sinitzina, L. A., see Chizhkov, V. P. 35
- Smith, B. E. F., see Tullberg, L. 103
- Smuts, T. W., see Cloete, C. E. 1, 17, 29
- Spencer, G. F.  
 —, Plattner, R. D. and Powell, R. G.  
 Quantitative gas chromatography and gas chromatography-mass spectrometry of *Cephalotaxus* alkaloids 335
- Steyn, J. M.  
 A thin-layer chromatographic method for the determination of acebutolol and its major metabolite in serum 465
- Stubenrauch, G., see Gelbke, H. P. 239
- Svensden, A. Baerheim, see Verpoorte, R. 203
- Takata, Y., see Hoshika, Y. 379
- Tamura, Z., see Imai, K. 181
- Tan, W. C., see Mattox, V. R. 435
- Theunis, D. J. C. J., see Vanderheeren, F. A. J. 123
- Till, U., see Wenz, I. 187
- Tortolani, G.  
 — and Romagnoli, E.  
 Chromatography of cephalosporins on DEAE-Sephadex 149
- Tschesche, R., see Henke, U. 477
- Tsuji, A., see Maeda, M. 449
- Tullberg, L.  
 —, Peetre, I.-B. and Smith, B. E. F.  
 Structural investigation of phenols and alcohols using silylation and gas chromatography 103
- Twitchett, P. J.  
 —, Gorvin, A. E. P. and Moffat, A. C.  
 High-pressure liquid chromatography of drugs. II. An evaluation of a microparticulate cation-exchange column 359
- Van Apeldoorn, R. J., see Mays, D. L. 93
- Vanderheeren, F. A. J.  
 —, Theunis, D. J. C. J. and Rosseel, M.-T.  
 Gas-liquid chromatographic determination of perazine, thioridazine and thioridazine metabolites in human plasma 123
- Vercauteren, R. E., see Bernard, D. M. 211
- Vergnaud, J.-M., see Belabbes, R. 81
- Vermeulen, R. J., see Baars, A. J. 217
- Verpoorte, R.  
 — and Baerheim Svensden, A.  
 High-performance liquid chromatography of some tropane alkaloids 203
- Von Arx, E.  
 —, Faupel, M. and Brugger, M.  
 Das 4,4'-Tetramethyldiamino-diphenylmethan Reagens (TDM). Eine Modifikation der Chlor-*o*-Tolidin Farbereaktion für die Dünnschichtchromatographie 224
- Wenz, I.  
 —, Loesche, W., Till, U., Petermann, H. and Horn, A.  
 Purification and characterization of commercial NADH and accompanying dehydrogenase inhibitors 187
- White, M. W., see Christie, J. 496
- Widman, M., see Fonseka, K. 343
- Wiles, J. M., see Christie, J. 496
- Williams, N. E., see Chan, K. 349
- Yamamoto, S., see Makita, M. 129
- Yushina, G. A., see Chizhkov, V. P. 35
- Žežulková, L., see Čoupek, J. 411
- Zoccolillo, L.  
 — and Liberti, A.  
 Determination of polycyclic hydrocarbons by channel thin-layer chromatography 485
- Zolotarev, P. P., see Kalinichev, A. I. 249
- Zvereva, L. I., see Nikashina, V. A. 155