

Author Index

- Antonozzi, I.
—, Carducci, C., Vestri, L., Pontecorvi, A. and Moretti, F.
Rapid and sensitive method for high-performance liquid chromatographic analysis of pterins in biological fluids 319
- Arrigoni Martelli, E., see Marzo, A. 313
- Arzese, A., see Radin, L. 331
- Badamchian, M.
—, Strickler, M. P., Stone, M. J. and Goldstein, A. L.
Rapid isolation of thymosin β_4 from thymosin fraction 5 by preparative high-performance liquid chromatography 291
- Baig, M. S., see Qureshi, G. A. 237
- Bear, G. R.
Universal detection and quantitation of surfactants by high-performance liquid chromatography by means of the evaporative light-scattering detector 91
- Beebe, J. M.
—, Brown, P. R. and Turcotte, J. G.
Preparative-scale high-performance liquid chromatography of omega-3 polyunsaturated fatty acid esters derived from fish oil 369
- Benedict, C. R., see Bodola, F. 281
- Betto, P.
—, Ricciarello, G., Giambenedetti, M., Lucarelli, C., Ruggeri, S. and Stocchi, F.
Improved high-performance liquid chromatographic analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 341
- Biondi, P. A.
—, Manca, F., Negri, A., Secchi, C., Tedeschi, G. and Lucarelli, C.
Improved high-performance liquid chromatographic determination of bacterial collagenase activity in ointments 337
- Bodola, F.
— and Benedict, C. R.
Measurement of the release of adenine nucleotides during platelet aggregation by small-bore-column isocratic high-performance liquid chromatography 281
- Bokx, P. K. de, see Schoenmakers, P. J. 201
- Bornhop, D. J.
—, Schmidt, S. and Porter, N. L.
Use of two simultaneous detectors in capillary supercritical fluid chromatography 193
- Botta, G. A., see Radin, L. 331
- Brinkman, U. A. Th., see Kwakman, P. J. M. 139
- Brown, P. R., see Beebe, J. M. 369
- Brown, Y. L.
—, Kandrotas, R. J., Douglas, J. B. and Gal, P.
High-performance liquid chromatographic determination of indomethacin serum concentrations 275
- Carducci, C., see Antonozzi, I. 319
- Chan, Y.-P. M.
— and Siu, T.-S. S.
Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing high-performance liquid chromatography with amperometric detection 251
- Chiodetti, L., see Knight, M. 361
- Cooperman, B. S., see Ghrist, B. F. D. 1
- Cordis, G. A.
—, Engelman, R. M. and Das, D. K.
Novel dual-wavelength monitoring approach for the improved rapid separation and estimation of adenine nucleotides and creatine phosphate by high-performance liquid chromatography 229
—, see Samanta, A. 221
- Das, D. K., see Cordis, G. A. 229
—, see Samanta, A. 221
- De Bokx, P. K., see Schoenmakers, P. J. 201
- De Jong, G. J., see Kwakman, P. J. M. 139
- Dewaele, C., see Nagels, L. J. 163
- Douglas, J. B., see Brown, Y. L. 275
- Edkins, T. J.
— and Shelly, D. C.
Enhanced performance of a laser-induced fluorescence liquid chromatographic apparatus: a systems approach 109
- Engelman, R. M., see Cordis, G. A. 229
- Eriksson, B.-M.
— and Persson, B.-A.
Determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in plasma by direct injection in coupled-column liquid chromatography with electrochemical detection 351
- Evans, C. E.
—, Shabushnig, J. G. and McGuffin, V. L.
Experimental and theoretical model of refractive index artifacts in absorbance detection 119
- Forsmo-Bruce, H., see Johansson, M. 301
- Frei, R. W., see Kwakman, P. J. M. 139
- Gal, P., see Brown, Y. L. 275

- Geiser, F. O.
 —, Yocklovich, S. G., Lurcott, S. M., Guthrie, J. W. and Levy, E. J.
 Water as a stationary phase modifier in packed-column supercritical fluid chromatography. I. Separation of free fatty acids 173
- Ghrist, B. F. D.
 —, Cooperman, B. S. and Snyder, L. R.
 Design of optimized high-performance liquid chromatographic gradients for the separation of either small or large molecules. I. Minimizing errors in computer simulations 1
 — and Snyder, L. R.
 Design of optimized high-performance liquid chromatographic gradients for the separation of either small or large molecules. II. Background and theory 25
 — and Snyder, L. R.
 Design of optimized high-performance liquid chromatographic gradients for the separation of either small or large molecules. III. An overall strategy and its application to several examples 43
- Giambenedetti, M., see Betto, P. 341
- Gluch, S., see Knight, M. 361
- Goldstein, A. L., see Badamchian, M. 291
- Grebow, P. E., see Hsu, S.-H. 215
- Guthrie, J. W., see Geiser, F. O. 173
- Haddad, P. R., see Sekulic, S. 65
 — and Sekulic, S.
 Effects of peak tailing on computer optimisation procedures for high-performance liquid chromatography. II. An optimisation routine for tailed peaks 79
- Hsu, S.-H.
 —, Koerper, T. L., Tomlinson, B. J., Miksic, J. R. and Grebow, P. E.
 Determination of a new inotropic agent in human plasma by high-performance liquid chromatography 215
- Jacobsson, S., see Johansson, M. 301
- Johansson, M.
 —, Tufvesson Alm, A., Forsmo-Bruce, H., Jacobsson, S. and Westerlund, D.
 Determination of noscapine and its metabolites in plasma by coupled-column liquid chromatography 301
- Jong, G. J. de, see Kwakman, P. J. M. 139
- Kamminga, D. A., see Kwakman, P. J. M. 139
- Kandrotas, R. J., see Brown, Y. L. 275
- Kanfer, I., see Skinner, M. 261
- Kauffmann, J. M., see Nagels, L. J. 163
- Knight, M.
 —, Strickler, M. P., Stone, M. J., Chiodetti, L., Gluch, S. and Shinohara, T.
 Scale-up methodology for the preparative purification of peptide M 361
- Koerper, T. L., see Hsu, S.-H. 215
- Krause, R. T.
 — and Wang, Y.
 Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase high-performance liquid chromatography 151
- Kwakman, P. J. M.
 —, Mol, J. G. J., Kamminga, D. A., Frei, R. W., Brinkman, U. A. Th. and De Jong, G. J.
 Rhodamine labelling reagent for the determination of chlorophenols by liquid chromatography with peroxyoxalate chemiluminescence detection 139
- Levy, E. J., see Geiser, F. O. 173
- Luber, Jr., J. M., see Rao, P. S. 269
- Lucarelli, C., see Betto, P. 341
 —, see Biondi, P. A. 337
 —, see Marzo, A. 325
 —, see Radin, L. 331
- Lurcott, S. M., see Geiser, F. O. 173
- McGuffin, V. L., see Evans, C. E. 119
- Manca, F., see Biondi, P. A. 337
- Martelli, E. Arrigoni, see Marzo, A. 313
- Marzo, A.
 —, Monti, N., Ripamonti, M. and Arrigoni Martelli, E.
 Application of high-performance liquid chromatography to the analysis of propionyl-L-carnitine by a stereospecific enzyme assay 313
 —, Reiner, A., Monti, N., Ripamonti, M. and Lucarelli, C.
 High-performance liquid chromatographic evaluation of salicyloyl pyridinol and systemic metabolites in biological samples 325
- Miksic, J. R., see Hsu, S.-H. 215
- Mol, J. G. J., see Kwakman, P. J. M. 139
- Monti, N., see Marzo, A. 313, 325
- Moretti, F., see Antonozzi, I. 319
- Nagels, L. J.
 —, Kauffmann, J. M., Schuddinck, G., Dewaele, C., Patriarche, G. J. and Verzele, M.
 Carbon-polymer chips as sensitive electrochemical detectors for micro-liquid chromatography 163
- Negri, A., see Biondi, P. A. 337
- Noguchi, K., see Seki, T. 245
- Patriarche, G. J., see Nagels, L. J. 163
- Persson, B.-A., see Eriksson, B.-M. 351
- Pontecorvi, A., see Antonozzi, I. 319
- Porter, N. L., see Bornhop, D. J. 193
- Prasad, M. R., see Samanta, A. 221

- Qureshi, G. A.
— and Baig, M. S.
Quantitation of free amino acids in biological samples by high-performance liquid chromatography. Application of the method in evaluating amino acid levels in cerebrospinal fluid and plasma of patients with multiple sclerosis 237
- Radin, L.
—, Arzese, A., Lucarelli, C. and Botta, G. A.
Rapid identification of *Bacteroides* species by high-performance liquid chromatography 331
- Rao, P. S.
—, Rujikarn, N. and Lubber, Jr., J. M.
High-performance liquid chromatographic method for the direct quantitation of oxy radicals in myocardium and blood by means of 1,3-dimethylthiourea and dimethyl sulfoxide 269
- Reiner, A., see Marzo, A. 325
- Ricciarello, G., see Betto, P. 341
- Ripamonti, M., see Marzo, A. 313, 325
- Ruggeri, S., see Betto, P. 341
- Rujikarn, N., see Rao, P. S. 269
- Samanta, A.
—, Cordis, G. A., Prasad, M. R. and Das, D. K.
Separation of fatty acid binding protein by high-performance mixed-mode chromatography 221
- Schmidt, S., see Bornhop, D. J. 193
- Schoenmakers, P. J.
—, Uunk, L. G. M. and De Bokx, P. K.
Effect of sample size on retention in packed column supercritical fluid chromatography. A method for characterizing stationary phase homogeneity 201
- Schuddincq, G., see Nagels, L. J. 163
- Secchi, C., see Biondi, P. A. 337
- Seki, T.
—, Yanagihara, Y. and Noguchi, K.
Determination of salsolinol by ion-exchange chromatography with glycyglycine as the post-derivatizing agent 245
- Sekulic, S., see Haddad, P. R. 79
- and Haddad, P. R.
Effects of peak tailing on computer optimization procedures for high-performance liquid chromatography. I. Characteristics of tailed peaks under optimization conditions 65
- Shabushnig, J. G., see Evans, C. E. 119
- Shelly, D. C., see Edkins, T. J. 109
- Shinohara, T., see Knight, M. 361
- Siu, T.-S. S., see Chan, Y.-P. M. 251
- Skinner, M.
— and Kanfer, I.
High-performance liquid chromatographic analysis of josamycin in serum and urine 261
- Smith, R. D., see Yonker, C. R. 183
- Snyder, L. R., see Ghrist, B. F. D. 1, 25, 43
- Stocchi, F., see Betto, P. 341
- Stone, M. J., see Badamchian, M. 291
- , see Knight, M. 361
- Strickler, M. P., see Badamchian, M. 291
- , see Knight, M. 361
- Tedeschi, G., see Biondi, P. A. 337
- Tomlinson, B. J., see Hsu, S.-H. 215
- Tufvesson Alm, A., see Johansson, M. 301
- Turcotte, J. G., see Beebe, J. M. 369
- Uunk, L. G. M., see Schoenmakers, P. J. 201
- Verzele, M., see Nagels, L. J. 163
- Vestri, L., see Antonozzi, I. 319
- Wang, Y., see Krause, R. T. 151
- Westerlund, D., see Johansson, M. 301
- Yanagihara, Y., see Seki, T. 245
- Yocklovich, S. G., see Geiser, F. O. 173
- Yonker, C. R.
— and Smith, R. D.
Effect of the partial molar volume of the solute in the stationary phase on retention in supercritical fluid chromatography 183