

## Author Index

- Aerts, M. M. L.  
—, Beek, W. M. J. and Brinkman, U. A. Th.  
On-line combination of dialysis and column-switching liquid chromatography as a fully automated sample preparation technique for biological samples. Determination of nitro-furan residues in edible products 453
- Annan, R. S., see Bakthavachalam, J. 373
- Aue, W. A.  
—, Siu, K. W. M., Beauchemin, D. and Berman, S. S. Hypercoulometry of the second kind in electron-capture detection 95
- Bakthavachalam, J.  
—, Annan, R. S., Beland, F. A., Vouros, P. and Giese, R. W.  
Selection of electrophoric derivatives of 1-aminopyrene and 2-aminofluorene determination by gas chromatography with electron-capture negative-ion mass spectrometry 373
- Balmér, K., see Persson, B.-A. 629
- Baumann, J., see Steuer, W. 469
- Beauchemin, D., see Aue, W. A. 95
- Beek, W. M. J., see Aerts, M. M. L. 453
- Beland, F. A., see Bakthavachalam, J. 373
- Beneš, M. J., see Turková, J. 585
- Berman, S. S., see Aue, W. A. 95
- Bersaques, J. P. De, see De Leenheer, A. P. 637
- Blanco, R., see Oroszlan, P. 481
- Boček, P.  
—, Deml, M. and Pospíchal, J.  
New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 673
- Brinkman, U. A. Th., see Aerts, M. M. L. 453  
—, see Van der Horst, F. A. L. 443
- Bubeck, J. I., see Liebich, H. M. 615
- Burford, R. P., see Haken, J. K. 367
- Carr, P. W., see Cheong, W. J. 215
- Cheong, W. J.  
— and Carr, P. W.  
Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 215
- Chevalier, J. L., see Huss, V. 241
- Chiari, M.  
—, Manzocchi, A. and Righetti, P. G.  
Formation of a cysteine-acrylamide adduct in isoelectric focusing gels 697
- Chicz, R. M.  
— and Regnier, F. E.  
Microenvironmental contributions to the chromatographic behavior of subtilisin in hydrophobic-interaction and reversed-phase chromatography 503
- Churms, S. C.  
Recent developments in the chromatographic analysis of carbohydrates (Review) 555
- Croteau, R. B.  
— and Satterwhite, D. M.  
Method for radio-capillary gas chromatography employing a modified oxidation-reduction train and flow-through detector 349
- Dass, C., see Liu, D. 395
- Davankov, V. A.  
—, Kurganov, A. A. and Unger, K. K.  
Reversed-phase high-performance liquid chromatography of proteins and polypeptides on polystyrene-coated silica supports 519
- De Bersaques, J. P., see De Leenheer, A. P. 637
- Défayes, G.  
—, Fritz, D. F., Görner, T., Huber, G., De Reyff, C. and Kováts, E. sz.  
Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 139
- Deml, M., see Boček, P. 673
- De Leenheer, A. P.  
—, Lambert, W. E., De Bersaques, J. P. and Kint, A. H.  
High-performance liquid chromatographic determination of etretinate and all-*trans*- and 13-*cis*-acitretin in human plasma 637
- De Reyff, C., see Défayes, T. 139
- Desiderio, D. M., see Liu, D. 395
- Deyl, Z., see Miksik, I. 607
- De Zeeuw, R. A.  
—, Witte, D. T. and Franke, J.-P.  
Identification power of thin-layer chromatographic colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 661
- Dilli, S.  
—, Haddad, P. R. and Htoon, A. K.  
Further studies of diethyldithiocarbamate complexes by high-performance liquid chromatography 313

- Dowling, J. J.  
 —, Evans, M. B. and Haken, J. K.  
 Gas-liquid chromatography in qualitative analysis. XVIII. Study of the dependence of the retention behavior of polyoxyethylene glycol columns on the nature of the support and phase loading 355
- Erni, F., see Steuer, W. 469
- Evans, M. B., see Dowling, J. J. 355
- Faupel, M., see Righetti, P. G. 681
- Foley, R. C., see Haddad, P. R. 301
- Franke, J.-P., see De Zeeuw, R. A. 661
- Fritz, D. F., see Défayes, G. 139
- Gellerfors, P., see Wu, S.-L. 595
- Giese, R. W., see Bakthavachalam, J. 373
- Görner, T., see Défayes, T. 139
- Golshan-Shirazi, S., see Lin, B. 185
- Guiochon, G., see Lin, B. 185
- Gupta, R. N.  
 Determination of trichloroethanol, the active metabolite of chloral hydrate, in plasma by liquid chromatography 655
- Haddad, P. R., see Dilli, S. 313
- and Foley, R. C.  
 Modelling of cation retention in ion chromatography using fixed-site and dynamically coated ion-exchange columns 301
- Hais, I. M.  
 —, Nobilis, M. and Kvasničková, E.  
 Evaluation of photometric high-performance liquid chromatographic data for the determination of benflurone metabolites in biological materials with and without concomitant use of a standard 643
- Haken, J. K., see Dowling, J. J. 355
- , Harahap, N. and Burford, R. P. 367  
 Analysis of polycarbonate-polydimethylsiloxane block copolymers 367
- Hancock, W. S., see Wu, S.-L. 595
- Harahap, N., see Haken, J. K. 367
- Hjertén, S.  
 — and Li, J.-P.  
 High-performance liquid chromatography of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 543
- Holland, J. F., see Roboz, J. 413
- Holthuis, J. J. M., see Van der Horst, F. A. L. 443
- Horst, F. A. L. van der, see Van der Horst, F. A. L. 443
- Htoon, A. K., see Dilli, S. 313
- Huber, J. F. K.  
 —, Pawlowska, M. and Markl, P.  
 Selection of the solid support — a crucial step for the realization of solvent generated liquid-liquid chromatography 257
- Huber, G., see Défayes, T. 139
- Huss, V.  
 —, Chevalier, J. L. and Siouffi, A. M.  
 Diffusion coefficients in water-acetonitrile mixtures 241
- Hutchens, T. W.  
 — and Yip, T.-T.  
 Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 531
- Jandera, P.  
 — and Kubát, J.  
 Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 281
- Jungbauer, A., see Righetti, P. G. 681
- Kapetanovic, I. M.  
 —, Yonekawa, W. D. and Kupferberg, H. J.  
 Use of stable isotopes and gas chromatography-mass spectrometry in the study of different pools of neurotransmitter amino acids in brain slices 387
- Karger, B. L., see Oroszlan, P. 481
- Káš, J., see Turková, J. 585
- Kattinger, H., see Righetti, P. G. 681
- Kint, A. H., see De Leenheer, A. P. 637
- Kováts, E. sz., see Défayes, T. 139
- Kubát, J., see Jandera, P. 281
- Kuksis, A.  
 —, Myher, J. J. and Sandra, P.  
 Gas-liquid chromatographic profiling of plasma lipids using high-temperature-polarizable capillary columns 427
- Kupferberg, H. J. see Kapetanovic, I. M. 387
- Kurganov, A. A., see Davankov, V. A. 519
- Kvasničková, E., see Hais, I. M. 643
- Lagerström, P.-O., see Persson, B.-A. 629
- Lamber, W. E., see De Leenheer, A. P. 637
- Lederer, M.  
 The *Journal of Chromatography* family album 3
- Leenheer, A. P. De, see De Leenheer, A. P. 637
- Li, J.-P., see Hjertén, S. 543
- Liebich, H. M.  
 —, Bubeck, J. I., Pickert, A., Wahl, G. and Scheiter, A.  
 Hippuric acid and 3-carboxy-4-methyl-5-propyl-2-furanpropionic acid in serum and urine. Analytical approaches and clinical relevance in kidney diseases 615
- Lin, B.  
 —, Ma, Z., Golshan-Shirazi, S. and Guiochon G.  
 Theoretical analysis of non-linear preparative liquid chromatography 185

- Liu, D.  
—, Dass, C., Wood, G. and Desiderio, D. M.  
Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 395
- Lu, X.-M., see Oroszlan, P. 481
- Ma, Z., see Lin, B. 185
- Macek, K., see Miksik, I. 607
- Manzocchi, A., see Chiari, M. 697
- Markl, P., see Huber, J. F. K. 257
- Miksik, I.  
—, Struzinsky, R., Macek, K. and Deyl, Z.  
Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Mailard reaction products 607
- Myher, J. J., see Kuksis, A. 427
- Nieves, E., see Roboz, J. 413
- Nobilis, M., see Hais, I. M. 643
- Oroszlan, P.  
—, Blanco, R., Lu, X.-M., Yarmusch, D. and Karger, B. L.  
Intrinsic fluorescence studies of the kinetic mechanism of unfolding of  $\alpha$ -lactalbumin on weakly hydrophobic chromatographic surfaces 481
- Pavlu, B., see Wu, S.-L. 595
- Pawlowska, M., see Huber, J. F. K. 257
- Persson, B.-A.  
—, Balmér, K., Lagerström, P.-O. and Schill, G.  
Enantioselective determination of metoprolol in plasma by liquid chromatography on a silica-bonded  $\alpha_1$ -acid glycoprotein column 629
- Petkov, L., see Turková, J. 585
- Pickert, A., see Liebich, H. M. 615
- Poole, C. F., see Poole, S. K. 329
- Poole, S. K.  
— and Poole, C. F.  
Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in gas chromatography 329
- Pospichal, J., see Boček, P. 673
- Post, M. H., see Van der Horst, F. A. L. 443
- Regnier, F. E., see Chicz, R. M. 503
- Righetti, P. G., see Chiari, M. 697
- , Wenisch, E., Jungbauer, A., Katinger, H. and Faupel, M.  
Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with immobiline membranes 681
- Roboz, J.  
—, Nieves, E. and Holland, J. F.  
Separation and quantification by gas chromatography-mass spectrometry of arabinitol enantiomers to aid the differential diagnosis of disseminated candidiasis 413
- Sajdok, J., see Turková, J. 585
- Sandra, P., see Kuksis, A. 427
- Satterwhite, D. M., see Croteau, R. B. 349
- Scheiter, A., see Liebich, H. M. 615
- Schill, G., see Persson, B.-A. 629
- Siouffi, A. M., see Huss, V. 241
- Siu, K. W. M., see Aue, W. A. 95
- Steuer, W.  
—, Baumann, J. and Erni, F.  
Separation of ionic drug substances by supercritical fluid chromatography 469
- Struzinsky, R., see Miksik, I. 607
- Turková, J.  
—, Petkov, L., Sajdok, J., Káš, J. and Beneš, M. J.  
Carbohydrates as a tool for oriented immobilization of antigens and antibodies 585
- Unger, K. K., see Davankov, V. A. 519
- Van der Horst, F. A. L.  
—, Post, M. H., Holthuis, J. J. M. and Brinkman, U. A. Th.  
Automated high-performance liquid chromatographic determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 443
- Vouros, P., see Bakthavachalam, J. 373
- Wahl, G., see Liebich, H. M. 615
- Wenisch, E., see Righetti, P. G. 681
- Witte, D. T., see De Zeeuw, R. A. 661
- Wood, G., see Liu, D. 395
- Wu, S.-L.  
—, Hancock, W. S., Pavlu, B. and Gellerfors, P.  
Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 595
- Yarmusch, D., see Oroszlan, P. 481
- Yip, T.-T., see Hutchens, T. W. 531
- Yonekawa, W. D., see Kapetanovic, I. M. 387
- Zeeuw, R. A. de, see De Zeeuw, R. A. 661