

AUTHOR INDEX

VOLUMES 451–500

A

- Aanesrud, A., see Iversen, B. 493 (1989) 217
 Aanesrud, A., see Rasmussen, K.E. 496 (1989)
 355
- Aaron, D.T., see Boswell, G.W. 491 (1989) 513
- Aasen, A.J., see Ruud-Christensen, M. 491 (1989)
 355
- Abad, C., see Del Carmen Bañó, M. 458 (1988)
 105
- Abad, C., see Pérez-Payá, E. 461 (1989) 229
- Abbott, F.S., see Chan, G.L.-Y. 495 (1989) 349
- Abbott, S.R., see Williams, S.S. 485 (1989) 267
- Abdelnasser, M.A., Deutsch, E. and Heineman,
 W.R.
 Anion-exchange HPLC of technetium-labeled
 phosphonoacetic acid skeletal imaging agent
 preparations 488 (1989) 463
- Abidi, S.L.
 Reversed-phase TLC of homologues of
 antimycin A and related derivatives 464
 (1989) 453
- Abramson, R.K., see Kiel, J.S. 485 (1989) 585
- Aburatani, R., see Okamoto, Y. 477 (1989) 367
- Acevedo, F.
 Isotachophoresis of proteins 470 (1989) 407
- Adachi, K., Saitoh, K. and Suzuki, N.
 Reversed-phase HPTLC and column LC of
 metal complexes of pheophorbide *a* 457
 (1988) 99
- Adachi, T., see Mogi, M. 496 (1989) 194
- Adam, A., see Ong, H. 497 (1989) 213
- Adam, M., see Deyl, Z. 480 (1989) 371
- Adam, M., see Deyl, Z. 488 (1989) 161
- Adam, M., see Macek, J. 488 (1989) 267
- Adámek, V., Králová, B., Šúchová, M.,
 Valentová, O. and Demnerová, K.
 Purification of microbial uricase 497 (1989)
 268
- Aderjan, R. and Bogusz, M.
 Nitroalkanes as a multidetector retention
 index scale for drug identification in GC 454
 (1988) 345
- Adlard, M.W., see Orford, C.D. 481 (1989) 245
- Adler, A.J., see Crabtree, D.V. 466 (1989) 251
- Aerts, M.M.L., Beek, W.M.J. and Brinkman,
 U.A.T.
 On-line combination of dialysis and column-
 switching LC as a fully automated sample
 preparation technique for biological samples.
 Determination of nitrofuran residues in edible
 products 500 (1990) 453
- Aerts, M.M.L., Beek, W.M.J., Keukens, H.J. and
 Brinkman, U.A.T.
 Determination of residues of carbadox and
 some of its metabolites in swine tissues by
 HPLC using on-line pre-column enrichment
 and post-column derivatization with UV-VIS
 detection 456 (1988) 105
- Aerts, M.M.L., see Keukens, H.J. 464 (1989) 149
- Afeyan, N.B., Gordon, N.F. and Cooney, C.I.
 Mathematical modelling of the continuous
 affinity-recycle extraction purification
 technique 478 (1989) 1
- Agostini, O., Moneti, G., Bonacchi, G., Fedi, M.
 and Manzini, S.
 Determination of the antihypertensive drug
 1-[2-ethoxy-2-(3'-pyridyl)ethyl]-4-(2'-meth-
 oxyphenyl)piperazine (IP/66) in rat and
 human plasma by HPLC and isotope dilution
 MS 487 (1989) 331
- Aguilar, M., Huang, X. and Zare, R.N.
 Determination of metal ion complexes in
 electroplating solutions using capillary zone
 electrophoresis with UV detection 480 (1989)
 427
- Aguilar, M.I., see Hearn, M.T.W. 458 (1988) 27

- Aguilar, M.I., see Hearn, M.T.W. 458 (1988) 45
- Aguilar, M.I., see Hodder, A.N. 476 (1989) 391
- Aguilar, M.I., see Purcell, A.W. 476 (1989) 113
- Aguilar, M.I., see Purcell, A.W. 476 (1989) 125
- Ahern, D.G., see Do, U.H. 489 (1989) 359
- Ahsan, T., Colenutt, B.A. and Sing, K.S.W.
Application of GC for the study of
precipitated calcium carbonate 464 (1989) 416
- Ahsan, T., Colenutt, B.A. and Sing, K.S.W.
GC of pure and surface-modified precipitated
calcium carbonate 479 (1989) 17
- Ahuja, S.
Optimization of selectivity, detectability and
analysis time in HPLC 499 (1990) 489
- Ahuja, S., Thompson, G. and Smith, J.
Trace/ultratrace analyses of unstable
compounds. Investigations on
hydrazobenzene and azobenzene 471 (1989)
443
- Aitio, A., see Pekari, K. 491 (1989) 309
- Ajima, A., Nakagawa, T. and Kato, T.
Simultaneous measurement of acetylcholine
and dopamine releases in rat striatum under
freely moving conditions with a brain dialysis
method 494 (1989) 297
- Akama, Y., see Tong, A. 478 (1989) 408
- Akapo, S.O., Furst, A., Khong, T.M. and
Simpson, C.F.
Chromatographic evaluation of oligomeric C₈
reversed phases for use in HPLC 471 (1989)
283
- Åkerstedt, T., see Hjemdahl, P. 494 (1989) 53
- Akira, K. and Baba, S.
Improved synchronized accumulating
radioisotope detector for GC 489 (1989) 255
- Akira, K. and Baba, S.
Radio-GC on wide-bore capillary columns
equipped with a synchronized accumulating
radioisotope detector 490 (1989) 21
- Akpoloronor, E.E., Le Vent, S. and Taylor, D.R.
Calculation of programmed temperature GC
characteristics from isothermal data. II.
Predicted retention times and elution
temperatures 463 (1989) 271
- Alary, J., Carrera, G., Blanquat, G.D.S.S.,
Anglade, F. and Escrieut, C.
Reversed-phase ion-pair HPLC determination
of 2-carboxythiazolidine-4-carboxylic acid in
plasma 496 (1989) 485
- Alary, J., see Cantin, D. 478 (1989) 231
- Alary, J., see Vergnes, M.F. 455 (1988) 369
- Alawi, M., see Fayyad, M. 481 (1989) 439
- Albaigés, J., see Barceló, D. 474 (1989) 163
- Albaigés, J., see Fernández, P. 456 (1988) 155
- Albeck, H., Woodfield, S. and Kreck, M.J.
Quantitative and pharmacokinetic analysis of
naloxone in plasma using HPLC with
electrochemical detection and solid-phase
extraction 488 (1989) 435
- Albert, K., Kunst, M., Bayer, E., Spraul, M. and
Bermel, W.
Reversed-phase HPLC-NMR on-line
coupling with solvent non-excitation 463
(1989) 355
- Albert, K., see Buszewski, B. 499 (1990) 305
- Albert, K., see Hetem, M. 479 (1989) 269
- Alberti, K.G.M.M., see Cassidy, D.M. 491 (1989)
1
- Albertini, A., see Poiesi, C. 465 (1989) 101
- Albin, H.C., see Demotes-Mainard, F.M. 490
(1989) 115
- Alborn, H., see Stenhamer, G. 474 (1989) 285
- Albrecht, W., see Engel, K.-H. 479 (1989) 176
- Albroscheit, G., see Schulz, H. 466 (1989) 301
- Aldegunde, M., see Martin, F. 491 (1989) 221
- Alexander, R., see Forster, P.G. 483 (1989) 384
- Alfthan, H. and Stenman, U.-H.
Purification of labelled antibodies by
hydrophobic interaction chromatography 470
(1989) 385
- Alinovi, R., see Ghiggeri, G.M. 452 (1988) 347
- Alkonyi, I., see Sandor, A. 497 (1989) 250
- Allam, K., Saha, M. and Giese, R.W.
Preparation of electrophoric derivatives of
N7-(2-hydroxyethyl)guanine, an ethylene
oxide DNA adduct 499 (1990) 571
- Allen, P.D., see Lema, M.J. 491 (1989) 61
- Allenmark, S. and Chelminska-Bertilsson, M.
Determination of carboxylic acids by LC after
phase-transfer-catalysed fluorogenic labelling
456 (1988) 410
- Allenmark, S., see Andersson, S. 498 (1990) 81
- Allenmark, S., see Thompson, R.A. 465 (1989)
263
- Alpert, A.J.
Hydrophilic-interaction chromatography for
the separation of peptides, nucleic acids and
other polar compounds 499 (1990) 177
- Alpízar, L., see Oropeza, C. 456 (1988) 405
- Al-Thamir, W.K.
Rapid analysis of light hydrocarbons in
stabilized crude oils by GC 498 (1990) 231
- Amadò, R., see Bettler, B. 498 (1990) 213
- Amadò, R., see Bettler, B. 498 (1990) 223
- Ames, M.M. and Mathiesen, D.A.
HPLC assay and preclinical pharmacologic
studies with the experimental antitumor agent
batracylyin 491 (1989) 488

- Amiot, J., see Lemicoux, L. 473 (1989) 189
- Amiri, I., see Bisserset, F. 490 (1989) 91
- Amis, L., see Dixon, D.W. 462 (1989) 411
- An, D.K., see Zhang, X.Y. 495 (1989) 343
- Andary, C., see Enjalbert, F. 462 (1989) 442
- Andersson, K., see Levin, J.-O. 454 (1988) 121
- Andersson, L.I., see O'Shannessy, D.J. 470 (1989) 391
- Andersson, S., Allenmark, S., Erlandsson, P. and Nilsson, S.
Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 498 (1990) 81
- Andersson, S., Hedsten, U. and Jacobsson, S.
Quantitation of polydimethylsiloxane in pharmaceutical formulations by GPC 477 (1989) 474
- Andersson, S., see Thompson, R.A. 465 (1989) 263
- Andersson, T., see Hagel, L. 476 (1989) 329
- Anderzén, I., see Hjemdahl, P. 494 (1989) 53
- Ando, S., see Waki, H. 494 (1989) 408
- Andrawes, F., Chang, T. and Scharrer, R.
Analysis of volatiles in tall oil by GC flame-photometric detection, flame-ionization detection and MS 468 (1989) 145
- Andries, S., see Selala, M.I. 489 (1989) 51
- Andronikashvili, T.G., see Hradil, J. 462 (1989) 61
- Angelo, H.R., Herrstedt, J. and Jørgensen, M.
HPLC method with fluorescence detection for the simultaneous determination of metopimazine and its acid metabolite in serum 496 (1989) 472
- Angers, D.A., Nadeau, P. and Mehuy, G.R.
Determination of carbohydrate composition of soil hydrolysates by HPLC 454 (1988) 444
- Anglade, F., see Alary, J. 496 (1989) 485
- Annan, R.S., Kresbach, G.M., Giese, R.W. and Vouros, P.
Trace detection of modified DNA bases via moving-belt LC-MS using electrotrophoric derivatization and negative chemical ionization 465 (1989) 285
- Annan, R.S., see Bakthavachalam, J. 500 (1990) 373
- Ansari, G.A.S., see Bandi, Z.L. 475 (1989) 461
- Ansari, G.A.S., see Bhat, H.K. 462 (1989) 467
- Ansari, G.A.S., see Bhat, H.K. 483 (1989) 369
- Ansari, K.A. and Shoeman, D.W.
Measurement of hydroperoxydocosahexaenoic acid in rat brain homogenates by reversed-phase HPLC 475 (1989) 457
- Ansorgová, A., see Roth, M. 465 (1989) 169
- Anspach, B., Unger, K.K., Davies, J. and Hearn, M.T.W.
Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195
- Anspach, F.B., Johnston, A., Wirth, H.-J., Unger, K.K. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205
- Anspach, F.B., Johnston, A., Wirth, H.-J., Unger, K.K. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from batch and frontal analysis experiments 499 (1990) 103
- Antalík, M., see Podhradský, D. 455 (1988) 344
- Anthony, L.J. and Holland, R.A.
New method for surface characterization by GC 477 (1989) 291
- Antia, F.D. and Horváth, C.
Gradient elution in non-linear preparative LC 484 (1989) 1
- Antia, F.D., see Maa, Y.-F. 452 (1988) 331
- Antonozzi, I., Carducci, C., Vestri, L., Pontecorvi, A. and Moretti, F.
Rapid and sensitive method for HPLC analysis of pterins in biological fluids 459 (1988) 319
- Antonucci, V.I., see Shelly, D.C. 458 (1988) 267
- Antoshechkin, A.G., Golovkin, A.B., Maximova, L.A. and Bakharev, V.A.
Screening of amniotic fluid metabolites by GC-MS 489 (1989) 353
- Anttila, M., see Vuorilehto, L. 497 (1989) 282
- Aoki, I., see Miyabayashi, T. 494 (1989) 209
- Aoki, N., see Hamano, T. 457 (1988) 403
- Aomura, Y., see Ogino, H. 472 (1989) 389
- Aoyama, T., Kotaki, H. and Saitoh, Y.
GC-MS analysis of *threo*-methylphenidate enantiomers in plasma 494 (1989) 420
- Aoyama, T., see Ohtsubo, K. 496 (1989) 397
- Appelt, G., see Engelhardt, H. 499 (1990) 165
- Appleton, J.D., see Cook, A.P. 467 (1989) 395

- Apps, P.J. and Pretorius, V.
Comparison between the conditions for solute focussing by the static and dynamic solvent effects under ideal conditions 471 (1989) 81
- Arai, A., see Blanco, R. 482 (1989) 1
- Arai, T., Matsuda, H. and Ōizumi, H.
Determination of optical purity by HPLC on chiral stationary phases: pantothenic acid and related compounds 474 (1989) 405
- Araki, M., see Tanaka, N. 475 (1989) 195
- Aramaki, S., see Tanaka, T. 496 (1989) 407
- Aratskova, A.A., see Hradil, J. 475 (1989) 209
- Arboix, M., see Guitart, R. 491 (1989) 271
- Arbutina, Ž.J., see Janjić, T.J. 481 (1989) 465
- Archer, A.W.
Analysis of vanilla essences by HPLC 462 (1989) 461
- Arco, A. Del, see Montes, M. 481 (1989) 97
- Ardlie, N.G., see Selley, M.L. 488 (1989) 329
- Ariga, T., see El Rassi, Z. 488 (1989) 229
- Arimoto, H., see Kawano, H. 493 (1989) 71
- Arimoto, H., see Suzuki, S.-I. 475 (1989) 400
- Arm, H., see Däppen, R. 464 (1989) 39
- Armstrong, D.W., Faulkner, Jr., J.R. and Han, S.M.
Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323
- Armstrong, D.W. and Jin, H.L.
Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 462 (1989) 219
- Armstrong, D.W. and Yang, X.F.
Hot TLC fractionation of polyethylene 456 (1988) 440
- Armstrong, D.W., see Seeman, J.I. 483 (1989) 169
- Armstrong, D.W., see Stalcup, A.M. 499 (1990) 627
- Aronson, A.L., see Tyczkowska, K. 490 (1989) 101
- Aronson, A.L., see Tyczkowska, K. 493 (1989) 337
- Arrigoni Martelli, E., see Marzo, A. 465 (1989) 95
- Åstrand, K., see Kågedal, B. 473 (1989) 359
- Arts, C.J.M. and Van den Berg, H.
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225
- Artz, W.E., see Schmitz, H.H. 479 (1989) 261
- Arvidsson, E., Crommen, J., Schill, G. and Westerlund, D.
Indirect detection in reversed-phase LC.
Response deviations in ion-pairing systems 461 (1989) 429
- Arvidsson, E., see Schill, G. 492 (1989) 299
- Arvidsson, T., see Marle, I. 456 (1988) 323
- Arzamastzev, A.P., see Levchenko, N.K. 456 (1988) 427
- Arzese, A., see Radin, L. 459 (1988) 331
- Asai, M., see Takeuchi, T. 499 (1990) 549
- Asano, T., see Takeuchi, T. 471 (1989) 297
- Aschah, T.L. and Hunter, B.T.
Simultaneous HPLC determination of propoxyphene and acetaminophen in pharmaceutical preparations 455 (1988) 279
- Ascalone, V., Dal Bo, L., Deschamps, N. and Guinebault, P.
Determination of the gabaergic antidepressant drug fengabine and some of its metabolites in plasma by capillary GC with electron-capture detection 490 (1989) 81
- Ascalone, V. and Flaminio, L.
Automated HPLC with column switching for on-line clean-up and analysis of diltiazem and metabolites in human plasma 495 (1989) 358
- Ashley, D.L., see Orti, D.L. 462 (1989) 269
- Ashmore, S.P., Thomson, A.H. and Simpson, H.
HPLC technique for the rapid determination of histamine in both the plasma and cellular components of blood 496 (1989) 435
- Ashmore, S.P., see Patel, H.R. 495 (1989) 269
- Ashraf, M., see Singh, A.K. 473 (1989) 215
- Ashraf, M., see Singh, A.K. 479 (1989) 233
- Ashraf, S.M., Rajiah, A., Krishna, M.R. and Rao, M.B.
Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163
- Ashton, D.S., see Pullen, F.S. 474 (1989) 335
- Asmundsdottir, A.M., see Torsi, G. 482 (1989) 207
- Astrua Testori, S., see Maisano, F. 472 (1989) 422
- Atamańczuk, B., see Wiśniewski, M. 462 (1989) 39
- Atamna, I.Z., Muschik, G.M. and Issaq, H.J.
Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477
- Attygalle, A.B., Zlatkis, Z. and Middleditch, B.S.
Derivatization with 1,1-dimethylhydrazine for identification of carbonyl compounds resulting from ozonolysis 472 (1989) 284
- Au, J.L.-S., see Dalton, J.T. 495 (1989) 330

- Aubel, M.T. and Guiochon, G.
Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281
- Aubert, C., see Drouet-Coassolo, C. 487 (1989) 295
- Aucoin, D.P., see Tyczkowska, K. 493 (1989) 337
- Audunsson, G., see Nilv  , G. 471 (1989) 151
- Aue, W.A., Siu, K.W.M., Beauchemin, D. and Berman, S.S.
Hypercoulometry of the second kind in electron-capture detection 500 (1990) 95
- Aue, W.A., see Nawrocki, J. 456 (1988) 337
- Aue, W.A., see Sun, X.-Y. 467 (1989) 75
- Aue, W.A., see Tang, Y.-Z. 457 (1988) 149
- Auriola, S., Ranta, V.-P., Naaranlahti, T. and Lapinjoki, S.P.
Thermospray LC-MS analysis of *Catharanthus* alkaloids 474 (1989) 181
- Auriola, S., see J  rvinen, T. 495 (1989) 13
- Ausili, A., see Di Muccio, A. 456 (1988) 143
- Ausili, A., see Di Muccio, A. 456 (1988) 149
- Aussems, M., see Duchateau, A. 461 (1989) 419
- Avery, M.J.
Determination of aromatic amines in urine and serum 488 (1989) 470
- Avgerinos, A. and Malamataris, S.
HPLC determination of indomethacin in human plasma and urine 495 (1989) 309
- Avila, J.P., see T  panes, R.D. 493 (1989) 196
- Avila, J.P., see T  panes, R.D. 493 (1989) 202
- Avil  s, F.X., see Burgos, F.J. 481 (1989) 233
- Avil  s, F.X., see Serra, M.A. 479 (1989) 27
- Awni, W.M., see St. Peter, J.V. 494 (1989) 424
- Axelson, J.E., see Chan, G.L.-Y. 495 (1989) 349
- Ayers, C.R., see Herold, D.A. 496 (1989) 180
- Ayotte, C., see Mass  , R. 489 (1989) 23
- Ayotte, C., see Mass  , R. 497 (1990) 17
- Ayyangar, N.R., Tambe, A.S. and Biswas, S.S.
Evaluation of 4-(2'-phenylisopropyl)phenol esters as stationary phases for GLC 483 (1989) 33
- Ayyangar, N.R. and Bhide, S.R.
Separation of 1-naphthylamine from the five known impurities and sub-ppm level detection and quantitation of 2-naphthylamine by normal-phase HPLC 464 (1989) 201
- Azcrad, R., Boucher, J.L., Dansette, P. and Delaforge, M.
HPLC separation of 11-hydroxylauric acid enantiomers. Application to the determination of the stereochemistry of microsomal lauric acids ($\omega - 1$) hydroxylation 498 (1990) 293
- Azoulay, M., see Morineau, G. 467 (1989) 209

B

- Baba, S.
Radio-GC (Review) 492 (1989) 137
- Baba, S., see Akira, K. 489 (1989) 255
- Baba, S., see Akira, K. 490 (1989) 21
- Baba, Y.
Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143
- Baba, Y., Fukuda, M. and Yoza, N.
Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 458 (1988) 385
- Baba, Y. and Ito, M.K.
Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647
- Baba, Y., see Katoh, H. 473 (1989) 241
- Baba, Y., see Kiniwa, H. 461 (1989) 397
- Babadjanian, A., see Vidal-Ollivier, E. 463 (1989) 227
- Babashak, J.V. and Phillips, T.M.
Isolation of a specific membrane protein by immunoaffinity chromatography with biotinylated antibodies immobilized on avidin-coated glass beads 476 (1989) 187
- Babashak, J.V., see Phillips, T.M. 458 (1988) 185
- Bachman, W.J. and Stewart, J.T.
Optimization in photochemical reaction detection. Application to HPLC-photolysis-electrochemical detection 481 (1989) 121
- B  chmann, K., Blaskowitz, K.-H., Bukatsch, H., Pohl, S. and Sprenger, U.
New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307
- B  chmann, K. and Polzer, J.
Determination of tropospheric phosgene and other halocarbons by capillary GC 481 (1989) 373
- Bacolod, M.D., see El Rassi, A. 499 (1990) 141
- Baczynskyj, W.M., see Richfield-Fratz, N. 467 (1989) 167
- Badamchian, M., Strickler, M.P., Stone, M.J. and Goldstein, A.L.
Rapid isolation of thymosin β_4 from

- thymosin β_4 from thymosin fraction 5 by preparative HPLC 459 (1988) 291
- Baehr, D.N., see Szcerba, T.J. 458 (1988) 281
- Baer, J.C., Slack, J.A. and Pettit, G.R. Stability-indicating HPLC assay for the anticancer drug bryostatin 1 467 (1989) 332
- Baeyens, W., see Xianren, Q. 456 (1988) 267
- Baeyens, W., see Xianren, Q. 467 (1989) 15
- Bagchi, S.P., see Jindal, S.P. 493 (1989) 392
- Baig, M.S., see Qureshi, G.A. 459 (1988) 237
- Bailey, C.A. and Chen, B.H. Simultaneous separation and identification of carotenoids and chlorophylls in turf bermudagrass by HPLC 455 (1988) 396
- Bailey, Jr., J.E., see Richfield-Fratz, N. 467 (1989) 167
- Baillet, G., Pourcelot, A., Weil, A., Prevost, C. and Guichard, J.P. Radio HPLC determination of ^{14}C -labelled LF 2-0254, a 1,4-dihydropyridine calcium antagonist, in rat and dog plasma using off-line liquid scintillation counting 456 (1988) 183
- Baker, C., Bowlen, C., Koharski, D. and McNamara, P. Purification of radiolabeled pharmaceuticals 484 (1989) 347
- Baker, J.K., see Wall, G.M. 491 (1989) 151
- Bakharev, V.A., see Antoshechkin, A.G. 489 (1989) 353
- Bakthavachalam, J., Annan, R.S., Beland, F.A., Vourou, P. and Giese, R.W. Selection of electrophoretic derivatives of 1-aminopyrene and 2-aminofluorene for determination by GC with electron-capture negative-ion MS 500 (1990) 373
- Balansard, G., see Vidal-Ollivier, E. 463 (1989) 227
- Baldacini, O., see Bisserset, F. 490 (1989) 91
- Baldessarini, R.J., see Trainor, T.M. 457 (1988) 257
- Baldew, G.S., De Goeij, J.J.M. and Vermeulen, N.P.E. Determination of ^{75}Se -labelled selenite and metabolites in plasma and urine by HPLC with on-line radioactivity detection 496 (1989) 111
- Baldew, G.S., Volkers, K.J., De Goeij, J.J.M. and Vermeulen, N.P.E. Determination of cisplatin and related platinum complexes in plasma ultrafiltrate and urine by HPLC with on-line radioactivity detection 491 (1989) 163
- Baldwin, M.A., see Harrison, M.E. 474 (1989) 139
- Baldwin, M.A., see Pullen, F.S. 474 (1989) 335
- Balíková, M. and Kohlíček, J. GC of simple phenols in biological fluids 497 (1989) 159
- Balinova, A. GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391
- Balkom, C.A.A. Van, see Geerdink, R.B. 481 (1989) 275
- Ballester, P., see García-Raso, A. 463 (1989) 441
- Balmér, K., Persson, B.-A. and Schill, G. Optimization of detection sensitivity for enantiomers of metoprolol on silica-bonded α_1 -acid glycoprotein 477 (1989) 107
- Balmér, K., see Persson, B.-A. 500 (1990) 629
- Balschukat, D. and Kunesch, H. Determination of taurine: influence of the coil temperature on the taurine peak purity (in German) 462 (1989) 105
- Bament, G.S., see Smith, R.M. 455 (1988) 349
- Ban, T., see Oeda, T. 482 (1989) 117
- Bandi, Z.L. and Ansari, G.A.S. Isolation of hydroxy fatty acids from livers of carbon tetrachloride-treated rats by TLC 475 (1989) 461
- Bandyopadhyay, M.K., see Ray, R.K. 469 (1989) 383
- Banks, Jr., J.F. and Novotny, M.V. Microcolumn LC of small nucleic acid constituents 475 (1989) 13
- Banks, Jr., J.F., see Dolnik, V. 480 (1989) 321
- Banks, M.A., see Porter, D.W. 454 (1988) 311
- Bannwarth, B., see Lapicque, F. 496 (1989) 301
- Bao, Z., see Yang, S.K. 461 (1989) 377
- Barazi, S., see Marliac, Y. 491 (1989) 461
- Barbaro, A.M., see Biagi, G.L. 469 (1989) 121
- Barbaro, A.M., see Biagi, G.L. 498 (1990) 179
- Barbieri, S., see Biagi, G.L. 498 (1990) 179
- Barceló, D. and Albaigés, J. Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC-MS 474 (1989) 163
- Barceló, D., see Farran, A. 455 (1988) 163
- Barceló, D., see Fernández, P. 456 (1988) 155
- Barchielli, M., see Coppi, G. 495 (1989) 245
- Bardarov, V., Zaikov, C. and Mitewa, M. Application of HPLC with spectrophotometric and electrochemical detection to the analysis of alkylenebis(dithiocarbamates) and their metabolites 479 (1989) 97
- Bardarov, V. and Mitewa, M. HPLC and GC of dialkylphosphates, dialkylthiophosphates and

- dialkyldithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233
- Barefoot, A.C., Reiser, R.W. and Cousins, S.A. Microcolumn LC-MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39
- Barford, R.A., Kumosinski, T.F., Parris, N. and White, A.E. Salt-binding effects in hydrophobic-interaction chromatography 458 (1988) 57
- Bargnoux, H., see Pinche, C. 463 (1989) 201
- Bargossi, A., see Grossi, G. 465 (1989) 113
- Barinaga, C.J., see Edmonds, C.G. 474 (1989) 21
- Barinaga, C.J., see Smith, R.D. 480 (1989) 211
- Barker, S.A., Long, A.R. and Short, C.R. Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353
- Barker, S.A., see Long, A.R. 475 (1989) 404
- Barker, T. and Brown, S.D. Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77
- Barkley, R.M., see McNamara, E.A. 452 (1988) 75
- Barman, B.N., see Jones, H.K. 455 (1988) 1
- Barman, T., see Guasch, A. 473 (1989) 281
- Barnes, K.W., see Sentell, K.B. 455 (1988) 95
- Barnikol, W.K.R., Burkhard, O. and Pötzschke, H. Use of erythrocyruorin of the earthworm (*Lumbricus terrestris*) as calibration standard in gel chromatography (in German) 497 (1989) 231
- Barnung, T.N. and Grahl-Nielsen, O. Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography 466 (1989) 271
- Barroso, C.G., see Cela, R. 485 (1989) 477
- Barrow, L., see Patel, H.R. 495 (1989) 269
- Barry, E.F., see Costanzo, R.B. 467 (1989) 373
- Barth, H.G., see Glöckner, G. 499 (1990) 645
- Bartha, A., Billiet, H.A.H. and De Galan, L. Practical optimization of the separation of a limited subset of components by using isoeluotropic ternary eluent mixtures in reversed-phase HPLC 458 (1988) 371
- Bartha, A., Billiet, H.A.H. and De Galan, L. Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225
- Bartha, A. and Vigh, G. Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383
- Bartha, A., Vigh, G. and Ståhlberg, J. Rationalization of the selection of the type of the organic modifier(s) for selectivity optimization in reversed-phase ion-pair chromatography 485 (1989) 403
- Bartha, A., Vigh, G. and Varga-Puchony, Z. Basis of the rational selection of the hydrophobicity and concentration of the ion-pairing reagent in reversed-phase ion-pair HPLC 499 (1990) 423
- Bartha, A., see Low, G.K.-C. 478 (1989) 21
- Bartha, Á., see Schoenmakers, P.J. 458 (1988) 355
- Bartha, Á., see Ståhlberg, J. 456 (1988) 253
- Bartha, A., see Strasters, J.K. 499 (1990) 523
- Barthomeuf, C. Application of enzyme purification processes to proteolytic enzymes (Review) 473 (1989) 1
- Bartle, K.D., see Payne, K.M. 477 (1989) 161
- Bartle, K.D., see Raynor, M.W. 467 (1989) 292
- Bartlett, M.R., see Selley, M.L. 488 (1989) 329
- Bartlett, W.A. Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites. Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1
- Bartley, T.D., see Klein, M.I. 454 (1988) 205
- Barzaghi, B., see Righetti, P.G. 470 (1989) 337
- Basa, L.J. and Spellman, M.W. Analysis of glycoprotein-derived oligosaccharides by high-pH anion-exchange chromatography 499 (1990) 205
- Base, J., see Hanis, T. 452 (1988) 443
- Bass, J.L., see Sagliano, Jr, N. 458 (1988) 225
- Basselier, J.J., see Desbene, P.L. 461 (1989) 305
- Basselier, J.J., see Desbene, P.L. 465 (1989) 69
- Bassler, B.J., Kaliszan, R. and Hartwick, R.A. Retention mechanisms on metallic stationary phases 461 (1989) 139
- Bassler, B.J., see Kaliszan, R. 499 (1990) 333
- Batt, A.M., see Schmitt, P. 491 (1989) 495
- Batten, C.F., see Wentworth, W.E. 468 (1989) 215
- Batterham, M.P., see Simpson, R.J. 476 (1989) 345
- Battista, C., see Moro, L. 490 (1989) 285
- Battista, M., Di Corcia, A. and Marchetti, M. HPLC method for determining triazine herbicide residues in soil 454 (1988) 233
- Battistoni, R., see Grossi, G. 465 (1989) 113
- Bäuerle, A., see Pickert, A. 495 (1989) 95

- Baumann, A., see Zschiesche, M. 488 (1989) 482
- Baumann, J., see Steuer, W. 500 (1990) 469
- Baumann, U., see Zimmerli, B. 462 (1989) 406
- Baur, J.E. and Wightman, R.M.
- Microcylinder electrodes as sensitive detectors for high-efficiency, high-speed LC 482 (1989) 65
- Bayer, E., see Albert, K. 463 (1989) 355
- Bayer, E., see Buszewski, B. 499 (1990) 305
- Bayer, E., see Hetem, M. 479 (1989) 269
- Bayer, E., see Koppenhoefer, B. 477 (1989) 139
- Bayer, E., see Pfleiderer, B. 468 (1989) 67
- Bayne, W.F., see Constanzer, M.L. 488 (1989) 476
- Bayona, J.M., see Fernández, P. 456 (1988) 155
- Beale, S.C., Hsieh, Y.-Z., Wiesler, D. and Novotny, M.
- Application of 3-(2-furoyl)quinoline-2-carbaldehyde as a fluorogenic reagent for the analysis of primary amines by LC with laser-induced fluorescence detection 499 (1990) 579
- Bear, G.R.
- Universal detection and quantitation of surfactants by HPLC by means of the evaporative light-scattering detector 459 (1988) 91
- Beattie, I.G. and Blake, T.J.A.
- Application of thermospray LC-MS and LC-tandem MS for the identification of cynomolgus monkey and human metabolites of SK&F 101468, a dopamine D₂ receptor agonist 474 (1989) 123
- Beauchemin, D., see Auc, W.A. 500 (1990) 95
- Beaulieu, N., see Ong, H. 497 (1989) 213
- Beauvais, F., see Roussel, C. 462 (1989) 95
- Bechalany, A., Röthlisberger, T., El Tayar, N. and Testa, B.
- Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115
- Bechalany, A., see El Tayar, N. 469 (1989) 91
- Bechemin, C., Delmas, D. and Garet, M.-J.
- Improvement of a carbon-nitrogen elemental analyser for marine samples collected on glass-fibre filters 469 (1989) 399
- Bechgaard, E.
- Sensitive HPLC determination of amiloride in human plasma by direct injection with pre-column enrichment 490 (1989) 219
- Beck, D.J., see Krishnamurthy, T. 469 (1989) 209
- Beckers, J.L. and Everaerts, F.M.
- Determination of the specific zone resistance and calculation of the response factor in isotachophoresis 470 (1989) 277
 - General mathematical model for the steady state in isotachophoresis. Calculation of the effective mobility of terminating H⁺ ions and two-buffer electrolyte systems 480 (1989) 69
- Beckers, J.L., Verheggen, T.P.E.M. and Everaerts, F.M.
- Use of a double-detector system for the measurement of mobilities in zone electrophoresis 452 (1988) 591
- Beckers, J.L., see Verheggen, T.P.E.M. 452 (1988) 615
- Beebe, J.M., Brown, P.R. and Turcotte, J.G.
- Preparative-scale HPLC of omega-3 polyunsaturated fatty acid esters derived from fish oil 459 (1988) 369
- Beebe, J.M., Brown, P.R. and Turcotte, J.G.
- Analytical-scale HPLC of omega-3 fatty acid esters derived from fish oils 468 (1989) 225
- Beech, J., see Sweeney, R.W. 494 (1989) 278
- Beek, T.A. Van and Blaakmeer, A.
- Determination of limonin in grapefruit juice and other citrus juices by HPLC 464 (1989) 375
- Beek, W.M.J., see Aerts, M.M.L. 456 (1988) 105
- Beek, W.M.J., see Aerts, M.M.L. 500 (1990) 453
- Beeman, C.S. and Rossomando, E.F.
- Assay of ornithine decarboxylase activity by reversed-phase HPLC 496 (1989) 101
- Beenackers, A.A.C.M., see Marsman, J.H. 483 (1989) 111
- Beer, J.O. De
- On-line HPLC diode array spectrophotometric analysis of steroid hormones in illegal preparations 489 (1989) 139
- Beer, M.T., see Page, J.A. 474 (1989) 51
- Beerahee, M., see Jack, D.B. 452 (1988) 257
- Beers, C.J.T. Van, see Van Tellingen, O. 488 (1989) 379
- Beland, F.A., see Bakthavachalam, J. 500 (1990) 373
- Belenkii, A.B., see Ruban, V.F. 467 (1989) 41
- Belenkii, B.G., see Ruban, V.F. 467 (1989) 41
- Belenkii, B.G., see Tennikova, T.B. 475 (1989) 187
- Beljakova, L.D., see Hradil, J. 475 (1989) 209
- Bellemare, M., see Ong, H. 497 (1989) 213
- Belleville, F., see Wasels, R. 489 (1989) 411

- Bellocq, J., see Garrigues, P. 473 (1989) 207
- Bellotti, V., see Pianezzola, E. 495 (1989) 205
- Belolipetskaja, V.G., Piotrovskii, V.K., Metelitsa, V.I. and Pavlinov, S.A.
- Ion-exchange HPLC in drug assay in biological fluids. V. Propranolol and metabolites 491 (1989) 507
- Belyakova, L.D., see Hradil, J. 469 (1989) 143
- Bergmård, A. and Blomberg, L.
- Some factors affecting the precision in the determination of retention indices on polar capillary columns for GC 473 (1989) 37
- Benassi, C.A., Semenzato, A. and Bettero, A.
- HPLC determination of free formaldehyde in cosmetics 464 (1989) 387
- Benedek, K.
- Thermodynamics of α -lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 458 (1988) 93
- Benedek, P. and Jankó, T.
- Investigation and improvement of the Horváth-Lin equation of state 499 (1990) 463
- Benedict, C.R., see Bodola, F. 459 (1988) 281
- Beneš, M.J., see Turková, J. 500 (1990) 585
- Benet, L.Z., see Teng, R.-L. 493 (1989) 421
- Benfenati, E., see Celardo, A. 490 (1989) 432
- Benická, E., see Repka, D. 463 (1989) 243
- Benigni, A., see Chiabrando, C. 495 (1989) 1
- Benjaminsen, T., see Hustvedt, S.O. 494 (1989) 335
- Bennekom, W.P. Van, see Van Opstal, M.A.J. 495 (1989) 139
- Bennett, S., see Trumbore, C.N. 481 (1989) 111
- Benny, A.G., Ockelford, P.A., Brimer, C.M. and Morgan, A.K.
- Separation of vitamin K-dependent coagulation factors on sulphated cellulose 487 (1989) 173
- Benowitz, N.L., see Lee, B.L. 494 (1989) 109
- Berezkin, V.G., Viktorova, E.N. and Gavrichev, V.S.
- GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351
- Berezkina, L.G. and Souhodolova, V.I.
- Chromatographic method for studying the hygroscopic qualities of solids 457 (1988) 159
- Berg, H. Van den, see Arts, C.J.M. 489 (1989) 225
- Berg, J.H.M. Van den, see Lammers, N.G.F.M. 499 (1990) 541
- Berg, J.H.M. Van den, see Tipker, J. 452 (1988) 227
- Berg, R.H. Van den, see Jansen, E.H.J.M. 489 (1989) 57
- Berg, R.H. Van den, see Jansen, E.H.J.M. 489 (1989) 245
- Bergamaschi, E., see Ghiggeri, G.M. 452 (1988) 347
- Bergenhem, N. and Carlsson, U.
- Some new by-products in primary structure analysis with dimethylaminoazobenzene isothiocyanate as an aid in the TLC identification of residues 472 (1989) 318
- Berger, A.W., see Driscoll, J.N. 468 (1989) 303
- Berger, B.J., Hall, J.E. and Tidwell, R.R.
- HPLC method for the quantification of several diamidine compounds with potential chemotherapeutic value 494 (1989) 191
- Berger, J.A., see Pinche, C. 463 (1989) 201
- Berger, T.A.
- Effects of temperature and density on retention in capillary SFC 478 (1989) 311
- Berger, T.A. and Toney, C.
- Linear velocity control in capillary SFC by restrictor temperature programming 465 (1989) 157
- Bergers, P.J.M., see Niessen, W.M.A. 454 (1988) 243
- Berghmans, M.C.J., see Hoogenboom, L.A.P. 489 (1989) 105
- Bergh-Swart, J.K. Van den, see Tipker, J. 452 (1988) 227
- Bergren, M.S., see Foust, D.W. 469 (1989) 161
- Berkel-Geldof, O. Van, Kraak, J.C. and Poppe, H.
- Preparation of silicone-coated 5–25- μm I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345
- Berkowitz, J., see Strassburg, R. 482 (1989) 343
- Berman, S.S., see Aue, W.A. 500 (1990) 95
- Berman, S.S., see Siu, K.W.M. 475 (1989) 373
- Bermejo, J., see Blanco, C.G. 465 (1989) 378
- Bermejo, J., see Díez, M.A. 464 (1989) 93
- Bermel, W., see Albert, K. 463 (1989) 355
- Bernard, B. De, see Moro, L. 490 (1989) 285
- Berndt, H., see Kuropka, R. 481 (1989) 380
- Berner, S., see Isaksson, R. 498 (1990) 257
- Berneuther, A., Christoph, N. and Schreier, P.
- Determination of the enantiomeric composition of γ -lactones in complex natural matrices using multidimensional capillary GC 481 (1989) 363
- Berridge, J.C.
- Simplex optimization of HPLC separations (Review) 485 (1989) 3

- Berridge, J.C., see Wright, A.G. 458 (1988) 335
 Berridge, J.C., see Wright, A.G. 464 (1989) 27
 Berry, S.L., see Tseng, A. 474 (1989) 424
 Bersaques, J.P. De, see De Leenheer, A.P. 500 (1990) 637
 Berthod, A., Chartier, F. and Rocca, J.-L.
 Contribution of longitudinal diffusion to band broadening in LC 469 (1989) 53
 Bertol, E., Mari, F. and Di Milia, M.G.
 Programmable temperature vaporizer applications in an high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384
 Bertolini, J., Guthridge, M. and Hearn, M.T.W.
 Rapid chromatographic isolation and immunoblot characterization of immunoreactive fibroblast growth factor-related polypeptides from various tissues 491 (1989) 49
 Bertolini, J., see Guthridge, M. 476 (1989) 445
 Bertolo, P.L., see Gennaro, M.C. 472 (1989) 433
 Bertsch, W., see Green, L.S. 471 (1989) 113
 Bertsch, W., see Holzer, G. 468 (1989) 181
 Bertsch, W., see Roberts, D. 477 (1989) 59
 Betina, V.
 Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187
 Betowski, L.D., see Yinon, J. 482 (1989) 75
 Bettero, A., see Benassi, C.A. 464 (1989) 387
 Betti, A., see Coppi, S. 472 (1989) 406
 Bettler, B., Amadò, R. and Neukom, H.
 Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 498 (1990) 213
 Bettler, B., Amadò, R. and Neukom, H.
 Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223
 Betto, P., Ricciarello, G., Giambenedetti, M., Lucarelli, C., Ruggeri, S. and Stocchi, F.
 Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341
 Betts, T.J.
 Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272
 Betz, W.R. and Supina, W.R.
 Determination of the GC performance characteristics of several graphitized carbon blacks 471 (1989) 105
 Bever, C.T., see Leslie, J. 496 (1989) 214
 Bhat, H.K. and Ansari, G.A.S.
 Chromatographic separation of cholesterol acetate and its chloro analogues 462 (1989) 467
 Bhat, H.K. and Ansari, G.A.S.
 Improved separation of lipid esters by TLC 483 (1989) 369
 Bhatnagar, M., Oka, H. and Ito, Y.
 Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317
 Bhaumik, K. and Huisman, T.H.J.
 Application of HPLC methodology to the analysis of hemoglobins synthesized in erythroid progenitor cells 496 (1989) 83
 Bhavnagri, V.P., see Osman, M.A. 496 (1989) 478
 Bhide, S.R., see Ayyangar, N.R. 464 (1989) 201
 Bi, H., see Massé, R. 497 (1990) 17
 Biacs, P., see Daood, H.G. 472 (1989) 296
 Biaggi-McEachern, M., see Binder, S.R. 473 (1989) 325
 Biagi, G.L., Guerra, M.C., Barbaro, A.M., Barbieri, S., Recanatini, M., Borea, P.A. and Pietrogrande, M.C.
 Study of the lipophilic character of xanthine and adenosine derivatives. I. R_M and $\log P$ values 498 (1990) 179
 Biagi, G.L., Pietrogrande, M.C., Barbaro, A.M., Guerra, M.C., Borea, P.A. and Cantelli Forti, G.
 Study of the lipophilic character of a series of β -carbolines 469 (1989) 121
 Bianchi, A., Varney, M.S. and Phillips, J.
 Modified analytical technique for the determination of trace organics in water using dynamic headspace and GC-MS 467 (1989) 111
 Bianchi, G.
 HPLC assay of k-opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481
 Bianchi, M., see Magnani, M. 491 (1989) 215
 Bianco, O., see Petrarulo, M. 465 (1989) 87
 Bicchi, C., Rubiolo, P. and Frattini, C.
 Capillary GC-Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161
 Bicking, M.K.L., Cooke, W.M., Kawahara, F.K. and Longbottom, J.E.

- Effect of pH on the reaction of 2,4-dinitrophenylhydrazine with formaldehyde and acetaldehyde 455 (1988) 310
- Bidlingmeyer, B., see Chou, T.-Y. 454 (1988) 169
- Bidló-Iglóy, M.
Reversed-phase TLC and HPLC of aromatic alkoxy and hydroxy acids 475 (1989) 321
- Biemer, T.A.
Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463 (1989) 463
- Bier, M., Twitty, G.E. and Sloan, J.E.
Recycling isoelectric focusing and isotachophoresis 470 (1989) 369
- Bier, M., see Sloan, J.E. 457 (1988) 137
- Bier, M., see Wenger, P. 455 (1988) 225
- Biernat, J.F., see Kostrowicki, J. 454 (1988) 340
- Biggs, W.R., see Jinno, K. 461 (1989) 209
- Bighi, C., see Dondi, F. 462 (1989) 205
- Bighi, C., see Pietrogrande, M.C. 471 (1989) 407
- Biljon, P.L. Van and Olivier, S.P.
Determination of sugars in polysaccharide hydrolysates by anion-exchange chromatography 473 (1989) 305
- Billard, J.P., see Pinche, C. 463 (1989) 201
- Billedeau, S.M.
Fluorimetric determination of vitamin K₃ (menadione sodium bisulfite) in synthetic animal feed by HPLC using a post-column zinc reducer 472 (1989) 371
- Billiet, H.A.H. and De Galan, L.
Selection of mobile phase parameters and their optimization in reversed-phase LC (Review) 485 (1989) 27
- Billiet, H.A.H., see Bartha, A. 458 (1988) 371
- Billiet, H.A.H., see Bartha, A. 464 (1989) 225
- Billiet, H.A.H., see Herman, D.P. 463 (1989) 1
- Billiet, H.A.H., see Low, G.K.-C. 478 (1989) 21
- Billiet, H.A.H., see Strasters, J.K. 499 (1990) 499
- Billiet, H.A.H., see Strasters, J.K. 499 (1990) 523
- Binder, S.R., Regalia, M., Biaggi-McEachern, M. and Mazhar, M.
Automated LC analysis of drugs in urine by on-line sample cleanup and isocratic multicolumn separation 473 (1989) 325
- Binder, S.R., see Mazhar, M. 497 (1989) 201
- Bingham, B., see Newland, P. 483 (1989) 406
- Binsbergen, H. Van, see Genuit, W. 474 (1989) 145
- Biollaz, J., see Munafó, A. 490 (1989) 450
- Biondi, P.A., Manca, F., Negri, A., Secchi, C., Tedeschi, G. and Lucarelli, C.
Improved HPLC determination of bacterial collagenase activity in ointments 459 (1988) 337
- Biondi, P.A., Manca, F., Negri, A., Tedeschi, G. and Secchi, C.
GC determination of glycoprotein amino sugars as O-pentafluorobenzoyloxime acetates 467 (1989) 315
- Biondi, P.A., Secchi, C., Negri, A., Tedeschi, G. and Ronchi, S.
Improved HPLC determination of diamine oxidase activity 491 (1989) 209
- Bioque, G., see Gelpí, E. 492 (1989) 223
- Biou, D., see Drechou, A. 489 (1989) 273
- Birder, L.A., see Foglia, J.P. 495 (1989) 295
- Birks, J.W., see Foreman, W.T. 465 (1989) 23
- Bischoff, R., Clesse, D., Whitechurch, O., Lepage, P. and Roitsch, C.
Isolation of recombinant hirudin by preparative HPLC 476 (1989) 245
- Bishr, M.M., see Walsh, M.I. 469 (1989) 390
- Bisseret, F., Keith, G., Rihm, B., Amiri, I., Werneburg, B., Girardot, R., Baldacini, O., Green, G., Nguyen, V.K. and Monteil, H.
Clostridium difficile toxin B: characterization and sequence of three peptides 490 (1989) 91
- Biswas, S.S., see Ayyangar, N.R. 483 (1989) 33
- Bitetto, M. Di, see Gobetti, M. 467 (1989) 327
- Bitsch, R. and Möller, J.
Analysis of B₆ vitamers in foods using a modified HPLC method 463 (1989) 207
- Bjerrum, O.J. and Heegaard, N.H.H.
Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351
- Björkholm, E., Hultman, A. and Rudling, J.
Determination of chlorine and chlorine dioxide in workplace air by impinger collection and ion-chromatographic analysis 457 (1988) 409
- Björkman, S., see Karlsson, A. 494 (1989) 157
- Blaakmeer, A., see Van Beek, T.A. 464 (1989) 375
- Blaas, W., see Tiebach, R. 454 (1988) 372
- Blauboer, B.J., see Van Pelt, F.N.A.M. 487 (1989) 489
- Black, D.B., Dawson, B.A. and Neville, G.A.
Analytical HPLC system for separation of components in nonoxynol-9 spermicidal agents 478 (1989) 244
- Black, J.A., see Burke, T.W.L. 476 (1989) 377
- Black, J.A., see Mant, C.T. 458 (1988) 193
- Bladeren, P.J. Van, see Bogaards, J.J.P. 474 (1989) 435
- Blain, R.W., see Kaliszian, R. 458 (1988) 395
- Blair, I.A., see Prakash, C. 493 (1989) 325

- Blake, T.J.A., see Beattie, I.G. 474 (1989) 123
- Blakemore, M., see Thompson, Jr., H.C. 467 (1989) 159
- Blanckaert, N., see Heirwegh, K.P.M. 496 (1989) 1
- Blanco, C.G., Blanco, J., Bermejo, J. and Guillén, M.D. Capillary GC of some polycyclic aromatic compounds on several stationary phases 465 (1989) 378
- Blanco, C.G., see Díez, M.A. 464 (1989) 93
- Blanco, J., see Blanco, C.G. 465 (1989) 378
- Blanco, R., Arai, A., Grinberg, N., Yarmush, D.M. and Karger, B.L. Role of association on protein adsorption isotherms. β -Lactoglobulin A adsorbed on a weakly hydrophobic surface 482 (1989) 1
- Blanco, R., see Oroszlan, P. 500 (1990) 481
- Blanke, R.V., see Fitzgerald, R.L. 490 (1989) 59
- Blanquat, G.D.S.S., see Alary, J. 496 (1989) 485
- Blaskowitz, K.-H., see Bächmann, K. 482 (1989) 307
- Bleau, G. and Desaulniers, M. HPLC assay of benzalkonium in plasma 487 (1989) 221
- Blessington, B. and Crabb, N. Chiral HPLC analysis of phenoxy herbicide mixtures 454 (1988) 450
- Blessington, B. and Crabb, N. Proposed primary reference methods for the determination of some commercially important chiral aryloxypropionate herbicides in both free acid and ester forms 483 (1989) 349
- Blessington, B., Crabb, N., Karkee, S. and Northage, A. Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183
- Blink, A., Suijkerbuijk, M.L., Ishiwata, T. and Feringa, B.L. GC method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases 467 (1989) 285
- Blitterswijk, H. Van, see Van Ginkel, L.A. 489 (1989) 95
- Blo, G., see Dondi, F. 461 (1989) 281
- Blöbel, H., see Sting, R. 497 (1989) 258
- Block, G.G.A.G., see Delcour, J.A. 467 (1989) 149
- Blomberg, L., see Bemgård, A. 473 (1989) 37
- Blume, D.E., see Chung, H.L. 474 (1989) 329
- Bo, L. Dal, see Ascalone, V. 490 (1989) 81
- Boaretto, A., see Pastore, P. 475 (1989) 331
- Boček, P., Deml, M. and Pospíchal, J. New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 500 (1990) 673
- Boček, P., Deml, M., Pospíchal, J. and Sudor, J. Dynamic programming of pH—a new option in analytical capillary electrophoresis 470 (1989) 309
- Boček, P., see Dolník, V. 480 (1989) 321
- Boček, P., see Foret, F. 452 (1988) 601
- Boček, P., see Foret, F. 470 (1989) 299
- Boček, P., see Gebauer, P. 470 (1989) 3
- Boček, P., see Pospíchal, J. 470 (1989) 43
- Boček, P., see Šustáček, V. 480 (1989) 271
- Bochner, F., see Chen, Z.R. 491 (1989) 367
- Bochner, F., see Chen, Z.R. 493 (1989) 313
- Boddi, V., see Heimler, D. 466 (1989) 371
- Boddington, K.D.B.T., Clifford, A.A. and Shilstone, G.F. Effect of pressure drop across the column on average densities and capacity factors in SFC 471 (1989) 347
- Bodola, F. and Benedict, C.R. Measurement of the release of adenine nucleotides during platelet aggregation by small-bore-column isocratic HPLC 459 (1988) 281
- Boel, E., see Mortensen, S.B. 476 (1989) 227
- Boer, E. De, see Teerlink, T. 491 (1989) 418
- Boesten, W.H.J., see Duchateau, A. 471 (1989) 263
- Boeyé, A., see Foriers, A. 498 (1990) 105
- Bogaards, J.J.P., Van Ommen, B. and Van Bladeren, P.J. An improved method for the separation and quantification of glutathione S-transferase subunits in rat tissue using HPLC 474 (1989) 435
- Bogart, G.R., Leyden, D.E., Wade, T.M., Schafer, W. and Carr, P.W. Spectroscopic investigation of the hydrolysis of γ -glycidoxypropylsilane bound to silica surfaces 483 (1989) 209
- Bogusz, M., see Aderjan, R. 454 (1988) 345
- Böhland, H., see Radicke, J. 467 (1989) 304
- Böhm, H.B., Feltes, J., Volmer, D. and Levensen, K. Identification of nitrophenols in rain-water by HPLC with photodiode array detection 478 (1989) 399
- Bohm, M., Umland, F. and Wenclawiak, B. Splitting control and solvent effects in SFC with fused-silica capillary columns 465 (1989) 17

- Bokx, P.K. De, see Schoenmakers, P.J. 459 (1988) 201
- Boldizsár, M., see Kremmer, T. 493 (1989) 45
- Bonacchi, G., see Agostini, O. 487 (1989) 331
- Bonasia, P.J., see Wenzel, T.J. 463 (1989) 171
- Bonati, M., see Celardo, A. 490 (1989) 432
- Bongers, J., see Duchateau, A. 461 (1989) 419
- Bonn, G., Reiffenstuhl, S. and Jandik, P.
Ion chromatography of transition metals on
an iminodiacetic acid bonded stationary
phase 499 (1990) 669
- Bonn, G., see Reiffenstuhl, S. 482 (1989) 289
- Boomsma, F., see Van der Hoorn, F.A.J. 487
(1989) 17
- Boos, K.-S., Wilmers, B., Schlimme, E. and
Sauerbrey, R.
On-line sample processing and analysis of
diol compounds in biological fluids 456 (1988)
93
- Boppana, V.K., Dolce, K.M., Cyronak, M.J. and
Ziemniak, J.A.
Simplified procedures for the determination
of fenoldopam and its metabolites in human
plasma by HPLC with electrochemical
detection: comparison of manual and robotic
sample preparation methods 487 (1989) 385
- Borders, D.B., see Williams, D.R. 484 (1989) 381
- Borea, P.A., see Biagi, G.L. 469 (1989) 121
- Borea, P.A., see Biagi, G.L. 498 (1990) 179
- Borea, P.A., see Pietrogrande, M.C. 471 (1989)
407
- Boreham, C.J. and Fookes, C.J.R.
Separation of nickel(II) alkylporphyrins by
reversed-phase HPLC. Methodology and
application 467 (1989) 195
- Borella, F., see Springolo, V. 490 (1989) 224
- Borén, H., see Lundgren, B. 482 (1989) 23
- Bories, G. and Suarez, A.F.
Profiling of free and conjugated [^3H]zeranol
metabolites in pig plasma 489 (1989) 191
- Bornhop, D.J., Schmidt, S. and Porter, N.L.
Use of two simultaneous detectors in capillary
SFC 459 (1988) 193
- Borówko, M. and Jaroniec, M.
Studies of adsorption and partition effects in
LC with mixed mobile phases 452 (1988) 131
- Bortolotti, A., see Celardo, A. 490 (1989) 432
- Bosch, D. Van den, see Jansen, E.H.J.M. 489
(1989) 205
- Boshoven, C., see Tock, P.P.H. 477 (1989) 95
- Bosserhoff, A., Wallach, J. and Frank, R.W.
Micropreparative separation of peptides
derived from sodium dodecyl sulphate-
solubilized proteins 473 (1989) 71
- Bosset, J.O. and Gauch, R.
Simple sample preparation for the
quantitative multiple-headspace analysis of
volatile components using adsorption patterns
(in German) 456 (1988) 417
- Böswart, J., Schmidt, T., Kostiuk, P., Pacáková,
V. and Štulík, K.
HPLC determination of some polar
phospholipids in serum 495 (1989) 61
- Boswell, G.W., Munoz, A.C., Aaron, D.T., Chin,
C.L. and Quinn, K.P.
HPLC assay for RA 642, a compound with
cardiovascular effect, in human and rabbit
serum 491 (1989) 513
- Boter, H.L., see Kientz, C.E. 467 (1989) 385
- Both-Miedema, R., see Jansen, E.H.J.M. 489
(1989) 57
- Boto, K.G., see Susic, M. 482 (1989) 175
- Botros, H.G. and M.Vijayalakshmi,
Cell surface interactions with metal chelates
495 (1989) 113
- Botta, G.A., see Radin, L. 459 (1988) 331
- Bottalico, A., see Palmisano, F. 465 (1989) 305
- Boucher, J.L., see Azerad, R. 498 (1990) 293
- Boudinot, F.D., see Satterwhite, J.H. 497 (1989)
330
- Boukharta, M., Girardin, M. and Metche, M.
Gallie acid esters of procyanidines of vines
Vitis vinifera. Separation and identification
by HPLC and GC (in French) 455 (1988) 406
- Boulton, A.A., Durden, D.A. and Davis, B.A.
Isolation, separation and analysis in
neurochemistry: trace amines and acids as an
illustrative example 488 (1989) 129
- Bourne, D.J., see Duffield, A.M. 475 (1989) 273
- Bourne, T.F., see Holzer, G. 468 (1989) 181
- Bourrier, M.J., see Enjalbert, F. 462 (1989) 442
- Bousquet, J.-F., see Kollmann, A. 473 (1989) 293
- Boutagy, J., Rumble, F. and Dunagan, F.
Determination of isradipine and the oxidative
pyridine metabolite in human plasma by
HPLC 487 (1989) 483
- Boutar, M., see Lebrun, M.H. 464 (1989) 307
- Bowers, L., see Edlund, P.O. 487 (1989) 341
- Bowers, L., see Edlund, P.O. 497 (1989) 49
- Bowers, L.D., see Pedigo, S. 499 (1990) 279
- Bowlen, C., see Baker, C. 484 (1989) 347
- Bowling, D.J., see Pinkston, J.D. 474 (1989) 97
- Boyer, D.S., see Rosselli, A.C. 465 (1989) 11
- Boyle, D.M. and Van der Walt, L.A.
High performance affinity chromatography
of human progesterone receptor 455 (1988)
434
- Boysen, R., see Molnar, I. 485 (1989) 569

- Božnar, B., see Žmitek, J. 467 (1989) 276
- Braco, L., see Del Carmen Bañó, M. 458 (1988) 105
- Braco, L., see Pérez-Payá, E. 461 (1989) 229
- Bradford, III, W.W., see Peters, J.H. 488 (1989) 301
- Bradley, N., see Morgan, E.D. 468 (1989) 339
- Bradley, T., see Hjemdahl, P. 494 (1989) 53
- Bradshaw, J.S., see Tarbet, B.J. 473 (1989) 103
- Brajter-Toth, A., see Volk, K.J. 474 (1989) 231
- Brand, F., see Simon, P. 479 (1989) 445
- Brandin, M.P., see Rutty, Y. 491 (1989) 299
- Braumann, T., see Techel, D. 483 (1989) 427
- Brayan, J.G., see Haddad, P.R. 461 (1989) 337
- Breckenridge, A.M., see Idowu, O.R. 493 (1989) 125
- Breckenridge, G.H.M.G., see Christie, W.W. 469 (1989) 261
- Bree, H. De, see Lammers, N. 496 (1989) 291
- Breiner, S.J., see Lochmüller, C.H. 480 (1989) 293
- Brendel, E., see Meineke, I. 493 (1989) 287
- Brenn, E., see Gianesello, V. 473 (1989) 343
- Brenner, M., Moirandat, C. and Schlimme, R. High-efficiency liquid extractor for isolation of a desired material from complex organic mixtures 499 (1990) 721
- Brent, D.A., see Minick, D.J. 461 (1989) 177
- Breton, L., Serkiz, B., Volland, J.-P. and Lepagnol, J. A new rapid method for phospholipid separation by HPLC with light-scattering detection 497 (1989) 243
- Bretschneider, W., see Sherma, J. 463 (1989) 229
- Brewitt, T., see Wenzel, T.J. 463 (1989) 171
- Bridge, T.P., Williams, M.H. and Fell, A.F. Artificial intelligence techniques for peak homogeneity validation in LC 465 (1989) 59
- Brimer, C.M., see Benny, A.C. 487 (1989) 173
- Brindle, I.D. and Li, X.-F. Investigation into the factors affecting performance in the determination of polycyclic aromatic hydrocarbons using capillary GC-MS with splitless injection 498 (1990) 11
- Brindle, P.A., see Brooks, C.J.W. 468 (1989) 201
- Brinkman, U.A.T., Frei, R.W. and Lingeman, H. Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251
- Brinkman, U.A.T., see Aerts, M.M.L. 456 (1988) 105
- Brinkman, U.A.T., see Aerts, M.M.L. 500 (1990) 453
- Brinkman, U.A.T., see Farjam, A. 452 (1988) 419
- Brinkman, U.A.T., see Haasnoot, W. 489 (1989) 157
- Brinkman, U.A.T., see Irth, H. 482 (1989) 317
- Brinkman, U.A.T., see Irth, H. 491 (1989) 321
- Brinkman, U.A.T., see Irth, H. 499 (1990) 617
- Brinkman, U.A.T., see Kientz, C.E. 467 (1989) 385
- Brinkman, U.A.T., see Kwakman, P.J.M. 459 (1988) 139
- Brinkman, U.A.T., see Lipschitz, C. 471 (1989) 321
- Brinkman, U.A.T., see Nielen, M.W.F. 474 (1989) 388
- Brinkman, U.A.T., see Thiebaut, D. 477 (1989) 151
- Brinkman, U.A.T., see Van der Horst, F.A.L. 500 (1990) 443
- Brittain, H.G., see Kadin, H. 487 (1989) 135
- Britten, A.J., see Palmentier, J.-P.F. 469 (1989) 241
- Brocklin, L. Van, see Chen, T.-W. 484 (1989) 167
- Broek, H.H. Van den, see Kootstra, P.R. 458 (1988) 175
- Bromet, N., see Tsaconas, C. 487 (1989) 313
- Brooks, B.R., see Turner, J.G. 487 (1989) 275
- Brooks, C.J.W., Cole, W.J. and Brindle, P.A. Characterisation of products formed by condensations of primary amines with polygodial, and their scope for enantiomer analyses 468 (1989) 201
- Brooks, S.P.J. and Storey, K.B. Purification of phosphofructokinase using transition-state analogue affinity chromatography 455 (1988) 291
- Brooksbank, R.A., see Jackson, P.J. 452 (1988) 359
- Broquet, P., see Martin, A. 497 (1989) 319
- Brorson, T., see Skarping, G. 479 (1989) 125
- Brouwer, H.-J., see Geerdink, R.B. 481 (1989) 275
- Brouwer, K.L.R., see Jewell, R.C. 487 (1989) 257
- Brown, D.M. and Pietrzky, D.J. Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291
- Brown, D.W., see Krahn, M.M. 481 (1989) 263
- Brown, F.R. and Draper, W.M. Separation of phenols and their glucuronide and sulfate conjugates by anion-exchange LC 479 (1989) 441
- Brown, J., see O'Flynn, M.A. 452 (1988) 469
- Brown, J.M., see Whitley, R.D. 483 (1989) 263
- Brown, N.D., Poon, B.T. and Phillips, L.R. Identification and determination of a carboxylic acid metabolite of chloroquine in human urine by HPLC 487 (1989) 189

- Brown, P.R., see Beebe, J.M. 459 (1988) 369
- Brown, P.R., see Beebe, J.M. 468 (1989) 225
- Brown, P.R., see Fadool, D.A. 452 (1988) 491
- Brown, P.R., see Grushka, E. 485 (1989) 617
- Brown, P.R., see Turcotte, J.G. 499 (1990) 55
- Brown, R.C., Evans, C.E., Hoskins, J.A. and Peacock, J.
Production of tyrosine isomers in mice by therapeutic doses of ^{60}Co irradiation 497 (1989) 360
- Brown, S.D., see Barker, T. 469 (1989) 77
- Brown, S.W., see Kolbe, H.V.J. 476 (1989) 99
- Brown, S.Y., see Garland, W.A. 472 (1989) 250
- Brown, Y.L., Kandrotas, R.J., Douglas, J.B. and Gal, P.
HPLC determination of indomethacin serum concentrations 459 (1988) 275
- Brownlee, R.G., see Kasper, T.J. 458 (1988) 303
- Brownlee, R.G., see Schwartz, H.E. 480 (1989) 129
- Brownstein, A.D., see Sandra, P. 477 (1989) 63
- Brtko, J., see Hutta, M. 470 (1989) 223
- Brubaker, Jr., W.F. and Williams, E.D.
Rapid, high-sensitivity reversed-phase LC assay for 9-chloro-2-(2-furyl) [1,2,4]triazolo[1,5-c]quinazolin-5-imine and its oxo metabolite in plasma using fluorescence detection 496 (1989) 377
- Bruce, J.I., see Mohareb, E.W. 480 (1989) 421
- Bruchelt, G., Buedenbender, M., Treumer, J., Niethammer, D. and Schmidt, K.
Investigations on the interferon-induced 2' - 5' oligoadenylate system using analytical capillary isotachophoresis 470 (1989) 185
- Brückner, C., see Schneider, G. 483 (1989) 459
- Brückner, H., see Lork, K.D. 476 (1989) 135
- Brückner, H., Wittner, R. and Godel, H.
Automated enantioseparation of amino acids by derivatization with α -phthalaldialdehyde and N-acylated cysteines 476 (1989) 73
- Bruhn, M., see Ellerbroek, L. 495 (1989) 314
- Bruin, G.J.M., Chang, J.P., Kuhlman, R.H., Zegers, K., Kraak, J.C. and Poppe, H.
Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429
- Bruin, G.J.M., Huisden, R., Kraak, J.C. and Poppe, H.
Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis 480 (1989) 339
- Bruins, C.H.P., see Smilde, A.K. 485 (1989) 169
- Brune, K., see Geisslinger, G. 491 (1989) 139
- Bruner, F., Crescentini, G., Mangani, F. and Lattanzi, L.
New perspectives in capillary chromatography 473 (1989) 93
- Bruner, F., see Mangani, F. 452 (1988) 527
- Bruner, F., see Min, X. 468 (1989) 365
- Brunet, P., Sarrobert, B. and Paris-Pireyre, N.
Modified procedure for the HPLC analysis of amino acids in xylem sap (in French) 455 (1988) 173
- Brunet, P., see Sarrobert, B. 462 (1989) 303
- Brunnekreeft, J.W.I., Eindhoven, H. and Gerrits, J.
Optimized determination of thiochrome derivatives of thiamine and thiamine phosphates in whole blood by reversed-phase LC with precolumn derivatization 491 (1989) 89
- Brunner, C.A. and Wainer, I.
Direct stereochemical resolution of enantiomeric amides via TLC on a covalently bonded chiral stationary phase 472 (1989) 277
- Brunner, G., see Tsikas, D. 470 (1989) 191
- Brunovská, A., see Repka, D. 463 (1989) 235
- Brusilow, S.W. and Hauser, E.
Simple method of measurement of orotic acid and orotidine in urine 493 (1989) 388
- Bruyère, Jr., H.J., see Kapil, R.P. 493 (1989) 182
- Bryan, L.J. and O'Donnell, S.R.
Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29
- Bryn, K., see Sonesson, A. 487 (1989) 1
- Bubeck, J.I., see Liebich, H.M. 500 (1990) 615
- Buchacher, A., see Jungbauer, A. 476 (1989) 257
- Buchberger, W. and Rieger, G.
Determination of cations in tear fluid samples by non-suppressed ion chromatography with indirect UV detection 482 (1989) 407
- Buchberger, W. and Winsauer, K.
Alumina as stationary phase for ion chromatography and column-coupling techniques 482 (1989) 401
- Bucheli, F., see Wyss, R. 456 (1988) 33
- Buchs, A., see Gülaçar, F.O. 479 (1989) 61
- Buckley, J.J. and Wetlaufer, D.B.
Use of the surfactant 3-(3-cholamidopropyl)-dimethylammoniopropane sulfonate in hydrophobic interaction chromatography of proteins 464 (1989) 61
- Budahegyi, M.V., see Tarján, T. 472 (1989) 1
- Buedenbender, M., see Bruchelt, G. 470 (1989) 185

- Bufalo, G., see Grasso, G. 454 (1988) 411
- Bukatsch, H., see Bächmann, K. 482 (1989) 307
- Bulbena, O., see Gelpí, E. 492 (1989) 223
- Bulbena, O., see Ramis, I. 496 (1989) 416
- Bult, A., see Van Opstal, M.A.J. 495 (1989) 139
- Bupp, J.E., see Peters, J.H. 488 (1989) 301
- Burcinová, A., Tichý, M., Pacáková, V. and Štulík, K.
Application of amperometric detection to the HPLC determination of antipyrine and 4-aminoantipyrine in urine 455 (1988) 420
- Burd, S., see Zhu, M. 480 (1989) 311
- Burford, R.P., see Haken, J.K. 452 (1988) 37
- Burford, R.P., see Haken, J.K. 500 (1990) 367
- Burford, R.P., see Harahap, N. 477 (1989) 53
- Burger, J.A., see Labadarios, D. 487 (1989) 428
- Burgos, F.J., Pascual, R., Vendrell, J., Cuchillo, C.M. and Avilés, F.X.
The separation of pancreatic procarboxypeptidases by HPLC and chromatofocusing 481 (1989) 233
- Burinsky, D.J., see Motto, M.G. 481 (1989) 255
- Burke, III, J.A., see Pirkle, W.H. 479 (1989) 377
- Burke, J.T., see Krstulović, A.M. 452 (1988) 477
- Burke, T.W.L., Mant, C.T., Black, J.A. and Hodges, R.S.
Strong cation-exchange HPLC of peptides. Effect of non-specific hydrophobic interactions and linearization of peptide retention behaviour 476 (1989) 377
- Burke, T.W.L., see Mant, C.T. 458 (1988) 193
- Burke, Jr., T.R. and Chandrasekhar, B.
Preparative reversed-phase HPLC in the synthesis of viscosin, a cyclic depsipeptide 484 (1989) 293
- Burkhard, O., see Barnikol, W.K.R. 497 (1989) 231
- Burkholder, H.R., see Sawyer, D.J. 455 (1988) 193
- Bürki, C., see Häkkinen, V.M.A. 473 (1989) 353
- Bürkle, W., see Schurig, V. 475 (1989) 23
- Burlina, A., see Plebani, M. 476 (1989) 93
- Burne, T.W.L., see Mant, C.T. 485 (1989) 365
- Burr, C.M., see Smith, R.M. 475 (1989) 57
- Burr, C.M., see Smith, R.M. 475 (1989) 75
- Burr, C.M., see Smith, R.M. 481 (1989) 71
- Burr, C.M., see Smith, R.M. 481 (1989) 85
- Burr, C.M., see Smith, R.M. 485 (1989) 325
- Burstein, E.S. and Greenblatt, D.J.
Simplified GC analysis of ethanol in blood and tissue 487 (1989) 228
- Burton, S.J., Stead, C.V. and Lowe, C.R.
Design and applications of biomimetic anthraquinone dyes. II. The interaction of C.I. Reactive Blue 2 analogues bearing terminal ring modifications with horse liver alcohol dehydrogenase 455 (1988) 201
- Bush, D.A. and Winkler, M.A.
Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 489 (1989) 303
- Bush, H., see Derrico, E.M. 461 (1989) 35
- Bush, H., see Miller, L. 484 (1989) 259
- Bush, H., see Miller, L. 484 (1989) 337
- Bushey, M.M. and Jorgenson, J.W.
Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts 480 (1989) 301
- Bushuk, W., see Sapirstein, H.D. 469 (1989) 127
- Bushway, R.J.
HPLC determination of carbaryl in fruit juices 457 (1988) 437
- Buskens, C.A.F., see Jansen, E.H.J.M. 489 (1989) 245
- Buszewski, B., Sieńko, D. and Suprynowicz, Z.
Effect of the structure and density of chemically bonded C₁₈ phase on the recovery of tryptophan and its metabolites from human urine 464 (1989) 73
- Buszewski, B., Suprynowicz, Z., Staszczuk, P., Albert, K., Pfleiderer, B. and Bayer, E.
Effect of coverage density on the retention mechanism in reversed-phase HPLC 499 (1990) 305
- Buszewski, B., see Suprynowicz, Z. 456 (1988) 219
- Buydens, L., see De Smet, M. 457 (1988) 25
- Buydens, L., see De Smet, M. 485 (1989) 237
- Buydens, L., see Hindriks, R. 485 (1989) 255
- Büyüktimkin, N., Keller, F. and Schunack, W.
GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402
- By, A., Ethier, J.C., Lauriault, G., LeBelle, M., Lodge, B.A., Savard, C., Sy, W.-W. and Wilson, W.L.
Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

C

- Cabras, P., Meloni, M., Plumitallo, A. and Gennari, M.
HPLC determination of ethiofencarb and its metabolic products 462 (1989) 430
- Cabras, P., Spanedda, L., Pellecchia, M. and Gennari, M.
HPLC determination of the herbicide terbutylazine and its dealkylated metabolites in soil 472 (1989) 411
- Cabras, P., Spanedda, L., Tuberoso, C. and Gennari, M.
Separation of pirimicarb and its metabolites by HPLC 478 (1989) 250
- Cabré, F., Canela, E.I. and Canela, M.A.
Accuracy and precision in the determination of Stokes radii and molecular masses of proteins by gel filtration chromatography 472 (1989) 347
- Caccamese, S.
Retention behaviour of diastereomeric truxillic and truxinic diamides and separation of an enantiomeric pair in HPLC 457 (1988) 366
- Caccamese, S., Cascio, O. and Compagnini, A.
Isolation of an antimicrobial bromoditerpene from a marine alga aided by improved bioauthography 478 (1989) 255
- Cachia, C., Flamion, P.-J. and Schreiber, J.-P.
Purification of core salt-extracted *E. coli* 30S ribosomal proteins by HPLC under non-denaturing conditions 498 (1990) 417
- Cadelis, F., see Kirchberger, J. 483 (1989) 289
- Caesar, R., Weightman, H. and Mintz, G.R.
HPLC determination of alkylamidopropyl-N,N-dimethyl-N-(2,3-dihydroxypropyl)ammonium chlorides in aqueous solutions and cosmetic formulations 478 (1989) 191
- Caffey, K.P., see Salotto, A.W. 498 (1990) 55
- Cain-Janicke, K., see Crary, J.R. 462 (1989) 85
- Callahan, J., see Dixon, D.W. 462 (1989) 411
- Callery, P.S., see Grubb, M.F. 469 (1989) 191
- Callery, P.S., see Musser, S.M. 474 (1989) 197
- Calvert, A.H., see Graham, M.A. 491 (1989) 253
- Calvo, M.B., Pedraz, J.L. and Domínguez-Gil, A.
Determination of low concentrations of dibenzylamine in human plasma and urine by GC with a nitrogen-phosphorus detector 490 (1989) 206
- Camilleri, P., Dolle, R.E., Novelli, R. and Salter, C.J.
Separation of the enantiomers of a triester of 2,2-difluorocitrate 482 (1989) 258
- Camilleri, P., Dyke, C. and Hossner, F.
Chiral separation of the optical isomers of the antimalarial drug halofantrine 477 (1989) 471
- Camilleri, P., Dyke, C.A., Paknoham, S.J. and Senior, L.A.
Direct resolution of the optical isomers of fenoldopam and one of its derivatives 498 (1990) 414
- Camoni, I., see Di Muccio, A. 456 (1988) 143
- Camoni, I., see Di Muccio, A. 456 (1988) 149
- Campbell, E.L., see Kroeff, E.P. 461 (1989) 45
- Campbell, L.D., see Slominski, B.A. 454 (1988) 285
- Campestrini, J., see Rouan, M.C. 456 (1988) 45
- Campoleoni, A., see Chiabrando, C. 495 (1989) 1
- Campos, A., see Pérez-Payá, E. 461 (1989) 229
- Canafax, D.M., see Erdmann, G.R. 494 (1989) 354
- Cañas Montalvo, B., Imaz Villar, C., Izquierdo Hornillos, R.C. and Polo Diez, L.
Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217
- Candiano, G., see Ghiggeri, G.M. 452 (1988) 347
- Canela, A.M. and Muehleisen, H.
Application of headspace GC to the measurement of organic emissions 456 (1988) 241
- Canela, E.I., see Cabré, F. 472 (1989) 347
- Canela, M.A., see Cabré, F. 472 (1989) 347
- Canepa, A., Perfumo, F., Carrea, A., Sanguineti, A., Piccardo, M.T. and Gusmano, R.
Measurement of free amino acids in polymorphonuclear leukocytes by HPLC 491 (1989) 200
- Cano, J.-P., see Drouet-Coassolo, C. 487 (1989) 295
- Cantelli Forti, G., see Biagi, G.L. 469 (1989) 121
- Cantin, D., Richard, J.-M. and Alary, J.
Chromatographic behaviour and determination of orellanine, a toxin from the mushroom *Cortinarius orellanus* 478 (1989) 231
- Capart, J., see Luijten, W. 474 (1989) 265
- Capdepuy, M., see Fourche, J. 487 (1989) 142
- Capizzi, R.L., see Wang, L.-M. 491 (1989) 331

- Capone, W., Mascia, C., Melis, M. and Spanedda, L.
Determination of terpenic compounds in the essential oil from *Satureja thymbra* L. growing in Sardinia 457 (1988) 427
- Caponi, J.P., see Liautard, J. 476 (1989) 439
- Cappelletti, G., see Guenzi, A. 494 (1989) 219
- Caprioli, R.M., Moore, W.T., Martin, M., DaGue, B.B., Wilson, K. and Moring, S.
Coupling capillary zone electrophoresis and continuous-flow fast atom bombardment MS for the analysis of peptide mixtures 480 (1989) 247
- Carbognani, L. and Izquierdo, A.
Preparative and automated compound class separation of Venezuelan vacuum residua by HPLC 484 (1989) 399
- Cardace, G., see Marzo, A. 465 (1989) 95
- Cardinali, F., Ziggotti, A. and Visconti, G.C.
Scaling-up procedure from the range of milligrams to grams for the purification of amino acid derivatives in displacement chromatography 499 (1990) 37
- Carducci, C., see Antonozzi, I. 459 (1988) 319
- Cardwell, T.J. and Lorman, T.H.
LC analysis of bromination reactions of metal trifluoroacetylacetones 479 (1989) 181
- Carini, M., see Pietta, P. 478 (1989) 259
- Carlier, J.-P. and Sellier, N.
GC-MS studies after methylation of metabolites produced by some anaerobic bacteria in spent media 493 (1989) 257
- Carlshaf, A. and Jönsson, J.Å.
Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89
- Carlsson, U., see Bergenhem, N. 472 (1989) 318
- Carmen Bañó, M. Del, Braco, L. and Abad, C.
New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105
- Carr, J.W. and Harris, J.M.
Temperature-induced changes in reversed-phase chromatographic surfaces. C₈ and C₉ polymeric ligands 481 (1989) 135
- Carr, P.W., see Bogart, G.R. 483 (1989) 209
- Carr, P.W., see Cheong, W.J. 499 (1990) 373
- Carr, P.W., see Cheong, W.J. 500 (1990) 215
- Carr, P.W., see Lucy, C.A. 484 (1989) 61
- Carr, P.W., see Park, J.H. 465 (1989) 123
- Carr, P.W., see Rigney, M.P. 484 (1989) 273
- Carr, P.W., see Rigney, M.P. 499 (1990) 291
- Carr, P.W., see Rutan, S.C. 463 (1989) 21
- Carr, R.J.G., see Jager, B.J. 472 (1989) 331
- Carrea, A., see Canepa, A. 491 (1989) 200
- Carrera, G., see Alary, J. 496 (1989) 485
- Carroll, D.L., see Robinson, R.S. 455 (1988) 143
- Carron, J.M., see Lee, H.-B. 498 (1990) 367
- Carté, B.K., see Poehland, B.L. 481 (1989) 421
- Carter, G.T., see Williams, D.R. 484 (1989) 381
- Carter, N.D., see Edwards, R.J. 490 (1989) 424
- Cartoni, G.P., Goretti, G., Neri, B. and Russo, M.V.
Evaluation of small diameter capillary columns for GC 475 (1989) 145
- Cartwright, G., see Coppola, D. 476 (1989) 269
- Carty, R.L., see Salotto, A.W. 498 (1990) 55
- Caruncho, V., see Grassini-Strazza, G. 466 (1989) 1
- Carver, A.H., see Ocampo, A.P. 496 (1989) 167
- Casado, J., see Montes, M. 481 (1989) 97
- Cascio, O., see Caccamese, S. 478 (1989) 255
- Case, G.L. and Steele, R.D.
Determination of reduced folate derivatives in tissue samples by HPLC with fluorimetric detection 487 (1989) 456
- Cashaw, J.L., see Geraghty, C.A. 489 (1989) 399
- Casnati, G., see Palla, G. 475 (1989) 45
- Casoli, A., Mangia, A., Predieri, G. and Sappa, E.
HPLC of triangular ruthenium clusters containing bidentate group-15 donor ligands 483 (1989) 443
- Cassani, G., see Righetti, P.G. 470 (1989) 337
- Cassiano, L., see Castagnola, M. 494 (1989) 310
- Cassidy, D.M., Pratt, D.A., Taylor, R., Alberti, K.G.M.M. and Laker, M.F.
Capillary column GC-MS for the determination of the fatty acid composition of human adipose tissue 491 (1989) 1
- Castagnola, M., Cassiano, L., De Cristofaro, R., Luciani, S., Rossetti, D.V. and Landolfi, R.
Purification of the isolated β -chain of adult human haemoglobin from its post-translational modification 494 (1989) 310
- Castañeda-Hernandez, G., see Flores-Murrieta, F.J. 490 (1989) 464
- Castellanos, M., see Wong, B. 495 (1989) 21
- Castelli, P.L., see Sweeney, R.W. 494 (1989) 278
- Castello, G., Timossi, A. and Gerbino, T.C.
GC separation of halogenated compounds on non-polar and polar wide bore capillary columns 454 (1988) 129
- Castranova, V., see Porter, D.W. 454 (1988) 311
- Caude, M., see Jadaud, P. 464 (1989) 333
- Caude, M., see Lienne, M. 467 (1989) 406
- Caude, M., see Lienne, M. 472 (1989) 265
- Caude, M., see Macaudière, P. 467 (1989) 357
- Caude, M., see Morin, P. 464 (1989) 125
- Caude, M., see Nizery, D. 467 (1989) 49

- Caudé, M., see Siret, L. 498 (1990) 67
- Caudé, M., see Veuthey, J.L. 499 (1990) 637
- Causon, R.C., see O'Flynn, M.A. 452 (1988) 469
- Cavallini, D., see Costa, M. 490 (1989) 404
- Cavazza, M., see Zandomeneghi, M. 464 (1989) 289
- Cavazzutti, G., see Gagliardi, L. 464 (1989) 428
- Cavazzutti, G., see Gagliardi, L. 466 (1989) 433
- Cecconie, T., see Thormann, W. 461 (1989) 95
- Cela, R., Barroso, C.G. and Pérez-Bustamante, J.A.
Objective functions in experimental and simulated chromatographic optimization. Comparative study and alternative proposals 485 (1989) 477
- Ćelap, M.B., see Janjić, T.J. 481 (1989) 465
- Ćelap, M.B., see Tešić, Ž.L. 456 (1988) 346
- Ćelap, M.B., see Tešić, Ž.L. 481 (1989) 471
- Ćelap, M.B., see Vučković, G. 454 (1988) 362
- Ćelap, M.B., see Vučković, G. 466 (1989) 227
- Celardo, A., Bortolotti, A., Benfenati, E. and Bonati, M.
Measurement of vitamin E in premature infants by reversed-phase HPLC 490 (1989) 432
- Čellár, P., see Matisová, E. 454 (1988) 65
- Čeranić, T.S., see Marković, M.M. 463 (1989) 281
- Černay, P., see Spustová, V. 490 (1989) 186
- Ceulemans, J., see Stienlet, D. 475 (1989) 247
- Ceva, P., see Pietta, P. 457 (1988) 442
- Chadwick, V., see Hall, L. 478 (1989) 438
- Chiaken, I.M.
Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 488 (1989) 145
- Chakma, A. and Meisen, A.
Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287
- Chamart, S., Hanocq, M., Helson, M., Devleeschouwer, N. and Leclercq, G.
Determination of 2-methyl derivatives of tamoxifen in cell culture medium using HPLC and electrochemical detection 496 (1989) 365
- Chambaz, D. and Haerdi, W.
On-line preconcentration and elution of trace metals by ion chromatography 482 (1989) 335
- Champlin, P.B., see Wang, T. 462 (1989) 147
- Chamsi, A.Y., see Smith, R.M. 455 (1988) 349
- Chan, G.L.-Y., Axelson, J.E., Abbott, F.S., McErlane, K.M. and Kerr, C.R.
Determination of 5-hydroxypropafenone in biological fluids by fused-silica capillary GC using electron-capture detection 495 (1989) 349
- Chan, K., see Yang, J.M. 490 (1989) 458
- Chan, K.C. and Yeung, E.S.
Peak identification of amino acids in LC by optical activity detection 457 (1988) 421
- Chan, K.K., see Hong, P.S. 495 (1989) 131
- Chan, P.F., see Law, B. 467 (1989) 267
- Chan, S.C., see Fox, S.M. 494 (1989) 331
- Chan, V.W., see Ramsey, R.S. 468 (1989) 167
- Chan, Y.-P.M., Lee, F.-W. and Siu, T.-S.S.
Quantitation of homoharringtonine in plasma by HPLC with amperometric detection 496 (1989) 155
- Chan, Y.-P.M. and Siu, T.-S.S.
Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251
- Chandrasekhar, B., see Burke, Jr., T.R. 484 (1989) 293
- Chandrasekhara Rao, T., Kale, V., Vijayalakshmi, P., Gangadhar, A., Subbarao, R. and Lakshminarayana, G.
Chromatographic methods for the determination of monomer, dimer and trimer fractions in dimer fatty acids 466 (1989) 403
- Chang, J.-P., see Pirkle, W.H. 479 (1989) 377
- Chang, J.P., see Bruin, G.J.M. 471 (1989) 429
- Chang, P.S. and Rhee, J.S.
Simultaneous HPLC analysis of oleic acid and simple glycerides of oleic acid 465 (1989) 438
- Chang, S.Y., Nelson, F.R., Findlay, J.W.A. and Taylor, L.C.E.
Quantitative GC-MS analysis of acrivastine and a metabolite in human plasma 497 (1989) 288
- Chang, T., see Andrawes, F. 468 (1989) 145
- Chanon, M., see Saleh, S. 496 (1989) 223
- Charbonneau, C.F., see Lawrence, J.F. 462 (1989) 349
- Charbonneau, C.F., see Lawrence, J.F. 462 (1989) 419
- Charbonneau, G.M., see Palmentier, J.-P.F. 469 (1989) 241
- Chartier, F., Crevel, G., Laine, B. and Sautiere, P.
HPLC separation of variants of chromosomal proteins from prokaryotes 466 (1989) 331
- Chartier, F., see Berthod, A. 469 (1989) 53
- Chase, H.A., see Livingston, A.G. 481 (1989) 159
- Chase, H.A., see Skidmore, G.L. 498 (1990) 113

- Chase, Jr., G.W., Landen, Jr., W.O. and Soliman, A.M.
LC resolution of hypoglycin A from leucine 456 (1988) 431
- Chasseaud, L.F., see Taylor, I.W. 495 (1989) 275
- Chaumont, A.J., see Kintz, P. 489 (1989) 459
- Chauvet, N. and Hubert, J.
Characterization of indirect photometry for the determination of inorganic anions in natural water by ion chromatography 469 (1989) 329
- Chawla, R.P., see Singh, P.P. 457 (1988) 387
- Cheach, I.C.L., Sitaram, B.R., Pappas, A., Thi, N.L., Finnin, B.C. and Reed, B.L.
Normal-phase and reversed-phase LC techniques for the determination of dithranol and its degradation products 467 (1989) 414
- Cheam, V.
Determination of organic and inorganic acids in precipitation samples 482 (1989) 381
- Chelmincka-Bertilsson, M., see Allenmark, S. 456 (1988) 410
- Chemlal, A., see Roussel, C. 462 (1989) 95
- Chen, B.H., see Bailey, C.A. 455 (1988) 396
- Chen, E.C.M., see Wentworth, W.E. 468 (1989) 215
- Chen, J. and Fritz, J.S.
Chromatographic determination of water using spectrophotometric detection 482 (1989) 279
- Chen, J., see Zhang, X.Y. 495 (1989) 343
- Chen, S.-T., see Lo, L.-C. 472 (1989) 336
- Chen, S.-T., see Yu, H.-M. 456 (1988) 357
- Chen, T.-M. and Coutant, J.E.
Thermospray HPLC-MS characterization of biological macromolecules. I. Analysis of acid hydrolysate of peptides 463 (1989) 95
- Chen, T.-W., Pinto, N.G. and Van Brocklin, L.
Rapid method for determining multicomponent Langmuir parameters for displacement chromatography 484 (1989) 167
- Chen, Y., see Zhu, A. 470 (1989) 251
- Chen, Y.-F., see Meng, Q.C. 461 (1989) 271
- Chen, Y.-H., see Oshima, T. 455 (1988) 410
- Chen, Z.R., Bochner, F. and Somogyi, A.
Simultaneous determination of codeine, norcodeine and morphine in biological fluids by HPLC with fluorescence detection 491 (1989) 367
- Chen, Z.R., Reynolds, G., Bochner, F. and Somogyi, A.
Direct determination of codeine-6-glucuronide in plasma and urine using solid-phase extraction and HPLC with fluorescence detection 493 (1989) 313
- Cheng, L.K., see Osman, M.A. 489 (1989) 452
- Cheng, L.K., see Osman, M.A. 496 (1989) 478
- Cheng, R., see Kim, C. 494 (1989) 67
- Cheng, S.W.T., see O'Connor, E.F. 491 (1989) 240
- Cheng, W.-L., see Jao, Y. 462 (1989) 191
- Cheng, Z., see Uden, P.C. 468 (1989) 319
- Cheong, W.J. and Carr, P.W.
Study of partition models in reversed-phase LC based on measured mobile phase solute activity coefficients 499 (1990) 373
- Cheong, W.J. and Carr, P.W.
Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 500 (1990) 215
- Cheong, W.J., see Rutan, S.C. 463 (1989) 21
- Chervet, J.-P., see Thiebaut, D. 477 (1989) 151
- Chessebeuf-Padieu, M., see Ibañez, M.A.D. 488 (1989) 237
- Chesson, S.M., see Hsu, R.S. 494 (1989) 347
- Chevalier, J.L., see Huss, V. 500 (1990) 241
- Cheyrol, G., see Poirier, J.-M. 493 (1989) 409
- Cheynier, V., Rigaud, J. and Moutounet, M.
HPLC determination of the free *o*-quinones of *trans*-caffeoyleltartaric acid, 2-S-glutathionylcaffeoyleltartaric acid and catechin in grape must 472 (1989) 428
- Chia, K.S., see Lee, B.L. 494 (1989) 303
- Chiabrandi, C., Pincioli, V., Campoleoni, A., Benigni, A., Piccinelli, A. and Fanelli, R.
Quantitative profiling of 6-ketoprostaglandin F_{1α}, 2,3-dinor-6-ketoprostaglandin F_{1α}, thromboxane B₂ and 2,3-dinor-thromboxane B₂ in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1
- Chiandetti, L., see Ferrari, V. 497 (1989) 101
- Chiari, M., Chiesa, C., Righetti, P.G., Corti, M., Jain, T. and Shorr, R.
Kinetics of cysteine oxidation in immobilized pH gradient gels 499 (1990) 699
- Chiari, M., Manzocchi, A. and Righetti, P.G.
Formation of a cysteine-acrylamide adduct in isoelectric focusing gels 500 (1990) 697
- Chiari, M., see Cossu, G. 475 (1989) 283
- Chiavari, G., Laghi, M.C. and Torsi, G.
HPLC analysis of aldehydes at trace level as their 3-methylbenzothiazolone azine derivatives 475 (1989) 343
- Chiavari, G., see Torsi, G. 482 (1989) 207
- Chiba, M., see Vukmanic, D. 483 (1989) 189
- Chichila, T.M.P., Edlund, P.O., Henion, J.D., Wilson, R. and Epstein, R.L.
Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase HPLC 488 (1989) 389

- Chicz, R.M. and Regnier, F.E.
Microenvironmental contributions to the chromatographic behavior of subtilisin in hydrophobic-interaction and reversed-phase chromatography 500 (1990) 503
- Chiesa, C., see Chiari, M. 499 (1990) 699
- Chiesa, C., see Cossu, G. 475 (1989) 283
- Chikazumi, N., Mukoyama, Y. and Sugitani, H.
High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 85
- Chin, C.L., see Boswell, G.W. 491 (1989) 513
- Chin, S.K., Hui, A.C. and Giacomini, K.M.
HPLC determination of the enantiomers of β -adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 489 (1989) 438
- Ching, C.B., Hidajat, K. and Rathor, M.N.
Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261
- Ching, M.S., Lennard, M.S., Gregory, A. and Tucker, G.T.
Measurement of underivatised metoprolol enantiomers in human plasma by HPLC with a chiral stationary phase 497 (1989) 313
- Chiodetti, L., see Knight, M. 459 (1988) 361
- Chiou, S.-H. and Wang, K.-T.
Peptide and protein hydrolysis by microwave irradiation 491 (1989) 424
- Chiou, S.-H., see Yu, H.-M. 456 (1988) 357
- Chloupek, R., see Sievert, H.-J.P. 499 (1990) 221
- Chloupek, R.C., Harris, R.J., Leonard, C.K., Keck, R.G., Keyt, B.A., Spellman, M.W., Jones, A.J.S. and Hancock, W.S.
Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase HPLC tryptic mapping 463 (1989) 375
- Chmielinska, J.J., see Phillips, T.M. 458 (1988) 185
- Choli, T., Kapp, U. and Wittmann-Liebold, B.
Blotting of proteins onto Immobilon membranes. *In situ* characterization and comparison with HPLC 476 (1989) 59
- Choma, N., see Fukuda, E.K. 491 (1989) 97
- Choma, N., see Rubio, F.A. 497 (1989) 147
- Chong, W.K., Mills, G.A., Weavind, G.P. and Walker, V.
HPLC method for the rapid profiling of plasma and urinary organic acids 487 (1989) 147
- Choo, H.-Y.P., see Park, J. 489 (1989) 313
- Chornet, E., see Thring, R.W. 467 (1989) 441
- Chou, F.E., see Ito, Y. 454 (1988) 382
- Chou, T.-Y., Gao, C.-X., Colgan, S.T., Krull, I.S., Dorschel, C. and Bidlingmeyer, B.
Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169
- Chovan, J.P. and Vermeulen, J.D.
HPLC method for a clozapine analogue, CGS 13429, and its N-oxide and desmethyl metabolites 494 (1989) 413
- Chrétien, J.R., see Walczak, B. 464 (1989) 237
- Christensen, T., see Mortensen, S.B. 476 (1989) 227
- Christie, W.W.
Separation of molecular species of triacylglycerols by HPLC with a silver ion column 454 (1988) 273
- Christie, W.W. and Breckenridge, G.H.M.G.
Separation of *cis* and *trans* isomers of unsaturated fatty acids by HPLC in the silver ion mode 469 (1989) 261
- Christoph, N., see Bernreuther, A. 481 (1989) 363
- Christophidis, N., see Cosollo, W. 494 (1989) 201
- Chu, Y.-Q. and Wainer, I.W.
Determination of the enantiomers of verapamil and norverapamil in serum using coupled achiral-chiral HPLC 497 (1989) 191
- Chu, Y.-Q., see Wainer, I.W. 455 (1988) 316
- Chum, H.L., see Himmel, M.E. 498 (1990) 93
- Chung, H.L. and Blume, D.E.
Identification of nicotine biosynthetic intermediates in tobacco roots by LC-MS 474 (1989) 329
- Chung, M.T., see Gesquiere, J.C. 478 (1989) 121
- Churms, S.C.
Recent developments in the chromatographic analysis of carbohydrates (Review) 500 (1990) 555
- Cigánek, M., see Dressler, M. 462 (1989) 155
- Cimorelli, A., see Gagliardi, L. 466 (1989) 433
- Cipolle, R.J., see Erdmann, G.R. 494 (1989) 354
- Clark, C.R., see Lukey, B.J. 493 (1989) 117
- Clavey, V., see Steinmetz, A. 487 (1989) 154
- Cleland, A., see Mulholland, M. 485 (1989) 283
- Clement, B., see Riba, M.-L. 456 (1988) 165
- Clesse, D., see Bischoff, R. 476 (1989) 245
- Clifford, A.A.
Theory of open-tube chromatography: an exact proof of Golay's equations 471 (1989) 61
- Clifford, A.A., see Boddington, K.D.B.T. 471 (1989) 347
- Coassolo, P., see Drouet-Coassolo, C. 487 (1989) 295

- Cobb, K.A., see Liu, J. 468 (1989) 55
- Cobb, S.J., see Fadool, D.A. 452 (1988) 491
- Cock, J. De, see Van Doorn, J.E. 489 (1989) 419
- Coenegracht, P.M.J., Smilde, A.K., Metting, H.J. and Doornbos, D.A.
- Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195
- Coenegracht, P.M.J., see Smilde, A.K. 485 (1989) 169
- Cognet, G., see Devallez, B. 463 (1989) 153
- Cohen, A.I., see Kadin, H. 487 (1989) 135
- Cohen, A.S., Najarian, D., Smith, J.A. and Karger, B.L.
- Rapid separation of DNA restriction fragments using capillary electrophoresis 458 (1988) 323
- Cohen, A.S., see Karger, B.L. 492 (1989) 585
- Cohen, A.S., see Nelson, R.J. 480 (1989) 111
- Cohen, J.R., see Stein, T.A. 461 (1989) 267
- Cohen, S.M., see Smith, R.A. 465 (1989) 442
- Cole, W.J., see Brooks, C.J.W. 468 (1989) 201
- Coleman, W.F., see Huang, X. 480 (1989) 95
- Colenutt, B.A., see Ahsan, T. 464 (1989) 416
- Colenutt, B.A., see Ahsan, T. 479 (1989) 17
- Colgan, S.T., see Chou, T.-Y. 454 (1988) 169
- Collins, D.A.
- Modification to a thermal energy analyzer with associated electronic filtering for improved GC analysis of explosives traces 483 (1989) 379
- Collins, P., see Newsome, W.H. 472 (1989) 416
- Colote, S., see Lautard, J. 454 (1988) 195
- Colussi, D., see Sioufi, A. 495 (1989) 195
- Comellas, L., see Diaz-Marot, A. 490 (1989) 470
- Čmor, J.J., see Kopeční, M.M. 462 (1989) 392
- Compadre, C.M., see Fullas, F. 464 (1989) 213
- Compagnini, A., see Caccamese, S. 478 (1989) 255
- Conçalves, J.C.S., Razzouk, C., Poupaert, J.H. and Dumont, P.
- HPLC of chlorambucil prodrugs structurally related to lipids in rat plasma 494 (1989) 389
- Constanzer, M.L., Matuszewski, B.K., Hsieh, J.K. and Bayne, W.F.
- Determination of picogram levels of a novel α_2 -adrenergic receptor antagonist in plasma using solid-phase extraction and capillary GC with nitrogen-selective detection 488 (1989) 476
- Conway, W.D., Klingman, J.D., Greco, D. and Huh, K.
- Purification of nitrophenylvaleric acid
- reaction mixtures by counter-current chromatography 484 (1989) 391
- Cook, A.P., Macleod, T.M., Appleton, J.D. and Fell, A.F.
- Reversed-phase HPLC method for the quantification of 5-hydroxymethylfurfural as the major degradation product of glucose in infusion fluids 467 (1989) 395
- Cook, C.E., see Lee, Y.W. 477 (1989) 434
- Cook, L.A., Hensley, J.L., Miller, E.G. and Tindall, G.W.
- Determination of styrene and 2-vinylpyridine monomers in poly(2-vinylpyridine-styrene) 463 (1989) 127
- Cooke, W.M., see Bicking, M.K.L. 455 (1988) 310
- Cooley, R.S., see Knight, M. 484 (1989) 299
- Coolsaet, F., see Strasters, J.K. 499 (1990) 523
- Cooney, C.L., see Afeyan, N.B. 478 (1989) 1
- Cooper, E.H., see Jackson, P.J. 452 (1988) 359
- Cooper, J.D.H., Turnell, D.C., Green, B. and Verillon, F.
- Automated sequential trace enrichment of dialysates and robotics. A technique for the preparation of biological samples prior to HPLC 456 (1988) 53
- Cooper, J.D.H., see Turnell, D.C. 492 (1989) 59
- Cooper, J.K., see Srinivas, N.R. 491 (1989) 262
- Cooper, R.S., see Warth, L.M. 479 (1989) 401
- Cooper, S.D. and Pellizzari, E.D.
- Characterization of polyimide sorbents by using tracer pulse chromatography 498 (1990) 41
- Cooper, S.F., Massé, R. and Dugal, R.
- Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65
- Cooperman, B.S., see Ghrist, B.F.D. 459 (1988) 1
- Coppi, G. and Barchielli, M.
- Simple method for the determination of L-5-hydroxytryptophan in plasma by HPLC 495 (1989) 245
- Coppi, G., see Springolo, V. 490 (1989) 224
- Coppi, S. and Betti, A.
- LC separation and behaviour of some triazines on styrene-divinylbenzene columns 472 (1989) 406
- Coppola, D., Underwood, J., Cartwright, G. and Hearn, M.T.W.
- HPLC of amino acids, peptides and proteins. XCIII. Comparison of methods for the purification of mouse monoclonal immunoglobulin M autoantibodies 476 (1989) 269
- Copsey, J., see Houghton, E. 479 (1989) 73
- Corbin, F.T., see Escoffier, B.H. 474 (1989) 301

- Corcia, A. Di, see Battista, M. 454 (1988) 233
- Cordis, G.A., Engelman, R.M. and Das, D.K.
Novel dual-wavelength monitoring approach for the improved rapid separation and estimation of adenine nucleotides and creatine phosphate by HPLC 459 (1988) 229
- Cordis, G.A., see Samanta, A. 459 (1988) 221
- Corradini, D., El Rassi, Z., Horváth, C., Guerra, G. and Horne, W.
Combined lectin-affinity and metal-interaction chromatography for the separation of glycoporphins by HPLC 458 (1988) 1
- Corti, M., see Chiari, M. 499 (1990) 699
- Cosolo, W., Drummer, O.H. and Christophidis, N.
Comparison of HPLC and the Abbott fluorescent polarization radiimmunoassay in the measurement of methotrexate 494 (1989) 201
- Cossu, G., Pirastru, M.G., Satta, M., Chiari, M., Chiesa, C. and Righetti, P.G.
Carrier ampholyte-mediated oxidation of proteins in isoelectric focusing 475 (1989) 283
- Costa, M., Pecci, L., Pensa, B., Fontana, M. and Cavallini, D.
HPLC of cystathionine, lanthionine and aminoethylcysteine using *o*-phthalidialdehyde precolumn derivatization 490 (1989) 404
- Costabel, U., see Maier, K. 493 (1989) 380
- Costanzo, R.B. and Barry, E.F.
GC detection of selected organochlorine species using an alternating current plasma detector 467 (1989) 373
- Cotter, M.L., see Motto, M.G. 481 (1989) 255
- Cotton, B., see Tseng, A. 474 (1989) 424
- Coucke, V., see Selala, M.I. 489 (1989) 51
- Cousins, S.A., see Barefoot, A.C. 474 (1989) 39
- Coutant, J.E., see Chen, T.-M. 463 (1989) 95
- Covey, T.R., see Edlund, P.O. 497 (1989) 49
- Covey, T.R., see Lee, E.D. 458 (1988) 313
- Cowan, G.H., Gosling, I.S. and Sweetenham, W.P.
Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187
- Cox, G.B. and Snyder, L.R.
Preparative HPLC under isocratic conditions.
III. The consequences of two adjacent bands having unequal column capacities 483 (1989) 95
- Cox, G.B., Snyder, L.R. and Dolan, J.W.
Preparative HPLC under gradient conditions.
- I. Band broadening in gradient elution as a function of sample size 484 (1989) 409
- Cox, G.B., see Gentilucci, T.J. 461 (1989) 63
- Cox, G.B., see Snyder, L.R. 483 (1989) 63
- Cox, G.B., see Snyder, L.R. 483 (1989) 85
- Cox, G.B., see Snyder, L.R. 484 (1989) 425
- Cox, G.B., see Snyder, L.R. 484 (1989) 437
- Crabb, N., see Blessington, B. 454 (1988) 450
- Crabb, N., see Blessington, B. 469 (1989) 183
- Crabb, N., see Blessington, B. 483 (1989) 349
- Crabtree, D.V., Adler, A.J. and Handelman, G.J.
Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251
- Cracco, A.T., see Ferrari, V. 497 (1989) 101
- Cramer, S.M., see Subramanian, G. 484 (1989) 225
- Cramer, S.V., see Phillips, M.W. 454 (1988) 1
- Cramers, C., see Hetem, M. 477 (1989) 3
- Cramers, C., see Hetem, M. 479 (1989) 269
- Cramers, C., see Van Es, A. 477 (1989) 39
- Cramers, C.A.M.G., see Schoots, A.C. 497 (1989) 79
- Crane, M.S.J., see Nollstadt, K.H. 497 (1989) 87
- Crary, J.R., Cain-Janicke, K. and Wijayaratne, R.
External recycle chromatography: a practical method for preparative purifications 462 (1989) 85
- Creaser, C.S., Koupai-Abyazani, M.R. and Stephenson, G.R.
Capillary column GC of methyl and trimethylsilyl derivatives of some naturally occurring flavonoid aglycones and other phenolics 478 (1989) 415
- Crescentini, G., see Bruner, F. 473 (1989) 93
- Crescentini, G., see Mangani, F. 452 (1988) 527
- Crevel, G., see Chartier, F. 466 (1989) 331
- Crews, T., see Garland, W.A. 472 (1989) 250
- Cribbes, R.L., see Smillie, R.H. 455 (1988) 253
- Cristalli, M., see Fanali, S. 472 (1989) 441
- Cristofaro, R. De, see Castagnola, M. 494 (1989) 310
- Crombach, M., see Duchateau, A. 461 (1989) 419
- Crombach, M., see Duchateau, A. 471 (1989) 263
- Crommen, J., see Arvidsson, E. 461 (1989) 429
- Cross, R.F.
Narrow-bore HPLC separations of 22 sulfonamides 478 (1989) 422
- Croteau, R.B. and Satterwhite, D.M.
Method for radio-capillary GC employing a modified oxidation-reduction train and flow-through detector 500 (1990) 349

- D**
- Croteau, R.B., see Satterwhite, D.M. 452 (1988) 61
- Crow, J.A., see Foley, J.P. 478 (1989) 287
- Crumley, F.G., see Xu, S. 452 (1988) 377
- Cruz, L.A. and Jenke, D.R.
Evaluation of assay specificity in non-suppressed ion chromatography 477 (1989) 271
- Csató, E., see Szabó, G. 463 (1989) 345
- Cseko, J., see Sandor, A. 497 (1989) 250
- Cserháti, T., see Valkó, K. 499 (1990) 361
- Csillag, K., Vereczkey, L. and Gachályi, B.
Simple HPLC method for the determination of tolbutamide and its metabolites in human plasma and urine using photodiode-array detection 490 (1989) 355
- Csonka, G., see Lankmayr, E.P. 485 (1989) 557
- Cucchetti, E., see Fiorino, A. 476 (1989) 83
- Cucchiariini, L., see Magnani, M. 491 (1989) 215
- Cuchillo, C.M., see Burgos, F.J. 481 (1989) 233
- Cuchillo, C.M., see Guasch, A. 473 (1989) 281
- Cuchillo, C.M., see Serra, M.A. 479 (1989) 27
- Cuhra, P., see Hajšlová, J. 479 (1989) 243
- Čupič, S.D., see Kopeční, M.M. 462 (1989) 392
- Cygan, A., see Kostrowicki, J. 454 (1988) 340
- Cyronak, M.J., see Boppana, V.K. 487 (1989) 385
- Czejka, M.J., Jäger, W. and Schüller, J.
Mitomycin C determination using loop-column extraction: a rapid and sensitive HPLC assay for pharmacokinetic studies with Spheredex starch particles 497 (1989) 336
- Czejka, M.J., see Georgopoulos, A. 494 (1989) 340
- Czinkotai, B., see Daood, H.G. 472 (1989) 296
- Czok, M., see Engelhardt, H. 458 (1988) 79
- Czok, M., see Jacobson, S. 484 (1989) 103
- Czupryna, M.J., see Saller, C.F. 487 (1989) 167
- Dąbrowski, R., see Mazur, J. 455 (1988) 323
- Dadgar, D., see Kelly, M.T. 473 (1989) 53
- Dadoo, R., see Miller, C. 458 (1988) 255
- D'Agostino, P.A., Provost, L.R. and Looye, K.M.
Identification of tabun impurities by combined capillary column GC-MS 465 (1989) 271
- DaGue, B.B., see Caprioli, R.M. 480 (1989) 247
- Daignault, L.G., Jackman, D.C. and Rillema, D.P.
Behavior of simple salts on silica and C₁₈ columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71
- Dal Bo, L., see Ascalone, V. 490 (1989) 81
- Dalene, M., see Sandström, J.F. 479 (1989) 135
- Dalene, M., see Skarping, G. 454 (1988) 293
- Dalenc, M., see Skarping, G. 479 (1989) 125
- Dalene, M., see Tiljander, A. 479 (1989) 145
- Daley-Yates, P.T., Gifford, L.A. and Hoggarth, C.R.
Assay of 1-hydroxy-3-aminopropylidene-1,1-bisphosphonate and related bisphosphonates in human urine and plasma by high-performance ion chromatography 490 (1989) 329
- Dalga, R.J. and Lambert, W.J.
Development of a polymer-based reversed-phase HPLC stability indicating assay for U-78608, an iron complexing monocarbam antibiotic 477 (1989) 427
- Dallenbach-Toelke, K., see Nyiredy, S. 499 (1990) 453
- Dalton, J.T., Geuns, E.R. and Au, J.L.-S.
HPLC determination of mitomycin C in rat and human plasma and urine 495 (1989) 330
- Dalton, T.J., see Shelly, D.C. 458 (1988) 267
- Damien, G., see Luijten, W. 474 (1989) 265
- Damme, F. Van, see Verzele, M. 471 (1989) 335
- Danehower, D.A., see Lawson, D.R. 463 (1989) 429
- Daniel-Ivad, J., see Lankmayr, E.P. 485 (1989) 557
- Dankers, J., see Macrae, P.V. 491 (1989) 439
- Dansette, P., see Azerad, R. 498 (1990) 293
- Daood, H.G., Czinkotai, B., Hoschke, Á. and Biacs, P.
HPLC of chlorophylls and carotenoids from vegetables 472 (1989) 296
- Däppen, R., Karfunkel, H.R. and Leusen, F.J.J.
 π -Acceptor amide group for LC chiral separations with special emphasis on the 3,5-dinitrobenzoyl amide 469 (1989) 101
- Däppen, R., Meyer, V.R. and Arm, H.
New insights into the recognition mechanisms
- Daas, I. Den, Rollema, H., De Vries, J.B., Tepper, P.G. and Horn, A.S.
Analysis of the dopamine agonist N-0437 in rat serum using reversed-phase HPLC with electrochemical detection 487 (1989) 210

- of chiral "brush-type" LC stationary phases 464 (1989) 39
- D'Arpino, C., see Signoretti, E.C. 473 (1989) 301
- Darvas, F., see Valkó, K. 485 (1989) 349
- Das, D.K., see Cordis, G.A. 459 (1988) 229
- Das, D.K., see Samanta, A. 459 (1988) 221
- Dass, C., see Liu, D. 500 (1990) 395
- D'Athis, P., see Tsaconas, C. 487 (1989) 313
- Davankov, V.A., Kurganov, A.A. and Ponomareva, T.M. Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309
- Davankov, V.A., Kurganov, A.A. and Unger, K.K. Reversed-phase HPLC of proteins and polypeptides on polystyrene-coated silica supports 500 (1990) 519
- David, F., see Sandra, P. 477 (1989) 63
- David, P.A. and Novotny, M. Separation of α -keto acids by capillary SFC as their quinoxalinol derivatives 452 (1988) 623
- David, P.A. and Novotny, M. Analysis of steroids by capillary SFC with phosphorus-selective detection 461 (1989) 111
- Davídek, J., see Hajšlová, J. 479 (1989) 243
- Davídek, T., see Hajšlová, J. 479 (1989) 243
- Davidsson, P., Fredman, P. and Svennerholm, L. Gangliosides and sulphatide in human cerebrospinal fluid: quantitation with immunoaffinity techniques 496 (1989) 279
- Davidsson, P., see Gottfries, J. 490 (1989) 263
- Davies, D.S., see Williams, J.A. 483 (1989) 454
- Davies, I.L., see Payne, K.M. 477 (1989) 161
- Davies, J., see Anspach, B. 457 (1988) 195
- Davies, P.A. Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221
- Davis, A.T. Assay for lysine-ketoglutarate reductase by reversed-phase HPLC 497 (1989) 263
- Davis, B.A. Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects (Review) 466 (1989) 89
- Davis, B.A., see Boulton, A.A. 488 (1989) 129
- Davis, P.F., see Manning, J.N. 487 (1989) 41
- Davis, P.J., see Wong, Y.W.J. 469 (1989) 281
- Davis, P.P., see Fukuda, E.K. 491 (1989) 97
- Dawkins, H.J.S. Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615
- Dawkins, J.V., Gabbott, N.P., Lloyd, L.L., McConville, J.A. and Warner, F.P. Reversed-phase HPLC with a C₁₈ polyacrylamide-based packing 452 (1988) 145
- Dawson, B.A., see Black, D.B. 478 (1989) 244
- Dean, T.A. and Poole, C.F. Some practical aspects of column design for packed-column SFC 468 (1989) 127
- De Beer, J.O. On-line HPLC diode array spectrophotometric analysis of steroid hormones in illegal preparations 489 (1989) 139
- De Bernard, B., see Moro, L. 490 (1989) 285
- De Bersaques, J.P., see De Leenheer, A.P. 500 (1990) 637
- Debets, A.J.J., Frei, R.W., Hupe, K.-P. and Kok, W.T. Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315
- De Boer, E., see Teerlink, T. 491 (1989) 418
- De Bokx, P.K., see Schoenmakers, P.J. 459 (1988) 201
- DeBot, S.A., Jezorek, J.R. and Hager, M.E. LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases 465 (1989) 249
- Dębowska, B., Samochocka, K., Przasnyski, M. and Sybilkska, D. Simultaneous determination of thiols and corresponding disulphides in mixtures by HPLC with polarographic detection using a Dual-Tast Analyser 455 (1988) 336
- De Bree, H., see Lammers, N. 496 (1989) 291
- Deckert, T., see Vidal, P. 476 (1989) 467
- De Cock, J., see Van Doorn, J.E. 489 (1989) 419
- Decottignies, P., see Le Maréchal, P. 477 (1989) 305
- Décout, J.-L., Mouchel, B. and Lhomme, J. Reversed-phase HPLC, a tool for the study of bichromophoric systems including polymethylenic linking bridges 481 (1989) 461
- Decouvelaere, B., see Schmitt, P. 491 (1989) 495
- De Cristofaro, R., see Castagnola, M. 494 (1989) 310
- Défayes, G., Fritz, D.F., Görner, T., Huber, G., De Reyff, C. and Kováts, E. Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139
- De Felip, E., Di Domenico, A. and Volpi, F. GC-MS method to assess residues of 2-

- methyl-4-chlorophenoxyacetic acid in human urine 489 (1989) 404
- De Galan, L., see Bartha, A. 458 (1988) 371
- De Galan, L., see Bartha, A. 464 (1989) 225
- De Galan, L., see Billiet, H.A.H. 485 (1989) 27
- De Galan, L., see Herman, D.P. 463 (1989) 1
- De Galan, L., see Low, G.K.-C. 478 (1989) 21
- De Galan, L., see Strasters, J.K. 499 (1990) 499
- De Galan, L., see Strasters, J.K. 499 (1990) 523
- Degand, G., Schmitz, P. and Maghuin-Rogister, G.
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235
- Degen, P.H., see Schneider, W. 488 (1989) 275
- DeGeorge, J.J., see Kusmierz, J. 497 (1989) 39
- De Goede, P.N.F.C., see De Kroon, I.F.I. 491 (1989) 107
- De Goeij, J.J.M., see Baldew, G.S. 491 (1989) 163
- De Goeij, J.J.M., see Baldew, G.S. 496 (1989) 111
- De Graaf, S.S.N., Riley-Stewart, C.A. and Evans, W.E.
Improved HPLC method using loop-column extraction for analysis of idarubicin and idarubicinol in plasma 491 (1989) 501
- Degrell, I., see Nagy, E. 497 (1989) 276
- De Groot, G., Koops, R., Hogendoorn, E.A., Goewie, C.E., Savelkoul, T.J.F. and Van Vloten, P.
Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by HPLC 456 (1988) 71
- De Guesquière, A., see Van Peteghem, C. 489 (1989) 219
- De Haan, A., see Van Doorn, J.E. 496 (1989) 441
- De Haan, J., see Hetem, M. 477 (1989) 3
- De Haan, J., see Hetem, M. 479 (1989) 269
- Dehelean, L., see Selinger, K. 493 (1989) 230
- De Jersey, J., see Winzor, D.J. 492 (1989) 377
- De Jong, A.P.J.M., see Van Ginkel, L.A. 489 (1989) 111
- De Jong, B.J., see Lammers, N. 496 (1989) 291
- De Jong, E.G., see Leloux, M.S. 488 (1989) 357
- De Jong, G.J. and Kwakman, P.J.M.
Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319
- De Jong, G.J., see Farjam, A. 452 (1988) 419
- De Jong, G.J., see Irth, H. 482 (1989) 317
- De Jong, G.J., see Irth, H. 491 (1989) 321
- De Jong, G.J., see Irth, H. 499 (1990) 617
- De Jong, G.J., see Kientz, C.E. 467 (1989) 385
- De Jong, G.J., see Kwakman, P.J.M. 459 (1988) 139
- De Jong, G.J., see Lipschitz, C. 471 (1989) 321
- De Jong, G.J., see Thiebaut, D. 477 (1989) 151
- Dekker, M., see Griest, W.H. 467 (1989) 423
- De Kraa, M.A.G., see Niessen, W.M.A. 474 (1989) 113
- De Kraa, M.A.G., see Niessen, W.M.A. 478 (1989) 325
- De Kroon, I.F.I., Langendijk, P.N.J. and De Goede, P.N.F.C.
Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107
- De Kruijf, N., Schouten, A., Rijk, M.A.H. and Pranoto-Soetardhi, L.A.
Determination of preservatives in cosmetic products. II. HPLC identification 469 (1989) 317
- Delaforge, M., see Azerad, R. 498 (1990) 293
- Delaney, T.E., see Pinkston, J.D. 474 (1989) 97
- Del Arco, A., see Montes, M. 481 (1989) 97
- Del Carmen Baño, M., Braco, L. and Abad, C.
New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105
- Delcour, J.A., Vinkx, C.J.A., Vanhamel, S. and Block, G.G.A.G.
Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149
- De Leenheer, A.P., Lambert, W.E., De Bersaques, J.P. and Kint, A.H.
HPLC determination of etretinate and all-trans- and 13-cis-acitretin in human plasma 500 (1990) 637
- De Leenheer, A.P., see Nelis, H.J.C.F. 452 (1988) 535
- Delgado, C., Tejedor, M.C. and Luque, J.
Partial purification of glucose 6-phosphate dehydrogenase and phosphofructokinase from rat erythrocyte haemolysate by partitioning in aqueous two-phase systems 498 (1990) 159
- De Ligny, C.L., see Gelsema, W.J. 498 (1990) 237
- De Ligny, C.L., see Gelsema, W.J. 498 (1990) 325
- Dellacherie, E., see Mathis, R. 474 (1989) 396
- Dellafera, S.S., see Wong, S.H.Y. 499 (1990) 601
- Dellamonica, E.S., see Jones, W.J. 455 (1988) 45

- Delmas, D., see Bechemin, C. 469 (1989) 399
- Delucas, L.J., see Meng, Q.C. 461 (1989) 271
- Delva, N., see Owen, J.A. 494 (1989) 135
- Demarco, A.C., see White, R.L. 483 (1989) 437
- De Mey, C., see Meineke, I. 493 (1989) 287
- Demian, I. and Gripshover, D.F.
Enantiomeric purity determination of 3-aminoquinuclidine by diastereomeric derivatization and HPLC separation 466 (1989) 415
- Deming, S.N., Palasota, J.M., Lee, J. and Sun, L.
Computer-assisted optimization in HPLC method development 485 (1989) 15
- Deml, M., see Boček, P. 470 (1989) 309
- Deml, M., see Boček, P. 500 (1990) 673
- Deml, M., see Foret, F. 452 (1988) 601
- Deml, M., see Pospíchal, J. 470 (1989) 43
- Demnerová, K., see Adámek, V. 497 (1989) 268
- De Moerloose, P., see De Schutter, J.A. 465 (1989) 402
- Demotes-Mainard, F.M., Vinçon, G.A., Jarry, C.H. and Albin, H.C.
Micro-method for the determination of roxithromycin in human plasma and urine by HPLC using electrochemical detection 490 (1989) 115
- Den Daas, I., Rollema, H., De Vries, J.B., Tepper, P.G. and Horn, A.S.
Analysis of the dopamine agonist N-0437 in rat serum using reversed-phase HPLC with electrochemical detection 487 (1989) 210
- Denissen, J.F.
Preparative separation of the enantiomers of the cholecystokinin antagonist (3*S*)-(±)-N-(2,3-dihydro-1-[(³H,₃)methyl]-2-oxo-5-phenyl-1*H*-1,4-benzodiazepine-3-yl)-1*H*-indole-2-carboxamide by HPLC 462 (1989) 454
- Dent, M.R., see Price, G.J. 483 (1989) 1
- Dentshev, T., see Stoev, G. 454 (1988) 367
- De Ocampo, L.F., see El Rassi, A. 499 (1990) 141
- De Pablo, J., see Farran, A. 455 (1988) 163
- De Pozuelo, M.M., see Reuvers, T.B.A. 467 (1989) 321
- De Reyff, C., see Défayes, G. 500 (1990) 139
- Derguini, F., see Stalcup, A.M. 499 (1990) 627
- Dernovaya, L.I. and Eltekov, Y.A.
Retention and heats of adsorption of hydrocarbons and aliphatic alcohols on cellulose 455 (1988) 263
- Derrico, E.M., Bush, H. and Finnegan, P.M.
Dioxanyl hydroperoxide in preparative LC 461 (1989) 35
- Derrico, E.M., see Miller, L. 484 (1989) 259
- De Ruig, W.G., Stephany, R.W. and Dijkstra, G.
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 489 (1989) 89
- Desai, D.M., see Pianezzola, E. 495 (1989) 205
- Desaulniers, M., see Bleau, G. 487 (1989) 221
- Desbene, P.L., Desmazieres, B., Basselier, J.J. and Desbene-Monvernay, A.
Analytical study of non-ionic surfactants used in enhanced oil recovery. Optimization of analytical conditions in reversed-phase partition chromatography 461 (1989) 305
- Desbene, P.L., Desmazieres, B., Basselier, J.J. and Desbene-Monvernay, A.
Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography 465 (1989) 69
- Desbene-Monvernay, A., see Desbene, P.L. 461 (1989) 305
- Desbene-Monvernay, A., see Desbene, P.L. 465 (1989) 69
- Deschamps, N., see Ascalone, V. 490 (1989) 81
- De Schutter, J.A., D'Hont, A.-M. and De Moerloose, P.
Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402
- Deschuytere, P., see Van Look, L. 489 (1990) 213
- Descombe, J.-J., Doumont, G. and Picard, M.
Determination of exifone in human plasma and urine by HPLC with electrochemical detection 496 (1989) 345
- Desiderio, D.M., see Liu, D. 500 (1990) 395
- Desmarchelier, J.M., see Haddad, P.R. 461 (1989) 337
- Desmazieres, B., see Desbene, P.L. 461 (1989) 305
- Desmazieres, B., see Desbene, P.L. 465 (1989) 69
- De Smet, M., Musch, G., Peeters, A., Buydens, L. and Massart, D.L.
Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237
- De Smet, M., Peeters, A., Buydens, L. and Massart, D.L.
Expert system for the selection of HPLC methods in pharmaceutical analysis.
Validation of the rules for the selection of the mobile phase 457 (1988) 25
- De Smet, M., see Hindriks, R. 485 (1989) 255
- Dessalles, M.C., Vienne, B. and Mahuzier, G.
Determination of perphenazine in serum by LC (in French) 487 (1989) 215

- Deterding, L.J., see Moseley, M.A. 480 (1989) 197
- Deutsch, E., see Abdelnasser, M.A. 488 (1989) 463
- Devallez, B., Guion, J. and Cognet, G.
Non-steady pressure profiles in chromatographic columns 463 (1989) 153
- Deveaux, M., see Lacroix, B. 492 (1989) 109
- De Vijlder, J.J.M., see Kootstra, P.R. 458 (1988) 175
- Devinsky, F. and Gorrod, J.W.
Pyrolysis GLC of N,N-dimethylalkylamine N-oxides and their mixtures 466 (1989) 347
- Devissaguet, M., see Tsaconas, C. 488 (1989) 249
- Devleeschouwer, N., see Chamart, S. 496 (1989) 365
- De Vos, D., see Emonds, A.J.G. 463 (1989) 445
- De Vos, R.H., see Heeremans, C.E.M. 472 (1989) 219
- De Vries, J.B., see Den Daas, I. 487 (1989) 210
- De Vries, J.X.
Analysis of heparins by size-exclusion and reversed-phase HPLC with photodiode-array detection 465 (1989) 297
- De Vries, J.X. and Völker, U.
Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149
- De Waal, W.A.J., Kuiper, C.C.H.M., Maessen, F.J.M.J., Kraak, J.C., Wijnands, R. and Jonker, R.J.
Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115
- Dewaele, C., see Lammers, N.G.F.M. 499 (1990) 541
- Dewaele, C., see Nagels, L.J. 459 (1988) 163
- De Wit, J.S.M., Tomer, K.B. and Jorgenson, J.W.
Characterization of the direct-probe open-tubular LC-MS interface parameters 462 (1989) 365
- Dewit, J.S.M., see Escoffier, B.H. 474 (1989) 301
- Deyá, P.M., see García-Raso, A. 463 (1989) 441
- Deyl, Z. and Adam, M.
Separation methods for the study of collagen and treatment of collagen disorders 488 (1989) 161
- Deyl, Z., Rohlicek, V. and Adam, M.
Separation of collagens by capillary zone electrophoresis 480 (1989) 371
- Deyl, Z., see Hanis, T. 452 (1988) 443
- Deyl, Z., see Mikšík, I. 500 (1990) 607
- Deyl, Z., see Rohlicek, V. 480 (1989) 289
- Deyl, Z., see Rohliček, V. 494 (1989) 87
- Dezaro, D.A., see Springston, S.R. 473 (1989) 79
- De Zeeuw, R.A.
Modern chromatographic procedures in systematic toxicological analysis 488 (1989) 199
- De Zeeuw, R.A., Witte, D.T. and Franke, J.-P.
Identification power of TLC colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 500 (1990) 661
- De Zeeuw, R.A., see Gerding, T.K. 487 (1989) 125
- Dhanesar, S.C. and Gisch, D.J.
Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407
- Dhara, K.P., see Lewis, N.G. 479 (1989) 345
- D'Hont, A.-M., see De Schutter, J.A. 465 (1989) 402
- Dian, J., see Jelínek, I. 470 (1989) 113
- Díaz-Marot, A., Puigdellivol, E., Salvatella, C., Cornellà, L. and Gassiot, M.
Determination of buspirone and 1-(2-pyrimidinyl)piperazine in plasma samples by HPLC 490 (1989) 470
- DiBiase, N., see Sherma, J. 463 (1989) 229
- Di Bitetto, M., see Gobetti, M. 467 (1989) 327
- DiBussolo, J.M., see Miller, N.T. 499 (1990) 317
- Dick, R., see Zimmerli, B. 462 (1989) 406
- Dickerson, J.P., see Hester, R.D. 462 (1989) 3
- Di Corcia, A., see Battista, M. 454 (1988) 233
- Di Domenico, A., see De Felip, E. 489 (1989) 404
- Diehl, J.W., see Olson, E.S. 468 (1989) 309
- Diesis, E., see Gesquiere, J.C. 478 (1989) 121
- Dietz, J.M., see Schmitz, H.H. 479 (1989) 261
- Dietz, M.L., see Thormann, W. 461 (1989) 95
- Dietzel, K., see Geisslinger, G. 491 (1989) 139
- Diez, M.A., Fañanas, F.J., Blanco, C.G. and Bermejo, J.
Separation and characterization of methylcyclopentadiene dimers by GC and molecular spectroscopy 464 (1989) 93
- Dijkstra, G., see De Ruig, W.G. 489 (1989) 89
- Dijkstra, G.R., see Zweipfenning, P.G.M. 456 (1988) 83
- DiLeo, E.M., see Hsu, R.S. 494 (1989) 347
- Dilli, S., Haddad, P.R. and Htoon, A.K.
Further studies of diethyldithiocarbamate complexes by HPLC 500 (1990) 313

- Dilli, S., see Haddad, P.R. 461 (1989) 337
- Di Milia, M.G., see Bertol, E. 466 (1989) 384
- Dimitrov, C., see Gavrilova, T.B. 454 (1988) 73
- Dimov, N. and Mekenyanyan, O.
Quantitative relationships between the structure of alkylbenzenes and their GC retention on stationary phases with different polarity 471 (1989) 227
- Dimov, N. and Milina, R.
Precalculation of GC retention indices of linear 1-halogenoalkanes 463 (1989) 159
- Di Muccio, A., Ausili, A., Camoni, I., Dommarco, R., Rizzica, M. and Vergori, F.
Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149
- Di Muccio, A., Rizzica, M., Ausili, A., Camoni, I., Dommarco, R. and Vergori, F.
Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143
- D'Incalci, M., see Montaldo, P.G. 491 (1989) 129
- Dingenen, J. and Pluym, A.
Retention behaviour of some classes of pharmaceutical products on chemically modified TLC plates 475 (1989) 95
- Dios, C.G., see Sánchez-Rasero, F. 479 (1989) 424
- Discenza, C., see Selinger, K. 491 (1989) 248
- Dittamo, M., see Sherma, J. 463 (1989) 229
- Dittmar, B.M., see Ramsey, R.S. 468 (1989) 167
- Dixon, D.W., Amis, L., Kim, M.S. and Callahan, J.
Characterization and purification of iron porphyrins by HPLC and CC 462 (1989) 411
- Djordjevic, N.M., see Lankmayr, E.P. 485 (1989) 183
- Do, L. and Raulin, F.
Gas chromatography of Titan's atmosphere. I. Analysis of low-molecular-weight hydrocarbons and nitriles with a PoraPLOT Q porous polymer coated open-tubular capillary column 481 (1989) 45
- Do, U.H., Ahern, D.G., Iles, J., Maniscalco, M. and Tutunjian, M.
Specific radioactivity determination of labeled eicosanoids 489 (1989) 359
- Dobashi, A., Dobashi, Y., Ono, T., Hara, S., Saito, M., Higashidate, S. and Yamauchi, Y.
Enantiomer resolution of D- and L- α -amino acid derivatives by SFC on novel chiral diamide phases with carbon dioxide 461 (1989) 121
- Dobashi, A., Ono, T., Hara, S. and Yamaguchi, J.
Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography 480 (1989) 413
- Dobashi, Y., see Dobashi, A. 461 (1989) 121
- Dobránsky, T., Sova, O. and Teleha, M.
Application of autofocusing in the isolation of peroxidase 474 (1989) 430
- Doehl, J. and Greibrokk, T.
Identification of reaction products from the pyridinium dichromate derivatization of prostaglandins by HPLC and direct chemical ionization MS 477 (1989) 345
- Dohnal, J., see Jelinek, I. 464 (1989) 139
- Dolan, J.W., Lommen, D.C. and Snyder, L.R.
Drylab® computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91
- Dolan, J.W., see Cox, G.B. 484 (1989) 409
- Dolan, J.W., see Snyder, L.R. 483 (1989) 63
- Dolan, J.W., see Snyder, L.R. 484 (1989) 425
- Dolan, J.W., see Snyder, L.R. 484 (1989) 437
- Dolan, J.W., see Snyder, L.R. 485 (1989) 65
- Dolce, K.M., see Boppana, V.K. 487 (1989) 385
- Doležal, M. and Hradec, J.
Micropreparative separation of transfer ribonucleic acids by HPLC 463 (1989) 409
- Dolle, R.E., see Camilleri, P. 482 (1989) 258
- Dolník, V., Liu, J., Banks, Jr., J.F., Novotny, M.V. and Boček, P.
Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321
- Dombek, V. and Stránský, Z.
Study of alkaline hydrolysis of the insecticide alphamethrin by isotachophoretic determination of decomposition products 470 (1989) 235
- Dombrovskis, D., see Singh, A.K. 479 (1989) 233
- Domenico, A. Di, see De Felip, E. 489 (1989) 404
- Domínguez-Gil, A., see Calvo, M.B. 490 (1989) 206
- Dommarco, R., see Di Muccio, A. 456 (1988) 143
- Dommarco, R., see Di Muccio, A. 456 (1988) 149
- Dondi, F., Gianferrara, T., Reschiglian, P., Pietrogrande, M.C., Ebert, C. and Linda, P.
Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631
- Dondi, F., Grassini-Strazza, G., Kahie, Y.D., Lodi, G., Pietrogrande, C., Reschiglian, P. and Bighi, C.

- Comparison of reversed-phase TLC and HPLC of flavonoid compounds 462 (1989) 205
- Dondi, F., Kahie, Y.D., Lodi, G., Blo, G., Pietrogrande, C. and Reschiglian, P. Solvent selectivity effects in reversed-phase HPLC of flavonoid compounds 461 (1989) 281
- Dondi, F., see Pietrogrande, M.C. 471 (1989) 407
- Dong, M.W. and Tran, A.D. Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125
- Donovan, T.J., see Wedzicha, B.L. 478 (1989) 217
- Doorn, J.E. Van, De Cock, J., Kežić, S. and Monster, A.C. Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419
- Doorn, J.E. Van, Goormachtig, P.F.J. and De Haan, A. Influence of perchloric acid on ion-pair HPLC of nucleotides 496 (1989) 441
- Doornbos, D.A., see Coenegracht, P.M.J. 485 (1989) 195
- Doornbos, D.A., see Smilde, A.K. 485 (1989) 169
- Dorizzi, R., see Tagliaro, F. 488 (1989) 215
- Dorland, P., Tod, M., Postaire, E. and Pradeau, D. Indirect detection of inorganic anions by HPLC: use of papaveraldinium as an UV absorbing agent 478 (1989) 131
- Dörner, T., Gagelmann, M., Hock, D., Herbst, F. and Forssmann, W.-G. Separation of synthetic cardiodilatin/atrial natriuretic factor and related peptides by reversed-phase HPLC 490 (1989) 411
- Dorschel, C., see Chou, T.-Y. 454 (1988) 169
- Dorsey, J.G., see Michels, J.J. 457 (1988) 85
- Dorsey, J.G., see Michels, J.J. 499 (1990) 435
- Dorsey, J.G., see Sentell, K.B. 455 (1988) 95
- Dorsey, J.G., see Sentell, K.B. 461 (1989) 193
- Dossena, A., see Palla, G. 475 (1989) 45
- Doster, D.E. and Zentner, M. Separation of thiodiglycol polyethers and related compounds by reversed-phase HPLC 461 (1989) 293
- Dotzauer, A., see Liebich, H.M. 468 (1989) 157
- Dou, L. and Krull, I.S. Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685
- Doublik, J., see Hoeger, C. 484 (1989) 307
- Dougherty, D.A., Zeece, M.G., Wehling, R.L. and Partridge, J.E. High-resolution two-dimensional electrophoresis of wheat proteins 480 (1989) 359
- Douglas, J.B., see Brown, Y.L. 459 (1988) 275
- Dumont, G., see Descombe, J.-J. 496 (1989) 345
- Douse, J.M.F. Dynamic headspace method for the improved clean-up of gunshot residues prior to the detection of nitroglycerine by capillary column GC with thermal energy analysis detection 464 (1989) 178
- Dovichi, N.J., see Wu, S. 480 (1989) 141
- Dowling, J.J., Evans, M.B. and Haken, J.K. GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355
- Downer, R.G.H., see Martin, R.J. 487 (1989) 287
- Drabowicz, J., Kotyński, A., Kudzin, Z.H. and Skowroński, R. Trifluoroacetic anhydride-sodium iodide as a reagent for the selective detection of nitrones and nitroxide radicals by TLC 473 (1989) 287
- Drake, A.F., Fung, M.A. and Simpson, C.F. Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159
- Drake, P.A., see Lamb, J.D. 482 (1989) 367
- Draper, W.M., see Brown, F.R. 479 (1989) 441
- Dratz, E.A., see Miercke, L.J.W. 483 (1989) 331
- Drawert, F., see Nitz, S. 471 (1989) 173
- Drechou, A., Perez-Gonzalez, N., Biou, D., Rouzeau, J.D., Feger, J. and Durand, G. One-step purification of rat plasma α_1 -acid glycoprotein by antibody affinity chromatography: application to normal and inflamed rat sera 489 (1989) 273
- Drenth, B.F.H., see Gerding, T.K. 487 (1989) 125
- Dressler, M. and Cigánek, M. Effect of particle treatment of composite filler on its interaction coefficient 462 (1989) 155
- Dreux, M., see Nizery, D. 467 (1989) 49
- Dreux, M., see Walczak, B. 464 (1989) 237
- Drevin, I., Larsson, L. and Johansson, B.-L. Column performance of Q-Sepharose HP in analytical- and preparative-scale chromatography 477 (1989) 337

- Driscoll, J.N. and Berger, A.W.
Improved flame photometric detector for the analysis of sulfur compounds by GC 468 (1989) 303
- Drouet-Coassolo, C., Aubert, C., Coassolo, P. and Cano, J.-P.
Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295
- Drozd, J., see Vejrosta, J. 464 (1989) 394
- Druez, O., see Garrigues, P. 473 (1989) 207
- Drummer, O.H., see Cosolo, W. 494 (1989) 201
- Dube, S., see Vohra, R.M. 477 (1989) 463
- Dubin, P.L. and Principi, J.M.
Optimization of size-exclusion separation of proteins on a Superose column 479 (1989) 159
- Dubin, P.L., see Strege, M.A. 463 (1989) 165
- Düblin, T. and Thöne, H.J.
Thermal desorption-capillary GC for the quantitative analysis of dimethyl sulphate, diethyl sulphate and ethylene oxide in the workplace 456 (1988) 233
- Dubois, J.P., see Lecaillon, J.B. 497 (1989) 223
- Dubois, J.P., see Rouan, M.C. 456 (1988) 45
- Dubois, J.P., see Sioufi, A. 487 (1989) 81
- Dubois, J.P., see Sioufi, A. 494 (1989) 361
- Dubois, J.P., see Sioufi, A. 495 (1989) 195
- Duc, B.W. Le, Greenblatt, D.J. and Friedmann, H.
Automatched HPLC analysis of tetracycline in urine 490 (1989) 474
- Duchateau, A., Crombach, M., Aussems, M. and Bongers, J.
Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419
- Duchateau, A., Crombach, M., Kamphuis, J., Boesten, W.H.J., Schoemaker, H.E. and Meijer, E.M.
Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263
- Duchateau, G.S.M.J.E., see Macrae, P.V. 491 (1989) 439
- Duffield, A.M., Jamieson, D.D., Lidgard, R.O., Duffield, P.H. and Bourne, D.J.
Identification of some human urinary metabolites of the intoxicating beverage kava 475 (1989) 273
- Duffield, A.M., see Reilly, P.J. 498 (1990) 35
- Duffield, P.H., see Duffield, A.M. 475 (1989) 273
- Dugal, R., see Cooper, S.F. 489 (1989) 65
- Dugal, R., see Massé, R. 489 (1989) 23
- Dugal, R., see Massé, R. 497 (1990) 17
- Dugan, M.E.R., Sauer, W.C. and Robinson, P.H.
Cellulose clean-up and HPLC of DL-diaminopimelic acid in hydrolysates of physiological samples 496 (1989) 430
- Duigou, F. Le, see Lecaillon, J.B. 497 (1989) 223
- Ďulák, K., see Petro, M. 462 (1989) 426
- Dumasia, M.C., see Houghton, E. 479 (1989) 73
- Dumont, P., see Conçalves, J.C.S. 494 (1989) 389
- Dunagan, F., see Boutagy, J. 487 (1989) 483
- Dunand, N., see Mulholland, M. 485 (1989) 283
- Dunand, N., see Schoenmakers, P.J. 485 (1989) 219
- Dunning, L.K., see Osman, M.A. 489 (1989) 452
- Dunning, L.K., see Osman, M.A. 496 (1989) 478
- Dunphy, M.J. and Smith, D.J.
Quantitation of N,N,N',N'-tetrakis(2-hydroxypropyl)ethylenediamine in plasma by GC 488 (1989) 369
- Dunphy, M.J., see Fulton, J.A. 455 (1988) 183
- Dunphy, R., see Motto, M.G. 481 (1989) 255
- Duong, H.T., see Renzi, N.L. 462 (1989) 398
- Durand, A., see Krstulović, A.M. 452 (1988) 477
- Durand, G., see Drechou, A. 489 (1989) 273
- Durden, D.A., see Boulton, A.A. 488 (1989) 129
- Durkin, M.M., see Kogan, M.J. 490 (1989) 236
- Durrer, A., Walther, B., Raciatti, A. and Testa, B.
Convenient method for the analysis of nicotinic acid as a metabolite of nicotine esters in various tissue homogenates 495 (1989) 256
- Du Souich, P., see Ong, H. 497 (1989) 213
- Dussini, N., see Ferrari, V. 497 (1989) 101
- Duteurtre, X., see Jadaud, P. 464 (1989) 333
- Duyn, P. Van, see Van Welie, R.T.H. 496 (1989) 463
- Dyke, C., see Camilleri, P. 477 (1989) 471
- Dyke, C.A., see Camilleri, P. 498 (1990) 414
- Dziwinski, E., see Szymanowski, J. 455 (1988) 119
- Dziwinski, E., see Szymanowski, J. 455 (1988) 131
- Dziwinski, E., see Szymanowski, J. 469 (1989) 197

E

- Eades, D.M., Williamson, J.R. and Sherman, W.R.
 Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1
- Eadie, M.J., see Herkes, G.K. 496 (1989) 147
- Ebata, T., see Tanaka, N. 475 (1989) 195
- Ebdon, L., see Williams, T. 482 (1989) 361
- Ebert, C., see Dondi, F. 485 (1989) 631
- Ebihara, A., see Nakashima, H. 489 (1989) 425
- Ebling, W.F., Mills-Williams, L., Harapat, S.R. and Stanski, D.R.
 HPLC method for determining thiopental concentrations in twelve rat tissues: application to physiologic modeling of disposition of barbiturate 490 (1989) 339
- Eckert, H., see Müller, H. 479 (1989) 452
- Ede, J. Van, Nijmeijer, J.R.J., Welling-Wester, S., Örvell, C. and Welling, G.W.
 Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319
- Edholm, L.-E., see Walhagen, A. 473 (1989) 371
- Edholm, L.-E., see Walhagen, A. 474 (1989) 257
- Edkins, T.J. and Shelly, D.C.
 Enhanced performance of a laser-induced fluorescence LC apparatus: a systems approach 459 (1988) 109
- Edkins, T.J., see Shelly, D.C. 458 (1988) 267
- Edlund, P.O., Bowers, L., Henion, J. and Covey, T.R.
 Rapid determination of methandrostenolone in equine urine by isotope dilution LC-tandem MS 497 (1989) 49
- Edlund, P.O., Bowers, L. and Henion, J.
 Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341
- Edlund, P.O., see Chichila, T.M.P. 488 (1989) 389
- Edmonds, C.G., Loo, J.A., Barinaga, C.J., Udseth, H.R. and Smith, R.D.
 Capillary electrophoresis-electrospray ionization-MS 474 (1989) 21
- Edmonds, C.G., see Smith, R.D. 480 (1989) 211
- Edwards, D., see Vekey, K. 488 (1989) 73
- Edwards, D.M.F., see Vékey, K. 474 (1989) 317
- Edwards, G., see Idowu, O.R. 493 (1989) 125
- Edwards, G., see Idowu, O.R. 495 (1989) 167
- Edwards, I.R., see Mason, R.W. 491 (1989) 468
- Edwards, R.J., Carter, N.D., Jeffery, S. and Yates, S.
 Purification of human muscle phosphoglycerate mutase by fast protein LC based on hydrophobic interactions 490 (1989) 424
- Eganhouse, R.P., see Sherblom, P.M. 454 (1988) 37
- Egeler, E., see Jacob, K. 468 (1989) 329
- Egen, N.B., see Wenger, P. 455 (1988) 225
- Egestad, B., see Marschall, H.-U. 452 (1988) 459
- Egestad, B., see Uusijärvi, J. 488 (1989) 87
- Egli, T., see Schneider, R.P. 462 (1989) 293
- Eglinton, G., see Kaur, S. 473 (1989) 135
- Egoville, M.J., see Jones, W.J. 455 (1988) 45
- Ehninger, G., see Schleyer, E. 497 (1989) 109
- Eichinger, H.M., see Seewald, M. 469 (1989) 271
- Eidhof, H., see Brunnekreeft, J.W.I. 491 (1989) 89
- Eikelboom, G.G., see Van der Horst, F.A.L. 456 (1988) 191
- Einarsson, Ö., Gorczak, J., Lundmark, B.-O. and Palmqvist, U.
 Computerized capillary GC analysis of hydrocarbon mixtures in workplace air 498 (1990) 381
- Eisenbeiss, F., see Seliger, H. 476 (1989) 49
- Eisenberg, E.J., Patterson, W.R. and Kahn, G.C.
 HPLC method for the simultaneous determination of the enantiomers of carvedilol and its O-desmethyl metabolite in human plasma after chiral derivatization 493 (1989) 105
- Ekberg, B., see O'Shannessy, D.J. 470 (1989) 391
- Ekman, L., Lindström, B. and Roxin, P.
 Determination of tacrine and its 1-hydroxy metabolite in plasma using column LC with UV detection 494 (1989) 397
- Eksborg, S. and Nilsson, B.
 Reversed-phase LC determination of idarubicin and its 13-hydroxy metabolite in human plasma 488 (1989) 427
- El-Ahmad, T., see Fayyad, M. 481 (1989) 439
- Elderfield, A.J., Truscott, R.J.W., Gan, I.E.T. and Schier, G.M.
 Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71
- Elias, R., see Vidal-Ollivier, E. 463 (1989) 227

- Elizarov, S.M.
Application of fast protein LC for the isolation of vertebrate casein kinase-1 477 (1989) 448
- Elk, R. Van, see Li, K.W. 472 (1989) 445
- Ellegren, H. and Låås, T.
SEC of DNA restriction fragments. Fragment length determinations and a comparison with the behaviour of proteins in SEC 467 (1989) 217
- Ellenson, W.D., see Thompson, D.J. 485 (1989) 607
- Ellerbroek, L. and Bruhn, M.
Determination of flumequine in biological fluids and meat by HPLC 495 (1989) 314
- Elliger, S.S. and Watson, G.
Method for the determination of the specific activities of UTP and CTP in mouse kidney by HPLC 495 (1989) 249
- Ellingsen, Y., see Langseth, W. 478 (1989) 269
- Ellis, D.B., see Hsu, R.S. 494 (1989) 347
- Ellis, P.P., see Wu, P.-Y. 494 (1989) 368
- El Rassi, A., De Ocampo, L.F. and Bacolod, M.D.
Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 499 (1990) 141
- El Rassi, Z., Horváth, C., Yu, R.K. and Ariga, T.
HPLC of sialooligosaccharides and gangliosides 488 (1989) 229
- El Rassi, Z., see Corradini, D. 458 (1988) 1
- El Rassi, Z., see Maa, Y.-F. 452 (1988) 331
- El Rassi, Z., see Melander, W.R. 469 (1989) 3
- El Tayar, N., Marston, A., Bechalany, A., Hostettmann, K. and Testa, B.
Use of centrifugal partition chromatography for assessing partition coefficients in various solvent systems 469 (1989) 91
- El Tayar, N., see Bechalany, A. 473 (1989) 115
- Eltekov, Y.A., see Dernovaya, L.I. 455 (1988) 263
- Elvidge, D.A., Johnson, G.W. and Harrison, J.R.
Selective, stability-indicating assay of the major Ipecacuanha alkaloids, emetine and cephaeline, in pharmaceutical preparations by HPLC using spectrofluorimetric detection 463 (1989) 107
- Embree, L. and McErlane, K.M.
Development of an HPLC post-column fluorogenic assay for digoxin in serum 496 (1989) 321
- Emery, M.F. and Lim, C.K.
Separation of cationic technetium-99m amine complexes on porous graphitic carbon 479 (1989) 212
- Emmelin, M., see Félix, G. 461 (1989) 347
- Emonds, A.J.G. and De Vos, D.
Analysis of mucin by isotachophoresis 463 (1989) 445
- Endo, M., Mizutani, T., Matsumura, M., Moriyasu, M., Ichimaru, M., Kato, A. and Hashimoto, Y.
HPLC determination of hinokitiol in cosmetics by the formation of difluoroborane compounds 455 (1988) 430
- Engel, K.-H., Flath, R.A., Albrecht, W. and Tressl, R.
GC separation of diastereomeric dicarbamate derivatives of γ - and δ -lactones 479 (1989) 176
- Engelhardt, H., Appelt, G. and Schweinheim, E.
Unexpected elution behaviour of peptides with various reversed-phase columns 499 (1990) 165
- Engelhardt, H., Czok, M., Schultz, R. and Schweinheim, E.
Sample size and retention values in HPLC of biological and synthetic polymers 458 (1988) 79
- Engelhardt, H., Gross, A., Mertens, R. and Petersen, M.
HPLC columns and stationary phases in SFC 477 (1989) 169
- Engelman, R.M., see Cordis, G.A. 459 (1988) 229
- Engewald, W., see Matisová, E. 475 (1989) 113
- Engewald, W., see Maurer, T. 471 (1989) 245
- English, S., see Greenaway, W. 481 (1989) 352
- Enjalbert, F., Bourrier, M.J. and Andary, C.
Assay for the main phallotoxins in *Amanita phalloides* Fr. by direct fluorimetry on thin-layer plates 462 (1989) 442
- Enquist, M. and Hermansson, J.
Comparison between two methods for the determination of the total and free (*R*)- and (*S*)-disopyramide in plasma using an α_1 -acid glycoprotein column 494 (1989) 143
- Enslinger, W.D., see Stetson, P.L. 464 (1989) 163
- Epstein, R.L., see Chichila, T.M.P. 488 (1989) 389
- Eray, B., see Giesche, H. 465 (1989) 39
- Érchezgyi, J., see Vadász, Z. 477 (1989) 377
- Erdin, R., see Timm, U. 456 (1988) 21
- Erdman, Jr., J.W., see Schmitz, H.H. 479 (1989) 261
- Erdmann, G.R., Gruber, S.A., McGuigan, M.M., Cipolle, R.J. and Canafax, D.M.
Determination of mizoribine in plasma using ion-pair HPLC 494 (1989) 354

- Eriksson, B.-M. and Persson, B.-A.
Determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in plasma by direct injection in coupled-column LC with electrochemical detection 459 (1988) 351
- Eriksson, K.-O., see Hjertén, S. 481 (1989) 175
- Erlandsson, P., Isaksson, R., Nilsson, I. and Wold, S.
Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylecellulose 466 (1989) 364
- Erlandsson, P. and Nilsson, S.
Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35
- Erlandsson, P., see Andersson, S. 498 (1990) 81
- Erlandsson, P., see Isaksson, R. 498 (1990) 257
- Erni, F., see Steuer, W. 454 (1988) 253
- Erni, F., see Steuer, W. 500 (1990) 469
- Es, A. Van, Rijks, J. and Cramers, C.
Turbulent flow in capillary GC 477 (1989) 39
- Escoffier, B.H., Parker, C.E., Mester, T.C., Dewit, J.S.M., Corbin, F.T., Jorgensen, J.W. and Tomer, K.B.
Comparison of open-tubular LC-MS and direct liquid introduction LC-MS for the analysis of metribuzin and its metabolites in plant tissue and water samples 474 (1989) 301
- Escrieut, C., see Alary, J. 496 (1989) 485
- Esser, U., see Giesche, H. 465 (1989) 39
- Esser, U., see Jilge, G. 476 (1989) 37
- Ethier, J.C., see By, A. 469 (1989) 406
- Ettre, L.S.
1963-1988: Twenty-five years of international symposia on advances in chromatography 468 (1989) 1
- Euerby, M.R.
Effect of differing thiols on the reversed-phase HPLC behaviour of *o*-phthalidialdehyde-thiol-amino acids 454 (1988) 398
- Euerby, M.R., Nunn, P.B. and Partridge, L.Z.
Resolution of neuroexcitatory non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalidialdehyde chiral thiols. Application to ω -N-oxalyl diamino acids 466 (1989) 407
- Euerby, M.R., Partridge, L.Z. and Gibbons, W.A.
Study of the chromatographic behaviour and resolution of α -amino acid enantiomers by HPLC utilizing pre-column derivatization with *o*-phthalidialdehyde and new chiral thiols 483 (1989) 239
- Euerby, M.R., Partridge, L.Z. and Nunn, P.B.
Resolution of neuroactive non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalidialdehyde-chiral thiols. Application to 2-amino- ω -phosphonoalkanoic acid homologues and α -amino- β -N-methylaminopropanoic acid (β -methylaminoalanine) 469 (1989) 412
- Evans, C.D., see Jones, G.D. 497 (1989) 121
- Evans, C.E., Shabushnig, J.G. and McGuffin, V.L.
Experimental and theoretical model of refractive index artifacts in absorbance detection 459 (1988) 119
- Evans, C.E., see Brown, R.C. 497 (1989) 360
- Evans, C.E., see Hoskins, J.A. 490 (1989) 439
- Evans, M.B. and Haken, J.K.
Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31
- Evans, M.B. and Haken, J.K.
Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373
- Evans, M.B. and Haken, J.K.
Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217
- Evans, M.B. and Haken, J.K.
Recent developments in the GC retention index scheme (Review) 472 (1989) 93
- Evans, M.B., Smith, M.S. and Oxford, J.M.
Use of a stop-flow technique to study on-column decomposition in SFC 479 (1989) 170
- Evans, M.B., see Dowling, J.J. 500 (1990) 355
- Evans, W.E., see De Graaf, S.S.N. 491 (1989) 501
- Everaerts, F.M., see Beckers, J.L. 452 (1988) 591
- Everaerts, F.M., see Beckers, J.L. 470 (1989) 277
- Everaerts, F.M., see Beckers, J.L. 480 (1989) 69
- Everaerts, F.M., see Gladdines, M.M. 470 (1989) 105
- Everaerts, F.M., see Van de Goor, A.A.A.M. 470 (1989) 95
- Everaerts, F.M., see Verheggen, T.P.E.M. 452 (1988) 615
- Everaerts, F.M., see Wanders, B.J. 470 (1989) 79
- Everaerts, F.M., see Wanders, B.J. 470 (1989) 89
- Everaerts, F.M., see Zelenský, I. 470 (1989) 155
- Everett, D.W., Foley, J.E., Singhvi, S.M., Weinstein, S.H. and Warrington, S.J.
HPLC method for the radiometric determination of [14 C]bucromarone in human

- plasma utilizing non-radiolabeled bucromarone as an internal standard 487 (1989) 365
- Evershed, R.P., see Kaur, S. 473 (1989) 135
- Ewing, A.G., see Olefirowicz, T.M. 499 (1990) 713
- Excoffier, J.-L., see Williams, S.S. 485 (1989) 267
- Exner, T., see Tseng, A. 474 (1989) 424
- Ezawa, T., see Nakai, S. 479 (1989) 459
- ## F
- Fábián-Varga, K., see Gazdag, M. 454 (1988) 95
- Facchine, K.L., see Motto, M.G. 481 (1989) 255
- Facchini, V., see Jones, G.D. 497 (1989) 121
- Facino, R.M., see Pietta, P. 478 (1989) 259
- Fadeev, A.Y. and Staroverov, S.M.
- Calculation of the characteristics of the bonded layers of reversed stationary phases 465 (1989) 233
- Fadool, D.A., Cobb, S.J., Kass-Simon, G. and Brown, P.R.
- LC procedures for the analysis of compounds in the serotonergic and octopamine pathways of lobster hemolymph 452 (1988) 491
- Faggian, D., see Plebani, M. 476 (1989) 93
- Fagioli, F., see Torsi, G. 482 (1989) 207
- Falk, O., see Jacobsson, S. 479 (1989) 194
- Fanali, S.
- Host-guest complexation in capillary isotachophoresis. II. Determination of aminophenol and diaminobenzene isomers in permanent hair colorants by using capillary isotachophoresis 470 (1989) 123
- Fanali, S.
- Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441
- Fanali, S., Cristalli, M. and Quaglia, M.G.
- Determination of rubidium, sodium, calcium and thiamine in a pharmaceutical preparation by capillary isotachophoresis 472 (1989) 441
- Fanali, S., see Foret, F. 470 (1989) 299
- Fanali, S., see Quaglia, M.G. 456 (1988) 435
- Fañanas, F.J., see Díez, M.A. 464 (1989) 93
- Fanelli, R., see Chiabrando, C. 495 (1989) 1
- Fang, Q.C., see Lee, Y.W. 477 (1989) 434
- Fang, Q.C., see Zhang, T.-Y. 454 (1988) 185
- Farina, A.M., see Quaglia, M.G. 456 (1988) 435
- Farjam, A., De Jong, G.J., Frei, R.W., Brinkman, U.A.T., Haasnoot, W., Hamers, A.R.M., Schilt, R. and Huf, F.A.
- Immunoaffinity pre-column for selective online sample pre-treatment in HPLC determination of 19-nortestosterone 452 (1988) 419
- Farjam, A., see Haasnoot, W. 489 (1989) 157
- Farkas, G., see Vigh, G. 484 (1989) 237
- Farkas, G., see Vigh, G. 484 (1989) 251
- Farkaš, P., Soják, L., Kováč, M. and Janák, J.
- Interface adsorption and reproducibility of retention indices in glass capillary columns with dimethylpolysiloxane stationary phases cross-linked by γ -irradiation 471 (1989) 251
- Farran, A., De Pablo, J. and Barceló, D.
- Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-MS detection 455 (1988) 163
- Faulkner, R., see Nuernberg, B. 487 (1989) 476
- Faulkner, Jr., J.R., see Armstrong, D.W. 452 (1988) 323
- Faupe, M., see Righetti, P.G. 475 (1989) 293
- Faupe, M., see Righetti, P.G. 500 (1990) 681
- Faure, A., see Félix, G. 461 (1989) 347
- Fay, L., Michel, G., Goupit, P., Harpey, C. and Prost, M.
- Determination of trimetazidine in biological fluids by GC-MS 490 (1989) 198
- Fay, L., see Michel, G. 493 (1989) 188
- Fayyad, M., Alawi, M. and El-Ahmad, T.
- HPLC determination of phenoxyalkanoic acid herbicides using iron(II) 1,10-phenanthroline as a mobile phase additive 481 (1989) 439
- Febles, M., see Tápanes, R.D. 493 (1989) 202
- Fedi, M., see Agostini, O. 487 (1989) 331
- Fedorchuk, M., see Schmittbrenner, H.F. 487 (1989) 197
- Feely, M., see Peaker, S. 497 (1989) 308
- Feger, J., see Drechou, A. 489 (1989) 273
- Felder, R.A., see Kinter, M. 496 (1989) 201
- Felip, E. De, Di Domenico, A. and Volpi, F.
- GC-MS method to assess residues of 2-methyl-4-chlorophenoxyacetic acid in human urine 489 (1989) 404
- Félix, G., Thienpont, A., Emmelin, M. and Faure, A.
- Hydrocarbon group type analysis of

- petroleum products by HPLC on organometallic donor/acceptor-bonded silica 461 (1989) 347
- Felix, G., see Walczak, B. 464 (1989) 237
- Fell, A.F., see Bridge, T.P. 465 (1989) 59
- Fell, A.F., see Cook, A.P. 467 (1989) 395
- Fell, A.F., see Wright, A.G. 458 (1988) 335
- Fell, A.F., see Wright, A.G. 464 (1989) 27
- Feltes, J., see Böhm, H.B. 478 (1989) 399
- Feltl, L., see Kohoutová, A. 471 (1989) 139
- Fenelonov, V.B., see Zheivot, V.I. 472 (1989) 155
- Fennessey, P.V., see Harrison, L.M. 489 (1989) 121
- Feringa, B.L., see Blink, A. 467 (1989) 285
- Fernandes, R., see Wong, S.H.Y. 499 (1990) 601
- Fernández, P., Porte, C., Barceló, D., Bayona, J.M. and Albaigés, J.
Selective enrichment procedures for the determination of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples by GPC 456 (1988) 155
- Fernández-Díaz, M., see García-Raso, A. 471 (1989) 205
- Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J.A., Santiuste, J.M. and Pertierri-Rimada, E.
Solubility parameters of GC mixed stationary phases 457 (1988) 55.
- Fernández-Sánchez, E., García-Domínguez, J.A., Menéndez, V. and Santiuste, J.M.
Programmed-temperature retention indices. A survey of calculation methods 498 (1990) 1
- Fernández-Torres, A., see Fernández-Sánchez, E. 457 (1988) 55
- Ferrari, V., Giordano, G., Cracco, A.T., Dussini, N., Chiandetti, L. and Zucchello, F.
Determination of urinary orotate excretion by HPLC 497 (1989) 101
- Ferrario, P., see Zecca, L. 495 (1989) 303
- Ferraz, C., see Liautard, J. 454 (1988) 195
- Ferraz, C., see Liautard, J. 476 (1989) 439
- Fetzer, J.C., see Jinno, K. 461 (1989) 209
- Fevery, J., see Heirwegh, K.P.M. 496 (1989) 1
- Fielden, P.R. and Packham, A.J.
Selective determination of benzo[*a*]pyrene in petroleum-based products using multi-column LC 479 (1989) 117
- Fields, S.M., Grether, H.-J. and Grolimund, K.
Analysis of organic isocyanates using capillary supercritical-fluid chromatography 472 (1989) 175
- Fields, S.M. and Grolimund, K.
Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197
- Figini, G., see Gianesello, V. 473 (1989) 343
- Filfil, N.T., see Janini, G.M. 469 (1989) 43
- Filser, J.G., Koch, S., Fischer, M. and Müller, W.E.
Determination of urinary 3-methoxy-4-hydroxyphenylethylene glycol and its conjugates by HPLC with electrochemical and UV absorbance detection 493 (1989) 275
- Finardi, G.P., see Springolo, V. 490 (1989) 224
- Findlay, J.W.A., see Chang, S.Y. 497 (1989) 288
- Finlinson, A.C., see Tarbet, B.J. 473 (1989) 103
- Finnegan, P.M., see Derrico, E.M. 461 (1989) 35
- Finney, R.W. and Read, H.
Laser microprobe MS of selected compounds directly from normal phase high-performance thin-layer plates 471 (1989) 389
- Finnin, B.C., see Cheach, I.C.L. 467 (1989) 414
- Fiorino, A., Frigo, G. and Cucchetti, E.
LC analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 476 (1989) 83
- Firestone, M.A., see Thormann, W. 461 (1989) 95
- Fischer, G., see Timm, U. 494 (1989) 119
- Fischer, M., see Filser, J.G. 493 (1989) 275
- Fisher, D.H. and Giese, R.W.
Determination of 5-methylcytosine in DNA by GC-electron-capture detection 452 (1988) 51
- Fitzgerald, R.L., Blanke, R.V., Glennon, R.A., Yousif, M.Y., Rosecrans, J.A. and Poklis, A.
Determination of 3,4-methylenedioxymphetamine and 3,4-methylenedioxymethamphetamine enantiomers in whole blood 490 (1989) 59
- Flaminio, L., see Ascalone, V. 495 (1989) 358
- Flamion, P.-J., see Cachia, C. 498 (1990) 417
- Flath, R.A., see Engel, K.-H. 479 (1989) 176
- Flesch, G. and Hauffe, S.A.
Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorescamine, HPLC and fluorescence detection 489 (1989) 446
- Flores-Murrieta, F.J., Hoyo-Vadillo, C., Hong, E. and Castañeda-Hernandez, G.
Assay of ambroxol in human plasma by HPLC with amperometric detection 490 (1989) 464
- Floyd, T.R., Sagliano Jr., N. and Hartwick, R.A.
Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric

- acid digestion and headspace analysis by capillary GC 452 (1988) 43
- Fogg, A.G., see Smith, R.M. 455 (1988) 349
- Foglia, J.P., Birder, L.A. and Perel, J.M.
Determination of fluvoxamine in human plasma by HPLC with UV detection 495 (1989) 295
- Foley, J.E., see Everett, D.W. 487 (1989) 365
- Foley, J.P., Crow, J.A., Thomas, B.A. and Zamora, M.
Unavoidable flow-rate errors in HPLC 478 (1989) 287
- Foley, J.P., see Jeansson, M.S. 461 (1989) 149
- Foley, R.C., see Haddad, P.R. 500 (1990) 301
- Fontana, E., see Pianezzola, E. 495 (1989) 205
- Fontana, M., see Costa, M. 490 (1989) 404
- Font Pérez, G., see Mañes Vinuesa, J. 472 (1989) 365
- Fookes, C.J.R., see Boreham, C.J. 467 (1989) 195
- Ford, J.C. and Smith, J.A.
Synthetic peptide purification by application of linear solvent strength gradient theory 483 (1989) 131
- Foreman, W.T., Shellum, C.L., Birks, J.W. and Sievers, R.E.
SFC with sulfur chemiluminescence detection 465 (1989) 23
- Foret, F., Deml, M. and Boček, P.
Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601
- Foret, F., Fanali, S., Ossicini, L. and Boček, P.
Indirect photometric detection in capillary zone electrophoresis 470 (1989) 299
- Foret, F., see Šustáček, V. 480 (1989) 271
- Foriers, A., Rombaut, B. and Boeyé, A.
Use of high-performance SEC for the separation of poliovirus and subviral particles 498 (1990) 105
- Fornstedt, N. and Porath, J.
Sulphated Sepharose—a strong cation exchanger 472 (1989) 261
- Forsmo-Bruce, H., see Johansson, M. 459 (1988) 301
- Forssmann, W.-G., see Dörner, T. 490 (1989) 411
- Forster, P.G., Alexander, R. and Kagi, R.I.
Identification and analysis of tetramethylnaphthalenes in petroleum 483 (1989) 384
- Fortier, N.E. and Fritz, J.S.
Use of a post-column reaction and a spectrophotometric detector for the LC determination of water 462 (1989) 323
- Fóti, G., Martinez, C. and Kováts, E.
Role of unreacted silanols in the adsorption properties of derivatized silica 461 (1989) 243
- Fouchet, M.H., see Krstulović, A.M. 452 (1988) 477
- Fouda, H.G.
Robotics in biomedical chromatography and electrophoresis (Review) 492 (1989) 85
- Fourche, J., Capdepuy, M. and Texier-Maugein, J.
GC fatty acid determination to differentiate *Nocardia asteroides*, *Mycobacterium fortuitum* and *Mycobacterium chelonei* 487 (1989) 142
- Fournet, B., see Kol, O. 474 (1989) 452
- Fournet, B., see Piot, J.-M. 481 (1989) 221
- Foust, D.W. and Bergren, M.S.
Analysis of solvent residues in pharmaceutical bulk drugs by wall-coated open tubular GC 469 (1989) 161
- Fowler, W.K. and Smith, Jr., J.E.
Indirect determination of O-ethyl S-(2-diisopropylaminoethyl) methylphosphonothioate in air at low concentrations 478 (1989) 51
- Fox, S.M., Chan, S.C. and Van Middlesworth, D.H.
GC and MS analysis of articaine in urine 494 (1989) 331
- Franchi, D., see Tagliaro, F. 488 (1989) 215
- Frank, R.W., see Bosserhoff, A. 473 (1989) 71
- Franke, J.-P., see De Zeeuw, R.A. 500 (1990) 661
- Frankena, H., see Schotman, P. 483 (1989) 301
- Fransson, B., Grehn, L. and Ragnarsson, U.
LC separation of acidic phosphoserine peptides on macroporous copoly(styrene-divinylbenzene) using amines to regulate retention 473 (1989) 63
- Frantz, S.C., see Phillips, T.M. 458 (1988) 185
- Frappier, F., see Morineau, G. 467 (1989) 209
- Frasey, A.M., see Pinche, C. 463 (1989) 201
- Frattini, C., see Bicchi, C. 473 (1989) 161
- Fredman, P., see Davidsson, P. 496 (1989) 279
- Freeman, J.P., see Thompson, Jr., H.C. 467 (1989) 159
- Frei, R.W., see Brinkman, U.A.T. 492 (1989) 251
- Frei, R.W., see Debets, A.J.J. 465 (1989) 315
- Frei, R.W., see Farjam, A. 452 (1988) 419
- Frei, R.W., see Haasnoot, W. 489 (1989) 157
- Frei, R.W., see Irth, H. 482 (1989) 317
- Frei, R.W., see Irth, H. 491 (1989) 321
- Frei, R.W., see Irth, H. 499 (1990) 617
- Frei, R.W., see Kientz, C.E. 467 (1989) 385
- Frei, R.W., see Kwakman, P.J.M. 459 (1988) 139
- Frei, R.W., see Lipschitz, C. 471 (1989) 321
- Frei, R.W., see Nielen, M.W.F. 474 (1989) 388

- Frei, R.W., see Schreurs, M. 482 (1989) 351
 Frei, R.W., see Subra, P. 456 (1988) 121
 Frei, R.W., see Thiebaut, D. 477 (1989) 151
 Frenz, J., Wu, S.-L. and Hancock, W.S.
 Characterization of human growth hormone by capillary electrophoresis 480 (1989) 379
 Frenz, J., see Jacobson, J.M. 499 (1990) 5
 Frenz, J., see Minick, D.J. 461 (1989) 177
 Freundlich, L., see Lam, S. 468 (1989) 359
 Friedmann, H., see Le Duc, B.W. 490 (1989) 474
 Frigo, G., see Fiorino, A. 476 (1989) 83
 Fritz, D.F., see Défayes, G. 500 (1990) 139
 Fritz, J.S., see Chen, J. 482 (1989) 279
 Fritz, J.S., see Fortier, N.E. 462 (1989) 323
 Fritz, J.S., see Miura, Y. 482 (1989) 155
 Fritz, J.S., see Strassburg, R. 482 (1989) 343
 Fritz, J.S., see Warth, L.M. 462 (1989) 165
 Fritz, J.S., see Warth, L.M. 479 (1989) 401
 Fronheiser, M.E., see Renzi, N.L. 462 (1989) 398
 Frontera, M.A., see Tombesi, O.L. 463 (1989)
 452
 Fruchart, J.-C., see Steinmetz, A. 487 (1989) 154
 Fu, C.-H.J., see Gillilan, R.B. 487 (1989) 332
 Fu, P.P., see Lai, J.-S. 461 (1989) 327
 Fu, P.P., see Von Tungeln, L.S. 461 (1989) 315
 Fu, R., see Jin, Y. 469 (1989) 153
 Fu, R., see Jin, Y. 483 (1989) 394
 Fu, R., see Liu, H. 462 (1989) 376
 Fuji, Y., Ikeda, Y. and Yamazaki, M.
 HPLC determination of secondary cardiac glycosides in *Digitalis purpurea* leaves 479 (1989) 319
 Fujihara, M. and Nagumo, T.
 Determination of the molecular weights of alginates by agarose gel filtration 465 (1989) 386
 Fujii, N., see Ohtsubo, K. 496 (1989) 397
 Fujii, T., see Kawano, H. 493 (1989) 71
 Fujimoto, K., see Hirauchi, K. 497 (1989) 131
 Fujimoto, S., see Ishimitsu, S. 489 (1989) 377
 Fujimoto, T., see Tawa, R. 490 (1989) 125
 Fujimoto, Y., see Ikekawa, N. 468 (1989) 91
 Fujio, N., see Hatayama, T. 481 (1989) 403
 Fujita, M., see Mochizuki, E. 455 (1988) 271
 Fujita, M., see Saito, K. 454 (1988) 387
 Fukai, F., Suzuji, H. and Katayama, T.
 Chromatographic method for the preparation of apo-cellular retinol-binding protein and apo-cellular retinoic acid-binding protein from their holo-types 482 (1989) 107
 Fukasawa, K., see Harada, M. 493 (1989) 176
 Fukasawa, K.M., see Harada, M. 493 (1989) 176
 Fukuda, A., see Onodera, S. 466 (1989) 233
 Fukuda, E.K., Choma, N. and Davis, P.P.
 Quantitation of the benzodiazepine antagonist flumazenil in human plasma by GC-MS 491 (1989) 97
 Fukuda, E.K., see Garland, W.A. 472 (1989) 250
 Fukuda, E.K., see Rubio, F.A. 497 (1989) 147
 Fukuda, K., see Suzuki, Y. 489 (1989) 283
 Fukuda, M., see Baba, Y. 458 (1988) 385
 Fukushige, S., see Kato, Y. 478 (1989) 264
 Fukuyama, T., see Nishi, H. 498 (1990) 313
 Fullas, F., Kim, J., Compadre, C.M. and Kinghorn, A.D.
 Separation of natural product sweetening agents using overpressured layer chromatography 464 (1989) 213
 Fulper, J.
 Practical approach for HPLC method development: assaying synthetic intermediates of a leukotriene inhibitor 485 (1989) 597
 Fulton, D.J., see Renzi, N.L. 462 (1989) 398
 Fulton, J.A., Pokharna, H.K., Dunphy, M.J. and Smith, D.J.
 Resolution of diastereomers of N,N,N',N'-tetrakis(2-hydroxypropyl)ethylenediamine (Quadrol) by reversed-phase HPLC 455 (1988) 183
 Funae, Y., see Hatayama, T. 481 (1989) 403
 Funazo, K., Tanaka, M., Yasaka, Y., Takigawa, H. and Shono, T.
 New UV labelling agents for HPLC determination of monocarboxylic acids 481 (1989) 211
 Fung, M.A., see Drake, A.F. 476 (1989) 159
 Funk-Brentano, C., see Turgeon, J. 490 (1989)
 165
 Funkenbusch, E.G., see Rigney, M.P. 499 (1990)
 291
 Furst, A., see Akapo, S.O. 471 (1989) 283
 Furst, D.E., see Nuernberg, B. 487 (1989) 476
 Fürst, P., Pollack, L., Graser, T.A., Godel, H. and Stehle, P.
 Appraisal of our pre-column derivatization methods for the HPLC determination of free amino acids in biological materials 499 (1990) 557
 Furton, K.G., Purnell, J.H. and Stedman, G.
 Stability constants of hydracid-tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide 468 (1989) 73
 Furusawa, M., see Kiba, N. 456 (1988) 398
 Furusawa, M., see Kiba, N. 463 (1989) 177
 Furusawa, M., see Kiba, N. 463 (1989) 183
 Furusawa, M., see Kiba, N. 497 (1989) 236
 Furuta, T., see Kasuya, Y. 494 (1989) 101

G

- Gabbott, N.P., see Dawkins, J.V. 452 (1988) 145
 Gachályi, B., see Csillag, K. 490 (1989) 355
 Gagelmann, M., see Dörner, T. 490 (1989) 411
 Gagliardi, L., Cavazzutti, G., Montanarella, L. and Tonelli, D.
 Determination of sun-screen agents in cosmetic products by reversed-phase HPLC. Part II 464 (1989) 428
 Gagliardi, L., Cimorelli, A., Cavazzutti, G., Montanarella, L. and Tonelli, D.
 Determination of 4-*tert*-butylphenol and 4-*tert*-butylcatechol in cosmetic products by reversed-phase HPLC 466 (1989) 433
 Gaillot, J., see Schmitt, P. 491 (1989) 495
 Gal, J., see Pianezzola, E. 495 (1989) 205
 Gal, P., see Brown, Y.L. 459 (1988) 275
 Galan, L. De, see Bartha, A. 458 (1988) 371
 Galan, L. De, see Bartha, A. 464 (1989) 225
 Galan, L. De, see Billict, H.A.H. 485 (1989) 27
 Galan, L. De, see Herman, D.P. 463 (1989) 1
 Galan, L. De, see Low, G.K.-C. 478 (1989) 21
 Galan, L. De, see Strasters, J.K. 499 (1990) 499
 Galan, L. De, see Strasters, J.K. 499 (1990) 523
 Games, D.E. and Martínez, F.
 Evaluation of the moving belt as an interface for the HPLC-MS analysis of the flavonoid aglycones 474 (1989) 372
 Games, D.E., see Ramsey, E.D. 464 (1989) 353
 Games, D.E., see Raynor, M.W. 467 (1989) 292
 Gamoh, K., Omote, K., Okamoto, N. and Takatsuto, S.
 HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424
 Gan, I.E.T., see Elderfield, A.J. 495 (1989) 71
 Gandhe, B.R., Malhotra, R.C. and Gutch, P.K.
 GC retention indices of tear gases on capillary columns 479 (1989) 165
 Gandy, J., see Stidman, J. 494 (1989) 318
 Gangadhar, A., see Chandrasekhara Rao, T. 466 (1989) 403
 Gangoda, M.E., see Varughese, P. 499 (1990) 469
 Gannon, F., see Zhu, M. 480 (1989) 311
 Ganzerli Valentini, M.T., see Maggi, L. 478 (1989) 225
 Gao, C.-X., see Chou, T.-Y. 454 (1988) 169
 Gao, C.X., Krull, I.S. and Trainor, T.M.
 Determination of volatile amines in air by on-line solid-phase derivatization and HPLC with UV and fluorescence detection 463 (1989) 192
 Garcia-Dominguez, J.A., see Fernández-Sánchez, E. 457 (1988) 55
 Garcia-Dominguez, J.A., see Fernández-Sánchez, E. 498 (1990) 1
 Garcia-Raso, A., Fernández-Díaz, M., Páez, M.I., Sanz, J. and Martínez-Castro, I.
 GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205
 García-Raso, A., Vázquez, M.A., Ballester, P. and Deyá, P.M.
 Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441
 Garcia-Raso, A., see Martínez-Castro, I. 462 (1989) 49
 Gardana, C., see Pace, M. 476 (1989) 487
 Garet, M.-J., see Bechemin, C. 469 (1989) 399
 Garland, W.A., Crews, T., Brown, S.Y. and Fukuda, E.K.
 Comparison of manual and exponentially modified gaussian based methods for the determination of the peak heights of selected-ion current profiles acquired in a mass spectral drug assay 472 (1989) 250
 Garner, D.M., see Pieniaszek, Jr., H.J. 493 (1989) 79
 Garrick, C., see Rutledge, D.R. 497 (1989) 181
 Garrigues, P., Radke, M., Druez, O., Willsch, H. and Bellocq, J.
 Reversed-phase LC retention behaviour of dimethylphenanthrene isomers 473 (1989) 207
 Garrigues, P., see Matsuzawa, S. 498 (1990) 25
 Garvie, C.T., see Rhodes, G.R. 488 (1989) 456
 Gaš, B., Zuska, J. and Vacík, J.
 Measurement of limiting mobilities by capillary isotachophoresis with a constant temperature at the site of detection 470 (1989) 69
 Gasparič, J.
 Dual retention mechanism on commercial acetylcellulose as a stationary phase in planar chromatography 454 (1988) 352
 Gasparini, F., Misiti, D., Villani, C., La Torre, F. and Sinibaldi, M.
 HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235
 Gassiot, M., see Diaz-Marot, A. 490 (1989) 470

- Gatti, M.T., see Springolo, V. 490 (1989) 224
- Gauch, R., see Bosset, J.O. 456 (1988) 417
- Gaudemer, A., see Lebrun, M.H. 464 (1989) 307
- Gaudemer, F., see Lebrun, M.H. 464 (1989) 307
- Gavrichev, V.S., see Berezkin, V.G. 456 (1988) 351
- Gavrilov, V.Y., see Zheivot, V.I. 472 (1989) 155
- Gavrilova, T.B., Vlasenko, E.V., Petsev, N., Topalova, I., Dimitrov, C. and Ivanov, S. GC retention on carbon adsorbents coated with monolayeres of polynuclear aromatic hydrocarbons 454 (1988) 73
- Gawdzik, J., see Suprynowicz, Z. 456 (1988) 219
- Gazdag, M. and Szepesi, G. Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279
- Gazdag, M., Szepesi, G. and Fábián-Varga, K. Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95
- Gazdag, M., Szepesi, G. and Szeleczki, E. Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83
- Gazdag, M., see Szepesi, G. 464 (1989) 265
- Gazzaniga, A., see Gianesello, V. 473 (1989) 343
- Gebauer, P., Krivánková, L. and Boček, P. Inverse electrolyte systems in isotachophoresis. Impact of the terminating electrolyte on the migrating zones in cationic analysis 470 (1989) 3
- Gebauer, P., see Pospichal, J. 470 (1989) 43
- Geerdink, R.B., Van Balkom, C.A.A. and Brouwer, H.-J. Determination of phenoxyacid herbicides in water. Polymeric pre-column preconcentration and tetrabutylammonium ion-pair separation on a PRP-1 column 481 (1989) 275
- Gehas, J. and Wetlaufer, D.B. Hydrophobic interaction chromatography of small molecules: characterization of the retention of acyl coenzyme A homologues 477 (1989) 249
- Gehrke, C.W. and Kuo, K.C. Ribonucleoside analysis by reversed-phase HPLC 471 (1989) 3
- Geiser, F.O., Yocklovich, S.G., Lurcott, S.M., Guthrie, J.W. and Levy, E.J. Water as a stationary phase modifier in packed-column SFC. I. Separation of free fatty acids 459 (1988) 173
- Geisslinger, G., Dictzcl, K., Schuster, D.L.O., Rau, G., Lachmann, G. and Brune, K. HPLC determination of ibuprofen, its metabolites and enantiomers in biological fluids 491 (1989) 139
- Gelder, W.M.J. Van Tuinstra, L.G.M.T., Van der Greef, J. and Scheffer, J.J.C. Characterization of novel steroid alkaloids from tubers of *Solanum* species by combined GC-MS. Implications for potato breeding 482 (1989) 13
- Gellerfors, P., see Wu, S.-L. 500 (1990) 595
- Gelpí, E., Ramis, I., Hotter, G., Bioque, G., Bulbena, O. and Roselló, J. Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223
- Gelpí, E., see Ramis, I. 496 (1989) 416
- Gelsema, W.J. and De Ligny, C.L. Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 498 (1990) 237
- Gelsema, W.J. and De Ligny, C.L. Determination of the charge of ions by partition measurements in aqueous polymer two-phase systems 498 (1990) 325
- Gemmell, B., Schmitz, F.P. and Klesper, E. Consecutive gradients in chromatography. Gradients under sub- and supercritical conditions including composition gradients and multiple gradients 455 (1988) 17
- Gendron, A., see Lamarre, C. 464 (1989) 448
- Gendron, A., see Lamarre, C. 467 (1989) 249
- Gennari, M., see Cabras, P. 462 (1989) 430
- Gennari, M., see Cabras, P. 472 (1989) 411
- Gennari, M., see Cabras, P. 478 (1989) 250
- Gennaro, M.C. and Bertolo, P.L. Determination of the principal anionic components in wines and soft drinks, by ion interaction reversed-phase HPLC 472 (1989) 433
- Gentilucci, T.J., Sivakoff, S.I., Cox, G.B., Stearns, S.D. and Hutchinson, M.W. Analytical performance of process-scale LC columns 461 (1989) 63
- Genuit, W. and Van Binsbergen, H. Improving the ion current stability of a thermospray source by improving the control of the vaporizer temperature and solvent flow-rate 474 (1989) 145
- George, S.R., see Kim, C. 494 (1989) 67
- Georgopoulos, A., Czejka, M.J., Starzengruber, N., Jäger, W. and Lackner, H. HPLC determination of teicoplanin in

- plasma: comparison with a microbiological assay 494 (1989) 340
- Geraerts, W.P.M., see Li, K.W. 472 (1989) 445
- Geraghty, C.A. and Cashaw, J.L.
- Method for the identification of tetrahydropapaveroline using the Pictet-Spengler condensation reaction and HPLC 489 (1989) 399
- Gerasimenko, V.A. and Nabivach, V.M.
- Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357
- Gerber, G., see Werner, A. 491 (1989) 77
- Gerbino, T.C., see Castello, G. 454 (1988) 129
- Gerding, T.K., Drenth, B.F.H., Van de Grampel, V.J.M., Niemeijer, N.R., De Zeeuw, R.A., Tepper, P.G. and Horn, A.S.
- Determination of enantiomeric purity of the new D-2 dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) by reversed-phase HPLC after pre-column derivatization with D (+)-glucuronic acid 487 (1989) 125
- Gerhardt, M.F., see Labbé, D. 490 (1989) 275
- Gerlo, E., see Sion, J.-P. 496 (1989) 91
- Gerrits, J., see Brunnekreeft, J.W.I. 491 (1989) 89
- Gesquiere, J.C., Diesis, E., Chung, M.T. and Tartar, A.
- Slow isomerization of some proline-containing peptides inducing peak splitting during reversed-phase HPLC 478 (1989) 121
- Getek, T.A., Korfsmacher, W.A., McRae, T.A. and Hinson, J.A.
- Utility of solution electrochemistry MS for investigating the formation and detection of biologically important conjugates of acetaminophen 474 (1989) 245
- Geuns, E.R., see Dalton, J.T. 495 (1989) 330
- Gfeller, J.C., see Lankmayr, E.P. 485 (1989) 183
- Ghani, A.A., see Smith, R.M. 455 (1988) 349
- Ghielmi, S., see Poiesi, C. 465 (1989) 101
- Ghiggeri, G.M., Candiano, G., Ginevri, F., Mutti, A., Bergamaschi, E., Alinovi, R. and Righetti, P.G.
- Hydrophobic interaction of Alcian Blue with soluble and erythrocyte membrane proteins 452 (1988) 347
- Ghobane, S. and Guiochon, G.
- Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209
- Ghosh, S., see Hsu, F.-F. 478 (1989) 429
- Ghrist, B.F.D., Cooperman, B.S. and Snyder, L.R.
- Design of optimized HPLC gradients for the separation of either small or large molecules. I. Minimizing errors in computer simulations 459 (1988) 1
 - Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25
 - Design of optimized HPLC gradients for the separation of either small or large molecules. III. An overall strategy and its application to several examples 459 (1988) 43
- Giaccari, A. and Rossetti, L.
- Isocratic HPLC determination of the concentration and specific radioactivity of phosphoenolpyruvate and uridine diphosphate glucose in tissue extracts 497 (1989) 69
- Giacomini, K.M., see Chin, S.K. 489 (1989) 438
- Giambenedetti, M., see Betto, P. 459 (1988) 341
- Gianesello, V., Brenn, E., Figini, G. and Gazzaniga, A.
- Determination by coupled HPLC-GC of the β -blocker levomoprolol in plasma following ophthalmic administration 473 (1989) 343
- Gianferrara, T., see Dondi, F. 485 (1989) 631
- Gibbons, W.A., see Euerby, M.R. 483 (1989) 239
- Giddings, J.C.
- Field-flow fractionation of macromolecules 470 (1989) 327
- Giddings, J.C.
- Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21
- Giddings, J.C., see Jones, H.K. 455 (1988) 1
- Giddings, J.C., see Ratanathanawongs, S.K. 467 (1989) 341
- Gierak, A. and Leboda, R.
- Preparation of carbaceous adsorbents by catalytic decomposition of hydrocarbons for chromatographic application 483 (1989) 197
- Giesche, H., Unger, K.K., Esser, U., Eray, B., Trüdinger, U. and Kinkel, J.N.
- Packing technology, column bed structure and chromatographic performance of 1–2- μ m non-porous silicas in HPLC 465 (1989) 39
- Giese, R.W., see Allam, K. 499 (1990) 571
- Giese, R.W., see Annan, R.S. 465 (1989) 285
- Giese, R.W., see Bakthavachalam, J. 500 (1990) 373
- Giese, R.W., see Fisher, D.H. 452 (1988) 51
- Giese, R.W., see Kresbach, G.M. 476 (1989) 423

- Giese, R.W., see Trainor, T.M. 452 (1988) 369
- Gifford, L.A., see Daley-Yates, P.T. 490 (1989) 329
- Gilbert, J., see Sharman, M. 474 (1989) 457
- Gilbert, R., see Lamarre, C. 467 (1989) 249
- Gill, J.P., see Kaur, S. 473 (1989) 135
- Gill, R., see Smith, R.M. 455 (1988) 77
- Gillberg, M., see Hjemdahl, P. 494 (1989) 53
- Gillespie, P.C., see Smith, M.A. 469 (1989) 111
- Gillet, G., see Krstulović, A.M. 452 (1988) 477
- Gillet, P., see Lapicque, F. 496 (1989) 301
- Gillilan, R.B., Mason, W.D. and Fu, C.-H.J.
Rapid analysis of piroxicam in dog, rat and human plasma by HPLC 487 (1989) 332
- Gilpin, R.K., see Varughese, P. 499 (1990) 469
- Ginevri, F., see Ghiggeri, G.M. 452 (1988) 347
- Ginkel, L.A. Van, Stephany, R.W., Van Rossum, H.J., Steinbuch, H.M., Zomer, G.,
Van de Heeft, E. and De Jong, A.P.J.M.
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111
- Ginkel, L.A. Van, Stephany, R.W., Van Rossum, H.J., Van Blitterswijk, H., Zoontjes, P.W.,
Hooijsschuur, R.C.M. and Zuydendorp, J.
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95
- Ginn, A., see Houghton, E. 479 (1989) 73
- Ginneken, C.A.M. Van, see Russel, F.G.M. 496 (1989) 234
- Giordano, G., see Ferrari, V. 497 (1989) 101
- Giralt, E., see Serra, M.A. 479 (1989) 27
- Girard, M., see Kolbe, H.V.J. 476 (1989) 99
- Girardin, M., see Boukharta, M. 455 (1988) 406
- Girardot, R., see Bisserset, F. 490 (1989) 91
- Girelli, A.M., see Grassini-Strazza, G. 466 (1989) 1
- Girometta, M.A., Loschi, L. and Ventura, P.
HPLC assay of nesosteine in human plasma and urine 487 (1989) 117
- Gisch, D.J., see Dhanesar, S.C. 461 (1989) 407
- Gispen, W.H., see Schotman, P. 483 (1989) 301
- Gladdines, M.M., Reijenga, J.C., Trieling, R.G.,
Van Thiel, M.J.S. and Everaerts, F.M.
Concept of response factor in capillary isotachophoresis. Determination of drugs in solution for intravenous injection 470 (1989) 105
- Gladdines, M.M., see Wanders, B.J. 470 (1989) 79
- Glajch, J.L. and Kirkland, J.J.
Method development in HPLC using
- retention mapping and experimental design techniques (Review) 485 (1989) 51
- Gleispach, H., see Leis, H.J. 494 (1989) 324
- Gleispach, H., see Malle, E. 488 (1989) 283
- Glennon, R.A., see Fitzgerald, R.L. 490 (1989) 59
- Glikberg, S., see Shohat, S. 452 (1988) 503
- Glöckner, G. and Barth, H.G.
Use of HPLC for the characterization of synthetic copolymers 499 (1990) 645
- Glöd, B.K., Piasecki, A. and Stafiej, J.
Numerical simulation of column performance in ion-exclusion chromatography 457 (1988) 43
- Gluch, S., see Knight, M. 459 (1988) 361
- Gluch, S., see Knight, M. 484 (1989) 299
- Glunz, L.J., see Szczerba, T.J. 458 (1988) 281
- Gnozzio, M.J., see Nollstadt, K.H. 497 (1989) 87
- Göbel, T., see Steudel, R. 475 (1989) 442
- Gobetti, M., Di Bitetto, M. and Rossi, R.
Rapid, sensitive HPLC method for the analysis of buflomedil hydrochloride and its potential by-products 467 (1989) 327
- Goddijn, O.J.M., see Pennings, E.J.M. 483 (1989) 311
- Godel, H., see Brückner, H. 476 (1989) 73
- Godel, H., see Fürst, P. 499 (1990) 557
- Godin, J. and Hellier, G.
Determination of nicotine and cotinine in urine by HPLC (in French) 488 (1989) 487
- Goede, P.N.F.C. De, see De Kroon, I.F.I. 491 (1989) 107
- Goeij, J.J.M. De, see Baldew, G.S. 491 (1989) 163
- Goeij, J.J.M. De, see Baldew, G.S. 496 (1989) 111
- Goetz, H., see Rozing, G.P. 476 (1989) 3
- Goewie, C.E., see De Groot, G. 456 (1988) 71
- Goewie, C.E., see Hogendoorn, E.A. 475 (1989) 432
- Goewie, C.E., see Kootstra, P.R. 458 (1988) 175
- Gogitidze, M.N., see Hradil, J. 462 (1989) 61
- Goldstein, A.L., see Badamchian, M. 459 (1988) 291
- Goldstein, D.M., see Strickler, M.P. 484 (1989) 369
- Golfier, A., see Riba, M.-L. 456 (1988) 165
- Golier, I., see Spustová, V. 490 (1989) 186
- Golombek, R. and Schwedt, G.
Methyl green-coated column for separation of inorganic anions by ion chromatography 452 (1988) 283
- Golovkin, A.B., see Antoshechkin, A.G. 489 (1989) 353

- Golshan-Shirazi, S. and Guiochon, G.
Theoretical study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 1
- Golshan-Shirazi, S. and Guiochon, G.
Experimental study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 19
- Golshan-Shirazi, S. and Guiochon, G.
Analytical solution of the ideal model of elution chromatography in the case of a binary mixture with competitive Langmuir isotherms. II. Solution using the *h*-transform 484 (1989) 125
- Golshan-Shirazi, S., see Jacobson, S. 484 (1989)
103
- Golshan-Shirazi, S., see Lin, B. 475 (1989) 1
- Golshan-Shirazi, S., see Lin, B. 500 (1990) 185
- Gong, J., see Jin, Y. 483 (1989) 394
- Gonzalez, M.A., see Ruggirello, D.A. 487 (1989)
73
- Gooijer, C., see Schreurs, M. 482 (1989) 351
- Goor, A.A.A.M. Van de, Wanders, B.J. and
Everaerts, F.M.
Modified methods for off- and on-line determination of electroosmosis in capillary electrophoretic separations 470 (1989) 95
- Goor, A.A.A.M. Van de, see Wanders, B.J. 470
(1989) 89
- Goormachtig, P.F.J., see Van Doorn, J.E. 496
(1989) 441
- Goosey, M.W., see Peacock, G.A. 469 (1989) 293
- Gorcak, J., see Einarsson, Ö. 498 (1990) 381
- Gordon, B., see Singh, A.K. 473 (1989) 215
- Gordon, B., see Singh, A.K. 479 (1989) 233
- Gordon, G.R., see Peters, J.H. 488 (1989) 301
- Gordon, M.J., see Huang, X. 480 (1989) 285
- Gordon, N.F., see Afeyan, N.B. 478 (1989) 1
- Goretti, G., see Cartoni, G.P. 475 (1989) 145
- Goretti, G., see Russo, M.V. 465 (1989) 429
- Görner, T., see Défayes, G. 500 (1990) 139
- Görög, S., Herényi, B., Nyéki, O., Schön, I. and
Kisfaludy, L.
Determination of impurity profiles in drugs and related materials. II. Detection and quantification of a diastereomeric impurity in the peptide RGH-0205 (Arg-Lys-Asp) 452 (1988) 317
- Görög, S., see Yoshitake, T. 489 (1989) 364
- Gorrod, J.W., see Devínsky, F. 466 (1989) 347
- Gorse, J., see Miller, C. 458 (1988) 255
- Gorus, F., see Sion, J.-P. 496 (1989) 91
- Gosling, I.S., see Cowan, G.H. 484 (1989) 187
- Gotling, R.W., see Harrison, L.M. 489 (1989)
121
- Goto, I., see Ohtsubo, K. 496 (1989) 397
- Goto, J., Miura, H., Inada, M., Nambara, T.,
Nagakura, T. and Suzuki, H.
Studies on steroids. CCXXXVIII.
- Determination of bile acids in liver tissue by GC-MS with negative ion chemical ionization detection 452 (1988) 119
- Goto, J., Miura, H. and Nambara, T.
Studies on steroids. CCXXXV.
- Determination of 5β-cholestanoic acids in human urine by GC-MS with negative ion chemical ionization detection 493 (1989) 245
- Goto, S., see Kobayashi, H. 474 (1989) 381
- Gottfries, J., Davidsson, P., Måansson, J.-E. and
Svennerholm, L.
HPLC separation of gangliosides, combined with immunological detection and fast atom bombardment MS characterization 490 (1989)
263
- Gottstein, H.D., Zook, M.N. and Kuć, J.A.
Detection and quantitation of oxalic acid by capillary GC 481 (1989) 55
- Goupit, P., see Fay, L. 490 (1989) 198
- Governa, M., see Marchiseppe, I. 495 (1989) 288
- Goward, C.R., Stevens, G.B., Hammond, P.M.
and Scawen, M.D.
Large-scale purification of the chromosomal β-lactamase from *Enterobacter cloacae* P99 457 (1988) 317
- Goward, C.R., see Jager, B.J. 472 (1989) 331
- Gozel, P., see Kasper, T.J. 458 (1988) 303
- Graaf, S.S.N. De, Riley-Stewart, C.A. and Evans,
W.E.
Improved HPLC method using loop-column extraction for analysis of idarubicin and idarubicinol in plasma 491 (1989) 501
- Graebe, J.E., see Odén, P.C. 464 (1989) 195
- Grafnetterová, J., see Klíma, J. 488 (1989) 295
- Graham, M.A., Newell, D.R. and Calvert, A.H.
Determination of the anthracycline anticancer drug CI-941 in plasma and urine by solid-phase extraction and HPLC 491 (1989) 253
- Grahl-Nielsen, O., see Barnung, T.N. 466 (1989)
271
- Grainger, J., see Orti, D.L. 462 (1989) 269
- Grampel, V.J.M. Van de, see Gerdinc, T.K. 487
(1989) 125
- Grandi, G., see Maisano, F. 472 (1989) 422
- Granley, K., see Singh, A.K. 473 (1989) 215
- Granley, K., see Singh, A.K. 479 (1989) 233
- Grant, B., see Smillie, R.H. 455 (1988) 253
- Graser, T.A., see Fürst, P. 499 (1990) 557

- Grassini-Strazza, G., Carunchio, V. and Girelli, A.M.
Flat-bed chromatography on impregnated layers (Review) 466 (1989) 1
- Grassini-Strazza, G., see Dondi, F. 462 (1989) 205
- Grasso, G. and Bufalo, G.
Application of ion chromatography to the analysis of chromium hydroxy salts 454 (1988) 411
- Gray, H.T., see Turgeon, J. 490 (1989) 165
- Gray, M.R., see Khorasheh, F. 481 (1989) 1
- Grebow, P.E., see Hsu, S.-H. 459 (1988) 215
- Greco, D., see Conway, W.D. 484 (1989) 391
- Greef, J. Van der, Niessen, W.M.A. and Tjaden, U.R.
LC-MS. The need for a multidimensional approach 474 (1989) 5
- Greef, J. Van der, see Heeremans, C.E.M. 472 (1989) 219
- Greef, J. Van der, see Heeremans, C.E.M. 474 (1989) 149
- Greef, J. Van der, see Kokkonen, P. 474 (1989) 59
- Greef, J. Van der, see Niessen, W.M.A. 454 (1988) 243
- Greef, J. Van der, see Niessen, W.M.A. 474 (1989) 113
- Greef, J. Van der, see Niessen, W.M.A. 478 (1989) 325
- Greef, J. Van der, see Niessen, W.M.A. 492 (1989) 167
- Greef, J. Van der, see Van Gelder, W.M.J. 482 (1989) 13
- Greef, J. Van der, see Verheij, E.R. 474 (1989) 275
- Greef, J. Van der, see Walhagen, A. 474 (1989) 257
- Green, B., see Cooper, J.D.H. 456 (1988) 53
- Green, G., see Bisschet, F. 490 (1989) 91
- Green, G., see Marschall, H.-U. 452 (1988) 459
- Green, J.S. and Jorgenson, J.W.
Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63
- Green, L.S. and Bertsch, W.
Characteristics of glass based packings as a support in chromatography 471 (1989) 113
- Greenaway, W., English, S., Wollenweber, E. and Whatley, F.R.
Series of novel flavanones identified by GC-MS in bud exudate of *Populus fremontii* and *Populus maximowiczii* 481 (1989) 352
- Greenaway, W., May, J. and Whatley, F.R.
Flavonoid aglycones identified by GC-MS in bud exudate of *Populus balsamifera* 472 (1989) 393
- Greenblatt, D.J., see Burstein, E.S. 487 (1989) 228
- Greenblatt, D.J., see Le Duc, B.W. 490 (1989) 474
- Gregory, A., see Ching, M.S. 497 (1989) 313
- Grehn, L., see Fransson, B. 473 (1989) 63
- Greibrokk, T., see Doebl, J. 477 (1989) 345
- Greig Sim, P., see Lawrence, J.F. 462 (1989) 349
- Grether, H.-J., see Fields, S.M. 472 (1989) 175
- Gribnau, F.W.J., see Russel, F.G.M. 496 (1989) 234
- Griest, W.H., Guzman, C. and Dekker, M.
Packed-column SFC separation of highly explosive compounds 467 (1989) 423
- Griffiths, P.R., see Jinno, K. 461 (1989) 209
- Grimvall, A., see Lundgren, B. 482 (1989) 23
- Grinberg, N., see Blanco, R. 482 (1989) 1
- Gripshover, D.F., see Demian, I. 466 (1989) 415
- Grob, Jr., K. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381
- Grob, Jr., K. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391
- Grob, Jr., K. and Li, Z.
Coupled reversed-phase LC-capillary GC for the determination of atrazine in water 473 (1989) 423
- Grob, Jr., K. and Müller, E.
Introduction of water and water-containing solvent mixtures in capillary GC. IV. Principles of concurrent solvent evaporation with co-solvent trapping 473 (1989) 411
- Grob, Jr., K., Neukom, H. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary GC. III. Water-resistant deactivation of uncoated precolumns? 473 (1989) 401
- Grob, Jr., K., see Häkkinen, V.M.A. 473 (1989) 353
- Grob, K.
Concurrent eluent evaporation with co-solvent trapping for on-line reversed-phase LC-GC. Optimization of conditions 477 (1989) 73

- Grob, K., Lanfranchi, M. and Mariani, C.
Determination of free and esterified sterols
and of wax esters in oils and fats by coupled
LC-GC 471 (1989) 397
- Grob, K. and Li, Z.
Damage to GC columns caused by peroxides
in LC eluents for coupled LC-GC 455 (1988)
297
- Grob, R.L., see Loeper, J.M. 457 (1988) 247
- Grob, R.L., see Loeper, J.M. 463 (1989) 365
- Groen, C.P., see Lammers, N. 496 (1989) 291
- Groen, C.P., see Tipker, J. 452 (1988) 227
- Gröhler, G., see Krause, W. 495 (1989) 324
- Grohmann, K., see Himmel, M.E. 467 (1989) 309
- Grohmann, K., see Himmel, M.E. 498 (1990) 93
- Grolimund, K., see Fields, S.M. 472 (1989) 175
- Grolimund, K., see Fields, S.M. 472 (1989) 197
- Groot, G. De, Koops, R., Hogendoorn, E.A.,
Goewie, C.E., Savelkoul, T.J.F. and
Van Vloten, P.
Improvement of selectivity and sensitivity by
column switching in the determination of
glycyrrhizin and glycyrrhetic acid in human
plasma by HPLC 456 (1988) 71
- Gross, A., see Engelhardt, H. 477 (1989) 169
- Gross, L. and Yeung, E.S.
Indirect fluorimetric detection and
quantification in capillary zone
electrophoresis of inorganic anions and
nucleotides 480 (1989) 169
- Grosset, C., see Vergnes, M.F. 455 (1988) 369
- Grossi, G., Bargossi, A., Battistoni, R., Lippi, A.
and Sprovieri, G.
Full automation of catecholamine metabolite
determination by column switching and
HPLC 465 (1989) 113
- Grott, A., see Janis, L.J. 476 (1989) 235
- Grubb, M.F. and Callery, P.S.
Derivatization of N-methyl and cyclic amino
acids with dimethylformamide dimethyl
acetal 469 (1989) 191
- Gruber, S.A., see Erdmann, G.R. 494 (1989) 354
- Grushka, E., Jang, N.-I. and Brown, P.R.
Reversed-phase LC retention and selectivity
surfaces. II. Deoxyribonucleosides 485 (1989)
617
- Grushka, E. and McCormick, R.M.
Zone broadening due to sample injection in
capillary zone electrophoresis 471 (1989) 421
- Grushka, E., see Jones, A.E. 466 (1989) 219
- Grushka, E., see Shohat, S. 452 (1988) 503
- Gu, I.H., see Kutlar, F. 487 (1989) 265
- Guan, Y., Kiraly, J. and Rijks, J.A.
Interactive retention index database for
compound identification in temperature-
programmed capillary GC 472 (1989) 129
- Guan, Z., see Jin, Y. 483 (1989) 394
- Guan, Z., see Liu, H. 462 (1989) 376
- Guasch, A., Barman, T., Travers, F. and Cuchillo,
C.M.
Coupling of proteolytic quenching and HPLC
to enzyme reactions. Application to bovine
pancreatic ribonuclease 473 (1989) 281
- Guattari, B.
Simultaneous quantitative HPLC
determination of cyclic adenosine 3',5'-
monophosphate and adenosine in mouse
brain after microwave irradiation: application
to isoprenaline effect in vivo 489 (1989) 394
- Gueldner, R.C., see Snook, M.E. 477 (1989) 439
- Guenzi, A., Cappelletti, G., Scala, A. and Zanetti,
M.
Simultaneous determination of
pyrimethamine and mefloquine in human
plasma by HPLC with UV detection 494
(1989) 219
- Guerra, G., see Corradini, D. 458 (1988) 1
- Guerra, M.C., see Biagi, G.L. 469 (1989) 121
- Guerra, M.C., see Biagi, G.L. 498 (1990) 179
- Guerrieri, A., see Palmisano, F. 493 (1989) 35
- Guesquière, A. De, see Van Peteghem, C. 489
(1989) 219
- Guha, O.K.
On some nomenclature in chromatography
471 (1989) 447
- Guichard, E., Kustermann, A. and Mosandl, A.
Chiral flavour compounds from apricots.
Distribution of γ -lactone enantiomers and
stereodifferentiation of dihydroactinidiolide
using multi-dimensional GC 498 (1990) 396
- Guichard, J.P., see Baillet, G. 456 (1988) 183
- Guilbault, L.F., Hohmann, R. and Wehry, E.L.
GC detection by electron impact-induced
fluorescence spectrometry of molecular
fragments 475 (1989) 237
- Guillén, M.D., see Blanco, C.G. 465 (1989) 378
- Guillochon, D., see Piot, J.-M. 481 (1989) 221
- Guinebault, P., see Ascalone, V. 490 (1989) 81
- Guiochon, G., see Aubel, M.T. 498 (1990) 281
- Guiochon, G., see Ghobbane, S. 452 (1988) 209
- Guiochon, G., see Golshan-Shirazi, S. 461 (1989)
1
- Guiochon, G., see Golshan-Shirazi, S. 461 (1989)
19
- Guiochon, G., see Golshan-Shirazi, S. 484 (1989)
125
- Guiochon, G., see Huang, J.-X. 492 (1989) 431
- Guiochon, G., see Jacobson, S. 484 (1989) 103

- Guiochon, G., see Katti, A.M. 477 (1989) 119
 Guiochon, G., see Katti, A.M. 499 (1990) 21
 Guiochon, G., see Lin, B. 475 (1989) 1
 Guiochon, G., see Lin, B. 484 (1989) 83
 Guiochon, G., see Lin, B. 500 (1990) 185
 Guiochon, G., see Newburger, J. 484 (1989) 153
 Guiochon, G., see Schudel, J.V.H. 457 (1988) 1
 Guion, J., see Devallez, B. 463 (1989) 153
 Guitart, R., Puigdemont, A. and Arboix, M.
 Rapid headspace GC method for the
 determination of liquid/gas partition
 coefficients 491 (1989) 271
 Gülaçar, F.O., Buchs, A. and Susini, A.
 Capillary GC-MS and identification of
 substituted carboxylic acids in lipids extracted
 from a 4000-year-old nubian burial 479 (1989)
 61
 Günther, K., see Hünig, S. 481 (1989) 387
 Guoth, J., see Idei, M. 490 (1989) 247
 Gupta, D., see Verma, K.K. 457 (1988) 345
 Gupta, K.C., see Kant, K. 494 (1989) 289
 Gupta, R. and Jentoft, N.
 Analysis of natural and modified amino acids
 and hexosamines by reversed-phase HPLC
 474 (1989) 411
 Gupta, R.N.
 Determination of trichloroethanol, the active
 metabolite of chloral hydrate, in plasma by
 LC 500 (1990) 655
 Gurevich, A.Y., see Ruban, V.F. 467 (1989) 41
 Gurnett, A.M., see Nollstadt, K.H. 497 (1989) 87
 Gusmano, R., see Canepa, A. 491 (1989) 200
 Gustavsson, J., see Johansson, B.-L. 457 (1988)
 205
 Gutch, P.K., see Gandhe, B.R. 479 (1989) 165
 Guthridge, M., Bertolini, J. and Hearn, M.T.W.
 HPLC of amino acids, peptides, proteins and
 polynucleotides. XCIV. Solid-phase
 hybridization of complementary
 oligonucleotides 476 (1989) 445
 Guthridge, M., see Bertolini, J. 491 (1989) 49
 Guthrie, J.L., see Hull, C.J. 477 (1989) 387
 Guthrie, J.W., see Geiser, F.O. 459 (1988) 173
 Guttendorf, R.J., Kostenbauder, H.B. and
 Wedlung, P.J.
 Quantification of propranolol enantiomers in
 small blood samples from rats by reversed-
 phase HPLC after chiral derivatization 489
 (1989) 333
 Guttman, A., see Karger, B.L. 492 (1989) 585
 Guttman, A., see Nelson, R.J. 480 (1989) 111
 Guzman, C., see Griest, W.H. 467 (1989) 423
 Györ, M., see Tarján, T. 472 (1989) 1
- H**
- Ha, P.T., see Matisová, E. 475 (1989) 113
 Haagsma, N., see Van de Water, C. 478 (1989)
 205
 Haalck, L. and Spener, F.
 Prediction of retention times of hydroxylated
 triacylglycerols in reversed-phase HPLC 498
 (1990) 410
 Haan, A. De, see Van Doorn, J.E. 496 (1989) 441
 Haan, J. De, see Hetem, M. 477 (1989) 3
 Haan, J. De, see Hetem, M. 479 (1989) 269
 Haas, III, J.W., Joyce, W.F., Shyu, Y.-J. and
 Uden, P.C.
 Phosphoric acid-modified amino bonded
 stationary phase for HPLC chemical class
 separation 457 (1988) 215
 Haasnoot, W., Schilt, R., Hamers, A.R.M., Huf,
 F.A., Farjam, A., Frei, R.W. and Brinkman,
 U.A.T.
 Determination of β -19-nortestosterone and
 its metabolite α -19-nortestosterone in
 biological samples at the sub parts per billion
 level by HPLC with on-line immunoaffinity
 sample pretreatment 489 (1989) 157
 Haasnoot, W., Stouten, P. and Venema, D.P.
 HPLC determination of the extent of
 proteolysis in Gouda cheese 483 (1989) 319
 Haasnoot, W., see Farjam, A. 452 (1988) 419
 Haasnoot, W., see Schilt, R. 489 (1989) 127
 Haddad, P.R.
 Sample cleanup methods for ion
 chromatography 482 (1989) 267
 Haddad, P.R., Brayan, J.G., Sharp, G.J., Dilli, S.
 and Desmarchelier, J.M.
 Determination of pyrethroid residues on
 paddy rice by reversed-phase HPLC 461
 (1989) 337
 Haddad, P.R. and Foley, R.C.
 Modelling of cation retention in ion
 chromatography using fixed-site and
 dynamically coated ion-exchange columns
 500 (1990) 301
 Haddad, P.R. and Sekulic, S.
 Effects of peak tailing on computer
 optimisation procedures for HPLC. II. An
 optimisation routine for tailed peaks 459
 (1988) 79

- Haddad, P.R., see Dilli, S. 500 (1990) 313
- Haddad, P.R., see Sekulic, S. 459 (1988) 65
- Haddad, P.R., see Sekulic, S. 485 (1989) 501
- Hadžija, O., Iskrić, S. and Tonković, M.
Mobility of some carboxy- and
hydroxybenzene derivatives on thin layers of
plain and iron(III)-impregnated silica gel 464
(1989) 220
- Hadžija, O., see Škvorc, I. 498 (1990) 428
- Haerdi, W., see Chambaz, D. 482 (1989) 335
- Hagel, L., Lundström, H., Andersson, T. and
Lindblom, H.
Properties, in theory and practice, of novel
gel filtration media for standard LC 476
(1989) 329
- Hager, M.E., see DeBot, S.A. 465 (1989) 249
- Haginaka, J., Wakai, J. and Yasuda, H.
Direct serum injection in micellar liquid
chromatography. Recovery of serum proteins
and assay of hydrophilic drugs 488 (1989)
341
- Hagiwara, M., see Hosaki, S. 488 (1989) 503
- Hahn, M.K., see Kim, K.R. 468 (1989) 289
- Hais, I.M.
Tswett's letter to Claparède on tropisms and
taxes 452 (1988) 5
- Hais, I.M.
Chromatography beyond analytical chemistry
488 (1989) 25
- Hais, I.M., Nobilis, M. and Kvasničková, E.
Evaluation of photometric HPLC data for
the determination of benflurone metabolites
in biological materials with and without
concomitant use of a standard 500 (1990) 643
- Hajšlová, J., Cuhra, P., Davídek, T. and Davídek,
J.
GC determination of diquat and paraquat in
crops 479 (1989) 243
- Haken, J.K., Harahap, N. and Burford, R.P.
Quantitative determination of dicarboxylic
acids and polyols in silicone-polyester resins
452 (1988) 37
- Haken, J.K., Harahap, N. and Burford, R.P.
Analysis of polycarbonate-
polydimethylsiloxane block copolymers 500
(1990) 367
- Haken, J.K. and Smith, R.J.
Dispersion and selectivity indices of alkyl
and alkenyl benzenes 452 (1988) 31
- Haken, J.K., see Dowling, J.J. 500 (1990) 355
- Haken, J.K., see Evans, M.B. 462 (1989) 31
- Haken, J.K., see Evans, M.B. 468 (1989) 373
- Haken, J.K., see Evans, M.B. 471 (1989) 217
- Haken, J.K., see Evans, M.B. 472 (1989) 93
- Haken, J.K., see Harahap, N. 477 (1989) 53
- Häkkinen, V.M.A., Grob, Jr., K. and Bürki, C.
Analysis of dicamba in tobacco by on-line
coupled LC-GC 473 (1989) 353
- Hall, G.D., see Hurst, W.J. 466 (1989) 279
- Hall, J.E., see Berger, B.J. 494 (1989) 191
- Hall, L. and Chadwick, V.
Quantitative determination of sulfanilamide
in sodium sulfacetamide raw material and
ophthalmic solutions by HPLC 478 (1989)
438
- Hall, S.D., see Knadler, M.P. 494 (1989) 173
- Hallen, R.W., Shumate, C.B., Siems, W.F., Tsuda,
T. and Hill, Jr., H.H.
Preliminary investigation of ion mobility
spectrometry after capillary electrophoretic
introduction 480 (1989) 233
- Hällgren, J.-E., see Wingsle, G. 479 (1989) 335
- Hamada, K., see Hirayama, C. 465 (1989) 241
- Hamano, T., Mitsuhashi, Y., Aoki, N.,
Yamamoto, S. and Oji, Y.
Simultaneous determination of niacin and
niacinamide in meats by HPLC 457 (1988)
403
- Hamburg, P.F., see Motto, M.G. 481 (1989) 255
- Hamer, G., see Schneider, R.P. 462 (1989) 293
- Hamers, A.R.M., see Farjam, A. 452 (1988) 419
- Hamers, A.R.M., see Haasnoot, W. 489 (1989)
157
- Hamilton, V.T., Spall, W.D., Smith, B.F. and
Peterson, E.J.
Quantitative analysis of thorium in plutonium
using reversed-phase LC and
spectrophometric detection 469 (1989) 369
- Hammond, I., Moore, K., James, H. and Watts,
C.
Thermospray LC-MS of pesticides in river
water using reversed-phase chromatography
474 (1989) 175
- Hammond, P.M., see Goward, C.R. 457 (1988)
317
- Hamoir, T., see Musch, G. 495 (1989) 215
- Han, S.M., see Armstrong, D.W. 452 (1988) 323
- Hanai, T., see Hirukawa, M. 468 (1989) 191
- Hanaoka, R., see Sugii, A. 472 (1989) 357
- Hanazono, H., see Iwata, T. 491 (1989) 404
- Hancock, D.O. and Synovec, R.E.
Microbore LC and refractive index gradient
detection of low-nanogram and low-ppm
quantities of carbohydrates 464 (1989) 83
- Hancock, F.E., see Smith, J.R.L. 483 (1989) 341
- Hancock, W.S., see Chloupek, R.C. 463 (1989)
375
- Hancock, W.S., see Frenz, J. 480 (1989) 379
- Hancock, W.S., see Sievert, H.-J.P. 499 (1990)
221

- Hancock, W.S., see Wu, S.-L. 500 (1990) 595
- Handelman, G.J., see Crabtree, D.V. 466 (1989) 251
- Hanis, T., Smrz, M., Klir, P., Macek, K., Klima, J., Base, J. and Deyl, Z.
Determination of fatty acids as phenacyl esters in rat adipose tissue and blood vessel walls by HPLC 452 (1988) 443
- Hanocq, M., see Chamart, S. 496 (1989) 365
- Hansen, B., see Linde, S. 462 (1989) 243
- Hansen, B., see Vidal, P. 476 (1989) 467
- Hansen, B., see Welinder, B.S. 462 (1989) 255
- Hansen, D.L., see Zhu, M. 480 (1989) 311
- Hansen, M.T., see Mortensen, S.B. 476 (1989) 227
- Hansen, S.H.
Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175
- Hansson, C., see Kågedal, B. 473 (1989) 359
- Hansson, L., see Isaksson, R. 498 (1990) 257
- Hapel, A.J., see Selley, M.L. 488 (1989) 329
- Hara, S., see Dobashi, A. 461 (1989) 121
- Hara, S., see Dobashi, A. 480 (1989) 413
- Hara, S., see Yoshitake, T. 489 (1989) 364
- Harada, K., see Sugii, A. 472 (1989) 357
- Harada, K.-I., see Ikai, Y. 477 (1989) 397
- Harada, K.-I., see Oka, H. 462 (1989) 315
- Harada, K.-I., see Oka, H. 482 (1989) 197
- Harada, M., Mogi, M., Fukasawa, K. and Fukasawa, K.M.
HPLC determination of aminopeptidase P activity in Fischer F344 rat serum and kidney 493 (1989) 176
- Harada, M., see Mogi, M. 496 (1989) 194
- Haraguchi, H., see Takeuchi, T. 499 (1990) 549
- Harahap, N., Burford, R.P. and Haken, J.K.
GC analysis of thermoplastic aromatic polyamides after alkali fusion 477 (1989) 53
- Harahap, N., see Haken, J.K. 452 (1988) 37
- Harahap, N., see Haken, J.K. 500 (1990) 367
- Harapat, S.R., see Ebling, W.F. 490 (1989) 339
- Harding, D.R.K., see Poll, D.J. 469 (1989) 231
- Hards, R.G. and Patterson, D.
Resolution of the intermediates of *de novo* purine biosynthesis by ion-pair reversed-phase HPLC 455 (1988) 217
- Hardy, J.K., see Park, Y.J. 481 (1989) 287
- Haren, A.Y.N. Van, see Zweipfenning, P.G.M. 456 (1988) 83
- Hargiss, L.O., see Kalinoski, H.T. 474 (1989) 69
- Haring, C., see Humpel, C. 491 (1989) 235
- Haring, R.M., see Welling-Wester, S. 476 (1989) 477
- Harmony, M.D., see Roach, M.C. 455 (1988) 332
- Harpey, C., see Fay, L. 490 (1989) 198
- Harris, J.M., see Carr, J.W. 481 (1989) 135
- Harris, R., see Ray, A. 467 (1989) 430
- Harris, R.J., see Chloupek, R.C. 463 (1989) 375
- Harrison, J.R., see Elvidge, D.A. 463 (1989) 107
- Harrison, L.M., Martin, D., Gotling, R.W. and Fennessey, P.V.
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121
- Harrison, M.E., Langley, G.J. and Baldwin, M.A.
Effects of repeller position and voltage in thermospray MS 474 (1989) 139
- Hartmann, C., Krauss, D., Spahn, H. and Mutschler, E.
Simultaneous determination of (*R*)- and (*S*)-celiprolol in human plasma and urine: HPLC assay on a chiral stationary phase with fluorimetric detection 496 (1989) 387
- Hartmann, F.-X., see Meyer, H.H.D. 489 (1989) 173
- Hartmann, T., see Pieters, L.A. 462 (1989) 387
- Hartung, J., see Radicke, J. 467 (1989) 304
- Hartwick, R.A., see Bassler, B.J. 461 (1989) 139
- Hartwick, R.A., see Floyd, T.R. 452 (1988) 43
- Hartwick, R.A., see Kalisz, R. 458 (1988) 395
- Hartwick, R.A., see Kalisz, R. 499 (1990) 333
- Hartwick, R.A., see Raglione, T.V. 454 (1988) 157
- Hartwick, R.A., see Sagliano, Jr, N. 458 (1988) 225
- Hartwick, R.A., see Wang, T. 462 (1989) 147
- Harvey, D.J.
Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23
- Harvey, S., Wiesler, D. and Novotny, M.
Formation of cyclic enol ethers from a labile biological precursor: an example of analytical artifacts 491 (1989) 27
- Hasan, A., Waterman, P. and Iftikhar, N.
The use of new chromatographic techniques for the isolation and purification of phenolic acids from *Indigofera heterantha* 466 (1989) 399
- Hasegawa, K., see Hayakawa, K. 464 (1989) 343
- Hasegawa, R., Murai-Kushiya, M., Komura, T. and Kimura, T.
Stereoselective determination of plasma pindolol in endotoxin-pretreated rats by HPLC 494 (1989) 381
- Hashiguchi, M., see Nakashima, H. 489 (1989) 425

- Hashimoto, T., see Kato, Y. 478 (1989) 264
 Hashimoto, T., see Kato, Y. 483 (1989) 401
 Hashimoto, Y., see Endo, M. 455 (1988) 430
 Hashizume, K., see Tanaka, N. 475 (1989) 195
 Hashizume, Y., see Niwa, T. 491 (1989) 397
 Hasmimoto, Y.
 Improved method for amino acid analysis of stained collagen bands from polyacrylamide gels using HPLC 462 (1989) 341
- Hassing, I.G.A.M., see Van Pelt, F.N.A.M. 487 (1989) 489
- Hatada, K., see Okamoto, Y. 477 (1989) 367
 Hatano, T., see Yoshida, T. 467 (1989) 139
 Hatayama, T., Fujio, N., Yukioka, M., Funae, Y. and Kinoshita, H.
 Separation of rat liver HSP70 and HSP71 by HPLC with a hydroxylapatite column 481 (1989) 403
- Hauffe, S.A., see Flesch, G. 489 (1989) 446
- Hauser, E., see Brusilow, S.W. 493 (1989) 388
- Haux, C., see Silversand, C. 478 (1989) 387
- Havaši, P., see Zelenský, I. 470 (1989) 155
- Haverty, D.G., see Smith, R.M. 455 (1988) 349
- Hawes, E.M., see Srinivas, N.R. 487 (1989) 61
- Hawker, J.L., see Jack, D.B. 452 (1988) 257
- Hawthorne, S.B. and Miller, D.J.
 SFC-MS of polycyclic aromatic hydrocarbons with a simple capillary direct interface 468 (1989) 115
- Hayakawa, K., Hasegawa, K., Imaizumi, N., Wong, O.S. and Miyazaki, M.
 Determination of amphetamine-related compounds by HPLC with chemiluminescence and fluorescence detections 464 (1989) 343
- Hayakawa, K., Kitamoto, S., Okubo, N., Nakamura, S. and Miyazaki, M.
 Determination of trace levels of total carbonate-carbon by indirect photometric ion chromatography with nitrogen purging 481 (1989) 323
- Hayakawa, K. and Oizumi, J.
 Isocratic separation of phenylthiohydantoin-amino acids by reversed-phase HPLC 487 (1989) 161
- Hayakawa, K. and Oizumi, J.
 Determination of lipoyllysine derived from enzymes by LC 490 (1989) 33
- Hayakawa, K., see Yamamoto, A. 482 (1989) 145
- Hayashi, T., see Tsuchiya, H. 491 (1989) 291
 Hayashi, Y., see Matsuda, R. 462 (1989) 13
 Hayashi, Y., see Matsuda, R. 462 (1989) 23
 Hayashi, Y., see Watanabe, K. 468 (1989) 383
 Haymond, M.W., see Horber, F.F. 495 (1989) 81
- Haymond, M.W., see Leecaavalier, L. 491 (1989) 410
- Haymore, B.L., see Stover, F.S. 470 (1989) 241
 Haynes, S., see Longmuir, K.J. 454 (1988) 438
 He, L.-Y., Zhang, G.-D., Tong, Y.-Y., Sagara, K., Oshima, T. and Yoshida, T.
 Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428
- Heales, S. and Hyland, K.
 Determination of quinonoid dihydrobiopterin by HPLC and electrochemical detection 494 (1989) 77
- Hearn, M.T.W., Hodder, A.N. and Aguilar, M.I.
 HPLC of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 458 (1988) 27
- Hearn, M.T.W., Hodder, A.N. and Aguilar, M.I.
 High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 458 (1988) 45
- Hearn, M.T.W., see Anspach, B. 457 (1988) 195
- Hearn, M.T.W., see Anspach, F.B. 476 (1989) 205
- Hearn, M.T.W., see Anspach, F.B. 499 (1990) 103
- Hearn, M.T.W., see Bertolini, J. 491 (1989) 49
- Hearn, M.T.W., see Coppola, D. 476 (1989) 269
- Hearn, M.T.W., see Guthridge, M. 476 (1989) 445
- Hearn, M.T.W., see Hodder, A.N. 476 (1989) 391
- Hearn, M.T.W., see Lork, K.D. 476 (1989) 135
- Hearn, M.T.W., see Purcell, A.W. 476 (1989) 113
- Hearn, M.T.W., see Purcell, A.W. 476 (1989) 125
- Hedeen, K.M., see Tyczkowska, K. 493 (1989) 337
- Hedsten, U., see Andersson, S. 477 (1989) 474
- Heeft, E. Van de, see Van Ginkel, L.A. 489 (1989) 111
- Heegaard, N.H.H., see Bjerrum, O.J. 470 (1989) 351
- Heeremans, C.E.M., Van der Hoeven, R.A.M., Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
 Development of optimization strategies in thermospray LC-MS 474 (1989) 149
- Heeremans, C.E.M., Van der Hoeven, R.A.M., Niessen, W.M.A., Vuik, J., De Vos, R.H. and Van der Greef, J.

- Specific screening methods for glucosinolates in sprout extracts using on-line thermospray LC-tandem MS 472 (1989) 219
- Heeremans, C.E.M., see Niessen, W.M.A. 474 (1989) 113
- Heeremans, C.E.M., see Niessen, W.M.A. 478 (1989) 325
- Heeremans, C.E.M., see Walhagen, A. 474 (1989) 257
- Heilmann, P., see Schönenhöfer, M. 490 (1989) 230
- Heimler, D. and Boddi, V.
Cluster analysis in the comparison of two dimensional chromatograms 466 (1989) 371
- Heindorf, M.A. and McGuffin, V.L.
Limitations of 2-diphenylacetyl-1,3-indandione-1-hydrazone as a precolumn fluorescence derivatization reagent 464 (1989) 186
- Heineman, W.R., see Abdelnasser, M.A. 488 (1989) 463
- Heirwegh, K.P.M., Fevery, J. and Blanckaert, N.
Chromatographic analysis and structure determination of biliverdins and bilirubins (Review) 496 (1989) 1
- Helfferich, F.G., see Leu, R.-J. 499 (1990) 677
- Heller, M., see Radeck, W. 497 (1989) 367
- Hellier, G., see Godin, J. 488 (1989) 487
- Helliger, W., see Lindner, H. 472 (1989) 243
- Helson, M., see Chamart, S. 496 (1989) 365
- Henderson, D.E. and Mello, J.A.
Physicochemical studies of biologically active peptides by low-temperature reversed-phase HPLC 499 (1990) 79
- Hendrickson, H.P., Scott, D.O. and Lunte, C.E.
Identification of 9-hydroxylamine-1,2,3,4-tetrahydroacridine as a hepatic microsomal metabolite of tacrine by HPLC and electrochemistry 487 (1989) 401
- Henion, J., see Edlund, P.O. 487 (1989) 341
- Henion, J., see Edlund, P.O. 497 (1989) 49
- Henion, J.D., see Chichila, T.M.P. 488 (1989) 389
- Henion, J.D., see Lee, E.D. 458 (1988) 313
- Henion, J.D., see Mück, W.M. 495 (1989) 41
- Henis, J.M.S., see Milby, K.H. 482 (1989) 133
- Henne, E.M., see Meineke, I. 493 (1989) 287
- Hennion, M.-C., see Subra, P. 456 (1988) 121
- Henoux, J., see Jadaud, P. 464 (1989) 333
- Henry, J.A., see Virgili, P. 496 (1989) 228
- Henry, M., Pauthe-Dayde, D. and Rochd, M.
Extraction and HPLC determination of gypsogenin 3-O-glucuronide 477 (1989) 413
- Henry, R.J.
Rapid separation of α -amylases from barley by ion-exchange HPLC on non-porous columns 481 (1989) 397
- Hensley, J.L., see Cook, L.A. 463 (1989) 127
- Henson, C.A. and Stone, J.M.
Rapid HPLC separation of barley malt α -amylase on Cyclobond columns 469 (1989) 361
- Herbert, K., see James, I.T. 495 (1989) 105
- Herbreteau, B., see Lafosse, M. 472 (1989) 209
- Herbst, F., see Dörner, T. 490 (1989) 411
- Herbst, H., see Hummel, M. 477 (1989) 420
- Herényi, B., see Görög, S. 452 (1988) 317
- Herkes, G.K., McKinnon, G.E. and Eadie, M.J.
Simultaneous quantitation of salivary carbamazepine, carbamazepine-10,11-epoxide, phenytoin and phenobarbitone by HPLC 496 (1989) 147
- Herman, D.P., Billiet, H.A.H. and De Galan, L.
Algorithms to correct gradient scan and transfer rule predictions of isocratic retention in reversed-phase LC 463 (1989) 1
- Hermans-Lokkerbol, A., Van der Leer, T. and Verpoorte, R.
Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39
- Hermannsson, J., see Enquist, M. 494 (1989) 143
- Herold, D.A., Smith, B.J., Ross, R.M., Marquis, F., Savory, J., Wills, M.R. and Ayers, C.R.
Measurement of plasma thromboxane B₂ by GC-MS using ¹⁸O₂-labelled thromboxane B₂ as the internal standard 496 (1989) 180
- Herraiz, M., see Reglero, G. 483 (1989) 43
- Herraiz, T., see Reglero, G. 483 (1989) 43
- Herrmann, T., see Steinhilber, D. 493 (1989) 361
- Herrstedt, J., see Angelo, H.R. 496 (1989) 472
- Hester, R.D., Vaidya, R.A. and Dickerson, J.P.
Chromatographic dispersion corrections utilizing the generalized exponential function 462 (1989) 3
- Hetem, M., Rutten, G., Vermeer, B., Rijks, J., Van de Ven, L., De Haan, J. and Cramers, C.
Deactivation with polymethylhydrosiloxane. A comparative study with capillary GC and solid-state ²⁹Si nuclear magnetic resonance spectroscopy 477 (1989) 3
- Hetem, M., Van de Ven, L., De Haan, J., Cramers, C., Albert, K. and Bayer, E.
Study of the changes in mono-, di- and trifunctional octadecyl-modified packings for reversed-phase HPLC with different eluent compositions 479 (1989) 269
- Heuvel, M.P.M. Van den, see Onkenhout, W. 494 (1989) 31
- Hewetson, D., see Singh, A.K. 479 (1989) 233

- Heybey, J., see Mohnke, M. 471 (1989) 37
- Heydt, A., see Wenger, P. 455 (1988) 225
- Hicks, C.M. and Powell, M.L.
- Rapid analysis of ceftetraeme in human plasma using sorbent extraction and HPLC 497 (1989) 349
- Hidajat, K., see Ching, C.B. 463 (1989) 261
- Hiddemann, W., see Schleyer, E. 497 (1989) 109
- Higashidate, S., see Dobashi, A. 461 (1989) 121
- Higuchi, S., see Ohtsubo, K. 496 (1989) 397
- Hikida, K., Inoue, Y., Miyazaki, T., Kojima, N. and Ohkura, Y.
- Determination of bromperidol in serum by automated column-switching HPLC 495 (1989) 227
- Hill, H.M., see Selinger, K. 491 (1989) 248
- Hill, H.M., see Selinger, K. 493 (1989) 230
- Hill, H.M., see Selinger, K. 494 (1989) 247
- Hill, Jr., H.H., see Hallen, R.W. 480 (1989) 233
- Hill, Jr., H.H., see St. Louis, R.H. 479 (1989) 221
- Hill, Jr., R.H., see Orti, D.L. 462 (1989) 269
- Himberg, K.
- Determination of anatoxin-a, the neurotoxin of *Anabaena flos-aquae* cyanobacterium, in algae and water by GC-MS 481 (1989) 358
- Himmel, M.E., Oh, K.K., Quigley, D.R. and Grohmann, K.
- Alkaline SEC of lignins and coal extracts using cross-linked dextran gels 467 (1989) 309
- Himmel, M.E., Tatsumoto, K., Grohmann, K., Johnson, D.K. and Chum, H.L.
- Molecular weight distribution of aspen lignins from conventional GPC, universal calibration and sedimentation equilibrium 498 (1990) 93
- Hindriks, R., Maris, F., Vink, J., Peeters, A., De Smet, M., Massart, D.L. and Buydens, L.
- Expert system for the selection of initial HPLC conditions for the analysis of pharmaceuticals 485 (1989) 255
- Hinson, J.A., see Getek, T.A. 474 (1989) 245
- Hintzer, K., see Schurig, V. 475 (1989) 23
- Hirai, A., see Oeda, T. 482 (1989) 117
- Hirano, T., see Oka, K. 490 (1989) 145
- Hirao, T., see Kikawa, Y. 491 (1989) 193
- Hirauchi, K., Sakano, T., Notsumoto, S., Nagaoka, T., Morimoto, A., Fujimoto, K., Masuda, S. and Suzuki, Y.
- Measurement of K vitamins in animal tissues by HPLC with fluorimetric detection 497 (1989) 131
- Hirayama, C., Ihara, H., Nagaoka, S. and Hamada, K.
- Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241
- Hirayama, F., see Ito, Y. 456 (1988) 392
- Hirayama, N., see Maruo, M. 466 (1989) 379
- Hirayama, N., see Maruo, M. 481 (1989) 315
- Hirayama, N. and Kuwamoto, T.
- Non-suppressed ion chromatography of arsenic anions using sodium nitrite solutions as eluents 457 (1988) 415
- Hirokawa, T., Nakahara, K. and Kiso, Y.
- The separation process in isotachophoresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39
- Hirokawa, T., Nakahara, K. and Kiso, Y.
- The separation process in isotachophoresis. II. Binary mixtures and transient state models 463 (1989) 51
- Hirokawa, T., Nakahara, K. and Kiso, Y.
- Separation process in isotachophoresis. III. Transient state models for a three-component system 470 (1989) 21
- Hirose, S., see Tawa, R. 490 (1989) 125
- Hirose, T., see Sasagawa, T. 485 (1989) 533
- Hirose, Y., see Shimada, K. 478 (1989) 339
- Hirukawa, M. and Hanai, T.
- Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191
- Hirvonen, E., see Järvinen, T. 495 (1989) 13
- Hisaka, A., Kasamatsu, S., Takenaga, N. and Ohtawa, M.
- Quantification of L-3-(3-hydroxy-4-pivaloyloxyphenyl)alanine (NB-355) by HPLC using o-phthalaldehyde/N-acetyl-L-cysteine derivatization 494 (1989) 183
- Hisamatsu, S., see Sonoki, S. 475 (1989) 311
- Hjedahl, P., Larsson, P.T., Bradley, T., Åkerstedt, T., Anderzén, I., Sigurdsson, K., Gillberg, M. and Lundberg, U.
- Catecholamine measurements in urine by HPLC with amperometric detection—comparison with an autoanalyser fluorescence method 494 (1989) 53
- Hjertén, S. and Li, J.-P.
- High-performance chromatofocusing of proteins on agarose columns. I. Macroporous 15–20 µm beads 475 (1989) 167
- Hjertén, S. and Li, J.-P.
- HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543
- Hjertén, S., Li, J.-P. and Liao, J.-L.
- High-performance chromatofocusing of proteins on agarose columns. II. Deformed non-porous 12–15 µm beads 475 (1989) 177

- Hjertén, S. and Liao, J.-L.
HPLC of proteins on compressed, non-porous agarose beads. I. Hydrophobic-interaction chromatography 457 (1988) 165
- Hjertén, S., Liao, J.-L. and Zhang, R.
HPLC on continuous polymer beds 473 (1989) 273
- Hjertén, S., Zelikman, I., Lindeberg, J., Liao, J.-l., Eriksson, K.-O. and Mohammad, J.
High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. I. Coating: ferric oxyhydroxide with stoichiometrically bound phosphate 481 (1989) 175
- Hjertén, S., Zelikman, I., Lindeberg, J. and Lederer, M.
High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II. Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187
- Hjertén, S., see Kilär, F. 480 (1989) 351
- Hjertén, S., see Liao, J.-L. 457 (1988) 175
- Hjertén, S., see Lindeberg, J. 499 (1990) 153
- Hjortshoej, H., see Mortensen, S.B. 476 (1989) 227
- Ho, P., see Ruggirello, D.A. 487 (1989) 73
- Ho, S.V., see Milby, K.H. 482 (1989) 133
- Ho, Y., see Hsu, K.-Y. 493 (1989) 305
- Hobo, T., see Nonomura, M. 465 (1989) 395
- Hock, D., see Dörner, T. 490 (1989) 411
- Höcker, H., see Kropka, R. 481 (1989) 380
- Hodder, A.N., Aguilar, M.I. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. LXXXIX. The influence of different displacer salts on the retention properties of proteins separated by gradient anion-exchange chromatography 476 (1989) 391
- Hodder, A.N., see Hearn, M.T.W. 458 (1988) 27
- Hodder, A.N., see Hearn, M.T.W. 458 (1988) 45
- Hodges, R.S., Parker, J.M.R., Mant, C.T. and Sharma, R.R.
Computer simulation of HPLC separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 458 (1988) 147
- Hodges, R.S., see Burke, T.W.L. 476 (1989) 377
- Hodges, R.S., see Mant, C.T. 458 (1988) 193
- Hodges, R.S., see Mant, C.T. 476 (1989) 363
- Hodges, R.S., see Mant, C.T. 485 (1989) 365
- Hoeger, C., Porter, J., Doublak, J. and Rivier, J.
- Preparative-scale synthesis and reversed-phase purification of a gonadotropin-releasing hormone antagonist 484 (1989) 307
- Hoeven, R.A.M. Van der, see Heeremans, C.E.M. 472 (1989) 219
- Hoeven, R.A.M. Van der, see Heeremans, C.E.M. 474 (1989) 149
- Hoeven, R.A.M. Van der, see Niessen, W.M.A. 474 (1989) 113
- Hoeven, R.A.M. Van der, see Niessen, W.M.A. 478 (1989) 325
- Hoeven, R.A.M. Van der, see Walhagen, A. 474 (1989) 257
- Hoffman, N.E., Pan, S.-L. and Rustum, A.M.
Injection of eluents in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189
- Hoffman, N.E. and Rahman, A.
Computation of band shape for strong injection solvent and weak mobile phase combinations in LC 473 (1989) 260
- Hofmann, W., see Josić, D. 484 (1989) 327
- Hoge, J.H.C., see Pennings, E.J.M. 483 (1989) 311
- Hogendoorn, E.A. and Goewie, C.E.
Residue analysis of the herbicides cyanazine and bentazone in sugar maize and surface water using HPLC and an on-line clean-up column-switching procedure 475 (1989) 432
- Hogendoorn, E.A., see De Groot, G. 456 (1988) 71
- Hogendoorn, E.A., see Kootstra, P.R. 458 (1988) 175
- Hoggarth, C.R., see Daley-Yates, P.T. 490 (1989) 329
- Hohmann, R., see Guilbault, L.F. 475 (1989) 237
- Holá, V., see Jelinek, J. 495 (1989) 338
- Hölck, J.-P., see Neubert, P. 490 (1989) 155
- Holdoway, M.J., see Szczerba, T.J. 458 (1988) 281
- Holdt, G., see Steudel, R. 475 (1989) 442
- Holényi, I., see Kremmer, T. 493 (1989) 45
- Holland, J.F., see Roboz, J. 500 (1990) 413
- Holland, R.A., see Anthony, L.J. 477 (1989) 291
- Holmberg, A., see Isaksson, R. 498 (1990) 257
- Holmes, S.A.
Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345
- Holotík, Š., see Matisová, E. 455 (1988) 301
- Holstege, C.P., Pickaart, M.J. and Louters, L.L.
Separation of RNA and DNA by histone affinity HPLC 455 (1988) 401
- Holthuis, J.J.M., see Van der Horst, F.A.L. 456 (1988) 191

- Holthuis, J.J.M., see Van der Horst, F.A.L. 456 (1988) 201
- Holthuis, J.J.M., see Van der Horst, F.A.L. 500 (1990) 443
- Holthuis, J.J.M., see Van Opstal, M.A.J. 495 (1989) 139
- Holthuis, J.J.M., see Zweipfenning, P.G.M. 456 (1988) 83
- Holzer, G., Bourne, T.F. and Bertsch, W. Analysis of *in situ* methylated microbial fatty acid constituents by Curie-point pyrolysis-GC-MS 468 (1989) 181
- Holzhauer-Rieger, K., Zhou, W. and Schügerl, K. On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609
- Honegger, C.G., Langemann, H., Krenger, W. and Kempf, A. Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463
- Hong, E., see Flores-Murrieta, F.J. 490 (1989) 464
- Hong, P.S. and Chan, K.K. Analysis of 4-hydroxycyclophosphamide by GC-MS in plasma 495 (1989) 131
- Hongxin, H., see Peichang, L. 452 (1988) 175
- Honour, S., see Koshinsky, H. 463 (1989) 457
- Hoogenboom, L.A.P., Berghmans, M.C.J. and Traag, W.A. Biotransformation of β -nortestosterone by cultured porcine hepatocytes 489 (1989) 105
- Hooijerink, H., see Schilt, R. 489 (1989) 127
- Hooijsscher, R.C.M., see Van Ginkel, L.A. 489 (1989) 95
- Hoorn, F.A.J. Van der, Boomsma, F., Man in 't Veld, A.J. and Schalekamp, M.A.D.H. Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17
- Hopfgartner, G., see Timm, U. 456 (1988) 21
- Hopkins, J.P., see O'Keeffe, M. 489 (1989) 199
- Horák, D., see Tennikova, T.B. 475 (1989) 187
- Horbaczewski, A., see Kostrowicki, J. 454 (1988) 340
- Horber, F.F., Kahl, J., Lecavalier, L., Krom, B. and Haymond, M.W. Determination of leucine and α -ketoisocaproic acid concentrations and specific activity in plasma and leucine specific activities in proteins using HPLC 495 (1989) 81
- Horber, F.F., see Lecavalier, L. 491 (1989) 410
- Hörchner, U., see Otto, M. 485 (1989) 453
- Hori, A., see Tsuda, T. 456 (1988) 375
- Hori, S., see Kiba, N. 463 (1989) 177
- Horie, M., see Saito, K. 454 (1988) 387
- Horikawa, Y., see Ôi, N. 462 (1989) 382
- Horuchi, K., see Suemitsu, R. 454 (1988) 406
- Horká, M., see Janák, K. 471 (1989) 237
- Horn, A.S., see Den Daas, J. 487 (1989) 210
- Horn, A.S., see Gerding, T.K. 487 (1989) 125
- Horn, L., see Jellum, E. 468 (1989) 43
- Horna, A. Industrial applications of chromatography. I. Determination of methanol, *n*-butanol and toluene by direct aqueous injection GC 457 (1988) 372
- Horne, W., see Corradini, D. 458 (1988) 1
- Horning, E.C., see Kim, K.R. 468 (1989) 289
- Horst, F.A.L. Van der, Eikelboom, G.G. and Holthuis, J.J.M. HPLC determination of valproic acid in plasma using a micelle-mediated pre-column derivatization 456 (1988) 191
- Horst, F.A.L. Van der, Post, M.H., Holthuis, J.J.M. and Brinkman, U.A.T. Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443
- Horst, F.A.L. Van der, Post, M.H. and Holthuis, J.J.M. Study of the influence of aqueous micellar systems on the derivatization of undecylenic acid with 4-bromomethyl-2-methoxycoumarin 456 (1988) 201
- Horst, F.A.L. Van der, see Van Opstal, M.A.J. 495 (1989) 139
- Horstmann, B.J., see Skidmore, G.L. 498 (1990) 113
- Horváth, C., see Antia, F.D. 484 (1989) 1
- Horváth, C., see Corradini, D. 458 (1988) 1
- Horváth, C., see El Rassi, Z. 488 (1989) 229
- Horváth, C., see Maa, Y.-F. 452 (1988) 331
- Horváth, C., see Melander, W.R. 469 (1989) 3
- Horváth, C., see Várady, L. 458 (1988) 207
- Hosaki, S., Sawamoto, J., Hagiwara, M., Kusano, T., Oda, H. and Shiina, S.-I. Stability of serum γ -glutamyltranspeptidase fractionated by gel permeation using HPLC and FPLC 488 (1989) 503
- Hoschke, Á., see Daood, H.G. 472 (1989) 296

- Hoshi, Y., see Shinomiya, K. 462 (1989) 471
- Hoshino, H., see Saitoh, T. 469 (1989) 175
- Hoshino, Y., see Saito, K. 454 (1988) 387
- Hoshino, Y., see Tanaka, A. 466 (1989) 307
- Hoskins, J.A. and Evans, C.E.
Measurement of intracellular diacylglycerols by acetylation and TLC 490 (1989) 439
- Hoskins, J.A., see Brown, R.C. 497 (1989) 360
- Hosoda, K., see Oka, K. 490 (1989) 145
- Hosotsubo, H.
Rapid and sensitive method for the determination of 5-fluorocytosine in human plasma by ion-pair HPLC 487 (1989) 183
- Hosotsubo, H.I.
Rapid and specific method for the determination of vancomycin in plasma by HPLC on an aminopropyl column 487 (1989) 421
- Hosotsubo, H., Takeda, K., Hosotsubo, K. and Yoshiya, I.
Measurement of thiamylal in human plasma using reversed-phase HPLC 487 (1989) 204
- Hosotsubo, K., see Hosotsubo, H. 487 (1989) 204
- Hosoya, K., see Tanaka, N. 475 (1989) 195
- Hossner, F., see Camilleri, P. 477 (1989) 471
- Hostettmann, K., see El Tayar, N. 469 (1989) 91
- Hostettmann, K., see Slacanin, I. 457 (1988) 325
- Hostettmann, K., see Slacanin, I. 482 (1989) 234
- Hotter, G., see Gelpi, E. 492 (1989) 223
- Houck, R.K., see Rosselli, A.C. 465 (1989) 11
- Hough, B.J., see Labadarios, D. 487 (1989) 428
- Houghton, E., Ginn, A., Teale, P., Dumasia, M.C. and Copsey, J.
Comparison of the use of MS and methylene unit values in the determination of the stereochemistry of estranediol, the major urinary metabolite of 19-nortestosterone in the horse 479 (1989) 73
- Houglum, J.E., Larson, R.D. and Neal, R.M.
HPLC separation of indandione rodenticides 481 (1989) 458
- Howald, W.N., see Moor, M.J. 474 (1989) 223
- Howden, M.E.H., see Tseng, A. 474 (1989) 424
- Hoyo-Vadillo, C., see Flores-Murrieta, F.J. 490 (1989) 464
- Hoyt, K.D., see Ocampo, A.P. 496 (1989) 167
- Hradec, J., see Doležal, M. 463 (1989) 409
- Hradec, J., see Rejšková, D. 466 (1989) 446
- Hradil, J., Švec, F., Aratskova, A.A., Beljakova, L.D., Orlov, V.I. and Yashin, Y.I.
Ion chromatography on methacrylate ion exchangers 475 (1989) 209
- Hradil, J., Švec, F., Kakriashvili, N.D., Gogitidze, M.N. and Andronikashvili, T.G.
Solute-solvent interactions of macroporous methacrylate ion exchangers in salt form studied by GC 462 (1989) 61
- Hradil, J., Švec, F., Platonova, N.P., Belyakova, L.D. and Maroušek, V.
GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143
- Hsieh, J.K., see Constanzer, M.L. 488 (1989) 476
- Hsieh, L.C., see Long, A.R. 475 (1989) 404
- Hsieh, Y.-Z., see Beale, S.C. 499 (1990) 579
- Hsu, F.-F., Ghosh, S. and Sherman, W.R.
Preparative HPLC using detection by thermospray MS 478 (1989) 429
- Hsu, F.-F. and Sherman, W.R.
Performing high salt concentration gradient elution ion-exchange separations using thermospray MS 479 (1989) 437
- Hsu, K.-Y. and Ho, Y.
Determination of isoniazid methanesulphonate and its metabolites in rabbit blood by HPLC 493 (1989) 305
- Hsu, R.S., DiLeo, E.M., Chesson, S.M., Ellis, D.B. and Wichmann, J.K.
Determination of velnacrine in plasma and urine by HPLC 494 (1989) 347
- Hsu, S.-H., Koerper, T.L., Tomlinson, B.J., Miksic, J.R. and Grebow, P.E.
Determination of a new inotropic agent in human plasma by HPLC 459 (1988) 215
- Htoon, A.K., see Dilli, S. 500 (1990) 313
- Hu, H., see Kutlar, F. 487 (1989) 265
- Hu, Y. and Massart, D.L.
Uniform shell designs for optimization in reversed-phase LC 485 (1989) 311
- Hu, Y. and Ziffer, H.
GC based method for assigning the configurations of allylic and benzylic alcohols and for determining their optical purities 482 (1989) 227
- Hua, M., see Remmel, R.P. 489 (1989) 323
- Huang, E.C., see Tarbet, B.J. 473 (1989) 103
- Huang, J.L. and McLeish, M.J.
HPLC determination of the alkaloids in betel nut 475 (1989) 447
- Huang, J.-X. and Guiochon, G.
Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431
- Huang, S.-D., see Wang, W.-K. 483 (1989) 121
- Huang, T., Wall, J. and Kabra, P.
Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409
- Huang, X., Coleman, W.F. and Zare, R.N.
Analysis of factors causing peak broadening

- in capillary zone electrophoresis 480 (1989) 95
- Huang, X., Gordon, M.J. and Zare, R.N.
Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285
- Huang, X., see Aguilar, M. 480 (1989) 427
- Huang, Z., see Jin, Y. 469 (1989) 153
- Hubbard, J.W., see Srinivas, N.R. 487 (1989) 61
- Hubbard, J.W., see Srinivas, N.R. 491 (1989) 262
- Huber, G., see Défayes, G. 500 (1990) 139
- Huber, J.F.K., Pawłowski, M. and Markl, P.
Selection of the solid support—a crucial step for the realization of solvent generated liquid–liquid chromatography 500 (1990) 257
- Hubert, J., see Chauret, N. 469 (1989) 329
- Hubert, P., see Mathis, R. 474 (1989) 396
- Hudgens, E.E., see Smith, D.F. 483 (1989) 431
- Huf, F.A., see Farjam, A. 452 (1988) 419
- Huf, F.A., see Haasnoot, W. 489 (1989) 157
- Huffer, M. and Schreier, P.
Analytical resolution of 4(5)-alkylated $\gamma(\delta)$ -lactones by HPLC on a silica-bonded chiral polyacrylamide sorbent. Chromatographic characterization of a stationary phase 469 (1989) 137
- Hughes, J.B., see Mohareb, E.W. 480 (1989) 421
- Huh, D., see Sherma, J. 463 (1989) 229
- Huh, K., see Conway, W.D. 484 (1989) 391
- Hui, A.C., see Chin, S.K. 489 (1989) 438
- Huisden, R., see Bruun, G.J.M. 480 (1989) 339
- Huisman, T.H.J., see Bhaumik, K. 496 (1989) 83
- Huisman, T.H.J., see Kutlar, F. 487 (1989) 265
- Hull, C.J., Guthrie, J.L., McKinney, R.W.,
Taylor, D.C., Mabud, M.A. and Prescott, S.R.
Determination of toluenediamines in polyurethane foams by HPLC with electrochemical detection 477 (1989) 387
- Hulst, A.G., see Wils, E.R.J. 454 (1988) 261
- Hultman, A., see Björkholm, E. 457 (1988) 409
- Hummel, M., Herbst, H. and Stein, H.
Reversed-phase HPLC of very long oligodeoxyribonucleotides 477 (1989) 420
- Hummel, M., see Koppenhoefer, B. 477 (1989) 139
- Humpel, C., Haring, C. and Saria, A.
Rapid and sensitive determination of clozapine in human plasma using HPLC and amperometric detection 491 (1989) 235
- Hung, S.S., see Lai, J.-S. 461 (1989) 327
- Hung, T.K., see Rösch, F. 457 (1988) 362
- Hünig, S., Klaunzer, N. and Günther, K.
Enantiomer separation of α -substituted γ -butyrolactones on the chiral polyacrylamide resin ChiraSpher® 481 (1989) 387
- Hunter, B.T., see Ascah, T.L. 455 (1988) 279
- Hupe, K.-P., see Debets, A.J.J. 465 (1989) 315
- Hurdley, T.G., see Smith, R.M. 455 (1988) 77
- Hurlbut, J.A., see Roybal, J.E. 467 (1989) 259
- Hurst, W.J., Martin, Jr., R.A., Tarka, Jr., S.M. and Hall, G.D.
Authentication of cocoa in Maya vessels using HPLC techniques 466 (1989) 279
- Hurtado, M., Medina, M.T., Sotelo, J. and Jung, H.
Sensitive HPLC assay for albendazole and its main metabolite albendazole sulphoxide in plasma and cerebrospinal fluid 494 (1989) 403
- Hurtubise, R.J., see Mohseni, R.M. 499 (1990) 395
- Hurtubise, R.J., see Olsen, L.D. 474 (1989) 347
- Hurtubise, R.J., see Olsen, L.D. 479 (1989) 5
- Husain, S., Pratap, G. and Rao, R.N.
HPLC of long chain 7-oxo alcohols, acids and their esters 475 (1989) 426
- Husain, S., Sastry, G.S.R., Prasada Raju, N. and Narasimha, R.
High-performance size-exclusion chromatography of oils and fats 454 (1988) 317
- Huss, V., Chevalier, J.L. and Siouffi, A.M.
Diffusion coefficients in water–acetonitrile mixtures 500 (1990) 241
- Hustvedt, S.O., Salte, R. and Benjaminsen, T.
Rapid HPLC method for the determination of oxolinic acid in fish serum employing solid-phase extraction 494 (1989) 335
- Hutchens, T.W. and Yip, T.-T.
Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 500 (1990) 531
- Hutchinson, M.W., see Gentilucci, T.J. 461 (1989) 63
- Hutta, M., Šimuničová, E., Kaniansky, D., Tkačova, J. and Brtko, J.
Isotachophoretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223
- Huvenne, P., see Lacroix, B. 492 (1989) 109
- Hwang, Y.-L., see Leu, R.-J. 499 (1990) 677
- Hyder, S.M. and Wittliff, J.L.
Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 476 (1989) 455

- Hyland, K., see Heales, S. 494 (1989) 77
- Hynning, P.-Å., Remberger, M. and Neilson, A.H.
- Synthesis, GLC analysis and GC-MS identification of nitrovanillins, chloronitrovanillins, nitroguaiacols and chloronitroguaiacols 467 (1989) 99
- I**
- Ibañez, M.A.D., Chessebeuf-Padieu, M. and Padieu, P.
- GC-MS study of deacetylation and oxidation of 2-acetylaminofluorene by rat liver epithelial cell lines upon cocarcinogen induction 488 (1989) 237
- Ibrahim, E.A. and Suffet, I.H.
- Freon FC-133, an alternative to methylene chloride for liquid-liquid extraction of trace organics from chlorinated drinking water 454 (1988) 217
- Ibuki, T., see Jinno, K. 461 (1989) 209
- Ichimaru, M., see Endo, M. 455 (1988) 430
- Idei, M., Pajor, A., Guoth, J. and Menyhart, J.
- Biological detectors in LC 490 (1989) 247
- Idowu, O.R., Edwards, G., Ward, S.A., Orme, M.L.E. and Breckenridge, A.M.
- Determination of arteether in blood plasma by HPLC with UV detection after hydrolysis with acid 493 (1989) 125
- Idowu, O.R., Ward, S.A. and Edwards, G.
- Determination of artelinic acid in blood plasma by HPLC 495 (1989) 167
- Iftikhar, N., see Hasan, A. 466 (1989) 399
- Igaki, A., Kobayashi, K., Kimura, M., Sakoguchi, T. and Matsuoka, A.
- Determination of serum sulphonylureas by HPLC with fluorimetric detection 493 (1989) 222
- Igarashi, K., see Onodera, S. 466 (1989) 233
- Igualada Cañas, C., see Mañes Vinuesa, J. 472 (1989) 365
- Ihara, H., see Hirayama, C. 465 (1989) 241
- Iijima, M., see Tanaka, A. 466 (1989) 307
- Iinuma, F., see Mawatari, K.-I. 488 (1989) 349
- Iinuma, F., see Mawatari, K.-I. 491 (1989) 389

- Ikai, Y., Oka, H., Kawamura, N. and Yamada, M.
- Simultaneous determination of nine food additives using HPLC 457 (1988) 333
- Ikai, Y., Oka, H., Kawamura, N., Yamada, M., Harada, K.-I., Suzuki, M. and Nakazawa, H.
- Improvement of chemical analysis of antibiotics. XVI. Simple and rapid determination of residual pyridonecarboxylic acid antibacterials in fish using a prepacked amino cartridge 477 (1989) 397
- Ikai, Y., see Oka, H. 462 (1989) 315
- Ikeda, K., Suzuki, S. and Watanabe, Y.
- Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240
- Ikeda, Y., see Fuji, Y. 479 (1989) 319
- Ikekawa, N., Fujimoto, Y., Kadota, S. and Kikuchi, T.
- Effective separation of sterol C-24 epimers 468 (1989) 91
- Ikemoto, S., see Kajii, E. 490 (1989) 53
- Ikemoto, S., see Kamesaki, T. 489 (1989) 384
- Iles, J., see Do, U.H. 489 (1989) 359
- Imazumi, N., see Hayakawa, K. 464 (1989) 343
- Imanari, T., see Shinomiya, K. 462 (1989) 471
- Imaz Villar, C., see Cañas Montalvo, B. 458 (1988) 217
- Inada, M., see Goto, J. 452 (1988) 119
- Incipling, M.E.J., see Lewis, N.G. 479 (1989) 345
- Inman, E.L., Maloney, A.M. and Rickard, E.C.
- Inaccuracies due to sample-solvent interactions in HPLC 465 (1989) 201
- Inotsume, N., see Kawano, H. 493 (1989) 71
- Inoue, M., see Okada, T. 475 (1989) 412
- Inoue, M., see Okada, T. 481 (1989) 299
- Inoue, Y., see Hikida, K. 495 (1989) 227
- Ioffe, B.V., see Marinichev, A.N. 454 (1988) 327
- Ioffe, B.V., see Vitenberg, A.G. 471 (1989) 55
- Ioneda, T.
- Separation of homologues of methyl ester and 3-O-acetyl methyl ester derivatives of the corynomycolic acid fraction from *Corynebacterium pseudotuberculosis* 481 (1989) 411
- Irie, T., see Watanabe, N. 497 (1989) 169
- Irth, H., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
- Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317
- Irth, H., Lamoree, M., De Jong, G.J., Brinkman,

- U.A.T., Frei, R.W., Kornfeldt, R.A. and Persson, L.
Determination of D-*myo*-1,2,6-inositol trisphosphate by ion-pair reversed-phase LC with post-column ligand exchange and fluorescence detection 499 (1990) 617
- Irth, H., Tocklu, R., Welten, K., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
Trace-level determination of 3'-azido-3'-deoxythymidine in human plasma by preconcentration on a silver (I)-thiol stationary phase with on-line reversed-phase HPLC 491 (1989) 321
- Irth, H., see Lipschitz, C. 471 (1989) 321
- Isaksson, R., Erlandsson, P., Hansson, L., Holmberg, A. and Berner, S.
Triacetylcellulose as a chiral stationary phase for HPLC 498 (1990) 257
- Isaksson, R., see Erlandsson, P. 466 (1989) 364
- Isensee, R.K., see Krishnamurthy, T. 469 (1989) 209
- Isensee, R.K., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Ishibashi, M. and Suzuki, M.
Simultaneous XAD-2 resin extraction and high-resolution electron-capture GC of chlorine-containing herbicides in water samples 456 (1988) 382
- Ishibashi, M., see Matsuda, R. 462 (1989) 13
- Ishibashi, M., see Matsuda, R. 462 (1989) 23
- Ishibashi, M., see Watanabe, K. 468 (1989) 383
- Ishida, T., see Katoh, H. 473 (1989) 241
- Ishida, T., see Kiniwa, H. 461 (1989) 397
- Ishigami, A., see Nakahara, Y. 489 (1989) 371
- Ishii, D., see Takeuchi, T. 471 (1989) 297
- Ishii, D., see Takeuchi, T. 477 (1989) 147
- Ishii, D., see Takeuchi, T. 499 (1990) 549
- Ishii, J., see Terabayashi, T. 454 (1988) 432
- Ishii, T., see Sugata, R. 487 (1989) 9
- Ishikawa, T., see Okuyama, T. 466 (1989) 390
- Ishimitsu, S., Fujimoto, S. and Ohara, A.
HPLC determination of *m*-tyrosine and *o*-tyrosine in rat urine 489 (1989) 377
- Ishiwata, T., see Blink, A. 467 (1989) 285
- Ishizaki, T., see Kubota, K. 493 (1989) 373
- Iskrić, S., see Hadžija, O. 464 (1989) 220
- Iskrić, S., see Škvorc, I. 498 (1990) 428
- Issaq, H.J., Williams, D.G., Schultz, N. and Saavedra, J.E.
HPLC separations of nitrosamines. III. Conformers of N-nitrosamino acids 452 (1988) 511
- Issaq, H.J., see Atamma, I.Z. 499 (1990) 477
- Itabashi, Y., Takagi, T. and Tsuda, T.
HPLC separation of alkane-1,2-diol enantiomers on a chiral slurry-packed capillary column 472 (1989) 271
- Itani, M., see Kresbach, G.M. 476 (1989) 423
- Ito, K., see Sato, J. 493 (1989) 239
- Ito, M.K., see Baba, Y. 485 (1989) 647
- Ito, T., see Murai, S. 497 (1989) 363
- Ito, Y. and Chou, F.E.
New high-speed counter-current chromatograph equipped with a pair of separation columns connected in series 454 (1988) 382
- Ito, Y., Hirayama, F., Suto, K., Oshima, T., Sagara, K. and Yoshida, T.
Determination of flavonol glycosides in Epimedii Herba by HPLC 456 (1988) 392
- Ito, Y. and Oka, H.
Horizontal flow-through coil planet centrifuge equipped with a set of multilayer coils around the column holder. Counter-current chromatography of proteins with a polymer-phase system 457 (1988) 393
- Ito, Y., Oka, H. and Lee, Y.W.
Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169
- Ito, Y., Oka, H. and Slemp, J.L.
Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. I. Design of the apparatus and analysis of acceleration 463 (1989) 305
- Ito, Y., Oka, H. and Slemp, J.L.
Improved high-speed counter-current chromatograph with three multilayer coils connected in series. I. Design of the apparatus and performance of semipreparative columns in 2,4-dinitrophenyl amino acid separation 475 (1989) 219
- Ito, Y. and Zhang, T.-Y.
Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. III. Performance of large-bore coils in slow planetary motion 455 (1988) 151
- Ito, Y., see Bhatnagar, M. 463 (1989) 317
- Ito, Y., see Knight, M. 484 (1989) 319
- Ito, Y., see Lee, Y.W. 477 (1989) 434
- Ito, Y., see Oka, H. 475 (1989) 229
- Ito, Y., see Oka, H. 479 (1989) 53
- Ito, Y., see Oka, H. 482 (1989) 197
- Ito, Y., see Zhang, T.-Y. 454 (1988) 185
- Ivanov, S., see Gavrilova, T.B. 454 (1988) 73
- Ivashkiv, E., see Kadin, H. 487 (1989) 135

- Iversen, B., Aanesrud, A., Kolstad, A.K. and Rasmussen, K.E. Determination of oxytetracycline in plasma from rainbow trout using HPLC with UV detection 493 (1989) 217
- Iwahashi, H., see Sugata, R. 487 (1989) 9
- Iwata, J. and Suga, T. Determination of 17-oxosteroid sulphates in serum by ion-pair extraction, prelabelling with dansylhydrazine and HPLC with fluorescence detection 474 (1989) 363
- Iwata, T., Hanazono, H., Yamaguchi, M., Nakamura, M. and Ohkura, Y. Ultramicro determination of 7-dehydrocholesterol in rat skin by HPLC with fluorescence detection 491 (1989) 404
- Izawa, K., see Yagi, S. 493 (1989) 27
- Izquierdo, A., see Carbognani, L. 484 (1989) 399
- Izquierdo, C., see Montes, M. 481 (1989) 97
- Izquierdo Hornillos, R.C., see Cañas Montalvo, B. 458 (1988) 217
- J**
- Jack, D.B., Hawker, J.L., Rooney, L., Beerahee, M., Lobo, J. and Patel, P. Measurement of the distribution coefficients of several classes of drug using reversed-phase TLC 452 (1988) 257
- Jackman, D.C., see Daignault, L.G. 462 (1989) 71
- Jackson, L.M., see Trumbore, C.N. 481 (1989) 111
- Jackson, P.J., Turner, R., Keen, J.N., Brooksbank, R.A. and Cooper, E.H. Purification and partial amino acid sequence of human urine protein 1. Evidence for homology with rabbit uteroglobin 452 (1988) 359
- Jacob, K., Egeler, E., Neumeier, D. and Knedel, M. Isocratic ion-pair HPLC methods for the determination of uroporphyrin and coproporphyrin type II and IV isomers in human urine 468 (1989) 329
- Jacob, III, P., see Lee, B.L. 494 (1989) 109
- Jacobson, J.M. and Frenz, J. Determination of competitive adsorption isotherms for modeling large-scale separations in LC 499 (1990) 5
- Jacobson, S., Golshan-Shirazi, S., Katti, A.M., Czok, M., Ma, Z. and Guiochon, G. Theoretical study of multi-component interferences in non-linear chromatography 484 (1989) 103
- Jacobsson, S. and Falk, O. Determination of hydrogen sulphide by porous-layer open-tubular column GC-MS 479 (1989) 194
- Jacobsson, S., see Andersson, S. 477 (1989) 474
- Jacobsson, S., see Johansson, M. 459 (1988) 301
- Jacquot, J.-P., see Le Maréchal, P. 477 (1989) 305
- Jacqz-Aigrain, E., Menard, Y., Popon, M. and Mathieu, H. Dextromethorphan phenotypes determined by HPLC and fluorescence detection 495 (1989) 361
- Jadaud, P., Caude, M., Rosset, R., Duteurtre, X. and Henoux, J. Determination of some polynuclear aromatic hydrocarbons in new, used and regenerated oils 464 (1989) 333
- Jadaud, P. and Wainer, I.W. Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165
- Jaeger, F., see Kolbe, H.V.J. 476 (1989) 99
- Jager, B.J., Carr, R.J.G. and Goward, C.R. Ultra-thin electrophoretic gel densitometry using photo-thermal deflection spectroscopy 472 (1989) 331
- Jäger, W., see Czejka, M.J. 497 (1989) 336
- Jäger, W., see Georgopoulos, A. 494 (1989) 340
- Jain, A., see Verma, K.K. 457 (1988) 345
- Jain, T., see Chiari, M. 499 (1990) 699
- Jajoo, H.K., see Prakash, C. 493 (1989) 325
- Jamaluddin, A.B.M., Sarwar, G., Rahim, M.A. and Rahman, M.K. Assay for cloxacillin in human serum utilising HPLC with UV detection 490 (1989) 243
- James, H., see Hammond, I. 474 (1989) 175
- James, I.T., Herbert, K., Perrett, D. and Thompson, P.W. Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105
- Jamieson, D.D., see Duffield, A.M. 475 (1989) 273
- Janák, J., see Farkaš, P. 471 (1989) 251

- Janák, K., Horká, M. and Tesařík, K.
Effect of repeated cross-linking of SE-54
stationary phase film on the chromatographic
properties of capillary columns 471 (1989)
237
- Jančá, J. and Nováková, N.
Retention in sedimentation-flotation
focusing field-flow fractionation using a step
density gradient 452 (1988) 549
- Janda, V., Steenbeke, G. and Sandra, P.
Supercritical fluid extraction of s-triazine
herbicides from sediment 479 (1989) 200
- Janda, V. and Van Langenhove, H.
Determination of chlorophenols in water by
direct acetylation and solid-phase extraction
472 (1989) 327
- Jandera, P.
Predictive calculation methods for
optimization of gradient elution using binary
and ternary solvent gradients 485 (1989) 113
- Jandera, P. and Kubát, J.
Possibilities of determination and prediction
of solute capacity factors in reversed-phase
systems with pure water as the mobile phase
500 (1990) 281
- Jandik, P., see Bonn, G. 499 (1990) 669
- Jandik, P., see Jones, W.R. 473 (1989) 171
- Janeček, M. and Slais, K.
Simultaneous photometric and conductivity
detection for microcolumn LC 471 (1989) 303
- Jang, N.-I., see Grushka, E. 485 (1989) 617
- Jang, N.-I., see Turcotte, J.G. 499 (1990) 55
- Janicke, D.M., see Jungbluth, G.L. 494 (1989)
376
- Janicot, J.L., see Veuthey, J.L. 499 (1990) 637
- Janiini, G.M. and Filfil, N.T.
Optimization of the GC separation of five-
membered ring polyarenes with an admixed
BPhBT liquid crystal-Dexsil 300 stationary
phase 469 (1989) 43
- Janis, L.J., Grott, A., Regnier, F.E. and Smith-
Gill, S.J.
Immunological-chromatographic analysis of
lysozyme variants 476 (1989) 235
- Janjić, T.J., Milojković, D.M., Arbutina, Ž.J.,
Tešić, Ž.L. and Čelap, M.B.
TLC on polyacrylonitrile. I. Effect of the
cis-trans configuration of cobalt(III)
complexes on their R_F values 481 (1989) 465
- Janjić, T.J., see Tešić, Ž.L. 456 (1988) 346
- Janjić, T.J., see Tešić, Ž.L. 481 (1989) 471
- Jankó, T., see Benedek, P. 499 (1990) 463
- Jansen, E.H.J.M., Both-Miedema, R. and
Van den Berg, R.H.
- Application of optimization procedures for
the separation of anabolic compounds by
HPLC 489 (1989) 57
- Jansen, E.H.J.M., Buskens, C.A.F. and
Van den Berg, R.H.
Fast detection of homogeneous
chemiluminescent immunoassays with a
sensitive photoplate 489 (1989) 245
- Jansen, E.H.J.M., Van den Bosch, D., Stephany,
R.W., Van Look, L.J. and Van Peteghem, C.
Quantitative analysis of anabolics on TLC
plates using image analysis techniques 489
(1989) 205
- Janssen, P.S.L., Van Nispen, J.W., Van Zeeland,
M.J.M. and Melgers, P.A.T.A.
Complementary information from
isotachophoresis and HPLC in peptide
analysis 470 (1989) 171
- Janssens, J., see Pieters, L.A. 462 (1989) 387
- Janssens, J.J., see Scialla, M.I. 489 (1989) 51
- Jantzen, E., see Sonesson, A. 487 (1989) 1
- Jao, Y., Cheng, W.-L. and Ting, G.
Chromatographic separation and purification
of xenon-133 462 (1989) 191
- Jaroniec, M., see Borówko, M. 452 (1988) 131
- Jarrett, H.W., see Massom, L.R. 482 (1989) 252
- Jarry, C.H., see Demotes-Mainard, F.M. 490
(1989) 115
- Jarvi, E.J., see Patrick, K.S. 487 (1989) 91
- Jarvi, E.J., see Patrick, K.S. 495 (1989) 123
- Järvinen, T., Keinonen, T., Auriola, S., Peura, P.,
Hirvonen, E. and Palva, E.
Specific and sensitive quantitation of
medroxyprogesterone acetate in human serum
by GC-MS 495 (1989) 13
- Jarvis, B.B., see Krishnamurthy, T. 469 (1989)
209
- Jasinski, J.S.
Multiresidue procedures for the
determination of chlorinated dibenzodioxins
and dibenzofurans in a variety of foods using
capillary GC-electron-capture detection 478
(1989) 349
- Jaulmes, A., see Vidal-Madjar, C. 458 (1988) 13
- Jayaraman, G., see Subramanian, G. 484 (1989)
225
- Jeanssonne, M.S. and Foley, J.P.
Measurement of statistical moments of
resolved and overlapping chromatographic
peaks 461 (1989) 149
- Jeffcoat, R., see Lindner, N.M. 473 (1989) 227
- Jeffery, S., see Edwards, R.J. 490 (1989) 424
- Jehl, F., see Koehlin, C. 491 (1989) 379
- Jekow, P., see Molnar, I. 485 (1989) 569

- Jelinek, I., Dohnal, J., Snopek, J. and Smolková-Keulemansová, E.
Use of cyclodextrins in isotachophoresis. VII. Resolution of structurally related and chiral phenothiazines 464 (1989) 139
- Jelinek, I., Snopek, J., Dian, J. and Smolková-Keulemansová, E.
Concept of effective and non-effective inclusion complex formation in isotachophoresis 470 (1989) 113
- Jelinek, I., see Snopek, J. 452 (1988) 571
- Jelinek, I., see Snopek, J. 472 (1989) 308
- Jelinek, J., Rejholec, V., Holá, V., Roubal, Z., Snopek, J. and Smolková-Keulemansová, E. Isotachophoretic determination of sulbactam in rat serum 495 (1989) 338
- Jellum, E. Chromatography for diagnosis of metabolic diseases 452 (1988) 435
- Jellum, E., Thoresen, O., Horn, L., Seip, R., Nilsen, E., Kvittingen, E.A. and Stokke, O. Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43
- Jellum, E. and Thorsrud, A.K. Profiling cells and body fluids—chromatography and two-dimensional electrophoresis as complementary techniques 488 (1989) 105
- Jemnitz, K., see Valkó, K. 485 (1989) 349
- Jenke, D.R. Effect of some operational variables on the efficiency of ion chromatographic separations 479 (1989) 387
- Jenke, D.R., see Cruz, L.A. 477 (1989) 271
- Jenkins, K.M., see Tsuji, K. 485 (1989) 297
- Jenner, P., see Kenndler, E. 470 (1989) 57
- Jenny, P.D., Weber, A. and Smith, A.L. Quantitation of *p*-aminohippuric acid in biological fluids by HPLC and dual-wavelength UV detection 490 (1989) 213
- Jentoft, N., see Gupta, R. 474 (1989) 411
- Jersey, J. De, see Winzor, D.J. 492 (1989) 377
- Jerzak, B., see Konopski, L. 481 (1989) 477
- Jewell, R.C., Brouwer, K.L.R. and McNamara, P.J. α_1 -Acid glycoprotein HPLC column (Enantiopac) as a screening tool for protein binding 487 (1989) 257
- Jezorek, J.R., see DeBot, S.A. 465 (1989) 249
- Jiang, W.D., see Yang, J.M. 490 (1989) 458
- Jilge, G., Unger, K.K., Esser, U., Schäfer, H.-J., Rathgeber, G. and Müller, W. Evaluation of advanced silica packings for the separation of biopolymers by HPLC. VI.
- Design, chromatographic performance and application of non-porous silica-based anion exchangers 476 (1989) 37
- Jimenez, J., see Sonesson, A. 490 (1989) 71
- Jin, H.L., see Armstrong, D.W. 462 (1989) 219
- Jin, H.L., see Stalcup, A.M. 499 (1990) 627
- Jin, Y., Fu, R., Guan, Z., Gong, J. and Li, B. Low-temperature side-chain liquid crystalline polysiloxanes used as stationary phases for capillary GC 483 (1989) 394
- Jin, Y., Fu, R. and Huang, Z. Use of crown ethers in GC 469 (1989) 153
- Jindal, S.P., Lutz, T. and Bagchi, S.P. MS determination of tetrabenazine using a stable isotope-labeled analogue as an internal standard 493 (1989) 392
- Jinno, K., Ibuki, T., Tanaka, N., Okamoto, M., Fetzer, J.C., Biggs, W.R., Griffiths, P.R. and Olinger, J.M. Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209
- Jinno, K. and Niimi, S. Retention behaviour of polycyclic aromatic hydrocarbons in SFC on various chemically bonded stationary phases with carbon dioxide as a mobile phase 455 (1988) 29
- Jinno, K., Yamagami, M. and Kuwajima, M. Microcomputer-assisted LC separation system (MCASYST) for method development and data handling 485 (1989) 461
- Joelsson, M., see Johansson, G. 464 (1989) 49
- Joerg, E.A., see Tremaine, L.M. 496 (1989) 423
- Johansen, M., see Kurtzhals, P. 491 (1989) 117
- Johansson, B.-L. and Gustavsson, J. Elution behaviour of some proteins on fresh, acid- or base-treated Sephadryl S-200 HR 457 (1988) 205
- Johansson, B.-L., see Drevin, I. 477 (1989) 337
- Johansson, G. and Joelsson, M. Partition of hydrophobic compounds between two liquid phases of similar hydrophobicity 464 (1989) 49
- Johansson, I.M. and Schubert, B. Separation of hordenine and N-methyl derivatives from germinating barley by LC with dual-electrode coulometric detection 498 (1990) 241
- Johansson, M., Tufvesson Alm, A., Forsmo-Bruce, H., Jacobsson, S. and Westerlund, D. Determination of noscapine and its metabolites in plasma by coupled-column LC 459 (1988) 301

- Johansson, M. and Westerlund, D.
Effects of system peaks in ion-pair reversed-phase LC for noscapine and metabolites 452 (1988) 241
- Johnsen, B.A., see Tørnes, J.A. 467 (1989) 129
- Johnson, D.F., see Tarbet, B.J. 473 (1989) 103
- Johnson, D.K., see Himmel, M.E. 498 (1990) 93
- Johnson, G.W., see Elvidge, D.A. 463 (1989) 107
- Johnson, R.D., see Kroeff, E.P. 461 (1989) 45
- Johnson, S.J., see Sung, N.J. 468 (1989) 345
- Johnston, A., see Anspach, F.B. 476 (1989) 205
- Johnston, A., see Anspach, F.B. 499 (1990) 103
- Johnston, A., see Saleh, S. 496 (1989) 223
- Jokl, V., Vitkovič, B. and Polášek, M.
Phase-heterogeneous zones in capillary isotachophoresis of low-solubility bases 470 (1989) 263
- Jones, A.E. and Grushka, E.
Nature of temperature gradients in capillary zone electrophoresis 466 (1989) 219
- Jones, A.J.S., see Chloupek, R.C. 463 (1989) 375
- Jones, G.D., Evans, C.D., Facchini, V. and Lewellen, O.R.W.
Determination of 2-n-octadecylindole-5-carboxylic acid in human plasma by HPLC 497 (1989) 121
- Jones, H.K., Barman, B.N. and Giddings, J.C.
Resolution of colloidal latex aggregates by sedimentation field-flow fractionation 455 (1988) 1
- Jones, K., see Tarbet, B.J. 473 (1989) 103
- Jones, P. and Schwedt, G.
Dyestuff-coated HPLC resins for the ion-exchange and chelating-exchange separation of metal ions 482 (1989) 32523
- Jones, P., see Williams, T. 482 (1989) 361
- Jones, T.L., see Yinon, J. 482 (1989) 75
- Jones, W.J., Egoville, M.J., Strolle, E.O. and Dellamonica, E.S.
Determination of partition coefficients by headspace GC 455 (1988) 45
- Jones, W.R., Jandik, P. and Swartz, M.T.
Automated dual column coupled system for simultaneous determination of carboxylic acids and inorganic anions 473 (1989) 171
- Jong, A.P.J.M. De, see Van Ginkel, L.A. 489 (1989) 111
- Jong, B.J. De, see Lammers, N. 496 (1989) 291
- Jong, E.G. De, see Leloux, M.S. 488 (1989) 357
- Jong, G.J. De and Kwakman, P.J.M.
Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319
- Jong, G.J. De, see Farjam, A. 452 (1988) 419
- Jong, G.J. De, see Irth, H. 482 (1989) 317
- Jong, G.J. De, see Irth, H. 491 (1989) 321
- Jong, G.J. De, see Irth, H. 499 (1990) 617
- Jong, G.J. De, see Kientz, C.E. 467 (1989) 385
- Jong, G.J. De, see Kwakman, P.J.M. 459 (1988) 139
- Jong, G.J. De, see Lipschitz, C. 471 (1989) 321
- Jong, G.J. De, see Thiebaut, D. 477 (1989) 151
- Jongejan, P.A.C., see Slanina, J. 482 (1989) 297
- Jonker, R.J., see De Waal, W.A.J. 462 (1989) 115
- Jönsson, J.Å., see Carlshaf, A. 461 (1989) 89
- Jönsson, J.Å., see Mathiasson, L. 467 (1989) 61
- Jönsson, J.Å., see Nilvé, G. 471 (1989) 151
- Josse, J., see Li, K.W. 472 (1989) 445
- Jorgensen, J.W., see Escoffier, B.H. 474 (1989) 301
- Jørgensen, M., see Angelo, H.R. 496 (1989) 472
- Jorgenson, J.W., see Bushey, M.M. 480 (1989) 301
- Jorgenson, J.W., see De Wit, J.S.M. 462 (1989) 365
- Jorgenson, J.W., see Green, J.S. 478 (1989) 63
- Jorgenson, J.W., see Moseley, M.A. 480 (1989) 197
- Jorgenson, J.W., see Nickerson, B. 480 (1989) 157
- Joshi, A.P., see Kant, K. 494 (1989) 289
- Joshi, N.N. and Srebnik, M.
Resolution of *rac*-1,2-halohydrins by chiral complexation GC 462 (1989) 458
- Josić, D., Reutter, W. and Reusch, J.
Crown ethers as ligands for HPLC of proteins and nucleic acids 476 (1989) 309
- Josić, D., Zeilinger, K., Lim, Y.-P., Raps, M., Hofmann, W. and Reutter, W.
Preparative isolation of glycoproteins from plasma membranes of different rat organs 484 (1989) 327
- Joyce, W.F., see Haas, III, J.W. 457 (1988) 215
- Jozefowicz, J., see Zhou, F.L. 476 (1989) 195
- Jung, H., see Hurtado, M. 494 (1989) 403
- Jung, H., see Lai, J.-S. 461 (1989) 327
- Jungbauer, A., Tauer, C., Reiter, M., Purtscher, M., Wenisch, E., Steindl, F., Buchacher, A. and Katinger, H.
Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257
- Jungbauer, A., see Righetti, P.G. 500 (1990) 681
- Jungbauer, A., see Weigang, F. 497 (1989) 59
- Jungblut, P. and Klose, J.
Dye ligand chromatography and two-dimensional electrophoresis of complex protein extracts from mouse tissue 482 (1989) 125

- Jungbluth, G.L., Janicke, D.M. and Jusko, W.J.
Reversed-phase HPLC assay for the determination of mezlocillin in human and rat biological samples 494 (1989) 376
- Juranić, N., see Vučković, G. 466 (1989) 227
- Jusko, W.J., see Jungbluth, G.L. 494 (1989) 376
- Justová, V.
TLC as an efficient alternative to HPLC in the assay of plasma vitamin D₃ metabolites 496 (1989) 242
- Juvancz, Z., see Tarbet, B.J. 473 (1989) 103

K

- Kaartinen, V. and Mononen, I.
Analysis of aspartylglucosamine at the picomole level by HPLC 490 (1989) 293
- Kabra, P., see Huang, T. 452 (1988) 409
- Kadin, H., Brittain, H.G., Ivashkiv, E. and Cohen, A.I.
Body fluid analysis of a phosphonic acid angiotensin-converting enzyme inhibitor using HPLC and post-column derivatization with *o*-phthaldehyde 487 (1989) 135
- Kadota, S., see Ikekawa, N. 468 (1989) 91
- Kaffarnik, H., see Steinmetz, A. 487 (1989) 154
- Kågedal, B., Källberg, M., Åstrand, K. and Hansson, C.
Automated HPLC determination of 5-S-cysteinyl-3,4-dihydroxyphenylalanine in urine 473 (1989) 359
- Kageyama, S., see O'Flynn, M.A. 452 (1988) 469
- Kagi, R.I., see Forster, P.G. 483 (1989) 384
- Kahie, Y.D., see Dondi, F. 461 (1989) 281
- Kahie, Y.D., see Dondi, F. 462 (1989) 205
- Kahl, J., see Horber, F.F. 495 (1989) 81
- Kahn, G.C., see Eisenberg, E.J. 493 (1989) 105
- Kai, M., see Miyazaki, T. 490 (1989) 43
- Kai, M., see Ohno, M. 490 (1989) 301
- Kaida, Y., see Okamoto, Y. 477 (1989) 367
- Kaiser, R.E. and Rieder, R.
High boiling organic traces in drinking water. Quantitative analysis by liquid-liquid enrichment within the analytical glass capillary 477 (1989) 49

- Kajii, E. and Ikemoto, S.
Application of analytical isotachophoresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders 490 (1989) 53
- Kajii, E., see Kamesaki, T. 489 (1989) 384
- Kakihana, H. and Oi, T.
Theory of isotope separation by displacement chromatography 483 (1989) 179
- Kakimoto, T., see Nishi, H. 465 (1989) 331
- Kakimoto, T., see Nishi, H. 477 (1989) 259
- Kakriashvili, N.D., see Hradil, J. 462 (1989) 61
- Kalász, H., Kerecsen, L., Knoll, J. and Pucsok, J.
Chromatographic studies on the binding, action and metabolism of (-)-deprenyl 499 (1990) 589
- Kale, V., see Chandrasekhara Rao, T. 466 (1989) 403
- Kalghatgi, K.
Micropellicular stationary phases for rapid protein analysis by HPLC 499 (1990) 267
- Kalghatgi, K., see Várady, L. 458 (1988) 207
- Kalhorn, T.F., see Moor, M.J. 474 (1989) 223
- Kalinowski, H.T. and Hargiss, L.O.
Design and industrial applications of a removable probe interface for direct capillary SFC-MS 474 (1989) 69
- Kaliszan, R., Ośmiałowski, K., Bassler, B.J. and Hartwick, R.A.
Mechanism of retention in HPLC on porous graphitic carbon as revealed by principal component analysis of structural descriptors of solutes 499 (1990) 333
- Kaliszan, R., Petrusewicz, J., Blain, R.W. and Hartwick, R.A.
Determination of hydrophobicity parameters on polybutadiene-coated alumina and their application in quantitative structure-activity relationships analysis 458 (1988) 395
- Kaliszan, R., see Bassler, B.J. 461 (1989) 139
- Källberg, M., see Kågedal, B. 473 (1989) 359
- Kallio, H. and Shibamoto, T.
Direct capillary trapping and GC analysis of bromomethane and other highly volatile air pollutants 454 (1988) 392
- Kalonja, D.S., Musunuri, S. and Tanglertpaibul, J.
Simultaneous analysis of different species involved in hexaglycine hydrolysis 475 (1989) 416
- Kalonja, D.S. and Simonelli, A.P.
Development of an HPLC method for the simultaneous analysis of the species involved in diethyl L-tartrate hydrolysis 455 (1988) 355

- Kamahori, M., Watanabe, Y., Miura, J., Taki, M. and Miyagi, H.
High-sensitivity micro UV absorption detector for HPLC 465 (1989) 227
- Kamata, K. and Motohashi, N.
Separation of methyl-substituted benz[c]acridines by cation-exchange HPLC 498 (1990) 129
- Kamesaki, T., Kajii, E. and Ikemoto, S.
Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 489 (1989) 384
- Kammenga, D.A., see Kwakman, P.J.M. 459 (1988) 139
- Kamounah, F.S., see Salman, S.R. 483 (1989) 390
- Kamphuis, J., see Duchateau, A. 471 (1989) 263
- Kan, M., Komatsu, F., Tanaka, S., Yoshida, H. and Taga, M.
Capillary isotachophoretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238
- Kandrotas, R.J., see Brown, Y.L. 459 (1988) 275
- Kaneda, N., see Niwa, T. 491 (1989) 397
- Kaneko, M., see Suzuki, S. 463 (1989) 188
- Kaneshima, H., see Kanetoshi, A. 454 (1988) 145
- Kaneta, T., see Tanaka, S. 472 (1989) 303
- Kaneta, T., see Tanaka, S. 498 (1990) 205
- Kanetoshi, A., Ogawa, H., Katsura, E., Kaneshima, H. and Miura, T.
Formation of polychlorinated dibenzo-*p*-dioxin from 2,4,4'-trichloro-2'-hydroxydiphenyl ether (Irgasan® DP300) and its chlorinated derivatives by exposure to sunlight 454 (1988) 145
- Kaneyama, N., see Okuyama, T. 466 (1989) 390
- Kanfer, I., see Skinner, M. 459 (1988) 261
- Kaniansky, D. and Marák, J.
On-line coupling of capillary isotachophoresis with capillary zone electrophoresis 498 (1990) 191
- Kaniansky, D., Marák, J., Rajec, P., Švec, A., Koval, M., Lúčka, M. and Sabanoš, G.
On-column radiometric detector for capillary isotachophoresis and its use in the analysis of ¹⁴C-labelled constituents 470 (1989) 139
- Kaniansky, D., see Hutta, M. 470 (1989) 223
- Kaniansky, D., see Zelenský, I. 470 (1989) 155
- Kant, K., Joshi, A.P. and Gupta, K.C.
Rapid, quantitative method for the isolation and purification of gangliosides by LIPSEP gel chromatography 494 (1989) 289
- Kapetanovic, I.M., Yonekawa, W.D. and Kupferberg, H.J.
Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387
- Kapil, R.P. and Bruyere, Jr., H.J.
Applicability of capillary GC to study caffeine distribution in the developing chicken egg 493 (1989) 182
- Kaplan, B. and Pras, M.
Separation of peptides from sodium dodecyl sulphate by HPLC 487 (1989) 450
- Kapp, U., see Choli, T. 476 (1989) 59
- Karajgikar, N.P., see Whitley, R.D. 483 (1989) 263
- Karasek, F.W., see Palmentier, J.-P.F. 469 (1989) 241
- Karfunkel, H.R., see Däppen, R. 469 (1989) 101
- Karger, B.L., Cohen, A.S. and Guttman, A.
High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585
- Karger, B.L., see Blanco, R. 482 (1989) 1
- Karger, B.L., see Cohen, A.S. 458 (1988) 323
- Karger, B.L., see Lin, S. 499 (1990) 89
- Karger, B.L., see Nelson, R.J. 480 (1989) 111
- Karger, B.L., see Oroszlan, P. 500 (1990) 481
- Karkee, S., see Blessington, B. 469 (1989) 183
- Karkhanis, Y.D., see Nollstadt, K.H. 497 (1989) 87
- Karlsson, A., Pettersson, C. and Björkman, S.
Determination of (*R*)- and (*S*)-propranolol in plasma by HPLC using N-benzoxycarbonylglycyl-L-proline as chiral selector in the mobile phase 494 (1989) 157
- Karlsson, L., see Mathiasson, L. 467 (1989) 61
- Karlsson, R.-M., see Levin, J.-O. 454 (1988) 121
- Karmen, A., Malikin, G. and Lam, S.
Highly sensitive on-line radioassay of HPLC effluents 468 (1989) 279
- Karmen, A., see Lam, S. 468 (1989) 359
- Karnes, H.T., see Mallikaarjun, S. 493 (1989) 93
- Karnicky, J.F., see Williams, S.S. 485 (1989) 267
- Káš, J., see Turková, J. 500 (1990) 585
- Kasai, K.-I., see Nakamura, K. 478 (1989) 159
- Kasai, M., see Noguchi, K. 461 (1989) 365
- Kasamatsu, S., see Hisaka, A. 494 (1989) 183
- Kashashima, K., see Kawai, S. 495 (1989) 235
- Kašička, V. and Prusík, Z.
Isotachophoretic analysis of peptides.
Selection of electrolyte systems and determination of purity 470 (1989) 209
- Kasper, T.J., Melera, M., Gozel, P. and Brownlee, R.G.

- Separation and detection of DNA by capillary electrophoresis 458 (1988) 303
- Kass-Simon, G., see Fadool, D.A. 452 (1988) 491
- Kasuya, Y., Furuta, T. and Shimota, H.
Capillary GC-MS determination of stable isotopically labelled and unlabelled theophylline in serum and urine and of 1,3-dimethyluric acid in urine 494 (1989) 101
- Katano, M., see Matsunaga, H. 481 (1989) 368
- Kataoka, H., Okazaki, T. and Makita, M.
GC analysis of sulphonamic acids as their sulphonamide derivatives 473 (1989) 276
- Kataoka, H., Sakiyama, N., Maeda, M. and Makita, M.
Determination of phosphoethanolamine in animal tissues by GC with flame photometric detection 494 (1989) 283
- Katayama, B., see Noguchi, K. 461 (1989) 365
- Katayama, T., see Fukai, F. 482 (1989) 107
- Katinger, H., see Jungbauer, A. 476 (1989) 257
- Katinger, H., see Righetti, P.G. 500 (1990) 681
- Katinger, H., see Weigang, F. 497 (1989) 59
- Kato, A., see Endo, M. 455 (1988) 430
- Kato, H., see Moriyama, T. 493 (1989) 164
- Kato, H., see Nagata, O. 496 (1989) 456
- Kato, T., see Ajima, A. 494 (1989) 297
- Kato, Y., Kitamura, T., Nakatani, S. and Hashimoto, T.
High-performance hydrophobic interaction chromatography of proteins on a pellicular support based on hydrophilic resin 483 (1989) 401
- Kato, Y., Yamasaki, Y., Onaka, A., Kitamura, T., Hashimoto, T., Murotsu, T., Fukushige, S. and Matsubara, K.
Separation of DNA restriction fragments by high-performance ion-exchange chromatography on a non-porous ion exchanger 478 (1989) 264
- Kato, Y., see Nakamura, K. 478 (1989) 159
- Kato, Y., see Yamasaki, Y. 467 (1989) 299
- Kato, Y., see Yamasaki, Y. 467 (1989) 436
- Kato, Y., see Yamasaki, Y. 481 (1989) 391
- Katoh, H., Ishida, T., Baba, Y. and Kiniwa, H.
Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241
- Katoh, H., see Kiniwa, H. 461 (1989) 397
- Katsanos, N.A. and Vassilakos, C.
New method for measuring obstructive factors and porosity using GC instrumentation 471 (1989) 123
- Katsura, E., see Kanetoshi, A. 454 (1988) 145
- Katti, A.M. and Guiochon, G.
Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 499 (1990) 21
- Katti, A.M., Ramsey, R. and Guiochon, G.
Quantitative extraction of thymine-thymine dimer from a large excess of thymine by preparative LC 477 (1989) 119
- Katti, A.M., see Jacobson, S. 484 (1989) 103
- Kauffman, G.B., see Ray, R.K. 469 (1989) 383
- Kauffmann, J.M., see Nagels, L.J. 459 (1988) 163
- Kaufman, A.E. and Polymeropoulos, C.E.
Study of the injection process in a gas chromatograph split injection port 454 (1988) 23
- Kaur, S., Gill, J.P., Evershed, R.P., Eglinton, G. and Maxwell, J.R.
Computerised GC-MS and HPLC analysis of sedimentary benzoporphyrins 473 (1989) 135
- Kawaguchi, Y., see Tanaka, M. 469 (1989) 429
- Kawahara, F.K., see Bicking, M.K.L. 455 (1988) 310
- Kawahara, Y., see Naganuma, H. 478 (1989) 149
- Kawahara, Y., see Shioya, H. 496 (1989) 129
- Kawai, S., Kasashima, K. and Tomita, M.
HPLC determination of malonaldehyde in serum 495 (1989) 235
- Kawai, S., Nagano, H. and Maji, T.
Improved method for the separation of methylolmelamines by HPLC 477 (1989) 467
- Kawai, S., see Takayama, Y. 464 (1989) 172
- Kawamura, N., see Ikai, Y. 457 (1988) 333
- Kawamura, N., see Ikai, Y. 477 (1989) 397
- Kawamura, N., see Oka, H. 462 (1989) 315
- Kawanishi, Y., see Terabayashi, T. 454 (1988) 432
- Kawano, H., Inotsume, N., Arimoto, H., Fujii, T. and Nakano, M.
Rapid and sensitive determination of aprindine in serum by GC using a surface ionization detector 493 (1989) 71
- Keck, R.G., see Chloupek, R.C. 463 (1989) 375
- Keen, J.N., see Jackson, P.J. 452 (1988) 359
- Kehl, M. and Lottspeich, F.
Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131
- Keinonen, T., see Järvinen, T. 495 (1989) 13
- Keith, G., see Bisserset, F. 490 (1989) 91
- Keller, B., see Schneider, W. 488 (1989) 275
- Keller, F., see Büyüktimkin, N. 467 (1989) 402

- Keller, J.W. and Niwa, K.
Milligram-scale separation of optical isomers of 2-pentafluoroethylalanine and 2-trifluoromethylalanine by medium-performance reversed-phase chromatography 469 (1989) 434
- Kelly, M.T., Smyth, M.R. and Dadgar, D.
Retention characteristics in HPLC of basic drugs and plasma extracts on an alumina column 473 (1989) 53
- Kemmelmeier, C., see Paterson, R.R.M. 483 (1989) 153
- Kemp, M.W., see Li, C.-Y. 455 (1988) 241
- Kempf, A., see Honegger, C.G. 487 (1989) 463
- Kenndler, E., Schwer, C. and Jenner, P.
Isotachophoresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III. Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57
- Kennedy, S.W. and Maslen, A.L.
Separation of porphyrin isomers by HPLC 493 (1989) 53
- Kennerly, D.A.
Two-dimensional TLC separation of phospholipid molecular species using plates with both reversed-phase and argentation zones 454 (1988) 425
- Kennington, A.S., see Strickler, M.P. 484 (1989) 369
- Kerby, N.W., Reed, R.H. and Rowell, P.
Separation of algal organic osmolytes by HPLC 479 (1989) 353
- Kerecsen, L., see Kalász, H. 499 (1990) 589
- Keresztes, P., see Szabó, G. 463 (1989) 345
- Kern, J.R., Lokengard, D.M. and Yang, T.
Chromatographic separation of the diastereomers of a dihydropyridine-type calcium channel antagonist as the bis-3,5-dinitrobenzoates 457 (1988) 309
- Kerr, C.R., see Chan, G.L.-Y. 495 (1989) 349
- Kersten, B.R. and Poole, C.F.
Considerations for using the solvent selectivity triangle approach for stationary phase characterization 452 (1988) 191
- Kersten, B.R., Poole, S.K. and Poole, C.F.
Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235
- Kersten, B.R., see Poole, S.K. 471 (1989) 91
- Kéry, V., see Pavliak, V. 490 (1989) 418
- Kessler, R., Manz, H.J. and Székely, G.
Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444
- Keuken, M.P., see Slanina, J. 482 (1989) 297
- Keukens, H.J. and Aerts, M.M.L.
Determination of residues of carazolol and a number of tranquillizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149
- Keukens, H.J., see Aerts, M.M.L. 456 (1988) 105
- Kever, E.E., see Tennikova, T.B. 475 (1989) 187
- Keyt, B.A., see Chloupek, R.C. 463 (1989) 375
- Kežić, S., Kuiper, S. and Monster, A.C.
GC determination of 2,3-butanediol isomers in urine 496 (1989) 209
- Kežić, S., see Van Doorn, J.E. 489 (1989) 419
- Khachatourians, G., see Koshinsky, H. 463 (1989) 457
- Khalkin, V.A., see Rösch, F. 457 (1988) 362
- Khong, T.M., see Akapo, S.O. 471 (1989) 283
- Khorasheh, F., Gray, M.R. and Selucky, M.L.
Correlation for Kováts retention index of C₉-C₂₆ monoalkyl and polymethyl alkanes and alkenes 481 (1989) 1
- Kiba, N., Hori, S. and Furusawa, M.
Post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by HPLC with fluorescence detection 463 (1989) 177
- Kiba, N., Maruyama, H. and Furusawa, M.
Improved HPLC method with fluorimetric detection for the determination of glycerol using an immobilized enzyme column reactor 456 (1988) 398
- Kiba, N., Muto, M. and Furusawa, M.
HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236
- Kiba, N., Shitara, K. and Furusawa, M.
Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183
- Kido, R., see Sugata, R. 487 (1989) 9
- Kiel, J.S., Morgan, S.L. and Abramson, R.K.
Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585
- Kientz, C.E., Verweij, A., Boter, H.L., Poppeima, A., Frei, R.W., De Jong, G.J. and Brinkman, U.A.T.
On-line flame photometric detection in micro-column LC 467 (1989) 385
- Kieny, M.-P., see Kolbe, H.V.J. 476 (1989) 99

- Kikawa, Y., Nakai, A., Shigematsu, Y., Sudo, M., Suehiro, Y. and Hirao, T.
Rapid and simple assay method to study the content and the biosynthesis of peptide leukotrienes in whole blood 491 (1989) 193
- Kikuchi, T., see Ikekawa, N. 468 (1989) 91
- Kikuchi, Y., see Tanaka, A. 466 (1989) 307
- Kikumoto, M., see Kobayashi, S. 480 (1989) 179
- Kilär, F. and Hjertén, S.
Separation of the human transferrin isoforms by carrier-free high-performance zone electrophoresis and isoelectric focusing 480 (1989) 351
- Killa, H.M.A. and Rabenstein, D.L.
Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359
- Kim, C., Cheng, R. and George, S.R.
Measurement of methionine enkephalin and leucine enkephalin in rat brain regions by HPLC with coulometric electrochemical detection 494 (1989) 67
- Kim, J., see Fullas, F. 464 (1989) 213
- Kim, K.R., Hahn, M.K., Zlatkis, A., Horning, E.C. and Middleditch, B.S.
Simultaneous GC of volatile and non-volatile carboxylic acids as *tert*-butyldimethylsilyl derivatives 468 (1989) 289
- Kim, L.-S., Tian, Z.-Q., Li, X.-N., Zhang, Y. and Wang, J.
Centrifugal counter-current partition chromatography with helical coil rotor.
Simplified counter-current chromatography with a rotating face-seal 483 (1989) 359
- Kim, M.S., see Dixon, D.W. 462 (1989) 411
- Kim, O., see Shin, H. 493 (1989) 398
- Kim, S.U., see Lee, C.K. 484 (1989) 29
- Kimata, K., see Ohtsu, Y. 481 (1989) 147
- Kimoto, M., see Usui, Y. 489 (1989) 291
- Kimura, M., see Igaki, A. 493 (1989) 222
- Kimura, T., see Hasegawa, R. 494 (1989) 381
- Kimura, Y., see Tokuda, H. 454 (1988) 109
- Kindberg, C.G., Riley, C.M., Stobaugh, J.F. and Slavik, M.
Analysis of 5-fluorouracil in plasma by precolumn derivatization with 4-bromomethyl-7-methoxycoumarin, followed by multi-dimensional HPLC 473 (1989) 431
- Kindel, M., Ludwig-Koehn, H. and Lembcke, B.
New and versatile method for the determination of faecal bile acids by TLC with direct scanning fluorimetry 497 (1989) 139
- King, S.J., see Meng, Q.C. 461 (1989) 271
- Kinghorn, A.D., see Fullas, F. 464 (1989) 213
- Kiniwa, H., Baba, Y., Ishida, T. and Katoh, H.
General evaluation and application to trace analysis of a chiral column for ligand-exchange chromatography 461 (1989) 397
- Kiniwa, H., see Katoh, H. 473 (1989) 241
- Kinkel, J.N., see Giesche, H. 465 (1989) 39
- Kinkel, J.N., see Seliger, H. 476 (1989) 49
- Kinoshita, H., see Hayatama, T. 481 (1989) 403
- Kinoshita, T., see Yoshida, T. 456 (1988) 421
- Kint, A.H., see De Leenheer, A.P. 500 (1990) 637
- Kinter, M., Singh, S. and Felder, R.A.
Quantitation of selective dopaminergic drugs in plasma by GC-MS following solid-phase extraction 496 (1989) 201
- Kintz, P., Mangin, P., Lugnier, A.A. and Chaumont, A.J.
Simultaneous determination of fentanyl and its major metabolites and fentanyl analogues using GC and nitrogen-selective detection 489 (1989) 459
- Kiraly, J., see Guan, Y. 472 (1989) 129
- Kirchberger, J., Cadelis, F., Kopperschläger, G. and Vijayalakshmi, M.A.
Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289
- Kiryama, N., see Nagata, O. 496 (1989) 456
- Kirkland, J.J. and Yau, W.W.
Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655
- Kirkland, J.J., see Glajch, J.L. 485 (1989) 51
- Kirpotin, D.B., see Tsygankov, A.Y. 465 (1989) 325
- Kisfaludy, L., see Görög, S. 452 (1988) 317
- Kiso, Y., see Hirokawa, T. 463 (1989) 39
- Kiso, Y., see Hirokawa, T. 463 (1989) 51
- Kiso, Y., see Hirokawa, T. 470 (1989) 21
- Kissinger, P.T.
Biomedical applications of LC-electrochemistry 488 (1989) 31
- Kitada, Y., Sasaki, M., Yamazoe, Y. and Nakazawa, H.
Simultaneous determination of stevioside, rebaudioside A and C and dulcoside A in foods by HPLC 474 (1989) 447
- Kitada, Y., see Mochizuki, E. 455 (1988) 271
- Kitagawa, T., see Matsura, A. 494 (1989) 231
- Kitahara, H., see Ôi, N. 462 (1989) 382
- Kitamoto, S., see Hayakawa, K. 481 (1989) 323
- Kitamura, T., see Kato, Y. 478 (1989) 264
- Kitamura, T., see Kato, Y. 483 (1989) 401

- Kitamura, T., see Yamasaki, Y. 481 (1989) 391
- Kithinji, J.P., see Raynor, M.W. 467 (1989) 292
- Klaunzer, N., see Hünig, S. 481 (1989) 387
- Klein, M.I., Bartley, T.D., Lai, P.-H. and Lu, H.S.
- Structural characterization of recombinant consensus interferon- α 454 (1988) 205
- Klein, W., see Schmid, S. 470 (1989) 289
- Kleindienst, T.E., see Smith, D.F. 483 (1989) 431
- Kleinjans, J.C.S., see Verhagen, H. 464 (1989) 438
- Kleinmann, I., Plicka, J., Šmíd, P. and Svoboda, V.
- Hydrophobic interaction chromatography of proteins on Separon HEMA. I. The effect of an initial salt concentration on the separation of proteins 479 (1989) 327
- Kleinmann, I., see Plicka, J. 469 (1989) 29
- Klesper, E., see Gemmel, B. 455 (1988) 17
- Klesper, E., see Küppers, S. 475 (1989) 85
- Klíma, J., Grafnetterová, J., Kubelka, Z. and Klíma, J.
- Therapeutic monitoring of metipamide during antihypertensive therapy 488 (1989) 295
- Klíma, J., see Hanis, T. 452 (1988) 443
- Klíma, J., see Klíma, J. 488 (1989) 295
- Klingman, J.D., see Conway, W.D. 484 (1989) 391
- Klinkmüller, K.D., see Winckler, K. 488 (1989) 417
- Klir, P., see Hanis, T. 452 (1988) 443
- Klöppel, H., see Schmid, S. 470 (1989) 289
- Klose, J., see Jungblut, P. 482 (1989) 125
- Knadler, M.P. and Hall, S.D.
- HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173
- Knedel, M., see Jacob, K. 468 (1989) 329
- Knight, M., Gluch, S., Meyer, R. and Cooley, R.S.
- Purification of synthetic peptides on a high-resolution preparative reversed-phase column 484 (1989) 299
- Knight, M. and Ito, Y.
- Chromatography of peptides on a multi-coil counter-current chromatograph 484 (1989) 319
- Knight, M., Strickler, M.P., Stone, M.J., Chiadetti, L., Gluch, S. and Shinohara, T.
- Scale-up methodology for the preparative purification of peptide M 459 (1988) 361
- Knoll, J., see Kalász, H. 499 (1990) 589
- Kobayashi, H., Matano, O. and Goto, S.
- Determination of oxine-copper in orange by GC 474 (1989) 381
- Kobayashi, K., Powell, A.D., Toyoda, M. and Saito, Y.
- HPLC method for the simultaneous analysis of α -solanine and α -chaconine in potato plants cultured *in vitro* 462 (1989) 357
- Kobayashi, K., see Igaki, A. 493 (1989) 222
- Kobayashi, K., see Saito, K. 462 (1989) 333
- Kobayashi, N., see Usui, Y. 489 (1989) 291
- Kobayashi, S., Ueda, T. and Kikumoto, M.
- Photodiode array detection in high-performance capillary electrophoresis 480 (1989) 179
- Kobayashi, T., see Nakai, S. 479 (1989) 459
- Kobayashi, T., see Okano, T. 493 (1989) 63
- Kobayashi, T., see Sonoki, S. 475 (1989) 311
- Kobayashi, Y., see Sasagawa, T. 485 (1989) 533
- Kobayashi, Y., see Tsuda, T. 456 (1988) 375
- Koch, H., see Marti, A.M. 498 (1990) 145
- Koch, S., see Filser, J.G. 493 (1989) 275
- Kocjan, D., see Žmitek, J. 467 (1989) 276
- Koechlin, C., Jehl, F., Linger, L. and Monteil, H.
- HPLC for the determination of three new fluoroquinolones fleroxacin, temafloxacin and A-64730, in biological fluids 491 (1989) 379
- Koehler, H., Larocque, L. and Sved, S.
- Use of LC in the synthesis of isoluminol-labelled medroxyprogesterone acetate and zeronol 469 (1989) 305
- Koel, M. and Nebinger, P.
- Simultaneous automated HPLC determination of 5-hydroxy-3-indoleacetic acid and homovanillic acid in urine with fluorescence detection 495 (1989) 263
- Koeplinger, K.A., see Pinkerton, T.C. 458 (1988) 129
- Koerper, T.L., see Hsu, S.-H. 459 (1988) 215
- Kogan, M.J., Pierson, D.J., Durkin, M.M. and Willson, N.J.
- TLC of benzoylecgonine: a rapid qualitative method for confirming the EMIT Urine Cocaine Metabolite Assays 490 (1989) 236
- Kohama, A., see Nakagiri, I. 481 (1989) 434
- Koharski, D., see Baker, C. 484 (1989) 347
- Köhł, U., see Schwabe, D. 487 (1989) 177
- Kohlbrenner, M., see Nuernberg, B. 487 (1989) 476
- Kohliček, J., see Balíková, M. 497 (1989) 159
- Kohoutová, A., Smolková-Keulemansová, E. and Feltl, L.
- Use of GC for a study of crown ethers 471 (1989) 139
- Koivunen, E.
- Detection of trypsin- and chymotrypsin-like proteases using *p*-nitroanilide substrates after

- sodium dodecyl sulphate polyacrylamide gel electrophoresis 470 (1989) 401
- Koizumi, H. and Suzuki, Y.
HPLC of aliphatic aldehydes by means of post-column extraction with fluorometric detection 457 (1988) 299
- Koizumi, K., Kubota, Y., Tanimoto, T. and Okada, Y.
Determination of cyclic glucans by anion-exchange chromatography with pulsed amperometric detection 454 (1988) 303
- Koizumi, K., Kubota, Y., Tanimoto, T. and Okada, Y.
High-performance anion-exchange chromatography of homogeneous D-glucosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365
- Koizumi, K., see Sasagawa, T. 485 (1989) 533
- Kojima, K., see Mogi, M. 496 (1989) 194
- Kojima, N., see Hikida, K. 495 (1989) 227
- Kok, W.T., see Debets, A.J.J. 465 (1989) 315
- Kokkonen, P., Tjaden, W.M.A.N.U.R. and Van der Greef, J.
Applicability of continuous-flow fast atom bombardment LC-MS in bioanalysis.
Dextromethorphan in plasma 474 (1989) 59
- Kokotti, H., see Pukkila, J. 479 (1989) 369
- Kol, O., Montreuil, J., Fournet, B., Zalisz, R. and Smets, P.
Separation by HPLC of oligosaccharides obtained after mild acid hydrolysis of *Klebsiella pneumoniae* O₁K₂ (NCTC 5055) lipopolysaccharides 474 (1989) 452
- Kolbe, H.V.J., Jaeger, F., Lepage, P., Roitsch, C., Lacaud, G., Kiény, M.-P., Sabaté, J., Brown, S.W., Lecocq, J.-P. and Girard, M.
Isolation of recombinant partial gag gene product p18 (HIV-1_{Bru}) from *Escherichia coli* 476 (1989) 99
- Kolek, E., see Matisová, E. 475 (1989) 113
- Kollmann, A., Rouxel, T. and Bousquet, J.-F.
Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges.
Applications to the determination of phytoalexins from *Brassica* spp. by HPLC 473 (1989) 293
- Kollmannsberger, H., see Nitz, S. 471 (1989) 173
- Kołodziejczyk, A.M., see Wodecki, Z.J. 477 (1989) 454
- Kolossváry, I., see Lankmayr, E.P. 485 (1989) 557
- Kolstad, A.K., see Iversen, B. 493 (1989) 217
- Komatsu, F., see Kan, M. 478 (1989) 238
- Komine, Y., see Shimada, K. 478 (1989) 339
- Komori, T. and Morimoto, Y.
Isolation of the aromatic heptaenic antibiotics trichomycin A-F by HPLC 481 (1989) 416
- Komura, T., see Hasegawa, R. 494 (1989) 381
- König, A., see Schoene, K. 455 (1988) 67
- Konopski, L. and Jerzak, B.
2-Trichloromethylbenzimidazole, a selective chromogenic reagent for the detection of some azines on thin-layer plates. Addendum 481 (1989) 477
- Kooistra, C., see Sluyterman, L.A.Æ. 470 (1989) 317
- Koops, R., see De Groot, G. 456 (1988) 71
- Kooser, R.G., see Miller, C. 458 (1988) 255
- Kootstra, P.R., Van den Broek, H.H., Hogendoorn, E.A., Goewie, C.E. and De Vijlder, J.J.M.
Automated HPLC method for the determination of iodotyrosines and iodothyronines 458 (1988) 175
- Kopczynski, S.L.
Multidimensional GC determination of cotinine as a marker compound for particulate-phase environmental tobacco smoke 463 (1989) 253
- Kopeční, M.M., Tarana, M.V., Čupič, S.D. and Čomor, J.J.
GC determination of phenols in waste water-oil emulsions 462 (1989) 392
- Kopeční, M.M., see Marković, M.M. 463 (1989) 281
- Köppel, C., Tenczer, J. and Wagemann, A.
MS characterization of urinary pipamperone metabolites and HPLC assay for pipamperone plasma levels 491 (1989) 432
- Koppenhoefer, B. and Lin, B.
Thermodynamic properties of enantiomers of underivatized diols versus the cyclic carbonates in GC on Chirasil-Val 481 (1989) 17
- Koppenhoefer, B., Muschalek, V., Hummel, M. and Bayer, E.
Determination of the enhancement of the enantiomeric purity during recrystallization of amino acids 477 (1989) 139
- Kopperschläger, G., see Kirchberger, J. 483 (1989) 289
- Kopperschläger, G., see Naumann, M. 466 (1989) 319
- Korbee, H.J., see Schilt, R. 489 (1989) 127
- Kördel, W., see Schmid, S. 470 (1989) 289
- Korf, J., see Wolf, J.H. 487 (1989) 496
- Korfmacher, W.A., see Getek, T.A. 474 (1989) 245

- Korhonen, I.O.O. and Mäntykoski, K.M.
GLC analyses. XLIX. Polychlorinated dibenzo-*p*-dioxins and dibenzofurans on low-polarity NB-54 and NB-1701 capillary columns 473 (1989) 153
- Korhonen, I.O.O. and Mäntykoski, K.M.
GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327
- Kornfeldt, R.A., see Irth, H. 499 (1990) 617
- Koshinsky, H., Honour, S. and Khachatourians, G.
Bioautographic detection of T-2 and HT-2 toxins 463 (1989) 457
- Kostenbauder, H.B., see Guttendorf, R.J. 489 (1989) 333
- Kostiainen, R., see Peltonen, K. 490 (1989) 311
- Kostiuk, P., see Böswart, J. 495 (1989) 61
- Kostner, G.M., see Malle, E. 488 (1989) 283
- Kostrowicki, J., Luboch, E., Makuch, B., Cygan, A., Horbaczewski, A. and Biernat, J.F.
Macrocyclic polyfunctional Lewis bases. XII. Influence of complex formation on chromatographic migration 454 (1988) 340
- Kotaki, H., see Aoyama, T. 494 (1989) 420
- Kotaki, H., see Ohtani, M. 487 (1989) 469
- Kotschi, U., see Seliger, H. 476 (1989) 49
- Kotyński, A., see Drabowicz, J. 473 (1989) 287
- Koupai-Abyazani, M.R., see Creaser, C.S. 478 (1989) 415
- Kováč, M., see Farkaš, P. 471 (1989) 251
- Kovačičová, E., see Matisová, E. 455 (1988) 301
- Kovačičová, E., see Matisová, E. 475 (1989) 113
- Koval, M., see Kaniansky, D. 470 (1989) 139
- Kováts, E., see Défayes, G. 500 (1990) 139
- Kováts, E., see Fóti, G. 461 (1989) 243
- Kowalewski, J., see Werner, A. 491 (1989) 77
- Koyama, J.-I., see Ohtsu, Y. 481 (1989) 147
- Koyama, M., see Watanabe, N. 497 (1989) 169
- Koza, T., see Řezanka, T. 472 (1989) 290
- Kozaki, M., see Oka, K. 490 (1989) 145
- Kraa, M.A.G. De, see Niessen, W.M.A. 474 (1989) 113
- Kraa, M.A.G. De, see Niessen, W.M.A. 478 (1989) 325
- Kraak, J.C., see Bruin, G.J.M. 471 (1989) 429
- Kraak, J.C., see Bruin, G.J.M. 480 (1989) 339
- Kraak, J.C., see De Waal, W.A.J. 462 (1989) 115
- Kraak, J.C., see Tock, P.P.H. 477 (1989) 95
- Kraak, J.C., see Van Berkel-Geldof, O. 499 (1990) 345
- Kraats, C. Van de, see Schreuder, R.H. 467 (1989) 177
- Krahn, M.M., Wigren, C.A., Moore, L.K. and Brown, D.W.
HPLC method for isolating coprostanol from sediment extracts 481 (1989) 263
- Krajewska, A.M. and Powers, J.J.
Pentafluorobenzylation of capsaicinoids for GC with electron-capture detection 457 (1988) 279
- Krakowski, I., see Wasels, R. 489 (1989) 411
- Králová, B., see Adámek, V. 497 (1989) 268
- Kramell, R., see Schneider, G. 483 (1989) 459
- Krämer, B.K., Ress, K.M., Mayer, F., Kühlkamp, V., Liebich, H.M., Risler, T. and Seipel, L.
Rapid HPLC method for the quantification of mexiletine and its metabolites in serum 493 (1989) 414
- Kranzler, H., see Wong, S.H.Y. 499 (1990) 601
- Krause, W. and Gröhler, G.
Automated HPLC assay for the β -carboline derivative Abecarnil in plasma 495 (1989) 324
- Krauss, D., see Hartmann, C. 496 (1989) 387
- Krawczyk, W. and Piotrowski, G.T.
Relationships between structure and retention index for N-substituted amides of aliphatic acids on a non-polar column 463 (1989) 297
- Krcmarik, C.S., Miceli, J.J. and Pachla, L.A.
HPLC assay for a novel psychotropic drug (CI-943) in cynomolgus monkey plasma 496 (1989) 493
- Kreek, M.J., see Albeck, H. 488 (1989) 435
- Krehbiel, D.K., see Mifune, M. 496 (1989) 55
- Kremmer, T., Paulik, E., Boldizsár, M. and Holényi, I.
Application of the fast protein LC system and MonoQ HR5/5 anion exchanger to the separation of nucleotides 493 (1989) 45
- Krenger, W., see Honegger, C.G. 487 (1989) 463
- Kresbach, G.M., Itani, M., Saha, M., Rogers, E.J., Vouros, P. and Giese, R.W.
Ester and related derivatives of ring N-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, MS properties, and trace detection by GC-electron-capture detection, GC-electron-capture negative ion MS, and moving-belt LC-electron-capture negative ion MS 476 (1989) 423
- Kresbach, G.M., see Annan, R.S. 465 (1989) 285
- Krishna, M.R., see Ashraf, S.M. 472 (1989) 163
- Krishnamurthy, T., Beck, D.J., Isensee, R.K. and Jarvis, B.B.
MS investigations on trichothecene mycotoxins. VII. LC-thermospray mass

- spectrometric analysis of macrocyclic trichothecenes 469 (1989) 209
- Křivánková, L., see Gebauer, P. 470 (1989) 3
- Kříž, J., see Punčochářová, J. 498 (1990) 248
- Krob, E.J., see Walter, H. 479 (1989) 307
- Kroeff, E.P., Owens, R.A., Campbell, E.L., Johnson, R.D. and Marks, H.I.
- Production scale purification of biosynthetic human insulin by reversed-phase HPLC 461 (1989) 45
- Krom, B., see Horber, F.F. 495 (1989) 81
- Kroon, I.F.I. De, Langendijk, P.N.J. and De Goede, P.N.F.C.
- Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107
- Krstulović, A.M.
- Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 488 (1989) 53
- Krstulović, A.M., Fouchet, M.H., Burke, J.T., Gillet, G. and Durand, A.
- Direct enantiomeric separation of betaxolol with applications to analysis of bulk drug and biological samples 452 (1988) 477
- Kruase, R.T. and Wang, Y.
- Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151
- Kruif, N. De, Schouten, A., Rijk, M.A.H. and Pranoto-Soetardhi, L.A.
- Determination of preservatives in cosmetic products. II. HPLC identification 469 (1989) 317
- Krull, I.S., see Chou, T.-Y. 454 (1988) 169
- Krull, I.S., see Dou, L. 499 (1990) 685
- Krull, I.S., see Gao, C.X. 463 (1989) 192
- Krull, I.S., see Lookabaugh, M. 452 (1988) 295
- Krungkrai, J., Yuthavong, Y. and Webster, H.K.
- HPLC assay for thymidylate synthase from the human malaria parasite, *Plasmodium falciparum* 487 (1989) 51
- Krupčík, J., see Matisová, E. 454 (1988) 65
- Krupčík, J., see Matisová, E. 455 (1988) 301
- Krupčík, J., see Repka, D. 463 (1989) 235
- Krupčík, J., see Repka, D. 463 (1989) 243
- Kubát, J., see Jandera, P. 500 (1990) 281
- Kubelka, Z., see Klíma, J. 488 (1989) 295
- Kubota, K., Ishizaki, T. and Oka, K.
- Chromatographic determination of percutaneous absorption of topical non-radiolabelled prednisolone in vivo, and preliminary application to transdermal pharmacokinetics 493 (1989) 373
- Kubota, Y., see Koizumi, K. 454 (1988) 303
- Kubota, Y., see Koizumi, K. 464 (1989) 365
- Kuč, J.A., see Gottstein, H.D. 481 (1989) 55
- Kučerová, Z.
- Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 489 (1989) 390
- Kudo, H., see Yamanishi, T. 475 (1989) 125
- Kudzin, Z.H., see Drabowicz, J. 473 (1989) 287
- Kühlkamp, V., see Krämer, B.K. 493 (1989) 414
- Kuhlman, R.H., see Bruin, G.J.M. 471 (1989) 429
- Kuhn, A.O., Lederer, M. and Sinibaldi, M.
- Adsorption chromatography on cellulose. IV. Separation of D- and L-tryptophan and D- and L-methyltryptophan on cellulose with aqueous solvents 469 (1989) 253
- Kuhn, R. and Wagner, H.
- Application of free flow electrophoresis to the preparative purification of basic proteins from an *E. coli* cell extract 481 (1989) 343
- Kuhn, R., see Mosher, R.A. 478 (1989) 39
- Kuiper, C.C.H.M., see De Waal, W.A.J. 462 (1989) 115
- Kuiper, S., see Kežić, S. 496 (1989) 209
- Kuksis, A., Myher, J.J. and Sandra, P.
- GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427
- Kuksis, A., see Myher, J.J. 452 (1988) 93
- Kuksis, A., see Myher, J.J. 471 (1989) 187
- Kula, N.S., see Trainor, T.M. 457 (1988) 257
- Kumagai, Y., see Nakashima, H. 489 (1989) 425
- Kumar, S., see Peaker, S. 497 (1989) 308
- Kumosinski, T.F., see Barford, R.A. 458 (1988) 57
- Kumps, A., see Wurth, C. 491 (1989) 186
- Kunesch, H., see Balschukat, D. 462 (1989) 105
- Kunst, M., see Albert, K. 463 (1989) 355
- Kunze, D., see Rabe, H. 493 (1989) 353
- Kuo, K.C., see Gehrke, C.W. 471 (1989) 3
- Kupferberg, H.J., see Kapetanovic, I.M. 500 (1990) 387
- Küppers, S., Lorenschat, B., Schmitz, F.P. and Klesper, E.
- Programming of pressure and mobile phase composition at constant flow-rate using a self-adjusting valve in SFC 475 (1989) 85
- Kurganov, A.A., see Davankov, V.A. 452 (1988) 309
- Kurganov, A.A., see Davankov, V.A. 500 (1990) 519
- Kuroda, Y., see Nakagiri, I. 481 (1989) 434
- Kuroki, S., see Yamashita, H. 496 (1989) 255

- Kuropka, R., Müller, B., Höcker, H. and Berndt, H.
Chiral stationary phases via hydrosilylation reaction of N-acryloylamino acids. I.
Stationary phase with one chiral centre for HPLC and development of a new derivatization pattern for amino acid enantiomers 481 (1989) 380
- Kurtzhals, P., Larsen, C. and Johansen, M.
High-performance SEC procedure for the determination of fluoresceinyl isothiocyanate dextrans of various molecular masses in biological media 491 (1989) 117
- Kuś, P., see Śliwiok, J. 472 (1989) 314
- Kusano, T., see Hosaki, S. 488 (1989) 503
- Kushwaha, S.C., see Sen, N.P. 463 (1989) 419
- Kusmierz, J., DeGeorge, J.J., Sweeney, D., May, C. and Rapoport, S.I.
Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39
- Kusnetsova, E.I., see Zhukov, A.V. 474 (1989) 400
- Kustermann, A., see Guichard, E. 498 (1990) 396
- Kusz, P., see Szymanowski, J. 455 (1988) 119
- Kusz, P., see Szymanowski, J. 455 (1988) 131
- Kusz, P., see Szymanowski, J. 469 (1989) 197
- Kusz, P., see Szymanowski, J. 477 (1989) 407
- Kutlar, F., Gu, L.H., Hu, H. and Huisman, T.H.J.
Quantitation of hemoglobins Bart's, H, Portland-I, Portland-II and Constant Spring by anion-exchange HPLC 487 (1989) 265
- Kuwajima, M., see Jinno, K. 485 (1989) 461
- Kuwamoto, T., see Hirayama, N. 457 (1988) 415
- Kuwamoto, T., see Maruo, M. 466 (1989) 379
- Kuwamoto, T., see Maruo, M. 481 (1989) 315
- Kuwata, K. and Tanaka, S.
LC determination of trace amounts of low-molecular-weight fatty acid vapours in industrial emissions 455 (1988) 425
- Kvasničková, E., see Hais, I.M. 500 (1990) 643
- Kvittingen, E.A., see Jellum, E. 468 (1989) 43
- Kwakman, P.J.M., Mol, J.G.J., Kamminga, D.A., Frei, R.W., Brinkman, U.A.T. and De Jong, G.J.
Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139
- Kwakman, P.J.M., see De Jong, G.J. 492 (1989) 319
- Kwong, E., see Laganière, S. 488 (1989) 407
- Kysilka, R. and Wurst, M.
HPLC determination of some psychotropic indole derivatives 464 (1989) 434
- Kysilka, R., see Řezanka, T. 472 (1989) 290
- L**
- Laan, A. Van der, see Vertommen, M.H. 481 (1989) 452
- Låås, T., see Ellegren, H. 467 (1989) 217
- Labadarios, D., Moodie, I.M., Hough, B.J., Burger, J.A. and Samaai, M.S.
Determination of amino acids in rat muscle by GC 487 (1989) 428
- Labadarios, D., see Shephard, G.S. 491 (1989) 226
- Labbé, D., Gerhardt, M.F., Myara, A., Vercambre, C. and Trivin, F.
HPLC determination of tauro- and glyco-conjugated bile acids in human serum 490 (1989) 275
- Lacaud, G., see Kolbe, H.V.J. 476 (1989) 99
- Lacey, M.J., see Selley, M.L. 488 (1989) 329
- Lachmann, G., see Geisslinger, G. 491 (1989) 139
- Lackner, H., see Georgopoulos, A. 494 (1989) 340
- LaCreta, F.P., see Tinsley, P.W. 495 (1989) 318
- Lacroix, B., Huvenne, P. and Deveaux, M.
GC with Fourier transform IR spectrometry for biomedical applications 492 (1989) 109
- Lacroix, G.M.A., see Lawrence, J.F. 462 (1989) 419
- Ladizinsky, G., see Milo, J. 452 (1988) 563
- Lafont, R., see Raynor, M.W. 467 (1989) 292
- Lafosse, M., Herbretreau, B. and Morin-Allory, M.D.L.
Control of some HPLC systems by using an evaporative light scattering detector (in French) 472 (1989) 209
- Lafosse, M., see Nizery, D. 467 (1989) 49
- Lafosse, M., see Walczak, B. 464 (1989) 237
- Laganière, S., Kwong, E. and Shen, D.D.
Stereoselective HPLC assay for propranolol enantiomers in serum 488 (1989) 407
- Lagerström, P.-O., see Persson, B.-A. 500 (1990) 629
- Laghi, C., see Torsi, G. 482 (1989) 207
- Laghi, M.C., see Chiavari, G. 475 (1989) 343

- Lai, J.-S., Hung, S.S., Unruh, L.E., Jung, H. and Fu, P.P.
 Separation of amino- and acetylamino-polycyclic aromatic hydrocarbons by reversed- and normal-phase HPLC 461 (1989) 327
- Lai, P.-H., see Klein, M.I. 454 (1988) 205
- Laine, B., see Chartier, F. 466 (1989) 331
- Laker, M.F., see Cassidy, D.M. 491 (1989) 1
- Lakings, D.B., see Zhong, W.Z. 490 (1989) 377
- Lakshminarayana, G., see Chandrasekhara Rao, T. 466 (1989) 403
- Lam, S., Malikin, G., Murphy, M., Freundlich, L. and Karmen, A.
 Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359
- Lam, S., see Karmen, A. 468 (1989) 279
- Lamarre, C. and Gendron, A.
 Quantitative analysis by HPLC of 2,6-di-*tert*-butyl-*para*-cresol in transformer oils (in French) 464 (1989) 448
- Lamarre, C., Gilbert, R. and Gendron, A.
 LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249
- Lamb, J.D. and Drake, P.A.
 Chemically suppressed anion chromatography based on macrocycle-cation complexation 482 (1989) 367
- Lambert, H., see Lapicque, F. 496 (1989) 301
- Lambert, W.E., see De Leenheer, A.P. 500 (1990) 637
- Lambert, W.J. and Wright, L.A.
 Prediction of alkane-water partition coefficients using a C₁₈ derivatized polystyrene-divinylbenzene stationary phase 464 (1989) 400
- Lambert, W.J., see Dalga, R.J. 477 (1989) 427
- Lamiable, D., see Vistelle, R. 490 (1989) 387
- Lammers, N., De Bree, H., Groen, C.P., Ruijten, H.M. and De Jong, B.J.
 Determination of drug protein-binding by HPLC using a chemically bonded bovine albumin stationary phase 496 (1989) 291
- Lammers, N.G.F.M., Van den Berg, J.H.M., Verzele, M. and Dewaele, C.
 Performance of micro-LC columns in an industrial environment: a case history 499 (1990) 541
- Lamontagne, M., see Rouan, M.C. 456 (1988) 45
- Lamoree, M., see Irth, H. 499 (1990) 617
- Lampen, P., see Trainor, T.M. 457 (1988) 257
- Lampert, B.M. and Stewart, J.T.
 Determination of cocaine and selected metabolites in canine and human serum by reversed-phase HPLC on coupled cyanopropyl and silica columns 495 (1989) 153
- Landen, Jr., W.O., see Chase, Jr., G.W. 456 (1988) 431
- Landes, J.P., see Singhal, R.P. 458 (1988) 117
- Landolfi, R., see Castagnola, M. 494 (1989) 310
- Landrum, D.C. and Mawhinney, T.P.
 GLC-MS of mono- and dithiols as their *tert*-butyldimethylsilyl derivatives 483 (1989) 21
- Lanfranchi, M., see Grob, K. 471 (1989) 397
- Langemann, H., see Honegger, C.G. 487 (1989) 463
- Langendijk, P.N.J., see De Kroon, I.F.I. 491 (1989) 107
- Langenhove, H. Van, see Janda, V. 472 (1989) 327
- Langley, G.J., see Harrison, M.E. 474 (1989) 139
- Langseth, W., Ellingsen, Y., Nymoen, U. and Økland, E.M.
 HPLC determination of zearalenone and ochratoxin A in cereals and feed 478 (1989) 269
- Langseth-Manrique, K.
 Simultaneous determination of glyceryl trinitrate and its metabolites, 1,2- and 1,3-glyceryl dinitrate, in plasma using capillary GC 489 (1989) 462
- Lankmayr, E.P., Wegscheider, W., Daniel-Ivad, J., Kolossvary, I., Csonka, G. and Otto, M.
 Recent advances in fuzzy peak tracking in HPLC 485 (1989) 557
- Lankmayr, E.P., Wegscheider, W., Gfeller, J.C., Djordjevic, N.M. and Schreiber, B.
 Computer-aided optimization of HPLC in the pharmaceutical industry (Review) 485 (1989) 183
- Lant, M.S., see Oxford, J. 496 (1989) 137
- Lapicque, F., Netter, P., Bannwarth, B., Trechot, P., Gillet, P., Lambert, H. and Royer, R.J.
 Identification and simultaneous determination of non-steroidal anti-inflammatory drugs using HPLC 496 (1989) 301
- Lapinjoki, S.P., see Auriola, S. 474 (1989) 181
- Larocque, L., see Koehler, H. 469 (1989) 305
- Larsen, C., see Kurtzhals, P. 491 (1989) 117
- Larson, R.D., see Houglum, J.E. 481 (1989) 458
- Larsson, L., see Drevin, I. 477 (1989) 337
- Larsson, L., see Sonesson, A. 487 (1989) 1
- Larsson, L., see Sonesson, A. 490 (1989) 71
- Larsson, P.-O., see Wikström, P. 455 (1988) 105
- Larsson, P.T., see Hjemdahl, P. 494 (1989) 53
- Lasa, J., see Rosiek, J. 465 (1989) 215

- Lascu, I., see Presecan, E. 469 (1989) 396
- Lasorella, A., see Riccardi, A. 497 (1989) 302
- László, E., see Szepesy, L. 499 (1990) 197
- Latch, G.C.M., see Tapper, B.A. 463 (1989) 133
- Latocha, C., see Szymanowski, J. 455 (1988) 119
- La Torre, F., see Gasparini, F. 457 (1988) 235
- La Torre, F., see Signoretti, E.C. 473 (1989) 301
- Lattanzi, L., see Bruner, F. 473 (1989) 93
- Lauber, R., see Page, J.A. 474 (1989) 51
- Laurens, H., see Welling-Wester, S. 476 (1989) 477
- Laurenzen, J.J. and Nouws, J.F.M.
- Simultaneous determination of nitrofuran derivatives in various animal substrates by HPLC 472 (1989) 321
- Laureys, M., see Sion, J.-P. 496 (1989) 91
- Lauriault, G., see By, A. 469 (1989) 406
- Lavagnini, I., see Pastore, P. 475 (1989) 331
- La Vos, G.F., see Verheij, E.R. 474 (1989) 275
- Law, B. and Chan, P.F.
- Stability of silica packing materials towards a mixed aqueous-organic eluent at alkaline pH 467 (1989) 267
- Lawrence, J.F., Charbonneau, C.F., Ménard, C., Quilliam, M.A. and Greig Sim, P.
- LC determination of domoic acid in shellfish products using the paralytic shellfish poison extraction procedure of the association of official analytical chemists 462 (1989) 349
- Lawrence, J.F., Charbonneau, C.F., Page, B.D. and Lacroix, G.M.A.
- Confirmation of domoic acid in molluscan shellfish by chemical derivatization and reversed-phase LC 462 (1989) 419
- Lawrence, J.F. and Ménard, C.
- Determination of 2-acetyl-4(5)-tetrahydroxybutylimidazole in beers by HPLC with confirmation by chemical derivatization 466 (1989) 421
- Lawson, D.R. and Danehower, D.A.
- Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429
- Lawson, J.S., see Owen, J.A. 494 (1989) 135
- Lebel, G., see Selinger, K. 491 (1989) 248
- LeBelle, M., see By, A. 469 (1989) 406
- Leboda, R., see Gierak, A. 483 (1989) 197
- Lebot, M., see Poirier, J.-M. 493 (1989) 409
- Lebrun, M.H., Gaudemer, F., Boutar, M., Nicolas, L. and Gaudemer, A.
- Ion-pair, anion-exchange and ligand-exchange HPLC of tenuazonic acid and 3-acetyl 5-substituted pyrrolidine-2,4-diones 464 (1989) 307
- Lecaillon, J.B., Souppart, C., Le Duigou, F. and Dubois, J.P.
- Determination of oxiracetam in plasma and urine by column-switching HPLC 497 (1989) 223
- Lecaillon, J.B., see Rouan, M.C. 456 (1988) 45
- Lecavalier, L., Horber, F.F. and Haymond, M.W.
- Determination of plasma concentrations and ³H-specific activity of phenylalanine in plasma using HPLC 491 (1989) 410
- Lecavalier, L., see Horber, F.F. 495 (1989) 81
- Leclerc, J.-M., see Lin, K.T. 465 (1989) 75
- Leclercq, G., see Chamart, S. 496 (1989) 365
- Leclercq, P.A., see Matisová, E. 454 (1988) 65
- Leclercq, P.A., see Repka, D. 463 (1989) 235
- Leclercq, P.A., see Repka, D. 463 (1989) 243
- Lecocq, J.-P., see Kolbe, H.V.J. 476 (1989) 99
- Lederer, M.
- Some considerations on the "charge" on a metal ion in ion-exchange chromatography 452 (1988) 265
- Lederer, M.
- Adsorption of Co(III) complexes on cellulose 456 (1988) 444
- Lederer, M.
- The role of chromatography and electrophoresis in biomedical sciences 488 (1989) 5
- Lederer, M.
- The *Journal of Chromatography* family album 500 (1990) 3
- Lederer, M. and Schudel, M.
- Adsorption chromatography on cellulose. V. A simple chromatographic system for the identification of inks 475 (1989) 451
- Lederer, M., see Hjertén, S. 481 (1989) 187
- Lederer, M., see Kuhn, A.O. 469 (1989) 253
- Le Duc, B.W., Greenblatt, D.J. and Friedmann, H.
- Automatched HPLC analysis of tetracycline in urine 490 (1989) 474
- Le Duigou, F., see Lecaillon, J.B. 497 (1989) 223
- Lee, B.L., Chia, K.S. and Ong, C.N.
- Measurement of urinary free catecholamines using HPLC with electrochemical detection 494 (1989) 303
- Lee, B.L., Jacob, III, P. and Benowitz, N.L.
- Sulfonium salts as derivatizing agents. 2. Determination of theophylline in plasma by automated GC 494 (1989) 109
- Lee, C.K., Yu, Q., Kim, S.U. and Wang, N.-H.L.
- Mass transfer effects in isocratic non-linear elution chromatography 484 (1989) 29
- Lee, E.D., Mück, W., Henion, J.D. and Covey, T.R.
- On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313

- Lee, F.-W., see Chan, Y.-P.M. 496 (1989) 155
 Lee, H.-B.
 Perfluoro and chloro amide derivatives of aniline and chloroanilines. A comparison of their formation and GC determination by mass selective and electron-capture detectors 457 (1988) 267
- Lee, H.-B., Peart, T.E. and Carron, J.M.
 GC and MS determination of some resin and fatty acids in pulpmill effluents as their pentafluorobenzyl ester derivatives 498 (1990) 367
- Lee, H.K., see Ong, C.P. 464 (1989) 405
 Lee, J., see Deming, S.N. 485 (1989) 15
 Lee, M.L., see Payne, K.M. 477 (1989) 161
 Lee, M.L., see Tarbet, B.J. 473 (1989) 103
 Lee-Woolley, C., see Stell, J.G.P. 475 (1989) 363
 Lee, Y.-W., see Zhang, T.-Y. 454 (1988) 185
 Lee, Y.W., Cook, C.E., Fang, Q.C. and Ito, Y.
 Application of analytical high-speed counter-current chromatography to the isolation of bioactive natural products 477 (1989) 434
- Lee, Y.W., see Ito, Y. 498 (1990) 169
 Leenheer, A.P. De, Lambert, W.E., De Bersaques, J.P. and Kint, A.H.
 HPLC determination of etretinate and all-trans- and 13-cis-acitretin in human plasma 500 (1990) 637
- Leenheer, A.P. De, see Nelis, H.J.C.F. 452 (1988) 535
- Leer, T. Van der, see Hermans-Lokkerbol, A. 479 (1989) 39
- Leeuwen, J.A. Van, see Mulholland, M. 485 (1989) 283
- Leff, A.R., see Munoz, N.M. 493 (1989) 157
 Lehmann, R.G. and Miller, J.R.
 Development of an HPLC method for fluroxypyrr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581
- Leibu, H.J., see Stout, R.W. 476 (1989) 21
 Leidy, Jr., J.W.
 Reversed-phase HPLC purification of ¹²⁵I-labeled rat growth hormone-releasing hormone for radioimmunoassay 483 (1989) 253
- Leis, H.J. and Gleispach, H.
 Characterization of the antidiarrhoeal loperamide by GC-MS and application of the Hofmann degradation and Cope elimination reaction 494 (1989) 324
- Leis, H.J., see Malle, E. 488 (1989) 283
 Leloux, M.S., De Jong, E.G. and Maes, R.A.A.
 Improved screening method for beta-blockers in urine using solid-phase extraction and capillary GC-MS 488 (1989) 357
- Lema, M.J., Pluskal, M.G. and Allen, P.D.
 High-performance ion-exchange chromatography of myosin using a DEAE-5PW column 491 (1989) 61
- Lemacon, C., see Simon, P. 479 (1989) 445
 Le Maréchal, P., Decottignies, P., Jacquot, J.-P. and Miginiac-Maslow, M.
 Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305
- Lembcke, B., see Kindel, M. 497 (1989) 139
 Lemieux, L. and Amiot, J.
 Application of reversed-phase HPLC to the separation of peptides from phosphorylated and dephosphorylated casein hydrolysates 473 (1989) 189
- Lemmens, A.A.G., see Wanders, B.J. 470 (1989) 79
- Lemmer, B., see Wang, N.-S. 488 (1989) 492
 Lemonnier, A., see Myara, I. 493 (1989) 170
 Lennard, M.S., see Ching, M.S. 497 (1989) 313
 Lenz, A.-G., see Maier, K. 493 (1989) 380
 Leonard, C.K., see Chloupek, R.C. 463 (1989) 375
- Lepage, P., see Bischoff, R. 476 (1989) 245
 Lepage, P., see Kolbe, H.V.J. 476 (1989) 99
 Lepagnol, J., see Breton, L. 497 (1989) 243
 Leroux, F., see Sioufi, A. 487 (1989) 81
 Leroy, P., see Liu, H.-F. 493 (1989) 137
 Lesicki, R., see Ryan, P.J. 465 (1989) 448
 Lesins, V. and Ruckenstein, E.
 Gradient flow programming: a coupling of gradient elution and flow programming 467 (1989) 1
- Leslie, J. and Bever, C.T.
 Analysis of 3,4-diaminopyridine in human serum by solid-phase extraction and HPLC with UV detection 496 (1989) 214
- Lessard, D., see Selinger, K. 494 (1989) 247
 Lesser, J.H., see Shustina, R. 464 (1989) 208
 Letemendia, F.J.J., see Owen, J.A. 494 (1989) 135
- Leu, R.-J., Hwang, Y.-L. and Helfferich, F.G.
 Calculation of column performance in nitrate removal from water supplies by anion exchange 499 (1990) 677
- Leung, C.P. and Leung, W.K.H.
 Determination of vitamin U and its degradation products by HPLC with fluorescence detection 479 (1989) 361
- Leung, W.K.H., see Leung, C.P. 479 (1989) 361
 Leuschel, L., see Maier, K. 493 (1989) 380
 Leusen, F.J.J., see Däppen, R. 469 (1989) 101
 Le Vent, S., see Akporonor, E.E. 463 (1989) 271

- Levin, J.-O., Andersson, K. and Karlsson, R.-M.
Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121
- Levsen, K., see Böhm, H.B. 478 (1989) 399
- Levtchenko, N.K., Osokin, D.M., Torgov, I.V., Arzamastzev, A.P., Sokolova, T.M. and Tuguntaev, G.I.
HPLC analysis of the by-products of the synthesis of ethynodiol-2-one, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427
- Levy, A., see Milo, J. 452 (1988) 563
- Levy, A., see Weissenberg, M. 452 (1988) 485
- Levy, E.C., see Weissenberg, M. 452 (1988) 485
- Levy, E.J., see Geiser, F.O. 459 (1988) 173
- Levy, R.H., see Moor, M.J. 474 (1989) 223
- Levy, R.J., see Sintov, A. 496 (1989) 335
- Lewellen, O.R.W., see Jones, G.D. 497 (1989) 121
- Lewis, N.G., Inciong, M.E.J., Dhara, K.P. and Yamamoto, E.
HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345
- Leyden, D.E., see Bogart, G.R. 483 (1989) 209
- Lho, D., see Shin, H. 491 (1989) 448
- Lho, D., see Shin, H. 493 (1989) 398
- Lhomme, J., see Décout, J.-L. 481 (1989) 461
- Li, B., see Jin, Y. 483 (1989) 394
- Li, C.-Y. and Kemp, M.W.
Determination of phenols by LC using reductive electrochemical detection via precolumn derivatization 455 (1988) 241
- Li, F., Lim, C.K. and Peters, T.J.
Preparation, HPLC separation and characterization of hexacarboxylic porphyrinogens 461 (1989) 353
- Li, J.-P., see Hjertén, S. 475 (1989) 167
- Li, J.-P., see Hjertén, S. 475 (1989) 177
- Li, J.-P., see Hjertén, S. 500 (1990) 543
- Li, K.W., Geraerts, W.P.M., Van Elk, R. and Joosse, J.
Dot immunobinding assay of HPLC fractions on poly(vinylidene difluoride) membranes 472 (1989) 445
- Li, S.F.Y., see Ong, C.P. 464 (1989) 405
- Li, X.-F., see Brindle, I.D. 498 (1990) 11
- Li, X.-N., see Kim, L.-S. 483 (1989) 359
- Li, Z., see Grob, Jr., K. 473 (1989) 381
- Li, Z., see Grob, Jr., K. 473 (1989) 391
- Li, Z., see Grob, Jr., K. 473 (1989) 401
- Li, Z., see Grob, Jr., K. 473 (1989) 423
- Li, Z., see Grob, K. 455 (1988) 297
- Liang, W., see Liu, T. 477 (1989) 458
- Liao, J.-L. and Hjertén, S.
HPLC of proteins on compressed, non-porous agarose beads. II. Anion-exchange chromatography 457 (1988) 175
- Liao, J.-L., see Hjertén, S. 457 (1988) 165
- Liao, J.-L., see Hjertén, S. 473 (1989) 273
- Liao, J.-L., see Hjertén, S. 475 (1989) 177
- Liao, J.-L., see Hjertén, S. 481 (1989) 175
- Liautard, J., Colote, S., Ferraz, C., Sri-Widada, J., Pichot, A. and Liautard, J.P.
Analysis of double-stranded poly(A)-poly(U) molecules by reversed-phase HPLC 454 (1988) 195
- Liautard, J., Ferraz, C., Widada, J.S., Capony, J.P. and Liautard, J.P.
Purification of synthetic oligonucleotides on a weak ion-exchange column 476 (1989) 439
- Liautard, J.P., see Liautard, J. 454 (1988) 195
- Liautard, J.P., see Liautard, J. 476 (1989) 439
- Liberti, A., see Russo, M.V. 465 (1989) 429
- Lichý, A., see Macek, J. 488 (1989) 267
- Lidgard, R.O., see Duffield, A.M. 475 (1989) 273
- Liebich, H.M., Bubeck, J.I., Pickert, A., Wahl, G. and Scheiter, A.
Hippuric acid and 3-carboxy-4-methyl-5-propyl-2-furanpropionic acid in serum and urine. Analytical approaches and clinical relevance in kidney diseases 500 (1990) 615
- Liebich, H.M., Dotzauer, A. and Tetschner, B.
GC determination of oxo- and hydroxycarboxylic acids in serum and urine of diabetic and normal subjects 468 (1989) 157
- Liebich, H.M., see Krämer, B.K. 493 (1989) 414
- Liebich, H.M., see Pickert, A. 495 (1989) 95
- Lienne, M., Caude, M., Rosset, R. and Tambuté, A.
Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP) 467 (1989) 406
- Lienne, M., Caude, M., Rosset, R. and Tambuté, A.
Direct resolution of anthelmintic drug enantiomers on Chiral-AGP protein-bonded chiral stationary phase 472 (1989) 265
- Lienne, M., see Macaudière, P. 467 (1989) 357
- Lieske, C.N., see Lukey, B.J. 493 (1989) 117
- Ligny, C.L. De, see Gelsema, W.J. 498 (1990) 237
- Ligny, C.L. De, see Gelsema, W.J. 498 (1990) 325
- Lille, Ü., see Martin, I. 466 (1989) 339

- Lim, C.K. and Peters, T.J.
Isocratic reversed-phase HPLC of ribonucleotides, deoxynucleotides, cyclic nucleotides and deoxycyclic nucleotides 461 (1989) 259
- Lim, C.K., see Emery, M.F. 479 (1989) 212
- Lim, C.K., see Li, F. 461 (1989) 353
- Lim, Y.-P., see Josić, D. 484 (1989) 327
- Limero, T., see Wentworth, W.E. 468 (1989) 215
- Lin, B., Ma, Z., Golshan-Shirazi, S. and Guiochon, G.
Study of the representation of competitive isotherms and of the intersection between adsorption isotherms 475 (1989) 1
- Lin, B., Ma, Z., Golshan-Shirazi, S. and Guiochon, G.
Theoretical analysis of non-linear preparative LC 500 (1990) 185
- Lin, B., Ma, Z. and Guiochon, G.
Influence of calculation errors in the numerical simulation of chromatographic elution band profiles using an ideal or semi-ideal model 484 (1989) 83
- Lin, B., see Koppenhoefer, B. 481 (1989) 17
- Lin, J.T. and Stafford, A.E.
Reversed-phase C₁₈ a normal-phase silica HPLC of gibberellins and their methyl esters 452 (1988) 519
- Lin, K.T., Rivard, G.E. and Leclerc, J.-M.
HPLC determination of mitoxantrone in plasma utilizing non-bonded silica gel for solid-phase isolation to reduce adsorptive losses on glass during sample preparation 465 (1989) 75
- Lin, S. and Karger, B.L.
Reversed-phase chromatographic behavior of proteins in different unfolded states 499 (1990) 89
- Linari, F., see Petrarulo, M. 465 (1989) 87
- Linda, P., see Dondi, F. 485 (1989) 631
- Lindblom, H., see Hagel, L. 476 (1989) 329
- Linde, S., Nielsen, J.H., Hansen, B. and Welinder, B.S.
Reversed-phase HPLC analyses of insulin biosynthesis in isolated rat and mouse islets 462 (1989) 243
- Lindeberg, J., see Hjertén, S. 481 (1989) 175
- Lindeberg, J., see Hjertén, S. 481 (1989) 187
- Lindeberg, J., Srivaiyo, T. and Hjertén, S.
High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2-μm spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153
- Lindner, H., Wesierska-Gadek, J., Helliger, W., Puschendorf, B. and Sauermann, G.
Identification of ADP-ribosylated histones by the combined use of HPLC and electrophoresis 472 (1989) 243
- Lindner, N.M., Jeffcoat, R. and Lowe, C.R.
Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 473 (1989) 227
- Lindner, W., Rath, M., Stoschitzky, K. and Uray, G.
Enantioselective drug monitoring of (*R*)- and (*S*)-propranolol in human plasma via derivatization with optically active (*R,R*)-O,O-diacetyl tartaric acid anhydride 487 (1989) 375
- Lindström, B., see Ekman, L. 494 (1989) 397
- Lindström, B., see Persson, K. 491 (1989) 473
- Lingeman, H., see Brinkman, U.A.T. 492 (1989) 251
- Linger, L., see Koechlin, C. 491 (1989) 379
- Lippi, A., see Grossi, G. 465 (1989) 113
- Lipschitz, C., Irth, H., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321
- Lisi, D.D., see Stuart, J.D. 485 (1989) 657
- Lisman, J.A., see Zweifel, P.G.M. 456 (1988) 83
- Little, M.C., see Matson, R.S. 458 (1988) 67
- Litzén, A. and Wahlund, K.-G.
Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 476 (1989) 413
- Litzén, A., see Wahlund, K.-G. 461 (1989) 73
- Liu, D., Dass, C., Wood, G. and Desiderio, D.M.
Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395
- Liu, F., see Whitley, R.D. 465 (1989) 137
- Liu, H.-F., Leroy, P., Nicolas, A., Magdalou, J. and Siest, G.
Evaluation of a versatile reversed-phase HPLC system using cethexonium bromide as ion-pairing reagent for the analysis of glucuronic acid conjugates 493 (1989) 137
- Liu, H., Fu, R., Guan, Z. and Tian, L.
Modified column system for pyrolysis capillary GC 462 (1989) 376

- Liu, J., Cobb, K.A. and Novotny, M.
Separation of precolumn *ortho*-phthalaldehyde-derivatized amino acids by capillary zone electrophoresis with normal and micellar solutions in the presence of organic modifiers 468 (1989) 55
- Liu, J., see Dolnik, V. 480 (1989) 321
- Liu, T., Liang, W. and Tu, G.
Separation and determination of 8β -hydroxyasterolid and perlolyrine in *Codonopsis pilosula* by reversed-phase HPLC 477 (1989) 458
- Livingston, A.G. and Chase, H.A.
Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography 481 (1989) 159
- Lloyd, L.L., see Dawkins, J.V. 452 (1988) 145
- Lo, L.-C., Chen, S.-T., Wu, S.-H. and Wang, K.-T.
Separation of diastereomers of protected dipeptides by normal-phase HPLC 472 (1989) 336
- Lobo, J., see Jack, D.B. 452 (1988) 257
- Lochmüller, C.H. and Breiner, S.J.
Open-channel isoelectric focusing in thermally engendered pH gradients 480 (1989) 293
- Lochmüller, C.H. and Mink, L.P.
Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357
- Lockley, W.J.S.
Regiochemical differences in the isotopic fractionation of deuterated benzoic acid isotopomers by reversed-phase HPLC 483 (1989) 413
- Lodge, B.A., see By, A. 469 (1989) 406
- Lodi, G., see Dondi, F. 461 (1989) 281
- Lodi, G., see Dondi, F. 462 (1989) 205
- Loeper, J.M. and Grob, R.L.
Indirect method for the determination of water using headspace GC 457 (1988) 247
- Loeper, J.M. and Grob, R.L.
Determination of water in solid samples using headspace GC 463 (1989) 365
- Lohmar, F., Musch, E., Von Unruh, G.E. and Mühlenbruch, B.J.
GC assay for chlorambucil and phenylacetic mustard in plasma 495 (1989) 281
- Lokensgaard, D.M., see Kern, J.R. 457 (1988) 309
- Lombosi, E.R., see Tarján, T. 472 (1989) 1
- Lombosi, T.S., see Tarján, T. 472 (1989) 1
- Lommen, D.C., see Dolan, J.W. 485 (1989) 91
- Lommen, D.C., see Snyder, L.R. 484 (1989) 425
- Lommen, D.C., see Snyder, L.R. 485 (1989) 65
- Long, A.R., Hsieh, L.C., Short, C.R. and Barker, S.A.
Isocratic separation of seven benzimidazole anthelmintics by HPLC with photodiode array characterization 475 (1989) 404
- Long, A.R., see Barker, S.A. 475 (1989) 353
- Long, T.D., see Wenger, P. 455 (1988) 225
- Longbottom, J.E., see Bicking, M.K.L. 455 (1988) 310
- Longmuir, K.J. and Haynes, S.
Purification of long-chain, saturated, free fatty acids 454 (1988) 438
- Loo, J.A., see Edmonds, C.G. 474 (1989) 21
- Loo, J.A., see Smith, R.D. 480 (1989) 211
- Look, L.J. Van, see Jansen, E.H.J.M. 489 (1989) 205
- Look, L. Van, Deschuytere, P. and Van Peteghem, C.
TLC method for the detection of anabolics in fatty tissues 489 (1990) 213
- Look, L. Van, see Van Peteghem, C. 489 (1989) 219
- Lookabaugh, M. and Krull, I.S.
Determination of nitrite and nitrate by reversed-phase HPLC using on-line post-column photolysis with UV absorbance and electrochemical detection 452 (1988) 295
- Looye, K.M., see D'Agostino, P.A. 465 (1989) 271
- Lorenschat, B., see Küppers, S. 475 (1989) 85
- Lork, K.D., Unger, K.K., Brückner, H. and Hearn, M.T.W.
Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 476 (1989) 135
- Lorman, T.H., see Cardwell, T.J. 479 (1989) 181
- Loschi, L., see Girometta, M.A. 487 (1989) 117
- Lottspeich, F., see Kehl, M. 477 (1989) 131
- Louisot, P., see Martin, A. 497 (1989) 319
- Louters, L.L., see Holstege, C.P. 455 (1988) 401
- Love, M., see Rosenfeld, J.M. 489 (1989) 263
- Low, G.K.-C., Bartha, A., Billiet, H.A.H. and De Galan, L.
Systematic procedure for the determination of the nature of the solutes prior to the selection of the mobile phase parameters for optimization of reversed-phase ion-pair chromatographic separations 478 (1989) 21
- Lowe, C.R., see Burton, S.J. 455 (1988) 201
- Lowe, C.R., see Lindner, N.M. 473 (1989) 227
- Loyola-Vargas, V.M., see Oropeza, C. 456 (1988) 405
- Lu, H.S., see Klein, M.I. 454 (1988) 205
- Lu, X.-L., see Yang, S.K. 461 (1989) 377

- Lu, X.-M., see Oroszlan, P. 500 (1990) 481
 Luber, Jr., J.M., see Rao, P.S. 459 (1988) 269
 Luboch, E., see Kostrowicki, J. 454 (1988) 340
 Lubrano, G., see Moro, L. 490 (1989) 285
 Lucarelli, C., see Bettò, P. 459 (1988) 341
 Lucarelli, C., see Biondi, P.A. 459 (1988) 337
 Lucarelli, C., see Marzo, A. 459 (1988) 325
 Lucarelli, C., see Marzo, A. 497 (1989) 296
 Lucarelli, C., see Radin, L. 459 (1988) 331
 Luciani, S., see Castagnola, M. 494 (1989) 310
 Lúčka, M., see Kaniansky, D. 470 (1989) 139
 Lucy, C.A., Wade, J.L. and Carr, P.W.
 Study of preparative reversed-phase chromatography by application of kinetic and equilibrium models of column overload 484 (1989) 61
 Ludwig-Kochn, H., see Kindel, M. 497 (1989) 139
 Luetje, H.
 HPLC of oxidation products of 2,6-dimethylphenol 461 (1989) 361
 Lugnier, A.A., see Kintz, P. 489 (1989) 459
 Luijten, W., Damien, G. and Capart, J.
 LC-MS of trace compounds with a moving-belt interface and multi-dimensional chromatography 474 (1989) 265
 Lukey, B.J., Marlow, D.D., Clark, C.R., McCluskey, M.P. and Lieske, C.N.
 Application of a new radiometric HPLC assay to define physostigmine pharmacokinetics in guinea pigs 493 (1989) 117
 Lundahl, P., see Mascher, E. 476 (1989) 147
 Lundberg, U., see Hjemdahl, P. 494 (1989) 53
 Lundgren, B., Borén, H., Grimvall, A. and Sävenhed, R.
 Isolation of off-flavour compounds in water by chromatographic sniffing and preparative GC 482 (1989) 23
 Lundmark, B.-O., see Einarsson, Ö. 498 (1990) 381
 Lundström, H., see Hagel, L. 476 (1989) 329
 Lunte, C.E., see Hendrickson, H.P. 487 (1989) 401
 Luque, J., see Delgado, C. 498 (1990) 159
 Lurcott, S.M., see Geiser, F.O. 459 (1988) 173
 Lutz, T., see Jindal, S.P. 493 (1989) 392
 Lyne, P.M. and Phillips, C.S.G.
 Isomerisation of propyne to propadiene. Studies by GC 471 (1989) 145

M

- Ma, Y. and Yeung, E.S.
 Indirect fluorimetric detection of non-electrolytes in TLC 455 (1988) 382
 Ma, Z., see Jacobson, S. 484 (1989) 103
 Ma, Z., see Lin, B. 475 (1989) 1
 Ma, Z., see Lin, B. 484 (1989) 83
 Ma, Z., see Lin, B. 500 (1990) 185
 Maa, Y.-F., Antia, F.D., El Rassi, Z. and Horváth, C.
 Mixed-bed ion-exchange columns for protein HPLC 452 (1988) 331
 Mabud, M.A., see Hull, C.J. 477 (1989) 387
 Macaudière, P., Lienne, M., Caude, M., Rosset, R. and Tambuté, A.
 Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357
 Macbride, D., see Turcotte, J.G. 499 (1990) 55
 MacCrehan, W.A. and Shea, D.
 Separation of hydrophilic thiols using reversed-phase chromatography with trihaloacetate buffers 457 (1988) 111
 Macek, J., Lichý, A., Pešáková, V. and Adam, M.
 Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 488 (1989) 267
 Macek, K., see Hanis, T. 452 (1988) 443
 Macek, K., see Mikšík, I. 500 (1990) 607
 MacFarlane, R.G., see Shafi, N. 490 (1989) 9
 Mackert, G., Reinke, M., Schweer, H. and Seyberth, H.W.
 Simultaneous determination of the primary prostanoids prostaglandin E₂, prostaglandin F_{2 α} and 6-oxoprostaglandin F_{1 α} by immunoaffinity chromatography in combination with negative ion chemical ionization GC-tandem MS 494 (1989) 13

- Macleod, T.M., see Cook, A.P. 467 (1989) 395
- Macrae, P.V., Rance, D.J., Dankers, J. and Duchateau, G.S.M.J.E.
Analysis of a novel cardiac stimulant, UK-61 260, in human plasma by GC-MS with selected-ion monitoring 491 (1989) 439
- Macrae, R., see Williams, R.A. 477 (1989) 315
- Maeda, M., see Kataoka, H. 494 (1989) 283
- Maes, R.A.A., see Leloux, M.S. 488 (1989) 357
- Maessen, F.J.M.J., see De Waal, W.A.J. 462 (1989) 115
- Magdalou, J., see Liu, H.-F. 493 (1989) 137
- Maggi, L., Stella, R., Ganzerli Valentini, M.T. and Pietta, P.
Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225
- Maghuin-Rogister, G., see Degand, G. 489 (1989) 235
- Magnani, M., Rossi, L., Bianchi, M., Cuccharini, L. and Stocchi, V.
Reversed-phase LC determination of 2',3'-dideoxycytidine in human blood samples 491 (1989) 215
- Magno, F., see Pastore, P. 475 (1989) 331
- Mahara, R., see Shoda, J. 488 (1989) 315
- Mahuzier, G., see Dessalles, M.C. 487 (1989) 215
- Maier, K., Costabel, U., Lenz, A.-G. and Leuschel, L.
Simultaneous determination of L-homoserine and L-homoserine lactone by reversed-phase LC in acid hydrolysates of proteins after cyanogen bromide treatment 493 (1989) 380
- Maisano, F., Astrua Testori, S. and Grandi, G.
Immobilized metal-ion affinity chromatography of human growth hormone 472 (1989) 422
- Maji, T., see Kawai, S. 477 (1989) 467
- Makin, H.L.J., see Street, J.M. 495 (1989) 31
- Makino, I., see Moriyama, T. 493 (1989) 164
- Makino, M., see Moriyama, T. 493 (1989) 164
- Makita, M., see Kataoka, H. 473 (1989) 276
- Makita, M., see Kataoka, H. 494 (1989) 283
- Makuch, B., see Kostrowicki, J. 454 (1988) 340
- Malakhov, V.V., see Zheivot, V.I. 472 (1989) 155
- Malamataris, S., see Avgerinos, A. 495 (1989) 309
- Malcolm-Lawes, D.J. and Moss, P.
Novel transport detector for LC. I.
Preliminary experiments 482 (1989) 53
- Malhotra, R.C., see Gandhe, B.R. 479 (1989) 165
- Mali, B.D. and Parulekar, P.P.
Diazotized dapsone as a reagent for the detection of cannabinoids on TLC plates 457 (1988) 383
- Malikin, G., see Karmen, A. 468 (1989) 279
- Malikin, G., see Lam, S. 468 (1989) 359
- Malinar, M.J., see Tešić, Ž.L. 481 (1989) 471
- Malinar, M.J., see Vučković, G. 454 (1988) 362
- Malle, E., Gleispach, H., Kostner, G.M. and Leis, H.J.
Isotope dilution GC-MS for the study of eicosanoid metabolism in human blood platelets 488 (1989) 283
- Mallet, A.I., see Murray, S. 491 (1989) 15
- Mallet, C. and Mallet, V.N.
Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. I. Evaluation of the system for organophosphorus pesticides 481 (1989) 27
- Mallet, C. and Mallet, V.N.
Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. II. Determination of organophosphorus pesticides in environmental water 481 (1989) 37
- Mallet, V.N., see Mallet, C. 481 (1989) 27
- Mallet, V.N., see Mallet, C. 481 (1989) 37
- Mallikaarjun, S., Wood, J.H. and Karnes, H.T.
HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93
- Maloney, A.M., see Inman, E.L. 465 (1989) 201
- Manabe, T., see Yamamoto, H. 480 (1989) 277
- Manabe, T., see Yamamoto, H. 480 (1989) 331
- Manca, F., see Biondi, P.A. 459 (1988) 337
- Manca, F., see Biondi, P.A. 467 (1989) 315
- Mandell, C., see Stein, T.A. 461 (1989) 267
- Mandenius, C.F., see Wikström, P. 455 (1988) 105
- Manera, E., see Pietta, P. 457 (1988) 442
- Manes, L.V., see Ward, K.D. 478 (1989) 169
- Mañes Vinuesa, J., Moltó Cortés, J.C., Igualada Cañas, C. and Font Pérez, G.
Isolation and concentration of organophosphorus pesticides from water using a C₁₈ reversed phase 472 (1989) 365
- Mangani, F., Crescentini, G., Palma, P. and Bruner, F.
Performance of graphitized carbon black cartridges in the extraction of some organic priority pollutants from water 452 (1988) 527
- Mangani, F., see Bruner, F. 473 (1989) 93
- Mangia, A., see Casoli, A. 483 (1989) 443
- Mangin, P., see Kintz, P. 489 (1989) 459
- Man in't Veld, A.J., see Van der Hoorn, F.A.J. 487 (1989) 17

- Maniscalco, M., see Do, U.H. 489 (1989) 359
- Manners, G.D. and Ralphs, M.H.
- Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427
- Manning, J.N., Sullivan, G.S. and Davis, P.F.
- Reversed-phase LC of elastin peptides 487 (1989) 41
- Måansson, J.-E., see Gottfries, J. 490 (1989) 263
- Mant, C.T., Burke, T.W.L., Black, J.A. and Hedges, R.S.
- Effect of peptide chain length on peptide retention behaviour in reversed-phase chromatography 458 (1988) 193
- Mant, C.T., Burne, T.W.L., Zhou, N.E., Parker, J.M.R. and Hedges, R.S.
- Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365
- Mant, C.T., Zhou, N.E. and Hedges, R.S.
- Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 476 (1989) 363
- Mant, C.T., see Burke, T.W.L. 476 (1989) 377
- Mant, C.T., see Hedges, R.S. 458 (1988) 147
- Mäntykoski, K.M., see Korhonen, I.O.O. 473 (1989) 153
- Mäntykoski, K.M., see Korhonen, I.O.O. 477 (1989) 327
- Manz, H.J., see Kessler, R. 469 (1989) 444
- Manzini, S., see Agostini, O. 487 (1989) 331
- Manzocchi, A., see Chiari, M. 500 (1990) 697
- Maoka, T. and Matsuno, T.
- Diastereomeric resolution of carotenoids. III. β,β -Caroten-2-ol, β,β -carotene-2,2'-diol and 2-hydroxyechinenone 478 (1989) 379
- Maoka, T. and Matsuno, T.
- Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy- β -end group 482 (1989) 189
- Marai, L., see Myher, J.J. 452 (1988) 93
- Marák, J., see Kaniansky, D. 470 (1989) 139
- Marák, J., see Kaniansky, D. 498 (1990) 191
- Marangella, M., see Petrarulo, M. 465 (1989) 87
- Marchelli, R., see Palla, G. 475 (1989) 45
- Marchetti, M., see Battista, M. 454 (1988) 233
- Marchiseppe, I., Valentino, M., Governa, M. and Stocchi, V.
- Determination of total 2,5-hexanedione by reversed-phase HPLC 495 (1989) 288
- Mardens, Y., see Wurth, C. 491 (1989) 186
- Maréchal, P. Le, Decottignies, P., Jacquot, J.-P. and Miginac-Maslow, M.
- Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305
- Marfil, F., see Sioufi, A. 495 (1989) 195
- Margel, S.
- Affinity separation with polyaldehyde microsphere beads 462 (1989) 177
- Mari, F., see Bertol, E. 466 (1989) 384
- Mariani, C., see Grob, K. 471 (1989) 397
- Marigo, M., see Tagliaro, F. 488 (1989) 215
- Marinichev, A.N. and Ioffe, B.V.
- Theoretical aspects of the application of head-space analysis to the investigation of reaction kinetics in solutions 454 (1988) 327
- Maris, F., see Hindriks, R. 485 (1989) 255
- Markides, D.E., see Tarbet, B.J. 473 (1989) 103
- Markides, K.E., see Payne, K.M. 477 (1989) 161
- Markl, P., see Huber, J.F.K. 500 (1990) 257
- Marković, M.M., Kopečni, M.M., Milonjić, S.K. and Čeranić, T.S.
- Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281
- Markowitz, J.S., see Patrick, K.S. 487 (1989) 91
- Markowski, W.
- Computer-assisted selection of the optimum gradient programme in TLC 485 (1989) 517
- Marks, H.I., see Kroeff, E.P. 461 (1989) 45
- Marle, I., Pettersson, C. and Arvidsson, T.
- Determination of binding affinity of enantiomers to albumin by LC 456 (1988) 323
- Marleau, S., see Ong, H. 497 (1989) 213
- Marliac, Y. and Barazi, S.
- Determination of intact nitrazepam in plasma by GC (in French) 491 (1989) 461
- Marlow, D.D., see Lukey, B.J. 493 (1989) 117
- Marotti, F., see Moro, L. 490 (1989) 285
- Maroušek, V., see Hradil, J. 469 (1989) 143
- Marquard, F. and Sonne, O.
- Simultaneous collection of the eluate from up to twenty LC columns by a minor modification to the fraction collector 455 (1988) 360
- Marquis, F., see Herold, D.A. 496 (1989) 180
- Marschall, H.-U., Green, G., Egestad, B. and Sjövall, J.
- Isolation of bile acid glucosides and N-acetylglucosaminides from human urine by ion-exchange chromatography and reversed-phase HPLC 452 (1988) 459
- Marsman, J.H., Panneman, H.J. and Beenackers, A.A.C.M.
- Automatic on-line pressurized liquid injection in GC 483 (1989) 111

- Marston, A., see El Tayar, N. 469 (1989) 91
- Marston, A., see Slacanin, I. 457 (1988) 325
- Marston, A., see Slacanin, I. 482 (1989) 234
- Martelli, E.A., see Marzo, A. 459 (1988) 313
- Marti, A.M., Mooser, A.E. and Koch, H.
Determination of benzimidazole
anthelmintics in meat samples 498 (1990)
145
- Martijn, A., see Schreuder, R.H. 467 (1989) 177
- Martin, A., Ruggiero-Lopez, D., Broquet, P.,
Richard, M. and Louisot, P.
HPLC study of GDP-mannose and GDP-
fucose metabolism 497 (1989) 319
- Martin, D., see Harrison, L.M. 489 (1989) 121
- Martin, D.S., see Sawyer, R.C. 496 (1989) 450
- Martin, F. and Aldegunde, M.
Simple HPLC method with electrochemical
detection for the determination of
indoleamines in tissue and plasma 491 (1989)
221
- Martin, I. and Lille, Ü.
Separation and molecular weight
determination of prostaglandin B₁ oligomers
by SEC 466 (1989) 339
- Martin, Jr., R.A., see Hurst, W.J. 466 (1989) 279
- Martin, M., see Caprioli, R.M. 480 (1989) 247
- Martin, M., Thevenon, G. and Tchapla, A.
Comparison of retention mechanisms of
homologous series and triglycerides in non-
aqueous reversed-phase LC 452 (1988) 157
- Martin, R., see Seliger, H. 476 (1989) 49
- Martin, R.J. and Downer, R.G.H.
Microassay for N-acetyltransferase activity
using HPLC with electrochemical detection
487 (1989) 287
- Martin, W.G., see Porter, D.W. 454 (1988) 311
- Martinez, C., see Fóti, G. 461 (1989) 243
- Martínez-Castro, I., Páez, M.I., Sanz, J. and
García-Raso, A.
GC behaviour of carbohydrate trimethylsilyl
ethers. II. Aldohexoses 462 (1989) 49
- Martínez-Castro, I., see García-Raso, A. 471
(1989) 205
- Martínez, F., see Games, D.E. 474 (1989) 372
- Martire, D.E.
Unified theory of adsorption
chromatography: gas, liquid and supercritical
fluid mobile phases 452 (1988) 17
- Martire, D.E.
Generalized treatment of spatial and temporal
column parameters, applicable to GLC, LC
and SFC. I. Theory 461 (1989) 165
- Martire, D.E.
Application of a unified molecular theory to
GLC 471 (1989) 71
- Maruo, M., Hirayama, N. and Kuwamoto, T.
Ion chromatographic elution behaviour and
prediction of the retention of inorganic
monovalent anions using a phosphate eluent
481 (1989) 315
- Maruo, M., Hirayama, N., Wada, H. and
Kuwamoto, T.
Separation and determination of
organoarsenic compounds with a microbore
column and UV detection 466 (1989) 379
- Maruyama, H., see Kiba, N. 456 (1988) 398
- Marziani, F.C. and Sisco, W.R.
LC separation of positional isomers of
uprofen on a cyclodextrin-bonded phase 465
(1989) 422
- Marzo, A., Monti, N., Ripamonti, M., Cardace,
G. and Arrigoni Martelli, E.
HPLC evaluation of PCF 39, a new
immunomodulator agent 465 (1989) 95
- Marzo, A., Monti, N., Ripamonti, M. and
Martelli, E.A.
Application of HPLC to the analysis of
propionyl-L-carnitine by a stereospecific
enzyme assay 459 (1988) 313
- Marzo, A., Reiner, A., Monti, N., Ripamonti, M.
and Lucarelli, C.
HPLC evaluation of salicyloyl pyridixol and
systemic metabolites in biological samples 459
(1988) 325
- Marzo, A., Treffner, E., Meroni, G., Ripamonti,
M., Pelloso, R. and Lucarelli, C.
Assay of a calcium antagonist (PU 122) in
plasma by GC 497 (1989) 296
- Mascher, E. and Lundahl, P.
Sodium dodecyl sulphate-protein complexes.
Changes in size or shape below the critical
micelle concentration, as monitored by high
performance agarose gel chromatography 476
(1989) 147
- Mascia, C., see Capone, W. 457 (1988) 427
- Maseda, C., Matsubara, K. and Shiono, H.
Improved GC with electron-capture detection
using a reaction pre-column for the
determination of blood cyanide: a higher
content in the left ventricle of fire victims 490
(1989) 319
- Masiero, M., see Plebani, M. 476 (1989) 93
- Maslen, A.L., see Kennedy, S.W. 493 (1989) 53
- Mason, R.W. and Edwards, I.R.
HPLC determination of rhodamine B in
rabbit and human plasma 491 (1989) 468
- Mason, W.D., see Gillilan, R.B. 487 (1989) 332
- Massart, D.L., see De Smet, M. 457 (1988) 25
- Massart, D.L., see De Smet, M. 485 (1989) 237
- Massart, D.L., see Hindriks, R. 485 (1989) 255

- Massart, D.L., see Hu, Y. 485 (1989) 311
- Massart, D.L., see Musch, G. 495 (1989) 215
- Massé, R., Ayotte, C., Bi, H. and Dugal, R.
Studies on anabolic steroids. III. Detection and characterization of stanozolol urinary metabolites in humans by GC-MS 497 (1990) 17
- Massé, R., Ayotte, C. and Dugal, R.
Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis of anabolic steroid metabolites in urine 489 (1989) 23
- Massé, R., see Cooper, S.F. 489 (1989) 65
- Massom, L.R. and Jarrett, H.W.
Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252
- Masuda, S., see Hirauchi, K. 497 (1989) 131
- Masuda, S., see Sugii, A. 472 (1989) 357
- Masuda, Y., see Murai, S. 497 (1989) 363
- Masurel, D. and Wainer, I.W.
Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133
- Matano, O., see Kobayashi, H. 474 (1989) 381
- Mathieu, D., see Selinger, K. 493 (1989) 230
- Mathiasson, L., Jönsson, J.Å. and Karlsson, L.
Determination of nitrogen compounds by SFC using nitrous oxide as the mobile phase and nitrogen-sensitive detection 467 (1989) 61
- Mathiesen, D.A., see Ames, M.M. 491 (1989) 488
- Mathieu, D., see Mazerolles, G. 485 (1989) 433
- Mathieu, H., see Jacqz-Aigrain, E. 495 (1989) 361
- Mathis, R., Hubert, P. and Dellacherie, E.
Polyoxyalkyleneglycols immobilized on Sepharose 6B for the sequential extraction of three enzymes from a crude extract of *Pseudomonas testosteroni* 474 (1989) 396
- Matisová, E., Kovačičová, E., Ha, P.T., Kolek, E. and Engewald, W.
Identification of alkylbenzenes up to C₁₂ by capillary GC and GC-MS. II. Retention indices on OV-101 columns and retention-molecular structure correlations 475 (1989) 113
- Matisová, E., Moravcová, A., Krupčík, J., Čellár, P. and Leclercq, P.A.
Problems with the reproducibility of retention data on capillary columns with hydrocarbon C₈₇ as the stationary phase 454 (1988) 65
- Matisová, E., Rukríglová, M., Krupčík, J., Kovačičová, E. and Holotík, Š.
Identification of alkylbenzenes up to C₁₂ by capillary GC and combined GC-MS. I. OV-101 as stationary phase 455 (1988) 301
- Matson, R.S. and Little, M.C.
Strategy for the immobilization of monoclonal antibodies on solid-phase supports 458 (1988) 67
- Matsubara, K.-I., see Yamasaki, Y. 467 (1989) 299
- Matsubara, K., see Kato, Y. 478 (1989) 264
- Matsubara, K., see Maseda, C. 490 (1989) 319
- Matsabayashi, K., Une, T. and Osada, Y.
Determination of ofloxacin in bronchoalveolar lavage fluid by HPLC and fluorimetric detection 495 (1989) 354
- Matuda, H., see Arai, T. 474 (1989) 405
- Matsuda, R., Hayashi, Y., Ishibashi, M. and Takeda, Y.
An information theory of chromatography. I. Evaluation of analytical systems by means of FUMI 462 (1989) 13
- Matsuda, R., Hayashi, Y., Ishibashi, M. and Takeda, Y.
An information theory of chromatography. II. Application of FUMI to the optimization of overlapped chromatograms 462 (1989) 23
- Matsueda, T., see Nagase, M. 465 (1989) 434
- Matsui, H. and Sekiya, T.
HPLC separation of urinary hippuric and o-, m- and p-methylhippuric acids with a β-cyclodextrin-bonded column 496 (1989) 189
- Matsumoto, T., see Tsuda, T. 456 (1988) 375
- Matsumoto, Y., see Ôi, N. 462 (1989) 382
- Matsumura, G., see Shimada, E. 472 (1989) 145
- Matsumura, M., see Endo, M. 455 (1988) 430
- Matsunaga, A., see Yamamoto, A. 482 (1989) 145
- Matsunaga, H., Katano, M., Yamamoto, H., Mori, M., Takata, K. and Nishi, M.
Determination of panaxytriol, a new type of tumour growth inhibitor from Panax ginseng, by capillary GC 481 (1989) 368
- Matsuno, T., see Maoka, T. 478 (1989) 379
- Matsuno, T., see Maoka, T. 482 (1989) 189
- Matsu, M., see Nishi, H. 498 (1990) 313
- Matsu, N., see Takeyama, N. 491 (1989) 69
- Matsuoka, A., see Igaki, A. 493 (1989) 222
- Matsutani, S., see Sano, A. 458 (1988) 295
- Matsuura, A., Nagayama, T. and Kitagawa, T.
Analytical studies on β-lactam antibiotics. III. Automated HPLC method for the determination of the orally active antibiotic

- ceftibuten in human plasma and urine 494
(1989) 231
- Matsuura, K., see Shoda, J. 488 (1989) 315
- Matsuura, S., see Niwa, T. 452 (1988) 85
- Matsuura, S., see Niwa, T. 493 (1989) 347
- Matsuzaki, Y., see Shoda, J. 488 (1989) 315
- Matsuzawa, S., Garrigues, P., Setokuchi, O., Sato, M., Yamamoto, T., Shimizu, Y. and Tamura, M.
Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 498 (1990) 25
- Matumoto, S., see Nakamura, Y. 482 (1989) 165
- Matuszewski, B.K., see Constanzer, M.L. 488
(1989) 476
- Maurer, T., Welsch, T. and Engewald, W.
Non-linearity of the plot of log (adjusted retention time) *versus* carbon number for *n*-alkanes in series-coupled GC columns 471
(1989) 245
- Mauri, P., see Pietta, P. 457 (1988) 442
- Mauri, P., see Pietta, P. 478 (1989) 259
- Mauri, P.L., see Pace, M. 476 (1989) 487
- Mawatari, K.-I., Inuma, F. and Watanabe, M.
Fluorimetric determination of kynurenone in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 488 (1989) 349
- Mawatari, K.-I., Inuma, F. and Watanabe, M.
Fluorimetric determination of indomethacin in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 491 (1989) 389
- Mawhinney, T.P., see Landrum, D.C. 483 (1989)
21
- Maximova, L.A., see Antoshechkin, A.G. 489
(1989) 353
- Maxwell, J.R., see Kaur, S. 473 (1989) 135
- Maxwell, P.S., see Siu, K.W.M. 475 (1989) 373
- May, C., see Kusmierz, J. 497 (1989) 39
- May, J., see Greenaway, W. 472 (1989) 393
- Mayer, F., see Krämer, B.K. 493 (1989) 414
- Mayol, R.F., see Prakash, C. 493 (1989) 325
- Mazerolles, G., Mathieu, D., Phan-Tan-Luu, R.
and Siouffi, A.M.
Computer-assisted optimization with NEMROD software 485 (1989) 433
- Mazhar, M. and Binder, S.R.
Analysis of benzodiazepines and tricyclic antidepressants in serum using a common solid-phase clean-up and a common mobile phase 497 (1989) 201
- Mazhar, M., see Binder, S.R. 473 (1989) 325
- Mazsaroff, I., Várady, L., Mouchawar, G.A. and Regnier, F.E.
- Thermodynamic model for electrostatic-interaction chromatography of proteins 499 (1990) 63
- Mazur, J., Witkiewicz, Z. and Dąbrowski, R.
Isothiocyanate as a liquid crystalline stationary phase in capillary GC for the separation of polyaromatic hydrocarbons 455
(1988) 323
- Mazur, P., see Stalcup, A.M. 499 (1990) 627
- McBeath, R.J., see Stover, F.S. 470 (1989) 241
- McCluskey, M.P., see Lukey, B.J. 493 (1989) 117
- McConville, J.A., see Dawkins, J.V. 452 (1988)
145
- McCormick, R.M., see Grushka, E. 471 (1989)
421
- McCune, J.E., see Pirkle, W.H. 469 (1989) 67
- McCune, J.E., see Pirkle, W.H. 471 (1989) 271
- McCune, J.E., see Pirkle, W.H. 479 (1989) 419
- McDowall, R.D.
Sample preparation for biomedical analysis (Review) 492 (1989) 3
- McErlane, K.M., see Chan, G.L.-Y. 495 (1989)
349
- McErlane, K.M., see Embree, L. 496 (1989) 321
- McGarvey, B.D.
LC determination of N-methylcarbamate pesticides using a single-stage post-column derivatization reaction and fluorescence detection 481 (1989) 445
- McGuffin, V.L., see Evans, C.E. 459 (1988) 119
- McGuffin, V.L., see Heindorf, M.A. 464 (1989)
186
- McGuffin, V.L., see Wahl, J.H. 485 (1989) 541
- McGuigan, M.M., see Erdmann, G.R. 494
(1989) 354
- McGuiness, J.A., see Selley, M.L. 488 (1989) 329
- McKay, G., see Srinivas, N.R. 487 (1989) 61
- McKeon, G.A.
Activity stain for polygalacturonase 455
(1988) 376
- McKinney, R.W., see Hull, C.J. 477 (1989) 387
- McKinnon, G.E., see Herkes, G.K. 496 (1989)
147
- McLeish, M.J., see Huang, J.L. 475 (1989) 447
- McNair, H.M., see Sandra, P. 477 (1989) 63
- McNamara, E.A., Montzka, S.A., Barkley, R.M.
and Sievers, R.E.
Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75
- McNamara, P., see Baker, C. 484 (1989) 347
- McNamara, P.J., see Jewell, R.C. 487 (1989) 257
- McRae, T.A., see Getek, T.A. 474 (1989) 245
- Medina, M.T., see Hurtado, M. 494 (1989) 403
- Meese, C.O., see Uedelhoven, W.M. 497 (1989) 1

- Mehta, A.C.
 Potential of wide bore open tubular columns in GC analysis of drugs (Review) 494 (1989) 1
- Mehta, A.C., see Peaker, S. 497 (1989) 308
- Mehuys, G.R., see Angers, D.A. 454 (1988) 444
- Mehvar, R.
 Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402
- Meijel, J.J.M. Van, see Russel, F.G.M. 496 (1989) 234
- Meijer, E.M., see Duchateau, A. 471 (1989) 263
- Meineke, I., Stüwe, E., Henne, E.M., Rusteberg, G., Brendel, E. and De Mey, C.
 Routine measurement of plasma catecholamines in clinical pharmacology by HPLC with electrochemical detection 493 (1989) 287
- Meisch, H.-U., see Müller, G. 483 (1989) 145
- Meisen, A., see Chakma, A. 457 (1988) 287
- Mekenyanyan, O., see Dimov, N. 471 (1989) 227
- Melander, W.R., El Rassi, Z. and Horváth, C.
 Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3
- Melera, M., see Kasper, T.J. 458 (1988) 303
- Melera, M., see Schwartz, H.E. 480 (1989) 129
- Melgers, P.A.T.A., see Janssen, P.S.L. 470 (1989) 171
- Melis, M., see Capone, W. 457 (1988) 427
- Mello, J.A., see Henderson, D.E. 499 (1990) 79
- Meloni, M., see Cabras, P. 462 (1989) 430
- Ménard, C., see Lawrence, J.F. 462 (1989) 349
- Ménard, C., see Lawrence, J.F. 466 (1989) 421
- Menard, Y., see Jacqz-Aigrain, E. 495 (1989) 361
- Menéndez, V., see Fernández-Sánchez, E. 498 (1990) 1
- Meng, Q.C., King, S.J., Chen, Y.-F., Delucas, L.J. and Oparil, S.
 Purification of angiotensin-converting enzyme by gel HPLC 461 (1989) 271
- Mengel, H., see Nordholm, L. 494 (1989) 257
- Mennes, W.C., see Van Pelt, F.N.A.M. 487 (1989) 489
- Mentasti, E., see Petrarulo, M. 465 (1989) 87
- Menyhart, J., see Idei, M. 490 (1989) 247
- Meroni, G., see Marzo, A. 497 (1989) 296
- Mertens, R., see Engelhardt, H. 477 (1989) 169
- Mesbah, M. and Whitman, W.B.
 Measurement of deoxyguanosine/thymidine ratios in complex mixtures by HPLC for determination of the mole percentage guanine + cytosine of DNA 479 (1989) 297
- Mester, T.C., see Escoffier, B.H. 474 (1989) 301
- Mészáros, S.Y., see Tarján, T. 472 (1989) 1
- Metche, M., see Boukharta, M. 455 (1988) 406
- Metelitsa, V.I., see Belolipetskaja, V.G. 491 (1989) 507
- Metting, H.J., see Coenegracht, P.M.J. 485 (1989) 195
- Metz, P., see Naumann, M. 466 (1989) 319
- Metz, P.A., Morse, F.L. and Theyson, T.W.
 Quantification and characterization of the trifluoroacetic anhydride derivatives of N,N'-ethylenebisstearamide and N,N'-ethylenebisoleamide 479 (1989) 107
- Metzler, M.
 Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11
- Meuldijk, J., see Verhaar, L.A.T. 472 (1989) 381
- Mey, C. De, see Meineke, I. 493 (1989) 287
- Meyer, H.H.D., Hartmann, F.-X. and Rapp, M.
 Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 489 (1989) 173
- Meyer, H.H.D., see Rapp, M. 489 (1989) 181
- Meyer, M.C., see Patrick, K.S. 487 (1989) 91
- Meyer, M.C., see Patrick, K.S. 495 (1989) 123
- Meyer, R., see Knight, M. 484 (1989) 299
- Meyer, V.R., see Däppen, R. 464 (1989) 39
- Mhalas, J.G., see Tripathi, A.M. 466 (1989) 442
- Miceli, J.J., see Krcmarik, C.S. 496 (1989) 493
- Michalec, Č. and Ranný, M.
 Potential application of TLC and TLC with flame ionization detection of cholestanol in the diagnosis of cerebrotendinous xanthomatosis 452 (1988) 543
- Michel, G., Fay, L. and Prost, M.
 Determination of isosorbide dinitrate and its metabolites in plasma by GC on a capillary column with electron-capture detection 493 (1989) 188
- Michel, G., see Fay, L. 490 (1989) 198
- Michels, J.J. and Dorsey, J.G.
 Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85
- Michels, J.J. and Dorsey, J.G.
 Estimation of the reversed-phase LC lipophilicity parameter $\log k'_w$ using ET-30 solvatochromism 499 (1990) 435

- Michotte, Y., see Xianren, Q. 467 (1989) 15
- Middleditch, B.S., see Attygalle, A.B. 472 (1989) 284
- Middleditch, B.S., see Kim, K.R. 468 (1989) 289
- Middleworth, D.H. Van, see Fox, S.M. 494 (1989) 331
- Midgley, J.M., see Shafi, N. 490 (1989) 9
- Midha, K.K., see Srinivas, N.R. 487 (1989) 61
- Midha, K.K., see Srinivas, N.R. 491 (1989) 262
- Miercke, L.J.W., Stroud, R.M. and Dratz, E.A. Preparative purification of functional bacteriorhodopsin by high performance SEC 483 (1989) 331
- Mietheing, H. and Seger, V. Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433
- Mifune, M., Krehbiel, D.K., Stobaugh, J.F. and Riley, C.M. Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55
- Miginac-Maslow, M., see Le Maréchal, P. 477 (1989) 305
- Mihályfi, K., see Szepesi, G. 464 (1989) 265
- Mikešová, M., see Vejrosta, J. 464 (1989) 394
- Miksic, J.R., see Hsu, S.-H. 459 (1988) 215
- Miksik, I., Struzinsky, R., Macek, K. and Deyl, Z. Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607
- Milanov, M., see Rösch, F. 457 (1988) 362
- Milby, K.H., Ho, S.V. and Henis, J.M.S. Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 482 (1989) 133
- Milia, M.G. Di, see Bertol, E. 466 (1989) 384
- Milina, R., see Dimov, N. 463 (1989) 159
- Miller, C., Dadoo, R., Kooser, R.G. and Gorse, J. Electron spin resonance studies under dynamic mobile phase conditions on chemically modified silica 458 (1988) 255
- Miller, D.J., see Hawthorne, S.B. 468 (1989) 115
- Miller, D.W., see Thompson, Jr., H.C. 467 (1989) 159
- Miller, E.G., see Cook, L.A. 463 (1989) 127
- Miller, G.C., see Richfield-Fratz, N. 467 (1989) 167
- Miller, J.R., see Lehmann, R.G. 485 (1989) 581
- Miller, L. and Bush, H. Preparative resolution of enantiomers of prostaglandin precursors by LC on a chiral stationary phase 484 (1989) 337
- Miller, L., Bush, H. and Derrico, E.M. Solid injection, a new technique for application of insoluble samples in preparative LC 484 (1989) 259
- Miller, N.T. and DiBussolo, J.M. Studies on the stability of *n*-alkyl-bonded silica gels under basic pH conditions 499 (1990) 317
- Miller, N.T. and Shieh, C.-H. High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329
- Miller, N.T., see Sagliano, Jr, N. 458 (1988) 225
- Miller, R.K., see Purdon, J.G. 475 (1989) 261
- Miller, S.L., see Smith, R.M. 464 (1989) 297
- Mills, G.A., see Chong, W.K. 487 (1989) 147
- Mills-Williams, L., see Ebling, W.F. 490 (1989) 339
- Milne, R. Cathie: expert interpretation of chromatographic data 485 (1989) 341
- Milo, J., Levy, A., Palevitch, D. and Ladizinsky, G. HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563
- Milojković, D.M., see Janjić, T.J. 481 (1989) 465
- Milonjić, S.K., see Marković, M.M. 463 (1989) 281
- Min, X. and Bruner, F. Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365
- Mincsovics, E., see Siouffi, A.M. 492 (1989) 471
- Mincsovics, E., see Tyihák, E. 471 (1989) 375
- Minick, D.J., Brent, D.A. and Frenz, J. Modeling octanol-water partition coefficients by reversed-phase LC 461 (1989) 177
- Mink, L.P., see Lochmüller, C.H. 471 (1989) 357
- Mintz, G.R., see Caesar, R. 478 (1989) 191
- Mischke, H.A.N.C.F. and St. John, J.B. HPLC of metribuzin and non-polar metabolites extracted from leaf tissues 479 (1989) 206
- Mishra, U., see Singh, A.K. 473 (1989) 215
- Mishra, U., see Singh, A.K. 479 (1989) 233
- Misiti, D., see Gasparrini, F. 457 (1988) 235

- Mitewa, M., see Bardarov, V. 462 (1989) 233
 Mitewa, M., see Bardarov, V. 479 (1989) 97
 Mitsuhashi, Y., see Hamano, T. 457 (1988) 403
 Miura, H., see Goto, J. 452 (1988) 119
 Miura, H., see Goto, J. 493 (1989) 245
 Miura, J., see Kamahori, M. 465 (1989) 227
 Miura, T., see Kanetoshi, A. 454 (1988) 145
 Miura, Y. and Fritz, J.S.
 Benzene polycarboxylic acid salts as eluents in anion chromatography 482 (1989) 155
- Miwa, T., Miyakawa, T. and Miyake, Y.
 Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227
- Miyabayashi, T., Yamashita, K., Aoki, I., Motohashi, M., Yashiki, T. and Yatani, K.
 Determination of manidipine and its pyridine metabolite in human serum by HPLC with UV detection and column switching 494 (1989) 209
- Miyagi, H., see Kamahori, M. 465 (1989) 227
 Miyakawa, T., see Miwa, T. 457 (1988) 227
 Miyake, Y., see Miwa, T. 457 (1988) 227
 Miyakoshi, M., see Okada, T. 475 (1989) 412
 Miyakoshi, M., see Okada, T. 481 (1989) 299
 Miyano, S., see Yamashita, J. 464 (1989) 411
 Miyasaka, K., see Okuyama, T. 466 (1989) 390
 Miyashita, M. and Yamashita, S.
 Studies on iodinated compounds. VI.
 Separation characteristics of iodohistidines on reversed-phase HPLC 475 (1989) 135
- Miyashita, M. and Yamashita, S.
 Studies on iodinated compounds. V.
 Reversed-phase HPLC determination of iodide with cyclodextrin-containing mobile phases 498 (1990) 137
- Miyashita, Y., see Terabe, S. 480 (1989) 403
 Miyate, H., see Murai, S. 497 (1989) 363
 Miyazaki, H., see Shoda, J. 488 (1989) 315
 Miyazaki, H., see Watanabe, K. 468 (1989) 383
 Miyazaki, K., Tanaka, Y. and Saito, M.
 Effect of temperature difference between pump and column in molecular weight determination by GPC 454 (1988) 357
- Miyazaki, M., see Hayakawa, K. 464 (1989) 343
 Miyazaki, M., see Hayakawa, K. 481 (1989) 323
 Miyazaki, M., see Yamamoto, A. 482 (1989) 145
 Miyazaki, T., Kai, M. and Ohkura, Y.
 Determination of renin activity in human-plasma by column-switching HPLC with fluorescence detection 490 (1989) 43
- Miyazaki, T., see Hikida, K. 495 (1989) 227
 Mizukami, E., see Yamamoto, A. 482 (1989) 145
 Mizutani, T., see Endo, M. 455 (1988) 430
 Moatti, N., see Myara, I. 493 (1989) 170
- Mocaer, E., see Tsaconas, C. 487 (1989) 313
 Mochizuki, E., Nakayama, A., Kitada, Y., Saito, K., Nakazawa, H., Suzuki, S. and Fujita, M.
 LC determination of alliin in garlic and garlic products 455 (1988) 271
- Modricky, C., see Moro, L. 490 (1989) 285
 Moerloose, P. De, see De Schutter, J.A. 465 (1989) 402
- Mogi, M., Harada, M., Adachi, T., Kojima, K. and Nagatsu, T.
 Selective removal of β 2-microglobulin from human plasma by high-performance immunoaffinity chromatography 496 (1989) 194
- Mogi, M., see Harada, M. 493 (1989) 176
 Mohammad, J., see Hjertén, S. 481 (1989) 175
 Mohanty, M., see Patnaik, L.N. 481 (1989) 331
 Mohareb, E.W., Hughes, J.B. and Bruce, J.I.
 Sensitive resolution of *Giardia lamblia* membrane antigens 480 (1989) 421
- Mohnke, M. and Heybey, J.
 GSC on open-tubular columns: an isotope effect 471 (1989) 37
- Mohri, Z.-I., see Yagi, S. 493 (1989) 27
- Mohseni, R.M. and Hurtubise, R.J.
 Retention characteristics of several compound classes in reversed-phase LC with β -cyclodextrin as a mobile phase modifier 499 (1990) 395
- Moir, D.L., see Nawrocki, J. 467 (1989) 31
- Moirandat, C., see Brenner, M. 499 (1990) 721
- Mol, J.G.J., see Kwakman, P.J.M. 459 (1988) 139
- Möller, J., see Bitsch, R. 463 (1989) 207
- Molnar, I., Boysen, R. and Jekow, P.
 Peak tracking in HPLC based on normalized band areas. A ribosomal protein sample as an example 485 (1989) 569
- Moltó Cortés, J.C., see Mañes Vinuesa, J. 472 (1989) 365
- Momose, A., see Tanaka, T. 496 (1989) 407
- Moncrieff, J.
 Determination of pharmacological levels of harmane, harmine and harmaline in mammalian brain tissue, cerebrospinal fluid and plasma by HPLC with fluorimetric detection 496 (1989) 269
- Moncrieff, J. and Simpson, D.
 Determination of metoprolol and its α -hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 488 (1989) 498
- Moneti, G., see Agostini, O. 487 (1989) 331
- Mononen, I., see Kaartinen, V. 490 (1989) 293
- Monster, A.C., see Kežić, S. 496 (1989) 209

- Monster, A.C., see Van Doorn, J.E. 489 (1989) 419
- Montaldo, P.G. and D'Incalci, M.
HPLC determination of 5-bromodeoxyuridine in human plasma 491 (1989) 129
- Montanarella, L., see Gagliardi, L. 464 (1989) 428
- Montanarella, L., see Gagliardi, L. 466 (1989) 433
- Monteil, H., see Bisserset, F. 490 (1989) 91
- Monteil, H., see Koechlin, C. 491 (1989) 379
- Montes, M., Usero, J.L., Del Arco, A., Izquierdo, C. and Casado, J.
Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97
- Monti, N., see Marzo, A. 459 (1988) 313
- Monti, N., see Marzo, A. 459 (1988) 325
- Monti, N., see Marzo, A. 465 (1989) 95
- Montreuil, J., see Kol, O. 474 (1989) 452
- Montzka, S.A., see McNamara, E.A. 452 (1988) 75
- Moodie, I.M., see Labadarios, D. 487 (1989) 428
- Moor, M.J., Rashed, M.S., Kalhorn, T.F., Levy, R.H. and Howald, W.N.
Application of thermospray LC-MS to the simultaneous quantification of tracer concentrations of isotopically labelled carbamazepine epoxide and steady-state levels of carbamazepine and carbamazepine epoxide 474 (1989) 223
- Moore, C.M. and Oliver, J.S.
Rapid extraction and determination of xylazine in greyhound urine using HPLC 491 (1989) 519
- Moore, K., see Hammond, I. 474 (1989) 175
- Moore, L.K., see Krahn, M.M. 481 (1989) 263
- Moore, W.T., see Caprioli, R.M. 480 (1989) 247
- Mooser, A.E., see Marti, A.M. 498 (1990) 145
- Moravcová, A., see Matisová, E. 454 (1988) 65
- Moretti, F., see Antonozzi, I. 459 (1988) 319
- Morgan, A.K., see Benny, A.G. 487 (1989) 173
- Morgan, E.D. and Bradley, N.
Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339
- Morgan, E.D., see Raynor, M.W. 467 (1989) 292
- Morgan, S.L., see Kiel, J.S. 485 (1989) 585
- Mori, I., see Motohashi, N. 465 (1989) 417
- Mori, K., see Suzuji, S. 463 (1989) 188
- Mori, M., see Matsunaga, H. 481 (1989) 368
- Mori, S.
Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137
- Mori, S.
Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367
- Mori, S., Saito, T. and Takeuchi, M.
Separation of prepolymers of phenol-formaldehyde resins by SFC 478 (1989) 181
- Morimoto, A., see Hirauchi, K. 497 (1989) 131
- Morimoto, Y., see Komori, T. 481 (1989) 416
- Morin, P., Pichard, H., Richard, H., Caude, M. and Rosset, R.
SFC of sesquiterpene hydrocarbons on silica packed columns with on-line Fourier transform IR detection 464 (1989) 125
- Morin-Allory, L., see Walczak, B. 464 (1989) 237
- Morin-Allory, M.D.L., see Lafosse, M. 472 (1989) 209
- Morineau, G., Azoulay, M. and Frappier, F.
Reaction of o-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209
- Moring, S., see Caprioli, R.M. 480 (1989) 247
- Moritz, R.L., see Simpson, R.J. 474 (1989) 418
- Moritz, R.L., see Simpson, R.J. 476 (1989) 345
- Moriyama, T., Yamadera, K., Takebe, T., Makino, I., Kato, H., Nobuoka, M. and Makino, M.
Purification of the pancreatic stone protein by HPLC 493 (1989) 164
- Moriyasu, M., see Endo, M. 455 (1988) 430
- Moro, E., see Pianezzola, E. 495 (1989) 205
- Moro, L., Battista, C., Modricky, C., Rovis, L., De Bernard, B., Traldi, P., Lubrano, G. and Marotti, F.
HPLC preparation of galactosyl-hydroxylysine, a specific bone collagen marker 490 (1989) 285
- Morrishow, A.M., see Prell, G.D. 472 (1989) 256
- Morse, F.L., see Metz, P.A. 479 (1989) 107
- Mortensen, S.B., Thim, L., Christensen, T., Woeldike, H., Boel, E., Hjortshoej, H. and Hansen, M.T.
Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 476 (1989) 227
- Mosandl, A., see Guichard, E. 498 (1990) 396
- Mosbach, K., see O'Shannessy, D.J. 470 (1989) 391
- Moschidis, M.C.
Silicic acid column chromatography of phospholipids. X. Some phosphono

- analogues of 1-O-alkylethylene glycol 454 (1988) 420
- Moseley, M.A., Deterding, L.J., Tomer, K.B. and Jorgenson, J.W. Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197
- Mosher, R.A., Thormann, W., Kuhn, R. and Wagner, H. Experimental and theoretical dynamics of isoelectric focusing. III. Transient multi-peak approach to equilibrium of proteins in simple buffers 478 (1989) 39
- Mosher, R.A., see Thormann, W. 461 (1989) 95
- Moss, P., see Malcolm-Lawes, D.J. 482 (1989) 53
- Mostert, I.A. and Ramsteiner, K.A. Coupled HPLC-GC for the determination of pesticide residues in biological matrices 477 (1989) 359
- Motohashi, M., see Miyabayashi, T. 494 (1989) 209
- Motohashi, M., see Yamashita, K. 487 (1989) 357
- Motohashi, N. and Mori, I. HPLC-electrochemical detection of singlet oxygen by reaction with 2,2,6,6-tetramethyl-4-piperidone 465 (1989) 417
- Motohashi, N., see Kamata, K. 498 (1990) 129
- Motorin, Y.A., see Tsygankov, A.Y. 465 (1989) 325
- Motto, M.G., Facchine, K.L., Hamburg, P.F., Burinsky, D.J., Dunphy, R., Oyler, A.R. and Cotter, M.L. Separation and identification of retinoic acid photoisomers 481 (1989) 255
- Mouchawar, G.A., see Mazsaroff, I. 499 (1990) 63
- Mouchel, B., see Décout, J.-L. 481 (1989) 461
- Mourier, P.A. Determination of gallamine and its impurities by reversed-phase ion-pair HPLC and comparison with TLC 462 (1989) 281
- Moutounet, M., see Cheynier, V. 472 (1989) 428
- Moutounet, M., see Puech, J.-L. 457 (1988) 431
- Muccio, A. Di, Ausili, A., Camoni, I., Dommarco, R., Rizzica, M. and Vergori, F. Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149
- Muccio, A. Di, Rizzica, M., Ausili, A., Camoni, I., Dommarco, R. and Vergori, F. Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143
- Mucha, I., Tanács, B. and Tóth, G. Adsorption chromatographic separation of ¹²⁵I-labelled derivatives of 3'-azido-3'-deoxythymidine 478 (1989) 280
- Mucha, I. and Tóth, G. Separation of ¹²⁵I-labelled prostanoïd derivatives by reversed-phase HPLC 483 (1989) 419
- Mück, W., see Lee, E.D. 458 (1988) 313
- Mück, W.M. and Henion, J.D. Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41
- Muehleisen, H., see Canelo, A.M. 456 (1988) 241
- Mühlenbruch, B.J., see Lohmar, F. 495 (1989) 281
- Mukoyama, Y., see Chikazumi, N. 479 (1989) 85
- Mulholland, M., Dunand, N., Cleland, A., Van Leeuwen, J.A. and Vandeginste, B.G.M. Expert system for method validation in chromatography 485 (1989) 283
- Müller, B., see Kuropka, R. 481 (1989) 380
- Müller, D., see Zhou, F.L. 476 (1989) 195
- Müller, E., see Grob, Jr., K. 473 (1989) 411
- Müller, F., Müller, H. and Straub, H. Gas sampling- and column-switching systems in high-resolution gas analysis (in German) 477 (1989) 25
- Müller, G. and Meisch, H.-U. Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145
- Müller, H. and Eckert, H. Simultaneous determination of monoethanolamine and glycine betaine in plants 479 (1989) 452
- Müller, H., see Müller, F. 477 (1989) 25
- Müller, W., see Jilge, G. 476 (1989) 37
- Müller, W.E., see Filser, J.G. 493 (1989) 275
- Mulshine, J.L., see Vicchio, A.M.T.D. 474 (1989) 187
- Munafo, A. and Biollaz, J. HPLC assay with fluorometric detection for flecainide and its major metabolites in urine and serum 490 (1989) 450
- Munns, R.K., see Roybal, J.E. 467 (1989) 259
- Munoz, A.C., see Boswell, G.W. 491 (1989) 513
- Munoz, N.M., Tutins, C. and Leff, A.R. Highly sensitive determination of catecholamine and serotonin concentrations

- in plasma by LC electrochemistry 493 (1989) 157
- Murai, S., Saito, H., Nagahama, H., Miyate, H., Masuda, Y. and Ito, T.
Ultra-rapid assay of brain γ -aminobutyric acid by LC with electrochemical detection 497 (1989) 363
- Murai-Kushiya, M., see Hasegawa, R. 494 (1989) 381
- Murakami, T., see Tsukioka, T. 469 (1989) 351
- Murakoshi, I., see Saito, K. 462 (1989) 333
- Murata, K., Yokoyama, Y. and Yoshida, K.
HPLC identification of disaccharides generated from heparan sulphate isomers using heparitinases 496 (1989) 27
- Murayama, M., Suzuki, M. and Takitani, S.
Determination of selenium in drugs by oxygen flask combustion and ion chromatography 463 (1989) 147
- Murayama, M., Suzuki, M. and Takitani, S.
Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355
- Murayama, M., see Takeuchi, T. 477 (1989) 147
- Mureika-Russell, M., see Rosenfeld, J.M. 489 (1989) 263
- Murotsu, T., see Kato, Y. 478 (1989) 264
- Murotsu, T., see Yamasaki, Y. 467 (1989) 299
- Murphy, M., see Lam, S. 468 (1989) 359
- Murray, S., O'Malley, G., Taylor, I.K., Mallet, A.I. and Taylor, G.W.
Assay for N¹-methylimidazoleacetic acid, a major metabolite of histamine, in urine and plasma using capillary column GC-negative ion MS 491 (1989) 15
- Murray, S., see Williams, J.A. 483 (1989) 454
- Murthy, D.V.K., see Ramesha, C.S. 491 (1989) 37
- Musch, E., see Lohmar, F. 495 (1989) 281
- Musch, G., Hamoir, T. and Massart, D.L.
Determination of pentoxifylline and its 5-hydroxy metabolite in human plasma by solid-phase extraction and HPLC with UV detection 495 (1989) 215
- Musch, G., see De Smet, M. 485 (1989) 237
- Muschalek, V., see Koppenhoefer, B. 477 (1989) 139
- Muschik, G.M., see Atamna, I.Z. 499 (1990) 477
- Mushtaq, M., see Yang, S.K. 461 (1989) 377
- Musser, S.M., Pan, S.-S. and Callery, P.S.
LC-thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotapec 474 (1989) 197
- Musunuri, S., see Kalonia, D.S. 475 (1989) 416
- Muto, M., see Kiba, N. 497 (1989) 236
- Mutschler, E., see Hartmann, C. 496 (1989) 387
- Mutschler, E., see Warlich, R. 490 (1989) 395
- Mutti, A., see Ghiggeri, G.M. 452 (1988) 347
- M.Vijayalakshmi, , see Botros, H.G. 495 (1989) 113
- Myara, A., see Labb  , D. 490 (1989) 275
- Myara, I., Moatti, N. and Lemonnier, A.
Separation of two erythrocyte prolidase isoforms by fast protein LC; application to prolidase deficiency 493 (1989) 170
- Myher, J.J., Kuksis, A., Marai, L. and Sandra, P.
Identification of the more complex triacylglycerols in bovine milk fat by GC-MS using polar capillary columns 452 (1988) 93
- Myher, J.J. and Kuksis, A.
Relative GLC retention factors of trimethylsilyl ethers of diradylglycerols on polar capillary columns 471 (1989) 187
- Myher, J.J., see Kuksis, A. 500 (1990) 427
- Mylchreest, I.C., see Raynor, M.W. 467 (1989) 292
- N
- Naaranlahti, T., see Auriola, S. 474 (1989) 181
- Nabet, P., see Wasels, R. 489 (1989) 411
- Nabivach, V.M., see Gerasimenko, V.A. 498 (1990) 357
- Nadeau, P., see Angers, D.A. 454 (1988) 444
- Nagahama, H., see Murai, S. 497 (1989) 363
- Nagakura, T., see Goto, J. 452 (1988) 119
- Nagano, H., see Kawai, S. 477 (1989) 467
- Naganuma, H. and Kawahara, Y.
Sensitive fluorescence labelling for analysis of carboxylic acids with 4-bromomethyl-6,7-methylenedioxycoumarin 478 (1989) 149
- Nagao, T. and Tanimura, T.
Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39
- Nagaoka, S., see Hirayama, C. 465 (1989) 241
- Nagaoka, T., see Hirauchi, K. 497 (1989) 131
- Nagasawa, K., see Uchiyama, H. 478 (1989) 275
- Nagase, M., Osaki, Y. and Matsueda, T.
Determination of Methyl Yellow, Sudan I

- and Sudan II in water by HPLC 465 (1989) 434
- Nagata, O., Sakashita, T., Takahara, E., Kato, H. and Kiryama, N.
Determination of a new muscle relaxant (HY-770) in human serum by GC-MS 496 (1989) 456
- Nagatsu, T., see Mogi, M. 496 (1989) 194
- Nagatsu, T., see Niwa, T. 452 (1988) 85
- Nagatsu, T., see Niwa, T. 491 (1989) 397
- Nagatsu, T., see Niwa, T. 493 (1989) 347
- Nagayama, T., see Matsura, A. 494 (1989) 231
- Nagels, L.J., Kauffmann, J.M., Schuddinck, G., Dewaele, C., Patriarche, G.J. and Verzele, M.
Carbon-polymer chips as sensitive electrochemical detectors for micro-LC 459 (1988) 163
- Nagumo, T., see Fujihara, M. 465 (1989) 386
- Nagy, E. and Degrell, I.
Determination of ascorbic acid and dehydroascorbic acid in plasma and cerebrospinal fluid by LC with electrochemical detection 497 (1989) 276
- Nagy, I., see Papp, E. 463 (1989) 222
- Najarian, D., see Cohen, A.S. 458 (1988) 323
- Nakabayashi, Y., see Okada, T. 481 (1989) 299
- Nakagawa, F., see Ohtani, M. 487 (1989) 469
- Nakagawa, T., see Ajima, A. 494 (1989) 297
- Nakagawa, T., see Yagi, S. 493 (1989) 27
- Nakagawa, Y. and Waku, K.
Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239
- Nakagawa, Y., see Rabe, H. 493 (1989) 353
- Nakagiri, I., Suzuki, K., Shiaku, Y., Kuroda, Y., Takasu, N. and Kohama, A.
Rapid quantification of paraquat and diquat in serum and urine using HPLC with automated sample pretreatment 481 (1989) 434
- Nakahara, K., see Hirokawa, T. 463 (1989) 39
- Nakahara, K., see Hirokawa, T. 463 (1989) 51
- Nakahara, K., see Hirokawa, T. 470 (1989) 21
- Nakahara, Y., Ishigami, A. and Takeda, Y.
Electrochemical label for HPLC. I. β -Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 489 (1989) 371
- Nakai, A., see Kikawa, Y. 491 (1989) 193
- Nakai, C., see Yoshida, T. 456 (1988) 421
- Nakai, S., Kobayashi, T. and Ezawa, T.
Photodecomposition of Mocllobemide on a silica gel TLC plate 479 (1989) 459
- Nakajima, H., see Ôi, N. 462 (1989) 382
- Nakajima, K., see Tsuchihashi, H. 467 (1989) 227
- Nakamura, K., Toyoda, K., Kato, Y., Shimura, K. and Kasai, K.-I.
Preparation of adsorbents for affinity chromatography using TSK gel Tresyl-Toyopearl 650M 478 (1989) 159
- Nakamura, K., see Ohtsu, Y. 481 (1989) 147
- Nakamura, M., see Iwata, T. 491 (1989) 404
- Nakamura, M., see Yoshitake, T. 489 (1989) 364
- Nakamura, S., see Hayakawa, K. 481 (1989) 323
- Nakamura, Y., Yamagishi, A., Matumoto, S., Tohkubo, K., Ohtu, Y. and Yamaguchi, M.
HPLC for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 482 (1989) 165
- Nakamura, Y., see Suzuji, S. 463 (1989) 188
- Nakanishi, K., see Stalcup, A.M. 499 (1990) 627
- Nakano, M., see Kawano, H. 493 (1989) 71
- Nakashima, H., Tsutsumi, K., Hashiguchi, M., Kumagai, Y. and Ebihara, A.
Determination of β -methyldigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425
- Nakata, O., see Ohtsu, Y. 481 (1989) 147
- Nakatani, S., see Kato, Y. 483 (1989) 401
- Nakatani, S., see Yamasaki, Y. 481 (1989) 391
- Nakayama, A., see Mochizuki, E. 455 (1988) 271
- Nakayama, F.
Quantitative microanalysis of bile acids in biological samples. Collaborative study 452 (1988) 399
- Nakayama, F., see Yamashita, H. 496 (1989) 255
- Nakazawa, H., see Ikai, Y. 477 (1989) 397
- Nakazawa, H., see Kitada, Y. 474 (1989) 447
- Nakazawa, H., see Mochizuki, E. 455 (1988) 271
- Nakazawa, H., see Oka, H. 482 (1989) 197
- Nakazawa, H., see Saito, K. 454 (1988) 387
- Nambara, T., see Goto, J. 452 (1988) 119
- Nambara, T., see Goto, J. 493 (1989) 245
- Nambara, T., see Shimada, K. 487 (1989) 247
- Nambara, T., see Shimada, K. 492 (1989) 345
- Nancollas, G.H., see Singh, R.P. 495 (1989) 239
- Naples, J.O., see Warth, L.M. 462 (1989) 165
- Narasimha, R., see Husain, S. 454 (1988) 317
- Nardi, L.
Use of GC in the study of the oxidative decomposition of spent organic solvents from reprocessing plants 463 (1989) 81
- Naumann, M., Reuter, R., Metz, P. and Kopperschläger, G.
Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands

- linked directly or spacer-mediated to bead cellulose 466 (1989) 319
- Nawrocki, J. and Aue, W.A.
Synthesis of bonded layers from cyclic organosilicons in the gas phase 456 (1988) 337
- Nawrocki, J., Moir, D.L. and Szczepaniak, W.
Investigation of small populations of reactive silanols on silica surfaces 467 (1989) 31
- Nayak, V.S.
New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 498 (1990) 349
- Neal, R.M., see Houglum, J.E. 481 (1989) 458
- Nebinger, P., see Koel, M. 495 (1989) 263
- Negri, A., see Biondi, P.A. 459 (1988) 337
- Negri, A., see Biondi, P.A. 467 (1989) 315
- Negri, A., see Biondi, P.A. 491 (1989) 209
- Nehmer, U.
Separation of *cis-cis*, *cis-trans* and *trans-trans* isomers of (\pm)-atracurium besylate and *cis* and *trans* isomers of its major quaternary decomposition products and related impurity by reversed-phase HPLC 457 (1988) 127
- Neilson, A.H., see Hynning, P.-Å. 467 (1989) 99
- Nelis, H.J.C.F. and De Leenheer, A.P.
Reversed-phase LC of astacene 452 (1988) 535
- Nelson, F.R., see Chang, S.Y. 497 (1989) 288
- Nelson, R.J., Paulus, A., Cohen, A.S., Guttman, A. and Karger, B.L.
Use of Peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis 480 (1989) 111
- Nelson, S.D., see Rashed, M.S. 474 (1989) 209
- Neri, B., see Cartoni, G.P. 475 (1989) 145
- Nes, W.D., see Xu, S. 452 (1988) 377
- Nestorick, D.M., see Thompson, Jr., H.C. 467 (1989) 159
- Netter, P., see Lapicque, F. 496 (1989) 301
- Neubert, P. and Hölick, J.-P.
Automated pre-column HPLC method for the investigation of adibendan metabolism 490 (1989) 155
- Neukom, H., see Bettler, B. 498 (1990) 213
- Neukom, H., see Bettler, B. 498 (1990) 223
- Neukom, H., see Grob, Jr., K. 473 (1989) 401
- Neumeier, D., see Jacob, K. 468 (1989) 329
- Neumeyer, J.L., see Trainor, T.M. 457 (1988) 257
- Neville, G.A., see Black, D.B. 478 (1989) 244
- Newburger, J. and Guiochon, G.
Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture 484 (1989) 153
- Newell, D.R., see Graham, M.A. 491 (1989) 253
- Newland, P., Bingham, B., Tarelli, E. and Thomas, A.H.
High-performance GPC of meningococcal polysaccharides 483 (1989) 406
- Newsome, W.H. and Collins, P.
Multiresidue method for fungicide residues in fruit and vegetables 472 (1989) 416
- Nguyen, V.D.
Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413
- Nguyen, V.K., see Bisschet, F. 490 (1989) 91
- Nickerson, B. and Jorgenson, J.W.
Characterization of a post-column reaction-laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157
- Nicolas, A., see Liu, H.-F. 493 (1989) 137
- Nicolas, L., see Lebrun, M.H. 464 (1989) 307
- Nielander, H.B., see Schotman, P. 483 (1989) 301
- Nielen, M.W.F., Sanderson, J.T., Frei, R.W. and Brinkman, U.A.T.
On-line system for supercritical fluid extraction and capillary GC with electron-capture detection 474 (1989) 388
- Nielsen, H.
Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423
- Nielsen, J.H., see Linde, S. 462 (1989) 243
- Nielsen, R.G., Riggan, R.M. and Rickard, E.C.
Capillary zone electrophoresis of peptide fragments from trypsin digestion of biosynthetic human growth hormone 480 (1989) 393
- Niemeijer, N.R., see Gerding, T.K. 487 (1989) 125
- Niessen, W.M.A., Bergers, P.J.M., Tjaden, U.R. and Van der Greef, J.
Phase-system switching as an on-line sample pretreatment in the bioanalysis of mitomycin C using supercritical fluid chromatography 454 (1988) 243
- Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
Bioanalytical applications of SFC (Review) 492 (1989) 167
- Niessen, W.M.A., Van der Hoeven, R.A.M., De Kraa, M.A.G., Heeremans, C.E.M., Tjaden, U.R. and Van der Greef, J.
Repeller effects in discharge ionization in combined LC or SFC-MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

- Niessen, W.M.A., Van der Hoeven, R.A.M., De Kraa, M.A.G., Heeremans, C.E.M., Tjaden, U.R. and Van der Greef, J. Repeller effects in discharge ionization in LC and SFC-MS using a thermospray interface. II. Changes in some analyte spectra 478 (1989) 325
- Niessen, W.M.A., see Heeremans, C.E.M. 472 (1989) 219
- Niessen, W.M.A., see Heeremans, C.E.M. 474 (1989) 149
- Niessen, W.M.A., see Kokkonen, P. 474 (1989) 59
- Niessen, W.M.A., see Van der Greef, J. 474 (1989) 5
- Niessen, W.M.A., see Verheij, E.R. 474 (1989) 275
- Niessen, W.M.A., see Walhagen, A. 474 (1989) 257
- Niethammer, D., see Bruchelt, G. 470 (1989) 185
- Nieves, E., see Roboz, J. 500 (1990) 413
- Niida, Y., see Sato, J. 493 (1989) 239
- Niimi, S., see Jinno, K. 455 (1988) 29
- Nijmeijer, J.R.J., see Van Ede, J. 476 (1989) 319
- Nilsen, E., see Jellum, E. 468 (1989) 43
- Nilsson, B., see Eksborg, S. 488 (1989) 427
- Nilsson, I., see Erlandsson, P. 466 (1989) 364
- Nilsson, S., see Andersson, S. 498 (1990) 81
- Nilsson, S., see Erlandsson, P. 482 (1989) 35
- Nilv  , G., Audunsson, G. and J  nsson, J.  . Sample preparation by means of a supported liquid membrane for the determination of chlorophenoxyalkanoic acids 471 (1989) 151
- Nimura, N., see Yoshida, T. 456 (1988) 421
- Nishi, H., Fukuyama, T., Matsuo, M. and Terabe, S. Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts 498 (1990) 313
- Nishi, H., Tsumagari, N., Kakimoto, T. and Terabe, S. Separation of water-soluble vitamins by micellar electrokinetic chromatography 465 (1989) 331
- Nishi, H., Tsumagari, N., Kakimoto, T. and Terabe, S. Separation of β -lactam antibiotics by micellar electrokinetic chromatography 477 (1989) 259
- Nishi, M., see Matsunaga, H. 481 (1989) 368
- Nishikawa, M., see Tsuchihashi, H. 467 (1989) 227
- Nishimura, K., see Sugii, A. 472 (1989) 357
- Nishimura, N., see Usui, Y. 489 (1989) 291
- Nishitateno, K., see Ohtani, M. 487 (1989) 469
- Nispen, J.W. Van, see Janssen, P.S.L. 470 (1989) 171
- Nitz, S., Kollmannsberger, H. and Drawert, F. Determination of sensorial active trace compounds by multi-dimensional GC combined with different enrichment techniques 471 (1989) 173
- Niwa, K., see Keller, J.W. 469 (1989) 434
- Niwa, T., Takeda, N., Sasaoka, T., Kaneda, N., Hashizume, Y., Yoshizumi, H., Tatematsu, A. and Nagatsu, T. Detection of tetrahydroisoquinoline in parkinsonian brain as an endogenous amine by use of GC-MS 491 (1989) 397
- Niwa, T., Takeda, N., Tatematsu, A., Matsuura, S., Yoshida, M. and Nagatsu, T. Migration of tetrahydroisoquinoline, a possible parkinsonian neurotoxin, into monkey brain from blood as proved GC-MS 452 (1988) 85
- Niwa, T., Yoshizumi, H., Tatematsu, A., Matsuura, S. and Nagatsu, T. Presence of tetrahydroisoquinoline, a parkinsonism-related compound, in foods 493 (1989) 347
- Nizery, D., Thi  baut, D., Caude, M., Rosset, R., Lafosse, M. and Dreux, M. Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49
- Nobilis, M., see Hais, I.M. 500 (1990) 643
- Nobuoka, M., see Moriyama, T. 493 (1989) 164
- Noda, H., see Tsuda, T. 471 (1989) 311
- Noguchi, K., Yanagihara, Y., Kasai, M. and Katayama, B. Chromatographic properties of a vinyl alcohol copolymer gel column for the analysis of non-ionic surfactants 461 (1989) 365
- Noguchi, K., see Seki, T. 459 (1988) 245
- Nohta, H., Yamaguchi, E., Ohkura, Y. and Watanabe, H. Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237
- Nohta, H., Yamaguchi, E., Ohkura, Y. and Watanabe, H. Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15
- Nolen, III, H.W., see Peters, J.H. 488 (1989) 301

- Nollstadt, K.H., Karkhanis, Y.D., Gnozzio, M.J., Crane, M.S.J., Gurnett, A.M., Schmatz, D.M. and Turner, M.J.
 Potential of the sulfobetaine detergent Zwittergent 3-12 as a desorbing agent in biospecific and bioselective affinity chromatography 497 (1989) 87
- Nonomura, M. and Hobo, T.
 Ion chromatographic determination of cyanide compounds by chloramine-T and conductivity measurement 465 (1989) 395
- Noonan, P.K., see Ruggirello, D.A. 487 (1989) 73
- Nooyen, W.J., see Van Tellingen, O. 488 (1989) 379
- Nordgren, T., see Pettersson, K.-J. 488 (1989) 447
- Nordholm, L. and Mengel, H.
 Determination of an oxadiazole-substituted 1,4-benzodiazepine in plasma by HPLC with UV detection and by a radioreceptor assay 494 (1989) 257
- North, W.G., see O'Connor, E.F. 491 (1989) 240
- Northage, A., see Blessington, B. 469 (1989) 183
- Norton, R.A., see Xu, S. 452 (1988) 377
- Nose, N., see Saito, K. 454 (1988) 387
- Nose, N., see Tanaka, A. 466 (1989) 307
- Notsumoto, S., see Hirauchi, K. 497 (1989) 131
- Nouws, J.F.M., see Laurensen, J.J. 472 (1989) 321
- Nováková, N., see Janča, J. 452 (1988) 549
- Novelli, R., see Camilleri, P. 482 (1989) 258
- Novotny, M., see Beale, S.C. 499 (1990) 579
- Novotny, M., see David, P.A. 452 (1988) 623
- Novotny, M., see David, P.A. 461 (1989) 111
- Novotny, M., see Harvey, S. 491 (1989) 27
- Novotny, M., see Liu, J. 468 (1989) 55
- Novotny, M.V., see Banks, Jr., J.F. 475 (1989) 13
- Novotny, M.V., see Dolnik, V. 480 (1989) 321
- Nuernberg, B., Kohlbrenner, M., Faulkner, R. and Furst, D.E.
 Rapid quantitation of methotrexate and its metabolites in human serum, urine and bile, using solid-phase extraction and HPLC 487 (1989) 476
- Nunn, P.B., see Euerby, M.R. 466 (1989) 407
- Nunn, P.B., see Euerby, M.R. 469 (1989) 412
- Nyéki, O., see Görög, S. 452 (1988) 317
- Nyiredy, S., Dallenbach-Toelke, K., Zogg, G.C. and Sticher, O.
 Strategies of mobile phase transfer from TLC to medium-pressure LC with silica as the stationary phase 499 (1990) 453
- Nyiredy, S., see Tarján, T. 472 (1989) 1
- Nymoen, U., see Langseth, W. 478 (1989) 269

O

Oberkotter, L.V.

- Analysis of term human milk concentrations of 3,5,3'-triiodo-L-thyronine by HPLC and radioimmunoassay: correlation with circulating serum levels in lactating women 487 (1989) 445
- Obretenova, R., see Pekov, G. 457 (1988) 377
- Ocampo, A.P., Hoyt, K.D., Wadgaonkar, N., Carver, A.H. and Puglisi, C.V.
 Determination of tazobactam and piperacillin in human plasma, serum, bile and urine by gradient elution reversed-phase HPLC 496 (1989) 167
- Ocampo, L.F. De, see El Rassi, A. 499 (1990) 141
- Ockelford, P.A., see Benny, A.G. 487 (1989) 173
- O'Connor, E.F., Cheng, S.W.T. and North, W.G.
 Simultaneous extraction and chromatographic analysis of morphine, dilaudid, naltrexone and naloxone in biological fluids by HPLC with electrochemical detection 491 (1989) 240
- Oda, H., see Hosaki, S. 488 (1989) 503
- Odén, P.C., Schwenen, L. and Graebe, J.E.
 Separation of gibberellins by normal-phase HPLC 464 (1989) 195
- O'Donnell, S.R., see Bryan, L.J. 487 (1989) 29
- O'Dwyer, P.J., see Tinsley, P.W. 495 (1989) 318
- Oe, T., see Shimada, K. 478 (1989) 339
- Oe, T., see Shimada, K. 487 (1989) 247
- Oe, T., see Shimada, K. 492 (1989) 345
- Oeda, T., Hirai, A., Ban, T., Tamura, Y. and Yoshida, S.
 TSK-Toyopearl gels for the preparative separation of sterol carrier protein₂ from rat liver 482 (1989) 117
- O'Flynn, M.A., Causon, R.C., Brown, J. and Kageyama, S.
 Development of a solid-phase extraction technique for α -human atrial natriuretic peptide in human plasma 452 (1988) 469
- Ogamo, A., see Uchiyama, H. 478 (1989) 275
- Ogawa, H., see Kanetoshi, A. 454 (1988) 145
- Ogawa, T., see Terabayashi, T. 454 (1988) 432
- Ogino, H., Suzuki, T. and Aomura, Y.
 Simple modification to compensate for the baseline variation due to the introduction of

- a reduced-pressure gas sample into a gas chromatograph 472 (1989) 389
- Oh, K.K., see Himmel, M.E. 467 (1989) 309
- Ohara, A., see Ishimitsu, S. 489 (1989) 377
- O'Hare, M., see Smith, J.A. 496 (1989) 71
- Ohkura, Y., see Hikida, K. 495 (1989) 227
- Ohkura, Y., see Iwata, T. 491 (1989) 404
- Ohkura, Y., see Miyazaki, T. 490 (1989) 43
- Ohkura, Y., see Nohta, H. 467 (1989) 237
- Ohkura, Y., see Nohta, H. 493 (1989) 15
- Ohkura, Y., see Ohno, M. 490 (1989) 301
- Ohkura, Y., see Yoshitake, T. 489 (1989) 364
- Ohmiya, S., see Saito, K. 462 (1989) 333
- Ohnaka, A., see Yamasaki, Y. 467 (1989) 299
- Ohnishi, K., see Suemitsu, R. 454 (1988) 406
- Ohno, M., Kai, M. and Ohkura, Y.
HPLC determination of substance P-like
arginine-containing peptide in rat brain by
on-line post-column fluorescence
derivatization with benzoin 490 (1989) 301
- Ohtani, M., Shibuya, F., Kotaki, H., Uchino, K.,
Saitoh, Y., Nakagawa, F. and Nishitateno, K.
Quantitative determination of buprenorphine
and its active metabolite, norbuprenorphine,
in human plasma by GC-chemical ionization
MS 487 (1989) 469
- Ohtawa, M., see Hisaka, A. 494 (1989) 183
- Ohto, M., see Yamamoto, A. 482 (1989) 145
- Ohtsu, Y., Shiojima, Y., Okumura, T., Koyama,
J.-I., Nakamura, K., Nakata, O., Kimata, K.
and Tanaka, N.
Performance of polymer-coated silica C₁₈
packing materials prepared from high-purity
silica gel. The suppression of undesirable
secondary retention processes 481 (1989) 147
- Ohtsubo, K., Higuchi, S., Aoyama, T., Fujii, N.
and Goto, I.
Sensitive determination of ambenonium
chloride in serum from patients with
myasthenia gravis using ion-exchange resin
extraction and reversed-phase ion-pair
chromatography 496 (1989) 397
- Ohtu, Y., see Nakamura, Y. 482 (1989) 165
- Ôi, N., Kitahara, H., Matsumoto, Y., Nakajima,
H. and Horikawa, Y.
(*R*)-N-(3,5-Dinitrobenzoyl)-1-
naphthylglycine as a chiral stationary phase
for the separation of enantiomers by HPLC
462 (1989) 382
- Ôi, S., see Yamashita, J. 464 (1989) 411
- Oi, T., see Kakihana, H. 483 (1989) 179
- Ôizumi, H., see Arai, T. 474 (1989) 405
- Oizumi, J., see Hayakawa, K. 487 (1989) 161
- Oizumi, J., see Hayakawa, K. 490 (1989) 33
- Oji, Y., see Hamano, T. 457 (1988) 403
- Oka, F., see Oka, H. 479 (1989) 53
- Oka, H., Harada, K.-I., Suzuki, M., Nakazawa,
H. and Ito, Y.
Foam counter-current chromatography of
bacitracin. I. Batch separation with nitrogen
and water free of additives 482 (1989) 197
- Oka, H., Ikai, Y., Kawamura, N., Yamada, M.,
Harada, K.-I., Yamazaki, Y. and Suzuki, M.
Improvement of chemical analysis of
antibiotics. XV. Isocratic HPLC methods for
the analysis and preparative separation of the
components of bacitracin 462 (1989) 315
- Oka, H. and Ito, Y.
Improved method for continuous UV
monitoring in high-speed counter-current
chromatography 475 (1989) 229
- Oka, H., Oka, F. and Ito, Y.
Multilayer coil planet centrifuge for analytical
high-speed counter-current chromatography
479 (1989) 53
- Oka, H., see Bhatnagar, M. 463 (1989) 317
- Oka, H., see Ikai, Y. 457 (1988) 333
- Oka, H., see Ikai, Y. 477 (1989) 397
- Oka, H., see Ito, Y. 457 (1988) 393
- Oka, H., see Ito, Y. 463 (1989) 305
- Oka, H., see Ito, Y. 475 (1989) 219
- Oka, H., see Ito, Y. 498 (1990) 169
- Oka, K., Hosoda, K., Hirano, T., Sakurai, E. and
Kozaki, M.
Determination of cyclosporin A in the serum
of kidney transplant patients by rapid-flow
fractionation and normal-phase HPLC 490
(1989) 145
- Oka, K., see Kubota, K. 493 (1989) 373
- Okada, T., Miyakoshi, M. and Inoue, M.
Adsorbability to and desorbability from
Sephadex G-15 of sodium and phosphate ions
475 (1989) 412
- Okada, T., Sugata, K., Nakabayashi, Y., Teraoka,
K., Miyakoshi, M. and Inoue, M.
Exchange of the cation and anion of the
sample (sodium or potassium chloride) with
the cation and anion of the eluent (sodium or
potassium phosphate buffer) and their
elution, from a Sephadex G-15 column, in
separate fractions 481 (1989) 299
- Okada, T., see Tan, S. 482 (1989) 246
- Okada, Y., see Koizumi, K. 454 (1988) 303
- Okada, Y., see Koizumi, K. 464 (1989) 365
- Okamoto, M., see Jinno, K. 461 (1989) 209
- Okamoto, N., see Gamoh, K. 469 (1989) 424
- Okamoto, Y., Kaida, Y., Aburatani, R. and
Hatada, K.
Optical resolution of amino acid derivatives

- by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367
- Okano, T., Tsugawa, N. and Kobayashi, T.
Identification and determination of 1 α ,25-dihydroxyvitamin D₃ in rat skin by HPLC and radioreceptor assay 493 (1989) 63
- Okanoue, T., see Usui, Y. 489 (1989) 291
- Okazaki, T., see Kataoka, H. 473 (1989) 276
- O'Keeffe, M. and Hopkins, J.P.
Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay 489 (1989) 199
- Økland, E.M., see Langseth, W. 478 (1989) 269
- Okubo, N., see Hayakawa, K. 481 (1989) 323
- Okuda, T., see Yoshida, T. 467 (1989) 139
- Okumura, T., see Ohtsu, Y. 481 (1989) 147
- Okuyama, T., Takata, M., Takahashi, K., Ishikawa, T., Miyasaka, K. and Kaneyama, N.
HPLC analysis of naturally occurring glycosides and saponins 466 (1989) 390
- Okuyama, T., see Yamamoto, H. 480 (1989) 277
- Okuyama, T., see Yamamoto, H. 480 (1989) 331
- Olajos, S., see Valkó, K. 499 (1990) 361
- Olde, B., see Persson, L.-O. 457 (1988) 183
- Olefrowicz, T.M. and Ewing, A.G.
Capillary electrophoresis with indirect amperometric detection 499 (1990) 713
- Olías, J.M., Ríos, J.J. and Valle, M.
Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation 467 (1989) 279
- Olinger, J.M., see Jinno, K. 461 (1989) 209
- Oliver, J.S., see Moore, C.M. 491 (1989) 519
- Olivier, S.P., see Van Biljon, P.L. 473 (1989) 305
- Olsen, B.A., see Snorek, S.V. 458 (1988) 287
- Olsen, L.D. and Hurtubise, R.J.
Solvent composition effects on the retention characteristics of aromatic hydroxyl compounds with silica and polar mobile phases and interpretation by the Snyder model 474 (1989) 347
- Olsen, L.D. and Hurtubise, R.J.
Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5
- Olson, E.S. and Diehl, J.W.
Characterization of coal liquefaction products by GC-Fourier transform IR spectroscopy-MS 468 (1989) 309
- Olson, M.V.
Separation of large DNA molecules by pulsed-field gel electrophoresis. A review of the basic phenomenology 470 (1989) 377
- Olsson, M., Sander, L.C. and Wise, S.A.
Comparison of LC selectivity for polycyclic aromatic hydrocarbons on cyclodextrin and C₁₈ bonded phases 477 (1989) 277
- O'Malley, G., see Murray, S. 491 (1989) 15
- Ommen, B. Van, see Bogaards, J.J.P. 474 (1989) 435
- Omote, K., see Gamoh, K. 469 (1989) 424
- Onaka, A., see Kato, Y. 478 (1989) 264
- Ong, C.N., see Lee, B.L. 494 (1989) 303
- Ong, C.P., Lee, H.K. and Li, S.F.Y.
Optimization of mobile phase composition for HPLC analysis of eleven priority substituted phenols 464 (1989) 405
- Ong, H., Adam, A., Perreault, S., Marleau, S., Bellemare, M., Du Souich, P. and Beaulieu, N.
Analysis of albuterol in human plasma based on immunoaffinity chromatographic clean-up combined with HPLC with fluorimetric detection 497 (1989) 213
- Onkenhout, W., Van der Poel, P.F.H. and Van den Heuvel, M.P.M.
Improved determination of very-long-chain fatty acids in plasma and cultured skin fibroblasts: applications to the diagnosis of peroxisomal disorders 494 (1989) 31
- Ono, T., see Dobashi, A. 461 (1989) 121
- Ono, T., see Dobashi, A. 480 (1989) 413
- Onodera, S., Igarashi, K., Fukuda, A., Ouchi, J. and Suzuki, S.
Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233
- Onuska, F.I. and Terry, K.A.
Quantitative high-resolution GC and MS of toxaphene residues in fish samples 471 (1989) 161
- Oparil, S., see Meng, Q.C. 461 (1989) 271
- Oppong-Mensah, K. and Porter, W.R.
Separation of some rodenticides and related compounds by TLC 455 (1988) 439
- Oppenheimer, L.E. and Smith, G.A.
Sedimentation field-flow fractionation of colloidal metal hydrosols 461 (1989) 103
- Opstal, M.A.J. Van, Van der Horst, F.A.L., Holthuis, J.J.M., Van Bennekom, W.P. and Bult, A.
Automated reversed-phase chromatographic analysis of etoposide and teniposide in plasma by using on-line surfactant-mediated sample

- clean-up and column-switching 495 (1989) 139
- Orford, C.D., Perry, D. and Adlard, M.W. HPLC determination of δ -(L- α -amino adipyl)-L-cysteinyl-D-valine in complex media by precolumn derivatisation with dansylaziridine 481 (1989) 245
- Orlov, V.I., see Hradil, J. 475 (1989) 209
- Orlovsky, A.F., see Tsygankov, A.Y. 465 (1989) 325
- Orme, M.L.E., see Idowu, O.R. 493 (1989) 125
- Oropeza, C., Alpizar, L., Loyola-Vargas, V.M., Quiroz, J. and Scorer, K.N. Determination of L-canavanine and L-canaline in plant tissues by HPLC 456 (1988) 405
- Oroszlan, P., Blanco, R., Lu, X.-M., Yarmush, D. and Karger, B.L. Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481
- Orti, D.L., Grainger, J., Ashley, D.L. and Hill, Jr., R.H. Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites 462 (1989) 269
- Ortiz, G., see Reuvers, T.B.A. 467 (1989) 321
- Örvell, C., see Van Ede, J. 476 (1989) 319
- Örvell, C., see Welling-Wester, S. 476 (1989) 477
- Osada, Y., see Matsubayashi, K. 495 (1989) 354
- Osaki, Y., see Nagase, M. 465 (1989) 434
- Oscarsson, S. and Porath, J. Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235
- Oščik-Mendyk, B., see Šlais, K. 456 (1988) 370
- O'Shannessy, D.J., Ekberg, B., Andersson, L.I. and Mosbach, K. Recent advances in the preparation and use of molecularly imprinted polymers for enantiomeric resolution of amino acid derivatives 470 (1989) 391
- Oshima, T., Sagara, K., Yoshida, T., Tong, Y.-Y., Zhang, G. and Chen, Y.-H. Determination of geniposide, gardenoside, geniposidic acid and genipin-1- β -gentiobioside in *Gardenia jasminoides* by HPLC 455 (1988) 410
- Oshima, T., see He, L.-Y. 481 (1989) 428
- Oshima, T., see Ito, Y. 456 (1988) 392
- Osman, M.A., Dunning, L.K., Bhavnagri, V.P. and Cheng, L.K. Determination of muzolimine in plasma and urine by HPLC 496 (1989) 478
- Osman, M.A., Dunning, L.K., Cheng, L.K. and Wright, G.J. Determination of bromfenac in plasma by HPLC 489 (1989) 452
- Osman, S.F. and Sinden, S.L. HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189
- Ośmiałowski, K., see Kaliszak, R. 499 (1990) 333
- Osokin, D.M., see Levchenko, N.K. 456 (1988) 427
- Ossetlon, M.D., see Smith, R.M. 455 (1988) 77
- Ossicini, L., see Foret, F. 470 (1989) 299
- Osuga, T., see Shoda, J. 488 (1989) 315
- Otani, M., Umezawa, C. and Sano, K. HPLC determination of pyrroloquinoline quinone with electrochemical detection and its application to bacterial samples 483 (1989) 448
- Otomasu, H., see Saito, K. 462 (1989) 333
- Otsuka, K. and Terabe, S. Extra-column effects in high-performance capillary electrophoresis 480 (1989) 91
- Otto, M., Hörchner, U. and Wegscheider, W. Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453
- Otto, M., see Lankmayr, E.P. 485 (1989) 557
- Ouchi, J., see Onodera, S. 466 (1989) 233
- Overend, R.P., see Thring, R.W. 467 (1989) 441
- Ovsyannikova, I.A., see Zheivot, V.I. 472 (1989) 155
- Owada, E., see Sato, J. 493 (1989) 239
- Owen, J.A., Sribney, M., Lawson, J.S., Delva, N. and Letemendia, F.J.J. Capillary GC of trihexyphenidyl, procyclidine and cycrimine in biological fluids 494 (1989) 135
- Owens, J.A., see Smeaton, T.C. 487 (1989) 434
- Owens, R.A., see Kroeff, E.P. 461 (1989) 45
- Oxford, J. and Lant, M.S. Development and validation of an LC-MS assay for the determination of sumatriptan in plasma 496 (1989) 137
- Oxford, J.M., see Evans, M.B. 479 (1989) 170
- Oyler, A.R., see Motto, M.G. 481 (1989) 255
- Ozawa, H. and Tsukioka, T. Determination of sodium monofluoroacetate in soil and biological samples as the dichloroanilide derivative 473 (1989) 251
- Ozawa, K., see Usui, Y. 489 (1989) 291

P

- Pablo, J. De, see Farran, A. 455 (1988) 163
- Pacáková, V., see Böswart, J. 495 (1989) 61
- Pacáková, V., see Burcinová, A. 455 (1988) 420
- Pacáková, V., see Wang, H. 457 (1988) 398
- Pace, M., Mauri, P.L., Gardana, C. and Pietta, P.G.
HPLC assay for nicotinamide-adenide
dinucleotide kinase 476 (1989) 487
- Pachla, L.A., see Krcmarik, C.S. 496 (1989) 493
- Packham, A.J., see Fielden, P.R. 479 (1989) 117
- Padieu, P., see Ibañez, M.A.D. 488 (1989) 237
- Padieu, P., see Tsaconas, C. 487 (1989) 313
- Padieu, P., see Tsaconas, C. 488 (1989) 249
- Páez, M.I., see García-Raso, A. 471 (1989) 205
- Páez, M.I., see Martínez-Castro, I. 462 (1989) 49
- Page, B.D., see Lawrence, J.F. 462 (1989) 419
- Page, G.O., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Page, J.A., Beer, M.T. and Lauber, R.
Optimisation of continuous flow fast atom
bombardment MS for bioanalysis 474 (1989)
51
- Pagotto, J.G., see Purdon, J.G. 475 (1989) 261
- Pajor, A., see Idei, M. 490 (1989) 247
- Paknosham, S.J., see Camilleri, P. 498 (1990) 414
- Palamarev, H.E., see Palamareva, M.D. 477
(1989) 235
- Palamareva, M.D. and Palamarev, H.E.
Microcomputer-aided characterization of
mobile phases for normal-phase LSC based
on Snyder's theory and data 477 (1989) 235
- Palasota, J.M., see Deming, S.N. 485 (1989) 15
- Palazzolo, D.L. and Quadri, S.K.
Reduced variation in retention times of
biogenic amines by temperature control in
LC with electrochemical detection 479 (1989)
216
- Paleari, C.D., see Plebani, M. 476 (1989) 93
- Palevitch, D., see Milo, J. 452 (1988) 563
- Palla, G., Marchelli, R., Dossena, A. and Casnati,
G.
Occurrence of D-amino acids in food.
Detection by capillary GC and by reversed-
phase HPLC with L-phenylalaninamides as
chiral selectors 475 (1989) 45
- Pallos, J.P., see Szabó, G. 463 (1989) 345
- Palma, P., see Mangani, F. 452 (1988) 527
- Palmentier, J.-P.F., Britten, A.J., Charbonneau,
G.M. and Karasek, F.W.
Determination of polycyclic aromatic
hydrocarbons in lubricating oil base stocks
using HPLC and GC-MS 469 (1989) 241
- Palmer, A.J. and Palmer, F.J.
Rapid analysis of triacylglycerols using HPLC
with light scattering detection 465 (1989) 369
- Palmer, F.J., see Palmer, A.J. 465 (1989) 369
- Palmisano, F., Rotunno, T., Guerrieri, A. and
Zambonin, P.G.
Simultaneous determination of pseudouridine
and creatinine in untreated urine by ion-pair
LC with diode-array UV detection 493 (1989)
35
- Palmisano, F., Zambonin, P.G., Visconti, A. and
Bottalico, A.
Profiling of *Alternaria* mycotoxins in
foodstuffs by HPLC with diode-array UV
detection 465 (1989) 305
- Palmqvist, U., see Einarsson, Ö. 498 (1990) 381
- Palva, E., see Järvinen, T. 495 (1989) 13
- Pan, S.-L., see Hoffman, N.E. 465 (1989) 189
- Pan, S.-S., see Musser, S.M. 474 (1989) 197
- Panneman, H.J., see Marsman, J.H. 483 (1989)
111
- Papp, E. and Nagy, I.
Reversed-phase HPLC analysis of the
reaction mixture occurring in the production
of a synthetic diester lubricant 463 (1989) 222
- Pappas, A., see Cheach, I.C.L. 467 (1989) 414
- Pappas, A.A., see Stidman, J. 494 (1989) 318
- Parcher, J.F. and Strubinger, J.R.
High-pressure adsorption of carbon dioxide
on SFC adsorbents 479 (1989) 251
- Parees, D.M. and Vassilaros, D.L.
Comments on a paper describing elution
order shifts of halogenated compounds 474
(1989) 462
- Paris, A., Sutra, J.F. and Rao, D.
Separation of C-17 fatty acid esters of 17 β -
estradiol by reversed-phase HPLC 493 (1989)
367
- Paris-Pireyre, N., see Brunet, P. 455 (1988) 173
- Paris-Pireyre, N., see Sarrobert, B. 462 (1989)
303
- Park, J., Shin, Y.O. and Choo, H.-Y.P.
Metabolism and pharmacokinetic studies of
propionylpromazine in horses 489 (1989) 313
- Park, J., see Shin, H. 491 (1989) 448
- Park, J., see Shin, H. 493 (1989) 398
- Park, J.H. and Carr, P.W.
Interpretation of normal-phase solvent
strength scales based on linear solvation

- energy relationships using the solvatochromic parameters π^* , α and β 465 (1989) 123
- Park, J.H., see Rutan, S.C. 463 (1989) 21
- Park, Y.J. and Hardy, J.K.
Reversed-phase HPLC of metal-benzylpropionitrile dithiocarbamate complexes 481 (1989) 287
- Parker, C.E., see Escoffier, B.H. 474 (1989) 301
- Parker, C.E., see Tomer, K.B. 492 (1989) 189
- Parker, J.M.R., see Hodges, R.S. 458 (1988) 147
- Parker, J.M.R., see Mant, C.T. 485 (1989) 365
- Parkin, J.E.
HPLC of mercury and phenylmercury as the N-disubstituted dithiocarbamate complexes 472 (1989) 401
- Parris, N., see Barford, R.A. 458 (1988) 57
- Partridge, J.E., see Dougherty, D.A. 480 (1989) 359
- Partridge, L.Z., see Euerby, M.R. 466 (1989) 407
- Partridge, L.Z., see Euerby, M.R. 469 (1989) 412
- Partridge, L.Z., see Euerby, M.R. 483 (1989) 239
- Parulekar, P.P., see Mali, B.D. 457 (1988) 383
- Pascual, R., see Burgos, F.J. 481 (1989) 233
- Pastor, J., Pauli, A.M. and Schreiber-Deturmeny, E.
Determination of dihydrosafrole in piperonyl butoxide by HPLC (in French) 462 (1989) 435
- Pastore, P., Lavagnini, I., Boaretto, A. and Magno, F.
Ion chromatographic determination of nitrite in the presence of a large amount of chloride 475 (1989) 331
- Patel, H.R., Ashmore, S.P., Barrow, L. and Tanner, M.S.
Improved HPLC technique for the determination of hepatic α -tocopherol 495 (1989) 269
- Patel, P., see Jack, D.B. 452 (1988) 257
- Paterson, R.R.M. and Klemmelmeyer, C.
Gradient HPLC using alkylphenone retention indices of insecticidal extracts of *Penicillium* strains 483 (1989) 153
- Patey, A.L., see Sharman, M. 474 (1989) 457
- Patnaik, L.N., Pattanaik, B.N., Mohanty, M. and Satapathy, A.
TLC behaviour of some styryl cyanine dyes derived from pyridine 481 (1989) 331
- Patriarche, G.J., see Nagels, L.J. 459 (1988) 163
- Patrick, K.S., Jarvi, E.J., Straughn, A.B. and Meyer, M.C.
GC-MS analysis of plasma nifedipine 495 (1989) 123
- Patrick, K.S., Markowitz, J.S., Jarvi, E.J., Straughn, A.B. and Meyer, M.C.
- GC-MS analysis of plasma oxybutynin using a deuterated internal standard 487 (1989) 91
- Pattanaik, B.N., see Patnaik, L.N. 481 (1989) 331
- Patterson, D., see Hards, R.G. 455 (1988) 217
- Patterson, R.E., see Sagliano, Jr, N. 458 (1988) 225
- Patterson, W.R., see Eisenberg, E.J. 493 (1989) 105
- Pauli, A.M., see Pastor, J. 462 (1989) 435
- Paulik, E., see Kremmer, T. 493 (1989) 45
- Paulus, A., see Nelson, R.J. 480 (1989) 111
- Pauthe-Dayde, D., see Henry, M. 477 (1989) 413
- Pavlík, V., Kéry, V., Tišlárik, K. and Šandula, J.
Affinity chromatography of anti-mannan antibodies on mannan-acrylamide copolymers 490 (1989) 418
- Pavlinov, S.A., see Belolipetskaja, V.G. 491 (1989) 507
- Pavlu, B., see Wu, S.-L. 500 (1990) 595
- Pawlowski, M., see Huber, J.F.K. 500 (1990) 257
- Payne, K.M., Davies, I.L., Bartle, K.D., Markides, K.E. and Lee, M.L.
Multidimensional packed capillary column SFC using a flow-switching interface 477 (1989) 161
- Paysant, P., see Wasels, R. 489 (1989) 411
- Peacock, G.A. and Goosey, M.W.
Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293
- Peacock, J., see Brown, R.C. 497 (1989) 360
- Peaker, S., Mehta, A.C., Kumar, S. and Feely, M.
Measurement of low (sub-therapeutic) phenobarbitone levels in plasma by HPLC: application to patient compliance studies 497 (1989) 308
- Peart, T.E., see Lee, H.-B. 498 (1990) 367
- Pecci, L., see Costa, M. 490 (1989) 404
- Pedigo, S. and Bowers, L.D.
Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279
- Pedraz, J.L., see Calvo, M.B. 490 (1989) 206
- Peek, H., Roberts, N.B. and Taylor, W.H.
Improved separation of human pepsins from gastric juice by high-performance ion-exchange chromatography 476 (1989) 291
- Peek, H., Roberts, N.B. and Taylor, W.H.
Heterogeneity of human pepsin 1, as shown by high-performance ion-exchange chromatography 476 (1989) 491

- Peeters, A., see De Smet, M. 457 (1988) 25
 Peeters, A., see De Smet, M. 485 (1989) 237
 Peeters, A., see Hindriks, R. 485 (1989) 255
 Peichang, L. and Hongxin, H.
 Expert system for chromatography 452 (1988) 175
 Pekari, K., Riekola, M.-L. and Aitio, A.
 Simultaneous determination of benzene and toluene in the blood using head-space GC 491 (1989) 309
 Pekov, G., Petsev, N. and Obretenova, R.
 Study of the adsorption of methyl red on thermally treated GLC packings 457 (1988) 377
 Pellecchia, M., see Cabras, P. 472 (1989) 411
 Pellegrino, S., see Petrarulo, M. 465 (1989) 87
 Pellizzari, E.D., see Cooper, S.D. 498 (1990) 41
 Peloso, R., see Marzo, A. 497 (1989) 296
 Pelt, F.N.A.M. Van, Mennes, W.C., Hassing, I.G.A.M. and Blaauboer, B.J.
 Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489
 Peltonen, K.
 Sampling and determination of carbon disulphide in air by GC with electron-capture detection 464 (1989) 422
 Peltonen, K., Kostianen, R. and Savolainen, H.
 Chromatographic analysis, isolation and partial characterization of two photocatalysed reaction products of haem and quinone 490 (1989) 311
 Peltonen, K., see Pukkila, J. 479 (1989) 369
 Pennings, E.J.M., Verpoorte, R., Goddijn, O.J.M. and Hoge, J.H.C.
 Purification of tryptophan decarboxylase from a *Catharanthus roseus* cell suspension culture 483 (1989) 311
 Pensa, B., see Costa, M. 490 (1989) 404
 Pentoney, Jr., S.L., Zare, R.N. and Quint, J.F.
 Semiconductor radioisotope detector for capillary electrophoresis 480 (1989) 259
 Perel, J.M., see Foglia, J.P. 495 (1989) 295
 Pérez-Bustamante, J.A., see Cela, R. 485 (1989) 477
 Perez-Gonzalez, N., see Drechou, A. 489 (1989) 273
 Pérez-Payá, E., Braco, L., Campos, A., Soria, V. and Abad, C.
 Solution properties of polyelectrolytes. IV. Use of a new hydrophilic SEC packing for the separation of anionic and cationic polyions 461 (1989) 229
 Perfumo, F., see Canepa, A. 491 (1989) 200
 Perkins, J.R., see Ramsey, E.D. 464 (1989) 353
 Perreault, S., see Ong, H. 497 (1989) 213
 Perrett, D., see James, I.T. 495 (1989) 105
 Perry, D., see Orford, C.D. 481 (1989) 245
 Perry, J.A., see Szczera, T.J. 458 (1988) 281
 Perry, J.A. and Szczera, T.J.
 Preparative packing utility as a function of particle size 484 (1989) 267
 Persson, B.-A., Balmér, K., Lagerström, P.-O. and Schill, G.
 Enantioselective determination of metoprolol in plasma by LC on a silica-bonded α_1 -acid glycoprotein column 500 (1990) 629
 Persson, B.-A., see Balmér, K. 477 (1989) 107
 Persson, B.-A., see Eriksson, B.-M. 459 (1988) 351
 Persson, K., Lindström, B., Spalding, D., Wahlström, A. and Rane, A.
 Determination of codeine and its metabolites in human blood plasma and in microsomal incubates by HPLC with UV detection 491 (1989) 473
 Persson, L.-O. and Olde, B.
 Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183
 Persson, L., see Irth, H. 499 (1990) 617
 Perttierra-Rimada, E., see Fernández-Sánchez, E. 457 (1988) 55
 Pešáková, V., see Macek, J. 488 (1989) 267
 Peteghem, C. Van, Van Look, L. and De Guesquière, A.
 Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219
 Peteghem, C. Van, see Jansen, E.H.J.M. 489 (1989) 205
 Peteghem, C. Van, see Van Look, L. 489 (1990) 213
 Peter, J.V. St. and Awani, W.M.
 Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424
 Peters, J.H., Nolen, III, H.W., Gordon, G.R., Bradford, III, W.W., Bupp, J.E. and Reist, E.J.
 Combined chromatographic-isotopic dilution analysis of fecapentaenes in human feces 488 (1989) 301
 Peters, T.J., see Li, F. 461 (1989) 353
 Peters, T.J., see Lim, C.K. 461 (1989) 259
 Petersen, M., see Engelhardt, H. 477 (1989) 169
 Peterson, E.A., see Torres, A.R. 499 (1990) 47

- Peterson, E.J., see Hamilton, V.T. 469 (1989) 369
- Peterson, R.E., see Pettit, W.A. 469 (1989) 440
- Petit, J., see Pinche, C. 463 (1989) 201
- Petkov, L., see Turková, J. 500 (1990) 585
- Petrarulo, M., Pellegrino, S., Bianco, O.,
Marangella, M., Linari, F. and Mentasti, E.
Derivatization and HPLC determination of
urinary glycolic acid 465 (1989) 87
- Petro, M. and Ďulák, K.
Determination of
morpholinosulphenylbenzothiazole by HPLC
462 (1989) 426
- Petrushkin, O.M., see Timerbaev, A.R. 498 (1990)
337
- Petrusewicz, J., see Kaliszak, R. 458 (1988) 395
- Petsev, N., see Gavrilova, T.B. 454 (1988) 73
- Petsev, N., see Pekov, G. 457 (1988) 377
- Pettersson, C., see Karlsson, A. 494 (1989) 157
- Pettersson, C., see Marle, I. 456 (1988) 323
- Pettersson, K.-J., Nordgren, T. and Westerlund,
D.
Determination of phosphonoformate
(foscarnet) in biological fluids by ion-pair
reversed-phase LC 488 (1989) 447
- Pettit, G.R., see Baer, J.C. 467 (1989) 332
- Pettit, W.A., Swailes, B.K. and Peterson, R.E.
Isocratic reversed-phase HPLC assay for a
cryptand-cryptate-free metal ion system 469
(1989) 440
- Peura, P., see Järvinen, T. 495 (1989) 13
- Pfleiderer, B. and Bayer, E.
Silanediol groups of the silica gel Nucleosil:
active sites involved in the chromatographic
behaviour of bases 468 (1989) 67
- Pfleiderer, B., see Buszewski, B. 499 (1990) 305
- Phan-Tan-Luu, R., see Mazerolles, G. 485 (1989)
433
- Phillips, C.S.G.
Chromatography and the discovery process
468 (1989) 35
- Phillips, C.S.G., see Lyne, P.M. 471 (1989) 145
- Phillips, J., see Bianchi, A. 467 (1989) 111
- Phillips, J.B., see Zhang, M. 478 (1989) 141
- Phillips, J.H. and Robey, R.J.
Solvent strength and selectivity properties of
supercritical carbon dioxide relative to liquid
hexane 465 (1989) 177
- Phillips, L.R., see Brown, N.D. 487 (1989) 189
- Phillips, M.W., Subramanian, G. and Cramer,
S.V.
Theoretical optimization of operating
parameters in non-ideal displacement
chromatography 454 (1988) 1
- Phillips, M.W., see Subramanian, G. 484 (1989)
225
- Phillips, T.M., Frantz, S.C., Babashak, J.V. and
Chmielinska, J.J.
High-performance affinity isolation of
lymphocyte membrane receptors on
biotinylated antigen and avidin-coated beads
458 (1988) 185
- Phillips, T.M., see Babashak, J.V. 476 (1989) 187
- Pianezzola, E., Bellotti, V., Fontana, E., Moro,
E., Gal, J. and Desai, D.M.
Determination of the enantiomeric
composition of salsolinol in biological
samples by HPLC with electrochemical
detection 495 (1989) 205
- Piasecki, A., see Głód, B.K. 457 (1988) 43
- Picado, C., see Ramis, I. 496 (1989) 416
- Picard, M., see Descombe, J.-J. 496 (1989) 345
- Piccardo, M.T., see Canepa, A. 491 (1989) 200
- Piccinelli, A., see Chiabrandi, C. 495 (1989) 1
- Pichard, H., see Morin, P. 464 (1989) 125
- Pichon, B., see Rouan, M.C. 456 (1988) 45
- Pichot, A., see Liautard, J. 454 (1988) 195
- Pickart, M.J., see Holstege, C.P. 455 (1988) 401
- Pickert, A., Bäuerle, A. and Liebich, H.M.
Determination of hippuric acid and furanic
acid in serum of dialysis patients and control
persons by HPLC 495 (1989) 95
- Pickert, A., see Liebich, H.M. 500 (1990) 615
- Pickett, W.C., see Ramesha, C.S. 491 (1989) 37
- Pieniaszek, Jr., H.J., Shen, H.-S.L., Garner, D.M.,
Page, G.O., Shalaby, L.M., Isensee, R.K. and
Whitney, Jr., C.C.
Determination of unlabeled and $^{13}\text{C}_6$ -labeled
moricizine in human plasma using
thermospray LC-MS 493 (1989) 79
- Pierson, D.A., see Snorek, S.V. 458 (1988) 287
- Pierson, D.J., see Kogan, M.J. 490 (1989) 236
- Pieters, L.A., Hartmann, T., Janssens, J. and
Vlietinck, A.J.
Comparison of capillary GC with ^1H and ^{13}C
nuclear magnetic resonance spectroscopy for
the quantitation of pyrrolizidine alkaloids
from *Senecio vernalis* 462 (1989) 387
- Pietrogrande, C., see Dondi, F. 461 (1989) 281
- Pietrogrande, C., see Dondi, F. 462 (1989) 205
- Pietrogrande, M.C., Dondi, F., Borea, P.A. and
Bighi, C.
Retention behaviour of β -carbolines in
normal-phase chromatography. Silica and
amino phases in HPLC and TLC 471 (1989)
407
- Pietrogrande, M.C., see Biagi, G.L. 469 (1989)
121
- Pietrogrande, M.C., see Biagi, G.L. 498 (1990)
179
- Pietrogrande, M.C., see Dondi, F. 485 (1989) 631

- Pietrzyk, D.J., see Brown, D.M. 466 (1989) 291
- Pietta, P., Mauri, P., Facino, R.M. and Carini, M.
HPLC analysis of β -escin 478 (1989) 259
- Pietta, P., Mauri, P., Manera, E. and Ceva, P.
Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442
- Pietta, P., see Maggi, L. 478 (1989) 225
- Pietta, P.G., see Pace, M. 476 (1989) 487
- Pinche, C., Billard, J.P., Frasey, A.M., Bargnoux, H., Petit, J., Berger, J.A., Vu, B.D. and Yonger, J.
Separation and assay of N-nitroso compounds by HPLC with chemiluminescence detection 463 (1989) 201
- Pinciroli, V., see Chiabrando, C. 495 (1989) 1
- Pinho, F., see Williams, D.R. 484 (1989) 381
- Pinkerton, T.C. and Koeplinger, K.A.
HPLC separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 458 (1988) 129
- Pinkston, J.D., Bowling, D.J. and Delaney, T.E.
Industrial applications of SFC-MS involving oligomeric materials of low volatility and thermally labile materials 474 (1989) 97
- Pinto, N.G., see Chen, T.-W. 484 (1989) 167
- Piot, J.-M., Guillochon, D., Zhao, Q., Ricart, G., Fournet, B. and Thomas, D.
Identification of peptides, from a peptic haemoglobin hydrolysate produced at pilot-plant scale, by HPLC and MS 481 (1989) 221
- Piotrovskii, V.K., see Belolipetskaja, V.G. 491 (1989) 507
- Piotrowski, G.T., see Krawczyk, W. 463 (1989) 297
- Pirastu, M.G., see Cossu, G. 475 (1989) 283
- Pirkle, W.H., Chang, J.-P. and Burke, III, J.A.
Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377
- Pirkle, W.H. and McCune, J.E.
Discussion of a controversial chiral recognition model 469 (1989) 67
- Pirkle, W.H. and McCune, J.E.
Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271
- Pirkle, W.H. and McCune, J.E.
Separation of the enantiomers of N-protected α -amino acids as anilide and 3,5-dimethylanilide derivatives 479 (1989) 419
- Pivarnik, P.E., see Turcotte, J.G. 499 (1990) 55
- Platonova, N.P., see Hradil, J. 469 (1989) 143
- Plebani, M., Masiero, M., Paleari, C.D., Sciacovelli, L., Faggian, D. and Burlina, A.
HPLC for cyclosporin measurement: comparison with radioimmunoassay 476 (1989) 93
- Plicka, J., Svoboda, V., Kleinmann, I. and Uhlířová, A.
Mathematical modelling of the peak in LC 469 (1989) 29
- Plicka, J., see Kleinmann, I. 479 (1989) 327
- Plumitallo, A., see Cabras, P. 462 (1989) 430
- Pluskal, M.G., see Lema, M.J. 491 (1989) 61
- Pluym, A., see Dingenen, J. 475 (1989) 95
- Podhradský, D., Antalík, M. and Šturdík, E.
Separation of thiols on Spheron Ara activated with 2-nitrophenylhydrazonopropandinitrile ligand 455 (1988) 344
- Podlaha, O. and Töregård, B.
Some new observations on the equivalent carbon numbers of triglycerides and relationship between changes in equivalent carbon number and molecular structure 482 (1989) 215
- Podojil, M., see Řezanka, T. 463 (1989) 397
- Poehland, B.L., Troupé, N., Carté, B.K. and Westley, J.W.
Reversed-phase HPLC assay for camptothecin and related alkaloids 481 (1989) 421
- Poel, P.F.H. Van der, see Onkenhout, W. 494 (1989) 31
- Pohl, C.A., see Slingsby, R.W. 458 (1988) 241
- Pohl, C.A., see Stillian, J.R. 499 (1990) 249
- Pohl, S., see Bächmann, K. 482 (1989) 307
- Poiesi, C., Tamanini, A., Ghielmi, S. and Albertini, A.
Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101
- Poirier, J.-M., Lebot, M. and Cheymol, G.
Rapid and sensitive column LC determination of sotalol in plasma 493 (1989) 409
- Pokharna, H.K., see Fulton, J.A. 455 (1988) 183
- Poklis, A., see Fitzgerald, R.L. 490 (1989) 59
- Polášek, M., see Jokl, V. 470 (1989) 263
- Poll, D.J. and Harding, D.R.K.
Formic acid as a milder alternative to trifluoroacetic acid and phosphoric acid in two-dimensional peptide mapping 469 (1989) 231
- Pollack, L., see Fürst, P. 499 (1990) 557
- Polo Diez, L., see Cañas Montalvo, B. 458 (1988) 217
- Polymeropoulos, C.E., see Kaufman, A.E. 454 (1988) 23
- Polzer, J., see Bächmann, K. 481 (1989) 373

- Pomaville, R.M. and Poole, C.F.
Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261
- Pomaville, R.M. and Poole, C.F.
GC study of the solution thermodynamics of organic solutes in tetraalkylammonium alkanesulfonate and perfluoroalkanesulfonate solvents 499 (1990) 749
- Pommer, U., see Radicke, J. 467 (1989) 304
- Ponomareva, T.M., see Davankov, V.A. 452 (1988) 309
- Pontecorvi, A., see Antonozzi, I. 459 (1988) 319
- Poole, C.F. and Poole, S.K.
Progress in densitometry for quantitation in planar chromatography (Review) 492 (1989) 539
- Poole, C.F., see Dean, T.A. 468 (1989) 127
- Poole, C.F., see Kersten, B.R. 452 (1988) 191
- Poole, C.F., see Kersten, B.R. 468 (1989) 235
- Poole, C.F., see Pomaville, R.M. 468 (1989) 261
- Poole, C.F., see Pomaville, R.M. 499 (1990) 749
- Poole, C.F., see Poole, S.K. 471 (1989) 91
- Poole, C.F., see Poole, S.K. 500 (1990) 329
- Poole, S.K., Kersten, B.R. and Poole, C.F.
Comparison of solvent models for characterizing stationary phase selectivity in GC 471 (1989) 91
- Poole, S.K. and Poole, C.F.
Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in GC 500 (1990) 329
- Poole, S.K., see Kersten, B.R. 468 (1989) 235
- Poole, S.K., see Poole, C.F. 492 (1989) 539
- Poon, B.T., see Brown, N.D. 487 (1989) 189
- Poor, C.L., see Schmitz, H.H. 479 (1989) 261
- Popon, M., see Jacqz-Aigrain, E. 495 (1989) 361
- Poppe, H., see Bruin, G.J.M. 471 (1989) 429
- Poppe, H., see Bruin, G.J.M. 480 (1989) 339
- Poppe, H., see Tock, P.P.H. 477 (1989) 95
- Poppe, H., see Van Berkel-Geldof, O. 499 (1990) 345
- Poppema, A., see Kientz, C.E. 467 (1989) 385
- Porath, J., see Fornstedt, N. 472 (1989) 261
- Porath, J., see Oscarsson, S. 499 (1990) 235
- Porsius, A.J., see Verrijk, R. 491 (1989) 265
- Porte, C., see Fernández, P. 456 (1988) 155
- Porter, D.W., Banks, M.A., Castranova, V. and Martin, W.G.
Reversed-phase HPLC technique for taurine quantitation 454 (1988) 311
- Porter, J., see Hoeger, C. 484 (1989) 307
- Porter, N.L., see Bornhop, D.J. 459 (1988) 193
- Porter, W.R., see Opong-Mensah, K. 455 (1988) 439
- Porumb, H., see Presecan, E. 469 (1989) 396
- Pospíchal, J., Deml, M., Gebauer, P. and Boček, P.
Generation of operational electrolytes for isotachophoresis and capillary zone electrophoresis in a three-pole column 470 (1989) 43
- Pospíchal, J., see Boček, P. 470 (1989) 309
- Pospíchal, J., see Boček, P. 500 (1990) 673
- Post, M.H., see Van der Horst, F.A.L. 456 (1988) 201
- Post, M.H., see Van der Horst, F.A.L. 500 (1990) 443
- Postaire, E., see Dorland, P. 478 (1989) 131
- Pötzschke, H., see Barnikol, W.K.R. 497 (1989) 231
- Poupaert, J.H., see Conçalves, J.C.S. 494 (1989) 389
- Pourcelot, A., see Baillet, G. 456 (1988) 183
- Powell, A.C., see Sepaniak, M.J. 480 (1989) 185
- Powell, A.D., see Kobayashi, K. 462 (1989) 357
- Powell, J.E., see Sawyer, D.J. 455 (1988) 193
- Powell, M.L., see Hicks, C.M. 497 (1989) 349
- Powers, J.J., see Krajewska, A.M. 457 (1988) 279
- Pozuelo, M.M. De, see Reuvers, T.B.A. 467 (1989) 321
- Pradeau, D., see Dorland, P. 478 (1989) 131
- Prakash, C., Jajoo, H.K., Blair, I.A. and Mayol, R.F.
Resolution of enantiomers of the antiarrhythmic drug encainide and its major metabolites by chiral derivatization and HPLC 493 (1989) 325
- Pranoto-Soetardhi, L.A., see De Kruijf, N. 469 (1989) 317
- Pras, M., see Kaplan, B. 487 (1989) 450
- Prasad, M.R., see Samanta, A. 459 (1988) 221
- Prasada Raju, N., see Husain, S. 454 (1988) 317
- Pratap, G., see Husain, S. 475 (1989) 426
- Pratt, D.A., see Cassidy, D.M. 491 (1989) 1
- Predieri, G., see Casoli, A. 483 (1989) 443
- Prell, G.D. and Morrishow, A.M.
Altered retention of derivatives of *tele*-methylimidazoleacetic acid in acid-hydrolyzed samples of brain measured by capillary GC and MS 472 (1989) 256
- Prelusky, D.B., Warner, R.M. and Trenholm, H.L.
Sensitive analysis of the mycotoxin zearalenone and its metabolites in biological fluids by HPLC 494 (1989) 267
- Prescott, S.R., see Hull, C.J. 477 (1989) 387

- Presecan, E., Porumb, H. and Lascu, I.
Simple method for the preparation of spherical agarose and composite gel particles 469 (1989) 396
- Pretorius, V., see Apps, P.J. 471 (1989) 81
- Prevost, C., see Baillet, G. 456 (1988) 183
- Price, G.J. and Dent, M.R.
Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1
- Principi, J.M., see Dubin, P.L. 479 (1989) 159
- Proksch, B., see Schleyer, E. 497 (1989) 109
- Prost, M., see Fay, L. 490 (1989) 198
- Prost, M., see Michel, G. 493 (1989) 188
- Provost, L.R., see D'Agostino, P.A. 465 (1989) 271
- Pruksaritanont, S., see Prueksaritanont, T. 490 (1989) 175
- Pruksaritanont, T., Sittichai, N.,
Pruksaritanont, S. and Vongsaroj, R.
Simultaneous determination of ranitidine and its metabolites in human plasma and urine by HPLC 490 (1989) 175
- Prusík, Z., see Kaščka, V. 470 (1989) 209
- Przasnyski, M., see Dębowska, B. 455 (1988) 336
- Pucsok, J., see Kalász, H. 499 (1990) 589
- Puech, J.-L., Rabier, P. and Moutounet, M.
Preparative separation by HPLC of an extract of oak wood and determination of the composition of each fraction 457 (1988) 431
- Puglisi, C.V., see Ocampo, A.P. 496 (1989) 167
- Puigdellivol, E., see Diaz-Marot, A. 490 (1989) 470
- Puigdemont, A., see Guitart, R. 491 (1989) 271
- Pukkila, J., Kokotti, H. and Peltonen, K.
HPLC determination of benzil in air as an indicator of emissions derived from polyester powder coatings 479 (1989) 369
- Pullen, F.S., Ashton, D.S. and Baldwin, M.A.
Corona discharge ionization LC-MS interface for target compound analyses 474 (1989) 335
- Punčochářová, J., Vařeka, J., Vodička, L. and Kříž, J.
HPLC of alkylnaphthalenes and phenylnaphthalenes on alumina 498 (1990) 248
- Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XC. Investigations into the relationship between structure and reversed-phase HPLC retention behaviour of peptides related to human growth hormone 476 (1989) 113
- Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125
- Purdon, J.G., Pagotto, J.G. and Miller, R.K.
Preparation, stability and quantitative analysis by GC and GC-electron impact MS of *tert*-butyldimethylsilyl derivatives of some alkylphosphonic and alkyl methylphosphonic acids 475 (1989) 261
- Purnell, J.H., see Furton, K.G. 468 (1989) 73
- Puttscher, M., see Jungbauer, A. 476 (1989) 257
- Puschendorf, B., see Lindner, H. 472 (1989) 243
- Pyerin, W., see Taniguchi, H. 476 (1989) 299
- Pyżalski, K., see Szymanowski, J. 469 (1989) 197

Q

- Quadri, S.K., see Palazzolo, D.L. 479 (1989) 216
- Quaglia, M.G., Farina, A.M. and Fanali, S.
Determination of chlorthalidone and its impurities in bulk and in dosage forms by high performance TLC densitometry 456 (1988) 435
- Quaglia, M.G., see Fanali, S. 472 (1989) 441
- Quigley, D.R., see Himmel, M.E. 467 (1989) 309
- Quilliam, M.A., see Lawrence, J.F. 462 (1989) 349
- Quinn, K.P., see Boswell, G.W. 491 (1989) 513
- Quint, J.F., see Pentoney, Jr., S.L. 480 (1989) 259
- Quintero, G., see Vigh, G. 484 (1989) 237
- Quintero, G., see Vigh, G. 484 (1989) 251
- Quiroz, J., see Oropeza, C. 456 (1988) 405
- Qureshi, A.R., see Qureshi, G.A. 491 (1989) 281
- Qureshi, G.A. and Baig, M.S.
Quantitation of free amino acids in biological samples by HPLC. Application of the method in evaluating amino acid levels in cerebrospinal fluid and plasma of patients with multiple sclerosis 459 (1988) 237
- Qureshi, G.A. and Qureshi, A.R.
Determination of free amino acids in biological samples: problems of quantitation 491 (1989) 281

R

- Rabe, H., Reichmann, G., Nakagawa, Y., Rüstow, B. and Kunze, D.
Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353
- Rabenstein, D.L., see Killa, H.M.A. 465 (1989) 359
- Rabenstein, D.L., see Yamashita, G.T. 491 (1989) 341
- Rabier, P., see Puech, J.-L. 457 (1988) 431
- Rabinowitz, M., see Renzi, N.L. 462 (1989) 398
- Rabuor, J.O., see Smith, R.M. 464 (1989) 117
- Raciatti, A., see Durrer, A. 495 (1989) 256
- Racine, M., see Vidal-Madjar, C. 458 (1988) 13
- Racine, S.C., see Salotto, A.W. 498 (1990) 55
- Radanović, D.J., see Vučković, G. 466 (1989) 227
- Radeck, W. and Heller, M.
Improved method for the determination of furosemide in plasma by HPLC 497 (1989) 367
- Radicke, J., Hartung, J., Pommer, U. and Böhland, H.
Use of HPLC in the study of metal-ion-catalysed methanolysis of phosphoric acid phenyl ester diamide (in German) 467 (1989) 304
- Radin, L., Arzese, A., Lucarelli, C. and Botta, G.A.
Rapid identification of *Bacteroides* species by HPLC 459 (1988) 331
- Radke, M., see Garrigues, P. 473 (1989) 207
- Radler, F., see Schmitt, M. 469 (1989) 448
- Raglione, T.V. and Hartwick, R.A.
On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157
- Ragnarsson, U., see Fransson, B. 473 (1989) 63
- Rahim, M.A., see Jamaluddin, A.B.M. 490 (1989) 243
- Rahman, A., see Hoffman, N.E. 473 (1989) 260
- Rahman, M.K., see Jamaluddin, A.B.M. 490 (1989) 243
- Rajec, P., see Kaniansky, D. 470 (1989) 139
- Rajiah, A., see Ashraf, S.M. 472 (1989) 163
- Ralphs, M.H., see Manners, G.D. 466 (1989) 427
- Ramachandran, P.K., see Rao, S.S. 493 (1989) 210
- Rama Rao, N.V., see Tripathi, A.M. 466 (1989) 442
- Ramesha, C.S., Pickett, W.C. and Murthy, D.V.K.
Sensitive method for the analysis of phospholipid subclasses and molecular species as 1-anthroyl derivatives of their diglycerides 491 (1989) 37
- Ramis, I., Roselló-Catafau, J., Bulbena, O., Picado, C. and Gelpí, E.
15-Hydroxyeicosatetraenoic acid as a major eicosanoid in nasal secretions: assay by HPLC-radioimmunoassay and GC-MS procedures 496 (1989) 416
- Ramis, I., see Gelpí, E. 492 (1989) 223
- Ramos, F., see Tápanes, R.D. 493 (1989) 196
- Ramos, F., see Tápanes, R.D. 493 (1989) 202
- Ramos, M., see Reuvers, T.B.A. 467 (1989) 321
- Ramsey, E.D., Perkins, J.R., Games, D.E. and Startin, J.R.
Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353
- Ramsey, R., see Katti, A.M. 477 (1989) 119
- Ramsey, R.S., Chan, V.W., Dittmar, B.M. and Row, K.H.
Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167
- Ramstad, T. and Weaver, M.J.
Electrosorptive detection of simple organic compounds in LC 456 (1988) 287
- Ramstad, T. and Weaver, M.J.
Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307
- Ramsteiner, K.A.
Systematic approach to column switching (Review) 456 (1988) 3
- Ramsteiner, K.A.
Automated on-line trace enrichment and determination of organic compounds in ground and tap water by HPLC 465 (1989) 410
- Ramsteiner, K.A., see Mostert, I.A. 477 (1989) 359
- Ramus, T.L. and Thomas, L.C.
Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27
- Rance, D.J., see Macrae, P.V. 491 (1989) 439

- Rane, A., see Persson, K. 491 (1989) 473
- Ranný, M., see Michalec, Č. 452 (1988) 543
- Ranta, V.-P., see Auriola, S. 474 (1989) 181
- Rao, D., see Paris, A. 493 (1989) 367
- Rao, M.B., see Ashraf, S.M. 472 (1989) 163
- Rao, M.M., see Singh, A.K. 473 (1989) 215
- Rao, P.S., Rujikarn, N. and Luber, Jr., J.M.
HPLC method for the direct quantitation of oxy radicals in myocardium and blood by means of 1,3-dimethylthiourea and dimethylsulfoxide 459 (1988) 269
- Rao, R.N., see Husain, S. 475 (1989) 426
- Rao, S.S., Vijayaraghavan, R., Suryanarayana, M.V.S. and Ramachandran, P.K.
GC identification of urinary metabolites of insect repellent N, N-diethylphenylacetamide on inhalation exposure in rats 493 (1989) 210
- Rapoport, S.I., see Kusmierz, J. 497 (1989) 39
- Rapp, M. and Meyer, H.H.D.
Determination of hormone contaminants in milk replacers by HPLC and immunoassay 489 (1989) 181
- Rapp, M., see Meyer, H.H.D. 489 (1989) 173
- Raps, M., see Josić, D. 484 (1989) 327
- Rashed, M.S. and Nelson, S.D.
Use of thermospray LC-MS for characterization of reactive metabolites of 3'-hydroxyacetanilide, a non-hepatotoxic regiosomer of acetaminophen 474 (1989) 209
- Rashed, M.S., see Moor, M.J. 474 (1989) 223
- Rasmussen, K.E., Tønnesen, F., Thanh, H.H., Rogstad, A. and Aanesrud, A.
Solid-phase extraction and HPLC determination of flumequine and oxolinic acid in salmon plasma 496 (1989) 355
- Rasmussen, K.E., see Iversen, B. 493 (1989) 217
- Rasmussen, K.E., see Ruud-Christensen, M. 491 (1989) 355
- Rassi, A. El, De Ocampo, L.F. and Bacolod, M.D.
Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 499 (1990) 141
- Rassi, Z. El, Horváth, C., Yu, R.K. and Ariga, T.
HPLC of sialooligosaccharides and gangliosides 488 (1989) 229
- Rassi, Z. El, see Corradini, D. 458 (1988) 1
- Rassi, Z. El, see Maa, Y.-F. 452 (1988) 331
- Rassi, Z. El, see Melander, W.R. 469 (1989) 3
- Ratanathanawongs, S.K. and Giddings, J.C.
High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation 467 (1989) 341
- Rath, M., see Lindner, W. 487 (1989) 375
- Rathgeber, G., see Jilge, G. 476 (1989) 37
- Rathor, M.N., see Ching, C.B. 463 (1989) 261
- Rau, G., see Geisslinger, G. 491 (1989) 139
- Raulin, F., see Do, L. 481 (1989) 45
- Rauwald, H.M.H.-W.
Physical-chemical parameters of some chloroform-containing solvent systems in droplet counter-current chromatography (in German) 498 (1990) 303
- Ravenscroft, P.J., see Schneider, J.J. 497 (1989) 326
- Ray, A. and Harris, R.
HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430
- Ray, R.K., Bandyopadhyay, M.K. and Kauffman, G.B.
Chromatographic studies of metal complexes. V. TLC of some octahedral cobalt(III) and nickel(II) complexes 469 (1989) 383
- Raynor, M.W., Kithinji, J.P., Bartle, K.D., Games, D.E., Mylchreest, I.C., Lafont, R., Morgan, E.D. and Wilson, I.D.
Packed column SFC and linked SFC-MS for the analysis of phytoecdysteroids from *Silene nutans* and *Silene otites* 467 (1989) 292
- Razzouk, C., see Conçalves, J.C.S. 494 (1989) 389
- Read, H., see Finney, R.W. 471 (1989) 389
- Recanatini, M., see Biagi, G.L. 498 (1990) 179
- Reed, B.L., see Cheach, I.C.L. 467 (1989) 414
- Reed, R.H., see Kerby, N.W. 479 (1989) 353
- Regalia, M., see Binder, S.R. 473 (1989) 325
- Reglero, G., Herraiz, M., Herraiz, T. and Sanz, J.
Capillary GC determination of volatiles in solid matrices by direct introduction using a programmable-temperature vaporizer 483 (1989) 43
- Regnier, F.E., see Chicz, R.M. 500 (1990) 503
- Regnier, F.E., see Janis, L.J. 476 (1989) 235
- Regnier, F.E., see Mazsaroff, I. 499 (1990) 63
- Regnier, F.E., see Thévenon, G. 476 (1989) 499
- Reichmann, G., see Rabe, H. 493 (1989) 353
- Reid, G.E., see Simpson, R.J. 476 (1989) 345
- Reiffenstuhl, S. and Bonn, G.
Determination of mono-, bi- and trivalent cations using non-suppressed ion chromatography 482 (1989) 289
- Reiffenstuhl, S., see Bonn, G. 499 (1990) 669
- Reijenga, J.C., see Gladdines, M.M. 470 (1989) 105
- Reilly, P.J., Suann, C.J. and Duffield, A.M.
GC-MS investigation of dextromoramide (Palfium) metabolism in the horse 498 (1990) 35
- Reiner, A., see Marzo, A. 459 (1988) 325

- Reinhold, V.N., see Sheeley, D.M. 474 (1989) 83
- Reinke, M., see Mackert, G. 494 (1989) 13
- Reiser, R.W., see Barefoot, A.C. 474 (1989) 39
- Reist, E.J., see Peters, J.H. 488 (1989) 301
- Reiter, M., see Jungbauer, A. 476 (1989) 257
- Reiter, M., see Weigang, F. 497 (1989) 59
- Rejholcová, M., see Vácha, J. 488 (1989) 506
- Rejholec, V., see Jelinek, J. 495 (1989) 338
- Rejšková, D. and Hradec, J.
- Chromatographic determination of cholestryl esters synthesized *in vitro* 466 (1989) 446
- Remberger, M., see Hynning, P.-Å. 467 (1989) 99
- Remmel, R.P., Yeom, Y.-H., Hua, M., Vince, R. and Zimmerman, C.L.
- Liquid chromatographic assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 489 (1989) 323
- Ren, T., see Riley, C.M. 489 (1989) 432
- Ren, Y. and Zhu, P.
- Application of inverse GC to solid propellants 457 (1988) 354
- Rennie, P.J.
- Determination of phenylalanine in river water by HPLC 461 (1989) 277
- Renzi, N.L., Fronheiser, M.E., Duong, H.T., Fulton, D.J. and Rabinowitz, M.
- Stability-indicating HPLC assay for bepridil hydrochloride drug substance and drug products 462 (1989) 398
- Repka, D., Krupčík, J., Benická, E., Leclercq, P.A. and Rijks, J.A.
- Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243
- Repka, D., Krupčík, J., Brunovská, A., Leclercq, P.A. and Rijks, J.A.
- Optimization of basic parameters in temperature-programmed GC separations of multi-component samples within a given time 463 (1989) 235
- Reschiglian, P., see Dondi, F. 461 (1989) 281
- Reschiglian, P., see Dondi, F. 462 (1989) 205
- Reschiglian, P., see Dondi, F. 485 (1989) 631
- Ress, K.M., see Krämer, B.K. 493 (1989) 414
- Reusch, J., see Josić, D. 476 (1989) 309
- Reuter, R., see Naumann, M. 466 (1989) 319
- Reutter, W., see Josić, D. 476 (1989) 309
- Reutter, W., see Josić, D. 484 (1989) 327
- Reuvers, T.B.A., Ortiz, G., Ramos, M. and De Pozuelo, M.M.
- Rapid HPLC method for the determination of bencetonium chloride residues in fish
- products; confirmation by TLC 467 (1989) 321
- Reyff, C. De, see Défayes, G. 500 (1990) 139
- Reynolds, G., see Chen, Z.R. 493 (1989) 313
- Řezanka, T., Koza, T., Kysilka, R., Viden, I. and Wurst, M.
- Reversed-phase LC for enrichment of very-long-chain fatty acids and their identification by GC-MS 472 (1989) 290
- Řezanka, T. and Podojil, M.
- Preparative separation of algal polar lipids and of individual molecular species by HPLC and their identification by GC-MS 463 (1989) 397
- Řezanka, T., see Viden, I. 465 (1989) 390
- Rhee, J.S., see Chang, P.S. 465 (1989) 438
- Rhodes, G.R., Rubenfield, M.J. and Garvie, C.T.
- Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 488 (1989) 456
- Rhodes, P.H., see Roberts, G.O. 480 (1989) 35
- Riba, J.P., see Wilhelm, A.M. 484 (1989) 211
- Riba, M.-L., Tsiroopoulos, N., Clement, B., Golfier, A. and Torres, L.
- Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165
- Ricart, G., see Piot, J.-M. 481 (1989) 221
- Riccardi, A., Servidei, T., Lasorella, A. and Riccardi, R.
- HPLC assay for cytosine arabinoside and uracil arabinoside in cerebrospinal fluid and plasma 497 (1989) 302
- Riccardi, R., see Riccardi, A. 497 (1989) 302
- Ricciarello, G., see Betto, P. 459 (1988) 341
- Richard, H., see Morin, P. 464 (1989) 125
- Richard, J., see Sioufi, A. 495 (1989) 195
- Richard, J.-M., see Cantin, D. 478 (1989) 231
- Richard, M., see Martin, A. 497 (1989) 319
- Richards, M.P.
- Characterization of the metal composition of metallothionein isoforms using reversed-phase HPLC with atomic absorption spectrophotometric detection 482 (1989) 87
- Richfield-Fratz, N., Baczyński, W.M., Miller, G.C. and Bailey, Jr., J.E.
- Isolation, characterization and determination of trace organic impurities in FD&C Red No. 40 467 (1989) 167
- Rickard, E.C., see Inman, E.L. 465 (1989) 201
- Rickard, E.C., see Nielsen, R.G. 480 (1989) 393
- Rieder, R., see Kaiser, R.E. 477 (1989) 49
- Riegel, M., see Wu, P.-Y. 494 (1989) 368
- Rieger, G., see Buchberger, W. 482 (1989) 407

- Riekkola, M.-L.
Applications of on-line coupled LC-GC 473 (1989) 315
- Riekkola, M.-L., see Pekari, K. 491 (1989) 309
- Rigaud, J., see Cheynier, V. 472 (1989) 428
- Riggin, R.M., see Nielsen, R.G. 480 (1989) 393
- Righetti, P.G., Barzaghi, B., Sarubbi, E.,
Soffientini, A. and Cassani, G.
Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337
- Righetti, P.G., Wenisch, E., Jungbauer, A.,
Katinger, H. and Faupel, M.
Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681
- Righetti, P.G., Wenisch, E. and Faupel, M.
Preparative protein purification in a multi-compartment electrolyser with Immobiline membranes 475 (1989) 293
- Righetti, P.G., see Chiari, M. 499 (1990) 699
- Righetti, P.G., see Chiari, M. 500 (1990) 697
- Righetti, P.G., see Cossu, G. 475 (1989) 283
- Righetti, P.G., see Ghiggeri, G.M. 452 (1988) 347
- Rigney, M.P., Funkenbusch, E.G. and Carr, P.W.
Physical and chemical characterization of microporous zirconia 499 (1990) 291
- Rigney, M.P., Weber, T.P. and Carr, P.W.
Preparation and evaluation of a polymer-coated zirconia reversed-phase chromatographic support 484 (1989) 273
- Rijn, B., see Bisscheret, F. 490 (1989) 91
- Rijk, M.A.H., see De Kruijf, N. 469 (1989) 317
- Rijks, J., see Hetem, M. 477 (1989) 3
- Rijks, J., see Van Es, A. 477 (1989) 39
- Rijks, J.A., see Guan, Y. 472 (1989) 129
- Rijks, J.A., see Repka, D. 463 (1989) 235
- Rijks, J.A., see Repka, D. 463 (1989) 243
- Riley, C.M., see Kindberg, C.G. 473 (1989) 431
- Riley, C.M., see Mifune, M. 496 (1989) 55
- Riley, C.M. and Ren, T.
Simple method for the determination of paeonol in human and rabbit plasma by HPLC using solid-phase extraction and UV detection 489 (1989) 432
- Riley-Stewart, C.A., see De Graaf, S.S.N. 491 (1989) 501
- Rillema, D.P., see Daignault, L.G. 462 (1989) 71
- Ríos, J.J., see Olías, J.M. 467 (1989) 279
- Ripamonti, M., see Marzo, A. 459 (1988) 313
- Ripamonti, M., see Marzo, A. 459 (1988) 325
- Ripamonti, M., see Marzo, A. 465 (1989) 95
- Ripamonti, M., see Marzo, A. 497 (1989) 296
- Risler, T., see Krämer, B.K. 493 (1989) 414
- Rivard, G.E., see Lin, K.T. 465 (1989) 75
- Rivas, J.D.L.
Reversed-phase HPLC separation of lutein and lutein fatty acid esters from marigold flower petal powder 464 (1989) 442
- Rivier, J., see Hoeger, C. 484 (1989) 307
- Rizzi, A.M.
Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71
- Rizzi, A.M.
Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87
- Rizzi, A.M.
Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101
- Rizzica, M., see Di Muccio, A. 456 (1988) 143
- Rizzica, M., see Di Muccio, A. 456 (1988) 149
- Roach, M.C. and Harmony, M.D.
High-sensitivity laser-induced fluorescence-HPLC studies of polycyclic hydrocarbons using the argon ion laser-Yeung detector cell configuration 455 (1988) 332
- Roberts, D. and Bertsch, W.
Practical aspects of recycle GC with capillary columns 477 (1989) 59
- Roberts, D.W., Ruane, R.J. and Wilson, I.D.
Picolinic acid: a mobile phase additive for improved chromatography of metal-chelating heterocyclic acids and β -diketones 471 (1989) 437
- Roberts, G.O., Rhodes, P.H. and Snyder, R.S.
Dispersion effects in capillary zone electrophoresis 480 (1989) 35
- Roberts, J., see Ryan, P.J. 465 (1989) 448
- Roberts, N.B., see Peek, H. 476 (1989) 291
- Roberts, N.B., see Peek, H. 476 (1989) 491
- Robey, R.J., see Phillips, J.H. 465 (1989) 177
- Robinson, J.S., see Smeaton, T.C. 487 (1989) 434
- Robinson, P.H., see Dugan, M.E.R. 496 (1989) 430
- Robinson, R.S., Tavss, E.A., Santalucia, J. and Carroll, D.L.
Flavor characterization of dentifrices using equilibrium headspace GC 455 (1988) 143
- Roboz, J., Nieves, E. and Holland, J.F.
Separation and quantification by GC-MS of

- arabinitol enantiomers to aid the differential diagnosis of disseminated candidiasis 500 (1990) 413
- Rocca, J.-L., see Berthod, A. 469 (1989) 53
- Rochd, M., see Henry, M. 477 (1989) 413
- Roden, D.M., see Turgeon, J. 490 (1989) 165
- Rogers, E.J., see Kresbach, G.M. 476 (1989) 423
- Rogstad, A., see Rasmussen, K.E. 496 (1989) 355
- Rohlicek, V. and Deyl, Z.
- Simple device for flushing capillaries in capillary zone electrophoresis 480 (1989) 289
- Rohlicek, V. and Deyl, Z.
- Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87
- Rohlicek, V., see Deyl, Z. 480 (1989) 371
- Rohrbach, E., see Schwabe, D. 487 (1989) 177
- Röhricht, J., see Valkó, K. 485 (1989) 349
- Roitsch, C., see Bischoff, R. 476 (1989) 245
- Roitsch, C., see Kolbe, H.V.J. 476 (1989) 99
- Rollema, H., see Den Daas, I. 487 (1989) 210
- Rombaut, B., see Foriers, A. 498 (1990) 105
- Romero, T.E., see Sánchez-Rasero, F. 479 (1989) 424
- Ronchi, S., see Biondi, P.A. 491 (1989) 209
- Rooij, H.H. Van, see Verrijk, R. 491 (1989) 265
- Rooney, L., see Jack, D.B. 452 (1988) 257
- Rösch, F., Hung, T.K., Milanov, M. and Khalkin, V.A.
- Electromigration of carrier-free radionuclides. IX. Protolysis of [^{131}I]iodate in aqueous solutions 457 (1988) 362
- Rosecrans, J.A., see Fitzgerald, R.L. 490 (1989) 59
- Roselló, J., see Gelpí, E. 492 (1989) 223
- Roselló-Catafau, J., see Ramis, I. 496 (1989) 416
- Rosenfeld, J.M., Mureika-Russell, M. and Love, M.
- Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 489 (1989) 263
- Rosiek, J. and Lasa, J.
- Electron-capture detector with an ion signal 465 (1989) 215
- Ross, R.M., see Herold, D.A. 496 (1989) 180
- Rosselli, A.C., Boyer, D.S. and Houck, R.K.
- Reproducibility of packed-column SFC with helium head-pressure carbon dioxide 465 (1989) 11
- Rosseneu, M., see Vercaemest, R. 494 (1989) 43
- Rosset, R., see Jadaud, P. 464 (1989) 333
- Rosset, R., see Lienne, M. 467 (1989) 406
- Rosset, R., see Lienne, M. 472 (1989) 265
- Rosset, R., see Macaudière, P. 467 (1989) 357
- Rosset, R., see Morin, P. 464 (1989) 125
- Rosset, R., see Nizery, D. 467 (1989) 49
- Rosset, R., see Siret, L. 498 (1990) 67
- Rosset, R., see Subra, P. 456 (1988) 121
- Rosset, R., see Veuthey, J.L. 499 (1990) 637
- Rossetti, D.V., see Castagnola, M. 494 (1989) 310
- Rossetti, L., see Giaccari, A. 497 (1989) 69
- Rossi, L., see Magnani, M. 491 (1989) 215
- Rossi, R., see Gobetti, M. 467 (1989) 327
- Rossomando, E.F.
- Application of HPLC to enzyme activity determination (Review) 492 (1989) 361
- Rossomando, E.F., see Beeman, C.S. 496 (1989) 101
- Rossum, H.J. Van, see Van Ginkel, L.A. 489 (1989) 95
- Rossum, H.J. Van, see Van Ginkel, L.A. 489 (1989) 111
- Roth, H.J., see Steinhilber, D. 493 (1989) 361
- Roth, M. and Ansorgová, A.
- Column pressure drop in capillary SFC 465 (1989) 169
- Röthlisberger, T., see Bechalany, A. 473 (1989) 115
- Rotunno, T., see Palmisano, F. 493 (1989) 35
- Rouan, M.C., Campestrini, J., Lecaillon, J.B., Dubois, J.P., Lamontagne, M. and Pichon, B.
- Fully automated analytical system using liquid-solid extraction and LC for the determination of CGP 6140 in plasma 456 (1988) 45
- Roubal, Z., see Jelínek, J. 495 (1989) 338
- Rousak, A.T., see Stout, R.W. 476 (1989) 21
- Rouse, C.A., see Tarbet, B.J. 473 (1989) 103
- Roussel, C., Stein, J.-L., Beauvais, F. and Chemla, A.
- Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95
- Rouxel, T., see Kollmann, A. 473 (1989) 293
- Rouzeau, J.D., see Drechou, A. 489 (1989) 273
- Rovis, L., see Moro, L. 490 (1989) 285
- Row, K.H., see Ramsey, R.S. 468 (1989) 167
- Rowan, D.D., see Tapper, B.A. 463 (1989) 133
- Rowell, P., see Kerby, N.W. 479 (1989) 353
- Roxin, P., see Ekman, L. 494 (1989) 397
- Royal, J.E., Munns, R.K., Hurlbut, J.A. and Shimoda, W.
- HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259
- Royer, R.J., see Lapicque, F. 496 (1989) 301

- Rozen, A.J. Van, see Schotman, P. 483 (1989) 301
- Rozing, G.P. and Goetz, H.
Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3
- Ruane, R.J., see Roberts, D.W. 471 (1989) 437
- Ruban, V.F., Belenkii, A.B., Gurevich, A.Y. and Belenkii, B.G.
LC on packed fused-silica capillary columns with electrochemical detection 467 (1989) 41
- Rubenfield, M.J., see Rhodes, G.R. 488 (1989) 456
- Rubino, F.M.
Silylaldonitrile derivatives for the determination of sugars by GC-MS 473 (1989) 125
- Rubio, F.A., Choma, N. and Fukuda, E.K.
Determination of rimantadine and its hydroxylated metabolites in human plasma and urine 497 (1989) 147
- Rubiolo, P., see Bicchi, C. 473 (1989) 161
- Ruckenstein, E., see Lesins, V. 467 (1989) 1
- Rudling, J., see Björkholm, E. 457 (1988) 409
- Rudolph, M.
Determination of saterinone in plasma by HPLC 497 (1989) 342
- Ruggeri, S., see Betto, P. 459 (1988) 341
- Ruggiero-Lopez, D., see Martin, A. 497 (1989) 319
- Ruggirello, D.A., Noonan, P.K., Gonzalez, M.A., Ho, P. and Wagner, J.G.
GC determination of gallopamil and norgallopamil in human plasma 487 (1989) 73
- Ruig, W.G. De, Stephany, R.W. and Dijkstra, G.
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 489 (1989) 89
- Ruijten, H.M., see Lammers, N. 496 (1989) 291
- Rujikarn, N., see Rao, P.S. 459 (1988) 269
- Rukríglová, M., see Matisová, E. 455 (1988) 301
- Rumble, F., see Boutagy, J. 487 (1989) 483
- Rusjakovski, B., see Žmitek, J. 467 (1989) 276
- Russel, F.G.M., Tan, Y., Van Meijel, J.J.M., Gribnau, F.W.J. and Van Ginneken, C.A.M.
Solid-phase extraction of furosemide from plasma and urine and subsequent analysis by HPLC 496 (1989) 234
- Russo, M.V., Goretti, G. and Liberti, A.
Direct headspace GC determination of dichloromethane in decaffeinated green and roasted coffee 465 (1989) 429
- Russo, M.V., see Cartoni, G.P. 475 (1989) 145
- Rusteberg, G., see Meineke, I. 493 (1989) 287
- Rüstig, H., see Voelkel, A. 454 (1988) 51
- Rüstow, B., see Rabe, H. 493 (1989) 353
- Rustum, A.M.
Simple and rapid reversed-phase HPLC determination of baclofen in human plasma with UV detection. Application to a pharmacokinetic study 487 (1989) 107
- Rustum, A.M.
Determination of cadralazine in human whole blood using reversed-phase HPLC: utilizing a salting-out extraction procedure 489 (1989) 345
- Rustum, A.M.
Determination of diltiazem in human whole blood and plasma by HPLC using a polymeric reversed-phase column and utilizing a salting-out extraction procedure 490 (1989) 365
- Rustum, A.M., see Hoffman, N.E. 465 (1989) 189
- Rutan, S.C., Carr, P.W., Cheong, W.J., Park, J.H. and Snyder, L.R.
Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21
- Rutledge, D.R. and Garrick, C.
Rapid HPLC method for the measurement of the enantiomers of metoprolol in serum using a chiral stationary phase 497 (1989) 181
- Rutten, G., see Hetem, M. 477 (1989) 3
- Ruttyn, Y., Brandin, M.P. and Vijayalakshmi, M.A.
Chromatography of human plasma on aminoxyethyl Sepharose: separation of factor VIII/vWF and behaviour of factors II, VII, IX and X and antithrombin III 491 (1989) 299
- Ruud-Christensen, M., Aasen, A.J., Rasmussen, K.E. and Salvesen, B.
HPLC determination of (*R*)- and (*S*)-proxyphylline in human plasma 491 (1989) 355
- Ryan, P.J., Lesicki, R. and Roberts, J.
Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448
- Rzepa, J., see Sajewicz, M. 456 (1988) 227

S

- Saavedra, J.E., see Issaq, H.J. 452 (1988) 511
- Sabanoš, G., see Kaniansky, D. 470 (1989) 139
- Sabatie, J., see Kolbe, H.V.J. 476 (1989) 99
- Sabio, M., see Topiol, S. 461 (1989) 129
- Saesmaa, T.
- Quantitative HPLC determination of ampicillin embonate and amoxycillin embonate 455 (1988) 415
- Saesmaa, T.
- Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469
- Šafařík, I.
- Detection of proteolytic enzymes in fractions after LC 463 (1989) 212
- Sagara, K., see He, L.-Y. 481 (1989) 428
- Sagara, K., see Ito, Y. 456 (1988) 392
- Sagara, K., see Oshima, T. 455 (1988) 410
- Sagliano, Jr, N., Hartwick, R.A., Patterson, R.E., Woods, B.A., Bass, J.L. and Miller, N.T.
- Stabilization of reversed phases for LC.
 - Application of IR spectroscopy for the study of bonded-phase stability 458 (1988) 225
- Sagliano Jr, N., see Floyd, T.R. 452 (1988) 43
- Saha, M., see Allam, K. 499 (1990) 571
- Saha, M., see Kresbach, G.M. 476 (1989) 423
- Saito, H., see Murai, S. 497 (1989) 363
- Saito, K., Horie, M., Hoshino, Y., Nose, N., Shida, Y., Nakazawa, H. and Fujita, M.
- Isolation of virginiamycin-M₁ by droplet counter-current chromatography 454 (1988) 387
- Saito, K., Kobayashi, K., Ohmiya, S., Otomasu, H. and Murakoshi, I.
- Analysis of lupine alkaloids in plants by HPLC 462 (1989) 333
- Saito, K., see Mochizuki, E. 455 (1988) 271
- Saito, M., see Dobashi, A. 461 (1989) 121
- Saito, M., see Miyazaki, K. 454 (1988) 357
- Saito, T., see Mori, S. 478 (1989) 181
- Saito, Y., see Kobayashi, K. 462 (1989) 357
- Saito, Y., see Toyo'oka, T. 475 (1989) 391
- Saitoh, E., see Tokuda, H. 454 (1988) 109
- Saitoh, K., see Adachi, K. 457 (1988) 99
- Saitoh, T., Hoshino, H. and Yotsuyanagi, T.
- Separation of 4-(2-pyridylazo)resorcinolato metal chelates by micellar electrokinetic capillary chromatography 469 (1989) 175
- Saitoh, Y., see Aoyama, T. 494 (1989) 420
- Saitoh, Y., see Ohtani, M. 487 (1989) 469
- Sajdok, J., see Turková, J. 500 (1990) 585
- Sajewicz, M., Rzepa, J. and Śliwiok, J.
- Determination of benzo[a]pyrene in coke tars 456 (1988) 227
- Sajewicz, M., see Śliwiok, J. 472 (1989) 314
- Sakamoto, Y., see Sasagawa, T. 485 (1989) 533
- Sakano, T., see Hirauchi, K. 497 (1989) 131
- Sakashita, T., see Nagata, O. 496 (1989) 456
- Sakiyama, N., see Kataoka, H. 494 (1989) 283
- Sakoguchi, T., see Igaki, A. 493 (1989) 222
- Sakurai, E., see Oka, K. 490 (1989) 145
- Salama, O.M., see Walash, M.I. 469 (1989) 390
- Saleh, S., Johnston, A., Chanon, M. and Turner, P.
- Determination of medifoxamine in plasma and urine by HPLC 496 (1989) 223
- Sallé, M., Tambuté, A. and Bégos, E.
- Design and synthesis of a chiral stationary phase containing a benz[*de*]isoquinolinone skeleton. I. First chromatographic results 475 (1989) 153
- Saller, C.F. and Czupryna, M.J.
- γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167
- Salman, S.R., Kamounah, F.S. and Tameesh, A.H.H.
- Correlation between chromatography and ^1H NMR parameters in sterically substituted phenols 483 (1989) 390
- Salonen, J.S., see Vuorilehto, L. 497 (1989) 282
- Salotto, A.W., Weiser, E.L., Caffey, K.P., Carty, R.L., Racine, S.C. and Snyder, L.R.
- Relative retention and column selectivity for the common polar bonded-phase columns.
 - The diol-silica column in normal-phase HPLC 498 (1990) 55
- Salte, R., see Hustvedt, S.O. 494 (1989) 335
- Salter, C.J., see Camilleri, P. 482 (1989) 258
- Salvatella, C., see Diaz-Marot, A. 490 (1989) 470
- Salvesen, B., see Ruud-Christensen, M. 491 (1989) 355
- Samaai, M.S., see Labadarios, D. 487 (1989) 428
- Samanta, A., Cordis, G.A., Prasad, M.R. and Das, D.K.
- Separation of fatty acid binding protein by high-performance mixed-mode chromatography 459 (1988) 221
- Samochocka, K., see Dębowska, B. 455 (1988) 336

- Samuelson, O.B.
Determination of flumequine in fish by HPLC and fluorescence detection 497 (1989) 355
- Sanagi, M.M., see Smith, R.M. 481 (1989) 63
- Sanagi, M.M., see Smith, R.M. 483 (1989) 51
- Sánchez-Rasero, F., Romero, T.E. and Dios, C.G.
Determination of ethirimol, in the presence of some normal soil constituents, by LC 479 (1989) 424
- Sandberg, G., see Wingsle, G. 479 (1989) 335
- Sander, L.C., see Olsson, M. 477 (1989) 277
- Sanderson, J.T., see Nielsen, M.W.F. 474 (1989) 388
- Sandor, A., Cseko, J. and Alkonyi, I.
Use of anion-exchange resin in F^- form in sample processing for determination of carnitine 497 (1989) 250
- Sandra, P., David, F., Turner, K.A., McNair, H.M. and Brownstein, A.D.
Observations with high-molecular-weight polyethylene glycol stationary phases in capillary GC. I. Adsorption *versus* partitioning chromatography 477 (1989) 63
- Sandra, P., see Janda, V. 479 (1989) 200
- Sandra, P., see Kuksis, A. 500 (1990) 427
- Sandra, P., see Myher, J.J. 452 (1988) 93
- Sandrenan, N., see Sioufi, A. 494 (1989) 361
- Sandström, J.F., Skarping, G. and Dalene, M.
Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. II. Determination of 2,4- and 2,6-toluenediamine using glass capillary GC and selected ion monitoring 479 (1989) 135
- Sandström, J.F., see Skarping, G. 479 (1989) 125
- Šandula, J., see Pavliak, V. 490 (1989) 418
- Sanghi, S.K., see Verma, K.K. 457 (1988) 345
- Sangò, C., see Skarping, G. 479 (1989) 125
- Sanguineti, A., see Canepa, A. 491 (1989) 200
- Sano, A., Matsutani, S. and Takitani, S.
HPLC of the antitumour agent triethylenethiophosphoramide and its metabolite triethylenephosphoramide with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295
- Sano, K., see Otani, M. 483 (1989) 448
- Santalucia, J., see Robinson, R.S. 455 (1988) 143
- Santarelli, X., see Zhou, F.L. 476 (1989) 195
- Santiuste, J.M., see Fernández-Sánchez, E. 457 (1988) 55
- Santiuste, J.M., see Fernández-Sánchez, E. 498 (1990) 1
- Sanz, J., see García-Raso, A. 471 (1989) 205
- Sanz, J., see Martínez-Castro, I. 462 (1989) 49
- Sanz, J., see Reglero, G. 483 (1989) 43
- Sapirstein, H.D., Scanlon, M.G. and Bushuk, W.
Normalisation of HPLC peak retention times for computerised comparison of wheat prolamin chromatograms 469 (1989) 127
- Sappa, E., see Casoli, A. 483 (1989) 443
- Saria, A., see Humpel, C. 491 (1989) 235
- Sarrobert, B., Brunet, P. and Paris-Pireyre, N.
Determination of cations in xylem sap by ion-exchange HPLC with UV detection (in French) 462 (1989) 303
- Sarrobert, B., see Brunet, P. 455 (1988) 173
- Sarubbi, E., see Righetti, P.G. 470 (1989) 337
- Sarwar, G., see Jamaluddin, A.B.M. 490 (1989) 243
- Sasagawa, T., Sakamoto, Y., Hirose, T., Yoshida, T., Kobayashi, Y., Sato, Y. and Koizumi, K.
Prediction of retention times in ion-exchange chromatography 485 (1989) 533
- Sasaki, M., see Kitada, Y. 474 (1989) 447
- Sasaoka, T., see Niwa, T. 491 (1989) 397
- Sastray, G.S.R., see Husain, S. 454 (1988) 317
- Satapathy, A., see Patnaik, L.N. 481 (1989) 331
- Sato, H.
Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339
- Sato, J., Owada, E., Ito, K., Niida, Y., Wakamatsu, A. and Umetsu, M.
Simple, rapid and sensitive reversed-phase HPLC method for the determination of mefenamic acid in plasma 493 (1989) 239
- Sato, M., see Matsuzawa, S. 498 (1990) 25
- Sato, Y., see Sasagawa, T. 485 (1989) 533
- Satoh, H., see Yamashita, J. 464 (1989) 411
- Satta, M., see Cossu, G. 475 (1989) 283
- Satterwhite, D.M. and Croteau, R.B.
Applications of GC to the study of terpenoid metabolism 452 (1988) 61
- Satterwhite, D.M., see Croteau, R.B. 500 (1990) 349
- Satterwhite, J.H. and Boudinot, F.D.
HPLC determination of ibuprofen in rat and human plasma 497 (1989) 330
- Sauer, W.C., see Dugan, M.E.R. 496 (1989) 430
- Sauerbrey, R., see Boos, K.-S. 456 (1988) 93
- Sauermann, G., see Lindner, H. 472 (1989) 243
- Sautiere, P., see Chartier, F. 466 (1989) 331
- Savard, C., see By, A. 469 (1989) 406
- Savelkoul, T.J.F., see De Groot, G. 456 (1988) 71
- Sävenhed, R., see Lundgren, B. 482 (1989) 23
- Savolainen, H., see Peltonen, K. 490 (1989) 311
- Savory, J., see Herold, D.A. 496 (1989) 180

- Sawai, H.
Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201
- Sawamoto, J., see Hosaki, S. 488 (1989) 503
- Sawyer, D.J., Powell, J.E. and Burkholder, H.R.
Purification of diethylenetriamine-N,N',N''-tetraacetic acid-N''-propionic acid using anion-exchange displacement chromatography 455 (1988) 193
- Sawyer, R.C., Stolfi, R.L. and Martin, D.S.
Quantitation of 5-fluorouracil incorporation into RNA by HPLC without the use of radioactive precursors 496 (1989) 450
- Scala, A., see Guenzi, A. 494 (1989) 219
- Scanlon, M.G., see Sapirstein, H.D. 469 (1989) 127
- Scawen, M.D., see Goward, C.R. 457 (1988) 317
- Schaeffler, I., see Weissenberg, M. 452 (1988) 485
- Schäfer, H.-J., see Jilge, G. 476 (1989) 37
- Schäfer, K.-H., see Voncken, P. 479 (1989) 410
- Schafer, W., see Bogart, G.R. 483 (1989) 209
- Schalekamp, M.A.D.H., see Van der Hoorn, F.A.J. 487 (1989) 17
- Scharpf, C., see Seliger, H. 476 (1989) 49
- Scharrer, R., see Andrawes, F. 468 (1989) 145
- Scheffer, J.J.C., see Van Gelder, W.M.J. 482 (1989) 13
- Scheiter, A., see Liebich, H.M. 500 (1990) 615
- Schepens, P.J.C., see Selala, M.I. 489 (1989) 51
- Schepers, G., see Voncken, P. 479 (1989) 410
- Schier, G.M., see Elderfield, A.J. 495 (1989) 71
- Schill, G. and Arvidsson, E.
Application of indirect detection methods in biomedical analysis (Review) 492 (1989) 299
- Schill, G., see Arvidsson, E. 461 (1989) 429
- Schill, G., see Balmér, K. 477 (1989) 107
- Schill, G., see Persson, B.-A. 500 (1990) 629
- Schilt, R., Weseman, J.M., Hooijerink, H., Korbee, H.J., Traag, W.A., Van Steenbergen, M.J. and Haasnoot, W.
Screening and confirmation of thyreostatics in urine by GC with nitrogen-phosphorus detection and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127
- Schilt, R., see Farjam, A. 452 (1988) 419
- Schilt, R., see Haasnoot, W. 489 (1989) 157
- Schindler, M., see Steuer, W. 454 (1988) 253
- Schleyer, E., Ehninger, G., Zühlendorf, M., Proksch, B. and Hiddemann, W.
Detection and separation of intracellular 1- β -D-arabinofuranosylcytosine-5-triphosphate by ion-pair HPLC 497 (1989) 109
- Schlimate, E., see Boos, K.-S. 456 (1988) 93
- Schlimate, R., see Brenner, M. 499 (1990) 721
- Schmahl, H.-J., see Winckler, K. 488 (1989) 417
- Schmatz, D.M., see Nollstadt, K.H. 497 (1989) 87
- Schmid, J.P., see Schwarzenbach, R. 472 (1989) 231
- Schmid, R.W. and Wolf, C.
Enhanced UV detection in HPLC analysis of drugs by "on-line" photochemical reaction 478 (1989) 369
- Schmid, S., Kördel, W., Klöppel, H. and Klein, W.
Differentiation of Al³⁺ and Al species in environmental samples by isotachophoresis 470 (1989) 289
- Schmidt, J.
Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421
- Schmidt, K., see Bruchelt, G. 470 (1989) 185
- Schmidt, L., see Schönenhöfer, M. 490 (1989) 230
- Schmidt, S., see Bornhop, D.J. 459 (1988) 193
- Schmidt, T., see Böswart, J. 495 (1989) 61
- Schmitt, M. and Radler, F.
Purification of yeast killer toxin KT28 by receptor-mediated affinity chromatography 469 (1989) 448
- Schmitt, M., see Sting, R. 497 (1989) 258
- Schmitt, P., Batt, A.M., Decouvelaere, B., Gaillot, J. and Siest, G.
Preparative HPLC method for the 2-hydroxy metabolite of caripramine, excreted by isolated perfused liver 491 (1989) 495
- Schmitthenner, H.F., Fedorchuk, M. and Walter, D.J.
Resolution of antihypertensive aryloxypropanolamine enantiomers by reversed-phase chromatography of (-)-menthyl chloroformate derivatives 487 (1989) 197
- Schmitz, F.P., see Gemmel, B. 455 (1988) 17
- Schmitz, F.P., see Küppers, S. 475 (1989) 85
- Schmitz, H.H., Artz, W.E., Poor, C.L., Dietz, J.M. and Erdman, Jr., J.W.
HPLC and capillary SFC separation of vegetable carotenoids and carotenoid isomers 479 (1989) 261
- Schmitz, P., see Degand, G. 489 (1989) 235
- Schmuckler, G., see Strassburg, R. 482 (1989) 343

- Schneider, G., Kramell, R. and Brückner, C.
Separation of diastereomeric amino acid
conjugates of jasmmonic acid 483 (1989) 459
- Schneider, J.J. and Ravenscroft, P.J.
Determination of morphine in plasma by
HPLC with fluorescence detection 497 (1989)
326
- Schneider, R.P., Zürcher, F., Egli, T. and Hamer,
G.
Ion chromatography method for
imino diacetic acid determination in biological
matrices in the presence of nitrilotriacetic
acid 462 (1989) 293
- Schneider, W., Keller, B. and Degen, P.H.
Determination of the new monoamine oxidase
inhibitor brofaromine and its major
metabolite in biological material by GC with
electron-capture detection 488 (1989) 275
- Schoemaker, H.E., see Duchateau, A. 471 (1989)
263
- Schoene, K., Steinhanses, J. and König, A.
Determination of the solubility of vapours in
polymers by automated headspace GC 455
(1988) 67
- Schoenmakers, P.J. and Dunand, N.
Explanations and advice provided by an
expert system for system optimization in
HPLC 485 (1989) 219
- Schoenmakers, P.J., Strasters, J.K. and Bartha,
Á.
Correction of the resolution function for
non-ideal peaks 458 (1988) 355
- Schoenmakers, P.J., Uunk, L.G.M. and De Bokx,
P.K.
Effect of sample size on retention in packed
column SFC. A method for characterizing
stationary phase homogeneity 459 (1988) 201
- Schön, I., see Görög, S. 452 (1988) 317
- Schön, I., see Vadász, Z. 477 (1989) 377
- Schönenhöfer, M., Heilmann, P., Schmidt, L. and
Schwartzkopff, W.
Automated column LC determination of
probucol in human serum and lipoprotein
fractions 490 (1989) 230
- Schoots, A.C. and Cramers, C.A.M.G.
Study on the analogy of GPC and cuprophan
dialysis for the isolation of uremic 'middle
molecules' using model compounds 497
(1989) 79
- Schotman, P., Nielander, H.B., Van Rozen, A.J.,
Frankena, H., Schrama, L.H. and Gispen,
W.H.
Microheterogeneity of the growth-associated
neuronal protein B-50 (GAP-43).
- Contribution of phosphorylation by protein
kinase C 483 (1989) 301
- Schouten, A., see De Kruif, N. 469 (1989) 317
- Schrama, L.H., see Schotman, P. 483 (1989) 301
- Schreiber, B., see Lankmayr, E.P. 485 (1989) 183
- Schreiber, J.-P., see Cachia, C. 498 (1990) 417
- Schreiber-Detumeny, E., see Pastor, J. 462
(1989) 435
- Schreier, P., see Bernreuther, A. 481 (1989) 363
- Schreier, P., see Huffer, M. 469 (1989) 137
- Schreuder, R.H., Martijn, A. and Van de Kraats,
C.
Determination of diisobutyl- and
diisopropylnaphthalenesulphonates in
pesticide wettable powders and dispersible
granules by HPLC 467 (1989) 177
- Schreurs, M., Somsen, G.W., Gooijer, C.,
Velthorst, N.H. and Frei, R.W.
Lanthanide luminescence quenching as a
detection method in ion chromatography.
Chromate in surface and drinking water 482
(1989) 351
- Schubert, B., see Johansson, I.M. 498 (1990) 241
- Schuberth, J. and Schuberth, J.
GC-MS determination of morphine, codeine
and 6-monoacetylmorphine in blood
extracted by solid phase 490 (1989) 444
- Schuberth, J., see Schuberth, J. 490 (1989) 444
- Schuddinck, G., see Nagels, L.J. 459 (1988) 163
- Schuddinck, G., see Verzele, M. 471 (1989) 335
- Schudel, J.V.H. and Guiuchon, G.
Effect of random noise and peak asymmetry
on the precision and accuracy of
measurements of the column efficiency in
chromatography 457 (1988) 1
- Schudel, M., see Lederer, M. 475 (1989) 451
- Schügerl, K., see Holzhauer-Rieger, K. 499 (1990)
609
- Schiäller, J., see Czejká, M.J. 497 (1989) 336
- Schultz, N., see Issaq, H.J. 452 (1988) 511
- Schultz, R., see Engelhardt, H. 458 (1988) 79
- Schulz, H. and Albroscheit, G.
Characterization of oakmoss products used
in perfumery by HPLC 466 (1989) 301
- Schunack, W., see Büyüktimkin, N. 467 (1989)
402
- Schurig, V., Bürkle, W., Hintzer, K. and Weber,
R.
Evaluation of nickel(II) bis[α -
(heptafluorobutanoyl)terpeneketonates] as
chiral stationary phases for the enantiomer
separation of alkyl-substituted cyclic ethers
by complexation GC 475 (1989) 23
- Schuster, D.L.O., see Geisslinger, G. 491 (1989)
139

- Schutter, J.A. De, D'Hont, A.-M. and De Moerloose, P.
Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402
- Schwabe, D., Rohrbach, E. and Köhl, U.
Determination of *m*-iodobenzylguanidine in serum and urine by HPLC 487 (1989) 177
- Schwadrohn, G., see Vidal-Ollivier, E. 463 (1989) 227
- Schwartz, D.P., see Sherma, J. 463 (1989) 229
- Schwartz, H.E., Melera, M. and Brownlee, R.G.
Performance of an automated injection and replenishment system for capillary electrophoresis 480 (1989) 129
- Schwartz, T.M., see Turner, J.G. 487 (1989) 275
- Schwartzkopff, W., see Schönenhöfer, M. 490 (1989) 230
- Schwarzenbach, R. and Schmid, J.P.
Determination of N-nitrosodiethanolamine in cosmetics. HPLC and GC-MS as alternative methods to chemiluminescence detection 472 (1989) 231
- Schwedt, G., see Golombek, R. 452 (1988) 283
- Schwedt, G., see Jones, P. 482 (1989) 32523
- Schweer, H., see Mackert, G. 494 (1989) 13
- Schweinheim, E., see Engelhardt, H. 458 (1988) 79
- Schweinheim, E., see Engelhardt, H. 499 (1990) 165
- Schwenen, L., see Odén, P.C. 464 (1989) 195
- Schwer, C., see Kenneler, E. 470 (1989) 57
- Sciacovelli, L., see Plebani, M. 476 (1989) 93
- Scorer, K.N., see Oropenza, C. 456 (1988) 405
- Scott, D.O., see Hendrickson, H.P. 487 (1989) 401
- Scott, R.P.W.
Contemporary LC column design 468 (1989) 99
- Seaman, S.W., see Sen, N.P. 463 (1989) 419
- Sébille, B., see Vidal-Madjar, C. 458 (1988) 13
- Secchi, C., see Biondi, P.A. 459 (1988) 337
- Secchi, C., see Biondi, P.A. 467 (1989) 315
- Secchi, C., see Biondi, P.A. 491 (1989) 209
- Secor, H.V., see Seeman, J.I. 483 (1989) 169
- Seeman, J.I., Secor, H.V., Armstrong, D.W., Ward, K.D. and Ward, T.J.
Separation of homologous and isomeric alkaloids related to nicotine on a β -cyclodextrin-bonded phase 483 (1989) 169
- Seewald, M. and Eichinger, H.M.
Separation of major phospholipid classes by HPLC and subsequent analysis of phospholipid-bound fatty acids using GC 469 (1989) 271
- Seger, V., see Miething, H. 478 (1989) 433
- Sehgal, R.K., see Turcotte, J.G. 499 (1990) 55
- Seiber, J.N., see Woodrow, J.E. 455 (1988) 53
- Seip, R., see Jellum, E. 468 (1989) 43
- Seipel, L., see Krämer, B.K. 493 (1989) 414
- Seki, T., Yanagihara, Y. and Noguchi, K.
Determination of salsololin by ion-exchange chromatography with glycylglycine as the post-derivatizing agent 459 (1988) 245
- Sekiya, T., see Matsui, H. 496 (1989) 189
- Sekulic, S. and Haddad, P.R.
Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65
- Sekulic, S. and Haddad, P.R.
Optimization strategies for solutes exhibiting peak tailing. Comparison of two approaches 485 (1989) 501
- Sekulic, S., see Haddad, P.R. 459 (1988) 79
- Selala, M.I., Janssens, J.J., Coucke, V., Andries, S. and Schepens, P.J.C.
Positive confirmation of identity of doping agents using GC-MS with Fourier transform IR spectrometry 489 (1989) 51
- Seliger, H., Kotschi, U., Scharpf, C., Martin, R., Eisenbeiss, F., Kinkel, J.N. and Unger, K.K.
Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 476 (1989) 49
- Selinger, K., Hill, H.M., Matheou, D. and Dehelean, L.
Determination of free and total metaproterenol in human plasma by HPLC with fluorimetric detection 493 (1989) 230
- Selinger, K., Lebel, G., Hill, H.M. and Disenza, C.
HPLC method for the analysis of benztrapine in human plasma 491 (1989) 248
- Selinger, K., Lessard, D. and Hill, H.M.
Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247
- Selley, M.L., Bartlett, M.R., McGuiness, J.A., Hapel, A.J., Ardlie, N.G. and Lacey, M.J.
Determination of the lipid peroxidation product *trans*-4-hydroxy-2-nonenal in biological samples by HPLC and combined capillary column GC-negative-ion chemical ionisation MS 488 (1989) 329
- Sellier, N., see Carlier, J.-P. 493 (1989) 257
- Selucky, M.L., see Khorasheh, F. 481 (1989) 1
- Semenzato, A., see Benassi, C.A. 464 (1989) 387

- Sen, N.P., Seaman, S.W. and Kushwaha, S.C.
Determination of non-volatile N-nitrosamines
in baby bottle rubber nipples and pacifiers
by HPLC-thermal energy analysis 463 (1989)
419
- Sengl, M. and Severin, F.L.T.
Maillard reaction of bovine serum albumin
with glucose. Determination of 2-formyl-5-
(hydroxymethyl)pyrrole-1-norleucine by
HPLC after alkaline hydrolysis (in German)
463 (1989) 119
- Senior, L.A., see Camilleri, P. 498 (1990) 414
- Sentell, K.B., Barnes, K.W. and Dorsey, J.G.
Ultrasound driven synthesis of reversed-phase
stationary phases for LC using 4-dimethyl-
aminopyridine as acid-acceptor 455 (1988) 95
- Sentell, K.B. and Dorsey, J.G.
Retention mechanisms in reversed-phase
chromatography. Stationary phase bonding
density and solute selectivity 461 (1989) 193
- Sepaniak, M.J., Swaile, D.F. and Powell, A.C.
Instrumental developments in micellar
electrokinetic capillary chromatography 480
(1989) 185
- Seprödi, J., see Vadász, Z. 477 (1989) 377
- Serkiz, B., see Breton, L. 497 (1989) 243
- Serra, M.A., Avilés, F.X., Giralt, E. and Cuchillo,
C.M.
Kinetic analysis of the carboxypeptidase A
hydrolysis of oligopeptides by reversed-phase
HPLC 479 (1989) 27
- Servidei, T., see Riccardi, A. 497 (1989) 302
- Seto, Y. and Shinohara, T.
Size fractionation of oligosaccharides by LC
on a cation-exchange column 464 (1989) 323
- Setokuchi, O., see Matsuzawa, S. 498 (1990) 25
- Severin, F.L.T., see Sengl, M. 463 (1989) 119
- Seyberth, H.W., see Mackert, G. 494 (1989) 13
- Seymour, M.
Determination of residual dimethyl sulphate
in a lipophilic bulk drug by wide-bore
capillary GC 463 (1989) 216
- Shabushnig, J.G., see Evans, C.E. 459 (1988) 119
- Shafi, N., Midgley, J.M., Watson, D.G., Smail,
G.A., Strang, R. and MacFarlane, R.G.
Analysis of biogenic amines in the brain of
the american cockroach (*Periplaneta
americana*) by GC-negative ion chemical
ionisation MS 490 (1989) 9
- Shah, J.A. and Weber, D.J.
Simultaneous determination of
methylprednisolone and methylprednisolone-
21-[8-[methyl-(2-sulfoethyl)amino]-8-oxooctanoate]
sodium salt in human urine by HPLC with
UV detection 496 (1989) 245
- Shalaby, L.M., see Pieniaszek, Jr., H.J. 493 (1989)
79
- Shalaeva, M.E., see Zheivot, V.I. 472 (1989) 155
- Sharma, R.R., see Hodges, R.S. 458 (1988) 147
- Sharman, M., Patey, A.L. and Gilbert, J.
Application of an immunoaffinity column
sample clean-up to the determination of
aflatoxin M₁ in cheese 474 (1989) 457
- Sharp, G.J., see Haddad, P.R. 461 (1989) 337
- Shatirishvili, I.S.
Application of correlation chromatography
to the investigation of biopolymers in wines
469 (1989) 420
- Shea, D., see MacCrehan, W.A. 457 (1988) 111
- Sheeley, D.M. and Reinhold, V.N.
SFC-MS of high-molecular-weight
biopolymers. Instrumental considerations and
recent progress 474 (1989) 83
- Sheikh, S.U. and Touchstone, J.C.
Temperature programming in HPLC 455
(1988) 327
- Shellum, C.L., see Foreman, W.T. 465 (1989) 23
- Shelly, D.C., Antonucci, V.L., Edkins, T.J. and
Dalton, T.J.
Insights into the slurry packing and bed
structure of capillary LC columns 458 (1988)
267
- Shelly, D.C., see Edkins, T.J. 459 (1988) 109
- Shen, D.D., see Laganière, S. 488 (1989) 407
- Shen, H.-S.L., see Pieniaszek, Jr., H.J. 493 (1989)
79
- Shephard, G.S., Van der Westhuizen, L. and
Labadarios, D.
Analysis of vitamin B₆ vitamers in human
tissue by cation-exchange HPLC 491 (1989)
226
- Shepherd, M.J., see Williams, R.A. 477 (1989)
315
- Sherblom, P.M. and Eganhouse, R.P.
Correlations between octanol-water partition
coefficients and reversed-phase HPLC
capacity factors. Chlorobiphenyls and
alkylbenzenes 454 (1988) 37
- Sherma, J., Bretschneider, W., Dittamo, M.,
DiBiase, N., Huh, D. and Schwartz, D.P.
Spectrometric and TLC quantification of
sulfathiazole residues in honey 463 (1989)
229
- Sherman, W.R., see Eades, D.M. 490 (1989) 1
- Sherman, W.R., see Hsu, F.-F. 478 (1989) 429
- Sherman, W.R., see Hsu, F.-F. 479 (1989) 437
- Sheumack, D.D., see Tseng, A. 474 (1989) 424
- Shiaku, Y., see Nakagiri, I. 481 (1989) 434
- Shibamoto, T., see Kallio, H. 454 (1988) 392
- Shibata, M., see Terabe, S. 480 (1989) 403

- Shibuya, F., see Ohtani, M. 487 (1989) 469
- Shida, Y., see Saito, K. 454 (1988) 387
- Shieh, C.-H., see Miller, N.T. 463 (1989) 329
- Shigematsu, Y., see Kikawa, Y. 491 (1989) 193
- Shiina, S.-I., see Hosaki, S. 488 (1989) 503
- Shilstone, G.F., see Boddington, K.D.B.T. 471 (1989) 347
- Shimada, E. and Matsumura, G.
Determination of Stokes radii of hyaluronate oligosaccharides by Sephadex gel chromatography 472 (1989) 145
- Shimada, K., Oe, T., Hirose, Y. and Komine, Y.
Retention behaviour of cardiac steroids using cyclodextrin in the mobile phase in HPLC 478 (1989) 339
- Shimada, K., Oe, T. and Nambara, T.
Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345
- Shimada, K., Oe, T., Tanaka, M. and Nambara, T.
Sensitive ferrocene reagents for derivatization of amines for HPLC with electrochemical detection 487 (1989) 247
- Shimizu, H., see Utsumi, J. 490 (1989) 193
- Shimizu, Y., see Matsuzawa, S. 498 (1990) 25
- Shimoda, W., see Roybal, J.E. 467 (1989) 259
- Shimojo, M., see Shioya, H. 496 (1989) 129
- Shimoto, H., see Kasuya, Y. 494 (1989) 101
- Shimura, K., see Nakamura, K. 478 (1989) 159
- Shin, H., Lho, D. and Park, J.
Simultaneous determination of propoxyphene and norpropoxyphene in biological samples by GC using an on-column injection technique with a fused-silica capillary column 491 (1989) 448
- Shin, H., Park, J., Lho, D. and Kim, O.
Measurement of zipeprol in rat plasma by GC with nitrogen-phosphorus detection 493 (1989) 398
- Shin, Y.O., see Park, J. 489 (1989) 313
- Shinohara, T., see Knight, M. 459 (1988) 361
- Shinohara, T., see Seto, Y. 464 (1989) 323
- Shinomiya, K., Hoshi, Y. and Imanari, T.
Sensitive detection of unsaturated disaccharides from chondroitin sulphates by TLC as their dansylhydrazine derivatives 462 (1989) 471
- Shiojima, Y., see Ohtsu, Y. 481 (1989) 147
- Shiomii, K., see Tsuchihashi, H. 467 (1989) 227
- Shiono, H., see Maseda, C. 490 (1989) 319
- Shioya, H., Shimojo, M. and Kawahara, Y.
Determination of a new angiotensin-converting enzyme inhibitor (CS-622) and its active metabolite in plasma and urine by GC-MS using negative ion chemical ionization 496 (1989) 129
- Shirali, S.S., see Turcotte, J.G. 499 (1990) 55
- Shitara, K., see Kiba, N. 463 (1989) 183
- Shoda, J., Osuga, T., Mahara, R., Tohma, M., Matsuura, K., Tanaka, N., Matsuzaki, Y. and Miyazaki, H.
Altered metabolism of bile acids in cholestasis: determination of 1 β - and 6 α -hydroxylated metabolites 488 (1989) 315
- Shoeman, D.W., see Ansari, K.A. 475 (1989) 457
- Shohat, S., Grushka, E. and Glikberg, S.
LC analysis of organic additives in copper plating baths 452 (1988) 503
- Shono, T., see Funazo, K. 481 (1989) 211
- Shono, T., see Tanaka, M. 469 (1989) 429
- Shorr, R., see Chiari, M. 499 (1990) 699
- Short, C.R., see Barker, S.A. 475 (1989) 353
- Short, C.R., see Long, A.R. 475 (1989) 404
- Shou, M., see Yang, S.K. 461 (1989) 377
- Shukla, U.A., see Stetson, P.L. 464 (1989) 163
- Shukun, S.A. and Zav'yalov, V.P.
Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121
- Shumate, C.B., see Hallen, R.W. 480 (1989) 233
- Shustina, R. and Lesser, J.H.
LC determination of hydrazine, carbohydrazide and thiocarbohydrazide in aqueous solutions 464 (1989) 208
- Shyu, Y.-J., see Haas, III, J.W. 457 (1988) 215
- Siden, R., see Sintov, A. 496 (1989) 335
- Siebert, C.J., see Talmadge, K.W. 476 (1989) 175
- Siems, W., see Werner, A. 491 (1989) 77
- Siems, W.F., see Hallen, R.W. 480 (1989) 233
- Siems, W.F., see St. Louis, R.H. 479 (1989) 221
- Sieńko, D., see Buszewski, B. 464 (1989) 73
- Sieńko, D., see Suprynowicz, Z. 456 (1988) 219
- Siest, G., see Liu, H.-F. 493 (1989) 137
- Siest, G., see Schmitt, P. 491 (1989) 495
- Sievers, R.E., see Foreman, W.T. 465 (1989) 23
- Sievers, R.E., see McNamara, E.A. 452 (1988) 75
- Siever, H.-J.P., Wu, S.-L., Chloupek, R. and Hancock, W.S.
Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221
- Signoretti, E.C., D'Arpino, C. and La Torre, F.
Determination by HPLC of clenbuterol in commercial syrup formulations 473 (1989) 301

- Sigurdsson, K., see Hjemdahl, P. 494 (1989) 53
- Silversand, C. and Haux, C.
Isolation of turbot (*Scophthalmus maximum*) vitellogenin by high-performance anion-exchange chromatography 478 (1989) 387
- Simmons, H.F., see Stidman, J. 494 (1989) 318
- Simon, P., Brand, F. and Lemacon, C.
Florisil® sorbent sampling and ion chromatographic determination of airborne aliphatic carboxylic acids 479 (1989) 445
- Simon, V.A. and Taylor, A.
High-sensitivity HPLC analysis of diquat and paraquat with confirmation 479 (1989) 153
- Simonelli, A.P., see Kalonia, D.S. 455 (1988) 355
- Simpson, C.F., see Akapo, S.O. 471 (1989) 283
- Simpson, C.F., see Drake, A.F. 476 (1989) 159
- Simpson, D., see Moncrieff, J. 488 (1989) 498
- Simpson, H., see Ashmore, S.P. 496 (1989) 435
- Simpson, R.J. and Moritz, R.L.
Chromatographic fractionation of proteins at high organic solvent modifier concentrations 474 (1989) 418
- Simpson, R.J., Ward, L.D., Reid, G.E., Batterham, M.P. and Moritz, R.L.
Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345
- Šimuničová, E., see Hutta, M. 470 (1989) 223
- Sinden, S.L., see Osman, S.F. 479 (1989) 189
- Sing, K.S.W., see Ahsan, T. 464 (1989) 416
- Sing, K.S.W., see Ahsan, T. 479 (1989) 17
- Singh, A.K., Ashraf, M., Granley, K., Mishra, U., Rao, M.M. and Gordon, B.
Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215
- Singh, A.K., Gordon, B., Hewetson, D., Granley, K., Ashraf, M., Mishra, U. and Dombrovskis, D.
Screening of steroids in horse urine and plasma by using electron impact and chemical ionization GC-MS 479 (1989) 233
- Singh, H.K., see Turcotte, J.G. 499 (1990) 55
- Singh, P.P. and Chawla, R.P.
Comparison of sulphuric acid treatment and column chromatographic clean-up procedures for the GC determination of organochlorine compounds in some food commodities 457 (1988) 387
- Singh, R.P., Smesko, S.A. and Nancollas, G.H.
Simultaneous determination of citrate and D-isocitrate in urine by isocratic ion chromatography 495 (1989) 239
- Singh, S., see Kinter, M. 496 (1989) 201
- Singhal, R.P. and Landes, J.P.
HPLC analysis of DNA composition and DNA modification by chloroacetaldehyde 458 (1988) 117
- Singhvi, S.M., see Everett, D.W. 487 (1989) 365
- Sinibaldi, M., see Gasparini, F. 457 (1988) 235
- Sinibaldi, M., see Kuhn, A.O. 469 (1989) 253
- Sinkkonen, S.
LC determination of planar aromatic sulphur compounds in crude oil 475 (1989) 421
- Sintov, A., Siden, R. and Levy, R.J.
Sensitive HPLC assay using 9-fluorenylmethylchloroformate for monitoring controlled-release lidocaine in plasma 496 (1989) 335
- Sion, J.-P., Laureys, M., Gerlo, E. and Gorus, F.
Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91
- Siouffi, A.M., Mincsovics, E. and Tyihak, E.
Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471
- Siouffi, A.M., see Huss, V. 500 (1990) 241
- Siouffi, A.M., see Mazerolles, G. 485 (1989) 433
- Sioufi, A., Leroux, F. and Dubois, J.P.
Determination of xylometazoline in plasma and urine by GC using a fused-silica capillary column and an electron-capture detector 487 (1989) 81
- Sioufi, A., Marfil, F., Richard, J., Colussi, D. and Dubois, J.P.
HPLC determination of pirprofen and five of its metabolites in human plasma without hydrolysis and in human urine before and after chemical hydrolysis 495 (1989) 195
- Sioufi, A., Sandrenan, N. and Dubois, J.P.
Determination of crotamiton in plasma and urine by HPLC 494 (1989) 361
- Siret, L., Tambuté, A., Caude, M. and Rosset, R.
(*S*)-thio-DNB^{Tyr}-A and (*S*)-thio-DNB^{Tyr}-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67
- Sisco, W.R., see Marziani, F.C. 465 (1989) 422
- Sitaram, B.R., see Cheach, I.C.L. 467 (1989) 414
- Sittichai, N., see Prueksaritanont, T. 490 (1989) 175
- Siu, K.W.M., Maxwell, P.S. and Berman, S.S.
Extraction of butyltin species and their GC determination as chlorides in a sediment

- certified reference material for trace metals, PACS-1 475 (1989) 373
- Siu, K.W.M., see Aue, W.A. 500 (1990) 95
- Siu, T.-S.S., see Chan, Y.-P.M. 459 (1988) 251
- Siu, T.-S.S., see Chan, Y.-P.M. 496 (1989) 155
- Sivakoff, S.I., see Gentilucci, T.J. 461 (1989) 63
- Sjövall, J., see Marschall, H.-U. 452 (1988) 459
- Sjövall, J., see Uusijärvi, J. 488 (1989) 87
- Skarping, G., Dalene, M., Brorson, T., Sandström, J.F., Sangö, C. and Tiljander, A. Chromatographic determination of amines in biological fluids with spectral reference to the biological monitoring of isocyanates and amines. I. Determination of 1,6-hexamethylenediamine using glass capillary GC and thermionic specific detection 479 (1989) 125
- Skarping, G., Willers, S. and Dalene, M. Determination of cotinine in urine using glass capillary GC and selective detection, with special reference to the biological monitoring of passive smoking 454 (1988) 293
- Skarping, G., see Sandström, J.F. 479 (1989) 135
- Skarping, G., see Tiljander, A. 479 (1989) 145
- Skidmore, G.L., Horstmann, B.J. and Chase, H.A. Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 498 (1990) 113
- Skinner, M. and Kanfer, I. HPLC analysis of josamycin in serum and urine 459 (1988) 261
- Skowroński, R., see Drabowicz, J. 473 (1989) 287
- Škvorc, I., Zambeli, N., Iskrić, S. and Hadžija, O. TLC of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phthalic acid 498 (1990) 428
- Slacanin, I., Marston, A. and Hostettmann, K. Modification to a high-speed counter-current chromatograph for improved separation capability 482 (1989) 234
- Slacanin, I., Vargas, D., Marston, A. and Hostettmann, K. Determination of molluscicidal sesquiterpene lactones from *Ambrosia maritima* (Compositae) 457 (1988) 325
- Slack, J.A., see Baer, J.C. 467 (1989) 332
- Šlais, K. Sample-induced internal gradient of ionic strength in ion-exclusion microcolumn LC 469 (1989) 223
- Šlais, K. and Oščik-Mendyk, B. Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370
- Šlais, K., see Janeček, M. 471 (1989) 303
- Slanina, J., Keuken, M.P. and Jongejan, P.A.C. Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297
- Slavík, M., see Kindberg, C.G. 473 (1989) 431
- Šlebioda, M., see Wodecki, Z.J. 477 (1989) 454
- Slemp, J.L., see Ito, Y. 463 (1989) 305
- Slemp, J.L., see Ito, Y. 475 (1989) 219
- Slingsby, R.W. and Pohl, C.A. Anion-exchange selectivity in latex-based columns for ion chromatography 458 (1988) 241
- Śliwiok, J., Kuś, P. and Sajewicz, M. Some data on the TLC and HPLC separation of some dithia[3.3]phanes 472 (1989) 314
- Śliwiok, J., see Sajewicz, M. 456 (1988) 227
- Sloan, J.E., Thormann, W., Twitty, G.E. and Bier, M. Automated recycling free fluid isotachophoresis. Principle, instrumentation and first results 457 (1988) 137
- Sloan, J.E., see Bier, M. 470 (1989) 369
- Slominski, B.A. and Campbell, L.D. GC determination of indoleacetonitriles in rapeseed and *Brassica* vegetables 454 (1988) 285
- Sluyterman, L.A.Æ. and Kooistra, C. Ten years of chromatofocusing: a discussion 470 (1989) 317
- Smail, G.A., see Shafi, N. 490 (1989) 9
- Smart, A.U., see Smith, J.R.L. 483 (1989) 341
- Smeaton, T.C., Owens, J.A. and Robinson, J.S. Micro-method for measurement of branched-chain keto acid concentrations in plasma from sheep and man 487 (1989) 434
- Smesko, S.A., see Singh, R.P. 495 (1989) 239
- Smet, M. De, Musch, G., Peeters, A., Buydens, L. and Massart, D.L. Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237
- Smet, M. De, Peeters, A., Buydens, L. and Massart, D.L. Expert system for the selection of HPLC methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 457 (1988) 25
- Smet, M. De, see Hindriks, R. 485 (1989) 255
- Smets, P., see Kol, O. 474 (1989) 452
- Šmíd, P., see Kleinmann, I. 479 (1989) 327
- Smilde, A.K., Coenegracht, P.M.J., Bruins, C.H.P. and Doornbos, D.A.

- Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary–mobile phase combinations with markers 485 (1989) 169
- Smilde, A.K., see Coenegracht, P.M.J. 485 (1989) 195
- Smillie, R.H., Grant, B. and Cribbes, R.L. Determination of phosphate and phosphite in plant material by GC–MS and ion chromatography 455 (1988) 253
- Smith, A.L., see Jenny, P.D. 490 (1989) 213
- Smith, B.F., see Hamilton, V.T. 469 (1989) 369
- Smith, B.J., see Herold, D.A. 496 (1989) 180
- Smith, D.F., Kleindienst, T.E. and Hudgens, E.E. Improved HPLC method for artifact-free measurements of aldehydes in the presence of ozone using 2,4-dinitrophenylhydrazine 483 (1989) 431
- Smith, D.J., see Dunphy, M.J. 488 (1989) 369
- Smith, D.J., see Fulton, J.A. 455 (1988) 183
- Smith, G.A., see Oppenheimer, L.E. 461 (1989) 103
- Smith-Gill, S.J., see Janis, L.J. 476 (1989) 235
- Smith, J., see Ahuja, S. 471 (1989) 443
- Smith, J.A. and O'Hare, M. Effect of stationary and mobile phases on hydrophobic interaction chromatography of proteins and peptides 496 (1989) 71
- Smith, J.A., see Cohen, A.S. 458 (1988) 323
- Smith, J.A., see Ford, J.C. 483 (1989) 131
- Smith, Jr., J.E., see Fowler, W.K. 478 (1989) 51
- Smith, J.R.L., Smart, A.U., Hancock, F.E. and Twigg, M.V. HPLC determination of low levels of primary and secondary amines in aqueous media via derivatisation with 1,2-naphthoquinone-4-sulphonate 483 (1989) 341
- Smith, K.C., see White, R.L. 483 (1989) 437
- Smith, M.A. and Gillespie, P.C. Ionization of DEAE-cellulose. Dependence of pK on ionic strength 469 (1989) 111
- Smith, M.S., see Evans, M.B. 479 (1989) 170
- Smith, R.A., Tibbels, T.S. and Cohen, S.M. Quantitation of N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and 2-amino-4-(5-nitro-2-furyl)thiazole in rodent diet 465 (1989) 442
- Smith, R.D., Loo, J.A., Barinaga, C.J., Edmonds, C.G. and Udseth, H.R. Capillary zone electrophoresis and isotachophoresis–MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211
- Smith, R.D., see Edmonds, C.G. 474 (1989) 21
- Smith, R.D., see Yonker, C.R. 459 (1988) 183
- Smith, R.J., see Haken, J.K. 452 (1988) 31
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. I. Monosubstituted aromatic compounds 475 (1989) 57
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. II. Long term reproducibility of capacity factors and retention indices 475 (1989) 75
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. III. Monosubstituted aliphatic compounds 481 (1989) 71
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. IV. Branched and unsaturated alkylbenzenes 481 (1989) 85
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325
- Smith, R.M., Ghani, A.A., Haverty, D.G., Bament, G.S., Chamisi, A.Y. and Fogg, A.G. Derivatisation of amines with O-acetylsalicyloyl chloride to enhance electrochemical detection in HPLC 455 (1988) 349
- Smith, R.M., Hurdley, T.G., Westlake, J.P., Gill, R. and Osseletton, M.D. Retention reproducibility of basic drugs in HPLC on a silica column with a methanol–ammonium nitrate eluent. Batch-to-batch reproducibility of the stationary phase 455 (1988) 77
- Smith, R.M. and Miller, S.L. Comparison of the selectivity of cyano-bonded silica stationary phases in reversed-phase LC 464 (1989) 297
- Smith, R.M. and Rabuor, J.O. Separation of basic drugs by HPLC on a silica column using a methanol–ethylenediamine buffer 464 (1989) 117
- Smith, R.M. and Sanagi, M.M. SFC of barbiturates 481 (1989) 63
- Smith, R.M. and Sanagi, M.M. Packed-column SFC of benzodiazepines 483 (1989) 51
- Smolková-Keulemansová, E., see Jelinek, I. 464 (1989) 139

- Smolková-Keulemansová, E., see Jelinek, I. 470 (1989) 113
- Smolková-Keulemansová, E., see Jelinek, J. 495 (1989) 338
- Smolková-Keulemansová, E., see Kohoutová, A. 471 (1989) 139
- Smolková-Keulemansová, E., see Snopek, J. 452 (1988) 571
- Smolková-Keulemansová, E., see Snopek, J. 472 (1989) 308
- Smrz, M., see Hanis, T. 452 (1988) 443
- Smyth, M.R., see Kelly, M.T. 473 (1989) 53
- Snook, M.E., Widstrom, N.W. and Gueldner, R.C.
Reversed-phase HPLC procedure for the determination of maysin in corn silks 477 (1989) 439
- Snopek, J., Jelinek, I. and Smolková-Keulemansová, E.
Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571
- Snopek, J., Jelinek, I. and Smolková-Keulemansová, E.
Use of cyclodextrins in isotachophoresis. VIII. Two-dimensional chiral separation in isotachophoresis 472 (1989) 308
- Snopek, J., see Jelinek, I. 464 (1989) 139
- Snopek, J., see Jelinek, I. 470 (1989) 113
- Snopek, J., see Jelinek, J. 495 (1989) 338
- Snorek, S.V., Olsen, B.A. and Pierson, D.A.
LC determination of low-molecular-weight amides in pharmaceutical matrices 458 (1988) 287
- Snyder, L.R. and Cox, G.B.
Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85
- Snyder, L.R., Dolan, J.W. and Cox, G.B.
Preparative HPLC under isocratic conditions. I Craig simulations for heavily overloaded separations 483 (1989) 63
- Snyder, L.R., Dolan, J.W. and Cox, G.B.
Preparative HPLC under gradient conditions. III. Craig simulations for heavily overloaded separations 484 (1989) 437
- Snyder, L.R., Dolan, J.W. and Lommen, D.C.
Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65
- Snyder, L.R., Dolan, J.W., Lommen, D.C. and Cox, G.B.
Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425
- Snyder, L.R., see Cox, G.B. 483 (1989) 95
- Snyder, L.R., see Cox, G.B. 484 (1989) 409
- Snyder, L.R., see Dolan, J.W. 485 (1989) 91
- Snyder, L.R., see Ghrist, B.F.D. 459 (1988) 1
- Snyder, L.R., see Ghrist, B.F.D. 459 (1988) 25
- Snyder, L.R., see Ghrist, B.F.D. 459 (1988) 43
- Snyder, L.R., see Rutan, S.C. 463 (1989) 21
- Snyder, L.R., see Salotto, A.W. 498 (1990) 55
- Snyder, L.R., see Stuart, J.D. 485 (1989) 657
- Snyder, R.S., see Roberts, G.O. 480 (1989) 35
- Soffientini, A., see Righetti, P.G. 470 (1989) 337
- Soják, L., see Farkaš, P. 471 (1989) 251
- Sokolova, T.M., see Levchenko, N.K. 456 (1988) 427
- Soliman, A.M., see Chase, Jr., G.W. 456 (1988) 431
- Somogyi, A., see Chen, Z.R. 491 (1989) 367
- Somogyi, A., see Chen, Z.R. 493 (1989) 313
- Somsen, G.W., see Schreurs, M. 482 (1989) 351
- Sonesson, A., Bryn, K., Jantzen, E. and Larsson, L.
GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1
- Sonesson, A., Larsson, L. and Jimenez, J.
Two-dimentional GC with electron-capture detection used in the determination of specific peptidoglycan and lipopolysaccharide constituents of Gram-negative bacteria in infected human urine 490 (1989) 71
- Sonne, O., see Marquard, F. 455 (1988) 360
- Sonoki, S., Tanaka, Y., Hisamatsu, S. and Kobayashi, T.
HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides. Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311
- Sørensen, H.H., see Welinder, B.S. 462 (1989) 255
- Soria, V., see Pérez-Payá, E. 461 (1989) 229
- Sotelo, J., see Hurtado, M. 494 (1989) 403
- Souhodolova, V.I., see Berezkina, L.G. 457 (1988) 159
- Souich, P. Du, see Ong, H. 497 (1989) 213
- Souppart, C., see Lecaillon, J.B. 497 (1989) 223
- Sova, O., see Dobránsky, T. 474 (1989) 430
- Spahn, H., see Hartmann, C. 496 (1989) 387
- Spalding, D., see Persson, K. 491 (1989) 473
- Spall, W.D., see Hamilton, V.T. 469 (1989) 369

- Spanedda, L., see Cabras, P. 472 (1989) 411
 Spanedda, L., see Cabras, P. 478 (1989) 250
 Spanedda, L., see Capone, W. 457 (1988) 427
 Spellman, M.W., see Basa, L.J. 499 (1990) 205
 Spellman, M.W., see Chloupek, R.C. 463 (1989)
 375
 Spener, F., see Haalck, L. 498 (1990) 410
 Spierenburg, T.J., see Zoun, P.E.F. 462 (1989)
 448
 Spraul, M., see Albert, K. 463 (1989) 355
 Sprenger, U., see Bächmann, K. 482 (1989) 307
 Springolo, V., Borella, F., Finardi, G.P., Gatti,
 M.T. and Coppi, G.
 HPLC determination of *m*-
 bis(chloroethyl)aminophenyl-L-alanine in
 plasma 490 (1989) 224
 Springston, S.R. and Dezaro, D.A.
 Non-extractable stationary phases for GC
 cross-linked by exposure to low-temperature
 plasmas 473 (1989) 79
 Sprovieri, G., see Grossi, G. 465 (1989) 113
 Spustová, V.
 Rapid method for the determination of
 hippurate in biological fluids by HPLC 487
 (1989) 440
 Spustová, V., Černay, P. and Golier, I.
 Inhibition of glucose utilization in uremia by
 hippurate: LC isolation and MS and NMR
 spectroscopic identification 490 (1989) 186
 Srebnik, M., see Joshi, N.N. 462 (1989) 458
 Sri-Widada, J., see Liautard, J. 454 (1988) 195
 Sribney, M., see Owen, J.A. 494 (1989) 135
 Srichaiyo, T., see Lindeberg, J. 499 (1990) 153
 Srinivas, N.R., Cooper, J.K., Hubbard, J.W. and
 Midha, K.K.
 Isothermal capillary GC with electron-capture
 detection of heptafluorobutyryl-L-prolyl
 derivatives of chiral amphetamines 491 (1989)
 262
 Srinivas, N.R., Hubbard, J.W., Hawes, E.M.,
 McKay, G. and Midha, K.K.
 Enantioselective GC assays with electron-
 capture detection for methoxyphenamine and
 its three primary metabolites in human urine
 487 (1989) 61
 Stafford, A.E., see Lin, J.-T. 452 (1988) 519
 Stafiej, J., see Glód, B.K. 457 (1988) 43
 Ståhlberg, J. and Bartha, Á.
 Extension of the electrostatic theory of
 reversed-phase ion-pair chromatography for
 high surface concentrations of the adsorbing
 amphiphilic ion 456 (1988) 253
 Ståhlberg, J., see Bartha, A. 485 (1989) 403
 Stalcup, A.M., Jin, H.L., Armstrong, D.W.,
 Mazur, P., Derguini, F. and Nakanishi, K.
- Separation of carotenes on cyclodextrin-
 bonded phases 499 (1990) 627
 Stan, H.-J.
 Application of capillary GC with mass
 selective detection to pesticide residue
 analysis 467 (1989) 85
 Stanski, D.R., see Ebbling, W.F. 490 (1989) 339
 Staroverov, S.M., see Fadeev, A.Y. 465 (1989)
 233
 Startin, J.R., see Ramsey, E.D. 464 (1989) 353
 Starzengruber, N., see Georgopoulos, A. 494
 (1989) 340
 Staszczuk, P., see Buszewski, B. 499 (1990) 305
 Stead, C.V., see Burton, S.J. 455 (1988) 201
 Stearns, S.D., see Gentilucci, T.J. 461 (1989) 63
 Stedman, G., see Furton, K.G. 468 (1989) 73
 Steele, R.D., see Case, G.L. 487 (1989) 456
 Steenbeke, G., see Janda, V. 479 (1989) 200
 Steenbeke, G., see Verzele, M. 477 (1989) 87
 Steenbeke, G., see Verzele, M. 484 (1989) 361
 Steenbergen, M.J. Van, see Schilt, R. 489 (1989)
 127
 Stefansson, M. and Westerlund, D.
 Reversed-phase ion-pair LC of glucuronides.
 Retention and selectivity 499 (1990) 411
 Stehle, P., see Fürst, P. 499 (1990) 557
 Stein, H., see Hummel, M. 477 (1989) 420
 Stein, J.-L., see Roussel, C. 462 (1989) 95
 Stein, T.A., Cohen, J.R., Mandell, C. and Wise,
 L.
 Determination of elastase activity by
 reversed-phase HPLC 461 (1989) 267
 Steinbuch, H.M., see Van Ginkel, L.A. 489 (1989)
 111
 Steindl, F., see Jungbauer, A. 476 (1989) 257
 Steinhanse, J., see Schoene, K. 455 (1988) 67
 Steinhilber, D., Herrmann, T. and Roth, H.J.
 Separation of lipoxins and leukotrienes from
 human granulocytes by HPLC with a Radial-
 Pak cartridge after extraction with an
 octadecyl reversed-phase column 493 (1989)
 361
 Steinmetz, A., Clavey, V., Vu-Dac, N., Kaffarnik,
 H. and Fruchart, J.-C.
 Purification of human apolipoprotein A-IV
 by fast protein LC 487 (1989) 154
 Stell, J.G.P., Warne, A.J. and Lee-Woolley, C.
 Purification of rabbit liver aldehyde oxidase
 by affinity chromatography on benzamidine
 Sepharose 6B 475 (1989) 363
 Stella, R., see Maggi, L. 478 (1989) 225
 Štendler, T., see Žmitek, J. 467 (1989) 276
 Stenhammar, G. and Alborn, H.
 Developments of micro LC-MS with gradient
 elution. Improvements to obtain less thermal

- decomposition of labile compounds 474
(1989) 285
- Stenman, U.-H., see Alftan, H. 470 (1989) 385
- Stephany, R.W.
Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 489 (1989) 3
- Stephany, R.W., see De Ruig, W.G. 489 (1989) 89
- Stephany, R.W., see Jansen, E.H.J.M. 489 (1989) 205
- Stephany, R.W., see Van Ginkel, L.A. 489 (1989) 95
- Stephany, R.W., see Van Ginkel, L.A. 489 (1989) 111
- Stephenson, G.R., see Creaser, C.S. 478 (1989) 415
- Stetson, P.L., Shukla, U.A. and Ensminger, W.D.
Stability of trimetrexate, a new non-classical antifolate, in infusion solutions 464 (1989) 163
- Steudel, R., Holdt, G. and Göbel, T.
Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442
- Steuer, W., Baumann, J. and Erni, F.
Separation of ionic drug substances by SFC 500 (1990) 469
- Steuer, W., Schindler, M. and Erni, F.
Gradient elution with normal phases on silica. A comparison between HPLC and SFC 454 (1988) 253
- Stevens, G.B., see Goward, C.R. 457 (1988) 317
- Stewart, J.T., see Bachman, W.J. 481 (1989) 121
- Stewart, J.T., see Lampert, B.M. 495 (1989) 153
- Sticher, O., see Nyiredy, S. 499 (1990) 453
- Stidman, J., Taylor, E.H., Simmons, H.F., Gandy, J. and Pappas, A.A.
Determination of meprobamate in serum by alkaline hydrolysis, trimethylsilyl derivatization and detection by GC-MS 494 (1989) 318
- Stienlet, D., Vervloessem, A. and Ceulemans, J.
Radiolytic synthesis of high-molecular-weight alkanes for chromatographic characterization and identification purposes 475 (1989) 247
- Stillian, J.R. and Pohl, C.A.
New latex-bonded pellicular anion exchangers with multi-phase selectivity for HPLC separations 499 (1990) 249
- Sting, R., Schmitt, M. and Blobel, H.
Isolation of a fibronectin receptor from *Streptococcus pyogenes* by affinity chromatography followed by HPLC (in German) 497 (1989) 258
- St. John, J.B., see Mischke, H.A.N.C.F. 479 (1989) 206
- St. Louis, R.H., Siems, W.F. and Hill, Jr., H.H.
Evaluation of direct axial sample introduction for ion mobility detection after capillary GC 479 (1989) 221
- Stobaugh, J.F., see Kindberg, C.G. 473 (1989) 431
- Stobaugh, J.F., see Mifune, M. 496 (1989) 55
- Stocchi, F., see Betto, P. 459 (1988) 341
- Stocchi, V., see Magnani, M. 491 (1989) 215
- Stocchi, V., see Marchiseppe, I. 495 (1989) 288
- Stoev, G. and Dentshev, T.
Increasing the reliability of the identification of polymers by pyrolysis GC 454 (1988) 367
- Stokke, O., see Jellum, E. 468 (1989) 43
- Stolfi, R.L., see Sawyer, R.C. 496 (1989) 450
- Stone, J.M., see Henson, C.A. 469 (1989) 361
- Stone, M.J., see Badamchian, M. 459 (1988) 291
- Stone, M.J., see Knight, M. 459 (1988) 361
- Stone, M.J., see Strickler, M.P. 484 (1989) 369
- Storey, K.B., see Brooks, S.P.J. 455 (1988) 291
- Stoschitzky, K., see Lindner, W. 487 (1989) 375
- Stout, R.W., Leibu, H.J., Rousak, A.T. and Wright, R.C.
New porous organic microspheres for HPLC 476 (1989) 21
- Stouten, P., see Haasnoot, W. 483 (1989) 319
- Stover, F.S.
Utility of copper-containing electrolytes for isotachophoresis of amino acids 470 (1989) 131
- Stover, F.S.
Spacer performance in the cationic isotachophoresis of proteins 470 (1989) 201
- Stover, F.S., Haymore, B.L. and McBeath, R.J.
Capillary zone electrophoresis of histidine-containing compounds 470 (1989) 241
- St. Peter, J.V. and Awni, W.M.
Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424
- Strang, R., see Shafi, N. 490 (1989) 9
- Stránský, Z., see Dombek, V. 470 (1989) 235
- Strassburg, R., Fritz, J.S., Berkowitz, J. and Schmuckler, G.
Injection peaks in anion chromatography 482 (1989) 343
- Strasters, J.K., Billiet, H.A.H., De Galan, L. and Vandeginste, B.G.M.
Strategy for peak tracking in LC on the basis of a multivariate analysis of spectral data 499 (1990) 499

- Strasters, J.K., Coolsaet, F., Bartha, A., Billiet, H.A.H. and De Galan, L.
Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523
- Strasters, J.K., see Schoenmakers, P.J. 458 (1988) 355
- Strating, J., see Verzele, M. 484 (1989) 361
- Straub, H., see Müller, F. 477 (1989) 25
- Straughn, A.B., see Patrick, K.S. 487 (1989) 91
- Straughn, A.B., see Patrick, K.S. 495 (1989) 123
- Street, J.M., Trafford, D.J.H. and Makin, H.L.J.
Carrier gas flow-rate and injection system in capillary GC of unconjugated and glycine-conjugated bile acids 495 (1989) 31
- Streete, P.J.
Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179
- Strege, M.A. and Dubin, P.L.
SEC of cationic polyelectrolytes on Superose gel 463 (1989) 165
- Strickler, M.P., Stone, M.J., Kennington, A.S. and Goldstein, D.M.
Strategy for the preparative-scale HPLC isolation of kadsurenone and futoquinol from the medicinal plant *Piper futokadsura* 484 (1989) 369
- Strickler, M.P., see Badamchian, M. 459 (1988) 291
- Strickler, M.P., see Knight, M. 459 (1988) 361
- Strolle, E.O., see Jones, W.J. 455 (1988) 45
- Stroud, R.M., see Miercke, L.J.W. 483 (1989) 331
- Strubinger, J.R., see Pacher, J.F. 479 (1989) 251
- Struzinsky, R., see Miksik, I. 500 (1990) 607
- Stuart, J.D., Lisi, D.D. and Snyder, L.R.
Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657
- Štulík, K., see Böswart, J. 495 (1989) 61
- Štulík, K., see Burcinová, A. 455 (1988) 420
- Štulík, K., see Wang, H. 457 (1988) 398
- Šturdík, E., see Podhradský, D. 455 (1988) 344
- Stüwe, E., see Meineke, I. 493 (1989) 287
- Suann, C.J., see Reilly, P.J. 498 (1990) 35
- Suarez, A.F., see Bories, G. 489 (1989) 191
- Subbarao, R., see Chandrasekhara Rao, T. 466 (1989) 403
- Subra, P., Hennion, M.-C., Rosset, R. and Frei, R.W.
Recovery of organic compounds from large-volume aqueous samples using on-line LC preconcentration techniques 456 (1988) 121
- Subramanian, G., Phillips, M.W., Jayaraman, G. and Cramer, S.M.
Displacement chromatography of biomolecules with large particle diameter systems 484 (1989) 225
- Subramanian, G., see Phillips, M.W. 454 (1988) 1
- Šúchová, M., see Adámek, V. 497 (1989) 268
- Sudo, M., see Kikawa, Y. 491 (1989) 193
- Sudor, J., see Boček, P. 470 (1989) 309
- Suehiro, Y., see Kikawa, Y. 491 (1989) 193
- Suemitsu, R., Horiuchi, K., Ohnishi, K. and Yanagawase, S.
HPLC determination of macrosporin, altersolanol A, alterporriol A, B and C in fermentation of *Alternaria porri* (Ellis) Ciferri 454 (1988) 406
- Suffet, I.H., see Ibrahim, E.A. 454 (1988) 217
- Suga, T., see Iwata, J. 474 (1989) 363
- Sugata, K., see Okada, T. 481 (1989) 299
- Sugata, R., Iwahashi, H., Ishii, T. and Kido, R.
Separation of polyunsaturated fatty acid radicals by HPLC with electron spin resonance and UV detection 487 (1989) 9
- Sugii, A., Harada, K., Nishimura, K., Hanaoka, R. and Masuda, S.
HPLC of proteins on N-methylpyridinium polymer columns 472 (1989) 357
- Sugitani, H., see Chikazumi, N. 479 (1989) 85
- Suijkerbuijk, M.L., see Blink, A. 467 (1989) 285
- Sullivan, G.S., see Manning, J.N. 487 (1989) 41
- Sumpter, S.R., see Tarbet, B.J. 473 (1989) 103
- Sun, L., sec Deming, S.N. 485 (1989) 15
- Sun, X.-Y. and Aue, W.A.
Selective detection of volatile iron compounds by flame photometry 467 (1989) 75
- Sung, N.J. and Johnson, S.J.
Determination of the total amount sulfur in petroleum fractions by capillary GC in combination with cold trapping and a total sulfur analyzer 468 (1989) 345
- Sunzel, M.
Determination of midazolam and the α -hydroxy metabolite by GC in small plasma volumes 491 (1989) 455
- Supina, W.R., see Betz, W.R. 471 (1989) 105
- Suprynowicz, Z., Buszewski, B., Sieńko, D. and Gawdzik, J.
Effect of chemically bonded alkyl chain length on the recovery of serotonin and its metabolite from urine by a solid extraction clean-up procedure 456 (1988) 219

- Suprynowicz, Z., see Buszewski, B. 464 (1989) 73
- Suprynowicz, Z., see Buszewski, B. 499 (1990) 305
- Suryanarayana, M.V.S., see Rao, S.S. 493 (1989) 210
- Susic, M. and Boto, K.G.
- HPLC determination of humic acid in environmental samples at the nanogram level using fluorescence detection 482 (1989) 175
- Susini, A., see Gülaçar, F.O. 479 (1989) 61
- Šustáček, V., Foret, F. and Boček, P.
- Simple method for generation of a dynamic pH gradient in capillary zone electrophoresis 480 (1989) 271
- Sütfeld, R.
- Preparative LC with analytical separation quality. Interval injection/displacement reversed-phase HPLC 464 (1989) 103
- Suto, K., see Ito, Y. 456 (1988) 392
- Sutra, J.F., see Paris, A. 493 (1989) 367
- Suzuki, H., see Fukai, F. 482 (1989) 107
- Suzuki, S., Nakamura, Y., Kaneko, M., Mori, K. and Watanabe, Y.
- Analysis of benzalkonium chlorides by GC 463 (1989) 188
- Suzuki, H., see Goto, J. 452 (1988) 119
- Suzuki, K., see Nakagiri, I. 481 (1989) 434
- Suzuki, M., see Ikai, Y. 477 (1989) 397
- Suzuki, M., see Ishibashi, M. 456 (1988) 382
- Suzuki, M., see Murayama, M. 463 (1989) 147
- Suzuki, M., see Murayama, M. 466 (1989) 355
- Suzuki, M., see Oka, H. 462 (1989) 315
- Suzuki, M., see Oka, H. 482 (1989) 197
- Suzuki, N., see Adachi, K. 457 (1988) 99
- Suzuki, O., see Tsuda, T. 456 (1988) 375
- Suzuki, S., see Ikeda, K. 482 (1989) 240
- Suzuki, S., see Mochizuki, E. 455 (1988) 271
- Suzuki, S., see Onodera, S. 466 (1989) 233
- Suzuki, S.-I., Tsuchihashi, H. and Arimoto, H.
- Studies on 1-(2-phenethyl)-4-(N-propionylanilino)piperidine (fentanyl) and related compounds. III. Effect of methyl group introduction into fentanyl on sensitivity enhancement in GC with surface ionization detection 475 (1989) 400
- Suzuki, T., see Ogino, H. 472 (1989) 389
- Suzuki, T., see Toyo'oka, T. 475 (1989) 391
- Suzuki, T., see Yamashita, J. 464 (1989) 411
- Suzuki, Y., see Hirauchi, K. 497 (1989) 131
- Suzuki, Y., see Koizumi, H. 457 (1988) 299
- Suzuki, Y. and Fukuda, K.
- Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 489 (1989) 283
- Švec, A., see Kaniansky, D. 470 (1989) 139
- Švec, F., see Hradil, J. 462 (1989) 61
- Švec, F., see Hradil, J. 469 (1989) 143
- Švec, F., see Hradil, J. 475 (1989) 209
- Švec, F., see Tennikova, T.B. 475 (1989) 187
- Sved, S., see Koehler, H. 469 (1989) 305
- Svennerholm, L., see Davidsson, P. 496 (1989) 279
- Svennerholm, L., see Gottfries, J. 490 (1989) 263
- Svoboda, V.
- Ideal mixed cells model of multi-component preparative LC 464 (1989) 1
- Svoboda, V., see Kleinmann, I. 479 (1989) 327
- Svoboda, V., see Plicka, J. 469 (1989) 29
- Swaile, D.F., see Sepaniak, M.J. 480 (1989) 185
- Swailes, B.K., see Pettit, W.A. 469 (1989) 440
- Swartz, M.T., see Jones, W.R. 473 (1989) 171
- Sweeney, D., see Kusmierz, J. 497 (1989) 39
- Sweeney, R.W., Beech, J., Whitlock, R.H. and Castelli, P.L.
- Analysis of fatty acids in equine cerebrospinal fluid using GC with electron-capture detection 494 (1989) 278
- Sweetenham, W.P., see Cowan, G.H. 484 (1989) 187
- Sy, W.-W., see By, A. 469 (1989) 406
- Sybilska, D., see Dębowska, B. 455 (1988) 336
- Synovec, R.E., see Hancock, D.O. 464 (1989) 83
- Szabó, G., Csató, E., Keresztes, P. and Pallos, J.P.
- Preparation and retention characteristics of different phenylpolysiloxane phases for reversed-phase LC 463 (1989) 345
- Szabó, G., see Valkó, K. 485 (1989) 349
- Szathmary, S.C.
- Determination of hydroxypropyl- β -cyclodextrin in plasma and urine by SEC with post-column complexation 487 (1989) 99
- Szczepaniak, W., see Nawrocki, J. 467 (1989) 31
- Szczerba, T.J., Baehr, D.N., Glunz, L.J., Perry, J.A. and Holdoway, M.J.
- New packing and column for fast protein HPLC 458 (1988) 281
- Szczerba, T.J., see Perry, J.A. 484 (1989) 267
- Székely, G., see Kessler, R. 469 (1989) 444
- Székely, T.J., see Tyihák, E. 471 (1989) 375
- Szelezcski, E., see Gazdag, M. 454 (1988) 83
- Szepesi, G., Gazdag, M. and Mihályfi, K.
- Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265
- Szepesi, G., see Gazdag, M. 454 (1988) 83
- Szepesi, G., see Gazdag, M. 454 (1988) 95
- Szepesi, G., see Gazdag, M. 464 (1989) 279

- Szepesy, L., Vida, L., Tóth, M. and László, E.
Investigation of some α -amylases by high-performance hydrophobic-interaction chromatography 499 (1990) 197
- Szewczyk, H., see Szymanowski, J. 469 (1989) 197
- Szewczyk, H., see Szymanowski, J. 477 (1989) 407
- Szymanowski, J., Kusz, P. and Dziwiński, E.
Chemical degradation and analysis of polyoxyethylene glycols and ethylene oxide- α -butylene oxide block copolymers 455 (1988) 131
- Szymanowski, J., Kusz, P., Dziwiński, E. and Latocha, C.
Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride 455 (1988) 119
- Szymanowski, J., Kusz, P., Dziwiński, E., Szewczyk, H. and Pyżalski, K.
Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride and ferric chloride 469 (1989) 197
- Szymanowski, J., Kusz, P. and Szewczyk, H.
Increments of the arithmetic retention index for polyoxyethylene glycol monoalkyl ethers and their degradation products 477 (1989) 407
- Szymanowski, J., see Voelkel, A. 454 (1988) 51
- Szymanowski, J., see Wiśniewski, M. 462 (1989) 39
- T**
- Tabor, D.G. and Underwood, A.L.
Some factors in solute partitioning between water and micelles or polymeric micelle analogues 463 (1989) 73
- Tacchi-Bedford, A.M.
Measurement of methylated DNA purines by reversed-phase HPLC and fluorimetric detection 455 (1988) 364
- Taga, M., see Kan, M. 478 (1989) 238
- Tagliaro, F., Franchi, D., Dorizzi, R. and Marigo, M.
HPLC determination of morphine in biological samples: an overview of separation methods and detection techniques 488 (1989) 215
- Takács, J.M., see Tarján, T. 472 (1989) 1
- Takagi, D., see Takeyama, N. 491 (1989) 69
- Takagi, T., see Itabashi, Y. 472 (1989) 271
- Takahara, E., see Nagata, O. 496 (1989) 456
- Takahashi, A., see Toyō'oka, T. 475 (1989) 391
- Takahashi, K., see Okuyama, T. 466 (1989) 390
- Takahashi, S., see Tsuchihashi, H. 467 (1989) 227
- Takai, N., see Yamashita, J. 464 (1989) 411
- Takano, S., see Tokuda, H. 454 (1988) 109
- Takasu, N., see Nakagiri, I. 481 (1989) 434
- Takata, K., see Matsunaga, H. 481 (1989) 368
- Takata, M., see Okuyama, T. 466 (1989) 390
- Takata, Y.
Effect of eluent impurities and sample matrix on quantitative analysis by ion chromatography 482 (1989) 393
- Takatsuto, S., see Gamoh, K. 469 (1989) 424
- Takayama, Y., Takeichi, T. and Kawai, S.
Application of deactivated metal capillaries to the analysis of solvents in varnish 464 (1989) 172
- Takebe, T., see Moriyama, T. 493 (1989) 164
- Takeda, K., see Hosotsubo, H. 487 (1989) 204
- Takeda, N., see Niwa, T. 452 (1988) 85
- Takeda, N., see Niwa, T. 491 (1989) 397
- Takeda, Y., see Matsuda, R. 462 (1989) 13
- Takeda, Y., see Matsuda, R. 462 (1989) 23
- Takeda, Y., see Nakahara, Y. 489 (1989) 371
- Takeichi, T., see Takayama, Y. 464 (1989) 172
- Takenaga, N., see Hisaka, A. 494 (1989) 183
- Takeuchi, M., see Mori, S. 478 (1989) 181
- Takeuchi, T., Asai, M., Haraguchi, H. and Ishii, D.
Direct coupling of capillary LC with conventional HPLC 499 (1990) 549
- Takeuchi, T., Asano, T. and Ishii, D.
Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297
- Takeuchi, T., Murayama, M. and Ishii, D.
Indirect photometric detection of cyclodextrins via inclusion complexation in micro HPLC 477 (1989) 147
- Takeyama, N., Matsuo, N., Takagi, D. and Tanaka, T.
Determination of overt carnitine palmitoyltransferase by reversed-phase HPLC 491 (1989) 69
- Taki, M., see Kamahori, M. 465 (1989) 227
- Takigawa, H., see Funazo, K. 481 (1989) 211
- Takitani, S., see Murayama, M. 463 (1989) 147
- Takitani, S., see Murayama, M. 466 (1989) 355

- Takitani, S., see Sano, A. 458 (1988) 295
- Talasek, R.T.
Determination of fluoride in semiconductor process chemicals by ion chromatography with ion-selective electrodes 465 (1989) 1
- Talmadge, K.W. and Siebert, C.J.
Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175
- Tamanini, A., see Poiesi, C. 465 (1989) 101
- Tambe, A.S., see Ayyangar, N.R. 483 (1989) 33
- Tambuté, A., see Lienne, M. 467 (1989) 406
- Tambuté, A., see Lienne, M. 472 (1989) 265
- Tambuté, A., see Macaudière, P. 467 (1989) 357
- Tambuté, A., see Sallé, M. 475 (1989) 153
- Tambuté, A., see Siret, L. 498 (1990) 67
- Tameesh, A.H.H., see Salman, S.R. 483 (1989) 390
- Tamura, M., see Matsuzawa, S. 498 (1990) 25
- Tamura, Y., see Oeda, T. 482 (1989) 117
- Tan, H.S.I., Yan, Y.-P. and Thio, A.P.
Stability-indicating capillary SLC assay of dicyclomine hydrochloride in some pharmaceutical formulations 475 (1989) 381
- Tan, S., Tatsuno, T. and Okada, T.
Selected-ion monitoring of 4-vinyl-1-cyclohexene in acrylonitrile-butadiene-styrene polymer products and food simulants 482 (1989) 246
- Tan, Y., see Russel, F.G.M. 496 (1989) 234
- Tanács, B., see Mucha, I. 478 (1989) 280
- Tanaka, A., Iijima, M., Kikuchi, Y., Hoshino, Y. and Nose, N.
GC determination of nicotinamide in meats and meat products as 3-cyanopyridine 466 (1989) 307
- Tanaka, H., see Yagi, S. 493 (1989) 27
- Tanaka, M., Shono, T., Zhu, D.-Q. and Kawaguchi, Y.
LC separation of racemates on acetylated or carbamoylated β -cyclodextrin-bonded stationary phases 469 (1989) 429
- Tanaka, M., see Funazo, K. 481 (1989) 211
- Tanaka, M., see Shimada, K. 487 (1989) 247
- Tanaka, N., Ebata, T., Hashizume, K., Hosoya, K. and Araki, M.
Polymer-based packing materials with alkyl backbones for reversed-phase LC.
Performance and retention selectivity 475 (1989) 195
- Tanaka, N., see Jinno, K. 461 (1989) 209
- Tanaka, N., see Ohtsu, Y. 481 (1989) 147
- Tanaka, N., see Shoda, J. 488 (1989) 315
- Tanaka, S., Kaneta, T. and Yoshida, H.
Isotachophoretic separation of cyano complexes of noble metals using ion-pairing equilibrium in water-acetonitrile solvent 472 (1989) 303
- Tanaka, S., Kaneta, T. and Yoshida, H.
Isotachophoretic separation and behavior of catechol derivatives 498 (1990) 205
- Tanaka, S., see Kan, M. 478 (1989) 238
- Tanaka, S., see Kuwata, K. 455 (1988) 425
- Tanaka, S., see Tong, A. 478 (1989) 408
- Tanaka, T., Aramaki, S. and Momose, A.
TLC screening procedure for some drugs in horse plasma 496 (1989) 407
- Tanaka, T., see Takeyama, N. 491 (1989) 69
- Tanaka, Y., see Miyazaki, K. 454 (1988) 357
- Tanaka, Y., see Sonoki, S. 475 (1989) 311
- Tang, Y.-Z. and Aue, W.A.
Photometric and electron-capture modes in a dual-channel sensor 457 (1988) 149
- Tangleripaibul, J., see Kalonia, D.S. 475 (1989) 416
- Taniguchi, H. and Pyerin, W.
Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by HPLC 476 (1989) 299
- Tanimoto, T., see Koizumi, K. 454 (1988) 303
- Tanimoto, T., see Koizumi, K. 464 (1989) 365
- Tanimura, T., see Nagao, T. 496 (1989) 39
- Tanner, M.S., see Patel, H.R. 495 (1989) 269
- Tápanes, R.D., Ramos, F. and Avila, J.P.
Contribution to the determination of chloroquine in biological fluids 493 (1989) 196
- Tápanes, R.D., Ramos, F., Febles, M. and Avila, J.P.
Determination of dabequin in biological fluids by GC with a nitrogen-selective detector 493 (1989) 202
- Tapper, B.A., Rowan, D.D. and Latch, G.C.M.
Detection and measurement of the alkaloid peramine in endophyte-infected grasses 463 (1989) 133
- Tarana, M.V., see Kopeční, M.M. 462 (1989) 392
- Tarbet, B.J., Bradshaw, J.S., Johnson, D.F., Finlinson, A.C., Rouse, C.A., Jones, K., Sumpter, S.R., Huang, E.C., Juvancz, Z., Markides, D.E. and Lee, M.L.
Synthesis and structural considerations of oligoethylene oxide-containing polysiloxane stationary phases in capillary GC and SFC 473 (1989) 103
- Tarelli, E., see Newland, P. 483 (1989) 406
- Tarján, T., Nyiredy, S., Györ, M., Lombosi, E.R., Lombosi, T.S., Budahegyi, M.V., Mészáros, S.Y. and Takács, J.M.

- Thirtieth anniversary of the retention index according to Kováts in GLC (Review) 472 (1989) 1
- Tarka, Jr., S.M., see Hurst, W.J. 466 (1989) 279
- Tartar, A., see Gesquiere, J.C. 478 (1989) 121
- Tatematsu, A., see Niwa, T. 452 (1988) 85
- Tatematsu, A., see Niwa, T. 491 (1989) 397
- Tatematsu, A., see Niwa, T. 493 (1989) 347
- Tatsumoto, K., see Himmel, M.E. 498 (1990) 93
- Tatsuno, T., see Tan, S. 482 (1989) 246
- Tauer, C., see Jungbauer, A. 476 (1989) 257
- Tavss, E.A., see Robinson, R.S. 455 (1988) 143
- Tawa, R., Hirose, S. and Fujimoto, T.
Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125
- Tayar, N. El, Marston, A., Bechalany, A.,
Hostettmann, K. and Testa, B.
Use of centrifugal partition chromatography for assessing partition coefficients in various solvent systems 469 (1989) 91
- Tayar, N. El, see Bechalany, A. 473 (1989) 115
- Taylor, A., see Simon, V.A. 479 (1989) 153
- Taylor, D.C., see Hull, C.J. 477 (1989) 387
- Taylor, D.R., see Akporhonor, E.E. 463 (1989) 271
- Taylor, E.H., see Stidman, J. 494 (1989) 318
- Taylor, G.W., see Murray, S. 491 (1989) 15
- Taylor, I.K., see Murray, S. 491 (1989) 15
- Taylor, I.W. and Chasseaud, L.F.
Determination of ximoprofen in human plasma by GC 495 (1989) 275
- Taylor, L.C.E., see Chang, S.Y. 497 (1989) 288
- Taylor, R., see Cassidy, D.M. 491 (1989) 1
- Taylor, W.H., see Peek, H. 476 (1989) 291
- Taylor, W.H., see Peek, H. 476 (1989) 491
- Tchapla, A., see Martin, M. 452 (1988) 157
- Teale, P., see Houghton, E. 479 (1989) 73
- Tebbal, D., see Van de Water, C. 478 (1989) 205
- Techel, D. and Braumann, T.
Determination of cyclic nucleotide phosphodiesterase activity in cellular systems by ion-pair reversed-phase LC 483 (1989) 427
- Tedeschi, G., see Biondi, P.A. 459 (1988) 337
- Tedeschi, G., see Biondi, P.A. 467 (1989) 315
- Tedeschi, G., see Biondi, P.A. 491 (1989) 209
- Teerlink, T. and De Boer, E.
Determination of 3-methylhistidine in urine by HPLC using pre-column derivatization with 9-fluorenylmethyl chloroformate 491 (1989) 418
- Tejedor, M.C., see Delgado, C. 498 (1990) 159
- Teleha, M., see Dobránsky, T. 474 (1989) 430
- Tellingen, O. Van, Van der Woude, H.R., Beijnen, J.H., Van Beers, C.J.T. and Nooyen, W.J.
Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379
- Tenczer, J., see Köppel, C. 491 (1989) 432
- Teng, R.-L. and Benet, L.Z.
Simultaneous measurement of prednisone, prednisolone and 6β-hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421
- Tennikov, M.B., see Tennikova, T.B. 475 (1989) 187
- Tennikova, T.B., Horák, D., Švec, F., Tennikov, M.B., Kever, E.E. and Belenkii, B.G.
Hydrolyzed macroporous glycidyl methacrylate-ethylene dimethacrylate copolymer with narrow pore size distribution. A novel packing for size-exclusion HPLC 475 (1989) 187
- Teplán, I., see Vadász, Z. 477 (1989) 377
- Tepper, P.G., see Den Daas, I. 487 (1989) 210
- Tepper, P.G., see Gerding, T.K. 487 (1989) 125
- Terabayashi, T., Ogawa, T., Kawanishi, Y. and Ishii, J.
In situ mineralization and determination of phosphorus in phospholipids on silica gel sintered TLC plates 454 (1988) 432
- Terabe, S., Shibata, M. and Miyashita, Y.
Chiral separation by electrokinetic chromatography with bile salt micelles 480 (1989) 403
- Terabe, S., see Nishi, H. 465 (1989) 331
- Terabe, S., see Nishi, H. 477 (1989) 259
- Terabe, S., see Nishi, H. 498 (1990) 313
- Terabe, S., see Otsuka, K. 480 (1989) 91
- Teraoka, K., see Okada, T. 481 (1989) 299
- Terry, K.A., see Onuska, F.I. 471 (1989) 161
- Tesařík, K., see Janák, K. 471 (1989) 237
- Tešić, Ž.L., Janjić, T.J., Malinar, M.J. and Ćelap, M.B.
Effect of the chelate ring size of diamine cobalt(III) complexes on their *R*_F values obtained by PC 481 (1989) 471
- Tešić, Ž.L., Janjić, T.J., Vučković, G.N. and Ćelap, M.B.
Effect of the composition of coordinated β-diketonato ligands on *R*_F values of transition metal complexes obtained by TLC on silica gel 456 (1988) 346
- Tešić, Ž.L., see Janjić, T.J. 481 (1989) 465
- Testa, B., see Bechalany, A. 473 (1989) 115

- Testa, B., see Durrer, A. 495 (1989) 256
 Testa, B., see El Tayar, N. 469 (1989) 91
 Tetschner, B., see Liebich, H.M. 468 (1989) 157
 Texier-Maugein, J., see Fourche, J. 487 (1989) 142
 Thanh, H.H., see Rasmussen, K.E. 496 (1989) 355
 Thévenon, G. and Regnier, F.E.
 Reversed-phase LC of proteins with strong acids 476 (1989) 499
 Thevenon, G., see Martin, M. 452 (1988) 157
 Theyson, T.W., see Metz, P.A. 479 (1989) 107
 Thi, N.L., see Cheach, I.C.L. 467 (1989) 414
 Thiebaut, D., Chervet, J.-P., Vannoort, R.W., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
 Supercritical-fluid extraction of aqueous samples and on-line coupling to SFC 477 (1989) 151
 Thiébaut, D., see Nizery, D. 467 (1989) 49
 Thiel, M.J.S. Van, see Gladdines, M.M. 470 (1989) 105
 Thienpont, A., see Félix, G. 461 (1989) 347
 Thim, L., see Mortensen, S.B. 476 (1989) 227
 Thio, A.P., see Tan, H.S.I. 475 (1989) 381
 Thomas, A.H., see Newland, P. 483 (1989) 406
 Thomas, B.A., see Foley, J.P. 478 (1989) 287
 Thomas, D., see Piot, J.-M. 481 (1989) 221
 Thomas, J.
 Analysis of theophylline and sodium (or potassium) anisate in pharmaceutical preparations by ultra-fast HPLC (in French) 479 (1989) 430
 Thomas, L.C., see Ramus, T.L. 473 (1989) 27
 Thompson, A., see Trumbore, C.N. 481 (1989) 111
 Thompson, D.J. and Ellenson, W.D.
 Computer-assisted development of an HPLC method for fractionating selected nitro derivatives of polycyclic aromatic hydrocarbons 485 (1989) 607
 Thompson, G., see Ahuja, S. 471 (1989) 443
 Thompson, P.W., see James, I.T. 495 (1989) 105
 Thompson, R.A., Andersson, S. and Allenmark, S.
 Direct LC separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica 465 (1989) 263
 Thompson, Jr., H.C., Blakemore, M., Nestorick, D.M., Freeman, J.P. and Miller, D.W.
 Analysis, characterization, and purification: requirements for toxicological evaluation of 1,4-dithiane 467 (1989) 159
 Thomson, A.H., see Ashmore, S.P. 496 (1989) 435
 Thöne, H.J., see Düblin, T. 456 (1988) 233
 Thoresen, O., see Jellum, E. 468 (1989) 43
 Thormann, W., Firestone, M.A., Dietz, M.L., Ceconie, T. and Mosher, R.A.
 Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95
 Thormann, W., see Mosher, R.A. 478 (1989) 39
 Thormann, W., see Sloan, J.E. 457 (1988) 137
 Thorsrud, A.K., see Jellum, E. 488 (1989) 105
 Thring, R.W., Chornet, E. and Overend, R.P.
 Analysis of phenols from lignin depolymerization by capillary GC 467 (1989) 441
 Tian, L., see Liu, H. 462 (1989) 376
 Tian, Z.-Q., see Kim, L.-S. 483 (1989) 359
 Tibbels, T.S., see Smith, R.A. 465 (1989) 442
 Tichý, M., see Burcinová, A. 455 (1988) 420
 Tidwell, R.R., see Berger, B.J. 494 (1989) 191
 Tiebach, R. and Blaas, W.
 Direct coupling of a gas chromatograph to an ion trap detector 454 (1988) 372
 Tihlárik, K., see Pavliak, V. 490 (1989) 418
 Tiljander, A., Skarping, G. and Dalene, M.
 Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. III. Determination of 4,4'-methyleneedianiline in hydrolysed human urine using derivatization and capillary GC with selected ion monitoring 479 (1989) 145
 Tiljander, A., see Skarping, G. 479 (1989) 125
 Timerbaev, A.R., Tsoi, I.G. and Petrukhin, O.M.
 Correlation analysis in LC of metal chelates. I. One-dimensional retention-structure models in reversed-phase TLC 498 (1990) 337
 Timm, U., Fischer, G., Zell, M. and Zumbrunnen, R.
 Determination of the partial benzodiazepine receptor agonist R₀ 16-6028 in plasma by capillary GC with nitrogen-selective detection after conversion into the ethyl ester derivative 494 (1989) 119
 Timm, U., Hopfgartner, G. and Erdin, R.
 Determination of a new non-benzodiazepine anxiolytic and its O-demethyl metabolite in plasma by HPLC using automated column-switching 456 (1988) 21
 Timossi, A., see Castello, G. 454 (1988) 129
 Tindall, G.W., see Cook, L.A. 463 (1989) 127
 Ting, G., see Jao, Y. 462 (1989) 191

- Tinsley, P.W., O'Dwyer, P.J. and LaCreta, F.P. HPLC analysis of N,N',N''-triethylenethiophosphoramide in human plasma 495 (1989) 318
- Tipker, J., Groen, C.P., Van den Bergh-Swart, J.K. and Van den Berg, J.H.M. Contribution of electronic effects to the lipophilicity determined by comparison of values of log *P* obtained by HPLC and calculation 452 (1988) 227
- Tjaden, U.R., see Heeremans, C.E.M. 474 (1989) 149
- Tjaden, U.R., see Kokkonen, P. 474 (1989) 59
- Tjaden, U.R., see Niessen, W.M.A. 454 (1988) 243
- Tjaden, U.R., see Niessen, W.M.A. 474 (1989) 113
- Tjaden, U.R., see Niessen, W.M.A. 478 (1989) 325
- Tjaden, U.R., see Niessen, W.M.A. 492 (1989) 167
- Tjaden, U.R., see Van der Greef, J. 474 (1989) 5
- Tjaden, U.R., see Verheij, E.R. 474 (1989) 275
- Tjaden, U.R., see Walhagen, A. 474 (1989) 257
- Tkačová, J., see Hutta, M. 470 (1989) 223
- Tkaczkyková, M., see Vácha, J. 488 (1989) 506
- Tock, P.P.H., Boshoven, C., Poppe, H., Kraak, J.C. and Unger, K.K. Performance of porous silica layers in open-tubular columns for LC 477 (1989) 95
- Tocklu, R., see Irth, H. 491 (1989) 321
- Tod, M., see Dorland, P. 478 (1989) 131
- Tohkubo, K., see Nakamura, Y. 482 (1989) 165
- Tohma, M., see Shoda, J. 488 (1989) 315
- Tokuda, H., Saitoh, E., Kimura, Y. and Takano, S. Automated analysis of various compounds with a wide range of boiling points by capillary GC based on retention indices 454 (1988) 109
- Tomás, M.A., see Tombesi, O.L. 463 (1989) 452
- Tombesi, O.L., Tomás, M.A. and Frontera, M.A. TLC decomposition of the picrates and trinitrobenzolates of polycyclic hydrocarbons and other organic compounds 463 (1989) 452
- Tomer, K.B. and Parker, C.E. Biochemical applications of LC-MS 492 (1989) 189
- Tomer, K.B., see De Wit, J.S.M. 462 (1989) 365
- Tomer, K.B., see Escoffier, B.H. 474 (1989) 301
- Tomer, K.B., see Moseley, M.A. 480 (1989) 197
- Tominaga, T., see Watanabe, N. 497 (1989) 169
- Tomita, M., see Kawai, S. 495 (1989) 235
- Tomlinson, B.J., see Hsu, S.-H. 459 (1988) 215
- Tonelli, D., see Gagliardi, L. 464 (1989) 428
- Tonelli, D., see Gagliardi, L. 466 (1989) 433
- Toney, C., see Berger, T.A. 465 (1989) 157
- Tong, A., Akama, Y. and Tanaka, S. Reversed-phase HPLC of aluminium(III) and indium(III) with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone 478 (1989) 408
- Tong, Y.-Y., see He, L.-Y. 481 (1989) 428
- Tong, Y.-Y., see Oshima, T. 455 (1988) 410
- Tonković, M., see Hadžija, O. 464 (1989) 220
- Tønnesen, F., see Rasmussen, K.E. 496 (1989) 355
- Topalova, I., see Gavrilova, T.B. 454 (1988) 73
- Topiol, S. and Sabio, M. Computational chemical studies of chiral stationary phase models. Complexes of methyl N-(2-naphthyl)alaninate with N-(3,5-dinitrobenzoyl)leucine *n*-propylamide 461 (1989) 129
- Töregård, B., see Podlaha, O. 482 (1989) 215
- Torgov, I.V., see Levchenko, N.K. 456 (1988) 427
- Tørnes, J.A. and Johnsen, B.A. GC determination of methylphosphonic acids by methylation with trimethylphenylammonium hydroxide 467 (1989) 129
- Torre, F. La, see Gasparini, F. 457 (1988) 235
- Torre, F. La, see Signoretti, E.C. 473 (1989) 301
- Torres, A.R. and Peterson, E.A. Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 499 (1990) 47
- Torres, L., see Riba, M.-L. 456 (1988) 165
- Torsi, G., Chiavari, G., Laghi, C., Asmundsdottir, A.M., Fagioli, F. and Vecchietti, R. Determination of the absolute number of moles of an analyte in a flow-through system from peak-area measurements 482 (1989) 207
- Torsi, G., see Chiavari, G. 475 (1989) 343
- Tóth, G., see Mucha, I. 478 (1989) 280
- Tóth, G., see Mucha, I. 483 (1989) 419
- Tóth, M., see Szepesy, L. 499 (1990) 197
- Touchstone, J.C., see Sheikh, S.U. 455 (1988) 327
- Toyoda, K., see Nakamura, K. 478 (1989) 159
- Toyoda, M., see Kobayashi, K. 462 (1989) 357
- Toyo'oka, T., Suzuki, T., Saito, Y. and Takahashi, A. Electrochemical detection of mercapturic acid derivatives after separation by HPLC 475 (1989) 391
- Traag, W.A., see Hoogenboom, L.A.P. 489 (1989) 105
- Traag, W.A., see Schilt, R. 489 (1989) 127
- Trafford, D.J.H., see Street, J.M. 495 (1989) 31

- Trainor, T.M., Giese, R.W. and Vouros, P.
MS of electrophore-labeled nucleosides.
Pentafluorobenzyl and cinnamoyl derivatives
452 (1988) 369
- Trainor, T.M., Vouros, P., Lampen, P.,
Neumeyer, J.L., Baldessarini, R.J. and Kula,
N.S.
Determination of N-n-propylnorapomorphine
in serum and brain tissue by GC-negative
ion chemical ionization MS 457 (1988) 257
- Trainor, T.M., see Gao, C.X. 463 (1989) 192
- Traldi, P., see Moro, L. 490 (1989) 285
- Tran, A.D., see Dong, M.W. 499 (1990) 125
- Travers, F., see Guasch, A. 473 (1989) 281
- Trechot, P., see Lapicque, F. 496 (1989) 301
- Treffner, E., see Marzo, A. 497 (1989) 296
- Tremaine, L.M. and Joerg, E.A.
Automated GC-electron-capture assay for
the selective serotonin uptake blocker
sertraline 496 (1989) 423
- Trenholm, H.L., see Prelusky, D.B. 494 (1989)
267
- Tressl, R., see Engel, K.-H. 479 (1989) 176
- Treumer, J., see Bruchelt, G. 470 (1989) 185
- Treutter, D.
Chemical reaction detection of catechins and
proanthocyanidins with 4-
dimethylaminocinnamaldehyde 467 (1989)
185
- Trieling, R.G., see Gladdines, M.M. 470 (1989)
105
- Tripathi, A.M., Mhalas, J.G. and Rama Rao,
N.V.
Determination of 2,6- and 4,6-dinitrocresols
by HPLC on a β -cyclodextrin bonded column
466 (1989) 442
- Trivin, F., see Labbé, D. 490 (1989) 275
- Troupé, N., see Poehland, B.L. 481 (1989) 421
- Trüdinger, U., see Giesche, H. 465 (1989) 39
- Trumbore, C.N., Jackson, L.M., Bennett, S. and
Thompson, A.
High-speed analytical sensor for in-line
monitoring of dissolved analytes flowing in a
tube employing a combination of limited
diffusion, laminar flow and plug solvent
injections 481 (1989) 111
- Truscott, R.J.W., see Elderfield, A.J. 495 (1989)
71
- Tsaconas, C., Devisaguet, M. and Padieu, P.
GC-MS of perindopril and its active free
metabolite, an angiotensin convertase
inhibitor: choice of derivatives and ionization
modes 488 (1989) 249
- Tsaconas, C., Padieu, P., D'Athis, P., Mocaer, E.
and Bromet, N.
- GC-MS assessment of the pharmacokinetics
of amineptine and its main metabolite in
volunteers with liver impairment 487 (1989)
313
- Tseng, A., Berry, S.L., Cotton, B., Exner, T.,
Sheumack, D.D. and Howden, M.E.H.
Isolation and purification of a
fibrinogenolysin from the venom of the saw-
scaled viper (*Echis carinatus*) by HPLC 474
(1989) 424
- Tsikas, D. and Brunner, G.
Application of capillary isotachophoresis to
the analysis of glutathione conjugates 470
(1989) 191
- Tsiropoulos, N., see Riba, M.-L. 456 (1988) 165
- Tsoi, I.G., see Timerbaev, A.R. 498 (1990) 337
- Tsuchihashi, H., Nakajima, K., Nishikawa, M.,
Shiomi, K. and Takahashi, S.
Headspace GC of stimulants in urine by in-
column trifluoroacetyl derivatization method
467 (1989) 227
- Tsuchihashi, H., see Suzuki, S.-I. 475 (1989) 400
- Tsuchiya, H. and Hayashi, T.
Determination of L-3,4-
dihydroxyphenylalanine in blood by HPLC
after solvent extraction 491 (1989) 291
- Tsuda, T., Kobayashi, Y., Hori, A., Matsumoto,
T. and Suzuki, O.
Post-column detection for capillary zone
electrophoresis 456 (1988) 375
- Tsuda, T. and Noda, H.
Effect of the position of the laser beam focal
point on a capillary flow-through cell on the
signal-to-noise ratio for a fluorimetric
detector in capillary column LC 471 (1989)
311
- Tsuda, T. and Yamamoto, K.
Device to transform the LC effluent to a
continuous solid plug: a new approach to
direct liquid introduction for LC-MS 456
(1988) 363
- Tsuda, T., see Hallen, R.W. 480 (1989) 233
- Tsuda, T., see Itabashi, Y. 472 (1989) 271
- Tsugawa, N., see Okano, T. 493 (1989) 63
- Tsuji, K. and Jenkins, K.M.
Knowledge-based expert system for
troubleshooting HPLC assay methods 485
(1989) 297
- Tsukioka, T. and Murakami, T.
Capillary GC-MS determination of acid
herbicides in soils and sediments 469 (1989)
351
- Tsukioka, T., see Ozawa, H. 473 (1989) 251
- Tsumagari, N., see Nishi, H. 465 (1989) 331
- Tsumagari, N., see Nishi, H. 477 (1989) 259

- Tsutsumi, K., see Nakashima, H. 489 (1989) 425
- Tsygankov, A.Y., Motorin, Y.A., Wolfson, A.D., Kirpotin, D.B. and Orlovsky, A.F.
- High-performance ion-exchange chromatography of oligoribonucleotides using linear and hyperbolic salt gradients 465 (1989) 325
- Tu, G., see Liu, T. 477 (1989) 458
- Tuberoso, C., see Cabras, P. 478 (1989) 250
- Tucker, G.T., see Ching, M.S. 497 (1989) 313
- Tufvesson Alm, A., see Johansson, M. 459 (1988) 301
- Tuguntaev, G.I., see Levchenko, N.K. 456 (1988) 427
- Tuinstra, L.G.M.T., see Van Gelder, W.M.J. 482 (1989) 13
- Tungeln, L.S. Von and Fu, P.P.
- HPLC separation of ring-oxidized metabolites of nitro-polycyclic aromatic hydrocarbons 461 (1989) 315
- Turcotte, J.G., Pivarnik, P.E., Shirali, S.S., Singh, H.K., Sehgal, R.K., Macbride, D., Jang, N.-I. and Brown, P.R.
- Preparative-scale HPLC separation and purification of 3'-azido-3'-deoxythymidine-5'-phosphate 499 (1990) 55
- Turcotte, J.G., see Beebe, J.M. 459 (1988) 369
- Turcotte, J.G., see Beebe, J.M. 468 (1989) 225
- Turgeon, J., Funk-Brentano, C., Gray, H.T. and Roden, D.M.
- Improved HPLC assay for encainide and its metabolites in human body fluids 490 (1989) 165
- Turková, J., Petkov, L., Sajdok, J., Káš, J. and Beneš, M.J.
- Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585
- Turnell, D.C. and Cooper, J.D.H.
- Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59
- Turnell, D.C., see Cooper, J.D.H. 456 (1988) 53
- Turner, J.G., Schwartz, T.M. and Brooks, B.R.
- Rapid separation of tritiated thyrotropin-releasing hormone and its catabolic products from mouse and human central nervous system tissues by HPLC with radioactive flow detection 487 (1989) 275
- Turner, K.A., see Sandra, P. 477 (1989) 63
- Turner, M.J., see Nollstadt, K.H. 497 (1989) 87
- Turner, P., see Saleh, S. 496 (1989) 223
- Turner, R., see Jackson, P.J. 452 (1988) 359
- Tutins, C., see Munoz, N.M. 493 (1989) 157
- Tutunjian, M., see Do, U.H. 489 (1989) 359
- Twigg, M.V., see Smith, J.R.L. 483 (1989) 341
- Twitty, G.E., see Bier, M. 470 (1989) 369
- Twitty, G.E., see Sloan, J.E. 457 (1988) 137
- Tyczkowska, K., Hedeen, K.M., Aucoin, D.P. and Aronson, A.L.
- HPLC method for the simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in canine serum and prostatic tissue 493 (1989) 337
- Tyczkowska, K., Voyksner, R.D. and Aronson, A.L.
- Development of an analytical method for penicillin G in bovine milk by LC with UV-visible detection and confirmation by MS detection 490 (1989) 101
- Tyihák, E., Mincsovics, E. and Székely, T.J.
- Overpressured multi-layer chromatography 471 (1989) 375
- Tyihák, E., see Siouffi, A.M. 492 (1989) 471
- U
- Uchino, K., see Ohtani, M. 487 (1989) 469
- Uchiyama, H., Ogamo, A. and Nagasawa, K.
- Chromatographic method for determination of hexuronate acid in dermatan sulphate 478 (1989) 275
- Uden, P.C., see Haas, III, J.W. 457 (1988) 215
- Uden, P.C., Yoo, Y., Wang, T. and Cheng, Z.
- Element-selective GC detection by atomic plasma emission spectroscopy. Review and developments 468 (1989) 319
- Udseth, H.R., see Edmonds, C.G. 474 (1989) 21
- Udseth, H.R., see Smith, R.D. 480 (1989) 211
- Ueda, T., see Kobayashi, S. 480 (1989) 179
- Uedelhoven, W.M., Meese, C.O. and Weber, P.C.
- Analysis of the major urinary thromboxane metabolites, 2,3-dinorthromboxane B₂ and 11-dehydrothromboxane B₂, by GC-MS and GC-tandem MS 497 (1989) 1
- Uetake, A., see Yoshida, T. 456 (1988) 421
- Uhlířová, A., see Plicka, J. 469 (1989) 29
- Umetsu, M., see Sato, J. 493 (1989) 239
- Umezawa, C., see Otani, M. 483 (1989) 448
- Umland, F., see Bohm, M. 465 (1989) 17
- Underwood, A.L., see Tabor, D.G. 463 (1989) 73

- Underwood, J., see Coppola, D. 476 (1989) 269
- Une, T., see Matsubayashi, K. 495 (1989) 354
- Unger, K.K., see Anspach, B. 457 (1988) 195
- Unger, K.K., see Anspach, F.B. 476 (1989) 205
- Unger, K.K., see Anspach, F.B. 499 (1990) 103
- Unger, K.K., see Davankov, V.A. 500 (1990) 519
- Unger, K.K., see Giesche, H. 465 (1989) 39
- Unger, K.K., see Jilge, G. 476 (1989) 37
- Unger, K.K., see Lork, K.D. 476 (1989) 135
- Unger, K.K., see Seliger, H. 476 (1989) 49
- Unger, K.K., see Tock, P.P.H. 477 (1989) 95
- Union, A., see Vercaemest, R. 494 (1989) 43
- Unruh, G.E. Von, see Lohmar, F. 495 (1989) 281
- Unruh, L.E., see Lai, J.-S. 461 (1989) 327
- Uray, G., see Lindner, W. 487 (1989) 375
- Usero, J.L., see Montes, M. 481 (1989) 97
- Usui, Y., Nishimura, N., Kobayashi, N., Okanoue, T., Kimoto, M. and Ozawa, K. Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 489 (1989) 291
- Utsumi, J., Yamamoto-Terasawa, I., Yamazaki, S. and Shimizu, H. Elimination of contaminating *Escherichia coli* peptides in the purification of *Escherichia coli*-derived recombinant human interferon- β 1 by zinc chelate affinity chromatography 490 (1989) 193
- Uunk, L.G.M., see Schoenmakers, P.J. 459 (1988) 201
- Uusijärvi, J., Egestad, B. and Sjövall, J. Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87
- Vácha, J., Tkaczyková, M. and Rejholecová, M. Determination of sodium azide in the presence of proteins by HPLC 488 (1989) 506
- Vacík, J., see Gaš, B. 470 (1989) 69
- Vadász, Z., Seprödi, J., Érchegyi, J., Teplán, I. and Schön, I. HPLC monitoring of transpeptidation reactions in analogues of gonadotropin releasing hormone containing aspartic acid derivatives in position six 477 (1989) 377
- Vaidya, R.A., see Hester, R.D. 462 (1989) 3
- Valentino, M., see Marchiseppe, I. 495 (1989) 288
- Valentová, O., see Adámek, V. 497 (1989) 268
- Valkó, K., Olajos, S. and Cserháti, T. Prediction of the HPLC retention behaviour of some benzodiazepine derivatives by TLC 499 (1990) 361
- Valkó, K., Szabó, G., Röhricht, J., Jemnitz, K. and Darvas, F. Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349
- Valle, M., see Olías, J.M. 467 (1989) 279
- Van Balkom, C.A.A., see Geerdink, R.B. 481 (1989) 275
- Van Beek, T.A. and Blaakmeer, A. Determination of limonin in grapefruit juice and other citrus juices by HPLC 464 (1989) 375
- Van Beers, C.J.T., see Van Tellingen, O. 488 (1989) 379
- Van Bennekom, W.P., see Van Opstal, M.A.J. 495 (1989) 139
- Van Berkel-Geldof, O., Kraak, J.C. and Poppe, H. Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345
- Van Biljon, P.L. and Olivier, S.P. Determination of sugars in polysaccharide hydrolysates by anion-exchange chromatography 473 (1989) 305
- Van Binsbergen, H., see Genuit, W. 474 (1989) 145
- Van Bladeren, P.J., see Bogaards, J.J.P. 474 (1989) 435
- Van Blitterswijk, H., see Van Ginkel, L.A. 489 (1989) 95
- Van Brocklin, L., see Chen, T.-W. 484 (1989) 167
- Van Damme, F., see Verzele, M. 471 (1989) 335
- Vandeginste, B.G.M., see Mulholland, M. 485 (1989) 283
- Vandeginste, B.G.M., see Strasters, J.K. 499 (1990) 499
- Van de Goor, A.A.A.M., Wanders, B.J. and Everaerts, F.M. Modified methods for off- and on-line determination of electroosmosis in capillary electrophoretic separations 470 (1989) 95
- Van de Goor, A.A.A.M., see Wanders, B.J. 470 (1989) 89

V

- Van de Grampel, V.J.M., see Gerding, T.K. 487
 (1989) 125
- Van de Heeft, E., see Van Ginkel, L.A. 489 (1989)
 111
- Vandekerckhove, D., see Vanluchene, E. 456
 (1988) 175
- Van de Kraats, C., see Schreuder, R.H. 467 (1989)
 177
- Van den Berg, H., see Arts, C.J.M. 489 (1989)
 225
- Van den Berg, J.H.M., see Lammers, N.G.F.M.
 499 (1990) 541
- Van den Berg, J.H.M., see Tipker, J. 452 (1988)
 227
- Van den Berg, R.H., see Jansen, E.H.J.M. 489
 (1989) 57
- Van den Berg, R.H., see Jansen, E.H.J.M. 489
 (1989) 245
- Van den Bergh-Swart, J.K., see Tipker, J. 452
 (1988) 227
- Van den Bosch, D., see Jansen, E.H.J.M. 489
 (1989) 205
- Van den Broek, H.H., see Kootstra, P.R. 458
 (1988) 175
- Van den Heuvel, M.P.M., see Onkenhout, W. 494
 (1989) 31
- Van der Greef, J., Niessen, W.M.A. and Tjaden,
 U.R.
 LC-MS. The need for a multidimensional
 approach 474 (1989) 5
- Van der Greef, J., see Heeremans, C.E.M. 472
 (1989) 219
- Van der Greef, J., see Heeremans, C.E.M. 474
 (1989) 149
- Van der Greef, J., see Kokkonen, P. 474 (1989)
 59
- Van der Greef, J., see Niessen, W.M.A. 454
 (1988) 243
- Van der Greef, J., see Niessen, W.M.A. 474
 (1989) 113
- Van der Greef, J., see Niessen, W.M.A. 478
 (1989) 325
- Van der Greef, J., see Niessen, W.M.A. 492
 (1989) 167
- Van der Greef, J., see Van Gelder, W.M.J. 482
 (1989) 13
- Van der Greef, J., see Verheij, E.R. 474 (1989)
 275
- Van der Greef, J., see Walhagen, A. 474 (1989)
 257
- Van der Hoeven, R.A.M., see Heeremans, C.E.M.
 472 (1989) 219
- Van der Hoeven, R.A.M., see Heeremans, C.E.M.
 474 (1989) 149
- Van der Hoeven, R.A.M., see Niessen, W.M.A.
 474 (1989) 113
- Van der Hoeven, R.A.M., see Niessen, W.M.A.
 478 (1989) 325
- Van der Hoeven, R.A.M., see Walhagen, A. 474
 (1989) 257
- Van der Hoorn, F.A.J., Boomsma, F.,
 Man in 't Veld, A.J. and Schalekamp,
 M.A.D.H.
 Determination of catecholamines in human
 plasma by HPLC: comparison between a new
 method with fluorescence detection and an
 established method with electrochemical
 detection 487 (1989) 17
- Van der Horst, F.A.L., Eikelboom, G.G. and
 Holthuis, J.J.M.
 HPLC determination of valproic acid in
 plasma using a micelle-mediated pre-column
 derivatization 456 (1988) 191
- Van der Horst, F.A.L., Post, M.H., Holthuis,
 J.J.M. and Brinkman, U.A.T.
 Automated HPLC determination of plasma
 free fatty acids using on-line derivatization
 with 9-bromomethylacridine based on
 micellar phase-transfer catalysis 500 (1990)
 443
- Van der Horst, F.A.L., Post, M.H. and Holthuis,
 J.J.M.
 Study of the influence of aqueous micellar
 systems on the derivatization of undecylenic
 acid with 4-bromomethyl-2-methoxycoumarin
 456 (1988) 201
- Van der Horst, F.A.L., see Van Opstal, M.A.J.
 495 (1989) 139
- Van der Laan, A., see Vertommen, M.H. 481
 (1989) 452
- Van der Leer, T., see Hermans-Lokkerbol, A. 479
 (1989) 39
- Van der Poel, P.F.H., see Onkenhout, W. 494
 (1989) 31
- Van der Walt, L.A., see Boyle, D.M. 455 (1988)
 434
- Van der Westhuizen, L., see Shephard, G.S. 491
 (1989) 226
- Van der Wiele, K., see Verhaar, L.A.T. 472 (1989)
 381
- Van der Woude, H.R., see Van Tellingen, O. 488
 (1989) 379
- Van de Ven, L., see Hetem, M. 477 (1989) 3
- Van de Ven, L., see Hetem, M. 479 (1989) 269
- Van de Water, C., Tebbal, D. and Haagsma, N.
 Monoclonal antibody-mediated clean-up
 procedure for the HPLC analysis of
 chloramphenicol in milk and eggs 478 (1989)
 205

- Van Doorn, J.E., De Cock, J., Kežić, S. and Monster, A.C.
Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419
- Van Doorn, J.E., Goormachtig, P.F.J. and De Haan, A.
Influence of perchloric acid on ion-pair HPLC of nucleotides 496 (1989) 441
- Van Duyt, P., see Van Welie, R.T.H. 496 (1989) 463
- Van Ede, J., Nijmeijer, J.R.J., Welling-Wester, S., Örvell, C. and Welling, G.W.
Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319
- Van Elk, R., see Li, K.W. 472 (1989) 445
- Van Es, A., Rijks, J. and Cramers, C.
Turbulent flow in capillary GC 477 (1989) 39
- Van Gelder, W.M.J., Tuinstra, L.G.M.T., Van der Greef, J. and Scheffer, J.J.C.
Characterization of novel steroidal alkaloids from tubers of *Solanum* species by combined GC-MS. Implications for potato breeding 482 (1989) 13
- Van Ginkel, L.A., Stephany, R.W., Van Rossum, H.J., Steinbuch, H.M., Zomer, G., Van de Heeft, E. and De Jong, A.P.J.M.
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111
- Van Ginkel, L.A., Stephany, R.W., Van Rossum, H.J., Van Blitterswijk, H., Zoonjes, P.W., Hooijsscher, R.C.M. and Zuydendorp, J.
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95
- Van Ginneken, C.A.M., see Russel, F.G.M. 496 (1989) 234
- Vanhamel, S., see Delcour, J.A. 467 (1989) 149
- Van Haren, A.Y.N., see Zweipfenning, P.G.M. 456 (1988) 83
- Van Langenhove, H., see Janda, V. 472 (1989) 327
- Van Leeuwen, J.A., see Mulholland, M. 485 (1989) 283
- Van Look, L., Deschuytere, P. and Van Peteghem, C.
TLC method for the detection of anabolics in fatty tissues 489 (1989) 213
- Van Look, L., see Van Peteghem, C. 489 (1989) 219
- Van Look, L.J., see Jansen, E.H.J.M. 489 (1989) 205
- Vanluchene, E. and Vandekerckhove, D.
Group fractionation of free and conjugated steroids by means of disposable silica-based anion-exchange columns 456 (1988) 175
- Van Meijel, J.J.M., see Russel, F.G.M. 496 (1989) 234
- Van Middlesworth, D.H., see Fox, S.M. 494 (1989) 331
- Van Nispen, J.W., see Janssen, P.S.L. 470 (1989) 171
- Vannoort, R.W., see Thiebaut, D. 477 (1989) 151
- Van Ommeren, B., see Bogaards, J.J.P. 474 (1989) 435
- Van Opstal, M.A.J., Van der Horst, F.A.L., Holthuis, J.J.M., Van Bennekom, W.P. and Bult, A.
Automated reversed-phase chromatographic analysis of etoposide and teniposide in plasma by using on-line surfactant-mediated sample clean-up and column-switching 495 (1989) 139
- Van Pelt, F.N.A.M., Mennes, W.C., Hassing, I.G.A.M. and Blaaboeer, B.J.
Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489
- Van Peteghem, C., Van Look, L. and De Guesquiére, A.
Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219
- Van Peteghem, C., see Jansen, E.H.J.M. 489 (1989) 205
- Van Peteghem, C., see Van Look, L. 489 (1990) 213
- Van Rooij, H.H., see Verrijk, R. 491 (1989) 265
- Van Rossum, H.J., see Van Ginkel, L.A. 489 (1989) 95
- Van Rossum, H.J., see Van Ginkel, L.A. 489 (1989) 111
- Van Rozen, A.J., see Schotman, P. 483 (1989) 301
- Van Steenbergen, M.J., see Schilt, R. 489 (1989) 127
- Van Tellingen, O., Van der Woude, H.R., Beijnen, J.H., Van Beers, C.J.T. and Nooyen, W.J.
Stable and sensitive method for the simultaneous determination of N⁵-

- methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379
- Van Thiel, M.J.S., see Gladdines, M.M. 470 (1989) 105
- Van Vloten, P., see De Groot, G. 456 (1988) 71
- Van Welie, R.T.H., Van Duyn, P. and Vermeulen, N.P.E.
- Determination of two mercapturic acid metabolites of 1,3-dichloropropene in human urine with GC and sulphur-selective detection 496 (1989) 463
- Van Zeeland, M.J.M., see Janssen, P.S.L. 470 (1989) 171
- Várady, L., Kalghatgi, K. and Horváth, C.
- Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207
- Várady, L., see Mazsaroff, I. 499 (1990) 63
- Vářeka, J., see Punčochářová, J. 498 (1990) 248
- Varga-Puchony, Z., see Bartha, A. 499 (1990) 423
- Vargas, D., see Slacanin, I. 457 (1988) 325
- Varney, M.S., see Bianchi, A. 467 (1989) 111
- Varughese, P., Gangoda, M.E. and Gilpin, R.K.
- Reversed-phase LC studies on non-ionic surfactants and related solutes 499 (1990) 469
- Vassilakos, C., see Katsanos, N.A. 471 (1989) 123
- Vassilaros, D.L., see Parees, D.M. 474 (1989) 462
- Vázquez, M.A., see García-Raso, A. 463 (1989) 441
- Vecchietti, R., see Torsi, G. 482 (1989) 207
- Veenendaal-Hesselman, H.M., see Vertommen, M.H. 481 (1989) 452
- Veenma-Van der Duin, L., see Wolf, J.H. 487 (1989) 496
- Vejrosta, J., Mikešová, M. and Drozd, J.
- Sorption of *n*-alkanes on Tenax 464 (1989) 394
- Vekey, K., Edwards, D. and Zerilli, L.F.
- LC-MS coupling and its application in pharmaceutical research 488 (1989) 73
- Vekey, K., Edwards, D.M.F. and Zerilli, L.F.
- LC-MS studies on rifamycin antibiotics 474 (1989) 317
- Velthorst, N.H., see Schreurs, M. 482 (1989) 351
- Ven, L. Van de, see Hetem, M. 477 (1989) 3
- Ven, L. Van de, see Hetem, M. 479 (1989) 269
- Vendrell, J., see Burgos, F.J. 481 (1989) 233
- Venema, D.P., see Haasnoot, W. 483 (1989) 319
- Vent, S. Le, see Akporonor, E.E. 463 (1989) 271
- Ventura, P., see Girometta, M.A. 487 (1989) 117
- Vercaemest, R., Union, A. and Rosseneu, M.
- Separation and quantitation of free cholesterol and cholesteryl esters in a macrophage cell line by HPLC 494 (1989) 43
- Vercambre, C., see Labbé, D. 490 (1989) 275
- Verdini, A.S., see Visconti, G.C. 482 (1989) 99
- Vereczkey, L., see Csillag, K. 490 (1989) 355
- Vereshchagin, A.G., see Zhukov, A.V. 474 (1989) 400
- Vergnes, M.F., Grossé, C. and Alary, J.
- HPLC study of the potential metabolites of caffeine. Comparison of different techniques (in French) 455 (1988) 369
- Vergori, F., see Di Muccio, A. 456 (1988) 143
- Vergori, F., see Di Muccio, A. 456 (1988) 149
- Verhaar, L.A.T., Meuldijk, J. and Van der Wiele, K.
- HPLC of mixtures of catechol and its reaction products with glyoxylic acid 472 (1989) 381
- Verhagen, H. and Kleinjans, J.C.S.
- Rapid determination of isomer ratios of butylated hydroxyanisole by HPLC 464 (1989) 438
- Verhagen, L.C., see Verzele, M. 484 (1989) 361
- Verheggen, T.P.E.M., Beckers, J.L. and Everaerts, F.M.
- Simple sampling device for capillary isotachophoresis and capillary zone electrophoresis 452 (1988) 615
- Verheggen, T.P.E.M., see Beckers, J.L. 452 (1988) 591
- Verheggen, T.P.E.M., see Zelenský, I. 470 (1989) 155
- Verheij, E.R., La Vos, G.F., Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
- Belt-speed programming, a new technique for peak compression in LC-MS and supercritical-fluid chromatography-mass spectrometry with moving-belt interfaces 474 (1989) 275
- Verillon, F., see Cooper, J.D.H. 456 (1988) 53
- Verma, K.K., Sanghi, S.K., Jain, A. and Gupta, D.
- LC determination of bromide after pre-column derivatization to 4-bromoacetanilide 457 (1988) 345
- Vermeer, B., see Hetem, M. 477 (1989) 3
- Vermeulen, J.D., see Chovan, J.P. 494 (1989) 413
- Vermeulen, N.P.E., see Baldew, G.S. 491 (1989) 163
- Vermeulen, N.P.E., see Baldew, G.S. 496 (1989) 111
- Vermeulen, N.P.E., see Van Welie, R.T.H. 496 (1989) 463
- Verpoorte, R., see Hermans-Lokkerbol, A. 479 (1989) 39

- Verpoorte, R., see Pennings, E.J.M. 483 (1989) 311
- Verrijk, R., Van Rooij, H.H., Werner, J. and Porsius, A.J.
HPLC determination of milrinone in biological tissues and fluids 491 (1989) 265
- Vertommen, M.H., Van der Laan, A. and Veenendaal-Hesselman, H.M.
HPLC screening method for low levels of nicarbazin in eggs with off-line cartridge sample clean-up 481 (1989) 452
- Vervloesem, A., see Stienlet, D. 475 (1989) 247
- Verweij, A., see Kientz, C.E. 467 (1989) 385
- Verzele, M., Steenbeke, G., Verhagen, L.C. and Strating, J.
Preparative LC of hop and beer bitter acids 484 (1989) 361
- Verzele, M., Steenbeke, G. and Vindevogel, J.
Micro-LC with diode array detection 477 (1989) 87
- Verzele, M., Van Damme, F., Schuddinck, G. and Vyncke, P.
Quantitative microscale LC of piperine in pepper and pepper extracts 471 (1989) 335
- Verzele, M., see Lammers, N.G.F.M. 499 (1990) 541
- Verzele, M., see Nagels, L.J. 459 (1988) 163
- Vesterberg, O.
History of electrophoretic methods 480 (1989) 3
- Vestri, L., see Antonozzi, I. 459 (1988) 319
- Veuthey, J.L., Janicot, J.L., Caude, M. and Rosset, R.
Comparative SFC properties of carbon dioxide and sulphur hexafluoride-ammonia mixtures with packed columns 499 (1990) 637
- Vicchio, A.M.T.D., Mulshine, J.L. and Yergey, A.L.
HPLC with thermospray MS detection of α -carboxyamido amino acids 474 (1989) 187
- Vida, L., see Szepesy, L. 499 (1990) 197
- Vidal, P., Deckert, T., Hansen, B. and Welinder, B.S.
High-performance liquid chromatofocusing and column affinity chromatography of *in vitro* ^{14}C -glycated human serum albumin. Demonstration of a glycation-induced anionic heterogeneity 476 (1989) 467
- Vidal-Madjar, C., Jaulmes, A., Racine, M. and Sébille, B.
Determination of binding equilibrium constants by numerical simulation in zonal high-performance affinity chromatography 458 (1988) 13
- Vidal-Ollivier, E., Schwadrohn, G., Elias, R., Balansard, G. and Babadjamian, A.
Determination of the ophthalmic drug guaiazulene by HPLC 463 (1989) 227
- Víden, I. and Řezanka, T.
Capillary GC-MS of very-long-chain α, ω -dicarboxylic acid dimethyl esters from *Equisetum* (horsetail) 465 (1989) 390
- Víden, I., see Řezanka, T. 472 (1989) 290
- Vienne, B., see Dessalles, M.C. 487 (1989) 215
- Vigh, G., Farkas, G. and Quintero, G.
Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251
- Vigh, G., Quintero, G. and Farkas, G.
Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237
- Vigh, G., see Barthà, A. 485 (1989) 383
- Vigh, G., see Barthà, A. 485 (1989) 403
- Vigh, G., see Barthà, A. 499 (1990) 423
- Vijayalakshmi, M.A., see Kirchberger, J. 483 (1989) 289
- Vijayalakshmi, M.A., see Rutty, Y. 491 (1989) 299
- Vijayalakshmi, P., see Chandrasekhara Rao, T. 466 (1989) 403
- Vijayaraghavan, R., see Rao, S.S. 493 (1989) 210
- Vijlder, J.J.M. De, see Kootstra, P.R. 458 (1988) 175
- Viktorova, E.N., see Berezkin, V.G. 456 (1988) 351
- Villani, C., see Gasparini, F. 457 (1988) 235
- Vince, R., see Remmel, R.P. 489 (1989) 323
- Vinçon, G.A., see Demotes-Mainard, F.M. 490 (1989) 115
- Vindevogel, J., see Verzele, M. 477 (1989) 87
- Vink, J., see Hindriks, R. 485 (1989) 255
- Vinkx, C.J.A., see Delcour, J.A. 467 (1989) 149
- Virgili, P. and Henry, J.A.
Determination of lofepramine and desipramine using HPLC and electrochemical detection 496 (1989) 228
- Visconti, G.C., Ziggotti, A. and Verdini, A.S.
Preparative purification of *Plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 482 (1989) 99
- Visconti, G.C., see Cardinali, F. 499 (1990) 37
- Visconti, A., see Palmisano, F. 465 (1989) 305
- Vistelle, R., Lamiable, D. and Zinzou, M.
Simple HPLC method for the measurement

- of toloxatone in rabbit cerebrospinal fluid and plasma 490 (1989) 387
- Vitenberg, A.G. and Ioffe, B.V.
Basic equations in continuous gas extraction and their application to headspace analysis 471 (1989) 55
- Vitkovič, B., see Jokl, V. 470 (1989) 263
- Vlasenko, E.V., see Gavrilova, T.B. 454 (1988) 73
- Vlietinck, A.J., see Pieters, L.A. 462 (1989) 387
- Vloten, P. Van, see De Groot, G. 456 (1988) 71
- Vobecký, M.
Chromatographic separation of the heavier lanthanoids on the spherical cation exchanger OSTION with α -hydroxy- α -methylbutyrate 478 (1989) 446
- Vodička, L., see Punčochářová, J. 498 (1990) 248
- Voelkel, A.
Influence of experimental conditions upon polarity parameters as measured by GC 457 (1988) 73
- Voelkel, A.
Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s) 464 (1989) 251
- Voelkel, A., Szymanowski, J., Beger, J. and Rüstig, H.
Measurement of the polarity of alkyl derivatives of diazapolyoxyethylene ethers by GC 454 (1988) 51
- Vohra, R.M. and Dube, S.
Identification and quantitation of rifamycins by reversed-phase HPLC 477 (1989) 463
- Volk, K.J., Yost, R.A. and Brajter-Toth, A.
Characterization of solution-phase and gas-phase reactions in on-line electrochemistry-thermospray tandem MS 474 (1989) 231
- Völker, U., see De Vries, J.X. 493 (1989) 149
- Volkers, K.J., see Baldew, G.S. 491 (1989) 163
- Volland, J.-P., see Breton, L. 497 (1989) 243
- Volmer, D., see Böhm, H.B. 478 (1989) 399
- Volpi, F., see De Felip, E. 489 (1989) 404
- Voncken, P., Schepers, G. and Schäfer, K.-H.
Capillary GC determination of *trans*-3'-hydroxycotinine simultaneously with nicotine and cotinine in urine and blood samples 479 (1989) 410
- Vongsaroj, R., see Prueksaritanont, T. 490 (1989) 175
- Von Tungeln, L.S. and Fu, P.P.
HPLC separation of ring-oxidized metabolites of nitro-polycyclic aromatic hydrocarbons 461 (1989) 315
- Von Unruh, G.E., see Lohmar, F. 495 (1989) 281
- Vos, D. De, see Emonds, A.J.G. 463 (1989) 445
- Vos, G.F. La, see Verheij, E.R. 474 (1989) 275
- Vos, R.H. De, see Heeremans, C.E.M. 472 (1989) 219
- Vouros, P., see Annan, R.S. 465 (1989) 285
- Vouros, P., see Bakthavachalam, J. 500 (1990) 373
- Vouros, P., see Kresbach, G.M. 476 (1989) 423
- Vouros, P., see Trainor, T.M. 452 (1988) 369
- Vouros, P., see Trainor, T.M. 457 (1988) 257
- Voyksner, R.D., see Tyczkowska, K. 490 (1989) 101
- Vries, J.B. De, see Den Daas, I. 487 (1989) 210
- Vries, J.X. De
Analysis of heparins by size-exclusion and reversed-phase HPLC with photodiode-array detection 465 (1989) 297
- Vries, J.X. De and Völker, U.
Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149
- Vu, B.D., see Pinche, C. 463 (1989) 201
- Vu-Dac, N., see Steinmetz, A. 487 (1989) 154
- Vučković, G., Juranić, N., Radanović, D.J. and Ćelap, M.B.
Effect of the central ion of octahedral transition metal complexes on their TLC R_F values 466 (1989) 227
- Vučković, G., Malinar, M.J. and Ćelap, M.B.
Dependence of R_F values of cobalt(III) complexes on the size of diamine chelate ligands on silica gel thin layers 454 (1988) 362
- Vučković, G.N., see Tešić, Ž.L. 456 (1988) 346
- Vuik, J., see Heeremans, C.E.M. 472 (1989) 219
- Vukmanic, D. and Chiba, M.
Effect of organic solvents in sample solutions and injection volumes on chromatographic peak profiles of analytes in reversed-phase HPLC 483 (1989) 189
- Vuorilehto, L., Salonen, J.S. and Anttila, M.
Picogram level determination of medetomidine in dog serum by capillary GC with negative ion chemical ionization MS 497 (1989) 282
- Vyncke, P., see Verzele, M. 471 (1989) 335

W

- Waai, W.A.J. De, Kuiper, C.C.H.M., Maessen, F.J.M.J., Kraak, J.C., Wijnands, R. and Jonker, R.J.
Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115
- Wachter, R., see Whitley, R.D. 465 (1989) 137
- Wada, H., see Maruo, M. 466 (1989) 379
- Wade, J.L., see Lucy, C.A. 484 (1989) 61
- Wade, T.M., see Bogart, G.R. 483 (1989) 209
- Wadgaonkar, N., see Ocampo, A.P. 496 (1989) 167
- Wagemann, A., see Köppel, C. 491 (1989) 432
- Wagner, H., see Kuhn, R. 481 (1989) 343
- Wagner, H., see Mosher, R.A. 478 (1989) 39
- Wagner, J.G., see Ruggirello, D.A. 487 (1989) 73
- Wahl, G., see Liebich, H.M. 500 (1990) 615
- Wahl, J.H. and McGuffin, V.L.
Solvent modulation in LC: optimization strategies 485 (1989) 541
- Wahlström, A., see Persson, K. 491 (1989) 473
- Wahlund, K.-G. and Litzén, A.
Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73
- Wahlund, K.-G., see Litzén, A. 476 (1989) 413
- Wainer, I., see Brunner, C.A. 472 (1989) 277
- Wainer, I.W. and Chu, Y.-Q.
Use of mobile phase modifiers to alter retention and stereoselectivity on a bovine serum albumin HPLC chiral stationary phase 455 (1988) 316
- Wainer, I.W., see Chu, Y.-Q. 497 (1989) 191
- Wainer, I.W., see Jadaud, P. 476 (1989) 165
- Wainer, I.W., see Masurel, D. 490 (1989) 133
- Wakai, J., see Haginiaka, J. 488 (1989) 341
- Wakamatsu, A., see Sato, J. 493 (1989) 239
- Waki, H. and Ando, S.
Column LC of calcium channel blockers 494 (1989) 408
- Waku, K., see Nakagawa, Y. 487 (1989) 239
- Walash, M.I., Salama, O.M. and Bishr, M.M.
Use of absorbance ratios in densitometric measurements for the characterization and identification of natural products of pharmacological interest 469 (1989) 390
- Walczak, B., Dreux, M., Chrétien, J.R., Morin-Allory, L., Lafosse, M. and Felix, G.
Factor analysis and experiment design in HPLC. VIII. Charge-transfer *versus* standard stationary phases in normal-phase HPLC 464 (1989) 237
- Walhagen, A. and Edholm, L.-E.
Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371
- Walhagen, A., Edholm, L.-E., Heeremans, C.E.M., Van der Hoeven, R.A.M., Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
Coupled column chromatography-MS. Thermospray LC-MS and LC-tandem MS analysis of metoprolol enantiomers in plasma using phase-system switching 474 (1989) 257
- Walker, T.A.
Separation of simple quanidines on cation-exchange columns using indirect ultraviolet detection 466 (1989) 438
- Walker, V., see Chong, W.K. 487 (1989) 147
- Wall, G.M. and Baker, J.K.
Determination of baclofen and α -baclofen in rat liver homogenate and human urine using solid-phase extraction, *o*-phthalaldehyde-*tert*-butyl thiol derivatization and HPLC with amperometric detection 491 (1989) 151
- Wall, J., see Huang, T. 452 (1988) 409
- Wallach, J., see Bosserhoff, A. 473 (1989) 71
- Walling, J.F.
Membership values as indicators of complications in chromatography 473 (1989) 267
- Walt, L.A. Van der, see Boyle, D.M. 455 (1988) 434
- Walter, D.J., see Schmitthenner, H.F. 487 (1989) 197
- Walter, H. and Krob, E.J.
Analysis of density-fractionated rat red blood cells of different ages by partitioning in two-polymer aqueous phase systems 479 (1989) 307
- Walters, R.R., see Wu, D. 458 (1988) 169
- Walther, B., see Durrer, A. 495 (1989) 256
- Wan, H.
Large-volume spotting apparatus and its application to the semi-quantitative determination of organochlorine pesticides in tea 469 (1989) 403

- Wanders, B.J., Lemmens, A.A.G., Everaerts, F.M. and Gladdines, M.M.
Data acquisition in capillary isotachophoresis 470 (1989) 79
- Wanders, B.J., Van de Goor, A.A.A.M. and Everaerts, F.M.
Methods for on-line determination and control of electroendosmosis in capillary electrochromatography and electrophoresis 470 (1989) 89
- Wanders, B.J., see Van de Goor, A.A.A.M. 470 (1989) 95
- Wang, H., Pacáková, V. and Štulík, K.
Determination of ethylenethiourea in beverages without sample pretreatment using HPLC and amperometric detection on a copper electrode 457 (1988) 398
- Wang, J., see Kim, L.-S. 483 (1989) 359
- Wang, K.-T., see Chiou, S.-H. 491 (1989) 424
- Wang, K.-T., see Lo, L.-C. 472 (1989) 336
- Wang, K.-T., see Yu, H.-M. 456 (1988) 357
- Wang, L.-M., Woodward, C.N., White, J.C. and Capizzi, R.L.
Determination of ^3H -labelled cytosine arabinoside and eight metabolites in cell extracts by HPLC and scintillation spectrometry 491 (1989) 331
- Wang, N.-H.L., see Lee, C.K. 484 (1989) 29
- Wang, N.-H.L., see Whitley, R.D. 465 (1989) 137
- Wang, N.-H.L., see Whitley, R.D. 483 (1989) 263
- Wang, N.-S. and Lemmer, B.
Determination of citalopram in plasma and brain tissue of the rat by HPLC with UV detection 488 (1989) 492
- Wang, T., Hartwick, R.A. and Champlin, P.B.
Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 462 (1989) 147
- Wang, T., see Uden, P.C. 468 (1989) 319
- Wang, W.-K. and Huang, S.-D.
Rapid determination of seven herbicides in water or isoctane using C_{18} and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121
- Wang, Y., see Kruase, R.T. 459 (1988) 151
- Ward, K.D. and Manes, L.V.
Separation of the four optical isomers of a dihydropyridine calcium channel antagonist 478 (1989) 169
- Ward, K.D., see Seeman, J.I. 483 (1989) 169
- Ward, L.D., see Simpson, R.J. 476 (1989) 345
- Ward, S.A., see Idowu, O.R. 493 (1989) 125
- Ward, S.A., see Idowu, O.R. 495 (1989) 167
- Ward, T.J., see Seeman, J.I. 483 (1989) 169
- Warlich, R. and Mutschler, E.
TLC separation and *in situ* fluorimetric determination of ofloxacin in plasma and pleural fluid 490 (1989) 395
- Warne, A.J., see Stell, J.G.P. 475 (1989) 363
- Warner, F.P., see Dawkins, J.V. 452 (1988) 145
- Warner, R.M., see Prelusky, D.B. 494 (1989) 267
- Warrington, S.J., see Everett, D.W. 487 (1989) 365
- Warth, L.M., Cooper, R.S. and Fritz, J.S.
Low-capacity quaternary phosphonium resins for anion chromatography 479 (1989) 401
- Warth, L.M., Fritz, J.S. and Naples, J.O.
Preparation and use of latex-coated resins for anion chromatography 462 (1989) 165
- Wasels, R., Belleville, F., Paysant, P., Nabet, P. and Krakowski, I.
Determination of morphine in plasma by GC using a macrobore column and thermoionic detection after Extrelut column extraction: application to follow-up morphine treatment in cancer patients 489 (1989) 411
- Watanabe, H., see Nohta, H. 467 (1989) 237
- Watanabe, H., see Nohta, H. 493 (1989) 15
- Watanabe, K., Yamashita, K., Ishibashi, M., Hayashi, Y., Yamamoto, S. and Miyazaki, H.
Microdetermination of 11-dehydrothromboxane B_2 in human urine by GC-selected-ion monitoring 468 (1989) 383
- Watanabe, M., see Mawatari, K.-I. 488 (1989) 349
- Watanabe, M., see Mawatari, K.-I. 491 (1989) 389
- Watanabe, N., Irie, T., Koyama, M. and Tominaga, T.
LC-atmospheric pressure ionization MS analysis of toremifene metabolites in human urine 497 (1989) 169
- Watanabe, Y., see Ikeda, K. 482 (1989) 240
- Watanabe, Y., see Kamahori, M. 465 (1989) 227
- Watanabe, Y., see Suzuji, S. 463 (1989) 188
- Water, C. Van de, Tebbal, D. and Haagsma, N.
Monoclonal antibody-mediated clean-up procedure for the HPLC analysis of chloramphenicol in milk and eggs 478 (1989) 205
- Waterman, P., see Hasan, A. 466 (1989) 399
- Watson, D.G., see Shafi, N. 490 (1989) 9
- Watson, G., see Elliger, S.S. 495 (1989) 249
- Watts, C., see Hammond, I. 474 (1989) 175
- Weaver, M.J., see Ramstad, T. 456 (1988) 287
- Weaver, M.J., see Ramstad, T. 456 (1988) 307
- Weavind, G.P., see Chong, W.K. 487 (1989) 147
- Weber, A., see Jenny, P.D. 490 (1989) 213

- Weber, D.J., see Shah, J.A. 496 (1989) 245
 Weber, P.C., see Uedelhoven, W.M. 497 (1990) 1
 Weber, R., see Schurig, V. 475 (1989) 23
 Weber, T.P., see Rigney, M.P. 484 (1989) 273
 Webster, H.K., see Krungkrai, J. 487 (1989) 51
 Wedlung, P.J., see Guttendorf, R.J. 489 (1989) 333
 Wedzicha, B.L. and Donovan, T.J.
 Separation of derivatized black tea
 thearubigins by HPLC 478 (1989) 217
 Weems, H.B., see Yang, S.K. 461 (1989) 377
 Wegscheider, W., see Lankmayr, E.P. 485 (1989) 183
 Wegscheider, W., see Lankmayr, E.P. 485 (1989) 557
 Wegscheider, W., see Otto, M. 485 (1989) 453
 Wehling, R.L., see Dougherty, D.A. 480 (1989) 359
 Wehry, E.L., see Guilbault, L.F. 475 (1989) 237
 Weigang, F., Reiter, M., Jungbauer, A. and
 Katinger, H.
 HPLC determination of metabolic products
 for fermentation control of mammalian cell
 culture: analysis of carbohydrates, organic
 acids and orthophosphate using refractive
 index and UV detectors 497 (1989) 59
 Weightman, H., see Caesar, R. 478 (1989) 191
 Weil, A., see Baillet, G. 456 (1988) 183
 Weinstein, S.H., see Everett, D.W. 487 (1989) 365
 Weiser, E.L., see Salotto, A.W. 498 (1990) 55
 Weissenberg, M., Levy, A., Schaeffler, I. and
 Levy, E.C.
 HPLC analysis of the ajmalicine distribution
 in roots of *Catharanthus roseus* lines with
 different flower colours 452 (1988) 485
 Welie, R.T.H. Van, Van Duyn, P. and Vermeulen,
 N.P.E.
 Determination of two mercapturic acid
 metabolites of 1,3-dichloropropene in human
 urine with GC and sulphur-selective detection
 496 (1989) 463
 Welinder, B.S., Sørensen, H.H. and Hansen, B.
 HPLC separation of membrane proteins
 isolated from erythrocyte ghosts 462 (1989)
 255
 Welinder, B.S., see Linde, S. 462 (1989) 243
 Welinder, B.S., see Vidal, P. 476 (1989) 467
 Welling, G.W., see Van Ede, J. 476 (1989) 319
 Welling, G.W., see Welling-Wester, S. 476 (1989)
 477
 Welling-Wester, S., Haring, R.M., Laurens, H.,
 Örvell, C. and Welling, G.W.
 Comparison of ion-exchange HPLC columns
 for purification of Sendai virus integral
 membrane proteins 476 (1989) 477
 Welling-Wester, S., see Van Ede, J. 476 (1989)
 319
 Welsch, T., see Maurer, T. 471 (1989) 245
 Welten, K., see Irth, H. 491 (1989) 321
 Wenclawiak, B., see Bohm, M. 465 (1989) 17
 Wenger, P., Heydt, A., Egen, N.B., Long, T.D.
 and Bier, M.
 Purification of lentil lectins using preparative
 electrophoresis 455 (1988) 225
 Wenisch, E., see Jungbauer, A. 476 (1989) 257
 Wenisch, E., see Righetti, P.G. 475 (1989) 293
 Wenisch, E., see Righetti, P.G. 500 (1990) 681
 Wentworth, W.E., Limero, T., Batten, C.F. and
 Chen, E.C.M.
 Non-radioactive electron-capture detector for
 GC 468 (1989) 215
 Wenzel, T.J., Bonasia, P.J. and Brewitt, T.
 Application of metal β -diketonate polymers
 as selective sorbents in complex mixture
 analysis and for sulfur-containing compounds
 463 (1989) 171
 Werneburg, B., see Bissert, F. 490 (1989) 91
 Werner, A., Siems, W., Kowalewski, J. and
 Gerber, G.
 Interrelationships between purine nucleotide
 degradation and radical formation during
 intestinal ischaemia and reperfusion: an
 application of ion-pair HPLC of nucleotides,
 nucleosides and nucleobases 491 (1989) 77
 Werner, J., see Verrijk, R. 491 (1989) 265
 Weseman, J.M., see Schilt, R. 489 (1989) 127
 Wesierska-Gadek, J., see Lindner, H. 472 (1989)
 243
 Westerlund, D., see Arvidsson, E. 461 (1989) 429
 Westerlund, D., see Johansson, M. 452 (1988)
 241
 Westerlund, D., see Johansson, M. 459 (1988)
 301
 Westerlund, D., see Pettersson, K.-J. 488 (1989)
 447
 Westerlund, D., see Stefansson, M. 499 (1990)
 411
 Westhuizen, L. Van der, see Shephard, G.S. 491
 (1989) 226
 Westlake, J.P., see Smith, R.M. 455 (1988) 77
 Westley, J.W., see Poehland, B.L. 481 (1989) 421
 Wetlaufer, D.B., see Buckley, J.J. 464 (1989) 61
 Wetlaufer, D.B., see Gehas, J. 477 (1989) 249
 Whatley, F.R., see Greenaway, W. 472 (1989)
 393
 Whatley, F.R., see Greenaway, W. 481 (1989)
 352

- White, A.E., see Barford, R.A. 458 (1988) 57
- White, J.C., see Wang, L.-M. 491 (1989) 331
- White, R.L., Demarco, A.C. and Smith, K.C.
Analysis of α -phthalaldehyde derivatives of acidic and polar amino acids in fermentation broths by HPLC 483 (1989) 437
- Whitechurch, O., see Bischoff, R. 476 (1989) 245
- Whitley, R.D., Brown, J.M., Karajgikar, N.P. and Wang, N.-H.L.
Determination of ion-exchange equilibrium parameters of amino acid and protein systems by an impulse response technique 483 (1989) 263
- Whitley, R.D., Wachter, R., Liu, F. and Wang, N.-H.L.
Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin.
Effective valence and exchanger capacity 465 (1989) 137
- Whitlock, R.H., see Sweeney, R.W. 494 (1989) 278
- Whitman, W.B., see Mesbah, M. 479 (1989) 297
- Whitney, Jr., C.C., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Wičar, S.
Sedimentation focusing field-flow fractionation in channels of triangular cross-section 454 (1988) 335
- Wichmann, J.K., see Hsu, R.S. 494 (1989) 347
- Widada, J.S., see Liautard, J. 476 (1989) 439
- Widstrom, N.W., see Snook, M.E. 477 (1989) 439
- Wiele, K. Van der, see Verhaar, L.A.T. 472 (1989) 381
- Wiesler, D., see Beale, S.C. 499 (1990) 579
- Wiesler, D., see Harvey, S. 491 (1989) 27
- Wightman, R.M., see Baur, J.E. 482 (1989) 65
- Wigren, C.A., see Krahn, M.M. 481 (1989) 263
- Wijayaratne, R., see Crary, J.R. 462 (1989) 85
- Wijnands, R., see De Waal, W.A.J. 462 (1989) 115
- Wikström, P., Mandenius, C.F. and Larsson, P.-O.
Gas phase silylation, a rapid method for preparation of HPLC supports 455 (1988) 105
- Wilhelm, A.M. and Riba, J.P.
Scale-up and optimization in production LC 484 (1989) 211
- Willers, S., see Skarping, G. 454 (1988) 293
- Williams, D.G., see Issaq, H.J. 452 (1988) 511
- Williams, D.R., Carter, G.T., Pinho, F. and Borders, D.B.
Process-scale reversed-phase HPLC purification of LL-E19020 α , a growth promoting antibiotic produced by
- Streptomyces lydicus* ssp. *tanzanius* 484 (1989) 381
- Williams, E.D., see Brubaker, Jr., W.F. 496 (1989) 377
- Williams, J.A., Davies, D.S. and Murray, S.
Synthesis of 7 α -thiohydroxycholesterol involving the resolution of epimeric thiocholesterols by HPLC 483 (1989) 454
- Williams, M.H., see Bridge, T.P. 465 (1989) 59
- Williams, R.A., Macrae, R. and Shepherd, M.J.
Non-aqueous SEC coupled on-line to reversed-phase HPLC. Interface development and applications to the analysis of low-molecular-weight contaminants and additives in foods 477 (1989) 315
- Williams, S.S., Karnicky, J.F., Excoffier, J.-L. and Abbott, S.R.
Expert system program for assistance in HPLC method development 485 (1989) 267
- Williams, T., Jones, P. and Ebdon, L.
Simultaneous determination of Cr(III) and Cr(VI) at ultratrace levels using ion chromatography with chemiluminescence detection 482 (1989) 361
- Williamson, J.R., see Eades, D.M. 490 (1989) 1
- Wills, M.R., see Herold, D.A. 496 (1989) 180
- Willsch, H., see Garrigues, P. 473 (1989) 207
- Willson, N.J., see Kogan, M.J. 490 (1989) 236
- Wilmers, B., see Boos, K.-S. 456 (1988) 93
- Wils, E.R.J. and Hulst, A.G.
Determination of organophosphorus acids by thermospray LC-MS 454 (1988) 261
- Wilson, I.D., see Raynor, M.W. 467 (1989) 292
- Wilson, I.D., see Roberts, D.W. 471 (1989) 437
- Wilson, K., see Caprioli, R.M. 480 (1989) 247
- Wilson, R., see Chichila, T.M.P. 488 (1989) 389
- Wilson, T.D.
Validation of an amperometric HPLC determination of epinephrine in bupivacaine and epinephrine injection 498 (1990) 402
- Wilson, W.L., see By, A. 469 (1989) 406
- Winckler, K., Klinkmüller, K.D. and Schmahl, H.-J.
Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 488 (1989) 417
- Wingsle, G., Sandberg, G. and Hälgren, J.-E.
Determination of glutathione in Scots pine needles by HPLC as its monobromobimane derivative 479 (1989) 335
- Winkler, M.A., see Bush, D.A. 489 (1989) 303
- Winsauer, K., see Buchberger, W. 482 (1989) 401

- Winzor, D.J. and De Jersey, J.
 Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377
- Wirth, H.-J., see Anspach, F.B. 476 (1989) 205
- Wirth, H.-J., see Anspach, F.B. 499 (1990) 103
- Wise, L., see Stein, T.A. 461 (1989) 267
- Wise, S.A., see Olsson, M. 477 (1989) 277
- Wiśniewski, M., Szymański, J. and Atamańczuk, B.
 Analysis and molar mass distribution of polyoxyethylene 4-alkylphenylamines 462 (1989) 39
- Wit, J.S.M. De, Tomer, K.B. and Jorgenson, J.W.
 Characterization of the direct-probe open-tubular LC-MS interface parameters 462 (1989) 365
- Witkiewicz, Z.
 Application of liquid crystals in chromatography (Review) 466 (1989) 37
- Witkiewicz, Z., see Mazur, J. 455 (1988) 323
- Witte, D.T., see De Zeeuw, R.A. 500 (1990) 661
- Wittliff, J.L., see Hyder, S.M. 476 (1989) 455
- Wittmann-Liebold, B., see Choli, T. 476 (1989) 59
- Wittner, R., see Brückner, H. 476 (1989) 73
- Wodecki, Z.J., Ślebioda, M. and Kołodziejczyk, A.M.
 HPLC improvement of the Young racemization test 477 (1989) 454
- Woeldike, H., see Mortensen, S.B. 476 (1989) 227
- Wold, S., see Erlandsson, P. 466 (1989) 364
- Wolf, C., see Schmid, R.W. 478 (1989) 369
- Wolf, J.H., Veenma-Van der Duin, L. and Korf, J.
 Automated analysis procedure for valproic acid in blood, serum and brain dialysate by HPLC with bromomethylmethoxycoumarin as fluorescent label 487 (1989) 496
- Wolfson, A.D., see Tsygankov, A.Y. 465 (1989) 325
- Wollenweber, E., see Greenaway, W. 481 (1989) 352
- Wong, B. and Castellanos, M.
 Enantioselective measurement of the *Candida* metabolite D-arabinitol in human serum using multi-dimensional GC and a new chiral phase 495 (1989) 21
- Wong, O.S., see Hayakawa, K. 464 (1989) 343
- Wong, S.H.Y., Dellafera, S.S., Fernandes, R. and Kranzler, H.
 Determination of fluoxetine and norfluoxetine by HPLC 499 (1990) 601
- Wong, Y.W.J. and Davis, P.J.
 Analysis of warfarin and its metabolites by reversed-phase ion-pair LC with fluorescence detection 469 (1989) 281
- Wood, G., see Liu, D. 500 (1990) 395
- Wood, J.H., see Mallikaarjun, S. 493 (1989) 93
- Woodfield, S., see Albeck, H. 488 (1989) 435
- Woodrow, J.E. and Seiber, J.N.
 Vapor-pressure measurement of complex hydrocarbon mixtures by headspace GC 455 (1988) 53
- Woods, B.A., see Sagliano, Jr, N. 458 (1988) 225
- Woodward, C.N., see Wang, L.-M. 491 (1989) 331
- Woppard, G.A.
 Therapeutic drug monitoring of flecainide using HPLC and comparison with fluorescence polarisation immunoassay 487 (1989) 409
- Woude, H.R. Van der, see Van Tellingen, O. 488 (1989) 379
- Wright, A.G., Fell, A.F. and Berridge, J.C.
 Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335
- Wright, A.G., Fell, A.F. and Berridge, J.C.
 Development and optimisation of an HPLC assay for tioconazole and its potential impurities. I. Selection of separation conditions 464 (1989) 27
- Wright, G.J., see Osman, M.A. 489 (1989) 452
- Wright, L.A., see Lambert, W.J. 464 (1989) 400
- Wright, R.C., see Stout, R.W. 476 (1989) 21
- Wroński, M.
 Influence of the cellulose content of cellulose gels on the electrophoretic mobility 469 (1989) 378
- Wu, C.-M., see Yu, T.-H. 462 (1989) 137
- Wu, D. and Walters, R.R.
 Protein immobilization on silica supports. A ligand density study 458 (1988) 169
- Wu, P.-Y., Riegel, M. and Ellis, P.P.
 HPLC assay for timolol in the aqueous humor of the eye 494 (1989) 368
- Wu, R.J., see Zhang, X.Y. 495 (1989) 343
- Wu, S.-H., see Lo, L.-C. 472 (1989) 336
- Wu, S.-L., Hancock, W.S., Pavlu, B. and Gellerfors, P.
 Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 500 (1990) 595
- Wu, S.-L., see Frenz, J. 480 (1989) 379
- Wu, S.-L., see Sievert, H.-J.P. 499 (1990) 221

Wu, S. and Dovichi, N.J.

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Wurst, M., see Kysilka, R. 464 (1989) 434

Wurst, M., see Řezanka, T. 472 (1989) 290

Wurth, C., Kumps, A. and Mardens, Y.

Urinary organic acids: retention indices on two capillary GC columns 491 (1989) 186

Wyss, R. and Bucheli, F.

Determination of highly protein bound drugs in plasma using HPLC and column switching, exemplified by the retinoids 456 (1988) 33

X

Xianren, Q. and Baeyens, W.

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Xianren, Q., Baeyens, W. and Michotte, Y.

Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography 467 (1989) 15

Xiao, R., see Zhang, T.-Y. 454 (1988) 185

Xu, S., Norton, R.A., Crumley, F.G. and Nes, W.D.

Comparison of the chromatographic properties of sterols, select additional steroids and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

Y

Yagi, S., Izawa, K., Nakagawa, T., Tanaka, H., Yoshitake, A. and Mohri, Z.-I.

Efficient HPLC system for protein purification 493 (1989) 27

Yamada, M., see Ikai, Y. 457 (1988) 333

Yamada, M., see Ikai, Y. 477 (1989) 397

Yamada, M., see Oka, H. 462 (1989) 315

Yamadera, K., see Moriyama, T. 493 (1989) 164

Yamagami, M., see Jinno, K. 485 (1989) 461

Yamagishi, A., see Nakamura, Y. 482 (1989) 165

Yamaguchi, E., see Nohta, H. 467 (1989) 237

Yamaguchi, E., see Nohta, H. 493 (1989) 15

Yamaguchi, J., see Dobashi, A. 480 (1989) 413

Yamaguchi, M., see Iwata, T. 491 (1989) 404

Yamaguchi, M., see Nakamura, Y. 482 (1989) 165

Yamaguchi, M., see Yoshitake, T. 489 (1989) 364

Yamamoto, A., Matsunaga, A., Ohto, M., Mizukami, E., Hayakawa, K. and Miyazaki, M.

Theoretical considerations on the appearance of sample and system peaks in ion chromatography with photometric detection 482 (1989) 145

Yamamoto, E., see Lewis, N.G. 479 (1989) 345

Yamamoto, H., Manabe, T. and Okuyama, T.

GPC combined with capillary electrophoresis for microanalysis of proteins 480 (1989) 277

Yamamoto, H., Manabe, T. and Okuyama, T.

Capillary electrophoresis of nucleic acids with a fully automated apparatus 480 (1989) 331

Yamamoto, H., see Matsunaga, H. 481 (1989) 368

Yamamoto, K., see Tsuda, T. 456 (1988) 363

Yamamoto, S., see Hamano, T. 457 (1988) 403

Yamamoto, S., see Watanabe, K. 468 (1989) 383

Yamamoto, T., see Matsuzawa, S. 498 (1990) 25

Yamamoto-Terasawa, I., see Utsumi, J. 490 (1989) 193

Yamanishi, T. and Kudo, H.

Adsorption equilibrium of hydrogen isotopes on alumina adsorbents for GSC 475 (1989) 125

Yamasaki, Y. and Kato, Y.

Separation of intravenous IgG containing albumin by high-performance SEC on TSKgel G3000SWXL 467 (1989) 436

Yamasaki, Y., Kitamura, T., Nakatani, S. and Kato, Y.

Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391

Yamasaki, Y., Yokoyama, A., Ohnaka, A., Kato, Y., Murotsu, T. and Matsubara, K.-I.

High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299

Yamasaki, Y., see Kato, Y. 478 (1989) 264

- Yamashita, G.T. and Rabenstein, D.L.
Determination of penicillamine, penicillamine disulfide and penicillamine-glutathione mixed disulfide by HPLC with electrochemical detection 491 (1989) 341
- Yamashita, H., Kuroki, S. and Nakayama, F.
Assay of cholesterol 7 α -hydroxylase utilizing a silica cartridge column and 5 α -cholestane-3 β , 7 β -diol as an internal standard 496 (1989) 255
- Yamashita, J., Satoh, H., Ôi, S., Suzuki, T., Miyano, S. and Takai, N.
HPLC separation of enantiomers on axially chiral binaphthalene dicarboxylic acid-chiral phenylethylamine bonded to silica gel 464 (1989) 411
- Yamashita, K., Motohashi, M. and Yashiki, T.
Sensitive HPLC determination of ionic drugs in biological fluids with short-wavelength UV detection using column switching combined with ion-pair chromatography: application to basic compounds 487 (1989) 357
- Yamashita, K., see Miyabayashi, T. 494 (1989) 209
- Yamashita, K., see Watanabe, K. 468 (1989) 383
- Yamashita, S., see Miyashita, M. 475 (1989) 135
- Yamashita, S., see Miyashita, M. 498 (1990) 137
- Yamauchi, Y., see Dobashi, A. 461 (1989) 121
- Yamazaki, M., see Fuji, Y. 479 (1989) 319
- Yamazaki, S., see Utsumi, J. 490 (1989) 193
- Yamazaki, Y., see Oka, H. 462 (1989) 315
- Yamazoe, Y., see Kitada, Y. 474 (1989) 447
- Yan, Y.-P., see Tan, H.S.I. 475 (1989) 381
- Yanagawase, S., see Suemitsu, R. 454 (1988) 406
- Yanagihara, Y., see Noguchi, K. 461 (1989) 365
- Yanagihara, Y., see Seki, T. 459 (1988) 245
- Yang, J.M., Chan, K. and Jiang, W.D.
Improved column LC method for the determination of moricizine in plasma or serum 490 (1989) 458
- Yang, S.K., Mushtaq, M., Bao, Z., Weems, H.B., Shou, M. and Lu, X.-L.
Improved enantioselective separation of dihydrodiols of polycyclic aromatic hydrocarbons on chiral stationary phases by derivatization to O-methyl ethers 461 (1989) 377
- Yang, T., see Kern, J.R. 457 (1988) 309
- Yang, X.F., see Armstrong, D.W. 456 (1988) 440
- Yarmush, D., see Oroszlan, P. 500 (1990) 481
- Yarmush, D.M., see Blanco, R. 482 (1989) 1
- Yasaka, Y., see Funazo, K. 481 (1989) 211
- Yashiki, T., see Miyabayashi, T. 494 (1989) 209
- Yashiki, T., see Yamashita, K. 487 (1989) 357
- Yashin, Y.I., see Hradil, J. 475 (1989) 209
- Yasuda, H., see Haganaka, J. 488 (1989) 341
- Yatani, K., see Miyabayashi, T. 494 (1989) 209
- Yates, S., see Edwards, R.J. 490 (1989) 424
- Yau, W.W., see Kirkland, J.J. 499 (1990) 655
- Yeom, Y.-H., see Remmel, R.P. 489 (1989) 323
- Yergey, A.L., see Vicchio, A.M.T.D. 474 (1989) 187
- Yeung, E.S., see Chan, K.C. 457 (1988) 421
- Yeung, E.S., see Gross, L. 480 (1989) 169
- Yeung, E.S., see Ma, Y. 455 (1988) 382
- Yeung, E.S., see Zhu, J. 463 (1989) 139
- Yinon, J., Jones, T.L. and Betowski, L.D.
Particle beam LC-electron impact MS of dyes 482 (1989) 75
- Yip, T.-T., see Hutchens, T.W. 500 (1990) 531
- Yocklovich, S.G., see Geiser, F.O. 459 (1988) 173
- Yokoyama, A., see Yamasaki, Y. 467 (1989) 299
- Yokoyama, Y., see Murata, K. 496 (1989) 27
- Yon, R.J.
Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13
- Yonekawa, W.D., see Kapetanovic, I.M. 500 (1990) 387
- Yonger, J., see Pinche, C. 463 (1989) 201
- Yonker, C.R. and Smith, R.D.
Effect of the partial molar volume of the solute in the stationary phase on retention in SFC 459 (1988) 183
- Yoo, Y., see Uden, P.C. 468 (1989) 319
- Yoshida, H., see Kan, M. 478 (1989) 238
- Yoshida, H., see Tanaka, S. 472 (1989) 303
- Yoshida, H., see Tanaka, S. 498 (1990) 205
- Yoshida, K., see Murata, K. 496 (1989) 27
- Yoshida, M., see Niwa, T. 452 (1988) 85
- Yoshida, S., see Oeda, T. 482 (1989) 117
- Yoshida, T., Hatano, T. and Okuda, T.
Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139
- Yoshida, T., Uetake, A., Nakai, C., Nimura, N. and Kinoshita, T.
LC determination of biotin by using 1-pyrrenylidazomethane as a pre-column fluorescent labelling reagent 456 (1988) 421
- Yoshida, T., see He, L.-Y. 481 (1989) 428
- Yoshida, T., see Ito, Y. 456 (1988) 392
- Yoshida, T., see Oshima, T. 455 (1988) 410
- Yoshida, T., see Sasagawa, T. 485 (1989) 533
- Yoshitake, A., see Yagi, S. 493 (1989) 27
- Yoshitake, T., Hara, S., Yamaguchi, M., Nakamura, M., Ohkura, Y. and Görög, S.
Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluorimetric detection 489 (1989) 364

- Z**
- Yoshiya, I., see Hosotsubo, H. 487 (1989) 204
 Yoshizumi, H., see Niwa, T. 491 (1989) 397
 Yoshizumi, H., see Niwa, T. 493 (1989) 347
 Yost, R.A., see Volk, K.J. 474 (1989) 231
 Yotsuyanagi, T., see Saitoh, T. 469 (1989) 175
 Yousif, M.Y., see Fitzgerald, R.L. 490 (1989) 59
 Yoza, N., see Baba, Y. 458 (1988) 385
 Yu, H.-M., Chen, S.-T., Chiou, S.-H. and Wang, K.-T.
 Determination of amino acids on Merrifield resin by microwave hydrolysis 456 (1988) 357
 Yu, Q., see Lee, C.K. 484 (1989) 29
 Yu, R.K., see El Rassi, Z. 488 (1989) 229
 Yu, T.-H. and Wu, C.-M.
 Effects of pH on the formation of flavour compounds of disrupted garlic 462 (1989) 137
 Yukioka, M., see Hatayama, T. 481 (1989) 403
 Yuthavong, Y., see Krungkrai, J. 487 (1989) 51
- Zacchello, F., see Ferrari, V. 497 (1989) 101
 Zaikov, C., see Bardarov, V. 479 (1989) 97
 Zalisz, R., see Kol, O. 474 (1989) 452
 Zambeli, N., see Škvorec, I. 498 (1990) 428
 Zambonin, P.G., see Palmisano, F. 465 (1989) 305
 Zambonin, P.G., see Palmisano, F. 493 (1989) 35
 Zamora, M., see Foley, J.P. 478 (1989) 287
 Zandomeneghi, M. and Cavazza, M.
 Chiral recognition by biological macromolecules. Partial resolution of racemic enones by albumin 464 (1989) 289
 Zanetti, M., see Guenzi, A. 494 (1989) 219
 Zare, R.N., see Aguilar, M. 480 (1989) 427
 Zare, R.N., see Huang, X. 480 (1989) 95
 Zare, R.N., see Huang, X. 480 (1989) 285
 Zarc, R.N., see Pentoney, Jr., S.L. 480 (1989) 259
 Zav'yalov, V.P., see Shukun, S.A. 496 (1989) 121
 Zecca, L. and Ferrario, P.
 Determination of diclofenac in plasma and synovial fluid by HPLC with electrochemical detection 495 (1989) 303
 Zeece, M.G., see Dougherty, D.A. 480 (1989) 359
- Zeeland, M.J.M. Van, see Janssen, P.S.L. 470 (1989) 171
 Zeeuw, R.A. De
 Modern chromatographic procedures in systematic toxicological analysis 488 (1989) 199
 Zeeuw, R.A. De, Witte, D.T. and Franke, J.-P.
 Identification power of TLC colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 500 (1990) 661
 Zeeuw, R.A. De, see Gerding, T.K. 487 (1989) 125
 Zegers, K., see Bruin, G.J.M. 471 (1989) 429
 Zeilinger, K., see Josić, D. 484 (1989) 327
 Zelenský, I., Kaniansky, D., Havaši, P., Verheggen, T.P.E.M. and Everaerts, F.M.
 Photometric detection of metal cations in capillary isotachophoresis based on complex equilibria 470 (1989) 155
 Zelikman, I., see Hjertén, S. 481 (1989) 175
 Zelikman, I., see Hjertén, S. 481 (1989) 187
 Zell, M., see Timm, U. 494 (1989) 119
 Zentner, M., see Doster, D.E. 461 (1989) 293
 Zerilli, L.F., see Vékey, K. 474 (1989) 317
 Zerilli, L.F., see Vekey, K. 488 (1989) 73
 Zhang, G., see Oshima, T. 455 (1988) 410
 Zhang, G.-D., see He, L.-Y. 481 (1989) 428
 Zhang, M. and Phillips, J.B.
 Determination of activity coefficients of binary liquids by capillary GC with thermal desorption modulation for direct headspace sampling 478 (1989) 141
 Zhang, R., see Hjertén, S. 473 (1989) 273
 Zhang, T.-Y., Lee, Y.-W., Fang, Q.C., Xiao, R. and Ito, Y.
 Preliminary applications of cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography 454 (1988) 185
 Zhang, T.-Y., see Ito, Y. 455 (1988) 151
 Zhang, X.Y., Wu, R.J., Chen, J. and An, D.K.
 Determination of glycyrrhizin and its metabolite glycyrrhetic acid in rabbit plasma by HPLC after oral administration of licorzin 495 (1989) 343
 Zhang, Y., see Kim, L.-S. 483 (1989) 359
 Zhao, Q., see Piot, J.-M. 481 (1989) 221
 Zheivot, V.I., Shalaeva, M.E., Gavrilov, V.Y., Fenelonov, V.B., Ovsyannikova, I.A. and Malakhov, V.V.
 Intermolecular interactions in the sorbate-modified graphitized thermal carbon black system 472 (1989) 155

- Zhong, W.Z. and Lakings, D.B.
Determination of pioglitazone in dog serum using solid-phase extraction and HPLC with UV (229 nm) detection 490 (1989) 377
- Zhou, F.L., Muller, D., Santarelli, X. and Jozefonvicz, J.
Coated silica supports for high-performance affinity chromatography of proteins 476 (1989) 195
- Zhou, N.E., see Mant, C.T. 476 (1989) 363
- Zhou, N.E., see Mant, C.T. 485 (1989) 365
- Zhou, W., see Holzhauer-Rieger, K. 499 (1990) 609
- Zhu, A. and Chen, Y.
High-voltage capillary zone electrophoresis of red blood cells 470 (1989) 251
- Zhu, D.-Q., see Tanaka, M. 469 (1989) 429
- Zhu, J. and Yeung, E.S.
Quantitative TLC by laser pyrolysis and flame ionization or electron-capture detection 463 (1989) 139
- Zhu, M., Hansen, D.L., Burd, S. and Gannon, F.
Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311
- Zhu, P., see Ren, Y. 457 (1988) 354
- Zhukov, A.V., Kusnetsova, E.I. and Vereshchagin, A.G.
Activation of thin adsorbent layers by an anhydrous organic solvent 474 (1989) 400
- Ziemniak, J.A., see Boppana, V.K. 487 (1989) 385
- Ziffer, H., see Hu, Y. 482 (1989) 227
- Ziggiotti, A., see Cardinali, F. 499 (1990) 37
- Ziggiotti, A., see Visconti, G.C. 482 (1989) 99
- Zimmerli, B., Dick, R. and Baumann, U.
HPLC determination of citrinin in cereals using an acid-buffered silica gel column 462 (1989) 406
- Zimmerman, C.L., see Remmel, R.P. 489 (1989) 323
- Zinzou, M., see Vistelle, R. 490 (1989) 387
- Zlatkis, A., see Kim, K.R. 468 (1989) 289
- Zlatkis, Z., see Attygalle, A.B. 472 (1989) 284
- Zmitek, J., Štendler, T., Rusjakovski, B., Kocjan, D. and Božnar, B.
Use of ^1H NMR spectroscopy in the selection of the mobile phase for HPLC monitoring of the synthesis of ibuproxam 467 (1989) 276
- Zogg, G.C., see Nyiredy, S. 499 (1990) 453
- Zomer, G., see Van Ginkel, L.A. 489 (1989) 111
- Zook, M.N., see Gottstein, H.D. 481 (1989) 55
- Zoontjes, P.W., see Van Ginkel, L.A. 489 (1989) 95
- Zoun, P.E.F. and Spierenburg, T.J.
Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448
- Zschiesche, M. and Baumann, A.
Determination of the β -adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 488 (1989) 482
- Zühlendorf, M., see Schleyer, E. 497 (1989) 109
- Zumbrunnen, R., see Timm, U. 494 (1989) 119
- Zürcher, F., see Schneider, R.P. 462 (1989) 293
- Zuska, J., see Gaš, B. 470 (1989) 69
- Zuydendorp, J., see Van Ginkel, L.A. 489 (1989) 95
- Zweifpenning, P.G.M., Lisman, J.A., Van Haren, A.Y.N., Dijkstra, G.R. and Holthuis, J.J.M.
Determination of Δ^9 -tetrahydrocannabinol in plasma using solid-phase extraction and HPLC with electrochemical detection 456 (1988) 83