

Author Index

- Åkesson-Johansson, A., see Harmenberg, J. 75
- Allender, W. J.
Gas-liquid chromatographic analysis of ethyl fenthion in tissues of native birds 199
- Almcida, M. Lurdes, S., see Fransson, B. 229
- Antus, S.
—, Bauer, R., Gottsegen, A. and Wagner, H.
Enantiomeric separation of racemic pterocarpans by high-performance liquid chromatography on (+)-poly(triphenylmethyl methacrylate)-coated silica gel 212
- Baldonado, I. P., see Canova-Davis, E. 81
- Bard, M., see Goss, T. A. 279
- Bauer, R., see Antus, S. 212
- Beckers, J. L.
—, and Everaerts, F. M.
Isotachopheresis with two leading ions and migration behaviour in capillary zone electrophoresis. I. Isotachopheresis with two leading ions 3
—, and Everaerts, F. M.
Isotachopheresis with two leading ions and migration behaviour in capillary zone electrophoresis. II. Migration behaviour in capillary zone electrophoresis 19
- Bermejo, J., see Díez, M. A. 363
- Berthod, A., see Campiglia, A. D. 37
- Bicchi, C.
—, and Pisciotta, A.
Use of two-dimensional gas chromatography in the direct enantiomer separation of chiral essential oil components 341
- Blanchardie, P., see Denis, M. 97
- Blanco, C. G., see Díez, M. A. 363
- Blank, M. L.
—, Cress, E. A., Fitzgerald, V. and Snyder, F.
Thin-layer and high-performance liquid chromatographic separation of glycerolipid subclasses as benzoates. Derivatives of ether and ester analogues of phosphatidylcholine, phosphatidylethanolamine and platelet activating factor 382
- Brinkman, U. A. Th., see Veltkamp, A. C. 301
- Burton, S. J.
—, Stead, C. V. and Lowe, C. R.
Design and applications of biomimetic anthraquinone dyes. III. Anthraquinone-immobilised C.I. Reactive Blue 2 analogues and their interaction with horse liver alcohol dehydrogenase and other adenine nucleotide-binding proteins 109
- Camilleri, P.
—, Murphy, J. A. and Thorpe, C.
Direct chromatographic separation of the enantiomers of oxiracetam 208
- Campiglia, A. D.
—, Berthod, A. and Winefordner, J. D.
Solid-surface room-temperature phosphorescence detection for high-performance liquid chromatography 37
- Canova-Davis, E.
—, Baldonado, I. P. and Teshima, G. M.
Characterization of chemically synthesized human relaxin by high-performance liquid chromatography 81
- Carlson, Å.
—, and Gyllenhaal, O.
Separation of carboxylic acid enantiomers by gas chromatography after rapid derivatization with (*R*)- or (*S*)-1-phenylethylamine after activation by ethyl chloroformate 333
- Cavazzutti, G., see Gagliardi, L. 252
- Claessens, H. A., see Sparidans, R. W. 319
- Cox, R. P., see Juhler, R. K. 232
- Cox, S., see Harmenberg, J. 75
- Cress, E. A., see Blank, M. L. 382
- Crothers, D. M., see Maa, Y.-F. 61
- Das, H. A., see Veltkamp, A. C. 301
- Deeken, R. A., see Pogány, S. A. 179
- Denis, M.
—, Blanchardie, P., Orsonneau, J.-L. and Lustenberger, P.
One-step 10⁴-fold purification of transformed glucocorticoid receptor. Method for purifying receptors associated with *M_r* ca. 90 000 heat-shock protein 97
- Díez, M. A.
—, Guillén, M. D., Blanco, C. G. and Bermejo, J.
Chromatographic study of methylcyclopentadiene dimers and iso-dimers and determination of their boiling points 363
- Doremale, G. H. J. van, see Sparidans, R. W. 319
- Eppert, G.
—, Liebscher, G. and Stief, C.
Examination of organic trace contamination and thermo-oxidative deterioration of ϵ -caprolactam by high-performance liquid chromatography 149
- Everaerts, F. M., see Beckers, J. L. 3, 19
- Fitzgerald, V., see Blank, M. L. 382
- Frankenberger, Jr., W. T., see Mehra, H. C. 265

- Fransson, B.
 —, Lurdes S. Almeida, M., Grehn, L. and Ragnarsson, U.
 Separation of spermidine derivatives by reversed-phase high-performance liquid chromatography using a UV-absorbing counter ion 229
- Fujii, Y.
 —, Ikeda, Y., Okamoto, I. and Yamazaki, M.
 Separation and determination of lanatosides in *Digitalis lanata* leaves by high-performance liquid chromatography 241
- Gagliardi, L.
 —, Cavazzutti, G., Turchetto, L., Manna, F. and Tonelli, D.
 Determination of preservatives in cosmetic products by reversed-phase high-performance liquid chromatography. IV 252
- Gavlick, W. K.
 —, Stuff, J. R. and Uden, P. C.
 Comparison of discharge tubes for deuterium-specific gas chromatographic detection with a microwave-induced plasma 187
- Golshan-Shirazi, S., see Lin, B. 27
- Goss, T. A.
 —, Bard, M. and Jarrett, H. W.
 High-performance affinity chromatography of DNA 279
- Gottsegen, A., see Antus, S. 212
- Grehn, L., see Fransson, B. 229
- Guillén, M. D., see Díez, M. A. 363
- Guiochon, G., see Lin, B. 27
- Gyllenhaal, O., see Carlson, Å. 333
- Harmenberg, J.
 —, Cox, S. and Åkesson-Johansson, A.
 Improved sample preparation method for high-performance liquid chromatography of deoxyribonucleoside triphosphates from cell culture extracts 75
- Hasler, A.
 —, Sticher, O. and Meier, B.
 High-performance liquid chromatographic determination of five widespread flavonoid aglycones 236
- Hayes, G. F.
 Direct determination of corrosion inhibitor in aviation fuel by a column-switching technique using gel-permeation chromatography 259
- Herk, A. M. van, see Sparidans, R. W. 319
- Hirayama, N.
 —, and Kuwamoto, T.
 Influence of dissociation equilibria on the elution behaviour of the sample anion in anion chromatography 51
- Ho, J. W.
 Separation of porphyrins on cyclodextrin-bonded phases with a novel mobile phase 375
- Hofmann, U.
 —, Holzer, S. and Meese, C. O.
 Pentafluorophenyldiazoalkanes as novel derivatization reagents for the determination of sensitive carboxylic acids by gas chromatography-negative-ion mass spectrometry 349
- Holzer, S., see Hofmann, U. 349
- Horie, M., see Saito, K. 141
- Horváth, Cs., see Maa, Y.-F. 61
- Hoshino, Y., see Saito, K. 141
- Huisden, R. E.
 —, Kraak, J. C. and Poppe, H.
 Modification of silica with glucose for the separation of proteins by high-performance liquid chromatography 289
- Huysmans, K. D., see Mehra, H. C. 265
- Hynning, P.-Å., see Remberger, M. 159
- Ikeda, Y., see Fujii, Y. 241
- Inczédy, J.
 — and Szokoli, F.
 Contributions to the calculation of retention data in ion-pair chromatography 309
- Ivanova, L. A., see Karabonov, N. T. 193
- Iwamoto, K., see Seno, M. 127
- Jarrett, H. W., see Goss, T. A. 279
- Jonhson, B. J.
 Sulfite-disulfite equilibrium on an ion chromatography column 271
- Juhler, R. K.
 —, and Cox, R. P.
 High-performance liquid chromatographic determination of chloroplast pigments with optimized separation of lutein and zeaxanthin 232
- Kaniansky, D., see Kenndler, E. 203
- Karabonov, N. T.
 —, Vetrova, Z. P., Ivanova, L. A., Schuvalova, T. N. and Yashin, Ya. I.
 Modified sorbents in binary stationary phase systems in gas chromatography 193
- Katakawa, J., see Yasaka, Y. 133
- Kenndler, E.
 —, Schwer, C. and Kaniansky, D.
 Purity control of riboflavin-5'-phosphate (vitamin B₂ phosphate) by capillary zone electrophoresis 203
- Kikuchi, T., see Takatsuki, K. 357
- Kobayashi, K., see Suzuki, S. 225
- Kraak, J. C., see Huisden, R. E. 289
- Kuwamoto, T., see Hirayama, N. 51
- Liebscher, G., see Eppert, G. 149
- Lin, B.
 —, Golshan-Shirazi, S. and Guiochon, G.
 Perturbation analysis of the influence of the isotherm coupling factor on the resolution between two compounds in chromatography 27

- Lin, M., see Seno, M. 127
- Lin, S.-C., see Maa, Y.-F. 61
- Lowe, C. R., see Burton, S. J. 109
- Lurdes S. Almeida, M., see Fransson, B. 229
- Lustenberger, P., see Denis, M. 97
- Maa, Y.-F.
- , Lin, S.-C., Horváth, Cs., Yang, U.-C. and Crothers, D. M.
Rapid high-performance liquid chromatography of nucleic acids with polystyrene-based micropellicular anion exchangers 61
- MacNeil, J. D., see VanderKop, P. A. 386
- Mahoney, N. E.
- , and Roitman, J. N.
High-performance liquid chromatographic analysis of phenylpyrroles produced by *Pseudomonas cepacia* 247
- Manna, F., see Gagliardi, L. 252
- Meese, C. O., see Hofmann, U. 349
- Mehra, H. C.
- , Huysmans, K. D. and Frankenberger, Jr., W. T.
Determination of borate at trace levels in environmental samples by ion-exclusion chromatography 265
- Meier, B., see Hasler, A. 236
- Murphy, J. A., see Camilleri, P. 208
- Nakazawa, H., see Okamoto, M. 217
- , see Saito, K. 141
- Neilson, A. H., see Remberger, M. 159
- Noda, J., see Suzuki, S. 225
- Nose, N., see Saito, K. 141
- Okamoto, I., see Fujii, Y. 241
- Okamoto, M.
- , and Nakazawa, H.
Optical resolution of abscisic acid metabolites using an ovomucoid-conjugated high-performance liquid chromatographic column 217
- Orsonneau, J.-L., see Denis, M. 97
- Pisciotta, A., see Bicchi, C. 341
- Pogány, S. A.
- , Deeken, R. A. and Zentner, G. M.
Gas chromatographic assay for 3,9-diethylene-2,4,8,10-tetraoxaspiro[5.5]undecane 179
- Poppe, H., see Huisden, R. E. 289
- Ragnarsson, U., see Fransson, B. 229
- Remberger, M.
- , Hynning, P.-Å. and Neilson, A. H.
Gas chromatographic analysis and gas chromatographic-mass spectrometric identification of components in the cyclohexane-extractable fraction from contaminated sediment samples 159
- Řezanka, T.
- , and Sokolov, M. Yu.
Identification of fatty acids longer than C₃₂ in a sulphate-reducing bacterium by reversed-phase high-performance liquid chromatography and gas chromatography-mass spectrometry 275
- Roitman, J. N., see Mahoney, N. E. 247
- Saito, K.
- , Horie, M., Hoshino, Y., Nose, N. and Nakazawa, H.
High-performance liquid chromatographic determination of glycoalkaloids in potato products 141
- Schualova, T. N., see Karabonov, N. T. 193
- Schwer, C., see Kennler, E. 203
- Seno, M.
- , Lin, M. and Iwamoto, K.
Chromatographic behaviour of cyclodextrin complexes in NADH and NADP 127
- Shono, T., see Yasaka, Y. 133
- Snyder, F., see Blank, M. L. 382
- Sokolov, M. Yu., see Řezanka, T. 275
- Sparidans, R. W.
- , Claessens, H. A., Van Doremale, G. H. J. and Van Herk, A. M.
Analysis of poly(styrene-co-methyl acrylate) and poly(styrene-co-butyl acrylate) by high-performance liquid chromatography 319
- Stead, C. V., see Burton, S. J. 109
- Sticher, O., see Hasler, A. 236
- Stief, C., see Eppert, G. 149
- Stobiecki, M.
- , and Wojtaszek, P.
Application of gas chromatography-mass spectrometry to the identification of isoflavonoids in lupine root extracts 391
- Stuff, J. R., see Gavlick, W. K. 187
- Sun, Z.-P., see Zhou, Y. 220
- Suzuki, S.
- , Kobayashi, K., Noda, J., Suzuki, T. and Takama, K.
Simultaneous determination of biogenic amines by reversed-phase high-performance liquid chromatography 225
- Suzuki, T., see Suzuki, S. 225
- Szokoli, F., see Inczedy, J. 309
- Takama, K., see Suzuki, S. 225
- Takatsuki, K.
- , and Kikuchi, T.
Determination of N-nitrosodimethylamine in fish products using gas chromatography with nitrogen-phosphorus detection 357
- Tanaka, M., see Yasaka, Y. 133
- Teshima, G. M., see Canova-Davis, E. 81
- Tetsumi, T., see Yasaka, Y. 133
- Thorpe, C., see Camilleri, P. 208

- Tonelli, D., see Gagliardi, L. 252
 Turchetto, L., see Gagliardi, L. 252
 Uden, P. C., see Gavlick, W. K. 187
 VanderKop, P. A.
 —, and MacNeil, J. D.
 Separation and detection of monensin, lasalocid and salinomycin by thin-layer chromatography/bioautography 386
 Van Doremale, G. H. J., see Sparidans, R. W. 319
 Van Herk, A. M., see Sparidans, R. W. 319
 Veltkamp, A. C.
 —, Das, H. A. and Brinkman, U. A. Th.
 Direct and reverse flow-through heterogeneous scintillation counting of radiolabelled amino acids using post-column solvent segmentation 301
 Vetrova, Z. P., see Karabonov, N. T. 193
 Wagner, H., see Antus, S. 212
 Winefordner, J. D., see Campiglia, A. D. 37
 Wojtaszek, P., see Stobiecki, M. 391
 Yamazaki, M., see Fujii, Y. 241
 Yang, U.-C., see Maa, Y.-F. 61
 Yasaka, Y.
 —, Tanaka, M., Shono, T., Tetsumi, T. and Katayama, J.
 2-(2,3-Naphthalimino)ethyl trifluoromethanesulphonate as a highly reactive ultraviolet and fluorescent labelling agent for the liquid chromatographic determination of carboxylic acids 133
 Yashin, Ya. I., see Karabonov, N. T. 193
 Zentner, G. M., see Pogány, S. A. 179
 Zhou, Y.
 —, and Sun, Z.-P.
 Liquid chromatographic evaluation of chiral derivatizing reagents for the resolution of amine and alcohol enantiomers 220

Erratum

J. Chromatogr., 504 (1990) 464–468

Page 466, Table I, last line of first column should read " $K_3[Co(Ox)_3]$ " (where Ox = oxalate).