

Author Index

- Abad, C., see Perez-Paya, E. 548(1991)93
Abad, C., see Perez-Paya, E. 548(1991)351
Abouelezz, M., see Dunn, L. 548(1991)165
Aguilar, M. I., see Hearn, M. T. W.
548(1991)117
Aguilar, M. I., see Wilce, M. C. J. 548(1991)105
Antonelli, G., see Giacobbe, S. 548(1991)289
Binder, C., see Linde, S. 548(1991)371
Bloemhoff, W., see Welling, G. W. 548(1991)235
Bolzacchini, E., Di Gennaro, P., Di Gregorio, G.,
Rindone, B., Falagiani, P., Mistrello, G. and
Sondergaard, I.
Purification of *Phleum pratense* pollen
extract by immunoaffinity chromatography
and high-performance ion-exchange
chromatography 548(1991)229
Boppa, V. K., Miller-Stein, C., Politowski, J.
F. and Rhodes, G. R.
High-performance liquid chromatographic
determination of peptides in biological fluids
by automated pre-column fluorescence
derivatization with fluorescamine
548(1991)319
Borin, G., see Calderan, A. 548(1991)329
Boulkanz, L., see Vidal-Madjar, C. 548(1991)81
Braco, L., see Perez-Paya, E. 548(1991)93
Braco, L., see Perez-Paya, E. 548(1991)351
Brew, K., see Colilla, F. J. 548(1991)303
Buck, R. H., Cholewinski, M. and Maxl, F.
Animal test or chromatography?. Validated
high-performance liquid chromatographic
assay as an alternative to the biological
assay for ornipressin 548(1991)335
Calderan, A., Ruzza, P., Marin, O., Secchieri, M.,
Borin, G. and Marchiori, F.
Separation of acidic peptides by reversed-
phase ion-pair chromatography. Analytical
application to a series of acidic substrates of
casein kinases 548(1991)329
Campos, A., see Perez-Paya, E. 548(1991)93
Chaufer, B., Rollin, M. and Sébille, B.
High-performance liquid chromatography
and ultrafiltration of whey proteins with
inorganic porous materials coated with
polyvinylimidazole derivatives 548(1991)215
Chiari, M., Etori, C., Manzocchi, A. and
Righetti, P. G.
Structure-stability relationship of
Immobiline chemicals for isoelectric focusing
as monitored by capillary zone
electrophoresis 548(1991)381
Cholewinski, M., see Buck, R. H. 548(1991)335
Colilla, F. J., Yadav, S. P., Brew, K. and
Mendez, E.
Peptide maps at picomolar levels obtained
by reversed-phase high-performance liquid
chromatography and pre-column
derivatization with phenyl isothiocyanate.
Microsequencing of phenylthiocarbamyl
peptides 548(1991)303
Cummings, L., see Dunn, L. 548(1991)165
Cysewski, P., Jaulmes, A., Lemque, R., Sébille,
B., Vidal-Madjar, C. and Jilge, G.
Multivalent ion-exchange model of
biopolymer chromatography for mass
overload conditions 548(1991)61
Damhof, R. A., see Welling, G. W.
548(1991)235
Danielsson, Å., see Nyberg, F. 548(1991)311
Davankov, V. A., see Kurganov, A. A.
548(1991)207
Di Gennaro, P., see Bolzacchini, E.
548(1991)229
Di Gregorio, G., see Bolzacchini, E.
548(1991)229
Drijfhout, J. W., see Welling, G. W.
548(1991)235
Dufourcq, J., see Perez-Paya, E. 548(1991)351
Dunn, L., Abouelezz, M., Cummings, L.,
Navvab, M., Ordunez, C., Siebert, C. J. and
Talmadge, K. W.
Characterization of synthetic macroporous
ion-exchange resins in low-pressure
cartridges and columns. Evaluation of the
performance of Macro-Prep 50 S resin in the
purification of anti-Klenow antibodies from
goat serum 548(1991)165
Elling, L., see Kula, M.-R. 548(1991)3
Ellouali, M., Khamlichi, S., Jozefonvicz, J. and
Muller, D.
Affinity of trypsin for amidine derivatives
immobilized on dextran-coated silica
supports 548(1991)255
Etori, C., see Chiari, M. 548(1991)381
Falagiani, P., see Bolzacchini, E. 548(1991)229
Fang, F. W., see Hearn, M. T. W. 548(1991)117
Folchitto, G., see Giacobbe, S. 548(1991)289
Giacobbe, S., Miraglia, N., Rindone, B.,
Folchitto, G. and Antonelli, G.
High-performance liquid chromatographic
purification of antiviral components in
Neuramide 548(1991)289

- Hartling, S. G., see Linde, S. 548(1991)371
- Hearn, M. T. W., Hodder, A. N., Fang, F. W. and Aguilar, M. I.
High-performance liquid chromatography of amino acids, peptides and proteins. CXI. Retention behaviour of proteins with macroporous tentacle-type anion exchangers 548(1991)117
- Hearn, M. T. W., see Johnston, A. 548(1991)127
- Hearn, M. T. W., see Mao, Q. M. 548(1991)147
- Hearn, M. T. W., see Wilce, M. C. J. 548(1991)105
- Hodder, A. N., see Hearn, M. T. W. 548(1991)117
- Hodges, R. S., Lorne Burke, T. W. and Mant, C. T.
Multi-column preparative reversed-phase sample displacement chromatography of peptides 548(1991)267
- Hodges, R. S., see Zhou, N. E. 548(1991)179
- Hodges, R. S., see Zhu, B.-Y. 548(1991)13
- Holgersson, J., see Strömqvist, M. 548(1991)293
- Jaulmes, A., see Cysewski, P. 548(1991)61
- Jaulmes, A., see Vidal-Madjar, C. 548(1991)81
- Jilge, G., see Cysewski, P. 548(1991)61
- Johnston, A., Mao, Q. M. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXII. Analysis of operating parameters affecting the breakthrough curves in fixed-bed chromatography of proteins using several mathematical models 548(1991)127
- Johnston, A., see Mao, Q. M. 548(1991)147
- Jozefonvicz, J., see Ellouali, M. 548(1991)255
- Kalbacher, H. and Kropshofer, H.
Non-radioactive detection of MHC class II-peptide antigen complexes in the sub-picomole range by high-performance size-exclusion chromatography with fluorescence detection 548(1991)343
- Khamlichi, S., see Ellouali, M. 548(1991)255
- Kirkland, J. J., see Zhou, N. E. 548(1991)179
- Kotarski, S. F., see Barsuhn, K. 546(1991)273
- Kropshofer, H., see Kalbacher, H. 548(1991)343
- Kula, M.-R., Elling, L. and Walsdorf, A.
Investigations of liquid-liquid partition chromatography of proteins 548(1991)3
- Kurganov, A. A., Davankov, V. A. and Unger, K. K.
Ion-exchange high-performance liquid chromatography of nucleotides and polypeptides on new types of ion-exchange sorbents, based on polystyrene-coated silicas 548(1991)207
- Lemque, R., see Cysewski, P. 548(1991)61
- Liapis, A. I., see McCoy, M. A. 546(1991)25
- Linde, S., Røder, M. E., Hartling, S. G., Binder, C. and Welinder, B. S.
Separation and quantitation of serum proinsulin and proinsulin intermediates in humans 548(1991)371
- Linde, S. and Welinder, B. S.
Silica *versus* polymer-based stationary phases for reversed-phase high-performance liquid chromatographic analyses of rat insulin biosynthesis. A comparison of resolution and recovery 548(1991)195
- Litzén, A. and Wahlund, K.-G.
Effects of temperature, carrier composition and sample load in asymmetrical flow field-flow fractionation 548(1991)393
- Lorne Burke, T. W., see Hodges, R. S. 548(1991)267
- Lyrenäs, S., see Nyberg, F. 548(1991)311
- Mant, C. T., see Hodges, R. S. 548(1991)267
- Mant, C. T., see Zhou, N. E. 548(1991)179
- Mant, C. T., see Zhu, B.-Y. 548(1991)13
- Manzocchi, A., see Chiari, M. 548(1991)381
- Mao, Q. M., Johnston, A., Prince, I. G. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXIII. Predicting the performance of non-porous particles in affinity chromatography of proteins 548(1991)147
- Mao, Q. M., see Johnston, A. 548(1991)127
- Marchiori, F., see Calderan, A. 548(1991)329
- Marin, O., see Calderan, A. 548(1991)329
- Mauri, P. L., Pietta, P. G. and Pace, M.
Analysis and purification of DNA restriction fragments by high-performance liquid chromatography 548(1991)281
- Maxl, F., see Buck, R. H. 548(1991)335
- McCoy, M. A. and Liapis, A. I.
Evaluation of kinetic models for biospecific adsorption and its implications for finite bath and column performance 548(1991)25
- Mendez, E., see Colilla, F. J. 548(1991)303
- Miller-Stein, C., see Boppana, V. K. 548(1991)319
- Miraglia, N., see Giacobbe, S. 548(1991)289
- Mistrello, G., see Bolzacchini, E. 548(1991)229
- Muller, D., see Ellouali, M. 548(1991)255
- Navvab, M., see Dunn, L. 548(1991)165
- Nyberg, F., Lyrenäs, S. and Danielsson, Å.
Fingerprinting of molecular components in individual human cerebrospinal fluid samples with a new micropurification system 548(1991)311
- Ordunez, C., see Dunn, L. 548(1991)165
- Pace, M., see Mauri, P. L. 548(1991)281

- Perez-Paya, E., Braco, L., Abad, C. and Dufourcq, J.
High-performance liquid chromatographic separation of modified and native melittin following transglutaminase-mediated derivatization with a dansyl fluorescent probe 548(1991)351
- Perez-Paya, E., Braco, L., Abad, C., Soria, V. and Campos, A.
Solution properties of polyelectrolytes. VII. Non-ideal mechanisms in size-exclusion chromatography of synthetic polyions, peptides and proteins 548(1991)93
- Pietta, P. G., see Mauri, P. L. 548(1991)281
- Place, H., see Vidal-Madjar, C. 548(1991)81
- Politowski, J. F., see Boppana, V. K. 548(1991)319
- Prince, I. G., see Mao, Q. M. 548(1991)147
- Rhodes, G. R., see Boppana, V. K. 548(1991)319
- Righetti, P. G., see Chiari, M. 548(1991)381
- Rindone, B., see Bolzacchini, E. 548(1991)229
- Rindone, B., see Giacobbe, S. 548(1991)289
- Røder, M. E., see Linde, S. 548(1991)371
- Rollema, H. S., see Visser, S. 548(1991)361
- Rollin, M., see Chaufer, B. 458(1991)215
- Ruzza, P., see Calderan, A. 548(1991)329
- Samuelsson, B., see Strömqvist, M. 548(1991)293
- Sébille, B., see Chaufer, B. 458(1991)215
- Sébille, B., see Cysewski, P. 548(1991)61
- Secchieri, M., see Calderan, A. 548(1991)329
- Siebert, C. J., see Dunn, L. 548(1991)165
- Slangen, C. J., see Visser, S. 548(1991)361
- Sondergaard, I., see Bolzacchini, E. 548(1991)229
- Soria, V., see Perez-Paya, E. 548(1991)93
- Strömqvist, M., Holgersson, J. and Samuelsson, B.
Glycosylation of extracellular superoxide dismutase studied by high-performance liquid chromatography and mass spectrometry 548(1991)293
- Talmadge, K. W., see Dunn, L. 548(1991)165
- Unger, K. K., see Kurganov, A. A. 548(1991)207
- Van Gorkum, J., see Welling, G. W. 548(1991)235
- Vidal-Madjar, C., Place, H., Boukantz, L. and Jaulmes, A.
Application of the split-peak effect to study the adsorption kinetics of human serum albumin on a reversed-phase support 548(1991)81
- Vidal-Madjar, C., see Cysewski, P. 548(1991)61
- Visser, S., Slangen, C. J. and Rollema, H. S.
Phenotyping of bovine milk proteins by reversed-phase high-performance liquid chromatography 548(1991)361
- Wahlund, K.-G., see Litzén, A. 548(1991)393
- Walsdorf, A., see Kula, M.-R. 548(1991)3
- Welinder, B. S., see Linde, S. 548(1991)195
- Welinder, B. S., see Linde, S. 548(1991)371
- Welling, G. W., Van Gorkum, J., Damhof, R. A., Drijfhout, J. W., Bloemhoff, W. and Welling-Wester, S.
A ten-residue fragment of an antibody (mini-antibody) directed against lysozyme as ligand in immunoaffinity chromatography 548(1991)235
- Welling-Wester, S., see Welling, G. W. 548(1991)235
- Wheatley, J. B.
Effect of antigen size on optimal ligand density of immobilized antibodies for a high-performance liquid chromatographic support 548(1991)243
- Wilce, M. C. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CX. Principal component analysis of four sets of group retention coefficients derived from reversed-phase high-performance liquid chromatography of peptides 548(1991)105
- Yadav, S. P., see Colilla, F. J. 548(1991)303
- Zhou, N. E., Mant, C. T., Kirkland, J. J. and Hodges, R. S.
Comparison of silica-based cyanopropyl and octyl reversed-phase packings for the separation of peptides and proteins 548(1991)179
- Zhu, B.-Y., Mant, C. T. and Hodges, R. S.
Hydrophilic-interaction chromatography of peptides on hydrophilic and strong cation-exchange columns 548(1991)13