

AUTHOR INDEX

VOLUMES 501–550

A

- Abad, C., see Perez-Paya, E. 548(1991)93
- Abad, C., see Perez-Paya, E. 548(1991)351
- Abatangelo, G., see Brun, P. 526(1990)530
- Abbott, F., see Kassahun, K. 527(1990)327
- Abbott, T. P. and Kleiman, R.
Solvent selection guide for counter-current chromatography 538(1991)109
- Abdel-Baky, S., see Al-Deen, A. N. 512(1990)409
- Abdel-Baky, S., see Bakthavachalam, J. 538(1991)447
- Abe, J., Asada, A., Fujimori, M., Imaoka, S. and Funae, Y.
Binding of lidocaine to plasma proteins resolved by high-performance liquid chromatography 526(1990)562
- Abe, K., see Machida, R. 534(1990)190
- Abe, Y. and Ishii, S.-I.
High-performance affinity chromatography of concanavalin A 510(1990)95
- Abernethy, D. R., see DePetrillo, P. B. 527(1990)421
- Abidi, S. L., Ha, S. C. and Rosen, R. T.
Liquid chromatography–thermospray mass spectrometric study of N-acylamino dilactones and 4-butyrolactones derived from antimycin A 522(1990)179
- Abouelezz, M., see Dunn, L. 548(1991)165
- Aboul-Enein, H. Y. and Islam, M. R.
Direct separation and optimization of timolol enantiomers on a cellulose tris-3,5-dimethylphenylcarbamate high-performance liquid chromatographic chiral stationary phase 511(1990)109
- Abraham, F., see Haken, J. K. 550(1991)155
- Abraham, M. H., Whiting, G. S., Doherty, R. M. and Shuely, W. J.
Hydrogen bonding. XV. A new characterisation of the McReynolds 77-stationary phase set 518(1990)329
- Abrahamsson, K. and Klick, S.
Determination of biogenic and anthropogenic volatile halocarbons in sea water by liquid–liquid extraction and capillary gas chromatography 513(1990)39
- Abramovich-Bar, S., see Woolfson-Bartfeld, D. 517(1990)305
- Abramson, F. P., see Chace, D. H. 527(1990)1
- Abu-Lafi, S., see Levin, S. 517(1990)285
- Aburada, M., see Takeda, S. 530(1990)447
- Aburatani, R., see Okamoto, Y. 513(1990)375
- Ace, L. N., see Choudhury, S. 534(1990)208
- Acevedo, F.
Use of discrete spacers for the separation of proteins by gel isotachopheresis 545(1991)391
- Acevedo, F. and Goitom, Z.
Two-dimensional electrophoresis: agarose gel isotachopheresis followed by sodium dodecyl sulphate–polyacrylamide electrophoresis 545(1991)343
- Achilli, G., see Rizzo, V. 536(1991)229
- Achladas, G. E.
Analysis of biomass pyrolysis liquids: separation and characterization of phenols 542(1991)263
- Achs, E., see Ulberth, F. 504(1990)202
- Ackermann, B. L., see Coutant, J. E. 529(1990)265
- Ackermans, M. T., Everaerts, F. M. and Beckers, J. L.
Isotachopheresis in open systems. Problems in quantitative analysis 545(1991)283
- Ackermans, M. T., Everaerts, F. M. and Beckers, J. L.
Quantitative analysis in capillary zone electrophoresis with conductivity and indirect UV detection 549(1991)345

- Ackermans, M. T., see Beckers, J. L. 537(1991)407
- Ackermans, M. T., see Beckers, J. L. 537(1991)429
- Ackland, C. E., Berndt, W. G., Frezza, J. E., Landgraf, B. E., Pritchard, K. W. and Ciardelli, T. L.
Monitoring of protein conformation by high-performance size-exclusion liquid chromatography and scanning diode array second-derivative UV absorption spectroscopy 540(1991)187
- Ackman, R. G., see Shantha, N. C. 533(1990)1
- Adachi, J., Mizoi, Y., Naito, T., Yamamoto, K., Fujiwara, S. and Ninomiya, I.
Determination of β -carbolines in foodstuffs by high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 538(1991)331
- Adachi, Y., Mizuno, S. and Yoshida, M.
Efficient large-scale purification of non-histone chromosomal proteins HMG1 and HMG2 by using Polybuffer-exchanger PBE94 530(1990)39
- Adámek, V., see Slingerland, R. J. 510(1990)205
- Adami, P., Nasser, B. and Latruffe, N.
Interactions of the mitochondrial membrane rat liver D-3-hydroxybutyrate dehydrogenase with glass beads during adsorption chromatography. Relationships with the activation of the enzyme by phospholipids 539(1991)279
- Adami, P., see Maas, E. 521(1990)169
- Adamia, T. V., Budovich, V. L., Nevjaskaya, I. A., Shlyakhov, A. F. and Jakovlev, S. A.
Effect of temperature on the sensitivity of the photoionization detector 540(1991)441
- Adamovics, J., see Kirschbaum, J. 507(1990)165
- Adams, A. K., see Binder, S. R. 550(1991)449
- Adaskaveg, M. E., see Alfredson, T. V. 507(1990)277
- Aden Abdi, Y., see Villén, T. 529(1990)309
- Adlard, M. W., see Donaldson, M. J. 509(1990)347
- Adler, A. J., see Crabtree, D. V. 543(1991)405
- Adler, C., see Schmitt, S. 510(1990)239
- Adlof, R.
Fractionation of egg and soybean phosphatidylcholines by silver resin chromatography 538(1991)469
- Adusumalli, V. E., see Segelman, A. B. 535(1990)287
- Advenier, C., see Dutot, C. 528(1990)435
- Aebersold, R. and Morrison, H. D.
Analysis of dilute peptide samples by capillary zone electrophoresis 516(1990)79
- Aerts, M. M. L., see Binnendijk, G. M. 541(1991)401
- Afeyan, N. B., Fulton, S. P. and Regnier, F. E.
Perfusion chromatography packing materials for proteins and peptides 544(1991)267
- Afeyan, N. B., Gordon, N. F., Mazsaroff, I., Varady, L., Fulton, S. P., Yang, Y. B. and Regnier, F. E.
Flow-through particles for the high-performance liquid chromatographic separation of biomolecules: perfusion chromatography 519(1990)1
- Afeyan, N. B., see Fulton, S. P. 547(1991)452
- Afonso, D., Castellanos, M. A. and Rodriguez, M.
Determination of monoamines and indoles in amniotic fluid by high-performance liquid chromatography-electrochemical detection 528(1990)101
- Agache, P., see Makki, S. 539(1991)443
- Agarwal, N., see Upadhyay, R. K. 542(1991)531
- Agasøster, T., see Thanh, H. H. 532(1990)363
- Agathonos, P., see Koliadima, A. 550(1991)171
- Agathonos, P., see Stolyarov, B. V. 550(1991)181
- Ageta, T., see Mizobuchi, N. 526(1990)550
- Agnellini, D., see Pace, M. 539(1991)517
- Agnew, M. P. and Lauren, D. R.
Determination of ptaquiloside in bracken fern (*Pteridium esculentum*) 538(1991)462
- Agrawal, S., Tang, J. Y. and Brown, D. M.
Analytical study of phosphorothioate analogues of oligodeoxynucleotides using high-performance liquid chromatography 509(1990)396
- Aguilar, M. I., see Fridman, M. 512(1990)57
- Aguilar, M. I., see Hearn, M. T. W. 548(1991)117
- Aguilar, M. I., see Hodder, A. N. 506(1990)17
- Aguilar, M. I., see Hodder, A. N. 507(1990)33
- Aguilar, M. I., see Hodder, A. N. 512(1990)41
- Aguilar, M. I., see Hodder, A. N. 517(1990)317
- Aguilar, M. I., see Wilce, M. C. J. 536(1991)165
- Aguilar, M. I., see Wilce, M. C. J. 548(1991)105
- Ahlner, J., see Torfgård, K. 534(1990)196
- Ahmed, A. E., see Loh, J.-P. 530(1990)367
- Ahnoff, M., Chen, S., Green, A. and Grundevik, I.
Chiral chloroformates as transparent reagents for the resolution of metoprolol enantiomers by reversed-phase liquid chromatography 506(1990)593
- Ahnoff, M. and Persson, B.-A.
Chromatography of calcium channel blockers 531(1990)181
- Aiach, M., see Toulon, P. 539(1991)493

- Aichinger, I., Gübitz, G. and Birks, J. W.
Photochemical reaction coupled to solid-state peroxyoxalate chemiluminescence for the high-performance liquid chromatographic detection of compounds having weak chromophores 523(1990)163
- Airaksinen, H., see Laakso, I. 505(1990)424
- Airoldi, L., see Bagnati, R. 527(1990)267
- Aitzetmüller, K. and Guaraldo Goncalves, L. A.
Dynamic impregnation of silica stationary phases for the argentation chromatography of lipids 519(1990)349
- Akane, A., Fukushima, S., Matsubara, K., Takahashi, S. and Shiono, H.
Analysis of blood acetate by head-space gas chromatography: comparative studies of reagents for the methyl esterification 529(1990)155
- Åkesson, B., see Lindegård, B. 514(1990)293
- Åkesson-Johansson, A., see Harmenberg, J. 508(1990)75
- Akira, K., see Baba, S. 530(1990)1
- Akiyama, H., see Koike, M. 526(1990)235
- Akiyama, S., see Nakashima, K. 530(1990)154
- Akiyama, T., see Kuno, Y. 537(1991)489
- Akiyoshi, M., see Ohwa, M. 521(1990)122
- Akkerdaas, A., see De Jong, J. 529(1990)359
- Akporhonor, E. E., Le Vent, S. and Taylor, D. R.
Calculation of programmed temperature gas chromatographic characteristics from isothermal data. III. Predicted retention indices and equivalent temperatures 504(1990)269
- Al-Ammar, A. S., Hamid, H. A., Rashid, B. H. and Basheer, H. M.
Preseparation of uranium by reversed-phase partition chromatography. Application to the determination of trace elements in nuclear-grade uranium compounds by inductively coupled plasma atomic emission spectrometry 537(1991)287
- Al-Ani, M. R., see Hassan, N. A. 530(1990)102
- Alarcón, P., see Andrés, M. D. 507(1990)399
- Albert, F.-M., see Lausecker, B. 545(1991)115
- Albert, K. and Bayer, E.
Characterization of bonded phases by solid-state NMR spectroscopy (Review) 544(1991)345
- Albert, K., see Pfeiderer, B. 506(1990)343
- Albrecht, M., see Nitz, S. 547(1991)516
- Alcázar, M. D., see Almela, L. 502(1990)95
- Al-Deen, A. N., Cecchini, D. C., Abdel-Baky, S., Moneam, N. M. A. and Giese, R. W.
Preparation of ethylenediaminephosphoramidates of nucleotides and derivatization with fluorescein isothiocyanate 512(1990)409
- Alden, P. G., see Wildman, B. J. 546(1991)459
- Alebić-Kolbah, T. and Hiršl-Starčević, S.
Determination of piracetam in serum by gas chromatography 526(1990)556
- Alegre, L., see Carrasquer, A. M. 503(1990)459
- Alekseeva, I. V., see Galushko, S. V. 547(1991)161
- Alexander, L. R., see Terabe, S. 516(1990)23
- Alexander, P. W., see Buchberger, W. 546(1991)311
- Alexander, R., Ngo, S. H. and Kagi, R. I.
Identification and analysis of trimethylbiphenyls in petroleum 538(1991)424
- Alexandrovich, O., see Sigalov, A. 537(1991)464
- Alfredson, T. V., Maki, A. H., Adaskaveg, M. E., Excoffier, J.-L. and Waring, M. J.
Liquid chromatographic investigation of quinoxaline antibiotics and their analogues by means of ultraviolet diode-array detection 507(1990)277
- Algiman, E., Kroviarski, Y., Cochet, S., Kong Sing, Y. L., Muller, D., Dhermy, D. and Bertrand, O.
Immobilization of reactive dyes on several matrices that allow high and very high flow-rates to be used. Application to the purification of a proteinase inhibitor from corn 510(1990)165
- Alishoiev, V. R., see Berezkin, V. G. 509(1990)85
- Allan, S. M., see Moody, J. P. 530(1990)19
- Allen, J., see Philp, R. P. 550(1991)193
- Allen, J. L. and Meinertz, J. R.
Post-column reaction for simultaneous analysis of chromatic and leuco forms of malachite green and crystal violet by high-performance liquid chromatography with photometric detection 536(1991)217
- Allender, W. J.
Gas-liquid chromatographic analysis of ethyl fenthion in tissues of native birds 508(1990)199
- Allenmark, S., Edebo, A. and Lindgren, K.
Determination of itraconazole in serum with high-performance liquid chromatography and fluorescence detection 532(1990)203
- Allison, J., see Watson, J. T. 518(1990)283
- Almela, L., López-Roca, J.-M., Candela, M. E. and Alcázar, M. D.
Separation and determination of individual carotenoids in a *Capsicum* cultivar by normal-phase high-performance liquid chromatography 502(1990)95
- Alonso-Silva, I. J., Carretero, J. M., Martin, J. L. and Sanz, A. M.
Determination of partition coefficients of non-ionic contrast agents by reversed-phase high-performance liquid chromatography 507(1990)293

- Altria, K. D. and Smith, N. W.
Pharmaceutical analysis by capillary zone electrophoresis and micellar electrokinetic capillary chromatography 538(1991)506
- Alvarez-Zepeda, A. and Martire, D. E.
Reversed-phase liquid chromatographic study of excess and absolute sorption isotherms of acetonitrile-water mixtures 550(1991)285
- Alvaro Cebrian, J., see Muiño Blanco, M. T. 547(1991)79
- Alvi, S. N., see Husain, S. 502(1990)208
- Alyoshkin, V. A., Borisova, V. N., Ponomaryova, A. M. and Popkov, M. Y.
Use of chromatography for the preparation of homologous tetanus antitoxin 520(1990)425
- Amaglio, C., see Brega, A. 535(1990)311
- Amano, H., see Takamura, K. 543(1991)241
- Amano, H., see Takamura, K. 545(1991)201
- Amari, J. V., Brown, P. R., Grill, C. M. and Turcotte, J. G.
Isolation and purification of lecithin by preparative high-performance liquid chromatography 517(1990)219
- Amati, D. and Li, Y.
Gas chromatographic determination of flumetralin in tobacco 539(1991)237
- Ambroise, C., see DePettrillo, P. B. 527(1990)421
- Amicucci, P., see Miraglia, N. 512(1990)123
- Amiot, J., see Lemieux, L. 519(1990)299
- Amiss, T. J., Tyczkowska, K. L. and Aucoin, D. P.
Analysis of taurine in feline plasma and whole blood by liquid chromatography with fluorimetric detection and confirmation by thermospray mass spectrometry 526(1990)375
- Amlacher, R., see Weber, H. 525(1990)459
- Ammon, H. U., see Karlaganis, G. 549(1991)229
- Amsler, U., see Zollinger, M. 532(1990)27
- An, D., see Fang, X. 514(1990)287
- Anacleto, J. F., see D'Agostino, P. A. 504(1990)259
- Anashkina, A. A., see Balyatinskaya, L. N. 509(1990)107
- Anazawa, A., see Tokuda, T. 530(1990)418
- Anderson, R. A., see Brooks, C. J. W. 514(1990)305
- Anderson, Jr., J. M., see Henderson, I. K. 546(1991)61
- Anderson, Jr., J. M., see Saari-Nordhaus, R. 546(1991)89
- Anderson, Jr., J. M., see Saari-Nordhaus, R. 549(1991)257
- Andersson, H. C., see Blom, H. J. 533(1990)11
- Andersson, L.
Recognition of phosphate groups by immobilized aluminium(III) ions 539(1991)327
- Andersson, L. I., Miyabayashi, A., O'Shannessy, D. J. and Mosbach, K.
Enantiomeric resolution of amino acid derivatives on molecularly imprinted polymers as monitored by potentiometric measurements 516(1990)323
- Andersson, L. I. and Mosbach, K.
Enantiomeric resolution on molecularly imprinted polymers prepared with only non-covalent and non-ionic interactions 516(1990)313
- Andersson, L. I., O'Shannessy, D. J. and Mosbach, K.
Molecular recognition in synthetic polymers: preparation of chiral stationary phases by molecular imprinting of amino acid amides 513(1990)167
- Andrade, J. D., see Lin, J.-N. 542(1991)41
- Andreev, V., see Kovacheva, E. 509(1990)79
- Andrés, M. D., Cañas, B., Izquierdo, R. C., Polo, L. M. and Alarcón, P.
Transient changes of mobile phase in the high-performance liquid chromatographic separation of priority pollutant phenols 507(1990)399
- Andresen, A. T., see Thanh, H. H. 532(1990)363
- Andrew, R., see Midgley, J. M. 527(1990)259
- Andriollo, O., Lartigue-Mattei, C., Chabard, J. L., Galmier, M. J., Bargnoux, H., Petit, J., Berger, J. A. and Pognat, J. F.
Assay of *m*-chlorophenylpiperazine in plasma and brain of rat by capillary gas chromatography-mass spectrometry 533(1990)215
- Ang, H. G., Kwik, W. L. and Leong, W. K.
High-performance liquid chromatography of substituted trinuclear osmium carbonyl clusters, Os₃(CO)_{12-n}[P(C₆F₅)₃]_n (*n* = 0, 1, 2) 537(1991)475
- Angal, S., see Deistung, J. 539(1991)485
- Anisimova, I. A., see Ruban, V. F. 520(1990)307
- Anliker, K. S., see Rudy, A. C. 528(1990)395
- Annable, P. L. and Sly, L. A.
Azide determination in protein samples by ion chromatography 546(1991)325
- Annan, R. S., Kim, C. and Martyn, J.
Measurement of D-tubocurarine chloride in human urine using solid-phase extraction and reversed-phase high-performance liquid chromatography with ultraviolet detection 526(1990)228

- Antia, F. D. and Horváth, C.
Dependence of retention on the organic modifier concentration and multicomponent adsorption behavior in reversed-phase chromatography 550(1991)411
- Antonelli, G., see Giacobbe, S. 548(1991)289
- Antonelli, G., see Miraglia, N. 512(1990)123
- Antonopoulos, C. A., see Karamanos, N. K. 503(1990)421
- Antonozzi, I., see Moretti, F. 511(1990)131
- Anttila, M., see Laakso, S. 526(1990)475
- Anttila, M., see Vuorilehto, L. 530(1990)137
- Antus, S., Bauer, R., Gottsegen, A. and Wagner, H.
Enantiomeric separation of racemic pterocarpanes by high-performance liquid chromatography on (+)-poly(triphenylmethyl methacrylate)-coated silica gel 508(1990)212
- Aoi, K., see Azekawa, T. 530(1990)47
- Aoki, N., see Hamano, T. 541(1991)265
- Aomura, Y., see Ogino, I. 541(1991)75
- Applequist, S., see Hudson, M. K. 513(1990)21
- Apps, P. J.
High-precision sampling of trace gas-borne volatiles by the dynamic solvent effect with a comparative review of alternative techniques 504(1990)21
- Apps, P. J.
High-precision sampling of sub-nanogram, low-parts-per-billion solutes from liquids using the dynamic solvent effect 511(1990)271
- Apud, J. A. and Ito, Y.
Semi-preparative purification of an endogenous ligand for brain serotonin-2 receptors by coil planet centrifuge counter-current chromatography 538(1991)177
- Arakawa, S., see Kojima, K. 525(1990)210
- Arakawa, S., see Kurono, M. 532(1990)175
- Araki, H., see Yoshioka, M. 515(1990)205
- Araki, T., Kuramoto, M. and Torikata, T.
Peptide separation by gel filtration high-performance liquid chromatography using a gradient elution system 545(1991)183
- Araki, T., see Kimata, K. 515(1990)73
- Araki, T., see Tanaka, N. 535(1990)13
- Araki, T., see Tanaka, N. 544(1991)319
- Araki, T., see Tanaka, N. 549(1991)29
- Araki, Y., see Gomita, Y. 528(1990)509
- Aran, J. M., Canela, E. I. and Franco, R.
Preparative purification of adenosine deaminase from human erythrocytes by affinity chromatography 532(1990)75
- Arancibia, E. L., see Castells, R. C. 504(1990)45
- Arányi, P., see Patthy, M. 523(1990)201
- Arar, E. J. and Pfaff, J. D.
Determination of dissolved hexavalent chromium in industrial wastewater effluents by ion chromatography and post-column derivatization with diphenylcarbazine 546(1991)335
- Arashidani, K., see Yoshikawa, M. 532(1990)155
- Aratskova, A. A., see Hradil, J. 509(1990)369
- Aravagiri, M., Marder, S. R. and Van Putten, T.
Determination of plasma homovanillic acid by column liquid chromatography with electrochemical detection 525(1990)419
- Archambault, J., see Chauret, N. 519(1990)99
- Argoudelis, C. J.
Simple-isocratic high-performance liquid chromatographic method for measuring pyridoxine kinase activity in crude biological extracts 526(1990)25
- Arimoto, H., see Gamoh, K. 515(1990)227
- Armstrong, D. W., Chang, C.-D. and Lee, S. H.
(*R*- and (*S*-Naphthylethylcarbamate-substituted β -cyclodextrin bonded stationary phases for the reversed-phase liquid chromatographic separation of enantiomers 539(1991)83
- Armstrong, D. W. and Jin, H. L.
Acylation effects on chiral recognition of racemic amines and alcohols by new polar and non-polar cyclodextrin derivative gas chromatographic phases 502(1990)154
- Armstrong, D. W., see Li, W.-Y. 509(1990)303
- Armstrong, D. W., see Stalcup, A. M. 513(1990)181
- Armstrong, D. W., see Stalcup, A. M. 540(1991)113
- Armstrong, L. G., see Susic, M. 502(1990)443
- Arnason, J. T., see Xie, Y. S. 543(1991)389
- Arnold, F. H., see Wuenschell, G. E. 543(1991)345
- Arora, R., see Batta, A. K. 542(1991)184
- Arrendale, R. F., Stewart, J. T. and Martin, R. M.
Effects of the pre-column in automated on-column injection capillary gas chromatography 518(1990)307
- Arrigoni-Martelli, E., see Bruno, G. 504(1990)319
- Arrigoni Martelli, E., see Marzo, A. 507(1990)235
- Arrigoni Martelli, E., see Marzo, A. 507(1990)241
- Arrigoni Martelli, E., see Marzo, A. 527(1990)247
- Arrigoni Martelli, E., see Marzo, A. 535(1990)255
- Arrigoni Martelli, E., see Marzo, A. 536(1991)327

- Artigot, M., see Ramis, I. 532(1990)217
- Arvidsson, E., Jansson, S. O. and Schill, G.
Chiral separations of atropine and homatropine on an α_1 -acid glycoprotein-bonded stationary phase 506(1990)579
- Asada, A., see Abe, J. 526(1990)562
- Asai, S., see Imamura, Y. 526(1990)282
- Asakawa, N., Ohe, H., Tsuno, M., Nezu, Y., Yoshida, Y. and Sato, T.
Liquid chromatography-mass spectrometry system using column-switching techniques 541(1991)231
- Asakawa, N., see Miwa, T. 511(1990)89
- Asakawa, N., see Oda, Y. 541(1991)411
- Asami, A., see Takeda, S. 530(1990)447
- Ascah, T. L. and Feibush, B.
Novel, highly deactivated reversed-phase for basic compounds 506(1990)357
- Ash, S., see Rustum, A. M. 514(1990)209
- Ashraf-Khorassani, M., see Shah, S. 505(1990)293
- Asmudsdottir, A. M., see Torsi, G. 518(1990)135
- Asplund, L., see Haglund, P. 507(1990)389
- Assmann, B. and Haas, H. J.
Determination of creatinine-related urinary uracil excretion in children by high-performance liquid chromatography 525(1990)277
- Astephen, N. E., see Warren, W. 512(1990)13
- Asunción, M., see Escribano, J. 512(1990)255
- Asztemborska, M., see Ochocka, R. J. 543(1991)171
- Asztemborska, M., see Sybilska, D. 543(1991)397
- Atkinson, J., see Xie, Y. S. 543(1991)389
- Atkinson, S. A., see McPhee, M. D. 527(1990)41
- Atkinson, T., see Edwardson, P. A. D. 545(1991)79
- Aubel, M. T., Pesek, J. J. and Guiochon, G.
Characterization of an adamantyl-modified silica used as a stationary phase in high-performance liquid chromatography 514(1990)11
- Aubert, M.-C., see Lee, C. R. 539(1991)55
- Auboiron, S., Bauchart, D. and David, L.
Separation and determination of polyether carboxylic antibiotics from *Streptomyces hygroscopicus* NRRL B 1865 by thin-layer chromatography with flame ionization detection 547(1991)411
- Aucoin, D. P., see Amiss, T. J. 526(1990)375
- Auf der Mauer, A., see McLeod, A. N. 502(1990)325
- August, T. F., see Titus, D. C. 534(1990)87
- Ault, Jr., J. M., see Riley, C. M. 531(1990)295
- Aune, O., see Ellingsen, T. 535(1990)147
- Auriola, S., see Vainiotalo, P. 547(1991)367
- Ausili, A., see Di Muccio, A. 513(1990)333
- Austin, D., Koziol, T., Woolf, E. and Espinosa-Crouch, G.
Normal-phase high-performance liquid chromatographic procedure for the determination of diprafenone in plasma 527(1990)182
- Avgerinos, A. and Malamataris, S.
High-performance liquid chromatographic determination of niflumic acid in human plasma and urine 533(1990)271
- Aweeka, F. T., see Hassanzadeh, M. K. 525(1990)133
- Awni, W. M., see Maloney, J. A. 526(1990)487
- Ayyangar, N. R., Bhide, S. R. and Kalkote, U. R.
Assay of semi-synthetic codeine base with simultaneous determination of α -codeimethine and O⁶-codeine methyl ether as by-product impurities by high-performance liquid chromatography 519(1990)250
- Ayyangar, N. R., Biswas, S. S. and Tambe, A. S.
Separation of opium alkaloids by thin-layer chromatography combined with flame ionization detection using the peak pyrolysis method 547(1991)538
- Ayyangar, N. R., Tambe, A. S. and Biswas, S. S.
Crown ethers as stationary phases in gas chromatography. Comparison between dibenzo-18-crown-6, dibenzo-24-crown-8 and dicyclohexano-24-crown-8 with respect to polarity, selectivity and stability 543(1991)179
- Azekawa, T., Sano, A., Aoi, K., Sei, H. and Morita, Y.
Concurrent on-line sampling of melatonin in pineal microdialysates from conscious rat and its analysis by high-performance liquid chromatography with electrochemical detection 530(1990)47
- Azumaya, C. T.
Sensitive liquid chromatographic method for the determination of hydrochlorothiazide in human plasma 532(1990)168

B

- Baars, A. M., see Vree, T. B. 526(1990)581
- Baba, S., Akira, K. and Seyama, Y.
Use of radio-gas chromatography and tritium label to optimize derivatization procedures 530(1990)1
- Baba, S., see Shinohara, Y. 525(1990)93
- Baba, Y. and Kura, G.
Computer-assisted retention prediction system for inorganic cyclic polyphosphates and its application to optimization of gradients in anion-exchange chromatography 550(1991)5
- Baba, Y., Tshuhako, M. and Yoza, N.
Rapid and sensitive determination of nucleoside H-phosphonates and inorganic H-phosphonates by high-performance liquid chromatography coupled with flow-injection analysis 507(1990)103
- Babashak, J. V., see Phillips, T. M. 512(1990)387
- Babják, M., see Gazdag, M. 550(1991)639
- Bächmann, K., see Lohleit, M. 505(1990)227
- Bacolod, M. D. and El Rassi, Z.
High-performance metal chelate interaction chromatography of proteins with silica-bound ethylenediamine-N,N'-diacetic acid 512(1990)237
- Badcock, N. R.
Micro-scale method for itraconazole in plasma by reversed-phase high-performance liquid chromatography 525(1990)478
- Badet, J., see Jacquot Dourges, M. A. 526(1990)35
- Baeyens, W., see Xianren, Q. 514(1990)362
- Baeyens, W. R. G., see Lin Ling, B. 502(1990)230
- Baeyens, W. R. G., see Lin Ling, B. 514(1990)189
- Bagheri, H. and Creaser, C. S.
Determination of carbaryl and 1-naphthol in English apples and strawberries by combined gas chromatography-fluorescence spectrometry 547(1991)345
- Bagnati, R. and Fanelli, R.
Determination of 19-nortestosterone, testosterone and trenbolone by gas chromatography-negative-ion mass spectrometry after formation of the pentafluorobenzylcarboxymethoxime-trimethylsilyl derivatives 547(1991)325
- Bagnati, R., Grazia Castelli, M., Airoldi, L., Paleologo Oriundi, M., Ubaldi, A. and Fanelli, R.
Analysis of diethylstilbestrol, dienestrol and hexestrol in biological samples by immunoaffinity extraction and gas chromatography-negative-ion chemical ionization mass spectrometry 527(1990)267
- Baier, G., Wollensak, G., Mur, E., Redl, B., Stöffler, G. and Göttinger, W.
Analysis of human tear proteins by different high-performance liquid chromatographic techniques 525(1990)319
- Bailey, A. J., Dutta, P. K., Shanley, M. S. and O'Donovan, G. A.
Characterization of temperature-sensitive cytidine triphosphate synthase mutations in bacteria by high-performance liquid chromatography 512(1990)403
- Bailey, B., see Stein, T. A. 507(1990)259
- Bailey, R. and Cassidy, R. M.
Charged surface and mass transfer in dynamic ion exchangers 546(1991)17
- Bailey, R. G., Nursten, H. E. and McDowell, I.
Comparative study of the reversed-phase high-performance liquid chromatography of black tea liquors with special reference to the thearubigins 542(1991)115
- Baillet, A., Rakotomanga, S., Ferrier, D. and Pellerin, F.
Application de la dérivation par l'isocyanate de phényle à l'analyse chromatographique de molécules phénoliques (antioxydants) 519(1990)337
- Baillet, A. E., see Taverna, M. 514(1990)70
- Baillet, A. E., see Yagoubi, N. 522(1990)131
- Bailon, P., see Weber, D. V. 510(1990)59
- Bakthavachalam, J., Abdel-Baky, S. and Giese, R. W.
Release of 2-aminofluorene from N-(deoxyguanosin-8-yl)-2-aminofluorene by hydrazinolysis 538(1991)447
- Baldacini, O., Green, G. A., Girardot, R., Rihn, B. and Monteil, H.
Fast purification of *Clostridium sordellii* cytotoxin 528(1990)357
- Baldock, G. A., Brodie, R. R., Chasseaud, L. F. and Taylor, T.
Determination of benzydamine and its N-oxide in biological fluids by high-performance liquid chromatography 529(1990)113
- Baldonado, I. P., see Canova-Davis, E. 508(1990)81
- Baldwin, R. P., see Prabhu, S. V. 503(1990)227
- Balhorn, R., see Stacks, P. C. 528(1990)25
- Balis, F. M., see Carpen, M. E. 526(1990)69

- Balis, F. M., see Hawkins, M. E. 532(1990)442
- Balla, J., see Nagy, L. 520(1990)213
- Balla, T., see Patthy, M. 523(1990)201
- Ballesteros, E., Gallego, M. and Valcárcel, M.
Gas chromatographic determination of phenol compounds with automatic continuous extraction and derivatization 518(1990)59
- Balschukat, D. and Kress, E.
Use of column switching for the determination of niacinamide in compound feed 502(1990)79
- Balu, K., see Rustum, A. M. 514(1990)209
- Balyatinskaya, L. N., Anashkina, A. A., Milyaev, Y. F., Kluchnikova, N. V., Garkavaya, N. N. and Sverguzova, S. V.
Headspace analysis of polar compounds in air 509(1990)107
- Bamberger, Y., see Woolfson-Bartfeld, D. 517(1990)305
- Bamonte, F., see Dionisotti, S. 530(1990)458
- Banghman, S., see Van den Berg, G. A. 550(1991)239
- Banks, M. C., see Huber, R. 529(1990)389
- Banno, K., Matsuoka, M., Horimoto, S. and Kato, J.
Simultaneous determination of pantothenic acid and hopantenic acid in biological samples and natural products by gas chromatography-mass fragmentography 525(1990)255
- Bantjes, A., see Te Booy, M. P. W. M. 503(1990)103
- Bao, Z. and Yang, S. K.
Liquid chromatographic separation of isomeric phenanthrols on monomeric and polymeric C₁₈ columns 536(1991)245
- Barbaro, A. M., see Biagi, G. L. 504(1990)163
- Barbaro, A. M., see Biagi, G. L. 547(1991)523
- Barbhaiya, R. H., see Knupp, C. A. 533(1990)282
- Barbier, C., see Said, R. 530(1990)11
- Barceló, D., see Durand, G. 502(1990)275
- Barcelon, F. S., see Shayman, J. A. 528(1990)143
- Bard, M., see Goss, T. A. 508(1990)279
- Barenton, B., see Straczek, J. 533(1990)35
- Barford, R., see Unruh, J. 519(1990)179
- Bargnoux, H., see Andriollo, O. 533(1990)215
- Bargnoux, H., see Lartigue-Mattei, C. 529(1990)93
- Bargossi, A. M., see Grossi, G. 541(1991)273
- Barinaga, C. J., see Smith, R. D. 516(1990)157
- Barker, S. A., see Long, A. R. 502(1990)87
- Barker, S. A., see Long, A. R. 505(1990)395
- Barlow, R. D., see Parviainen, M. T. 525(1990)193
- Barnhart, E. R., see Terabe, S. 516(1990)23
- Barr, S. W., see Skelly, N. E. 535(1990)199
- Barra, D., see Simmaco, M. 504(1990)129
- Barritault, D., see Jacquot-Dourges, M. A. 510(1990)141
- Barritault, D., see Jacquot Dourges, M. A. 526(1990)35
- Barros, A. M. V., see Gigante, B. 549(1991)217
- Barry, E. F., see Colón, L. A. 513(1990)159
- Barsuhn, K. and Kotarski, S. F.
Ion chromatographic methods for the detection of starch hydrolysis products in ruminal digesta 546(1991)273
- Bartels, R. and Bock, L.
Improved methods for the purification of enzymes of the folate pathway in *Escherichia coli*. I. Chromatographic methods 523(1990)53
- Barter, P., see Meyer, B. 540(1991)386
- Barth, T., see Heping, W. 519(1990)244
- Bartha, Á. and Ståhlberg, J.
Retention prediction based on the electrostatic model of reversed-phase ion-pair high-performance liquid chromatography: effect of pairing ion concentration 535(1990)181
- Bartha, A., Vigh, G. and Ståhlberg, J.
Extension of the electrostatic retention model of reversed-phase ion-pair chromatography to include the simultaneous effects of the organic modifier and the pairing ion 506(1990)85
- Bartha, Á., see Schoenmakers, P. J. 550(1991)425
- Bartholdi, C. S., see Gatrone, R. C. 516(1990)395
- Bartle, K. D.
Chromatography/Fourier transform infrared spectroscopy and its applications (by R. White) (Book Review) 522(1990)344
- Bartle, K.D., Clifford, A.A., Jafar, S.A., Kithinji, J.P. and Shilstone, G.F.
Use of chromatographic retention measurements to obtain solubilities in a liquid or supercritical fluid mobile phase 517(1990)459
- Bartle, K. D., see Raynor, M. W. 505(1990)179
- Bartsch, G., see Oefner, P. 516(1990)251
- Basci, N. E., Bozkurt, A., Kayaalp, S. O. and Isimer, A.
Comparison of colorimetric and high-performance liquid chromatographic determination of sulphamethoxazole and acetylsulphamethoxazole 527(1990)174
- Basheer, H. M., see Al-Ammar, A. S. 537(1991)287

- Basiuk, V. A. and Chuiko, A. A.
Gas-phase synthesis, properties and some applications of acylamide stationary phases for high-performance liquid chromatography 521(1990)29
- Báthori, M., see Kalász, H. 520(1990)287
- Batsford, S. R., see Gondolf, K. B. 521(1990)325
- Batta, A. K., Salen, G., Arora, R., Shefer, S. and Batta, M.
High-performance liquid chromatographic separation of bile acids and bile alcohols diastereoisomeric at C-25 542(1991)184
- Batta, M., see Batta, A. K. 542(1991)184
- Batten, C.F., see Wentworth, W.E. 517(1990)87
- Bauchart, D., see Auboiron, S. 547(1991)411
- Bauer, H., see Grübler, G. 512(1990)249
- Bauer, J. F., Howard, S. and Schmidt, A.
High-performance liquid chromatographic determination of several quinolone antibacterials in medicated fish feed 514(1990)348
- Bauer, R., Breu, W., Wagner, H. and Weigand, W.
Enantiomeric separation of racemic thiosulphinat esters by high-performance liquid chromatography 541(1991)464
- Bauer, R., see Antus, S. 508(1990)212
- Bautz, D. E., Dolan, J. W. and Snyder, L. R.
Computer simulation as an aid in method development for gas chromatography. I. The accurate prediction of separation as a function of experimental conditions 541(1991)1
- Bautz, D. E., see Dolan, J. W. 541(1991)21
- Bautz, D. E., see Snyder, L. R. 541(1991)35
- Bayer, E., see Albert, K. 544(1991)345
- Bayer, E., see Buszewski, B. 520(1990)237
- Bayer, E., see Ilg, M. 517(1990)263
- Bayer, E., see Lai, G. 540(1991)217
- Bayer, E., see Pfeleiderer, B. 506(1990)343
- Bayer, E. A. and Wilchek, M.
Application of avidin-biotin technology to affinity-based separations (Review) 510(1990)3
- Baylocq, D., see Yagoubi, N. 522(1990)131
- Baylocq-Ferrier, D., see Taverna, M. 514(1990)70
- Bayne, W. F., see Kline, W. F. 534(1990)139
- Bayne, W. F., see Matuszewski, B. K. 526(1990)461
- Bayne, W. F., see Titus, D. C. 534(1990)87
- Beach, R. E., see Gayden, R. H. 536(1991)265
- Bean, R. M., see Harvey, S. D. 518(1990)361
- Beaver, L. G., see Danielson, N. D. 544(1991)187
- Becerra, M. R., Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J. A. and Santiuste, J. M.
Evaluation of the effect of the cyanopropyl radical on the interaction of the methylene group with silicone stationary phases 547(1991)269
- Bechalany, A., Tsantili-Kakoulidou, A., El Tayar, N. and Testa, B.
Measurement of lipophilicity indices by reversed-phase high-performance liquid chromatography: comparison of two stationary phases and various eluents 541(1991)221
- Bechtel, T. P., see MacKichan, J. J. 532(1990)424
- Becker, H., see Gorshkov, A. V. 523(1990)91
- Becker, J. F., see Valentin, J. R. 518(1990)199
- Beckers, J. L. and Everaerts, F. M.
Isotachopheresis with two leading ions and migration behaviour in capillary zone electrophoresis. I. Isotachopheresis with two leading ions 508(1990)3
- Beckers, J. L. and Everaerts, F. M.
Isotachopheresis with two leading ions and migration behaviour in capillary zone electrophoresis. II. Migration behaviour in capillary zone electrophoresis 508(1990)19
- Beckers, J. L., Everaerts, F. M. and Ackermans, M. T.
Determination of absolute mobilities, pK values and separation numbers by capillary zone electrophoresis. Effective mobility as a parameter for screening 537(1991)407
- Beckers, J. L., Everaerts, F. M. and Ackermans, M. T.
Isotachopheresis with electroosmotic flow: open *versus* closed systems 537(1991)429
- Beckers, J. L., see Ackermans, M. T. 545(1991)283
- Beckers, J. L., see Ackermans, M. T. 549(1991)345
- Beckett, R., Hotchin, D. M. and Hart, B. T.
Use of field-flow fractionation to study pollutant-colloid interactions 517(1990)435
- Becmer, G. H., see Bjorksten, A. R. 533(1990)241
- Behrens, R., see Taylor, R. B. 527(1990)490
- Beijnen, J. H., see Van Tellingen, O. 529(1990)135
- Beijnen, J. H., see Van Tellingen, O. 529(1990)329
- Beiraghi, A., see Blessington, B. 522(1990)195
- Beissmann, B. and Reisener, H. J.
Isolation and purity determination of a glycoprotein elicitor from wheat stem rust by medium-pressure liquid chromatography 521(1990)187

- Belcher, H. J. C. R., see Dawson, C. M. 534(1990)267
- Belen'kii, B. G., see Ruban, V. F. 520(1990)307
- Belew, M. and Porath, J.
Immobilized metal ion affinity chromatography. Effect of solute structure, ligand density and salt concentration on the retention of peptides 516(1990)333
- Belfer, A. G., see Dubrova, M. A. 520(1990)169
- Bell, R. G.
Cation analysis of fermentation broth by high-performance liquid chromatography utilizing ion interaction 546(1991)251
- Bell-Alden, B., see Phillips, D. J. 536(1991)95
- Belleville, F., see Straczek, J. 532(1990)237
- Belleville, F., see Straczek, J. 533(1990)35
- Bellhouse, B. J., see Unarska, M. 519(1990)53
- Belliardo, F., Chiantore, O., Berek, D., Novák, I. and Lucarelli, C.
Development and use of carbon adsorbents in the liquid chromatographic separation of isomers 506(1990)371
- Belliardo, F. and Lucarelli, C.
Micro-scale liquid chromatographic method for the determination of bamifylline and its major metabolite in human plasma 535(1990)305
- Belliardo, F., see Lucarelli, C. 511(1990)167
- Below, E., see Thede, R. 520(1990)109
- Beltrand, M.-J., see Dandeu, J.-P. 512(1990)177
- Belyakova, L. D., see Hradil, J. 509(1990)369
- Bemgård, A. and Blomberg, L.
Influence of adsorption at the gas-liquid interface on the determination of gas chromatographic retention indices on open-tubular columns coated with cyanosilicones 502(1990)1
- Bemgård, A., see Beving, H. 532(1990)45
- Bemgård, A. K. and Colmsjö, A. L.
Gas chromatographic methods for the assessment of binary diffusion coefficients for compounds in the gas phase 522(1990)277
- Benak, H., see Coenegracht, P. M. J. 550(1991)397
- Benakis, A., see Schopfer, C. 526(1990)223
- Benassi, C. A., Semenzato, A., Zaccaria, F. and Bettero, A.
High-performance liquid chromatographic determination of free formaldehyde in cosmetics preserved with Dowicil 200 502(1990)193
- Benassi, C. A., see Bettero, A. 507(1990)403
- Benckekroun, Y., Desage, M., Ribon, B. and Brazier, J. L.
Gas chromatographic-mass spectrometric quantitation of tri-, di- and monomethylxanthines and uric acids from hepatocyte incubation media 532(1990)261
- Benedict, C. R., see Gayden, R. H. 536(1991)265
- Beneken Kolmer, E. W. J., see Vree, T. B. 526(1990)119
- Benet, L. Z., see Volland, C. 534(1990)127
- Benkő, S. and Lengyel, J.
Determination of N-(3-nitro-4-quinoline)-morpholino-4-carboxamide in plasma by high-performance liquid chromatography 520(1990)379
- Bennett, T. L., see Wiley, D. M. 533(1990)73
- Benowitz, N. L., see Zhang, Y. 525(1990)349
- Bentrop, D., Warren, Jr., F. V., Schmitz, S. and Bidlingmeyer, B. A.
Analysis of carbamazepine in serum by liquid chromatography with direct sample injection and surfactant-containing eluents 535(1990)293
- Benvenuti, S., see Vampa, G. 543(1991)479
- Benzi, L., Cecchetti, P., Ciccarone, A. M., Di Cianni, G., Iozzi, L. C., Caricato, F. and Navalesi, R.
Insulin degradation *in vivo*: a high-performance liquid chromatographic analysis 534(1990)37
- Berahia, T., see Gaydou, E. M. 549(1991)440
- Berdasco, J. A., see Cutié, S. S. 513(1990)93
- Berdichevsky, A. L. and Neue, U. D.
Nature of the eddy dispersion in packed beds 535(1990)189
- Berek, D., see Belliardo, F. 506(1990)371
- Beresten, S. F., see Wolfson, A. D. 503(1990)277
- Berezkin, V. G., Gavrichev, V. S. and Voloshina, N. V.
Chromatographic characteristics of capillary packed columns with increased pressure drop 520(1990)91
- Berezkin, V. G., Shukurova, K. N., Alishoev, V. R., Sorokina, E. Y., Shaligin, F. G. and Gavrichev, V. S.
Sorbents with cross-linked polysiloxane phases for gas-liquid chromatography with packed columns 509(1990)85
- Berezkin, V. G., see Gavrichev, V. S. 509(1990)59
- Berezkina, L. G., Souhodolova, V. I., Melnikova, S. V. and Saricheva, E. A.
Investigation of phase transitions in the $\text{CaSO}_4(\text{s})-\text{H}_2\text{O}(\text{g})$ system by chromatographic methods 520(1990)157
- Berg, B. E., see Greibrokk, T. 505(1990)283
- Berger, A., see Lie Ken Jie, M. S. F. 543(1991)257
- Berger, C. and Perrut, M.
Preparative supercritical fluid chromatography (Review) 505(1990)37
- Berger, J. A., see Andriollo, O. 533(1990)215
- Berger, J. A., see Lartigue-Mattei, C. 529(1990)93

- Berger, M., see Wagner, J. R. 504(1990)191
- Berger, R. G., see Lie Ken Jie, M. S. F. 543(1991)257
- Berger, T. A. and Deye, J. F.
Role of additives in packed column supercritical fluid chromatography: suppression of solute ionization 547(1991)377
- Bergh, J. J., Breytenbach, J. C. and Du Preez, J. L.
High-performance liquid chromatographic analysis of trimethoprim in the presence of its degradation products 513(1990)392
- Berland, Y. F., see Gallice, P. M. 539(1991)449
- Bermejo, J., see Diez, M. A. 508(1990)363
- Bernad, P., see Blanco, C. G. 539(1991)157
- Bernard, D., Moyret, C. and Maurizis, J. C.
Purification on poly(U)-Sephacrose 4B of human breast cancer cell line T-47D DNA polymerases 539(1991)511
- Berndt, W. G., see Ackland, C. E. 540(1991)187
- Bernier, A., see Veeraragavan, K. 541(1991)207
- Berrini, A., Borromeo, V. and Secchi, C.
Purification to homogeneity of bovine prolactin by high-performance ion-exchange chromatography 547(1991)457
- Berry, D. J.
Determination of zonisamide (3-sulphamoylmethyl-1,2-benzisoxazole) in plasma at therapeutic concentrations by high-performance liquid chromatography 534(1990)173
- Berthelot, P., see Vaccher, C. 542(1991)502
- Berthod, A.
Silica: backbone material of liquid chromatographic column packings (Review) 549(1991)1
- Berthod, A.
Practical approach to high-speed counter-current chromatography 550(1991)677
- Berthod, A., Glick, M. and Winefordner, J. D.
Sensitive, indirect photometric detector for high-performance liquid chromatography using a light-emitting diode 502(1990)305
- Berthod, A., see Campiglia, A. D. 508(1990)37
- Bertoloso, A. M., see Montecucchi, P. C. 512(1990)139
- Bertolo, P. L., see Gennaro, M. C. 509(1990)147
- Bertolo, P. L., see Gennaro, M. C. 518(1990)149
- Bertonio, G., Canepari, S., Rotatori, M., Fratarcangeli, R. and Liberti, A.
Evaluation tests and applications of a double-layer tube-type passive sampler 522(1990)285
- Bertrand, O., see Algiman, E. 510(1990)165
- Bertsch, W., see Brill, J. H. 517(1990)95
- Bertucci, C., Domenici, E., Uccello-Barretta, G. and Salvadori, P.
High-performance liquid chromatographic resolution of racemic 1,4-benzodiazepin-2-ones by means of a β -cyclodextrin silica bonded chiral stationary phase 506(1990)617
- Besenfelder, E., see Niebch, G. 534(1990)247
- Besner, J. G., see Varin, F. 529(1990)319
- Bessemis, G. J. H., Bours, J., Hofmann, D. and Födisch, H. J.
Molecular mass distribution of water-soluble crystallins from the human foetal lens during development 529(1990)277
- Betnér, I., see Gustavsson, B. 507(1990)67
- Bettero, A., Semenzato, A. and Benassi, C. A.
Reversed-phase high-performance liquid chromatography applied to the direct analysis of untreated heterophasic systems 507(1990)403
- Bettero, A., see Benassi, C. A. 502(1990)193
- Betti, A., Lodi, G. and Coppi, S.
Separation and determination of acidic herbicides on a PRP-1 polymeric column 513(1990)219
- Betti, A., see Lodi, G. 545(1991)214
- Betti, M. and Cavalli, S.
Determination of trace elements by ion chromatography. I. Beryllium 538(1991)365
- Betti, M., Giovannoni, G., Onor, M. and Papoff, P.
Optimization of the procedure for the determination of alkali and alkaline-earth elements in sea water by suppressed ion chromatography 546(1991)259
- Betto, P., see Lucarelli, C. 511(1990)167
- Betto, P., see Lucarelli, C. 541(1991)285
- Betts, T. J.
Implications of solvent selectivity triangles in assessing stationary phases for gas chromatography 504(1990)186
- Betts, T. J.
Chromatographic evaluation of boldine and associated alkaloids in Boldo 511(1990)373
- Betts, T. J.
Possible value of a liquid crystal stationary phase for the gas chromatographic study of aromatic constituents of essential oils 513(1990)311
- Betts, T. J., Moir, C. M. and Tassone, A. I.
Use of a liquid crystal stationary phase at temperatures below its melting point for the gas chromatographic study of some volatile oil constituents 547(1991)335
- Beugeling, T., see Te Booy, M. P. W. M. 503(1990)103
- Beutler, J. A., see Schaufelberger, D. E. 538(1991)87

- Beving, H., Olsson, U., Bengård, A., Kristensson, J., Palmborg, J. and Sollenberg, J.
High-performance liquid chromatographic analysis of hippuric acid in human blood plasma 532(1990)45
- Beyne, P., Doute, M., Lacour, B., Lederer, F. and Pays, M.
Simple and rapid method for the purification of human apolipoprotein C II by reversed-phase high-performance liquid chromatography 527(1990)140
- Bezard, J., see Maniongui, C. 543(1991)81
- Bézard, J. A., see Semporé, B. G. 547(1991)89
- Bezuidenhout, H. S., see Jones, E. A. 537(1991)277
- Bhalerao, N. V., see Ghatge, B. B. 549(1991)423
- Bhamra, R. K., see Eastwood, R. J. 530(1990)463
- Bhamra, R. K., see Eastwood, R. J. 532(1990)187
- Bhatnagar, M., see Ito, Y. 538(1991)59
- Bhatnagar, M., see Kitazume, E. 538(1991)133
- Bhattacharyya, L. and Brewer, C. F.
Isoelectric focusing studies of concanavalin A and the lentil lectin 502(1990)131
- Bhave, M. R., see Deshpande, M. V. 540(1991)397
- Bhide, S. R., see Ayyangar, N. R. 519(1990)250
- Bhide, S. V., see Sawhney, S. Y. 503(1990)272
- Bhoolia, D. and Manchester, K. L.
Separation of ribosomal subunits on Trisacryl GF 2000 545(1991)196
- Bhushana Rao, K. S. P., see Van Tellingén, O. 529(1990)329
- Biagi, G. L., Barbaro, A. M., Guerra, M. C., Borea, P. A. and Recanatini, M.
Lipophilic character of cardiac glycosides. R_M values as lipophilicity parameters 504(1990)163
- Biagi, G. L., Guerra, M. C., Barbaro, A. M., Sapone, A. and Recanatini, M.
Lipophilic character of cardiac glycosides: correlation between R_M values and acute toxicity data in different animal species. 547(1991)523
- Bianchetti, G., see Guinebault, P. 507(1990)221
- Bianchetti, G., see Guinebault, P. 525(1990)359
- Bianchi, A. P., Varney, M. S. and Phillips, J.
Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography-mass spectrometry 542(1991)413
- Bianchi, F., Rousseaux-Prevost, R., Sautière, P. and Rousseaux, J.
Fractionation of basic nuclear proteins of human sperm by zinc chelate affinity chromatography 518(1990)123
- Bianchini, J.-P., see Gaydou, E. M. 549(1991)440
- Bianco, O., see Petrarulo, M. 511(1990)223
- Bianco, O., see Petrarulo, M. 532(1990)130
- Bicchi, C. and Pisciotta, A.
Use of two-dimensional gas chromatography in the direct enantiomer separation of chiral essential oil components 508(1990)341
- Bidlingmeyer, B. A., see Bentrop, D. 535(1990)293
- Bidló-Iglóy, M.
Application of sodium lauryl sulphate ion-pairing reversed-phase high-performance liquid chromatography in the separation of some isomeric and other closely related basic compounds in pharmaceutical analysis 520(1990)367
- Bieganowska, M. L., Petruczynik, A. and Gadzikowska, M.
Retention of some organic electrolytes in ion-pair reversed-phase high-performance liquid and reversed-phase high-performance thin-layer chromatographic systems 520(1990)403
- Biernat, J. F., see Konieczka, P. 540(1991)449
- Bigelow, J. C., Chrin, L. R., Mathews, L. A. and McCormack, J. J.
High-performance liquid chromatographic analysis of phosphorothioate analogues of oligodeoxynucleotides in biological fluids 533(1990)133
- Bighi, C., see Pietrogrande, M. C. 522(1990)37
- Bilic, N.
Assay for both ascorbic and dehydroascorbic acid in dairy foods by high-performance liquid chromatography using precolumn derivatization with methoxy- and ethoxy-1,2-phenylenediamine 543(1991)367
- Bilic, N. and Sieber, R.
Determination of flavins in dairy products by high-performance liquid chromatography using sorboflavin as internal standard 511(1990)359
- Billedeau, S. M., Holder, C. L. and Getek, T. A.
High-performance liquid chromatography of the antihistamine pyrilamine and its N-oxide using electrochemical detection 534(1990)151
- Billiet, H. A. H., see Schoenmakers, P. J. 550(1991)425
- Binder, C., see Linde, S. 548(1991)371
- Binder, F., see Thormann, W. 545(1991)445
- Binder, S. R., Adams, A. K., Regalia, M., Essien, H. and Rosenblum, R.
Standardization of a multi-wavelength UV detector for liquid chromatography-based toxicological analysis 550(1991)449

- Binger, M. and Workman, P.
Gradient high-performance liquid chromatographic assay for the determination of the novel indoloquinone antitumour agent E09 in biological specimens 532(1990)321
- Binnendijk, G. M., Aerts, M. M. L., Keukens, H. J. and Brinkman, U. A. T.
Optimization and ruggedness testing of the determination of residues of carbadox and metabolites in products of animal origin. Stability studies in animal tissues 541(1991)401
- Biondi, P. A., Ceciliani, F., Gandini, C. and Lucarelli, C.
Modified high-performance liquid chromatographic determination of diamine oxidase activity in plasma 507(1990)333
- Birarelli, M., see Moretti, F. 511(1990)131
- Birkenmeier, G., Vijayalakshmi, M. A., Stigbrand, T. and Kopperschläger, G.
Immobilized metal ion affinity partitioning, a method combining metal-protein interaction and partitioning of proteins in aqueous two-phase systems 539(1991)267
- Birks, J. W., see Aichinger, I. 523(1990)163
- Biro, E., see Nagy, L. 520(1990)213
- Bisswanger, H., see Maas, E. 521(1990)169
- Biswas, M., see Lookabaugh, M. 549(1991)357
- Biswas, S. S., see Ayyangar, N. R. 543(1991)179
- Biswas, S. S., see Ayyangar, N. R. 547(1991)538
- Björk, M., Pettersson, K.-J. and Österlöf, G.
Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples 533(1990)229
- Björklund, H. V.
Analysis of oxolinic acid in fish by high-performance liquid chromatography 530(1990)75
- Bjorksten, A. R., Beemer, G. H. and Crankshaw, D. P.
Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia 533(1990)241
- Bjørn, S. E., see Vinther, A. 516(1990)175
- Blaas, D., see Widhalm, A. 549(1991)446
- Blackwell, J. A. and Carr, P. W.
Study of the fluoride adsorption characteristics of porous microparticulate zirconium oxide 549(1991)43
- Blackwell, J. A. and Carr, P. W.
Fluoride-modified zirconium oxide as a biocompatible stationary phase for high-performance liquid chromatography 549(1991)59
- Blaffert, T., see Mulholland, M. 550(1991)257
- Blagodatskikh, I. V., see Tennikova, T. B. 509(1990)233
- Blanc, T., see Tran, A. D. 516(1990)241
- Blanchard, J. R. T. and Tasker, R. A. R.
High-performance liquid chromatographic assay for domoic acid in serum of different species 526(1990)546
- Blanchard, M., see Straczek, J. 533(1990)35
- Blanchardie, P., see Denis, M. 508(1990)97
- Blanco, C. G., Blanco, J., Bernad, P. and Guillén, M. D.
Capillary gas chromatographic and combined gas chromatography-mass spectrometric study of the volatile fraction of a coal tar pitch using OV-1701 stationary phase 539(1991)157
- Blanco, C. G., see Diez, M. A. 508(1990)363
- Blanco, J., see Blanco, C. G. 539(1991)157
- Blank, M. L., Cress, E. A., Fitzgerald, V. and Snyder, F.
Thin-layer and high-performance liquid chromatographic separation of glycerolipid subclasses as benzoates. Derivatives of ether and ester analogues of phosphatidylcholine, phosphatidylethanolamine and platelet activating factor 508(1990)382
- Blanz, J., Rosenfeld, C., Proksch, B., Ehninger, G. and Zeller, K.-P.
Quantitation of busulfan in plasma by high-performance liquid chromatography using postcolumn photolysis 532(1990)429
- Blazquez, M. A., Bono, A. and Zafra-Polo, M. C.
Essential oil from *Thymus borgiae*, a new Iberian species of the *Hyphodromi* section 518(1990)230
- Blennow, A. and Johansson, G.
Aqueous two-phase systems with increased density for partition of heavy particles 522(1990)235
- Blessington, B. and Beiraghi, A.
Study of the stereochemistry of ethambutol using chiral liquid chromatography and synthesis 522(1990)195
- Bloemhoff, W., see Welling, G. W. 512(1990)337
- Bloemhoff, W., see Welling, G. W. 548(1991)235
- Blom, H. J., Andersson, H. C., Krasnewich, D. M. and Gahl, W. A.
Pulsed amperometric detection of carbohydrates in lysosomal storage disease fibroblasts: a new screening technique for carbohydrate storage diseases 533(1990)11
- Blomberg, L., see Bemgård, A. 502(1990)1
- Blomberg, L. G., see Demirbükler, M. 550(1991)765

- Boček, P.
 Immobilized pH gradients: theory and methodology (edited by P. G. Righetti) (Book Review) 534(1990)295
- Boček, P., see Dolník, V. 545(1991)249
- Boček, P., see Foret, F. 516(1990)219
- Boček, P., see Křivánková, L. 545(1991)307
- Boček, P., see Sudor, J. 545(1991)331
- Boček, P., see Sustáček, V. 545(1991)239
- Bock, L., see Bartels, R. 523(1990)53
- Böcker, R. H., Preuss, E. and Peter, R.
 High-performance liquid chromatography of the metabolites of nitrendipine and investigation into the metabolic pathways of this dihydropyridine 530(1990)206
- Bodenan, S., Paillet, M. and Christen, M. O.
 Rapid determination of xipamide in human plasma and urine by high-performance liquid chromatography 533(1990)275
- Bodor, N., see Prokai, L. 541(1991)469
- Bodor, N., see Prokai, L. 541(1991)474
- Bodzek, D., see Warzecha, L. 509(1990)227
- Boelsterli, U. A., see Bouis, P. 526(1990)447
- Bogaert, M. G., see Rosseel, M. T. 533(1990)224
- Boismenu, R., see Van Oers, N. S. C. 525(1990)59
- Boison, J. O. K. and Tomlinson, R. H.
 New sensitive method for the examination of the volatile flavor fraction of cabernet sauvignon wines 522(1990)315
- Boissinot, P., see Subra, P. 543(1991)413
- Bökönyi, G., see Szöke, B. 547(1991)121
- Boller, T., see Kasche, V. 510(1990)149
- Bolzacchini, E., Di Gennaro, P., Di Gregorio, G., Rindone, B., Falagiani, P., Mistrello, G. and Sondergaard, I.
 Allergenic fragments in *Parietaria judaica* pollen extract 542(1991)337
- Bolzacchini, E., Di Gennaro, P., Di Gregorio, G., Rindone, B., Falagiani, P., Mistrello, G. and Sondergaard, I.
 Purification of *Phleum pratense* pollen extract by immunoaffinity chromatography and high-performance ion-exchange chromatography 548(1991)229
- Bolzacchini, E., see Sondergaard, I. 512(1990)115
- Bolzoni, L., Careri, M. and Mangia, A.
 Characterization of volatile components in apricot purées by gas chromatography-mass spectrometry 518(1990)221
- Bombardt, P. A., Brewer, J. E., Thomas Jr., R. C. and Koets, M. D.
 Simple, rapid and sensitive high-performance liquid chromatographic procedure for the quantitation of itazigrel in human plasma or serum 527(1990)233
- Bonati, M., see Celardo, A. 527(1990)220
- Bondoux, G., see Jackson, P. E. 546(1991)189
- Boniface, P. J., see Tan, S. T. 532(1990)181
- Boniforti, L., see Zuccaro, P. 525(1990)447
- Bonn, G., see Oefner, P. 516(1990)251
- Bonn, G. K., see Wongyai, S. 536(1991)155
- Bonnaud, F., see Nicot, G. 528(1990)258
- Bonnefous, J. L., see Bouliou, R. 528(1990)542
- Bonner, W. A. and Lee, S. Y.
 Quantitative gas chromatographic analysis of mandelic acid enantiomers 504(1990)287
- Bonnet, J., see Tordjman, C. 532(1990)135
- Bono, A., see Blazquez, M. A. 518(1990)230
- Bonora, A., see Menziani, E. 511(1990)396
- Bontempelli, G., see De Paoli, M. 547(1991)355
- Bonvini, E., see Brando, C. 529(1990)65
- Boone, L. S., see Kirkland, J. J. 517(1990)377
- Boppana, V. K., Miller-Stein, C., Politowski, J. F. and Rhodes, G. R.
 High-performance liquid chromatographic determination of peptides in biological fluids by automated pre-column fluorescence derivatization with fluorescamine 548(1991)319
- Boppana, V. K. and Rhodes, G. R.
 High-performance liquid chromatographic determination of guanidino compounds by automated pre-column fluorescence derivatization 506(1990)279
- Boppana, V. K. and Rhodes, G. R.
 High-performance liquid chromatographic determination of an arginine-containing octapeptide antagonist of vasopressin in human plasma by means of a selective post-column reaction with fluorescence detection 507(1990)79
- Borbe, H. O., see Niebch, G. 534(1990)247
- Borea, P. A., see Biagi, G. L. 504(1990)163
- Borea, P. A., see Pietrogrande, M. C. 522(1990)37
- Borger, F. R., see Munera, M. E. 536(1991)123
- Borgerding, M. F., see Byrd, G. D. 503(1990)359
- Borgerding, M. F., see Nanni, E. J. 505(1990)365
- Borin, G., see Calderan, A. 548(1991)329
- Borisova, V. N., see Alyoshkin, V. A. 520(1990)425
- Borremans, F., see Van den Eeckhout, E. 541(1991)317
- Borromeo, V., see Berrini, A. 547(1991)457
- Borrull, F., see Marcé, R. M. 542(1991)277
- Borsini, F., see D'Aranno, V. 525(1990)234
- Borst, D. W. and Tsukimura, B.
 Quantification of methyl farnesoate levels in hemolymph by high-performance liquid chromatography 545(1991)71

- Borstel, B., see Gross, A. S. 525(1990)183
Bosch, R., see Vree, T. B. 526(1990)119
Boscher, Y., see Durand, J. P. 509(1990)47
Boschetti, E., Girot, P. and Guerrier, L.
Silica-dextran sorbent composites and their
cleaning in place 523(1990)35
Boschetti, E., see Girot, P. 510(1990)213
Boschetti, E., see Hulak, I. 539(1991)355
Bošnjak, N., Mihalić, Z. and Trinajstić, N.
Application of topographic indices to
chromatographic data: calculation of the
retention indices of alkanes 540(1991)430
Bossi, F., see Simmaco, M. 504(1990)129
Böttcher, A., see Josić, D. 516(1990)89
Bottjen, P. L., see Markin, R. S. 525(1990)464
Botz, L., see Nyiredy, S. 523(1990)43
Boudrant, J., see Sentier, L. 547(1991)531
Bouis, P., Taccard, G. and Boelsterli, U. A.
Determination of cocaine and norcocaine in
plasma and cell cultures using high-
performance liquid chromatography
526(1990)447
Boukhabza, A., Lugnier, A. A., Kintz, P.,
Mangin, P. and Chaumont, A. J.
Simple and sensitive method for monitoring
clonazepam in human plasma and urine by
high-performance liquid chromatography
529(1990)210
Boulieu, R., Bonnefous, J. L. and Ferry, S.
Solid-phase extraction of diltiazem and its
metabolites from plasma prior to high-
performance liquid chromatography
528(1990)542
Boulkanz, L., see Vidal-Madjar, C. 548(1991)81
Bourell, J., see Frenz, J. 512(1990)299
Bourin, M., see Thomare, P. 529(1990)494
Bouriotis, V., see Vlatakis, G. 538(1991)311
Bourque, A. J. and Krull, I. S.
Solid-phase reagent containing the 3,5-
dinitrophenyl tag for the improved
derivatization of chiral and achiral amines,
amino alcohols and amino acids in high-
performance liquid chromatography with
ultraviolet detection 537(1991)123
Bourrier, M.-J., see Goiffon, J.-P. 537(1991)101
Bours, J., see Bessems, G. J. H. 529(1990)277
Bowker, M. J., see Leigh, P. H. 543(1991)211
Boyer, G. L., see Speirs, R. J. 537(1991)259
Bozkurt, A., see Basci, N. E. 527(1990)174
Braco, L., see Perez-Paya, E. 548(1991)93
Braco, L., see Perez-Paya, E. 548(1991)351
Bradová, V., Šmid, F., Ledvinová, J. and
Michalce, Č.
Improved one-dimensional thin-layer
chromatography for the separation of
phospholipids in biological material
533(1990)297
Bradshaw, J. S., Schirmer, M. M., Juvancz, Z.,
Markides, K. E. and Lee, M. L.
New polar polysiloxane stationary phases
containing cyano, nitrophenyl and 8-
quinolinyl units attached to diethylene oxide
side groups 540(1991)279
Bradwin, G. R., see Underwood, R. H.
526(1990)180
Braendli, E., see Veeraragavan, K. 541(1991)207
Brage, C. and Sjöström, K.
Separation of phenols and aromatic
hydrocarbons from biomass tar using
aminopropylsilane normal-phase liquid
chromatography 538(1991)303
Brandin, S., see Polacek, J. 526(1990)151
Brando, C., Hoffman, T. and Bonvini, E.
High-performance liquid chromatographic
separation of inositol phosphate isomers
employing a reversed-phase column and a
micellar mobile phase 529(1990)65
Brandšteterová, E., Lehotay, J., Garaj, J. and
Leclercq, P. A.
High-performance liquid chromatographic
determination of dibutylthiocarbamate
degradation products in cucumbers and soil
502(1990)214
Brandšteterová, E., Štubňa, M., Lehotay, J. and
Dernesová, D.
High-performance liquid chromatography of
rubber antidegradants with diode-array
detection 545(1991)205
Brasitus, T. A., see Halline, A. G. 533(1990)187
Brauchli, J., see Zollinger, M. 532(1990)27
Brazier, J. L., see Benchekroun, Y. 532(1990)261
Brazier, J. L., see Scappaticci, B. 534(1990)57
Brega, A., Prandini, P., Amaglio, C. and Pafumi,
E.
Determination of phenol, *m*-, *o*- and *p*-
cresol, *p*-aminophenol and *p*-nitrophenol in
urine by high-performance liquid
chromatography 535(1990)311
Breimer, D. D., see Soons, P. A. 528(1990)343
Breimer, L. T. M., see Vletter, A. A.
530(1990)177
Brenchley, P. E. C., see Sewell, R. F.
525(1990)246
Bresson, M., see Rop, P. P. 532(1990)351
Breu, W., see Bauer, R. 541(1991)464
Brew, K., see Colilla, F. J. 548(1991)303
Brewer, C. F., see Bhattacharyya, L.
502(1990)131
Brewer, J. E., see Bombardt, P. A. 527(1990)233
Breyer, E. D., see Strasters, J. K. 511(1990)17
Breyer-Pfaff, U., see Nusser, E. 528(1990)163
Breytenbach, J. C., see Bergh, J. J. 513(1990)392
Brice, K. A., see Williams, D. T. 549(1991)297
Briggs, L. M., see Treado, P. J. 511(1990)341

- Brill, J. H. and Bertsch, W.
Comparison of cuticular hydrocarbon profiles of fire ants *Solenopsis richteri* from the same colony, using capillary column gas chromatography with pattern recognition 517(1990)95
- Brindle, I. D., see Marvin, C. H. 503(1990)167
- Brindle, I. D., see Marvin, C. H. 518(1990)242
- Brinkman, U. A. T., see Binnendijk, G. M. 541(1991)401
- Brinkman, U. A. T., see Hogendoorn, E. A. 511(1990)243
- Brinkman, U. A. T., see Kientz, C. E. 550(1991)461
- Brinkman, U. A. T., see Kwakman, P. J. M. 511(1990)155
- Brinkman, U. A. T., see Marko-Varga, G. 523(1990)173
- Brinkman, U. A. T., see Van der Horst, F. A. L. 507(1990)351
- Brinkman, U. A. T., see Vannoort, R. W. 505(1990)45
- Brinkman, U. A. T., see Veltkamp, A. C. 508(1990)301
- Bristow, P. A.
Towards a chromatographic quantitor 506(1990)265
- Brodie, R. R., see Baldock, G. A. 529(1990)113
- Brodie, R. R., see Morris, G. R. 530(1990)377
- Bronz, I. and Carlsson, J.
Cellular fatty acids of *Bacteroides forsythus* 533(1990)141
- Bronz, I. and Olsen, I.
Fatty acid contents of the yeast and mycelial phase of *Candida albicans* 533(1990)152
- Bronnenmeier, K., Ebenbichler, C. and Staudenbauer, W. L.
Separation of the cellulolytic and xylanolytic enzymes of *Clostridium stercoarum* 521(1990)301
- Bronnimann, C. E., see Shreedhara Murthy, R. S. 542(1991)205
- Bronzetti, M., see Bruno, G. 504(1990)319
- Brooks, C. J. W., Cole, W. J. and Anderson, R. A.
Analytical gas chromatographic separations of diastereomeric *tert*-butylmethoxyphenylsilyl ethers 514(1990)305
- Brooks, P. W., see D'Agostino, P. A. 504(1990)259
- Brooks, P. W., see D'Agostino, P. A. 541(1991)121
- Brorson, T., see Dalene, M. 516(1990)405
- Bros, A., see Sinniger, V. 539(1991)289
- Brown, D. M., see Agrawal, S. 509(1990)396
- Brown, D. M., see Pietrzyk, D. J. 546(1991)101
- Brown, E. M. and Dower, H. J.
Characterization of apolipoproteins from chicken plasma 512(1990)203
- Brown, P. R., see Amari, J. V. 517(1990)219
- Brown, P. R., see Jang, N.-I. 550(1991)507
- Brown, R. R., see Crawmer, B. P. 530(1990)407
- Browne, T. R., see Szabo, G. K. 535(1990)271
- Browne, T. R., see Szabo, G. K. 535(1990)279
- Browning, S., see Kandiko, C. T. 528(1990)208
- Brownlee, R. G., Sunzeri, F. J. and Busch, M. P.
Application of capillary DNA chromatography to detect AIDS virus (HIV-1) DNA in blood 533(1990)87
- Brubaker, W. F., see Kuwahara, S. K. 534(1990)260
- Bruchelt, G., Buedenbender, M., Schmidt, K.-H., Jopski, B., Treuner, J. and Niethammer, D.
Isotachophoretic determination of 2-5A phosphodiesterase 545(1991)407
- Brückner, H. and Langer, M.
Gas chromatographic separation of diastereomeric esters of α -alkyl- α -amino acids on dimethylpolysiloxane 521(1990)109
- Brückner, H. and Langer, M.
Gas chromatographic separation of stereoisomeric esters of α -amino acids and α -alkyl- α -amino acids on chiral stationary phases 542(1991)161
- Bruin, G. J. M., Tock, P. P. H., Kraak, J. C. and Poppe, H.
Electrically driven open-tubular liquid chromatography 517(1990)557
- Bruins, C. H. P., see Coenegracht, P. M. J. 550(1991)397
- Brun, M., see Goiffon, J.-P. 537(1991)101
- Brun, P., De Galateo, A., Camporese, A., Cortivo, R. and Abatangelo, G.
Analysis of hyaluronic acid in synovial fluid by reversed-phase liquid chromatography 526(1990)530
- Brun, S., see Larroque, M. 525(1990)249
- Brune, K., see Menzel-Soglowek, S. 532(1990)295
- Brune, K., see Moeller, N. 530(1990)200
- Bruner, F., Crescentini, G., Mangani, F. and Lattanzi, L.
Capillary gas chromatography with graphitized carbon black 517(1990)123
- Bruning, P. F., see Van Tellingen, O. 529(1990)135
- Brunner, G., see Tsikas, D. 545(1991)375
- Brunner, J., see Jungbauer, A. 512(1990)157
- Bruno, A., see Pietta, P. G. 547(1991)439
- Bruno, G., Gasparini, F., Misiti, D., Arrigoni-Martelli, E. and Bronzetti, M.
High-performance liquid chromatographic separation of biomolecules using calcium phosphate supported on macroporous silica microparticles 504(1990)319

- Bruno, G., see Marzo, A. 535(1990)255
Bruno, G., see Marzo, A. 536(1991)327
Bruno, T. J., see Martire, D. E. 545(1991)135
Bruns, A.
Applications of preparative high-performance liquid chromatography in oleochemical research 536(1991)75
Bruns, M. B., see Lakings, D. B. 526(1990)273
Bruns, R. E., see Faigle, J. F. 539(1991)123
Buchacher, A., see Jungbauer, A. 512(1990)157
Buchanan, D. N., Muenzer, J. and Thoene, J. G.
Positive-ion thermospray liquid chromatography-mass spectrometry: detection of organic acidurias 534(1990)1
Buchberger, W., Haddad, P. R. and Alexander, P. W.
Determination of free nitrilotriacetic acid in environmental water samples by ion chromatography with potentiometric and amperometric detection with a copper electrode 546(1991)311
Buck, C., see Powell, M. L. 529(1990)237
Buck, R. H., Cholewinski, M. and Maxl, F.
Animal test or chromatography? Validated high-performance liquid chromatographic assay as an alternative to the biological assay for ornipressin 548(1991)335
Buckley, J. J. and Wetlaufer, D. B.
Surfactant-mediated hydrophobic interaction chromatography of proteins: gradient elution 518(1990)99
Budovich, V. L., see Adamia, T. V. 540(1991)441
Budzianowski, J.
Separation of flavonoid glucosides from their galactosidic analogues by thin-layer chromatography 540(1991)469
Budzynski, A. Z., see Swadesh, J. K. 502(1990)359
Buedenbender, M., see Bruchelt, G. 545(1991)407
Bugaut, M., see Maniongui, C. 543(1991)81
Bulbena, O., see Ramis, I. 532(1990)217
Bullen, W. W., Chang, T. and Whitfield, L. R.
High-performance liquid chromatographic assay for trimetrexate in human plasma 526(1990)266
Bult, A., see Van der Horst, F. A. L. 507(1990)351
Bünger, H., Meister, A. and Otto, M.
Aromatic ring-type analysis of complex hydrocarbon mixtures by high-performance liquid chromatography with photodiode-array detection and curve resolution 520(1990)383
Burbage, R., see Paul, B. D. 529(1990)103
Burger, B. V., Munro, Z., Smit, D., Schmidt, U., Wu, C.-L. and Tien, F.-C.
Sample introduction in gas chromatography: simple method for the solventless introduction of crude samples of biological origin 518(1990)207
Burger, K., see Péter, A. 507(1990)59
Burgers, I., see Hordijk, C. A. 511(1990)317
Burghardt, C., see Janero, D. R. 526(1990)11
Burgi, D. S., see Salomon, K. 549(1991)375
Bürgy, H. and Calzaferri, G.
Separation of the oligomeric silsesquioxanes (HSiO_{3/2})₈₋₁₈ by size-exclusion chromatography 507(1990)481
Buri, J., see Tomek, W. 521(1990)221
Burini, G. and Damiani, P.
Determination of sorbic acid in margarine and butter by high-performance liquid chromatography with fluorescence detection 543(1991)69
Burke, K. A., see Kril, M. B. 522(1990)227
Burm, A. G. L., see Vletter, A. A. 530(1990)177
Burns, G. P., see Stein, T. A. 507(1990)259
Burr, C. M., see Smith, R. M. 550(1991)335
Burrows, J. L. and Coppin, F. G.
Determination of tenilsetam in human plasma and urine by high-performance liquid chromatography 529(1990)486
Burse, J., see Górski, T. 509(1990)383
Burt, H. M., see Walisser, J. A. 518(1990)179
Burton, L. C., Loftus, N. J., Vere, D. W. and Whelpton, R.
Determination of plasma nefopam by liquid chromatography and electrochemical detection 526(1990)159
Burton, S. J., Stead, C. V. and Lowe, C. R.
Design and applications of biomimetic anthraquinone dyes. III. Anthraquinone-immobilised C.I. Reactive Blue 2 analogues and their interaction with horse liver alcohol dehydrogenase and other adenine nucleotide-binding proteins 508(1990)109
Buryan, P., Nabivach, V. M. and Dmitrikov, V. P.
Structure-retention correlations of isomeric alkylphenols in gas-liquid chromatography 509(1990)3
Bus, C. A., see Norwood, D. L. 527(1990)289
Busch, M. P., see Brownlee, R. G. 533(1990)87
Buse, G., see Steffens, G. C. M. 521(1990)291
Bush, E., see Hale, R. C. 539(1991)149
Bush, L. P., see Fannin, F. F. 503(1990)288
Bush, S. G. and Jorgenson, J. W.
Confirmation and application of transmission near infrared absorption technique for absolute quantitation of functional groups on silica gel 503(1990)69

- Busnelli, V., see Farina, M. 507(1990)171
- Bussiere, J. L., see Lartigue-Mattei, C. 529(1990)93
- Buszewski, B.
Properties and biomedical applications of packings with high-density coverage of C_{18} chemically bonded phase for high-performance liquid chromatography and solid-phase extraction 538(1991)293
- Buszewski, B., Hummel, M. and Bayer, E.
Studies on texture and properties of porous glass and silica gel used as supports for chemically bonded amino phases for high-performance liquid chromatography 520(1990)237
- Butkiewicz, K., see Cendrowska, I. 509(1990)195
- Buydens, L., see Mulholland, M. 550(1991)257
- Buzanowski, W. C., see Cutié, S. S. 513(1990)93
- Buzzigoli, G., Lanzone, L., Ciociaro, D., Frascerra, S., Cerri, M., Scandroglio, A., Coldani, R. and Ferrannini, E.
Characterization of a reversed-phase high-performance liquid chromatographic system for the determination of blood amino acids 507(1990)85
- Byerley, T. J., see Fanska, C. B. 537(1991)357
- Bykova, T. O., see Eremeeva, T. E. 522(1990)67
- Byrd, G. D., Fowler, K. W., Hicks, R. D., Lovette, M. E. and Borgerding, M. F.
Isotope dilution gas chromatography-mass spectrometry in the determination of benzene, toluene, styrene and acrylonitrile in mainstream cigarette smoke 503(1990)359
- C**
- Cabras, P., Meloni, M. and Spanedda, L.
High-performance liquid chromatographic separation of cyromazine and its metabolite melamine 505(1990)413
- Cabras, P., Plumitallo, A. and Spanedda, L.
High-performance liquid chromatographic separation of fenthion and its metabolites 540(1991)406
- Cacace, M. G., Santin, M. and Sada, A.
Behaviour of amino acids in gel permeation chromatography. Correlation with the effect of Hofmeister solutes on the conformational stability of macromolecules 510(1990)41
- Caccialanza, G., see Gandini, C. 540(1991)416
- Cachia, C., Flamion, P.-J. and Schreiber, J.-P.
Purification of *E. coli* 30S ribosomal proteins by high-performance liquid chromatography under non-denaturing conditions 539(1991)343
- Cacia, J., see Wu, S.-L. 516(1990)115
- Cadet, J., see Polverelli, M. 539(1991)373
- Cadet, J., see Wagner, J. R. 504(1990)191
- Cahard, C., Rop, P. P., Conquy, T. and Viala, A.
High-performance liquid chromatographic analysis of haloperidol and hydroxyhaloperidol in plasma after solid-phase extraction 532(1990)193
- Cahnmann, H. J., Gonçalves, E., Ito, Y., Fales, H. M. and Sokolowski, E. A.
Synthesis and characterization of N-bromoacetyl-3,3',5-triiodo-L-thyronine 538(1991)165
- Calabrò, G., see Micali, G. 514(1990)317
- Caldarini, R., see Montecucchi, P. C. 512(1990)139
- Calderan, A., Ruzza, P., Marin, O., Secchieri, M., Borin, G. and Marchiori, F.
Separation of acidic peptides by reversed-phase ion-pair chromatography. Analytical application to a series of acidic substrates of casein kinases 548(1991)329
- Caldwell, G. W., Masucci, J. A. and Jones, W. J.
Indirect thin-layer chromatography-fast atom bombardment and chemical ionization mass spectrometry determination of carbohydrates utilizing simple and rapid microtransfer techniques 514(1990)377
- Caldwell, K. D., see Li, J. 517(1990)361
- Calemma, V., see Rausa, R. 541(1991)419
- Callaway, J. E., see Patel, A. 510(1990)83
- Calull, M., see Marcé, R. M. 542(1991)277
- Calvino, R., Fruttero, R. and Gasco, A.
Reversed-phase high-performance liquid chromatographic study of the lipophilicity of a series of analogues of the antibiotic "calvatic acid" 547(1991)167
- Calvo, M., see Ena, J. M. 525(1990)442
- Calzaferri, G., see Bürgy, H. 507(1990)481
- Camacho, P. L., Geiger, E., Vigh, G., Webster, R. and Thompson, D. H.
Separation of the enantiomeric intermediates of some platelet-activating factor analogues on a naphthylalanine-type Pirkle column 506(1990)611
- Camenzind, R., see Karlaganis, G. 549(1991)229
- Camilleri, P. and Dyke, C.
Effect of 2H_2O on the resolution of the optical isomers of ibuprofen on an α_1 -acid glycoprotein column 518(1990)277

- Camilleri, P., Dyke, C. A., Eckers, C. and Shaw, A. N.
Chromatographic separation of β -substituted 3-(3,4-dihydroxyphenyl)alanine derivatives 523(1990)300
- Camilleri, P., Murphy, J. A. and Thorpe, C.
Direct chromatographic separation of the enantiomers of oxiracetam 508(1990)208
- Camilleri, P. and Okafo, G.
Capillary electrophoresis in [^2H]water solution 541(1991)489
- Camilleri, P. and Thorpe, C. J.
Fluorescence detection of the enantiomers of halofantrine at picomole levels using chiral high-performance liquid chromatography 519(1990)387
- Camilleri, P., see Okafo, G. N. 547(1991)551
- Camilleri, P., see Okafo, G. N. 549(1991)404
- Cammann, K. and Kleiböhmer, W.
Supercritical fluid chromatography of polychlorinated biphenyls on packed columns 522(1990)267
- Camoin, L., see Dandeu, J. P. 539(1991)475
- Campbell, D. L., Carson, S. and Van Bramer, D.
Improved determination of alkanolamines by liquid chromatography with electrochemical detection 546(1991)381
- Campbell, D. L., Stillian, J., Carson, S., Joyce, R. and Heberling, S.
Separation and detection of group I and II cations by ion chromatography 546(1991)229
- Campiglia, A. D., Berthod, A. and Winefordner, J. D.
Solid-surface room-temperature phosphorescence detection for high-performance liquid chromatography 508(1990)37
- Camporese, A., see Brun, P. 526(1990)530
- Campos, A., see Perez-Paya, E. 548(1991)93
- Camps, F., Coll, J., Pilar Marco, M. and Tomás, J.
Efficient determination of phytoecdysteroids from *Ajuga* species and *Polypodium vulgare* by high-performance liquid chromatography 514(1990)199
- Cañas, B., see Andrés, M. D. 507(1990)399
- Candela, M. E., see Almela, L. 502(1990)95
- Candito, M., Krstulovic, A. M., Sbirazzuoli, V. and Chambon, P.
Proposal for the standardization of the calibration method for the assay of plasma catecholamines 526(1990)194
- Canela, E. I., see Aran, J. M. 532(1990)75
- Canepari, S., see Bertoni, G. 522(1990)285
- Canjura, F. L., see Van Breemen, R. B. 542(1991)373
- Cannell, H., see Whelpton, R. 526(1990)215
- Cann-Moisán, C., Caroff, J. and Girin, E.
Rapid high-performance liquid chromatographic determination of γ -aminobutyric acid and some other amino acids: application to rat brain 532(1990)438
- Canova-Davis, E., Baldonado, I. P. and Teshima, G. M.
Characterization of chemically synthesized human relaxin by high-performance liquid chromatography 508(1990)81
- Cantafora, A., Cardelli, M. and Masella, R.
Separation and determination of molecular species of phosphatidylcholine in biological samples by high-performance liquid chromatography 507(1990)339
- Capangangan, M. B., see Schnable, J. G. 549(1991)335
- Capdepuy, M., see Fourche, J. 532(1990)209
- Caponecchi, G., see Ossicini, L. 547(1991)283
- Cappenberg, T. E., see Hordijk, C. A. 511(1990)317
- Cappiello, P. E. and Kling, G. J.
Determination of zeatin and zeatin riboside in plant tissue by solid-phase extraction and ion-exchange chromatography 504(1990)197
- Cardace, G., see Marzo, A. 527(1990)247
- Cardelli, M., see Cantafora, A. 507(1990)339
- Cardellina, II, J. H., see West, R. R. 539(1991)15
- Cardinali, C., see Viscomi, G. C. 549(1991)175
- Carducci, C., see Moretti, F. 511(1990)131
- Careri, M., see Bolzoni, L. 518(1990)221
- Carfagnini, G., Di Corcia, A., Marchetti, M. and Samperi, R.
Antidepressants in serum determined by isolation with two on-line sorbent cartridges and liquid chromatography 530(1990)359
- Caricato, F., see Benzi, L. 534(1990)37
- Carini, M., see Pietta, P. 537(1991)449
- Carli, G., see Tagliaro, F. 507(1990)253
- Carlson, Å. and Gyllenhaal, O.
Separation of carboxylic acid enantiomers by gas chromatography after rapid derivatization with (*R*)- or (*S*)-1-phenylethylamine after activation by ethyl chloroformate 508(1990)333
- Carlsson, A., see Tyrefors, N. 502(1990)337
- Carlsson, J., see Brondz, I. 533(1990)141
- Carlucci, G.
High-performance liquid chromatographic assay for nizatidine, a new H_2 blocker, in human plasma and urine using disposable solid-phase extraction columns 525(1990)490

- Carmichael, W. W., see Meriluoto, J. A. O. 509(1990)390
- Carne, S., see Deistung, J. 539(1991)485
- Carner, R. C., see Carvajal, M. 511(1990)379
- Carnovali, O., see Wallace, R. A. 519(1990)75
- Caroff, J., see Cann-Moisan, C. 532(1990)438
- Carpen, M. E., Poplack, D. G., Pizzo, P. A. and Balis, F. M.
High-performance liquid chromatographic method for analysis of 2',3'-dideoxyinosine in human body fluids 526(1990)69
- Carr, P. W., see Blackwell, J. A. 549(1991)43
- Carr, P. W., see Blackwell, J. A. 549(1991)59
- Carr, P. W., see Li, J. 517(1990)103
- Carr, P. W., see Li, J. 550(1991)101
- Carr, P. W., see Park, J. H. 513(1990)107
- Carr, P. W., see Weber, T. P. 519(1990)31
- Carrasquer, A. M., Casals, I. and Alegre, L.
Semi-automated method for the determination of abscisic acid in crude plant extracts 503(1990)459
- Carretero, J. M., see Alonso-Silva, I. J. 507(1990)293
- Carrott, P. J. M. and Sing, K. S. W.
Determination of gas chromatographic plate heights for hydrocarbon adsorption by superactivated carbon AX21 518(1990)53
- Carson, S., see Campbell, D. L. 546(1991)229
- Carson, S., see Campbell, D. L. 546(1991)381
- Carter, A. J. and Müller, R. E.
Application and validation of an ion-exchange high-performance liquid chromatographic method for measuring adenine nucleotides, creatine and creatine phosphate in mouse brain 527(1990)31
- Cartoni, G. P., Coccioli, F., Pontelli, L. and Quattrucci, E.
Separation and identification of free phenolic acids in wines by high-performance liquid chromatography 537(1991)93
- Carvajal, M., Mulholland, F. and Carner, R. C.
Comparison of the EASI-EXTRACT immunoaffinity concentration procedure with the AOAC CB method for the extraction and quantitation of aflatoxin B₁ in raw ground unskinned peanuts 511(1990)379
- Casals, I., see Carrasquer, A. M. 503(1990)459
- Cashman, J. R. and Yang, Z.-C.
Analysis of amine metabolites by high-performance liquid chromatography on silica gel with a non-aqueous ionic eluent 532(1990)405
- Caslavska, J., Gebauer, P., Odermatt, A. and Thormann, W.
Recycling and screen-segmented column isotachopheresis. two free-fluid approaches for fractionation of proteins 545(1991)315
- Cassidy, R. M., see Bailey, R. 546(1991)17
- Castañeda-Hernández, G., see Flores-Murrieta, F. J. 528(1990)501
- Castellanos, M. A., see Afonso, D. 528(1990)101
- Castello, G., D'Amato, G. and Nicchia, M.
Gas chromatographic determination of traces of light hydrocarbons and sulphur compounds in gases at low pressure by the simultaneous use of flame ionization and flame photometric detectors 521(1990)99
- Castello, G., Timossi, A. and Gerbino, T. C.
Analysis of haloalkanes on wide-bore capillary columns of different polarity connected in series 522(1990)329
- Castello, G., see Gerbino, T. C. 537(1991)305
- Castells, J., see Velasco, D. 519(1990)228
- Castells, R. C., Arancibia, E. L. and Nardillo, A. M.
Regression against temperature of gas chromatographic retention data 504(1990)45
- Castillo, H., see Ena, J. M. 525(1990)442
- Castledine, J. B., see Fell, A. F. 535(1990)33
- Cataldo, D. A., see Harvey, S. D. 518(1990)361
- Catilina, M. J., see Lartigue-Mattei, C. 529(1990)93
- Catilina, P., see Lartigue-Mattei, C. 529(1990)93
- Catterall, C., see Deistung, J. 539(1991)485
- Caude, M., Tambuté, A. and Siret, L.
Chiral stationary phases derived from tyrosine (Review) 550(1991)357
- Caude, M., see Janicot, J. L. 505(1990)247
- Caude, M., see Siret, L. 540(1991)129
- Caude, M., see Tambuté, A. 541(1991)349
- Cava, M., see Phillips, D. J. 536(1991)95
- Cavalli, S., see Betti, M. 538(1991)365
- Cavazzutti, G., see Gagliardi, L. 508(1990)252
- Cavrini, V., see Gatti, R. 507(1990)451
- Cebrian, M., see Ladrón de Guevara, O. 528(1990)35
- Cecchetti, P., see Benzi, L. 534(1990)37
- Cecchini, D. C., see Al-Deen, A. N. 512(1990)409
- Ceccon, L.
Quantitative determination of free volatile fatty acids from dairy products on a Nukol capillary column 519(1990)369
- Cecilian, F., see Biondi, P. A. 507(1990)333
- Celardo, A. and Bonati, M.
Determination of thiopental measured in human blood by reversed-phase high-performance liquid chromatography 527(1990)220
- Celebuski, J. E., see Morgan, R. L. 536(1991)85
- Cellerino, G. P., see Rizzo, V. 536(1991)229

- Cendrowska, I., Drewnowska, M., Grzeszkiewicz, A. and Butkiewicz, K.
Investigation of the stability of 5-aminosalicylic acid in tablets and suppositories by high-performance liquid chromatography 509(1990)195
- Černavá, P., see Lajdová, I. 528(1990)178
- Cerri, M., see Buzzigoli, G. 507(1990)85
- Ceva, P., see Pietta, P. 513(1990)397
- Chabard, J. L., see Andriollo, O. 533(1990)215
- Chabard, J. L., see Lartigue-Mattei, C. 529(1990)93
- Chace, D. H. and Abramson, F. P.
Detection of carbon-14 eluting from a capillary gas chromatograph using chemical reaction interface-mass spectrometry 527(1990)1
- Chadeuf, G., see Toulon, P. 539(1991)493
- Chadha, R. K. and Lawrence, J. F.
Determination of iodide in dairy products and table salt by ion chromatography with electrochemical detection 518(1990)268
- Chalmers, J. M., see Raynor, M. W. 505(1990)179
- Chalom, J., see Tod, M. 542(1991)295
- Chambaz, D., Edder, P. and Haerdi, W.
Preconcentration of divalent trace metals on chelating silicas followed by on-line ion chromatography 541(1991)443
- Chamberlain, W. J., Severson, R. F., Chortyk, O. T. and Sisson, V. E.
Determination of solanesol in tobacco by capillary gas chromatography 513(1990)55
- Chambon, P., see Candito, M. 526(1990)194
- Chamkasem, N., Hill, K. D. and Sewell, G. W.
Use of ion-exclusion chromatography for monitoring fatty acids produced by bacterial anaerobic degradation of tetrachloroethene in ground water 536(1991)193
- Champluvier, B. and Kula, M.-R.
Microfiltration membranes as pseudo-affinity adsorbents: modification and comparison with gel beads 539(1991)315
- Champney, W. S.
Reversed-phase chromatography of *Escherichia coli* ribosomal proteins. Correlation of retention time with chain length and hydrophobicity 522(1990)163
- Chan, L., see Urech, R. 534(1990)271
- Chandrasekaran, A., see Vetticaden, S. J. 531(1990)215
- Chanev, C., Petsev, N., Topalova, I., Ivanov, S. and Gavrilova, T. B.
Short columns for gas chromatography packed with plasma-modified silica gels 520(1990)33
- Chanev, C., see Gavrilova, T. B. 520(1990)41
- Chang, C. A., Ji, H. and Lin, G.
Effects of mobile phase composition on the reversed-phase separation of dipeptides and tripeptides with cyclodextrin-bonded-phase columns 522(1990)143
- Chang, C.-D., see Armstrong, D. W. 539(1991)83
- Chang, F. C., see Iida, T. 537(1991)345
- Chang, H.-C. K. and Taylor, L. T.
Use of sulfur chemiluminescence detection after supercritical fluid chromatography 517(1990)491
- Chang, I.-N., see Lin, J.-N. 542(1991)41
- Chang, J., see Geng, X. 507(1990)1
- Chang, J., see Xie, F. 526(1990)109
- Chang, S.-C., see Stalcup, A. M. 513(1990)181
- Chang, S.-C., see Stalcup, A. M. 540(1991)113
- Chang, S.-P., see Hu, O. Y.-P. 532(1990)337
- Chang, T., see Bullen, W. W. 526(1990)266
- Chao, W.-F., Kai, M. and Ohkura, Y.
High-performance liquid chromatographic determination of a cysteine protease inhibitor and its ethyl ester in mouse serum and muscle by pre-column fluorescence derivatization 526(1990)77
- Charkhian, B., see Long, A. R. 505(1990)395
- Charleson, S., see Nicoll-Griffith, D. 526(1990)341
- Charrier, J., see Straczek, J. 533(1990)35
- Chase, H. A., see Horstmann, B. J. 516(1990)433
- Chase, H. A., see Skidmore, G. L. 505(1990)329
- Chasseaud, L. F., see Baldock, G. A. 529(1990)113
- Chasseaud, L. F., see Morris, G. R. 530(1990)377
- Chaufer, B., Rollin, M. and Sébille, B.
High-performance liquid chromatography and ultrafiltration of whey proteins with inorganic porous materials coated with polyvinylimidazole derivatives 548(1991)215
- Chaumont, A. J., see Boukhabza, A. 529(1990)210
- Chaumont, A. J., see Kennel, S. 527(1990)169
- Chauret, N., Rho, D. and Archambault, J.
Solid-phase extraction and fluorimetric detection of benzophenanthridine alkaloids from *Sanguinaria canadensis* cell cultures 519(1990)99
- Chen, B. H., Yang, S. H. and Han, L. H.
Characterization of major carotenoids in water convolvulus (*Ipomoea aquatica*) by open-column, thin-layer and high-performance liquid chromatography 543(1991)147
- Chen, C.-F., see Tsai, T.-H. 542(1991)521

- Chen, C.-Y. and Morris, M. D.
On-line multichannel Raman spectroscopic detection system for capillary zone electrophoresis 540(1991)355
- Chen, E. C.M., see Wentworth, W.E. 517(1990)87
- Chen, I.-W., Hsieh, J. Y.-K., Lin, J. H. and Duggan, D. E.
High-performance liquid chromatographic determination of cilastatin and its major metabolite N-acetylcilastatin in rat plasma, urine and bile 534(1990)119
- Chen, K.-Y., see Hu, O. Y.-P. 532(1990)337
- Chen, S., see Ahnoff, M. 506(1990)593
- Chen, S.-H., Wu, H.-L., Tanaka, M., Shono, T. and Funazo, K.
Simultaneous gas chromatographic determination of cyanide, iodide, nitrite, sulphide and thiocyanate anions by derivatization with pentafluorobenzyl bromide and using a kryptand as phase-transfer catalyst 502(1990)257
- Chen, S.-T., see Lin, S.-L. 540(1991)392
- Chen, T.-M., see Coutant, J. E. 529(1990)265
- Chen, X., Wijsbeek, J., Van Veen, J., Franke, J. P. and De Zeeuw, R. A.
Solid-phase extraction for the screening of acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 529(1990)161
- Chen, Y., see Liu, W. 547(1991)509
- Chen, Y. F., see Meng, Q. C. 529(1990)201
- Chen, Y.-H., see Hu, O. Y.-P. 523(1990)321
- Chen, Y.-H., see Oshima, T. 547(1991)175
- Chen, Y.-Y., see Wu, C.-Y. 504(1990)279
- Chen, Z., see Liu, W. 547(1991)509
- Chen, Jr., E. N. and Nero, V. P.
Separation and identification of sulfurized alkylphenols in oil by high-performance liquid chromatography with evaporative light scattering and mass spectrometric detection 549(1991)247
- Chenais, B., Yapo, A., Lepoivre, M. and Tenu, J. P.
High-performance liquid chromatographic analysis of the unusual pathway of oxidation of L-arginine to citrulline and nitric oxide in mammalian cells 539(1991)433
- Cheng, L., Joelsson, M. and Johansson, G.
Combination of polymer-bound charged groups and affinity ligands for extraction of enzymes by partitioning in aqueous two-phase systems 523(1990)119
- Cheng, L. K., see Greene, S. V. 527(1990)397
- Cheng, M.-C., see Hsu, M.-C. 549(1991)410
- Chenut, A. M., see Straczek, J. 532(1990)237
- Chenut, A. M., see Straczek, J. 533(1990)35
- Chervet, J. P.
Business opportunity report: chromatography—Markets, systems, applications (by R. H. Vermuyten) (Book Review) 504(1990)476
- Chervet, J.-P.
Troubleshooting LC systems: a comprehensive approach to troubleshooting LC equipment and separations (by J.W. Dolan and L. R. Snyder) (Book Review) 539(1991)241
- Chervet, J. P., Van Soest, R. E. J. and Ursem, M.
Z-Shaped flow cell for UV detection in capillary electrophoresis 543(1991)439
- Chervet, J.-P., see Vannoort, R. W. 505(1990)45
- Chesler, S. N., see Munder, A. 521(1990)63
- Chesney, D. J., see Thomson, C. A. 543(1991)187
- Chesson, S. M., see Hsu, R. S. 530(1990)170
- Cheung, A. P. and Kenney, D.
Partition coefficients and capacity factors of some nucleoside analogues 506(1990)119
- Cheung, S.-F., see De Jong, J. 529(1990)359
- Chevalier, A., see Dorbon, M. 509(1990)33
- Cheymol, G., see Poirier, J.-M. 534(1990)223
- Cheyrier, V., see Rigaud, J. 540(1991)401
- Chi, H., Wang, Y.-P., Zhou, T.-H. and Jin, C.-L.
Determination of the anticancer drug bruceoside-A in the Chinese drug *Yadanzi* (*Brucea Javanica* Merr.) 543(1991)250
- Chiancone, E. and Gattoni, M.
Selective extraction of native β -lactoglobulin from whey 539(1991)455
- Chiantore, O., see Belliardo, F. 506(1990)371
- Chiari, M., Ettori, C., Manzocchi, A. and Righetti, P. G.
Structure–stability relationship of Immobiline chemicals for isoelectric focusing as monitored by capillary zone electrophoresis 548(1991)381
- Chiavari, G., see Galletti, G. C. 536(1991)303
- Chiavari, G., see Torsi, G. 518(1990)135
- Chiba, M., see Marvin, C. H. 503(1990)167
- Chiba, M., see Marvin, C. H. 518(1990)242
- Chin, J. R. L.
Determination of six indolic compounds, including melatonin, in rat pineal using high-performance liquid chromatography with serial fluorimetric–electrochemical detection 528(1990)111
- Chiou S.-H., see Lo, C.-H. 530(1990)129
- Chiou, W. L., see Peng, G. W. 531(1990)3
- Chmelik, J.
Isoelectric focusing field-flow fractionation. Experimental study of the generation of pH gradient 539(1991)111

- Chmelik, J.
Isoelectric focusing field-flow fractionation.
II. Experimental study of focusing of methyl
red in the trapezoidal cross-section channel
545(1991)349
- Choi, C. Y. C., see Lie Ken Jie, M. S. F.
543(1991)257
- Cholewinski, M., see Buck, R. H. 548(1991)335
- Chong, N. C., see Ong, C. P. 516(1990)263
- Chong, P., Jackson, G., Cwyk, W. and Klein, M.
Simultaneous determination of *Bordetella*
pertussis toxin and filamentous
haemagglutinin concentrations by
hydroxyapatite high-performance liquid
chromatography 512(1990)227
- Chortyk, O. T., see Chamberlain, W. J.
513(1990)55
- Chou, T.-H., see Wu, S.-H. 514(1990)325
- Choudhury, S., Karara, A. H., Ace, L. N. and
McFarland, V. A.
High-performance liquid chromatographic
method for the determination of 3-
methylcholanthrene in channel catfish
plasma 534(1990)208
- Chow, D., see Lau, S. W. J. 526(1990)87
- Chrétien, J. R., see Righezza, M. 544(1991)393
- Chrin, L. R., see Bigelow, J. C. 533(1990)133
- Christ, B., see Molnar, I. 550(1991)39
- Christen, M. O., see Bodenan, S. 533(1990)275
- Christensen, D. A., see Lin, J.-N. 542(1991)41
- Christensen, S. and Harbak, H.
Serial separation of inositol phosphates
including pentakis- and hexakisphosphates
on small anion-exchange columns
533(1990)201
- Christie, W. W., see Wretensjö, I. 521(1990)89
- Christophersen, A. S., see Johansen, M.
532(1990)277
- Chu, D. Z. J., see Kuo, K.-W. 543(1991)463
- Chuang, C.-Z., Ragan, Jr., F. A. and Prasad, C.
Optimization of conditions for the
simultaneous separation of ten tryptophan
metabolites using reversed-phase high-
performance liquid chromatography
534(1990)13
- Chui, S. H., Lam, C. W. K., Lewis, W. H. P. and
Lai, K. N.
High-performance liquid affinity
chromatography for the purification of
immunoglobulin A from human serum using
jacalin 514(1990)219
- Chuiko, A. A., see Basiuk, V. A. 521(1990)29
- Churáček, J., see Jandera, P. 504(1990)297
- Churchill, F. C., see Mount, D. L. 527(1990)51
- Churchill, F. C., see Wages, S. A. 527(1990)115
- Churms, S. C. and Stephen, A. M.
Chromatographic separation and
examination of carbohydrate and phenolic
components of the non-tannin fraction of
black wattle (*Acacia mearnsii*) bark extract
550(1991)519
- Chyr, R. and Shiao, M.-S.
Liquid chromatographic characterization of
the triterpenoid patterns in *Ganoderma*
lucidum and related species 542(1991)327
- Ciambra, C. M., see Karp, S. 504(1990)434
- Ciardelli, T. L., see Ackland, C. E. 540(1991)187
- Ciavatta, C., Govi, M., Vittori Antisari, L. and
Sequi, P.
Characterization of humified compounds by
extraction and fractionation on solid
polyvinylpyrrolidone 509(1990)141
- Ciccarone, A. M., see Benzi, L. 534(1990)37
- Ciecierska-Stokłosa, D., see Gorczyńska, K.
509(1990)53
- Cinquanta, S., see Pace, M. 539(1991)517
- Ciociaro, D., see Buzzigoli, G. 507(1990)85
- Cipollaro, M., see Nardi, G. 530(1990)122
- Civaroli, P., see Søndergaard, I. 512(1990)115
- Claereboudt, J., see Van den Eeckhout, E.
504(1990)113
- Claereboudt, J., see Van den Eeckhout, E.
541(1991)317
- Claessens, H. A., see Hetem, M. J. J.
540(1991)53
- Claessens, H. A., see Sparidans, R. W.
508(1990)319
- Claeys, M., see Van den Eeckhout, E.
504(1990)113
- Claeys, M., see Van den Eeckhout, E.
541(1991)317
- Clark, B. J., see Marr, J. G. D. 506(1990)289
- Clark, D. B., see Tharakan, J. P. 522(1990)153
- Claus, R., see Schwidop, W.-D. 520(1990)325
- Clifford, A. A., see Bartle, K. D. 517(1990)459
- Clifford, A. A., see Raynor, M. W. 505(1990)179
- Clifford, A. J., see Furr, H. C. 527(1990)406
- Clonis, Y. D. and Lowe, C. R.
Monosized adsorbents for high-performance
affinity chromatography. Application to the
purification of calf intestinal alkaline
phosphatase and human urine urokinase
540(1991)103
- Cobb, K. A., see Liu, J. 519(1990)189
- Cobon, G. S., see Sharp, P. J. 512(1990)189
- Coccioli, F., see Cartoni, G. P. 537(1991)93
- Cochet, S., see Algiman, E. 510(1990)165
- Codini, M., Palmerini, C. A., Fini, C., Lucarelli,
C. and Floridi, A.
High-performance liquid chromatographic
method for the determination of prolyl
peptides in urine 536(1991)337

- Codini, M., see Guida, E. 507(1990)51
- Coene, J., see Van den Eeckhout, E. 541(1991)317
- Coenegracht, P. M. J., Smilde, A. K., Benak, H., Bruins, C. H. P., Metting, H. J., De Vries, H. and Doornbos, D. A.
Multivariate characterization of solvent strength and solvent selectivity in reversed-phase high-performance liquid chromatography 550(1991)397
- Coetzee, J., see Uebel, R. A. 526(1990)293
- Cohen, A. S., Najarian, D. R. and Karger, B. L.
Separation and analysis of DNA sequence reaction products by capillary gel electrophoresis 516(1990)49
- Cohen, A. S., see Heiger, D. N. 516(1990)33
- Cohen, B. L., see Van Oers, N. S. C. 525(1990)59
- Cohen, P., see Klumpp, S. 521(1990)179
- Cohen, S. A.
Analysis of amino acids by liquid chromatography after pre-column derivatization with 4-nitrophenylisothiocyanate 512(1990)283
- Colafranceschi, C., see Guinebault, P. 507(1990)221
- Coldani, R., see Buzzigoli, G. 507(1990)85
- Cole, D. E. C., see McPhee, M. D. 527(1990)41
- Cole, W. J., see Brooks, C. J. W. 514(1990)305
- Coleman, P. L., Walker, M. M., Milbrath, D. S., Stauffer, D. M., Rasmussen, J. K., Krepski, L. R. and Heilmann, S. M.
Immobilization of Protein A at high density on azlactone-functional polymeric beads and their use in affinity chromatography 512(1990)345
- Colilla, F. J., Yadav, S. P., Brew, K. and Mendez, E.
Peptide maps at picomolar levels obtained by reversed-phase high-performance liquid chromatography and pre-column derivatization with phenyl isothiocyanate. Microsequencing of phenylthiocarbamyl peptides 548(1991)303
- Coll, J., see Camps, F. 514(1990)199
- Collins, B. J., see Górski, T. 509(1990)383
- Collins, I. J., see Edwardson, P. A. D. 545(1991)79
- Colmsjö, A. L., see Bengård, A. K. 522(1990)277
- Colombo, L., Marcucci, F., Marini, M. G., Pierfederici, P. and Mussini, E.
Determination of ambroxol in biological material by gas chromatography with electron-capture detection 530(1990)141
- Colón, L. A. and Barry, E. F.
Evaluation of an alternating current plasma emission detector for high-performance liquid chromatography 513(1990)159
- Conacher, H. B. S., see Ryan, J. J. 541(1991)131
- Concialini, V., see Galletti, G. C. 507(1990)439
- Condado Rodriguez, J. A., see Contreras de Condado, M. C. 530(1990)164
- Conner, M. K., see Mayernik, J. A. 526(1990)407
- Conquy, T., see Cahard, C. 532(1990)193
- Conquy, T., see Rop, P. P. 532(1990)351
- Conrad-Kessel, W., see Wolf, B. A. 509(1990)325
- Constanzer, M. L., see Matuszewski, B. K. 526(1990)461
- Contreras de Condado, M. C., Quintana de Gainzarain, A., Mendoza Mujica, I. and Condado Rodriguez, J. A.
High-performance liquid chromatography of mexiletine in plasma 530(1990)164
- Conway, W. D.
Counter-current chromatography (Review) 538(1991)27
- Conzentino, P., see Eisenberg, E. J. 530(1990)65
- Cook, J. A., see Crawmer, B. P. 530(1990)407
- Cooper, D. A., see Lurie, I. S. 504(1990)391
- Cooper, T., see Kandiko, C. T. 528(1990)208
- Cooper, T. B., see Suckow, R. F. 528(1990)228
- Coppi, S., see Betti, A. 513(1990)219
- Coppin, F. G., see Burrows, J. L. 529(1990)486
- Coquet, B., see Scappaticci, B. 534(1990)57
- Corasaniti, M. T., Strongoli, M. C. and Nisticò, G.
Determination of paraquat in rat brain using ion-pair solid-phase extraction and reversed-phase high-performance liquid chromatography with ultraviolet detection 527(1990)189
- Cordis, G. A. and Das, D. K.
High-performance liquid chromatographic detection of myocardial prostaglandins and thromboxanes 536(1991)309
- Cordis, G. A., see Das, D. K. 536(1991)273
- Cordonnier, P., see Dutot, C. 528(1990)435
- Corio, R., see Lucarelli, C. 515(1990)415
- Cork, C. M., see Rein, J. 545(1991)149
- Cornaglia-Ferraris, P., see Montaldo, P. G. 525(1990)471
- Corradini, C., see Lucarelli, C. 511(1990)167
- Corran, P. H., see Lovell, G. 525(1990)287
- Cortes, H. J., see Gerhart, B. B. 503(1990)377
- Cortinas de Nava, C., see Ladrón de Guevara, O. 528(1990)35
- Cortivo, R., see Brun, P. 526(1990)530
- Corzett, M., see Stacks, P. C. 528(1990)25
- Cosey, A., see Kirschbaum, J. 507(1990)165

- Cosh, D. G., see Hayball, P. J. 528(1990)526
- Cosseddu, D., see Petrarulo, M. 532(1990)130
- Costa-Ferreira, M. and Duarte, J. C.
Use of dye pseudo-affinity chromatography in the purification of homoserine dehydrogenase 539(1991)507
- Cotter, R. J., see Simpson, R. C. 536(1991)143
- Courty, J., see Jacquot Dourges, M. A. 526(1990)35
- Coutant, J. E., Chen, T.-M. and Ackermann, B. L.
Interfacing microbore and capillary liquid chromatography to continuous-flow fast atom bombardment mass spectrometry for the analysis of glycopeptides 529(1990)265
- Coutant, J. E., see Lu, Z. 540(1991)199
- Covey, T. R., see Huang, E. 511(1990)257
- Cox, D. J., see Gjerde, D. T. 546(1991)151
- Cox, G. B., see Edwardson, P. A. D. 545(1991)79
- Cox, G. B., see Snyder, L. R. 511(1990)404
- Cox, G. B., see Snyder, L. R. 537(1991)507
- Cox, G. B., see Snyder, L. R. 540(1991)21
- Cox, J. A. and Dabek-Zlotorzynska, E.
High-performance liquid chromatography of sulfur-containing amino acids and related compounds with amperometric detection at a modified electrode 543(1991)226
- Cox, R. P., see Juhler, R. K. 508(1990)232
- Cox, R. P., see Thomsen, J. K. 521(1990)53
- Cox, S., see Harmenberg, J. 508(1990)75
- Cox, W. A., see Kandiko, C. T. 528(1990)208
- Coyard, V., see Duprat, F. 540(1991)157
- Crabtree, D. V. and Adler, A. J.
Derivatization of hydroxyeicosatetraenoic acid methyl esters with pentafluorobenzoic anhydride and analysis with supercritical fluid chromatography-chemical ionization mass spectrometry 543(1991)405
- Cragoe, E. J., see Meng, Q. C. 529(1990)201
- Cramer, H., see Rissler, K. 533(1990)179
- Cramer, S. M., see Kim, Y. J. 549(1991)89
- Cramers, C. A., see Hetem, M. J. J. 540(1991)53
- Cramers, C. A., see Janssen, H.-G. 505(1990)19
- Cramers, C. A., see Van Es, A. J. 517(1990)143
- Crane, L. J., see Narayanan, S. R. 503(1990)93
- Crane, L. J., see Shreedhara Murthy, R. S. 542(1991)205
- Crankshaw, D. P., see Bjorksten, A. R. 533(1990)241
- Crawmer, B. P., Cook, J. A. and Brown, R. R.
Determination of amifloxacin and two of its principal metabolites in plasma and urine by high-performance liquid chromatography using automated column switching 530(1990)407
- Creaser, C. S., see Bagheri, H. 547(1991)345
- Crescentini, G., see Bruner, F. 517(1990)123
- Cress, E. A., see Blank, M. L. 508(1990)382
- Crevat, A. D., see Gallice, P. M. 539(1991)449
- Crews, T., see Garland, W. A. 539(1991)133
- Crimmins, D. L. and Emerson Holtzer, M.
Chromatographic and physical studies of tropomyosin in aqueous-organic media at low pH 543(1991)327
- Crimmins, D. L., see Thoma, R. S. 537(1991)153
- Cristalli, A., see Ossicini, L. 547(1991)283
- Crooks, A. J., Lee, J. M., Dowsett, A. B. and Stephenson, J. R.
Purification and analysis of infectious virions and native non-structural antigens from cells infected with tick-borne encephalitis virus 502(1990)59
- Crothers, D. M., see Maa, Y.-F. 508(1990)61
- Croucher, M. D., see Xu, R. 547(1991)434
- Crouzet, J., see Salles, C. 522(1990)255
- Csató, E., Fülöp, N. and Szabó, G.
Preparation and comparison of a pentafluorophenyl stationary phase for reversed-phase liquid chromatography 511(1990)79
- Cserhádi, T.
Anomalous retention behaviour of some synthetic nucleosides on aluminium oxide layers 543(1991)425
- Cserhádi, T. and Hauck, H. E.
Retention characteristics of CN, NH₂ and diol precoated high-performance thin-layer chromatographic plates in the adsorption and reversed-phase separation of some benzodiazepine derivatives 514(1990)45
- Cserhati, T., Szejtli, J. and Szogyi, M.
Charge-transfer chromatographic study on inclusion complex formation between two hydroxypropyl- β -cyclodextrins and some chlorophenols 509(1990)255
- Cserhádi, T. and Szögyi, M.
Determination of the lipophilicity of some peptides. Effect of surface pH of silica 520(1990)249
- Cserhádi, T., see Valkó, K. 506(1990)35
- Cserhádi, T., see Valkó, K. 550(1991)667
- Cugier, P., see Morgan, D. 502(1990)351
- Cullen, D. C., see Lowe, C. R. 510(1990)347
- Culling-Berglund, A. J., see Newcomb, S. A. 526(1990)47
- Cummings, J., Matheson, L. M. and Smyth, J. F.
Method for the determination of γ -L-glutamyl-L-dihydroxyphenylalanine and its major metabolites L-dihydroxyphenylalanine, dopamine and 3,4-dihydroxyphenylacetic acid by high-performance liquid chromatography with electrochemical detection 528(1990)43

- Cummings, L., see Dunn, L. 548(1991)165
- Cundy, K. C., see Eisenberg, E. J. 530(1990)65
- Currò, P., see Micali, G. 514(1990)317
- Cutiè, S. S., Buzanowski, W. C. and Berdasco, J. A.
Fate of superabsorbents in the environment. Analytical techniques 513(1990)93
- Cwyk, W., see Chong, P. 512(1990)227
- Cysewski, P., Jaulmes, A., Lemque, R., Sébille, B., Vidal-Madjar, C. and Jilge, G.
Multivalent ion-exchange model of biopolymer chromatography for mass overload conditions 548(1991)61
- Czejka, E., see Jäger, W. 532(1990)411
- Czejka, M. J., see Jäger, W. 532(1990)411
- Czerwińska-Bil, U., see Gawdzik, B. 509(1990)135
- Czerwinski, W. and Gromotowicz, W.
Determination of impurities in thionyl chloride by gas chromatography 520(1990)163
- Czok, M. and Guiochon, G.
Aligned fiber columns for size-exclusion chromatography 506(1990)303
- Czok, M. and Guiochon, G.
Pitfalls in the choice of isotherms for the calculation of band profiles in preparative chromatography 537(1991)497
- Czok, M., Katti, A. M. and Guiochon, G.
Effect of sample viscosity in high-performance size-exclusion chromatography and its control 550(1991)705
- D**
- Daban Haurou, C., Declercq, G., Ramiandrasoa, P. and Millet, J. L.
Enantiomeric resolution of amino acid derivatives by high-performance liquid chromatography on chiral stationary phases derived from L-proline 547(1991)31
- Dabek-Zlotorzynska, E., see Cox, J. A. 543(1991)226
- DaCunha, A. R., see Stout, S. J. 504(1990)429
- D'Agostino, P. A., Provost, L. R., Anacleto, J. F. and Brooks, P. W.
Capillary column gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry detection of chemical warfare agents in a complex airborne matrix 504(1990)259
- D'Agostino, P. A., Provost, L. R. and Brooks, P. W.
Detection of sarin and soman in a complex airborne matrix by capillary column ammonia chemical ionization gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry 541(1991)121
- Dahl, S. G., see Loennechen, T. 503(1990)205
- Dahlem, A. M., see Meriluoto, J. A. O. 509(1990)390
- Dahlquist, I., see Dalbacke, J. 507(1990)381
- Dahlquist, I., see Dalbacke, J. 541(1991)383
- Dahmen, N., Kordikowski, A. and Schneider, G. M.
Determination of binary diffusion coefficients of organic compounds in supercritical carbon dioxide by supercritical fluid chromatography 505(1990)169
- Daidakova, I. V., see Gavrilova, T. B. 520(1990)41
- Dalbacke, J. and Dahlquist, I.
Determination of vitamin B₁₂ in multivitamin-multimineral tablets by high-performance liquid chromatography after solid-phase extraction 541(1991)383
- Dalbacke, J., Dahlquist, I. and Persson, C.
Determination of warfarin in drinking water by high-performance liquid chromatography after solid-phase extraction 507(1990)381
- Dalene, M., Skarping, G. and Brorson, T.
Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. IV. Determination of 1,6-hexamethylenediamine in human urine using capillary gas chromatography and selective ion monitoring 516(1990)405
- Dal Fiume, D., see Lorusso, V. 525(1990)401
- Dalla Libera, L.
Modification of the selectivity of a reversed-phase high-performance liquid chromatographic system by binding sodium dodecyl sulphate to peptides 507(1990)45
- Dalla Libera, L.
Determination of 3-methylhistidine in hydrolysed proteins by fluorescamine derivatization and high-performance liquid chromatography 536(1991)283
- Dallas, A. J., see Li, J. 517(1990)103
- Dallas, A. J., see Li, J. 550(1991)101
- Damani, L. A., see Epemolu, R. O. 519(1990)171
- Damani, L. A., see Stevenson, P. J. 533(1990)248

- D'Amato, G., see Castello, G. 521(1990)99
- Damhof, R. A., see Welling, G. W. 512(1990)337
- Damhof, R. A., see Welling, G. W. 548(1991)235
- Damiani, P., see Burini, G. 543(1991)69
- Damm, P., see Lehr, K. H. 526(1990)497
- Damsma, G., see Teelken, A. W. 529(1990)408
- Dandekar, K. A., see Mulvana, D. E. 527(1990)343
- Dandeu, J.-P., Rabillon, J., Beltrand, M.-J., Lux, M., Duval, R. and David, B. Immobilized metal ion affinity chromatography for the purification of *Fel d* I, a cat major allergen, from a house-dust extract 512(1990)177
- Dandeu, J. P., Rabillon, J., Guillaume, J. L., Camoin, L., Lux, M. and David, B. Isolation and purification of cat albumin from cat serum by copper ion affinity chromatography: further analysis of its primary structure 539(1991)475
- Danchower, D. A. and Kelley, W. T. Rapid extraction and high speed liquid chromatography of *Nicotiana tabacum* leaf pigments 502(1990)431
- Dang, T. T., see Knight, M. 538(1991)141
- Danielson, N. D., Beaver, L. G. and Wangsa, J. Fluoropolymers and fluorocarbon bonded phases as column packings for liquid chromatography (Review) 544(1991)187
- Danielson, N. D., see Maki, S. A. 542(1991)101
- Danielson, N. D., see Wangsa, J. 514(1990)171
- Danielsson, Å., see Nyberg, F. 548(1991)311
- Dannecker, W., see Schröder, B. 514(1990)241
- Dantigny, P., Wang, Y., Hubble, J. and Howell, J. A. Optimisation of frontal chromatography by partial loading 545(1991)27
- Da Prada, M., see Zürcher, G. 530(1990)253
- D'Aranno, V., Mancinelli, A., Borsini, F., Furio, M. and Meli, A. Determination of nomifensine in rat brain by high-performance liquid chromatography with fluorescence detection 525(1990)234
- Das, D. K., Cordis, G. A., Rao, P. S., Liu, X. and Maity, S. High-performance liquid chromatographic detection of hydroxylated benzoic acids as an indirect measure of hydroxyl radical in heart: its possible link with the myocardial reperfusion injury 536(1991)273
- Das, D. K., see Cordis, G. A. 536(1991)309
- Das, H. A., see Veltkamp, A. C. 508(1990)301
- Dasgupta, A., Rosenzweig, I. B., Turgeon, J. and Raisys, V. A. Encainide and metabolites analysis in serum or plasma using a reversed-phase high-performance liquid chromatographic technique 526(1990)260
- Dasgupta, P. K., see Strong, D. L. 546(1991)159
- Daško, L. Application of the UNIFAC method for assessment of retention in reversed-phase liquid chromatography 543(1991)267
- Date, Y., see Tsuruta, Y. 502(1990)178
- Daučík, P., see Drdák, M. 504(1990)207
- Davankov, V. A., see Kurganov, A. 506(1990)391
- Davankov, V. A., see Kurganov, A. A. 548(1991)207
- Davidek, J., see Velišek, J. 502(1990)167
- Davey, J. F. and Ersser, R. S. Amino acids analysis of physiological fluids by high-performance liquid chromatography with phenylisothiocyanate derivatization and comparison with ion-exchange chromatography 528(1990)9
- David, B., see Dandeu, J.-P. 512(1990)177
- David, B., see Dandeu, J. P. 539(1991)475
- David, L., see Auboiron, S. 547(1991)411
- Davies, C. L. Chromatography of β -adrenergic blocking agents 531(1990)131
- Davies, J. R., see Hearn, M. W. 512(1990)23
- Davies, N. W. Gas chromatographic retention indices of monoterpenes and sesquiterpenes on methyl silicone and Carbowax 20M phases (Review) 503(1990)1
- Davies, P. A., see Unarska, M. 519(1990)53
- Davis, J. M. Influence of thermal variation of diffusion coefficient on non-equilibrium plate height in capillary zone electrophoresis 517(1990)521
- Davis, J. M., see Oros, F. J. 550(1991)135
- Davis, T. P., see Newcomb, S. A. 526(1990)47
- Davis Huysmans, K., see Mehra, H. C. 508(1990)265
- Davoudi, H., see Szabo, G. K. 535(1990)279
- Dawkins, J. V., Forrest, M. J. and Shepherd, M. J. Multi-step procedure for the separation of vinyl chloride oligomers 550(1991)539
- Dawson, C. M., Belcher, H. J. C. R., Rainbow, S. J. and Tickner, T. R. Measurement of 4-hydroxyanisole in serum by direct injection high-performance liquid chromatography 534(1990)267
- Dawson, C. M., see Rainbow, S. J. 527(1990)389
- Dawson, M. and McGee, C. M. Comparison between ethanol and methanol for the reversed-phase high-performance

- liquid chromatographic analysis of leukotriene B₄ and its metabolites in cell incubation supernatants 532(1990)379
- Dean, M. A., see Torres, M. C. 522(1990)245
- DeAngelis, R., Loebbs, P., Machr, R., Savarese, J. and Welch, R.
High-performance liquid chromatographic analysis of doxacurium, a new long-acting neuromuscular blocker 525(1990)389
- Debaert, M., see Vaccher, C. 542(1991)502
- De Bettignies-Dutz, A., Reznicek, G., Kopp, B. and Jurenitsch, J.
Gas chromatographic-mass spectrometric separation and characterization of methyl trimethylsilyl monosaccharides obtained from naturally occurring glycosides and carbohydrates 547(1991)299
- De Biase, D., see Simmaco, M. 504(1990)129
- DeBros, F., Okutani, R., Inada, E. and Lawrence, K.
Determination of alcuronium in plasma and urine by high-performance liquid chromatography 529(1990)449
- De Bruijn, E. A., see Tjaden, U. R. 525(1990)141
- De Bruijn, E. A., see Tjaden, U. R. 531(1990)235
- De Bruyn, A., see Van den Eeckhout, E. 504(1990)113
- Debs, J., see Jehl, F. 525(1990)225
- Decleire, M., see Motte, J. C. 507(1990)321
- Declercq, G., see Daban Haurou, C. 547(1991)31
- Decourt, J. P., Mura, P., Papet, Y., Piriou, A. and Reiss, D.
Simultaneous determination of progabide and its acid metabolite by reversed-phase high-performance liquid chromatography 527(1990)214
- Deege, A., see Hetem, M. J. J. 540(1991)53
- Deeken, R. A., see Pogány, S. A. 508(1990)179
- De Galateo, A., see Brun, P. 526(1990)530
- De Haan, J. W., see Hetem, M. J. J. 540(1991)53
- Deistung, J., Forde, D. M., O'Connell, J. P., Proudfoot, K. A., Eaton, D., Willenbrock, F., Kingaby, R. O., Hughes, B., Angal, S., Catterall, C., Carne, S. and Emtage, J. S.
Purification of a hybrid plasminogen activator protein 539(1991)485
- De Jong, A. P. J. M., see Hogendoorn, E. A. 511(1990)243
- De Jong, G. J.
Advances in Chromatography, Vol. 30, Selectivity and retention in chromatography (edited by J. C. Giddings, E. Grushka and P. R. Brown) (Book Review) 504(1990)469
- De Jong, G. J., see Kientz, C. E. 550(1991)461
- De Jong, G. J., see Kwakman, P. J. M. 511(1990)155
- De Jong, G. J., see Marko-Varga, G. 523(1990)173
- De Jong, G. J., see Vannoort, R. W. 505(1990)45
- De Jong, J., Maessen, P. A., Akkerdaas, A., Cheung, S.-F., Pinedo, H. M. and Van der Vijgh, W. J. F.
Sensitive method for the determination of daunorubicin and all its known metabolites in plasma and heart by high-performance liquid chromatography with fluorescence detection 529(1990)359
- De Jonge, E., see Te Booy, M. P. W. M. 503(1990)103
- De Kok, A., Hiemstra, M. and Vreeker, C. P.
Optimization of the postcolumn hydrolysis reaction on solid phases for the routine high-performance liquid chromatographic determination of N-methylcarbamate pesticides in food products 507(1990)459
- De Leenheer, A. P., see Van Liedekerke, B. M. 528(1990)155
- De Leo, J., see Plat, M. 546(1991)347
- De Ligny, C. L., see Tji, T. G. 504(1990)403
- Dell, D., see Heizmann, P. 527(1990)91
- Dellacherie, E., see Hubert, P. 539(1991)297
- Dellacherie, E., see Mathis, R. 538(1991)456
- Dellacherie, J., see Görner, T. 514(1990)309
- De Lorenzi, E., see Gandini, C. 540(1991)416
- Delvordre, P., see Regnault, C. 547(1991)403
- Demchak, R. J. and MacConnell, J. G.
Normal-phase chromatography and post-column colorimetric detection of abamectin-8,9-oxide 511(1990)353
- De Mey, C., see Meineke, I. 526(1990)240
- Deming, S. N.
Multiple-criteria optimization 550(1991)15
- Demirbükür, M. and Blomberg, L. G.
Separation of triacylglycerols by supercritical-fluid argentation chromatography 550(1991)765
- Demiroglou, A. and Jennissen, H. P.
Synthesis and protein-binding properties of spacer-free thioalkyl agaroses 521(1990)1
- Deml, M., see Dolník, V. 545(1991)249
- Deml, M., see Sudor, J. 545(1991)331
- De Mol, J., see Wauters, D. 516(1990)375
- Deng, J., see Zhang, A. 521(1990)128
- Dengler, H. J., see Fischer, I. U. 525(1990)369
- Denis, M., Blanchardie, P., Orsonneau, J.-L. and Lustenberger, P.
One-step 10⁴-fold purification of transformed glucocorticoid receptor. Method for purifying receptors associated with M_r ca. 90 000 heat-shock protein 508(1990)97

- Denoroy, L., see Straczek, J. 533(1990)35
- De Paoli, M., Taccheo-Barbina, M. and Bontempelli, G.
Gas chromatographic system for the identification of halogenated pesticides by retention indices using *n*-alkanes as standards 547(1991)355
- DePetrillo, P. B., Swift, R. M., Ambrose, C. and Abernethy, D. R.
High-performance liquid chromatographic determination of 3',5'-cyclic adenosine monophosphate in human platelets 527(1990)421
- Deratani, A., see Thuaud, N. 503(1990)453
- Derendorf, H., see Schaefer, H. G. 527(1990)351
- D'Eril, G. M., see Rizzo, V. 536(1991)229
- Derksen, R. J. A. M., see Gorris, L. G. M. 504(1990)421
- Derneschová, D., see Brandšteterová, E. 545(1991)205
- Dernovaya, L. I. and Eltekov, Y. A.
Retention and heats of adsorption of *n*-alkanes, aromatic hydrocarbons, aliphatic alcohols and ketones on macroporous silicas 520(1990)47
- De Ruyter-Buithuis, A. W., see Dikkeschei, L. D. 529(1990)145
- De Ryckel, B., see Van Damme, J.-C. 518(1990)375
- Desage, M., see Benčekroun, Y. 532(1990)261
- Desage, M., see Scappaticci, B. 534(1990)57
- Desbène, P.-L., see Oliveros, L. 543(1991)277
- De Schepper, P. J., see Verbesselt, R. 526(1990)515
- Deshpande, M. V., Dhume, S. T., Vyas, P. R. and Bhawe, M. R.
Determination of 5-methylcytosine content of four Cucurbitaceae species using high-performance liquid chromatography 540(1991)397
- Desiderio, D. M., see Liu, D. 530(1990)235
- Desilets, C. P., Rounds, M. A. and Regnier, F. E.
Semipermeable-surface reversed-phase media for high-performance liquid chromatography 544(1991)25
- Desmazières, B., see Oliveros, L. 543(1991)277
- De Temmerman, L., see Wauters, D. 516(1990)375
- Deterding, L. J., see Moseley, M. A. 516(1990)167
- Deutsch, J., Soncrant, T. T., Greig, N. H. and Rapoport, S. I.
Electron-impact ionization detection of scopolamine by gas chromatography-mass spectrometry in rat plasma and brain 528(1990)325
- Devani, M. B., Shishoo, C. J., Shah, S. A., Soni, K. P. and Shah, R. S.
Localization of amino acids on thin-layer chromatograms with acetylacetone-formaldehyde reagent 537(1991)494
- De Vecchi, E., see Fermo, I. 534(1990)23
- De Vries, H., see Coenegracht, P. M. J. 550(1991)397
- De Vries, J. X. and Völker, U.
Determination of the plasma protein binding of the coumarin anticoagulants phenprocoumon and its metabolites, warfarin and acenocoumarol, by ultrafiltration and high-performance liquid chromatography 529(1990)479
- Dewaele, C., see Lin Ling, B. 514(1990)189
- Dewaele, C., see Praet, A. 507(1990)427
- De Wolff, F. A., see Edelbroek, P. M. 530(1990)347
- Deye, J. F., see Berger, T. A. 547(1991)377
- Deyl, Z.
Advances in chromatography, Vol. 29 (edited by J. C. Giddings, E. Grushka and P. R. Brown) (Book Review) 527(1990)502
- Deyl, Z.
Protein purification. Principles, high resolution methods and applications (edited by J.-C. Janson and L. Rydén) (Book Review) 532(1989)207
- Deyl, Z., Miksik, I. and Struzinsky, R.
Separation and partial characterization of Maillard reaction products by capillary zone electrophoresis 516(1990)287
- Diez, M. A., Guillén, M. D., Blanco, C. G. and Bermejo, J.
Chromatographic study of methylcyclopentadiene dimers and isodimers and determination of their boiling points 508(1990)363
- De Zeeuw, R. A.
Analytical aspects of drug testing (Chemical Analysis Series, Vol. 100) (edited by D. G. Deutsch) (Book Review) 529(1990)507
- De Zeeuw, R. A., see Chen, X. 529(1990)161
- De Zeeuw, R. A., see Swart, P. J. 528(1990)464
- De Zeeuw, R. A., see Van den Berg, G. A. 550(1991)239
- Dhermy, D., see Algiman, E. 510(1990)165
- Dhume, S. T., see Deshpande, M. V. 540(1991)397
- Diallo, B., see Jaziri, M. 538(1991)227
- Diamond, A. D. and Hsu, J. T.
Correlation of protein partitioning in aqueous polymer two-phase systems 513(1990)137
- Dias, F., see Roman, M. 546(1991)341
- Di Cianni, G., see Benzi, L. 534(1990)37

- Dickinson, C. M.
Improved high-performance liquid chromatographic method for quantitation of ivermectin in whole blood, serum or muscle tissue 528(1990)250
- Dickinson, R. G., see Hooper, W. D. 529(1990)167
- Di Corcia, A. and Marchetti, M.
Rapid and sensitive determination of phenylurea herbicides in water in the presence of their anilines by extraction with a Carbo-pack cartridge followed by liquid chromatography 541(1991)365
- Di Corcia, A., see Carfagnini, G. 530(1990)359
- Dierickx, P. J.
Selective elution of soluble rat liver glutathione transferases from a glutathione-Sepharose affinity column 530(1990)263
- Dietzel, K., see Moeller, N. 530(1990)200
- Di Gennaro, P., see Bolzacchini, E. 542(1991)337
- Di Gennaro, P., see Bolzacchini, E. 548(1991)229
- Di Gregorio, G., see Bolzacchini, E. 542(1991)337
- Di Gregorio, G., see Bolzacchini, E. 548(1991)229
- Di Gregorio, G., see Søndergaard, I. 512(1990)115
- Dikkeschei, L. D., Wolthers, B. G., De Ruyter-Buitenhuis, A. W., Nagel, G. T., Sleijfer, D. T., Willemse, P. H. B. and Van der Slik, W.
Determination of megestrol acetate and cyproterone acetate in serum of patients with advanced breast cancer by high-performance liquid chromatography 529(1990)145
- DiLeo, E. M., see Hsu, R. S. 530(1990)170
- Di Maso, M., Purdy, W. C. and McClintock, S. A.
Electrochemical detection system for supercritical fluid chromatography 519(1990)256
- Dimov, N. and Matisová, E.
Improved method for prediction of gas chromatographic retention indices of C₉-C₁₂ alkylbenzenes 549(1991)325
- Di Muccio, A., Santilio, A., Dommarco, R., Rizzica, M., Gambetti, L., Ausili, A. and Vergori, F.
Behaviour of 23 persistent organochlorine compounds during sulphuric acid clean-up on a solid-matrix column 513(1990)333
- Ding, W., Veening, H. and Van Effen, R. M.
Determination of guanidino compounds by anion-exchange chromatography and amperometric detection 526(1990)355
- Ding, Y., see Ye, M. 518(1990)238
- Dingler, E., see Lohmann, A. 529(1990)442
- DiNunzio, J. E. and Gadde, R. R.
Determination of sunscreen compounds in topical sunscreen products 519(1990)117
- DiNunzio, J. E., see Kril, M. B. 522(1990)227
- Diomede, L., see Fermo, I. 534(1990)23
- Dion, D. M., O'Connor, K., Phillips, D., Vella, G. J. and Warren, W.
New family of high-resolution ion exchangers for protein and nucleic acid purifications from laboratory to process scales 535(1990)127
- Dionisotti, S., Bamonte, F. and Monopoli, A.
High-performance liquid chromatographic assay of dilevalol, a β -adrenoceptor blocker, in rat and human plasma 530(1990)458
- Dios, C. G., see Sánchez-Rasero, F. 538(1991)480
- Diquet, B., see Lacroix, C. 525(1990)240
- Diwan, A. M., see Elias, C. 537(1991)460
- Djalali, M., Gueant, J.-L., Lambert, D., El Kholty, S., Saunier, M. and Nicolas, J.-P.
High-performance liquid chromatographic separation and dual competitive binding assay of corrinoids in biological material 529(1990)81
- Djordjevic, N. M., Erni, F., Schreiber, B., Lankmayr, E. P., Wegscheider, W. and Jaufmann, L.
Fully automatic high-performance liquid chromatographic optimization 550(1991)27
- Dmitrenko, A. V., Shadrina, N. E., Ivanchev, S. S., Ulinskaya, N. N. and Volkov, A. M.
Polymer-inorganic selective adsorbents for gas chromatography produced by graft polymerization 520(1990)21
- Dmitrikov, V. P., see Buryan, P. 509(1990)3
- Do, D. D., see James, E. A. 542(1991)19
- Do, D. D., see Yu, Q. 538(1991)285
- Do, L. and Raulin, F.
Gas chromatography of the atmosphere of Titan. II. Analysis of low-molecular-weight hydrocarbons and nitriles with a potassium chloride-deactivated alumina PLOT capillary column 514(1990)65
- Dobarganes, M. C., see Márquez-Ruiz, G. 514(1990)37
- Dobrowolska, G., Muszyńska, G. and Porath, J.
Model studies on iron(III) ion affinity chromatography. Interaction of immobilized metal ions with nucleotides 541(1991)333
- Doehl, J. and Greibrokk, T.
Determination of prostaglandins in human seminal fluid by solid-phase extraction, pyridinium dichromate derivatization and high-performance liquid chromatography 529(1990)21

- Doghieri, P., see Piretti, M. V. 514(1990)334
- Doherty, R. M., see Abraham, M. H. 518(1990)329
- Dohi, T., see Sakuma, I. 506(1990)223
- Dolan, J. W., Lommen, D. C. and Snyder, L. R. High-performance liquid chromatographic computer simulation based on a restricted multi-parameter approach. I. Theory and verification 535(1990)55
- Dolan, J. W., Snyder, L. R. and Bautz, D. E. Computer simulation as an aid in method development for gas chromatography. II. Changes in band spacing as a function of temperature 541(1991)21
- Dolan, J. W., see Bautz, D. E. 541(1991)1
- Dolan, J. W., see Nugent, K. D. 544(1991)3
- Dolan, J. W., see Snyder, L. R. 535(1990)75
- Dolan, J. W., see Snyder, L. R. 540(1991)21
- Dolan, J. W., see Snyder, L. R. 541(1991)35
- Dolcerocca, P., see Duprat, F. 540(1991)157
- Dolník, V., Deml, M., Gebauer, P. and Boček, P. Optimization of isotachopheretic analysis: use of the charge-based transient-state model 545(1991)249
- Dolzine, T. W., see Jakubowski, E. M. 528(1990)184
- Dombek, V. Determination of permethrin and tetramethrin by isotachopheretic analysis of hydrolytic products 545(1991)427
- Domen, P. L., Nevens, J. R., Mallia, A. K., Hermanson, G. T. and Klenk, D. C. Site-directed immobilization of proteins 510(1990)293
- Domenici, E., see Bertucci, C. 506(1990)617
- Dominguez, E., see Marko-Varga, G. 506(1990)423
- Dominguez, E., see Marko-Varga, G. 523(1990)173
- Dommarco, R., see Di Muccio, A. 513(1990)333
- Donaldson, M. J. and Adlard, M. W. Analysis of δ -L- α -aminoadipyl-L-cysteinyld-valine by ion chromatography and pulsed amperometric detection 509(1990)347
- Dondi, F., see Pietrogrande, M. C. 522(1990)37
- Donnelly, J. R., Munslow, W. D., Grange, A. H., Pettit, T. L., Simmons, R. D. and Sovocool, G. W. Correlation of structure with linear retention index for bromo- and bromochlorodibenzo-*p*-dioxins and bromodibenzofurans 540(1991)293
- Donovan, T. J., see Wedzicha, B. L. 505(1990)357
- Doornbos, D. A., see Coenegracht, P. M. J. 550(1991)397
- Dorbon, M. and Chevalier, A. On-line chromatography with capillary columns and temperature programming. Determination of traces of 2-butenes in 1-butene and analysis of a reformat 509(1990)33
- Dorbon, M., see Durand, J. P. 509(1990)47
- Döring, C. E., see Estel, D. 520(1990)175
- Dorizzi, R., see Tagliaro, F. 507(1990)253
- Dose, E. V., see Katti, A. M. 540(1991)1
- Douglas, F. L., see Kuwahara, S. K. 534(1990)260
- Douglas, Jr., F. W., see Sapers, G. M. 503(1990)431
- Doute, M., see Beyne, P. 527(1990)140
- Dovi, R., see Roman, M. 546(1991)341
- Dovich, N. J., see Swerdlow, H. 516(1990)61
- Dower, H. J., see Brown, E. M. 512(1990)203
- Dowsett, A. B., see Crooks, A. J. 502(1990)59
- Doyle, E., McDowall, R. D., Murkitt, G. S., Picot, V. S. and Rogers, S. J. Two systems for the automated analysis of drugs in biological fluids using high-performance liquid chromatography 527(1990)67
- Doyle, E., see Huber, R. 529(1990)389
- Doyle, E., see Picot, V. S. 527(1990)454
- Doyle, M. J., see Kaffenberger, R. M. 505(1990)349
- Doyle, M. J., see Kaffenberger, R. M. 527(1990)59
- Drake, P. A., see Smith, R. G. 546(1991)139
- Drawert, F., see Fischer, N. 538(1991)193
- Drawert, F., see Nitz, S. 547(1991)516
- Drdák, M., Daučík, P. and Kubaský, J. Analysis of anthocyanins in red wines by high-performance liquid chromatography using butylamines in the mobile phase 504(1990)207
- Drdák, M., see Karovičová, J. 509(1990)283
- Drenth, B. F. H., see Swart, P. J. 528(1990)464
- Dreux, M., see Elfakir, C. 513(1990)354
- Dreux, M., see Herbreteau, B. 505(1990)299
- Dreux, M., see Lafosse, M. 505(1990)191
- Drevin, I. and Johansson, B.-L. Stability of Superdex 75 prep grade and Superdex 200 prep grade under different chromatographic conditions 547(1991)21
- Drevin, I., Larsson, L., Eriksson, I. and Johansson, B.-L. Chemical properties of and solute-support interactions with the gel filtration medium Superdex 75 prep grade 514(1990)137
- Drewnowska, M., see Cendrowska, I. 509(1990)195
- Drijfhout, J. W., see Welling, G. W. 512(1990)337

- Drijfhout, J. W., see Welling, G. W. 548(1991)235
- Droque, S., Rolet, M.-C., Thiébaud, D. and Rosset, R.
Improvement of on-line detection in high-speed counter-current chromatography: UV absorptiometry and evaporative light-scattering detection 538(1991)91
- Drohan, W. N., see Tharakan, J. P. 522(1990)153
- Drozdz, J., Vodáková, Z. and Koupil, P.
Systematic errors with the use of internal standard calibration in gas chromatographic headspace analysis 518(1990)1
- D'sa, E. D., see Wentworth, W.E. 517(1990)87
- Duarte, J. C., see Costa-Ferreira, M. 539(1991)507
- Dubin, P. L., Kaplan, J. I., Tian, B.-S. and Mehta, M.
Size-exclusion chromatography dimension for rod-like macromolecules 515(1990)37
- Dubois, J. P., see Sioufi, A. 531(1990)459
- Dubrova, M. A., Mindlin, L. O., Shchedrina, M. M., Belfer, A. G., Nikitina, M. A. and Rudenko, B. A.
Headspace gas chromatography with open-tubular columns for determining the evaporation rate of essential oils, perfumery compositions and perfumes 520(1990)169
- Ducharme, J., see Varin, F. 529(1990)319
- Duche, J.-C., see Herve, F. 539(1991)405
- Dudek, S., Friebe, S. and Hermann, P.
High-performance liquid chromatographic method for the study of solvent effects on the peptidase and esterase activity of thermitase 520(1990)333
- Dudson, P., see Whelpton, R. 526(1990)215
- Duffield, A. M., Wise, S., Keledjian, J. and Suann, C. J.
Identification using solid phase extraction and gas chromatography-mass spectrometry of timolol in equine urine after intravenous administration 518(1990)215
- Duffy, L. K., Reynolds, R. A. and Harrington, J. P.
High-performance liquid chromatographic separation and partial characterization of the α - and β -chains of Alaskan sockeye salmon hemoglobin 512(1990)291
- Duffy, P., see Urech, R. 534(1990)271
- Dufourcq, J., see Perez-Paya, E. 548(1991)351
- Dufresne, M., see Jiménez, J. 511(1990)333
- Duggan, D. E., see Chen, I.-W. 534(1990)119
- Duijsters, P. P. E., see Tock, P. P. H. 506(1990)185
- Dumas, M. L., see Schröder, W. 512(1990)213
- Dunn, B. M., see Haky, J. E. 541(1991)303
- Dunn, L., Abouelezz, M., Cummings, L., Navvab, M., Ordunez, C., Siebert, C. J. and Talmadge, K. W.
Characterization of synthetic macroporous ion-exchange resins in low-pressure cartridges and columns. Evaluation of the performance of Macro-Prep 50 S resin in the purification of anti-Klenow antibodies from goat serum 548(1991)165
- Du Penhoat, C., see Scalbert, A. 502(1990)107
- Duportail, G., see Rastegar, A. 518(1990)157
- Duprat, F., Coyard, V., Dolcerocca, P. and Gassend, R.
Resolution of (\pm)-2-aminoheptane enantiomers by inductive adsorption chromatography 540(1991)157
- Du Preez, J. L., see Bergh, J. J. 513(1990)392
- Durand, A., see Rop, P. P. 527(1990)226
- Durand, A., see Rouchouse, A. 506(1990)601
- Durand, G. and Barceló, D.
Determination of chlorotriazines and their photolysis products by liquid chromatography with photodiode-array and thermospray mass spectrometric detection 502(1990)275
- Durand, J. P., Boscher, Y. and Dorbon, M.
On-line chromatographic analyser for determining the composition and octane number of reforming process effluents 509(1990)47
- Dussert, B., see Schnable, J. G. 513(1990)47
- Duteil, X. P., see Giroit, P. 510(1990)213
- Duthel, J. M., see Franceschini, A. 541(1991)109
- Dutot, C., Moreau, J., Cordonnier, P., Spreux-Varoquaux, O., Klein, C., Ostrowski, J., Advenier, C., Gärtner, W. and Pays, M.
Determination of the active metabolite of molsidomine in human plasma by reversed-phase high-performance liquid chromatography 528(1990)435
- Dutta, I., Dutta, P. K., Smith, D. W. and O'Donovan, G. A.
High-performance liquid chromatography of deoxyribonucleoside di- and triphosphates in tomato roots 536(1991)237
- Dutta, P. K., Hammons, K., Willibey, B. and Haney, M. A.
Analysis of protein denaturation by high-performance continuous differential viscometry 536(1991)113
- Dutta, P. K., Shanley, M. S. and O'Donovan, G. A.
Assay of cytosine and cytidine deaminases by means of reversed-phase high-performance liquid chromatography 512(1990)395
- Dutta, P. K., see Bailey, A. J. 512(1990)403

- Dutta, P. K., see Dutta, I. 536(1991)237
- Duval, L., see Scalbert, A. 502(1990)107
- Duval, R., see Dandeu, J.-P. 512(1990)177
- Duwoos, H., see Lacroix, C. 525(1990)240
- Dvořák, M., see Kmošťák, S. 503(1990)260
- Dyke, C., see Camilleri, P. 518(1990)277
- Dyke, C. A., see Camilleri, P. 523(1990)300
- Dyr, J. E., see Fořtová, H. 523(1990)312
- Dzido, T. H. and Soczewiński, E.
Modification of a horizontal sandwich chamber for thin-layer chromatography 516(1990)461
- Dzido, T. H., Soczewiński, E. and Gudej, J.
Computer-aided optimization of high-performance liquid chromatographic analysis of flavonoids from some species of the genus *Althaea* 550(1991)71
- Dzido, T. H., see Markowski, W. 523(1990)81
- Dziwiński, E., see Szymanowski, J. 502(1990)407
- Dziwiński, E., see Szymanowski, J. 511(1990)325
- Dzúrik, R., see Lajdová, I. 528(1990)178
- E**
- Eastwood, R. J., Bhamra, R. K. and Holt, D. W.
High-performance liquid chromatographic method for the measurement of bufomedil in plasma and serum 532(1990)187
- Eastwood, R. J., Galustian, C., Bhamra, R. K. and Holt, D. W.
High-performance liquid chromatographic method for the measurement of nicardipine in plasma or serum 530(1990)463
- Eaton, D., see Deistung, J. 539(1991)485
- Ebenbichler, C., see Bronnenmeier, K. 521(1990)301
- Echizen, H., Nakura, M. and Ishizaki, I.
Rapid and simple high-performance liquid chromatographic determination of saliva antipyrine for routine antipyrine test 526(1990)296
- Echner, H. F., see Grübler, G. 512(1990)249
- Eckers, C., see Camilleri, P. 523(1990)300
- Ecknig, W., see Luffer, D. R. 505(1990)79
- Edder, P., see Chambaz, D. 541(1991)443
- Edebo, A., see Allenmark, S. 532(1990)203
- Edelbroek, P. M., Van Kempen, G. M. J., Hessing, T. J. and De Wolff, F. A.
Analysis of phenprocoumon and its hydroxylated and conjugated metabolites in human urine by high-performance liquid chromatography after solid-phase extraction 530(1990)347
- Edfort, M. J., see Keswani, S. R. 534(1990)77
- Edlund, P. O., see Johansen, K. 506(1990)471
- Edmonds, C. G., see Smith, R. D. 516(1990)157
- Edwards, C. and Strange, R. N.
Separation and identification of phytoalexins from leaves of groundnut (*Arachis hypogaea*) and development of a method for their determination by reversed-phase high-performance liquid chromatography 547(1991)185
- Edwardson, P. A. D., Collins, I. J., Scawen, M. D., Atkinson, T., Cox, G. B., Sivakoff, S. and Stout, R. W.
Separation and purification of oligonucleotides using a new bonded-phase packing material 545(1991)79
- Eftimiadi, C., see Lucarelli, C. 515(1990)415
- Eggers, H., see Heizmann, P. 527(1990)91
- Egloff, M., see Frémont, S. 526(1990)186
- Egly, J.-M., see Moncollin, V. 510(1990)243
- Eguchi, K., see Morita, I. 526(1990)367
- Eguchi, S., Kloosterboer, J. G., Zegers, C. P. G., Schoenmakers, P. J., Tock, P. P. H., Kraak, J. C. and Poppe, H.
Fabrication of columns for open-tubular liquid chromatography using photopolymerization of acrylates 516(1990)301
- Eguchi, S., see Hirokawa, T. 538(1991)413
- Eguchi, T., Miyazaki, H. and Nakayama, F.
Simultaneous determination of keto and non-keto bile acids in human serum by gas chromatography with selected ion monitoring 525(1990)25
- Ehninger, G., see Blanz, J. 532(1990)429
- Ehwald, R., Heese, P. and Klein, U.
Determination of size limits of membrane separation in vesicle chromatography by fractionation of polydisperse dextran 542(1991)239
- Eiceman, G. A. and Lara, A. S.
Gas chromatographic properties of organoammonium exchanged montmorillonites. I. Tetraalkylammonium cations 549(1991)273
- Eiceman, G. A., see Lara, A. S. 549(1991)283
- Eichelbaum, M., see Gross, A. S. 525(1990)183
- Eichhold, T. H., see Kaffenberger, R. M. 505(1990)349
- Eichler, J., see Podzimek, Š. 547(1991)195
- Eick, J. D., see Fanska, C. B. 537(1991)357

- Eickhoff, W. M., Liversidge, G. G. and Mutharasan, R.
Liquid chromatographic analysis of a potential polymeric-pendant drug delivery system for peptides. Application of high-performance size-exclusion chromatography, reversed-phase high-performance liquid chromatography and ion chromatography to the evaluation of biodegradable poly[(chloromethoxy)trialanine methyl ester] phosphazenes] 536(1991)255
- Eigendorf, G. K., see Salari, H. 527(1990)303
- Eisenberg, E. J., Conzentino, P., Liversidge, G. G. and Cundy, K. C.
Simultaneous determination of allopurinol and oxypurinol by liquid chromatography using immobilized xanthine oxidase with electrochemical detection 530(1990)65
- Eisenhandler, R., see Titus, D. C. 534(1990)87
- Eisenthal, R., see Mayes, A. G. 539(1991)245
- Eksteen, R., see Katz, E. D. 512(1990)433
- Elchuk, S., see Lucy, C. A. 546(1991)27
- Elfakir, C., Lafosse, M. and Dreux, M.
Optimization of high-performance liquid chromatographic analysis with UV detection: light-scattering detection to establish the coelution of UV- and non-UV-absorbing constituents 513(1990)354
- Elfakir, C., see Lafosse, M. 505(1990)191
- El Fallah, M. Z., Golshan-Shirazi, S. and Guiochon, G.
Theoretical study of the effect of a difference in column saturation capacities for the two components of a binary mixture on their elution band profiles and separation in non-linear chromatography 511(1990)1
- El Fallah, M. Z. and Guiochon, G.
Study of the interaction between two overloaded bands injected successively in non-linear chromatography 522(1990)1
- El Fallah, M. Z., see Golshan-Shirazi, S. 541(1991)195
- Elias, C. and Diwan, A. M.
Behaviour of concavalin A on DEAE-Sephadex and CM-Sephadex 537(1991)460
- El Kholty, S., see Djalali, M. 529(1990)81
- Ellegren, H., see Kågedal, L. 537(1991)17
- Elling, L., see Kula, M.-R. 548(1991)3
- Ellingsen, T., Aune, O., Ugelstad, J. and Hagen, S.
Monosized stationary phases for chromatography 535(1990)147
- Ellingsen, T., see Kulin, L.-I. 514(1990)1
- Ellouali, M., Khamlichi, S., Jozefonvicz, J. and Muller, D.
Affinity of trypsin for amidine derivatives immobilized on dextran-coated silica supports 548(1991)255
- El Rassi, Z., see Bacolod, M. D. 512(1990)237
- El Rassi, Z., see Nashabeh, W. 514(1990)57
- El Rassi, Z., see Nashabeh, W. 536(1991)31
- Elrod, Jr., L., Linton, C. L., Shelat, B. P. and Wong, C. F.
Determination of minor impurities in temafloxacin hydrochloride by high-performance liquid chromatography 519(1990)125
- El-Sayed Metwally, M.
Stability-indicating high-performance liquid chromatographic assay for α -methyl dopa in sustained-release capsules 549(1991)221
- Elshourbagy, N., see Sweeney, P. J. 539(1991)501
- El Tayar, N., see Bechalany, A. 541(1991)221
- El Tayar, N., see Tsai, R.-S. 538(1991)119
- El Tayar, N., see Vallat, P. 504(1990)411
- Eltekov, Y. A., see Dernovaya, L. I. 520(1990)47
- Elteкова, N. A.
Retention times and heats of adsorption of aromatic compounds on carbon adsorbents 506(1990)335
- Elyas, A. A., Goldberg, V. D. and Patsalos, P. N.
Simple and rapid micro-analytical high-performance liquid chromatographic technique for the assay of oxcarbazepine and its primary active metabolite 10-hydroxycarbazepine 528(1990)473
- Emary, W. B., see Simpson, R. C. 536(1991)143
- Embree, L. and McErlane, K. M.
Electrochemical detection of the 3,5-dinitrobenzoyl derivative of digoxin by high-performance liquid chromatography 526(1990)439
- Emerson, C. S., see Neely, F. L. 523(1990)305
- Emerson Holtzer, M., see Crimmins, D. L. 543(1991)327
- Emmer, Å., Jansson, M. and Roeraade, J.
Improved capillary zone electrophoretic separation of basic proteins, using a fluorosurfactant buffer additive 547(1991)544
- Emmert, J., see Werner, G. 525(1990)265
- Emtage, J. S., see Deistung, J. 539(1991)485
- Ena, J. M., Castillo, H., Sánchez, L. and Calvo, M.
Isolation of human lactoferrin by affinity chromatography using insolubilized bovine β -lactoglobulin 525(1990)442
- Engelhardt, H., Klinkner, R. and Schöndorf, G.
Post-column reaction detection and flow injection analysis 535(1990)41
- Engelhardt, H., Löw, H. and Götzinger, W.
Chromatographic characterization of silica-based reversed phases (Review) 544(1991)371

- Engelhardt, H., see Schmitz, S. J. 544(1991)381
- Engelke, B. F., see Lydon, J. 536(1991)223
- Engelmann, H., see Novick, D. 510(1990)331
- Engelsma, M., Kok, W. T. and Smit, H. C.
Selective determination of trace levels of phenol in river water using electrochemical concentration modulation correlation chromatography 506(1990)201
- Engewald, W. and Maurer, T.
Enhanced possibilities for identification by the use of series-coupled capillary gas chromatographic columns. I. General exposition and application of the retention index concept 520(1990)3
- Engewald, W., see Maurer, T. 517(1990)77
- Engineer, M. S. and Newman, R. A.
High-performance liquid chromatographic measurement of (*R*)-4-[3-[(2-hydroxy-2-phenethyl)amino]-3-methylbutyl]benzamide monohydrochloride (LY195448) and its *p*-hydroxy metabolite in human plasma and urine 527(1990)473
- Englert, D., see Tsai, A. M. 504(1990)89
- Engström, B., see Kågedal, L. 537(1991)17
- Enoki, Y., Ohga, Y., Nagano, R. and Matsumura, K.
Efficient method of haemoglobin F enrichment in adult hemolysate for determination of the γ -chain isoforms by high-performance liquid chromatography 533(1990)63
- Enquist, M. and Hermansson, J.
Influence of uncharged mobile phase additives on retention and enantioselectivity of chiral drugs using an α_1 -acid glycoprotein column 519(1990)271
- Enquist, M. and Hermansson, J.
Separation of the enantiomers of β -receptor blocking agents and other cationic drugs using a CHIRAL-AGP® column. Binding properties and characterization of immobilized α_1 -acid glycoprotein 519(1990)285
- Entelis, S. G., see Gorshkov, A. V. 523(1990)91
- Epemolu, R. O., Singh, S., Hider, R. C. and Damani, L. A.
Chromatography of 3-hydroxypyridin-4-ones: novel orally active iron chelators 519(1990)171
- Eppert, G., Liebscher, G. and Stief, C.
Examination of organic trace contamination and thermo-oxidative deterioration of ϵ -caprolactam by high-performance liquid chromatography 508(1990)149
- Epplen, J. T., see Giegerich, G. 528(1990)79
- Eray, B., see Kurganov, A. 506(1990)391
- Eremeeva, T. E., Bykova, T. O. and Gromov, V. S.
Problems in the size-exclusion chromatography of cellulose nitrates: non-exclusion effects and universal calibration 522(1990)67
- Ericsson, Ö., see Hellgren, U. 528(1990)221
- Ericsson, Ö., see Villén, T. 529(1990)309
- Eriksson, B.-M., Persson, B.-A. and Wikström, M.
Determination of urinary vanillylmandelic acid by direct injection and coupled-column chromatography with electrochemical detection 527(1990)11
- Eriksson, B.-M., see Gustafsson, S. 506(1990)75
- Eriksson, I., see Drevin, I. 514(1990)137
- Eriksson, J. E., see Meriluoto, J. A. O. 509(1990)390
- Erlandsson, P., Isaksson, R., Lorentzon, P. and Lindberg, P.
Resolution of the enantiomers of omeprazole and some of its analogues by liquid chromatography on a trisphenylcarbamoylcellulose-based stationary phase. The effect of the enantiomers of omeprazole on gastric glands 532(1990)305
- Ernemann, U., Schirmer, D., Wöber, A., Langmann, P., Warzcha, K., Joces, R., Klinker, H. and Richter, E.
Gas chromatographic determination of trimethoprim in plasma during high-dose trimethoprim-sulfamethoxazole treatment for *Pneumocystis carinii* pneumonia 528(1990)243
- Erni, F.
Use of high-performance liquid chromatography in the pharmaceutical industry 507(1990)141
- Erni, F., see Djordjevic, N. M. 550(1991)27
- Erni, F., see Steuer, W. 507(1990)125
- Ernst, W., see Kattner, G. 513(1990)327
- Erskine, W. A. R., see Janicki, P. K. 518(1990)250
- Ersser, R. S., see Davey, J. F. 528(1990)9
- Escalona, J., see Hernandez, L. 502(1990)247
- Escribano, J., Asunción, M., Miguel, J., Lamas, L. and Méndez, E.
Identification of peptides containing aromatic amino acids, cysteine, iodotyrosine and iodothyronine by high-performance liquid chromatography with photodiode-array detection 512(1990)255
- Esmans, E., see Van den Eeckhout, E. 541(1991)317
- Esmans, E. L., see Van den Eeckhout, E. 504(1990)113

- Esnouf, M. P., see Unarska, M. 519(1990)53
- Espinosa, J., see Ladrón de Guevara, O. 528(1990)35
- Espinosa-Crouch, G., see Austin, D. 527(1990)182
- Essien, H., see Binder, S. R. 550(1991)449
- Estel, D., Ohl, J. and Döring, C. E.
Packed column gas chromatography–
capillary column gas chromatography–mass
spectrometry coupling for the qualitative
characterization of technical products
520(1990)175
- Esterbauer, H., see Grune, T. 520(1990)411
- Etcheverry, M. F., see Pierron, C. 511(1990)367
- Ethier, D., see Nicoll-Griffith, D. 526(1990)341
- Eto, K., see Gomita, Y. 528(1990)509
- Ettori, C., see Chiari, M. 548(1991)381
- Ettre, L. S.
Key moments in the evolution of liquid
chromatography 535(1990)3
- Euerby, M. R.
Resolution of the neuroexcitatory N-
methylaspartic acid (2-methylaminosuccinic
acid) enantiomers by ligand-exchange thin-
layer chromatography 502(1990)226
- Evans, C. E. and McGuffin, V. L.
Evaluation of refractive index artifacts in
liquid chromatographic absorbance
detection. Extension to non-ideal injection
and gradient elution 503(1990)127
- Evans, M. B.
Principles and practice of chromatography
(by B. Ravindranath) (Book Review)
503(1990)471
- Evans, M. B.
Gas chromatography: A practical course (by
G. Schomburg) (Book Review)
542(1991)545
- Evans, P. C., see Young, D. 528(1990)385
- Evans, P. D., see Macfarlane, R. G. 532(1990)1
- Evans, P. D., see Macfarlane, R. G. 532(1990)13
- Evans, S. E., see Lowe, C. R. 510(1990)347
- Everaerts, F. M., see Ackermans, M. T. 545(1991)283
- Everaerts, F. M., see Ackermans, M. T. 549(1991)345
- Everaerts, F. M., see Beckers, J. L. 508(1990)3
- Everaerts, F. M., see Beckers, J. L. 508(1990)19
- Everaerts, F. M., see Beckers, J. L. 537(1991)407
- Everaerts, F. M., see Beckers, J. L. 537(1991)429
- Everaerts, F. M., see Van de Goor, T. A. A. M. 545(1991)379
- Everaerts, F. M., see Verheggen, T. P. E. M. 503(1990)245
- Evers, P., see König, W. A. 503(1990)256
- Evreinov, V. V., see Gorshkov, A. V. 523(1990)91
- Ewels, B. A., see Ryan, P. A. 550(1991)549

- Excoffier, J.-L., see Alfredson, T. V. 507(1990)277

F

- Faber, A., see Te Booy, M. P. W. M. 503(1990)103
- Fábián, V., Pintér-Szakács, M. and Molnár-Perl, I.
Gas chromatography of tryptophan together
with other amino acids in hydrochloric acid
hydrolysates 520(1990)193
- Facino, R. M., see Pietta, P. 537(1991)449
- Fadeev, A. Y., see Staroverov, S. M. 544(1991)77
- Fagan, D. T., see MacLeod, S. K. 502(1990)236
- Fagan, P. A. and Haddad, P. R.
Determination of free cyanide in gold
cyanidation process liquors by ion-
interaction chromatography with post-
column derivatization 550(1991)559
- Faigle, J. F., Poppi, R. J., Scarminio, I. S. and
Bruns, R. E.
Multi-component principal component
regression and partial least-squares analyses
of overlapped chromatographic peaks
539(1991)123
- Fajardo, D., see Tápanes, R. D. 532(1990)400
- Fakhry, I., see Farthing, D. 534(1990)228
- Falagiani, P., see Bolzacchini, E. 542(1991)337
- Falagiani, P., see Bolzacchini, E. 548(1991)229
- Falagiani, P., see Søndergaard, I. 512(1990)115
- Fales, H. M., see Cahnmann, H. J. 538(1991)165
- Falk, J. L., see Lau, C. E. 532(1990)95
- Fan, X., see Feng, J. 522(1990)57
- Fanali, S.
Use of cyclodextrins in capillary zone
electrophoresis. Resolution of terbutaline
and propranolol enantiomers 545(1991)437
- Fanali, S., see Foret, F. 516(1990)219
- Fanelli, R., see Bagnati, R. 527(1990)267
- Fanelli, R., see Bagnati, R. 547(1991)325
- Fang, F. W., see Hearn, M. T. W. 548(1991)117
- Fang, J.-N., see Wei, Y.-A. 513(1990)227
- Fang, X., Yu, B., Xiang, B. and An, D.
Application of pyrolysis–high-resolution gas
chromatography–pattern recognition to the
identification of the Chinese traditional
medicine Mai Dong 514(1990)287

- Fang, Y.-J., see Hu, O. Y.-P. 523(1990)321
- Fannin, F. F., Bush, L. P., Siegel, M. R. and Rowan, D. D.
Analysis of peramine in fungal endophyte-infected grasses by reversed-phase thin-layer chromatography 503(1990)288
- Fanska, C. B., Byerley, T. J. and Eick, J. D.
Indirect determination of isocyanates by gas chromatography 537(1991)357
- Farina, M., Finetti, G. and Busnelli, V.
High-performance liquid chromatographic method for the simultaneous assay of a new synthetic penem molecule and its salt-forming agent in injectable formulations 507(1990)171
- Farina, M., see Perrone, G. 520(1990)373
- Farinotti, R., see Gimenez, F. 529(1990)339
- Farinotti, R., see Tod, M. 542(1991)295
- Farkas, G., see Vigh, G. 502(1990)11
- Farkas, G., see Vigh, G. 506(1990)481
- Farrell, K., see Kassahun, K. 527(1990)327
- Farthing, D., Fakhry, I., Gehr, T. W. B. and Sica, D. A.
Quantitation of metolazone in urine by high-performance liquid chromatography with fluorescence detection 534(1990)228
- Fassina, G., see Zamai, M. 549(1991)195
- Fau, T., see Hudson, M. K. 513(1990)21
- Fauler, J., see Tsikas, D. 545(1991)375
- Faupel, M., see Wenisch, E. 516(1990)133
- Fay, L. and Richli, U.
Location of double bonds in polyunsaturated fatty acids by gas chromatography-mass spectrometry after 4,4-dimethylloxazoline derivatization 541(1991)89
- Feibush, B. and Santasania, C. T.
Hydrophilic shielding of hydrophobic, cation- and anion-exchange phases for separation of small analytes: direct injection of biological fluids onto high-performance liquid chromatographic columns (Review) 544(1991)41
- Feibush, B., see Ascah, T. L. 506(1990)357
- Felden, F., see Frémont, S. 526(1990)186
- Feldman, S., see Lau, S. W. J. 526(1990)87
- Fell, A. F., Castledine, J. B., Sellberg, B., Modin, R. and Weinberger, R.
Post-column continuous-flow analysis combined with reversed-phase liquid chromatography and computer-aided detection for the characterisation of peptides 535(1990)33
- Fell, A. F., see Marr, J. G. D. 506(1990)289
- Fellegvári, I., see Valkó, K. 506(1990)35
- Fellin, P., see Williams, D. T. 549(1991)297
- Fellows, R. J., see Harvey, S. D. 518(1990)361
- Feltes, J., Levsen, K., Volmer, D. and Spiekermann, M.
Gas chromatographic and mass spectrometric determination of nitroaromatics in water 518(1990)21
- Feltl, L., Tajovská, P. and Smolková-Keulemansová, E.
Chromatographic study of the interactions of hydrocarbons with cyclodextrins and their derivatives in the gas-solid system 520(1990)105
- Feng, J. and Fan, X.
Direct deconvolution of Tung's integral equation using a multi-Gaussian function model for instrumental band broadening in gel-permeation chromatography 522(1990)57
- Fenselau, C. C., see Simpson, R. C. 536(1991)143
- Fenton, M. and Sim, J. S.
Determination of egg yolk cholesterol content by on-column capillary gas chromatography 540(1991)323
- Fenwick, G. R., see Oleszek, W. 519(1990)109
- Fermo, I., De Vecchi, E., Diomede, L. and Paroni, R.
Serum amino acid analysis with pre-column derivatization: comparison of the *o*-phthalaldehyde and *N,N*-diethyl-2,4-dinitro-5-fluoroaniline methods 534(1990)23
- Fernández-Sánchez, E., see Becerra, M. R. 547(1991)269
- Fernández-Torres, A., see Becerra, M. R. 547(1991)269
- Ferrannini, E., see Buzzigoli, G. 507(1990)85
- Ferrara, P., see Marchese, E. 504(1990)351
- Ferrari, L., see Maccari, F. 532(1990)124
- Ferraris, S. and Korte Jr., D. W.
Determination of the oximes 2-hydroxyiminomethyl-3-methyl-1-[2-(3-methyl-3-nitrobutyloxymethyl)]imidazolium chloride and 1-[1-(3-butynyloxymethyl)]-2-hydroxyiminomethyl-3-methylimidazolium chloride in plasma by high-performance liquid chromatography 527(1990)361
- Ferraz, C., Sri Widada, J. and Liautard, J.-P.
Purification and characterization of recombinant tropomyosins 539(1991)465
- Ferri, G., see Iadarola, P. 512(1990)165
- Ferrier, D., see Baillet, A. 519(1990)337
- Ferris, R., see Missbichler, A. 510(1990)339
- Ferry, S., see Boulieu, R. 528(1990)542
- Feste, A. S., Turck, D. and Lifschitz, C. H.
High-performance size-exclusion chromatography of porcine colonic mucins. Comparison of Bio-Gel® TSK 40XL and Sepharose® 4B columns 518(1990)349

- Fidge, N., see Meyer, B. 540(1991)386
Fidge, N., see Tetaz, T. 511(1990)147
Fiedler, H.-P., Meiwes, J., Werner, I.,
Konetschny-Rapp, S. and Jung, G.
Identification of ferrioxamines by high-
performance liquid chromatography and
diode-array detection 513(1990)255
Fiedler, H.-P. and Wachter, J.
High-performance liquid chromatographic
determination of bleomycins 536(1991)343
Fielden, P. R. and Packham, A. J.
Retention of benzo[a]pyrene on cyclodextrin-
bonded phases 516(1990)355
Filip, P., see Vejrosta, J. 518(1990)234
Filipović, B., see Sokolić, M. 509(1990)189
Fillion, L., Zee, J. A. and Gosselin, C.
Determination of a cholesterol oxide mixture
by a single-run high-performance liquid
chromatographic analysis using
benzoylation 547(1991)105
Filsler, J. G., see Kessler, W. 534(1990)67
Finetti, G., see Farina, M. 507(1990)171
Fini, C., see Codini, M. 536(1991)337
Fini, C., see Guida, E. 507(1990)51
Finley, B. E., see Wiley, D. M. 533(1990)73
Finn, N., see Smith, R. M. 537(1991)51
Firmin, J. L.
High-performance liquid chromatographic
analysis of octopinic acid, lysopinic and
nopalinic acid as sensitive indicators of
Agrobacterium-induced crown gall tumours
514(1990)343
Firouztale, E., see Ladisch, M. R. 540(1991)85
Fischer, A. M., see Sinniger, V. 539(1991)289
Fischer, D.-C., see Stöcker, G. 521(1990)311
Fischer, I. U. and Dengler, H. J.
Sensitive high-performance liquid
chromatographic assay for the determination
of eugenol in body fluids 525(1990)369
Fischer, N., Weinreich, B., Nitz, S. and Drawert,
F.
Applications of high-speed counter-current
chromatography for the separation and
isolation of natural products 538(1991)193
Fischer, N. H., see Weidenhamer, J. D.
504(1990)151
Fischer, P., see Scherberich, J. E. 521(1990)279
Fischer, W. G. and Kusch, P.
Automatic sampler for Curie-point
pyrolysis-gas chromatography with on-
column introduction of pyrolysates
518(1990)9
Fishman, R. M., Moore, G. L., Zegna, A. and
Marini, M. A.
High-performance liquid chromatographic
evaluation of pyridoxyl 5'-phosphate
hemoglobin derivatives produced by
different reduction procedures 532(1990)55
Fitzgerald, V., see Blank, M. L. 508(1990)382
Flaig, K. H., see Hahn, A. 545(1991)91
Flamion, P.-J., see Cachia, C. 539(1991)343
Flanigan, E., see Munera, M. E. 536(1991)123
Flapper, W., Theeuwes, A. G. M., Kierkels, J. T.
G., Steenbergen, J. and Hoenders, H. J.
Separation of serum proteins by high-
performance gel-permeation column
systems 533(1990)47
Fleming, R. A. and Stewart, C. F.
Stability-indicating high-performance liquid
chromatographic method for the
simultaneous determination of cisplatin and
5-fluorouracil in 0.9% sodium chloride for
injection 528(1990)517
Fleming, G., Solomon, B., Wolf, T. and Hadas,
E.
Effect of polyethylene glycol on the non-
specific adsorption of proteins to Eupergit C
and agarose 510(1990)271
Fleminger, G., Wolf, T., Hadas, E. and Solomon,
B.
Eupergit C as a carrier for high-performance
liquid chromatographic-based
immunopurification of antigens and
antibodies 510(1990)311
Fleminger, G., see Hadas, E. 510(1990)303
Fleminger, G., see Solomon, B. 510(1990)321
Fleminger, G., see Solomon, B. 539(1991)335
Flodin, P., see Kulin, L.-I. 514(1990)1
Florance, J. and Konteatis, Z.
Chiral high-performance liquid
chromatography of aromatic cyclic
dipeptides using cyclodextrin stationary
phases 543(1991)299
Flores-Murrieta, F. J., Castañeda-Hernández, G.
and Hong, E.
Determination of pelanserine in human
plasma by high-performance liquid
chromatography with amperometric
detection 528(1990)501
Floridi, A., see Codini, M. 536(1991)337
Floridi, A., see Guida, E. 507(1990)51
Flouquet, N., see Vaccher, C. 542(1991)502
Födisch, H. J., see Bessems, G. J. H.
529(1990)277
Fogl, U., see Jäger, W. 532(1990)411
Folchitto, G., see Giacobbe, S. 548(1991)289
Folchitto, G., see Miraglia, N. 512(1990)123
Forciniti, D., see Walsdorf, A. 523(1990)103
Ford, S. H., Gallery, J., Nichols, A. and
Shambee, M.
High-performance liquid chromatographic
analysis of the (cyanoaquo) stereoisomers of
several putative vitamin B₁₂ precursors
537(1991)235

- Ford, S. H., Nichols, A. and Gallery, J. M.
Separation and study of corrinoid cobalt-ligand isomers by high-performance liquid chromatography 536(1991)185
- Forde, D. M., see Deistung, J. 539(1991)485
- Foret, F., Fanali, S. and Boček, P.
Applicability of dynamic change of pH in the capillary zone electrophoresis of proteins 516(1990)219
- Foret, F., see Křivánková, L. 545(1991)307
- Foret, F., see Šustáček, V. 545(1991)239
- Forgács, E., see Valkó, K. 550(1991)667
- Fornstedt, T., Westerlund, D. and Sokolowski, A.
Studies on system peaks in ion-pair adsorption chromatography. III. Regulation of system peak gradient retention for obtaining analyte peak compression 506(1990)61
- Fornstedt, T., Westerlund, D. and Sokolowski, A.
Studies on system peaks in ion-pair adsorption chromatography. IV. Optimization of peak compression 535(1990)93
- Forrest, M. J., see Dawkins, J. V. 550(1991)539
- Först, C., see Liebich, H. M. 525(1990)1
- Forsyth, D. A., see Mahmoud, M. E. 549(1991)416
- Fořtová, H., Dyr, J. E. and Suttar, J.
Isolation of a fibrinogen-converting enzyme ficolzyme from the venom of *Bothrops asper* by one-step affinity chromatography on Blue Sepharose 523(1990)312
- Foster, R. T., see Piquette-Miller, M. 526(1990)129
- Foster, R. T., see Piquette-Miller, M. 533(1990)300
- Foth, H., see Frijus-Plessen, N. 534(1990)101
- Foth, H., see Michaelis, H. C. 527(1990)201
- Fourche, J., Capdepy, M., Maugein, J. and Le Moigne, F.
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium*, *Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209
- Fourmy, D., see Jiménez, J. 511(1990)333
- Fourtillan, J. B., see Girault, J. 518(1990)41
- Fourtillan, J. B., see Girault, J. 530(1990)295
- Fowler, K. W., see Byrd, G. D. 503(1990)359
- Fowler, K. W., see Nanni, E. J. 505(1990)365
- France, J. E., Snyder, J. M. and King, J. W.
Packed-microbore supercritical fluid chromatography with flame ionization detection of abused vegetable oils 540(1991)271
- Franceschini, A., Duthel, J. M. and Vallon, J. J.
Détection spécifique par chromatographie gazeuse-spectrométrie de masse des amines sympathomimétiques urinaires dans le cadre des contrôles antidopage 541(1991)109
- Franco, R., see Aran, J. M. 532(1990)75
- Frank, H., see Senf, L. 520(1990)131
- Frank, H., see Welsch, T. 506(1990)97
- Franke, J. P., see Chen, X. 529(1990)161
- Frankenberger, Jr., W. T., Mehra, H. C. and Gjerde, D. T.
Environmental applications of ion chromatography (Review) 504(1990)211
- Frankenberger, Jr., W. T., see Martens, D. A. 546(1991)297
- Frankenberger, Jr., W. T., see Mehra, H. C. 508(1990)265
- Franklin, M.
Determination of plasma buspirone by high-performance liquid chromatography with coulometric detection 526(1990)590
- Fransson, B., Lurdes S. Almeida, M., Grehn, L. and Ragnarsson, U.
Separation of spermidine derivatives by reversed-phase high-performance liquid chromatography using a UV-absorbing counter ion 508(1990)229
- Frascerca, S., see Buzzigoli, G. 507(1990)85
- Fratarcangeli, R., see Bertoni, G. 522(1990)285
- Frech, W., see Stupar, J. 541(1991)243
- Fréchet, J. M. J., see Rolls, W. A. 504(1990)97
- Frei, R. W., see Marko-Varga, G. 523(1990)173
- Freiser, H., see Muralidharan, S. 513(1990)370
- Freiser, H. H. and Gooding, K. M.
Silica-based supports for high-performance liquid chromatography of biopolymers using non-denaturing conditions (Review) 544(1991)125
- Frémont, S., Guéant, J.-L., Felden, F., Egloff, M., Gérard, A. and Nicolas, J.-P.
Dihydrotestosterone binding capacity of androgen-binding protein in tissue extract using high-performance size exclusion chromatography 526(1990)186
- Frenz, J., Bourell, J. and Hancock, W. S.
High-performance displacement chromatography-mass spectrometry of tryptic peptides of recombinant human growth hormone 512(1990)299
- Freysz, L., see Rastegar, A. 518(1990)157
- Frezza, J. E., see Ackland, C. E. 540(1991)187
- Fridman, M., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of

- amino acids, peptides and proteins. XCIX. Comparative study of the equilibrium refolding of bovine, porcine and human growth hormone by size-exclusion chromatography 512(1990)57
- Friebe, S., see Dudek, S. 520(1990)333
- Friedrich, J. P., see King, J. W. 517(1990)449
- Friis, J. M., see Lakings, D. B. 526(1990)273
- Frijns-Plessen, N., Michaelis, H. C., Foth, H. and Kahl, G. F.
Determination of 3'-azido-3'-deoxythymidine, 2',3'-dideoxycytidine, 3'-fluoro-3'-deoxythymidine and 2',3'-dideoxyinosine in biological samples by high-performance liquid chromatography 534(1990)101
- Frisina, G., see Testoni, F. 509(1990)101
- Fritsche, B., see Kenndler, E. 514(1990)383
- Fritz, J. S.
Principles and applications of ion-exclusion chromatography (Review) 546(1991)111
- Fritz, J. S., see Strasburg, R. F. 547(1991)11
- Fritz, J. S., see Sun, J. J. 522(1990)95
- Fritzler, M. J., see Gohill, J. 502(1990)47
- Frölich, J. C., see Tsikas, D. 545(1991)375
- Fruttero, R., see Calvino, R. 547(1991)167
- Fu, R., see Zhang, A. 521(1990)128
- Fu, R., see Zhu, P. 511(1990)390
- Fuchiwaki, T., see Kawai, S. 514(1990)29
- Fügedi, A., see Horváthová, M. 509(1990)213
- Fuhrer, J. P.
Rapid analysis of membrane glycopeptides by gel permeation high-performance liquid chromatography 528(1990)65
- Fujii, J., Inotsume, N., Nakano, M., Matsukane, I., Higashi, A., Matsuda, I., Sudo, Y. and Takahata, Y.
Rapid determination of serum oxatomide levels with on-line precolumn solid-phase extraction 530(1990)469
- Fujii, Y., Ikeda, Y., Okamoto, I. and Yamazaki, M.
Separation and determination of lanatosides in *Digitalis lanata* leaves by high-performance liquid chromatography 508(1990)241
- Fujimori, H., Sasaki, T., Hibi, K., Senda, M. and Yoshioka, M.
Direct injection of blood samples into a high-performance liquid chromatographic adenine analyser to measure adenine, adenosine and the adenine nucleotides with fluorescence detection 515(1990)363
- Fujimori, H., Sasaki, T., Hibi, K., Senda, M. and Yoshioka, M.
Measurement of adenine nucleotide levels with an adenine analyser as an index of freshness of porgy 528(1990)305
- Fujimori, M., see Abe, J. 526(1990)562
- Fujimoto, C., see Jinno, K. 506(1990)443
- Fujimoto, T., see Shoshihara, M. 529(1990)473
- Fujimura, N., see Nishi, H. 539(1991)71
- Fujita, K., see Giegerich, G. 528(1990)79
- Fujita, M., see Oka, H. 538(1991)149
- Fujita, T., see Iida, J. 515(1990)503
- Fujiwara, H., see Yamada, T. 515(1990)475
- Fujiwara, S., see Adachi, J. 538(1991)331
- Fukasawa, K., see Harada, M. 527(1990)158
- Fukasawa, K., see Harada, M. 530(1990)116
- Fukasawa, K. M., see Harada, M. 527(1990)158
- Fukasawa, K. M., see Harada, M. 530(1990)116
- Fuks, R., see Khamlichi, S. 510(1990)123
- Fukuda, E. K., see Garland, W. A. 539(1991)133
- Fukuda, T., Kohara, N., Onogi, Y. and Inagaki, H.
Separation of simple ions by gel chromatography. I. Simple model of separation for single-salt systems 511(1990)59
- Fukuda, T., see Gomita, Y. 528(1990)509
- Fukui, S., Morishima, M., Ogawa, S. and Hanazaki, Y.
Determination of dimethyl sulphate in air by gas chromatography with flame photometric detection 541(1991)459
- Fukui, Y., Ichida, A., Shibata, T. and Mori, K.
Optical resolution of racemic compounds on chiral stationary phases of modified cellulose 515(1990)85
- Fukui, Y., see Sakuma, I. 506(1990)223
- Fukushi, K. and Hiiro, K.
Use of cyclodextrins in the isotachophoretic determination of various inorganic anions 518(1990)189
- Fukushi, K. and Hiiro, K.
Use of crown ethers in the isotachophoretic determination of metal ions 523(1990)281
- Fukushima, S., see Akane, A. 529(1990)155
- Fukuyama, T., see Nishi, H. 513(1990)279
- Fukuyama, T., see Nishi, H. 515(1990)233
- Fukuyama, T., see Nishi, H. 515(1990)245
- Fukuyama, T., see Nishi, H. 539(1991)71
- Fukuyama, T., see Terabe, S. 545(1991)359
- Fülöp, N., see Csató, E. 511(1990)79
- Fulton, S. P., Afeyan, N. B., Gordon, N. F. and Regnier, F. E.
Very high speed separation of proteins with a 20- μ m reversed-phase sorbent 547(1991)452
- Fulton, S. P., see Afeyan, N. B. 519(1990)1
- Fulton, S. P., see Afeyan, N. B. 544(1991)267
- Fulzele, D. P., see Sipahimalani, A. T. 538(1991)452
- Funae, Y., see Abe, J. 526(1990)562

- Funazo, K., see Chen, S.-H. 502(1990)257
 Funkenbusch, E. F., see Weber, T. P. 519(1990)31
 Furio, M., see D'Aranno, V. 525(1990)234
 Furr, H. C., Zeng, S., Clifford, A. J. and Olson, J. A.
 Capillary gas chromatography of retinoids (vitamin A compounds) and apo-retinoids: determination of Kováts retention indices 527(1990)406
 Furton, K. G., see Rein, J. 545(1991)149
 Furuno, K., see Gomita, Y. 528(1990)509
 Furusawa, M., see Kiba, N. 537(1991)443
 Furusawa, M., see Kiba, N. 549(1991)127
 Furuta, T., Kusano, K. and Kasuya, Y.
 Simultaneous measurements of endogenous and deuterium-labelled tracer variants of androstenedione and testosterone by capillary gas chromatography-mass spectrometry 525(1990)15
 Fuse, H., see Kiba, N. 549(1991)127

G

- Gabriel, J., Vacek, O., Kubátová, E. and Volc, J.
 High-performance liquid chromatographic determination of the antibiotic corticosterone 542(1991)200
 Gadde, R. R., see DiNunzio, J. E. 519(1990)117
 Gadde, R. R., see Kril, M. B. 522(1990)227
 Gadzikowska, M., see Bieganska, M. L. 520(1990)403
 Gagliardi, L., Cavazzutti, G., Turchetto, L., Manna, F. and Tonelli, D.
 Determination of preservatives in cosmetic products by reversed-phase high-performance liquid chromatography. IV 508(1990)252
 Gahl, W. A., see Blom, H. J. 533(1990)11
 Gaitonde, C. D. and Pathak, P. V.
 Separation and identification of impurities in the dye intermediate 8-amino-1-naphthol-3,6-disulphonic acid (H-acid) by high-performance liquid chromatography 514(1990)330
 Gaitonde, C. D. and Pathak, P. V.
 Capillary zone electrophoretic separation of chlorophenols in industrial waste water with on-column electrochemical detection 514(1990)389
 Gaitonde, C. D. and Pathak, P. V.
 Estimation of the analgesic muscle relaxants chlorzoxazone and diazepam in human plasma by reversed-phase liquid chromatography 528(1990)407
 Gaitonde, C. D. and Pathak, P. V.
 Rapid liquid chromatographic method for the estimation of isoniazid and pyrazinamide in plasma and urine 532(1990)418
 Gál, S., Tar, A., Toth-Martinez, B. L. and Hernadi, F. J.
 Use of chromatofocusing for separation of β -lactamases. IX. Analytical chromatofocusing for the separation of a chromosomal cephalosporinase from *Proteus vulgaris* 1028 545(1991)189
 Galensa, R., see Krause, M. 502(1990)287
 Galensa, R., see Krause, M. 514(1990)147
 Gallagher, K., see Hale, R. C. 539(1991)149
 Gallagher, M. M., McMinn, D. G. and Hill, Jr., H. H.
 Sheathed-flow hydrogen atmosphere flame ionization detector for gas chromatography 518(1990)297
 Gallant, J. and Leblanc, R. M.
 Purification of galactolipids by high-performance liquid chromatography for monolayer and Langmuir-Blodgett film studies 542(1991)307
 Gallego, M., see Ballesteros, E. 518(1990)59
 Gallery, J., see Ford, S. H. 537(1991)235
 Gallery, J. M., see Ford, S. H. 536(1991)185
 Galletti, G. C. and Chiavari, G.
 Size-exclusion chromatography of lignocellulosics in wheat straw 536(1991)303
 Galletti, G. C., Piccaglia, R. and Concialini, V.
 Optimization of electrochemical detection in the high-performance liquid chromatography of lignin phenolics from lignocellulosic by-products 507(1990)439
 Galliano, M., see Iadarola, P. 512(1990)165
 Gallice, P. M., Crevat, A. D. and Berland, Y. F.
 Scaling up in isolation of medium-size uraemic toxins 539(1991)449
 Gallion, C., see Jehl, F. 525(1990)225
 Gallion, C., see Jehl, F. 531(1990)509
 Galmier, M. J., see Andriollo, O. 533(1990)215
 Galoux, M., see Van Damme, J.-C. 518(1990)375
 Galushko, S. V., Shishkina, I. P. and Alekseeva, I. V.
 Relationship between retention parameters in reversed-phase high-performance liquid chromatography and antitumour activity of some pyrimidine bases and nucleosides 547(1991)161

- Galushko, S. V., Shishkina, I. P., Soloshonok, V. A. and Kukhar, V. P.
Ligand-exchange chromatography of α -trifluoromethyl- α -amino acids on chiral sorbents 511(1990)115
- Galustian, C., see Eastwood, R. J. 530(1990)463
- Galvez-Simbaldi, A., see Philp, R. P. 550(1991)193
- Gambertoglio, J. G., see Hassanzadeh, M. K. 525(1990)133
- Gambetti, L., see Di Muccio, A. 513(1990)333
- Games, D. E., see Perkins, J. R. 540(1991)239
- Games, D. E., see Perkins, J. R. 540(1991)257
- Gami-Yilinkou, R. and Kaliszán, R.
Chromatographic data for pharmacological classification of imidazol(in)e drugs 550(1991)573
- Gamoh, K., Sawamoto, H., Takatsuto, S., Watabe, Y. and Arimoto, H.
Ferroceneboronic acid as a derivatization reagent for the determination of brassinosteroids by high-performance liquid chromatography with electrochemical detection 515(1990)227
- Ganchev, G., see Kovacheva, E. 509(1990)79
- Gandini, C., Caccialanza, G., Kitsos, M., Massolini, G. and De Lorenzi, E.
Determination of 5-aminosalicylic acid and related compounds in raw materials and pharmaceutical dosage forms by high-performance liquid chromatography 540(1991)416
- Gandini, C., see Biondi, P. A. 507(1990)333
- Ganeshraj, S. P., see Govindachari, T. R. 513(1990)389
- Ganzler, K., Szinai, I. and Salgó, A.
Effective sample preparation method for extracting biologically active compounds from different matrices by a microwave technique 520(1990)257
- Gao, C. X. and Krull, I. S.
Polymeric dimethylaminopyridinium reagents for derivatization of weak nucleophiles in high-performance liquid chromatography-ultraviolet/fluorescence detection 515(1990)337
- Gao, J.-P., see Leff, V. 547(1991)462
- Garaj, J., see Brandšeterová, E. 502(1990)214
- García, L., see Ladron de Guevara, O. 528(1990)35
- García-Domínguez, J. A., see Becerra, M. R. 547(1991)269
- García-Pérez, A.-I., Sancho, P. and Luque, J.
Settling-time dependence of rat bone marrow cell partition and counter-current distribution in charge-sensitive aqueous two-phase systems. Relationship with the cell partitioning mechanism 504(1990)79
- Gardana, C., see Pietta, P. 537(1991)449
- Gardana, C., see Pietta, P. G. 547(1991)439
- Garkavaya, N. N., see Balyatinskaya, L. N. 509(1990)107
- Garland, W. A., Crews, T. and Fukuda, E. K.
Effect of noise on peak heights calculated using an exponentially modified gaussian peak shape model 539(1991)133
- Garner, T. W. and Yeung, E. S.
Indirect fluorescence detection of sugars separated by capillary zone electrophoresis with visible laser excitation 515(1990)639
- Garrigues, P., see Wise, S. A. 514(1990)111
- Gärtner, G., see Huse, K. 502(1990)171
- Gärtner, W., see Dutot, C. 528(1990)435
- Gaš, B., Vacík, J. and Zelenský, I.
Computer-aided simulation of electromigration 545(1991)225
- Gasa, S., see Kato, N. 549(1991)133
- Gasa, S., see Saga, Y. 513(1990)379
- Gasco, A., see Calvino, R. 547(1991)167
- Gasparič, J.
Benzodiazepines II—a handbook (by H. Schütz) (Book Review) 529(1990)263
- Gasparrini, F., Misiti, D., Villani, C. and La Torre, F.
Chromatographic resolution of 1,2-amino alcohols on a chiral stationary phase containing N,N'-(3,5-dinitrobenzoyl)-*trans*-1,2-diaminocyclohexane. Theoretical and practical aspects 539(1991)25
- Gasparrini, F., see Bruno, G. 504(1990)319
- Gassend, R., see Duprat, F. 540(1991)157
- Gassmann, E., see Steiner, V. 530(1990)273
- Gastaldo, L., see Zanol, M. 536(1991)211
- Gatrone, R. C., Rickert, P. G., Horwitz, E. P., Smith, B. F., Bartholdi, C. S. and Martinez, A. M.
Analysis of *n*-octyl(phenyl)-N,N-diisobutylcarbamoylmethylphosphine oxide and TRUEX process solvent by gas and liquid chromatography 516(1990)395
- Gatti, R., Cavrini, V., Roveri, P. and Pinzauti, S.
High-performance liquid chromatographic determination of aliphatic thiols with aroylacrylic acids as fluorogenic precolumn derivatization reagents 507(1990)451
- Gattoni, M., see Chiancone, E. 539(1991)455
- Gaur, R. K.
High-performance liquid chromatography of synthetic oligonucleotides. A new affinity protecting group 549(1991)207
- Gaur, R. K., see Gupta, K. C. 541(1991)341
- Gauthier, S., see Maniongui, C. 543(1991)81
- Gavlick, W. K., Stuff, J. R. and Uden, P. C.
Comparison of discharge tubes for deuterium-specific gas chromatographic

- detection with a microwave-induced plasma 508(1990)187
- Gavrichev, V. S., Voloshina, N. V., Berezkin, V. G., Korolev, A. A., Malisova, A. D., Okhotnikov, B. P. and Simongauz, S. E. Gas chromatographic analysis of light hydrocarbons using aluminium oxide micro-packed columns 509(1990)59
- Gavrichev, V. S., see Berezkin, V. G. 509(1990)85
- Gavrichev, V. S., see Berezkin, V. G. 520(1990)91
- Gavrilova, T. B., Daidakova, I. V., Petsev, N., Topalova, I., Ivanov, S. and Chaney, C. Gas chromatographic properties of modified boron nitride 520(1990)41
- Gavrilova, T. B., see Chaney, C. 520(1990)33
- Gawdzik, B.
Studies on the selectivity of porous polymers based on polyaromatic esters 503(1990)41
- Gawdzik, B.
Comparison of the selectivity of di-(methacryloyloxymethyl)naphthalene-divinylbenzene copolymers in reversed-phase high-performance liquid chromatography 549(1991)77
- Gawdzik, B., Gawdzik, J. and Czerwińska-Bil, U. Use of polymeric sorbents for the off-line preconcentration of priority pollutant phenols from water for high-performance liquid chromatographic analysis 509(1990)135
- Gawdzik, J., see Gawdzik, B. 509(1990)135
- Gayden, R. H., Watts, III, B. A., Beach, R. E. and Benedict, C. R. Quantitation of adenosine, inosine and hypoxanthine in biological samples by microbore-column isocratic high-performance liquid chromatography 536(1991)265
- Gaydou, E. M., Berahia, T., Wallet, J.-C. and Bianchini, J.-P. Gas chromatography of some polymethoxylated flavones and their determination in orange peel oils 549(1991)440
- Gazdag, M., Babják, M., Kemenes-Bakos, P. and Görög, S. Analysis of steroids. XLI. Ion-pair high-performance liquid chromatographic separation of quaternary ammonium steroids on silica 550(1991)639
- Ge, H., Teasdale, P. R. and Wallace, G. G. Electrochemical chromatography —packings, hardware and mechanisms of interaction (Review) 544(1991)305
- Ge, J., see Zhang, A. 521(1990)128
- Gebauer, P. and Thormann, W. Isotachopheresis in open-tubular fused-silica capillaries with on-column multi-wavelength detection 545(1991)299
- Gebauer, P., see Caslavská, J. 545(1991)315
- Gebauer, P., see Dolník, V. 545(1991)249
- Geerdink, R. B.
Direct determination of metamitron in surface water by large sample volume injection 543(1991)244
- Geerdink, R. B., Graumans, A. M. B. C. and Viveen, J. Determination of phenoxyacid herbicides in water 547(1991)478
- Gehas, J. and Wetlaufer, D. B. Isocratic hydrophobic interaction chromatography of dansyl amino acids. Correlation of hydrophobicity and retention parameters 511(1990)123
- Gehr, T. W. B., see Farthing, D. 534(1990)228
- Geiger, E., see Camacho, P. L. 506(1990)611
- Geisslinger, G., see Menzel-Soglowek, S. 532(1990)295
- Geisslinger, G., see Moeller, N. 530(1990)200
- Gelpí, E.
Liquid chromatography-mass spectrometry: applications in agricultural, pharmaceutical, and environmental chemistry (edited by M. A. Brown) (Book Review) 538(1991)510
- Gelpí, E., see Ramis, I. 532(1990)217
- Gelsema, W. J., see Tji, T. G. 504(1990)403
- Gemeiner, P., see Mislovičová, D. 510(1990)197
- Geng, W., see Michaelis, H. C. 527(1990)201
- Geng, X., Guo, L. and Chang, J. Study of the retention mechanism of proteins in hydrophobic interaction chromatography 507(1990)1
- Genka, S., see Greig, N. H. 534(1990)279
- Gennaro, M. C. and Bertolo, P. L. Simultaneous determination of nitrites, nitrates and amines by ion-interaction reversed-phase high-performance liquid chromatography. Application to lagoon water 509(1990)147
- Gennaro, M. C., Bertolo, P. L. and Marengo, E. Determination of aromatic amines at trace levels by ion interaction reagent reversed-phase high-performance liquid chromatography. Analysis of hair dyes and other water-soluble dyes 518(1990)149
- Georgakopoulos, P. P., see Kountourellis, J. E. 502(1990)189
- Gérard, A., see Frémont, S. 526(1990)186
- Gerard, M., see Moncollin, V. 510(1990)243
- Gerber, G., see Grune, T. 520(1990)411
- Gerbino, T. C. and Castello, G. Gas chromatographic identification of

- complex mixtures of halomethanes and haloethanes by using the correlation between their retention and vapour pressure 537(1991)305
- Gerbino, T. C., see Castello, G. 522(1990)329
- Gerhart, B. B. and Cortes, H. J.
Determination of chlorpyrifos in water by large-volume direct aqueous injection capillary gas chromatography 503(1990)377
- Germain, P., see Sentier, L. 547(1991)531
- Gescher, A., see Shaw, A. J. 505(1990)402
- Geschier, C., see Straczek, J. 532(1990)237
- Geschke, R., see Heizmann, P. 534(1990)233
- Getek, T. A., see Billedeau, S. M. 534(1990)151
- Getek, T. A., see Hornedo-Nuñez, A. 503(1990)217
- Geurts, T., see Welling, G. W. 512(1990)337
- Ghatge, B. B. and Bhalerao, N. V.
Application of substituted liquid crystals as stationary phases in gas-liquid chromatography for the separation of mono- and dimethyl naphthalenes 549(1991)423
- Ghogare, A. B., see Sadana, G. S. 542(1991)515
- Ghose, S. and Mattiasson, B.
Evaluation of displacement chromatography for the recovery of lactate dehydrogenase from beef heart under scale-up conditions 547(1991)145
- Giacobbe, S., Miraglia, N., Rindone, B., Folchitto, G. and Antonelli, G.
High-performance liquid chromatographic purification of antiviral components in Neuramide 548(1991)289
- Giam, C. S., see Mayernik, J. A. 526(1990)407
- Giambenedetti, M., see Lucarelli, C. 511(1990)167
- Giddings, J. C.
Two-dimensional field-flow fractionation 504(1990)247
- Giddings, J. C., see Moon, M. H. 517(1990)423
- Giddings, J. C., see Williams, P. S. 550(1991)787
- Giegerich, G., Pette, M., Fujita, K., Wekerle, H., Epplen, J. T. and Hinkkanen, A.
Rapid method based on reversed-phase high-performance liquid chromatography for purification of human myelin basic protein and its thrombic and endoproteinase Lys-C peptides 528(1990)79
- Giese, R. W., see Al-Deen, A. N. 512(1990)409
- Giese, R. W., see Bakthavachalam, J. 538(1991)447
- Gigante, B., Barros, A. M. V., Teixeira, A. and Marcelo-Curto, M. J.
Separation and simultaneous high-performance liquid chromatographic determination of benzocaine and benzyl benzoate in a pharmaceutical preparation 549(1991)217
- Gilbert, J., see Perkins, J. R. 540(1991)239
- Gilbert, J., see Perkins, J. R. 540(1991)257
- Gilbert, J., see Sharman, M. 543(1991)220
- Gill, R., see Smith, R. M. 514(1990)97
- Gilmore, A. M. and Yamamoto, H. Y.
Resolution of lutein and zeaxanthin using a non-encapped, lightly carbon-loaded C₁₈ high-performance liquid chromatographic column 543(1991)137
- Gilpin, R. K., Jaroniec, M. and Martin-Hopkins, M. B.
Use of a gamma energy distribution to model the gas chromatographic temperature dependence of solute retention on aryl-siloxane chemically modified porous carbon 513(1990)1
- Gimenez, F., Farinotti, R., Thuillier, A., Hazebroucq, G. and Wainer, I. W.
Determination of the enantiomers of mefloquine in plasma and whole blood using a coupled achiral-chiral high-performance liquid chromatographic system 529(1990)339
- Giovannoni, G., see Betti, M. 546(1991)259
- Girardot, R., see Baldacini, O. 528(1990)357
- Girault, J. and Fourtillan, J. B.
Determination of clenbuterol in bovine plasma and tissues by gas chromatography-negative-ion chemical ionization mass spectrometry 518(1990)41
- Girault, J., Gobin, P. and Fourtillan, J. B.
Determination of calcium acetylhomotaurinate in human plasma and urine by combined gas chromatography-negative-ion chemical ionization mass spectrometry 530(1990)295
- Girbig, F., see Kramer, W. 521(1990)199
- Girin, E., see Cann-Moisan, C. 532(1990)438
- Girometta, M.A., Loschi, L. and Ventura, P.
High-performance liquid chromatographic determination of the mucoregulatory drug CO/1408 in rat plasma and urine 507(1990)227
- Girot, P., Moroux, Y., Duteil, X. P., Nguyen, C. and Boschetti, E.
Composite affinity sorbents and their cleaning in place 510(1990)213
- Girot, P., see Boschetti, E. 523(1990)35
- Girot, P., see Hulak, I. 539(1991)355
- Gjerde, D. T., Cox, D. J., Jandik, P. and Li, J. B.
Determination of analytes at extreme concentration ratios by gradient ion chromatography with solid-phase reaction detection 546(1991)151
- Gjerde, D. T., see Frankenberger, Jr., W. T. 504(1990)211
- Gjerde, D. T., see Jackson, P. E. 546(1991)189

- Glajch, J. L., see Ryan, P. A. 550(1991)549
- Glatz, Z., Tomandl, J., Janiczek, O. and Marek, A.
Chromatographic purification of glucose-6-phosphate dehydrogenase and lactate dehydrogenase from *Leuconostoc mesenteroides* 503(1990)197
- Glavas, S., see Mineshos, G. 541(1991)99
- Glennon, J. D. and Senior, A. T.
Simultaneous determination of desferrioxamine and ferrioxamine by high-performance liquid chromatography with amperometric detection 527(1990)481
- Glick, M., see Berthod, A. 502(1990)305
- Glöckner, G. and Van den Berg, J. H. M.
Separation of copolymers according to composition with special emphasis on the effect of block structure 550(1991)629
- Gluch, S., see Knight, M. 538(1991)141
- Gluck, S. J. and Wingeier, M. P.
Development of a phase system for intermediate polarity compounds in centrifugal partition chromatography 547(1991)69
- Gober, K. H., see Molnar, I. 550(1991)39
- Gobie, W. A. and Ivory, C. F.
Thermal model of capillary electrophoresis and a method for counteracting thermal band broadening 516(1990)191
- Gobin, P., see Girault, J. 530(1990)295
- Godin, J.
High-performance liquid chromatographic method for the determination of vanadium in serum 532(1990)445
- Goebel, L. K., see Rasmussen, H. T. 517(1990)549
- Goebel, W., see Schmitt, W. 521(1990)211
- Goehl, T. J., see Górski, T. 509(1990)383
- Goetschel, J. D., see Schmitt, S. 510(1990)239
- Gohill, J., Pauls, J. D. and Fritzler, M. J.
Purification of histone H1 polypeptides by high-performance cation-exchange chromatography 502(1990)47
- Goiffon, J.-P., Brun, M. and Bourrier, M.-J.
High-performance liquid chromatography of red fruit anthocyanins 537(1991)101
- Goitom, Z., see Acevedo, F. 545(1991)343
- Golay, M. J. E., see Van Es, A. J. 517(1990)143
- Goldberg, V. D., see Elyas, A. A. 528(1990)473
- Goldstein, L., Niv, A. and Yankofsky, S. A.
Studies on the interaction of a surface-bound ligand with a multi-valent high-molecular-weight ligate. The biotinylcellulose-avidin system 510(1990)23
- Golovnya, R. V. and Polanuer, B. M.
Comparison of methods for the determination of the polarity and selectivity of stationary phases in gas chromatography from a thermodynamic point of view 517(1990)51
- Golshan-Shirazi, S., El Fallah, M. Z. and Guiochon, G.
Effect of the intersection of the individual isotherms in displacement chromatography 541(1991)195
- Golshan-Shirazi, S. and Guiochon, G.
Solutions of the equilibrium and semi-equilibrium models of chromatography 506(1990)495
- Golshan-Shirazi, S. and Guiochon, G.
Influence of pressure on the maximum production rate in preparative liquid chromatography 511(1990)402
- Golshan-Shirazi, S. and Guiochon, G.
Optimization of the experimental conditions in preparative liquid chromatography with touching bands 517(1990)229
- Golshan-Shirazi, S. and Guiochon, G.
Dependence of the production rate on the relative retention of two components in preparative chromatography 523(1990)1
- Golshan-Shirazi, S. and Guiochon, G.
Optimization of experimental conditions in preparative liquid chromatography. Trade-offs between recovery yield and production rate 536(1991)57
- Golshan-Shirazi, S. and Guiochon, G.
Use of the LeVan-Vermeulen isotherm model for the calculation of elution band profiles in non-linear chromatography 545(1991)1
- Golshan-Shirazi, S., see El Fallah, M. Z. 511(1990)1
- Golshan-Shirazi, S., see Jacobson, S. 522(1990)23
- Golshan-Shirazi, S., see Lin, B. 508(1990)27
- Gomita, Y., Furuno, K., Eto, K., Fukuda, T., Araki, Y., Yamori, M. and Oishi, R.
Rapid and simple detection of nicorandil in rat plasma using a solid-phase extraction column 528(1990)509
- Gonçalves, E., see Cahnmann, H. J. 538(1991)165
- Gondolf, K. B., Batsford, S. R. and Vogt, A.
Isolation of an outer membrane protein complex from *Borrelia burgdorferi* by *n*-butanol extraction and high-performance ion-exchange chromatography 521(1990)325
- González, L. M., see González-Lara, R. 541(1991)453
- González, M. J., see Jiménez, B. 523(1990)265
- González-Lara, R. and González, L. M.
Analysis of the soluble proteins in grape must by two-dimensional electrophoresis 541(1991)453

- Goodall, D. M., see Wu, Z. 513(1990)209
- Gooding, K. M., see Freiser, H. H. 544(1991)125
- Gooijer, C.
Chemiluminescence and photochemical reaction detection in chromatography (edited by J. W. Birks) (Book Review) 504(1990)473
- Gora, R., see Heizmann, P. 527(1990)91
- Gorbunov, A. A., see Skvortsov, A. M. 507(1990)487
- Gorbunov, A. A., see Tennikov, M. B. 509(1990)219
- Gorczyńska, K., Kreczmer, T., Ciecierska-Stokłosa, D. and Utnik, A.
Long-term use of liquid-crystalline stationary phase for separation and determination of polynuclear aromatic hydrocarbons in carbochemical products. Comparison of results obtained by different methods 509(1990)53
- Gordon, E. R., see Goresky, C. A. 528(1990)123
- Gordon, N. F., see Afeyan, N. B. 519(1990)1
- Gordon, N. F., see Fulton, S. P. 547(1991)452
- Gordon, S. M.
Identification of exposure markers in smokers' breath 511(1990)291
- Gorecki, D. K. J., Hindmarsh, K. W., Hall, C. A., Mayers, D. J. and Sankaran, K.
Determination of chloral hydrate metabolism in adult and neonate biological fluids after single-dose administration 528(1990)333
- Goresky, C. A. and Gordon, E. R.
High-performance liquid chromatographic separation of bilirubin conjugates: the effects of change in molarity and pH 528(1990)123
- Görner, T., Dellacherie, J. and Perrut, M.
Comparison of helium head pressure carbon dioxide and pure carbon dioxide as mobile phases in supercritical fluid chromatography 514(1990)309
- Görög, S., see Gazdag, M. 550(1991)639
- Goronowicz, J., see Ochocka, R. J. 543(1991)171
- Goronowicz, J., see Ossicini, L. 547(1991)283
- Gorris, L. G. M., Korteland, J., Derksen, R. J. A. M., Van der Drift, C. and Vogels, G. D.
Quantification of cyclic 2,3-diphosphoglycerate from methanogenic bacteria by isotachopheresis 504(1990)421
- Gorshkov, A. V., Much, H., Becker, H., Pasch, H., Evreinov, V. V. and Entelis, S. G.
Chromatographic investigations of macromolecules in the "critical range" of liquid chromatography. I. Functionality type and composition distribution in polyethylene oxide and polypropylene oxide copolymers 523(1990)91
- Górski, L., see Grochowalski, A. 502(1990)160
- Gorski, R. J., Morgan, D. K., Sarocka, C. and Plas, A. C.
Estimation and identification of non-polar compounds in clarithromycin bulk drug by high-performance liquid chromatography 540(1991)422
- Górski, T., Goehl, T. J., Jameson, C. W., Collins, B. J., Bursey, J. and Moseman, R.
Gas chromatographic determination of 2-ethylhexanol and 2-ethylhexanoic acid as derivatives suitable for electron-capture and nitrogen-phosphorus detection after single reaction with heptafluorobutyrylimidazole 509(1990)383
- Gorton, L., see Marko-Varga, G. 506(1990)423
- Gorton, L., see Marko-Varga, G. 523(1990)173
- Goss, T. A., Bard, M. and Jarrett, H. W.
High-performance affinity chromatography of DNA 508(1990)279
- Gosselin, C., see Fillion, L. 547(1991)105
- Goto, J., see Iida, T. 537(1991)345
- Goto, M., Miyahara, H. and Ishii, D.
Constant-potential amperometric detector for carbohydrates at a nickel(III) oxide electrode for micro-scale flow-injection analysis and high-performance liquid chromatography 515(1990)213
- Gotoh, T., see Murakita, H. 515(1990)527
- Gotoh, Y., see Imamura, Y. 526(1990)282
- Göttinger, W., see Baier, G. 525(1990)319
- Gottsegen, A., see Antus, S. 508(1990)212
- Götzinger, W., see Engelhardt, H. 544(1991)371
- Gould, D. H., see Savage, J. C. 526(1990)540
- Gourley, G. R., see Odell, G. B. 529(1990)287
- Govi, M., see Ciavatta, C. 509(1990)141
- Govindachari, T. R., Sandhya, G. and Ganeshraj, S. P.
Simple method for the isolation of azadirachtin by preparative high-performance liquid chromatography 513(1990)389
- Govindraj, N., see Singhal, R. P. 543(1991)17
- Goyal, S. S., Hafez, A. and Rains, D. W.
Simultaneous determination of arsenite, arsenate, selenite and selenate in waters using suppressed ion chromatography with ultraviolet absorbance detection 537(1991)269
- Goyal, S. S., see Hafez, A. A. 546(1991)387
- Graeve, M., see Kattner, G. 513(1990)327
- Graham, E. E., see Tsai, A. M. 504(1990)89
- Grandmaison, J. L.
Calcul de la composition, avec une constante de proportionnalité, de mélanges à partir du chromatogramme obtenu par détection partagée entre deux détecteurs 519(1990)159

- Grandmaison, J. L. and Kaliaguine, S.
Behaviour of phenols under supercritical
fluid chromatographic conditions in relation
to the pyrolysis of lignocellulosic materials
540(1991)225
- Grange, A. H., see Donnelly, J. R. 540(1991)293
- Grant, I., see Steuer, W. 507(1990)125
- Grases, F., see Millán, A. 529(1990)402
- Grases, J. M., see Millán, A. 529(1990)402
- Graumans, A. M. B. C., see Geerdink, R. B.
547(1991)478
- Gray, D. O., see Grosvenor, P. W. 504(1990)456
- Grayeski, M. L., see Koziol, T. R. 513(1990)145
- Grazia Castelli, M., see Bagnati, R.
527(1990)267
- Green, A., see Ahnoff, M. 506(1990)593
- Green, G. A., see Baldacini, O. 528(1990)357
- Greenaway, W. and Whatley, F. R.
Resolution of complex mixtures of phenolics
in poplar bud exudate by analysis of gas
chromatography-mass spectrometry data
519(1990)145
- Greenaway, W. and Whatley, F. R.
Synthesis of esters of acetyloxycaffeic acids
and their occurrence in poplar bud
exudates 543(1991)113
- Greenblatt, D. J., Javaid, J. I., Locniskar, A.,
Harmatz, J. S. and Shader, R. I.
Gas chromatographic analysis of alprazolam
in plasma: replicability, stability and
specificity 534(1990)202
- Greene, D., see Patel, A. 510(1990)83
- Greene, S. V., Krebs, H. A., Lemieux, R. E. and
Cheng, L. K.
Determination of a new anti-allergenic
agent, 1-[4-[3-[4-[bis-(4-fluorophenyl)-
hydroxymethyl]-1-piperidinyl]propoxy]-3-
methoxyphenyl]ethanone, and its active
acidic metabolite in plasma by high-
performance liquid chromatography
527(1990)397
- Grego, B., see Tetaz, T. 511(1990)147
- Grehn, L., see Fransson, B. 508(1990)229
- Greibrokk, T.
Supercritical fluid extraction and
chromatography (ACS Symposium Series,
No. 366) (edited by B. A. Charpentier and
M. R. Sevenants) (Book Review)
503(1990)475
- Greibrokk, T., Berg, B.E., Hoffmann, S., Norli,
H.R. and Ying, Q.
Characterization of polymer additives by
supercritical fluid chromatography and by
liquid chromatography 505(1990)283
- Greibrokk, T., see Doehl, J. 529(1990)21
- Greig, N. H., Stahle, P. L., Shetty, H. U., Genka,
S., John, V., Soncrant, T. T. and Rapoport,
S. I.
High-performance liquid chromatographic
analysis of chlorambucil *tert*-butyl ester and
its active metabolites chlorambucil and
phenylacetic mustard in plasma and tissue
534(1990)279
- Greig, N. H., see Deutsch, J. 528(1990)325
- Greig, N. H., see Phelan, D. G. 533(1990)264
- Greiner, M. and Winkelmann, G.
Rapid identification and determination of
herbicolin A and B by high-performance
liquid chromatography 502(1990)437
- Gresti, J., see Maniongui, C. 543(1991)81
- Grill, C. M., see Amari, J. V. 517(1990)219
- Gristwood, W. E.
Determination of fluparoxan (GR50360) in
plasma by gas chromatography
527(1990)436
- Grobecker, H., see Kees, F. 525(1990)484
- Grochowalski, A., Górski, L., Śliwka, I. and
Lasa, J.
Gas chromatographic determination of
polychlorinated dibenzo-*p*-dioxins in wood
preservatives 502(1990)160
- Groenland, W. P. T., see Verhaar, L. A. T.
549(1991)113
- Gromotowicz, W., see Czerwinski, W.
520(1990)163
- Gromov, V. S., see Eremeeva, T. E. 522(1990)67
- Grönberg, L., see Gyllenhaal, O. 511(1990)303
- Gröningsson, K., see Svensson, M. 521(1990)141
- Gross, A. S., Borstel, B. and Eichelbaum, M.
Determination of gallopamil in serum by gas
chromatography-mass spectrometry
525(1990)183
- Grossi, F., see Segatti, M. P. 536(1991)319
- Grossi, G., Bargossi, A. M., Lucarelli, C.,
Paradisi, R., Sprovieri, C. and Sprovieri, G.
Improvements in automated analysis of
catecholamine and related metabolites in
biological samples by column-switching
high-performance liquid chromatography
541(1991)273
- Grossi, G., see Lucarelli, C. 541(1991)285
- Grossklaus, R., see Klingebiel, L. 527(1990)238
- Grosvenor, P. W. and Gray, D. O.
2,4-Dinitrophenylpyridium chloride, a novel
and versatile reagent for the detection of
amino acids, primary and secondary amines,
thiols, thiolactones and carboxylic acids
during planar chromatography
504(1990)456
- Grote, A. A., see Kennedy, E. R. 522(1990)303
- Grotjan, H. E., Schanbacher, B. D. and Keel, B.
A.
Ovine luteinizing hormone. V. Significance
of flow-through peaks observed during
chromatofocusing as revealed by various
methods of sample preparation and
application 549(1991)141

- Grotjan, H. E. and Zalesky, D. D.
Ovine luteinizing hormone. VI. Analysis of the misclassification errors in the separation of intrapituitary isohormones by chromatofocusing 549(1991)153
- Grover, E. R., see Phillips, D. J. 536(1991)95
- Grübler, G., Gutjahr, F., Echner, H. F., Voelter, W. and Bauer, H.
High-performance liquid chromatographic investigations on the cleavage kinetics of side-chain-protected arginine derivatives with a sophisticated post-column reaction detector 512(1990)249
- Gruetter, M., see Steiner, V. 530(1990)273
- Grundevik, I., see Ahnoff, M. 506(1990)593
- Grune, T., Siems, W., Werner, A., Gerber, G., Kostić, M. and Esterbauer, H.
Aldehyde and nucleotide separations by high-performance liquid chromatography. Application to phenylhydrazine-induced damage of erythrocytes and reticulocytes 520(1990)411
- Grune, T., see Werner, A. 507(1990)311
- Grushka, E., see Jang, N.-I. 550(1991)507
- Grushka, E., see Woolfson-Bartfeld, D. 517(1990)305
- Grzeszkiewicz, A., see Cendrowska, I. 509(1990)195
- Grzywnowicz, K., see Łobazewski, J. 520(1990)223
- Gu, G. and Lim, C. K.
Separation of anionic and cationic compounds of biomedical interest by high-performance liquid chromatography on porous graphitic carbon 515(1990)183
- Guan, Z., see Zhang, A. 521(1990)128
- Guaraldo Goncalves, L. A., see Aitzetmüller, K. 519(1990)349
- Gübitz, G., see Aichinger, I. 523(1990)163
- Gudej, J., see Dzido, T. H. 550(1991)71
- Gueant, J.-L., see Djalali, M. 529(1990)81
- Guéant, J.-L., see Frémont, S. 526(1990)186
- Guelen, P. J. M., see Lansdorp, D. 528(1990)487
- Guenzi, A. and Zanetti, M.
Determination of aniracetam and its main metabolite, N-anisoyl-GABA, in human plasma by high-performance liquid chromatography 530(1990)397
- Guerra, M. C., see Biagi, G. L. 504(1990)163
- Guerra, M. C., see Biagi, G. L. 547(1991)523
- Guerrier, L., see Boschetti, E. 523(1990)35
- Guglya, E. B. and Zhukhovitskii, A. A.
Liquid chromatography of liquid substances characterized by limited solubility in the eluent 509(1990)157
- Guida, E., Codini, M., Palmerini, C. A., Fini, C., Lucarelli, C. and Floridi, A.
Development and validation of a high-performance liquid chromatographic method for the determination of desmosines in tissues 507(1990)51
- Guillaume, J. L., see Dandeu, J. P. 539(1991)475
- Guillén, M. D., see Blanco, C. G. 539(1991)157
- Guillén, M. D., see Díez, M. A. 508(1990)363
- Guinebault, P., Colafranceschi, C. and Bianchetti, G.
Determination of mephesisin in plasma by high-performance liquid chromatography with fluorimetric detection 507(1990)221
- Guinebault, P., Haddouche, A. and Bianchetti, G.
High-performance liquid and gas chromatographic methods for the determination of cicloprolol 525(1990)359
- Guiochon, G., see Aubel, M. T. 514(1990)11
- Guiochon, G., see Czok, M. 506(1990)303
- Guiochon, G., see Czok, M. 537(1991)497
- Guiochon, G., see Czok, M. 550(1991)705
- Guiochon, G., see El Fallah, M. Z. 511(1990)1
- Guiochon, G., see El Fallah, M. Z. 522(1990)1
- Guiochon, G., see Golshan-Shirazi, S. 506(1990)495
- Guiochon, G., see Golshan-Shirazi, S. 511(1990)402
- Guiochon, G., see Golshan-Shirazi, S. 517(1990)229
- Guiochon, G., see Golshan-Shirazi, S. 523(1990)1
- Guiochon, G., see Golshan-Shirazi, S. 536(1991)57
- Guiochon, G., see Golshan-Shirazi, S. 541(1991)195
- Guiochon, G., see Golshan-Shirazi, S. 545(1991)1
- Guiochon, G., see Huang, J.-X. 504(1990)335
- Guiochon, G., see Jacobson, S. 522(1990)23
- Guiochon, G., see Katti, A. M. 540(1991)1
- Guiochon, G., see Lin, B. 508(1990)27
- Guiochon, G., see Lin, B. 542(1991)1
- Guiochon, G., see Newburger, J. 523(1990)63
- Guiochon, G. A.
Process chromatography, a practical guide (by G. K. Sofer and L. E. Nystrom) (Book Review) 509(1990)411
- Gulino, D., see Jacquot Dourges, M. A. 526(1990)35
- Gülz, P.-G., see Vogt, T. 537(1991)453
- Gunawan, S., Walton, N. Y. and Treiman, D. M.
High-performance liquid chromatographic determination of selected amino acids in rat brain by precolumn derivatization with phenylisothiocyanate 503(1990)177
- Gundersen, J. L., see Hale, R. C. 539(1991)149

- Guo, B. and Wan, H.
Rapid determination of caffeine in green tea by gas-liquid chromatography with nitrogen-phosphorus-selective detection 505(1990)435
- Guo, D. and Horak, A.
Purification of the subunits of pea mitochondrial F_1 -ATPase by high-performance liquid chromatography 521(1990)43
- Guo, L., see Geng, X. 507(1990)1
- Guo, R. and Lim, C. K.
Determination of hydroxy and peroxy acid derivatives of uroporphyrin in the plasma of patients with congenital erythropoietic porphyria by high-performance liquid chromatography 550(1991)603
- Guo, Y.-Y., see Qian, X.-X. 515(1990)257
- Gupta, K. C., Gaur, R. K. and Sharma, P.
Use of the 4-methoxy-4'-octyloxytrityl group as an affinity handle for the purification of synthetic oligonucleotides 541(1991)341
- Gupta, N., see Upadhyay, R. K. 542(1991)531
- Gupta, R. N.
Improved stability of phenylbutazone for its determination by liquid chromatography 530(1990)160
- Gustafsson, B., see Polacek, J. 526(1990)151
- Gustafsson, L. L., see Villén, T. 529(1990)309
- Gustafsson, S., Eriksson, B.-M. and Nilsson, I.
Multiple peak formation in reversed-phase liquid chromatography of ramipril and ramiprilate 506(1990)75
- Gustavsson, B. and Betnér, I.
Fully automated amino acid analysis for protein and peptide hydrolysates by precolumn derivatization with 9-fluorenyl methylchloroformate and 1-aminoadamantane 507(1990)67
- Gutierrez, L., see Rustum, A. M. 503(1990)115
- Gutjahr, F., see Grübler, G. 512(1990)249
- Gutjahr, U., see Kramer, W. 521(1990)199
- Gutmann, V., see Han, L.-F. 543(1991)123
- Guzman, N. A., see Hernandez, L. 502(1990)247
- Gyllenhaal, O., Grönberg, L. and Vessman, J.
Determination of hydrazine in hydralazine by capillary gas chromatography with nitrogen-selective detection after benzaldehyde derivatization 511(1990)303
- Gyllenhaal, O. and Vessman, J.
Capillary supercritical fluid chromatography of aliphatic amines. Studies on the selectivity and symmetry with three different columns using carbon dioxide or nitrous oxide as mobile phase 516(1990)415
- Gyllenhaal, O., see Carlson, Å. 508(1990)333
- Ha, P. T., see Volmut, J. 527(1990)428
- Ha, S. C., see Abidi, S. L. 522(1990)179
- Haas, H. J., see Assmann, B. 525(1990)277
- Haas, H. J., see Klein, C. M. 529(1990)431
- Haas, III, J. W. and Uden, P. C.
Chemical class separation of coal liquids by high-performance liquid chromatography on a semi-preparative, phosphoric acid-modified amino-bonded-phase column 550(1991)609
- Haasnoot, W., Ploum, M. E., Paulussen, R. J. A., Schilt, R. and Huf, F. A.
Rapid determination of clenbuterol residues in urine by high-performance liquid chromatography with on-line automated sample processing using immunoaffinity chromatography 519(1990)323
- Haberland, D., see Thede, R. 520(1990)109
- Hack, M. H. and Helmy, F. M.
Thin-layer chromatographic analysis of myelin lipids, their differential O-deacylation by primary alkylamines and their selective staining by thionine. A limited phylogenetic study 525(1990)339
- Hada, T., see Ikarashi, Y. 533(1990)23
- Hadas, E., Koppel, R., Schwartz, F., Raviv, O. and Fleminger, G.
Enhanced activity of immobilized dimethylmaleic anhydride-protected poly- and monoclonal antibodies 510(1990)303
- Hadas, E., see Fleminger, G. 510(1990)271
- Hadas, E., see Fleminger, G. 510(1990)311
- Hadas, E., see Solomon, B. 539(1991)335
- Haddad, P. R., see Buchberger, W. 546(1991)311
- Haddad, P. R., see Fagan, P. A. 550(1991)559
- Haddad, P. R., see Marheni 546(1991)221
- Haddad, P. R., see Sosimenko, A. D. 546(1991)37
- Haddouche, A., see Guinebault, P. 525(1990)359
- Haen, E., Hagenmaier, H. and Remien, J.
Detection of choline and acetylcholine by high-performance liquid chromatography. Limitations, pitfalls, sample preparation 537(1991)514
- Haerdi, W., see Chambaz, D. 541(1991)443
- Haerdi, W., see Veuthey, J.-L. 515(1990)385
- Häfele, R., see Oefner, P. 516(1990)251
- Hafez, A., see Goyal, S. S. 537(1991)269
- Hafez, A. A., Goyal, S. S. and Rains, D. W.
Use of ion chromatography in agricultural research (Review) 546(1991)387

- Haff, L. A., see Katz, E. D. 512(1990)433
- Hagedorn, H. H., see Wheelock, G. D. 542(1991)508
- Hagen, S., see Ellingsen, T. 535(1990)147
- Hagenmaier, H., see Haen, E. 537(1991)514
- Haginaka, J. and Nishimura, Y.
Simultaneous determination of ampicillin and sulbactam by liquid chromatography: post-column reaction with sodium hydroxide and sodium hypochlorite using an active hollow-fibre membrane reactor 532(1990)87
- Haginaka, J. and Wakai, J.
Automated precolumn derivatization of amino acids with *ortho*-phthalaldehyde using a hollow-fibre membrane reactor 502(1990)317
- Haginaka, J., Wakai, J. and Yasuda, H.
Synthesis of mixed-functional-phase silica supports for liquid chromatography and their applications to assays of drugs in serum 535(1990)163
- Haginaka, J., Wakai, J., Yasuda, H. and Kimura, Y.
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by liquid chromatography with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 529(1990)455
- Haginaka, J., Wakai, J., Yasuda, N., Yasuda, H. and Kimura, Y.
Characterization of an internal-surface reversed-phase silica support for liquid chromatography and its application to assays of drugs in serum 515(1990)59
- Haglund, P., Asplund, L., Järnberg, U. and Jansson, B.
Isolation of toxic polychlorinated biphenyls by electron donor-acceptor high-performance liquid chromatography on a 2-(1-pyrenyl)ethyltrimethylsilylated silica column 507(1990)389
- Hahn, A., Flaig, K. H. and Rehner, G.
Optimized high-performance liquid chromatographic procedure for the separation and determination of the main folacins and some derivatives. II. Extraction method and application to rat liver 545(1991)91
- Hahn, A., Stein, J., Rump, U. and Rehner, G.
Optimized high-performance liquid chromatographic procedure for the separation and quantification of the main folacins and some derivatives. I. Chromatographic system 540(1991)207
- Hahne, F., Kraus, G. and Zschke, H.
Blended liquid crystalline stationary phases in capillary gas chromatography 520(1990)85
- Hahn-Hägerdal, B., see Marko-Varga, G. 506(1990)423
- Hahn-Hägerdal, B., see Marko-Varga, G. 523(1990)173
- Haken, J. K.
Inverse GC characterization of polymers and other materials (edited by D. R. Lloyd, T. C. Ward and H. P. Schreiber) (Book Review) 503(1990)473
- Haken, J. K.
Polymer thermodynamics by GC (by R. Vilcu and M. Leca) (Book Review) 542(1991)549
- Haken, J. K. and Abraham, F.
Gas chromatography of homologous esters. XXXIV. Alkyl borate and boronate esters 550(1991)155
- Hakusui, H., see Nakaoka, M. 526(1990)254
- Haky, J. E., Raghani, A. and Dunn, B. M.
Comparison of polybutadiene-coated alumina and octadecyl-bonded silica for separations of proteins and peptides by reversed-phase high-performance liquid chromatography 541(1991)303
- Haky, J. E., Vemulapalli, S. and Wieserman, L. F.
Comparison of octadecyl-bonded alumina and silica for reversed-phase high-performance liquid chromatography 505(1990)307
- Halbrügge, M. and Walter, U.
Analysis, purification and properties of a 50 000-dalton membrane-associated phosphoprotein from human platelets 521(1990)335
- Hale, R. C., Bush, E., Gallagher, K., Gundersen, J. L. and Mothershead, II, R. F.
Separation of polychlorinated terphenyls from lipoidal material by preparative gel permeation chromatography and gas chromatography 539(1991)149
- Hall, C. A., see Gorecki, D. K. J. 528(1990)333
- Hall, C. D., see Marvin, C. H. 503(1990)167
- Hall, C. D., see Marvin, C. H. 518(1990)242
- Hall, J. E., see Meyer, J. C. 522(1990)213
- Hall, K. W., see Valentin, J. R. 518(1990)199
- Hall, S. D., see Rudy, A. C. 528(1990)395
- Halline, A. G. and Brasitus, T. A.
Reversed-phase high-performance liquid chromatographic method for the measurement of polyamine oxidase activity 533(1990)187
- Hamada, N., see Horie, M. 502(1990)371
- Hamano, T., Mitsuhashi, Y., Aoki, N., Yamamoto, S., Tsuji, S., Ito, Y. and Oji, Y.
Determination of glycerol in foods by high-performance liquid chromatography with fluorescence detection 541(1991)265

- Hambling, S. G., see Lisseter, S. G.
539(1991)207
- Hamid, H. A., see Al-Ammar, A. S.
537(1991)287
- Hamm, K., see Mross, K. 530(1990)192
- Hammons, K., see Dutta, P. K. 536(1991)113
- Han, L.-F., Nowicky, W. and Gutmann, V.
Reversed-phase high-performance liquid
chromatographic separation of tertiary and
quaternary alkaloids from *Chelidonium*
majus L. 543(1991)123
- Han, L. H., see Chen, B. H. 543(1991)147
- Hanada, Y., see Terashi, A. 503(1990)369
- Hanai, T.
Structure-retention correlation in liquid
chromatography (Review) 550(1991)313
- Hanai, T., see Hirukawa, M. 507(1990)95
- Hanaoka, N.
Post-column adjustment of conditions for
peroxyoxalate chemiluminescence detection
for high-performance liquid
chromatography 503(1990)155
- Hanazaki, Y., see Fukui, S. 541(1991)459
- Hancock, F. E., see Lindsay Smith, J. R.
547(1991)447
- Hancock, J. R. and Peters, G. R.
Retention index monitoring of compounds
of chemical defence interest using thermal
desorption gas chromatography
538(1991)249
- Hancock, W. S., see Frenz, J. 512(1990)299
- Hancock, W. S., see Wu, S.-L. 516(1990)115
- Haney, M. A., see Dutta, P. K. 536(1991)113
- Hannan, R. M. and Hill, Jr., H. H.
Analysis of lipids in aging seed using
capillary supercritical fluid chromatography
547(1991)393
- Hansel, S. B., see Morris, M. E. 532(1990)285
- Hansen, B., see Linde, S. 530(1990)29
- Hansen, D., see Zhu, M. 516(1990)123
- Hansen, M. E. and Short, D. C.
Optimization study of octane-in-water
emulsions by sedimentation field-flow
fractionation 517(1990)333
- Hansen, P., see Porath, J. 550(1991)751
- Hansen, S. H., Helboe, P. and Thomsen, M.
Bare silica, dynamically modified with
long-chain quaternary ammonium ions – the
technique of choice for more reproducible
selectivity in reversed-phase high-
performance liquid chromatography
(Review) 544(1991)53
- Hansen, S. H., see Tjørnelund, J. 530(1990)227
- Hanson, M., Unger, K. K. and Schomburg, G.
Non-porous polybutadiene-coated silicas as
stationary phases in reversed-phase
chromatography 517(1990)269
- Hara, S., see Uchida, T. 506(1990)327
- Harada, K., see Nishimura, K. 525(1990)176
- Harada, K., see Sugii, A. 544(1991)219
- Harada, K.-I., Ikai, Y., Yamazaki, Y., Oka, H.,
Suzuki, M., Nakazawa, H. and Ito, Y.
Isolation of bacitracins A and F by high-
speed counter-current chromatography
538(1991)203
- Harada, K.-I., see Ikai, Y. 541(1991)393
- Harada, K.-I., see Meriluoto, J. A. O.
509(1990)390
- Harada, K.-I., see Oka, H. 538(1991)149
- Harada, K.-I., see Oka, H. 538(1991)213
- Harada, M., Fukasawa, K. M., Hiraoka, B. Y.,
Fukasawa, K. and Mogi, M.
High-performance liquid chromatographic
procedure for the determination of serum
prolidase activity 530(1990)116
- Harada, M., Mogi, M., Hiraoka, B. Y.,
Fukasawa, K., Fukasawa, K. M., Takagi, T.
and Sasaki, S.
Determination of proline iminopeptidase
activity in bovine dental germs by high-
performance liquid chromatography
527(1990)158
- Haraguchi, H., see Takeuchi, T. 517(1990)257
- Harbak, H., see Christensen, S. 533(1990)201
- Harding, D. R. K., see Poll, D. J. 539(1991)37
- Hardy, J. A., see Ryan, J. J. 541(1991)131
- Hardy, M., see Weitzhandler, M. 510(1990)225
- Hargiss, L. O., see Kalinoski, H. T.
505(1990)199
- Hargitai, T., Reinholdsson, P., Törnell, B. and
Isaksson, R.
Polymer-bound chiral polymers for use in
enantiomer separations 540(1991)145
- Harima, N., see Takamura, K. 543(1991)241
- Harimoto, T., see Nishioka, R. 526(1990)210
- Harino, H., Kimura, K., Tanaka, M. and Shono,
T.
Reversed-phase liquid chromatography of
polar benzene derivatives on poly
(vinylbenzo-18-crown-6)-immobilized silica
as a stationary phase 522(1990)107
- Harke, H., see Swerdlow, H. 516(1990)61
- Härmälä, P., Vuorela, H., Lehtonen, P. and
Hiltunen, R.
Optimization of the high-performance liquid
chromatography of coumarins in *Angelica*
archangelica with reference to molecular
structure 507(1990)367
- Harmatz, J. S., see Greenblatt, D. J.
534(1990)202
- Harmenberg, J., Cox, S. and Åkesson-Johansson,
A.
Improved sample preparation method for
high-performance liquid chromatography of

- deoxyribonucleoside triphosphates from cell culture extracts 508(1990)75
- Harrington, J. P., see Duffy, L. K. 512(1990)291
- Hart, B. T., see Beckett, R. 517(1990)435
- Hart, R. W., see Martinez, G. 533(1990)235
- Hartling, S. G., see Linde, S. 548(1991)371
- Hartman, P. A., see Stodola, J. D. 502(1990)401
- Hartmann, D. J., see Ricard-Blum, S. 530(1990)432
- Hartnack, S., see Meineke, I. 526(1990)240
- Hartter, E., see Missbichler, A. 510(1990)339
- Hartvig, P. and Långström, B.
Combination of positron emission tomography with liquid chromatography in neuropharmacologic research 507(1990)303
- Hartwick, R. A., see Wang, T. 523(1990)23
- Harvey, G. A., see Rackham, D. M. 542(1991)189
- Harvey, S.
Comparison of gradient elution separations for organic and inorganic anions with chemically suppressed conductometric detection 546(1991)125
- Harvey, S.
Recent advances in the simultaneous determination of anions and silica in high-purity water 546(1991)209
- Harvey, S. D., Fellows, R. J., Cataldo, D. A. and Bean, R. M.
Analysis of 2,4,6-trinitrotoluene and its transformation products in soils and plant tissues by high-performance liquid chromatography 518(1990)361
- Hasegawa, A., see Teramachi, S. 547(1991)429
- Hashimoto, H., see Katayama, N. 519(1990)221
- Hashimoto, T.
Macroporous synthetic hydrophilic resin-based packings for the separation of biopolymers (Review) 544(1991)249
- Hashimoto, T.
Non-porous hydrophilic resin-based packings for the separation of biopolymers (Review) 544(1989)257
- Hashimoto, T., see Kato, Y. 502(1990)416
- Hashimoto, T., see Kato, Y. 513(1990)384
- Hashimoto, T., see Nakamura, K. 510(1990)101
- Hashimoto, T., see Nakamura, K. 513(1990)367
- Hashimoto, Y., see Nakanuma, R. 527(1990)208
- Hashizume, K., see Tanaka, N. 544(1991)319
- Hasler, A., Sticher, O. and Meier, B.
High-performance liquid chromatographic determination of five widespread flavonoid aglycones 508(1990)236
- Hassan, N. A., Al-Ani, M. R., Lafta, A. M. and Kassir, Z. A.
Value of breath hydrogen test in detection of hypolactasia in patients with chronic diarrhoea 530(1990)102
- Hassanzadeh, M. K., Aweeka, F. T., Wu, S., Jacobson, M. A. and Gambertoglio, J. G.
Determination of phosphonoformic acid in human plasma and urine by high-performance liquid chromatography with electrochemical detection 525(1990)133
- Hasson, H. and Warshawsky, A.
High-performance liquid chromatographic determination of *cis*-diamminedichloro-platinum(II) (cisplatin) as the *o*-phenylenediamine complex 530(1990)219
- Hasunuma, R., Ogawa, T., Ishii, J. and Kawanishi, Y.
Determination of selenium in organic compounds on a silica gel sintered thin-layer chromatographic plate with 2,3-diaminonaphthalene after direct digestion 537(1991)397
- Hata, T., see Takada, K. 530(1990)212
- Hatada, K., see Okamoto, Y. 513(1990)375
- Hatano, H., see Naikwadi, K. P. 511(1990)281
- Hatta, Y., see Tomita, M. 526(1990)174
- Hattori, H., Takashima, E., Yamada, T. and Suzuki, O.
Detection of tricyclic antidepressants in body fluids by gas chromatography with a surface ionization detector 529(1990)189
- Hattori, M., see Morita, I. 526(1990)367
- Hauck, H. E., see Cserháti, T. 514(1990)45
- Hauksdottir, R., see Stevenson, P. J. 533(1990)248
- Haven, M. C., see Markin, R. S. 525(1990)464
- Hawkins, M. E., Poplack, D. G., Pizzo, P. A. and Balis, F. M.
High-performance liquid chromatographic method for the analysis of 2',3'-dideoxycytidine in human plasma 532(1990)442
- Hawthorne, S. B., Miller, D. J., Walker, D. D., Whittington, D. E. and Moore, B. L.
Quantitative extraction of linear alkylbenzenesulfonates using supercritical carbon dioxide and a simple device for adding modifiers 541(1991)185
- Hawtrey, A. O., see Uebel, R. A. 526(1990)293
- Hayakawa, J., see Ikai, Y. 541(1991)393
- Hayakawa, J., see Oka, H. 538(1991)149
- Hayakawa, K., Imaizumi, N., Ishikura, H., Minogawa, E., Takayama, N., Kobayashi, H. and Miyazaki, M.
Determination of methamphetamine, amphetamine and piperidine in human urine by high-performance liquid chromatography with chemiluminescence detection 515(1990)459
- Hayakawa, K., see Oizumi, J. 529(1990)55
- Hayashi, M., see Iida, J. 515(1990)503

- Hayashi, S., see Usui, H. 515(1990)375
- Hayashi, T., Todoriki, H. and Iida, Y.
Highly sensitive method for the determination of 1-methyl-1,2,3,4-tetrahydro- β -carboline using combined capillary gas chromatography and negative-ion chemical ionization mass spectrometry 528(1990)1
- Hayashi, Y. and Matsuda, R.
Information theory of column chromatography on the basis of the information measure FUMI 513(1990)349
- Hayashibara, M., see Naora, K. 530(1990)186
- Hayashida, M., Nihira, M., Watanabe, T. and Jinno, K.
Application of a computer-assisted high-performance liquid chromatographic multi-wavelength ultraviolet detection system to simultaneous toxicological drug analyses 506(1990)133
- Hayball, P. J., Cosh, D. G. and Wrobel, J.
Rapid, sensitive determination of human serum midazolam by high-performance liquid chromatography 528(1990)526
- Hayes, G. E.
Direct determination of corrosion inhibitor in aviation fuel by a column-switching technique using gel-permeation chromatography 508(1990)259
- Haynes, P. A., Sheumack, D., Kibby, J. and Redmond, J. W.
Amino acid analysis using derivatisation with 9-fluorenylmethyl chloroformate and reversed-phase high-performance liquid chromatography 540(1991)177
- Häyri, L., see Vainiotalo, S. 523(1990)273
- Hazai, I. and Ledniczky, L.
Gas chromatographic-mass spectrometric identification of impurities in 1,2-dithoxybenzene 520(1990)149
- Hazebroucq, G., see Gimenez, F. 529(1990)339
- Hazum, E.
Purification of gonadotropin releasing hormone receptors using the avidin-biotin technique 510(1990)233
- He, L.-Y., see Niu, C.-Q. 542(1991)193
- He, L.-Y., see Oshima, T. 547(1991)175
- He, Y., see Hu, H. 547(1991)494
- Hearn, M. T. W. and Davies, J. R.
Evaluation of factors which affect column performance with immobilized monoclonal antibodies. Model studies with a lysozyme-antilysozyme system 512(1990)23
- Hearn, M. T. W., Hodder, A. N., Fang, F. W. and Aguilar, M. I.
High-performance liquid chromatography of amino acids, peptides and proteins. CXI. Retention behaviour of proteins with macroporous tentacle-type anion exchangers 548(1991)117
- Hearn, M. T. W., see Fridman, M. 512(1990)57
- Hearn, M. T. W., see Hodder, A. N. 506(1990)17
- Hearn, M. T. W., see Hodder, A. N. 507(1990)33
- Hearn, M. T. W., see Hodder, A. N. 512(1990)41
- Hearn, M. T. W., see Hodder, A. N. 517(1990)317
- Hearn, M. T. W., see Janzen, R. 522(1990)77
- Hearn, M. T. W., see Johnston, A. 512(1990)101
- Hearn, M. T. W., see Johnston, A. 548(1991)127
- Hearn, M. T. W., see Mao, Q. M. 548(1991)147
- Hearn, M. T. W., see Wilce, M. C. J. 536(1991)165
- Hearn, M. T. W., see Wilce, M. C. J. 548(1991)105
- Hearn, M. T. W., see Wirth, H. J. 550(1990)383
- Heberling, S., see Campbell, D. L. 546(1991)229
- Heble, M. R., see Sipahimalani, A. T. 538(1991)452
- Heckenberg, A. L., see Jackson, P. E. 546(1991)405
- Heese, P., see Ehwald, R. 542(1991)239
- Heidrich, S., see Zobel, H. 509(1990)27
- Heiger, D. N., Cohen, A. S. and Karger, B. L.
Separation of DNA restriction fragments by high performance capillary electrophoresis with low and zero crosslinked polyacrylamide using continuous and pulsed electric fields 516(1990)33
- Heilmann, S. M., see Coleman, P. L. 512(1990)345
- Heine, A., see Heitefuss, S. 532(1990)374
- Heitefuss, S., Heine, A. and Seifert, H. S. H.
Detection of non-volatile organic acids by head-space gas chromatography 532(1990)374
- Heizmann, P., Dell, D., Eggers, H. and Gora, R.
Determination of the new fluoroquinolone fleroxacin and its N-demethyl and N-oxide metabolites in plasma and urine by high-performance liquid chromatography with fluorescence detection 527(1990)91
- Heizmann, P., Geschke, R. and Zinapold, K.
Determination of ornidazole and its main metabolites in biological fluids 534(1990)233
- Hejzlar, J., see Kopáček, P. 545(1991)461
- Hekster, Y. A., see Vree, T. B. 526(1990)581
- Helboe, P.
Controlling the retention of clopenthixol and other basic drug substances by reversed-phase ion-pair chromatography on bonded-phase materials using two counter-ions of opposite charge 523(1990)217

- Helboe, P., see Hansen, S. H. 544(1991)53
- Helboe, P., see Kryger, S. 539(1991)186
- Hellgren, U., Villén, T. and Ericsson, Ö.
High-performance liquid chromatographic determination of quinine in plasma, whole blood and samples dried on filter paper 528(1990)221
- Helling, C. S., see Lydon, J. 536(1991)223
- Hellman, U., see Renlund, S. 512(1990)325
- Helmer, J. C., see Salomon, K. 549(1991)375
- Helms, M., see Zobel, H. 509(1990)27
- Helmy, F. M., see Hack, M. H. 525(1990)339
- Hempenius, J., see Wieling, J. 545(1991)101
- Henderson, I. K., Saari-Nordhaus, R. and Anderson, Jr., J. M.
Sample preparation for ion chromatography by solid-phase extraction 546(1991)61
- Henderson, I. K., see Saari-Nordhaus, R. 546(1991)89
- Henderson, L., see Powell, M. L. 529(1990)237
- Hendle, J., see Kalisz, H. M. 521(1990)245
- Hendrickson, R. L., see Ladisch, M. R. 540(1991)85
- Hendriks, H. E. J., see Verhaar, L. A. T. 549(1991)113
- Henion, J., see Huang, E. 511(1990)257
- Henion, J. D., see McLaughlin, L. G. 529(1990)1
- Henke, W., Nickel, E. and Jung, K.
Determination of purine compounds by ion-pair microbore high-performance liquid chromatography: application to ischemic rat kidney mitochondria 527(1990)498
- Henry, M. P.
Design requirements of silica-based matrices for biopolymer chromatography 544(1991)413
- Heping, W., Pacáková, V., Štulík, K. and Barth, T.
Ion-exchange high-performance liquid chromatographic analysis of the products of the enzymatic degradation of oxytocin 519(1990)244
- Herbretau, B., Lafosse, M., Morin-Allory, L. and Dreux, M.
Analysis of sugars by supercritical fluid chromatography using polar packed columns and light-scattering detection 505(1990)299
- Herd, B., see Kamali, F. 530(1990)222
- Herlin, C., see Jehl, F. 525(1990)225
- Herma, H., see Krause, E. 520(1990)263
- Hermann, P., see Dudek, S. 520(1990)333
- Hermanson, G. T., see Domen, P. L. 510(1990)293
- Hermansson, J., see Enquist, M. 519(1990)271
- Hermansson, J., see Enquist, M. 519(1990)285
- Hermecz, I., see Papp, O. 537(1991)365
- Hermecz, I., see Papp, O. 537(1991)377
- Hernadi, F. J., see Gál, S. 545(1991)189
- Hernandez, L., Marquina, R., Escalona, J. and Guzman, N. A.
Detection and quantification of capillary electrophoresis zones by fluorescence microscopy 502(1990)247
- Hernández, L. M., see Jiménez, B. 523(1990)265
- Herold, M. and Leistler, B.
Unfolding of truncated and wild type aspartate aminotransferase studied by size-exclusion chromatography 539(1991)383
- Herranen, J., see Parviainen, M. T. 525(1990)193
- Herrera, R. J., see Leff, V. 547(1991)462
- Herron, J. N., see Lin, J.-N. 542(1991)41
- Herslöf, B. G., see Olsson, U. 505(1990)385
- Herterich, R.
Gas chromatographic determination of nitrophenols in atmospheric liquid water and airborne particulates 549(1991)313
- Hertz, C. D., see Schnable, J. G. 513(1990)47
- Herve, F., Duché, J.-C., Sportes, N. and Tillement, J.-P.
High-performance anion-exchange chromatographic study of desialylated human α_1 -acid glycoprotein variants. Development of a fractionation method for the protein slow variants 539(1991)405
- Herzig, C., see Scherberich, J. E. 521(1990)279
- Herzogová, G., see Hušek, P. 533(1990)166
- Hesse, W. H., Schweer, H., Seyberth, H. W. and Peskar, B. A.
Separation and determination of prostaglandin E₁ metabolites by high-performance liquid chromatography 533(1990)159
- Hessey, G. A., see Matuszewski, B. K. 526(1990)461
- Hessing, T. J., see Edelbroek, P. M. 530(1990)347
- Hetem, M. J. J., De Haan, J. W., Claessens, H. A., Cramers, C. A., Degee, A. and Schomburg, G.
Characterization and stability of silanized and polymer-coated octadecyl reversed phases 540(1991)53
- Heulin, M. H., see Straczek, J. 532(1990)237
- Heulin, M. H., see Straczek, J. 533(1990)35
- Hevesi, T., Krupčík, J. and Sandra, P.
Use of chromatographic models for computerized optimization of coupling-point pressure in dual-column gas chromatography 517(1990)161

- Heyes, M. P. and Quearry, B. J.
Quantification of kynurenic acid in cerebrospinal fluid: effects of systemic and central L-kynurenine administration 530(1990)108
- Heyworth, P., see Leoni, P. 527(1990)152
- Hibi, K., see Fujimori, H. 515(1990)363
- Hibi, K., see Fujimori, H. 528(1990)305
- Hibi, K., see Higashidate, S. 515(1990)577
- Hibi, K., see Kurosu, Y. 515(1990)407
- Hicks, K. B., see Sapers, G. M. 503(1990)431
- Hicks, R. D., see Byrd, G. D. 503(1990)359
- Hicks, R. D., see Nanni, E. J. 505(1990)365
- Hidaka, T., see Suemitsu, R. 539(1991)211
- Hider, R. C., see Epemolu, R. O. 519(1990)171
- Hiemstra, M., see De Kok, A. 507(1990)459
- Higashi, A., see Fujii, J. 530(1990)469
- Higashi, T., see Kawai, S. 514(1990)29
- Higashidate, S., Hibi, K., Senda, M., Kanda, S. and Imai, K.
Sensitive assay system for bile acids and steroids having hydroxyl groups utilizing high-performance liquid chromatography with peroxyoxalate chemiluminescence detection 515(1990)577
- Higashidate, S., Yamauchi, Y. and Saito, M.
Enrichment of eicosapentaenoic acid and docosahexaenoic acid esters from esterified fish oil by programmed extraction-elution with supercritical carbon dioxide 515(1990)295
- Higashiyama, K., see Kataoka, H. 528(1990)172
- Higuchi, S., see Soeishi, Y. 533(1990)291
- Higuchi, S., see Teramura, T. 528(1990)191
- Higuchi, S., see Watari, N. 530(1990)438
- Hiio, K., see Fukushi, K. 518(1990)189
- Hiio, K., see Fukushi, K. 523(1990)281
- Hill, D. A., Mace, P. and Moore, D.
Frontal chromatographic techniques in preparative chromatography 523(1990)11
- Hill, H. M., see Martinez, G. 533(1990)235
- Hill, H. M., see Selinger, K. 526(1990)597
- Hill, K. D., see Chamkasem, N. 536(1991)193
- Hill, T. L. and Mayhew, J. W.
Convenient purification of tritylated and detritylated oligonucleotides up to 100-mer 512(1990)415
- Hill, Jr., H. H., see Gallagher, M. M. 518(1990)297
- Hill, Jr., H. H., see Hannan, R. M. 547(1991)393
- Hill, Jr., H. H., see Morrissey, M. A. 505(1990)215
- Hille, J.
Enrichment and mass spectrometric analysis of trace impurity concentrations in gases 502(1990)265
- Hiltunen, R., see Härmälä, P. 507(1990)367
- Hiltunen, R., see Seppänen-Laakso, T. 530(1990)94
- Himmel, M., see Huse, K. 502(1990)171
- Hina, T., see Kuno, Y. 537(1991)489
- Hindmarsh, K. W., see Gorecki, D. K. J. 528(1990)333
- Hindriks, H., see Maris, F. A. 547(1991)45
- Hindriks, H., see Mulholland, M. 550(1991)257
- Hindriks, R., see Maris, F. 506(1990)211
- Hinkkanen, A., see Giegerich, G. 528(1990)79
- Hinneburg, D., see Popp, P. 520(1990)97
- Hiranuma, T., Horigome, T. and Sugano, H.
Separation of membrane protein-sodium dodecyl sulphate complexes by high-performance liquid chromatography on hydroxyapatite 515(1990)399
- Hiraoka, B. Y., see Harada, M. 527(1990)158
- Hiraoka, B. Y., see Harada, M. 530(1990)116
- Hirata, N., see Noguchi, K. 506(1990)145
- Hirata, Y., Minami, M., Naoi, M. and Nagatsu, T.
Studies on the uptake of N-methylisoquinolinium ion into rat striatal slices using high-performance liquid chromatography with fluorimetric detection 503(1990)189
- Hirayama, C., Ihara, H. and Li, X.
Removal of endotoxins using macroporous spherical poly(γ -methyl L-glutamate) beads and their derivatives 530(1990)148
- Hirayama, F., see Oshima, T. 547(1991)175
- Hirayama, N. and Kuwamoto, T.
Influence of dissociation equilibria on the elution behaviour of the sample anion in anion chromatography 508(1990)51
- Hirayama, N., Maruo, M., Shiota, A. and Kuwamoto, T.
Use of β -diketonate anions as eluent in non-suppressed ion chromatography. Acetylacetonate eluent for the separation of fluoride and chloride 523(1990)257
- Hiro, T., Kadofuku, T., Makino, Y. and Sato, T.
Detection of the exercise-associated changes in serum proteins by two-dimensional electrophoresis under non-denaturing conditions 528(1990)315
- Hirokami, M., see Matsumoto, M. 526(1990)1
- Hirokawa, T., Hu, J.-Y., Eguchi, S., Nishiyama, F. and Kiso, Y.
Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. I. Separation of twenty metal cations using an acetic acid buffer system and α -hydroxyisobutyric acid complex-forming system 538(1991)413

- Hirokawa, T., Hu, J.-Y., Umeda, K., Kimura, G., Ikeda, H., Nishiyama, F. and Kiso, Y. Preparative isotachopheretic analyser equipped with a dropwise fractionating device 513(1990)297
- Hirokawa, T., Yokota, Y. and Kiso, Y. Isotachopheretic analyser equipped with a scanning ultraviolet photometric detection system 538(1991)403
- Hirokawa, T., Yokota, Y. and Kiso, Y. Effect of sample composition on the separation efficiency of isotachopheresis 545(1991)267
- Hirose, S., see Kito, M. 528(1990)91
- Hirose, S., see Yoshida, S. 530(1990)57
- Hiršl-Starčević, S., see Alebić-Kolbah, T. 526(1990)556
- Hirukawa, M., Maeda, M., Tsuji, A. and Hanai, T. Separation of free amino acids by reversed-phase ion-pair chromatography with column switching and isocratic elution 507(1990)95
- Hiyama, J. and Renwick, A. G. C. Separation of human glycoprotein hormones and their subunits by reversed-phase liquid chromatography 529(1990)33
- Hjerpe, A., see Karamanos, N. K. 503(1990)421
- Hjertén, S. and Kiessling-Johansson, M. High-performance displacement electrophoresis in 0.025- to 0.050-mm capillaries coated with a polymer to suppress adsorption and electroendosmosis 550(1991)811
- Ho, J. W. Separation of porphyrins on cyclodextrin-bonded phases with a novel mobile phase 508(1990)375
- Ho, J. W. Micro assay for urinary δ -aminolevulinic acid and porphobilinogen by high-performance liquid chromatography with pre-column derivatization 527(1990)134
- Hoang, T. P., see Lacroix, C. 525(1990)240
- Hobbs, T. R., see Krueger, R. J. 543(1991)451
- Hobo, T., see Ogino, H. 541(1991)75
- Hobo, T., see Qian, X.-X. 515(1990)257
- Hocke, G., Kaffarnik, H., Münscher, G. and Steinmetz, A. Purification of human serum amyloid A by anion-exchange fast protein liquid chromatography 526(1990)203
- Hodder, A. N., Aguilar, M. I. and Hearn, M. T. W. High-performance liquid chromatography of amino acids, peptides and proteins. XCVII. The influence of the gradient elution mode and displacer salt type on the retention properties of closely related protein variants separated by high-performance anion-exchange chromatography 506(1990)17
- Hodder, A. N., Aguilar, M. I. and Hearn, M. T. W. High-performance liquid chromatography of amino acids, peptides and proteins. XCVIII. The influence of different displacer salts on the bandwidth properties of proteins separated by gradient elution anion-exchange chromatography 512(1990)41
- Hodder, A. N., Machin, K. J., Aguilar, M. I. and Hearn, M. T. W. High-performance liquid chromatography of amino acids, peptides and proteins. CI. Identification and characterisation of coulombic interactive regions on sperm whale myoglobin by high-performance anion-exchange chromatography and computer-graphic analysis 507(1990)33
- Hodder, A. N., Machin, K. J., Aguilar, M. I. and Hearn, M. T. W. High-performance liquid chromatography of amino acids, peptides and proteins. C. Characterisation of coulombic interactive regions on hen lysozyme by high-performance liquid anion-exchange chromatography and computer graphic analysis 517(1990)317
- Hodder, A. N., see Hearn, M. T. W. 548(1991)117
- Hodges, R. S., Lorne Burke, T. W. and Mant, C. T. Multi-column preparative reversed-phase sample displacement chromatography of peptides 548(1991)267
- Hodges, R. S., see Zhou, N. E. 548(1991)179
- Hodges, R. S., see Zhu, B.-Y. 548(1991)13
- Hoenders, H. J., see Flapper, W. 533(1990)47
- Hoff, D., see Rimmel, R. P. 534(1990)109
- Hoffman, T., see Brando, C. 529(1990)65
- Hoffmann, S., see Greibrokk, T. 505(1990)283
- Höflacher, B., see Soutschek, E. 521(1990)267
- Hofmann, D., see Bessems, G. J. H. 529(1990)277
- Hofmann, E., see Huse, K. 502(1990)171
- Hofmann, K. Method for long-term preservation of thin-layer polyacrylamide gels by producing a gelatine coating 538(1991)504
- Hofmann, U., Holzer, S. and Meese, C. O. Pentafluorophenyldiazoalkanes as novel derivatization reagents for the determination of sensitive carboxylic acids by gas chromatography-negative-ion mass spectrometry 508(1990)349

- Hogendoorn, E. A., De Jong, A. P. J. M., Van Zoonen, P. and Brinkman, U. A. T.
Reversed-phase liquid chromatographic column switching for the trace-level determination of polar compounds.
Application to chloroallyl alcohol in ground water 511(1990)243
- Holden, C. L., see Laizure, S. C. 528(1990)235
- Holder, C. L., see Billedeau, S. M. 534(1990)151
- Holder, G. M., see Sugiyanto, 530(1990)337
- Holgersson, J., see Strömqvist, M. 548(1991)293
- Holick, M. F., see Young, D. C. 522(1990)295
- Hollinger, T. G., see Wallace, R. A. 519(1990)75
- Hollosi, M., see Otvos, Jr., L. 512(1990)265
- Holt, D. W., see Eastwood, R. J. 530(1990)463
- Holt, D. W., see Eastwood, R. J. 532(1990)187
- Holthuis, J. J. M., see Van der Horst, F. A. L. 507(1990)351
- Holzer, S., see Hofmann, U. 508(1990)349
- Homann, M. J., see Vail, R. B. 535(1990)317
- Homma, M., see Kouno, Y. 515(1990)321
- Honda, A., see Ukai, S. 513(1990)338
- Honda, M., see Okamoto, Y. 513(1990)375
- Honda, S., Suzuki, K., Kataoka, M., Makino, A. and Kakehi, K.
Analysis of the components of *Paeonia radix* by capillary zone electrophoresis 515(1990)653
- Honda, S., Suzuki, S., Zaiki, S. and Kakehi, K.
Analysis of N- and O-glycosidically bound sialooligosaccharides in glycoproteins by high-performance liquid chromatography with pulsed amperometric detection 523(1990)189
- Honda, S., see Kakehi, K. 502(1990)297
- Hondmann, D. H. A. and Visser, J.
Screening method for large numbers of dye-adsorbents for enzyme purification 510(1990)155
- Hong, E., see Flores-Murrieta, F. J. 528(1990)501
- Hooper, W. D., Kavanagh, M. C. and Dickinson, R. G.
Determination of gabapentin in plasma and urine by capillary column gas chromatography 529(1990)167
- Hooper, W. D., see Treston, A. M. 526(1990)59
- Hopkins, W. A. and Lauren, D. R.
Analysis of the pesticide flufenoxuron in apples and kiwifruit by high-performance liquid chromatography 516(1990)442
- Hor, T. S. A., see Lim, K. B. H. 538(1991)492
- Horak, A., see Guo, D. 521(1990)43
- Hordijk, C. A., Burgers, I., Phylipsen, G. J. M. and Cappenberg, T. E.
Trace determination of lower volatile fatty acids in sediments by gas chromatography with chemically bonded FFAP columns 511(1990)317
- Hori, S., Ohtani, S., Miyasaka, K., Ishikawa, T. and Tanabe, H.
Separation of high-molecular mass RNAs by high-performance liquid chromatography on hydroxyapatite 515(1990)611
- Hori, S., Ohtani-Senuma, K., Ohtani, S., Miyasaka, K. and Ishikawa, T.
Equilibrium of octadecylsilica gel with sodium dodecyl sulphate 515(1990)67
- Hori, T., see Tatsuura, T. 526(1990)507
- Horie, M., Saito, K., Hoshino, Y., Nose, N., Hamada, N. and Nakazawa, H.
Identification and determination of sulphamethazine and N⁴-acetylsulphamethazine in meat by high-performance liquid chromatography with photodiode-array detection 502(1990)371
- Horie, M., Saito, K., Hoshino, Y., Nose, N., Nakazawa, H. and Yamane, Y.
Simultaneous determination of residual synthetic antibacterials in fish by high-performance liquid chromatography 538(1991)484
- Horie, M., see Saito, K. 508(1990)141
- Horigome, T., see Hiranuma, T. 515(1990)399
- Horimoto, S., see Banno, K. 525(1990)255
- Horiuchi, K., see Suemitsu, R. 503(1990)282
- Horiuchi, K., see Suemitsu, R. 539(1991)211
- Horiuchi, M., see Morishima, K. 527(1990)381
- Horiuchi, M., see Suemitsu, R. 539(1991)211
- Hornedo-Núñez, A., Getek, T. A., Korfmacher, W. A. and Simenthal, F.
High-performance liquid chromatography of clindamycin and clindamycin phosphate with electrochemical detection 503(1990)217
- Horstmann, B. J., Chase, H. A. and Kenney, C. N.
Purification of anti-paraquat monoclonal antibodies by affinity chromatography on immobilised haptens 516(1990)433
- Horváth, A., see Szöke, B. 547(1991)121
- Horváth, C., see Antia, F. D. 550(1991)411
- Horváth, C., see Maa, Y.-F. 508(1990)61
- Horváthová, M., Šoltés, L., Mislavčičová, D., Žubor, V. and Fügeďi, A.
High-performance gel permeation chromatography of water-soluble β -1,3-glucans 509(1990)213
- Horváthová, M., see Mislavčičová, D. 510(1990)197
- Horwitz, E. P., see Gatrone, R. C. 516(1990)395
- Hoshino, H., Nakano, K. and Yotsuyanagi, T.
Formazan derivatives as the precolumn derivatization reagents in a coupled high-performance liquid chromatographic-

- spectrophotometric system for trace metal determination 515(1990)603
- Hoshino, H., see Takamura, K. 543(1991)241
- Hoshino, H., see Takamura, K. 545(1991)201
- Hoshino, T., Takahashi, Y. and Suzuki, M.
Application of high-performance liquid chromatography in establishing an accurate index of blood glucose control
515(1990)531
- Hoshino, Y., see Horie, M. 502(1990)371
- Hoshino, Y., see Horie, M. 538(1991)484
- Hoshino, Y., see Saito, K. 508(1990)141
- Hosoe, M., see Kawada, K. 538(1991)355
- Hosono, K., see Yamazaki, Y. 542(1991)129
- Hosotsubo, H., see Hosotsubo, K. K.
529(1990)223
- Hosotsubo, K. K., Hosotsubo, H., Nishijima, M. K., Okada, T., Taenaka, N. and Yoshiya, I.
Rapid determination of serum levels of a new antifungal agent, fluconazole, by high-performance liquid chromatography
529(1990)223
- Hosoya, E., see Takeda, S. 530(1990)447
- Hosoya, K., see Kimata, K. 515(1990)73
- Hosoya, K., see Tanaka, N. 535(1990)13
- Hosoya, K., see Tanaka, N. 549(1991)29
- Hosoya, K., see Terabe, S. 516(1990)23
- Hossfeld, D. K., see Mross, K. 530(1990)192
- Hostettmann, K.
Countercurrent chromatography: apparatus, theory and applications (by W. D. Conway) (Book Review) 547(1991)560
- Hostettmann, K., see Vallat, P. 504(1990)411
- Hotchin, D. M., see Beckett, R. 517(1990)435
- Hou, K. C. and Zaniewski, R.
Purification of urokinase by combined cation exchanger and affinity chromatographic cartridges 525(1990)297
- Houbová, H., see Stehlík, P. 529(1990)245
- Houbová, H., see Stehlík, P. 529(1990)251
- Houen, G.
Affinity chromatographic isolation of a major polyamine binding protein from serum and placenta, identified as serum albumin 527(1990)146
- Houle, J. M., see Martinez, G. 533(1990)235
- Houngbedji, N. and Waisser, K.
Chromatographie en couche mince sur gel de silice avec double imprégnation ascendante à sens inversés à l'huile de silicone
509(1990)400
- Housaki, T., see Nishikida, K. 517(1990)209
- Howard, S., see Bauer, J. F. 514(1990)348
- Howell, J. A., see Dantigny, P. 545(1991)27
- Howell, J. A., see Ming, F. 539(1991)255
- Hrabák, P., see Tvřická, E. 530(1990)424
- Hradil, J., Švec, F., Aratskova, A. A., Belyakova, L. D. and Orlov, V. I.
Separation of cations using methacrylate-based low-capacity cation exchangers
509(1990)369
- Hrinyo-Pavlina, T., see Tian, Z. 541(1991)297
- Hruby, V. J., see Toth, G. 504(1990)450
- Hsieh, J. Y.-K., see Chen, I.-W. 534(1990)119
- Hsieh, L. C., see Long, A. R. 505(1990)395
- Hsieh, Y., see Xie, F. 526(1990)109
- Hsu, C. L. and Walters, R. R.
Chiral separation of ibutilide enantiomers by derivatization with 1-naphthyl isocyanate and high-performance liquid chromatography on a Pirkle column
550(1991)621
- Hsu, J. T., see Diamond, A. D. 513(1990)137
- Hsu, M.-C. and Cheng, M.-C.
High-performance liquid chromatographic method for the determination of cloxacillin in commercial preparations and for stability studies 549(1991)410
- Hsu, R. S., DiLeo, E. M. and Chesson, S. M.
High-performance liquid chromatography for the determination of tacrine and its metabolites in plasma 530(1990)170
- Hu, C., see Lian, D.-X. 542(1991)526
- Hu, H., Zhu, M., He, Y. and Sun, K.
Study of large sample volume injection in a capillary gas chromatographic-Fourier transform infrared system using a retention gap column 547(1991)494
- Hu, J.-Y., see Hirokawa, T. 513(1990)297
- Hu, J.-Y., see Hirokawa, T. 538(1991)413
- Hu, O. Y.-P., Chang, S.-P., Song, Y.-B., Chen, K.-Y. and Law, C.-K.
Novel assay method for mitoxantrone in plasma, and its application in cancer patients 532(1990)337
- Hu, O. Y.-P., Wang, S.-Y., Fang, Y.-J., Chen, Y.-H. and King, M.-L.
Simultaneous determination of thimerosal and chlorhexidine in solutions for soft contact lenses and its applications in stability studies 523(1990)321
- Hu, W., see Takeuchi, T. 517(1990)257
- Hu, Y., see Xu, R. 547(1991)434
- Hua, S., see Lian, D.-X. 542(1991)526
- Hua, X., see Li, P. 538(1991)219
- Huang, E., Henion, J. and Covey, T. R.
Packed-column supercritical fluid chromatography-mass spectrometry and supercritical fluid chromatography-tandem mass spectrometry with ionization at atmospheric pressure 511(1990)257
- Huang, E. C., see Sumpter, S. R. 517(1990)503

- Huang, H.-P. and Morgan, E. D.
Analysis of azadirachtin by supercritical-
fluid chromatography 519(1990)137
- Huang, I.-Y., see Swadesh, J. K. 502(1990)359
- Huang, J.-X., Schudel, J. and Guiochon, G.
Adsorption behaviour of albumin and
conalbumin on TSK-DEAE 5PW anion
exchanger 504(1990)335
- Huang, S.-H., see Rimmel, R. P. 534(1990)109
- Huang, S. S.
Evaluation of chemical structural
heterogeneity of cationic acrylamide
copolymers by high-performance liquid
chromatography 536(1991)203
- Huang, X. and Ohms, J. I.
Non-uniform electrical field effect caused by
different concentrations of electrolyte in
capillary zone electrophoresis 516(1990)233
- Huang, X. and Zare, R. N.
Continuous sample collection in capillary
zone electrophoresis by coupling the outlet
of a capillary to a moving surface
516(1990)185
- Huang, Z., see Zhang, A. 521(1990)128
- Hubbard, J. W., see Srinivas, N. R.
530(1990)327
- Hubble, J., see Dantigny, P. 545(1991)27
- Hubble, J., see Mayes, A. G. 539(1991)245
- Huber, R., Müller, W., Banks, M. C., Rogers, S.
J., Norwood, P. C. and Doyle, E.
High-performance liquid chromatographic
determination of the H⁺/K⁺ ATPase
inhibitor (BY 1023/SK&F 96 022) and its
sulphone metabolite in serum or plasma by
direct injection and fully automated pre-
column sample clean-up 529(1990)389
- Hubert, P., Mathis, R. and Dellacherie, E.
Polymer ligands for mild hydrophobic
interaction chromatography —principles,
achievements and future trends (Review)
539(1991)297
- Hubert, P., see Mathis, R. 538(1991)456
- Hudson, M. K., Fau, T., Underhill, K. and
Applequist, S.
Flame infrared emission-flame ionization
detector for gas chromatography
513(1990)21
- Huf, F. A., see Haasnoot, W. 519(1990)323
- Huffer, M. and Schreier, P.
High-resolution gas chromatographic
resolution of chiral primary alcohols and
acids as their diastereomeric 1-phenylethyl
amides 519(1990)263
- Hughes, B., see Deistung, J. 539(1991)485
- Huguet, C., see Said, R. 530(1990)11
- Huhtikangas, A., see Martinsen, A.
539(1991)232
- Huhtikangas, A., see Ylinen, M. 505(1990)429
- Huisden, R. E., Kraak, J. C. and Poppe, H.
Modification of silica with glucose for the
separation of proteins by high-performance
liquid chromatography 508(1990)289
- Huisden, R. E., Kraak, J. C. and Poppe, H.
Method for the characterization of
stationary phases for the separation of
proteins by high-performance liquid
chromatography 537(1991)1
- Hulak, I., Nguyen, C., Girot, P. and Boschetti, E.
Immobilized Cibacron Blue —leachables,
support stability and toxicity on cultured
cells 539(1991)355
- Hulst, A. G., see Wils, E. R. J. 523(1990)151
- Hummel, M., see Buszewski, B. 520(1990)237
- Hummel, M., see Koppenhoefer, B.
547(1991)239
- Humphries, C. A., see Moody, J. P. 530(1990)19
- Hupé, M., see Ng, L.-K. 513(1990)61
- Hurtubise, R. J., see Mohseni, R. M.
514(1990)19
- Hurtubise, R. J., see Mohseni, R. M.
537(1991)61
- Husain, S., Alvi, S. N. and Rao, R. N.
High-performance liquid chromatographic
separation and determination of quinalphos
in technical and commercial formulations
502(1990)208
- Husain, S., Nageswara Sarma, P., Sajjad, S. M.,
Narsimha, R. and Subrahmanyam, M.
Determination of 2-methylpyrazine and
pyrazinamide in reaction mixtures by gas
and high-performance liquid
chromatography 513(1990)83
- Husain, S., Nageswara Sarma, P., Swami, G. Y.
S. K. and Narsimha, R.
Determination of chloropyridine isomers by
gas chromatography and high-performance
liquid chromatography in chlorpyrifos
process development 540(1991)331
- Huse, K., Himmel, M., Gärtner, G.,
Kopperschläger, G. and Hofmann, E.
Use of an activated nylon membrane
(Immunodyne) as an affinity adsorbent for
the purification of phosphofructokinase and
phosphoglycerate kinase from yeast
502(1990)171
- Hušek, P.
Simple approach for reversal of the
epinephrine-norepinephrine elution order in
ion-pair reversed-phase liquid
chromatography 532(1990)394
- Hušek, P.
Derivatization and gas chromatographic
determination of hydroxycarboxylic acids
treated with chloroformates 547(1991)307

- Hušek, P., Malíková, J. and Herzogová, G.
Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure 533(1990)166
- Hussam, A., see Martire, D. E. 545(1991)135
- Hutchens, T. W. and Yip, T.-T.
Metal ligand-induced alterations in the surface structures of lactoferrin and transferrin probed by interaction with immobilized copper(II) ions 536(1991)1
- Huth, J. A., see Markin, R. S. 525(1990)464
- Hutta, M., Marák, J. and Kaniánský, D.
Some possibilities of combining high-performance liquid chromatography with isotachopheresis for the trace determination of ionogenic compounds present in complex matrices 509(1990)271
- Hütz, A., Leyendecker, D., Schmitz, F. P. and Klesper, E.
Isocratic networks in supercritical fluid chromatography. III. Dependence of capacity factor, selectivity and resolution on temperature, pressure, density and free volume of pentane as shown in multi-dimensional plots 505(1990)99
- Huyghens, L., see Rosseel, M. T. 533(1990)224
- Huynh, O. T., see Tran, A. D. 542(1991)459
- Hwa Han, J., see Lavine, B. K. 542(1991)29
- Hynning, P.-Å., see Remberger, M. 508(1990)159
- Hyver, K. J., see Wilson, W. H. 540(1991)77
- I**
- Iadarola, P., Zapponi, M. C., Minchiotti, L., Meloni, M. L., Galliano, M. and Ferri, G.
Separation of fragments from human serum albumin and its charged variants by reversed-phase and cation-exchange high-performance liquid chromatography 512(1990)165
- Ichida, A., see Fukui, Y. 515(1990)85
- Ichikawa, N., see Naora, K. 530(1990)186
- Idei, M., see Szöke, B. 547(1991)121
- Ihara, H., see Hirayama, C. 530(1990)148
- Iida, J., Hayashi, M., Murata, T., Ono, M., Inoue, K. and Fujita, T.
Identification of a new minor iridoid glycoside in *Symplocos glauca* by thermospray liquid chromatography-mass spectrometry 515(1990)503
- Iida, K. and Kajiwara, M.
Isolation of the insect metabolite trehalose by high-performance liquid chromatography 515(1990)573
- Iida, T., Komatsubara, I., Chang, F. C., Goto, J. and Nambara, T.
Capillary gas chromatographic behavior of stereoisomeric bile acids with a vicinal glycol structure by their "mixed" alkylboronate derivatives 537(1991)345
- Iida, Y., see Hayashi, T. 528(1990)1
- Ikai, Y., Oka, H., Kawamura, N., Hayakawa, J., Yamada, M., Harada, K.-I., Suzuki, M. and Nakazawa, H.
Improvement of chemical analysis of antibiotics. XVII. Application of an amino cartridge to the determination of residual sulphonamide antibacterials in meat, fish and egg 541(1991)393
- Ikai, Y., see Harada, K.-I. 538(1991)203
- Ikai, Y., see Oka, H. 538(1991)149
- Ikarashi, Y., Hada, T., Way, E. L. and Maruyama, Y.
Determination of succinylcholine hydrolytic enzyme activity in human plasma 533(1990)23
- Ikeda, H., see Hirokawa, T. 513(1990)297
- Ikeda, K., Suzuki, S. and Watanabe, Y.
Determination of sunscreen agents in cosmetic products by gas chromatography and gas chromatography-mass spectrometry 513(1990)321
- Ikeda, Y., see Fujii, Y. 508(1990)241
- Ikemoto, S., see Isoda, N. 527(1990)315
- Ikemoto, S., see Isoda, N. 534(1990)47
- Ikemoto, S., see Kajii, E. 533(1990)207
- Ikesaki, T., see Ngan, F. 537(1991)385
- Ilg, M., Maier-Rosenkranz, J., Müller, W. and Bayer, E.
Magnetic resonance imaging in reversed-phase liquid chromatography 517(1990)263
- Imai, K., see Higashidate, S. 515(1990)577
- Imaizumi, N., see Hayakawa, K. 515(1990)459
- Imamura, T., Nagata, T., Kudo, K., Kimura, K. and Noda, M.
Sensitive detection and determination of cimetidine in human tissues with high-performance liquid chromatography 534(1990)253

- Imamura, Y., Shibasaki, S., Kubo, T., Kogure, M., Ishii, Y., Gotoh, Y., Asai, S. and Ishikawa, K.
High-performance liquid chromatographic determination of *cis*-N-(1-benzyl-2-methylpyrrolidin-3-yl)-5-chloro-2-methoxy-4-methylaminobenzamide in rat blood and brain using electrochemical detection 526(1990)282
- Imanari, T., see Koshiishi, I. 532(1990)37
- Imaoka, S., see Abe, J. 526(1990)562
- Imazawa, M., see Shimamura, M. 526(1990)535
- Inaba, T., see Tyndale, R. F. 529(1990)182
- Inada, E., see DeBros, F. 529(1990)449
- Inagaki, H., see Fukuda, T. 511(1990)59
- Incorvia Mattina, M. J.
Carrier effect in the analysis of phenylurea herbicides using high-performance liquid chromatography-particle beam-mass spectrometry 549(1991)237
- Inczédy, J. and Szokoli, F.
Contributions to the calculation of retention data in ion-pair chromatography 508(1990)309
- Inotsume, N., see Fujii, J. 530(1990)469
- Inotsume, N., see Okamoto, Y. 513(1990)375
- Inoue, K., see Iida, J. 515(1990)503
- Inoue, S. and Ohtaki, N.
Binding capacities of hydroxyapatite for globular proteins 515(1990)193
- Inoue, T., see Ohta, T. 543(1991)59
- Iozzi, L. C., see Benzi, L. 534(1990)37
- Irgens, L. H., see Vigh, G. 502(1990)11
- Irth, H., see Marko-Varga, G. 523(1990)173
- Irth, H., see Stegehuis, D. S. 538(1991)393
- Isaksson, R., see Erlandsson, P. 532(1990)305
- Isaksson, R., see Hargitai, T. 540(1991)145
- Isemura, T., see Terabe, S. 515(1990)667
- Ishida, K., Ninomiya, S., Uchida, Y. and Osawa, M.
Thin-layer chromatographic behaviour and separation of zirconium(IV) and hafnium(IV) on silica gel in mineral acid-hydrogen peroxide media 539(1991)169
- Ishigami, A., see Kawasaki, N. 503(1990)237
- Ishihama, Y., see Terabe, S. 545(1991)359
- Ishii, D., see Goto, M. 515(1990)213
- Ishii, D., see Takeuchi, T. 517(1990)257
- Ishii, J., see Hasunuma, R. 537(1991)397
- Ishii, S.-I., see Abe, Y. 510(1990)95
- Ishii, Y., see Imamura, Y. 526(1990)282
- Ishikawa, K., see Imamura, Y. 526(1990)282
- Ishikawa, K., see Shibasaki, S. 532(1990)249
- Ishikawa, N., see Sato, Y. 507(1990)25
- Ishikawa, T., see Hori, S. 515(1990)67
- Ishikawa, T., see Hori, S. 515(1990)611
- Ishikawa, T., see Yamakawa, Y. 506(1990)319
- Ishikawa, T., see Yamakawa, Y. 515(1990)563
- Ishikura, C., see Kouno, Y. 515(1990)321
- Ishikura, H., see Hayakawa, K. 515(1990)459
- Ishizaki, I., see Echizen, H. 526(1990)296
- Ishizaki, T., see Kubota, K. 533(1990)255
- Isimer, A., see Basci, N. E. 527(1990)174
- Islam, M. R., see Aboul-Enein, H. Y. 511(1990)109
- Isobe, T., see Matsuoka, K. 515(1990)313
- Isobe, T., see Usui, H. 515(1990)375
- Isoda, N., Kajii, E., Ikemoto, S. and Kimura, K.
Esophageal carcinoma-associated proteins detected by two-dimensional polyacrylamide gel electrophoresis 527(1990)315
- Isoda, N., Kajii, E., Ikemoto, S. and Kimura, K.
Two-dimensional polyacrylamide gel electrophoretic pattern of duodenal tumour proteins 534(1990)47
- Itakura, K., see Verbesselt, R. 526(1990)515
- Italia, A., Schiavi, M. and Ventura, P.
Direct liquid chromatographic separation of enantiomeric and diastereomeric terpenic alcohols as β -cyclodextrin inclusion complexes 503(1990)266
- Ito, H., Yamamoto, H., Kimura, Y., Kambe, H., Okochi, T. and Kishimoto, S.
Affinity chromatography of human plasma gelsolin with polyphosphate compounds on immobilized Cibacron Blue F3GA 526(1990)397
- Ito, K., Shoto, E. and Sunahara, H.
Ion chromatography of inorganic iodine species using C_{18} reversed-phase columns coated with cetyltrimethylammonium 549(1991)265
- Ito, K. and Sunahara, H.
Ion chromatography with ultraviolet and amperometric detection for iodide and thiocyanate in concentrated salt solutions 502(1990)121
- Ito, Y.
Recent advances in counter-current chromatography (Review) 538(1991)3
- Ito, Y.
Cross-axis synchronous flow-through coil planet centrifuge (Type XLL). II. Speculation on the hydrodynamic mechanism in stationary phase retention 538(1991)67
- Ito, Y., Kitazume, E., Bhatnagar, M. and Trimble, F. D.
Cross-axis synchronous flow-through coil planet centrifuge (Type XLL). I. Design of the apparatus and studies on retention of stationary phase 538(1991)59

- Ito, Y., Kitazume, E. and Slem, J. L.
Improved high-speed counter-current chromatograph with three multilayer coils connected in series. IV. Evaluation of preparative capability with large multilayer coils 538(1991)81
- Ito, Y., see Apud, J. A. 538(1991)177
- Ito, Y., see Cahnmann, H. J. 538(1991)165
- Ito, Y., see Hamano, T. 541(1991)265
- Ito, Y., see Harada, K.-I. 538(1991)203
- Ito, Y., see Kitazume, E. 538(1991)133
- Ito, Y., see Li, P. 538(1991)219
- Ito, Y., see Oka, F. 538(1991)99
- Ito, Y., see Oka, H. 538(1991)149
- Ito, Y., see Oka, H. 538(1991)213
- Ito, Y., see Shibusawa, Y. 550(1991)695
- Ito, Y., see Tsai, R.-S. 538(1991)119
- Ito, Y., see Weisz, A. 538(1991)157
- Itoh, K., see Jinno, K. 517(1990)193
- Itoh, T., see Kamisaki, Y. 529(1990)417
- Itokawa, H., see Oshima, T. 547(1991)175
- Ivanchev, S. S., see Dmitrenko, A. V. 520(1990)21
- Ivanov, A., see Kamberov, E. 525(1990)307
- Ivanov, S., see Chanev, C. 520(1990)33
- Ivanov, S., see Gavrilova, T. B. 520(1990)41
- Ivanova, I., see Kovacheva, E. 509(1990)79
- Ivanova, L. A., see Karabanov, N. T. 508(1990)193
- Ivory, C. F., see Gobie, W. A. 516(1990)191
- Iwaki, K., Okumura, N., Yamazaki, M., Nimura, N. and Kinoshita, T.
Precolumn derivatization technique for high-performance liquid chromatographic determination of penicillins with fluorescence detection 504(1990)359
- Iwamoto, K., see Naora, K. 530(1990)186
- Iwamoto, K., see Seno, M. 508(1990)127
- Iwamoto, K., see Seno, M. 523(1990)293
- Iwamoto, S., see Kajii, E. 533(1990)207
- Izquierdo, R. C., see Andrés, M. D. 507(1990)399
- Izu, H., see Uchida, T. 506(1990)327
- J**
- Jackson, G., see Chong, P. 512(1990)227
- Jackson, P. E., Jandik, P., Li, J. B., Krol, J., Bondoux, G. and Gjerde, D. T.
Practical applications of solid-phase reagent conductivity detection in ion chromatography 546(1991)189
- Jackson, P. E. and Jones, W. R.
Hollow-fibre membrane-based sample preparation device for the clean-up of brine samples prior to ion chromatographic analysis 538(1991)497
- Jackson, P. E., Krol, J., Heckenberg, A. L., Mientjes, M. and Staal, W.
Determination of total nitrogen in food, environmental and other samples by ion chromatography after Kjeldahl digestion 546(1991)405
- Jackson, P. E., see Romano, J. 546(1991)411
- Jackson, P. E., see Wildman, B. J. 546(1991)459
- Jacob, III, P., see Zhang, Y. 525(1990)349
- Jacobson, M. A., see Hassanzadeh, M. K. 525(1990)133
- Jacobson, S., Golshan-Shirazi, S. and Guiochon, G.
Measurement of the heats of adsorption of chiral isomers on an enantioselective stationary phase 522(1990)23
- Jacquot Dourges, M. A., Gulino, D., Courty, J., Badet, J., Barritault, D. and Jozefonvicz, J.
Affinity chromatography of fibroblast growth factors on substituted polystyrene 526(1990)35
- Jacquot-Dourges, M. A., Muller, D., Barritault, D. and Jozefonvicz, J.
High-performance affinity chromatography of basic fibroblast growth factor on polystyrene sulphonate resins modified with serine 510(1990)141
- Jacquot-Dourges, M. A., Zhou, F. L., Muller, D. and Jozefonvicz, J.
Affinity chromatography of fibroblast growth factors on coated silica supports grafted with heparin 539(1991)417
- Jadaud, P., see Silan, L. 532(1990)227
- Jaenisch, R., see Ruprecht, R. M. 528(1990)371
- Jafar, S. A., see Bartle, K. D. 517(1990)459
- Jäger, W., Czejka, M. J., Schüller, J., Fogl, U., Czejka, E. and Lackner, H.
Rapid and simple high-performance liquid chromatographic assay for 5'-fluorouracil in plasma for bioavailability studies 532(1990)411

- Jakovlev, S. A., see Adamia, T. V. 540(1991)441
- Jakubowski, E. M., Woodard, C. L., Mershon, M. M. and Dolzine, T. W.
Quantification of thiodiglycol in urine by electron ionization gas chromatography-mass spectrometry 528(1990)184
- Jallageas, J.-C., see Salles, C. 522(1990)255
- Jalonen, H., see Örn, G. 506(1990)627
- Jamali, F., see Piquette-Miller, M. 526(1990)129
- Jamaluddin, A. B. M., Sarwar, G., Rahim, M. A. and Rahman, M. K.
High-performance liquid chromatographic assay of rifampicin in human serum 525(1990)495
- James, E. A. and Do, D. D.
Equilibria of biomolecules on ion-exchange adsorbents 542(1991)19
- James, I. T., Perrett, D. and Thompson, P. W.
Rapid assay for hard tissue collagen cross-links using isocratic ion-pair reversed-phase liquid chromatography 525(1990)43
- James, M. F. M., see Janicki, P. K. 518(1990)250
- Jameson, C. W., see Górski, T. 509(1990)383
- Jandera, P.
High performance liquid chromatography (edited by P. R. Brown and R. A. Hartwick) (Book Review) 509(1990)413
- Jandera, P.
Selectivity and detectability optimizations in HPLC (edited by S. Ahuja) (Book Review) 516(1990)480
- Jandera, P. and Prokeš, B.
Possibilities of enhancing the sensitivity of the determination of UV-absorbing compounds in high-performance liquid chromatography 550(1991)495
- Jandera, P., Urbánek, J., Prokeš, B. and Churáček, J.
Comparison of various stationary phases for normal-phase high-performance liquid chromatography of ethoxylated alkylphenols 504(1990)297
- Jandik, P. and Jones, W. R.
Optimization of detection sensitivity in the capillary electrophoresis of inorganic anions 546(1991)431
- Jandik, P., see Gjerde, D. T. 546(1991)151
- Jandik, P., see Jackson, P. E. 546(1991)189
- Jandik, P., see Jones, W. R. 546(1991)445
- Jandik, P., see Li, J. B. 546(1991)395
- Jandik, P., see Romano, J. 546(1991)411
- Janero, D. R. and Burghardt, C.
Solid-phase extraction on silica cartridges as an aid to platelet-activating factor enrichment and analysis 526(1990)11
- Jang, M. D., see Park, J. H. 513(1990)107
- Jang, N.-I., Brown, P. R. and Grushka, E.
Chromatographic characterization of some dideoxyribonucleosides 550(1991)507
- Janicki, P. K., Erskine, W. A. R. and James, M. F. M.
High-performance liquid chromatographic method for the direct determination of the volatile anaesthetics halothane, isoflurane and enflurane in water and in physiological buffer solutions 518(1990)250
- Janicot, J. L., Caude, M., Rosset, R. and Veuthey, J. L.
Extraction of major alkaloids from poppy straw with near-critical mixtures of carbon dioxide and polar modifiers 505(1990)247
- Janiczek, O., see Glatz, Z. 503(1990)197
- János, E. and Oros, G.
Reversed-phase thin-layer and gas chromatographic retention behaviour of triphenylmethane derivatives 520(1990)217
- Janoš, P.
Determination of trimetaphosphate in pyrophosphate by capillary isotachopheresis 516(1990)473
- Janssen, H.-G. and Cramers, C. A.
Some aspects of capillary supercritical fluid chromatography (Review) 505(1990)19
- Janssen, H.-G., see Schoenmakers, P. J. 506(1990)563
- Janssen, M. G. A., see Wuis, E. W. 526(1990)575
- Janssen, P. S. L., see Van de Goor, T. A. A. M. 545(1991)379
- Janssen, T. J., see Lansdorp, D. 528(1990)487
- Jansson, B., see Haglund, P. 507(1990)389
- Jansson, M., see Emmer, Å. 547(1991)544
- Jansson, S. O., see Arvidsson, E. 506(1990)579
- Janzen, R., Unger, K. K., Müller, W. and Hearn, M. T. W.
Adsorption of proteins on porous and non-porous poly(ethyleneimine) and tentacle-type anion exchangers 522(1990)77
- Janzsó, G., see Körtvélyessy, G. 507(1990)409
- Japp, M., see Weston, S. I. 538(1991)277
- Järnberg, U., see Haglund, P. 507(1990)389
- Jaroniec, M., see Gilpin, R. K. 513(1990)1
- Jarrett, H. W., see Goss, T. A. 508(1990)279
- Jarrett, H. W., see Lee, H. G. 511(1990)69
- Jarvi, E. J., see Patrick, K. S. 528(1990)214
- Jaufmann, L., see Djordjevic, N. M. 550(1991)27
- Jaulmes, A., see Cysewski, P. 548(1991)61
- Jaulmes, A., see Vidal-Madjar, C. 548(1991)81
- Javaid, J. I., see Greenblatt, D. J. 534(1990)202
- Jaziri, M., Diallo, B. and Vanhaelen, M.
Separation of quassinoids from *Ailanthus altissima* by high-speed counter-current chromatography 538(1991)227

- Jehl, F., Debs, J., Herlin, C., Quoix, E., Gallion, C. and Monteil, H.
Determination of navelbine and desacetylnavelbine in biological fluids by high-performance liquid chromatography 525(1990)225
- Jehl, F., Gallion, C. and Monteil, H.
High-performance liquid chromatography of antibiotics 531(1990)509
- Jen, S.-C. D. and Pinto, N. G.
Use of the sodium salt of poly(vinylsulfonic acid) as a low-molecular-weight displacer for protein separations by ion-exchange displacement chromatography 519(1990)87
- Jennissen, H. P., see Demiroglou, A. 521(1990)1
- Ji, H., see Chang, C. A. 522(1990)143
- Jiang, J., see Xie, F. 526(1990)109
- Jiang, X., see Kessler, W. 534(1990)67
- Jilge, G., see Cysewski, P. 548(1991)61
- Jiménez, B., González, M. J. and Hernández, L. M.
Extraction and clean-up procedure for polychlorinated dibenzo-*p*-dioxins and dibenzofurans in fly ash from municipal solid waste incinerators 523(1990)265
- Jiménez, J., Dufresne, M., Poirot, S., Vaysse, N. and Fourmy, D.
Electric properties of photoaffinity-labelled pancreatic A-subtype cholecystokinin receptor 511(1990)333
- Jimenez-Conde, F., see Ling, C. F. 519(1990)359
- Jin, C.-I., see Chi, H. 543(1991)250
- Jin, H. L., see Armstrong, D. W. 502(1990)154
- Jin, H. L., see Li, W.-Y. 509(1990)303
- Jinno, K. and Fujimoto, C.
Coupling of microcolumn high-performance liquid chromatography with Fourier transform infrared spectrometry 506(1990)443
- Jinno, K., Yamamoto, K., Nagashima, H., Ueda, T. and Itoh, K.
Silicas chemically bonded with multidentate phenyl groups as stationary phases in reversed-phase liquid chromatography used for non-planarity recognition of polycyclic aromatic hydrocarbons 517(1990)193
- Jinno, K. and Yokoyama, Y.
Retention prediction for polymer additives in reversed-phase liquid chromatography 550(1991)325
- Jinno, K., see Hayashida, M. 506(1990)133
- Jinno, K., see Okamoto, M. 515(1990)43
- Joelsson, M., see Cheng, L. 523(1990)119
- Joelsson, M., see Johansson, G. 537(1991)219
- Joeres, R., see Ernmann, U. 528(1990)243
- Johansen, K. and Edlund, P. O.
Determination of water-soluble vitamins in blood and plasma by coupled-column liquid chromatography 506(1990)471
- Johansen, M., Rasmussen, K. E. and Christophersen, A. S.
Determination of pholcodine and its metabolites in urine by capillary gas chromatography 532(1990)277
- Johansson, B.-L., see Drevin, I. 514(1990)137
- Johansson, B.-L., see Drevin, I. 547(1991)21
- Johansson, G. and Joelsson, M.
Protein-ligand interactions studied on bovine serum albumin with free and polymer-bound Cibacron Blue F3G-A as ligand with reference to affinity partitioning 537(1991)219
- Johansson, G., see Blennow, A. 522(1990)235
- Johansson, G., see Cheng, L. 523(1990)119
- Johansson, G., see Muiño Blanco, M. T. 547(1991)79
- John, V., see Greig, N. H. 534(1990)279
- Johnson, B. J.
Sulfite-disulfite equilibrium on an ion chromatography column 508(1990)271
- Johnson, K. A., see Straka, R. J. 530(1990)83
- Johnston, A. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CIII. Mass transfer resistances in ion-exchange and dye-affinity chromatography of proteins 512(1990)101
- Johnston, A., Mao, Q. M. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXII. Analysis of operating parameters affecting the breakthrough curves in fixed-bed chromatography of proteins using several mathematical models 548(1991)127
- Johnston, A., see Mao, Q. M. 548(1991)147
- Johnston, A., see Saleh, S. 528(1990)531
- Joly, J.-P. and Moll, N.
Resolution of free aromatic amino acid enantiomers by host-guest complexation using reversed-phase liquid chromatography 521(1990)134
- Jones, E. A., Bezuidenhout, H. S. and Van Staden, J. F.
Separation of lanthanides and yttrium as anionic complexes by isocratic ion-interaction chromatography 537(1991)277
- Jones, H. K., Nguyen, N. T. and Smith, R. D.
Variance contributions to band spread in capillary zone electrophoresis 504(1990)1
- Jones, W. J., see Caldwell, G. W. 514(1990)377
- Jones, W. R. and Jandik, P.
Controlled changes of selectivity in the separation of ions by capillary electrophoresis 546(1991)445
- Jones, W. R., see Jackson, P. E. 538(1991)497
- Jones, W. R., see Jandik, P. 546(1991)431

- Jones, W. R., see Romano, J. 546(1991)411
 Jones, W. R., see Wildman, B. J. 546(1991)459
 Jonker, H. D., see Trieling, R. G. 545(1991)475
 Jonkman, J. H. G., see Wieling, J. 545(1991)101
 Jönsson, J. Å., see Lindegård, B. 514(1990)293
 Jonzon, B., see Svensson, J.-O. 529(1990)437
 Jopski, B., see Bruchelt, G. 545(1991)407
 Jordan, E. D., see Weidenhamer, J. D.
 504(1990)151
 Jørgensen, A., see Rop, P. P. 527(1990)226
 Jorgenson, J. W., see Bush, S. G. 503(1990)69
 Jorgenson, J. W., see Moseley, M. A.
 516(1990)167
 Josić, D., Zeilinger, K., Reutter, W., Böttcher, A.
 and Schmitz, G.
 High-performance capillary electrophoresis
 of hydrophobic membrane proteins
 516(1990)89
 Joung, C. U., see Strong, D. L. 546(1991)159
 Joyce, R., see Campbell, D. L. 546(1991)229
 Jozefonvicz, J., see Ellouali, M. 548(1991)255
 Jozefonvicz, J., see Jacquot-Dourges, M. A.
 510(1990)141
 Jozefonvicz, J., see Jacquot Dourges, M. A.
 526(1990)35
 Jozefonvicz, J., see Jacquot-Dourges, M. A.
 539(1991)417
 Jozefonvicz, J., see Khamlichi, S. 510(1990)123
 Jozefonvicz, J., see Sinniger, V. 539(1991)289
 Jozefonvicz, J., see Zhou, F. L. 510(1990)71
 Juhler, R. K. and Cox, R. P.
 High-performance liquid chromatographic
 determination of chloroplast pigments with
 optimized separation of lutein and
 zeaxanthin 508(1990)232
 Julkunen-Tiitto, R., see Vainiotalo, P.
 547(1991)367
 Jung, G., see Fiedler, H.-P. 513(1990)255
 Jung, K., see Henke, W. 527(1990)498
 Jungbauer, A., Tauer, C., Wenisch, E., Uhl, K.,
 Brunner, J., Purtscher, M., Steindl, F. and
 Buchacher, A.
 Isolation of isoproteins from monoclonal
 antibodies and recombinant proteins by
 chromatofocusing 512(1990)157
 Jungbauer, A., see Wenisch, E. 516(1990)133
 Juntheikki, M.-R., see Vainiotalo, P.
 547(1991)367
 Jurado, M. C., see Martinez, D. 528(1990)459
 Jurczak, J., see Sybilska, D. 543(1991)397
 Jurenitsch, J., see De Bettignies-Dutz, A.
 547(1991)299
 Jurzysta, M., see Oleszek, W. 519(1990)109
 Jusiak, L., see Matysik, G. 518(1990)273
 Juvancz, Z., see Bradshaw, J. S. 540(1991)279

K

- Kabasawa, Y., see Takeuchi, T. 538(1991)125
 Kadaba, P. K., see Stevenson, P. J.
 533(1990)248
 Kadir, F. and Zuidema, J.
 High-performance liquid chromatographic
 method for the determination of carazolol in
 serum or plasma of pigs 527(1990)461
 Kadofuku, T., see Hiro, T. 528(1990)315
 Kadoya, T.
 High-performance liquid chromatography of
 proteins on a ceramic hydroxyapatite with
 volatile buffers 515(1990)521
 Kafarnik, H., see Hocke, G. 526(1990)203
 Kaffenberger, R. M. and Doyle, M. J.
 Determination of menthol and menthol
 glucuronide in human urine by gas
 chromatography using an enzyme-sensitive
 internal standard and flame ionization
 detection 527(1990)59
 Kaffenberger, R. M., Eichhold, T. H. and Doyle,
 M. J.
 Determination of tebufelone (a new anti-
 inflammatory drug) strength and stability in
 bulk drug, dosage formulations and feed
 admixtures by reversed-phase high-
 performance liquid chromatography
 505(1990)349
 Kågedal, B. and Olsson, B.
 Determination of creatinine in serum by
 high-performance liquid chromatography: a
 comparison of three ion-exchange methods
 527(1990)21
 Kågedal, L., Engström, B., Ellegren, H., Lieber,
 A.-K., Lundström, H., Sköld, A. and
 Schenning, M.
 Chemical, physical and chromatographic
 properties of Superdex 75 prep grade and
 Superdex 200 prep grade gel filtration
 media 537(1991)17
 Kagels, F., see Zurth, C. 532(1990)115
 Kagi, R. I., see Alexander, R. 538(1991)424
 Kahie, Y. D., see Lodi, G. 545(1991)214
 Kahl, G. F., see Frijus-Plessen, N. 534(1990)101
 Kahl, G. F., see Michaelis, H. C. 527(1990)201
 Kahn, R. A., see Knight, M. 538(1991)141
 Kahn, R. S., see Suckow, R. F. 528(1990)228
 Kai, M., see Chao, W.-F. 526(1990)77
 Kailas, T., see Kuningas, K. 520(1990)137
 Kajii, E., Iwamoto, S. and Ikemoto, S.
 Chronic myelogenous leukaemia-associated
 polypeptide in platelets detected by two-

- dimensional polyacrylamide gel electrophoresis 533(1990)207
- Kajji, E., see Isoda, N. 527(1990)315
- Kajji, E., see Isoda, N. 534(1990)47
- Kajima, T., see Oda, Y. 541(1991)411
- Kajiwara, M., see Iida, K. 515(1990)573
- Takehi, K., Kojima, Y., Suzuki, S. and Honda, S.
Effect of chain length of oligosaccharide in high-performance affinity chromatography of a lectin on oligosaccharide-immobilized columns 502(1990)297
- Takehi, K., see Honda, S. 515(1990)653
- Takehi, K., see Honda, S. 523(1990)189
- Kakahana, H., see Kawada, K. 538(1991)355
- Kakita, H., Nakamura, K., Kato, Y., Oda, Y., Shimura, K. and Kasai, K.-I.
High-performance affinity chromatography of a chick lectin on an adsorbent based on hydrophilic polymer gel 543(1991)315
- Kalambet, Y. A., Kozmin, Y. P. and Perelroyen, M. P.
Computer spectrochromatography. Principles and practice of multi-channel chromatographic data processing 542(1991)247
- Kalász, H., Báthori, M. and Matkovics, B.
Spacer-displacement and carrier spacer-displacement thin-layer chromatography 520(1990)287
- Kalbacher, H. and Kropshofer, H.
Non-radioactive detection of MHC class II-peptide antigen complexes in the sub-picomole range by high-performance size-exclusion chromatography with fluorescence detection 548(1991)343
- Kal'chenko, O. I. and Svitel'sky, W. P.
Determination of resin and fatty acids in pulp and paper mill effluents and white waters by gas-liquid chromatography 509(1990)65
- Kaliaguine, S., see Grandmaison, J. L. 540(1991)225
- Kalinoski, H. T. and Hargiss, L. O.
Supercritical fluid chromatography-mass spectrometry of non-ionic surfactant materials using chloride-attachment negative ion chemical ionization 505(1990)199
- Kalisz, H. M., Hendle, J. and Schmid, R. D.
Purification of the glycoprotein glucose oxidase from *Penicillium amagasakiense* by high-performance liquid chromatography 521(1990)245
- Kaliszan, R. and Osmiałowski, K.
Correlation between chemical structure of non-congeneric solutes and their retention on polybutadiene-coated alumina 506(1990)3
- Kaliszan, R., see Gami-Yilinkou, R. 550(1991)573
- Kaljurand, M., see Küllik, E. 517(1990)175
- Kalkote, U. R., see Ayyangar, N. R. 519(1990)250
- Kállay, Z., see Weber, H. 525(1990)459
- Kallio, H. and Laakso, P.
Effect of carbon dioxide flow-rate on the separation of triacylglycerols by capillary supercritical fluid chromatography 518(1990)69
- Kalra, R. L., see Singh, P. P. 540(1991)464
- Kalvinš, I., see Shatz, V. D. 521(1990)19
- Kamada, M., see Konishi, T. 515(1990)279
- Kamahori, M., Watanabe, Y., Miyagi, H., Ohki, H. and Miyake, R.
Two-dimensional viscous flow analysis in a micro flow-cell of an ultraviolet absorption detector for high-performance liquid chromatography 549(1991)101
- Kamali, F. and Herd, B.
Liquid-liquid extraction and analysis of paracetamol (acetaminophen) and its major metabolites in biological fluids by reversed-phase ion-pair chromatography 530(1990)222
- Kamali, F. and Rawlins, M. D.
Simple and rapid assay for zidovudine and zidovudine glucuronide in plasma using high-performance liquid chromatography 530(1990)474
- Kambe, H., see Ito, H. 526(1990)397
- Kamberov, E. and Ivanov, A.
Purification of phospholipase-C from *Bacillus cereus* by affinity chromatography on 2-(4-aminophenylsulphonyl)ethyl-cellulose 525(1990)307
- Kameyama, K., see Lundahl, P. 518(1990)111
- Kamisaki, Y., Takao, Y., Itoh, T., Shimomura, T., Takahashi, K., Uehara, N. and Yoshino, Y.
Determination of γ -aminobutyric acid in human cerebrospinal fluid by isocratic high-performance liquid chromatography 529(1990)417
- Kamiyama, S., see Nagai, T. 525(1990)203
- Kanai, Y., see Manabe, S. 529(1990)125
- Kanzawa, H., Nagata, Y., Matsushima, Y., Tomoda, M. and Takai, N.
Simultaneous determination of ginsenosides and saikosaponins by high-performance liquid chromatography 507(1990)327
- Kanzawa, H., Nagata, Y., Matsushima, Y., Tomoda, M. and Takai, N.
Preparative high-performance liquid chromatography on chemically modified porous glass. Isolation of acidic saponins from ginseng 537(1991)469

- Kanazawa, T., see Yamano, Y. 528(1990)199
- Kanda, S., see Higashidate, S. 515(1990)577
- Kandiko, C. T., Browning, S., Cooper, T. and Cox, W. A.
Detection of low nanogram quantities of phencyclidine extracted from human urine. Preparation of an acetylated column packing material for use in gas chromatography with nitrogen-phosphorus detection 528(1990)208
- Kanemitsu, F. and Okigaki, T.
Clinical application of subforms of creatine kinase MM and macro creatine kinases 526(1990)423
- Kaneta, T., Tanaka, S. and Yoshida, H.
Improvement of resolution in the capillary electrophoretic separation of catecholamines by complex formation with boric acid and control of electroosmosis with a cationic surfactant 538(1991)385
- Kaneta, T., see Tanaka, S. 521(1990)158
- Kaneta, T., see Tanaka, S. 540(1991)475
- Kaneuchi, F., see Yoshioka, M. 515(1990)205
- Kanhere, S. R. and Scott, P. M.
Heptafluorobutyrylation of trichothecenes using a solid-phase catalyst 511(1990)384
- Kaniansky, D., Zelenský, I., Valášková, I., Marák, J. and Zelenská, V.
Isotachophoretic separation of alkali and alkaline earth metal cations in water-polyethylene glycol mixtures 502(1990)143
- Kaniansky, D., see Hutta, M. 509(1990)271
- Kaniansky, D., see Kenndler, E. 508(1990)203
- Kaniansky, D., see Kopáček, P. 545(1991)461
- Kaniansky, D., see Marák, J. 509(1990)287
- Kaouadji, N. and Lafont, R.
Normal-phase high-performance liquid chromatographic analysis of polyhydroxysteroids using non-polar bonded silica columns 505(1990)408
- Kapetanovic, I. M.
Analysis of antiepileptic drugs 531(1990)421
- Kaphalia, B. S.
Fatty acid conjugates of chlorinated phenols and their high-performance liquid chromatographic analysis 537(1991)85
- Kaplan, J. I., see Dubin, P. L. 515(1990)37
- Kapalos, J., see Stolyarov, B. V. 550(1991)181
- Karabanov, N. T., Vetrova, Z. P., Ivanova, L. A., Schuvalova, T. N. and Yashin, Y. I.
Modified sorbents in binary stationary phase systems in gas chromatography 508(1990)193
- Karageorgiev, D., see Neicheva, A. 509(1990)263
- Karaiskakis, G., see Koliadima, A. 517(1990)345
- Karaiskakis, G., see Koliadima, A. 550(1991)171
- Karamanos, N. K., Wikström, B., Antonopoulos, C. A. and Hjerpe, A.
Determination of N-acetyl- and N-glycolylneuraminic acids in glycoconjugates by reversed-phase high-performance liquid chromatography with ultraviolet detection 503(1990)421
- Karangwa, E., Mitchell, Jr., G. E. and Tucker, R. E.
High-performance liquid chromatographic determination of 4-methylimidazole in sheep plasma and in ammoniated tall fescue hay 532(1990)105
- Karara, A. H., see Choudhury, S. 534(1990)208
- Karasek, F. W., see Naikwadi, K. P. 511(1990)281
- Kargas, G., Rudy, T., Spennetta, T., Takayama, K., Querishi, N. and Shrago, E.
Separation and quantitation of long-chain free fatty acids in human serum by high-performance liquid chromatography 526(1990)331
- Karger, B. L., see Cohen, A. S. 516(1990)49
- Karger, B. L., see Heiger, D. N. 516(1990)33
- Karger, B. L., see Lin, S. 536(1991)17
- Karger, B. L., see Terabe, S. 516(1990)23
- Karlaganis, G., Von Arx, R., Ammon, H. U. and Camenzind, R.
High-performance liquid chromatographic determination of atrazine, deisopropylatrazine and deethylatrazine in soils from corn fields 549(1991)229
- Karlsson, A. and Pettersson, C.
Enantiomeric separation of amines using N-benzoxycarbonyl-glycyl-L-proline as chiral additive and porous graphitic carbon as solid phase 543(1991)287
- Karnes, H. T., see Mallikaarjun, K. R. 531(1990)407
- Karol, P. J.
Equilibrium elution chromatography. The column-origin boundary condition 550(1991)247
- Karovičová, J., Drdák, M. and Polonský, J.
Utilization of capillary isotachopheresis in the determination of organic acids in food 509(1990)283
- Karovičová, J., Polonský, J., Příbela, A. and Šimko, P.
Isotachopheresis of some synthetic colorants in foods 545(1991)413
- Karp, S., Ciambra, C. M. and Miklean, S.
High-performance liquid chromatographic post-column reaction system for the electrochemical detection of ascorbic acid and dehydroascorbic acid 504(1990)434

- Kasai, K.-I., see Kakita, H. 543(1991)315
- Kasai, K.-I., see Nakamura, K. 510(1990)101
- Kasai, K.-I., see Nakamura, K. 513(1990)367
- Kasai, M., see Noguchi, K. 506(1990)145
- Kasai, M., see Ohtani, T. 515(1990)175
- Kasai, M., see Uchida, T. 506(1990)327
- Kasche, V., Löffler, F., Scholzen, T., Krämer, D. M. and Boller, T.
Rapid protein purification using phenylbutylamine-Eupergit: a novel method for large-scale procedures 510(1990)149
- Kase, K., see Shoshihara, M. 529(1990)473
- Kassahun, K., Farrell, K., Zheng, J. and Abbott, F.
Metabolic profiling of valproic acid in patients using negative-ion chemical ionization gas chromatography-mass spectrometry 527(1990)327
- Kassir, Z. A., see Hassan, N. A. 530(1990)102
- Kasuya, Y., see Furuta, T. 525(1990)15
- Katagiri, Y., see Naora, K. 530(1990)186
- Katakawa, J., see Yasaka, Y. 508(1990)133
- Kataoka, H., Higashiyama, K., Okazaki, T. and Makita, M.
Determination of isethionic acid by gas chromatography with flame photometric detection 528(1990)172
- Kataoka, M., see Honda, S. 515(1990)653
- Katase, T., see Raynor, M. W. 505(1990)179
- Katayama, N., Hashimoto, H., Koyama, Y. and Shimamura, T.
High-performance liquid chromatography of *cis-trans* isomers of neurosporene: discrimination of *cis* and *trans* configurations at the end of an open conjugated chain 519(1990)221
- Katanger, H., see Wenisch, E. 516(1990)133
- Kato, J., see Banno, K. 525(1990)255
- Kato, N., Gasa, S., Makita, A. and Oguchi, H.
Improved separation of lysoglycolipids from solvolysates by reversed-phase high-performance liquid chromatography 549(1991)133
- Kato, Y., Nakatani, S., Kitamura, T., Onaka, A. and Hashimoto, T.
High-performance ion-exchange chromatography of peptides on a pellicular ion exchanger 513(1990)384
- Kato, Y., Nakatani, S., Kitamura, T., Yamasaki, Y. and Hashimoto, T.
Reversed-phase high-performance liquid chromatography of proteins and peptides on a pellicular support based on hydrophilic resin 502(1990)416
- Kato, Y., see Kakita, H. 543(1991)315
- Kato, Y., see Matsuoka, K. 515(1990)313
- Kato, Y., see Nakamura, K. 510(1990)101
- Kato, Y., see Nakamura, K. 513(1990)367
- Katsanos, N. A., see Stolyarov, B. V. 550(1991)181
- Katsumata, Y., see Moore, C. M. 539(1991)215
- Katti, A. M., Dose, E. V. and Guiochon, G.
Comparison of the performances of overloaded elution and displacement chromatography for a given column 540(1991)1
- Katti, A. M., see Czok, M. 550(1991)705
- Kattner, G., Graeve, M. and Ernst, W.
Gas-liquid chromatographic method for the determination of marine wax esters according to the degree of unsaturation 513(1990)327
- Katz, E. D., Haff, L. A. and Eksteen, R.
Rapid separation, quantitation and purification of products of polymerase chain reaction by liquid chromatography 512(1990)433
- Kauffman, G. B., see Ray, R. K. 504(1990)464
- Kaufmann, P., see Olsson, U. 505(1990)385
- Kaul, S., see Mulvana, D. E. 527(1990)343
- Kavanagh, M. C., see Hooper, W. D. 529(1990)167
- Kavanagh, P. E., see Shalliker, R. A. 543(1991)157
- Kavrakova, I., see Palamareva, M. D. 545(1991)161
- Kawachi, M., see Niwa, T. 533(1990)145
- Kawada, K., Oi, T., Hosoe, M. and Kakihana, H.
Fractionation of potassium isotopes in cation-exchange chromatography 538(1991)355
- Kawahara, M., Nakamura, H. and Nakajima, T.
Titania and zirconia: possible new ceramic microparticulates for high-performance liquid chromatography 515(1990)149
- Kawahara, Y., see Naganuma, H. 530(1990)387
- Kawahara, Y., see Naganuma, H. 532(1990)65
- Kawai, S., Fuchiwaki, T., Higashi, T. and Tomita, M.
High-performance liquid chromatographic determination of malonaldehyde using *p*-nitrophenylhydrazine as a derivatizing reagent 514(1990)29
- Kawai, S., Uno, B. and Tomita, M.
Determination of glyphosate and its major metabolite aminomethylphosphonic acid by high-performance liquid chromatography after derivatization with *p*-toluenesulphonyl chloride 540(1991)411
- Kawai, S., see Koh, S. 549(1991)434
- Kawai, S., see Takayama, Y. 514(1990)259
- Kawai, S., see Tomita, M. 515(1990)391
- Kawai, S., see Tomita, M. 526(1990)174

- Kawamoto, M., see Morita, I. 526(1990)367
- Kawamura, N., see Ikai, Y. 541(1991)393
- Kawamura, N., see Oka, H. 538(1991)149
- Kawanishi, Y., see Hasunuma, R. 537(1991)397
- Kawasaki, H., Maeda, N. and Yuki, H.
Chemiluminescence detection of free fatty acids by high-performance liquid chromatography with immobilized enzymes 516(1990)450
- Kawasaki, N., Ishigami, A., Tanimoto, T. and Tanaka, A.
Determination of iron(III) ion using ion chromatography with electrochemical detection and its application to the assay of the ferroxidase activity of ceruloplasmin 503(1990)237
- Kawasaki, T.
Hydroxyapatite as a liquid chromatographic packing (Review) 544(1991)147
- Kawasaki, T., Niikura, M. and Kobayashi, Y.
Fundamental study of hydroxyapatite high-performance liquid chromatography. II. Experimental analysis on the basis of the general theory of gradient chromatography 515(1990)91
- Kawasaki, T., Niikura, M. and Kobayashi, Y.
Fundamental study of hydroxyapatite high-performance liquid chromatography. III. Direct experimental confirmation of the existence of two types of adsorbing surface on the hydroxyapatite crystal 515(1990)125
- Kayaalp, S. O., see Basci, N. E. 527(1990)174
- Kaye, P. T. and Learmonth, R. A.
Chiral organosilicon compounds. II. Comparison of gas-liquid chromatographic and NMR analyses of enantiomeric alcohols 503(1990)437
- Kazemifard, A. G. and Moore, D. E.
Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma 533(1990)125
- Kazemifard, A. G. and Morgan, D. J.
Determination of busulfan in plasma by high-performance liquid chromatography 528(1990)274
- Kecorius, E., see Meyer, B. 540(1991)386
- Kecorius, E., see Tetaz, T. 511(1990)147
- Keel, B. A., see Grotjan, H. E. 549(1991)141
- Kees, F., Raasch, W., Steger, M. and Grobecker, H.
High-performance liquid chromatographic assay for cefotiam and d3-cefotiam in human serum 525(1990)484
- Keizer, H., see Roemen, T. H. M. 528(1990)447
- Keledjian, J., see Duffield, A. M. 518(1990)215
- Keler, T., see Somlyo, B. 525(1990)329
- Kelley, W. T., see Daneshmandi, D. A. 502(1990)431
- Kelly, M. T., Smyth, M. R. and Ruskin, H.
Evaluation of drug-free plasma profiles by high-performance liquid chromatography following on-line solid-phase extraction 528(1990)277
- Kelly, M. T., see Turley, D. J. 513(1990)263
- Kemenes-Bakos, P., see Gazdag, M. 550(1991)639
- Kemmelmeier, C., see Paterson, R. R. M. 511(1990)195
- Kemp, D. H., see Sharp, P. J. 512(1990)189
- Kemper, A., see Wilhelm, D. 525(1990)218
- Kenndler, E. and Schmidt-Beiwil, K.
Effect of sodium dodecyl sulphate in protein samples on separation with free capillary zone electrophoresis 545(1991)397
- Kenndler, E., Schwer, C., Fritsche, B. and Pöhm, M.
Determination of arbutin in *uva-ursi* folium (bearberry leaves) by capillary zone electrophoresis 514(1990)383
- Kenndler, E., Schwer, C. and Kaniansky, D.
Purity control of riboflavin-5'-phosphate (vitamin B₂ phosphate) by capillary zone electrophoresis 508(1990)203
- Kenndler, E., see Widhalm, A. 549(1991)446
- Kennedy, E. R., O'Connor, P. F. and Grote, A. A.
Application of multidimensional gas chromatography-mass spectrometry to the determination of glycol ethers in air 522(1990)303
- Kennel, S., Kintz, P., Tracqui, A., Mangin, P., Lugnier, A. A. and Chaumont, A. J.
Identification and quantification in plasma of zopiclone by gas chromatography with nitrogen-phosphorus detection 527(1990)169
- Kenney, B. F.
Determination of organic acids in food samples by capillary electrophoresis 546(1991)423
- Kenney, C. N., see Horstmann, B. J. 516(1990)433
- Kenney, D., see Cheung, A. P. 506(1990)119
- Kerby, N. W., see Powell, H. A. 502(1990)201
- Keresztes, P., see Papp, E. 506(1990)157
- Kergueris, M. F., see Thomare, P. 529(1990)494
- Kéri, G., see Szöke, B. 547(1991)121
- Kern, J. R.
Chromatographic separation of the optical isomers of naproxen 543(1991)355
- Kessler, R., see Zeller, M. 545(1991)421

- Kessler, W., Jiang, X. and Filser, J. G.
Direct determination of styrene-7,8-oxide in blood by gas chromatography with flame ionization detection 534(1990)67
- Keswani, S. R., Edfort, M. J., Wilhelm, J. A., Kvalo, L. T. and Venturella, V. S.
Sensitive method for the determination of pentamorphone in serum by liquid chromatography-mass spectrometry with thermospray interface 534(1990)77
- Keukens, H. J., see Binnendijk, G. M.
541(1991)401
- Keymeulen, R., Van Langenhove, H. and Schamp, N.
Determination of monocyclic aromatic hydrocarbons in plant cuticles by gas chromatography-mass spectrometry 541(1991)83
- Khaledi, M. G., see Strasters, J. K. 511(1990)17
- Khamlichi, S., Muller, D., Fuks, R. and Jozefonvicz, J.
Specific adsorption of serine proteases on coated silica beads substituted with amidine derivatives 510(1990)123
- Khamlichi, S., see Ellouali, M. 548(1991)255
- Khan, M. R., Ong, C. P., Li, S. F. Y. and Lee, H. K.
Optimization of the isocratic high-performance liquid chromatographic separation of selected phthalates using the overlapping resolution mapping technique 513(1990)360
- Khan, M. R., see Lim, K. B. H. 538(1991)492
- Khatler, N., see Ngo, T. T. 510(1990)281
- Kiba, N., Shitara, K., Furusawa, M. and Takata, Y.
Post-column oligosaccharide dehydrogenase reactor for coulometric detection of malto-oligosaccharides in a liquid chromatographic system 537(1991)443
- Kiba, N., Shitara, K., Fuse, H., Furusawa, M. and Takata, Y.
Column liquid chromatographic determination of saccharides with a single calibration graph using post-column enzyme reactors and coulometric detection 549(1991)127
- Kibby, J., see Haynes, P. A. 540(1991)177
- Kido, A., see Terashi, A. 503(1990)369
- Kientz, C. E., De Jong, G. J. and Brinkman, U. A. T.
Gas chromatographic detectors for use in column liquid chromatography (Review) 550(1991)461
- Kierkels, J. T. G., see Flapper, W. 533(1990)47
- Kiessling-Johansson, M., see Hjertén, S. 550(1991)811
- Kihara, K., see Rokushika, S. 514(1990)355
- Kiho, T., see Ukai, S. 513(1990)338
- Kikawa, Y., Nakai, A., Shigematsu, Y. and Sudo, M.
Extraction of urinary leukotriene E₄ by the combined use of octadecyl reversed-phase and NH₂ normal-phase extraction columns 532(1990)387
- Kikkawa, K., see Takechi, T. 532(1990)144
- Kikuchi, K., see Kubota, K. 533(1990)255
- Kikuchi, T., see Takatsuki, K. 508(1990)357
- Kikuta, C., see Mascher, H. 506(1990)417
- Kilár, F.
Determination of *pI* by measuring the current in the mobilization step of high-performance capillary isoelectric focusing. Analysis of transferrin forms 545(1991)403
- Kim, C., see Annan, R. S. 526(1990)228
- Kim, C.-H., Kim, D.-S., Taniguchi, H. and Maruyama, Y.
Purification of an amylase-pullulanase bifunctional enzyme by high-performance size-exclusion and hydrophobic-interaction chromatography 512(1990)131
- Kim, D.-S., see Kim, C.-H. 512(1990)131
- Kim, D. S., see Park, J. H. 513(1990)107
- Kim, H.-J.
Analysis of nitrogen dioxide in ambient air by ion-exclusion chromatography with electrochemical detection 503(1990)466
- Kim, Y. J. and Cramer, S. M.
Metal affinity displacement chromatography of proteins 549(1991)89
- Kimata, K., Tsuboi, R., Hosoya, K., Tanaka, N. and Araki, T.
Method for the preparation of internal-surface reversed-phase packing materials starting from alkylsilylated silica gels 515(1990)73
- Kimata, K., see Tanaka, N. 535(1990)13
- Kimata, K., see Tanaka, N. 544(1991)319
- Kimata, K., see Tanaka, N. 549(1991)29
- Kimura, G., see Hirokawa, T. 513(1990)297
- Kimura, K., see Harino, H. 522(1990)107
- Kimura, K., see Imamura, T. 534(1990)253
- Kimura, K., see Isoda, N. 527(1990)315
- Kimura, K., see Isoda, N. 534(1990)47
- Kimura, Y., see Haginaka, J. 515(1990)59
- Kimura, Y., see Haginaka, J. 529(1990)455
- Kimura, Y., see Ito, H. 526(1990)397
- King, J. W. and Friedrich, J. P.
Quantitative correlations between solute molecular structure and solubility in supercritical fluids 517(1990)449
- King, J. W., see France, J. E. 540(1991)271
- King, M.-L., see Hu, O. Y.-P. 523(1990)321
- Kingaby, R. O., see Deistung, J. 539(1991)485

- Kinoshita, M., Yoshimura, N., Ogata, H., Tsujino, D., Takahashi, T., Takahashi, S., Wada, Y., Someya, K., Ohno, T., Masuhara, K. and Tanaka, Y.
High-performance liquid chromatographic analysis of unchanged *cis*-diamminedichloroplatinum (cisplatin) in plasma and urine with post-column derivatization 529(1990)462
- Kinoshita, T., see Iwaki, K. 504(1990)359
- Kinoshita, T., see Nishikida, K. 517(1990)209
- Kinoshita, T., see Yokoyama, T. 518(1990)141
- Kinoshita, T., see Yokoyama, T. 542(1991)365
- Kintz, P., see Boukhabza, A. 529(1990)210
- Kintz, P., see Kennel, S. 527(1990)169
- Kintz, P., see Tracqui, A. 529(1990)369
- Kira, R., see Ôi, N. 515(1990)441
- Kira, R., see Ôi, N. 535(1990)213
- Kirii, N., see Shinohara, Y. 525(1990)93
- Kirkland, J. J., Boone, L. S. and Yau, W. W.
Retention effects in thermal field-flow fractionation 517(1990)377
- Kirkland, J. J. and Yau, W. W.
Quantitative particle-size distributions by sedimentation field-flow fractionation with densimeter detector 550(1991)799
- Kirkland, J. J., see Zhou, N. E. 548(1991)179
- Kirkland, K. M., Neilson, K. L. and McCombs, D. A.
Comparison of a new ovomucoid and a second-generation α_1 -acid glycoprotein-based chiral column for the direct high-performance liquid chromatography resolution of drug enantiomers 545(1991)43
- Kirschbaum, J., Noroski, J., Cosey, A., Mayo, D. and Adamovics, J.
High-performance liquid chromatography of the drug fosinopril 507(1990)165
- Kisfaludy, L., see Péter, A. 507(1990)59
- Kishimoto, S., see Ito, H. 526(1990)397
- Kiso, Y., see Hirokawa, T. 513(1990)297
- Kiso, Y., see Hirokawa, T. 538(1991)403
- Kiso, Y., see Hirokawa, T. 538(1991)413
- Kiso, Y., see Hirokawa, T. 545(1991)267
- Kissinger, P. T., see Mazzeo, J. R. 550(1990)585
- Kitahara, H., see Ôi, N. 515(1990)441
- Kitahara, H., see Ôi, N. 535(1990)213
- Kitamura, T., see Kato, Y. 502(1990)416
- Kitamura, T., see Kato, Y. 513(1990)384
- Kitazawa, T., see Okamura, N. 542(1991)317
- Kitazume, E., Bhatnagar, M. and Ito, Y.
Separation of rare earth elements by high-speed counter-current chromatography 538(1991)133
- Kitazume, E., see Ito, Y. 538(1991)59
- Kitazume, E., see Ito, Y. 538(1991)81
- Kithinji, J. P., see Bartle, K. D. 517(1990)459
- Kito, M., Tawa, R., Takeshima, S. and Hirose, S.
Determination of purine nucleosides and their bases by high-performance liquid chromatography using co-immobilized enzyme reactors 528(1990)91
- Kito, M., see Yoshida, S. 530(1990)57
- Kitsos, M., see Gandini, C. 540(1991)416
- Kitts, D. D., see Walisser, J. A. 518(1990)179
- Kleiböhmer, W., see Cammann, K. 522(1990)267
- Kleiman, R., see Abbott, T. P. 538(1991)109
- Klein, C., see Dutot, C. 528(1990)435
- Klein, C. M. and Haas, H. J.
New high-performance liquid chromatographic method for the determination of low activities of dihydropyrimidine dehydrogenase 529(1990)431
- Klein, M., see Chong, P. 512(1990)227
- Klein, U., see Ehwald, R. 542(1991)239
- Klein, U., see Schröder, W. 512(1990)213
- Kleinmann, I., see Plicka, J. 523(1990)139
- Kleinmann, I., see Šmidl, P. 523(1990)131
- Klenk, D. C., see Domen, P. L. 510(1990)293
- Klesper, E., see Hütz, A. 505(1990)99
- Klesper, E., see Küppers, S. 505(1990)109
- Klick, S., see Abrahamsson, K. 513(1990)39
- Kline, W. F., Matuszewski, B. K. and Bayne, W. F.
Determination of 4-amino-1-hydroxybutane-1,1-bisphosphonic acid in urine by automated pre-column derivatization with 2,3-naphthalene dicarboxaldehyde and high-performance liquid chromatography with fluorescence detection 534(1990)139
- Kling, G. J., see Cappiello, P. E. 504(1990)197
- Klingebliel, L., Krüger, D. and Grossklaus, R.
Analysis of Palatinit[®] (isomalt) and its monomers in rat intestinal samples by high-performance liquid chromatography with ultraviolet detection 527(1990)238
- Klinker, H., see Ernemann, U. 528(1990)243
- Klinkner, R., see Engelhardt, H. 535(1990)41
- Klintrot, I.-M., see Renlund, S. 512(1990)325
- Kloosterboer, J. G., see Eguchi, S. 516(1990)301
- Klossek, P., see Schwidop, W.-D. 520(1990)325
- Kluchnikova, N. V., see Balyatinskaya, L. N. 509(1990)107
- Klumpp, S., Cohen, P. and Schultz, J. E.
Chromatographic separation of four Ser/Thr-protein phosphatases from solubilized ciliary membranes of *Paramecium tetraurelia* by heparin-Sepharose 521(1990)179
- Klutman, N. E., see Riley, C. M. 531(1990)295
- Kmošťák, S. and Dvořák, M.
Capillary gas chromatographic determination of sulphadimidine in pork tissues 503(1990)260

- Knabe, J., see König, W. A. 503(1990)256
- Knapp, S., Wardlow, M. L. and Thal, L. J.
Sensitive analysis of plasma physostigmine levels using dual-cell electrochemistry in the redox mode 526(1990)97
- Knecht, R., see Steiner, V. 530(1990)273
- Knesel, L., see Šalamoun, J. 514(1990)179
- Knight, M., Gluch, S., Takahashi, K., Dang, T. T. and Kahn, R. A.
Purification of a synthetic myristylated peptide by counter-current chromatography 538(1991)141
- Knochs, Jr., S., see Narayanan, S. R. 503(1990)93
- Knörr, W. and Spittler, G.
Simple method for the analysis of glycerol enol ethers derived from plasmalogens in complex lipid mixtures and subsequent determination of the aldehydic components by gas chromatography-mass spectrometry 526(1990)303
- Knox, J. H. and Shibukawa, M.
Anomalous bandspreading of ethylenediaminetetraacetato-chromium(III) ion in reversed-phase high-performance liquid chromatography. An example of slow equilibrium kinetics 545(1991)123
- Knupp, C. A., Stancato, F. A., Papp, E. A. and Barbhaiya, R. H.
Quantitation of didanosine in human plasma and urine by high-performance liquid chromatography 533(1990)282
- Ko, R. J., Li, W. Y. and Koda, R. T.
Determination of the antimetabolic agents N-desacetylcolchicine, demecolcine and colchicine in serum and urine 525(1990)411
- Kobayashi, H., see Hayakawa, K. 515(1990)459
- Kobayashi, K., see Okamura, N. 542(1991)317
- Kobayashi, K., see Suzuki, S. 508(1990)225
- Kobayashi, M., see Yoshioka, M. 515(1990)205
- Kobayashi, S., see Teramura, T. 528(1990)191
- Kobayashi, S.-I., see Soeishi, Y. 533(1990)291
- Kobayashi, Y., see Kawasaki, T. 515(1990)91
- Kobayashi, Y., see Kawasaki, T. 515(1990)125
- Kobayashi, Y., see Tsuda, T. 515(1990)357
- Kobori, M., see Soeishi, Y. 533(1990)291
- Kobori, Y., see Koshiishi, I. 532(1990)37
- Koch, L., Koch, T. and Widmer, H. M.
Sedimentation field-flow fractionation for pigment quality assessment 517(1990)395
- Koch, T., see Koch, L. 517(1990)395
- Koda, R. T., see Ko, R. J. 525(1990)411
- Kodama, H., Nakamura, H., Sugahara, K. and Numajiri, Y.
Liquid chromatography-mass spectrometry for the qualitative analyses of iminodipeptides in the urine of patients with prolidase deficiency 527(1990)279
- Kodama, H., see Mizobuchi, N. 526(1990)550
- Kodama, H., see Takechi, T. 532(1990)144
- Kodama, Y., see Yoshikawa, M. 532(1990)155
- Koelwijn, H., see Kwakman, P. J. M. 511(1990)155
- Koenigbauer, M. J.
Application of micellar mobile phases for the assay of drugs in biological fluids 531(1990)79
- Koets, M. D., see Bombardt, P. A. 527(1990)233
- Kogure, M., see Imamura, Y. 526(1990)282
- Koh, S., Urayama, K., Kawai, S. and Takayama, Y.
Application of a metal capillary column in gas chromatographic determination of catechol-O-methyltransferase activity 549(1991)434
- Kohara, N., see Fukuda, T. 511(1990)59
- Kohashi, K., see Tsuruta, Y. 502(1990)178
- Koike, M., Akiyama, H. and Shimizu, T.
High-performance liquid chromatographic procedure for the determination of rat plasma concentrations of a new antibacterial agent, (\pm)-9-fluoro-6,7-dihydro-8-(4-hydroxy-1-piperidyl)-5-methyl-1-oxo-1*H*,5*H*-benzo[*i,j*]quinolizine-2-carboxylic acid, for topical use 526(1990)235
- Kojima, K., Yamanaka, M., Nakanishi, Y. and Arakawa, S.
High-performance liquid chromatographic determination of etilefrine in human plasma using combined solid-phase and organic solvent extraction and electrochemical detection 525(1990)210
- Kojima, Y., see Kakehi, K. 502(1990)297
- Kok, W. T., see Engelsma, M. 506(1990)201
- Kok, W. T., see Tüdds, A. J. 547(1991)1
- Kokkonen, P., Schröder, E., Niessen, W. M. A., Tjaden, U. R. and Van der Greef, J.
Important parameters in liquid chromatography-continuous-flow fast atom bombardment mass spectrometry 511(1990)35
- Kökösi, J., see Papp, O. 537(1991)365
- Kökösi, J., see Papp, O. 537(1991)377
- Koliadima, A., Agathonos, P. and Karaiskakis, G.
Gas chromatographic study of interaction between vinyl chloride and poly(vinyl chloride) 550(1991)171
- Koliadima, A. and Karaiskakis, G.
Potential-barrier field-flow fractionation. a versatile new separation method 517(1990)345
- Kolic, T. M., see Thompson, T. S. 543(1991)49
- Kollie, T. O. and Poole, C. F.
Application of multivariate analysis to the selection of test solutes for characterizing

- stationary phase selectivity in gas chromatography 550(1990)213
- Kollmannsberger, H., see Nitz, S. 547(1991)516
- Komatsubara, I., see Iida, T. 537(1991)345
- Kondo, J.-I., see Naganuma, H. 532(1990)65
- Kondoh, Y., Yamada, A. and Takano, S.
Determination of non-ionic surfactants with ester groups by high-performance liquid chromatography with post-column derivatization 541(1991)431
- Konetschny-Rapp, S., see Fiedler, H.-P. 513(1990)255
- Kong Sing, Y. L., see Algiman, E. 510(1990)165
- Konieczka, P., Namieśnik, J. and Biernat, J. F.
Generation of standard gaseous mixtures by thermal decomposition of surface compounds. Standard mixtures of thiols 540(1991)449
- König, A., see Schoene, K. 514(1990)279
- König, B. W., see Te Booy, M. P. W. M. 503(1990)103
- König, W. A., Lutz, S., Evers, P. and Knabe, J.
Enantiomer separation of chiral barbiturates and of α -lipoic acid by capillary gas chromatography with modified cyclodextrins as chiral stationary phases 503(1990)256
- Koning, H., Wolf, H., Venema, K. and Korf, J.
Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label 533(1990)171
- Konishi, T., Kamada, M. and Nakamura, H.
Evaluation of ammonium acetate as a volatile buffer for high-performance hydrophobic-interaction chromatography 515(1990)279
- Kononenko, V. L. and Shimkus, J. K.
Non-equilibrium analytical focusing field-flow fractionation using intrinsic hydrodynamic force and integral Doppler anemometry 520(1990)271
- Konopski, L.
2-Trichloromethylbenzimidazole, a selective chromogenic reagent for the detection of *o*-phenylenediamine on thin-layer plates 541(1991)480
- Konoushlieva, M., see Kovacheva, E. 509(1990)79
- Konteatis, Z., see Florance, J. 543(1991)299
- Kooistra, C., see Sluyterman, L. A. 519(1990)217
- Kool, I., see Kwakman, P. J. M. 511(1990)155
- Kopáček, P., Kaniansky, D. and Hejzlar, J.
Characterization of humic substances by capillary isotachopheresis 545(1991)461
- Kopaciewicz, W., see Pfannkoch, E. A. 503(1990)385
- Kopp, B., see De Bettignies-Dutz, A. 547(1991)299
- Koppel, R., see Hadas, E. 510(1990)303
- Koppel, R., see Solomon, B. 510(1990)321
- Koppel, R., see Solomon, B. 539(1991)335
- Koppenhoefer, B., Laupp, G. and Hummel, M.
Temperature dependence of dead time as determined by methane retention in open-tubular capillary gas chromatography 547(1991)239
- Kopperschläger, G., see Birkenmeier, G. 539(1991)267
- Kopperschläger, G., see Huse, K. 502(1990)171
- Kopperschläger, G., see Reuter, R. 510(1990)189
- Kordikowski, A., see Dahmen, N. 505(1990)169
- Korf, J., see Koning, H. 533(1990)171
- Korf, J., see Wolf, J. H. 502(1990)423
- Korfmacher, W. A., see Hornedo-Nuñez, A. 503(1990)217
- Korolev, A. A., see Gavrichev, V. S. 509(1990)59
- Korte Jr., D. W., see Ferraris, S. 527(1990)361
- Korteland, J., see Gorris, L. G. M. 504(1990)421
- Körtvélyessy, G., Körtvélyessy, J., Mester, T., Meszlényi, G. and Janzso, G.
Separation and interconversion of 3-amino-2-cyanoacrylates by high-performance liquid chromatography 507(1990)409
- Körtvélyessy, J., see Körtvélyessy, G. 507(1990)409
- Koscielski, T., see Ossicini, L. 547(1991)283
- Koshiishi, I., Kobori, Y. and Imanari, T.
Determination of citrulline and homocitrulline by high-performance liquid chromatography with post-column derivatization 532(1990)37
- Kostiainen, R. and Kuronen, P.
Use of 1-[*p*-(2,3-dihydroxypropoxy)phenyl]-1-alkanones as retention index standards in the identification of trichothecenes by liquid chromatography-thermospray and dynamic fast atom bombardment mass spectrometry 543(1991)39
- Kostiainen, R., Matsuura, K. and Nojima, K.
Identification of trichothecenes by frit-fast atom bombardment liquid chromatography-high-resolution mass spectrometry 538(1991)323
- Kostiainen, R. and Nokelainen, S.
Use of M-series retention index standards in the identification of trichothecenes by electron impact mass spectrometry 513(1990)31
- Kostić, M., see Grune, T. 520(1990)411

- Kotake, A. N., see Kuwahara, S. K. 534(1990)260
- Kotarski, S. F., see Barsuhn, K. 546(1991)273
- Kotyński, A., Kudzin, Z. H. and Skowroński, R. Trifluoroacetic anhydride-sodium iodide as a reagent for the selective detection of nitroso compounds by thin-layer chromatography 516(1990)467
- Kouno, Y., Ishikura, C., Takahashi, N., Homma, M. and Oka, K. Direct sample injection into the high-performance liquid chromatographic column in theophylline monitoring 515(1990)321
- Kountourellis, J. E., Markopoulou, C. and Georgakopoulos, P. P. Separation and simultaneous determination of bupropion and salbutamol in dosage forms by high-performance liquid chromatography 502(1990)189
- Koupil, P., see Drozd, J. 518(1990)1
- Kovacheva, E., Ganchev, G., Neicheva, A., Ivanova, I., Konousheva, M. and Andreev, V. Gas chromatographic determination of sterols in fat-soluble concentrates obtained from plant materials 509(1990)79
- Kovacheva, E., see Neicheva, A. 509(1990)263
- Kövágó, Á., see Molnár-Perl, I. 520(1990)185
- Kovaleva, N. V. and Shcherbakova, K. D. Carbon adsorbents in gas adsorption chromatography 520(1990)55
- Kovats, E., see Somlyó, B. 525(1990)329
- Kowalczyk, J., see Ochocka, R. J. 543(1991)171
- Kowalczyk, J., see Sybilska, D. 543(1991)397
- Koyama, E., see Kubota, K. 533(1990)255
- Koyama, Y., see Katayama, N. 519(1990)221
- Koziol, T., see Austin, D. 527(1990)182
- Koziol, T. R. and Grayeski, M. L. Investigation of the reversed-phase high-performance liquid chromatographic ligand-exchange retention mechanism on a triamine stationary phase 513(1990)145
- Kozmin, Y. P., see Kalambet, Y. A. 542(1991)247
- Kraak, J. C., see Bruin, G. J. M. 517(1990)557
- Kraak, J. C., see Eguchi, S. 516(1990)301
- Kraak, J. C., see Huisden, R. E. 508(1990)289
- Kraak, J. C., see Huisden, R. E. 537(1991)1
- Kraak, J. C., see Stegeman, G. 506(1990)547
- Kraak, J. C., see Stegeman, G. 550(1991)721
- Kraak, J. C., see Tock, P. P. H. 506(1990)185
- Kram, T. C., see Lurie, I. S. 504(1990)391
- Krämer, B. K., see Kühlkamp, V. 528(1990)267
- Krämer, D. M., see Kasche, V. 510(1990)149
- Kramer, H. K., see Wiener, H. L. 527(1990)467
- Kramer, W., Girbig, F., Gutjahr, U. and Leipe, I. Application of high-performance liquid chromatography to the purification of the putative intestinal peptide transporter 521(1990)199
- Krasnewich, D. M., see Blom, H. J. 533(1990)11
- Kratchanov, C. and Popova, M. Increasing the purity of polyuronic sorbents 509(1990)239
- Krátká, J., see Porsch, B. 543(1991)1
- Kraus, A., see Soják, L. 509(1990)93
- Kraus, A., see Soják, L. 520(1990)75
- Kraus, G., see Hahne, F. 520(1990)85
- Kraus, G., see Soják, L. 509(1990)93
- Kraus, G., see Soják, L. 520(1990)75
- Kraus, L., see Lendrath, G. 502(1990)385
- Kraus, R. J., Shinnick, F. L. and Marlett, J. A. Simultaneous determination of neutral and amino sugars in biological materials 513(1990)71
- Krause, E., Smettan, D., Loth, F. and Herma, H. Polyalkylenes used as stationary phases for preparative reversed-phase liquid chromatography 520(1990)263
- Krause, M. and Galensa, R. Improved chiral stationary phase based on cellulose triacetate supported on non-macroporous silica gel diol for the high-performance liquid chromatographic separation of racemic flavanones and diastereomeric flavanone glycosides 502(1990)287
- Krause, M. and Galensa, R. Optical resolution of flavanones by high-performance liquid chromatography on various chiral stationary phases 514(1990)147
- Kraut-Vass, A. and Thoma, J. Performance of an extraction disk in synthetic organic chemical analysis using gas chromatography-mass spectrometry 538(1991)233
- Krebs, H. A., see Greene, S. V. 527(1990)397
- Kreczmer, T., see Gorczyńska, K. 509(1990)53
- Krepeski, L. R., see Coleman, P. L. 512(1990)345
- Kress, E., see Balschukat, D. 502(1990)79
- Kril, M. B., Burke, K. A., DiNunzio, J. E. and Gadde, R. R. Determination of tretinoin in creams by high-performance liquid chromatography 522(1990)227
- Krips, H. J., see Tji, T. G. 504(1990)403
- Kristensson, J., see Beving, H. 532(1990)45
- Křivánková, L., Foret, F. and Boček, P. Determination of halofuginone in feedstuffs by the combination of capillary isotachopheresis and capillary zone electrophoresis in a column-switching system 545(1991)307
- Krob, E. J., see Walter, H. 542(1991)397

- Krol, J., see Jackson, P. E. 546(1991)189
Krol, J., see Jackson, P. E. 546(1991)405
Kropshofer, H., see Kalbacher, H. 548(1991)343
Kroviarski, Y., see Algiman, E. 510(1990)165
Krstulovic, A. M., see Candito, M. 526(1990)194
Krstulovic, A. M., see Lee, C. R. 539(1991)55
Krueger, R. J., Hobbs, T. R., Mihal, K. A., Tehrani, J. and Zeece, M. G.
Analysis of endoproteinase Arg C action on adrenocorticotrophic hormone by capillary electrophoresis and reversed-phase high-performance liquid chromatography 543(1991)451
Krüger, D., see Klingebiel, L. 527(1990)238
Krull, I.
Detection-oriented derivatization techniques in liquid chromatography (edited by H. Lingeman and W. J. M. Underberg) (Book Review) 518(1990)391
Krull, I. S., see Bourque, A. J. 537(1991)123
Krull, I. S., see Gao, C. X. 515(1990)337
Krull, I. S., see Lookabaugh, M. 549(1991)357
Krull, I. S., see Mazzeo, J. R. 550(1990)585
Krull, I. S., see Mhatre, R. 502(1990)21
Krull, I. S., see Stuting, H. H. 539(1991)91
Krupčík, J., see Hevesi, T. 517(1990)161
Krupčík, J., see Liška, I. 509(1990)123
Kryger, S. and Helboe, P.
Determination of impurities in dextropropoxyphene hydrochloride by high-performance liquid chromatography on dynamically modified silica 539(1991)186
Kubánek, V., see Porsch, B. 520(1990)295
Kubaský, J., see Drdák, M. 504(1990)207
Kubátová, E., see Gabriel, J. 542(1991)200
Kubinec, R., see Soják, L. 509(1990)93
Kubinec, R., see Soják, L. 520(1990)75
Kubo, I.
Recent applications of counter-current chromatography to the isolation of bioactive natural products 538(1991)187
Kubo, T., see Imamura, Y. 526(1990)282
Kubota, K., Nakamura, H., Koyama, E., Yamada, T., Kikuchi, K. and Ishizaki, T.
Simple and sensitive determination of timolol in human plasma and urine by high-performance liquid chromatography with ultraviolet detection 533(1990)255
Kubota, M., see Suemitsu, R. 503(1990)282
Kudo, K., see Imamura, T. 534(1990)253
Kudoh, S. and Nakamura, H.
Direct determination of the antihypertensive agent Cromakalim and its major metabolites in human urine by high-performance liquid chromatography 515(1990)597
Kudzin, Z. H., see Kotyński, A. 516(1990)467
Kühlkamp, V., Schmid, F., Ress, K. M., Krämer, B. K., Mayer, F., Liebich, H. M., Risler, T. and Seipel, L.
Quantification of cibenzoline and its imidazole metabolite by high-performance liquid chromatography in human serum 528(1990)267
Kühn, H. and Wiesner, R.
Separation of hydroxylated polyenoic fatty acid enantiomers on Pirkle-type chiral phase high-performance liquid chromatographic columns 520(1990)391
Kukhar, V. P., see Galushko, S. V. 511(1990)115
Kula, M.-R., Elling, L. and Walsdorf, A.
Investigations of liquid-liquid partition chromatography of proteins 548(1991)3
Kula, M.-R., see Champluvier, B. 539(1991)315
Kula, M. R., see Walsdorf, A. 523(1990)103
Kula, M. R., see Walsdorf, A. 542(1991)55
Kulin, L.-I., Flodin, P., Ellingsen, T. and Ugelstad, J.
Monosized polymer particles in size-exclusion chromatography. I. Toluene as solvent 514(1990)1
Küllik, E. and Kaljurand, M.
Study of rapid reaction kinetics by computerized gas chromatography with stroboscopic sampling 517(1990)175
Kumamaru, T., see Okamoto, Y. 539(1991)221
Kumar, V., see Tiwari, B. B. 547(1991)554
Kumarasamy, R.
Oligosaccharide mapping of therapeutic glycoproteins by high-pH anion-exchange high-performance liquid chromatography 512(1990)149
Kunath, A. and Ozegowski, R.
Enantiomeric separation of racemic α -substituted α -methylbutyric acid derivatives on microcrystalline cellulose triacetate 520(1990)361
Kuningas, K., Rang, S. and Kailas, T.
Relationship between the structure and retention of *n*-alkenes and *n*-alkynes on silicone phases 520(1990)137
Kuno, Y., Hina, T., Akiyama, T. and Matsui, M.
Simultaneous determination of tributyl phosphate and dibutyl phosphate in spent fuel reprocessing streams by gas chromatography 537(1991)489
Kuo, K.-W., Yeh, H.-W., Chu, D. Z. J. and Yeh, Y.-C.
Separation and microanalysis of growth factors by Phast system gel electrophoresis and by DNA synthesis in cell culture 543(1991)463
Kuo, M. S., see Yurek, D. A. 502(1990)184

- Küppers, S., Leyendecker, D., Schmitz, F. P. and Klesper, E.
Three-dimensional network plots using colours for a fourth variable with binary mixtures of pentane and 1,4-dioxane under sub- and supercritical conditions 505(1990)109
- Kura, G., see Baba, Y. 550(1991)5
- Kuramoto, M., see Araki, T. 545(1991)183
- Kurantz, M. J., Maxwell, R. J., Kwoczak, R. and Taylor, F.
Rapid and sensitive method for the quantitation of non-polar lipids by high-performance thin-layer chromatography and fluorodensitometry 549(1991)387
- Kurashige, T., see Takechi, T. 532(1990)144
- Kurganov, A., Kuzmenko, O., Davankov, V. A., Eray, B., Unger, K. K. and Trüding, U.
Effect of polystyrene coating on pore, structural and chromatographic properties of silica packings 506(1990)391
- Kurganov, A. A., Davankov, V. A. and Unger, K. K.
Ion-exchange high-performance liquid chromatography of nucleotides and polypeptides on new types of ion-exchange sorbents, based on polystyrene-coated silicas 548(1991)207
- Kuroda, H., see Miwa, T. 511(1990)89
- Kuronen, P., see Kostianinen, R. 543(1991)39
- Kurono, M., Yoshida, K., Arakawa, S. and Naruto, S.
Determination of a novel calcium entry blocker, AJ-2615, in plasma using solid-phase extraction and high-performance liquid chromatography with electrochemical detection 532(1990)175
- Kurosu, Y., Sasaki, T., Takakuwa, T., Sakayanagi, N., Hibi, K. and Senda, M.
Analysis of proteins by high-performance liquid chromatography with circular dichroism spectrophotometric detection 515(1990)407
- Kurtev, B. J., see Palamareva, M. D. 545(1991)161
- Kusano, K., see Furuta, T. 525(1990)15
- Kusch, P., see Fischer, W. G. 518(1990)9
- Kusseler, R., see Tombach, B. 521(1990)231
- Kuster, B. F. M., see Verhaar, L. A. T. 549(1991)113
- Kusz, P., see Szymanowski, J. 502(1990)407
- Kusz, P., see Szymanowski, J. 511(1990)325
- Kuthan, A., see Liška, I. 509(1990)123
- Kuwahara, S. K., Brubaker, W. F., Williams, E., Tripp, S., Douglas, F. L. and Kotake, A. N.
Determination of the 5-lipoxygenase inhibitor (CGS 8515) in plasma by high-performance liquid chromatography using reductive electrochemical detection 534(1990)260
- Kuwajima, M., see Yamauchi, Y. 515(1990)285
- Kuwamoto, T., see Hirayama, N. 508(1990)51
- Kuwamoto, T., see Hirayama, N. 523(1990)257
- Kuwata, S., see Yamada, T. 515(1990)475
- Kuzmenko, O., see Kurganov, A. 506(1990)391
- Kvalo, L. T., see Keswani, S. R. 534(1990)77
- Kwakman, P. J. M., Koelewijn, H., Kool, I., Brinkman, U. A. T. and De Jong, G. J.
Naphthalene- and anthracene-2,3-dialdehyde as precolumn labelling reagents for primary amines using reversed- and normal-phase liquid chromatography with peroxyoxalate chemiluminescence detection 511(1990)155
- Kwik, W. L., see Ang, H. G. 537(1991)475
- Kwoczak, R., see Kurantz, M. J. 549(1991)387
- Kwon, K. I., see Lee, H. S. 528(1990)425
- Kysilka, R.
Determination of psilocin in rat urine by high-performance liquid chromatography with electrochemical detection 534(1990)287

L

- Laakso, I., Virkajärvi, P., Airaksinen, H. and Varis, E.
Determination of vasicine and related alkaloids by gas chromatography-mass spectrometry 505(1990)424
- Laakso, I., see Seppänen-Laakso, T. 530(1990)94
- Laakso, P., see Kallio, H. 518(1990)69
- Laakso, S., Scheinin, M. and Anttila, M.
Determination of erythromycin base and 2'-acetylerythromycin in human plasma using high-performance liquid chromatography with electrochemical detection 526(1990)475
- Laatikainen, R., see Parviainen, M. T. 525(1990)193
- Lacey, E. and Snowdon, K. L.
Isolation of mammalian brain tubulin by amino-activated gel chromatography 525(1990)71
- Lachatre, G., see Nicot, G. 528(1990)258

- Lachno, D. R., Patel, N., Rose, M. L. and Yacoub, M. H.
Improved high-performance liquid chromatographic method for analysis of cyclosporin A using an automated sample processor 525(1990)123
- Lachno, D. R., see Smolenski, R. T. 527(1990)414
- Lackner, H., see Jäger, W. 532(1990)411
- Lacour, B., see Beyne, P. 527(1990)140
- LaCreta, F. P., see Tinsley, P. W. 529(1990)468
- Lacroix, C., Hoang, T. P., Wojciechowski, F., Duwoos, H., Nouveau, J. and Diquet, B.
Simultaneous quantification of zidovudine and its metabolites in serum and urine by high-performance liquid chromatography using a column-switching technique 525(1990)240
- Ladisch, M. R., Hendrickson, R. L. and Firouztale, E.
Analytical- and preparative-scale chromatographic separation of phenylalanine from aspartame using a new polymeric sorbent 540(1991)85
- Ladrón de Guevara, O., Cortinas de Nava, C., Padilla, P., Espinosa, J., Cebrian, M. and García, L.
Rapid determination of β -aminoisobutyric acid by reversed-phase high-performance liquid chromatography 528(1990)35
- Lafont, R., see Kaouadji, N. 505(1990)408
- Lafosse, M., Rollin, P., Ilfakir, C., Morin-Allory, L., Martens, M. and Dreux, M.
Supercritical fluid chromatography with light-scattering detection. I. Preliminary results of the analysis of polar compounds with packed columns 505(1990)191
- Lafosse, M., see Elfakir, C. 513(1990)354
- Lafosse, M., see Herbretreau, B. 505(1990)299
- Lafta, A. M., see Hassan, N. A. 530(1990)102
- Laghi, C., see Torsi, G. 518(1990)135
- Lahtonen, K., see Örn, G. 506(1990)627
- Lai, G., Nicholson, G., Mühleck, U. and Bayer, E.
Immobilization of chiral phases for enantiomer separations in supercritical fluid and gas chromatography 540(1991)217
- Lai, K. N., see Chui, S. H. 514(1990)219
- Lai, S.-Y., see Wu, S.-H. 514(1990)325
- Laizure, S. C., Holden, C. L. and Stevens, R. C.
Ion-paired high-performance liquid chromatographic separation of trimethoprim, sulfamethoxazole and N⁴-acetylsulfamethoxazole with solid-phase extraction 528(1990)235
- Lajdová, I., Spustová, V., Mikula, J., Černay, P. and Džurík, R.
Isolation of an additional inhibitor of glucose utilization in renal insufficiency: pseudouridine 528(1990)178
- Lakings, D. B., Friis, J. M. and Bruns, M. B.
Determination of ditekiren, a renin inhibitor peptide, in monkey serum using high-performance liquid chromatography with solid-phase extraction 526(1990)273
- Lam, C. W. K., see Chui, S. H. 514(1990)219
- Lamas, L., see Escribano, J. 512(1990)255
- Lamb, J. D. and Smith, R. G.
Application of macrocyclic ligands to ion chromatography (Review) 546(1991)73
- Lamb, J. D., see Smith, R. G. 546(1991)139
- Lambert, D., see Djalali, M. 529(1990)81
- Lampert, B. M. and Stewart, J. T.
Determination of non-steroidal anti-inflammatory analgesics in solid dosage forms by high-performance liquid chromatography on underivatized silica with aqueous mobile phase 504(1990)381
- Landgraf, B. E., see Ackland, C. E. 540(1991)187
- Lane, P. A., see Tran, A. D. 542(1991)459
- Lanfranchi, A., see Miraglia, N. 512(1990)123
- Lang, J. K.
Quantitative determination of cholesterol in liposome drug products and raw materials by high-performance liquid chromatography 507(1990)157
- Lang, J. R., see Martinez, G. 533(1990)235
- Langer, M., see Brückner, H. 521(1990)109
- Langer, M., see Brückner, H. 542(1991)161
- Langer, P., see Schnabel, R. 544(1991)137
- Langguth, P., Spahn, H. and Merkle, H.-P.
Fluorescence assay for small peptides and amino acids: high-performance liquid chromatographic determination of selected substrates using activated S-flunoxapofen as a chiral derivatizing agent 528(1990)55
- Langmann, P., see Ernemann, U. 528(1990)243
- Langowski, A. J., see Weisz, A. 538(1991)157
- Långström, B., see Hartvig, P. 507(1990)303
- Lanin, S. N. and Nikitin, Y. S.
Peculiarities of aromatic hydrocarbon retention in normal-phase high-performance liquid chromatography with eluents containing halide derivatives 520(1990)315
- Lanin, S. N. and Nikitin, Y. S.
Molecular interactions in liquid chromatography 537(1991)33
- Lankmayr, E. P., see Djordjevic, N. M. 550(1991)27

- Lansdorp, D., Janssen, T. J., Guelen, P. J. M. and Vree, T. B.
High-performance liquid chromatographic method for the determination of diclofenac and its hydroxy metabolites in human plasma and urine 528(1990)487
- Lanteri, P., see Vialle, J. 549(1991)159
- Lanuzza, F., see Micali, G. 514(1990)317
- Lanzone, L., see Buzzigoli, G. 507(1990)85
- Lapinjoki, S. P., see Ylinen, M. 505(1990)429
- Lapouyade, R., see Wise, S. A. 514(1990)111
- Lara, A. S. and Eiceman, G. A.
Gas chromatographic retention properties of organoammonium exchanged montmorillonites. II. $\text{CH}_3\text{N}^+\text{H}_3$, $(\text{CH}_3)_4\text{N}^+$, $(\text{CH}_3)_3\text{N}^+\text{CH}_2\text{C}_6\text{H}_5$ and 1,4-diazabicyclo[2.2.2]octane $\cdot 2\text{H}^+$ 549(1991)283
- Lara, A. S., see Eiceman, G. A. 549(1991)273
- Larionov, O. G., Petrenko, V. V. and Platonova, N. P.
Determination of contributions of different types of solute-sorbent interactions in gas-adsorption chromatography by linear regression of adsorption energies 537(1991)295
- Larousse, C., see Thomare, P. 529(1990)494
- Larroque, M. and Brun, S.
Dosage du méthylmethacrylate dans le sérum par chromatographie liquide à haute performance 525(1990)249
- Larsson, L., see Drevin, I. 514(1990)137
- Lartigue-Mattei, C., Chabard, J. L., Bargnoux, H., Petit, J., Berger, J. A., Ristori, J. M., Bussiere, J. L., Catilina, P. and Catilina, M. J.
Plasma and blood assay of xanthine and hypoxanthine by gas chromatography-mass spectrometry: physiological variations in humans 529(1990)93
- Lartigue-Mattei, C., see Andriollo, O. 533(1990)215
- Lasa, J. and Śliwka, I.
Application of gas chromatography with electron-capture detection to trace analysis of halogenated compounds 509(1990)115
- Lasa, J., see Grochowalski, A. 502(1990)160
- Lasbennes, A., see Straczek, J. 532(1990)237
- Laštinec, J., see Marák, J. 509(1990)287
- Latocha, C., see Szymanowski, J. 502(1990)407
- La Torre, F., see Gasparrini, F. 539(1991)25
- Latruffe, N., see Adami, P. 539(1991)279
- Lattanzi, L., see Bruner, F. 517(1990)123
- Lattes, A., see Monje, M. C. 521(1990)148
- Lau, B. P.-Y., see Ryan, J. J. 541(1991)131
- Lau, C. E., Ma, F. and Falk, J. L.
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95
- Lau, S. W. J., Chow, D. and Feldman, S.
Simultaneous determination of physostigmine and tetrahydroaminoacridine in a transdermal permeation study by high-performance liquid chromatography 526(1990)87
- Laupp, G., see Koppenhoefer, B. 547(1991)239
- Lauren, D. R., see Agnew, M. P. 538(1991)462
- Lauren, D. R., see Hopkins, W. A. 516(1990)442
- Lausecker, B. and Albert, F.-M.
Separation and estimation of small amounts of the enantiomers of carbidopa and methyl dopa on a chiral stationary phase with L-phenylalanine as selector in ligand-exchange chromatography 545(1991)115
- Lavine, B. K., White, A. J. and Hwa Han, J.
Solute retention in micellar liquid chromatography 542(1991)29
- Law, C.-K., see Hu, O. Y.-P. 532(1990)337
- Lawrence, J. F. and Ménard, C.
Confirmation of domoic acid in shellfish using butyl isothiocyanate and reversed-phase liquid chromatography 550(1991)595
- Lawrence, J. F., see Chadha, R. K. 518(1990)268
- Lawrence, K., see DeBros, F. 529(1990)449
- Laycock, M. V., see Thibault, P. 542(1991)483
- Lazo, J. S., see Mistry, J. S. 514(1990)86
- Leakey, T. E. B.
Simultaneous analysis of theophylline, caffeine and eight of their metabolic products in human plasma by gradient high-performance liquid chromatography 507(1990)199
- Learmonth, R. A., see Kaye, P. T. 503(1990)437
- Lebl, M., see Toth, G. 504(1990)450
- Leblanc, R. M., see Gallant, J. 542(1991)307
- Lebot, M., see Poirier, J.-M. 534(1990)223
- Leclerc, J.-M., see Lin, K. T. 536(1991)349
- Leclercq, P. A., see Brandštetterová, E. 502(1990)214
- Lecomte, L. and Sinou, D.
Chiral sulphonated phosphines. IV. High-performance liquid chromatographic separation of sulphonated phosphines 514(1990)91
- Lederer, F., see Beyne, P. 527(1990)140
- Lederer, M.
Adsorption chromatography on cellulose. VI. Further studies on the separation of D- and L-tryptophan on cellulose with aqueous solvents 510(1990)367
- Ledingham, S. J. M., see Smolenski, R. T. 527(1990)414
- Ledniczky, L., see Hazai, I. 520(1990)149
- Ledouble, G., see Pierron, C. 511(1990)367

- Ledvinová, J., see Bradová, V. 533(1990)297
- Lee, C. R., Porziemsky, J.-P., Aubert, M.-C. and Krstulovic, A. M.
Liquid and high-pressure carbon dioxide chromatography of β -blockers. Resolution of the enantiomers of nadolol 539(1991)55
- Lee, H.-B. and Peart, T. E.
Determination of resin and fatty acids in sediments near pulp mill locations 547(1991)315
- Lee, H. G. and Jarrett, H. W.
Glucose-silica, an improved medium for high-pressure gel filtration chromatography 511(1990)69
- Lee, H. K., see Khan, M. R. 513(1990)360
- Lee, H. K., see Li, S. F. Y. 506(1990)245
- Lee, H. K., see Li, S. F. Y. 515(1990)515
- Lee, H. K., see Lim, K. B. H. 538(1991)492
- Lee, H. K., see Ong, C. P. 515(1990)509
- Lee, H. K., see Ong, C. P. 516(1990)263
- Lee, H. K., see Ong, C. P. 542(1991)473
- Lee, H. K., see Ong, C. P. 547(1991)419
- Lee, H. S., Zee, O. P. and Kwon, K. I.
Simultaneous determination of cefamandole and cefamandole nafate in human plasma and urine by high-performance liquid chromatography with column switching 528(1990)425
- Lee, J. M., see Crooks, A. J. 502(1990)59
- Lee, M. L.
Journal of MicroColumn Separations 502(1990)243
- Lee, M. L., see Bradshaw, J. S. 540(1991)279
- Lee, M. L., see Li, S. F. Y. 515(1990)515
- Lee, M. L., see Raynor, M. W. 505(1990)179
- Lee, M. L., see Sumpter, S. R. 517(1990)503
- Lee, S. H., see Armstrong, D. W. 539(1991)83
- Lee, S. Y., see Bonner, W. A. 504(1990)287
- Lee, T. B. K. and Wong, G. S. K.
High-performance liquid chromatographic enantioseparation of intermediates relating to the total synthesis of (-)-physostigmine 523(1990)317
- Lee, V. M.-Y., see Otvos, Jr., L. 512(1990)265
- Lee, W.-C., Tsai, G. J. and Tsao, G. T.
Effects of isotherm non-linearity on the determination of the binding constant in affinity chromatography 504(1990)55
- Lee, Y. M., Nakamura, H. and Nakajima, T.
Rapid determination by high-performance liquid chromatography of free fatty acids released from rat platelets after derivatization with monodansylcadaverine 515(1990)467
- Lee, Y. W.
Dual counter-current chromatography — its applications in natural products research (Review) 538(1991)37
- Lefebvre, M. A., see Marzo, A. 536(1991)327
- Lefebvre, R. A., see Rosseel, M. T. 507(1990)247
- Leff, V., Gao, J.-P., Vega, L. R. and Herrera, R. J.
Enrichment of biologically active U1 small nuclear RNAs by ion-exchange high-performance liquid chromatography 547(1991)462
- Lehmann, A., see Zobel, H. 509(1990)27
- Lehotay, J., see Brandšteterová, E. 502(1990)214
- Lehotay, J., see Brandšteterová, E. 545(1991)205
- Lehr, K. H. and Damm, P.
Simultaneous determination of the sulphonylurea glimepiride and its metabolites in human serum and urine by high-performance liquid chromatography after pre-column derivatization 526(1990)497
- Lehtonen, P., see Härmälä, P. 507(1990)367
- Leigh, P. H. and Bowker, M. J.
Simple procedure involving derivatization and thin-layer chromatography for the estimation of trace levels of halogenated alkylamines and their hydrolysis products in drug substances and formulations 543(1991)211
- Leipe, I., see Kramer, W. 521(1990)199
- Leis, H. J., Leis, M., Welz, W. and Malle, E.
Determination of captopril in human blood by gas chromatography-negative-ion chemical ionization mass spectrometry with [$^{18}\text{O}_4$]captopril as internal standard 529(1990)299
- Leis, H.-J., Welz, W. and Malle, E.
11-Dehydrothromboxane B₂: convenient preparation of its stable isotope-labelled analogue for use in quantitative gas chromatography-mass spectrometry 526(1990)169
- Leis, H.-J., see Welz, W. 526(1990)319
- Leis, M., see Leis, H. J. 529(1990)299
- Leistler, B., see Herold, M. 539(1991)383
- Leisztner, L., see Veress, T. 520(1990)339
- Leitner, O., see Novick, D. 510(1990)331
- Relievre, G., see Thuaud, N. 503(1990)453
- Lelyveld, G. P., see Van Beek, T. A. 543(1991)375
- Lema, M., Otero, J. and Marcó, J.
Two-parameter mobile phase optimization for the simultaneous high-performance liquid chromatographic determination of dopamine, serotonin and related compounds in microdissected rat brain nuclei 547(1991)113
- Lemieux, L. and Amiot, J.
High-performance liquid chromatography of casein hydrolysates phosphorylated and

- dephosphorylated. I. Peptide mapping
519(1990)299
- Lemieux, R. E., see Greene, S. V. 527(1990)397
- Le Moigne, F., see Fourche, J. 532(1990)209
- Le Moing, J. P. and Levron, J. C.
High-performance liquid chromatographic
determination of etomidate in plasma
529(1990)217
- Lemque, R., see Cysewski, P. 548(1991)61
- Lendrath, G., Nasner, A. and Kraus, L.
Behaviour of vegetable phospholipids in
thin-layer chromatography. Optimization of
mobile phase, detection and direct
evaluation 502(1990)385
- Leng, W.-X., see Rokushika, S. 514(1990)355
- Lengyel, J., see Benkő, S. 520(1990)379
- Lenzen, S., see Rustenbeck, I. 525(1990)85
- Leoncini, R., see Terzuoli, L. 514(1990)80
- Leoncini, R., see Terzuoli, L. 547(1991)472
- Leong, W. K., see Ang, H. G. 537(1991)475
- Leon-Gonzalez, M. E. and Townshend, A.
Determination of organophosphorus and
carbamate pesticide standards by liquid
chromatography with detection by inhibition
of immobilized acetylcholinesterase
539(1991)47
- Leoni, P., Heyworth, P. and Segal, A. W.
Separation of phosphoproteins by fast
protein liquid chromatography
527(1990)152
- Leopold, E. J., see Tran, A. D. 516(1990)241
- Lepoivre, M., see Chenais, B. 539(1991)433
- Leray, C., see Rastegar, A. 518(1990)157
- Lessard, D., see Martinez, G. 533(1990)235
- Le Vent, S., see Akporhonor, E. E.
504(1990)269
- Levin, S. and Abu-Lafi, S.
Competition between phenylalanine and
acetic acid in a chromatographic column as
indicated by their adsorption isotherms
517(1990)285
- Levron, J. C., see Le Moing, J. P. 529(1990)217
- Levsen, K., see Feltes, J. 518(1990)21
- Levy, E. J., see Ryan, T. W. 505(1990)273
- Levy, S., see Woolfson-Bartfeld, D.
517(1990)305
- Lewin, L. M., see Vree, T. B. 534(1990)214
- Lewis, R. C., see Schwende, F. J. 525(1990)151
- Lewis, V. D., see Urasa, I. T. 547(1991)211
- Lewis, W. H. P., see Chui, S. H. 514(1990)219
- Leyendecker, D., see Hütz, A. 505(1990)99
- Leyendecker, D., see Küppers, S. 505(1990)109
- Lhermitte, M., see Pommery, J. 526(1990)569
- Li, G. P., see Yurek, D. A. 502(1990)184
- Li, H.-Y., see Wu, C.-Y. 504(1990)279
- Li, J., Caldwell, K. D. and Mächtle, W.
Particle characterization in centrifugal fields.
Comparison between ultracentrifugation and
sedimentation field-flow fractionation
517(1990)361
- Li, J., Dallas, A. J. and Carr, P. W.
Empirical scheme for the classification of gas
chromatographic stationary phases based on
solvatochromic linear solvation energy
relationships 517(1990)103
- Li, J., Zhang, Y., Dallas, A. J. and Carr, P. W.
Measurement of solute dipolarity/
polarizability and hydrogen bond acidity by
inverse gas chromatography 550(1991)101
- Li, J., see Xie, F. 526(1990)109
- Li, J. B. and Jandik, P.
Separation and detection of non-
chromophoric, anionic surfactants
546(1991)395
- Li, J. B., see Gjerde, D. T. 546(1991)151
- Li, J. B., see Jackson, P. E. 546(1991)189
- Li, K.
Simple and rapid thin-layer chromatographic
method for quantitative measurement of free
cholesterol in serum 532(1990)449
- Li, P., Zhang, T.-Y., Hua, X. and Ito, Y.
Studies on the preparative capability of the
horizontal flow-through coil planet
centrifuge and high-performance liquid
chromatography in the separation of polar
compounds from *Oxytropis ochrocephala*
Bunge 538(1991)219
- Li, S. and Purdy, W. C.
Liquid chromatographic separation of the
enantiomers of dinitrophenyl amino acids
using a β -cyclodextrin-bonded stationary
phase 543(1991)105
- Li, S. F. Y., Lee, H. K. and Ong, C. P.
Optimization of mobile phase composition
for high-performance liquid
chromatographic separation by means of the
overlapping resolution mapping scheme
506(1990)245
- Li, S. F. Y., Ong, C. P., Lee, M. L. and Lee, H.
K.
Supercritical fluid extraction and
chromatography of steroids with Freon-22
515(1990)515
- Li, S. F. Y., see Khan, M. R. 513(1990)360
- Li, S. F. Y., see Ong, C. P. 515(1990)509
- Li, S. F. Y., see Ong, C. P. 516(1990)263
- Li, S. F. Y., see Ong, C. P. 542(1991)473
- Li, S. F. Y., see Ong, C. P. 547(1991)419
- Li, W.-Y., Jin, H. L. and Armstrong, D. W.
2,6-Di-O-pentyl-3-O-trifluoroacetyl
cyclodextrin liquid stationary phases for
capillary gas chromatographic separation of
enantiomers 509(1990)303
- Li, W. Y., see Ko, R. J. 525(1990)411
- Li, X., see Hirayama, C. 530(1990)148

- Li, Y., see Amati, D. 539(1991)237
- Lian, D.-X., Yang, L., Yun, W.-X., Hua, S. and Hu, C.
Gas chromatographic determination of aldicarb and its metabolites in urine 542(1991)526
- Liapis, A. I., see McCoy, M. A. 548(1991)25
- Liautard, J.-P., see Ferraz, C. 539(1991)465
- Liberti, A., see Bertoni, G. 522(1990)285
- Lieber, A.-K., see Kägedal, L. 537(1991)17
- Liebich, H. M. and Först, C.
Basic profiles of organic acids in urine 525(1990)1
- Liebich, H. M., see Kühlkamp, V. 528(1990)267
- Liebscher, G., see Eppert, G. 508(1990)149
- Lic Ken Jie, M. S. F., Choi, C. Y. C., Berger, A. and Berger, R. G.
Re-examination of the fatty acid composition of *Biota orientalis* seed oil by gas chromatography-mass spectrometry of the picolinyl ester derivatives 543(1991)257
- Lifschitz, C. H., see Feste, A. S. 518(1990)349
- Light, R. J., see Priest, J. W. 513(1990)237
- Lillsunde, P. and Seppälä, T.
Simultaneous screening and quantitative analysis of benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen-phosphorus detection 533(1990)97
- Lim, C. K., see Gu, G. 515(1990)183
- Lim, C. K., see Guo, R. 550(1991)603
- Lim, K. B. H., Phang, L.-T., Khan, M. R., Hor, T. S. A. and Lee, H. K.
High-performance liquid chromatographic separation of heterometallic 1,1'-bis(diphenylphosphino)ferrocene-substituted metal carbonyls 538(1991)492
- Lin, B., Golshan-Shirazi, S. and Guiochon, G.
Perturbation analysis of the influence of the isotherm coupling factor on the resolution between two compounds in chromatography 508(1990)27
- Lin, B., Ma, Z. and Guiochon, G.
Influence of the choice of the boundary conditions on the results of the dynamic chromatography model 542(1991)1
- Lin, C.-E., Yang, Y.-H. and Yang, M.-H.
Novel silica-based strong anion exchanger for single-column ion chromatography 515(1990)49
- Lin, G., see Chang, C. A. 522(1990)143
- Lin, J. H., see Chen, I.-W. 534(1990)119
- Lin, J. N., Chang, I.-N., Andrade, J. D., Herron, J. N. and Christensen, D. A.
Comparison of site-specific coupling chemistry for antibody immobilization on different solid supports 542(1991)41
- Lin, J.-T., Stafford, A. E., Steffens, G. L. and Murofushi, N.
Gradient C_{18} high-performance liquid chromatography of gibberellins 543(1991)471
- Lin, K. T., Varin, F., Rivard, G. E. and Leclerc, J.-M.
Isolation of 6-mercaptopurine in human plasma by aluminum ion complexation for high-performance liquid chromatographic analysis 536(1991)349
- Lin, M., see Seno, M. 508(1990)127
- Lin, M., see Seno, M. 523(1990)293
- Lin, S., Oroszlan, P. and Karger, B. L.
Effect of metal ions on the unfolding kinetics of α -lactalbumin on weakly hydrophobic surfaces 536(1991)17
- Lin, S.-C., see Maa, Y.-F. 508(1990)61
- Lin, S.-L., Chen, S.-T., Wu, S.-H. and Wang, K.-T.
Separation of aspartame and its precursor stereoisomers by chiral chromatography 540(1991)392
- Lin, S.-L., see Wu, S.-H. 514(1990)325
- Linari, F., see Petrarulo, M. 511(1990)223
- Linari, F., see Petrarulo, M. 532(1990)130
- Lindberg, P., see Erlandsson, P. 532(1990)305
- Linde, S., Nielsen, J. H., Hansen, B. and Welinder, B. S.
High-performance liquid chromatography of rat and mouse islet polypeptides: potential risk of oxidation of methionine residues during sample preparation 530(1990)29
- Linde, S., Røder, M. E., Hartling, S. G., Binder, C. and Welinder, B. S.
Separation and quantitation of serum proinsulin and proinsulin intermediates in humans 548(1991)371
- Linde, S. and Welinder, B. S.
Non-ideal behaviour of silica-based stationary phases in trifluoroacetic acid-acetonitrile-based reversed-phase high-performance liquid chromatographic separations of insulins and proinsulins 536(1991)43
- Linde, S. and Welinder, B. S.
Silica *versus* polymer-based stationary phases for reversed-phase high-performance liquid chromatographic analyses of rat insulin biosynthesis. A comparison of resolution and recovery 548(1991)195
- Linde, S., see Welinder, B. S. 537(1991)201
- Linde, S., see Welinder, B. S. 542(1991)65
- Lindgård, B., Mathiasson, L., Jönsson, J. Å. and Åkesson, B.
Controlled thermal degradation for the

- identification and quantification of amine N-oxides in urine 514(1990)293
- Lindgren, K., see Allenmark, S. 532(1990)203
- Lindner, W.
Chiral liquid chromatography (edited by W. J. Lough) (Book Review) 509(1990)408
- Lindsay Smith, J. R., Smart, A. U., Hancock, F. E. and Twigg, M. V.
High-performance liquid chromatographic determination of low levels of primary and secondary amines in aqueous solutions including 2-amino-2-methylpropanol by pre-column derivatisation to sulphonamides 547(1991)447
- Lindström, M., Norin, T. and Roeraade, J.
Gas chromatographic separation of monoterpene hydrocarbon enantiomers on α -cyclodextrin 513(1990)315
- Ling, C. F., Melian, G. P., Jimenez-Conde, F. and Revilla, E.
Comparative study of some columns for direct determination of carbofuran by gas-liquid chromatography with nitrogen-specific detection 519(1990)359
- Lingeman, H., see Vannoort, R. W. 505(1990)45
- Linhart, I. and Novák, J.
Biotransformation of diethenylbenzenes. II. Metabolic pattern of 1,4-diethenylbenzene 530(1990)283
- Lin Ling, B., Baeyens, W. R. G. and Raemdonck, A.
Application of high-performance thin-layer chromatography-fluorescence densitometry to the simultaneous determination of reduced and oxidized glutathione 502(1990)230
- Lin Ling, B., Dewaele, C. and Baeyens, W. R. G.
Application of micro-scale liquid chromatography with fluorescence detection to the determination of thiols 514(1990)189
- Linton, C. L., see Elrod, Jr., L. 519(1990)125
- Lipari, F.
Determination of individual hydrocarbons in automobile exhaust from gasoline-, methanol- and variable-fueled vehicles 503(1990)51
- Lipkowski, J., see Pawłowska, M. 547(1991)59
- Lippoli, G., see Pace, M. 539(1991)517
- Lisi, D. D., see Stuart, J. D. 550(1991)77
- Lisi, P. J., see Tran, A. D. 542(1991)459
- Liška, I., Kuthan, A. and Krupčík, J.
Comparison of sorbents for solid-phase extraction of polar compounds from water 509(1990)123
- Lisseter, S. G. and Hambling, S. G.
Chiral high-performance liquid chromatography of synthetic pyrethroid insecticides 539(1991)207
- Litzén, A. and Wahlund, K.-G.
Effects of temperature, carrier composition and sample load in asymmetrical flow field-flow fractionation 548(1991)393
- Liu, D., Wood, G. W. and Desiderio, D. M.
Proenkephalin A and proopiomelanocortin peptides in human cerebrospinal fluid 530(1990)235
- Liu, H., see Zhang, A. 521(1990)128
- Liu, H., see Zhu, P. 511(1990)390
- Liu, J., Cobb, K. A. and Novotny, M.
Capillary electrophoretic separations of peptides using micelle-forming compounds and cyclodextrins as additives 519(1990)189
- Liu, T.-Y. and Robbat, Jr., A.
High-performance liquid chromatography retention index and detection of nitrated polycyclic aromatic hydrocarbons 539(1991)1
- Liu, T.-Y., see Robbat, Jr., A. 513(1990)117
- Liu, W., Chen, Z., Xu, H., Shi, Y. and Chen, Y.
Determination of diclofop-methyl and diclofop residues in soil and crops by gas chromatography 547(1991)509
- Liu, X., see Das, D. K. 536(1991)273
- Liu, Y. and Yu, S.
Copper(II)-iminodiacetic acid chelating resin as a stationary phase in the immobilized metal ion affinity chromatography of some aromatic amines 515(1990)169
- Liversidge, G. G., see Eickhoff, W. M. 536(1991)255
- Liversidge, G. G., see Eisenberg, E. J. 530(1990)65
- Lloyd, D. K., see Wu, Z. 513(1990)209
- Lloyd, L. L.
Rigid macroporous copolymers as stationary phases in high-performance liquid chromatography (Review) 544(1991)201
- Lloyd, L. L. and Warner, F. P.
Preparative high-performance liquid chromatography on a unique high-speed macroporous resin 512(1990)365
- Lo, C.-H. and Chiou, S.-H.
Simple fractionation of phospholipase A₂ analogues from snake venom by high-performance liquid chromatography 530(1990)129
- Lo, M. F., see Wedzicha, B. L. 505(1990)357
- Łoborzewski, J., Grzywnowicz, K., Wawrzekiewicz, K., Staszczak, M. and Wolski, T.
Feather keratin as a ligand in an affinity chromatographic technique for isolation of protease from *Trichophyton verrucosum* 520(1990)223

- Lochmüller, C. H. and Mink, L. P.
Comparison of supercritical carbon dioxide and supercritical propane as mobile phases in supercritical fluid chromatography 505(1990)119
- Locke, D. C., see Schermund, J. T.
505(1990)319
- Lockemeyer, M. R. and Smith, C. V.
Analysis of pentoxifylline in rabbit plasma using a Hisep™ high-performance liquid chromatography column 532(1990)162
- Lochniskar, A., see Greenblatt, D. J.
534(1990)202
- Lodi, G., Betti, A., Kahie, Y. D. and Mahamed, A. M.
Multiple-development high-performance thin-layer chromatography of organochlorine pesticides 545(1991)214
- Lodi, G., see Betti, A. 513(1990)219
- Lodi, G., see Menziani, E. 511(1990)396
- Loebs, P., see DeAngelis, R. 525(1990)389
- Loennechen, T. and Dahl, S. G.
High-performance liquid chromatography of levomepromazine (methotrimeprazine) and its main metabolites 503(1990)205
- Löffler, F., see Kasche, V. 510(1990)149
- Loftus, N. J., see Burton, L. C. 526(1990)159
- Logan, B. K. and Patrick, K. S.
Photodegradation of nifedipine relative to nitrendipine evaluated by liquid and gas chromatography 529(1990)175
- Loguercio, C., see Nardi, G. 530(1990)122
- Loh, J.-P. and Ahmed, A. E.
Determination of camptothecin in biological fluids using reversed-phase high-performance liquid chromatography with fluorescence detection 530(1990)367
- Lohleit, M. and Bächmann, K.
Integrated analysis of solid samples by on-line supercritical fluid extraction-gas chromatography 505(1990)227
- Lohmann, A. and Dingler, E.
New assay method for the determination of vinpocetine in human plasma with gas chromatography-mass spectrometry without transesterification caused by solvents 529(1990)442
- Lommen, D. C., see Dolan, J. W. 535(1990)55
- Lommen, D. C., see Snyder, L. R. 535(1990)75
- Lo Moro, A., see Raspi, G. 525(1990)426
- Long, A. R., Charkhian, B., Hsieh, L. C., Short, C. R. and Barker, S. A.
Characterization of the thermal decomposition products of the sulfonylurea herbicide chloresulfuron 505(1990)395
- Long, A. R., Short, C. R. and Barker, S. A.
Method for the isolation and liquid chromatographic determination of eight sulfonamides in milk 502(1990)87
- Long, D. A., see Mayer, W. J. 536(1991)131
- Longeray, R., see Vialle, J. 549(1991)159
- Longobardi, M. G., see Viscomi, G. C.
549(1991)175
- Loo, J. A., see Smith, R. D. 516(1990)157
- Lookabaugh, M., Biswas, M. and Krull, I. S.
Quantitation of insulin injection by high-performance liquid chromatography and high-performance capillary electrophoresis 549(1991)357
- Lopez, L. M., see Schaefer, H. G. 527(1990)351
- Lopez-Calahorra, F., see Velasco, D.
519(1990)228
- López-Roca, J.-M., see Almela, L. 502(1990)95
- Lorentzon, P., see Erlandsson, P. 532(1990)305
- Lorne Burke, T. W., see Hodges, R. S.
548(1991)267
- Lorusso, V., Poggesi, I., Dal Fiume, D. and Tirone, P.
High-performance liquid chromatographic assay of iomeprol in plasma and urine 525(1990)401
- Loschi, L., see Girometta, M.A. 507(1990)227
- Loth, F., see Krause, E. 520(1990)263
- Lou, X., Sheng, Y. and Zhou, L.
Investigation of parameters in the separation of amino acid enantiomers by supercritical fluid chromatography 514(1990)253
- Lou, Z.-C., see Zeng, L. 513(1990)247
- Lovell, G. and Corran, P. H.
Determination of L-thyroxine in reference serum preparations as the *o*-phthalaldehyde-N-acetylcysteine derivative by reversed-phase liquid chromatography with electrochemical detection 525(1990)287
- Lovette, M. E., see Byrd, G. D. 503(1990)359
- Lovette, M. E., see Nanni, E. J. 505(1990)365
- Löw, H., see Engelhardt, H. 544(1991)371
- Löw, M., see Péter, A. 507(1990)59
- Lowe, C. R., Yon Hin, B. F. Y., Cullen, D. C., Evans, S. E., Stephens, L. D. G. and Maynard, P.
Biosensors (Review) 510(1990)347
- Lowe, C. R., see Burton, S. J. 508(1990)109
- Lowe, C. R., see Clonis, Y. D. 508(1991)103
- Lowe, C. R., see Stewart, D. J. 510(1990)177
- Lu, D., see Mou, S. 546(1991)289
- Lu, P., Zou, H. and Zhang, Y.
Effects of molecular structure on parameters *a*, *b* and *c* in the fundamental retention equation 509(1990)171
- Lu, P., see Zhang, Y. 515(1990)13
- Lu, P., see Zou, H. 522(1990)49
- Lu, P., see Zou, H. 523(1990)247
- Lu, P., see Zou, H. 545(1991)59
- Lu, X.-L. and Yang, S. K.
Resolution of enantiomeric lorazepam and its acyl and O-methyl derivatives and

- racemization kinetics of lorazepam enantiomers 535(1990)229
- Lu, X.-R., see Wu, C.-Y. 504(1990)279
- Lu, Z., Veening, H. and Coutant, J. E.
Liquid chromatography mass spectrometry studies of 9-fluorenylmethyl chloroformate derivatives of polyamines 540(1991)199
- Lubińska, V. K. and Muszyńska, G.
Use of metal chelate affinity chromatography for removal of zinc ions from alkaline phosphatase from *Escherichia coli* 522(1990)171
- Lucarelli, C., Betto, P., Ricciarello, G., Giambenedetti, M., Corradini, C., Stocchi, F. and Belliardo, F.
Simultaneous measurement of L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients by improved sample pretreatment and high-performance liquid chromatographic determination 511(1990)167
- Lucarelli, C., Betto, P., Ricciarello, G. and Grossi, G.
High-performance liquid chromatographic determination of L-3-(3,4-dihydroxyphenyl)-2-methylalanine (α -methyldopa) in human urine and plasma 541(1991)285
- Lucarelli, C., Radin, L., Corio, R. and Eftimiadi, C.
Applications of high-performance liquid chromatography in bacteriology. I. Determination of metabolites (Review) 515(1990)415
- Lucarelli, C., see Belliardo, F. 506(1990)371
- Lucarelli, C., see Belliardo, F. 535(1990)305
- Lucarelli, C., see Biondi, P. A. 507(1990)333
- Lucarelli, C., see Codini, M. 536(1991)337
- Lucarelli, C., see Grossi, G. 541(1991)273
- Lucarelli, C., see Guida, E. 507(1990)51
- Lucarelli, C., see Segatti, M. P. 536(1991)319
- Lucy, C. A., Luong, T.-L. and Elchuk, S.
Peak interactions under concave isotherm conditions in preparative ion chromatography 546(1991)27
- Ludden, T. M., see Wong, Y. W. J. 534(1990)161
- Ludwig, S. and Schmidt, H.-D.
Determination of heats of adsorption on graphite and on a microporous carbon black by gas-solid chromatography 520(1990)69
- Luffer, D. R., Ecknig, W. and Novotny, M.
Physicochemical model of retention for capillary supercritical fluid chromatography 505(1990)79
- Luffer, D. R. and Novotny, M.
Element-selective detection after supercritical fluid chromatography by means of a Surfatron plasma in the near-infrared spectral region 517(1990)477
- Lugnier, A. A., see Boukhabza, A. 529(1990)210
- Lugnier, A. A., see Kennel, S. 527(1990)169
- Luhmann, I. and Szathmary, S. C.
Sensitive and automated gas chromatographic method for the determination of etomidate in plasma samples 532(1990)150
- Lukács, F., see Péter, A. 507(1990)59
- Lundahl, P., Mascher, E., Kameyama, K. and Takagi, T.
Water-soluble proteins do not bind octyl glucoside as judged by molecular sieve chromatographic techniques 518(1990)111
- Lundahl, P. and Yang, Q.
Liposome chromatography: liposomes immobilized in gel beads as a stationary phase for aqueous column chromatography (Review) 544(1991)283
- Lundahl, P., see Wallstén, M. 512(1990)3
- Lundahl, P., see Yang, Q. 506(1990)379
- Lundahl, P., see Yang, Q. 512(1990)377
- Lundström, H., see Kågedal, L. 537(1991)17
- Lunte, C. E., see Scott, D. O. 506(1990)461
- Luong, T.-L., see Lucy, C. A. 546(1991)27
- Luque, J., see Garcia-Pérez, A.-I. 504(1990)79
- Lurdes S. Almeida, M., see Fransson, B. 508(1990)229
- Lurie, I. S., Moore, J. M., Kram, T. C. and Cooper, D. A.
Isolation, identification and separation of isomeric truxillines in illicit cocaine 504(1990)391
- Lustenberger, P., see Denis, M. 508(1990)97
- Lutz, S., see König, W. A. 503(1990)256
- Lux, M., see Dandeu, J.-P. 512(1990)177
- Lux, M., see Dandeu, J. P. 539(1991)475
- Lydon, J., Engelke, B. F. and Helling, C. S.
Simplified high-performance liquid chromatography method for the simultaneous analysis of tebuthiuron and hexazinone 536(1991)223
- Lynch, R. J., see Schoenmakers, P. J. 506(1990)169
- Lyrenäs, S., see Nyberg, F. 548(1991)311
- Lys, I., see Simpson, R. C. 536(1991)143

M

- Ma, F., see Lau, C. E. 532(1990)95
- Ma, Z., see Lin, B. 542(1991)1
- Maa, Y.-F., Lin, S.-C., Horváth, C., Yang, U.-C. and Crothers, D. M.
Rapid high-performance liquid chromatography of nucleic acids with polystyrene-based micropellicular anion exchangers 508(1990)61
- Maas, E., Adami, P. and Bisswanger, H.
Application of high-performance liquid chromatography to the purification, disintegration and molecular mass determination of pyruvate dehydrogenase multi-enzyme complexes from different sources 521(1990)169
- Mabuchi, H. and Nakahashi, H.
Separation of albumin-binding ligands present in uremic serum by high-performance affinity chromatography 529(1990)424
- Maccari, F., Ferrari, L., Pessotto, P. and Ramacci, M. T.
L-Carnitine interference in gas chromatographic determination of total trimethylamine in urine: a novel assay method 532(1990)124
- MacConnell, J. G., see Demchak, R. J. 511(1990)353
- MacDonald, N., see Midgley, J. M. 527(1990)259
- Mace, P., see Hill, D. A. 523(1990)11
- Macek, J., Tjaden, U. R. and Van der Greef, J.
Resolution and concentration detection limit in capillary gel electrophoresis 545(1991)177
- Macek, K.
Chromatographic analysis of pharmaceuticals (edited by J. A. Adamovics) (Book Review) 545(1991)219
- Macfarlane, R. G., Midgley, J. M., Watson, D. G. and Evans, P. D.
Identification and quantitation of phenylalanine, tyrosine and dihydroxyphenylalanine in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography-negative-ion chemical ionisation mass spectrometry 532(1990)1
- Macfarlane, R. G., Midgley, J. M., Watson, D. G. and Evans, P. D.
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography-negative-ion chemical ionisation mass spectrometry 532(1990)13
- Machida, R., Tokumura, T., Sasaki, A., Tsuchiya, Y. and Abe, K.
High-performance liquid chromatographic determination of (Me)Arg-Lys-Pro-Trp-tert.-Leu-Leu in plasma 534(1990)190
- Machin, K. J., see Hodder, A. N. 507(1990)33
- Machin, K. J., see Hodder, A. N. 517(1990)317
- Mächtle, W., see Li, J. 517(1990)361
- Macka, M., see Šalamoun, J. 514(1990)179
- MacKichan, J. J. and Bechtel, T. P.
Quantitation of busulfan in plasma by high-performance liquid chromatography 532(1990)424
- MacLeod, S. K.
Compensated delay volume as an approach to improve the inter-laboratory transferability of gradient high-performance liquid chromatographic assays 540(1991)373
- MacLeod, S. K., Fagan, D. T. and Scholl, J. P.
Comments on solute-solvent interactions in quantitative high-performance liquid chromatography 502(1990)236
- MacNeil, J. D., see Vanderkop, P. A. 508(1990)386
- MacPherson, K. A., see Thompson, T. S. 543(1991)49
- Madajová, V., see Marák, J. 509(1990)287
- Madjar, C.-V., see Sebillé, B. 531(1990)51
- Madonini, V., see Søndergaard, I. 512(1990)115
- Maeda, M., Shimada, S. and Tsuji, A.
High-performance liquid chromatography with a 3 α -hydroxysteroid dehydrogenase postcolumn reactor and isoluminol-microperoxidase chemiluminescence detection 515(1990)329
- Maeda, M., see Hirukawa, M. 507(1990)95
- Maeda, N., see Kawasaki, H. 516(1990)450
- Maeda, N., see Usui, H. 515(1990)375
- Maeda, Y., see Oka, H. 538(1991)149
- Maehr, R., see DeAngelis, R. 525(1990)389
- Maessen, P. A., see De Jong, J. 529(1990)359
- Magara, H., see Shinohara, Y. 525(1990)93
- Magnico, P. and Martin, M.
Dispersion in the interstitial space of packed columns 517(1990)31
- Magnin, P., see Makki, S. 539(1991)443
- Maguire, M. H., see Wiley, D. M. 533(1990)73
- Mahamed, A. M., see Lodi, G. 545(1991)214

- Mahmoud, M. E., Moussa, A. M., Forsyth, D. A. and Vouros, P.
Hydrogen-deuterium exchange in fused-silica capillary columns 549(1991)416
- Mahoney, N. E. and Roitman, J. N.
High-performance liquid chromatographic analysis of phenylpyrroles produced by *Pseudomonas cepacia* 508(1990)247
- Mahuzier, G., see Tod, M. 542(1991)295
- Maier-Rosenkranz, J., see Ilg, M. 517(1990)263
- Maity, S., see Das, D. K. 536(1991)273
- Maki, A. H., see Alfredson, T. V. 507(1990)277
- Maki, S. A. and Danielson, N. D.
Naphthalenesulfonates as mobile phases for anion-exchange chromatography using indirect photometric detection 542(1991)101
- Makino, A., see Honda, S. 515(1990)653
- Makino, Y., see Hiro, T. 528(1990)315
- Makita, A., see Kato, N. 549(1991)133
- Makita, A., see Saga, Y. 513(1990)379
- Makita, M., see Kataoka, H. 528(1990)172
- Makki, S., Muret, P., Renaud, A., Agache, P. and Magnin, P.
Simple equilibrium dialysis-high-performance liquid chromatographic method for the *in vitro* assessment of 5-methoxypsoralen bound to human albumin 539(1991)443
- Malamataris, S., see Avgerinos, A. 533(1990)271
- Malaník, V., see Malaníková, M. 513(1990)401
- Malaníková, M., Malaník, V. and Marek, M.
Use of thin-layer chromatography for the testing of avermectins produced by *Streptomyces avermitilis* strains 513(1990)401
- Malfait, T. and Van Cauwelaert, F.
Preparative and analytical separation of oligosaccharides from κ -carrageenan 504(1990)369
- Malisova, A. D., see Gavrichev, V. S. 509(1990)59
- Malíková, J., see Hušek, P. 533(1990)166
- Malle, E., see Leis, H.-J. 526(1990)169
- Malle, E., see Leis, H. J. 529(1990)299
- Malle, E., see Welz, W. 526(1990)319
- Mallia, A. K., see Domen, P. L. 510(1990)293
- Mallikaarjun, K. R. and Karnes, H. T.
Bioanalysis of anti-ulcer agents 531(1990)407
- Malmer, M. F. and Schroeder, L. A.
Amino acid analysis by high-performance liquid chromatography with methanesulfonic acid hydrolysis and 9-fluorenylmethylchloroformate derivatization 514(1990)227
- Maloney, J. A. and Awni, W. M.
High-performance liquid chromatographic determination of isepamicin in plasma, urine and dialysate 526(1990)487
- Manabe, S., Wada, O. and Kanai, Y.
Simultaneous determination of amino- α -carbolines and amino- γ -carbolines in cigarette smoke condensate by high-performance liquid chromatography 529(1990)125
- Manabe, T., see Yamamoto, H. 515(1990)659
- Manchester, K. L., see Bhoolia, D. 545(1991)196
- Mancinelli, A., see D'Aranno, V. 525(1990)234
- Mandal, S., Naqvi, A. A. and Thakur, R. S.
Analysis of some tropane alkaloids in plants by mixed-column high-performance liquid chromatography 547(1991)468
- Mandeville, W. H., see Phillips, D. J. 536(1991)95
- Manera, E., see Pietta, P. 513(1990)397
- Mangani, F., see Bruner, F. 517(1990)123
- Mangels, J., see Schröder, B. 514(1990)241
- Mangia, A., see Bolzoni, L. 518(1990)221
- Mangiarotti, M., see Segatti, M. P. 536(1991)319
- Mangin, P., see Boukhabza, A. 529(1990)210
- Mangin, P., see Kennel, S. 527(1990)169
- Mangin, P., see Tracqui, A. 529(1990)369
- Maniongui, C., Gresti, J., Bugaut, M., Gauthier, S. and Bezaud, J.
Determination of bovine butterfat triacylglycerols by reversed-phase liquid chromatography and gas chromatography 543(1991)81
- Manjini, S., see Müller-Schulte, D. 539(1991)307
- Manna, F., see Gagliardi, L. 508(1990)252
- Mann-Buxbaum, E., see Schalkhammer, T. 510(1990)355
- Manoha, M., see Rouchouse, A. 506(1990)601
- Mant, C. T., see Hodges, R. S. 548(1991)267
- Mant, C. T., see Zhou, N. E. 548(1991)179
- Mant, C. T., see Zhu, B.-Y. 548(1991)13
- Manz, H. J., see Zeller, M. 545(1991)421
- Manzocchi, A., see Chiari, M. 548(1991)381
- Mao, J., see Ye, M. 518(1990)238
- Mao, Q. M., Johnston, A., Prince, I. G. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXIII. Predicting the performance of non-porous particles in affinity chromatography of proteins 548(1991)147
- Mao, Q. M., see Johnston, A. 548(1991)127
- Marák, J., Laštinec, J., Kaniansky, D. and Madajová, V.
Computer-assisted choice of electrolyte systems and spacing constituents for two-dimensional capillary isotachopheresis 509(1990)287
- Marák, J., see Hutta, M. 509(1990)271
- Marák, J., see Kaniansky, D. 502(1990)143
- Marangella, M., see Petrarulo, M. 511(1990)223

- Marangella, M., see Petrarulo, M. 532(1990)130
- Marcé, R. M., Calull, M., Olucha, J. C., Borrull, F. and Rius, F. X.
Optimized isocratic separation of major carboxylic acids in wine 542(1991)277
- Marcelo-Curto, M. J., see Gigante, B. 549(1991)217
- Marchal, J., see Sentier, L. 547(1991)531
- Marchese, E., Vita, N., Maureaud, T. and Ferrara, P.
Separation by cation-exchange high-performance liquid chromatography of three forms of Chinese hamster ovary cell-derived recombinant human interleukin-2 504(1990)351
- Marchetti, M., see Carfagnini, G. 530(1990)359
- Marchetti, M., see Di Corcia, A. 541(1991)365
- Marchiori, F., see Calderan, A. 548(1991)329
- Marcišauskas, R., see Markauskas, A. 539(1991)525
- Marcó, J., see Lema, M. 547(1991)113
- Marcollí, C., see Thormann, W. 545(1991)445
- Marcucci, F., see Colombo, L. 530(1990)141
- Marder, S. R., see Aravagiri, M. 525(1990)419
- Marek, A., see Glatz, Z. 503(1990)197
- Marek, M., see Malaniková, M. 513(1990)401
- Marello, B., see Morgan, D. 502(1990)351
- Marengo, E., see Gennaro, M. C. 518(1990)149
- Mareš, P., see Řezanka, T. 509(1990)333
- Mareš, P., see Řezanka, T. 542(1991)145
- Mareš, P., see Tvrzická, E. 530(1990)424
- Marheni, Haddad, P. R. and McTaggart, A. R.
On-column matrix elimination of high levels of chloride and sulfate in non-suppressed ion chromatography 546(1991)221
- Marigo, M., see Tagliaro, F. 507(1990)253
- Marin, O., see Calderan, A. 548(1991)329
- Marinello, E., see Terzuoli, L. 514(1990)80
- Marinello, E., see Terzuoli, L. 547(1991)472
- Marini, M. A., see Fishman, R. M. 532(1990)55
- Marini, M. G., see Colombo, L. 530(1990)141
- Maris, F., Hindriks, R., Vink, J., Peeters, A., Vanden Driessche, N. and Massart, L.
Validation of an expert system for the selection of initial high-performance liquid chromatographic conditions for the analysis of basic drugs 506(1990)211
- Maris, F., see Mulholland, M. 550(1991)257
- Maris, F. A., Vervoort, R. J. M. and Hindriks, H.
Applicability of new chiral stationary phases in the separation of racemic pharmaceutical compounds by high-performance liquid chromatography 547(1991)45
- Markauskas, A., Tiknius, V. and Marcišauskas, R.
Use of immobilized triazine dyes in the purification of DNA topoisomerase I (Topo I) and terminal deoxynucleotidyl transferase (TdT) from calf thymus 539(1991)525
- Markides, K. E., see Bradshaw, J. S. 540(1991)279
- Markides, K. E., see Raynor, M. W. 505(1990)179
- Markides, K. E., see Sumpter, S. R. 517(1990)503
- Markin, R. S., Wadman, M. C., Bottjen, P. L., Haven, M. C. and Huth, J. A.
Short-column liquid chromatographic assay for caffeine and chloramphenicol in serum 525(1990)464
- Marko, V., see Weber, H. 525(1990)459
- Markopoulou, C., see Kountourellis, J. E. 502(1990)189
- Marko-Varga, G., Dominguez, E., Hahn-Hägerdal, B. and Gorton, L.
Selective post-column liquid chromatographic determination of sugars in spent sulphite liquor with two enzymatic electrochemical detectors in parallel 506(1990)423
- Marko-Varga, G., Dominguez, E., Hahn-Hägerdal, B., Gorton, L., Irth, H., De Jong, G. J., Frei, R. W. and Brinkman, U. A. T.
On-line sample clean-up of fermentation broths and substrates prior to the liquid chromatographic separation of carbohydrates 523(1990)173
- Markowski, W., Dzido, T. H. and Soczewiński, E.
Computer simulation for optimization of high-performance liquid chromatography of some phenolic pollutants 523(1990)81
- Marlett, J. A., see Kraus, R. J. 513(1990)71
- Marquet, P., see Nicot, G. 528(1990)258
- Márquez-Ruiz, G., Pérez-Camino, M. C. and Dobarganes, M. C.
Combination of adsorption and size-exclusion chromatography for the determination of fatty acid monomers, dimers and polymers 514(1990)37
- Marquina, R., see Hernandez, L. 502(1990)247
- Marr, J. G. D., Seaton, G. G. R., Clark, B. J. and Fell, A. F.
Multiple absorbance ratio correlation — a new approach for assessing peak purity in liquid chromatography 506(1990)289
- Marshall, P. S., see Straka, R. J. 530(1990)83
- Marston, A., see Vallat, P. 504(1990)411
- Martal, J., see Straczek, J. 533(1990)35
- Martea, M., see Vree, T. B. 526(1990)119
- Martea, M., see Vree, T. B. 534(1990)214
- Martens, D. A. and Frankenberger, Jr., W. T.
Determination of saccharides in biological materials by high-performance anion-

- exchange chromatography with pulsed amperometric detection 546(1991)297
- Martens, M., see Lafosse, M. 505(1990)191
- Mårtensson, E., see Svensson, C. 529(1990)229
- Martin, J., see Patel, A. 510(1990)83
- Martin, J. L., see Alonso-Silva, I. J. 507(1990)293
- Martin, M., see Magnico, P. 517(1990)31
- Martin, M., see Thévenon-Emeric, G. 550(1991)267
- Martin, R. M., see Arrendale, R. F. 518(1990)307
- Martin, S. G., see Stratford, M. R. L. 526(1990)383
- Martinelli, E. M., see Marzo, A. 535(1990)255
- Martinez, A. M., see Gatrone, R. C. 516(1990)395
- Martinez, G., Hart, R. W., Hill, H. M., Lang, J. R., Lessard, D. and Houle, J. M.
Determination of loxidine in human serum by capillary column gas chromatography with nitrogen-phosphorus detection 533(1990)235
- Martinez, Jr., J. L., see Shibasaki, S. 532(1990)249
- Martin-Hopkins, M. B., see Gilpin, R. K. 513(1990)1
- Martinsen, A. and Huhtikangas, A.
Gas chromatographic analysis of tropic, benzoic and cinnamic acids, biosynthetic tropane alkaloid precursors 539(1991)232
- Martire, D. E., Riestler, R. L., Bruno, T. J., Hussam, A. and Poe, D. P.
Generalized treatment of spatial and temporal column parameters, applicable to gas, liquid and supercritical fluid chromatography. II. Application to supercritical CO₂ 545(1991)135
- Martire, D. E., see Alvarez-Zepeda, A. 550(1991)285
- Martire, D. E., see Poe, D. P. 517(1990)3
- Martinez, D., Jurado, M. C. and Repetto, M.
Analysis of buprenorphine in plasma and urine by gas chromatography 528(1990)459
- Martyn, J., see Annan, R. S. 526(1990)228
- Maruo, M., see Hirayama, N. 523(1990)257
- Maruyama, T., see Takeba, K. 504(1990)441
- Maruyama, Y., see Ikarashi, Y. 533(1990)23
- Maruyama, Y., see Kim, C.-H. 512(1990)131
- Marvin, C. H., Brindle, I. D., Hall, C. D. and Chiba, M.
Development of an automated high-performance liquid chromatographic method for the on-line pre-concentration and determination of trace concentrations of pesticides in drinking water 503(1990)167
- Marvin, C. H., Brindle, I. D., Singh, R. P., Hall, C. D. and Chiba, M.
Simultaneous determination of trace concentrations of benomyl, carbendazim (MBC) and nine other pesticides in water using an automated on-line pre-concentration high-performance liquid chromatographic method 518(1990)242
- Marzo, A., Arrigoni Martelli, E., Bruno, G., Martinelli, E. M. and Pifferi, G.
Assay of hydroxyfarrerol in biological fluids 535(1990)255
- Marzo, A., Arrigoni Martelli, E., Bruno, G., Nava, D., Mignot, A., Vidal, R. and Lefebvre, M. A.
High-performance liquid chromatographic evaluation of 2-(α -thenoylthio)-propionylglycine and its two metabolites in biological fluids 536(1991)327
- Marzo, A., Cardace, G., Monti, N., Muck, S. and Arrigoni Martelli, E.
Chromatographic and non-chromatographic assay of L-carnitine family components (Review) 527(1990)247
- Marzo, A., Monti, N., Ripamonti, M., Arrigoni Martelli, E. and Picari, M.
High-performance liquid chromatographic assay of ampicillin and its prodrug lenampicillin 507(1990)235
- Marzo, A., Monti, N., Ripamonti, M., Muck, S. and Arrigoni Martelli, E.
Determination of aliphatic amines by gas and high-performance liquid chromatography 507(1990)241
- Mascher, E., see Lundahl, P. 518(1990)111
- Mascher, H. and Kikuta, C.
Determination of amoxicillin in plasma by high-performance liquid chromatography with fluorescence detection after on-line oxidation 506(1990)417
- Maschler, R., see Steiner, V. 530(1990)273
- Masella, R., see Cantafora, A. 507(1990)339
- Masłowska, J. and Starzyński, S.
Studies on the separation of Al^{III}, Co^{III}, Cr^{III} and Fe^{III} complexes with acetylacetone by reversed-phase high-performance liquid chromatography 502(1990)221
- Massa, M., see Miraglia, N. 512(1990)123
- Massart, L., see Maris, F. 506(1990)211
- Massey, I. J., see Wu, A. T. 534(1990)241
- Massey, P. R., see Wu, Z. 513(1990)209
- Massil, S. E. and Ovadia, D.
Determination of phosgene as its N,N,N',N'-tetraethylurea derivative by gas chromatography 538(1991)435
- Massolini, G., see Gandini, C. 540(1991)416
- Mastico, R., see Phillips, D. J. 536(1991)95

- Masucci, J. A., see Caldwell, G. W.
514(1990)377
- Masuda, S., see Nishimura, K. 525(1990)176
- Masuda, Y., see Ryan, J. J. 541(1991)131
- Masuhara, K., see Kinoshita, M. 529(1990)462
- Masuhara, K., see Takahashi, H. 529(1990)347
- Matheson, L. M., see Cummings, J. 528(1990)43
- Mathews, L. A., see Bigelow, J. C. 533(1990)133
- Mathiasson, L., see Lindegård, B. 514(1990)293
- Mathieu, D., see Pommery, J. 526(1990)569
- Mathieu, M., see Pommery, J. 526(1990)569
- Mathis, R., Hubert, P. and Dellacherie, E.
Mild hydrophobic interaction
chromatography: prediction of
chromatographic behaviour by preliminary
analysis by "partition between aqueous
two-phase systems" 538(1991)456
- Mathis, R., see Hubert, P. 539(1991)297
- Matisová, E., see Dimov, N. 549(1991)325
- Matisová, E., see Volmut, J. 527(1990)428
- Matkovics, B., see Kalász, H. 520(1990)287
- Matoušek, M., see Šalamoun, J. 514(1990)179
- Matsubara, K., see Akane, A. 529(1990)155
- Matsubayashi, K., Yoshioka, M. and Tachizawa, H.
Simple method for determination of the
cephalosporin DQ-2556 in biological fluids
by high-performance liquid
chromatography 515(1990)547
- Matsuda, I., see Fujii, J. 530(1990)469
- Matsuda, R., see Hayashi, Y. 513(1990)349
- Matsui, H., see Ohhira, S. 525(1990)105
- Matsui, M., see Kuno, Y. 537(1991)489
- Matsukane, I., see Fujii, J. 530(1990)469
- Matsumiya, T., see Takeda, H. 515(1990)265
- Matsumoto, M., Togashi, H., Yoshioka, M.,
Hirokami, M., Morii, K. and Saito, H.
Simultaneous high-performance liquid
chromatographic determination of
norepinephrine, serotonin, acetylcholine and
their metabolites in the cerebrospinal fluid of
anaesthetized normotensive rats 526(1990)1
- Matsumoto, M., see Takeba, K. 504(1990)441
- Matsumoto, T., see Teramachi, S. 547(1991)429
- Matsumoto, U., Shibusawa, Y. and Yamashita, M.
Surface affinity chromatographic separation
of blood cells. VII. Relationship between
capacity factors of human peripheral blood
cells and the rate of penetration of liquids
into xerogel column packings 504(1990)69
- Matsumura, K., see Enoki, Y. 533(1990)63
- Matsuo, M., see Nishi, H. 513(1990)279
- Matsuo, M., see Nishi, H. 515(1990)233
- Matsuo, M., see Nishi, H. 515(1990)245
- Matsuoka, K., Taoka, M., Isobe, T., Okuyama, T. and Kato, Y.
Automated high-resolution two-dimensional
liquid chromatographic system for the rapid
and sensitive separation of complex peptide
mixtures 515(1990)313
- Matsuoka, M., see Banno, K. 525(1990)255
- Matsushima, Y., see Kanazawa, H.
507(1990)327
- Matsushima, Y., see Kanazawa, H.
537(1991)469
- Matsuura, K., see Kostiainen, R. 538(1991)323
- Matsuura, S., see Niwa, T. 533(1990)145
- Matsuzaki, Y., see Takeda, S. 530(1990)447
- Mattiasson, B., see Ghose, S. 547(1991)145
- Mattina, M. J. I.
Determination of chlorophenoxy acids using
high-performance liquid chromatography-
particle beam mass spectrometry
542(1991)385
- Matuszewski, B. K., Constanzer, M. L., Hesse, G. A. and Bayne, W. F.
Development of direct stereoselective and
non-stereoselective assays in biological fluids
for the enantiomers of a thieno[2,3-*b*]thiopyran-2-sulfonamide, a topically
effective carbonic anhydrase inhibitor
526(1990)461
- Matuszewski, B. K., see Kline, W. F.
534(1990)139
- Matysik, G. and Jusiak, L.
Stepwise gradient in thin-layer
chromatography of *Chelidonium* alkaloids
518(1990)273
- Maugein, J., see Fourche, J. 532(1990)209
- Maureaud, T., see Marchese, E. 504(1990)351
- Maurer, H. H.
Identification and differentiation of
barbiturates, other sedative-hypnotics and
their metabolites in urine integrated in a
general screening procedure using
computerized gas chromatography-mass
spectrometry 530(1990)307
- Maurer, H. H.
Chromatography of histamine H₁- and
H₂-receptor blockers in biosamples
531(1990)369
- Maurer, T., Engewald, W. and Steinborn, A.
Enhanced possibilities for identification
using series-coupled capillary gas
chromatographic columns. II. Retention
indices as an identification tool in selectivity
tuning 517(1990)77
- Maurer, T., see Engewald, W. 520(1990)3
- Mauri, P., see Pietta, P. 513(1990)397
- Mauri, P., see Pietta, P. 537(1991)449
- Mauri, P. L., Pietta, P. G. and Pace, M.
Analysis and purification of DNA restriction
fragments by high-performance liquid
chromatography 548(1991)281
- Mauri, P. L., see Pace, M. 539(1991)517

- Mauri, P. L., see Pietta, P. G. 547(1991)439
 Mauri, P. L., see Pietta, P. G. 549(1991)367
 Maurizis, J. C., see Bernard, D. 539(1991)511
 Mavura, W. J., see Urasa, I. T. 547(1991)211
 Maxl, F., see Buck, R. H. 548(1991)335
 Maxwell, R. J., see Kurantz, M. J. 549(1991)387
 Mayer, F., see Kühlkamp, V. 528(1990)267
 Mayer, U., see Mross, K. 530(1990)192
 Mayer, W. J., Long, D. A. and Parikh, D. K.
 Phosphate-gradient high-performance liquid chromatographic method for the analysis of synthetic salmon calcitonin 536(1991)131
 Mayernik, J. A., Conner, M. K. and Giam, C. S.
 Methods for the isolation and detection of etheno adducts in nucleotide pools in vivo following exposure to ethyl carbamate 526(1990)407
 Mayers, D. J., see Gorecki, D. K. J. 528(1990)333
 Mayes, A. G., Hubble, J. and Eisenthal, R.
 Investigation of liquid phase cooperative binding interactions on the capacity of insoluble affinity adsorbents 539(1991)245
 Mayhew, J. W., see Hill, T. L. 512(1990)415
 Maynard, P., see Lowe, C. R. 510(1990)347
 Mayo, D., see Kirschbaum, J. 507(1990)165
 Mazrimas, J. A., see Stacks, P. C. 528(1990)25
 Mazsaroff, I., see Afeyan, N. B. 519(1990)1
 Mazurek, M., see Witkiewicz, Z. 503(1990)293
 Mazzeo, J. R., Krull, I. S. and Kissinger, P. T.
 Use of Ce(IV) oxidizing agent for the derivatization of polycyclic aromatic hydrocarbons for liquid chromatography-electrochemical detection 550(1990)585
 Mazzi, G. and Schinella, M.
 Simple and practical high-performance liquid chromatographic assay of propofol in human blood by phenyl column chromatography with electrochemical detection 528(1990)537
 Mazzolari, E., see Rausa, R. 541(1991)419
 McClintock, S. A., see Di Maso, M. 519(1990)256
 McCloud, T. G., see Schaufelberger, D. E. 538(1991)87
 McClure, T. D., see Nakano, K. 515(1990)537
 McCombs, D. A., see Kirkland, K. M. 545(1991)43
 McCormack, J. J., see Bigelow, J. C. 533(1990)133
 McCoy, M. A. and Liapis, A. I.
 Evaluation of kinetic models for biospecific adsorption and its implications for finite bath and column performance 548(1991)25
 McDowall, R. D., see Doyle, E. 527(1990)67
 McDowell, I., see Bailey, R. G. 542(1991)115
 McErlane, K. M., see Embree, L. 526(1990)439
 McErlane, K. M., see Walisser, J. A. 518(1990)179
 McFarland, V. A., see Choudhury, S. 534(1990)208
 McGarrity, M. J., see Wagner, H. P. 546(1991)119
 McGee, C. M., see Dawson, M. 532(1990)379
 McGuffin, V. L., see Evans, C. E. 503(1990)127
 McGuinness, E. T., see Porter, G. F. 502(1990)69
 McNerney, B. V., see Sharp, P. J. 512(1990)189
 McLaughlin, L. G. and Henion, J. D.
 Determination of dexamethasone in bovine tissues by coupled-column normal-phase high-performance liquid chromatography and capillary gas chromatography-mass spectrometry 529(1990)1
 McLeod, A. N., Auf der Mauer, A. and Wood, S. P.
 High-performance liquid chromatography of insulin. Accessibility and flexibility 502(1990)325
 McMinn, D. G., see Gallagher, M. M. 518(1990)297
 McNair, H. M., see Rasmussen, H. T. 516(1990)223
 McNair, H. M., see Rasmussen, H. T. 517(1990)549
 McNair, H. M., see Wilson, W. H. 540(1991)77
 McPhee, M. D., Atkinson, S. A. and Cole, D. E. C.
 Quantitation of free sulfate and total sulfoesters in human breast milk by ion chromatography 527(1990)41
 McTaggart, A. R., see Marheni 546(1991)221
 Meese, C. O., see Hofmann, U. 508(1990)349
 Mehra, H. C., Davis Huysmans, K. and Frankenberger, Jr., W. T.
 Determination of borate at trace levels in environmental samples by ion-exclusion chromatography 508(1990)265
 Mehra, H. C., see Frankenberger, Jr., W. T. 504(1990)211
 Mehta, M., see Dubin, P. L. 515(1990)37
 Mehra, R.
 Liquid chromatographic analysis of propafenone enantiomers in human plasma 527(1990)79
 Meier, B., see Hasler, A. 508(1990)236
 Meier, P., see Thormann, W. 545(1991)445
 Meier-Augenstein, W. and Schildknecht, H.
 Analytical and preparative high-performance liquid chromatographic systems for the separation of an anomeric mixture of 4-O-(D-glucopyranosyl)gallic acid 518(1990)254
 Meineke, I., Hartnack, S. and De Mey, C.
 Determination of mepindolol in plasma after transdermal drug delivery by high-

- performance liquid chromatography with electrochemical detection 526(1990)240
- Meinertz, J. R., see Allen, J. L. 536(1991)217
- Meister, A., see Bünger, H. 520(1990)383
- Meiwes, J., see Fiedler, H.-P. 513(1990)255
- Melger, W. C., see Van Beek, T. A. 543(1991)375
- Meli, A., see D'Aranno, V. 525(1990)234
- Melian, G. P., see Ling, C. F. 519(1990)359
- Melnikova, S. V., see Berezkina, L. G. 520(1990)157
- Meloni, M., see Cabras, P. 505(1990)413
- Meloni, M. L., see Iadarola, P. 512(1990)165
- Ménard, C., see Lawrence, J. F. 550(1991)595
- Mendez, E., see Colilla, F. J. 548(1991)303
- Méndez, E., see Escribano, J. 512(1990)255
- Mendoza Mujica, I., see Contreras de Condado, M. C. 530(1990)164
- Meng, Q. C., Chen, Y. F., Oparil, S. and Cragoe, E. J. High-performance liquid chromatographic determination of amiloride and its analogues in rat plasma 529(1990)201
- Meng, T., see Zeng, L. 513(1990)247
- Menozzi, F. D., see Planques, Y. 539(1991)531
- Mensink, C. K., see Wieling, J. 545(1991)101
- Mentasti, E., see Petrarulo, M. 511(1990)223
- Menzel-Soglowek, S., Geisslinger, G. and Brune, K. Stereoselective high-performance liquid chromatographic determination of ketoprofen, ibuprofen and fenoprofen in plasma using a chiral α_1 -acid glycoprotein column 532(1990)295
- Menziani, E., Tosi, B., Bonora, A., Reschiglian, P. and Lodi, G. Automated multiple development high-performance thin-layer chromatographic analysis of natural phenolic compounds 511(1990)396
- Merckx, R., see Smolders, E. 514(1990)371
- Meriluoto, J. A. O., Eriksson, J. E., Harada, K.-I., Dahlem, A. M., Sivonen, K. and Carmichael, W. W. Internal surface reversed-phase high-performance liquid chromatographic separation of the cyanobacterial peptide toxins microcystin-LA, -LR, -YR, -RR and nodularin 509(1990)390
- Merkle, H.-P., see Langguth, P. 528(1990)55
- Merkus, H. G., see Mori, Y. 515(1990)27
- Mershon, M. M., see Jakubowski, E. M. 528(1990)184
- Mester, T., see Körtvélyessy, G. 507(1990)409
- Meszlényi, G., see Körtvélyessy, G. 507(1990)409
- Metting, H. J., see Coenegracht, P. M. J. 550(1991)397
- Meulemans, A., see Mohler, J. 528(1990)415
- Meyer, B., Kecorius, E., Barter, P., Fidge, N. and Tetaz, T. Application of reversed-phase high-performance liquid chromatography to the separation of apolipoproteins A-IV, A-I and E from rat high-density lipoprotein 540(1991)386
- Meyer, J. C., Spreen, R. C. and Hall, J. E. Use of a short analytical column for the isolation and identification of degradation products of ICI 200 880, a peptidic elastase inhibitor 522(1990)213
- Meyers, M. B., see Weisz, A. 538(1991)157
- Mhatre, R., Krull, I. S. and Stuting, H. H. Determination of biopolymer (protein) molecular weights by gradient elution, reversed-phase high-performance liquid chromatography with low-angle laser light scattering detection 502(1990)21
- Micali, G., Lanuzza, F., Currò, P. and Calabrò, G. Separation of alkanes in *Citrus* essential oils by on-line coupled high-performance liquid chromatography-high-resolution gas chromatography 514(1990)317
- Michaelis, H. C. Determination of pyridostigmine plasma concentrations by high-performance liquid chromatography 534(1990)291
- Michaelis, H. C., Geng, W., Kahl, G. F. and Foth, H. Sensitive determination of bupivacaine in human plasma by high-performance liquid chromatography 527(1990)201
- Michaelis, H. C., see Frijus-Plessen, N. 534(1990)101
- Michalec, Č., see Bradová, V. 533(1990)297
- Michalkiewicz, A., see Venn, R. F. 525(1990)379
- Michová, J., see Velíšek, J. 502(1990)167
- Midgley, J. M., Andrew, R., Watson, D. G., MacDonald, N., Reid, J. L. and Williams, D. A. Dichlorotetrafluoroacetone as a derivatisation reagent in the analysis of mandelic acids in human urine 527(1990)259
- Midgley, J. M., see Macfarlane, R. G. 532(1990)1
- Midgley, J. M., see Macfarlane, R. G. 532(1990)13
- Midha, K. K., see Srinivas, N. R. 530(1990)327
- Mientjcs, M., see Jackson, P. E. 546(1991)405
- Mignot, A., see Marzo, A. 536(1991)327
- Miguel, J., see Escribano, J. 512(1990)255
- Mihal, K. A., see Krueger, R. J. 543(1991)451
- Mihalíć, Z., see Bošnjak, N. 540(1991)430

- Mihara, M., see Shimizu, T. 539(1991)193
- Mikawa, Y., see Tanaka, N. 535(1990)13
- Mike, J. H., Ramos, B. L. and Zupp, T. A.
Electrochemical enhancement of high-performance liquid chromatography-UV detection for determination of phenylpropanolamine 518(1990)167
- Mikešová, M., see Vejrosta, J. 518(1990)234
- Miklean, S., see Karp, S. 504(1990)434
- Miksik, I., see Deyl, Z. 516(1990)287
- Mikula, J., see Lajdová, I. 528(1990)178
- Millbrath, D. S., see Coleman, P. L. 512(1990)345
- Millán, A., Grases, J. M. and Grases, F.
Rapid determination of urinary oxalate by high-performance liquid chromatography 529(1990)402
- Miller, D. J., see Hawthorne, S. B. 541(1991)185
- Miller, J. and Weyker, C.
Analytical and preparative resolution of enantiomers of prostaglandin precursors and prostaglandins by liquid chromatography on derivatized cellulose chiral stationary phases 511(1990)97
- Miller, N. T.
Stationary phase effects in reversed-phase liquid chromatography under overload conditions 550(1991)301
- Miller, N. T., see Wang, T. 523(1990)23
- Miller, R. L., see Sapers, G. M. 503(1990)431
- Miller-Stein, C., see Boppana, V. K. 548(1991)319
- Millet, J. L., see Daban Haurou, C. 547(1991)31
- Millington, D. S., see Norwood, D. L. 527(1990)289
- Milyaev, Y. F., see Balyatinskaya, L. N. 509(1990)107
- Minami, M., see Hirata, Y. 503(1990)189
- Minchiotti, L., see Iadarola, P. 512(1990)165
- Mindlin, L. O., see Dubrova, M. A. 520(1990)169
- Mineshos, G., Roumelis, N. and Glavas, S.
Determination of peroxyacetyl nitrate, peroxypropionyl nitrate and alkyl nitrates of atmospheric importance using capillary columns 541(1991)99
- Ming, F. and Howell, J. A.
Kinetic behaviour of a novel matrix ion exchanger, carboxymethyl-HVFM operated at high flow-rate 539(1991)255
- Minguillón, C., see Oliveros, L. 543(1991)277
- Mink, L. P., see Lochmüller, C. H. 505(1990)119
- Minocha, R., see Minocha, S. C. 511(1990)177
- Minocha, S. C., Minocha, R. and Robie, C. A.
High-performance liquid chromatographic method for the determination of dansyl-polyamines 511(1990)177
- Minogawa, E., see Hayakawa, K. 515(1990)459
- Miraglia, N., Rindone, B., Folchitto, G., Amicucci, P., Antonelli, G., Lanfranchi, A. and Massa, M.
High-performance liquid chromatographic approach to the separation of antiviral and immunostimulant fractions in Neuramide 512(1990)123
- Miraglia, N., see Giacobbe, S. 548(1991)289
- Misiti, D., see Bruno, G. 504(1990)319
- Misiti, D., see Gasparrini, F. 539(1991)25
- Mislovičová, D., Gemeiner, P., Stratilová, E. and Horváthová, M.
Competitive elution of lactate dehydrogenase from Cibacron Blue-bead cellulose with Cibacron Blue-dextran 510(1990)197
- Mislovičová, D., Novák, I. and Pašteka, M.
Coated silica and its behaviour in dye-affinity chromatography 543(1991)9
- Mislovičová, D., see Horváthová, M. 509(1990)213
- Missbichler, A., Ferris, R., Hartter, E., Woloszczuk, W. and Pittner, F.
Immobilization of α -human atrial natriuretic peptide on insoluble supports and affinity purification of specific antibodies from a polyclonal goat anti- α -human atrial natriuretic peptide serum 510(1990)339
- Mistrello, G., see Bolzacchini, E. 542(1991)337
- Mistrello, G., see Bolzacchini, E. 548(1991)229
- Mistry, J. S., Sebti, S. M. and Lazo, J. S.
Separation of bleomycins and their deamido metabolites by high-performance cation-exchange chromatography 514(1990)86
- Mitamura, S., see Ohwa, M. 521(1990)122
- Mitchell, H. D., see Williams, R. G. 541(1991)59
- Mitchell, J. M., see Paul, B. D. 529(1990)103
- Mitchell, Jr., G. E., see Karangwa, E. 532(1990)105
- Mitsuhashi, Y., see Hamano, T. 541(1991)265
- Mitui, H., see Usui, H. 515(1990)375
- Miwa, H. and Yamamoto, M.
Liquid chromatographic determination of free and total fatty acids in milk and milk products as their 2-nitrophenylhydrazides 523(1990)235
- Miwa, T., Kuroda, H., Sakashita, S., Asakawa, N. and Miyake, Y.
Characteristics of ovomucoid-conjugated columns in the direct liquid chromatographic resolution of racemic compounds 511(1990)89
- Miyabayashi, A., see Andersson, L. I. 516(1990)323
- Miyagawa, F., Tsuchida, Y. and Shimizu, T.
Detection of octopamine in an insect ganglion by high-performance liquid

- chromatography–native fluorescence
549(1991)400
- Miyagi, H., see Kamahori, M. 549(1991)101
- Miyahara, H., see Goto, M. 515(1990)213
- Miyake, R., see Kamahori, M. 549(1991)101
- Miyake, Y., see Miwa, T. 511(1990)89
- Miyamoto, K., see Shimamura, M. 526(1990)535
- Miyasaka, K., see Hori, S. 515(1990)67
- Miyasaka, K., see Hori, S. 515(1990)611
- Miyasaka, K., see Yamakawa, Y. 506(1990)319
- Miyasaka, K., see Yamakawa, Y. 515(1990)563
- Miyashita, Y., see Terabe, S. 516(1990)23
- Miyazaki, H., see Eguchi, T. 525(1990)25
- Miyazaki, M., see Hayakawa, K. 515(1990)459
- Miyazaki, T., see Yoshioka, M. 515(1990)205
- Miyazawa, T., see Yamada, T. 515(1990)475
- Mizobe, M., see Tagawa, K. 529(1990)500
- Mizobuchi, N., Ageta, T. and Kodama, H.
Determination of N-monoacetyl-
cystathionine in biological samples using
isotachopheresis 526(1990)550
- Mizoi, Y., see Adachi, J. 538(1991)331
- Mizuguchi, S., see Nakanuma, R. 527(1990)208
- Mizumura, J., see Watari, N. 530(1990)438
- Mizuno, S., see Adachi, Y. 530(1990)39
- Mizutani, T., see Oshima, T. 547(1991)175
- Moats, W. A.
Determination of penicillin G in milk by
high-performance liquid chromatography
with automated liquid chromatographic
cleanup 507(1990)177
- Modin, R., see Fell, A. F. 535(1990)33
- Moeller, N., Dietzel, K., Nuernberg, B.,
Geisslinger, G. and Brune, K.
High-performance liquid chromatographic
determination of pentazocine in plasma
530(1990)200
- Mogi, M., see Harada, M. 527(1990)158
- Mogi, M., see Harada, M. 530(1990)116
- Mogilevsky, W. S., see Odell, G. B.
529(1990)287
- Mohammad, T. and Morrison, H.
Rapid analysis of small molecules in the
presence of DNA by high-performance
liquid chromatography using internal surface
reversed-phase silica 533(1990)195
- Mohler, J., Meulemans, A. and Vulpillat, M.
High-performance liquid chromatographic
determination of the binding of ceftriaxone
to human serum albumin solution and
albumin from diluted human serum
528(1990)415
- Mohseni, R. M. and Hurtubise, R. J.
Reversed-phase chromatographic separation
of selected hydroxyl aromatics with
 β -cyclodextrin as a mobile phase additive
514(1990)19
- Mohseni, R. M. and Hurtubise, R. J.
Changes in the enthalpy and entropy of
hydroxyl aromatics in reversed-phase liquid
chromatography with β -cyclodextrin in the
mobile phase 537(1991)61
- Moir, C. M., see Betts, T. J. 547(1991)335
- Moll, N., see Joly, J.-P. 521(1990)134
- Molnar, I., Gober, K. H. and Christ, B.
Fast development of a robust high-
performance liquid chromatographic method
for *Ginkgo biloba* based on computer
simulation 550(1991)39
- Molnár-Perl, I., Morvai, M., Pintér-Szakács, M.,
Kövágó, Á. and Petróczy, J.
Gas–liquid chromatographic assay of the
components of electrochemically reduced
glucose solutions. Impurities in sorbitol
samples 520(1990)185
- Molnár-Perl, I., see Fábán, V. 520(1990)193
- Molnár-Perl, I., see Morvai, M. 520(1990)201
- Moncollin, V., Gerard, M. and Egly, J.-M.
Purification of the upstream element factor
of the Adenovirus-2 major late promoter
from HeLa and yeast by sequence-specific
DNA affinity chromatography
510(1990)243
- Moncrieff, J.
Simultaneous determination of sparteine and
its 2-dehydro and 5-dehydro metabolites in
urine by high-performance liquid
chromatography with electrochemical
detection 529(1990)194
- Moneam, N. M. A., see Al-Deen, A. N.
512(1990)409
- Monje, M. C., Lattes, A. and Rivière, M.
Separation and determination of Z and E
isomers of dodecyl urocanate 521(1990)148
- Monopoli, A., see Dionisotti, S. 530(1990)458
- Monseur, X., see Motte, J. C. 507(1990)321
- Montaldo, P. G. and Cornaglia-Ferraris, P.
High-performance liquid chromatographic
determination in human plasma of a new
immunomodulatory agent with a peptidyl-
hypoxanthine structure (RM 06)
525(1990)471
- Montaño, A., Sanchez, A. H. and Rejano, L.
Rapid quantitative analysis of headspace
components of green olive brine
521(1990)153
- Montecucchi, P. C., Caldarini, R., Sansó, M.,
Bertoloso, A. M., Rosso di San Secondo, V.
E. M., Piccolo, G. and Sirchia, G.
Purification of immunomodulatory factors in
human peripheral blood leukocytes
512(1990)139
- Monteil, H., see Baldacini, O. 528(1990)357
- Monteil, H., see Jehl, F. 525(1990)225

- Monteil, H., see Jehl, F. 531(1990)509
- Monti, N., see Marzo, A. 507(1990)235
- Monti, N., see Marzo, A. 507(1990)241
- Monti, N., see Marzo, A. 527(1990)247
- Monties, B., see Scalbert, A. 502(1990)107
- Moody, J. P., Humphries, C. A., Allan, S. M. and Paterson, C. R.
Determination of 7-dehydrocholesterol in human skin by high-performance liquid chromatography 530(1990)19
- Moody, R. R., see Taylor, R. B. 527(1990)490
- Moon, M. H., Myers, M. N. and Giddings, J. C.
Evaluation of pinched inlet channel for stopless flow injection in steric field-flow fractionation 517(1990)423
- Moore, B. L., see Hawthorne, S. B. 541(1991)185
- Moore, C. M., Sato, K. and Katsumata, Y.
High-performance liquid chromatographic determination of cephalosporin antibiotics using 0.3 mm I.D. columns 539(1991)215
- Moore, D., see Hill, D. A. 523(1990)11
- Moore, D. E., see Kazemifard, A. G. 533(1990)125
- Moore, G. L., see Fishman, R. M. 532(1990)55
- Moore, J. M., see Lurie, I. S. 504(1990)391
- Moore, T. J., see Underwood, R. H. 526(1990)180
- Morand, P., see Xie, Y. S. 543(1991)389
- Moreau, J., see Dutot, C. 528(1990)435
- Morelli, A., see Søndergaard, I. 512(1990)115
- Moreno, O., see Nolasco, H. 539(1991)198
- Moretti, F., Birarelli, M., Carducci, C., Pontecorvi, A. and Antonozzi, I.
Simultaneous high-performance liquid chromatographic determination of amino acids in a dried blood spot as a neonatal screening test 511(1990)131
- Morgan, D., Cugier, P., Marello, B., Sarocka, C., Stroz, D. and Plasza, A.
Impurity profiling of clarithromycin using high-performance liquid chromatography with ultraviolet detection 502(1990)351
- Morgan, D. J., see Kazemifard, A. G. 528(1990)274
- Morgan, D. K., see Gorski, R. J. 540(1991)422
- Morgan, E. D., see Huang, H.-P. 519(1990)137
- Morgan, R. L. and Celebuski, J. E.
Large-scale purification of haptened oligonucleotides using high-performance liquid chromatography 536(1991)85
- Mori, H., see Yamauchi, S. 515(1990)305
- Mori, K., see Fukui, Y. 515(1990)85
- Mori, S.
Liquid adsorption chromatography of styrene copolymers of methacrylates and acrylates 507(1990)473
- Mori, S.
Separation and detection of styrene-alkyl methacrylate and ethyl methacrylate-butyl methacrylate copolymers by liquid adsorption chromatography using a dichloroethane mobile phase and a UV detector 541(1991)375
- Mori, Y., Scarlett, B. and Merkus, H. G.
Effects of ionic strength of eluent on size analysis of sub-micrometre particles by sedimentation field-flow fractionation 515(1990)27
- Morii, K., see Matsumoto, M. 526(1990)1
- Morikawa, M., see Takayama, Y. 514(1990)259
- Morimoto, M., see Nishikida, K. 517(1990)209
- Morin-Allory, L., see Herbreteau, B. 505(1990)299
- Morin-Allory, L., see Lafosse, M. 505(1990)191
- Moring, S., see Weinberger, R. 516(1990)271
- Morishima, K., Tahara, R. and Horiuchi, M.
Determination of a new calcium antagonist, sesamol fumarate (SD-3211), and its metabolite in plasma by liquid chromatography with electrochemical detection 527(1990)381
- Morishima, M., see Fukui, S. 541(1991)459
- Morishita, N., see Yamano, Y. 528(1990)199
- Morita, I., Kawamoto, M., Hattori, M., Eguchi, K., Sekiba, K. and Yoshida, H.
Determination of tryptophan and its metabolites in human plasma and serum by high-performance liquid chromatography with automated sample clean-up system 526(1990)367
- Morita, I. and Yoshida, H.
Direct injection of highly protein-bound compounds by column-switching high-performance liquid chromatography 527(1990)127
- Morita, Y., see Azekawa, T. 530(1990)47
- Moritz, R. L., see Ward, L. D. 519(1990)199
- Moriya, T., see Sugiyama, K. 515(1990)555
- Morohashi, N., see Yamazaki, Y. 542(1991)129
- Moroux, Y., see Girot, P. 510(1990)213
- Morris, G. R., Walmsley, L. M., Brodie, R. R. and Chasseaud, L. F.
Determination of ximoprofen and its metabolites in human urine by high-performance liquid chromatography with ultra-violet absorbance detection 530(1990)377
- Morris, M. D., see Chen, C.-Y. 540(1991)355
- Morris, M. D., see Treado, P. J. 511(1990)341

- Morris, M. E. and Hansel, S. B.
High-performance liquid chromatographic analysis of *p*-nitrophenol and its conjugates in biological samples 532(1990)285
- Morrison, H., see Mohammad, T. 533(1990)195
- Morrissey, M. A., Siems, W. F. and Hill, Jr., H. H.
Ion mobility detection of polydimethylsilicone oligomers following supercritical fluid chromatographic separation 505(1990)215
- Mortimer, R. D.
Rapid method for esterification of trace levels of carboxylic acids for analysis by gas chromatography-electron-capture detection 516(1990)427
- Morvai, M. and Molnár-Perl, I.
Simultaneous determination of organic acids and sugars in apples by gas-liquid chromatography 520(1990)201
- Morvai, M., see Molnár-Perl, I. 520(1990)185
- Mosbach, K., see Andersson, L. I. 513(1990)167
- Mosbach, K., see Andersson, L. I. 516(1990)313
- Mosbach, K., see Andersson, L. I. 516(1990)323
- Moseley, M. A., Detering, L. J., Tomer, K. B. and Jorgenson, J. W.
Capillary zone electrophoresis-mass spectrometry using a coaxial continuous-flow fast atom bombardment interface 516(1990)167
- Moseman, R., see Górski, T. 509(1990)383
- Motellier, S. and Wainer, I. W.
Direct stereochemical resolution of aspartame stereoisomers and their degradation products by high-performance liquid chromatography on a chiral crown ether based stationary phase 516(1990)365
- Mothershead, II, R. F., see Hale, R. C. 539(1991)149
- Mothes, S., see Popp, P. 520(1990)97
- Motohashi, M., see Yamashita, K. 527(1990)103
- Motohashi, M., see Yamashita, K. 527(1990)196
- Motorin, Y. A., see Wolfson, A. D. 503(1990)277
- Motte, J. C., Van Huynh, N., Declaire, M., Wattiau, P., Walravens, J. and Monseur, X.
Monitoring and purification of gluconic and galactonic acids produced during fermentation of whey hydrolysate by *Gluconobacter oxydans* 507(1990)321
- Motz, M., see Soutschek, E. 521(1990)267
- Mou, S.
Environmental applications of ion chromatography in China 546(1991)317
- Mou, S., Sun, Q. and Lu, D.
Determination of xylose oligomers and monosaccharides by anion-exchange chromatography with pulsed amperometric detection 546(1991)289
- Mount, D. L., Patchen, L. C. and Churchill, F. C.
Determination of mefloquine in blood by supercritical fluid chromatography with electron-capture detection 527(1990)51
- Mouret, J.-F., see Polverelli, M. 539(1991)373
- Moussa, A. M., see Mahmoud, M. E. 549(1991)416
- Moy, M., see Paul, B. D. 529(1990)103
- Moyret, C., see Bernard, D. 539(1991)511
- Mross, K., Mayer, U., Hamm, K. and Hossfeld, D. K.
High-performance liquid chromatography of iododoxorubicin and fluorescent metabolites in plasma samples 530(1990)192
- Much, H., see Gorshkov, A. V. 523(1990)91
- Mucha, I., Paluska-Ferencz, I. and Tóth, G.
Separation of ¹²⁵I-labelled derivatives of 5-hydroxy-6,8,11,14-cicosatetraenoic acid 543(1991)307
- Muck, S., see Marzo, A. 507(1990)241
- Muck, S., see Marzo, A. 527(1990)247
- Muenzer, J., see Buchanan, D. N. 534(1990)1
- Mühleck, U., see Lai, G. 540(1991)217
- Muñoz Blanco, M. T., Alvaro Cebrian, J., Olde, B. and Johansson, G.
Subfractions of membranes from calf brain synaptosomes obtained and studied by liquid-liquid partitioning 547(1991)79
- Mulholland, F., see Carvajal, M. 511(1990)379
- Mulholland, M., Walker, N., Maris, F., Hindriks, H., Buydens, L., Blaffert, T. and Schoenmakers, P. J.
Expert system for repeatability testing of high-performance liquid chromatographic methods 550(1991)257
- Muller, D., see Algiman, E. 510(1990)165
- Muller, D., see Ellouali, M. 548(1991)255
- Muller, D., see Jacquot-Dourges, M. A. 510(1990)141
- Muller, D., see Jacquot-Dourges, M. A. 539(1991)417
- Muller, D., see Khamlichi, S. 510(1990)123
- Muller, D., see Sinniger, V. 539(1991)289
- Muller, D., see Zhou, F. L. 510(1990)71
- Müller, G., see Trüdinger, U. 535(1990)111
- Müller, R., see Schwidop, W.-D. 520(1990)325
- Müller, R. E., see Carter, A. J. 527(1990)31
- Müller, W.
New ion exchangers for the chromatography of biopolymers 510(1990)133
- Müller, W., see Huber, R. 529(1990)389
- Müller, W., see Ilg, M. 517(1990)263
- Müller, W., see Janzen, R. 522(1990)77

- Müller-Schulte, D.
 Novel media for chromatography and immobilization using a radiation grafting technique 510(1990)115
- Müller-Schulte, D., Manjini, S. and Vijayalakshmi, M. A.
 Comparative affinity chromatographic studies using novel grafted polyamide and poly(vinyl alcohol) media 539(1991)307
- Mulvana, D. E., Kaul, S., Dandekar, K. A. and Pittman, K. A.
 Determination of belfosdil, a new calcium channel blocker, in human plasma by capillary gas chromatography with nitrogen-phosphorus detection 527(1990)343
- Munder, A., Chesler, S. N. and Wise, S. A.
 Capillary supercritical fluid chromatography of explosives. Investigations on the interactions between the analytes, the mobile phase and the stationary phase 521(1990)63
- Munera, M. E., Borger, F. R., Flanigan, E. and Parikh, D. K.
 Cation-exchange high-performance liquid chromatography of synthetic salmon calcitonin 536(1991)123
- Munich, J., see Uchytíl, B. 509(1990)111
- Munro, Z., see Burger, B. V. 518(1990)207
- Münscher, G., see Hocke, G. 526(1990)203
- Munslow, W. D., see Donnelly, J. R. 540(1991)293
- Mur, E., see Baier, G. 525(1990)319
- Mura, P., see Decourt, J. P. 527(1990)214
- Murakita, H. and Gotoh, T.
o-Phthalaldehyde post-column derivatization for the determination of gizzerosine in fish meal by high-performance liquid chromatography 515(1990)527
- Muralidharan, S. and Freiser, H.
 Separation of enantiomers using polymeric copper-amine-cellulose columns 513(1990)370
- Muramatsu, Y., see Tsuda, T. 515(1990)645
- Muranishi, S., see Takada, K. 530(1990)212
- Murata, H., see Oka, H. 538(1991)149
- Murata, T., see Iida, J. 515(1990)503
- Murawski, D.
 Ion chromatography for the analysis of household consumer products 546(1991)351
- Muret, P., see Makki, S. 539(1991)443
- Murgita, R. A., see Van Oers, N. S. C. 525(1990)59
- Murkitt, G. S., see Doyle, E. 527(1990)67
- Murofushi, N., see Lin, J.-T. 543(1991)471
- Murphy, J. A., see Camilleri, P. 508(1990)208
- Murray, J. C., see Stratford, M. R. L. 526(1990)383
- Musil, S., see Svoboda, M. 520(1990)209
- Muskiet, F. A. J., see Van den Berg, G. A. 550(1991)239
- Mussini, E., see Colombo, L. 530(1990)141
- Musson, D. G., see Titus, D. C. 534(1990)87
- Muszyńska, G., see Dobrowolska, G. 541(1991)333
- Muszyńska, G., see Lubińska, V. K. 522(1990)171
- Mutharasan, R., see Eickhoff, W. M. 536(1991)255
- Myers, M. N., see Moon, M. H. 517(1990)423

N

- Naaranlahti, T., see Ylinen, M. 505(1990)429
- Nabet, P., see Straczek, J. 532(1990)237
- Nabet, P., see Straczek, J. 533(1990)35
- Nabivach, V. M., see Buryan, P. 509(1990)3
- Nagai, K., see Ukai, S. 513(1990)338
- Nagai, T. and Kamiyama, S.
 Assay of the optical isomers of methamphetamine and amphetamine in rat urine using high-performance liquid chromatography with chiral cellulose-based columns 525(1990)203
- Nagano, R., see Enoki, Y. 533(1990)63
- Naganuma, H. and Kawahara, Y.
 High-performance liquid chromatographic determination of loxoprofen and its diastereomeric alcohol metabolites in biological fluids by fluorescence labelling with 4-bromomethyl-6,7-methylenedioxy coumarin 530(1990)387
- Naganuma, H., Kondo, J.-I. and Kawahara, Y.
 Enantiospecific assay for mammalian carbonyl reductase by liquid chromatography with fluorescence detection 532(1990)65
- Nagase, S., see Watanabe, S. 518(1990)264
- Nagashima, H., see Jinno, K. 517(1990)193
- Nagashima, K., see Qian, X.-X. 515(1990)257
- Nagata, T., see Imamura, T. 534(1990)253
- Nagata, Y., see Kanazawa, H. 507(1990)327
- Nagata, Y., see Kanazawa, H. 537(1991)469
- Nagatsu, T., see Hirata, Y. 503(1990)189
- Nagatsu, T., see Niwa, T. 533(1990)145
- Nagel, G. T., see Dikkeschei, L. D. 529(1990)145

- Nagel, G. T., see Van den Berg, G. A. 550(1991)239
- Nageswara Sarma, P., see Husain, S. 513(1990)83
- Nageswara Sarma, P., see Husain, S. 540(1991)331
- Nagy, L., Biro, E. and Balla, J.
Analysis of internal filling gas of small-sized halogen lamps by gas chromatography 520(1990)213
- Naikwadi, K. P., Karasek, F. W. and Hatano, H.
Analyses of polychlorinated dibenzo-*p*-dioxins and dibenzofurans and precursors in fly ash samples collected at different points in post-combustion zone of Japanese machida incinerator 511(1990)281
- Naito, K., Sagara, T. and Takei, S.
Adsorption effect on the retention volume of hydrocarbons and dialkyl ethers in gas-liquid chromatography using a polar stationary phase and silica gel support 503(1990)25
- Naito, T., see Adachi, J. 538(1991)331
- Najarian, D. R., see Cohen, A. S. 516(1990)49
- Nakahashi, H., see Mabuchi, H. 529(1990)424
- Nakai, A., see Kikawa, Y. 532(1990)387
- Nakai, H., see Yamano, Y. 528(1990)199
- Nakajima, K., Yasuda, T. and Nakazawa, H.
High-performance liquid chromatographic determination of zinc pyrithione in antidandruff preparations based on copper chelate formation 502(1990)379
- Nakajima, T., see Kawahara, M. 515(1990)149
- Nakajima, T., see Lee, Y. M. 515(1990)467
- Nakamura, H. and Okuyama, T.
Gas chromatographic and mass spectral determination of aloenin in skin-care cosmetics 509(1990)377
- Nakamura, H., see Kawahara, M. 515(1990)149
- Nakamura, H., see Kodama, H. 527(1990)279
- Nakamura, H., see Konishi, T. 515(1990)279
- Nakamura, H., see Kubota, K. 533(1990)255
- Nakamura, H., see Kudoh, S. 515(1990)597
- Nakamura, H., see Lee, Y. M. 515(1990)467
- Nakamura, H., see Seta, K. 515(1990)585
- Nakamura, K., Hashimoto, T., Kato, Y., Shimura, K. and Kasai, K.-I.
Tresyl-activated support for high-performance affinity chromatography 510(1990)101
- Nakamura, K., Hashimoto, T., Kato, Y., Shimura, K. and Kasai, K.-I.
Effect of type and concentration of coupling buffer on coupling yield in the coupling of proteins to a tresyl-activated support for affinity chromatography 513(1990)367
- Nakamura, K., see Kakita, H. 543(1991)315
- Nakamura, K., see Yamamoto, H. 543(1991)201
- Nakamura, T., see Nakanuma, R. 527(1990)208
- Nakanishi, Y., see Kojima, K. 525(1990)210
- Nakano, K., Yasaka, T., Schram, K. H., Reimer, M. L. J., McClure, T. D., Nakao, T. and Yamamoto, H.
Isolation and identification of urinary nucleosides. Applications of high-performance liquid chromatographic methods to the synthesis of 5'-deoxyxanthosine and the simultaneous determination of 5,6-dihydrouridine and pseudouridine 515(1990)537
- Nakano, K., see Hoshino, H. 515(1990)603
- Nakano, M., see Fujii, J. 530(1990)469
- Nakano, M., see Okamoto, Y. 513(1990)375
- Nakano, M., see Yoshioka, M. 515(1990)205
- Nakanuma, R., Watanabe, K., Yamashita, K., Mizuguchi, S., Hashimoto, Y., Nakamura, T. and Umuzawa, H.
High-performance liquid chromatographic determination of deoxyspergualin in dog plasma with ultraviolet detection 527(1990)208
- Nakao, T., see Nakano, K. 515(1990)537
- Nakaoka, M. and Hokusui, H.
Measurement of the formation of a thioglucuronide, a metabolite of malotilate, in rat hepatic microsomes by high-performance liquid chromatography 526(1990)254
- Nakashima, K., Suetsugu, K., Akiyama, S. and Yoshida, M.
High-performance liquid chromatography-chemiluminescence determination of methamphetamine in human serum using N-(4-aminobutyl)-N-ethylisoluminol as a chemiluminogen 530(1990)154
- Nakatani, M., see Yamamoto, H. 543(1991)201
- Nakatani, S., see Kato, Y. 502(1990)416
- Nakatani, S., see Kato, Y. 513(1990)384
- Nakayama, F., see Eguchi, T. 525(1990)25
- Nakazato, K., see Suzuki, K. 535(1990)173
- Nakazawa, H., see Harada, K.-I. 538(1991)203
- Nakazawa, H., see Horie, M. 502(1990)371
- Nakazawa, H., see Horie, M. 538(1991)484
- Nakazawa, H., see Ikai, Y. 541(1991)393
- Nakazawa, H., see Nakajima, K. 502(1990)379
- Nakazawa, H., see Oka, H. 538(1991)149
- Nakazawa, H., see Oka, H. 538(1991)213
- Nakazawa, H., see Okamoto, M. 504(1990)445
- Nakazawa, H., see Okamoto, M. 508(1990)217
- Nakazawa, H., see Saito, K. 508(1990)141
- Nakazawa, H., see Takeba, K. 504(1990)441
- Nakura, M., see Echizen, H. 526(1990)296
- Nam, S. H., see Urasa, I. T. 547(1991)211
- Nambara, T., see Iida, T. 537(1991)345

- Nambara, T., see Ohkubo, T. 527(1990)441
- Namięśnik, J., see Konieczka, P. 540(1991)449
- Nanni, E. J., Lovette, M. E., Hicks, R. D., Fowler, K. W. and Borgerding, M. F. Separation and quantitation of phenolic compounds in mainstream cigarette smoke by capillary gas chromatography with mass spectrometry in the selected-ion mode 505(1990)365
- Naoi, M., see Hirata, Y. 503(1990)189
- Naoi, M., see Niwa, T. 533(1990)145
- Naora, K., Katagiri, Y., Ichikawa, N., Hayashibara, M. and Iwamoto, K. Simultaneous high-performance liquid chromatographic determination of ciprofloxacin, fenbufen and felbinac in rat plasma 530(1990)186
- Naples, J. O., see Strasburg, R. F. 547(1991)11
- Naqvi, A. A., see Mandal, S. 547(1991)468
- Narayanan, S. R., Knochs, Jr., S. and Crane, L. J. Preparative affinity chromatography of proteins. Influence of the physical properties of the base matrix 503(1990)93
- Nardi, G., Cipollaro, M. and Loguercio, C. Assay of γ -glutamylcysteine synthetase and glutathione synthetase in erythrocytes by high-performance liquid chromatography with fluorimetric detection 530(1990)122
- Nardillo, A. M., see Castells, R. C. 504(1990)45
- Narsimha, R., see Husain, S. 513(1990)83
- Narsimha, R., see Husain, S. 540(1991)331
- Naruto, S., see Kurono, M. 532(1990)175
- Nashabeh, W. and El Rassi, Z. Capillary zone electrophoresis of pyridylamino derivatives of maltooligosaccharides 514(1990)57
- Nashabeh, W. and El Rassi, Z. Capillary zone electrophoresis of α_1 -acid glycoprotein fragments from trypsin and endoglycosidase digestions 536(1991)31
- Nasner, A., see Lendrath, G. 502(1990)385
- Nasser, B., see Adami, P. 539(1991)279
- Naumann, M., see Reuter, R. 510(1990)189
- Nava, D., see Marzo, A. 536(1991)327
- Navalesi, R., see Benzi, L. 534(1990)37
- Navarro, P., see Vialle, J. 549(1991)159
- Navvab, M., see Dunn, L. 548(1991)165
- Ndiomu, D. P. and Simpson, C. F. Retention studies in supercritical fluid chromatography 505(1990)161
- Neča, J. and Vespalec, R. Filled tubes as generation elements in electrokinetic detection in liquid chromatography 514(1990)161
- Neča, J., see Vespalec, R. 541(1991)257
- Nechvátal, M., see Šalamoun, J. 514(1990)179
- Neely, F. L. and Emerson, C. S. Determination of sterigmatocystin in fermentation broths by reversed-phase high-performance liquid chromatography using post-column fluorescence enhancement 523(1990)305
- Neely, F. L. and Parks, R. J. High-performance liquid chromatographic determination of mycophenolic acid in fermentation broth 540(1991)383
- Neicheva, A., Kovacheva, E. and Karageorgiev, D. Simultaneous determination of insecticides, acaricides and fungicides by thin-layer chromatography 509(1990)263
- Neicheva, A., see Kovacheva, E. 509(1990)79
- Neilson, A. H., see Remberger, M. 508(1990)159
- Neilson, K. L., see Kirkland, K. M. 545(1991)43
- Nero, V. P., see Chen, Jr., E. N. 549(1991)247
- Nesterova, I., Rekhter, B., Roshka, G. and Witkiewicz, Z. Liquid crystals for the gas chromatographic determination of the stereochemistry of insect sex pheromones 537(1991)482
- Nesterova, I. P. Analysis of some synthetic insect pheromones by gas-liquid chromatography 509(1990)69
- Neue, U. D., see Berdichevsky, A. L. 535(1990)189
- Nevens, J. R., see Domen, P. L. 510(1990)293
- Nevjaginskaya, I. A., see Adamia, T. V. 540(1991)441
- Newburger, J. and Guiochon, G. Utility of the displacement effect in the routine optimization of separations by preparative liquid chromatography 523(1990)63
- Newcomb, S. A., Culling-Berglund, A. J. and Davis, T. P. Endogenous levels of β -carotene in human buccal mucosa cells by reversed-phase high-performance liquid chromatography 526(1990)47
- Newman, R. A., see Engineer, M. S. 527(1990)473
- Nezu, Y., see Asakawa, N. 541(1991)231
- Ng, C. L., see Ong, C. P. 516(1990)263
- Ng, C. L., see Ong, C. P. 547(1991)419
- Ng, L.-K. and Hupé, M. Gas chromatographic method for the assay of aliphatic and aromatic sulphonates as their *tert*-butyldimethylsilyl derivatives 513(1990)61
- Ngan, F. and Ikesaki, T. Determination of nine acidic herbicides in water and soil by gas chromatography using an electron-capture detector 537(1991)385

- Ngo, S. H., see Alexander, R. 538(1991)424
Ngo, T. T. and Khatter, N.
Chemistry and preparation of affinity ligands useful in immunoglobulin isolation and serum protein separation 510(1990)281
Nguyen, C., see Girot, P. 510(1990)213
Nguyen, C., see Hulak, I. 539(1991)355
Nguyen, N. T., see Jones, H. K. 504(1990)1
Nguyet, T. T., see Vialle, J. 549(1991)159
Nicchia, M., see Castello, G. 521(1990)99
Nichols, A., see Ford, S. H. 536(1991)185
Nichols, A., see Ford, S. H. 537(1991)235
Nicholson, G., see Lai, G. 540(1991)217
Nickel, E., see Henke, W. 527(1990)498
Nicolas, J.-P., see Djalali, M. 529(1990)81
Nicolas, J.-P., see Frémont, S. 526(1990)186
Nicoll-Griffith, D., Zamboni, R., Rasmussen, J. B., Ethier, D., Charleson, S. and Tagari, P. BIO-Fully Automated Sample Treatment high-performance liquid chromatography and radioimmunoassay for leukotriene E₄ in human urine from asthmatics 526(1990)341
Nicot, G., Lachatre, G., Marquet, P., Bonnaud, F., Vallette, J. P. and Rocca, J.-L. High-performance liquid chromatographic determination of navelbine in human plasma and urine 528(1990)258
Niebch, G., Borbe, H. O. and Besenfelder, E. High-performance liquid chromatography of naftopidil, a novel antihypertensive drug, and two metabolites in human plasma 534(1990)247
Nielen, M. W. F.
Impact of experimental parameters on the resolution of positional isomers of aminobenzoic acid in capillary zone electrophoresis 542(1991)173
Nielsen, J. H., see Linde, S. 530(1990)29
Nielsen, R. G. and Rickard, E. C.
Method optimization in capillary zone electrophoretic analysis of hGH tryptic digest fragments 516(1990)99
Nielsen, R. G., Rickard, E. C., Santa, P. F., Sharknas, D. A. and Sittampalam, G. S. Separation of antibody-antigen complexes by capillary zone electrophoresis, isoelectric focusing and high-performance size-exclusion chromatography 539(1991)177
Niessen, W. M. A., see Kokkonen, P. 511(1990)35
Niessen, W. M. A., see Reinhoud, N. J. 516(1990)147
Niethammer, D., see Bruchelt, G. 545(1991)407
Nihira, M., see Hayashida, M. 506(1990)133
Niikura, M., see Kawasaki, T. 515(1990)91
Niikura, M., see Kawasaki, T. 515(1990)125
Nikitin, Y. S., see Lanin, S. N. 520(1990)315
Nikitin, Y. S., see Lanin, S. N. 537(1991)33
Nikitina, M. A., see Dubrova, M. A. 520(1990)169
Nill, K., see Nusser, E. 528(1990)163
Nilsson, I., see Gustafsson, S. 506(1990)75
Nilsson, L. B.
Regulation of peak compression effects for substituted benzamides in reversed-phase liquid chromatography 506(1990)253
Nilsson, L. B.
Determination of remoxipride in plasma and urine by reversed-phase column liquid chromatography 526(1990)139
Nimura, N., see Iwaki, K. 504(1990)359
Ninomiya, I., see Adachi, J. 538(1991)331
Ninomiya, S., see Ishida, K. 539(1991)169
Nishi, H., Fujimura, N., Yamaguchi, H. and Fukuyama, T.
Reversed-phase high-performance liquid chromatographic separation of the enantiomers of trimetoquinol hydrochloride by derivatization with 2,3,4,6-tetra-O-acetyl- β -D-glucopyranosyl isothiocyanate and application to the optical purity testing of drugs 539(1991)71
Nishi, H., Fukuyama, T. and Matsuo, M.
Separation and determination of aspoxicillin in human plasma by micellar electrokinetic chromatography with direct sample injection 515(1990)245
Nishi, H., Fukuyama, T., Matsuo, M. and Terabe, S.
Separation and determination of lipophilic corticosteroids and benzothiazepin analogues by micellar electrokinetic chromatography using bile salts 513(1990)279
Nishi, H., Fukuyama, T., Matsuo, M. and Terabe, S.
Chiral separation of diltiazem, trimetoquinol and related compounds by micellar electrokinetic chromatography with bile salts 515(1990)233
Nishi, H., see Terabe, S. 545(1991)359
Nishijima, M. K., see Hosotsubo, K. K. 529(1990)223
Nishikawa, A. H., see Patel, A. 510(1990)83
Nishikida, K., Housaki, T., Morimoto, M. and Kinoshita, T.
Gel permeation chromatography-Fourier transform infrared study of some synthetic polymers. II. Instrumentation for the characterization of polyethylene 517(1990)209
Nishimura, K., Harada, K., Masuda, S. and Sugii, A.
High-performance liquid chromatography of serum albumins on an N-methylpyridinium polymer-based column 525(1990)176

- Nishimura, K., see Tanaka, S. 540(1991)475
 Nishimura, Y., see Haginaka, J. 532(1990)87
 Nishioka, R., Harimoto, T., Umeda, I., Yamamoto, S. and Oi, N.
 Improved procedure for determination of indomethacin in plasma by capillary gas chromatography after solid-phase extraction 526(1990)210
 Nishiyama, F., see Hirokawa, T. 513(1990)297
 Nishiyama, F., see Hirokawa, T. 538(1991)413
 Nishiyama, M., see Takada, K. 530(1990)212
 Nishizawa, Y., see Usui, H. 515(1990)375
 Nisi, G., see Segatti, M. P. 536(1991)319
 Nisticò, G., see Corasaniti, M. T. 527(1990)189
 Nitz, S., Kollmannsberger, H., Albrecht, M. and Drawert, F.
 Thermal desorption- and sniffing-mass spectrometric monitoring of enriched trace compounds by means of a "live total transfer system" 547(1991)516
 Nitz, S., see Fischer, N. 538(1991)193
 Niu, C.-Q. and He, L.-Y.
 Determination of isoquinoline alkaloids in *Chelidonium majus* L. by ion-pair high-performance liquid chromatography 542(1991)193
 Niv, A., see Goldstein, L. 510(1990)23
 Niwa, T., Yoshizumi, H., Tatematsu, A., Matsuura, S., Yoshida, M., Kawachi, M., Naoi, M. and Nagatsu, T.
 Endogenous synthesis of N-methyl-1,2,3,4-tetrahydroisoquinoline, a precursor of N-methylisoquinolinium ion, in the brains of primates with parkinsonism after systemic administration of 1,2,3,4-tetrahydroisoquinoline 533(1990)145
 Nobuhara, K., see Okamoto, M. 515(1990)43
 Noda, J., see Suzuki, S. 508(1990)225
 Noda, K., see Tagawa, K. 529(1990)500
 Noda, M., see Imamura, T. 534(1990)253
 Noguchi, K., Yanagihara, Y., Kasai, M. and Hirata, N.
 Chromatographic characteristics of nucleic acid components on vinyl alcohol copolymer gel columns 506(1990)145
 Noguchi, K., see Ohtani, T. 515(1990)175
 Noguchi, K., see Seki, T. 515(1990)435
 Noguchi, K., see Uchida, T. 506(1990)327
 Nohta, H., see Umegae, Y. 515(1990)495
 Nojima, K., see Kostianen, R. 538(1991)323
 Nokelainen, S., see Kostianen, R. 513(1990)31
 Nolasco, H. and Moreno, O.
 Rapid detection and quantification of peroxidase activity in liquid chromatography 539(1991)198
 Nomura, M., see Yamamoto, S. 512(1990)77
 Nomura, M., see Yamamoto, S. 512(1990)89
 Nonomura, S., see Yamada, T. 515(1990)475
 Nooyen, W. J., see Van Tellingen, O. 529(1990)135
 Nooyen, W. J., see Van Tellingen, O. 529(1990)329
 Norin, T., see Lindström, M. 513(1990)315
 Norlander, B., see Torfgård, K. 534(1990)196
 Norli, H. R., see Greibrokk, T. 505(1990)283
 Noroski, J., see Kirschbaum, J. 507(1990)165
 Norwood, D. L., Bus, C. A. and Millington, D. S.
 Combined high-performance liquid chromatographic-continuous-flow fast atom bombardment mass spectrometric analysis of acylcoenzyme A compounds 527(1990)289
 Norwood, P. C., see Huber, R. 529(1990)389
 Nose, N., see Horie, M. 502(1990)371
 Nose, N., see Horie, M. 538(1991)484
 Nose, N., see Saito, K. 508(1990)141
 Nouveau, J., see Lacroix, C. 525(1990)240
 Novák, I., see Belliardo, F. 506(1990)371
 Novák, I., see Mislovičová, D. 543(1991)9
 Novák, J., see Linhart, I. 530(1990)283
 Novick, D., Engelmann, H., Wallach, D., Leitner, O., Revel, M. and Rubinstein, M.
 Purification of soluble cytokine receptors from normal human urine by ligand-affinity and immunoaffinity chromatography 510(1990)331
 Novotny, M., see Liu, J. 519(1990)189
 Novotny, M., see Luffer, D. R. 505(1990)79
 Novotny, M., see Luffer, D. R. 517(1990)477
 Nowak, G.
 Dünnschichtchromatographie von Guajanoliden des Unterstammes Centaureinae 505(1990)417
 Nowicky, W., see Han, L.-F. 543(1991)123
 Nowotny, A., see Somlyo, B. 525(1990)329
 Nozaki, O. and Ohba, Y.
 Determination of urinary free noradrenaline by reversed-phase high-performance liquid chromatography with on-line extraction and fluorescence derivatization 515(1990)621
 Nuernberg, B., see Moeller, N. 530(1990)200
 Nugent, K. D. and Dolan, J. W.
 Systematic approach to the isolation, correction, and prevention of liquid chromatographic column problems 544(1991)3
 Numajiri, Y., see Kodama, H. 527(1990)279
 Nunn, M., see Renlund, S. 512(1990)325
 Nursten, H. E., see Bailey, R. G. 542(1991)115
 Nusser, E., Nill, K. and Breyer-Pfaff, U.
 Enantiomer analysis of *E*- and *Z*-10-hydroxyamitriptyline in human urine 528(1990)163

- Nyberg, F., Lyrenäs, S. and Danielsson, Å.
Fingerprinting of molecular components in individual human cerebrospinal fluid samples with a new micropurification system 548(1991)311
- Nyberg, G., see Svensson, C. 529(1990)229
- Nyiredy, S., Botz, L. and Sticher, O.
Forced-flow multi-phase liquid extraction, a separation method based on relative and absolute counter-current distribution. I. Description of the method and basic possibilities 523(1990)43
- O**
- Ochocka, R. J., Sybilska, D., Asztemborska, M., Kowalczyk, J. and Goronowicz, J.
Approach to direct chiral recognition of some terpenic hydrocarbon constituents of essential oils by gas chromatography systems via β -cyclodextrin complexation 543(1991)171
- O'Connell, J. P., see Deistung, J. 539(1991)485
- O'Connor, K., see Dion, D. M. 535(1990)127
- O'Connor, P. F., see Kennedy, E. R. 522(1990)303
- Oda, Y., Asakawa, N., Kajima, T., Yoshida, Y. and Sato, T.
On-line determination and resolution of verapamil enantiomers by high-performance liquid chromatography with column switching 541(1991)411
- Oda, Y., see Kakita, H. 543(1991)315
- Odell, G. B., Mogilevsky, W. S. and Gourley, G. R.
High-performance liquid chromatographic analysis of bile pigments as their native tetrapyrroles and as their dipyrrolic azosulfanilate derivatives 529(1990)287
- Odermatt, A., see Caslavská, J. 545(1991)315
- Odin, F., see Polverelli, M. 539(1991)373
- O'Donovan, G. A., see Bailey, A. J. 512(1990)403
- O'Donovan, G. A., see Dutta, I. 536(1991)237
- O'Donovan, G. A., see Dutta, P. K. 512(1990)395
- Oefner, P., Häfele, R., Bartsch, G. and Bonn, G.
Isotachophoretic separation of organic acids in biological fluids 516(1990)251
- Ogata, H., see Kinoshita, M. 529(1990)462
- Ogata, H., see Takahashi, H. 529(1990)347
- Ogawa, S., see Fukui, S. 541(1991)459
- Ogawa, T., see Hasunuma, R. 537(1991)397
- Ogawa, T., see Yamano, Y. 528(1990)199
- Ogino, H., Aomura, Y. and Hobo, T.
Application of a hydrogen storage alloy to the determination of trace impurities in high-purity hydrogen by gas chromatography. Group analysis of C_1 , C_2 and C_3 hydrocarbons 541(1991)75
- Oguchi, H., see Kato, N. 549(1991)133
- Oguchi, R., see Wylie, P. L. 517(1990)131
- Ogura, T., see Yamagami, C. 514(1990)123
- O'Hara, M., see Patel, A. 510(1990)83
- Ohara, T., see Shimamura, M. 526(1990)535
- Ohashi, H., Uehara, N. and Shijo, Y.
Simultaneous determination of molybdenum, vanadium, gallium, copper, iron and indium as 8-quinolinolate complexes by high-performance liquid chromatography 539(1991)225
- Ohba, Y., see Nozaki, O. 515(1990)621
- Ohe, H., see Asakawa, N. 541(1991)231
- Ohga, Y., see Enoki, Y. 533(1990)63
- Oh-Hashi, M., see Takada, K. 530(1990)212
- Ohhira, S. and Matsui, H.
Simultaneous determination of butyltin and phenyltin compounds in oysters by capillary gas chromatography 525(1990)105
- Ohki, H., see Kamahori, M. 549(1991)101
- Ohkubo, A., see Sakuma, I. 506(1990)223
- Ohkubo, T. and Nambara, T.
Determination of mitomycin C in serum by high-performance liquid chromatography with dual-electrode coulometric detection 527(1990)441
- Ohkura, Y., see Chao, W.-F. 526(1990)77
- Ohkura, Y., see Umegae, Y. 515(1990)495
- Ohl, J., see Estel, D. 520(1990)175
- Ohms, J. I., see Huang, X. 516(1990)233
- Ohms, J. I., see Paulus, A. 507(1990)113
- Ohnishi, K., see Suemitsu, R. 503(1990)282
- Ohnishi, K., see Suemitsu, R. 539(1991)211
- Ohno, T., see Kinoshita, M. 529(1990)462
- Ohta, T., Inoue, T. and Takitani, S.
Application of an anhydrotrypsin-immobilized precolumn for selective separation of peptides having arginine or lysine at their C-termini by column-switching high-performance liquid chromatography 543(1991)59
- Ohtaka, H., see Tanaka, S. 521(1990)158
- Ohtaki, N., see Inoue, S. 515(1990)193
- Ohtani, S., see Hori, S. 515(1990)67
- Ohtani, S., see Hori, S. 515(1990)611

- Ohtani, T., Tamura, Y., Kasai, M., Uchida, T., Yanagihara, Y. and Noguchi, K.
Characteristics of C₄- and C₈-bonded vinyl alcohol copolymer gels for reversed-phase high-performance liquid chromatography 515(1990)175
- Ohtani, T., see Uchida, T. 506(1990)327
- Ohtani-Senuma, K., see Hori, S. 515(1990)67
- Ohtsu, Y., see Tanaka, N. 535(1990)13
- Ohwa, M., Akiyoshi, M. and Mitamura, S.
Chiral stationary phase for the facile resolution of β -adrenoceptor blocking agents 521(1990)122
- Ôi, N., Kitahara, H. and Kira, R.
Enantiomer separation of pyrethroid insecticides by high-performance liquid chromatography with chiral stationary phases 515(1990)441
- Ôi, N., Kitahara, H. and Kira, R.
Elution orders in the separation of enantiomers by high-performance liquid chromatography with some chiral stationary phases 535(1990)213
- Ôi, N., see Nishioka, R. 526(1990)210
- Oi, T., see Kawada, K. 538(1991)355
- Oikawa, K., see Saga, Y. 513(1990)379
- Oishi, R., see Gomita, Y. 528(1990)509
- Oizumi, J. and Hayakawa, K.
High-performance liquid chromatographic determination of four kinds of biotin-containing carboxylase 529(1990)55
- Oji, Y., see Hamano, T. 541(1991)265
- Oka, F., Oka, H. and Ito, Y.
Systematic search for suitable two-phase solvent systems for high-speed counter-current chromatography 538(1991)99
- Oka, H., Harada, K.-I., Suzuki, M., Nakazawa, H. and Ito, Y.
Foam counter-current chromatography of bacitracin. II. Continuous removal and concentration of hydrophobic components with nitrogen gas and distilled water free of surfactants or other additives 538(1991)213
- Oka, H., Ikai, Y., Kawamura, N., Hayakawa, J., Yamada, M., Harada, K.-I., Murata, H., Suzuki, M., Nakazawa, H., Suzuki, S., Sakita, T., Fujita, M., Maeda, Y. and Ito, Y.
Purification of Food Color Red No. 106 (Acid Red) using high-speed counter-current chromatography 538(1991)149
- Oka, H., see Harada, K.-I. 538(1991)203
- Oka, H., see Ikai, Y. 541(1991)393
- Oka, H., see Oka, F. 538(1991)99
- Oka, K., see Kouno, Y. 515(1990)321
- Okada, T.
Factors affecting selectivity in micelle exclusion chromatography of inorganic anions 538(1991)341
- Okada, T., see Hosotsubo, K. K. 529(1990)223
- Okafu, G., see Camilleri, P. 541(1991)489
- Okafu, G. N. and Camilleri, P.
Capillary electrophoretic separation in both H₂O- and ²H₂O-based electrolytes can provide more information on tryptic digests 547(1991)551
- Okafu, G. N. and Camilleri, P.
The effect of ²H₂O and an ion-pairing agent on the liquid chromatographic separation of dansylated amino acids 549(1991)404
- Okamoto, I., see Fujii, Y. 508(1990)241
- Okamoto, M. and Nakazawa, H.
Direct liquid chromatographic resolution of (*R*)- and (*S*)-abscisic acid using a chiral ovomucoid column 504(1990)445
- Okamoto, M. and Nakazawa, H.
Optical resolution of abscisic acid metabolites using an ovomucoid-conjugated high-performance liquid chromatographic column 508(1990)217
- Okamoto, M., Yoshida, I., Utsumi, M., Nobuhara, K. and Jinno, K.
Preparation and evaluation of octadecyl-treated porous glasses. Application to the determination of methotrexate in serum 515(1990)43
- Okamoto, Y., Aburatani, R., Hatada, K., Honda, M., Inotsume, N. and Nakano, M.
Optical resolution of dihydropyridine enantiomers by high-performance liquid chromatography using phenylcarbamates of polysaccharides as a chiral stationary phase 513(1990)375
- Okamoto, Y., Sakamoto, N., Yamamoto, M. and Kumamaru, T.
Electrodialysis pretreatment system for ion chromatography of strongly acidic samples and its application to the determination of magnesium and calcium 539(1991)221
- Okamura, N., Kobayashi, K., Yagi, A., Kitazawa, T. and Shimomura, K.
High-performance liquid chromatography of abietane-type compounds 542(1991)317
- Okazaki, T., see Kataoka, H. 528(1990)172
- Okhotnikov, B. P., see Gavrichev, V. S. 509(1990)59
- Okigaki, T., see Kanemitsu, F. 526(1990)423
- Okochi, T., see Ito, H. 526(1990)397
- Okumura, N., see Iwaki, K. 504(1990)359
- Okutani, R., see DeBros, F. 529(1990)449
- Okuyama, T., see Matsuoka, K. 515(1990)313
- Okuyama, T., see Nakamura, H. 509(1990)377
- Okuyama, T., see Seta, K. 515(1990)585
- Okuyama, T., see Tomita, M. 515(1990)391
- Okuyama, T., see Tomita, M. 526(1990)174
- Okuyama, T., see Usui, H. 515(1990)375

- Okuyama, T., see Yamakawa, Y. 506(1990)319
Okuyama, T., see Yamakawa, Y. 515(1990)563
Okuyama, T., see Yamamoto, H. 515(1990)659
Olde, B., see Muiño Blanco, M. T. 547(1991)79
Oleszek, W., Jurzysta, M., Price, K. R. and Fenwick, G. R.
High-performance liquid chromatography of alfalfa root saponins 519(1990)109
Oliveros, L., Minguillón, C., Desmazières, B. and Desbène, P.-L.
Preparation and evaluation of chiral high-performance liquid chromatographic stationary phases of mixed character (π -donor and π -acceptor) for the resolution of racemic compounds 543(1991)277
Oliw, E. H.
Resolution of enantiomers of 19-hydroxyeicosatetraenoate and 18-hydroxyeicosatetraenoate by chiral phase high-performance liquid chromatography of naphthoyl ester derivatives 526(1990)525
Olsen, G. D., see Sandberg, J. A. 525(1990)113
Olsen, I., see Brondz, I. 533(1990)152
Olson, J. A., see Furr, H. C. 527(1990)406
Olsson, B., see Kågedal, B. 527(1990)21
Olsson, M., Sander, L. C. and Wise, S. A.
Comparison of the liquid chromatographic behaviour of selected steroid isomers using different reversed-phase materials and mobile phase compositions 537(1991)73
Olsson, U., Kaufmann, P. and Herslöf, B. G.
Multivariate optimization of a gas-liquid chromatographic analysis of fatty acid methyl esters of blackcurrant seed oil 505(1990)385
Olsson, U., see Beving, H. 532(1990)45
Olucha, J. C., see Marcé, R. M. 542(1991)277
Onaka, A., see Kato, Y. 513(1990)384
Ong, C. P., Lee, H. K. and Li, S. F. Y.
Supercritical fluid extraction and chromatography of cholesterol in food samples 515(1990)509
Ong, C. P., Lee, H. K. and Li, S. F. Y.
Separation of phthalates by micellar electrokinetic chromatography 542(1991)473
Ong, C. P., Ng, C. L., Chong, N. C., Lee, H. K. and Li, S. F. Y.
Retention of eleven priority phenols using micellar electrokinetic chromatography 516(1990)263
Ong, C. P., Ng, C. L., Lee, H. K. and Li, S. F. Y.
Separation of water- and fat-soluble vitamins by micellar electrokinetic chromatography 547(1991)419
Ong, C. P., see Khan, M. R. 513(1990)360
Ong, C. P., see Li, S. F. Y. 506(1990)245
Ong, C. P., see Li, S. F. Y. 515(1990)515
Ono, H., see Takeda, S. 530(1990)447
Ono, M., see Iida, J. 515(1990)503
Onogi, Y., see Fukuda, T. 511(1990)59
Onor, M., see Betti, M. 546(1991)259
Oostervink, R., see Stegeman, G. 506(1990)547
Oparil, S., see Meng, Q. C. 529(1990)201
Ordunez, C., see Dunn, L. 548(1991)165
Örfi, L., see Papp, O. 537(1991)371
Orlov, V. I., see Hradil, J. 509(1990)369
Örn, G., Lahtonen, K. and Jalonen, H.
Direct high-performance liquid chromatographic separation of (+)- and (-)-medetomidine hydrochloride with an α_1 -acid glycoprotein chiral column 506(1990)627
Oros, F. J. and Davis, J. M.
Effect of stationary phase on predictions of the statistical model of overlap from gas chromatograms 550(1991)135
Oros, G., see János, E. 520(1990)217
Oroszlan, P., see Lin, S. 536(1991)17
Orsonneau, J.-L., see Denis, M. 508(1990)97
Osawa, M., see Ishida, K. 539(1991)169
Ościk-Mendyk, B.
Mechanism of liquid adsorption chromatography in thin-layer chromatography with ternary mobile phases 550(1991)645
O'Shannessy, D. J.
Hydrazido-derivatized supports in affinity chromatography (Review) 510(1990)13
O'Shannessy, D. J., see Andersson, L. I. 513(1990)167
O'Shannessy, D. J., see Andersson, L. I. 516(1990)323
Oshima, T., Sagara, K., Hirayama, F., Mizutani, T., He, L.-Y., Tong, Y.-Y., Chen, Y.-H. and Itokawa, H.
Combination of ion-pair and column switching in high-performance liquid chromatography of tropane alkaloids 547(1991)175
Ośmiałowski, K., see Kaliszan, R. 506(1990)3
Osselton, M. D., see Smith, R. M. 514(1990)97
Osselton, M. D., see Weston, S. I. 538(1991)277
Ossicini, L., Perez, G., Caponecchi, G., Cristalli, A., Sybilka, D., Koscielski, T. and Goronowicz, J.
Stereoselectivity of α -, β - and γ -cyclodextrin complexation relative to *cis-trans* acyclic alkenes and cyclooctenes under conditions of gas-liquid chromatography 547(1991)283
Österlöf, G., see Björk, M. 533(1990)229
Ostrovský, I., see Soják, L. 509(1990)93
Ostrovský, I., see Soják, L. 520(1990)75

- Ostrowski, J., see Dutot, C. 528(1990)435
 Otero, J., see Lema, M. 547(1991)113
 Otsuka, K. and Terabe, S.
 Enantiomeric resolution by micellar
 electrokinetic chromatography with chiral
 surfactants 515(1990)221
 Otsuka, K., see Terabe, S. 545(1991)359
 Ottersgård-Brorsson, A., see Polacek, J.
 526(1990)151
 Otto, M., see Bünger, H. 520(1990)383
 Otvos, Jr., L., Tangoren, I. A., Wroblewski, K.,
 Hollosi, M. and Lee, V. M.-Y.
 Reversed-phase high-performance liquid
 chromatographic separation of synthetic
 phosphopeptide isomers 512(1990)265
 Oung, J.-N., see Philp, R. P. 550(1991)193
 Ovadia, D., see Massil, S. E. 538(1991)435
 Over, J., see Te Booy, M. P. W. M.
 503(1990)103
 Overath, P., see Schell, D. 521(1990)239
 Ozegowski, R., see Kunath, A. 520(1990)361
 Ozinga, W. J. J., see Tüdös, A. J. 547(1991)1

P

- Pacáková, V., Štulík, K. and Wu, M.
 Ion-exchange separation of inorganic anions
 on a HEMA 1000 Q-L column
 520(1990)349
 Pacáková, V., see Heping, W. 519(1990)244
 Pacáková, V., see Wang, H. 509(1990)245
 Pace, M., Agnellini, D., Lippoli, G., Pietta, P. G.,
 Mauri, P. L. and Cinquanta, S.
 Purification of NAD glycohydrolase from
 Neurospora crassa conidia by a polyclonal
 immunoabsorbent 539(1991)517
 Pace, M., see Mauri, P. L. 548(1991)281
 Pacifici, R., see Zuccaro, P. 525(1990)447
 Packham, A. J., see Fielden, P. R. 516(1990)355
 Padalikar, S. V., see Patil, V. B. 519(1990)268
 Padilla, P., see Ladrón de Guevara, O.
 528(1990)35
 Pafumi, E., see Brega, A. 535(1990)311
 Pagani, R., see Terzuoli, L. 514(1990)80
 Pagani, R., see Terzuoli, L. 547(1991)472
 Page, R. L., see Tyczkowska, K. 527(1990)447
 Paik, J. S. and Venables, A. C.
 Analysis of packaged orange juice volatiles
 using headspace gas chromatography
 540(1991)456
 Paillet, M., see Bodenau, S. 533(1990)275
 Palamareva, M. D., Kurtev, B. J. and
 Kavrakova, I.
 Chromatographic behaviour of
 diastereoisomers. X. Thin-layer
 chromatographic retentions on silica of some
 (*E*)- and (*Z*)-oxazolones and related
 cinnamates as a function of mobile phase
 effects or Hammett constants 545(1991)161
 Palazzolo, D. L. and Quadri, S. K.
 Optimal conditions for long-term storage of
 biogenic amines for subsequent analysis by
 column chromatography with
 electrochemical detection 518(1990)258
 Paleologo Oriundi, M., see Bagnati, R.
 527(1990)267
 Palmborg, J., see Beving, H. 532(1990)45
 Palmerini, C. A., see Codini, M. 536(1991)337
 Palmerini, C. A., see Guida, E. 507(1990)51
 Palmisano, F., see Visconti, A. 540(1991)376
 Palmqvist, B., see Petersen, T. G. 504(1990)139
 Paluska-Ferencz, I., see Mucha, I. 543(1991)307
 Panas, J. M., see Pierron, C. 511(1990)367
 Pankow, J. F.
 Gas phase retention volume behavior of
 organic compounds on Carbotrap
 graphitized carbon 547(1991)488
 Pankow, J. F., see Rosen, M. E. 537(1991)321
 Panopio, L. G., see Ryan, J. J. 541(1991)131
 Papet, Y., see Decourt, J. P. 527(1990)214
 Papoff, P., see Betti, M. 546(1991)259
 Papp, E.
 Fast separation of dihydro ergot alkaloids
 on an octylsilica column 502(1990)241
 Papp, E. and Keresztes, P.
 Retention behaviour of mono- and
 dicarboxylic acids, carbohydrates and
 alcohols in ion-exclusion chromatography
 506(1990)157
 Papp, E. A., see Knupp, C. A. 533(1990)282
 Papp, O., Szász, G., Kőkösi, J. and Hermecz, I.
 Correlation between structure and gas
 chromatographic behaviour of nitrogen-
 containing heterocyclic compounds. I.
 Methyl substitution of pyridopyrimidine
 derivatives 537(1991)365
 Papp, O., Szász, G., Kőkösi, J. and Hermecz, I.
 Correlation between structure and gas
 chromatographic behaviour of nitrogen-
 containing heterocyclic compounds. III.
 Variation of ring size 537(1991)377
 Papp, O., Szász, G., Órfi, L. and Hermecz, I.
 Correlation between structure and gas
 chromatographic behaviour of nitrogen-
 containing heterocyclic compounds. II. Alkyl
 substitution of quinazolone derivatives
 537(1991)371

- Paradisi, R., see Grossi, G. 541(1991)273
- Parcher, J. F., see Song, H. 518(1990)319
- Parikh, D. K., see Mayer, W. J. 536(1991)131
- Parikh, D. K., see Munera, M. E. 536(1991)123
- Park, J. H., Jang, M. D., Kim, D. S. and Carr, P. W.
Solvatochromic hydrogen bond donor acidity of aqueous binary solvent mixtures for reversed-phase liquid chromatography 513(1990)107
- Park, S., see Tran, A. D. 542(1991)459
- Parkin, J. E.
High-performance liquid chromatographic investigation of the interaction of phenylmercuric nitrate and sodium metabisulphite in eye drop formulations 511(1990)233
- Parkin, J. E.
High-performance liquid chromatographic assay of thiomersal (thimerosal) as the ethylmercury dithiocarbamate complex 542(1991)137
- Parks, R. J., see Neely, F. L. 540(1991)383
- Paroni, R., see Fermo, I. 534(1990)23
- Partridge, J., see Weston, S. I. 538(1991)277
- Parviainen, M. T., Puhakainen, E. V. J., Laatikainen, R., Savolainen, K., Herranen, J. and Barlow, R. D.
Nicotine metabolites in the urine of smokers 525(1990)193
- Pasch, H., see Gorshkov, A. V. 523(1990)91
- Pascual, E., see Steffens, G. C. M. 521(1990)291
- Pašteka, M., see Mislivočová, D. 543(1991)9
- Pasutto, F. M., see Piquette-Miller, M. 526(1990)129
- Patchen, L. C., see Mount, D. L. 527(1990)51
- Patchen, L. C., see Wages, S. A. 527(1990)115
- Patel, A., O'Hara, M., Callaway, J. E., Greene, D., Martin, J. and Nishikawa, A. H.
Affinity purification of tissue plasminogen activator using transition-state analogues 510(1990)83
- Patel, H. B., Stobaugh, J. F. and Riley, C. M.
Reversed-phase ion-pair liquid chromatography of the angiotensins 536(1991)357
- Patel, N., see Lachno, D. R. 525(1990)123
- Paterson, C. R., see Moody, J. P. 530(1990)19
- Paterson, R. R. M. and Kemmelmeier, C.
Neutral, alkaline and difference ultraviolet spectra of secondary metabolites from *Penicillium* and other fungi, and comparisons to published maxima from gradient high-performance liquid chromatography with diode-array detection 511(1990)195
- Pathak, P. V., see Gaitonde, C. D. 514(1990)330
- Pathak, P. V., see Gaitonde, C. D. 514(1990)389
- Pathak, P. V., see Gaitonde, C. D. 528(1990)407
- Pathak, P. V., see Gaitonde, C. D. 532(1990)418
- Patil, V. B., Sevalkar, M. T. and Padalikar, S. V.
Thin-layer chromatographic detection of endosulfan and phosphamidon by use of cobalt acetate and *o*-tolidine 519(1990)268
- Patonay, G., see Roberson, M. A. 505(1990)375
- Patrick, K. S. and Jarvi, E. J.
Capillary gas chromatographic-mass spectrometric analysis of plasma methylphenidate 528(1990)214
- Patrick, K. S., see Logan, B. K. 529(1990)175
- Patsalos, P. N., see Elyas, A. A. 528(1990)473
- Patterson, D. G., see Terabe, S. 516(1990)23
- Patthy, M., Balla, T. and Arányi, P.
High-performance reversed-phase ion-pair chromatographic study of myo-inositol phosphates. Separation of myo-inositol phosphates, some common nucleotides and sugar phosphates 523(1990)201
- Pattyn, G., see Tjaden, U. R. 525(1990)141
- Paul, B. D., Mitchell, J. M., Burbage, R., Moy, M. and Stroka, R.
Gas chromatographic-electron-impact mass fragmentographic determination of lysergic acid diethylamide in urine 529(1990)103
- Pauls, J. D., see Gohill, J. 502(1990)47
- Paulus, A. and Ohms, J. I.
Analysis of oligonucleotides by capillary gel electrophoresis 507(1990)113
- Paulussen, R. J. A., see Haasnoot, W. 519(1990)323
- Pawłowska, M. and Lipkowski, J.
Chromatographic liquid-liquid ternary phase system with permethylated β -cyclodextrin as chiral additive 547(1991)59
- Paxton, J. W., see Young, D. 528(1990)385
- Pays, M., see Beyne, P. 527(1990)140
- Pays, M., see Dutot, C. 528(1990)435
- Pchelkin, V. P. and Vereshchagin, A. G.
Identification of individual diacylglycerols by adsorption thin-layer chromatography of their coordination complexes 538(1991)373
- Pearce, J. C., see Picot, V. S. 527(1990)454
- Peart, T. E., see Lee, H.-B. 547(1991)315
- Pedras, M. S. C. and Séguin-Swartz, G.
Rapid high-performance liquid chromatographic analysis of phytotoxins from *Phoma lingam* 519(1990)383
- Peeters, A., see Maris, F. 506(1990)211
- Peeters, A., see Schoenmakers, P. J. 506(1990)169
- Pelissier, J. P., see Scanff, P. 539(1991)425
- Pellegrino, S., see Petrarulo, M. 511(1990)223
- Pellegrino, S., see Petrarulo, M. 532(1990)130
- Pellerin, F., see Baillet, A. 519(1990)337

- Pellerin, F., see Yagoubi, N. 522(1990)131
- Pelletier, A., see Rastegar, A. 518(1990)157
- Peng, G. W. and Chiou, W. L.
Analysis of drugs and other toxic substances in biological samples for pharmacokinetic studies 531(1990)3
- Peng, S., see Scalbert, A. 502(1990)107
- Pennings, E. J. M., see Poulsen, C. 547(1991)155
- Pepermans, H., see Van den Eeckhout, E. 504(1990)113
- Perchalski, R. J., see Szabo, G. K. 535(1990)271
- Perelroyen, M. P., see Kalambet, Y. A. 542(1991)247
- Perez, G., see Ossicini, L. 547(1991)283
- Pérez Avila, J., see Tápanes, R. D. 532(1990)400
- Pérez-Camino, M. C., see Márquez-Ruiz, G. 514(1990)37
- Perez-Illzarbe, J., see Rigaud, J. 540(1991)401
- Perez-Paya, E., Braco, L., Abad, C. and Dufourcq, J.
High-performance liquid chromatographic separation of modified and native melittin following transglutaminase-mediated derivatization with a dansyl fluorescent probe 548(1991)351
- Perez-Paya, E., Braco, L., Abad, C., Soria, V. and Campos, A.
Solution properties of polyelectrolytes. VII. Non-ideal mechanisms in size-exclusion chromatography of synthetic polyions, peptides and proteins 548(1991)93
- Perfetti, T. A. and Swadesh, J. K.
On-line determination of the optical purity of nicotine 543(1991)129
- Perkins, E. G., see Rojo, J. A. 537(1991)329
- Perkins, J. R., Games, D. E., Startin, J. R. and Gilbert, J.
Analysis of sulphonamides using supercritical fluid chromatography and supercritical fluid chromatography-mass spectrometry 540(1991)239
- Perkins, J. R., Games, D. E., Startin, J. R. and Gilbert, J.
Analysis of veterinary drugs using supercritical fluid chromatography and supercritical fluid chromatography-mass spectrometry 540(1991)257
- Perrett, D., see James, I. T. 525(1990)43
- Perrone, G. and Farina, M.
High-performance liquid chromatographic method for direct resolution of the indobufen enantiomeric components 520(1990)373
- Perrut, M., see Berger, C. 505(1990)37
- Perrut, M., see Görner, T. 514(1990)309
- Perry, J. A. and Rateike, J. D.
Product purity as a function of elution order 503(1990)403
- Persson, B.-A.
Determination of beta-blockers in biological material (edited by V. Marko) (Book Review) 527(1990)504
- Persson, B.-A., see Ahnoff, M. 531(1990)181
- Persson, B.-A., see Eriksson, B.-M. 527(1990)11
- Persson, C., see Dalbacke, J. 507(1990)381
- Pesek, J. J., see Aubel, M. T. 514(1990)11
- Peskar, B. A., see Hesse, W. H. 533(1990)159
- Pessa, E., see Suortti, T. 536(1991)251
- Pessotto, P., see Maccari, F. 532(1990)124
- Péter, A., Lukács, F., Burger, K., Schön, I., Löw, M. and Kisfaludy, L.
High-performance liquid chromatographic study of the reduction of protected oxytocin by sodium in liquid ammonia 507(1990)59
- Peter, R., see Böcker, R. H. 530(1990)206
- Peters, G. R., see Hancock, J. R. 538(1991)249
- Petersen, M.
Packed columns in supercritical fluid chromatography (Review) 505(1990)3
- Petersen, T. G. and Palmqvist, B.
Utilizing column selectivity in developing a high-performance liquid chromatographic method for ginsenoside assay 504(1990)139
- Petit, J., see Andriollo, O. 533(1990)215
- Petit, J., see Lartigue-Mattei, C. 529(1990)93
- Petrarulo, M., Bianco, O., Cosseddu, D., Marangella, M., Pellegrino, S. and Linari, F.
Improved high-performance liquid chromatographic determination of urinary glycolic acid 532(1990)130
- Petrarulo, M., Bianco, O., Marangella, M., Pellegrino, S., Linari, F. and Mentasti, E.
Ion chromatographic determination of plasma oxalate in healthy subjects, in patients with chronic renal failure and in cases of hyperoxaluric syndromes 511(1990)223
- Petrenko, V. V., see Larionov, O. G. 537(1991)295
- Petróczy, J., see Molnár-Perl, I. 520(1990)185
- Petrova, Y. I., see Vigdergauz, M. S. 509(1990)15
- Petruczyński, A., see Bieganowska, M. L. 520(1990)403
- Petsev, N., see Chanev, C. 520(1990)33
- Petsev, N., see Gavrilova, T. B. 520(1990)41
- Pette, M., see Giegerich, G. 528(1990)79
- Pettersson, C., see Karlsson, A. 543(1991)287
- Pettersson, K.-J., see Björk, M. 533(1990)229
- Pettit, T. L., see Donnelly, J. R. 540(1991)293
- Peyton, A. L. and Ziege, F. A.
Determination of a potential antiasthmatic compound, tibenelast, and its application to phase I clinical trials 529(1990)377
- Pfaff, J. D., see Arar, E. J. 546(1991)335

- Pfannkoch, E. A., Switzer, B. S. and Kopaciewicz, W.
Aluminum ion mediated stabilization of silica-based anion-exchange packings to caustic regenerants 503(1990)385
- Pfeffer, W. D. and Yeung, E. S.
Indirect fluorometric detection in open-tubular capillary column chromatography 506(1990)401
- Pfleiderer, B., Albert, K. and Bayer, E.
Investigations by ^{29}Si cross-polarization magic angle spinning NMR spectroscopy of reaction pathways of silica gel polyfunctional modification 506(1990)343
- Pfundstein, B., Tricker, A. R. and Preussmann, R.
Determination of primary and secondary amines in foodstuffs using gas chromatography and chemiluminescence detection with a modified thermal energy analyser 539(1991)141
- Phang, L.-T., see Lim, K. B. H. 538(1991)492
- Phelan, D. G., Greig, N. H., Rapoport, S. I. and Soncrant, T. T.
High-performance liquid chromatographic assay of bromocriptine in rat plasma and brain 533(1990)264
- Philipp, W., see Wyss, R. 507(1990)187
- Phillips, D., see Dion, D. M. 535(1990)127
- Phillips, D. J., Bell-Alden, B., Cava, M., Grover, E. R., Mandeville, W. H., Mastico, R., Sawlvich, W., Vella, G. and Weston, A.
Purification of proteins on an epoxy-activated support by high-performance affinity chromatography 536(1991)95
- Phillips, J., see Bianchi, A. P. 542(1991)413
- Phillips, T. M.
Isolation of an interleukin 2-binding receptor from activated lymphocytes by high-performance immunoaffinity chromatography 550(1991)741
- Phillips, T. M. and Babashak, J. V.
Isolation of anti-idiotypic antibodies by immunoaffinity chromatography on Affinichrom beads 512(1990)387
- Philogène, B. J. R., see Xie, Y. S. 543(1991)389
- Philp, R. P., Oung, J.-N., Galvez-Sinibaldi, A. and Allen, J.
Tandem mass spectrometry —an additional dimension of chromatography for the determination of biomarkers in fossil fuels (Review) 550(1991)193
- Phylipsen, G. J. M., see Hordijk, C. A. 511(1990)317
- Picado, C., see Ramis, I. 532(1990)217
- Picari, M., see Marzo, A. 507(1990)235
- Piccaglia, R., see Galletti, G. C. 507(1990)439
- Piccolo, G., see Montecucchi, P. C. 512(1990)139
- Pichini, S., see Zuccaro, P. 525(1990)447
- Picot, V. S., Doyle, E. and Pearce, J. C.
Analysis of Zaprinst in rat and human plasma by automated solid-phase extraction and reversed-phase high-performance liquid chromatography 527(1990)454
- Picot, V. S., see Doyle, E. 527(1990)67
- Pierfederici, P., see Colombo, L. 530(1990)141
- Pierron, C., Panas, J. M., Etcheverry, M. F. and Ledouble, G.
Determination of 10-camphorsulphonates in pharmaceutical formulations by high-performance liquid chromatography 511(1990)367
- Pietrogrande, M. C., Bigli, C., Borea, P. A. and Dondi, F.
Linear solvation energy relationships in the study of the solvatochromic properties and liquid chromatographic retention behaviour of benzodiazepines 522(1990)37
- Pietrzyk, D. J., Senne, S. M. and Brown, D. M.
Anion-cation separations on a mixed-bed ion-exchange column with indirect photometric detection 546(1991)101
- Pietrzyk, D. J., see Yuan, D. 509(1990)357
- Pietta, P., Mauri, P., Gardana, C., Facino, R. M. and Carini, M.
High-performance liquid chromatographic determination of flavonoid glucosides from *Helichrysum italicum* 537(1991)449
- Pietta, P., Mauri, P., Manera, E. and Ceva, P.
Determination of isoflavones from *Ononis spinosa* L. extracts by high-performance liquid chromatography with ultraviolet diode-array detection 513(1990)397
- Pietta, P. G., Mauri, P. L., Gardana, C. and Bruno, A.
High-performance liquid chromatography with diode-array ultraviolet detection of methoxylated flavones in *Orthosiphon* leaves 547(1991)439
- Pietta, P. G., Mauri, P. L., Rava, A. and Sabbatini, G.
Application of micellar electrokinetic capillary chromatography to the determination of flavonoid drugs 549(1991)367
- Pietta, P. G., see Mauri, P. L. 548(1991)281
- Pietta, P. G., see Pace, M. 539(1991)517
- Pifferi, G., see Marzo, A. 535(1990)255
- Pilar Marco, M., see Camps, F. 514(1990)199
- Pimenov, A. M., see Tikhonov, Y. V. 520(1990)419
- Pinedo, H. M., see De Jong, J. 529(1990)359

- Pinkerton, T. C.
High-performance liquid chromatography packing materials for the analysis of small molecules in biological matrices by direct injection (Review) 544(1991)13
- Pintér-Szakács, M., see Fábíán, V. 520(1990)193
- Pintér-Szakács, M., see Molnár-Perl, I. 520(1990)185
- Pinto, N. G., see Jen, S.-C. D. 519(1990)87
- Pinzauti, S., see Gatti, R. 507(1990)451
- Piotrowski, E., see Unruh, J. 519(1990)179
- Piquette-Miller, M. and Foster, R. T.
High-performance liquid chromatographic determination of diacetolol enantiomers 533(1990)300
- Piquette-Miller, M., Foster, R. T., Pasutto, F. M. and Jamali, F.
Stereospecific high-performance liquid chromatographic assay of acebutolol in human plasma and urine 526(1990)129
- Piretti, M. V. and Doghieri, P.
Separation of peracetylated flavanoid and flavonoid polyphenols by normal-phase high-performance liquid chromatography on a cyano-silica column and their determination 514(1990)334
- Piriou, A., see Decourt, J. P. 527(1990)214
- Pirochtová, M., see Rittich, B. 523(1990)227
- Pisciotta, A., see Bicchi, C. 508(1990)341
- Pitha, J., see Stalcup, A. M. 513(1990)181
- Pitt, J. J.
Gas chromatographic-mass spectrometric characterisation of unsaturated dicarboxylic acids in urine 534(1990)182
- Pittman, K. A., see Mulvana, D. E. 527(1990)343
- Pittner, F., see Missbichler, A. 510(1990)339
- Pittner, F., see Schalkhammer, T. 510(1990)355
- Piwovar, Z., see Warzecha, L. 509(1990)227
- Pizzo, P. A., see Carpen, M. E. 526(1990)69
- Pizzo, P. A., see Hawkins, M. E. 532(1990)442
- Place, H., see Vidal-Madjar, C. 548(1991)81
- Planques, Y., Pora, H. and Menozzi, F. D.
Affinity purification of plasminogen by radial-flow affinity chromatography 539(1991)531
- Plasz, A., see Morgan, D. 502(1990)351
- Plasz, A. C., see Gorski, R. J. 540(1991)422
- Plat, M. and De Leo, J.
Application of ion chromatography to failure analysis of electronics packaging 546(1991)347
- Platonova, N. P., see Larionov, O. G. 537(1991)295
- Pleasance, S., see Thibault, P. 542(1991)483
- Plicka, J., Šmídl, P., Kleinmann, I. and Svoboda, V.
Hydrophobic interaction chromatography of proteins on Separon HEMA. III. Selection of suitable gradient conditions for the separation of proteins by hydrophobic interaction chromatography 523(1990)139
- Plicka, J., see Šmídl, P. 523(1990)131
- Ploum, M. E., see Haasnoot, W. 519(1990)323
- Plumitallo, A., see Cabras, P. 540(1991)406
- Podzimek, Š., Eichler, J. and Tkaczyk, M.
Liquid chromatographic analysis of cationic polymerized phenyl glycidyl ether 547(1991)195
- Poe, D. P. and Martire, D. E.
Plate height theory for compressible mobile phase fluids and its application to gas, liquid and supercritical fluid chromatography 517(1990)3
- Poe, D. P., see Martire, D. E. 545(1991)135
- Pogány, S. A., Deeken, R. A. and Zentner, G. M.
Gas chromatographic assay for 3,9-diethylidene-2,4,8,10-tetraoxaspiro[5.5]-undecane 508(1990)179
- Poggesi, I., see Lorusso, V. 525(1990)401
- Pognat, J. F., see Andriollo, O. 533(1990)215
- Pöhm, M., see Kennndler, E. 514(1990)383
- Poirier, J.-M., Lebot, M. and Cheymol, G.
Analysis of encainide and its three major metabolites in plasma by column liquid chromatography 534(1990)223
- Poirot, S., see Jiménez, J. 511(1990)333
- Pokorný, J., see Velišek, J. 502(1990)167
- Pokorny, M., see Sokolić, M. 509(1990)189
- Polacek, J., Gustafsson, B., Brandin, S. and Ottersgård-Brorsson, A.
Determination of tauromustine and its demethylated metabolites in plasma and urine 526(1990)151
- Polański, J. and Ratajczak, A.
Determination of the lipophilicity of arylsulphonylalkanoic and arylsulphonylcycloalkanecarboxylic acids by thin-layer chromatography 543(1991)195
- Polanuer, B. M., see Golovnya, R. V. 517(1990)51
- Politowski, J. F., see Boppana, V. K. 548(1991)319
- Poll, D. J. and Harding, D. R. K.
Column-friendly reversed-phase high-performance liquid chromatography of peptides and proteins using formic acid with sodium chloride and dynamic column coating with crown ethers 539(1991)37
- Polo, L. M., see Andrés, M. D. 507(1990)399
- Polonský, J., see Karovičová, J. 509(1990)283
- Polonský, J., see Karovičová, J. 545(1991)413

- Polverelli, M., Voituriez, L., Odin, F., Mouret, J.-F. and Cadet, J.
Purification of DNA and group separation of normal and modified DNA components by size-exclusion chromatography 539(1991)373
- Pommery, J., Mathieu, M., Mathieu, D. and Lhermitte, M.
High-performance liquid chromatographic determination of atrazine in human plasma 526(1990)569
- Ponomaryova, A. M., see Alyoshkin, V. A. 520(1990)425
- Pontecorvi, A., see Moretti, F. 511(1990)131
- Pontelli, L., see Cartoni, G. P. 537(1991)93
- Ponton, J., see Zaton, A. 525(1990)169
- Poole, C. F.
Modern thin-layer chromatography (edited by N. Grinberg) (Book Review) 522(1990)345
- Poole, C. F., see Kollie, T. O. 550(1990)213
- Popkov, M. Y., see Alyoshkin, V. A. 520(1990)425
- Poplack, D. G., see Carpen, M. E. 526(1990)69
- Poplack, D. G., see Hawkins, M. E. 532(1990)442
- Popova, M., see Kratchanov, C. 509(1990)239
- Popp, P., Mothes, S. and Hinneburg, D.
Radiofrequency detector for gas chromatography 520(1990)97
- Poppe, H.
Secondary equilibria and their interaction with chromatographic transport 506(1990)45
- Poppe, H., see Bruin, G. J. M. 517(1990)557
- Poppe, H., see Eguchi, S. 516(1990)301
- Poppe, H., see Huisden, R. E. 508(1990)289
- Poppe, H., see Huisden, R. E. 537(1991)1
- Poppe, H., see Stegeman, G. 506(1990)547
- Poppe, H., see Stegeman, G. 550(1991)721
- Poppe, H., see Tock, P. P. H. 506(1990)185
- Poppi, R. J., see Faigle, J. F. 539(1991)123
- Pora, H., see Planques, Y. 539(1991)531
- Porath, J.
Salt-promoted adsorption chromatography 510(1990)47
- Porath, J. and Hansen, P.
Cascade-mode multi-affinity chromatography. Fractionation of human serum proteins 550(1991)751
- Porath, J., see Belew, M. 516(1990)333
- Porath, J., see Dobrowolska, G. 541(1991)333
- Porsch, B. and Krátká, J.
Chromatographic stability of silica-based aminopropyl-bonded stationary phases 543(1991)1
- Porsch, B., Voslář, J., Rosol, J. and Kubánek, V.
Preparative high-performance liquid chromatographic columns with an intra-column injection system 520(1990)295
- Porter, G. F., Savage, P. M. and McGuinness, E. T.
Affinity gel interactions of alcohol and polyol dehydrogenases: anomalous behaviour and structural correlations 502(1990)69
- Porziemsky, J.-P., see Lee, C. R. 539(1991)55
- Posluszny, J. V., Weinberger, R. and Woolf, E.
Optimization of multidimensional high-performance liquid chromatography for the determination of drugs in plasma by direct injection, micellar cleanup and photodiode array detection 507(1990)267
- Pospichal, J., see Sudor, J. 545(1991)331
- Post, M. H., see Van der Horst, F. A. L. 507(1990)351
- Postaire, E., see Regnault, C. 547(1991)403
- Poulsen, C., Pennings, E. J. M. and Verpoort, R.
High-performance liquid chromatographic assay of anthranilate synthase from plant cell cultures 547(1991)155
- Powell, H. A., Kerby, N. W. and Rowell, P.
High-performance liquid chromatographic determination of the herbicide glyphosate and its metabolite (aminomethyl)phosphonic acid and their extraction from cyanobacteria 502(1990)201
- Powell, M. L., Town, C., Henderson, L. and Buck, C.
Determination of marplan in human plasma using high-performance liquid chromatography 529(1990)237
- Prabhu, S. V. and Baldwin, R. P.
High-pH ion-exchange separation and electrochemical detection of alditols, carbohydrates and acidic sugars 503(1990)227
- Praet, A., Dewaele, C., Verdonck, L. and Van der Kelen, G. P.
Liquid chromatography of organotin compounds on cyanopropyl silica gel 507(1990)427
- Prandini, P., see Brega, A. 535(1990)311
- Prasad, C., see Chuang, C.-Z. 534(1990)13
- Příbela, A., see Karovičová, J. 545(1991)413
- Preuss, E., see Böcker, R. H. 530(1990)206
- Preussmann, R., see Pfundstein, B. 539(1991)141
- Prevost, J., see Selinger, K. 526(1990)597
- Prevot, M., see Tod, M. 542(1991)295
- Prewitt, M. L., see Sellers, Jr., T. 513(1990)271
- Price, K. R., see Oleszek, W. 519(1990)109

- Priest, J. W. and Light, R. J.
Applications of high-performance liquid chromatography to quantitation of metabolites and enzymes of the patulin pathway from *Penicillium patulum* 513(1990)237
- Prince, I. G., see Mao, Q. M. 548(1991)147
- Pritchard, K. W., see Ackland, C. E. 540(1991)187
- Prokai, L. and Bodor, N.
Reversed-phase high-performance liquid chromatography-thermospray mass spectrometry of alprenolol and its ketoxime analogues 541(1991)474
- Prokai, L., Simay, A. and Bodor, N.
Reversed-phase high-performance liquid chromatography of ketoxime analogues of β -adrenergic blockers 541(1991)469
- Prokeš, B., see Jandera, P. 504(1990)297
- Prokeš, B., see Jandera, P. 550(1991)495
- Proksch, B., see Blanz, J. 532(1990)429
- Proudfoot, K. A., see Deistung, J. 539(1991)485
- Provost, L. R., see D'Agostino, P. A. 504(1990)259
- Provost, L. R., see D'Agostino, P. A. 541(1991)121
- Pscheidt, H., see Thede, R. 520(1990)109
- Puhakainen, E. V. J., see Parviainen, M. T. 525(1990)193
- Purdy, W. C., see Di Maso, M. 519(1990)256
- Purdy, W. C., see Li, S. 543(1991)105
- Purtscher, M., see Jungbauer, A. 512(1990)157
- Purvis, D. R., see Stewart, D. J. 510(1990)177
- Pylilo, R. J., see Szabo, G. K. 535(1990)271
- Pylilo, R. J., see Szabo, G. K. 535(1990)279

Q

- Qian, R., see Zhang, J. Y. 521(1990)71
- Qian, X.-X., Nagashima, K., Hobo, T., Guo, Y.-Y. and Yamaguchi, C.
High-performance liquid chromatography of thiols with differential pulse polarographic detection of the catalytic hydrogen evolution current 515(1990)257
- Quadri, S. K., see Palazzolo, D. L. 518(1990)258
- Quattrucci, E., see Cartoni, G. P. 537(1991)93
- Quearry, B. J., see Heyes, M. P. 530(1990)108

- Querishi, N., see Kargas, G. 526(1990)331
- Quindos, G., see Zaton, A. 525(1990)169
- Quintana de Gainzarain, A., see Contreras de Condado, M. C. 530(1990)164
- Quintero, G., see Vigh, G. 506(1990)481
- Quoix, E., see Jehl, F. 525(1990)225

R

- Raasch, W., see Kees, F. 525(1990)484
- Rabillon, J., see Dandeu, J.-P. 512(1990)177
- Rabillon, J., see Dandeu, J. P. 539(1991)475
- Rackham, D. M. and Harvey, G. A.
Stereochemical analysis of a leukotriene related hydroxypentadecadiene using a chiral high-performance liquid chromatography column and diode array detection 542(1991)189
- Radin, L., see Lucarelli, C. 515(1990)415
- Raemdonck, A., see Lin Ling, B. 502(1990)230
- Ragan, Jr., F. A., see Chuang, C.-Z. 534(1990)13
- Raghani, A., see Haky, J. F. 541(1991)303
- Ragnarsson, U., see Fransson, B. 508(1990)229
- Rahim, M. A., see Jamaluddin, A. B. M. 525(1990)495
- Rahman, M. K., see Jamaluddin, A. B. M. 525(1990)495
- Rainbow, S. J., Dawson, C. M. and Tickner, T. R.
Direct serum injection high-performance liquid chromatographic method for the simultaneous determination of phenobarbital, carbamazepine and phenytoin 527(1990)389
- Rainbow, S. J., see Dawson, C. M. 534(1990)267
- Rains, D. W., see Goyal, S. S. 537(1991)269
- Rains, D. W., see Hafez, A. A. 546(1991)387
- Raisys, V. A., see Dasgupta, A. 526(1990)260
- Rakotomanga, S., see Baillet, A. 519(1990)337
- Ramacci, M. T., see Maccari, F. 532(1990)124
- Ramamurthy, B., see Singhal, R. P. 543(1991)17
- Rambaud, F., see Tordjman, C. 532(1990)135
- Ramiandrasoa, P., see Daban Haurou, C. 547(1991)31
- Ramis, I., Roselló-Catafau, J., Artigot, M., Bulbena, O., Picado, C. and Gelpi, E.
Simultaneous reversed-phase extraction of

- lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217
- Ramos, B. L., see Mike, J. H. 518(1990)167
- Ramos, F., see Tápanes, R. D. 532(1990)400
- Rand, K. N., see Sharp, P. J. 512(1990)189
- Rang, S., see Kuningas, K. 520(1990)137
- Rantio, T., see Van Beek, T. A. 543(1991)375
- Rao, P. N., see Tian, Z. 541(1991)297
- Rao, P. S., Weinstein, G. S., Wilson, D. W., Rujikarn, N. and Tyras, D. H. Isocratic high-performance liquid chromatography-photodiode-array detection method for determination of lysine- and arginine-vasopressins and oxytocin in biological samples 536(1991)137
- Rao, P. S., see Das, D. K. 536(1991)273
- Rao, R. N., see Husain, S. 502(1990)208
- Rapoport, S. I., see Deutsch, J. 528(1990)325
- Rapoport, S. I., see Greig, N. H. 534(1990)279
- Rapoport, S. I., see Phelan, D. G. 533(1990)264
- Raschdorf, F., see Steiner, V. 530(1990)273
- Rashid, B. H., see Al-Ammar, A. S. 537(1991)287
- Rasmussen, H. T., Goebel, L. K. and McNair, H. M. Micellar electrokinetic chromatography employing sodium alkyl sulfates and Brij 35[®] 517(1990)549
- Rasmussen, H. T. and McNair, H. M. Influence of buffer concentration, capillary internal diameter and forced convection on resolution in capillary zone electrophoresis 516(1990)223
- Rasmussen, J. B., see Nicoll-Griffith, D. 526(1990)341
- Rasmussen, J. K., see Coleman, P. L. 512(1990)345
- Rasmussen, K. E., see Johansen, M. 532(1990)277
- Rasmussen, K. E., see Thanh, H. H. 532(1990)363
- Raspi, G., Lo Moro, A. and Spinetti, M. High-performance liquid chromatographic method for the determination of aprotinin in body fluids 525(1990)426
- Rastegar, A., Pelletier, A., Duportail, G., Freysz, L. and Leray, C. Sensitive analysis of phospholipid molecular species by high-performance liquid chromatography using fluorescent naproxen derivatives of diacylglycerols 518(1990)157
- Ratajczak, A., see Polański, J. 543(1991)195
- Rateike, J. D., see Perry, J. A. 503(1990)403
- Raulin, F., see Do, L. 514(1990)65
- Rausa, R., Mazzolari, E. and Calemma, V. Determination of molecular size distributions of humic acids by high-performance size-exclusion chromatography 541(1991)419
- Rava, A., see Pietta, P. G. 549(1991)367
- Raviv, O., see Hadas, E. 510(1990)303
- Rawlins, M. D., see Kamali, F. 530(1990)474
- Ray, R. K. and Kauffman, G. B. Paper chromatographic studies of metal complexes. II. Comparison of square planar and octahedral complexes 504(1990)464
- Raynor, M. W., Bartle, K. D., Clifford, A. A., Chalmers, J. M., Katase, T., Rouse, C. A., Markides, K. E. and Lee, M. L. Analysis of aliphatic and phenolic carboxylic acids by capillary supercritical fluid chromatography-Fourier-transform infrared microspectrometry 505(1990)179
- Rdest, U., see Schmitt, W. 521(1990)211
- Recanatini, M., see Biagi, G. L. 504(1990)163
- Recanatini, M., see Biagi, G. L. 547(1991)523
- Redl, B., see Baier, G. 525(1990)319
- Redmond, J. W., see Haynes, P. A. 540(1991)177
- Reeuwijk, H. J. E. M., see Tjaden, U. R. 525(1990)141
- Regalia, M., see Binder, S. R. 550(1991)449
- Regnault, C., Delvordre, P. and Postaire, E. Direct use of Empore sheets in overpressured thin-layer chromatography 547(1991)403
- Regnier, F. E., see Afeyan, N. B. 519(1990)1
- Regnier, F. E., see Afeyan, N. B. 544(1991)267
- Regnier, F. E., see Desilets, C. P. 544(1991)25
- Regnier, F. E., see Fulton, S. P. 547(1991)452
- Regnier, F. E., see Towns, J. K. 516(1990)69
- Regnier, F. E., see Yang, Y.-B. 544(1991)233
- Rehner, G., see Hahn, A. 540(1991)207
- Rehner, G., see Hahn, A. 545(1991)91
- Reichardt, P., see Vainiotalo, P. 547(1991)367
- Reid, D. G., see Sweeney, P. J. 539(1991)501
- Reid, G. E., see Ward, L. D. 519(1990)199
- Reid, J. L., see Midgley, J. M. 527(1990)259
- Reigner, B. G., Rigod, J. F. and Tozer, T. N. Simultaneous assay of pentachlorophenol and its metabolite, tetrachlorohydroquinone, by gas chromatography without derivatization 533(1990)111
- Reijenga, J. C. Data acquisition and digital filtering in analytical isotachopheresis 545(1991)337
- Reijenga, J. C. and Verheggen, T. P. E. M. Anomalous behaviour of sodium in isotachopheresis 545(1991)471
- Reijenga, J. C., see Trieling, R. G. 545(1991)475
- Reijn, J. M., see Van der Horst, F. A. L. 507(1990)351
- Reimer, M. L. J., see Nakano, K. 515(1990)537

- Rein, J., Cork, C. M. and Furton, K. G.
Factors governing the analytical supercritical fluid extraction and supercritical fluid chromatographic retention of polycyclic aromatic hydrocarbons 545(1991)149
- Reinholdsson, P., see Hargitai, T. 540(1991)145
- Reinhoud, N. J., Schröder, E., Tjaden, U. R., Niessen, W. M. A., Ten Noever de Brauw, M. C. and Van der Greef, J.
Static and scanning array detection in capillary electrophoresis-mass spectrometry 516(1990)147
- Reisener, H. J., see Beissmann, B. 521(1990)187
- Reiss, D., see Decourt, J. P. 527(1990)214
- Reith, M. E. A., see Wiener, H. L. 527(1990)467
- Rejano, L., see Montaña, A. 521(1990)153
- Rekhter, B., see Nesterova, I. 537(1991)482
- Remberger, M., Hynning, P.-Å. and Neilson, A. H.
Gas chromatographic analysis and gas chromatographic-mass spectrometric identification of components in the cyclohexane-extractable fraction from contaminated sediment samples 508(1990)159
- Remien, J., see Haen, E. 537(1991)514
- Rommel, R. P., Huang, S.-H., Hoff, D. and Zimmerman, C. L.
Improved fluorometric high-performance liquid chromatographic assay for (-)-carbovir in rat blood and urine 534(1990)109
- Rommel, R. P., see Straka, R. J. 530(1990)83
- Renaud, A., see Makki, S. 539(1991)443
- Renlund, S., Klintrot, I.-M., Nunn, M., Schrimsher, J. L., Wernstedt, C. and Hellman, U.
Peptide mapping of HIV polypeptides expressed in *Escherichia coli*. Quality control of different batches and identification of tryptic fragments containing residues of aromatic amino acids or cysteine 512(1990)325
- Renn, C. N. and Synovec, R. E.
Refractive index gradient detection of biopolymers separated by high-temperature liquid chromatography 536(1991)289
- Renwick, A. G. C., see Hiyama, J. 529(1990)33
- Repetto, M., see Martínez, D. 528(1990)459
- Reschiglian, P., see Menziani, E. 511(1990)396
- Ress, K. M., see Kühlkamp, V. 528(1990)267
- Reuter, R., Naumann, M. and Kopperschlager, G.
New aspects of dye-ligand affinity chromatography of lactate dehydrogenase applying spacer-mediated beaded cellulose 510(1990)189
- Reutter, W., see Josić, D. 516(1990)89
- Revel, M., see Novick, D. 510(1990)331
- Revilla, E., see Ling, C. F. 519(1990)359
- Reynolds, R. A., see Duffy, L. K. 512(1990)291
- Řezanka, T.
Identification of very long polyenoic acids as picolinyl esters by Ag⁺ ion-exchange high-performance liquid chromatography, reversed-phase high-performance liquid chromatography and gas chromatography-mass spectrometry 513(1990)344
- Řezanka, T. and Mareš, P.
Preparative separation of sphingolipids and of individual molecular species by high-performance liquid chromatography and their identification by gas chromatography-mass spectrometry 509(1990)333
- Řezanka, T. and Mareš, P.
Determination of plant triacylglycerols using capillary gas chromatography, high-performance liquid chromatography and mass spectrometry 542(1991)145
- Řezanka, T. and Sokolov, M. Y.
Identification of fatty acids longer than C₃₂ in a sulphate-reducing bacterium by reversed-phase high-performance liquid chromatography and gas chromatography-mass spectrometry 508(1990)275
- Reznicsek, G., see De Bettignies-Dutz, A. 547(1991)299
- Rho, D., see Chauret, N. 519(1990)99
- Rhodes, G. R., see Boppana, V. K. 506(1990)279
- Rhodes, G. R., see Boppana, V. K. 507(1990)79
- Rhodes, G. R., see Boppana, V. K. 548(1991)319
- Ribkinska, T. I., see Wolfson, A. D. 503(1990)277
- Ribon, B., see Benchekroun, Y. 532(1990)261
- Ricard-Blum, S., Hartmann, D. J. and Ville, G.
Polyacrylamide gel electrophoresis and immunoblotting of native collagen molecules using the Phast system. Application to type XI collagen 530(1990)432
- Ricardo da Silva, J. M., see Rigaud, J. 540(1991)401
- Ricciarello, G., see Lucarelli, C. 511(1990)167
- Ricciarello, G., see Lucarelli, C. 541(1991)285
- Richards, D. A., see Sherwood, R. A. 528(1990)293
- Richli, U., see Fay, L. 541(1991)89
- Richter, E., see Ernemann, U. 528(1990)243
- Rickard, E. C., see Nielsen, R. G. 516(1990)99
- Rickard, E. C., see Nielsen, R. G. 539(1991)177
- Rickert, P. G., see Gatrone, R. C. 516(1990)395
- Riess, G., see Xu, R. 547(1991)434
- Riester, R. L., see Martire, D. E. 545(1991)135

- Riethorst, W., see Te Booy, M. P. W. M. 503(1990)103
- Rigaud, J., Perez-Illarbe, J., Ricardo da Silva, J. M. and Cheynier, V.
Micro method for the identification of proanthocyanidin using thiolysis monitored by high-performance liquid chromatography 540(1991)401
- Righetti, P. G.
Recent developments in electrophoretic methods (Review) 516(1990)3
- Righetti, P. G., see Chiari, M. 548(1991)381
- Righetti, P. G., see Wenisch, E. 516(1990)133
- Righezza, M. and Chrétien, J. R.
Factor analysis and experiment design in high-performance liquid chromatography. X. Chemometric characterization of packings, solvents and solutes with hierarchical ascending classification and correspondence factor analysis 544(1991)393
- Rigod, J. F., see Reigner, B. G. 533(1990)111
- Rihn, B., see Baldacini, O. 528(1990)357
- Rijks, J. A., see Van Es, A. J. 517(1990)143
- Riley, C. M., Ault, Jr., J. M. and Klutman, N. E.
Chromatographic methods for the bioanalysis of antiviral agents 531(1990)295
- Riley, C. M., see Patel, H. B. 536(1991)357
- Rindone, B., see Bolzacchini, E. 542(1991)337
- Rindone, B., see Bolzacchini, E. 548(1991)229
- Rindone, B., see Giacobbe, S. 548(1991)289
- Rindone, B., see Miraglia, N. 512(1990)123
- Rindone, B., see Søndergaard, I. 512(1990)115
- Ripamonti, M., see Marzo, A. 507(1990)235
- Ripamonti, M., see Marzo, A. 507(1990)241
- Risler, T., see Kühlkamp, V. 528(1990)267
- Rissler, K. and Cramer, H.
High-performance liquid chromatographic separation of tachykinins using Tris-phosphate as the buffer component of the mobile phase 533(1990)179
- Ristori, J. M., see Lartigue-Mattei, C. 529(1990)93
- Rittich, B. and Pirochtová, M.
Chromatographic behaviour of aromatic acids in reversed-phase high-performance liquid chromatography 523(1990)227
- Rius, F. X., see Marcé, R. M. 542(1991)277
- Rivard, G. E., see Lin, K. T. 536(1991)349
- Riviere, J. E., see Tyczkowska, K. 527(1990)447
- Rivière, M., see Monje, M. C. 521(1990)148
- Rizzi, A. M.
Coupled column chromatography in chiral separations. I. Enantiomeric separation on swollen microcrystalline cellulose triacetate columns after a pre-separation on a non-chiral alkylsilica column 513(1990)195
- Rizzi, A. M.
Efficiency in chiral high-performance ligand-exchange chromatography. Influence of the complexation process, flow-rate and capacity factor 542(1991)221
- Rizzica, M., see Di Muccio, A. 513(1990)333
- Rizzo, V., D'Erii, G. M., Achilli, G. and Cellerino, G. P.
Determination of neurochemicals in biological fluids by using an automated high-performance liquid chromatographic system with a coulometric array detector 536(1991)229
- Robbat, Jr., A. and Liu, T.-Y.
Effect of temperature and organic modifier on the isocratic retention characteristics of nitrated polycyclic aromatic hydrocarbons on a reversed-phase octadecylsilane column 513(1990)117
- Robbat, Jr., A., see Liu, T.-Y. 539(1991)1
- Roberson, M. A. and Patonay, G.
Pyrolytic analysis of complex stabilizers in polypropylene 505(1990)375
- Robie, C. A., see Minocha, S. C. 511(1990)177
- Robinet, D., see Said, R. 530(1990)11
- Rocca, J.-L., see Nicot, G. 528(1990)258
- Rocklin, R. D.
Detection in ion chromatography (Review) 546(1991)175
- Røder, M. E., see Linde, S. 548(1991)371
- Rodgers, A. H., see Strasters, J. K. 511(1990)17
- Rodriguez, M., see Afonso, D. 528(1990)101
- Rodriguez, R., see Zhu, M. 516(1990)123
- Roemen, T. H. M., Keizer, H. and Van der Vusse, G. J.
Quantitative assessment of γ -linolenic acid in human blood and plasma with capillary gas chromatography 528(1990)447
- Roeraade, J., see Emmer, Å. 547(1991)544
- Roeraade, J., see Lindström, M. 513(1990)315
- Roeske, R. W., see Tian, Z. 541(1991)297
- Rogers, S. J., see Doyle, E. 527(1990)67
- Rogers, S. J., see Huber, R. 529(1990)389
- Rögner, M.
Purification of membrane protein complexes isolated from a cyanobacterial thylakoid membrane by high-performance liquid chromatography 512(1990)219
- Roitman, J. N., see Mahoney, N. E. 508(1990)247
- Rojjo, J. A. and Perkins, E. G.
Isomer identification and gas chromatographic retention studies of monomeric cyclic fatty acid methyl esters 537(1991)329

- Rokushika, S., Kihara, K., Subosa, P. F. and Leng, W.-X.
Ion chromatography of nitrite, bromide and nitrate ions in brine samples using a chloride-form anion-exchange resin column 514(1990)355
- Rokushika, S., see Yamamoto, F. M. 515(1990)3
- Rolet, M.-C., see Drogue, S. 538(1991)91
- Rollema, H. S., see Visser, S. 548(1991)361
- Rollin, M., see Chaufer, B. 548(1991)215
- Rollin, P., see Lafosse, M. 505(1990)191
- Rolls, W. A. and Fréchet, J. M. J.
High-performance liquid chromatography separation media based on functional polymers containing phenolic hydroxyls 504(1990)97
- Roman, M., Dovi, R., Yoder, R., Dias, F. and Warden, B.
Determination by ion chromatography and spectrophotometry of the effects of preservation on nitrite and nitrate 546(1991)341
- Romano, J., Jandik, P., Jones, W. R. and Jackson, P. E.
Optimization of inorganic capillary electrophoresis for the analysis of anionic solutes in real samples 546(1991)411
- Romero, T. E., see Sánchez-Rasero, F. 538(1991)480
- Römmelt, E.-M., see Schmitt, S. 510(1990)239
- Roos, P. H.
Analytical fractionation of microsomal cytochrome P-450 isoenzymes from rat liver by high-performance ion-exchange chromatography 521(1990)251
- Roosemalen, M. C. M., see Soons, P. A. 528(1990)343
- Rop, P. P., Durand, A., Viala, A. and Jørgensen, A.
Simultaneous determination of citalopram, monodesmethylcitalopram and didesmethylcitalopram in plasma by high-performance liquid chromatography after column extraction 527(1990)226
- Rop, P. P., Spinazzola, J., Bresson, M., Conquy, T. and Viala, A.
Determination of amineptine and its main metabolite in plasma by high-performance liquid chromatography after solid-phase extraction 532(1990)351
- Rop, P. P., see Cahard, C. 532(1990)193
- Rosado, A., see Tápanes, R. D. 532(1990)400
- Rose, M. L., see Lachno, D. R. 525(1990)123
- Rose, Jr., D. J.
Free-solution reactor for post-column fluorescence detection in capillary zone electrophoresis 540(1991)343
- Roselló-Catafau, J., see Ramis, I. 532(1990)217
- Rosen, M. E. and Pankow, J. F.
Adsorption/thermal desorption for the determination of volatile organic compounds in water 537(1991)321
- Rosen, R. T., see Abidi, S. L. 522(1990)179
- Rosenblum, R., see Binder, S. R. 550(1991)449
- Rosenfeld, C., see Blanz, J. 532(1990)429
- Rosenlund, B. L.
Time-saving method for the reversed-phase high-performance liquid chromatography of phenylthiocarbamylamino acid derivatives of free amino acids in plasma 529(1990)258
- Rosenzweig, I. B., see Dasgupta, A. 526(1990)260
- Roshchina, T. M. and Vasil'eva, E. V.
Lead selenide as a polar adsorbent for gas chromatography 520(1990)15
- Roshka, G., see Nesterova, I. 537(1991)482
- Rosol, J., see Porsch, B. 520(1990)295
- Rosseel, M. T., Bogaert, M. G. and Huyghens, L.
Determination of the calcium antagonist nimodipine in plasma by capillary gas chromatography and nitrogen detection 533(1990)224
- Rosseel, M. T. and Lefebvre, R. A.
High-performance liquid chromatographic determination of propylthiouracil in plasma 507(1990)247
- Rosset, R., see Drogue, S. 538(1991)91
- Rosset, R., see Janicot, J. L. 505(1990)247
- Rosset, R., see Siret, L. 540(1991)129
- Rosset, R., see Tambuté, A. 541(1991)349
- Rosso di San Secondo, V. E. M., see Montecucchi, P. C. 512(1990)139
- Rotatori, M., see Bertoni, G. 522(1990)285
- Roth, M.
Enthalpy of transfer in supercritical fluid chromatography 543(1991)262
- Rouhouse, A., Manoha, M., Durand, A. and Thenot, J. P.
Direct high-performance liquid chromatographic determination of the enantiomers of alfuzosin in plasma on a second-generation α_1 -acid glycoprotein chiral stationary phase 506(1990)601
- Roumelis, N., see Mineshos, G. 541(1991)99
- Rounds, M. A., see Desilets, C. P. 544(1991)25
- Rouse, C. A., see Raynor, M. W. 505(1990)179
- Rousseau-Tsangaris, M., see Scappaticci, B. 534(1990)57
- Rousseaux, J., see Bianchi, F. 518(1990)123
- Rousseaux-Prevost, R., see Bianchi, F. 518(1990)123
- Roveri, P., see Gatti, R. 507(1990)451
- Rowan, D. D., see Fannin, F. F. 503(1990)288
- Rowell, P., see Powell, H. A. 502(1990)201

- Ruban, V. F., Anisimova, I. A. and Belen'kii, B. G.
Study of the characteristics and analytical application of a capillary chromatograph with an electrochemical detector 520(1990)307
- Rubinstein, M., see Novick, D. 510(1990)331
- Rudenko, B. A., see Dubrova, M. A. 520(1990)169
- Rudling, J.
Improvement of activated carbon for air sampling 503(1990)33
- Rudolph, M.
Direct enantiomeric separation of saterinone by high-performance liquid chromatography 525(1990)161
- Rudolph, M., Volk, D. and Schmiedel, G.
Determination of saterinone enantiomers in plasma samples with an internal standard using a Chiralcel OD column. Fractionation and reversed-phase chromatography 535(1990)263
- Rudy, A. C., Anliker, K. S. and Hall, S. D.
High-performance liquid chromatographic determination of the stereoisomeric metabolites of ibuprofen 528(1990)395
- Rudy, T., see Kargas, G. 526(1990)331
- Ruenitz, P. C., see Ruzicka, J. A. 518(1990)385
- Rujikarn, N., see Rao, P. S. 536(1991)137
- Rump, U., see Hahn, A. 540(1991)207
- Ruprecht, R. M., Sharpe, A. H., Jaenisch, R. and Trites, D.
Analysis of 3'-azido-3'-deoxythymidine levels in tissues and milk by isocratic high-performance liquid chromatography 528(1990)371
- Ruskin, H., see Kelly, M. T. 528(1990)277
- Russell, I. M., see Shalliker, R. A. 543(1991)157
- Rustenbeck, I. and Lenzen, S.
Quantitation of hexadecylphosphocholine by high-performance thin-layer chromatography with densitometry 525(1990)85
- Rustum, A. M.
Measurement of ibuprofen in human whole blood by reversed-phase ion-paired high-performance liquid chromatography using a pH-stable polymeric column 526(1990)246
- Rustum, A. M.
Measurement of verapamil in human plasma by reversed-phase high-performance liquid chromatography using a short octyl column 528(1990)480
- Rustum, A. M., Ash, S., Saxena, A. and Balu, K.
Reversed-phase high-performance liquid chromatographic method for the determination of soil-bound [¹⁴C]atrazine and its radiolabeled metabolites in a soil metabolism study 514(1990)209
- Rustum, A. M. and Gutierrez, L.
Reversed-phase high-performance liquid chromatographic separation of the enantiomers of N-[4,4-di(3-methylthien-2-yl)-but-3-enyl] nipecotic acid on a Pirkle-type phenylglycine stationary phase 503(1990)115
- Ruth, K. A. and Shaw, R. W.
Progress in optimization of transition metal cation chromatography and its application to analysis of silicon wafer contamination 546(1991)243
- Ruzicka, J. A. and Ruenitz, P. C.
Derivatization-liquid chromatographic assay of chloroacetaldehyde in biological samples 518(1990)385
- Ruzza, P., see Calderan, A. 548(1991)329
- Ryabikova, V. M., Tumina, S. D. and Zigel, A. N.
Probability method for pyrolysis gas chromatographic data treatment and elaboration of a computer system for the identification of polymers 520(1990)121
- Ryall, R. R., see Tran, A. D. 542(1991)459
- Ryan, A. J., see Sugiyanto, 530(1990)337
- Ryan, J. J., Conacher, H. B. S., Panopio, L. G., Lau, B. P.-Y., Hardy, J. A. and Masuda, Y.
Gas chromatographic separations of all 136 tetra- to octa-polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans on nine different stationary phases 541(1991)131
- Ryan, P. A., Ewels, B. A. and Glajch, J. L.
Separation and detection of oxidation products in NeuroLite raw material 550(1991)549
- Ryan, T. W., Yocklovich, S. G., Watkins, J. C. and Levy, E. J.
Quantitative analysis of additives in polymers using coupled supercritical fluid extraction-supercritical fluid chromatography 505(1990)273

S

- Saari-Nordhaus, R. and Anderson, Jr., J. M.
Simultaneous analysis of anions and cations by single-column ion chromatography 549(1991)257

- Saari-Nordhaus, R., Henderson, I. K. and Anderson, Jr., J. M.
 Universal stationary phase for the separation of anions on suppressor-based and single-column ion chromatographic systems 546(1991)89
- Saari-Nordhaus, R., see Henderson, I. K. 546(1991)61
- Sabbatini, G., see Pietta, P. G. 549(1991)367
- Sada, A., see Cacace, M. G. 510(1990)41
- Sadana, G. S. and Ghogare, A. B.
 Simultaneous determination of chloramphenicol and benzocaine in topical formulations by high-performance liquid chromatography 542(1991)515
- Saga, Y., Gasa, S., Makita, A. and Oikawa, K.
 Analytical and preparative separation of glucosylceramide and galactosylceramide by borate-impregnated silica gel chromatography 513(1990)379
- Sagara, K., see Oshima, T. 547(1991)175
- Sagara, T., see Naito, K. 503(1990)25
- Sági, J., see Valkó, K. 506(1990)35
- Sahartova, O. V., see Shatz, V. D. 521(1990)19
- Said, R., Robinet, D., Barbier, C., Sartre, J. and Huguet, C.
 Fully automated high-performance liquid chromatographic assay for the analysis of free catecholamines in urine 530(1990)11
- Saito, H., see Matsumoto, M. 526(1990)1
- Saito, K., Horie, M., Hoshino, Y., Nose, N. and Nakazawa, H.
 High-performance liquid chromatographic determination of glycoalkaloids in potato products 508(1990)141
- Saito, K., see Horie, M. 502(1990)371
- Saito, K., see Horie, M. 538(1991)484
- Saito, M. and Yamauchi, Y.
 Isolation of tocopherols from wheat germ oil by recycle semi-preparative supercritical fluid chromatography 505(1990)257
- Saito, M., see Higashidate, S. 515(1990)295
- Saito, M., see Yamauchi, Y. 505(1990)237
- Saito, M., see Yamauchi, Y. 515(1990)285
- Saito, T., see Takeuchi, M. 515(1990)629
- Saito, T., see Watanabe, S. 518(1990)264
- Saitoh, K., Shibata, Y. and Suzuki, N.
 Factors influencing the retention of rare earth-tetraphenylporphine complexes in reversed-phase high-performance liquid chromatography 542(1991)351
- Saitoh, K., see Suzuki, N. 504(1990)179
- Saitoh, K., see Tsukahara, S. 547(1991)225
- Sajjad, S. M., see Husain, S. 513(1990)83
- Sakamoto, N., see Okamoto, Y. 539(1991)221
- Sakashita, S., see Miwa, T. 511(1990)89
- Sakayanagi, N., see Kurosu, Y. 515(1990)407
- Sakita, T., see Oka, H. 538(1991)149
- Sakuma, I., Takai, N., Dohi, T., Fukui, Y. and Ohkubo, A.
 Resolution of unresolved peaks containing unknown components by high-performance liquid chromatography with multi-wavelength detection 506(1990)223
- Šalamoun, J., Macka, M., Nechvátal, M., Matoušek, M. and Knesel, L.
 Identification of products formed during UV irradiation of tamoxifen and their use for fluorescence detection in high-performance liquid chromatography 514(1990)179
- Šalamoun, J. and Šlais, K.
 On-line precolumn photochemical generation of pH gradient: micro-high-performance liquid chromatography of methotrexate and its impurities 522(1990)205
- Šalamoun, J. and Šlais, K.
 Elimination of peak splitting in the liquid chromatography of the proline-containing drug enalapril maleate 537(1991)249
- Salari, H. and Eigendorf, G. K.
 Detection of lyso-platelet-activating factor by high-performance liquid chromatography after derivatisation with fluorescent fatty acids 527(1990)303
- Saleh, S., Johnston, A. and Turner, P.
 Measurement of medifoxamine metabolites in urine by high-performance liquid chromatography 528(1990)531
- Salem, G. W., see Shih, M. L. 527(1990)371
- Salen, G., see Batta, A. K. 542(1991)184
- Salenko, V. L., Troshkov, M. L. and Zibarev, A. V.
 Cyclic aryleneazachalcogenenes. IV. Gas chromatographic properties of polyfluorinated 2,1,3-benzoselenadiazoles 549(1991)429
- Salgó, A., see Ganzler, K. 520(1990)257
- Salles, C., Jallageas, J.-C. and Crouzet, J.
 Chromatographic separation and partial identification of glycosidically bound volatile components of fruit 522(1990)255
- Salomon, K., Burgi, D. S. and Helmer, J. C.
 Separation of seven tricyclic antidepressants using capillary electrophoresis 549(1991)375
- Salonen, J. S.
 Determination of the amine metabolites of selegiline in biological fluids by capillary gas chromatography 527(1990)163
- Salonen, J. S., see Vuorilehto, L. 530(1990)137
- Salvadori, P., see Bertucci, C. 506(1990)617
- Samejima, M., see Tagawa, K. 529(1990)500
- Samperi, R., see Carfagnini, G. 530(1990)359

- Samuelsen, O. B.
High-performance liquid chromatographic determination of furazolidone in Atlantic salmon (*Salmo salar*) tissue 528(1990)495
- Samuelsen, O. B.
Simple and rapid method for the determination of flumequine and oxolinic acid in salmon (*Salmo salar*) plasma by high-performance liquid chromatography and fluorescence detection 530(1990)452
- Samuelsson, B., see Strömqvist, M. 548(1991)293
- Sanagi, M. M., see Smith, R. M. 505(1990)147
- Sanchez, A. H., see Montaña, A. 521(1990)153
- Sánchez, L., see Ena, J. M. 525(1990)442
- Sánchez-Rasero, F., Romero, T. E. and Dios, C. G.
Liquid chromatographic determination of carbendazim in the presence of some normal soil constituents with photodiode-array detection 538(1991)480
- Sancho, P., see García-Pérez, A.-I. 504(1990)79
- Sandberg, J. A. and Olsen, G. D.
Microassay for the simultaneous determination of cocaine, norcocaine, benzoylecgonine and benzoynorecgonine by high-performance liquid chromatography 525(1990)113
- Sander, L. C., see Olsson, M. 537(1991)73
- Sander, L. C., see Wise, S. A. 514(1990)111
- Sandhya, G., see Govindachari, T. R. 513(1990)389
- Sandra, P., see Hevesi, T. 517(1990)161
- Sandra, P., see Vindevogel, J. 541(1991)483
- Sandy, K. C., see Wu, Z. 513(1990)209
- Sankaran, K., see Gorecki, D. K. J. 528(1990)333
- Sano, A., see Azekawa, T. 530(1990)47
- Sano, Y., see Yamamoto, S. 512(1990)77
- Sano, Y., see Yamamoto, S. 512(1990)89
- Sansó, M., see Montecucchi, P. C. 512(1990)139
- Santa, P. F., see Nielsen, R. G. 539(1991)177
- Santasia, C. T., see Feibush, B. 544(1991)41
- Santilio, A., see Di Muccio, A. 513(1990)333
- Santin, M., see Cacace, M. G. 510(1990)41
- Santiuste, J. M., see Becerra, M. R. 547(1991)269
- Sanz, A. M., see Alonso-Silva, I. J. 507(1990)293
- Sapers, G. M., Douglas, Jr., F. W., Ziolkowski, M. A., Miller, R. L. and Hicks, K. B.
Determination of ascorbic acid, dehydroascorbic acid and ascorbic acid-2-phosphate in infiltrated apple and potato tissue by high-performance liquid chromatography 503(1990)431
- Sapone, A., see Biagi, G. L. 547(1991)523
- Sapp, E., see Weinberger, R. 516(1990)271
- Saricheva, E. A., see Berezkina, L. G. 520(1990)157
- Sarocka, C., see Gorski, R. J. 540(1991)422
- Sarocka, C., see Morgan, D. 502(1990)351
- Sartre, J., see Said, R. 530(1990)11
- Sarwar, G., see Jamaluddin, A. B. M. 525(1990)495
- Sarwar, Y., see Singhal, R. P. 543(1991)17
- Sasaki, A., see Machida, R. 534(1990)190
- Sasaki, H., see Takeda, S. 530(1990)447
- Sasaki, S., see Harada, M. 527(1990)158
- Sasaki, T., see Fujimori, H. 515(1990)363
- Sasaki, T., see Fujimori, H. 528(1990)305
- Sasaki, T., see Kurosu, Y. 515(1990)407
- Sato, K., see Moore, C. M. 539(1991)215
- Sato, S., see Watanabe, S. 518(1990)264
- Sato, T., see Asakawa, N. 541(1991)231
- Sato, T., see Hiro, T. 528(1990)315
- Sato, T., see Oda, Y. 541(1991)411
- Sato, Y., Ishikawa, N. and Takagi, T.
High-performance size-exclusion chromatography and molar mass measurement by low-angle laser light scattering of recombinant yeast-derived human hepatitis B virus surface antigen vaccine particles 507(1990)25
- Sattler, W., see Welz, W. 526(1990)319
- Saunier, M., see Djalali, M. 529(1990)81
- Sautière, P., see Bianchi, F. 518(1990)123
- Savage, J. C. and Gould, D. H.
Determination of sulfide in brain tissue and rumen fluid by ion-interaction reversed-phase high-performance liquid chromatography 526(1990)540
- Savage, P. M., see Porter, G. F. 502(1990)69
- Savarese, J., see DeAngelis, R. 525(1990)389
- Savolainen, K., see Parviainen, M. T. 525(1990)193
- Sawamoto, H., see Gamoh, K. 515(1990)227
- Sawhney, S. Y. and Bhide, S. V.
Immobilized mucin : an affinity matrix for the isolation of winged bean acidic and basic lectins 503(1990)272
- Sawlivich, W., see Phillips, D. J. 536(1991)95
- Saxena, A., see Rustum, A. M. 514(1990)209
- Sbirazzuoli, V., see Candito, M. 526(1990)194
- Scalbert, A., Duval, L., Peng, S., Monties, B. and Du Penhoat, C.
Polyphenols of *Quercus robur* L. II. Preparative isolation by low-pressure and high-pressure liquid chromatography of heartwood ellagitannins 502(1990)107
- Scandroglio, A., see Buzzigoli, G. 507(1990)85
- Scanff, P., Yvon, M. and Pelissier, J. P.
Immobilized Fe³⁺ affinity chromatographic isolation of phosphopeptides 539(1991)425

- Scappaticci, B., Soubeyrand, J., Rousseau-Tsangaris, M., Desage, M., Brazier, J. L. and Coquet, B.
Determination of sodium diethyldithiocarbamate (Imuthiol) and its S-methyl metabolite by gas chromatography-mass spectrometry. Use of deuteromethyl iodide derivatization 534(1990)57
- Scarlett, B., see Mori, Y. 515(1990)27
- Scarminio, I. S., see Faigle, J. F. 539(1991)123
- Scawen, M. D., see Edwardson, P. A. D. 545(1991)79
- Schaefer, H. G., Spahn, H., Lopez, L. M. and Derendorf, H.
Simultaneous determination of propranolol and 4-hydroxypropranolol enantiomers after chiral derivatization using reversed-phase high-performance liquid chromatography 527(1990)351
- Schalkhammer, T., Mann-Buxbaum, E., Urban, G. and Pittner, F.
Electrochemical biosensors on thin-film metals and conducting polymers 510(1990)355
- Schamp, N., see Keymeulen, R. 541(1991)83
- Schanbacher, B. D., see Grotjan, H. E. 549(1991)141
- Schaufelberger, D. E.
Applications of analytical high-speed counter-current chromatography in natural products chemistry (Review) 538(1991)45
- Schaufelberger, D. E., McCloud, T. G. and Beutler, J. A.
Laser-light-scattering detection for high-speed counter-current chromatography 538(1991)87
- Scheeren, H. A., see Van Beek, T. A. 543(1991)375
- Scheinin, M., see Laakso, S. 526(1990)475
- Schell, D. and Overath, P.
Purification of the membrane-form variant surface glycoprotein of *Trypanosoma brucei* 521(1990)239
- Schenning, M., see Kågedal, L. 537(1991)17
- Schepers, J., see Wieling, J. 545(1991)101
- Scherberich, J. E., Wiemer, J., Herzig, C., Fischer, P. and Schoeppe, W.
Isolation and partial characterization of angiotensinase A and aminopeptidase M from urine and human kidney by lectin affinity chromatography and high-performance liquid chromatography 521(1990)279
- Schiavi, M., see Italia, A. 503(1990)266
- Schildknecht, H., see Meier-Augenstein, W. 518(1990)254
- Schill, G., see Arvidsson, E. 506(1990)579
- Schilt, R., see Haasnoot, W. 519(1990)323
- Schimpf, M. E.
Characterization of polymers by thermal field-flow fractionation 517(1990)405
- Schinella, M., see Mazzi, G. 528(1990)537
- Schirmer, D., see Ernemann, U. 528(1990)243
- Schirmer, M. M., see Bradshaw, J. S. 540(1991)279
- Schlegel, W., see Tombach, B. 521(1990)231
- Schmermund, J. T. and Locke, D. C.
Design of a photoionization detector for high-performance liquid chromatography using an automated liquid-to-vapor phase interface and application to phenobarbital in an animal feed and to amantadine 505(1990)319
- Schmid, F., see Kühkamp, V. 528(1990)267
- Schmid, H.-P., see Tomek, W. 521(1990)221
- Schmid, R. D., see Kalisz, H. M. 521(1990)245
- Schmidt, A., see Bauer, J. F. 514(1990)348
- Schmidt, A. H. and Wombacher, H.
Purification of yeast alcohol dehydrogenase by Congo red affinity chromatography 519(1990)379
- Schmidt, H.-D., see Ludwig, S. 520(1990)69
- Schmidt, K.-H., see Bruchelt, G. 545(1991)407
- Schmidt, U., see Burger, B. V. 518(1990)207
- Schmidt-Beiwil, K., see Kenndler, E. 545(1991)397
- Schmiedel, G., see Rudolph, M. 535(1990)263
- Schmitt, S., Goetschel, J. D., Römmelt, E.-M. and Adler, C.
One-step purification of trypsin and α -chymotrypsin by affinity chromatography on Eupergit-aprotinin, a novel carrier for purification of serine proteases 510(1990)239
- Schmitt, W., Rdest, U. and Goebel, W.
Efficient high-performance liquid chromatographic system for the purification of a halobacterial serine protease 521(1990)211
- Schmitz, F. P., see Hütz, A. 505(1990)99
- Schmitz, F. P., see Küppers, S. 505(1990)109
- Schmitz, G., see Josić, D. 516(1990)89
- Schmitz, S., see Bentrop, D. 535(1990)293
- Schmitz, S. J., Zwanziger, H. and Engelhardt, H.
Characterization of reversed phases by chemometric methods 544(1991)381
- Schnabel, R. and Langer, P.
Controlled-pore glass as a stationary phase in chromatography (Review) 544(1991)137
- Schnable, J. G., Capangpangan, M. B. and Suffet, I. H.
Continuous automatic monitoring of volatile organic compounds in aqueous streams by a modified purge-and-trap system 549(1991)335

- Schnable, J. G., Dussert, B., Suffet, I. H. and Hertz, C. D.
Comparison of quarter-hourly on-line dynamic headspace analysis to purge-and-trap analysis of varying volatile organic compounds in drinking water sources 513(1990)47
- Schneider, G. M., see Dahmen, N. 505(1990)169
- Schneider, V., see Werner, G. 525(1990)265
- Schoene, K., Steinhanses, J. and König, A.
Sorption isotherms of organic vapours on Tenax 514(1990)279
- Schoene, K., see Steinhanses, J. 514(1990)273
- Schoenmakers, P. J.
Practical HPLC method development (by L. R. Snyder, J. L. Glajch and J. J. Kirkland) (Book Review) 509(1990)406
- Schoenmakers, P. J., Bartha, Á. and Billiet, H. A. H.
Gradient elution methods for predicting isocratic conditions (Review) 550(1991)425
- Schoenmakers, P. J., Peeters, A. and Lynch, R. J.
Optimization of chromatographic methods by a combination of optimization software and expert systems 506(1990)169
- Schoenmakers, P. J., Uunk, L. G. M. and Janssen, H.-G.
Comparison of stationary phases for packed-column supercritical fluid chromatography 506(1990)563
- Schoenmakers, P. J., see Eguchi, S. 516(1990)301
- Schoenmakers, P. J., see Mulholland, M. 550(1991)257
- Schoeppe, W., see Scherberich, J. E. 521(1990)279
- Scholl, J. P., see MacLeod, S. K. 502(1990)236
- Scholzen, T., see Kasche, V. 510(1990)149
- Schomburg, G., see Hanson, M. 517(1990)269
- Schomburg, G., see Hetem, M. J. J. 540(1991)53
- Schön, I., see Péter, A. 507(1990)59
- Schöndorf, G., see Engelhardt, H. 535(1990)41
- Schoots, A. C., see Verheggen, T. P. E. M. 503(1990)245
- Schopfer, C. and Benakis, A.
Simplified method for the determination of atracurium and laudanosine in pig plasma by high-performance liquid chromatography and fluorimetric detection 526(1990)223
- Schram, K. H., see Nakano, K. 515(1990)537
- Schramm, J. and Sorenson, S. C.
Solubility of gasoline components in different lubricants for combustion engines determined by gas-liquid partition chromatography 538(1991)241
- Schreiber, B., see Djordjevic, N. M. 550(1991)27
- Schreiber, J.-P., see Cachia, C. 539(1991)343
- Schreier, P., see Huffler, M. 519(1990)263
- Schreiter, C., see Werner, A. 507(1990)311
- Schrimsher, J. L., see Renlund, S. 512(1990)325
- Schröder, B., Mangels, J., Selke, K., Wolpers, S. and Dannecker, W.
Comparative analysis of organic acids located on the surface of natural building stones by high-performance liquid, gas and ion chromatography 514(1990)241
- Schröder, E., see Kokkonen, P. 511(1990)35
- Schröder, E., see Reinhoud, N. J. 516(1990)147
- Schröder, W., Dumas, M. L. and Klein, U.
Rapid high-performance liquid chromatographic protein quantitation of purified recombinant Factor VIII containing interfering substances 512(1990)213
- Schroeder, L. A., see Malmer, M. F. 514(1990)227
- Schudel, J., see Huang, J.-X. 504(1990)335
- Schüller, J., see Jäger, W. 532(1990)411
- Schultz, G. A., see Watson, J. T. 518(1990)283
- Schultz, J. E., see Klumpp, S. 521(1990)179
- Schure, M. R.
Resolution enhancement of chromatographic data. Considerations in achieving super-resolution with the constrained iterative relaxation method 550(1991)51
- Schuring, H. F., see Teelken, A. W. 529(1990)408
- Schualova, T. N., see Karabanov, N. T. 508(1990)193
- Schwartz, D. P., see Unruh, J. 519(1990)179
- Schwartz, F., see Hadas, E. 510(1990)303
- Schwartz, F., see Solomon, B. 510(1990)321
- Schwartz, F., see Solomon, B. 539(1991)335
- Schwartz, S. J., see Van Breemen, R. B. 542(1991)373
- Schwedt, G., see Yan, D. 516(1990)383
- Schweer, H., see Hesse, W. H. 533(1990)159
- Schwende, F. J. and Lewis, R. C.
Determination of nicorandil in plasma using high-performance liquid chromatography with photoconductivity and ultraviolet detection. Application to pre-clinical pharmacokinetics in beagle dogs 525(1990)151
- Schwer, C., see Kenndler, E. 508(1990)203
- Schwer, C., see Kenndler, E. 514(1990)383
- Schwer, C., see Widhalm, A. 549(1991)446
- Schwidop, W.-D., Klossek, P., Müller, R. and Claus, R.
Procedure for the purification of streptavidin by hydrophobic interaction chromatography 520(1990)325
- Scott, D. O., Sorensen, L. R. and Lunte, C. E.
In vivo microdialysis sampling coupled to liquid chromatography for the study of acetaminophen metabolism 506(1990)461

- Scott, P. M., see Kanhere, S. R. 511(1990)384
- Scott, P. M., see Tarter, E. J. 538(1991)441
- Scott, R. P. W.
Design of liquid chromatography capillary columns 517(1990)297
- Scouten, W. H., see Slingerland, R. J. 510(1990)205
- Seaton, G. G. R., see Marr, J. G. D. 506(1990)289
- Sebille, B., Zini, R., Madjar, C.-V., Thuaud, N. and Tillement, J.-P.
Separation procedures used to reveal and follow drug-protein binding 531(1990)51
- Sébille, B., see Chaufer, B. 548(1991)215
- Sébille, B., see Cysewski, P. 548(1991)61
- Sebille, B., see Thuaud, N. 503(1990)453
- Sebti, S. M., see Mistry, J. S. 514(1990)86
- Secchi, C., see Berrini, A. 547(1991)457
- Secchieri, M., see Calderan, A. 548(1991)329
- Secreast, S. L.
Anion-exchange chromatography on selected silica-based reversed-phase high-performance liquid chromatographic columns 544(1991)99.
- Segal, A. W., see Leoni, P. 527(1990)152
- Segatti, M. P., Nisi, G., Grossi, F., Mangiarotti, M. and Lucarelli, C.
Rapid and simple high-performance liquid chromatographic determination of tricyclic antidepressants for routine and emergency serum analysis 536(1991)319
- Segelman, A. B., Adusumalli, V. E. and Segelman, F. H.
Automated liquid chromatographic determination of ranitidine in microliter samples of rat plasma 535(1990)287
- Segelman, F. H., see Segelman, A. B. 535(1990)287
- Séguin-Swartz, G., see Pedras, M. S. C. 519(1990)383
- Sei, H., see Azekawa, T. 530(1990)47
- Seidel, A., see Slonina, P. 537(1991)167
- Seifert, H. S. H., see Heitefuss, S. 532(1990)374
- Seipel, L., see Kühlkamp, V. 528(1990)267
- Seki, M., see Yoshioka, M. 515(1990)205
- Seki, T., Yanagihara, Y. and Noguchi, K.
Determination of free catecholamines in human urine by direct injection of urine into a liquid chromatographic column-switching system with fluorimetric detection 515(1990)435
- Sekiba, K., see Morita, I. 526(1990)367
- Selinger, K., Prevost, J. and Hill, H. M.
High-performance liquid chromatography method for the determination of diphenhydramine in human plasma 526(1990)597
- Selke, K., see Schröder, B. 514(1990)241
- Sellberg, B., see Fell, A. F. 535(1990)33
- Sellers, Jr., T. and Prewitt, M. L.
Applications of gel filtration chromatography for resole phenolic resins using aqueous sodium hydroxide as solvent 513(1990)271
- Semenzato, A., see Benassi, C. A. 502(1990)193
- Semenzato, A., see Bettero, A. 507(1990)403
- Semporé, B. G. and Bézard, J. A.
Analysis and fractionation of natural source diacylglycerols as urethane derivatives by reversed-phase high-performance liquid chromatography 547(1991)89
- Senda, M., see Fujimori, H. 515(1990)363
- Senda, M., see Fujimori, H. 528(1990)305
- Senda, M., see Higashidate, S. 515(1990)577
- Senda, M., see Kurosu, Y. 515(1990)407
- Senf, L. and Frank, H.
Thermal desorption of organic pollutants enriched on activated carbon. V. Desorption behaviour and temperature profile 520(1990)131
- Senior, A. T., see Glennon, J. D. 527(1990)481
- Senne, S. M., see Pietrzyk, D. J. 546(1991)101
- Seno, M., Lin, M. and Iwamoto, K.
Chromatographic behaviour of cyclodextrin complexes of NADH and NADP 508(1990)127
- Seno, M., Lin, M. and Iwamoto, K.
Chromatographic behaviour of cyclodextrin complexes of nucleotides, nucleosides and their bases 523(1990)293
- Sentier, L., Marchal, J., Boudrant, J. and Germain, P.
Thin-layer chromatographic method for the simultaneous determination of physiological aromatic amino acids 547(1991)531
- Seppälä, T., see Lillsunde, P. 533(1990)97
- Seppänen-Laakso, T., Laakso, I. and Hiltunen, R.
Rapid determination of unsubstituted alkylglyceryl ethers by gas chromatography-mass spectrometry 530(1990)94
- Sequi, P., see Ciavatta, C. 509(1990)141
- Serkiz, B., see Tordjman, C. 532(1990)135
- Seta, K., Nakamura, H. and Okuyama, T.
Determination of α -tocopherol, free cholesterol, esterified cholesterols and triacylglycerols in human lipoproteins by high-performance liquid chromatography 515(1990)585
- Sevalkar, M. T., see Patil, V. B. 519(1990)268
- Severson, R. F., see Chamberlain, W. J. 513(1990)55
- Sewell, G. W., see Chamkasem, N. 536(1991)193

- Sewell, R. F. and Brenchley, P. E. C.
Coupling of mono- and polyamino ligands to solid phases by nucleophilic attack on coupling groups that may be spontaneously hydrolysed 525(1990)246
- Seyama, Y., see Baba, S. 530(1990)1
- Seyberth, H. W., see Hesse, W. H. 533(1990)159
- Seyfried, C. A. and Tobler, P.
High-performance liquid chromatographic system for the separation of dynorphin A (1-17) fragments and its application in enzymolysis studies with rat nerve terminal membranes 529(1990)43
- Shader, R. I., see Greenblatt, D. J. 534(1990)202
- Shadrina, N. E., see Dmitrenko, A. V. 520(1990)21
- Shah, R. S., see Devani, M. B. 537(1991)494
- Shah, S., Ashraf-Khorassani, M. and Taylor, L. T.
Analysis of triazine and triazole herbicides by gradient-elution supercritical fluid chromatography 505(1990)293
- Shah, S. A., see Devani, M. B. 537(1991)494
- Shaligin, F. G., see Berezkin, V. G. 509(1990)85
- Shalliker, R. A., Kavanagh, P. E. and Russell, I. M.
Reversed-phase gradient elution behaviour of polystyrenes in a dichloromethane-methanol solvent system 543(1991)157
- Shambee, M., see Ford, S. H. 537(1991)235
- Shan, Z. L., Xiao, H. and Zhu, P. L.
Measurement of limiting ionic equivalent conductance by single-column ion chromatography 535(1990)207
- Shanley, M. S., see Bailey, A. J. 512(1990)403
- Shanley, M. S., see Dutta, P. K. 512(1990)395
- Shantha, N. C. and Ackman, R. G.
Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain *n*-3 polyunsaturated fatty acid methyl esters 533(1990)1
- Sharknas, D. A., see Nielsen, R. G. 539(1991)177
- Sharma, P., see Gupta, K. C. 541(1991)341
- Sharman, M. and Gilbert, J.
Automated aflatoxin analysis of foods and animal feeds using immunoaffinity column clean-up and high-performance liquid chromatographic determination 543(1991)220
- Sharp, P. J., McInerney, B. V., Smith, D. R. J., Turnbull, I. F., Kemp, D. H., Rand, K. N. and Cobon, G. S.
Chromatography and generation of specific antisera to synthetic peptides from a protective *Boophilus microplus* antigen 512(1990)189
- Sharpe, A. H., see Ruprecht, R. M. 528(1990)371
- Shatz, V. D., Sahrtova, O. V. and Kalvinš, I.
High-performance liquid chromatography on silica dynamically modified with hydrazinium derivatives 521(1990)19
- Shaw, A. J. and Gescher, A.
Analysis of decomposition products of alkyl nitronic acids by reversed-phase high-performance liquid chromatography 505(1990)402
- Shaw, A. N., see Camilleri, P. 523(1990)300
- Shaw, R. W., see Ruth, K. A. 546(1991)243
- Shayman, J. A. and Barcelon, F. S.
Ion-pair chromatography of inositol polyphosphates with N-methylimipramine 528(1990)143
- Shchedrina, M. M., see Dubrova, M. A. 520(1990)169
- Shcherbakova, K. D., see Kovaleva, N. V. 520(1990)55
- Shefer, S., see Batta, A. K. 542(1991)184
- Shelat, B. P., see Elrod, Jr., L. 519(1990)125
- Shelly, D. C., see Wang, T. 523(1990)23
- Sheng, Y., see Lou, X. 514(1990)253
- Shepherd, M. J., see Dawkins, J. V. 550(1991)539
- Sherwood, R. A., Titheradge, A. C. and Richards, D. A.
Measurement of plasma and urine amino acids by high-performance liquid chromatography with electrochemical detection using phenylisothiocyanate derivatization 528(1990)293
- Shetty, H. U., see Greig, N. H. 534(1990)279
- Sheumack, D., see Haynes, P. A. 540(1991)177
- Shi, L., see Ye, M. 518(1990)238
- Shi, L., see Zhu, P. 511(1990)390
- Shi, Y., see Liu, W. 547(1991)509
- Shiao, M.-S., see Chyr, R. 542(1991)327
- Shibamoto, T., see Yasuhara, A. 547(1991)291
- Shibanoki, S., Weinberger, S. B., Ishikawa, K. and Martinez, Jr., J. L.
Sensitive method for measuring hydrolysis of enkephalins in plasma, using high-performance liquid chromatography with electrochemical detection 532(1990)249
- Shibanoki, S., see Imamura, Y. 526(1990)282
- Shibata, O., see Terabe, S. 516(1990)23
- Shibata, T., see Fukui, Y. 515(1990)85
- Shibata, Y., see Saitoh, K. 542(1991)351
- Shibata, Y., see Suzuki, N. 504(1990)179
- Shibukawa, M., see Knox, J. H. 545(1991)123
- Shibusawa, Y. and Ito, Y.
Protein separation with aqueous-aqueous polymer systems by two types of counter-current chromatographs 550(1991)695

- Shibusawa, Y., see Matsumoto, U. 504(1990)69
- Shibuya, T., see Takeda, H. 515(1990)265
- Shigematsu, Y., see Kikawa, Y. 532(1990)387
- Shih, M. L., Smith, J. R. and Salem, G. W.
High-performance liquid chromatographic analysis of imidazolium and pyridinium oximes in plasma and urine 527(1990)371
- Shijo, Y., see Ohashi, H. 539(1991)225
- Shilstone, G. F., see Bartle, K. D. 517(1990)459
- Shimada, S., see Maeda, M. 515(1990)329
- Shimamura, M., Ôhara, T., Imazawa, M. and Miyamoto, K.
Purification of myelin-associated glycoprotein from calf brain using high-performance liquid chromatography 526(1990)535
- Shimamura, T., see Katayama, N. 519(1990)221
- Shimizu, M., see Tanaka, M. 526(1990)289
- Shimizu, T., Mihara, M. and Takeda, N.
High-performance liquid chromatography of biogenic amines in the corpus cardiacum of the American cockroach, *Periplaneta americana* 539(1991)193
- Shimizu, T., see Koike, M. 526(1990)235
- Shimizu, T., see Miyagawa, F. 549(1991)400
- Shimkus, J. K., see Kononenko, V. L. 520(1990)271
- Shimoda, M., see Vree, T. B. 526(1990)119
- Shimomura, K., see Okamura, N. 542(1991)317
- Shimomura, T., see Kamisaki, Y. 529(1990)417
- Shimura, K.
Progress in affinophoresis (Review) 510(1990)251
- Shimura, K., see Kakita, H. 543(1991)315
- Shimura, K., see Nakamura, K. 510(1990)101
- Shimura, K., see Nakamura, K. 513(1990)367
- Shinnick, F. L., see Kraus, R. J. 513(1990)71
- Shinohara, R., see Terashi, A. 503(1990)369
- Shinohara, Y., Kirii, N., Tamaoki, H., Magara, H. and Baba, S.
Determination of the enantiomers of suprofen and [$^2\text{H}_3$]suprofen in plasma by capillary gas chromatography-mass spectrometry 525(1990)93
- Shiojima, Y., see Tanaka, N. 535(1990)13
- Shiokawa, T., see Sugiyama, K. 515(1990)555
- Shiono, H., see Akane, A. 529(1990)155
- Shiota, A., see Hirayama, N. 523(1990)257
- Shishkina, I. P., see Galushko, S. V. 511(1990)115
- Shishkina, I. P., see Galushko, S. V. 547(1991)161
- Shishoo, C. J., see Devani, M. B. 537(1991)494
- Shitara, K., see Kiba, N. 537(1991)443
- Shitara, K., see Kiba, N. 549(1991)127
- Shlyakhov, A. F., see Adamia, T. V. 540(1991)441
- Shnek, D., see Wuenschell, G. E. 543(1991)345
- Shono, T., see Chen, S.-H. 502(1990)257
- Shono, T., see Harino, H. 522(1990)107
- Shono, T., see Yasaka, Y. 508(1990)133
- Short, C. R., see Long, A. R. 502(1990)87
- Short, C. R., see Long, A. R. 505(1990)395
- Short, D. C., see Hansen, M. E. 517(1990)333
- Shoshihara, M., Kase, K., Yoshizawa, E., Takao, M. and Fujimoto, T.
Column liquid chromatographic determination of isepamicin in nasal cavity using gauze 529(1990)473
- Shoto, E., see Ito, K. 549(1991)265
- Shrago, E., see Kargas, G. 526(1990)331
- Shreedhara Murthy, R. S., Crane, L. J. and Bronnimann, C. E.
Characterization of cyano bonded silica phases from solid-phase extraction columns. Correlation of surface chemistry with chromatographic behavior 542(1991)205
- Shu, H., see Xie, F. 526(1990)109
- Shuely, W. J., see Abraham, M. H. 518(1990)329
- Shukurova, K. N., see Berezkin, V. G. 509(1990)85
- Sibilia, A., see Visconti, A. 540(1991)376
- Sica, D. A., see Farthing, D. 534(1990)228
- Sieber, K. P., see Wheelock, G. D. 542(1991)508
- Sieber, R., see Bilic, N. 511(1990)359
- Siebert, C. J., see Dunn, L. 548(1991)165
- Siegel, M. R., see Fannin, F. F. 503(1990)288
- Siems, W., see Grune, T. 520(1990)411
- Siems, W., see Werner, A. 507(1990)311
- Siems, W. F., see Morrissey, M. A. 505(1990)215
- Sigalov, A.
Reversed-phase high-performance liquid chromatographic study of the formation of complexes of nucleotides and oligonucleotides with Lu(III) 516(1990)456
- Sigalov, A., Alexandrovich, O. and Strizevskaya, E.
Large-scale isolation and purification of human apolipoproteins A-I and A-II 537(1991)464
- Silan, L., Jadaud, P., Whitfield, L. R. and Wainer, I. W.
Determination of low levels of the stereoisomers of leucovorin and 5-methyltetrahydrofolate in plasma using a coupled chiral-achiral high-performance liquid chromatographic system with post-chiral column peak compression 532(1990)227
- Sim, J. S., see Fenton, M. 540(1991)323
- Simay, A., see Prokai, L. 541(1991)469

- Šimek, Z., Vespalec, R. and Šubert, J.
Elimination of the temperature-induced loss of the enantioselectivity of chemically bonded albumin 543(1991)475
- Simenthal, F., see Hornedo-Nuñez, A.
503(1990)217
- Šimko, P., see Karovičová, J. 545(1991)413
- Simmaco, M., De Biase, D., Barra, D. and Bossa, F.
Automated amino acid analysis using precolumn derivatization with dansylchloride and reversed-phase high-performance liquid chromatography 504(1990)129
- Simmons, R. D., see Donnelly, J. R.
540(1991)293
- Simongauz, S. E., see Gavrichev, V. S.
509(1990)59
- Simpson, C. F., see Ndiomu, D. P. 505(1990)161
- Simpson, R. C., Emary, W. B., Lys, I., Cotter, R. J. and Fenselau, C. C.
High-performance liquid chromatography-time-of-flight mass spectrometry and its application to peptide analyses 536(1991)143
- Simpson, R. J., see Ward, L. D. 519(1990)199
- Sing, K. S. W., see Carrott, P. J. M.
518(1990)53
- Singh, P. P. and Kalra, R. L.
Use of low-purity solvents and reagents for analysis of residues of synthetic pyrethroid pesticides by gas chromatography with electron-capture detection 540(1991)464
- Singh, R. K. P., see Tiwari, B. B. 542(1991)537
- Singh, R. K. P., see Tiwari, B. B. 547(1991)554
- Singh, R. P., see Marvin, C. H. 518(1990)242
- Singh, S., see Epemolu, R. O. 519(1990)171
- Singhal, R. P., Ramamurthy, B., Govindraj, N. and Sarwar, Y.
New ligands for boronate affinity chromatography. Synthesis and properties 543(1991)17
- Sinniger, V., Tapon-Bretonnière, J., Zhou, F. L., Bros, A., Muller, D., Jozefonvicz, J. and Fischer, A. M.
Immobilization of dermatan sulphate on a silica matrix and its possible use as an affinity chromatography support for heparin cofactor II purification 539(1991)289
- Sinou, D., see Lecomte, L. 514(1990)91
- Sinsheimer, J. E., see Van den Eeckhout, E.
504(1990)113
- Sinsheimer, J. E., see Van den Eeckhout, E.
541(1991)317
- Siouffi, A. M. and Volpe, N.
Computer-assisted sample clean-up in liquid chromatography from thin-layer chromatographic data 550(1991)657
- Siouffi, A. and Dubois, J. P.
Chromatography of benzodiazepines 531(1990)459
- Sipahimalani, A. T., Fulzele, D. P. and Heble, M. R.
Rapid method for the detection and determination of artemisinin by gas chromatography 538(1991)452
- Sirchia, G., see Montecucchi, P. C. 512(1990)139
- Siret, L., Tambuté, A., Caude, M. and Rosset, R.
Chiral recognition mechanisms on chiral stationary phases derived from tyrosine. Specific influence of the nature of the asymmetric centre vicinal functional group 540(1991)129
- Siret, L., see Caude, M. 550(1991)357
- Siret, L., see Tambuté, A. 541(1991)349
- Sirviö, H., see Suortti, T. 507(1990)421
- Sisson, V. E., see Chamberlain, W. J.
513(1990)55
- Sittampalam, G. S., see Nielsen, R. G.
539(1991)177
- Sivakoff, S., see Edwardson, P. A. D.
545(1991)79
- Sivonen, K., see Meriluoto, J. A. O.
509(1990)390
- Siwek, A. and Śliwiok, J.
Reversed-phase high-performance liquid chromatography in the investigation of the hydrophobicity of selected ketones 506(1990)109
- Sjöqvist, F., see Villén, T. 529(1990)309
- Sjöström, K., see Brage, C. 538(1991)303
- Skarping, G., see Dalene, M. 516(1990)405
- Skarping, G., see Tiljander, A. 511(1990)185
- Skelly, N. E., Barr, S. W. and Zelinko, A. P.
Computer assisted internal standard selection for reversed-phase liquid chromatography 535(1990)199
- Skidmore, G. L. and Chase, H. A.
Two-component protein adsorption to the cation exchanger S Sepharose® FF 505(1990)329
- Sklenářová, S. and Tichá, M.
Electrophoretic study of α -D-mannosidase and α -D-galactosidase from dry seeds of *Pisum sativum* 540(1991)365
- Sköld, A., see Kågedal, L. 537(1991)17
- Skowroński, R., see Kotyński, A. 516(1990)467
- Skvortsov, A. M. and Gorbunov, A. A.
Achievements and uses of critical conditions in the chromatography of polymers 507(1990)487
- Skvortsov, A. M., see Tennikov, M. B.
509(1990)219
- Slacanin, I., see Vallat, P. 504(1990)411

- Šlais, K.
Simultaneous conductivity and potentiometric detector for miniaturized liquid chromatography and flow analysis 540(1991)41
- Šlais, K., see Šalamoun, J. 522(1990)205
- Šlais, K., see Šalamoun, J. 537(1991)249
- Slangen, C. J., see Visser, S. 548(1991)361
- Slejfer, D. T., see Dikkeschei, L. D. 529(1990)145
- Slemp, J. L., see Ito, Y. 538(1991)81
- Slingerland, R. J., Adámek, V. and Scouten, W. H.
Centrifugal affinity chromatography 510(1990)205
- Šliwiok, J., see Siwek, A. 506(1990)109
- Šliwka, I., see Grochowalski, A. 502(1990)160
- Šliwka, I., see Lasa, J. 509(1990)115
- Slonina, P. and Seidel, A.
Breakthrough curves of insulin, [D-Phe⁶]-Gonadotropin-releasing hormone and phenylalanine methyl ester on copolymers of alkylacrylate and divinylbenzene 537(1991)167
- Sluyterman, L. A. and Kooistra, C.
Change of counter ion concentration and of resolving power in a chromatofocusing run 519(1990)217
- Sly, L. A., see Annable, P. L. 546(1991)325
- Small, H.
Twenty years of ion chromatography (Review) 546(1991)3
- Smart, A. U., see Lindsay Smith, J. R. 547(1991)447
- Šmidl, P., Kleinmann, I., Plicka, J. and Svoboda, V.
Hydrophobic interaction chromatography of proteins on Separon HEMA. II. Influence of sorbent modification on efficiency of separation 523(1990)131
- Šmidl, P., see Plicka, J. 523(1990)139
- Smettan, D., see Krause, E. 520(1990)263
- Šmid, F., see Bradová, V. 533(1990)297
- Smilde, A. K., see Coenegracht, P. M. J. 550(1991)397
- Smit, D., see Burger, B. V. 518(1990)207
- Smit, H. C.
Computerized multiple input chromatography (by M. Kaljurand and E. Küllik) (Book Review) 504(1990)471
- Smit, H. C., see Engelsma, M. 506(1990)201
- Smith, B. and Warwick, P.
Analysis of fulvic acids by ion-pair chromatography 547(1991)203
- Smith, B. F., see Gatrone, R. C. 516(1990)395
- Smith, C. V., see Lockemeyer, M. R. 532(1990)162
- Smith, D. R. J., see Sharp, P. J. 512(1990)189
- Smith, D. W., see Dutta, I. 536(1991)237
- Smith, J. R., see Shih, M. L. 527(1990)371
- Smith, N. W., see Altria, K. D. 538(1991)506
- Smith, R. D.
Continuous-flow fast atom bombardment mass spectrometry (edited by R. M. Caprioli) (Book Review) 542(1991)547
- Smith, R. D., Loo, J. A., Edmonds, C. G., Barinaga, C. J. and Udseth, H. R.
Sensitivity considerations for large molecule detection by capillary electrophoresis-electrospray ionization mass spectrometry 516(1990)157
- Smith, R. D., see Jones, H. K. 504(1990)1
- Smith, R. D., see Yonker, C. R. 505(1990)139
- Smith, R. D., see Yonker, C. R. 517(1990)573
- Smith, R. D., see Yonker, C. R. 550(1991)775
- Smith, R. E.
Ion chromatography in the manufacture of multilayer circuit boards 546(1991)369
- Smith, R. G., Drake, P. A. and Lamb, J. D.
Temperature programming in macrocycle-based ion chromatography 546(1991)139
- Smith, R. G., see Lamb, J. D. 546(1991)73
- Smith, R. M. and Burr, C. M.
Retention prediction of analytes in reversed-phase high-performance liquid chromatography based on molecular structure. VI. Disubstituted aromatic compounds 550(1991)335
- Smith, R. M. and Finn, N.
Comparison of retention index scales based on alkyl aryl ketones, alkan-2-ones and 1-nitroalkanes for polar drugs on reversed-phase high-performance liquid chromatography 537(1991)51
- Smith, R. M. and Sanagi, M. M.
Retention and selectivity in supercritical fluid chromatography on an octadecylsilyl-silica column 505(1990)147
- Smith, R. M., Westlake, J. P., Gill, R. and Osselton, M. D.
Retention reproducibility of basic drugs in high-performance liquid chromatography on a silica column with a methanol-high-pH buffer eluent. Effect of operating conditions on separations using an organic buffer 514(1990)97
- Smolders, E., Van Dael, M. and Merckx, R.
Simultaneous determination of extractable sulphate and malate in plant extracts using ion chromatography 514(1990)371
- Smolenski, R. T., Lachno, D. R., Ledingham, S. J. M. and Yacoub, M. H.
Determination of sixteen nucleotides, nucleosides and bases using high-

- performance liquid chromatography and its application to the study of purine metabolism in hearts for transplantation 527(1990)414
- Smolková-Keulemansová, E., see Felzl, L. 520(1990)105
- Smyth, J. F., see Cummings, J. 528(1990)43
- Smyth, M. R., see Kelly, M. T. 528(1990)277
- Smyth, M. R., see Turley, D. J. 513(1990)263
- Snowdon, K. L., see Lacey, E. 525(1990)71
- Snyder, F., see Blank, M. L. 508(1990)382
- Snyder, J. M., see France, J. E. 540(1991)271
- Snyder, L. R., Bautz, D. E. and Dolan, J. W.
Computer simulation as an aid in method development for gas chromatography. III. Examples of its application 541(1991)35
- Snyder, L. R. and Cox, G. B.
Influence of pressure on the maximum production rate in preparative liquid chromatography. Reply to the letter of S. Golshan-Shirazi and G. Guiochon 511(1990)404
- Snyder, L. R. and Cox, G. B.
Pitfalls in the choice of isotherms for the calculation of band profiles in preparative chromatography. A reply 537(1991)507
- Snyder, L. R., Dolan, J. W. and Cox, G. B.
Preparative high-performance liquid chromatography based on reversed-phase gradient elution. Optimum experimental conditions for heavily overloaded separation 540(1991)21
- Snyder, L. R., Dolan, J. W. and Lommen, D. C.
High-performance liquid chromatographic computer simulation based on a restricted multi-parameter approach. II. Applications 535(1990)75
- Snyder, L. R., see Bautz, D. E. 541(1991)1
- Snyder, L. R., see Dolan, J. W. 535(1990)55
- Snyder, L. R., see Dolan, J. W. 541(1991)21
- Soczewiński, E., see Dzido, T. H. 516(1990)461
- Soczewiński, E., see Dzido, T. H. 550(1991)71
- Soczewiński, E., see Markowski, W. 523(1990)81
- Søeberg, H., see Vinther, A. 516(1990)175
- Soeishi, Y., Kobori, M., Kobayashi, S.-I. and Higuchi, S.
Sensitive method for the determination of amsulosin in human plasma using high-performance liquid chromatography with fluorescence detection 533(1990)291
- Soják, L., Ostrovský, I., Kubinec, R., Kraus, G. and Kraus, A.
High-resolution gas chromatography with liquid crystal glass capillaries. XI. Separation of isomeric C₈ and C₉ hydrocarbons 509(1990)93
- Soják, L., Ostrovský, I., Kubinec, R., Kraus, G. and Kraus, A.
High-resolution gas chromatography with liquid crystal glass capillaries. XII. Separation of isomeric C₁₇-C₁₈ *n*-alkenes 520(1990)75
- Sokolić, M., Filipović, B. and Pokorný, M.
High-performance liquid chromatographic procedures in monitoring the production and quality control of chlortetracycline 509(1990)189
- Sokoloski, E. A., see Cahnmann, H. J. 538(1991)165
- Sokolov, M. Y., see Řezanka, T. 508(1990)275
- Sokolowski, A., see Fornstedt, T. 506(1990)61
- Sokolowski, A., see Fornstedt, T. 535(1990)93
- Sollenberg, J.
Analytical isotachopheresis in biological monitoring of exposure to industrial chemicals (Review) 545(1991)369
- Sollenberg, J., see Beving, H. 532(1990)45
- Solomon, B., Hadas, E., Koppel, R., Schwartz, F. and Fleminger, G.
Highly active enzyme preparations immobilized via matrix-conjugated anti-Fc antibodies 539(1991)335
- Solomon, B., Koppel, R., Schwartz, F. and Fleminger, G.
Enzymic oxidation of monoclonal antibodies by soluble and immobilized bifunctional enzyme complexes 510(1990)321
- Solomon, B., see Fleminger, G. 510(1990)271
- Solomon, B., see Fleminger, G. 510(1990)311
- Soloshonok, V. A., see Galushko, S. V. 511(1990)115
- Šoltés, L., see Horváthová, M. 509(1990)213
- Someya, K., see Kinoshita, M. 529(1990)462
- Somlyo, B., Kovats, E., Keler, T. and Nowotny, A.
Column liquid chromatography of endotoxins 525(1990)329
- Soncrant, T. T., see Deutsch, J. 528(1990)325
- Soncrant, T. T., see Greig, N. H. 534(1990)279
- Soncrant, T. T., see Phelan, D. G. 533(1990)264
- Søndergaard, I., Falagiani, P., Bolzacchini, E., Civaroli, P., Di Gregorio, G., Madonini, V., Morelli, A. and Rindone, B.
Ion-exchange high-performance liquid chromatographic isolation of the major allergen of parietaria pollen extract 512(1990)115
- Søndergaard, I., see Bolzacchini, E. 542(1991)337
- Søndergaard, I., see Bolzacchini, E. 548(1991)229

- Song, H., Strubinger, J. R. and Parcher, J. F.
Tracer pulse chromatographic method for the determination of nitrogen BET isotherms and surface areas 518(1990)319
- Song, Y.-B., see Hu, O. Y.-P. 532(1990)337
- Soni, K. P., see Devani, M. B. 537(1991)494
- Soomägi, M., see Svensson, C. 529(1990)229
- Soons, P. A., Roosemalen, M. C. M. and Breimer, D. D.
Enantioselective determination of felodipine and other chiral dihydropyridine calcium entry blockers in human plasma 528(1990)343
- Sørensen, H. H., see Vinther, A. 516(1990)175
- Sørensen, H. H., see Welinder, B. S. 537(1991)181
- Sorensen, L. R., see Scott, D. O. 506(1990)461
- Sorenson, S. C., see Schramm, J. 538(1991)241
- Soria, V., see Perez-Paya, E. 548(1991)93
- Sorokina, E. Y., see Berezkin, V. G. 509(1990)85
- Sosimenko, A. D. and Haddad, P. R.
Computer optimization in ion chromatography. II. A systematic evaluation of linear retention models for anions 546(1991)37
- Soubeyrand, J., see Scappaticci, B. 534(1990)57
- Souhodolova, V. I., see Berezkina, L. G. 520(1990)157
- Soutschek, E., Höflacher, B. and Motz, M.
Purification of a recombinantly produced transmembrane protein (gp41) of HIV I 521(1990)267
- Sovocool, G. W., see Donnelly, J. R. 540(1991)293
- Spahn, H., see Langguth, P. 528(1990)55
- Spahn, H., see Schaefer, H. G. 527(1990)351
- Spanedda, L., see Cabras, P. 505(1990)413
- Spanedda, L., see Cabras, P. 540(1991)406
- Sparidans, R. W., Claessens, H. A., Van Doremale, G. H. J. and Van Herk, A. M.
Analysis of poly(styrene-co-methyl acrylate) and poly(styrene-co-butyl acrylate) by high-performance liquid chromatography 508(1990)319
- Speirs, R. J. and Boyer, G. L.
Analysis of ⁵⁵Fe-labeled hydroxamate siderophores by high-performance liquid chromatography 537(1991)259
- Spennetta, T., see Kargas, G. 526(1990)331
- Sperling, A.
Determination of heroin and some common adulterants by capillary gas chromatography 538(1991)269
- Spiekermann, M., see Feltes, J. 518(1990)21
- Spierdijk, J., see Vletter, A. A. 530(1990)177
- Spinazzola, J., see Rop, P. P. 532(1990)351
- Spinetti, M., see Raspi, G. 525(1990)426
- Spiteller, G., see Knörr, W. 526(1990)303
- Sportes, N., see Herve, F. 539(1991)405
- Spreen, R. C., see Meyer, J. C. 522(1990)213
- Spreux-Varoquaux, O., see Dutot, C. 528(1990)435
- Springston, S. R.
Cryogenic-focusing, ohmically heated on-column trap for capillary gas chromatography 517(1990)67
- Sprovieri, C., see Grossi, G. 541(1991)273
- Sprovieri, G., see Grossi, G. 541(1991)273
- Spustová, V., see Lajdová, I. 528(1990)178
- Srinivas, N. R., Hubbard, J. W. and Midha, K. K.
Enantioselective gas chromatographic assay with electron-capture detection for *dl*-ritalinic acid in plasma 530(1990)327
- Sri Widada, J., see Ferraz, C. 539(1991)465
- Staal, W., see Jackson, P. E. 546(1991)405
- Stacks, P. C., Mazrimas, J. A., Corzett, M. and Balhorn, R.
Reactivity and adduct formation of a polyaromatic hydrocarbon, 7-bromomethylbenz[*a*]anthracene, with chromatin histone proteins 528(1990)25
- Stafford, A. E., see Lin, J.-T. 543(1991)471
- Ståhlberg, J., see Bartha, A. 506(1990)85
- Ståhlberg, J., see Bartha, Á. 535(1990)181
- Stahle, P. L., see Greig, N. H. 534(1990)279
- Stalcup, A. M., Chang, S.-C. and Armstrong, D. W.
Effect of the configuration of the substituents of derivatized β -cyclodextrin bonded phases on enantioselectivity in normal-phase liquid chromatography 540(1991)113
- Stalcup, A. M., Chang, S.-C., Armstrong, D. W. and Pitha, J.
(*S*)-2-Hydroxypropyl- β -cyclodextrin, a new chiral stationary phase for reversed-phase liquid chromatography 513(1990)181
- Stancato, F. A., see Knupp, C. A. 533(1990)282
- Staniewski, J. and Szymanski, J.
Gas chromatographic analyses of hydroxoxime extractants of metals and their intermediates. I. Alkylsalicylaldehyde oximes 503(1990)442
- Stankiewicz, T., see Sybilska, D. 543(1991)397
- Staroverov, S. M. and Fadeev, A. Y.
Apparent simplicity of reversed stationary phases for high-performance liquid chromatography (Review) 544(1991)77
- Startin, J. R., see Perkins, J. R. 540(1991)239
- Startin, J. R., see Perkins, J. R. 540(1991)257
- Starzyński, S., see Masłowska, J. 502(1990)221
- Staszczak, M., see Łobazewski, J. 520(1990)223

- Statler, J. A.
Determination of tobramycin using high-performance liquid chromatography with pulsed amperometric detection 527(1990)244
- Staudenbauer, W. L., see Bronnenmeier, K. 521(1990)301
- Stauffer, D. M., see Coleman, P. L. 512(1990)345
- Stead, C. V., see Burton, S. J. 508(1990)109
- Stegers-Theunissen, R. P. M., see Vree, T. B. 526(1990)581
- Steenbergen, J., see Flapper, W. 533(1990)47
- Steffens, G. C. M., Pascual, E. and Buse, G.
Rapid purification of cytochrome *c* oxidase from *Paracoccus denitrificans* 521(1990)291
- Steffens, G. L., see Lin, J.-T. 543(1991)471
- Stegehuis, D. S., Irth, H., Tjaden, U. R. and Van der Greef, J.
Isotachopheresis as an on-line concentration pretreatment technique in capillary electrophoresis 538(1991)393
- Stegehuis, D. S., Tjaden, U. R., Van den Beld, C. M. B. and Van der Greef, J.
Bioanalysis of the neuropeptide des-enkephalin- γ -endorphin by high-performance liquid chromatography with on-line sample pretreatment using gel permeation and solid-phase isolation 549(1991)185
- Stegehuis, D. S., Tjaden, U. R. and Van der Greef, J.
Bioanalysis of the peptide des-enkephalin- γ -endorphin. On-line sample pretreatment using membrane dialysis and solid-phase isolation 511(1990)137
- Stegeman, G., Kraak, J. C. and Poppe, H.
Hydrodynamic and size-exclusion chromatography of polymers on porous particles 550(1991)721
- Stegeman, G., Oostervink, R., Kraak, J. C., Poppe, H. and Unger, K. K.
Hydrodynamic chromatography of macromolecules on small spherical non-porous silica particles 506(1990)547
- Steger, M., see Kees, F. 525(1990)484
- Stehlík, P. and Houbová, H.
Determination of metazosin in biological fluids by reversed-phase high-performance liquid chromatography with fluorescence detection 529(1990)245
- Stehlík, P. and Houbová, H.
Determination of mepamil in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 529(1990)251
- Stein, J., see Hahn, A. 540(1991)207
- Stein, T. A., Burns, G. P., Bailey, B. and Wise, L.
Measurement of 5-fluorouracil and its active metabolites in tissue 507(1990)259
- Steinborn, A., see Maurer, T. 517(1990)77
- Steindl, F., see Jungbauer, A. 512(1990)157
- Steiner, V., Knecht, R., Gruetter, M., Raschdorf, F., Gassmann, E. and Maschler, R.
Isolation and purification of novel hirudins from the leech *Hirudinaria manillensis* by high-performance liquid chromatography 530(1990)273
- Steinhanses, J. and Schoene, K.
Thermal desorption-gas chromatography of some organophosphates and S-mustard after trapping on Tenax 514(1990)273
- Steinhanses, J., see Schoene, K. 514(1990)279
- Steinmetz, A., see Hocke, G. 526(1990)203
- Stephen, A. M., see Churms, S. C. 550(1991)519
- Stephens, L. D. G., see Lowe, C. R. 510(1990)347
- Stephenson, J. R., see Crooks, A. J. 502(1990)59
- Steuer, W., Grant, I. and Erni, F.
Comparison of high-performance liquid chromatography, supercritical fluid chromatography and capillary zone electrophoresis in drug analysis 507(1990)125
- Stevens, R. C., see Laizure, S. C. 528(1990)235
- Stevenson, P. J., Hauksdottir, R., Kadaba, P. K. and Damani, L. A.
Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-*d*²-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsultant agents 533(1990)248
- Stewart, C. F., see Fleming, R. A. 528(1990)517
- Stewart, D. J., Purvis, D. R. and Lowe, C. R.
Affinity chromatography on novel perfluorocarbon supports. Immobilisation of C.I. Reactive Blue 2 on a polyvinyl alcohol-coated perfluoropolymer support and its application in affinity chromatography 510(1990)177
- Stewart, J. T., see Arrendale, R. F. 518(1990)307
- Stewart, J. T., see Lampert, B. M. 504(1990)381
- Sticher, O., see Hasler, A. 508(1990)236
- Sticher, O., see Nyireddy, S. 523(1990)43
- Stief, C., see Eppert, G. 508(1990)149
- Stigbrand, T., see Birkenmeier, G. 539(1991)267
- Stillian, J., see Campbell, D. L. 546(1991)229
- Stobaugh, J. F., see Patel, H. B. 536(1991)357
- Stobiecki, M. and Wojtaszek, P.
Application of gas chromatography-mass spectrometry to the identification of isoflavonoids in lupine root extracts 508(1990)391
- Stocchi, F., see Lucarelli, C. 511(1990)167

- Stöcker, G. and Fischer, D.-C.
Isolation and characterization of proteoglycans from different tissues 521(1990)311
- Stodola, J. D. and Hartman, P. A.
Estimation of molecular isomer ratios of paldimycin sodium (U-70,138F) by gas chromatography 502(1990)401
- Stoev, G. and Velichkov, A.
Direct determination of acetic acid in strongly acidic hydrolysates of chitin and chitin-containing biological products by capillary gas chromatography 538(1991)431
- Stöffler, G., see Baier, G. 525(1990)319
- Stolyarov, B. V., Katsanos, N. A., Agathonos, P. and Kapolos, J.
Homogeneous catalysis studied by reversed-flow gas chromatography 550(1991)181
- Stout, R. W., see Edwardson, P. A. D. 545(1991)79
- Stout, S. J. and DaCunha, A. R.
Simple, direct gas chromatography-mass spectrometry interface for the ion trap detector 504(1990)429
- Straczek, J., Heulin, M. H., Chenut, A. M., Belleville, F., Nabet, P., Denoroy, L., Barenton, B., Blanchard, M., Charrier, J. and Martal, J.
Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers 533(1990)35
- Straczek, J., Heulin, M. H., Chenut, A. M., Lasbennes, A., Geschier, C., Belleville, F. and Nabet, P.
Purification and characterization of three molecular forms of insulin-like growth factor II from human Cohn paste IV 532(1990)237
- Straka, R. J., Johnson, K. A., Marshall, P. S. and Rimmel, R. P.
Analysis of metoprolol enantiomers in human serum by liquid chromatography on a cellulose-based chiral stationary phase 530(1990)83
- Strange, R. N., see Edwards, C. 547(1991)185
- Strasburg, R. F., Fritz, J. S. and Naples, J. O.
Low-capacity latex-coated resins for anion chromatography 547(1991)11
- Strasters, J. K., Breyer, E. D., Rodgers, A. H. and Khaledi, M. G.
Simultaneous optimization of variables influencing selectivity and elution strength in micellar liquid chromatography. Effect of organic modifier and micelle concentration 511(1990)17
- Stratford, M. R. L., Wafra, R. R., Murray, J. C. and Martin, S. G.
Determination of collagen and protein turnover by high-performance liquid chromatography 526(1990)383
- Stratilová, E., see Mislovičová, D. 510(1990)197
- Stribling, R.
High-performance liquid chromatography of oligoguanylates at high pH 538(1991)474
- Strizevskaya, E., see Sigalov, A. 537(1991)464
- Stroka, R., see Paul, B. D. 529(1990)103
- Strömqvist, M., Holgersson, J. and Samuelsson, B.
Glycosylation of extracellular superoxide dismutase studied by high-performance liquid chromatography and mass spectrometry 548(1991)293
- Strong, D. L., Joung, C. U. and Dasgupta, P. K.
Electrodialytic eluent generation and suppression. Ultralow background conductance suppressed anion chromatography 546(1991)159
- Strongoli, M. C., see Corasaniti, M. T. 527(1990)189
- Stroz, D., see Morgan, D. 502(1990)351
- Strubinger, J. R., see Song, H. 518(1990)319
- Struzinsky, R., see Deyl, Z. 516(1990)287
- Stuart, J. D. and Lisi, D. D.
Computer simulation of isocratic retentions of alkylketones using gradient data 550(1991)77
- Štubňa, M., see Brandšteterová, E. 545(1991)205
- Stuff, J. R.
Separation of cations in buffered 1-methyl-3-ethylimidazolium chloride-aluminum chloride ionic liquids by ion chromatography 547(1991)484
- Stuff, J. R., see Gavlick, W. K. 508(1990)187
- Štulík, K., see Heping, W. 519(1990)244
- Štulík, K., see Pacáková, V. 520(1990)349
- Štulík, K., see Wang, H. 509(1990)245
- Stupar, J. and Frech, W.
Ultrasonic nebulizer interface system for coupling liquid chromatography and electrothermal atomic absorption spectrometry 541(1991)243
- Stuting, H. H. and Krull, I. S.
Determination of pituitary and recombinant human growth hormone molecular weights by modern high-performance liquid chromatography with low angle laser light scattering detection 539(1991)91
- Stuting, H. H., see Mhatre, R. 502(1990)21
- Suann, C. J., see Duffield, A. M. 518(1990)215
- Šubert, J., see Šimek, Z. 543(1991)475
- Subosa, P. F., see Rokushika, S. 514(1990)355

- Subra, P. and Boissinot, P.
Supercritical fluid extraction from a brown alga by stagewise pressure increase 543(1991)413
- Subrahmanyam, M., see Husain, S. 513(1990)83
- Suckow, R. F., Cooper, T. B. and Kahn, R. S.
High-performance liquid chromatographic method for the analysis of plasma *m*-chlorophenylpiperazine 528(1990)228
- Sudo, A.
Analysis of corticosterone in rat urine by high-performance liquid chromatography and fluorimetry using post-column reaction with sulphuric acid 528(1990)453
- Sudo, M., see Kikawa, Y. 532(1990)387
- Sudo, Y., see Fujii, J. 530(1990)469
- Sudor, J., Pospíchal, J., Deml, M. and Boček, P.
Step change of co-ion, a new option in capillary zone electrophoresis 545(1991)331
- Suemitsu, R., Horiuchi, K., Ohnishi, K., Hidaka, T. and Horiuchi, M.
High-performance liquid chromatographic determination of tentoxin in fermentation of *Alternaria porri* (Ellis) Ciferri 539(1991)211
- Suemitsu, R., Horiuchi, K., Ohnishi, K. and Kubota, M.
High-performance liquid chromatographic determination of alterporriol D and E in fermentation of *Alternaria porri* (Ellis) Ciferri 503(1990)282
- Suetsugu, K., see Nakashima, K. 530(1990)154
- Suffet, I. H., see Schnable, J. G. 513(1990)47
- Suffet, I. H., see Schnable, J. G. 549(1991)335
- Sugahara, K., see Kodama, H. 527(1990)279
- Sugahara, T., see Takamura, K. 543(1991)241
- Sugahara, T., see Takamura, K. 545(1991)201
- Sugano, H., see Hiranuma, T. 515(1990)399
- Sugii, A. and Harada, K.
Evaluation of vinylpyridine and vinylpyridinium polymers as column packings for high-performance liquid chromatography (Review) 544(1991)219
- Sugii, A., see Nishimura, K. 525(1990)176
- Sugimoto, S., Yamaguchi, K. and Yokoo, Y.
Isolation and characterization of recombinant eel growth hormone expressed in *Escherichia coli* 515(1990)483
- Sugimoto, S., Yamaguchi, K. and Yokoo, Y.
Characterization of recombinant eel growth hormone 547(1991)131
- Sugiro, T., see Verbesselt, R. 526(1990)515
- Sugiyama, K., Shiokawa, T. and Moriya, T.
Application of supercritical fluid chromatography and supercritical fluid extraction to the measurement of hydroperoxides in foods 515(1990)555
- Sugiyanto, Holder, G. M. and Ryan, A. J.
High-performance liquid chromatographic method for the determination of polycyclic hydrocarbon metabolite distributions 530(1990)337
- Suhonen, P., see Ylinen, M. 505(1990)429
- Sumpter, S. R., Woolley, C. L., Huang, E. C., Markides, K. E. and Lee, M. L.
Static coating of 5 to 50 μm I.D. capillary columns for open tubular column chromatography 517(1990)503
- Sun, H., see Volland, C. 534(1990)127
- Sun, J. J. and Fritz, J. S.
Chemically modified polymeric resins for high-performance liquid chromatography 522(1990)95
- Sun, K., see Hu, H. 547(1991)494
- Sun, Q., see Mou, S. 546(1991)289
- Sun, Z.-P., see Zhou, Y. 508(1990)220
- Sunahara, H., see Ito, K. 502(1990)121
- Sunahara, H., see Ito, K. 549(1991)265
- Sunter, D. C., see Udvarhelyi, P. M. 519(1990)69
- Sunzeri, F. J., see Brownlee, R. G. 533(1990)87
- Suortti, T.
Determination of phenol in poly(vinyl chloride) 507(1990)417
- Suortti, T. and Pessa, E.
Gel permeation chromatographic determination of starches using alkaline eluents 536(1991)251
- Suortti, T. and Sirviö, H.
Determination of fungistatic quaternary ammonium compounds in beverages and water samples by high-performance liquid chromatography 507(1990)421
- Sur, L. I., see Sur, S. V. 542(1991)451
- Sur, S. V., Tuljupa, F. M. and Sur, L. I.
Gas chromatographic determination of monoterpenes in essential oil medicinal plants 542(1991)451
- Susic, M. and Armstrong, L. G.
High-performance liquid chromatographic determination of humic acid in sodium aluminate solution 502(1990)443
- Šustáček, V., Foret, F. and Boček, P.
Selection of the background electrolyte composition with respect to electromigration dispersion and detection of weakly absorbing substances in capillary zone electrophoresis 545(1991)239
- Suttar, J., see Fořtová, H. 523(1990)312
- Suzuki, K. and Nakazato, K.
Effect of composition of polyacrylamide gels on exclusion limits 535(1990)173
- Suzuki, K., see Honda, S. 515(1990)653
- Suzuki, M., see Harada, K.-I. 538(1991)203

- Suzuki, M., see Hoshino, T. 515(1990)531
- Suzuki, M., see Ikai, Y. 541(1991)393
- Suzuki, M., see Oka, H. 538(1991)149
- Suzuki, M., see Oka, H. 538(1991)213
- Suzuki, N., Saitoh, K. and Shibata, Y.
High-performance thin-layer chromatography of rare earth tetraphenylporphine complexes 504(1990)179
- Suzuki, N., see Saitoh, K. 542(1991)351
- Suzuki, N., see Tsukahara, S. 547(1991)225
- Suzuki, O., see Hattori, H. 529(1990)189
- Suzuki, S., Kobayashi, K., Noda, J., Suzuki, T. and Takama, K.
Simultaneous determination of biogenic amines by reversed-phase high-performance liquid chromatography 508(1990)225
- Suzuki, S., see Honda, S. 523(1990)189
- Suzuki, S., see Ikeda, K. 513(1990)321
- Suzuki, S., see Kakehi, K. 502(1990)297
- Suzuki, S., see Oka, H. 538(1991)149
- Suzuki, T. and Watanabe, S.
Screening method for phenoxy acid herbicides in ground water by high-performance liquid chromatography of 9-anthryldiazomethane derivatives and fluorescence detection 541(1991)359
- Suzuki, T., see Suzuki, S. 508(1990)225
- Suzuki, T., see Takagi, T. 519(1990)237
- Suzuki, Y., see Tani, K. 515(1990)159
- Švec, F., see Hradil, J. 509(1990)369
- Švec, F., see Tennikova, T. B. 509(1990)233
- Svensson, C., Nyberg, G., Soomägi, M. and Mårtensson, E.
Determination of the serum concentrations of thioridazine and its main metabolites using a solid-phase extraction technique and high-performance liquid chromatography 529(1990)229
- Svensson, J.-O. and Jonzon, B.
Determination of adenosine and cyclic adenosine monophosphate in urine using solid-phase extraction and high-performance liquid chromatography with fluorimetric detection 529(1990)437
- Svensson, L., see Wretensjö, I. 521(1990)89
- Svensson, M. and Gröningsson, K.
Liquid chromatographic determination of felypressin using a column-switching technique and post-column derivatization 521(1990)141
- Svergzova, S. V., see Balyatinskaya, L. N. 509(1990)107
- Svitel'sky, W. P., see Kal'chenko, O. I. 509(1990)65
- Svoboda, M. and Musil, S.
Speciation of polyhydroxy compounds by gas chromatography-mass spectrometry with deuterium oxide chemical ionization 520(1990)209
- Svoboda, V.
Multi-component elution overload chromatography of compounds with S-shaped isotherms. A theoretical study 518(1990)77
- Svoboda, V., see Plicka, J. 523(1990)139
- Svoboda, V., see Šmidl, P. 523(1990)131
- Swadesh, J. K.
Tryptic fingerprinting on a poly(styrene-divinylbenzene) reversed-phase column 512(1990)315
- Swadesh, J. K., Huang, I.-Y. and Budzynski, A. Z.
Purification and characterization of hementin, a fibrinogenolytic protease from the leech *Haementeria ghilianii* 502(1990)359
- Swadesh, J. K., see Perfetti, T. A. 543(1991)129
- Swami, G. Y. S. K., see Husain, S. 540(1991)331
- Swart, P. J., Drenth, B. F. H. and De Zeeuw, R. A.
Reversed-phase liquid chromatographic method with amperometric detection for the determination of the dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) in human plasma and urine 528(1990)464
- Swedberg, S. A.
Use of non-ionic and zwitterionic surfactants to enhance selectivity in high-performance capillary electrophoresis. An apparent micellar electrokinetic capillary chromatography mechanism 503(1990)449
- Sweeney, P. J., Walker, J. M., Reid, D. G. and Elshourbagy, N.
Purification of cloned trypanosomal calmodulin and preliminary NMR studies 539(1991)501
- Swerdlow, H., Wu, S., Harke, H. and Dovichi, N. J.
Capillary gel electrophoresis for DNA sequencing. Laser-induced fluorescence detection with the sheath flow cuvette 516(1990)61
- Swift, R. M., see DePetrillo, P. B. 527(1990)421
- Switzer, B. S., see Pfannkoch, E. A. 503(1990)385
- Sybilka, D., Kowalczyk, J., Asztemborska, M., Stankiewicz, T. and Jurczak, J.
Chromatographic analysis of some commercial samples of camphene via cyclodextrin inclusion processes 543(1991)397
- Sybilka, D., see Ochocka, R. J. 543(1991)171
- Sybilka, D., see Ossicini, L. 547(1991)283

- Synovec, R. E., see Renn, C. N. 536(1991)289
- Szabó, G., see Csató, E. 511(1990)79
- Szabo, G. K., Pylilo, R. J., Davoudi, H. and Browne, T. R.
 Simultaneous determination of *p*-hydroxylated and dihydrodiol metabolites of phenytoin in urine by high-performance liquid chromatography 535(1990)279
- Szabo, G. K., Pylilo, R. J., Perchalski, R. J. and Browne, T. R.
 Simultaneous separation and determination (in serum) of phenytoin and carbamazepine and their deuterated analogues by high-performance liquid chromatography-ultraviolet detection for tracer studies 535(1990)271
- Szabo, I., see Wiley, D. M. 533(1990)73
- Szanto, J. I., see Veress, T. 520(1990)339
- Szász, G., see Papp, O. 537(1991)365
- Szász, G., see Papp, O. 537(1991)371
- Szász, G., see Papp, O. 537(1991)377
- Szathmary, S. C., see Luhmann, I. 532(1990)150
- Szejtli, J., see Cserhati, T. 509(1990)255
- Székely, G., see Zeller, M. 545(1991)421
- Szemző, A., see Valkó, K. 506(1990)35
- Szepesi, G. and Valkó, K.
 Prediction of initial high-performance liquid chromatographic conditions for selectivity optimization in pharmaceutical analysis by an expert system approach 550(1991)87
- Szinai, I., see Ganzler, K. 520(1990)257
- Szogyi, M., see Cserhati, T. 509(1990)255
- Szögyi, M., see Cserhati, T. 520(1990)249
- Szöke, B., Kéri, G., Idei, M., Horváth, A., Bökönyi, G. and Teplán, I.
 Investigation of the chemical stability of (D-Phe⁶, Gln⁸) GnRH (1-9)-ethylamide (Folligen) by high-performance liquid chromatography 547(1991)121
- Szokoli, F., see Inczédy, J. 508(1990)309
- Szule, J., see Witkiewicz, Z. 503(1990)293
- Szymanowski, J., Kusz, P. and Dziwiński, E.
 Degradation and analysis of commercial polyoxyethylene glycol mono(4-alkylphenyl) ethers 511(1990)325
- Szymanowski, J., Kusz, P., Dziwiński, E. and Latocha, C.
 Degradation and analysis of oligoxyethylene glycol mono(4-*tert*-octylphenyl) ethers in the presence of acetyl chloride 502(1990)407
- Szymanowski, J., see Staniewski, J. 503(1990)442
- T**
- Tabuchi, F., see Tatsuhara, T. 526(1990)507
- Taccard, G., see Bouis, P. 526(1990)447
- Taccheo-Barbina, M., see De Paoli, M. 547(1991)355
- Tachizawa, H., see Matsubayashi, K. 515(1990)547
- Taenaka, N., see Hosotsubo, K. K. 529(1990)223
- Tagari, P., see Nicoll-Griffith, D. 526(1990)341
- Tagawa, K., Ueki, T., Mizobe, M., Noda, K. and Samejima, M.
 Determination of denopamine in human and dog plasma by high-performance liquid chromatography with electrochemical detection 529(1990)500
- Tagliaro, F., Carli, G., Dorizzi, R. and Marigo, M.
 Direct injection high-performance liquid chromatographic assay of morphine with electrochemical detection, a polymeric column and an alkaline eluent 507(1990)253
- Tahara, R., see Morishima, K. 527(1990)381
- Tajovská, P., see Feltl, L. 520(1990)105
- Takada, K., Oh-Hashi, M., Yoshikawa, H., Muranishi, S., Nishiyama, M., Yoshida, H., Hata, T. and Tanaka, H.
 Determination of a novel potent immunosuppressant (FK-506) in rat serum and lymph by high-performance liquid chromatography with chemiluminescence detection 530(1990)212
- Takagi, T.
 Application of low-angle laser light scattering detection in the field of biochemistry. Review of recent progress 506(1990)409
- Takagi, T. and Suzuki, T.
 Enantiomer separation of diacid-diacylglycerol mixtures by high-performance liquid chromatography on a chiral column 519(1990)237
- Takagi, T., see Harada, M. 527(1990)158
- Takagi, T., see Lundahl, P. 518(1990)111
- Takagi, T., see Sato, Y. 507(1990)25
- Takahashi, H., Tamura, A., Ogata, H. and Masuhara, K.
 Simultaneous determination of disopyramide and its mono-N-dealkylated metabolite enantiomers in human plasma and urine by

- enantioselective high-performance liquid chromatography 529(1990)347
- Takahashi, K., see Kamisaki, Y. 529(1990)417
- Takahashi, K., see Knight, M. 538(1991)141
- Takahashi, N., see Kouno, Y. 515(1990)321
- Takahashi, S., see Akane, A. 529(1990)155
- Takahashi, S., see Kinoshita, M. 529(1990)462
- Takahashi, T., see Kinoshita, M. 529(1990)462
- Takahashi, Y., see Hoshino, T. 515(1990)531
- Takahashi, Y., see Usui, H. 515(1990)375
- Takahata, Y., see Fujii, J. 530(1990)469
- Takai, N., see Kanazawa, H. 507(1990)327
- Takai, N., see Kanazawa, H. 537(1991)469
- Takai, N., see Sakuma, I. 506(1990)223
- Takakuwa, T., see Kurosu, Y. 515(1990)407
- Takama, K., see Suzuki, S. 508(1990)225
- Takamura, K., Hoshino, H., Harima, N., Sugahara, T. and Amano, H.
Identification of vitamin D₂ by thermospray-interface mass spectrometry 543(1991)241
- Takamura, K., Hoshino, H., Sugahara, T. and Amano, H.
Determination of vitamin D₂ in shiitake mushroom (*Lentinus edodes*) by high-performance liquid chromatography 545(1991)201
- Takano, S., see Kondoh, Y. 541(1991)431
- Takao, M., see Shoshihara, M. 529(1990)473
- Takao, N., see Yamagami, C. 514(1990)123
- Takao, Y., see Kamisaki, Y. 529(1990)417
- Takashima, E., see Hattori, H. 529(1990)189
- Takata, Y., see Kiba, N. 537(1991)443
- Takata, Y., see Kiba, N. 549(1991)127
- Takatsuki, K.
Gas chromatographic-mass spectrometric determination of oxolinic acid in fish using selected ion monitoring 538(1991)259
- Takatsuki, K. and Kikuchi, T.
Determination of N-nitrosodimethylamine in fish products using gas chromatography with nitrogen-phosphorus detection 508(1990)357
- Takatsuto, S., see Gamoh, K. 515(1990)227
- Takayama, K., see Kargas, G. 526(1990)331
- Takayama, N., see Hayakawa, K. 515(1990)459
- Takayama, Y., Takeichi, T., Kawai, S. and Morikawa, M.
Behaviours of siloxane polymers containing phenyl or silarylene as stationary phases for high-temperature gas chromatography 514(1990)259
- Takayama, Y., see Koh, S. 549(1991)434
- Takeba, K., Maruyama, T., Matsumoto, M. and Nakazawa, H.
Determination of tyramine in cheese by reversed-phase high-performance liquid chromatography with amperometric detection 504(1990)441
- Takechi, T., Wakiguchi, H., Kurashige, T., Kikkawa, K. and Kodama, H.
Determination of orotic acid in urine and serum by isotachophoretic analysis 532(1990)144
- Takeda, H., Matsumiya, T. and Shibuya, T.
Detection and identification modes for the highly sensitive and simultaneous determination of various biogenic amines by coulometric high-performance liquid chromatography 515(1990)265
- Takeda, N., see Shimizu, T. 539(1991)193
- Takeda, S., Ono, H., Wakui, Y., Asami, A., Matsuzaki, Y., Sasaki, H., Aburada, M. and Hosoya, E.
Determination of glycyrrhetic acid in human serum by high-performance liquid chromatography with ultraviolet detection 530(1990)447
- Takei, S., see Naito, K. 503(1990)25
- Takeichi, T., see Takayama, Y. 514(1990)259
- Takeshima, S., see Kito, M. 528(1990)91
- Takeshima, S., see Yoshida, S. 530(1990)57
- Takeuchi, M. and Saito, T.
Applications of semi-micro supercritical fluid chromatography with gradient elution to synthetic oligomer separation 515(1990)629
- Takeuchi, T., Hu, W., Haraguchi, H. and Ishii, D.
Evaluation of the stability of polymer-coated silica-based packing materials for high-performance liquid chromatography 517(1990)257
- Takeuchi, T., Kabasawa, Y. and Tanimura, T.
Continuous separation of lanthanides by counter-current fractional extraction 538(1991)125
- Takeuchi, T., see Yamazaki, S. 540(1991)169
- Takitani, S., see Ohta, T. 543(1991)59
- Talmdage, K. W., see Dunn, L. 548(1991)165
- Tamaoki, H., see Shinohara, Y. 525(1990)93
- Tambe, A. S., see Ayyangar, N. R. 543(1991)179
- Tambe, A. S., see Ayyangar, N. R. 547(1991)538
- Tambuté, A., Siret, L., Caude, M. and Rosset, R.
Enantiomeric separation of substituted 2-aryloxy propionic esters. Application to the determination of the enantiomeric excess in herbicide formulations 541(1991)349
- Tambuté, A., see Caude, M. 550(1991)357
- Tambuté, A., see Siret, L. 540(1991)129
- Tammilehto, S., see Ulvi, V. 507(1990)151
- Tamura, A., see Takahashi, H. 529(1990)347
- Tamura, Y., see Ohtani, T. 515(1990)175
- Tan, S. T. and Boniface, P. J.
High-performance liquid chromatography of droperidol in whole blood 532(1990)181
- Tanabe, H., see Hori, S. 515(1990)611

- Tanaka, A., see Kawasaki, N. 503(1990)237
- Tanaka, H., see Takada, K. 530(1990)212
- Tanaka, M., Shimizu, M. and Tsujimoto, Y.
High-performance liquid chromatographic determination of urinary mercapturic acids in rat 526(1990)289
- Tanaka, M., see Chen, S.-H. 502(1990)257
- Tanaka, M., see Harino, H. 522(1990)107
- Tanaka, M., see Yasaka, Y. 508(1990)133
- Tanaka, N., Kimata, K., Araki, T., Tsuchiya, H. and Hashizume, K.
Microscopic characterization of high-performance liquid chromatographic packing materials (Review) 544(1991)319
- Tanaka, N., Kimata, K., Mikawa, Y., Hosoya, K., Araki, T., Ohtsu, Y., Shiojima, Y., Tsuboi, R. and Tsuchiya, H.
Performance of wide-pore silica- and polymer-based packing materials in polypeptide separation: effect of pore size and alkyl chain length 535(1990)13
- Tanaka, N., Tanigawa, T., Kimata, K., Hosoya, K. and Araki, T.
Selectivity of carbon packing materials in comparison with octadecylsilyl- and pyrenylethylsilylsilica gels in reversed-phase liquid chromatography 549(1991)29
- Tanaka, N., see Kimata, K. 515(1990)73
- Tanaka, N., see Terabe, S. 516(1990)23
- Tanaka, S., Kaneta, T., Nishimura, K. and Yoshida, H.
Capillary tube isotachopheretic separation of lanthanide complexes using polyaminocarboxylic acid as terminating ion 540(1991)475
- Tanaka, S., Kaneta, T., Yoshida, H. and Ohtaka, H.
Capillary tube isotachopheretic separation of niacin derivatives 521(1990)158
- Tanaka, S., see Kaneta, T. 538(1991)385
- Tanaka, Y., see Kinoshita, M. 529(1990)462
- Tang, J. Y., see Agrawal, S. 509(1990)396
- Tangoren, I. A., see Otvos, Jr., L. 512(1990)265
- Tani, K. and Suzuki, Y.
Effect of pore size on the surface excess isotherm of silica packings 515(1990)159
- Tanigawa, T., see Tanaka, N. 549(1991)29
- Taniguchi, H., see Kim, C.-H. 512(1990)131
- Tanimoto, T., see Kawasaki, N. 503(1990)237
- Tanimura, T., see Takeuchi, T. 538(1991)125
- Tanimura, T., see Yamazaki, S. 540(1991)169
- Taoka, M., see Matsuoka, K. 515(1990)313
- Tápanes, R. D., Ramos, F., Pérez Avila, J., Rosado, A. and Fajardo, D.
Identification of a chloroquine artifact by gas chromatography-mass spectrometry 532(1990)400
- Tapon-Breaudière, J., see Sinniger, V. 539(1991)289
- Tar, A., see Gál, S. 545(1991)189
- Tardy, M., see Uhlrich, S. 539(1991)393
- Tarter, E. J. and Scott, P. M.
Determination of patulin by capillary gas chromatography of the heptafluorobutyrate derivative 538(1991)441
- Tasker, R. A. R., see Blanchard, J. R. T. 526(1990)546
- Tassone, A. I., see Betts, T. J. 547(1991)335
- Tatematsu, A., see Niwa, T. 533(1990)145
- Tatsuhara, T., Tabuchi, F., Yamane, M. and Hori, T.
Rapid and simple method for the determination of nimustine hydrochloride in human blood and brain by high-performance liquid chromatography 526(1990)507
- Tauer, C., see Jungbauer, A. 512(1990)157
- Tauer, C., see Wenisch, E. 516(1990)133
- Taverna, M., Baillet, A. E. and Baylocq-Ferrier, D.
Identification of monosaccharides by high-performance liquid chromatography using methanolysis and a light-scattering detector 514(1990)70
- Tawa, R., see Kito, M. 528(1990)91
- Taylor, D. R., see Akporhonor, E. E. 504(1990)269
- Taylor, F., see Kurantz, M. J. 549(1991)387
- Taylor, J. A. and Yeung, E. S.
Axial-beam absorbance detection for capillary electrophoresis 550(1991)831
- Taylor, L. T., see Chang, H.-C. K. 517(1990)491
- Taylor, L. T., see Shah, S. 505(1990)293
- Taylor, R. B., Behrens, R., Moody, R. R. and Wangboonskul, J.
Assay method for the simultaneous determination of proguanil, chloroquine and their major metabolites in biological fluids 527(1990)490
- Taylor, T., see Baldock, G. A. 529(1990)113
- Tayot, J.-L., see Uhlrich, S. 539(1991)393
- Tchaplá, A., see Thévenon-Emeric, G. 550(1991)267
- Teasdale, P. R., see Ge, H. 544(1991)305
- Te Booy, M. P. W. M., Faber, A., De Jonge, E., Wolterink, E. P., Riethorst, W., Beugeling, T., Bantjes, A., Over, J. and König, B. W.
Large-scale purification of factor VIII by affinity chromatography: optimization of process parameters 503(1990)103
- Tecklenburg, Jr., R. E., see Watson, J. T. 518(1990)283

- Teelken, A. W., Schuring, H. F., Trieling, W. B. and Damsma, G.
Measurement of acetylcholine and choline in cerebrospinal fluid by high-performance liquid chromatography: failure to detect acetylcholine in normal human cerebrospinal fluid 529(1990)408
- Tehrani, J., see Krueger, R. J. 543(1991)451
- Teichberg, V. I.
Affinity-repulsion chromatography 510(1990)49
- Teixeira, A., see Gigante, B. 549(1991)217
- Ten Bokkel Huinink, W. W., see Van Tellingen, O. 529(1990)329
- Tennikov, M. B., Gorbunov, A. A. and Skvortsov, A. M.
Determination of polymer polydispersity by gel permeation chromatography 509(1990)219
- Tennikov, M. B., see Tennikova, T. B. 509(1990)233
- Tennikova, T. B., Blagodatskikh, I. V., Švec, F. and Tennikov, M. B.
Phase transition chromatography of polyesters on macroporous glycidyl methacrylate-ethylene dimethacrylate copolymers 509(1990)233
- Ten Noever de Brauw, M. C., see Reinhoud, N. J. 516(1990)147
- Tenu, J. P., see Chenais, B. 539(1991)433
- Teplán, I., see Szöke, B. 547(1991)121
- Terabe, S. and Isemura, T.
Effect of polymer ion concentrations on migration velocities in ion-exchange electrokinetic chromatography 515(1990)667
- Terabe, S., Ishihama, Y., Nishi, H., Fukuyama, T. and Otsuka, K.
Effect of urea addition in micellar electrokinetic chromatography 545(1991)359
- Terabe, S., Miyashita, Y., Shibata, O., Barnhart, E. R., Alexander, L. R., Patterson, D. G., Karger, B. L., Hosoya, K. and Tanaka, N.
Separation of highly hydrophobic compounds by cyclodextrin-modified micellar electrokinetic chromatography 516(1990)23
- Terabe, S., see Nishi, H. 513(1990)279
- Terabe, S., see Nishi, H. 515(1990)233
- Terabe, S., see Otsuka, K. 515(1990)221
- Terada, H., see Yamamoto, H. 543(1991)201
- Teramachi, S., Hasegawa, A. and Matsumoto, T.
Sample remaining in an ODS column after compositional fractionation of copolymers by high-performance liquid chromatography 547(1991)429
- Teramura, T., Kobayashi, S. and Higuchi, S.
Determination of mepirodipine in plasma by capillary column gas chromatography-negative-ion chemical ionization mass spectrometry 528(1990)191
- Terashi, A., Hanada, Y., Kido, A. and Shinohara, R.
Determination of primary and secondary aliphatic amines in the environment as sulphonamide derivatives by gas chromatography-mass spectrometry 503(1990)369
- Terzuoli, L., Pagani, R., Leoncini, R., Vannoni, D. and Marinello, E.
High-performance liquid chromatography of thiazolidinic compounds 514(1990)80
- Terzuoli, L., Pagani, R., Leoncini, R., Vannoni, D. and Marinello, E.
High-performance liquid chromatography of two derivatives of vitamin B₆, the carbamoyl derivatives of pyridoxal 5'-phosphate and pyridoxamine 5'-phosphate 547(1991)472
- Teshima, G., see Wu, S.-L. 516(1990)115
- Teshima, G. M., see Canova-Davis, E. 508(1990)81
- Testa, B., see Bechalany, A. 541(1991)221
- Testa, B., see Tsai, R.-S. 538(1991)119
- Testa, B., see Vallat, P. 504(1990)411
- Testoni, F. and Frisina, G.
Qualitative analysis of a commercially available phenol-formaldehyde resin, by static and dynamic headspace analysis using a mass-selective detector 509(1990)101
- Tetaz, T., Kecorius, E., Grego, B. and Fidge, N.
Separation of human apolipoproteins A-IV, A-I and E by reversed-phase high-performance liquid chromatography on a TSK Phenyl-5PW column 511(1990)147
- Tetaz, T., see Meyer, B. 540(1991)386
- Tetsumi, T., see Yasaka, Y. 508(1990)133
- Thakur, R. S., see Mandal, S. 547(1991)468
- Thal, L. J., see Knapp, S. 526(1990)97
- Thanh, H. H., Andresen, A. T., Agasøster, T. and Rasmussen, K. E.
Automated column-switching high-performance liquid chromatographic determination of flumequine and oxolinic acid in extracts from fish 532(1990)363
- Tharakan, J. P., Clark, D. B. and Drohan, W. N.
Effect of feed flow-rate, antigen concentration and antibody density on immunoaffinity purification of coagulation factor IX 522(1990)153
- Thede, R., Below, E., Haberland, D. and Pscheidt, H.
Chromatograms of second-order reactions on chromatographic columns 520(1990)109

- Theeuwes, A. G. M., see Flapper, W.
533(1990)47
- Thenot, J. P., see Rouchouse, A. 506(1990)601
- Théorêt, Y., see Varin, F. 529(1990)319
- Thévenon-Emeric, G., Tchaplal, A. and Martin, M.
Role of π - π interactions in reversed-phase liquid chromatography 550(1991)267
- Thibault, P., Pleasance, S. and Laycock, M. V.
Analysis of paralytic shellfish poisons by capillary electrophoresis 542(1991)483
- Thiébaud, D., see Drogue, S. 538(1991)91
- Thielen, M. A., see Weisz, A. 538(1991)157
- Thoene, J. G., see Buchanan, D. N. 534(1990)1
- Thoma, J., see Kraut-Vass, A. 538(1991)233
- Thoma, R. S. and Crimmins, D. L.
Automated phenylthiocarbamyl amino acid analysis of carboxypeptidase/aminopeptidase digests and acid hydrolysates 537(1991)153
- Thomare, P., Kergueris, M. F., Bourin, M., Thomas, L. and Larousse, C.
Sensitive one-step extraction procedure for high-performance liquid chromatographic determination of viloxazine in human plasma 529(1990)494
- Thomas, L., see Thomare, P. 529(1990)494
- Thomas, L. C. and Wood, C. L.
Quantitative comparisons of reaction products using liquid chromatography with dual-label radioactivity measurements 522(1990)117
- Thomas, R. L., see Wang, H. J. 536(1991)107
- Thomas Jr., R. C., see Bombardt, P. A. 527(1990)233
- Thompson, D. H., see Camacho, P. L. 506(1990)611
- Thompson, P. W., see James, I. T. 525(1990)43
- Thompson, T. S., Kolic, T. M. and MacPherson, K. A.
Dual-column high-performance liquid chromatographic cleanup procedure for the determination of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in fish tissue 543(1991)49
- Thomsen, J. K. and Cox, R. P.
Alkanesulphonates as eluents for the determination of nitrate and nitrite by ion chromatography with direct UV detection 521(1990)53
- Thomsen, M., see Hansen, S. H. 544(1991)53
- Thomson, C. A. and Chesney, D. J.
Post-extraction solvent flush of the pressure restrictor in supercritical fluid extraction 543(1991)187
- Thormann, W.
Isotachopheresis in open-tubular fused-silica capillaries. Impact of electroosmosis on zone formation and displacement 516(1990)211
- Thormann, W., Meier, P., Marcolli, C. and Binder, F.
Analysis of barbiturates in human serum and urine by high-performance capillary electrophoresis-micellar electrokinetic capillary chromatography with on-column multi-wavelength detection 545(1991)445
- Thormann, W., see Caslavská, J. 545(1991)315
- Thormann, W., see Gebauer, P. 545(1991)299
- Thorpe, C., see Camilleri, P. 508(1990)208
- Thorpe, C. J., see Camilleri, P. 519(1990)387
- Thuaud, N., Sebille, B., Deratani, A. and Lelievre, G.
Determination by high-performance liquid chromatography of the binding properties of charged β -cyclodextrin derivatives with drugs 503(1990)453
- Thuaud, N., see Sebille, B. 531(1990)51
- Thuillier, A., see Gimenez, F. 529(1990)339
- Thulin, H.
Determination of nor-nitrogen mustard hydrochloride using gas chromatography with flame ionization detection 547(1991)501
- Tian, B.-S., see Dubin, P. L. 515(1990)37
- Tian, Z., Hrinjo-Pavlina, T., Roeske, R. W. and Rao, P. N.
Resolution of 2,3,4,6-tetra-O-acetyl- β -D-glucopyranosylisothiocyanate derivatives of α -methyl amino acid enantiomers by high-performance liquid chromatography 541(1991)297
- Tichá, M., see Sklenářová, S. 540(1991)365
- Tickner, T. R., see Dawson, C. M. 534(1990)267
- Tickner, T. R., see Rainbow, S. J. 527(1990)389
- Tien, F.-C., see Burger, B. V. 518(1990)207
- Tikhonov, Y. V., Pimenov, A. M., Uzhevko, S. A. and Toguzov, R. T.
Ion-pair high-performance liquid chromatography of purine compounds in the small intestinal mucosa of children with coeliac disease 520(1990)419
- Tiknius, V., see Markauskas, A. 539(1991)525
- Tiljander, A. and Skarping, G.
Determination of 4,4'-methylenedianiline in hydrolysed human urine using liquid chromatography with UV detection and peak identification by absorbance ratio 511(1990)185
- Tillement, J.-P., see Herve, F. 539(1991)405
- Tillement, J.-P., see Sebille, B. 531(1990)51
- Timossi, A., see Castello, G. 522(1990)329
- Tinsley, P. W. and LaCreta, F. P.
Improved chromatographic method for the determination of trimetrexate in urine 529(1990)468
- Tiollier, J., see Uhlrich, S. 539(1991)393

- Tirone, P., see Lorusso, V. 525(1990)401
- Titheradge, A. C., see Sherwood, R. A. 528(1990)293
- Titus, D. C., August, T. F., Yeh, K. C., Eisenhandler, R., Bayne, W. F. and Musson, D. G.
Simultaneous high-performance liquid chromatographic analysis of carbidopa, levodopa and 3-O-methyldopa in plasma and carbidopa, levodopa and dopamine in urine using electrochemical detection 534(1991)87
- Tiwari, B. B., Singh, R. K. P., Kumar, V. and Yadava, K. L.
Study of chelating tendency of sulphur-containing amino acids by electrophoresis 547(1991)554
- Tiwari, B. B., Singh, R. K. P. and Yadava, K. L.
Ionophoretic studies on mixed complexes. Metal-nitritotriacetate-penicillamine system 542(1991)537
- Tjaden, U. R. and De Bruijn, E. A.
Chromatographic analysis of anticancer drugs 531(1990)235
- Tjaden, U. R., Reeuwijk, H. J. E. M., Van der Greef, J., Pattyn, G., De Bruijn, E. A. and Van Oosterom, A. T.
Bioanalysis of suramin in human plasma by ion-pair high-performance liquid chromatography 525(1990)141
- Tjaden, U. R., see Kokkonen, P. 511(1990)35
- Tjaden, U. R., see Macek, J. 545(1991)177
- Tjaden, U. R., see Reinhoud, N. J. 516(1990)147
- Tjaden, U. R., see Stegehuis, D. S. 511(1990)137
- Tjaden, U. R., see Stegehuis, D. S. 538(1991)393
- Tjaden, U. R., see Stegehuis, D. S. 549(1991)185
- Tjandra-Maga, T. B., see Verbesselt, R. 526(1990)515
- Tji, T. G., Krips, H. J., Gelsema, W. J. and De Ligny, C. L.
Determination of the charge of ions by partition coefficient measurements in gel permeation chromatography 504(1990)403
- Tjørnelund, J. and Hansen, S. H.
Gas chromatographic assay for N,N-dimethylglycine in urine 530(1990)227
- Tkaczyk, M., see Podzimek, Š. 547(1991)195
- Tobler, P., see Seyfried, C. A. 529(1990)43
- Tock, P. P. H., Duijsters, P. P. E., Kraak, J. C. and Poppe, H.
Theoretical optimization of open-tubular columns for liquid chromatography with respect to mass loadability 506(1990)185
- Tock, P. P. H., see Bruin, G. J. M. 517(1990)557
- Tock, P. P. H., see Eguchi, S. 516(1990)301
- Tod, M., Prevot, M., Chalom, J., Farinotti, R. and Mahuzier, G.
Luminarin 4 as a labelling reagent for carboxylic acids in liquid chromatography with peroxyoxalate chemiluminescence detection 542(1991)295
- Todd, R., see Wuenschell, G. E. 543(1991)345
- Todoriki, H., see Hayashi, T. 528(1990)1
- Togashi, H., see Matsumoto, M. 526(1990)1
- Toguzov, R. T., see Tikhonov, Y. V. 520(1990)419
- Tokieda, T., see Tokuda, T. 530(1990)418
- Tokuda, T., Tokieda, T., Anazawa, A. and Yoshioka, M.
Simultaneous determination of vanillylmandelic acid, homovanillic acid and creatinine in urine by reversed-phase ion-pair chromatography 530(1990)418
- Tokumura, T., see Machida, R. 534(1990)190
- Tomandl, J., see Glatz, Z. 503(1990)197
- Tomás, J., see Camps, F. 514(1990)199
- Tombach, B., Kussler, R. and Schlegel, W.
Purification of human placental prostaglandin 15-hydroxydehydrogenase 521(1990)231
- Tomek, W., Buri, J., Vallon, R. and Schmid, H.-P.
Large-scale purification of prosomes from calf's liver 521(1990)221
- Tomer, K. B., see Moseley, M. A. 516(1990)167
- Tomita, M., Okuyama, T., Hatta, Y. and Kawai, S.
Determination of free malonaldehyde by gas chromatography with an electron-capture detector 526(1990)174
- Tomita, M., Okuyama, T. and Kawai, S.
Determination of malonaldehyde in oxidized biological materials by high-performance liquid chromatography 515(1990)391
- Tomita, M., see Kawai, S. 514(1990)29
- Tomita, M., see Kawai, S. 540(1991)411
- Tomita, M., see Watanabe, S. 518(1990)264
- Tomlinson, R. H., see Boison, J. O. K. 522(1990)315
- Tomoda, M., see Kanazawa, H. 507(1990)327
- Tomoda, M., see Kanazawa, H. 537(1991)469
- Tonelli, D., see Gagliardi, L. 508(1990)252
- Tong, Y.-Y., see Oshima, T. 547(1991)175
- Topalova, I., see Chanev, C. 520(1990)33
- Topalova, I., see Gavrilova, T. B. 520(1990)41
- Tordjman, C., Serkiz, B., Rambaud, F., Bonnet, J. and Volland, J. P.
High-performance liquid chromatographic quantitation of cyclooxygenase and lipoxygenase metabolites of arachidonic acid from rat polymorphonuclear leukocytes 532(1990)135

- Torfgård, K., Ahlner, J. and Norlander, B.
Simultaneous determination of glyceryl trinitrate and its two dinitrate metabolites in plasma and tissues by capillary gas chromatography 534(1990)196
- Torikata, T., see Araki, T. 545(1991)183
- Törnell, B., see Hargitai, T. 540(1991)145
- Torres, M. C., Dean, M. A. and Wagner, F. W.
Chromatographic separations of sucrose monostearate structural isomers 522(1990)245
- Torsi, G., Chiavari, G., Laghi, C. and Asmundsottir, A. M.
Responses of different UV-visible detectors in high-performance liquid chromatographic measurements when the absolute number of moles of an analyte is measured 518(1990)135
- Tosi, B., see Menziani, E. 511(1990)396
- Toth, G., Lebl, M. and Hruby, V. J.
Chiral thin-layer chromatographic separation of phenylalanine and tyrosine derivatives 504(1990)450
- Tóth, G., see Mucha, I. 543(1991)307
- Toth-Martinez, B. L., see Gál, S. 545(1991)189
- Toulon, P., Chadeuf, G. and Aiach, M.
Purification of heparin cofactor II from human plasma 539(1991)493
- Town, C., see Powell, M. L. 529(1990)237
- Towns, J. K. and Regnier, F. E.
Polyethyleneimine-bonded phases in the separation of proteins by capillary electrophoresis 516(1990)69
- Townshend, A., see Leon-Gonzalez, M. E. 539(1991)47
- Tozer, T. N., see Reigner, B. G. 533(1990)111
- Tracqui, A., Kintz, P. and Mangin, P.
Determination of nizatidine and two of its main metabolites in human serum using high-performance liquid chromatography 529(1990)369
- Tracqui, A., see Kennel, S. 527(1990)169
- Tramposch, W. G. and Weber, S. G.
Polar bonded phase with the zwitterionic sulfobetaine functional group. Comparison to silica 544(1990)113
- Tran, A. D., Blanc, T. and Leopold, E. J.
Free solution capillary electrophoresis and micellar electrokinetic resolution of amino acid enantiomers and peptide isomers with L- and D-Marfey's reagents 516(1990)241
- Tran, A. D., Park, S., Lisi, P. J., Huynh, O. T., Ryall, R. R. and Lane, P. A.
Separation of carbohydrate-mediated microheterogeneity of recombinant human erythropoietin by free solution capillary electrophoresis. Effects of pH, buffer type and organic additives 542(1991)459
- Tran, C. D., see Xu, M. 543(1991)233
- Tran, Q., see Williams, D. T. 549(1991)297
- Treado, P. J., Briggs, L. M. and Morris, M. D.
Hadamard transform photothermal deflection densitometry of electrophoretically blotted proteins 511(1990)341
- Treiman, D. M., see Gunawan, S. 503(1990)177
- Treston, A. M. and Hooper, W. D.
Metabolic studies with phenobarbitone, primidone and their N-alkyl derivatives: quantification of substrates and metabolites using chemical ionization gas chromatography-mass spectrometry 526(1990)59
- Truncer, J., see Bruchelt, G. 545(1991)407
- Tricker, A. R., see Pfundstein, B. 539(1991)141
- Trieling, R. G., Reijenga, J. C. and Jonker, H. D.
Use of isotachopheresis as a reference method for the simultaneous determination of barium and strontium 545(1991)475
- Trieling, W. B., see Teelken, A. W. 529(1990)408
- Trimble, F. D., see Ito, Y. 538(1991)59
- Trinajstić, N., see Bošnjak, N. 540(1991)430
- Tripp, S., see Kuwahara, S. K. 534(1990)260
- Trites, D., see Ruprecht, R. M. 528(1990)371
- Trnovec, T., see Weber, H. 525(1990)459
- Troshkov, M. L., see Salenko, V. L. 549(1991)429
- Trüding, U., Müller, G. and Unger, K. K.
Porous zirconia and titania as packing materials for high-performance liquid chromatography 535(1990)111
- Trüding, U., see Kurganov, A. 506(1990)391
- Tsai, A. M., Englert, D. and Graham, E. E.
Study of the dynamic binding capacity of two anion exchangers using bovine serum albumin as a model protein 504(1990)89
- Tsai, G. J., see Lee, W.-C. 504(1990)55
- Tsai, H. and Weber, S. G.
Electrochemical detection of dipeptides and dipeptide amides 515(1990)451
- Tsai, H. and Weber, S. G.
Electrochemical detection of oligopeptides through the precolumn formation of biuret complexes 542(1991)345
- Tsai, R.-S., El Tayar, N., Testa, B. and Ito, Y.
Toroidal coil centrifugal partition chromatography, a method for measuring partition coefficients 538(1991)119
- Tsai, T.-H. and Chen, C.-F.
Determination of three active principles in licorice extract by reversed-phase high-performance liquid chromatography 542(1991)521
- Tsantili-Kakoulidou, A., see Bechalany, A. 541(1991)221
- Tsao, G. T., see Lee, W.-C. 504(1990)55

- Tseng, A. M.
 Determination of residual acrylamide monomer in solution and emulsion polymers by column-switching high-performance liquid chromatography 519(1990)363
- Tsikis, D., Fauler, J., Brunner, G. and Frölich, J. C.
 Capillary isotachophoretic determination of cysteinyl leukotrienes 545(1991)375
- Tsuboi, R., see Kimata, K. 515(1990)73
- Tsuboi, R., see Tanaka, N. 535(1990)13
- Tsuchida, Y., see Miyagawa, F. 549(1991)400
- Tsuchiya, H., see Tanaka, N. 535(1990)13
- Tsuchiya, H., see Tanaka, N. 544(1991)319
- Tsuchiya, Y., see Machida, R. 534(1990)190
- Tsuda, T. and Kobayashi, Y.
 Use of a focusing cylindrical lens for increasing sensitivity in the optical detector of a capillary flow-through cell 515(1990)357
- Tsuda, T. and Muramatsu, Y.
 Electrochromatography with continuous sample introduction 515(1990)645
- Tsuhako, M., see Baba, Y. 507(1990)103
- Tsuji, A., see Hirukawa, M. 507(1990)95
- Tsuji, A., see Maeda, M. 515(1990)329
- Tsuji, K.
 High-performance capillary electrophoresis of proteins. Sodium dodecyl sulphate-polyacrylamide gel-filled capillary column for the determination of recombinant biotechnology-derived proteins 550(1991)823
- Tsuji, S., see Hamano, T. 541(1991)265
- Tsujimoto, Y., see Tanaka, M. 526(1990)289
- Tsujino, D., see Kinoshita, M. 529(1990)462
- Tsukahara, S., Saitoh, K. and Suzuki, N.
 Reversed-phase liquid chromatographic retention of geometrical isomers of tris(β -diketonato)-chromium(III) and tris(β -diketonato)-cobalt(III). Comparison with liquid-liquid partition in a dodecane-(methanol-water) system 547(1991)225
- Tsukimura, B., see Borst, D. W. 545(1991)71
- Tsuno, M., see Asakawa, N. 541(1991)231
- Tsuruta, Y., Date, Y. and Kohashi, K.
 Phthalimidylbenzenesulphonyl chlorides as fluorescence labelling reagents for amino acids in high-performance liquid chromatography 502(1990)178
- Tucker, R. E., see Karangwa, E. 532(1990)105
- Tüdös, A. J., Ozinga, W. J. J. and Kok, W. T.
 Optimization of Nafion-coated electrodes for selective detection in high-performance liquid chromatography 547(1991)1
- Tuljupa, F. M., see Sur, S. V. 542(1991)451
- Tumina, S. D., see Ryabikova, V. M. 520(1990)121
- Turchetto, L., see Gagliardi, L. 508(1990)252
- Turck, D., see Feste, A. S. 518(1990)349
- Turcotte, J. G., see Amari, J. V. 517(1990)219
- Turgeon, J., see Dasgupta, A. 526(1990)260
- Turk, J., see Wolf, B. A. 509(1990)325
- Turková, J.
 Protein-dye interactions: development and applications (edited by M. A. Vijayalakshmi and O. Bertrand) (Book Review) 516(1990)478
- Turley, D. J., Kelly, M. T. and Smyth, M. R.
 High-performance liquid chromatographic method for the comparison of tanning capacity of tannic acid batches used in the manufacture of pregnancy testing kits 513(1990)263
- Turnbull, I. F., see Sharp, P. J. 512(1990)189
- Turner, P., see Saleh, S. 528(1990)531
- Tvrzická, E., Mareš, P., Votruba, M. and Hrabák, P.
 Some limitations of plasma lipid analysis in clinical research by thin-layer chromatography with flame-ionization detection 530(1990)424
- Twigg, M. V., see Lindsay Smith, J. R. 547(1991)447
- Tyczkowska, K., Page, R. L. and Riviere, J. E.
 Determination of carboplatin in canine plasma by liquid chromatography with ultraviolet-visible detection and confirmation by atomic absorption spectroscopy 527(1990)447
- Tyczkowska, K. L., see Amiss, T. J. 526(1990)375
- Tyndale, R. F. and Inaba, T.
 Simultaneous determination of haloperidol and reduced haloperidol by gas chromatography using a megabore column with electron-capture detection: application to microsomal oxidation of reduced haloperidol 529(1990)182
- Tyras, D. H., see Rao, P. S. 536(1991)137
- Tyrefors, N. and Carlsson, A.
 Improvements in the separation and detection of acetylcholine and choline using liquid chromatography and electrochemical detection 502(1990)337

U

- Ubaldi, A., see Bagnati, R. 527(1990)267
- Uccello-Barretta, G., see Bertucci, C. 506(1990)617
- Uchida, T., Ohtani, T., Kasai, M., Yanagihara, Y., Noguchi, K., Izu, H. and Hara, S. Peptide behaviour and analysis on a chemically stable C₁₈-bonded vinyl alcohol copolymer column with alkaline and acidic eluents 506(1990)327
- Uchida, T., see Ohtani, T. 515(1990)175
- Uchida, Y., see Ishida, K. 539(1991)169
- Uchytil, B. and Munich, J. Simple device for the determination of volatile chlorinated hydrocarbons in water by gas chromatography 509(1990)111
- Uden, P. C., see Gavlick, W. K. 508(1990)187
- Uden, P. C., see Haas, III, J. W. 550(1991)609
- Uden, P. C., see Wang, T. 517(1990)185
- Udseth, H. R., see Smith, R. D. 516(1990)157
- Udvarhelyi, P. M., Sunter, D. C. and Watkins, J. C. Direct separation of amino acid enantiomers using a chiral crown ether stationary phase. Application to 2-amino- ω -phosphonoalkanoic acids 519(1990)69
- Uebel, R. A., Wium, C. A., Hawtrey, A. O. and Coetzee, J. Electrochemical determination of 2,6-diisopropylphenol after high-performance liquid chromatography of extracts from serum 526(1990)293
- Ueda, S., see Watanabe, S. 518(1990)264
- Ueda, T., see Jinno, K. 517(1990)193
- Uehara, N., see Kamisaki, Y. 529(1990)417
- Uehara, N., see Ohashi, H. 539(1991)225
- Ueki, T., see Tagawa, K. 529(1990)500
- Ugelstad, J., see Ellingsen, T. 535(1990)147
- Ugelstad, J., see Kulín, L.-I. 514(1990)1
- Uhl, K., see Jungbauer, A. 512(1990)157
- Uhlrich, S., Tiollier, J., Tardy, M. and Tayot, J.-L. Isolation and characterization of two different molecular forms of basic fibroblast growth factor extracted from human placental tissue 539(1991)393
- Ukai, S., Honda, A., Nagai, K. and Kiho, T. Gas-liquid chromatographic analysis of carboxymethylcellulose and carboxymethylstarch 513(1990)338
- Ulberth, F. and Achs, E. Argentation chromatography of fatty acid methyl esters using silver-loaded solid-phase extraction columns 504(1990)202
- Ulinskaya, N. N., see Dmitrenko, A. V. 520(1990)21
- Ulvi, V. and Tammilehto, S. High-performance liquid chromatographic method for studies on the photodecomposition kinetics of chlorothiazide 507(1990)151
- Umeda, I., see Nishioka, R. 526(1990)210
- Umeda, K., see Hirokawa, T. 513(1990)297
- Umegae, Y., Nohta, H. and Ohkura, Y. Determination of pseudouridine in human urine and serum by high-performance liquid chromatography with post-column fluorescence derivatization 515(1990)495
- Umuzawa, H., see Nakanuma, R. 527(1990)208
- Unarska, M., Davies, P. A., Esnouf, M. P. and Bellhouse, B. J. Comparative study of reaction kinetics in membrane and agarose bead affinity systems 519(1990)53
- Underhill, K., see Hudson, M. K. 513(1990)21
- Underwood, R. H., Bradwin, G. R., Moore, T. J. and Williams, G. H. Semi-automated high-performance liquid chromatographic method for the simultaneous assay of plasma cortisol and 11-deoxycortisol in the metyrapone test 526(1990)180
- Unger, K. K., see Hanson, M. 517(1990)269
- Unger, K. K., see Janzen, R. 522(1990)77
- Unger, K. K., see Kurganov, A. 506(1990)391
- Unger, K. K., see Kurganov, A. A. 548(1991)207
- Unger, K. K., see Stegeman, G. 506(1990)547
- Unger, K. K., see Trüding, U. 535(1990)111
- Unger, K. K., see Wirth, H. J. 550(1990)383
- Uno, B., see Kawai, S. 540(1991)411
- Unruh, J., Piotrowski, E., Schwartz, D. P. and Barford, R. Solid-phase extraction of sulfamethazine in milk with quantitation at low ppb levels using thin-layer chromatography 519(1990)179
- Upadhyay, R. K., Agarwal, N. and Gupta, N. Thin-layer chromatography of thiazolidinones. I 542(1991)531
- Urakami, K., see Yoshida, S. 530(1990)57
- Urasa, I. T., Mavura, W. J., Lewis, V. D. and Nam, S. H. The speciation of iron, manganese, phosphorus and platinum in aqueous solutions by using ion chromatography coupled with an element selective detector 547(1991)211

- Urayama, K., see Koh, S. 549(1991)434
- Urban, G., see Schalkhammer, T. 510(1990)355
- Urbánek, J., see Jandera, P. 504(1990)297
- Urech, R., Chan, L. and Duffy, P.
High-performance liquid chromatographic assay of sotalol: improved procedure and investigation of peak broadening 534(1990)271
- Ursem, M., see Chervet, J. P. 543(1991)439
- Usui, H., Takahashi, Y., Maeda, N., Mitui, H., Isobe, T., Okuyama, T., Nishizawa, Y. and Hayashi, S.
Purification of D₂ dopamine receptor by photoaffinity labelling, high-performance liquid chromatography and preparative sodium dodecyl sulphate polyacrylamide gel electrophoresis 515(1990)375
- Utnik, A., see Gorczyńska, K. 509(1990)53
- Utsuki, T., see Yoshioka, M. 515(1990)205
- Utsumi, M., see Okamoto, M. 515(1990)43
- Uunk, L. G. M., see Schoenmakers, P. J. 506(1990)563
- Uzhevko, S. A., see Tikhonov, Y. V. 520(1990)419
- V**
- Vaccher, C., Berthelot, P., Flouquet, N. and Debaert, M.
Preparative liquid chromatographic separation of isomers of 4-amino-3-(4-chlorophenyl)butyric acid 542(1991)502
- Vacek, O., see Gabriel, J. 542(1991)200
- Vacík, J., see Gaš, B. 545(1991)225
- Vail, R. B. and Homann, M. J.
Rapid and sensitive detection of citrinin production during fungal fermentation using high-performance liquid chromatography 535(1990)317
- Vainiotalo, P., Julkunen-Tiitto, R., Juntheikki, M.-R., Reichardt, P. and Auriola, S.
Chemical characteristics of herbivore defenses in *Betula pendula* winter-dormant young stems 547(1991)367
- Vainiotalo, S. and Häyri, L.
Gas chromatographic determination of airborne dialkyltin dichlorides as hydride derivatives 523(1990)273
- Vaisar, T. and Vanek, T.
Reversed-phase high-performance liquid chromatographic separation of 5 β ,20-dihydroxyecdysone and 20-hydroxyecdysone on a β -cyclodextrin-bonded stationary phase 547(1991)443
- Valášková, I., see Kaniansky, D. 502(1990)143
- Valcárcel, M., see Ballesteros, E. 518(1990)59
- Valentin, J. R., Hall, K. W. and Becker, J. F.
Continuous monitoring of a changing sample by multiplex gas chromatography 518(1990)199
- Valg, T. A., see Walisser, J. A. 518(1990)179
- Valkó, K., Cserhádi, T., Fellegvári, I., Sági, J. and Szemző, A.
Application of chromatographic retention data in an investigation of a quantitative structure-nucleotide incorporation rate relationship 506(1990)35
- Valkó, K., Cserhádi, T. and Forgács, E.
Comparative investigation of the retention behaviour of nucleoside derivatives on alumina stationary phases in thin-layer chromatography and high-performance liquid chromatography 550(1991)667
- Valkó, K., see Szepesi, G. 550(1991)87
- Vallat, P., El Tayar, N., Testa, B., Slacanin, I., Marston, A. and Hostettmann, K.
Centrifugal counter-current chromatography, a promising means of measuring partition coefficients 504(1990)411
- Vallette, J. P., see Nicot, G. 528(1990)258
- Vallon, J. J., see Franceschini, A. 541(1991)109
- Vallon, R., see Tomek, W. 521(1990)221
- Vampa, G. and Benvenuti, S.
Separation of 18 α - and 18 β -glycyrrhetic acid by high-performance thin-layer chromatographic densitometry 543(1991)479
- Van Beek, T. A., Scheeren, H. A., Rantio, T., Melger, W. C. and Lelyveld, G. P.
Determination of ginkgolides and bilobalide in *Ginkgo biloba* leaves and phytopharmaceuticals 543(1991)375
- Van Bramer, D., see Campbell, D. L. 546(1991)381
- Van Breemen, R. B., Canjura, F. L. and Schwartz, S. J.
High-performance liquid chromatography-continuous-flow fast atom bombardment mass spectrometry of chlorophyll derivatives 542(1991)373
- Van Cauwelaert, F., see Malfait, T. 504(1990)369
- Van Dael, M., see Smolders, E. 514(1990)371

- Van Damme, J.-C., De Ryckel, B. and Galoux, M.
Analyse par chromatographie liquide du diamino-2,3 phénazine et de l'hydroxy-2 amino-3 phénazine dans les carbendazimes techniques et formulés 518(1990)375
- Van de Goor, T. A. A. M., Janssen, P. S. L., Van Nispen, J. W., Van Zeeland, M. J. M. and Everaerts, F. M.
Capillary electrophoresis of peptides. Analysis of adrenocorticotrophic hormone-related fragments 545(1991)379
- Van den Beld, C. M. B., see Stegehuis, D. S. 549(1991)185
- Van den Berg, G. A., Wolthers, B. G., Nagel, G. T., Muskiet, F. A. J., Banghman, S. and De Zeeuw, R. A.
Diurnal changes in plasma levels of 2-pyrrolidinone determined by isotope dilution mass spectrometry 550(1991)239
- Van den Berg, J. H. M., see Glöckner, G. 550(1991)629
- Vanden Driessche, N., see Maris, F. 506(1990)211
- Van den Eeckhout, E., Coene, J., Claereboudt, J., Borremans, F., Claeys, M., Esmans, E. and Sinsheimer, J. E.
Comparison of the isolation of adducts of 2'-deoxycytidine and 2'-deoxyguanosine with phenylglycidyl ether by high-performance liquid chromatography on a reversed-phase column and a polystyrene-divinylbenzene column 541(1991)317
- Van den Eeckhout, E., De Bruyn, A., Pepermans, H., Esmans, E. L., Vryens, I., Claereboudt, J., Claeys, M. and Sinsheimer, J. E.
Adduct formation identification between phenyl glycidyl ether and 2'-deoxyadenosine and thymidine by chromatography, mass spectrometry and nuclear magnetic resonance spectroscopy 504(1990)113
- Van der Drift, C., see Gorris, L. G. M. 504(1990)421
- Van der Greef, J.
HPLC of biological macromolecules (edited by K. M. Gooding and F. E. Regnier) (Book Review) 543(1991)483
- Van der Greef, J., see Kokkonen, P. 511(1990)35
- Van der Greef, J., see Macek, J. 545(1991)177
- Van der Greef, J., see Reinhoud, N. J. 516(1990)147
- Van der Greef, J., see Stegehuis, D. S. 511(1990)137
- Van der Greef, J., see Stegehuis, D. S. 538(1991)393
- Van der Greef, J., see Stegehuis, D. S. 549(1991)185
- Van der Greef, J., see Tjaden, U. R. 525(1990)141
- Van der Horst, F. A. L., Reijn, J. M., Post, M. H., Bult, A., Holthuis, J. J. M. and Brinkman, U. A. T.
Mechanistic study on the derivatization of aliphatic carboxylic acids in aqueous non-ionic micellar systems 507(1990)351
- Van der Kelen, G. P., see Praet, A. 507(1990)427
- Van der Kleijn, E., see Wuis, E. W. 526(1990)575
- Vanderkop, P. A. and MacNeil, J. D.
Separation and detection of monensin, lasalocid and salinomycin by thin-layer chromatography/bioautography 508(1990)386
- Van der Slik, W., see Dikkeschei, L. D. 529(1990)145
- Van der Vijgh, W. J. F., see De Jong, J. 529(1990)359
- Van der Vusse, G. J., see Roemen, T. H. M. 528(1990)447
- Van der Woude, H. R., see Van Tellingen, O. 529(1990)135
- Van der Woude, H. R., see Van Tellingen, O. 529(1990)329
- Van Doremaele, G. H. J., see Sparidans, R. W. 508(1990)319
- Van Effen, R. M., see Ding, W. 526(1990)355
- Vanek, T., see Vaisar, T. 547(1991)443
- Van Es, A. J., Rijks, J. A., Cramers, C. A. and Golay, M. J. E.
Turbulent flow in capillary gas chromatography — evaluation of a theoretical concept by Golay 517(1990)143
- Van Gent, T. and Van Tol, A.
Automated gel permeation chromatography of plasma lipoproteins by preparative fast protein liquid chromatography 525(1990)433
- Van Gorkum, J., see Welling, G. W. 512(1990)337
- Van Gorkum, J., see Welling, G. W. 548(1991)235
- Vanhaelen, M., see Jaziri, M. 538(1991)227
- Van Herk, A. M., see Sparidans, R. W. 508(1990)319
- Van Huynh, N., see Motte, J. C. 507(1990)321
- Van Kempen, G. M. J., see Edelbroek, P. M. 530(1990)347
- Van Langenhove, H., see Keymeulen, R. 541(1991)83
- Van Liedekerke, B. M. and De Leenheer, A. P.
Analysis of xanthene dyes by reversed-phase high-performance liquid chromatography on a polymeric column followed by

- characterization with a diode array detector 528(1990)155
- Van Lier, J. E., see Wagner, J. R. 504(1990)191
- Van Nispen, J. W., see Van de Goor, T. A. A. M. 545(1991)379
- Vannoni, D., see Terzuoli, L. 514(1990)80
- Vannoni, D., see Terzuoli, L. 547(1991)472
- Vannoort, R. W., Chervet, J.-P., Lingeman, H., De Jong, G. J. and Brinkman, U. A. T. Coupling of supercritical fluid extraction with chromatographic techniques (Review) 505(1990)45
- Van Oers, N. S. C., Boismenu, R., Cohen, B. L. and Murgita, R. A. Analytical- and preparative-scale separation of molecular variants of α -fetoprotein by anion-exchange chromatography on Monobead™ resins 525(1990)59
- Van Oosterom, A. T., see Tjaden, U. R. 525(1990)141
- Van Putten, T., see Aravagiri, M. 525(1990)419
- Van Soest, R. E. J., see Chervet, J. P. 543(1991)439
- Van Staden, J. F., see Jones, E. A. 537(1991)277
- Van Tellingen, O., Beijnen, J. H., Van der Woude, H. R., Bruning, P. F. and Nooyen, W. J. High-performance liquid chromatographic method for the analysis of 10-ethyl-10-deaza-aminopterin and metabolites in plasma 529(1990)135
- Van Tellingen, O., Van der Woude, H. R., Beijnen, J. H., Bhushana Rao, K. S. P., Ten Bokkel Huinink, W. W. and Nooyen, W. J. High-performance liquid chromatographic bio-analysis and preliminary pharmacokinetics of the experimental antitumour drug vinorelbine 529(1990)329
- Van Tol, A., see Van Gent, T. 525(1990)433
- Van Veen, J., see Chen, X. 529(1990)161
- Van Zeeland, M. J. M., see Van de Goor, T. A. A. M. 545(1991)379
- Van Zoonen, P., see Hogendoorn, E. A. 511(1990)243
- Varady, L., see Afeyan, N. B. 519(1990)1
- Varga, J. M., see Wongyai, S. 536(1991)155
- Varin, F., Ducharme, J., Besner, J. G. and Théorêt, Y. Determination of atracurium and laudanosine in human plasma by high-performance liquid chromatography 529(1990)319
- Varin, F., see Lin, K. T. 536(1991)349
- Varis, E., see Laakso, I. 505(1990)424
- Varney, M. S., see Bianchi, A. P. 542(1991)413
- Vasil'eva, E. V., see Roshchina, T. M. 520(1990)15
- Vaysse, N., see Jiménez, J. 511(1990)333
- Veening, H., see Ding, W. 526(1990)355
- Veening, H., see Lu, Z. 540(1991)199
- Veeraragavan, K., Bernier, A. and Braendli, E. Sample displacement mode chromatography: purification of proteins by use of a high-performance anion-exchange column 541(1991)207
- Vega, L. R., see Leff, V. 547(1991)462
- Vejrosta, J., Mikešová, M. and Filip, P. Sorption of primary *n*-alkanols on Tenax 518(1990)234
- Velasco, D., Castells, J. and Lopez-Calahorra, F. High-performance liquid chromatographic separation of monosaccharides as their peracetylated ketoximes and aldonitriles 519(1990)228
- Velichkov, A., see Stoev, G. 538(1991)431
- Vella, G., see Phillips, D. J. 536(1991)95
- Vella, G. J., see Dion, D. M. 535(1990)127
- Velišek, J., Davidek, J., Michová, J. and Pokorný, J. Rapid gas chromatographic determination of volatile degradation products of glucosinolates in rapeseed oil 502(1990)167
- Veltkamp, A. C. Radiochromatography in pharmaceutical and biomedical analysis 531(1990)101
- Veltkamp, A. C., Das, H. A. and Brinkman, U. A. T. Direct and reverse flow-through heterogeneous scintillation counting of radiolabelled amino acids using post-column solvent segmentation 508(1990)301
- Vemulapalli, S., see Haky, J. E. 505(1990)307
- Venables, A. C., see Paik, J. S. 540(1991)456
- Venema, K., see Koning, H. 533(1990)171
- Venn, R. F. and Michalkiewicz, A. Fast reliable assay for morphine and its metabolites using high-performance liquid chromatography and native fluorescence detection 525(1990)379
- Ventura, P., see Girometta, M.A. 507(1990)227
- Ventura, P., see Italia, A. 503(1990)266
- Venturella, V. S., see Keswani, S. R. 534(1990)77
- Verbesselt, R., Tjandra-Maga, T. B., De Schepper, P. J., Itakura, K. and Sugiro, T. Determination of a platelet activating factor antagonist (CV-3988): methodology and clinical application 526(1990)515
- Verdini, A. S., see Viscomi, G. C. 549(1991)175
- Verdonck, L., see Praet, A. 507(1990)427
- Vere, D. W., see Burton, L. C. 526(1990)159
- Vereshchagin, A. G., see Pchelkin, V. P. 538(1991)373

- Veress, T., Szanto, J. I. and Leisztner, L.
Determination of cannabinoid acids by high-performance liquid chromatography of their neutral derivatives formed by thermal decarboxylation. I. Study of the decarboxylation process in open reactors 520(1990)339
- Vergori, F., see Di Muccio, A. 513(1990)333
- Verhaar, L. A. T., Hendriks, H. E. J., Groenland, W. P. T. and Kuster, B. F. M.
High-performance liquid chromatography of reaction mixtures from the oxidation and degradation of lactose 549(1991)113
- Verheggen, T. P. E. M., Schoots, A. C. and Everaerts, F. M.
Feasibility of capillary zone electrophoresis with suppression of electroosmotic flow in completely closed systems 503(1990)245
- Verheggen, T. P. E. M., see Reijenga, J. C. 545(1991)471
- Verpoorte, R.
Chromatographic analysis of alkaloids (by M. Popl, J. Fähnrich and V. Tatar) (Book Review) 545(1991)221
- Verpoorte, R., see Poulsen, C. 547(1991)155
- Vervoort, R. J. M., see Maris, F. A. 547(1991)45
- Vespalec, R. and Neča, J.
Sensitivity of electrokinetic detection of acidic aromatic nitro derivatives using column as a detector 541(1991)257
- Vespalec, R., see Neča, J. 514(1990)161
- Vespalec, R., see Šimek, Z. 543(1991)475
- Vessman, J., see Gyllenhaal, O. 511(1990)303
- Vessman, J., see Gyllenhaal, O. 516(1990)415
- Vetrova, Z. P., see Karabanov, N. T. 508(1990)193
- Vetter, W. and Walther, W.
Preparation of pyrrolidides from fatty acids via trimethylsilyl esters for gas chromatographic-mass spectrometric analysis 513(1990)405
- Vetticaden, S. J. and Chandrasekaran, A.
Chromatography of cardiac glycosides 531(1990)215
- Veuthey, J.-L. and Haerdi, W.
Separation of amphetamines by supercritical fluid chromatography 515(1990)385
- Veuthey, J. L., see Janicot, J. L. 505(1990)247
- Viala, A., see Cahard, C. 532(1990)193
- Viala, A., see Rop, P. P. 527(1990)226
- Viala, A., see Rop, P. P. 532(1990)351
- Vialle, J., Navarro, P., Nguyet, T. T., Lanteri, P. and Longerey, R.
Experimental design for the optimization of the separation of aliphatic amines by ion chromatography 549(1991)159
- Vidal, R., see Marzo, A. 536(1991)327
- Vidal-Madjar, C., Place, H., Boulkanz, L. and Jaulmes, A.
Application of the split-peak effect to study the adsorption kinetics of human serum albumin on a reversed-phase support 548(1991)81
- Vidal-Madjar, C., see Cysewski, P. 548(1991)61
- Vigdergauz, M. S. and Petrova, Y. I.
Even-odd alternation effect in the regularities of chromatographic retention 509(1990)15
- Vigh, G., Irgens, L. H. and Farkas, G.
Displacement chromatography on packed capillary columns 502(1990)11
- Vigh, G., Quintero, G. and Farkas, G.
Displacement chromatography on cyclodextrin-silicas. III. Enantiomer separations 506(1990)481
- Vigh, G., see Bartha, A. 506(1990)85
- Vigh, G., see Camacho, P. L. 506(1990)611
- Vigh, G., see Welsch, T. 506(1990)97
- Vijayalakshmi, M. A., see Birkenmeier, G. 539(1991)267
- Vijayalakshmi, M. A., see Müller-Schulte, D. 539(1991)307
- Vilenchik, L. Z.
Theoretical aspects of the chromatographic analysis of heterogeneous polymers 511(1990)49
- Villani, C., see Gasparrini, F. 539(1991)25
- Ville, G., see Ricard-Blum, S. 530(1990)432
- Villén, T., Aden Abdi, Y., Ericsson, Ö., Gustafsson, L. L. and Sjöqvist, F.
Determination of metrifonate and dichlorvos in whole blood using gas chromatography and gas chromatography-mass spectrometry 529(1990)309
- Villén, T., see Hellgren, U. 528(1990)221
- Vindevoel, J. and Sandra, P.
Simultaneous pH and ionic strength effects and buffer selection in capillary electrophoretic techniques 541(1991)483
- Vink, J., see Maris, F. 506(1990)211
- Vinther, A., Björn, S. E., Sørensen, H. H. and Søbereg, H.
Identification of aprotinin degradation products by the use of high-performance capillary electrophoresis, high-pressure liquid chromatography and mass spectrometry 516(1990)175
- Virkajärvi, P., see Laakso, I. 505(1990)424
- Viscomi, G. C., Cardinali, C., Longobardi, M. G. and Verdini, A. S.
Large-scale purification of the synthetic peptide fragment 163-171 of human interleukin- β by multi-dimensional displacement chromatography 549(1991)175

- Visconti, A., Sibilia, A. and Palmisano, F.
Selective determination of altertoxins by
high-performance liquid chromatography
with electrochemical detection with dual
"in-series" electrodes 540(1991)376
- Visser, J., see Hondmann, D. H. A.
510(1990)155
- Visser, S., Slangen, C. J. and Rollema, H. S.
Phenotyping of bovine milk proteins by
reversed-phase high-performance liquid
chromatography 548(1991)361
- Vita, N., see Marchese, E. 504(1990)351
- Vittori Antisari, L., see Ciavatta, C.
509(1990)141
- Viveen, J., see Geerdink, R. B. 547(1991)478
- Vlatakis, G. and Bouriotis, V.
Affinity partitioning of restriction
endonucleases. Application to the
purification of EcoR I and EcoR V
538(1991)311
- Vletter, A. A., Burm, A. G. L., Breimer, L. T. M.
and Spierdijk, J.
High-performance liquid chromatographic
assay to determine midazolam and
flumazenil simultaneously in human plasma
530(1990)177
- Vodáková, Z., see Drozd, J. 518(1990)1
- Voelkel, A.
Topological indices as structural parameters.
Structure-retention relationships for
oxyethylene derivatives of alcohols,
thioalcohols and alkylamines 547(1991)247
- Voelter, W., see Grübler, G. 512(1990)249
- Vogels, G. D., see Gorris, L. G. M.
504(1990)421
- Vogt, A., see Gondolf, K. B. 521(1990)325
- Vogt, T. and Gülz, P.-G.
Isocratic column liquid chromatographic
separation of a complex mixture of
epitacicular flavonoid aglycones and
intracellular flavonol glycosides from *Cistus
laurifolius* L. 537(1991)453
- Voituriez, L., see Polverelli, M. 539(1991)373
- Volc, J., see Gabriel, J. 542(1991)200
- Volk, D., see Rudolph, M. 535(1990)263
- Völker, U., see De Vries, J. X. 529(1990)479
- Volkov, A. M., see Dmitrenko, A. V.
520(1990)21
- Volland, C., Sun, H. and Benet, L. Z.
Stereoselective analysis of fenoprofen and its
metabolites 534(1990)127
- Volland, J. P., see Tordjman, C. 532(1990)135
- Volmer, D., see Feltes, J. 518(1990)21
- Volmut, J., Matisová, E. and Ha, P. T.
Simultaneous determination of six
antiepileptic drugs by capillary gas
chromatography 527(1990)428
- Voloshina, N. V., see Berezkin, V. G.
520(1990)91
- Voloshina, N. V., see Gavrichev, V. S.
509(1990)59
- Volpe, N., see Siouffi, A. M. 550(1991)657
- Von Arx, R., see Karlaganis, G. 549(1991)229
- Voslář, J., see Porsch, B. 520(1990)295
- Votruba, M., see Tvrzická, E. 530(1990)424
- Vouros, P., see Mahmoud, M. E. 549(1991)416
- Vouros, P., see Young, D. C. 522(1990)295
- Vree, T. B., Beneken Kolmer, E. W. J., Martea,
M., Bosch, R. and Shimoda, M.
High-performance liquid chromatography of
sulphadimethoxine and its N₁-glucuronide,
N₄-acetyl and N₄-acetyl-N₁-glucuronide
metabolites in human plasma and urine
526(1990)119
- Vree, T. B., Martea, M. and Lewin, L. M.
High-performance liquid chromatography of
sulfapyridine and its acetyl and glucuronide
metabolites in rat and human urine
534(1990)214
- Vree, T. B., Steegers-Theunissen, R. P. M., Baars,
A. M. and Hekster, Y. A.
Direct high-performance liquid
chromatographic analysis of *p*-
hydroxyphenyl-phenylhydantoin
glucuronide, the final metabolite of
phenytoin, in human serum and urine
526(1990)581
- Vree, T. B., see Lansdorp, D. 528(1990)487
- Vree, T. B., see Wuis, E. W. 526(1990)575
- Vreeker, C. P., see De Kok, A. 507(1990)459
- Vryens, I., see Van den Eeckhout, E.
504(1990)113
- Vulpillat, M., see Mohler, J. 528(1990)415
- Vuorela, H., see Härmälä, P. 507(1990)367
- Vuorilehto, L., Salonen, J. S. and Anttila, M.
Determination of detomidine residues in
horse meat by negative-ion chemical
ionization mass spectrometry 530(1990)137
- Vyas, P. R., see Deshpande, M. V. 540(1991)397

W

- Wachter, J., see Fiedler, H.-P. 536(1991)343
- Wada, O., see Manabe, S. 529(1990)125
- Wada, Y., see Kinoshita, M. 529(1990)462

- Wadman, M. C., see Markin, R. S. 525(1990)464
- Wages, S. A., Patchen, L. C. and Churchill, F. C. Analysis of blood and urine samples from *Macaca mulata* for pyronaridine by high-performance liquid chromatography with electrochemical detection 527(1990)115
- Wagner, F. W., see Torres, M. C. 522(1990)245
- Wagner, H., see Antus, S. 508(1990)212
- Wagner, H., see Bauer, R. 541(1991)464
- Wagner, H. P. and McGarrity, M. J. The use of pulsed amperometry combined with ion-exclusion chromatography for the simultaneous analysis of ascorbic acid and sulfite 546(1991)119
- Wagner, J. R., Berger, M., Cadet, J. and Van Lier, J. E. Analysis of thymidine hydroperoxides by post-column reaction high-performance liquid chromatography 504(1990)191
- Wahlund, K.-G., see Litzén, A. 548(1991)393
- Wainer, I. W., see Gimenez, F. 529(1990)339
- Wainer, I. W., see Motellier, S. 516(1990)365
- Wainer, I. W., see Silan, L. 532(1990)227
- Waissner, K., see Hougbedji, N. 509(1990)400
- Wakai, J., see Haginaka, J. 502(1990)317
- Wakai, J., see Haginaka, J. 515(1990)59
- Wakai, J., see Haginaka, J. 529(1990)455
- Wakai, J., see Haginaka, J. 535(1990)163
- Wakiguchi, H., see Takechi, T. 532(1990)144
- Wakui, Y., see Takeda, S. 530(1990)447
- Wal, J. M., see Yvon, M. 539(1991)363
- Walisser, J. A., Burt, H. M., Valg, T. A., Kitts, D. D. and McErlane, K. M. High-performance liquid chromatographic analysis of Romet-30[®] in salmon following administration of medicated feed 518(1990)179
- Walker, D. D., see Hawthorne, S. B. 541(1991)185
- Walker, J. M., see Sweeney, P. J. 539(1991)501
- Walker, M. M., see Coleman, P. L. 512(1990)345
- Walker, N., see Mulholland, M. 550(1991)257
- Walker, T. A. Separation of inorganic analyte anions on dye-coated stationary phases 546(1991)199
- Wallace, G. G., see Ge, H. 544(1991)305
- Wallace, R. A., Carnevali, O. and Hollinger, T. G. Preparation and rapid resolution of *Xenopus* phosphatins and phosphatases by high-performance liquid chromatography 519(1990)75
- Wallach, D., see Novick, D. 510(1990)331
- Wallet, J.-C., see Gaydou, E. M. 549(1991)440
- Walling, J. F., see Wright, L. H. 540(1991)311
- Wallstén, M. and Lundahl, P. Binding of sodium dodecyl sulphate to an integral membrane protein and to a water-soluble enzyme. Determination by molecular-sieve chromatography with flow scintillation detection 512(1990)3
- Wallstén, M., see Yang, Q. 506(1990)379
- Walmsley, L. M., see Morris, G. R. 530(1990)377
- Walravens, J., see Motte, J. C. 507(1990)321
- Walsdorf, A., Forciniti, D. and Kula, M. R. Investigation of affinity partition chromatography using formate dehydrogenase as a model 523(1990)103
- Walsdorf, A. and Kula, M. R. Properties of supports for the partition chromatography of proteins 542(1991)55
- Walsdorf, A., see Kula, M.-R. 548(1991)3
- Walter, H., Krob, E. J. and Wollenberger, L. Partitioning of cells in dextran-poly(ethylene glycol) aqueous phase systems. A study of settling time, vessel geometry and sedimentation effects on the efficiency of separation 542(1991)397
- Walter, U., see Halbrügge, M. 521(1990)335
- Walters, R. R., see Hsu, C. L. 550(1991)621
- Walther, W., see Vetter, W. 513(1990)405
- Walton, N. Y., see Gunawan, S. 503(1990)177
- Wan, H. Small-scale method for the determination of organophosphorus insecticides in tea using sulphuric acid as clean-up reagent 516(1990)446
- Wan, H., see Guo, B. 505(1990)435
- Wang, G. M., see Zhang, J. Y. 521(1990)71
- Wang, H., Pacáková, V. and Štulík, K. Ion-exchange high-performance liquid chromatographic separation of peptides with UV photometric and electrochemical detection 509(1990)245
- Wang, H., see Xie, F. 526(1990)109
- Wang, H. J. and Thomas, R. L. High-performance liquid chromatography for the assessment of glucoamylase, immobilized on metallic membranes 536(1991)107
- Wang, K.-T., see Lin, S.-L. 540(1991)392
- Wang, Q.-S., Zhu, C.-S. and Yan, B.-W. Computer-assisted optimization of two-factor selectivity in gas chromatography using an advanced simplex method 513(1990)13
- Wang, S.-Y., see Hu, O. Y.-P. 523(1990)321
- Wang, T., Hartwick, R. A., Miller, N. T. and Shelly, D. C. Packing of preparative high-performance liquid chromatography columns by sedimentation 523(1990)23

- Wang, T. and Uden, P. C.
High-performance liquid chromatographic study of ligand-exchange reactions of fluorinated metal β -diketone chelates 517(1990)185
- Wang, Y., see Dantigny, P. 545(1991)27
- Wang, Y.-P., see Chi, H. 543(1991)250
- Wangboonskul, J., see Taylor, R. B. 527(1990)490
- Wangsa, J. and Danielson, N. D.
Electrochemical detection for high-performance liquid chromatography using a Kel-F wax-graphite electrode 514(1990)171
- Wangsa, J., see Danielson, N. D. 544(1991)187
- Ward, L. D., Reid, G. E., Moritz, R. L. and Simpson, R. J.
Strategies for internal amino acid sequence analysis of proteins separated by polyacrylamide gel electrophoresis 519(1990)199
- Warden, B., see Roman, M. 546(1991)341
- Wardlow, M. L., see Knapp, S. 526(1990)97
- Waring, M. J., see Alfredson, T. V. 507(1990)277
- Warner, F. P., see Lloyd, L. L. 512(1990)365
- Warren, Jr., F. V., see Bentrop, D. 535(1990)293
- Warren, W., Astephen, N. E. and Wheat, T. E.
Systematic optimization of protein separations on high-performance ion-exchange chromatographic media 512(1990)13
- Warren, W., see Dion, D. M. 535(1990)127
- Warshawsky, A., see Hasson, H. 530(1990)219
- Warwick, P., see Smith, B. 547(1991)203
- Warzecha, K., see Ernemann, U. 528(1990)243
- Warzecha, L., Piwowar, Z. and Bodzek, D.
Gel permeation chromatography for the determination of the molecular mass distribution of some industrial proteins 509(1990)227
- Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. I. Alkenes 547(1991)259
- Watabe, Y., see Gamoh, K. 515(1990)227
- Watanabe, K., see Nakanuma, R. 527(1990)208
- Watanabe, S., Saito, T., Sato, S., Nagase, S., Ueda, S. and Tomita, M.
Investigation of interfering products in the high-performance liquid chromatographic determination of polyamines as benzoyl derivatives 518(1990)264
- Watanabe, S., see Suzuki, T. 541(1991)359
- Watanabe, T., see Hayashida, M. 506(1990)133
- Watanabe, Y., see Ikeda, K. 513(1990)321
- Watanabe, Y., see Kamahori, M. 549(1991)101
- Watari, N., Mizumura, J. and Higuchi, S.
Simultaneous microdetermination of nicardipine and its pyridine metabolite in body fluids by capillary column gas chromatography with electron-capture detection 530(1990)438
- Watfa, R. R., see Stratford, M. R. L. 526(1990)383
- Watkins, J. C., see Ryan, T. W. 505(1990)273
- Watkins, J. C., see Udvarhelyi, P. M. 519(1990)69
- Watson, D. G., see Macfarlane, R. G. 532(1990)1
- Watson, D. G., see Macfarlane, R. G. 532(1990)13
- Watson, D. G., see Midgley, J. M. 527(1990)259
- Watson, J. T., Schultz, G. A., Tecklenburg, Jr., R. E. and Allison, J.
Renaissance of gas chromatography-time-of-flight mass spectrometry. Meeting the challenge of capillary columns with a beam deflection instrument and time array detection 518(1990)283
- Wattiau, P., see Motte, J. C. 507(1990)321
- Watts, III, B. A., see Gayden, R. H. 536(1991)265
- Wauters, D., De Mol, J. and De Temmerman, L.
Simultaneous liquid chromatographic determination of methionine hydroxy analogue and DL-methionine in feed formulations 516(1990)375
- Wawrzkiwicz, K., see Łobarzewski, J. 520(1990)223
- Way, E. L., see Ikarashi, Y. 533(1990)23
- Weber, D. V. and Bailon, P.
Application of receptor-affinity chromatography to bioaffinity purification 510(1990)59
- Weber, H., Marko, V., Kállay, Z., Trnovec, T. and Amlacher, R.
Determination of a cytostatic agent, bendamustine, in plasma using capillary gas chromatography with nitrogen-selective detection 525(1990)459
- Weber, L.
Rapid monitoring of chloramphenicol in microsamples of plasma by capillary gas chromatography with electron-capture detection 525(1990)454
- Weber, S. G., see Tramosch, W. G. 544(1990)113
- Weber, S. G., see Tsai, H. 515(1990)451
- Weber, S. G., see Tsai, H. 542(1991)345
- Weber, T. P., Carr, P. W. and Funkenbusch, E. F.
Evaluation of a zirconia-based carbon-polymer composite reversed-phase chromatographic support 519(1990)31

- Webster, K., see Whelpton, R. 526(1990)215
Webster, R., see Camacho, P. L. 506(1990)611
Wedzicha, B. L., Lo, M. F. and Donovan, T. J.
Counter-current chromatography of black tea infusions 505(1990)357
Weems, H. B. and Yang, S. K.
Resolution of enantiomeric triols, triol-hydroxyethylthioethers, and methoxy-triols derived from three benzo[*a*]pyrene diol-epoxides by chiral stationary phase high-performance liquid chromatography 535(1990)239
Wegscheider, W., see Djordjevic, N. M. 550(1991)27
Wehr, T., see Zhu, M. 516(1990)123
Wei, Y.-A. and Fang, J.-N.
Studies on the chromatographic behaviour of some uronic acids and neutral sugars on an amino-bonded phase column 513(1990)227
Weidenhamer, J. D., Jordan, E. D. and Fischer, N. H.
Evaluation of high-performance liquid and capillary gas chromatography for analysis of sesquiterpene lactones of the Melampodiinae 504(1990)151
Weigand, W., see Bauer, R. 541(1991)464
Weinberger, R., Sapp, E. and Moring, S.
Capillary electrophoresis of urinary porphyrins with absorbance and fluorescence detection 516(1990)271
Weinberger, R., see Fell, A. F. 535(1990)33
Weinberger, R., see Posluszny, J. V. 507(1990)267
Weinberger, S. B., see Shibanoki, S. 532(1990)249
Weinreich, B., see Fischer, N. 538(1991)193
Weinstein, G. S., see Rao, P. S. 536(1991)137
Weisz, A., Langowski, A. J., Meyers, M. B., Thieken, M. A. and Ito, Y.
Preparative purification of tetrabromotetrachlorofluorescein and Phloxine B by centrifugal counter-current chromatography 538(1991)157
Weitzhandler, M. and Hardy, M.
Sensitive blotting assay for the detection of glycopeptides in peptide maps 510(1990)225
Wekerle, H., see Giegerich, G. 528(1990)79
Welch, R., see DeAngelis, R. 525(1990)389
Welinder, B. S.
Use of polymeric reversed-phase columns for the characterization of polypeptides extracted from human pancreata. II. Effect of the stationary phase 542(1991)83
Welinder, B. S. and Linde, S.
Reversed-phase high-performance liquid chromatographic characterization of acetic acid extracts of the normal and the diabetic human pancreas 537(1991)201
Welinder, B. S. and Linde, S.
Use of polymeric reversed-phase columns for the characterization of polypeptides extracted from human pancreata. I. Effect of the mobile phase 542(1991)65
Welinder, B. S. and Sørensen, H. H.
Alternative mobile phases for the reversed-phase high-performance liquid chromatography of peptides and proteins 537(1991)181
Welinder, B. S., see Linde, S. 530(1990)29
Welinder, B. S., see Linde, S. 536(1991)43
Welinder, B. S., see Linde, S. 548(1991)195
Welinder, B. S., see Linde, S. 548(1991)371
Welling, G. W., Geurts, T., Van Gorkum, J., Damhof, R. A., Drijfhout, J. W., Bloemhoff, W. and Welling-Wester, S.
Synthetic antibody fragment as ligand in immunoaffinity chromatography 512(1990)337
Welling, G. W., Van Gorkum, J., Damhof, R. A., Drijfhout, J. W., Bloemhoff, W. and Welling-Wester, S.
A ten-residue fragment of an antibody (mini-antibody) directed against lysozyme as ligand in immunoaffinity chromatography 548(1991)235
Welling-Wester, S., see Welling, G. W. 512(1990)337
Welling-Wester, S., see Welling, G. W. 548(1991)235
Welsch, T., Frank, H. and Vigh, G.
Silanol effects in reversed-phase liquid chromatography 506(1990)97
Welz, W., Sattler, W., Leis, H.-J. and Malle, E.
Rapid analysis of non-esterified fatty acids as methyl esters from different biological specimens by gas chromatography after one-step esterification 526(1990)319
Welz, W., see Leis, H.-J. 526(1990)169
Welz, W., see Leis, H. J. 529(1990)299
Wen, E., see Wuenschell, G. E. 543(1991)345
Wen, X., see Zou, H. 523(1990)247
Wenisch, E., Tauer, C., Jungbauer, A., Katinger, H., Faupel, M. and Righetti, P. G.
Capillary zone electrophoresis for monitoring r-DNA protein purification in multi-compartment electrolisers with immobiline membranes 516(1990)133
Wenisch, E., see Jungbauer, A. 512(1990)157
Wentworth, W.E., D'sa, E. D., Batten, C.F. and Chen, E. C.M.
Oxygen enhancement of thermal electron capture in a non-radioactive discharge source for a quadrupole mass spectrometer 517(1990)87

- Werner, A., Siems, W., Grune, T. and Schreiter, C.
Interrelation between nucleotide degradation and aldehyde formation in red blood cells. Influence of xanthine oxidase on metabolism: an application of nucleotide and aldehyde analyses by high-performance liquid chromatography 507(1990)311
- Werner, A., see Grune, T. 520(1990)411
- Werner, G., Schneider, V. and Emmert, J.
Simultaneous determination of creatine, uric acid and creatinine by high-performance liquid chromatography with direct serum injection and multi-wavelength detection 525(1990)265
- Werner, I., see Fiedler, H.-P. 513(1990)255
- Wernstedt, C., see Renlund, S. 512(1990)325
- West, R. R. and Cardellina, II, J. H.
Semi-preparative separation of polyhydroxylated sterols using a β -cyclodextrin high-performance liquid chromatography column 539(1991)15
- Westerlund, D., see Fornstedt, T. 506(1990)61
- Westerlund, D., see Fornstedt, T. 535(1990)93
- Westlake, J. P., see Smith, R. M. 514(1990)97
- Weston, A., see Phillips, D. J. 536(1991)95
- Weston, S. I., Japp, M., Partridge, J. and Osselton, M. D.
Collection of analytical data for benzodiazepines and benzophenones. Appendix 538(1991)277
- Wetlaufer, D. B., see Buckley, J. J. 518(1990)99
- Wetlaufer, D. B., see Gehas, J. 511(1990)123
- Weyker, C., see Miller, L. 511(1990)97
- Whatley, F. R., see Greenaway, W. 519(1990)145
- Whatley, F. R., see Greenaway, W. 543(1991)113
- Wheat, T. E., see Warren, W. 512(1990)13
- Wheat, T. E., see Young, P. M. 512(1990)273
- Wheatley, J. B.
Effect of antigen size on optimal ligand density of immobilized antibodies for a high-performance liquid chromatographic support 548(1991)243
- Wheelock, G. D., Sieber, K. P. and Hagedorn, H. H.
Rapid isolation of a neurohormone from mosquito heads by high-performance liquid chromatography 542(1991)508
- Whelpton, R., Dudson, P., Cannell, H. and Webster, K.
Determination of prilocaine in human plasma samples using high-performance liquid chromatography with dual-electrode electrochemical detection 526(1990)215
- Whelpton, R., see Burton, L. C. 526(1990)159
- White, A. J., see Lavine, B. K. 542(1991)29
- Whitfield, L. R., see Bullen, W. W. 526(1990)266
- Whitfield, L. R., see Silan, L. 532(1990)227
- Whiting, G. S., see Abraham, M. H. 518(1990)329
- Whittington, D. E., see Hawthorne, S. B. 541(1991)185
- Widhalm, A., Schwer, C., Blaas, D. and Kenndler, E.
Capillary zone electrophoresis with a linear, non-cross-linked polyacrylamide gel: separation of proteins according to molecular mass 549(1991)446
- Widmer, H. M., see Koch, L. 517(1990)395
- Wieling, J., Schepers, J., Hempenius, J., Mensink, C. K. and Jonkman, J. H. G.
Optimization of chromatographic selectivity of twelve sulphonamides in reversed-phase high-performance liquid chromatography using mixture designs and multi-criteria decision making 545(1991)101
- Wiemer, J., see Scherberich, J. E. 521(1990)279
- Wiener, H. L., Kramer, H. K. and Reith, M. E. A.
Separation and determination of sertraline and its metabolite, desmethylsertraline, in mouse cerebral cortex by reversed-phase high-performance liquid chromatography 527(1990)467
- Wieserman, L. F., see Haky, J. E. 505(1990)307
- Wiesner, R., see Kühn, H. 520(1990)391
- Wijsbeek, J., see Chen, X. 529(1990)161
- Wikström, B., see Karamanos, N. K. 503(1990)421
- Wikström, M., see Eriksson, B.-M. 527(1990)11
- Wilce, M. C. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CVII. Analysis of group retention contributions for peptides separated with a range of mobile and stationary phases by reversed-phase high-performance liquid chromatography 536(1991)165
- Wilce, M. C. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CX. Principal component analysis of four sets of group retention coefficients derived from reversed-phase high-performance liquid chromatography of peptides 548(1991)105
- Wilchek, M., see Bayer, E. A. 510(1990)3
- Wildman, B. J., Jackson, P. E., Jones, W. R. and Alden, P. G.
Analysis of anion constituents of urine by inorganic capillary electrophoresis 546(1991)459

- Wiley, D. M., Szabo, I., Maguire, M. H., Finley, B. E. and Bennett, T. L.
Measurement of hypoxanthine and xanthine in late-gestation human amniotic fluid by reversed-phase high-performance liquid chromatography with photodiode-array detection 533(1990)73
- Wilhelm, D. and Kemper, A.
High-performance liquid chromatographic procedure for the determination of clozapine, haloperidol, droperidol and several benzodiazepines in plasma 525(1990)218
- Wilhelm, J. A., see Keswani, S. R. 534(1990)77
- Willemse, P. H. B., see Dikkeschei, L. D. 529(1990)145
- Willenbrock, F., see Deistung, J. 539(1991)485
- Williams, D. A., see Midgley, J. M. 527(1990)259
- Williams, D. T., Tran, Q., Fellin, P. and Brice, K. A.
Evaluation of gas chromatography–Fourier transform infrared spectroscopy–mass spectrometry for analysis of phenolic compounds 549(1991)297
- Williams, E., see Kuwahara, S. K. 534(1990)260
- Williams, G. H., see Underwood, R. H. 526(1990)180
- Williams, P. S. and Giddings, J. C.
Comparison of power and exponential field programming in field-flow fractionation 550(1991)787
- Williams, R. G. and Mitchell, H. D.
Computer spreadsheet calculation of the optimum temperature and column lengths for serially coupled capillary gas chromatographic columns 541(1991)59
- Willibey, B., see Dutta, P. K. 536(1991)113
- Wils, E. R. J. and Hulst, A. G.
Determination of O-ethyl S-2-diisopropylaminoethyl methylphosphonothioate (VX) by thermospray liquid chromatography–mass spectrometry 523(1990)151
- Wilson, D. W., see Rao, P. S. 536(1991)137
- Wilson, W. H., McNair, H. M. and Hyver, K. J.
Surface treatment effects in microcolumn liquid chromatography 540(1991)77
- Winefordner, J. D., see Berthod, A. 502(1990)305
- Winefordner, J. D., see Campiglia, A. D. 508(1990)37
- Wingcier, M. P., see Gluck, S. J. 547(1991)69
- Winkelmann, G., see Greiner, M. 502(1990)437
- Winnik, M. A., see Xu, R. 547(1991)434
- Wirth, H. J., Unger, K. K. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CIX. Investigations on the relation between the ligand density of Cibacron Blue immobilized porous and non-porous sorbents and protein-binding capacities and association constants 550(1990)383
- Wise, L., see Stein, T. A. 507(1990)259
- Wise, S., see Duffield, A. M. 518(1990)215
- Wise, S. A., Sander, L. C., Lapouyade, R. and Garrigues, P.
Anomalous behavior of selected methyl-substituted polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography 514(1990)111
- Wise, S. A., see Munder, A. 521(1990)63
- Wise, S. A., see Olsson, M. 537(1991)73
- Witkiewicz, Z., Mazurek, M. and Szulc, J.
Chromatographic analysis of chemical warfare agents (Review) 503(1990)293
- Witkiewicz, Z., see Nesterova, I. 537(1991)482
- Wium, C. A., see Uebel, R. A. 526(1990)293
- Wöber, A., see Ernemann, U. 528(1990)243
- Wojciechowski, F., see Lacroix, C. 525(1990)240
- Wójcik, A. B.
Preliminary results on the gas chromatographic evaluation of interpenetrating polymer networks prepared from porous polymer beads 502(1990)393
- Wojtaszek, P., see Stobiecki, M. 508(1990)391
- Wolf, B. A., Conrad-Kessel, W. and Turk, J.
Long-chain fatty alcohol quantitation in subfemtomole amounts by gas chromatography–negative ion chemical ionization mass spectrometry. Application to long-chain acyl coenzyme A measurement 509(1990)325
- Wolf, H., see Koning, H. 533(1990)171
- Wolf, J. H. and Korf, J.
Improved automated precolumn derivatization reaction of fatty acids with bromomethylmethoxycoumarin as label 502(1990)423
- Wolf, T., see Fleminger, G. 510(1990)271
- Wolf, T., see Fleminger, G. 510(1990)311
- Wolfson, A. D., Motorin, Y. A., Ribkinska, T. I. and Beresten, S. F.
Purification of mammalian tyrosyl-tRNA synthetase by high-performance liquid chromatography 503(1990)277
- Wollenberger, L., see Walter, H. 542(1991)397
- Wollensak, G., see Baier, G. 525(1990)319
- Woloszczuk, W., see Missbichler, A. 510(1990)339
- Wolpers, S., see Schröder, B. 514(1990)241
- Wolski, T., see Łobarzewski, J. 520(1990)223
- Wolterink, E. P., see Te Booy, M. P. W. M. 503(1990)103
- Wolthers, B. G., see Dikkeschei, L. D. 529(1990)145

- Wolthers, B. G., see Van den Berg, G. A. 550(1991)239
- Wombacher, H., see Schmidt, A. H. 519(1990)379
- Wong, C. F., see Elrod, Jr., L. 519(1990)125
- Wong, G. S. K., see Lee, T. B. K. 523(1990)317
- Wong, Y. W. J. and Ludden, T. M.
Determination of betaxolol and its metabolites in blood and urine by high-performance liquid chromatography with fluorimetric detection 534(1990)161
- Wongyai, S., Varga, J. M. and Bonn, G. K.
High-performance affinity chromatography of immunoglobulin E on a column of dinitrophenylamino acids covalently bound to a highly cross-linked polymeric micropellicular support 536(1991)155
- Wood, C. L., see Thomas, L. C. 522(1990)117
- Wood, G. W., see Liu, D. 530(1990)235
- Wood, S. P., see McLeod, A. N. 502(1990)325
- Woodard, C. L., see Jakubowski, E. M. 528(1990)184
- Woolf, E., see Austin, D. 527(1990)182
- Woolf, E., see Posluszny, J. V. 507(1990)267
- Woolfson-Bartfeld, D., Grushka, E., Abramovich-Bar, S., Levy, S. and Bamberger, Y.
Reversed-phase ion-pair chromatography with indirect photometric detection of inorganic anions from residues of low explosives 517(1990)305
- Woolley, C. L., see Sumpter, S. R. 517(1990)503
- Workman, P., see Binger, M. 532(1990)321
- Wretensjö, I., Svensson, L. and Christie, W. W.
Gas chromatographic-mass spectrometric identification of the fatty acids in borage oil using the picolinyl ester derivatives 521(1990)89
- Wright, L. H. and Walling, J. F.
Prediction of retention times in temperature-programmed multichromatography 540(1991)311
- Wrobel, J., see Hayball, P. J. 528(1990)526
- Wroblewski, K., see Otvos, Jr., L. 512(1990)265
- Wu, A. T. and Massey, I. J.
Simultaneous determination of ketorolac and its hydroxylated metabolite in plasma by high-performance liquid chromatography 534(1990)241
- Wu, C.-L., see Burger, B. V. 518(1990)207
- Wu, C.-Y., Li, H.-Y., Chen, Y.-Y. and Lu, X.-R.
Preparation and gas chromatographic characterization of some immobilized crown ether-polysiloxane stationary phases 504(1990)279
- Wu, H.-L., see Chen, S.-H. 502(1990)257
- Wu, M., see Pacáková, V. 520(1990)349
- Wu, S., see Hassanzadeh, M. K. 525(1990)133
- Wu, S., see Swerdlow, H. 516(1990)61
- Wu, S.-H., Lin, S.-L., Lai, S.-Y. and Chou, T.-H.
Separation of enantiomeric protected dipeptides by chiral high-performance liquid chromatography 514(1990)325
- Wu, S.-H., see Lin, S.-L. 540(1991)392
- Wu, S.-L., Teshima, G., Cacia, J. and Hancock, W. S.
Use of high-performance capillary electrophoresis to monitor charge heterogeneity in recombinant-DNA derived proteins 516(1990)115
- Wu, Z., Goodall, D. M., Lloyd, D. K., Massey, P. R. and Sandy, K. C.
Determination of enantiomeric purity of paclobutrazol and fluzazifop-P-butyl using a diode-laser-based polarimetric high-performance liquid chromatography detector 513(1990)209
- Wuenschell, G. E., Wen, E., Todd, R., Shnek, D. and Arnold, F. H.
Chiral copper-chelate complexes alter selectivities in metal affinity protein partitioning 543(1991)345
- Wuis, E. W., Janssen, M. G. A., Vree, T. B. and Van der Kleijn, E.
Determination of a dantrolene metabolite, 5-(*p*-nitrophenyl)-2-furoic acid, in plasma and urine by high-performance liquid chromatography 526(1990)575
- Wylie, P. L. and Oguchi, R.
Pesticide analysis by gas chromatography with a novel atomic emission detector 517(1990)131
- Wyss, R.
Chromatography of retinoids 531(1990)481
- Wyss, R. and Philipp, W.
Determination of the monoamine oxidase B inhibitor Ro 19-6327 in plasma by high-performance liquid chromatography using precolumn derivatization with fluorescamine and fluorescence detection 507(1990)187

X

- Xiang, B., see Fang, X. 514(1990)287
- Xianren, Q. and Baeyens, W.
Analysis of atmospheric precipitation by reversed-phase ion-pair chromatography 514(1990)362
- Xiao, H., see Shan, Z. L. 535(1990)207
- Xie, F., Wang, H., Shu, H., Li, J., Jiang, J., Chang, J. and Hsieh, Y.
Separation and characterization of the metabolic products of lappaconitine in rat urine by high-performance liquid chromatography 526(1990)109
- Xie, Y. S., Atkinson, J., Arnason, J. T., Morand, P. and Philogène, B. J. R.
Separation and quantification of 1,4-benzoxazin-3-ones and benzoxazolin-2-ones in maize root extract by high-performance liquid chromatography 543(1991)389
- Xu, H., see Liu, W. 547(1991)509
- Xu, M. and Tran, C. D.
High-performance liquid chromatographic separation of racemic and diastereomeric mixtures of 2,4-pentadienoate-iron tricarbonyl derivatives 543(1991)233
- Xu, R., Hu, Y., Winnik, M. A., Riess, G. and Croucher, M. D.
Study of polystyrene-poly(ethylene oxide) block copolymer micelles in aqueous solution by size-exclusion chromatography 547(1991)434

Y

- Yacoub, M. H., see Lachno, D. R. 525(1990)123
- Yacoub, M. H., see Smolenski, R. T. 527(1990)414
- Yadav, S. P., see Colilla, F. J. 548(1991)303
- Yadava, K. L., see Tiwari, B. B. 542(1991)537
- Yadava, K. L., see Tiwari, B. B. 547(1991)554
- Yagi, A., see Okamura, N. 542(1991)317
- Yaginuma, T., see Yoshioka, M. 515(1990)205
- Yagoubi, N., Baillet, A. E., Pellerin, F. and Baylocq, D.
Étude par chromatographie liquide haute performance des antioxydants phénoliques présents dans les matériaux plastiques. Comparaison de trois méthodes de détection: spectrophotométrique dans l'ultra-violet, électrochimique, et évaporative à diffusion de la lumière 522(1990)131
- Yamada, A., see Kondoh, Y. 541(1991)431
- Yamada, K., see Yamano, Y. 528(1990)199
- Yamada, M., see Ikai, Y. 541(1991)393
- Yamada, M., see Oka, H. 538(1991)149
- Yamada, T., Nonomura, S., Fujiwara, H., Miyazawa, T. and Kuwata, S.
Separation of peptide diastereomers by reversed-phase high-performance liquid chromatography and its applications. IV. New derivatization reagent for the enantiomeric analysis of α - and β -amino acids 515(1990)475
- Yamada, T., see Hattori, H. 529(1990)189
- Yamada, T., see Kubota, K. 533(1990)255
- Yamada, Y., see Yamakawa, Y. 506(1990)319
- Yamada, Y., see Yamakawa, Y. 515(1990)563
- Yamagami, C., Ogura, T. and Takao, N.
Hydrophobicity parameters determined by reversed-phase liquid chromatography. I. Relationship between capacity factors and octanol-water partition coefficients for monosubstituted pyrazines and the related pyridines 514(1990)123
- Yamagishi, Y., see Yamano, Y. 528(1990)199
- Yamaguchi, C., see Qian, X.-X. 515(1990)257
- Yamaguchi, H., see Nishi, H. 539(1991)71
- Yamaguchi, K., see Sugimoto, S. 515(1990)483
- Yamaguchi, K., see Sugimoto, S. 547(1991)131
- Yamakawa, Y., Miyasaka, K., Ishikawa, T., Yamada, Y. and Okuyama, T.
High-performance liquid chromatography of transfer ribonucleic acids on spherical hydroxyapatite beads 506(1990)319
- Yamakawa, Y., Miyasaka, K., Ishikawa, T., Yamada, Y. and Okuyama, T.
High-performance liquid chromatography of transfer ribonucleic acids on spherical hydroxyapatite beads. II. Effects of pH and sodium chloride on chromatography 515(1990)563
- Yamamoto, F. M. and Rokushika, S.
Solubility parameter treatment for the characterization of the stationary phase in the reversed-phase chromatography of benzene derivatives 515(1990)3
- Yamamoto, H., Manabe, T. and Okuyama, T.
Apparatus for coupled high-performance liquid chromatography and capillary

- electrophoresis in the analysis of complex protein mixtures 515(1990)659
- Yamamoto, H., Nakamura, K., Nakatani, M. and Terada, H.
Determination of phospholipids on two-dimensional thin-layer chromatographic plates by imaging densitometry 543(1991)201
- Yamamoto, H., see Ito, H. 526(1990)397
- Yamamoto, H., see Nakano, K. 515(1990)537
- Yamamoto, H. Y., see Gilmore, A. M. 543(1991)137
- Yamamoto, K., see Adachi, J. 538(1991)331
- Yamamoto, K., see Jinno, K. 517(1990)193
- Yamamoto, M., see Miwa, H. 523(1990)235
- Yamamoto, M., see Okamoto, Y. 539(1991)221
- Yamamoto, S., Nomura, M. and Sano, Y.
Predicting the performance of gel-filtration chromatography of proteins 512(1990)77
- Yamamoto, S., Nomura, M. and Sano, Y.
Preparative chromatography of proteins. Design calculation procedure for gradient and stepwise elution 512(1990)89
- Yamamoto, S., see Hamano, T. 541(1991)265
- Yamamoto, S., see Nishioka, R. 526(1990)210
- Yamanaka, M., see Kojima, K. 525(1990)210
- Yamane, M., see Tatsuhara, T. 526(1990)507
- Yamane, Y., see Horie, M. 538(1991)484
- Yamano, Y., Nakai, H., Ogawa, T., Kanazawa, T., Morishita, N., Yamada, K. and Yamagishi, Y.
Determination of 4-cyano-5,5-bis(4-methoxyphenyl)-4-pentenoic acid in human plasma and platelets by gas chromatography-mass spectrometry 528(1990)199
- Yamasaki, Y., see Kato, Y. 502(1990)416
- Yamashita, K., Motohashi, M. and Yashiki, T.
High-performance liquid chromatographic determination of phenylpropanolamine in human plasma and urine, using column switching combined with ion-pair chromatography 527(1990)103
- Yamashita, K., Motohashi, M. and Yashiki, T.
Sensitive high-performance liquid chromatographic determination of propranolol in human plasma with ultraviolet detection using column switching combined with ion-pair chromatography 527(1990)196
- Yamashita, K., see Nakanuma, R. 527(1990)208
- Yamashita, M., see Matsumoto, U. 504(1990)69
- Yamauchi, S. and Mori, H.
Phenols as internal standards in reversed-phase high-performance liquid chromatography in pharmaceutical analysis 515(1990)305
- Yamauchi, Y., Kuwajima, M. and Saito, M.
Sample introduction and elution method for preparative supercritical fluid chromatography 515(1990)285
- Yamauchi, Y. and Saito, M.
Fractionation of lemon-peel oil by semi-preparative supercritical fluid chromatography 505(1990)237
- Yamauchi, Y., see Higashidate, S. 515(1990)295
- Yamauchi, Y., see Saito, M. 505(1990)257
- Yamazaki, M., see Fujii, Y. 508(1990)241
- Yamazaki, M., see Iwaki, K. 504(1990)359
- Yamazaki, S., Takeuchi, T. and Tanimura, T.
Direct enantiomeric separation of β -amino acids and β -amino alcohols by ligand-exchange chromatography 540(1991)169
- Yamazaki, Y., Morohashi, N. and Hosono, K.
High-performance liquid chromatographic determination of optical purity of planar chiral organometallic compounds resolved by enzymic transformations 542(1991)129
- Yamazaki, Y., see Harada, K.-I. 538(1991)203
- Yamori, M., see Gomita, Y. 528(1990)509
- Yan, B.-W., see Wang, Q.-S. 513(1990)13
- Yan, D. and Schwedt, G.
Simultaneous ion chromatography of inorganic anions together with some organic anions and alkaline earth metal cations using chelating agents as eluents 516(1990)383
- Yanagihara, Y., see Noguchi, K. 506(1990)145
- Yanagihara, Y., see Ohtani, T. 515(1990)175
- Yanagihara, Y., see Seki, T. 515(1990)435
- Yanagihara, Y., see Uchida, T. 506(1990)327
- Yang, L., see Lian, D.-X. 542(1991)526
- Yang, M.-H., see Lin, C.-E. 515(1990)49
- Yang, Q. and Lundahl, P.
Binding of lysozyme on the surface of entrapped phosphatidylserine-phosphatidylcholine vesicles and an example of high-performance lipid vesicle surface chromatography 512(1990)377
- Yang, Q., Wallstén, M. and Lundahl, P.
Lipid-vesicle-surface chromatography 506(1990)379
- Yang, Q., see Lundahl, P. 544(1991)283
- Yang, S. H., see Chen, B. H. 543(1991)147
- Yang, S. K., see Bao, Z. 536(1991)245
- Yang, S. K., see Lu, X.-L. 535(1990)229
- Yang, S. K., see Weems, H. B. 535(1990)239
- Yang, U.-C., see Maa, Y.-F. 508(1990)61
- Yang, Y.-B. and Regnier, F. E.
Coated hydrophilic polystyrene-based packing materials 544(1991)233
- Yang, Y. B., see Afeyan, N. B. 519(1990)1
- Yang, Y.-H., see Lin, C.-E. 515(1990)49
- Yang, Z.-C., see Cashman, J. R. 532(1990)405
- Yankofsky, S. A., see Goldstein, L. 510(1990)23

- Yapo, A., see Chenais, B. 539(1991)433
- Yasaka, T., see Nakano, K. 515(1990)537
- Yasaka, Y., Tanaka, M., Shono, T., Tetsumi, T. and Katakawa, J.
2-(2,3-Naphthalimino)ethyl
trifluoromethanesulphonate as a highly
reactive ultraviolet and fluorescent labelling
agent for the liquid chromatographic
determination of carboxylic acids
508(1990)133
- Yashiki, T., see Yamashita, K. 527(1990)103
- Yashiki, T., see Yamashita, K. 527(1990)196
- Yashin, Y. I., see Karabanov, N. T.
508(1990)193
- Yasuda, H., see Haginaka, J. 515(1990)59
- Yasuda, H., see Haginaka, J. 529(1990)455
- Yasuda, H., see Haginaka, J. 535(1990)163
- Yasuda, N., see Haginaka, J. 515(1990)59
- Yasuda, T., see Nakajima, K. 502(1990)379
- Yasuhara, A. and Shibamoto, T.
Determination of volatile aliphatic aldehydes
in the headspace of heated food oils by
derivatization with 2-aminoethanethiol
547(1991)291
- Yau, W. W., see Kirkland, J. J. 517(1990)377
- Yau, W. W., see Kirkland, J. J. 550(1991)799
- Ye, M., Ding, Y., Mao, J. and Shi, L.
High-performance vacancy gel permeation
chromatography 518(1990)238
- Ye, M., see Zhu, P. 511(1990)390
- Yeh, H.-W., see Kuo, K.-W. 543(1991)463
- Yeh, K. C., see Titus, D. C. 534(1990)87
- Yeh, Y.-C., see Kuo, K.-W. 543(1991)463
- Yeung, E. S., see Garner, T. W. 515(1990)639
- Yeung, E. S., see Pfeffer, W. D. 506(1990)401
- Yeung, E. S., see Taylor, J. A. 550(1991)831
- Ying, Q., see Greibrokk, T. 505(1990)283
- Yip, T.-T., see Hutchens, T. W. 536(1991)1
- Ylinen, M., Suhonen, P., Naaranlahti, T.,
Lapinjoki, S. P. and Huhtikangas, A.
Gas chromatographic-mass spectrometric
analysis of major indole alkaloids of
Catharanthus roseus 505(1990)429
- Yocklovich, S. G., see Ryan, T. W.
505(1990)273
- Yoder, R., see Roman, M. 546(1991)341
- Yokoo, Y., see Sugimoto, S. 515(1990)483
- Yokoo, Y., see Sugimoto, S. 547(1991)131
- Yokota, Y., see Hirokawa, T. 538(1991)403
- Yokota, Y., see Hirokawa, T. 545(1991)267
- Yokoyama, T. and Kinoshita, T.
High-performance liquid chromatographic
determination of proteins by post-column
fluorescence derivatization with thiamine
reagent 518(1990)141
- Yokoyama, T. and Kinoshita, T.
High-performance liquid chromatographic
determination of biotin in pharmaceutical
preparations by post-column fluorescence
reaction with thiamine reagent
542(1991)365
- Yokoyama, Y., see Jinno, K. 550(1991)325
- Yon Hin, B. F. Y., see Lowe, C. R.
510(1990)347
- Yonker, C. R. and Smith, R. D.
Sorption isotherms of mobile phase
components in capillary supercritical fluid
chromatography 505(1990)139
- Yonker, C. R. and Smith, R. D.
High-pressure and supercritical capillary
electrophoresis 517(1990)573
- Yonker, C. R. and Smith, R. D.
Sorption isotherms in supercritical fluid
chromatography (Review) 550(1991)775
- Yoshida, H., see Kaneta, T. 538(1991)385
- Yoshida, H., see Morita, I. 526(1990)367
- Yoshida, H., see Morita, I. 527(1990)127
- Yoshida, H., see Takada, K. 530(1990)212
- Yoshida, H., see Tanaka, S. 521(1990)158
- Yoshida, H., see Tanaka, S. 540(1991)475
- Yoshida, I., see Okamoto, M. 515(1990)43
- Yoshida, K., see Kurono, M. 532(1990)175
- Yoshida, M., see Adachi, Y. 530(1990)39
- Yoshida, M., see Nakashima, K. 530(1990)154
- Yoshida, M., see Niwa, T. 533(1990)145
- Yoshida, S., Urakami, K., Kito, M., Takeshima,
S. and Hirose, S.
High-performance liquid chromatography
with chemiluminescence detection of serum
levels of pre-column derivatized
fluoropyrimidine compounds 530(1990)57
- Yoshida, Y., see Asakawa, N. 541(1991)231
- Yoshida, Y., see Oda, Y. 541(1991)411
- Yoshikawa, H., see Takada, K. 530(1990)212
- Yoshikawa, M., Arashidani, K. and Kodama, Y.
Analysis of 3-hydroxybenzo[*a*]pyrene by
high-performance liquid chromatography
using a post-column method 532(1990)155
- Yoshimura, N., see Kinoshita, M. 529(1990)462
- Yoshino, Y., see Kamisaki, Y. 529(1990)417
- Yoshioka, M., Araki, H., Kobayashi, M.,
Kaneuchi, F., Seki, M., Miyazaki, T.,
Utsuki, T., Yaginuma, T. and Nakano, M.
Porous glass sheets for use in thin-layer
chromatography 515(1990)205
- Yoshioka, M., see Fujimori, H. 515(1990)363
- Yoshioka, M., see Fujimori, H. 528(1990)305
- Yoshioka, M., see Matsubayashi, K.
515(1990)547
- Yoshioka, M., see Matsumoto, M. 526(1990)1
- Yoshioka, M., see Tokuda, T. 530(1990)418
- Yoshiya, I., see Hosotsubo, K. K. 529(1990)223
- Yoshizawa, E., see Shoshihara, M. 529(1990)473
- Yoshizumi, H., see Niwa, T. 533(1990)145
- Yotsuyanagi, T., see Hoshino, H. 515(1990)603

- Young, D., Evans, P. C. and Paxton, J. W.
Quantitation of the antitumour agent N-[2-(dimethylamino)ethyl]acridine-4-carboxamide in plasma by high-performance liquid chromatography 528(1990)385
- Young, D. C., Vouros, P. and Holick, M. F.
Gas chromatography-mass spectrometry of conjugated dienes by derivatization with 4-methyl-1,2,4-triazoline-3,5-dione 522(1990)295
- Young, P. M. and Wheat, T. E.
Optimization of high-performance liquid chromatographic peptide separations with alternative mobile and stationary phases 512(1990)273
- Yoza, N., see Baba, Y. 507(1990)103
- Yu, B., see Fang, X. 514(1990)287
- Yu, Q. and Do, D. D.
Computer simulations of displacement chromatography of systems with species-dependent saturation capacities 538(1991)285
- Yu, S., see Liu, Y. 515(1990)169
- Yuan, D. and Pietrzyk, D. J.
Separation and indirect detection of small-chain peptides using chromophoric mobile phase additives 509(1990)357
- Yuki, H., see Kawasaki, H. 516(1990)450
- Yun, W.-X., see Lian, D.-X. 542(1991)526
- Yurek, D. A., Kuo, M. S. and Li, G. P.
Assay of methylthiolinosaminide in fermentations by high-performance liquid chromatography with fluorescence detection 502(1990)184
- Yvon, M. and Wal, J. M.
Tandem immunoaffinity and reversed-phase high-performance liquid chromatography for the identification of the specific binding sites of a hapten on a proteic carrier 539(1991)363
- Yvon, M., see Scalfi, P. 539(1991)425
- Z**
- Zaccaria, F., see Benassi, C. A. 502(1990)193
- Zafra-Polo, M. C., see Blazquez, M. A. 518(1990)230
- Zaiki, S., see Honda, S. 523(1990)189
- Zalesky, D. D., see Grotjan, H. E. 549(1991)153
- Zamai, M. and Fassina, G.
Mobile phase effects in the high-performance affinity purification of thermolysin 549(1991)195
- Zamboni, R., see Nicoll-Griffith, D. 526(1990)341
- Zanetti, M., see Guenzi, A. 530(1990)397
- Zaniewski, R., see Hou, K. C. 525(1990)297
- Zanol, M. and Gastaldo, L.
High-performance liquid chromatographic separation of the three stereoisomers of diaminopimelic acid in hydrolysed bacterial cells 536(1991)211
- Zapponi, M. C., see Iadarola, P. 512(1990)165
- Zare, R. N., see Huang, X. 516(1990)185
- Zaschke, H., see Hahne, F. 520(1990)85
- Zaton, A., Quindos, G. and Ponton, J.
Determination of monosaccharides by high-performance liquid chromatography in systemic candidosis 525(1990)169
- Zee, J. A., see Fillion, L. 547(1991)105
- Zee, O. P., see Lee, H. S. 528(1990)425
- Zeece, M. G., see Krueger, R. J. 543(1991)451
- Zegers, C. P. G., see Eguchi, S. 516(1990)301
- Zegna, A., see Fishman, R. M. 532(1990)55
- Zeilinger, K., see Josić, D. 516(1990)89
- Zelenská, V., see Kaniansky, D. 502(1990)143
- Zelenský, I., see Gaš, B. 545(1991)225
- Zelenský, I., see Kaniansky, D. 502(1990)143
- Zelinko, A. P., see Skelly, N. E. 535(1990)199
- Zeller, K.-P., see Blanz, J. 532(1990)429
- Zeller, M., Kessler, R., Manz, H. J. and Székely, G.
Determination of disodium 3-amino-1-hydroxypropylidene-1,1-bisphosphonate pentahydrate 545(1991)421
- Zeman, I.
Chromatographic separation of surfactants. XII. Quantification of results in trial high-performance liquid chromatography of ethoxylated surfactants 509(1990)201
- Zeng, L., Zhang, R.-Y., Meng, T. and Lou, Z.-C.
Determination of nine flavonoids and coumarins in licorice root by high-performance liquid chromatography 513(1990)247
- Zeng, S., see Furr, H. C. 527(1990)406
- Zentner, G. M., see Pogány, S. A. 508(1990)179
- Zhang, A., Ge, J., Guan, Z., Deng, J., Liu, H., Zhu, J., Fu, R., Huang, Z. and Zhang, B.
Poly(crown ether) stationary phase for open-tubular capillary column chromatography 521(1990)128
- Zhang, B., see Zhang, A. 521(1990)128
- Zhang, J. Y., Wang, G. M. and Qian, R.
Theory of temperature-programmed gas

- chromatography. The method of moment analysis 521(1990)71
- Zhang, R.-Y., see Zeng, L. 513(1990)247
- Zhang, T.-Y., see Li, P. 538(1991)219
- Zhang, Y., Jacob, III, P. and Benowitz, N. L. Determination of normicotine in smokers' urine by gas chromatography following reductive alkylation to N'-propylnornicotine 525(1990)349
- Zhang, Y., Zou, H. and Lu, P. Advances in expert systems for high-performance liquid chromatography 515(1990)13
- Zhang, Y., see Li, J. 550(1991)101
- Zhang, Y., see Lu, P. 509(1990)171
- Zhang, Y., see Zou, H. 522(1990)49
- Zhang, Y., see Zou, H. 523(1990)247
- Zhang, Y., see Zou, H. 545(1991)59
- Zheng, J., see Kassahun, K. 527(1990)327
- Zhou, F. L., Muller, D. and Jozefonvicz, J. Double-coated silica supports for high-performance affinity chromatography of proteins 510(1990)71
- Zhou, F. L., see Jacquot-Dourges, M. A. 539(1991)417
- Zhou, F. L., see Sinniger, V. 539(1991)289
- Zhou, L., see Lou, X. 514(1990)253
- Zhou, N. E., Mant, C. T., Kirkland, J. J. and Hodges, R. S. Comparison of silica-based cyanopropyl and octyl reversed-phase packings for the separation of peptides and proteins 548(1991)179
- Zhou, T.-H., see Chi, H. 543(1991)250
- Zhou, Y. and Sun, Z.-P. Liquid chromatographic evaluation of chiral derivatizing reagents for the resolution of amine and alcohol enantiomers 508(1990)220
- Zhu, B.-Y., Mant, C. T. and Hodges, R. S. Hydrophilic-interaction chromatography of peptides on hydrophilic and strong cation-exchange columns 548(1991)13
- Zhu, C.-S., see Wang, Q.-S. 513(1990)13
- Zhu, J., see Zhang, A. 521(1990)128
- Zhu, M., Rodriguez, R., Hansen, D. and Wehr, T. Capillary electrophoresis of proteins under alkaline conditions 516(1990)123
- Zhu, M., see Hu, H. 547(1991)494
- Zhu, P., Ye, M., Shi, L., Liu, H. and Fu, R. Poly(styrene-dimethylsiloxane) block copolymer as a stationary phase for capillary gas chromatography 511(1990)390
- Zhu, P. L., see Shan, Z. L. 535(1990)207
- Zhukhovskii, A. A., see Guglya, E. B. 509(1990)157
- Zibarev, A. V., see Salenko, V. L. 549(1991)429
- Ziege, E. A., see Peyton, A. L. 529(1990)377
- Zigel, A. N., see Ryabikova, V. M. 520(1990)121
- Zimmerman, C. L., see Rimmel, R. P. 534(1990)109
- Zinapold, K., see Heizmann, P. 534(1990)233
- Zini, R., see Sebille, B. 531(1990)51
- Ziolkowski, M. A., see Sapers, G. M. 503(1990)431
- Zobel, H., Helms, M., Heidrich, S. and Lehmann, A. Quantitative structure-type analysis of hetero compounds-hydrocarbon mixtures. Analysis of S-heterocyclics and ketones from brown coal tars 509(1990)27
- Zollinger, M., Amsler, U. and Brauchli, J. Quantification of N-acetylaspartylglutamate, an N-terminal blocked dipeptide neurotransmitter candidate, in brain slice superfusates by gas chromatography-mass spectrometry 532(1990)27
- Zou, H., Zhang, Y. and Lu, P. Quantitative correlation of the parameters $\log k'_w$ and $-S$ in the retention equation in reversed-phase high-performance liquid chromatographic and solvatochromic parameters 522(1990)49
- Zou, H., Zhang, Y. and Lu, P. Effect of organic modifier concentration on retention in reversed-phase ion-pair liquid chromatography 545(1991)59
- Zou, H., Zhang, Y., Wen, X. and Lu, P. Separation of phenylamine- and naphthylaminesulphonic acids by reversed-phase high-performance liquid chromatography 523(1990)247
- Zou, H., see Lu, P. 509(1990)171
- Zou, H., see Zhang, Y. 515(1990)13
- Žúbor, V., see Horváthová, M. 509(1990)213
- Zuccaro, P., Zuccaro, S. M., Pacifici, R., Pichini, S. and Boniforti, L. Determination of isosorbide-5-mononitrate in human serum by gas chromatography-mass spectrometry 525(1990)447
- Zuccaro, S. M., see Zuccaro, P. 525(1990)447
- Zuidema, J., see Kadir, F. 527(1990)461
- Zupp, T. A., see Mike, J. H. 518(1990)167
- Zürcher, G. and Da Prada, M. Simple automated high-performance liquid chromatographic column-switching technique for the measurement of dopa and 3-O-methyldopa in plasma 530(1990)253
- Zurth, C. and Kagels, F. Determination of onapristone and its N-desmethyl metabolite in human plasma or serum by high-performance liquid chromatography 532(1990)115
- Zwanziger, H., see Schmitz, S. J. 544(1991)381