

AUTHOR INDEX

J. CHROMATOGR. A. VOLS. 651-700

A

- Abbas, A.A. and Shelly, D.C.
Optical properties of axial-illumination flow cells for simultaneous absorbance-fluorescence detection in micro liquid chromatography 691(1995)37
- Abbas, N.M., see Iob, A. 661(1994)245
- Abdullah, M.P., Daud, J., Hong, K.S. and Yew, C.H.
Improved method for the determination of glyphosate in water 697(1995)363
- Abdullah, S., see Wainer, I.W. 694(1995)169
- Abe, I., Fujimoto, N. and Nakahara, T.
Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469
- Abe, I., Nishiyama, T., Nakahara, T. and Frank, H.
Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237
- Abe, K., see Yarita, T. 679(1994)329
- Abidi, S.L.
Advances in Lipid Methodology (edited by W.W. Christie) (Book Review) 683(1994)411
- Abidi, S.L. and Mounts, T.L.
Separations of tocopherols and methylated tocopherols on cyclodextrin-bonded silica 670(1994)67
- Abidi, S.L. and Mounts, T.L.
Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365
- Abraham, M.H., Andonian-Haftven, J., Du, C.M., Osei-Owusu, J.P., Sakellariou, P., Shuely, W.J., Poole, C.F. and Poole, S.K.
Comparison of uncorrected retention data on a capillary and a packed-hexadecane column with corrected retention data on a packed squalane column 688(1994)125
- Abraham, M.H., Chadha, H.S. and Leo, A.J.
Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water-octanol partition coefficients 685(1994)203
- Abrigo, C., see Gennaro, M.C. 674(1994)281
- Abu-Lafi, S., see Levin, S. 654(1993)53
- Abu-Lafi, S., see Levin, S. 679(1994)213
- Abu-Lafi, S., Sterin, M. and Levin, S.
Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47
- Abu-Lafi, S., Sterin, M., Levin, S. and Mechoulam, R.
Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159
- Abushoffa, A.M. and Clark, B.J.
Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51
- Aceves, M. and Grimalt, J.O.
Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133
- Achilli, G., Cellerino, G.P., d'Eril, G.M. and Bird, S.
Simultaneous determination of 27 phenols and herbicides in water by high-performance liquid chromatography with multi-electrode electrochemical detection 697(1995)357
- Achilli, G., Cellerino, G.P. and Melzi d'Eril, G.
Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201
- Açil, Y. and Müller, P.K.
Rapid method for the isolation of the mature collagen cross-links, hydroxylysylpyridinoline and lysylpyridinoline 664(1994)183
- Adachi, S.
Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271
- Adamcová, E., see Kříž, J. 663(1994)151
- Adamcová, J., see Proksa, B. 665(1994)185

- Adamczyk, M., Chen, Y.-Y., Fishpaugh, J.R. and Gebler, J.C.
Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345
- Adams, A.G., see Ponder, G.W. 692(1995)173
- Adams, E., see Roets, E. 696(1995)131
- Adams, F.C., see Dirkx, W.M.R. 683(1994)51
- Adams, M.W.W., see Giometti, C.S. 698(1995)341
- Adams, R.E., see Evangelisto, M.F. 695(1995)128
- Adlof, R.O.
Separation of *cis* and *trans* unsaturated fatty acid methyl esters by silver ion high-performance liquid chromatography 659(1994)95
- Adlof, R.O. and Emken, E.A.
Silver ion high-performance liquid chromatographic separation of fatty acid methyl esters labelled with deuterium atoms on the double bonds 685(1994)178
- Afeyan, N.B., see Gerstner, J.A. 695(1995)195
- Afrane, B., see El-Yazigi, A. 690(1995)71
- Afzal, D., see Ma, Y. 652(1993)535
- Agapova, N.N. and Vasileva, E.
High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299
- Agena, E.A., see Ma, Y. 652(1993)535
- Aginsky, V.N.
Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119
- Agnellini, D., see Pace, M. 691(1995)331
- Agnus, B., Gosselet, N.-M. and Sebille, B.
Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27
- Agraz, A., Duarte, C.A., Costa, L., Pérez, L., Páez, R., Pujol, V. and Fontirrochi, G.
Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25
- Agüera, A., Contreras, M. and Fernandez-Alba, A.R.
Gas chromatographic analysis of organophosphorus pesticides of horticultural concern 655(1993)293
- Agüera, A., see Fernandez-Alba, A.R. 686(1994)263
- Aguilar, M., see Baraj, B. 695(1995)103
- Aguilar, M., see Martínez, M. 676(1994)443
- Aguilar, M.I., see Richards, K.L. 676(1994)17
- Aguilar, M.I., see Richards, K.L. 676(1994)33
- Aguilar, M.I., see Round, A.J. 661(1994)61
- Aguilar, M.-I., see Xie, J. 691(1995)263
- Aguilar, M.-I., see Yarovsky, I. 660(1994)75
- Ahmad, F. and Roberts, D.J.
Use of narrow-bore high-performance liquid chromatography-diode array detection for the analysis of intermediates of the biological degradation of 2,4,6-trinitrotoluene 693(1995)167
- Ahnoff, M., see Hansson, G. 666(1994)505
- Ahuja, E.S. and Foley, J.P.
Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73
- Aigotti, R., see Zerbinati, O. 671(1994)281
- Aihara, Y., see Ogino, K. 699(1995)67
- Aires-Barros, M.R., see Sarmiento, M.J. 668(1994)117
- Aires-Barros, M.R., see Sebastião, M.J. 668(1994)139
- Aires-Barros, M.R., see Videira, M. 668(1994)237
- Aizawa, M., see Suzuki, S. 680(1994)541
- Aizpun, B., see Sanz-Medel, A. 683(1994)233
- Akabori, S., see Tamaki, M. 685(1994)237
- Akai, J., see Hiraoka, A. 680(1994)243
- Akashi, M., see Baba, Y. 652(1993)93
- Akashi, M., see Yashima, E. 654(1993)151
- Akashi, M., see Yashima, E. 654(1993)159
- Akhlaq, M.S. and Götze, P.
Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265
- Akins, D.L. and Kumar, V.T.
High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269
- Akira, K., see Baba, S. 663(1994)35
- Akiyama, A., see Straub, J.A. 679(1994)85
- Akiyama, A., see Wu, C. 684(1994)243
- Akiyama, T., see Satow, T. 652(1993)23
- Akiyama, Y., see Mizukami, F. 697(1995)279
- Alattyan, E., see Rippel, G. 668(1994)301
- Alava, M.A., see Lampreave, F. 698(1995)107
- Albaiges, J., see Amaral, O.C. 675(1994)177
- Albaigés, J., see Chalaux, N. 686(1994)275
- Albaiges, J., see Simo, R. 655(1993)301
- Al-Bajjari, T.I., Le Vent, S. and Taylor, D.R.
Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367
- Al-Bajjari, T.I., Le Vent, S. and Taylor, D.R.
Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377
- Albert, K., see Baumeister, E. 694(1995)321
- Albert, K., Brindle, R., Martin, P. and Wilson, I.D.
Characterisation of C₁₈-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253
- Albert, K., see Schmid, J. 694(1995)333
- Albert, K., see Tallarek, U. 696(1995)1
- Albertioni, F., see Reichelová, V. 667(1994)37
- Albertsson, A.-C., Barenstedt, C. and Karlsson, S.
Solid-phase extraction and gas chromatographic-mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207
- Albertsson, A.-C., see Karlsson, S. 669(1994)97
- Albertsson, A.-C., see Karlsson, S. 688(1994)251
- Albertsson, P.-A., see Lu, M. 668(1994)215
- Albertsson, P.-A., see Stefánsson, H. 668(1994)191
- Alcalde, P., see Ventura, R. 655(1993)233
- Alderton, W.K., Lowe, C.R. and Thatcher, D.R.
Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

- Aldrich-Wright, J.R., Newman, P.D., Rao, K.R.N., Vagg, R.S. and Williams, P.A.
Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366
- Alebić-Kolbah, T. and Wainer, I.W.
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122
- Alexander, P.W., see Glod, B.K. 699(1995)31
- Algaier, J., see Potter, K.J. 652(1993)427
- Alishoiev, V.R., see Berezkin, V.G. 699(1995)155
- Allen, D.W., Clench, M.R., Crowson, A., Leathard, D.A. and Saklatvala, R.
Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography-mass spectrometry with on-line diode array detection 679(1994)285
- Allen, H.E., see Kingery, A.F. 671(1994)231
- Allen, J.K., see van der Schans, M.J. 680(1994)511
- Allen, L.B. and Koropchak, J.A.
Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192
- Allenmark, S.G. and Andersson, S.
Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
- Allington, R.J.B., see Potter, K.J. 652(1993)427
- Almehdi, M., see El-Shahawi, M.S. 697(1995)185
- Almquist, S.R., Petersson, P., Walther, W. and Markides, K.E.
Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139
- Almudaris, A., Ashton, D.S., Ray, A. and Valko, K.
Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31
- Alpert, A.J., Shukla, M., Shukla, A.K., Zieske, L.R., Yuen, S.W., Ferguson, M.A.J., Mehler, A., Pauly, M. and Orlando, R.
Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191
- Alred, P.A., Kozlowski, A., Harris, J.M. and Tjerneld, F.
Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289
- Alred, P.A., see Modlin, R.F. 668(1994)229
- Al-Shawi, A.W. and Dahl, R.
Determination of lanthanides in Kola nitrophosphate solution by cation-exchange ion chromatography 671(1994)173
- Althaus, F.R., see Panzeter, P.L. 678(1994)35
- Altieri, I., see Pichini, S. 697(1995)383
- Altria, K.D. and Chanter, Y.L.
Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459
- Altria, K.D. and Howells, J.S.
Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341
- Alvarez, C., Bertorello, H., Strumia, M. and Sanchez, E.I.
Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333
- Alvi, S.N., see Husain, S. 662(1994)71
- Al-Yousef, F., see Iob, A. 661(1994)245
- Alzaga, R. and Bayona, J.M.
Supercritical fluid extraction of tributyltin and its degradation products from seawater via liquid-solid phase extraction 655(1993)51
- Amade, P., see Valls, R. 663(1994)114
- Amadò, R., see Klockow, A. 680(1994)187
- Amaral, O.C., Olivella, L., Grimalt, J.O. and Albaiges, J.
Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177
- Amić, D., Davidović-Amić, D. and Trinajstić, N.
Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115
- Amicucci, A., see Piccoli, G. 676(1994)239
- Amijee, M. and Wells, R.J.
Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123
- Amirav, A., see Kalontarov, L. 696(1995)245
- Ammerdorffer, J.L., see Eleveld, J.T. 677(1994)211
- Anazawa, T.A., Carraro, F., Collins, K.E. and Jardim, I.C.S.F.
Stability of high-performance liquid chromatography columns packed with C₁ and C₈ polysiloxanes sorbed into porous silica particles 697(1995)159
- Anderson, Jr., J.M., see Nair, L.M. 671(1994)43
- Anderson, Jr., J.M., see Nair, L.M. 671(1994)309
- Anderson, Jr., J.M., see Saari-Nordhaus, R. 671(1994)159
- Anderson, R.C., see Lamb, J.D. 671(1994)55
- Anderson, S., see Shao, X. 680(1994)463
- Andersson, B., see Sunesson, A.-L. 699(1995)203
- Andersson, E., see Buscher, B.A.P. 678(1994)145
- Andersson, J.T. and Schmid, B.
Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325
- Andersson, J.T. and Weis, U.
Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151
- Andersson, P.E., Pfeffer, W.D. and Blomberg, L.G.
Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323
- Andersson, R., see Liang, Y.-z. 662(1994)113
- Andersson, S., see Allenmark, S.G. 666(1994)167

- Ando, M., see Toyo'oka, T. 675(1994)79
- Andonian-Haftven, J., see Abraham, M.H. 688(1994)125
- Andreassen, P.A.
Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99
- Andrews, B.A., see Asenjo, J.A. 668(1994)47
- Andrews, B.A. and Haywood, K.
Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55
- Andrews, G.C., see Rosnack, K.J. 675(1994)219
- Andrews, R.W. and Richardson, H.
Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3
- Andrzejewski, D., see Weisz, A. 658(1994)505
- Andrzejewski, D., see Weisz, A. 678(1994)77
- Anegayama, M., see Moriyama, H. 691(1995)81
- Angelo, H.R., see Kristensen, K. 666(1994)283
- Anghel, D.F., Balcan, M., Voicu, A. and Elian, M.
Analysis of alkylphenol-based non-ionic surfactants by high-performance liquid chromatography 668(1994)375
- Angulo-Tatis, D., see Oscarsson, S. 689(1995)3
- Anhalt, K., see Reinhardt, R. 697(1995)475
- Annino, R.
Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279
- Ansorgová, A., see Vejrosta, J. 659(1994)209
- Ansorgová, A., see Vejrosta, J. 683(1994)407
- Ansorgová, A., see Vejrosta, J. 685(1994)113
- Anspach, F.B.
Silica-based metal chelate affinity sorbents. I.
Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35
- Anspach, F.B.
Silica-based metal chelate affinity sorbents. II.
Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249
- Anton, K., Eppinger, J., Frederiksen, L., Francotte, E., Berger, T.A. and Wilson, W.H.
Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395
- Antón-Fos, G.M., García-March, F.J., Pérez-Giménez, F., Salabert-Salvador, M.T. and Cercós-del-Pozo, R.A.
Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203
- Antoniadou-Vyza, E., see Loukas, Y.L. 677(1994)53
- Antonic, M., see Onuska, F.I. 665(1994)125
- Antonioli, C., see Tagliaro, F. 674(1994)207
- Aoki, F., see Ôi, N. 666(1994)457
- Aoki, F., see Ôi, N. 689(1995)195
- Aoki, F., see Ôi, N. 694(1995)129
- Aomura, Y., see Ogino, H. 659(1994)381
- Aparicio, R., see Morales, M.T. 668(1994)455
- Apone, S., see Sacchero, G. 668(1994)365
- Arakawa, H., Uetanaka, K., Maeda, M. and Tsuji, A.
Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89
- Arakawa, H., Uetanaka, K., Maeda, M., Tsuji, A., Matsubara, Y. and Narisawa, K.
Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517
- Araki, T., see Hosoya, K. 662(1994)37
- Araki, T., see Hosoya, K. 666(1994)449
- Araki, T., see Hosoya, K. 690(1995)21
- Araki, T., see Tanaka, N. 656(1993)265
- Araki, T., see Tanaka, N. 699(1995)331
- Arato, T., see Hiraoka, A. 680(1994)243
- Araujo, M.F., see De Simon, S.G. 688(1994)357
- Archer, J., see Jinno, K. 691(1995)91
- Arentoft, A.M., Frøkiær, H., Michaelsen, S., Sørensen, H. and Sørensen, S.
High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189
- Arentoft, A.M., Michaelsen, S. and Sørensen, H.
Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517
- Arezzini, L., see Terzuoli, L. 684(1994)350
- Armstrong, D.W., Gasper, M.P. and Rundlett, K.L.
Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285
- Armstrong, D.W., Le, K., Reid, III, G.L., Lee, S.C., Beutelmann, K.K., Horak, M. and Tran, P.
Gas-solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications 688(1994)201
- Armstrong, D.W., see Pawlowska, M. 666(1994)485
- Armstrong, D.W., see Tang, Y. 666(1994)147
- Armstrong, D.W. and Zukowski, J.
Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α -cyclodextrin bonded stationary phase 666(1994)445
- Armstrong, F., see Cohen, H. 694(1995)407
- Arnold, F.H., see Todd, R.J. 662(1994)13
- Arnold, K., see Wiegel, D. 668(1994)107
- Arriaga, E., Chen, D.Y., Cheng, X.L. and Dovichi, N.J.
High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347
- Arriaga, E., see Figeys, D. 669(1994)205
- Arriaga, E., see Lu, H. 680(1994)497
- Arriaga, E., see Lu, H. 680(1994)503
- Artaud, J., see Valls, R. 663(1994)114
- Arvidsson, T., see Stålbjerg, O. 684(1994)213
- Asada, M., see Ihara, T. 694(1995)49
- Asakawa, N., see Ishihama, Y. 666(1994)193
- Asakawa, N., see Mano, N. 687(1994)223
- Asakawa, N., see Matsui, K. 694(1995)209
- Ascalone, V., see Flaminio, L. 668(1994)403
- Aschman, A.J., see Lochmüller, C.H. 656(1993)3

- Asenjo, J.A., Schmidt, A.S., Hachem, F. and Andrews, B.A.
Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47
- Asenjo, J.A., Turner, R.E., Mistry, S.L. and Kaul, A.
Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129
- Ash, G.H., see Richardson, D.E. 688(1994)47
- Ashton, D.S., see Almudaris, A. 689(1995)31
- Asplund, L., see Järnberg, U. 683(1994)385
- Assadi, Y., see Djozan, D. 697(1995)525
- Asselin, A., see Michaud, D. 698(1994)263
- Asukabe, H., Murata, H., Harada, K.-I., Suzuki, M., Oka, H. and Ikai, Y.
Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349
- Asztemborska, M., see Sybilska, D. 659(1994)389
- Asztemborska, M., see Sybilska, D. 665(1994)67
- Atamas, S.P.
Isotachopheresis of polyols in borate buffer solutions —a reply 659(1994)224
- Atassi, G., see Soentjens-Werts, V. 662(1994)255
- Atienza, J., Jiménez, J.J., Bernal, J.L. and Martín, M.T.
Supercritical fluid extraction of fluvalinate residues in honey. Determination by high-performance liquid chromatography 655(1993)95
- Atkinson, D., see Cheng, J. 677(1994)169
- Aturki, Z. and Fanali, S.
Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
- Aturki, Z., see Fanali, S. 694(1995)297
- Au, T., see Woolf, E. 692(1995)45
- Au, T., see Woolf, E.J. 660(1994)307
- Aubry, A.-F., Markoglou, N., Descorps, V., Wainer, I.W. and Félix, G.
Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1
- Aue, W.A., Eisener, C.G., Gebhardt, J.A. and Lowery, N.B.
Holophotal flame photometric detection 688(1994)153
- Aue, W.A., Eisener, C.G., Gebhardt, J.A. and Lowery, N.B.
Second-channel designs for a single-channel flame photometric detector 699(1995)195
- Aue, W.A., see Millier, B. 675(1994)155
- Aue, W.A., see Singh, H. 687(1994)291
- Aue, W.A., see Singh, H. 689(1995)45
- Aue, W.A., see Singh, H. 690(1995)103
- Aue, W.A., see Singh, H. 696(1995)153
- Aue, W.A., Singh, H. and Sun, X.-Y.
Fundamental noise in three chromatographic detectors 687(1994)283
- Aue, W.A., see Sun, X.-Y. 667(1994)191
- Aue, W.A., see Sun, X.-Y. 687(1994)259
- Aue, W.A., see Thurbide, K.B. 684(1994)259
- Aue, W.A., see Thurbide, K.B. 694(1995)433

- Aue, W.A. and Thurbide, K.B.
Reactive-flow luminescence with flame ionization detection 699(1995)183
- Auger, J. and Ferary, S.
First results in trace identification of allelochemicals and pheromones by combining gas chromatography-mass spectrometry and direct deposition gas chromatography-Fourier transform infrared spectrometry 683(1994)87
- Aumatell, A. and Wells, R.J.
Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329
- Aumatell, A., Wells, R.J. and Wong, D.K.Y.
Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293
- Ausili, A., see Di Muccio, A. 697(1995)145
- Awadé, A.C., Moreau, S., Mollé, D., Brulé, G. and Maubois, J.-L.
Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279
- Awaka, I., see Saitoh, K. 653(1993)247
- Awaka, I., see Saitoh, K. 693(1995)176
- Axelsson, S., see Karamanos, N.K. 696(1995)295
- Aymard, P., see Moussa, F. 664(1994)189
- Azema, J., see Madelaine-Dupuich, C. 653(1993)178
- ## B
- Baba, S., Terazawa, Y., Kimata, H., Shinohara, Y., Akira, K. and Hasegawa, H.
Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35
- Baba, Y., Ishimaru, N., Samata, K. and Tsuchiko, M.
High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329
- Baba, Y., see Sumita, C. 661(1994)297
- Baba, Y., Tsuchiko, M., Sawa, T. and Akashi, M.
Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93
- Bachas, L.G., see Przyjazny, A. 654(1993)79
- Bächmann, K., see Boden, J. 696(1995)321

- Bächmann, K., Ehmann, Th. and Haumann, I.
pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434
- Bächmann, K., Göttlicher, B., Haag, I., Han, K.-Y., Hensel, W. and Mainka, A.
Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283
- Bächmann, K., see Hillmann, R. 695(1995)149
- Bächmann, K., see Polzer, J. 653(1993)283
- Bächmann, K., see Röder, A. 689(1995)305
- Bächmann, K., see Wiesiollek, R. 676(1994)277
- Bada, J.L., see Zhao, M. 690(1995)55
- Baddoo, P.A., see Sen, N.P. 673(1994)77
- Badger, S.E., see Levison, P.R. 658(1994)419
- Bae, Y.C. and Soane, D.
Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17
- Baeyens, W., see Croubels, S. 673(1994)267
- Bagchi, D., see Cordis, G.A. 661(1994)181
- Bahadir, M., see Kolb, M. 685(1994)189
- Bahowick, T.J., Dunphy, D.R. and Synovec, R.E.
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135
- Bahr, U., see Reif, O.-W. 664(1994)13
- Bailey, R.G., Nursten, H.E. and McDowell, I.
Isolation and high-performance liquid chromatographic analysis of thearubigin fractions from black tea 662(1994)101
- Baillet, A., see Chaminade, P. 672(1994)67
- Baillet, A., see Laugel, C. 686(1994)344
- Bailly, M., see Charton, F. 687(1994)13
- Baker, T.R., see Hayes, F.J. 692(1995)73
- Balansard, G., see Calmes, M. 663(1994)119
- Balcan, M., see Anghel, D.F. 668(1994)375
- Bald, E., see Sypniewski, S. 676(1994)321
- Baldwin, R.P., see Ye, J. 687(1994)141
- Balke, S.T., see Schunk, T.C. 661(1994)227
- Ball, H.L., Bertolini, G., Levi, S. and Mascagni, P.
Purification of synthetic peptides with the aid of reversible chromatographic probes 686(1994)73
- Balmér, K., Persson, B.-A. and Lagerström, P.-O.
Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269
- Baltas, M., Benbakkar, M., Gorrichon, L. and Zedde, C.
Chromatographic analysis of G₁-G₃ natural cyclic peroxides and compounds obtained from Ru(II)-catalysed reaction of G₁ 123(1994)123
- Baltes, W., see Bohnenstengel, F. 655(1993)249
- Baltes, W., see Brinkmann, E. 693(1995)271
- Banks, Jr., J.F.
Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325
- Banks, P.R. and Paquette, D.M.
Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145
- Bannier, A., see Deruaz, D. 677(1994)345
- Baraj, B., Martínez, M., Sastre, A. and Aguilar, M.
Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103
- Bárány, K., Bárány, M. and Giometti, C.S.
Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301
- Bárány, M., see Bárány, K. 698(1995)301
- Barbaro, A.M., see Biagi, G.L. 662(1994)341
- Barbaro, A.M., see Biagi, G.L. 669(1994)246
- Barbaro, A.M., see Biagi, G.L. 678(1994)127
- Barbini, D.A., see Di Muccio, A. 697(1995)145
- Barceló, D., see Chiron, S. 665(1994)283
- Barceló, D., see Chiron, S. 665(1994)295
- Barceló, D., see Galceran, M.T. 655(1993)275
- Barceló, D., see Lacorte, S. 697(1995)345
- Barceló, D., see Marko-Varga, G. 665(1994)317
- Barceló, D., see Puig, D. 673(1994)55
- Barceló, J., see Montero, E. 658(1994)83
- Barenstedt, C., see Albertsson, A.-C. 690(1995)207
- Barger, W.R., Mowery, R.L. and Wyatt, J.R.
Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659
- Bargmann-Leyder, N., Truffert, J.-C., Tambuté, A. and Caude, M.
Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27
- Barker, G.E., see Sun, P. 652(1993)247
- Barker, G.E., see Sun, P. 685(1994)303
- Barker, G.E., see Wu, N. 659(1994)435
- Barkley, R.M., see Ryerson, T.B. 670(1994)117
- Barna, E. and Dworschák, E.
Determination of thiamine (vitamin B₁) and riboflavin (vitamin B₂) in meat and liver by high-performance liquid chromatography 668(1994)359
- Barnabas, I.J., Dean, J.R., Hitchen, S.M. and Owen, S.P.
Supercritical fluid extraction of organochlorine pesticides from an aqueous matrix 665(1994)307
- Barnaby, R.J. and Iavarone, L.
Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319
- Barnes, J.A., see Janini, G.M. 653(1993)321
- Barnikol, W.K.R. and Pötzschke, H.
Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221
- Barrett, D.A., see Chan, W.C. 697(1995)213
- Barrett, D.A., see Wan, Q.H. 697(1995)219

- Barron, A.E., Soane, D.S. and Blanch, H.W.
Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3
- Barron, D., see Lübke, M. 690(1995)41
- Barroso, C.G., see Guillén, D.A. 655(1993)227
- Barry, C., see Humayoun Akhtar, M. 696(1995)123
- Barry, E.F., see Ombaba, J.M. 678(1994)319
- Bartels, R. and Bock, L.
Determination of pteric acid by high-performance thin-layer chromatography. Contribution to the investigation of 7,8-dihydropteroate synthase 659(1994)185
- Barth, D., see Chouchi, D. 672(1994)177
- Bartha, Á. and Ståhlberg, J.
Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255
- Bartle, K.D., Bevan, C.D., Clifford, A.A., Jafar, S.A., Malak, N. and Verrall, M.S.
Preparative-scale supercritical fluid chromatography 697(1995)579
- Bartle, K.D., see Janda, V. 669(1994)241
- Bartle, K.D., see Vejrosta, J. 659(1994)209
- Bartle, K.D., see Vejrosta, J. 683(1994)407
- Bartolomé, B., Bengoechea, M.L., Gálvez, M.C., Pérez-Illarbe, F.J., Hernández, T., Estrella, I. and Gómez-Cordovés, C.
Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119
- Bartolomé, B., Bengoechea, M.L., Pérez-Illarbe, F.J., Hernández, T., Estrella, I. and Gómez-Cordovés, C.
Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39
- Bartoň, H., see Bojarsky, J. 668(1994)481
- Baru, M.B. and Kozlovsky-Vagenina, I.V.
Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199
- Bashe, W., see Hodgesson, J. 659(1994)395
- Basileo, G., see Fontana, E. 660(1994)293
- Baškevičiūtė, B., see Pesiakias, H. 678(1994)25
- Batt, M., see Srivatsa, G.S. 680(1994)469
- Bauer, K., see Wheatley, J.B. 676(1994)81
- Baumann, K. and Wätzig, H.
Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9
- Baumeister, E., Klose, U., Albert, K., Bayer, E. and Guiochon, G.
Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321
- Baumeister, E., see Tallarek, U. 696(1995)1
- Baumeister, K., see Weinmann, W. 664(1994)271
- Baumes, R.L., see Chassagne, D. 694(1995)441
- Bayer, E., see Baumeister, E. 694(1995)321
- Bayer, E., see Behnke, B. 680(1994)93
- Bayer, E., see Schmeer, K. 691(1995)285
- Bayer, E., see Schmid, J. 694(1995)333
- Bayer, E., see Tallarek, U. 696(1995)1
- Bayona, J.M., see Alzaga, R. 655(1993)51
- Bayona, J.M., see Cai, Y. 696(1995)113
- Bayona, J.M., see Chalaux, N. 686(1994)275
- Bayonove, C.L., see Chassagne, D. 694(1995)441
- Bazile, D., see Huve, P. 675(1994)129
- Bazylak, G.
Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75
- Bazylak, G.
Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519
- Beattie, J.H. and Richards, M.P.
Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography 664(1994)129
- Beattie, J.H. and Richards, M.P.
Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography 700(1995)95
- Beboulene, J.-J., see Robert, E. 683(1994)215
- Beck, T.L., see Wheeler, J.F. 656(1993)317
- Beckers, J.L.
System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)152
- Beckers, J.L.
UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153
- Beckers, J.L.
Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347
- Beckers, J.L.
Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285
- Bede, A., see Rippel, G. 697(1995)17
- Bedford, C.T., Hickman, A.D. and Logan, C.J.
Mixed ion-pair high-performance liquid chromatography of uridine 5'-diphospho- α -D-glucuronic acid and its hydrolysis products 695(1995)123
- Begum, B., see Harcastle, J.E. 691(1995)225
- Behnke, B. and Bayer, E.
Pressurized gradient electro-high-performance liquid chromatography 680(1994)93
- Beinert, W.-D., see Kirschbaum, J. 661(1994)193
- Belder, D. and Schomburg, G.
Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351
- Belenguier, A.M., see Grieb, S.J. 697(1995)271
- Belenky, A., Smisek, D.L. and Cohen, A.S.
Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137
- Belenky, A., see Vilenchik, M. 663(1994)105

- Belew, M., Zhou, Y., Wang, S., Nyström, L.-E. and Janson, J.-C.
Purification of recombinant human granulocyte-macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67
- Belgaied, J.E., Hoyos, M. and Martin, M.
Velocity profiles in thermal field-flow fractionation 678(1994)85
- Belinga, H.F., Steghens, J.P. and Collombel, C.
Firefly luciferase purification using polyethylene glycol and Dyematrix Orange A 695(1995)33
- Bell, C., Tsai, E.W., Ip, D.P. and Mathre, D.J.
Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248
- Belleville, F., see Wasels, R. 674(1994)225
- Bello, M.S., Capelli, L. and Righetti, P.G.
Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311
- Bello, M.S., De Besi, P. and Righetti, P.G.
Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317
- Bello, M.S., see Ermakov, S.V. 661(1994)265
- Bello, M.S., Levin, E.I. and Righetti, P.G.
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329
- Bello, M.S., Rezzonico, R. and Righetti, P.G.
Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199
- Bello, M.S., Zhukov, M.Yu. and Righetti, P.G.
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113
- Bellot, J.C. and Condoret, J.S.
Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305
- Below, E., see Thede, R. 660(1994)25
- Beltran, P., see Bounine, J.P. 677(1994)87
- Benbakkar, M., see Baltas, M. 123(1994)123
- Benedek, K. and Guttman, A.
Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375
- Benedek, K. and Thiede, S.
High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate-poly(ethylene oxide) 676(1994)209
- Benfenati, E., see Terreni, M. 688(1994)243
- Bengoechea, M.L., see Bartolomé, B. 655(1993)119
- Bengoechea, M.L., see Bartolomé, B. 664(1994)39
- Benická, E., see Hrouzek, J. 665(1994)3
- Benická, E., see Krupčík, J. 665(1994)175
- Benická, E., see Škrabáková, S. 665(1994)27
- Benko, M.H., see Cleveland, Jr., J.A. 652(1993)301
- Benmoussa, A., Mikou, M., Lacout, J.L. and Siouffi, A.M.
Lead phosphate hydroxyapatite high-performance liquid chromatography 694(1995)486
- Benoit, F.M., see Thomas, D. 695(1995)1
- Benson, L.M., see Tomlinson, A.J. 652(1993)417
- Benson, L.M., Veverka, K.A., Mays, D.C., Nelson, A.N., Shriver, Z.H., Lipsky, J.J. and Naylor, S.
Simultaneous structure-activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162
- Benz, N.J. and Fritz, J.S.
Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437
- Berdie, L., see Fernandez, P. 688(1994)363
- Berek, D., see Novák, I. 665(1994)33
- Berek, D., see Petro, M. 665(1994)37
- Berek, D., see Škrabáková, S. 665(1994)27
- Berenguer, M.J., see Rosell, M.G. 655(1993)151
- Bereuter, T., see Kuhn, R. 666(1994)367
- Bereuter, T.L. and Lorbeer, E.
Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469
- Berezkin, V.G., Malyukova, I.V. and Alishoev, V.R.
Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155
- Berger, H., see Brudel, M. 661(1994)55
- Berger, T.A., see Anton, K. 666(1994)395
- Bergeron, R., see Miller, L. 658(1994)489
- Bergman, M., Dohmen, R., Claessens, H.A. and Cramers, C.A.
Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33
- Bergström, E.T., see Penn, S.G. 680(1994)147
- Berhow, M., see Nogata, Y. 667(1994)59
- Berka, J., see Pariat, Y.F. 652(1993)57
- Bernal, J.L., see Atienza, J. 655(1993)95
- Bernart, M.W., see Riehheimer, S.L. 677(1994)75
- Berry, C.O.A., see Wheatley, J.B. 663(1994)53
- Berthelot, P., see Vaccher, C. 657(1993)213
- Bertolini, G., see Ball, H.L. 686(1994)73
- Bertorello, H., see Alvarez, C. 686(1994)333
- Bertrand, M., see Schoefs, B. 692(1995)239
- Bertrand, O., see Cochet, S. 663(1994)175
- Bertsch, W.
Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329
- Bertucci, C., Salvadori, P. and Lopes Guimaraes, L.F.
Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535
- Bettmer, J., Cammann, K. and Robecke, M.
Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177
- Betts, T.J.
Potential of three different α -cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

- Betts, T.J.**
Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295
- Betts, T.J.**
Use of esterified and unesterified dipentylated γ -, β - and α -cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpene constituents of volatile oils 672(1994)254
- Betts, T.J.**
Comparison of two esterified γ -cyclodextrins with some other chiral selective gas chromatographic phases using volatile oil constituents 678(1994)370
- Betzler, C.**, see Weber, W. 679(1994)181
- Beutelmann, K.K.**, see Armstrong, D.W. 688(1994)201
- Bevan, C.D.**, see Bartle, K.D. 697(1995)579
- Bevan, C.D. and Mutton, I.M.**
Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541
- Beyermann, M.**, see Rothmund, S. 689(1995)219
- Bhatt, G.R.**, see Dwivedi, A.K. 663(1994)187
- Biagi, G.L., Barbaro, A.M. and Recanatini, M.**
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127
- Biagi, G.L., Barbaro, A.M., Sapone, A. and Recanatini, M.**
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341
- Biagi, G.L., Barbaro, A.M., Sapone, A. and Recanatini, M.**
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246
- Biagiarelli, B.**, see Piccoli, G. 676(1994)239
- Bian, H.**, see Gao, J. 657(1993)95
- Bianchi, A.P.**
Environmental analysis—Techniques, applications and quality assurance (edited by D. Barceló) (Book Review) 670(1994)243
- Bicchi, C., D'Amato, A., Manzin, V., Galli, A. and Galli, M.**
Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl- β -cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137
- Bienert, M.**, see Rothmund, S. 661(1994)77
- Bienert, M.**, see Rothmund, S. 689(1995)219
- Biggin, M.E., Williams, R.L. and Vigh, G.**
Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319
- Billedeau, S.M., Heinze, T.M., Wilkes, J.G. and Thompson, Jr., H.C.**
Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55
- Billiet, H.A.H.**, see Janák, J. 677(1994)192
- Billiet, H.A.H.**, see Tijssen, R. 656(1993)135
- Billiet, H.A.H.**, see Valkó, I.E. 678(1994)139
- Bioque, G.**, see Hotter, G. 655(1993)85
- Bird, S.**, see Achilli, G. 697(1995)357
- Birkenmeier, G.**, see Kopperschläger, G. 668(1994)1
- Bischoff, R.**, see Cordier, Y. 680(1994)479
- Bismuto, E. and Irace, G.**
High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263
- Biswas, S.S.**, see Tambe, A.S. 683(1994)397
- Biswas, S.S.**, see Wakharkar, R.D. 662(1994)420
- Bjergegaard, C., Ingvarsdén, L. and Sørensen, H.**
Determination of aromatic choline esters by micellar electrokinetic capillary chromatography 653(1993)99
- Bjergegaard, C., Michaelsen, S., Mortensen, K. and Sørensen, H.**
Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477
- Bjergegaard, C., Simonsen, H. and Sørensen, H.**
Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561
- Black, R.M., Clarke, R.J., Read, R.W. and Reid, M.T.J.**
Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301
- Blackwell, J.A.**, see Whitman, D.A. 691(1995)205
- Blake, E., Raynor, M.W. and Cornell, D.**
Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223
- Blanch, G.P., Herraiz, M., Reglero, G. and Tabera, J.**
Preconcentration of samples by steam distillation-solvent extraction at low temperature 655(1993)141
- Blanch, G.P.**, see Ramos, L. 690(1995)243
- Blanch, H.W.**, see Barron, A.E. 652(1993)3
- Blanchard, R.D.**, see Oehrle, S.A. 680(1994)645
- Blanchin, M.D.**, see Fabre, H. 697(1995)81
- Blanco, E.**, see Sanz-Medel, A. 683(1994)233
- Blanco Tirado, C., Stashenko, E.E., Combariza, M.Y. and Martínez, J.R.**
Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501
- Blaschke, E.**, see Egginger, G. 666(1994)275
- Blaschke, G.**, see Chankvetadze, B. 700(1995)43
- Blaschke, G.**, see Knoche, B. 666(1994)235
- Blaschke, G.**, see Terhechte, A. 694(1995)219

- Blatný, P. and Kvasnička, F.
Determination of fluoride in feed mixtures by capillary isotachopheresis 670(1994)223
- Blatný, P., Kvasnička, F. and Kenndler, E.
Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachopheresis 679(1994)345
- Blázquez, M.A., see Ferreres, F. 669(1994)268
- Blazsó, M.
Pyrolysis-gas chromatography-mass spectrometry of poly(dialkylsilylenes) 683(1994)115
- Blein, J.-P., see Milat, M.-L. 699(1995)277
- Blemmer, T., see Kristensen, K. 666(1994)283
- Block, F., see Kreling, J.R. 671(1994)295
- Bloemhoff, W., see Lasonder, E. 676(1994)91
- Blom, Y. and Heldin, E.
Direct resolution of racemic drugs using cellulose silica as a chiral stationary phase 653(1993)138
- Blomberg, L.G., see Andersson, P.E. 699(1995)323
- Blomberg, L.G., see Hägglund, I. 673(1994)93
- Boček, P.
Electrophoresis in Practice—A Guide to Theory and Practice (by R. Westermeier) (Book Review) 679(1994)402
- Boček, P.
Directory of Capillary Electrophoresis (edited by D. Coleman) (Book Review) 699(1995)408
- Boček, P., see Klepárník, K. 698(1995)375
- Bock, L., see Bartels, R. 659(1994)185
- Bode-Böger, S.M., see Tsikas, D. 699(1995)363
- Boden, J., Bächmann, K., Kotz, L., Fabry, L. and Pahlke, S.
Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321
- Bogár, F., see Török, B. 668(1994)353
- Böger, R.H., see Tsikas, D. 699(1995)363
- Bogusz, M. and Erkens, M.
Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97
- Böhmer, M.R., see Tijssen, R. 656(1993)135
- Bohnenstengel, F., Soltani, N. and Baltes, W.
Headspace analysis with large sample volumes. Influence of sampling device volume, analyte concentration and sample matrix 655(1993)249
- Böhs, B., see Lindner, W. 697(1995)549
- Böhs, B., see Veigl, E. 694(1995)135
- Böhs, B., see Veigl, E. 694(1995)151
- Bojarski, J., Kubaszek, M., Bartoń, H. and Chmiel, E.
Chromatography of methyl derivatives of 5-ethyl-5-phenyl-2-thiobarbituric acid 668(1994)481
- Bojti, E., see Erdélyi-Tóth, V. 668(1994)419
- Bokel, M., see Macka, M. 675(1994)267
- Bokesch, H.R., see Hallock, Y.F. 688(1994)83
- Boluda, R., see Redondo, M.J. 678(1994)375
- Bona, C., see Brumeanu, T.-D. 696(1995)219
- Bonetti, A., see Dinelli, G. 700(1995)195
- Bonetti, A., see Galletti, G.C. 692(1995)27
- Bonfichi, R.
Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213
- Bonn, G.K., see Corradini, C. 685(1994)213
- Bonn, G.K., see Semenova, O.P. 667(1994)327
- Bonn, G.K., see Timerbaev, A.R. 671(1994)419
- Bonora, C., see Vitali, P. 660(1994)219
- Bontempelli, G., see Toniolo, R. 662(1994)185
- Boonkerd, S., Detaevernier, M.R. and Michotte, Y.
Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209
- Boonkerd, S., Lauwers, M., Detaevernier, M.R. and Michotte, Y.
Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97
- Bopp, R.J., see Rickard, E.C. 680(1994)609
- Boppana, V.K.
Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195
- Boppana, V.K. and Miller-Stein, C.
Determination of a novel hemoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthalaldehyde-thiol post-column reaction with fluorescence detection 676(1994)161
- Borate, H.B., see Wakharkar, R.D. 662(1994)420
- Boria, P., see Draisci, R. 697(1995)407
- Born, J., see Grize, Y.-L. 686(1994)1
- Bornhop, D.J., see Hackett, M. 695(1995)243
- Boronat, M., see Comellas, L. 655(1993)57
- Borrull, F., see Crespo, C. 670(1994)135
- Borrull, F., see Marcé, R.M. 696(1995)63
- Borrull, F., see Pocurrull, E. 696(1995)31
- Borrull, F., see Ruana, J. 655(1993)217
- Bortolomeazzi, R., Pizzale, L., Conte, L.S. and Lercker, G.
Identification of thermal oxidation products of cholesteryl acetate 683(1994)75
- Bos, R.P., see Scheepers, P.T.J. 677(1994)107
- Boschetti, E.
Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
- Boschetti, E., see Horvath, J. 679(1994)11
- Bossi, A., Gelfi, C., Orsi, A. and Righetti, P.G.
Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121
- Bossi, R., see Tilio, R. 662(1994)191
- Bossle, P.C., see Oehrlé, S.A. 692(1995)247
- Bossù, E., see Quaglia, M.G. 666(1994)289

- Bösze, S., Mák, M., Medzihradsky-Schweiger, H. and Hudecz, F.
Chromatographic characterization of HSV-1 gD 268–284 and IL-6 179–185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345
- Botton, B., see Devèvre, O. 679(1994)349
- Bounine, J.P., Tardif, B., Beltran, P. and Mazzo, D.J.
High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87
- Bourguignon, B., see Hubert, Ph. 665(1994)87
- Bowadt, S., Johansson, B., Fruekilde, P., Hansen, M., Zilli, D., Larsen, B. and De Boer, J.
Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189
- Bowadt, S., Johansson, B., Pelusio, F., Larsen, B.R. and Rovida, C.
Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424
- Bowen, W.E., see Pirkle, W.H. 676(1994)297
- Bowers, L.D.
Foreword 691(1995)1
- Bowlin, D.W., Hott, C. and Davis, J.M.
Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307
- Boyd, M.R., see Hallock, Y.F. 688(1994)83
- Boyd, T.J.
Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and gas chromatographic-mass spectrometric analysis 662(1994)281
- Boyes, B.E., see Chloupek, R.C. 686(1994)45
- Boyes, B.E. and Walker, D.G.
Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337
- Božeková, L., see Brandšterová, E. 665(1994)101
- Bradshaw, J.S., see Petersson, P. 684(1994)297
- Bradshaw, J.S., see Yi, G. 673(1994)219
- Bramich, C.J., see Weber, P.L. 680(1994)225
- Brandolini, V., see Dinelli, G. 700(1995)201
- Brandšterová, E., Romanová, D., Králíková, D., Božeková, L. and Křiška, M.
Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101
- Brazier, J.L., see Deruaz, J. 677(1994)345
- Breen, D.G., see Vejrosta, J. 683(1994)407
- Breier, J., see Freitag, R. 691(1995)101
- Breiner, S.J., see Lochmüller, C.H. 656(1993)3
- Brekke, S., see Krogh, M. 674(1994)235
- Brenna, J.T., see Goodman, K.J. 689(1995)63
- Brennan, J.J., see Pullen, R.H. 691(1995)187
- Brettnall, A.E. and Clarke, G.S.
Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173
- Brewster, J.D. and Fishman, M.L.
Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382
- Briggs, D.A., see Smith, R.M. 670(1994)161
- Briggs, D.A., see Smith, R.M. 688(1994)261
- Brindle, R., see Albert, K. 665(1994)253
- Bringmann, G., Gassen, M. and Schneider, S.
Toxic aldehydes formed by lipid peroxidation. I. Sensitive, gas chromatography-based stereoanalysis of 4-hydroxyalkenals, toxic products of lipid peroxidation 670(1994)153
- Brinkman, U.A.Th.
On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217
- Brinkman, U.A.Th., see Brouwer, E.R. 669(1994)45
- Brinkman, U.A.Th., see Brouwer, E.R. 678(1994)223
- Brinkman, U.A.Th., see Mank, A.J.G. 695(1995)165
- Brinkman, U.A.Th., see Mank, A.J.G. 695(1995)175
- Brinkman, U.A.Th., see Marcé, R.M. 696(1995)63
- Brinkman, U.A.Th., see Minnaard, W.A. 696(1995)333
- Brinkman, U.A.Th., see Rinkema, F.D. 678(1994)289
- Brinkman, U.A.Th., see Sängler-van de Griend, C.E. 673(1994)299
- Brinkman, U.A.Th., see Vreeken, R.J. 654(1993)65
- Brinkman, U.A.Th., see Zegers, B.N. 677(1994)141
- Brinkmann, E., Dehne, L., Oei, H.B., Tiebach, R. and Baltes, W.
Separation of geometrical retinol isomers in food samples by using narrow-bore high-performance liquid chromatography 693(1995)271
- Brittain, R.D., see Schachterle, S. 683(1994)185
- Brooks, C.A. and Cramer, S.M.
Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1994)187
- Brosa, J., see Rosell, M.G. 655(1993)151
- Broto-Puig, F., see Codina, G. 673(1994)21
- Broul, M., see Janoš, P. 676(1994)451
- Brouwer, E.R. and Brinkman, U.A.Th.
Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223
- Brouwer, E.R., Hermans, A.N.J., Lingeman, H. and Brinkman, U.A.Th.
Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45
- Brown, P.R., see De Antonis, K.M. 661(1994)279
- Brown, R.J., see Konecny, P. 673(1994)45
- Brownrigg, C.M., see Brumley, W.C. 680(1994)635
- Brownson, D.M., see Oh, C.-H. 669(1994)112
- Bru, R., see Sánchez-Ferrer, A. 668(1994)75

- Brückner, H., Haasmann, S., Langer, M., Westhauser, T., Wittner, R. and Godel, H.
Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to biosciences 666(1994)259
- Brückner, H., Langer, M., Lüpke, M., Westhauser, T. and Godel, H.
Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to food science 697(1995)229
- Brückner, H. and Lüpke, M.
Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295
- Brudel, M., Kertscher, U., Berger, H. and Mehlis, B.
Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of gonado-tropin-releasing hormone 661(1994)55
- Brueggemann, E.E., see Hines, H.B. 670(1994)199
- Brüggemann, O., see Sziele, D. 669(1994)254
- Bručić, G., see Awadé, A.C. 677(1994)279
- Brumeanu, T.-D., Zaghouni, H. and Bona, C.
Purification of antigenized immunoglobulins derivatized with monomethoxypolyethylene glycol 696(1995)219
- Brumley, W.C., Brownrigg, C.M. and Grange, A.H.
Capillary liquid chromatography-mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635
- Brumley, W.C. and Jones, W.J.
Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163
- Brunner, G., see Tsikas, D. 699(1995)363
- Bruno, A.E., see Saz, J.M. 699(1995)315
- Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149
- Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123
- Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245
- Brunt, K., see Houben, R.J. 661(1994)169
- Bryan, C.R., see Cancalon, P.F. 652(1993)555
- Bryan, T.G., see Mourey, T.H. 657(1993)377
- Bryan, T.G., see Mourey, T.H. 679(1994)201
- Bryntesson, M., see Jageland, P. 658(1994)497
- Bucar, F., see Hiermann, A. 675(1994)276
- Buchberger, W., see Cousins, S.M. 671(1994)397
- Buchberger, W. and Haddad, P.R.
Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343
- Buchberger, W., see Harakuwe, A.H. 685(1994)161
- Buchberger, W., Winna, K. and Turner, M.
Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375
- Buciński, A., see Nasal, A. 692(1995)83
- Buckingham, L.A., see Rawjee, Y.Y. 688(1994)273
- Buckland, B., see DePhillips, P. 663(1994)43
- Buda, W.M., see Jaques, K. 666(1994)131
- Buffham, B.A., see Meacham, R.I. 659(1994)205
- Buiarelli, F., Cartoni, G., Coccioli, F. and Levetsovitou, Z.
Determination of phenolic acids in wine by high-performance liquid chromatography with a microbore column 695(1995)229
- Buijten, J.C., see Mohnke, M. 667(1994)334
- Builder, S.E., see Olson, C.V. 675(1994)101
- Buldini, P.L., Sharma, J.L. and Ferri, D.
Determination of total phosphorus in soaps/detergents by ion chromatography 654(1993)129
- Buldini, P.L., Sharma, J.L. and Mevoli, A.
Determination of inorganic ions in carboxylic acids by ion chromatography 654(1993)123
- Buldini, P.L., Sharma, J.L. and Sharma, S.
Ion-chromatographic determination of inorganic anions and cations in some reagents used in the electronics industry 654(1993)113
- Bullock, J.
High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415
- Bulmahn, J.A., see Stover, F.S. 688(1994)89
- Bulusu, S., see Yinon, J. 688(1994)231
- Bunrin, T., see Iwaki, K. 662(1994)87
- Bunton, B.M. and Walker, T.A.
Chiral separation of MDL 73,005EF enantiomers using an α -acid glycoprotein column 699(1995)389
- Burestedt, E., see Ortega, F. 675(1994)65
- Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413
- Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. I. Optimization of chromatographic parameters 685(1994)79
- Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. II. Quantitation of petroleum hydrocarbons from environmental sample 685(1994)95
- Burgess, A.W., see Nice, E. 660(1994)169
- Burini, G.
Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213
- Burke, M.F., see Schunk, T.C. 656(1993)289
- Burton, D.E., see Jordan, J.M. 671(1994)445

- Busch, K.L.
Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275
- Busch, M.H.A., Kraak, J.C. and Poppe, H.
Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287
- Buscher, B.A.P., Irth, H., Andersson, E., Tjaden, U.R. and Van der Greef, J.
Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145
- Bush, H., see Fronek, R. 658(1994)483
- Bushey, M.M., see Harman, A.D. 652(1993)525
- Busson, R., see Paesen, J. 699(1995)99
- Busson, R., see Van Schepdael, A. 657(1993)208
- Buszewski, B., see Czajkowska, T. 691(1995)217
- Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293
- Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11
- Buszewski, B., see Kasturi, P. 659(1994)261
- Butler, E.C.V., see Weir, S.I. 671(1994)197
- Butram, S.L., see Ponder, G.W. 692(1995)173
- Buttlera, T., see Marko-Varga, G. 665(1994)317
- Buttrill, Jr., S.E., see Salomon, K. 657(1993)139
- Butz, S., Heberer, Th. and Stan, H.-J.
Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C₁₈ material 677(1994)63
- Buxaderas, S., see Puig-Deu, M. 685(1994)21
- Buzanowski, W.C., Cutić, S.S., Howell, R., Papenfuss, R. and Smith, C.G.
Determination of sodium polyacrylate by pyrolysis-gas chromatography 677(1994)355
- Buzy, A., Thibault, P. and Laycock, M.V.
Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301
- Byrd, D.W., see Freeman, D.C. 686(1994)225
- Byrd, D.W. and Freeman, D.C.
Automated static headspace sampler for gas chromatography 686(1994)235
- Byrne, A.R., see Stibilj, V. 668(1994)449
- Cabezudo Ibáñez, M.D., see García Romero, E. 655(1993)111
- Caboni, M.F., Menotta, S. and Lercker, G.
High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59
- Cabot, C., see Montero, E. 658(1994)83
- Cabral, J.M.S., see Fonseca, L.P. 668(1994)61
- Cabral, J.M.S., see Sarmiento, M.J. 668(1994)117
- Cabral, J.M.S., see Sebastião, M.J. 668(1994)139
- Cabras, P., see Cherchi, A. 669(1994)59
- Cabrera, K. and Lubda, D.
Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β -cyclodextrin as stationary phase 666(1994)433
- Caccamese, S., Principato, G., Ottanà, R., Previtera, T. and Zappalà, C.
Liquid chromatographic separation of the enantiomers of antihistaminic 3,3'-di(1,3-thiazolidin-4-one) derivatives with two and four stereogenic centres 694(1995)355
- Cacho, J., see Ferreira, V. 655(1993)257
- Cacho, J., see Ferreira, V. 695(1995)41
- Cacho, J., see Nerin, C. 672(1994)159
- Cacho, J., see Nerin, C. 690(1995)230
- Caciari, M., see Bruno, T.J. 672(1994)149
- Caciari, M., see Bruno, T.J. 679(1994)123
- Caciari, M., see Bruno, T.J. 686(1994)245
- Cai, C.-h., Romano, V.A. and Dubin, P.L.
Ionic strength dependence of protein retention on Superose 12 in SEC-IEC mixed mode chromatography 693(1995)251
- Cai, H., see Wentworth, W.E. 688(1994)135
- Cai, J., see Hsieh, F.Y.L. 679(1994)206
- Cai, L.-S., see Li, L. 653(1993)354
- Cai, S.-J., McAndrew, R.S., Leonard, B.P., Chapman, K.D. and Pidgeon, C.
Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49
- Cai, Y. and Bayona, J.M.
Determination of methylmercury in fish and river water samples using in situ sodium tetrathylborate derivatization following by solid-phase microextraction and gas chromatography-mass spectrometry 696(1995)113
- Caixach, J., see Pauné, F. 684(1994)289
- Caixach, J., Rivera, J., Galceran, M.T. and Santos, F.J.
Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205
- Caldeira, J.C.G., see Fonseca, L.P. 668(1994)61

- Caldwell, G.W., see Evangelisto, M.F. 695(1995)128
 Caldwell, J.
 Stereochemical determinants of the nature and consequences of drug metabolism 694(1995)39
- Calmes, M., Crespin, F., Maillard, C., Ollivier, E. and Balansard, G.
 High-performance liquid chromatographic determination of atractyloside and carboxyatractyloside from *Atractylis gummifera* L. 663(1994)119
- Calori, R., see Vitali, P. 660(1994)219
- Calpena, A.C., see Martorell, C. 655(1993)177
- Calull, M., see Marcé, R.M. 696(1995)63
- Camacho-Torralba, P.L. and Vigh, Gy.
 High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213
- Camel, V., Tambuté, A. and Caude, M.
 Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101
- Camilleri, P., Eggleston, D., Farina, C., Murphy, J.A., Pfeiffer, U., Pinza, M. and Senior, L.A.
 Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207
- Cammann, K., see Bettmer, J. 654(1993)177
- Cammann, K., see Grömping, A.H.J. 653(1993)341
- Camoni, I., see Di Muccio, A. 697(1995)145
- Campbell, H., see Cohen, H. 694(1995)407
- Campos, A., see García, R. 655(1993)3
- Campos, A., see García, R. 655(1993)191
- Campos, A., see García, R. 662(1994)61
- Campos, A., see Porcar, I. 673(1994)65
- Canalon, P.F. and Bryan, C.R.
 Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555
- Cann, J.R., see Munro, P.D. 659(1994)267
- Canova-Davis, E., see Olson, C.V. 675(1994)101
- Cantwell, F.F., see Chen, J.-G. 656(1993)549
- Cantwell, F.F., see Vermeulen, D.M. 693(1995)205
- Cao, J. and Cross, R.F.
 The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297
- Cao, X.-L. and Hewitt, C.N.
 Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography-flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368
- Cao, X.-L. and Hewitt, C.N.
 Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187
- Cao, X.-L., Hewitt, C.N. and Waterhouse, K.S.
 Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115
- Cao, Z.A., see Zhu, M. 652(1993)119
- Capelli, L., see Bello, M.S. 684(1994)311
- Capelli, L., see Ermakov, S.V. 699(1995)297
- Capomacchia, A.C., see Green, M.D. 695(1995)237
- Capparella, M., Foster III, W., Larrousse, M., Phillips, D.J., Pomfret, A. and Tuvim, Y.
 Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141
- Carbognani, L.
 Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11
- Cardellina II, J.H., see Hallock, Y.F. 688(1994)83
- Cardoni, P., see Stocchi, V. 676(1994)51
- Carducci, C.N., see Fernández Otero, G.C. 654(1993)87
- Cardwell, T.J. and Laughton, W.R.
 Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364
- Carey, C.M., see Wong, T.M. 680(1994)413
- Carey, J.M., Vela, N.P. and Caruso, J.A.
 Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 662(1994)329
- Carini, M., see Pietta, P. 661(1994)121
- Carlson, I.H., see Lensmeyer, G.L. 691(1995)239
- Carlson, R.H., see Srivatsa, G.S. 680(1994)469
- Carlsson, B., see Josefsson, M. 684(1994)23
- Carneiro, M.C., Puignou, L. and Galceran, M.T.
 Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217
- Carnevale, J. and Jackson, P.E.
 Analysis of aluminium in pharmaceutical products by post-column derivatization ion chromatography 671(1994)115
- Carnevale, J., see Jackson, P.E. 671(1994)181
- Caron, F., see Manni, G. 690(1995)237
- Carpio, R.A., Jandik, P. and Fallon, E.
 Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185
- Carr, C.M., see Lord, G.A. 700(1995)27
- Carr, P.W., see Li, J. 659(1994)367
- Carr, P.W., see Li, J. 670(1994)105
- Carr, P.W., Li, J., Dallas, A.J., Eikens, D.I. and Tan, L.C.
 Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113
- Carr, P.W., Martire, D.E. and Snyder, L.R.
 Preface 656(1993)1
- Carr, P.W., see McNeff, C. 684(1994)201
- Carr, P.W., see Nawrocki, J. 657(1993)229
- Carr, P.W., see Park, J.H. 677(1994)1
- Carr, P.W., see Snyder, L.R. 656(1993)537
- Carr, P.W., see Sun, L. 658(1994)465
- Carr, P.W., see Tan, L.C. 656(1993)521
- Carraro, F., see Anazawa, T.A. 697(1995)159
- Carrea, G., see Nesi, M. 670(1994)215
- Carreira, L.A., see Hilal, S.H. 662(1994)269

- Carreras, D., Imaz, C., Navajas, R., Garcia, M.A., Rodriguez, C., Rodriguez, A.F. and Cortes, R. Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195
- Carrilho, E., see Schmalzing, D. 652(1993)149
- Carro-Díaz, A.M., Lorenzo-Ferreira, R.A. and Cela-Torrijos, R. Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245
- Carta, G., see Rodrigues, A.E. 653(1993)189
- Carta, G. and Stringfield, W.B. Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407
- Carter, D., see Jackson, P. 685(1994)287
- Cartier, P.G., see Firouztalet, E. 658(1994)361
- Cartoni, G., see Buiarelli, F. 695(1995)229
- Cartron, J.P., see Cochet, S. 663(1994)175
- Caruso, J.A., see Carey, J.M. 662(1994)329
- Caruso, J.A., see Ding, H. 694(1995)425
- Caruso, J.A., see Kumar, U.T. 654(1993)261
- Caruso, J.A., see Kumar, U.T. 655(1993)340
- Caruso, U., Fowler, B., Minniti, G. and Romano, C. Determination of tryptophan and ten of its metabolites in a single analysis by high-performance liquid chromatography with multiple detection 661(1994)101
- Carvalho, C.R.L., Carvalho, P.R.N. and Collins, C.H. High-performance liquid chromatographic determination of the geometrical isomers of β -carotene in several foodstuffs 697(1995)289
- Carvalho, P.R.N., see Carvalho, C.R.L. 697(1995)289
- Casabianca, H. and Graff, J.B. Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360
- Casademont, G., see García Regueiro, J.A. 655(1993)73
- Casale, J.F., see Moore, J.M. 659(1994)163
- Casale, J.F., see Moore, J.M. 674(1994)165
- Cases, M.R., Stortz, C.A. and Cerezo, A.S. Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293
- Cash, P. Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203
- Caslavska, J., Molteni, S., Chmelik, J., Šlais, K., Matulík, F. and Thormann, W. Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549
- Cassiano, L., see Castagnola, M. 694(1995)463
- Cassidy, R.M. Foreword 671(1994)1
- Cassidy, R.M., see Stathakis, C. 659(1994)443
- Cassidy, R.M., see Stathakis, C. 699(1995)353
- Cassidy, R.M. and Sun, L. Optimization of the anion-exchange separation of metal-oxalate complexes 654(1993)105
- Castagnola, M., Cassiano, L., Lupi, A., Messina, I., Patamia, M., Rabino, R., Rossetti, D.V. and Giardina, B. Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463
- Castello, G., see Vezzani, S. 677(1994)331
- Castello, G., Vezzani, S. and Moretti, P. Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95
- Castellote, A.I., see Parreño, M. 655(1993)89
- Castellote-Bargallo, A.I., see Rodríguez-Palmero, M. 672(1994)267
- Castello, G., see Gerbino, T.C. 699(1995)161
- Castle, L., Jickells, S.M., Nichol, J., Johns, S.M. and Gramshaw, J.W. Determination of high- and low-molecular-mass plasticisers in stretch-type packaging films 675(1994)261
- Castle, M. and Neuteboom, E. High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93
- Castro Romero, J.M., see González Rodríguez, V. 673(1994)291
- Caude, M. Fractionation by Packed-Column SFE and SFC. Principles and Applications (edited by M. Saito, Y. Yamauchi and T. Okuyama) (Book Review) 696(1995)353
- Caude, M., see Bargmann-Leyder, N. 666(1994)27
- Caude, M., see Camel, V. 693(1995)101
- Cebrián-Pérez, J.A., see Ollero, M. 668(1994)173
- Ceccaroli, P., see Stocchi, V. 676(1994)51
- Cela, R., see Lores, M. 683(1994)31
- Cela, R., see Turnes, M.I. 683(1994)21
- Cela-Torrijos, R., see Carro-Díaz, A.M. 683(1994)245
- Cellerino, G.P., see Achilli, G. 661(1994)201
- Cellerino, G.P., see Achilli, G. 697(1995)357
- Cercós-del-Pozo, R.A., see Antón-Fos, G.M. 672(1994)203
- Cerezo, A.S., see Cases, M.R. 662(1994)293
- Čertík, M., see Šajbidor, J. 665(1994)191
- Ceulemans, M., see Dirx, W.M.R. 683(1994)51
- Cha, G.S., see Kwon, K.-H. 688(1994)350
- Chadha, H.S., see Abraham, M.H. 685(1994)203
- Chadwick, R.R., Hsieh, J.C., Resham, K.S. and Nelson, R.B. Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403
- Chae, J.J., see Park, J.H. 656(1993)69
- Chae, J.J., see Park, J.H. 664(1994)149
- Chaga, G., see Oscarsson, S. 689(1995)3
- Chakma, A., see Shahi, P. 687(1994)121
- Chalányová, M., see Hutta, M. 689(1995)123

- Chaloux, N., Bayona, J.M. and Albaigés, J.
Determination of nonylphenols as pentafluorobenzyl derivatives by capillary gas chromatography with electron-capture and mass spectrometric detection in environmental matrices 686(1994)275
- Chalmers, J.M., see Jackson, P. 685(1994)287
- Chambers, J.Q., see Farkas, T. 679(1994)231
- Chaminade, P., Baillet, A. and Ferrier, D.
Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67
- Chaminade, P., see Laugel, C. 686(1994)344
- Chan, K.C., see Janini, G.M. 653(1993)321
- Chan, K.C., Janini, G.M., Muschik, G.M. and Issaq, H.J.
Laser-induced fluorescence detection of 9-fluorenylmethyl chloroformate derivatized amino acids in capillary electrophoresis 653(1993)93
- Chan, K.C., Muschik, G.M., Issaq, H.J. and Siiteri, P.K.
Separation of estrogens by micellar electrokinetic chromatography 690(1995)149
- Chan, W.C., Micklewright, R. and Barrett, D.A.
Porous graphitic carbon for the chromatographic separation of O-tetraacetyl- β -D-glucopyranosyl isothiocyanate-derivatized amino acid enantiomers 697(1995)213
- Chandrasekher, G., see Shi, H. 680(1994)653
- Chang, J.P., Tucker, R.C., Ghrist, B.F. and Coleman, M.R.
Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113
- Chang, L.W., see Reddy, T.V. 655(1993)331
- Chang, M.-Y., see Ling, Y.-C. 669(1994)119
- Chankvetadze, B., Endresz, G. and Blaschke, G.
Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43
- Chankvetadze, B., Yashima, E. and Okamoto, Y.
Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39
- Chankvetadze, B., Yashima, E. and Okamoto, Y.
Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101
- Chanter, Y.L., see Altria, K.D. 652(1993)459
- Chao, Y.-C. and Whang, C.-W.
Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229
- Chao, Y.-Z., see Pang, G.-F. 667(1994)348
- Chapman, K.D., see Cai, S.-J. 696(1995)49
- Charton, F., Bailly, M. and Guiochon, G.
Recycling in preparative liquid chromatography 687(1994)13
- Chase, H.A., see McCreath, G.E. 659(1994)275
- Chassagne, D., Crouzet, J., Baumes, R.L., Lepoutre, J.-P. and Bayonove, C.L.
Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441
- Chau, P., see Park, J.H. 677(1994)1
- Chaudhary, R.S., see Jindal, K.C. 685(1994)195
- Chauhan, V., see Demkowicz, M.P. 671(1994)351
- Chauvaux, N., Van Dongen, W., Esmans, E.L. and Van Onckelen, H.A.
Liquid chromatographic-mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337
- Cheh, C.H.
Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283
- Chen, A. and Lunte, C.E.
Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29
- Chen, B.H. and Chen, Y.C.
Evaluation of the analysis of cholesterol oxides by liquid chromatography 661(1994)127
- Chen, C.J., see Tsai, F.Y. 697(1995)309
- Chen, D.Y., see Arriaga, E. 652(1993)347
- Chen, D.Y., see Lu, H. 680(1994)497
- Chen, D.Y., see Lu, H. 680(1994)503
- Chen, D.-Z., see Ma, Y.-P. 695(1995)259
- Chen, F.-T.A.
Characterization of charge-modified and fluorescein-labeled antibody by capillary electrophoresis using laser-induced fluorescence. Application to immunoassay of low level immunoglobulin A 680(1994)419
- Chen, F.-T.A., see Evangelista, R.A. 680(1994)587
- Chen, F.-T.A. and Pentoney, Jr., S.L.
Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425
- Chen, F.-T.A. and Tusak, A.
Characterization of food proteins by capillary electrophoresis 685(1994)331
- Chen, F.-T.A., Tusak, A., Pentoney, Jr., S., Konrad, K., Lew, C., Koh, E. and Sternberg, J.
Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355
- Chen, G.J., Lee, N.M., Hu, C.C. and Liu, C.Y.
Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343
- Chen, H.-R. and Sheu, S.-J.
Determination of glycyrrhizin and glycyrrhetic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184
- Chen, J.-G., Weber, S.G., Glavina, L.L. and Cantwell, F.F.
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

- Chen, J.-G., Woltman, S.J. and Weber, S.G.
Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301
- Chen, L., see Singh, H. 696(1995)153
- Chen, N., Zhang, Y., Terabe, S. and Nakagawa, T.
Effect of physico-chemical properties and molecular structure on the micelle-water partition coefficient in micellar electrokinetic chromatography 678(1994)327
- Chen, S. and Pietrzyk, D.J.
Reversed-phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73
- Chen, S.-H., see Liu, K.-R. 676(1994)455
- Chen, T.K. and Mills, R.J.
Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321
- Chen, X.-G., see Zhang, H.-W. 677(1994)159
- Chen, Y., Höltje, J.-V. and Schwarz, U.
Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63
- Chen, Y., Höltje, J.-V. and Schwarz, U.
Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121
- Chen, Y., Höltje, J.-V. and Schwarz, U.
Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35
- Chen, Y., see Zhou, W. 659(1994)477
- Chen, Y.C., see Chen, B.H. 661(1994)127
- Chen, Y.-C., see Lin, T.-I. 654(1993)167
- Chen, Y.-H., see Chu, C.-C. 694(1995)492
- Chen, Y.-L., see Jinno, K. 691(1995)91
- Chen, Y.-P., Hsu, M.-C. and Chien, C.S.
Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135
- Chen, Y.-Y., see Adamezyk, M. 657(1993)345
- Chen, Y.-Y., see Zhou, X.-C. 662(1994)203
- Chen, Z.L., see Glod, B.K. 699(1995)31
- Cheng, J., Kasuga, T., Mitchelson, K.R., Lightly, E.R.T., Watson, N.D., Martin, W.J. and Atkinson, D.
Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169
- Cheng, Q., see Du, Q. 687(1994)174
- Cheng, X.L., see Arriaga, E. 652(1993)347
- Cheng, Y.-F., see De Antonis, K.M. 661(1994)279
- Cherehi, A., Spanedda, L., Tuberoso, C. and Cabras, P.
Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59
- Cheskis, S., see Kalontarov, L. 696(1995)245
- Cheung, P., see Schunk, T.C. 661(1994)227
- Cheynier, V., see Rigaud, J. 654(1993)255
- Chi, H., Hsieh, A.K., Ng, C.L., Lee, H.K. and Li, S.F.Y.
Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593
- Chiap, P., see Hubert, Ph. 665(1994)87
- Chiari, M., see Nesi, M. 670(1994)215
- Chiari, M., Nesi, M. and Righetti, P.G.
Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31
- Chiari, M., Nesi, M., Ottolina, G. and Righetti, P.G.
Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571
- Chibante, L.P.F., see Heymann, D. 689(1995)157
- Chicarelli-Robinson, M.I., see Cocks, S. 697(1995)115
- Chiem, N., see Nicoll-Griffith, D. 653(1993)253
- Chien, C.S., see Chen, Y.-P. 672(1994)135
- Chien, C.S., see Tsai, F.Y. 697(1995)309
- Chiron, S., Dupas, S., Scribe, P. and Barceló, D.
Application of on-line solid-phase extraction followed by liquid chromatography-thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295
- Chiron, S., Martinez, E. and Barceló, D.
On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283
- Chiu, R.W., see Penn, S.G. 680(1994)233
- Chizzola, R.
Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427
- Chloupek, R.C., see Hancock, W.S. 686(1994)31
- Chloupek, R.C., Hancock, W.S., Marchylo, B.A., Kirkland, J.J., Boyes, B.E. and Snyder, L.R.
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45
- Chmelik, J., see Caslavská, J. 680(1994)549
- Chmelik, J., see Pazourek, J. 660(1994)113
- Chmiel, E., see Bojarski, J. 668(1994)481
- Cho, Y.J., see Hyun, M.H. 692(1995)91
- Cho, Y.J., see Hyun, M.H. 696(1995)173
- Choi, J.B., see Ro, K.W. 688(1994)375
- Chong, R.W. and Moore, B.J.
Determination of citrate, inositol and gentisic acid in a pharmaceutical diagnostic formulation by ion-moderated partition chromatography 692(1995)203
- Chouchi, D. and Barth, D.
Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177
- Chovancová, J., see Kočan, A. 665(1994)139
- Chow, K.K., see Ong, C.P. 692(1995)207
- Chrétien, J.R., see Haldna, U. 670(1994)51
- Christian, A.Y., see Husain, N. 699(1995)73
- Christie, W.W., see Nikolova-Damyanova, B. 653(1993)15
- Christie, W.W., see Nikolova-Damyanova, B. 693(1995)235
- Christie, W.W., see Nikolova-Damyanova, B. 694(1995)375

- Chrzanowski, A., see Wahl, H.G. 697(1995)453
- Chu, A.H.T., see Ludolph, B.S. 660(1994)3
- Chu, C.-C., Li, S.-H. and Chen, Y.-H.
Resolution of isotoxins in the β -bungarotoxin family
694(1995)492
- Chuang, W.-C. and Sheu, S.-J.
Determination of ginsenosides in ginseng crude
extracts by high-performance liquid chromatography
685(1994)243
- Chung, H.-C., see Hsu, M.-C. 692(1995)67
- Chung, M.C.M., see Yao, Y.J. 680(1994)431
- Chung, M.C.M., see Yao, Z.J. 679(1994)190
- Churchwell, M.L., see Wilkes, J.G. 695(1995)319
- Cifuentes, A., De Frutos, M., Santos, J.M. and Diez-
Masa, J.C.
Separation of basic proteins by capillary
electrophoresis using cross-linked polyacrylamide-
coated capillaries and cationic buffer additives
655(1993)63
- Cifuentes, A. and Poppe, H.
Simulation and optimization of peptide separation by
capillary electrophoresis 680(1994)321
- Cifuentes, A., Santos, J.M., de Frutos, M. and Diez-Masa,
J.C.
High-efficiency capillary electrophoretic separation of
basic proteins using coated capillaries and cationic
buffer additives. Evaluation of protein-capillary wall
interactions 652(1993)161
- Cigánek, M., see Dressler, M. 679(1994)299
- Cigánek, M., Dressler, M. and Lang, V.
Relative electron-capture detector response of selected
polychlorinated biphenyl congeners. Influence of
detector temperature and design 668(1994)441
- Cîmpan, G., see Gočan, S. 675(1994)282
- Ciolino, L.A. and Dorsey, J.G.
Synthesis and characterization of silica-based aliphatic
ion exchangers 675(1994)29
- Ciolino, L.A. and Dorsey, J.G.
Phosphorimetry and its potential for the study of
surface heterogeneity of chromatographic silica-based
stationary phases 678(1994)201
- Cipolla, G., see Gennaro, M.C. 674(1994)281
- Cisowski, W., see Krauze-Baranowska, M. 675(1994)240
- Ciucanu, I. and König, W.A.
Immobilization of peralkylated β -cyclodextrin on silica
gel for high-performance liquid chromatography
685(1994)166
- Claessens, H.A., see Bergman, M. 657(1993)33
- Claessens, H.A., see Eleveld, J.T. 677(1994)211
- Claessens, H.A., see Hendriks, P.J.M. 655(1993)325
- Claessens, H.A., see Kirkland, J.J. 691(1995)3
- Claessens, H.A., see Muijselaar, P.G.H.M. 696(1995)273
- Claessens, H.A., see Scholten, A.B. 688(1994)25
- Claessens, H.A., see Verhulst, H.A.M. 687(1994)213
- Claeys, P., see Paesen, J. 699(1995)93
- Clark, B.J., see Abushoffa, A.M. 700(1995)51
- Clarke, G.S., see Bretnall, A.E. 700(1995)173
- Clarke, R.J., see Black, R.M. 662(1994)301
- Claude, S.G., see Hägglund, I. 673(1994)93
- Claus, D., see Ghoo, Y. 665(1994)333
- Clench, M.R., see Allen, D.W. 679(1994)285
- Clerc, J.-T., see Grogg-Sulser, K. 692(1995)121
- Cleroux, C., see Lawrence, J.F. 659(1994)119
- Cleroux, C., see Lawrence, J.F. 662(1994)173
- Cleveland, J.A., see Gluck, S.J. 680(1994)43
- Cleveland, J.A., see Gluck, S.J. 680(1994)49
- Cleveland, J.A., Martin, C.L. and Gluck, S.J.
Spectrophotometric determination of ionization
constants by capillary zone electrophoresis
679(1994)167
- Cleveland, Jr., J.A., Benko, M.H., Gluck, S.J. and
Walbroehl, Y.M.
Automated pK_a determination at low solute
concentrations by capillary electrophoresis
652(1993)301
- Clifford, A.A., see Bartle, K.D. 697(1995)579
- Clifford, A.A., see Vejrosta, J. 683(1994)407
- Closa, D., see Hotter, G. 655(1993)85
- Cloux, R., see Reddy, K.S. 673(1994)181
- Coari, P., see Gianazza, E. 698(1995)351
- Coccioli, F., see Buiarelli, F. 695(1995)229
- Cochet, S., Hasnaoui, M.H., Debbia, M., Krovjarski, Y.,
Lambin, P., Cartron, J.P. and Bertrand, O.
Chromatography of human immunoglobulin G on
immobilized Drimarene Rubine R/K-5BL. Study of
mild, efficient elution procedures 663(1994)175
- Cocks, S., Wrigley, S.K., Chicarelli-Robinson, M.I. and
Smith, R.M.
High-performance liquid chromatography comparison
of supercritical-fluid extraction and solvent extraction
of microbial fermentation products 697(1995)115
- Codet, G., see Robert, E. 683(1994)215
- Codina, G., Vaquero, M.T., Comellas, L. and Broto-Puig,
F.
Comparison of various extraction and clean-up
methods for the determination of polycyclic aromatic
hydrocarbons in sewage sludge-amended soils
673(1994)21
- Codony, R., see Parreño, M. 655(1993)89
- Cohen, A.S., see Belenky, A. 700(1995)137
- Cohen, A.S., see Pariat, Y.F. 652(1993)57
- Cohen, A.S., see Vilenchik, M. 663(1994)105
- Cohen, H., Armstrong, F. and Campbell, H.
Sensitive fluorescence detection of robenidine by
derivatization with dansyl chloride and high-
performance liquid chromatography 694(1995)407
- Cohen, H.
Chromatography of mycotoxins—Techniques and
applications (edited by V. Betina) (Book Review)
662(1994)198
- Cohen, K.A., see Palladino, D.E.H. 676(1994)99
- Cohen, N. and Grushka, E.
Controlling electroosmotic flow in capillary zone
electrophoresis 678(1994)167
- Cohen, N. and Grushka, E.
Influence of the capillary edge on the separation
efficiency in capillary electrophoresis 684(1994)323
- Cohen, S.A. and De Antonis, K.M.
Applications of amino acid derivatization with 6-
aminoquinolyl-N-hydroxysuccinimidyl carbamate.
Analysis of feed grains, intravenous solutions and
glycoproteins 661(1994)25

- Cohen, S.A., see De Antonis, K.M. 661(1994)279
- Cole, D.L., see Srivatsa, G.S. 680(1994)469
- Cole, L.A., see Wheeler, J.F. 656(1993)317
- Cole, R.B., see Varghese, J. 652(1993)369
- Cole, R.B., Varghese, J., McCormick, R.M. and Kadlecck, D.
Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry 680(1994)363
- Coleman, M.R., see Chang, J.P. 675(1994)113
- Colin, H., see Tchaplá, A. 656(1993)81
- Colina de Vargas, M., see Ledo de Medina, H. 671(1994)287
- Collins, C.H., see Carvalho, C.R.L. 697(1995)289
- Collins, J., see Hodgeson, J. 659(1994)395
- Collins, K.E., see Anazawa, T.A. 697(1995)159
- Collombel, C., see Belinga, H.F. 695(1995)33
- Colón, L.A., see Lin, B.L. 680(1994)263
- Combariza, M.Y., see Blanco Tirado, C. 697(1995)501
- Comellas, L., see Codina, G. 673(1994)21
- Comellas, L., Lliberia, J.L.I., Roca, A., Vallhonrat, R. and Boronat, M.
Determination of organochlorine compounds in anion-exchange resins by UV irradiation and ion chromatography 655(1993)57
- Comellas, L., see Moliner, R. 655(1993)155
- Comellas, L., Portillo, J.L. and Vaquero, M.T.
Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25
- Condoret, J.S., see Bellot, J.C. 657(1993)305
- Cone, E.J., see Goldberger, B.A. 674(1994)73
- Constanzer, M., see Woolf, E.J. 660(1994)307
- Conte, L.S., see Bortolomeazzi, R. 683(1994)75
- Conti, M., see Simó-Alfonso, E. 689(1995)85
- Contreras, M., see Agüera, A. 655(1993)293
- Contreras, M., see Fernandez-Alba, A.R. 686(1994)263
- Contreras Martinez, S. and Vera-Avila, L.E.
Effect of mobile phase composition on the separation of thyrotropin-releasing hormone and some metabolites by reversed-phase ion-pair chromatography 667(1994)119
- Cook, B.W., see Jackson, P. 685(1994)287
- Cooke, N., see Guttman, A. 676(1994)227
- Cooke, N., see Guttman, A. 680(1994)157
- Cooke, N., see Guttman, A. 685(1994)155
- Cooke, N., see Horvath, J. 679(1994)11
- Cooke, N., see Huang, T.-L. 685(1994)313
- Cooke, N., see Shieh, P.C.H. 676(1994)219
- Cooke, R.J.
Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281
- Cooper, D.A., see Moore, J.M. 659(1994)163
- Cooper, P.A., see Tetler, L.W. 700(1995)21
- Cordier, P., see Cordier, Y. 680(1994)479
- Cordier, Y., Roch, O., Cordier, P. and Bischoff, R.
Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479
- Cordis, G.A., Bagchi, D., Maulik, N. and Das, D.K.
High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181
- Cormier, J.F. and Plomley, J.B.
Normal-phase high-performance liquid chromatographic resolution of 5'-O-protected deoxynucleoside methylphosphonamidites 662(1994)401
- Cornell, D., see Blake, E. 683(1994)223
- Cornett, C., see Thomsen, U.G. 697(1995)175
- Corradini, C., see Corradini, D. 661(1994)305
- Corradini, C., Corradini, D., Huber, C.G. and Bonn, G.K.
Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213
- Corradini, D., see Corradini, C. 685(1994)213
- Corradini, D., Rhomberg, A. and Corradini, C.
Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305
- Corradini, R., see Dossena, A. 653(1993)229
- Corradini, R., see Galaverna, G. 657(1993)43
- Corradini, R., see Galli, B. 666(1994)77
- Cortes, R., see Carreras, D. 683(1994)195
- Costa, L., see Agraz, A. 672(1994)25
- Čoupek, J. and Vinš, I.
Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391
- Cousins, S.M., Haddad, P.R. and Buchberger, W.
Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
- Couvreur, P., see Huve, P. 675(1994)129
- Cowan, J.S., see Kreling, J.R. 671(1994)295
- Cox, G.B.
The influence of silica structure on reversed-phase retention (Review) 656(1993)353
- Cox, G.B., see Kopaciewicz, W. 690(1995)9
- Cox, J.A., see Levison, P.R. 658(1994)419
- Cox, S., see Palmer, S. 667(1994)316
- Crabtree, H.J., Ireland, I.D. and Dovichi, N.J.
Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263
- Crain, S.M., see Thomas, D. 695(1995)1
- Cramer, S.M., see Brooks, C.A. 693(1994)187
- Cramer, S.M., see Kim, Y.J. 686(1994)193
- Cramers, C.A., see Bergman, M. 657(1993)33
- Cramers, C.A., see Eleveld, J.T. 677(1994)211
- Cramers, C.A., see Hendriks, P.J.M. 655(1993)325
- Cramers, C.A., see Muijselaar, P.G.H.M. 696(1995)273
- Cramers, C.A., see Scholten, A.B. 688(1994)25
- Cramers, C.A., see Verhulst, H.A.M. 687(1994)213
- Crego, A.L., Dabrio, M.V. and Diez-Masa, J.C.
Comparison of two injection systems to be used with 5 μ m I.D. open-tubular columns 659(1994)255

- Crespin, F., see Calmes, M. 663(1994)119
 Crespo, C., see Marcé, R.M. 696(1995)63
 Crespo, C., Marcé, R.M. and Borrull, F.
 Determination of various pesticides using membrane extraction discs and gas chromatography-mass spectrometry 670(1994)135
 Cretier, G., Neffati, J. and Rocca, J.L.
 Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173
 Cretier, G. and Rocca, J.L.
 Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1993)195
 Croes, K., McCarthy, P.T. and Flanagan, R.J.
 HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289
 Crommen, J., see Hubert, Ph. 665(1994)87
 Cross, R.F., see Cao, J. 695(1995)297
 Croubels, S., Baeyens, W., Dewaele, C. and Van Peteghem, C.
 Capillary electrophoresis of some tetracycline antibiotics 673(1994)267
 Crouzet, J., see Chassagne, D. 694(1995)441
 Crovetto, G., see Martinez, B. 655(1993)45
 Crowley, X.W., Murugaiah, V., Naim, A. and Giese, R.W.
 Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction 699(1995)395
 Crowson, A., see Allen, D.W. 679(1994)285
 Császár, J., see Schmeer, K. 691(1995)285
 Cserhádi, T., see Darwish, Y. 668(1994)485
 Cserhádi, T. and Forgács, E.
 Retention of some monoamine oxidase inhibitory drugs on a β -cyclodextrin polymer-coated silica column 660(1994)313
 Cserhádi, T., see Forgács, E. 661(1994)239
 Cserhádi, T. and Forgács, E.
 Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl- β -cyclodextrin 665(1994)17
 Cserhádi, T., see Forgács, E. 668(1994)395
 Cserhádi, T. and Forgács, E.
 Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495
 Cserhádi, T. and Forgács, E.
 Retention of 4-cyanophenyl herbicides on water-insoluble β -cyclodextrin support 685(1994)295
 Cserhádi, T., see Forgács, E. 696(1995)265
 Cserhádi, T., see Forgács, E. 697(1995)59
 Cserhádi, T. and Forgács, E.
 Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285
 Cserpán, E., see Péter, A. 660(1994)283
 Csizmadia, F., see Fekete, J. 660(1994)33
 Cucchiaroni, L., see Stocchi, V. 676(1994)51
 Cuenat, P., see Pezet, R. 663(1994)191
 Cuhra, P., see Hajšlová, J. 699(1995)231
 Cui, Y. and Olesik, S.V.
 Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151
 Curry, J., see Sundaram, K.M.S. 672(1994)117
 Curtis, W.R., see Reddy, G.R. 657(1993)440
 Cutié, S.S., see Buzanowski, W.C. 677(1994)355
 Cutié, S.S. and Smith, C.G.
 Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371
 Cutlip, R.C., see Schmerr, M.J. 680(1994)447
 Cvak, L., see Sinibaldi, M. 666(1994)471
 Cypers, W., see Paesen, J. 699(1995)93
 Cypers, W., see Paesen, J. 699(1995)99
 Czajkowska, T., Hrabovsky, I., Buszewski, B., Gilpin, R.K. and Jaroniec, M.
 Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases 691(1995)217
- ## D
- Dabek-Zlotorzynska, E. and Dlouhy, J.F.
 Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389
 Dabek-Zlotorzynska, E. and Dlouhy, J.F.
 Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145
 Dabrio, M.V., see Crego, A.L. 659(1994)255
 Dachà, M., see Stocchi, V. 676(1994)51
 Daeseleire, E., Vanoosthuyze, K. and Van Peteghem, C.
 Application of high-performance thin-layer chromatography and gas chromatography-mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247
 D'Agostino, P.A.
 Modern Methods and Applications in Analysis of Explosives (by J. Yinon and S. Zitrin) (Book Review) 685(1994)200
 D'Agostino, P.A. and Provost, L.R.
 Capillary column gas chromatographic-tandem mass spectrometric analysis of phosphate esters in the presence of interfering hydrocarbons 670(1994)127
 D'Agostino, P.A. and Provost, L.R.
 Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65
 Dahl, R., see Al-Shawi, A.W. 671(1994)173

- Dai, J., see Hallock, Y.F. 688(1994)83
- Dai, R., see Zhou, W. 659(1994)477
- Dalene, M., see Skarping, G. 663(1994)199
- Dallas, A.J., see Carr, P.W. 656(1993)113
- Dallas, A.J., see Park, J.H. 677(1994)1
- Dallos, A., see Défayes, G. 699(1995)131
- D'Amato, A., see Bicchi, C. 666(1994)137
- Damhof, R.A., Feijlbrief, M., Welling-Wester, S. and Welling, G.W.
Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43
- Damian, J., see Lopez-Avila, V. 672(1994)167
- Damm, I. and Green, B.R.
Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene-divinylbenzene) column 664(1994)33
- Damm, J.B.L. and Overklift, G.T.
Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151
- Daniel, F.B., see Reddy, T.V. 655(1993)331
- Danicle, P.G., see Zerbinati, O. 671(1994)281
- Danielson, N.D., see Holeman, J.A. 679(1994)277
- Danielson, N.D., see Shamsi, S.A. 653(1993)153
- Danielsson, R., see Malmquist, G. 687(1994)71
- Danis, C., see Humayoun Akhtar, M. 696(1995)123
- Dankers, J., see Lopez-Avila, V. 672(1994)167
- Darvas, F., see Fekete, J. 660(1994)33
- Darwish, Y., Cserhâti, T. and Forgács, E.
Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485
- Das, D.K., see Cordis, G.A. 661(1994)181
- Dasgupta, A. and Macaulay, R.
Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyl derivatives of fatty alcohols—a novel derivative for gas chromatography-chemical ionization mass spectrometric study 695(1995)136
- Dasgupta, A., Thompson, W.C. and Malik, S.
Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography-mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279
- Dass, C., Mahalakshmi, P. and Grandberry, D.
Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249
- Dathe, M., see Rothemund, S. 689(1995)219
- Daud, J., see Abdullah, M.P. 697(1995)363
- Davankov, V., see Kurganov, A. 660(1994)97
- Davankov, V., see Kurganov, A. 663(1994)163
- Davankov, V., see Kurganov, A. 666(1994)99
- Davankov, V.A.
Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55
- Davankov, V.A., see Hanson, M. 656(1993)369
- David, F., see Sippola, E. 683(1994)45
- Davidović-Amić, D., see Amić, D. 653(1993)115
- Davidson, G., see Kaplan, M. 673(1994)231
- Davies, M.C., see Wan, Q.H. 697(1995)219
- Davis, B.H., see Shi, B. 654(1993)319
- Davis, B.H., see Shi, B. 678(1994)97
- Davis, J.M., see Bowlin, D.W. 677(1994)307
- Dawson, J.R., Nichols, S.C. and Taylor, G.E.
Determination of impurities in a novel analogue of adenosine 5'-triphosphate by capillary electrophoresis 700(1995)163
- Dawson, L.A., Stow, J.M., Dourish, C.T. and Routledge, C.
Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81
- Deacon, M., O'Shea, T.J., Lunte, S.M. and Smyth, M.R.
Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377
- Deacon, M., Smyth, M.R. and Tuinstra, L.G.M.Th.
Chromatographic separations of metal chelates present in commercial fertilizers. I. Development of a gel permeation chromatographic separation method for the identification of metal chelates in commercial fertilizers 657(1993)69
- Deacon, M., Smyth, M.R. and Tuinstra, L.G.M.Th.
Chromatographic separations of metal chelates present in commercial fertilizers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349
- De Antonis, K.M., Brown, P.R., Cheng, Y.-F. and Cohen, S.A.
Analysis of derivatized peptides by capillary electrophoresis 661(1994)279
- De Antonis, K.M., see Cohen, S.A. 661(1994)25
- Dean, J.R., see Barnabas, I.J. 665(1994)307
- De Armas, R., see Legaz, M.E. 697(1995)329
- Deasy, J.B., see Smith, R.M. 657(1993)63
- Debaert, M., see Vaccher, C. 657(1993)213
- De Battisti, Z., see Tagliaro, F. 674(1994)207
- Debbia, M., see Cochet, S. 663(1994)175
- De Bellis, R., see Stocchi, V. 676(1994)51
- De Besi, P., see Bello, M.S. 652(1993)317
- De Biasi, V., see Eckers, C. 686(1994)213
- De Boer, A.J., see Mesters, J.R. 679(1994)93
- De Boer, J., see Bøwadt, S. 675(1994)189
- DeDionisio, L.
Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101

- Défayes, G., Reddy, K.S., Dallos, A. and Kováts, E.
Pair-wise interactions by gas chromatography. V.
Interaction free enthalpies of solutes with primary
chloro- and bromoalkanes 699(1995)131
- De Frutos, M., see Cifuentes, A. 652(1993)161
- De Frutos, M., see Cifuentes, A. 655(1993)63
- De Geus, H.-J., see Zegers, B.N. 677(1994)141
- De Haan, J.W., see Scholten, A.B. 688(1994)25
- De Haan, J.W., see Verhulst, H.A.M. 687(1994)213
- Dehne, L., see Brinkmann, E. 693(1995)271
- Dehnen, W., see Einig, T. 697(1995)371
- Deissler, K.C., see Firouztale', E. 658(1994)361
- De Jong, A.P.J.M., see Meiring, H.D. 683(1994)157
- De Jong, A.P.J.M., see Visser, T. 687(1994)303
- De Jong, G.J., see Vreeken, R.J. 654(1993)65
- De Jong, N., Visser, S. and Olieman, C.
Determination of milk proteins by capillary
electrophoresis 652(1993)207
- De Kok, A., see Hiemstra, M. 667(1994)155
- De la Calle, M.B., see Dirx, W.M.R. 683(1994)51
- De la Colina, C., Peña Heras, A., Dios Cancela, G. and
Sánchez Raseiro, F.
Determination of organophosphorous and nitrogen-
containing pesticides in water samples by solid phase
extraction with gas chromatography and nitrogen-
phosphorus detection 655(1993)127
- De la Fuente, J., see Pinilla, M. 668(1994)165
- DeLange, B., see Newburger, J. 684(1994)1
- De la Presa-Owens, S., see Rodríguez-Palmero, M.
672(1994)267
- De la Torre-Boronat, M.C., see Rodríguez-Palmero, M.
672(1994)267
- De Leer, E.W.B., see Peters, R.J.B. 686(1994)253
- Delgado-Zamarreño, M.M., Sanchez-Perez, A., Gomez-
Perez, M.C. and Hernandez-Mendez, J.
Directly coupled sample treatment-high-performance
liquid chromatography for on-line automatic
determination of liposoluble vitamins in milk
694(1995)399
- Del Pilar da Silva, M., Procopio, J.R. and Hernández, L.
Evaluation of the capability of different
chromatographic systems for the monitoring of
thimerosal and its degradation products by high-
performance liquid chromatography with amperometric
detection 653(1993)267
- Del Río, J.C., García-Mollá, J., González-Vila, F.J. and
Martín, F.
Flash pyrolysis-gas chromatography of the kerogen
and asphaltene fractions isolated from a sequence of
oil shales 657(1993)119
- Del Rio, S.A., see Marino, M.A. 676(1994)185
- Del Rio, S.A., see Williams, P.E. 680(1994)525
- Del Rio-Tsonis, K., see Tsonis, P.A. 698(1995)361
- De Medina, H.L., see Morales, J.A. 671(1994)193
- De Meester, C., see Van Dyck, M.M.C. 697(1995)377
- DeMilo, A.B., Warthen, Jr., J.D. and Leonhardt, B.A.
Capillary gas chromatography method for the analysis
of the *trans* isomers of ceralure, a medfly attractant
673(1994)295
- Demizu, Y., see Miyamoto, E. 653(1993)135
- Demkowicz, M.P., Chauhan, V., Stern, D.A. and Vasquez,
F.G.
Simultaneous determination of anions and triclosan in
dentifrices by gradient ion chromatography and
isocratic high-performance liquid chromatography
interfaced with conductivity and ultraviolet detection
671(1994)351
- De Munari, E., see Galaverna, G. 657(1993)43
- De Nava, M.G., see Morales, J.A. 671(1994)193
- Denekamp, C., Mandelbaum, A., Weisz, A. and Ito, Y.
Preparative separation of stereoisomeric 1-methyl-4-
methoxymethylcyclohexanecarboxylic acids by pH-
zone-refining counter-current chromatography
685(1994)253
- Deng, F.-Q., see Ma, Y.-P. 695(1995)259
- Deng, Z., see Thede, R. 683(1994)279
- Dent, G., see Jackson, P. 685(1994)287
- Depasse, F., see Moussa, F. 664(1994)189
- DePauw, E., see Van Vyncht, G. 683(1994)67
- DePhillips, P., Buckland, B., Gbewonyo, K., Yamazaki, S.
and Sitrin, R.
Reversed-phase high-performance liquid
chromatography assay for recombinant acidic fibroblast
growth factor in *E. coli* cell suspensions and lysate
samples 663(1994)43
- d'Eril, G.M., see Achilli, G. 697(1995)357
- Derksen, M.W.J., see Vervoort, R.J.M. 678(1994)1
- Dermelj, M., see Stibilj, V. 668(1994)449
- Deruaz, D., Soussan-Marchal, F., Joseph, I., Desage, M.,
Bannier, A. and Brazier, J.L.
Analytical strategy by coupling headspace gas
chromatography, atomic emission spectrometric
detection and mass spectrometry. Application to sulfur
compounds from garlic 677(1994)345
- Desage, M., see Deruaz, D. 677(1994)345
- Desbène Monvernay, A.M., see Desbène, P.L.
689(1995)135
- Desbène, P.L. and Desmazieres, B.
Analytical study of polyoxyethylene surfactants of high
degree of condensation by normal-phase liquid
chromatography on *p*-nitrophenyl-bonded silica
661(1994)207
- Desbene, P.L., see Jacquier, J.C. 652(1993)337
- Desbène, P.L., Morin, C.J., Desbène Monvernay, A.M.
and Groult, R.S.
Utilization of fluorescein sodium salt in laser-induced
indirect fluorimetric detection of ions separated by
capillary zone electrophoresis 689(1995)135
- Desbène, P.L., see Rony, C. 669(1994)195
- Desbène, P.L. and Rony, C.M.
Determination by high-performance capillary
electrophoresis of alkylaromatics used as bases of
sulfonation in the preparation of industrial surfactants
689(1995)107
- Descorps, V., see Aubry, A.-F. 685(1994)1
- Desideri, N., see Quaglia, M.G. 666(1994)289
- Desiderio, D.M., see Lee, H.G. 666(1994)271
- Desiderio, D.M., see Lee, H.G. 686(1994)309

- De Simon, S.G., Santos, R., Araujo, M.F. and Pinho, R.T.
Preparative isolation of the lectin jacalin by anion-exchange high-performance liquid chromatography 688(1994)357
- Desmazieres, B., see Desbène, P.L. 661(1994)207
- Destro-Bisol, G. and Santini, S.A.
Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
- Detaevernier, M.R., see Boonkerd, S. 670(1994)209
- Detaevernier, M.R., see Boonkerd, S. 695(1995)97
- Detering, L.J., see Weinmann, W. 680(1994)353
- Dette, C. and Wätzig, H.
Separation of r-hirudin from similar substances by capillary electrophoresis 700(1995)89
- Devaney, J.M., see Williams, P.E. 680(1994)525
- De Vanssay, E., Zubrzycki, S., Sternberg, R., Raulin, F., Sergent, M. and Phan-Tan-Luu, R.
Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161
- Devèvre, O., Putra, D.P., Botton, B. and Garbaye, J.
Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349
- De Vos, F. and Slegers, G.
High-performance liquid chromatographic determination of (4-[¹¹C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97
- Dewacle, C., see Croubels, S. 673(1994)267
- Deyl, Z. and Mikšík, I.
Separation of collagen type I chain polymers by electrophoresis in non-cross-linked polyacrylamide-filled capillaries 698(1995)369
- Deyl, Z., see Rohlíček, V. 662(1994)369
- De Zeeuw, R.A., Franke, J.P., Van Halem, M., Schaapman, S., Logawa, E. and Siregar, C.J.P.
Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263
- De Zeeuw, R.A., Hartstra, J. and Franke, J.P.
Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3
- De Zeeuw, R.A., see Zweipfenning, P.G.M. 674(1994)87
- DeZwaan, J., see Kreling, J.R. 671(1994)295
- Dhillon, H.S., see Joyce, R.J. 671(1994)165
- Dhingra, B.S., see Kafil, J.B. 667(1994)175
- Di Muccio, A., Camoni, I., Ventriglia, M., Barbini, D.A., Mauro, M., Pelosi, P., Generali, T., Ausili, A. and Girolimetti, S.
Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145
- Díaz, I., see García Regueiro, J.A. 667(1994)225
- Dietrich, A., see Faber, B. 666(1994)161
- Dietvorst, M., see Van der Velde, E.G. 683(1994)167
- Diez, M., see Galceran, M.T. 657(1993)77
- Diez, M., see Galceran, M.T. 675(1994)141
- Diez-Masa, J.C., see Cifuentes, A. 652(1993)161
- Diez-Masa, J.C., see Cifuentes, A. 655(1993)63
- Diez-Masa, J.C., see Crego, A.L. 659(1994)255
- Diez-Masa, J.C., see Saz, J.M. 699(1995)315
- Dijkman, E., see Polettoni, A. 695(1995)19
- Dillah, K.B., see Hallock, Y.F. 688(1994)83
- Dinan, L.
Phytoecdysteroids in *Kochia scoparia* (burning bush) 658(1994)69
- Dinelli, G., see Galletti, G.C. 692(1995)27
- Dinelli, G., Vicari, A. and Bonetti, A.
Separation of sulfonylurea metabolites in water by capillary electrophoresis 700(1995)195
- Dinelli, G., Vicari, A. and Brandolini, V.
Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201
- Ding, H., Wang, J., Dorsey, J.G. and Caruso, J.A.
Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425
- Dingenen, J. and Kinkel, J.N.
Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627
- Dios Cancela, G., see De la Colina, C. 655(1993)127
- Dirkx, W.M.R., De la Calle, M.B., Ceulemans, M. and Adams, F.C.
Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51
- DiRusso, C., Rogers, R.P. and Jarrett, H.W.
Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45
- Dittrich, K., see Mattusch, J. 680(1994)279
- Dittrich, K., see Schlegel, D. 683(1994)261
- Dittrich, K., see Tutschku, S. 683(1994)269
- Djozan, D. and Assadi, Y.
Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525
- Dlouhy, J.F., see Dabek-Zlotorzynska, E. 671(1994)389
- Dlouhy, J.F., see Dabek-Zlotorzynska, E. 685(1994)145
- Do, D.D., see Hu, S. 683(1994)311
- Dobarganes, M.C., see Márquez-Ruiz, G. 662(1994)363
- Dobberpuhl, D.A. and Johnson, D.C.
Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391
- Dobson, R.L.M., see Hayes, F.J. 692(1995)73
- Dohmen, R., see Bergman, M. 657(1993)33
- Doi, T., see Furuta, R. 676(1994)431
- Doi, T., see Okamoto, M. 675(1994)244
- Doležel, P., Krejčí, M. and Kahle, V.
Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

- Dolgonosov, A.M.
Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33
- Dolnik, V. and Skurský, L.
Monitoring enzymic peroxidation of NAD⁺ by capillary electrophoresis 680(1994)455
- Domb, A.J.
Quantitative analysis of mixtures of symmetric and mixed anhydrides 673(1994)31
- Domínguez, E., see Ortega, F. 675(1994)65
- Dona, A.-M. and Verchère, J.-F.
High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13
- Dong, S., see Liu, A. 699(1995)39
- Doolan, K., see Speers, S.J. 674(1994)319
- Doretto, L., see Sturaro, A. 688(1994)211
- Döring, M., see Ziele, D. 669(1994)254
- Dorsey, J.G., see Ciolino, L.A. 675(1994)29
- Dorsey, J.G., see Ciolino, L.A. 678(1994)201
- Dorsey, J.G., see Ding, H. 694(1995)425
- Dorsey, J.G. and Khaleidi, M.G.
Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485
- Dorsey, J.G., see Kumar, U.T. 654(1993)261
- Dorsey, J.G., see Kumar, U.T. 655(1993)340
- Dorsey, J.G., see Wheeler, J.F. 656(1993)317
- Dose, E.V. and Guiochon, G.
Timescales of transient processes in capillary electrophoresis 652(1993)263
- Dos Reis Coimbra, J., Thömmes, J. and Kula, M.-R.
Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85
- Dossena, A., see Galaverna, G. 657(1993)43
- Dossena, A., Galaverna, G., Corradini, R. and Marchelli, R.
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229
- Dossena, A., see Galli, B. 666(1994)77
- Dou, L., Zeng, J.-N., Gerochi, D.D., Duda, M.P. and Stuting, H.H.
Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367
- Douek, M., see Sullivan, J. 671(1994)339
- Dourish, C.T., see Dawson, L.A. 700(1995)81
- Dovich, N.J., see Arriaga, E. 652(1993)347
- Dovich, N.J., see Crabtree, H.J. 669(1994)263
- Dovich, N.J., see Figeys, D. 669(1994)205
- Dovich, N.J., see Lu, H. 680(1994)497
- Dovich, N.J., see Lu, H. 680(1994)503
- Dowd, V. and Yon, R.J.
Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15
- Dowton, M. and Kennedy, I.R.
Purification of glutamine synthetase by adenosine-affinity chromatography 664(1994)280
- Drabowicz, J., see Kudzin, Z.H. 678(1994)299
- Draisci, R., Lucentini, L., Boria, P. and Lucarelli, C.
Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407
- Drdák, M., see Karovičová, J. 665(1994)55
- Dressler, M., see Cigánek, M. 668(1994)441
- Dressler, M. and Cigánek, M.
Effect of detector temperature on the flame ionization detector response 679(1994)299
- Drobná, B., see Kočan, A. 665(1994)139
- Dross, K., Sonntag, C. and Mannhold, R.
Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113
- Drott, D.W., see Meacham, R.I. 659(1994)205
- Du, C.M., see Abraham, M.H. 688(1994)125
- Du, Q., Li, M., Cheng, Q., Zhang, T.Y. and Ito, Y.
Purification of (-)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174
- Duarte, C.A., see Agraz, A. 672(1994)25
- Dubin, P.L., see Cai, C.-h. 693(1995)251
- Dubin, P.L., see Shah, G. 693(1995)197
- Dubin, P.L., see Xia, J. 667(1994)311
- Dubois, J.G., see Soentjens-Werts, V. 662(1994)255
- Ducharme, J., see Wainer, I.W. 694(1995)169
- Duchateau, A.L.L., Guns, J.J., Kubben, R.G.R. and Van Tilburg, A.F.P.
High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169
- Dueruet, V., see Le Sech, J. 667(1994)340
- Duda, M.P., see Dou, L. 679(1994)367
- Duhr, A., see Schütz, S. 683(1994)141
- Dukesherer, D.R., see Hamper, B.C. 666(1994)479
- Dumont, P.J. and Fritz, J.S.
Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123
- Dumont, P.J., see Fritz, J.S. 691(1995)133
- Dunkin, I.R., see Jackson, P. 685(1994)287
- Dunlap, R.B., see Harris, S.E. 657(1993)395
- Dunphy, D.R., see Bahowick, T.J. 663(1994)135
- Dupas, S., see Chiron, S. 665(1994)295
- Durand, G., see Marko-Varga, G. 665(1994)317
- Dusbábek, F., see Šimek, P. 679(1994)195
- Duval, M., see Leblanc, Y. 657(1993)111
- Dwivedi, A.K., Sirkar, K.P., Bhatt, G.R., Seth, R.K., Singh, S. and Sarin, J.P.S.
Determination of *cis*- and *trans*-centchroman in its dosage forms by high-performance liquid chromatography 663(1994)187
- Dworschák, E., see Barna, E. 668(1994)359
- Dyas, A.M., Robinson, M.L. and Fell, A.F.
Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

- Dzido, T.H. and Smolarz, H.D.
Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59
- E**
- Early, R.J., see Suzuki, E.Y. 657(1993)204
East, P.B., see Eckers, C. 686(1994)213
Echarri, I., see Nerin, C. 672(1994)159
Eckers, C., Hutton, K.A., De Biasi, V., East, P.B., Haskins, N.J. and Jacewicz, V.W.
Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography-tandem mass spectrometry 686(1994)213
Edholm, L.-E., see Palmarsdóttir, S. 666(1994)337
Edholm, L.-E., see Palmarsdóttir, S. 693(1995)131
Egginger, G., Blaschke, E., Lindner, W. and Olsson, A.-M.
Stereoselective high-performance liquid chromatographic assay of (\pm)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275
Eggleston, D., see Camilleri, P. 654(1993)207
Ehmann, Th., see Bächmann, K. 662(1994)434
Ehrlich, A., see Rothmund, S. 661(1994)77
Eikens, D.I., see Carr, P.W. 656(1993)113
Einig, T. and Dehnen, W.
Sensitive determination of the benzene metabolite S-phenylmercapturic acid in urine by high-performance liquid chromatography with fluorescence detection 697(1995)371
Eisenbeiss, F., see Kurganov, A. 660(1994)97
Eisenbeiss, F., see Kurganov, A. 663(1994)163
Eisenbeiss, F., see Kurganov, A. 666(1994)99
Eisenbeiss, F., see Verhulst, H.A.M. 687(1994)213
Eisener, C.G., see Aue, W.A. 688(1994)153
Eisener, C.G., see Aue, W.A. 699(1995)195
Eisert, R., Levsen, K. and Wunsch, G.
Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175
Eiteman, M.A.
Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13
Eiteman, M.A.
Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21
Eitzman, P.D., see Johnson, P.R. 667(1994)1
Elaseer, A. and Nickless, G.
Determination of selenium by gas chromatography-electron-capture detection using a rapid derivatization procedure 664(1994)77
Eleveld, J.T., Claessens, H.A., Ammerdorffer, J.L., Van Herk, A.M. and Cramers, C.A.
Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211
Elian, M., see Anghel, D.F. 668(1994)375
Elicone, C., Lui, M., Geromanos, S., Erdjument-Bromage, H. and Tempst, P.
Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing-laser-desorption mass spectrometric analysis 676(1994)121
Elliott, L., see Griffin, R.M.E. 674(1994)271
Ellis, C., see Levitt, M.D. 695(1995)324
El Rassi, Z., see Mechref, Y. 695(1995)83
El Rassi, Z., see Smith, J.T. 685(1994)131
Elsewi, A.A., see Sivils, L.D. 688(1994)221
Elsener, M., see Koebel, M. 689(1995)164
El-Shahawi, M.S. and Almehti, M.
Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185
El-Yazigi, A., Wahab, F.A. and Afrane, B.
Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71
Emken, E.A., see Adlof, R.O. 685(1994)178
Emmer, Å., Jansson, M. and Rocraade, J.
Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231
Emmer, Å. and Rocraade, J.
Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375
Emmrich, F., see Guse, A.H. 661(1994)13
Emnéus, J., see Ortega, F. 675(1994)65
Enache, D., see Robert, E. 683(1994)215
Endo, G., see Inoue, Y. 675(1994)149
Endo, K., see Mizukami, F. 697(1995)279
Endresz, G., see Chankvetadze, B. 700(1995)43
Engasser, J.-M., see Gaillard, I. 679(1994)261
Engel, R.R., see Levitt, M.D. 695(1995)324
Engelhardt, H.
Practical High-Performance Liquid Chromatography (by V.R. Meyer) (Book Review) 679(1994)212
Engelhardt, H., see Kohr, J. 652(1993)309
Engelhardt, H., see Rothmund, S. 689(1995)219
Engelhardt, H., see Schmitt, T. 697(1995)561
Engewald, W., see Reinhardt, R. 697(1995)475
Engewald, W., see Steinborn, A. 697(1995)485
Enomoto, Y., see Oikawa, K. 671(1994)211
Eppinger, J., see Anton, K. 666(1994)395
Erbersdobler, H.F., see Hartkopf, J. 672(1994)242
Erbersdobler, H.F., see Ruttkat, A. 678(1994)103

- Erdélyi-Tóth, V., Pap, E., Kralovánszky, J., Bojtí, E. and Klebovich, I.
Determination of panomifene in human plasma by high-performance liquid chromatography 668(1994)419
- Erdjument-Bromage, H., see Elicone, C. 676(1994)121
- Erdmann, H., see Kirchberger, J. 668(1994)153
- Eriksson, B.-M., see Hedenmo, M. 661(1994)153
- Eriksson, B.-M., see Hedenmo, M. 692(1995)161
- Erim, F.B., Xu, X. and Kraak, J.C.
Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471
- Erkens, M., see Bogusz, M. 674(1994)97
- Ermakov, S.V., Bello, M.S. and Righetti, P.G.
Numerical algorithms for capillary electrophoresis 661(1994)265
- Ermakov, S.V., Zhukov, M.Yu., Capelli, L. and Righetti, P.G.
Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297
- Ermakov, S.V. and Righetti, P.G.
Computer simulation for capillary zone electrophoresis. A quantitative approach 667(1994)257
- Erni, F., see Kuhn, R. 666(1994)367
- Erni, F., see Werner, A. 666(1994)375
- Erni, F., see Yan, C. 670(1994)15
- Esaka, Y., Yamaguchi, Y., Kano, K. and Goto, M.
Separation of amino acid-oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225
- Escoula, B., see Madelaine-Dupuich, C. 653(1993)178
- Escribano-Bailon, M.T., see Rigaud, J. 654(1993)255
- Escribano, E., see Martorell, C. 655(1993)177
- Escrivá, C., Viana, E., Moltó, J.C., Picó, Y. and Mañes, J.
Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375
- Escudero, A., see Ferreira, V. 655(1993)257
- Esmans, E.L., see Chauvaux, N. 657(1993)337
- Espadaler, I., see Pauné, F. 684(1994)289
- Essen, L.-O. and Skerra, A.
Single-step purification of a bacterially expressed antibody F₁ fragment by immobilized metal affinity chromatography in the presence of betaine 657(1993)55
- Esteban, J.L., Martínez-Castro, I. and Sanz, J.
Evaluation and optimization of the automatic thermal desorption method in the gas chromatographic determination of plant volatile compounds 657(1993)155
- Estrella, I., see Bartolomé, B. 655(1993)119
- Estrella, I., see Bartolomé, B. 664(1994)39
- Etzel, M.R., see Suen, S.-Y. 686(1994)179
- Etzel, M.R., see Weinbrenner, W.F. 662(1994)414
- Evangelista, R.A. and Chen, F.-T.A.
Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587
- Evangelisto, M.F., Adams, R.E., Murray, W.V. and Caldwell, G.W.
Preparative high-performance liquid chromatographic separation of fluorodeoxy sugars 695(1995)128
- Evans, E.H., see Kumar, U.T. 654(1993)261
- Evans, M.B. and Fell, A.F.
Foreword 697(1995)1
- Evans, M.B., see Smith, M.S. 683(1994)402
- Evans, M.D., Wolfe, J.T., Perrett, D., Lunec, J. and Herbert, K.E.
Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151
- Everaerts, F.M., see Wanders, B.J. 652(1993)291
- Eyer, P., see Spöhrer, U. 693(1995)55

F

- Faber, B., Dietrich, A. and Mosandl, A.
Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161
- Fabre, H., Le Bris, A. and Blanchin, M.D.
Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81
- Fabri, L., see Nice, E. 660(1994)169
- Fabry, L., see Boden, J. 696(1995)321
- Facchetti, S., see Tilio, R. 662(1994)191
- Facchini, G., see Terreni, M. 688(1994)243
- Facino, R.M., see Pietta, P. 661(1994)121
- Facklam, C. and Modler, A.
Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203
- Fales, H.M., see Ma, Y. 685(1994)259
- Fallon, E., see Carpio, R.A. 657(1993)185
- Falter, R. and Schöler, H.F.
Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253
- Fan, C.-L., see Pang, G.-F. 667(1994)348
- Fanali, S., see Aturki, Z. 680(1994)137
- Fanali, S. and Aturki, Z.
Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297
- Fang, J., see Tomlinson, A.J. 652(1993)417
- Fang, X., see Rosenfeld, J.M. 691(1995)231
- Fanta, J., see Včjrosta, J. 685(1994)113

- Farina, A., see Quaglia, M.G. 666(1994)289
- Farina, C., see Camilleri, P. 654(1993)207
- Farkas, G., see Irgens, L.H. 666(1994)603
- Farkas, G., see Quintero, G. 693(1995)1
- Farkas, G., see Schmeer, K. 691(1995)285
- Farkas, T., Chambers, J.O. and Guiochon, G.
Column efficiency and radial homogeneity in liquid chromatography 679(1994)231
- Farooqui, A.A., Yang, H.-C. and Horrocks, L.A.
Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149
- Farroha, S.M., see Habboush, A.E. 664(1994)71
- Farroha, S.M., see Habboush, A.E. 696(1995)257
- Fazio, S.D., see Yowell, G.G. 652(1993)215
- Feigenbaum, A., see Le Sech, J. 667(1994)340
- Feijlbrief, M., see Damhof, R.A. 676(1994)43
- Fekete, J., Morovján, G., Csizmadia, F. and Darvas, F.
Method development by an expert system. Advantages and limitations 660(1994)33
- Felinger, A. and Guiochon, G.
Rapid simulation of chromatographic band profiles on personal computers 658(1994)511
- Félix, G., see Aubry, A.-F. 685(1994)1
- Fell, A.F., see Dyas, A.M. 660(1994)249
- Fell, A.F., see Evans, M.B. 697(1995)1
- Féltl, L., see Koutek, B. 679(1994)307
- Féltl, L., see Mňuk, P. 696(1995)101
- Ferary, S., see Auger, J. 683(1994)87
- Ferguson, M.A.J., see Alpert, A.J. 676(1994)191
- Fernández, A., see Moliner, R. 655(1993)155
- Fernandez, M.L., see Sanz-Medel, A. 683(1994)233
- Fernández, P., see Ferreira, V. 655(1993)257
- Fernández, P., see Ferreira, V. 695(1995)41
- Fernandez, P., Vilanova, R., Berdie, L. and Grimalt, J.O.
Selectivity effects in semi-polar columns. II 688(1994)363
- Fernandez-Alba, A.R., see Agüera, A. 655(1993)293
- Fernandez-Alba, A.R., Valverde, A., Agüera, A. and Contreras, M.
Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263
- Fernández Correa, M.R., see García Sánchez, F. 655(1993)31
- Fernández Otero, G.C., Lucangioli, S.E. and Carducci, C.N.
Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87
- Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J.A. and López de Blas, E.
Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11
- Fernández Solís, J.M., see González Rodríguez, V. 673(1994)291
- Fernández-Torres, A., see Fernández-Sánchez, E. 655(1993)11
- Fernández-Torres, A., see Lebrón-Aguilar, R. 697(1995)441
- Ferreira, F., Moyna, P., Soule, S. and Vázquez, A.
Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380
- Ferreira, V., Escudero, A., Salafranca, J., Fernández, P. and Cacho, J.
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257
- Ferreira, V., Fernández, P., Meléndez, J. and Cacho, J.
Analytical characteristics of sample evaporation with the micro-Kuderna-Danish concentrator 695(1995)41
- Ferreres, F., Blázquez, M.A., Gil, M.I. and Tomás-Barberán, F.A.
Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268
- Ferri, D., see Buldini, P.L. 654(1993)129
- Ferrier, D., see Chaminade, P. 672(1994)67
- Ferrier, D., see Laugel, C. 686(1994)344
- Fick, M., see Gaillard, I. 679(1994)261
- Figcys, D., Arriaga, E., Renborg, A. and Dovichi, N.J.
Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205
- Figcys, D., see Lu, H. 680(1994)503
- Figueiredo, V., see Klockow, A. 680(1994)187
- Figueroelo, J.E., see García, R. 655(1993)3
- Figueroelo, J.E., see García, R. 655(1993)191
- Figueroelo, J.E., see García, R. 662(1994)61
- Filippatos, E., see Tsantili-Kakoulidou, A. 654(1993)43
- Fintschenko, Y., see Harman, A.D. 652(1993)525
- Fiorani, M., see Piccoli, G. 676(1994)239
- Fiorini, M.
Preparative high-performance liquid chromatography for the purification of natural anthocyanins 692(1995)213
- Firmin, J.L., see Price, N.P.J. 653(1993)161
- Firouzale', E., Maikner, J.J., Deissler, K.C. and Cartier, P.G.
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361
- Fischer, C.-H., Giersig, M. and Siebrands, T.
Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89
- Fischer, Ch.-H. and Giersig, M.
Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97
- Fischer, G., see Küllertz, G. 684(1994)329
- Fischer, J. and Jandera, P.
Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino-bonded stationary phases 684(1994)77
- Fisher, G.B., see Nicholson, L.W. 687(1994)241

- Fishman, H.A., Scheller, R.H. and Zare, R.N.
Microcolumn sample injection by spontaneous fluid displacement 680(1994)99
- Fishman, M.L., see Brewster, J.D. 693(1995)382
- Fishpaugh, J.R., see Adamczyk, M. 657(1993)345
- Fisichella, S., Foti, S., Maccarrone, G. and Saletti, R.
Tryptic peptide mapping of sequence 299-585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33
- Fitchett, J., see Srivatsa, G.S. 630(1994)469
- Fladung, N.C.
Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography-UV detection 692(1995)21
- Flaminio, L., Ripamonti, M. and Ascalone, V.
Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403
- Flanagan, J.A., see Huddleston, J.G. 668(1994)3
- Flanagan, R.J., see Croes, K. 693(1995)289
- Flannery, G.M., see Hill, J.C. 664(1994)63
- Fleet, G.H., see Zhao, J. 673(1994)167
- Flegel, T.W., see Nishida, F. 664(1994)195
- Fleischer, J., see Lausch, R. 654(1993)190
- Flieger, M., see Sinibaldi, M. 666(1994)471
- Floersheim, Ph., see Küsters, E. 666(1994)421
- Flores, H.E., see Reddy, G.R. 657(1993)440
- Fluck, M., see Schurig, V. 694(1995)119
- Flurer, C.L. and Wolnik, K.A.
Quantitation of gentamicin sulfate in injectable solutions by capillary electrophoresis 663(1994)259
- Flurer, C.L. and Wolnik, K.A.
Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153
- Fodor-Csorba, K.
Manual of Pesticide Residue Analysis (edited by M.-P. Thier and J. Kirchhoff) (Book review) 677(1994)206
- Folestad, S., see Orwar, O. 696(1995)139
- Foley, J.P., see Ahuja, E.S. 680(1994)73
- Foley, J.P., see Nielsen, K.R. 686(1994)283
- Fonseca, L.P., Caldeira, J.C.G. and Cabral, J.M.S.
Improvement in the polyethylene glycol-Cibacron Blue purification method 668(1994)61
- Font, G., see Picó, Y. 693(1994)339
- Font, G., see Redondo, M.J. 678(1994)375
- Font, G., see Viana, E. 655(1993)285
- Font, G., see Viana, E. 678(1994)109
- Fontaine, J.-L., see Moussa, F. 664(1994)189
- Fontana, E., Pianezzola, E., Basileo, G. and Strolin Benedetti, M.
High-performance liquid chromatographic determination of FCE 24928, a new aromatase inhibitor, in human plasma 660(1994)293
- Fontirrochi, G., see Agraz, A. 672(1994)25
- Forciniti, D.
Protein refolding using aqueous two-phase systems 668(1994)95
- Foret, F., see Pariat, Y.F. 652(1993)57
- Foret, F., see Schmalzing, D. 652(1993)149
- Forgács, E., see Cserhádi, T. 660(1994)313
- Forgács, E. and Cserhádi, T.
Retention behaviour of tributylphenol ethylene oxide oligomers on an alumina high-performance liquid chromatographic column 661(1994)239
- Forgács, E., see Cserhádi, T. 665(1994)17
- Forgács, E. and Cserhádi, T.
Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395
- Forgács, E., see Cserhádi, T. 668(1994)495
- Forgács, E., see Cserhádi, T. 685(1994)295
- Forgács, E. and Cserhádi, T.
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
- Forgács, E. and Cserhádi, T.
Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59
- Forgács, E., see Cserhádi, T. 699(1995)285
- Forgács, E., see Darwish, Y. 668(1994)485
- Forssmann, W.-G., see Schepky, A.G. 691(1995)255
- Foster III, W., see Capparella, M. 691(1995)141
- Foti, S., see Fisichella, S. 693(1995)33
- Foulkes, M., see Jones, P. 673(1994)173
- Fowler, B., see Caruso, U. 661(1994)101
- Francotte, E.
Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
- Francotte, E., see Anton, K. 666(1994)395
- Frank, C., Karl, V., Kaunzinger, A. and Schumacher, K.
High Performance Liquid Chromatography in Food Control and Research (edited by R. Matissek and R. Wittkowski) (Book Review) 653(1993)385
- Frank, H., see Abe, I. 694(1995)237
- Frank, H., see Funk, M. 659(1994)57
- Frank, J., see Janák, J. 677(1994)192
- Frank, J., see Valkó, I.E. 678(1994)139
- Franke, J.P., see De Zeeuw, R.A. 664(1994)263
- Franke, J.P., see De Zeeuw, R.A. 674(1994)3
- Franke, J.-P., see Zweipfenning, P.G.M. 674(1994)87
- Fraser, B.A., see Hill, J.C. 664(1994)63
- Fréchet, J.M.J., see Hosoya, K. 666(1994)449
- Fréchet, J.M.J., see Hosoya, K. 690(1995)21
- Fréchet, J.M.J., Lochman, L., Šmigol, V. and Švec, F.
Reversed-phase high-performance liquid chromatography of functionalized dendritic macromolecules 667(1994)284
- Fréchet, J.M.J., see Wang, Q.C. 669(1994)230
- Frederiksen, L., see Anton, K. 666(1994)395
- Freeman, D.C. and Byrd, D.W.
Statistical treatment of large digital chromatographic data sets 686(1994)225
- Freeman, D.C., see Byrd, D.W. 686(1994)235
- Frei, R.W., see Vreeken, R.J. 654(1993)65

- Freitag, R. and Breier, J.
Displacement chromatography in biotechnological downstream processing 691(1995)101
- Freitag, R., Frey, D. and Horváth, C.
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165
- Freitag, R., see Lausch, R. 654(1993)190
- Freitag, R., see Reif, O.-W. 654(1993)29
- Freitag, R., see Reif, O.-W. 664(1994)13
- Freitag, R., see Reif, O.-W. 680(1994)383
- Freitag, R., see Sziele, D. 669(1994)254
- Freixas, J., see Martorell, C. 655(1993)177
- Frey, D., see Freitag, R. 686(1994)165
- Friebe, S., Hartrodt, B., Neubert, K. and Krauss, G.-J.
High-performance liquid chromatographic separation of *cis-trans* isomers of proline-containing peptides.
II. Fractionation in different cyclodextrin systems 661(1994)7
- Friebe, S., see Wutte, A. 677(1994)186
- Friedl, W., see Gassner, B. 680(1994)25
- Friedl, Z., see Šlais, K. 661(1994)249
- Friedl, Z., see Šlais, K. 695(1995)113
- Friesen-Fischer, M.R., see Sarna, L.P. 677(1994)201
- Frigerio, E., Pianezzola, E. and Strolin Benedetti, M.
Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351
- Fritsch, H., Molnar, I. and Wurl, M.
Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65
- Fritz, J.S., see Benz, N.J. 671(1994)437
- Fritz, J.S., see Dumont, P.J. 691(1995)123
- Fritz, J.S., Dumont, P.J. and Schmidt, L.W.
Methods and materials for solid-phase extraction 691(1995)133
- Fritz, J.S., see Shi, Y. 671(1994)429
- Fritz, J.S., see Tanaka, K. 671(1994)239
- Fromowitz, M., see Yin, D. 678(1994)176
- Frøkiær, H., see Arentoft, A.M. 652(1993)189
- Frøkiær, H., Møller, P., Sørensen, H. and Sørensen, S.
High-performance capillary electrophoresis for characterization of hapten-protein conjugates used for production of antibodies against soyasaponin I 680(1994)437
- Frölich, J.C., see Tsikas, D. 699(1995)363
- Fronek, R., Mardi, A., Sheikh, J., Howe, K., Murphy, J., Honda, D., Miller, L. and Bush, H.
Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483
- Fronek, R., see Miller, L. 658(1994)429
- Fruekilde, P., see Bøwadt, S. 675(1994)189
- Fu, R., see Gu, J. 667(1994)367
- Fu, R., Huang, C., Huang, Z. and Xu, W.
Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173
- Fu, R., see Liu, Y. 694(1995)498
- Fu, R., see Zhou, W. 659(1994)477
- Fuchs, G. and Perrut, M.
Enantiomer fractionation by preparative gas chromatography 658(1994)437
- Fuchslueger, U., see Rissler, K. 654(1993)309
- Fujieda, Y., see Kawata, K. 653(1993)369
- Fujii, K., see Michigami, Y. 664(1994)117
- Fujima, H., see Haginaka, J. 660(1994)275
- Fujima, H., see Nakamura, K. 694(1995)111
- Fujimoto, C., Matsui, H., Sawada, H. and Jinno, K.
The use of a microconcentric column in capillary electrophoresis 680(1994)33
- Fujimoto, K., see Miyazawa, T. 667(1994)99
- Fujimoto, N., see Abe, I. 676(1994)469
- Fujimoto, Y., see Okamura, N. 679(1994)381
- Fujinari, E.M. and Manes, J.D.
Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113
- Fujita, S., see Shirao, M. 680(1994)247
- Fukaya, H., see Yashima, E. 677(1994)11
- Fukuda, E.K., see Kambhampati, I. 688(1994)67
- Fukui, M., see Kasuya, F. 654(1993)221
- Fukui, M., see Kasuya, F. 684(1994)93
- Fukamoto, T., Ihara, H., Sakaki, S., Shosenji, H. and Hirayama, C.
Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237
- Fukushi, K. and Hiroy, K.
Behaviour of periodate ion in isotachopheresis using cyclodextrins 684(1994)343
- Fukutome, T., see Tanaka, N. 699(1995)331
- Funk, M., Frank, H., Oesch, F. and Platt, K.L.
Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57
- Fuping, H., see Jackson, P.E. 671(1994)181
- Furusaki, S., see Tsuneda, S. 689(1995)211
- Furusawa, N. and Mukai, T.
Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N¹-acetyl metabolites in foods of animal origin 677(1994)81
- Furuta, R. and Doi, T.
Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431
- Furuta, R., see Shirao, M. 680(1994)247
- Furuya, K., see Inoue, H. 679(1994)99
- Fuska, J., see Proksa, B. 665(1994)185

G

- Gabél, D., see Harfst, S. 678(1994)41
- Gaberc-Porekar, V., see Luksa, J. 661(1994)161
- Gage, D.A., see Wang, J. 663(1994)71
- Gaillard, I., Martial, A., Marc, A., Engasser, J.-M. and Fick, M.
Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261
- Galaev, I.Yu., Garg, N. and Mattiasson, B.
Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofruktokinase from baker's yeast 684(1994)45
- Galaev, I.Yu. and Mattiasson, B.
Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27
- Galaev, I.Yu., Warrol, C. and Mattiasson, B.
Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37
- Galaverna, G., Corradini, R., De Munari, E., Dossena, A. and Marchelli, R.
Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43
- Galaverna, G., see Dossena, A. 653(1993)229
- Galceran, M.T., see Caixach, J. 675(1994)205
- Galceran, M.T., see Carneiro, M.C. 669(1994)217
- Galceran, M.T. and Diez, M.
Column-switching techniques in the analysis of phosphate by ion chromatography 675(1994)141
- Galceran, M.T., Diez, M. and Paniagua, L.
Determination of phosphate in samples with high levels of sulphate by ion chromatography 657(1993)77
- Galceran, M.T. and Moyano, E.
High-performance liquid chromatography-mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9
- Galceran, M.T., País, P. and Puignou, L.
High-performance liquid chromatographic determination of ten heterocyclic aromatic amines with electrochemical detection 655(1993)101
- Galceran, M.T., Santos, F.J., Barceló, D. and Sanchez, J.
Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275
- Gale, D.C., see Wahl, J.H. 659(1994)217
- Galletti, G.C., Bonetti, A. and Dinelli, G.
High-performance liquid chromatographic determination of sulfonylureas in soil and water 692(1995)27
- Galli, A., see Bicchi, C. 666(1994)137
- Galli, B., Gasparrini, F., Misiti, D., Villani, C., Corradini, R., Dossena, A. and Marchelli, R.
Enantiomeric separation of dansyl- and dansylamino acids by ligand-exchange chromatography with (S)- and (R)-phenylalaninamide-modified silica gel 666(1994)77
- Galli, M., see Bicchi, C. 666(1994)137
- Galushko, S.V., Kamenchuk, A.A. and Pit, G.L.
Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47
- Galushko, S.V., Shishkina, I.P. and Soloshonok, V.A.
Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51
- Gálvez, M.C., see Bartolomé, B. 655(1993)119
- Games, D.E., see Young, J.C. 653(1993)374
- Games, D.E., see Young, J.C. 663(1994)211
- Gamoh, K., see Motegi, C. 658(1994)27
- Gamoh, K. and Takatsuto, S.
Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17
- Gan, J., Yates, S.R., Spencer, W.F. and Yates, M.V.
Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121
- Ganajová, M., see Oriňák, A. 660(1994)67
- Gandul-Rojas, B., see Mínguez-Mosquera, M.I. 690(1995)161
- Gangwal, S.S., see Jindal, K.C. 685(1994)195
- Ganzler, K., see Szemán, J. 668(1994)509
- Gao, J., Bian, H., Hou, J. and Kang, J.
Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95
- Garbaye, J., see Devèvre, O. 679(1994)349
- García, C.M., see Lores, M. 683(1994)31
- García, L.L. and Shihabi, Z.K.
Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465
- García, L.L., see Shihabi, Z.K. 680(1994)181
- García, M.A., see Carreras, D. 683(1994)195
- García, M.A., Jiménez, O. and Marina, M.L.
Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)11
- García, M.A. and Marina, M.L.
Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_{18} column 687(1994)233
- García, R., see Porcar, I. 673(1994)65

- García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3
- García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191
- García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61
- García-Alvarez-Coque, M.C., see Torres-Lapasio, J.R. 677(1994)239
- García-Carmona, F., see Sánchez-Ferrer, A. 668(1994)75
- García-Domínguez, J.A., see Fernández-Sánchez, E. 655(1993)11
- García-Domínguez, J.A., see Lebrón-Aguilar, R. 697(1995)441
- García-Domínguez, J.A., see Voelkel, A. 654(1993)135
- García-March, F.J., see Antón-Fos, G.M. 672(1994)203
- García-Mollá, J., see del Río, J.C. 657(1993)119
- García Montelongo, F., see Rodríguez Delgado, M.A. 697(1995)71
- García Pareja, A., see García Sánchez, F. 676(1994)347
- García-Pérez, A.L., see Pinilla, M. 668(1994)165
- García Regueiro, J.A., Gibert, J. and Díaz, I.
Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225
- García Regueiro, J.A., Pérez, B. and Casademont, G.
Determination of clenbuterol and salbutamol in urine by capillary gas chromatography with capillary columns of 100 μm 655(1993)73
- García Romero, E., Sánchez Muñoz, G., Martín Alvarez, P.J. and Cabezudo Ibáñez, M.D.
Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111
- García Sánchez, F., see Navas Díaz, A. 655(1993)39
- García Sánchez, F., Navas Díaz, A. and Fernández Correa, M.R.
Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31
- García Sánchez, F., Navas Díaz, A. and García Pareja, A.
Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347
- García-Valcárcel, A.L., see Sánchez-Brunete, C. 675(1994)213
- Gard, J.K., see Stover, F.S. 688(1994)89
- Gardana, C., see Pace, M. 691(1995)331
- Gardana, C., see Pietta, P.G. 680(1994)175
- Garg, N., see Galaev, I.Yu. 684(1994)45
- Garner, M., see Klepárník, K. 698(1995)375
- Garrido, J.L., see Medina, I. 659(1994)472
- Garrido, J.L. and Medina, I.
One-step conversion of fatty acids into their 2-alkenyl-4,4-dimethylloxazoline derivatives directly from total lipids 673(1994)101
- Garrigues, P., see Pyell, U. 660(1994)223
- Garrison, A.W., Schmitt, P. and Kettrup, A.
Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317
- Garver, S., see Ruhn, P.F. 669(1994)9
- Gaš, B., see Hirokawa, T. 663(1994)245
- Gaspar, P., see Van Vyncht, G. 683(1994)67
- Gasparič, J. and Sedmíková, A.
Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197
- Gasparrini, F., see Galli, B. 666(1994)77
- Gasparrini, F., Misiti, D. and Villani, C.
Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163
- Gasper, M.P., see Armstrong, D.W. 689(1995)285
- Gassen, M., see Bringmann, G. 670(1994)153
- Gassner, B., Friedl, W. and Kennedler, E.
Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25
- Gbewonyo, K., see DePhillips, P. 663(1994)43
- Gebhardt, J.A., see Aue, W.A. 688(1994)153
- Gebhardt, J.A., see Aue, W.A. 699(1995)195
- Gebler, J.C., see Adamezyk, M. 657(1993)345
- Geiser, F.O., see Ricker, R.D. 691(1995)67
- Geiser, F.O., see Woodward, C. 699(1995)111
- Geissler, H., see Wachholz, S. 693(1995)89
- Gelbe, B., see Pfeffer, M. 662(1994)407
- Gelencsér, A., Kiss, G., Krivácsy, Z., Varga-Puchony, Z. and Hlavay, J.
A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217
- Gelencsér, A., Kiss, G., Krivácsy, Z., Varga-Puchony, Z. and Hlavay, J.
The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227
- Gelencsér, A., Szépvölgyi, J. and Hlavay, J.
Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269
- Gelfi, C., see Bossi, A. 686(1994)121
- Gelfi, C., Orsi, A., Leoncini, F. and Righetti, P.G.
Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97
- Gelfi, C., see Simò-Alfonso, E. 689(1995)85
- Gelpí, E.
Mass Spectrometry for the Characterization of Microorganisms (edited by ACS) (Book Review) 679(1994)404
- Gelpí, E. and Grimalt, J.O.
Foreword 655(1993)1

- Gelpi, E., see Hotter, G. 655(1993)85
- Gemeiner, P., see Petro, M. 665(1994)37
- Generali, T., see Di Muccio, A. 697(1995)145
- Gennaro, M.C., Abrigo, C. and Cipolla, G.
High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281
- Gerbino, T.C. and Castello, G.
Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161
- Gere, D.R., see Lee, H.-B. 653(1993)83
- Gerochi, D.D., see Dou, L. 679(1994)367
- Geromanos, S., see Elicone, C. 676(1994)121
- Gerstner, J.A., Morris, J., Hunt, T., Hamilton, R. and Afeyan, N.B.
Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195
- Geschwill, K., see Niedwetzki, G. 661(1994)175
- Geypens, B., see Ghoois, Y. 665(1994)333
- Ghaoui, L. and Green, L.S.
Dual vapor and liquid injector for gas chromatography 696(1995)235
- Gharabeh, A., see Murugaverl, B. 657(1993)223
- Ghibaudi, E., see Gianazza, E. 698(1995)351
- Ghielmi, S., see Tagliaro, F. 674(1994)207
- Ghijsen, R.T., see Vreeken, R.J. 654(1993)65
- Ghoois, Y., Claus, D., Geypens, B., Hiele, M., Maes, B. and Rutgeerts, P.
Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection 665(1994)333
- Ghrist, B.F., see Chang, J.P. 675(1994)113
- Gianazza, E., Coari, P., Lovati, M.R., Manzoni, C., Ghibaudi, E. and Salmona, M.
Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351
- Giardina, B., see Castagnola, M. 694(1995)463
- Gibbons, W.A., see Korakas, D. 659(1994)307
- Gibert, J., see Garcia Regueiro, J.A. 667(1994)225
- Giersig, M., see Fischer, C.-H. 670(1994)89
- Giersig, M., see Fischer, Ch.-H. 688(1994)97
- Giese, R.W.
Advances in mass spectrometry (Proceedings of the 12th International Mass Spectrometry Conference, Amsterdam, August 26-30, 1992) (edited by P.J. Kistemaker and N.M.M. Nibbering) (Book Review) 653(1993)387
- Giese, R.W.
Time-of-Flight Mass Spectrometry and its Applications (edited by E.W. Schlag) (Book Review) 687(1994)356
- Giese, R.W.
Advances in Electrophoresis (edited by A. Chrambach, M.J. Dunn and B.J. Rodola) (Book Review) 699(1995)413
- Giese, R.W.
Capillary electrophoresis technology (by N.A. Guzman) (Book Review) 662(1994)437
- Giese, R.W., see Crowley, X.W. 699(1995)395
- Gifford, L.A., see Liu, B. 690(1995)250
- Gil-Av, E. and Schurig, V.
Resolution of non-racemic mixtures in achiral chromatographic systems: a model for the enantioselective effects observed 666(1994)519
- Gil, M.I., see Ferreres, F. 669(1994)268
- Gilbert, R., see Leblanc, Y. 657(1993)111
- Gildersleeve, D.L., Jung, Y.-W. and Wieland, D.M.
Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183
- Gill, D.S., see Roush, D.J. 653(1993)207
- Gill, D.S., Roush, D.J. and Willson, R.C.
Presence of a preferred anion-exchange binding site on cytochrome *b₅*: structural and thermodynamic considerations 684(1994)55
- Gilljam, G., Sridewa, K. and Hammar, L.
Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89
- Gilmer, P.J., see Xia, J. 676(1994)203
- Gilpin, R.K.
Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217
- Gilpin, R.K., see Buszewski, B. 668(1994)293
- Gilpin, R.K., see Buszewski, B. 673(1994)11
- Gilpin, R.K., see Czajkowska, T. 691(1995)217
- Gilpin, R.K., see Kasturi, P. 659(1994)261
- Gimeno, M.A.F., see Hotter, G. 655(1993)85
- Giometti, C.S., see Bárány, K. 698(1995)301
- Giometti, C.S., Tollaksen, S.L., Mukund, S., Zhou, Z.H., Ma, K., Mai, X. and Adams, M.W.W.
Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341
- Girard, J.E., see Srinivasan, K. 652(1993)83
- Girardet, J.-P., see Moussa, F. 664(1994)189
- Girolimetti, S., see Di Muccio, A. 697(1995)145
- Giumanini, A.G., see Soják, L. 665(1994)169
- Giumanini, A.G., see Soják, L. 695(1995)57
- Gladyshev, M.I., see Sushchik, N.N. 695(1995)223
- Glajch, J.L., see Valkó, K. 656(1993)501
- Glämsta, E.-L., see Sanderson, K. 676(1994)155
- Glatz, C.E., see Heng, M.H. 689(1995)227
- Glavina, L.L., see Chen, J.-G. 656(1993)549
- Gleason, R.M., see Johnson, P.R. 667(1994)1
- Gleispach, H., Leis, H.-J. and Windischhofer, W.
Applications of gas chromatography-mass spectrometry in clinical chemistry 665(1994)155
- Glerum, C., see Kim, Y.T. 690(1995)226
- Glod, B.K., Alexander, P.W., Haddad, P.R. and Chen, Z.L.
Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31
- Glod, B.K., see Haddad, P.R. 671(1994)3

- Glód, B.K. and Stafiej, J.
Model for the mixed ion-exclusion-adsorption retention mechanism in ion-exclusion chromatography 654(1993)197
- Gluck, S.J., see Cleveland, J.A. 679(1994)167
- Gluck, S.J. and Cleveland, J.A.
Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43
- Gluck, S.J. and Cleveland, J.A.
Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49
- Gluck, S.J., see Cleveland, Jr., J.A. 652(1993)301
- Glusa, E., see Rothmund, S. 661(1994)77
- Gocan, S., Irimie, F. and Cîmpan, G.
Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanolamine using reversed-phase thin-layer chromatography 675(1994)282
- Godber, J.S., see Shin, T.-S. 678(1994)49
- Godel, H., see Brückner, H. 666(1994)259
- Godel, H., see Brückner, H. 697(1995)229
- Goetghebeur, M., see Kermasha, S. 685(1994)229
- Goffe, R.A., see Shi, J.Y. 686(1994)61
- Goldberger, B.A. and Cone, E.J.
Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)73
- Golebiowski, C., see Kumar, N. 678(1994)259
- Gołkiewicz, W., Kuczyński, J., Markowski, W. and Jusiak, L.
High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous-organic solvent mixtures 686(1994)85
- Golshan-Shirazi, S. and Guiochon, G.
Modeling of preparative liquid chromatography (Review) 658(1994)149
- Golshan-Shirazi, S., see Guiochon, G. 658(1994)173
- Golshan-Shirazi, S. and Guiochon, G.
Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1
- Golshan-Shirazi, S., see Levin, S. 679(1994)213
- Gomes, C.A.R., see Vasconcelos, M.T. 696(1995)227
- Gomes, C.A.R., see Vasconcelos, M.T.S.D. 685(1994)53
- Gómez-Cordovés, C., see Bartolomé, B. 655(1993)119
- Gómez-Cordovés, C., see Bartolomé, B. 664(1994)39
- Gomez-Perez, M.C., see Delgado-Zamarreño, M.M. 694(1995)399
- González, E., see Hotter, G. 655(1993)85
- González, L.M. and González-Lara, R.
Solid-phase extraction of soluble proteins in grape musts 655(1993)336
- González, M.J., see Ramos, L. 690(1995)243
- González, T., see Oliveros, L. 672(1994)59
- González, V., see Rodríguez Delgado, M.A. 697(1995)71
- González-Lara, R., see González, L.M. 655(1993)336
- González Rodríguez, V., Castro Romero, J.M., Fernández Solís, J.M., Pérez Iglesias, J. and Seco Lago, H.M.
Simultaneous determination of cobalt and nickel by reversed-phase high-performance liquid chromatography with diethyldithiocarbamic acid 673(1994)291
- González-Vila, F.J., see del Río, J.C. 657(1993)119
- Goodall, D.M.
Preface 700(1995)IX
- Goodall, D.M., see Penn, S.G. 680(1994)147
- Goodall, D.M., see Piperaki, S. 700(1995)59
- Goodman, K.J. and Brenna, J.T.
High-precision gas chromatography-combustion isotope ratio mass spectrometry at low signal levels 689(1995)63
- Goodwin, K.R., see Schmerr, M.J. 652(1993)199
- Goodwin, K.R., see Schmerr, M.J. 680(1994)447
- Gooijer, C., see Mank, A.J.G. 695(1995)165
- Gooijer, C., see Mank, A.J.G. 695(1995)175
- Goralski, C.T., see Nicholson, L.W. 687(1994)241
- Gorbics, L., Urge, L. and Otvos, Jr., L.
Comparative and optimized dabsyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169
- Gordon, D.B., see Lord, G.A. 700(1995)27
- Gorenc, B., see Gros, N. 668(1994)385
- Gorenc, B., see Gros, N. 697(1995)31
- Görgényi, M., Van Langenhove, H. and Király, Z.
Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181
- Gorrichon, L., see Baltas, M. 123(1994)123
- Gorrod, J.W., see Tomlinson, A.J. 652(1993)417
- Gorton, L., see Marko-Varga, G. 660(1994)153
- Gorton, L., see Ortega, F. 675(1994)65
- Gortona, L., see Marko-Varga, G. 665(1994)317
- Gosselet, N.-M., see Agnus, B. 663(1994)27
- Goto, H., see Murata, H. 693(1995)263
- Goto, J., see Iida, T. 689(1995)77
- Goto, M., see Esaka, Y. 652(1993)225
- Goto, M., Imamura, T. and Hirose, T.
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1
- Goto, M., see Shiosaki, A. 679(1994)1
- Göttlicher, B., see Bächmann, K. 688(1994)283
- Gottschlich, N., see Kasche, V. 660(1994)137
- Götze, P., see Akhlaq, M.S. 677(1994)265
- Goupy, P., see Richard-Forget, F. 667(1994)141
- Govers, H.A.J., see Spijksma, W. 672(1994)141
- Gow, J.G., see Kumar, N. 667(1994)235
- Graf, A., see Grimm, R. 679(1994)173
- Graf, R., see Koppenhoefer, B. 666(1994)557
- Graff, J.B., see Casabianca, H. 684(1994)360
- Grahn, A., see Hermansson, J. 660(1994)119
- Grahn, A., see Hermansson, J. 687(1994)45
- Grahn, A., see Hermansson, J. 694(1995)57
- Grainger, J., see Liu, Z. 673(1994)125
- Gramshaw, J.W., see Castle, L. 675(1994)261
- Grandberry, D., see Dass, C. 678(1994)249
- Grandgirard, A., see Sebedio, J.L. 659(1994)101
- Grandmaison, J.L., see Shang, D.Y. 672(1994)185
- Grange, A.H., see Brumley, W.C. 680(1994)635

- Grant, R., see Wigfield, Y.Y. 657(1993)219
- Granvil, C.P., see Wainer, I.W. 694(1995)169
- Gray, D.O., see Price, N.P.J. 653(1993)161
- Gray, H.B., see Lu, T. 686(1994)339
- Green, B.R., see Damm, I. 664(1994)33
- Green, L.S., see Ghaoui, L. 696(1995)235
- Greenberg, J.P., see Helmg, D. 677(1994)123
- Greenberg, J.P., Lee, B., Helmg, D. and Zimmerman, P.R.
Fully automated gas chromatograph-flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389
- Greenblatt, H.C., see Hofman, Y.L. 692(1995)233
- Greener, J., see Mourey, T.H. 657(1993)377
- Greenspan, P., Mao, F.-w., Ryu, B.-H. and Gutman, R.L.
Advances in agarose gel electrophoresis of serum lipoproteins 698(1995)333
- Green, M.D., Mount, D.L., Todd, G.D. and Capomacchia, A.C.
Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237
- Grego, J., see Šajbidor, J. 665(1994)191
- Greibrokk, T., see Pedersen-Bjergaard, S. 686(1994)109
- Grether, H.-J., see Rissler, K. 654(1993)309
- Greve, K.F., Nashabeh, W. and Karger, B.L.
Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15
- Grieb, S.J., Matlin, S.A., Belenguier, A.M. and Ritchie, H.J.
Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271
- Griess, G.A., see Serwer, P. 698(1995)251
- Griffin, R.M.E., Speers, S.J., Elliott, L., Todd, N., Sogomo, W. and Kee, T.G.
An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271
- Grimalt, J.O., see Aceves, M. 655(1993)133
- Grimalt, J.O., see Amaral, O.C. 675(1994)177
- Grimalt, J.O., see Fernandez, P. 688(1994)363
- Grimalt, J.O., see Gelpí, E. 655(1993)1
- Grimalt, J.O., see Simo, R. 655(1993)301
- Grimm, R., Graf, A. and Heiger, D.N.
Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173
- Grimme, L.H., see Thies, F. 684(1994)168
- Grimvall, E. and Östman, C.
Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55
- Grimvall, E. and Östman, C.
Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338
- Grinberg, N., see Sun, P. 652(1993)247
- Gripon, J.C., see Roturier, J.M. 696(1995)209
- Grishina, G.A., see Klyushnichenko, V.E. 661(1994)83
- Grize, Y.-L., Schmidli, H. and Born, J.
Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1
- Grob, P.M., see Palladino, D.E.H. 676(1994)99
- Groenewald, A.M., see Swart, K.J. 663(1994)65
- Grogg-Sulser, K., Helmlin, H.-J. and Clerc, J.-T.
Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121
- Grömping, A.H.J., Karst, U. and Cammann, K.
Development of a method for simultaneous determinations of nitrogen oxides, aldehydes and ketones in air samples 653(1993)341
- Grön-Rydberg, M.-B., see Johansson, I.M. 652(1993)487
- Grönberg, L., Shen, Y. and Jönsson, J.A.
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207
- Gros, N. and Gorenc, B.
Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385
- Gros, N. and Gorenc, B.
Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31
- Grosenick, H., see Schurig, V. 666(1994)617
- Grossman, P.D.
Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219
- Groult, R.S., see Desbène, P.L. 689(1995)135
- Grover, E.R., see Mazzeo, J.R. 680(1994)125
- Grushka, E., see Cohen, N. 678(1994)167
- Grushka, E., see Cohen, N. 684(1994)323
- Grushka, E., see Mizrotsky, N. 691(1995)21
- Grzywacz, C.M.
Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177
- Gu, J. and Fu, R.
Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367
- Gu, J., see Liu, Y. 694(1995)498
- Guan, H. and Guiochon, G.
Properties of some C₁₈ stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
- Guan, H. and Guiochon, G.
Properties of some C₁₈ stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
- Guan, H., Stanley, B.J. and Guiochon, G.
Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

- Guan, Y., Treffry, T.E. and Lilley, T.H.
Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31
- Guan, Y., Zhu, D., Zhou, L. and Li, L.
Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243
- Guardino, X., see Rosell, M.G. 655(1993)151
- Guarino, B.C., see Rosnack, K.J. 675(1994)219
- Gübitz, G., Mihellyes, S., Kobinger, G. and Wutte, A.
New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91
- Gübitz, G., see Wutte, A. 677(1994)186
- Guenu, S. and Hennion, M.-C.
On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243
- Guerrier, L., see Horvath, J. 679(1994)11
- Guillén, D.A., Barroso, C.G. and Pérez-Bustamante, J.A.
High-performance liquid chromatographic analysis of polyphenolic compounds predominating in sherry musts 655(1993)227
- Guiochon, G.
Foreword 658(1994)147
- Guiochon, G., see Baumeister, E. 694(1995)321
- Guiochon, G., see Charton, F. 687(1994)13
- Guiochon, G., see Dose, E.V. 652(1993)263
- Guiochon, G., see Farkas, T. 679(1994)231
- Guiochon, G., see Felinger, A. 658(1994)511
- Guiochon, G., see Golshan-Shirazi, S. 658(1994)149
- Guiochon, G. and Golshan-Shirazi, S.
A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173
- Guiochon, G., see Golshan-Shirazi, S. 670(1994)1
- Guiochon, G., see Guan, H. 659(1994)27
- Guiochon, G., see Guan, H. 687(1994)179
- Guiochon, G., see Guan, H. 687(1994)201
- Guiochon, G., see Levin, S. 679(1994)213
- Guiochon, G., see Newburger, J. 684(1994)1
- Guiochon, G., see Sarker, M. 683(1994)293
- Guiochon, G., see Tallarek, U. 696(1995)1
- Guiochon, G., see Yun, T. 672(1994)1
- Guiochon, G., see Zhong, G. 688(1994)1
- Guiochon, G., see Zhong, G.M. 658(1994)355
- Guiochon, G., see Zhu, J. 659(1994)15
- Guirado Paniagua, A., see Navas Diaz, A. 655(1993)39
- Guns, J.J., see Duchateau, A.L.L. 664(1994)169
- Günther, N., see Weber, W. 679(1994)181
- Guo, W., Shang, Z., Yu, Y. and Zhou, L.
Membrane affinity chromatography of alkaline phosphatase 685(1994)344
- Guoqiang, D., Kaul, R. and Mattiasson, B.
Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145
- Guse, A.H., Milton, A.D., Schulze-Koops, H., Müller, B., Roth, E., Simmer, B., Wächter, H., Weiss, E. and Emmrich, F.
Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13
- Guseynova, V.E., see Sushchik, N.N. 695(1995)223
- Gutman, R.L., see Greenspan, P. 698(1995)333
- Gutmann, M., see Treutter, D. 667(1994)290
- Guttman, A., see Benedek, K. 680(1994)375
- Guttman, A. and Cooke, N.
Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157
- Guttman, A. and Cooke, N.
Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155
- Guttman, A., Shieh, P., Lindahl, J. and Cooke, N.
Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227
- Guttman, A., see Shieh, P.C.H. 676(1994)219
- Guttman, A., see van der Schans, M.J. 680(1994)511
- Guzman, N., see Hernandez, L. 652(1993)393
- Guzman, N., see Hernandez, L. 652(1993)399
- Györi, Z., see Prokisch, J. 683(1994)253
- Gyoryová, K., see Oriňák, A. 660(1994)67

H

- Haag, I., see Bächmann, K. 688(1994)283
- Haas, P., see Kuhn, R. 666(1994)367
- Haasmann, S., see Brückner, H. 666(1994)259
- Habboush, A.E., Farroha, S.M. and Khalaf, H.I.
Extraction-gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257
- Habboush, A.E., Farroha, S.M. and Kreishan, A.-L.Y.
Gas-liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71
- Haberland, D., see Thede, R. 660(1994)25
- Haberland, D., see Thede, R. 683(1994)279
- Hachem, F., see Asenjo, J.A. 668(1994)47
- Hachisako, H., see Murakami, R. 678(1994)180
- Hackett, M., Wang, H., Miller, G.C. and Bornhop, D.J.
Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell 695(1995)243
- Hackl, S., see Jungbauer, A. 658(1994)399
- Hacksell, U., see Luthman, K. 666(1994)527
- Haddad, P.R., see Buchberger, W. 687(1994)343
- Haddad, P.R., see Cousins, S.M. 671(1994)397
- Haddad, P.R., Hao, F. and Glod, B.K.
Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

- Haddad, P.R., see Harakuwe, A.H. 685(1994)161
 Haddad, P.R., see Jackson, P.E. 671(1994)181
 Haddad, P.R. and Laksana, S.
 On-line analysis of alkaline samples with a flow-through electro dialysis device coupled to an ion chromatograph 671(1994)131
 Haddad, P.R., see Weir, S.I. 671(1994)197
 Haddad, P.R., see Glod, B.K. 699(1995)31
 Haddix, H., see Woolf, E. 692(1995)45
 Hadjmohammadi, M., see Ye, B. 692(1995)291
 Hage, D.S., Noctor, T.A.G. and Wainer, I.W.
 Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23
 Hage, D.S., see Ruhn, P.F. 669(1994)9
 Hagen, S.R. and Thompson, J.D.
 Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167
 Häglund, I., Blomberg, L.G., Janák, K., Claude, S.G. and Tabacchi, R.
 Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93
 Haginaka, J. and Kanasugi, N.
 Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71
 Haginaka, J., Murashima, T. and Seyama, C.
 Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203
 Haginaka, J., Murashima, T. and Seyama, C.
 Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229
 Haginaka, J., Seyama, C., Murashima, T., Fujima, H. and Wada, H.
 Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275
 Hagman, G. and Roeraade, J.
 On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287
 Haines, R.M., see Simms, P.J. 667(1994)67
 Hajšlová, J., Cuhra, P., Kempný, M., Poustka, J., Holadová, K. and Kocourek, V.
 Determination of polychlorinated biphenyls in biotic matrices using gas chromatography-microwave-induced plasma atomic emission spectrometry 699(1995)231
 Haken, J.K.
 Gas-liquid-solid chromatography (by V.G. Berezkin) (Book Review) 657(1993)227
 Haken, J.K.
 Chromatography of polymers —Characterization by SEC and FFF (edited by T. Provder) (Book Review) 659(1994)228
 Haken, J.K.
 Introduction to Open-Tubular Column Gas Chromatography (by J.V. Hinshaw and L.S. Ettre) (Book Review) 689(1995)313
 Hakkarainen, M., see Karlsson, S. 688(1994)251
 Haldna, U., see Kaljurand, M. 660(1994)147
 Haldna, U., Pentchuk, J., Riguezza, M. and Chrétien, J.R.
 Factor analysis in ion chromatography of carboxylate ions 670(1994)51
 Hall, L.
 Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397
 Hall, S.F., see Zheng, M. 670(1994)77
 Hallock, Y.F., Dai, J., Bokesch, H.R., Dillah, K.B., Manfredi, K.P., Cardellina II, J.H. and Boyd, M.R.
 Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83
 Hamada, J.S.
 Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371
 Hämäläinen, M.D., see Liang, Y.-z. 662(1994)113
 Hamilton, R., see Gerstner, J.A. 695(1995)195
 Hammar, L., see Gilljam, G. 675(1994)89
 Hammond, T., see Morré, D.J. 668(1994)201
 Hamoir, T. and Massart, D.L.
 Retention prediction for β -adrenergic blocking drugs in normal-phase liquid chromatography 673(1994)1
 Hamoir, T.P., see Yang, Q. 673(1994)275
 Hamper, B.C., Dukeshere, D.R. and Moedritzer, K.
 Analytical and preparative separation of the enantiomers of pyrazole phenyl ether herbicides on three chiral stationary phases 666(1994)479
 Han, K.-Y., see Bächmann, K. 688(1994)283
 Hanaoka, Y., see Kumagai, H. 671(1994)15
 Hancock, W.S.
 Basic Protein and Peptide Protocols (edited by J.M. Walker) (Book Review) 694(1995)515
 Hancock, W.S., see Chloupek, R.C. 686(1994)45
 Hancock, W.S., Chloupek, R.C., Kirkland, J.J. and Snyder, L.R.
 Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31
 Hanioka, N., see Toyo'oka, T. 675(1994)79
 Hanocq, M., see Soentjens-Werts, V. 662(1994)255
 Hansen, D.R., see Hills, J.W. 679(1994)319
 Hansen, M., see Bøwadt, S. 675(1994)189
 Hansen, P. and Lindeberg, G.
 Purification of tryptophan containing synthetic peptides by selective binding of the α -amino group to immobilised metal ions 662(1994)235
 Hansen, P. and Lindeberg, G.
 Importance of the α -amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

- Hansen, S.H., see Thomsen, U.G. 697(1995)175
- Hanson, M., Kurganov, A., Unger, K.K. and Davankov, V.A.
Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review)
656(1993)369
- Hansson, G. and Ahnoff, M.
Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505
- Hansson, L. and Isaksson, R.
Chromatographic determination of enantiomeric purity by achiral means 653(1993)9
- Hansson, U.-B., see Wingren, C. 668(1994)65
- Hao, F., see Haddad, P.R. 671(1994)3
- Hara, S.
Foreword 694(1995)1
- Hara, T., Yokogi, J., Okamura, S., Kato, S. and Nakajima, R.
On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis
652(1993)361
- Harada, K.-I., see Asukabe, H. 657(1993)349
- Harada, K.-I., see Murata, H. 693(1995)263
- Harada, K.-I., see Nishida, F. 664(1994)195
- Harada, K.-I., see Oka, H. 674(1994)301
- Haraguchi, K., see Yamashita, T. 657(1993)405
- Harakuwe, A.H., Haddad, P.R. and Buchberger, W.
Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161
- Hardcastle, J.E., He, M., Begum, B. and Vermillion-Salsbury, R.
Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B₄ and prostaglandin B₂ 691(1995)225
- Harden, P.E., see Richardson, D.E. 688(1994)47
- Hardt, I. and König, W.A.
Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611
- Harfst, S., Moller, D., Ketz, H., Rösler, J. and Gabel, D.
Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography
678(1994)41
- Harman, A.D., Kibbey, R.G., Sablik, M.A., Fintschenko, Y., Kurtin, W.E. and Bushey, M.M.
Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525
- Harmatha, J., see Piš, J. 658(1994)77
- Harmon, B.J., see Patterson, D.H. 662(1994)389
- Harmon, B.J., Patterson, D.H. and Regnier, F.E.
Electrophoretically mediated microanalysis of ethanol
657(1993)429
- Harpf, M., see Pohjola, J. 686(1994)350
- Harris, J.M., see Alred, P.A. 659(1994)289
- Harris, J.M., see Rutan, S.C. 656(1993)197
- Harris, S.E., Silks, L.A. III, Dunlap, R.B., Odom, J.D. and Kosh, J.W.
Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry
657(1993)395
- Harrison, I., Leader, R.U., Higgo, J.J.W. and Tjell, J.C.
Determination of organic pollutants in small samples of groundwaters by liquid-liquid extraction and capillary gas chromatography 688(1994)181
- Harrold, M.P., see Riviello, J.M. 652(1993)385
- Harrold, M.P., see Wojtusik, M.J. 671(1994)411
- Hartkopf, J., Pahlke, C., Lüdemann, G. and Erbersdobler, H.F.
Determination of N'-carboxymethyllysine by a reversed-phase high-performance liquid chromatography method 672(1994)242
- Hartman, T.G., see Kambhampati, I. 688(1994)67
- Hartrodt, B., see Friebe, S. 661(1994)7
- Hartstra, J., see De Zeeuw, R.A. 674(1994)3
- Hartwick, R.A., see Landman, A. 669(1994)259
- Hartwick, R.A., see Sun, P. 652(1993)247
- Hartwick, R.A., see Sun, P. 685(1994)303
- Hartwick, R.A., see Sun, P. 695(1995)279
- Harwood, J.J. and Mamantov, G.
Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315
- Hasegawa, H., see Baba, S. 663(1994)35
- Hasegawa, S., see Nogata, Y. 667(1994)59
- Hashizume, S., see Shoji, M. 698(1995)145
- Haskins, N.J., see Eckers, C. 686(1994)213
- Hasnaoui, M'H., see Cochet, S. 663(1994)175
- Hassinen, C., Köhler, K. and Veide, A.
Polyethylene glycol-potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121
- Hatrik, S., see Hrouzek, J. 665(1994)3
- Hatrik, S., Hrouzek, J., Lehotay, J. and Krupčík, J.
Use of a threshold criterion in the computer-assisted optimization of chromatographic separations
665(1994)9
- Hattori, H., Yamada, T. and Suzuki, O.
Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15
- Hattori, M., see Hiraoka, A. 680(1994)243
- Hau, P.T., see Pacáková, V. 700(1995)187
- Haumann, I., see Bächmann, K. 662(1994)434
- Hautem, J.-Y., see Moussa, F. 664(1994)189
- Havelec, P. and Ševčík, J.G.K.
Concept of additivity for a non-polar solute-solvent criterion $\log L^{16}$. Non-aromatic compounds
677(1994)319
- Havenga, W.J. and Rohwer, E.R.
Rapid screening of rolling mill oils using high-temperature capillary gas chromatography
669(1994)139
- Hawthorne, S., see Lopez-Avila, V. 672(1994)167
- Hawthorne, S.B., see Burford, M.D. 657(1993)413
- Hawthorne, S.B., see Burford, M.D. 685(1994)79
- Hawthorne, S.B., see Burford, M.D. 685(1994)95
- Hawthorne, S.B., see Yang, Y. 690(1995)131
- Hawthorne, S.B., see Yang, Y. 699(1995)265
- Hayakawa, J., see Oka, H. 674(1994)301
- Hayakawa, K., see Yamamoto, A. 667(1994)85
- Hayashi, S., see Kubota, K. 658(1994)259

- Hayes, F.J., Baker, T.R., Dobson, R.L.M. and Tsueda, M.S.
Rapid liquid chromatographic-mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73
- Haywood, K., see Andrews, B.A. 668(1994)55
- He, J., see Shibukawa, A. 694(1995)81
- He, M., see Hardcastle, J.E. 691(1995)225
- Hearn, M.T.W., see Mao, Q.-M. 691(1995)273
- Hearn, M.T.W., see Richards, K.L. 676(1994)17
- Hearn, M.T.W., see Richards, K.L. 676(1994)33
- Hearn, M.T.W., see Round, A.J. 661(1994)61
- Hearn, M.T.W., see Xie, J. 691(1995)263
- Hearn, M.T.W., see Yarovsky, I. 660(1994)75
- Heberer, Th., see Butz, S. 677(1994)63
- Heberer, Th., see Stan, H.-J. 653(1993)55
- Hecht, H.-J., see Kirchberger, J. 668(1994)153
- Hedenmo, M. and Eriksson, B.-M.
On-line solid-phase extraction with automated cartridge exchange for liquid chromatographic determination of lipophilic antioxidants in plasma 661(1994)153
- Hedenmo, M. and Eriksson, B.-M.
Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161
- Heegaard, N.H.H.
Determination of antigen-antibody affinity by immuno-capillary electrophoresis 680(1994)405
- Hees, T., see Wenclawiak, B.W. 660(1994)61
- Heftmann, E.
Preface 658(1994)1
- Heftmann, E.
Foreword 674(1994)1
- Heiger, D.N., see Grimm, R. 679(1994)173
- Heiger, D.N., see Parlat, Y.F. 652(1993)57
- Heintzelmann, B., see Kugel, C. 667(1994)29
- Heinze, T.M., see Billedeau, S.M. 688(1994)55
- Heinzen, V.E.F. and Yunes, R.A.
Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183
- Heitkemper, D.T., Jackson, D.S., Kaine, L.A., Mulligan, K.A. and Wolnik, K.A.
Determination of saccharin in shrimp by ion chromatography and capillary gas chromatography-mass spectrometry 671(1994)323
- Heitkemper, D.T., see Kaine, L.A. 671(1994)303
- Heitkemper, D.T., Kaine, L.A., Jackson, D.S. and Wolnik, K.A.
Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101
- Heldin, E., see Blom, Y. 653(1993)138
- Heller, C.
Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19
- Helmig, D., see Greenberg, J.P. 676(1994)389
- Helmig, D. and Greenberg, J.P.
Automated in situ gas chromatographic-mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123
- Helmlin, H.-J., see Grogg-Sulser, K. 692(1995)121
- Hendricks, J.P., see Spencer, J.L. 654(1993)143
- Hendriks, P.J.M., Claessens, H.A., Verhoeven, J.T.H., Noij, T.H.M. and Cramers, C.A.
Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325
- Heng, M.H. and Glatz, C.E.
Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227
- Henion, J., see Hsieh, F.Y.L. 679(1994)206
- Hennion, M.-C., see Genu, S. 665(1994)243
- Hennion, M.-C., see Pichon, V. 665(1994)269
- Henry, M.P., see Mayer, M.L. 695(1995)267
- Hensel, W., see Bächmann, K. 688(1994)283
- Hentz, N.G., see Przyjazny, A. 654(1993)79
- Heo, G.S., see Hyun, M.H. 696(1995)173
- Hepler, R.W. and Yu Ip, C.C.
Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201
- Herber, W.K., see Robinett, R.S.R. 671(1994)315
- Herber, W.K. and Robinett, R.S.R.
Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287
- Herbert, K.E., see Evans, M.D. 700(1995)151
- Herbold, H.A., see Kootstra, P.R. 697(1995)203
- Herdewijn, P., see Thoithi, G. 689(1995)247
- Herdewijn, P., see Van Schepdael, A. 657(1993)208
- Herdewijn, P., see Van Schepdael, A. 687(1994)167
- Hermann, P., see Sýkora, D. 665(1994)59
- Hermans, A.N.J., see Brouwer, E.R. 669(1994)45
- Hermans-Lokkerbol, A.C.J. and Verpoorte, R.
Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45
- Hermans-Lokkerbol, A.C.J. and Verpoorte, R.
Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65
- Hermanson, G.T., Mattson, G.R. and Krohn, R.I.
Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113
- Hermansson, I., see Hermansson, J. 666(1994)181
- Hermansson, J. and Grahn, A.
Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119
- Hermansson, J. and Grahn, A.
Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

- Hermansson, J. and Grahn, A.
Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1 -acid glycoprotein column 694(1995)57
- Hermansson, J. and Hermansson, I.
Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181
- Hernández, F., see Sancho, J.V. 678(1994)59
- Hernández, L., see Del Pilar da Silva, M. 653(1993)267
- Hernandez, L., Joshi, N., Murzi, E., Verdeguer, P., Mifsud, J.C. and Guzman, N.
Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399
- Hernández, L., see Ramos, L. 690(1995)243
- Hernandez, L., Tucci, S., Guzman, N. and Paez, X.
In vivo monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393
- Hernández, T., see Bartolomé, B. 655(1993)119
- Hernández, T., see Bartolomé, B. 664(1994)39
- Hernández-Cassou, S., see Saurina, J. 676(1994)311
- Hernandez-Mendez, J., see Delgado-Zamarreño, M.M. 694(1995)399
- Héron, S., see Tchaplá, A. 656(1993)81
- Héron, S., see Tchaplá, A. 684(1994)175
- Herraiz, M., see Blanch, G.P. 655(1993)141
- Herraiz, M., see Ibáñez, E. 667(1994)249
- Herrera, J.C., see Rosas Romero, A.J. 667(1994)361
- Herslöf, B., see Nikolova-Damyanova, B. 693(1995)235
- Herslöf, B.G., see Nikolova-Damyanova, B. 653(1993)15
- Herslöf, B.G., see Nikolova-Damyanova, B. 694(1995)375
- Hervé du Penhoat, C.L.M., see Viriot, C. 662(1994)77
- Hesselink, W., see Kootstra, P.R. 697(1995)123
- Hesselink, W., Schiffer, R.H.N.A. and Kootstra, P.R.
Separation of polycyclic aromatic hydrocarbons on a wide-pore polymeric C_{18} bonded phase 697(1995)165
- Hewitt, C.N., see Cao, X.-L. 679(1994)115
- Hewitt, C.N., see Cao, X.-L. 688(1994)368
- Hewitt, C.N., see Cao, X.-L. 690(1995)187
- Heyer, R., see Zapf, A. 694(1995)453
- Heymann, D., Chibante, L.P.F. and Smalley, R.E.
Determination of C_{60} and C_{70} fullerenes in geologic materials by high-performance liquid chromatography 689(1995)157
- Hickie, D., see Kim, Y.T. 690(1995)226
- Hickman, A.D., see Bedford, C.T. 695(1995)123
- Hicks, K.B., see Simms, P.J. 667(1994)67
- Hide, K., see Sumita, C. 661(1994)297
- Hiele, M., see Ghoos, Y. 665(1994)333
- Hiemstra, M. and De Kok, A.
Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155
- Hiermann, A. and Bucar, F.
Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276
- Higashi, K., see Takeda, S. 653(1993)109
- Higashimori, M., see Otsuka, K. 680(1994)317
- Higgo, J.J.W., see Harrison, I. 688(1994)181
- Highet, R.J., see Weisz, A. 658(1994)505
- Hiirio, K., see Fukushi, K. 684(1994)343
- Hilal, S.H., Carreira, L.A., Karickhoff, S.W. and Melton, C.M.
Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269
- Hill, H.H., see Hills, J.W. 679(1994)319
- Hill, J.C., Flannery, G.M. and Fraser, B.A.
HPLC purification and separation of 5,5'-substituted-2,4-imidazolidinedithiones 664(1994)63
- Hill, J.P., see Paterson, G.R. 700(1995)105
- Hill, K.D., see Ye, M.Y. 662(1994)323
- Hillmann, R. and Bächmann, K.
Extraction of pesticides using supercritical trifluoromethane and carbon dioxide 695(1995)149
- Hills, J.W., Hill, H.H., Hansen, D.R. and Metcalf, S.G.
Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319
- Hilser, Jr., V.J., see Rudnick, S.E. 672(1994)219
- Hiltunen, R., see Vuorela, P. 670(1994)191
- Himberg, K., see Sippola, E. 683(1994)45
- Hines, H.B. and Brueggemann, E.E.
Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein 670(1994)199
- Hinsdale, M., see Shihabi, Z.K. 680(1994)181
- Hiraoka, A., Akai, J., Tominaga, I., Hattori, M., Sasaki, H. and Arato, T.
Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243
- Hirayama, C., see Fukumoto, T. 672(1994)237
- Hirayama, C., Sakata, M., Yugawa, Y. and Ihara, H.
Cross-linked N,N-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267
- Hirokawa, T.
Bidirectional isotachopheresis. II. Fifteen electrolyte systems covering the pH range 3.5-10 686(1994)158
- Hirokawa, T., see Ito, K. 670(1994)99
- Hirokawa, T. and Kiso, Y.
Preparative procedures in isotachopheresis (Review) 658(1994)343
- Hirokawa, T., Xia, W. and Kiso, Y.
Isotachopheretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149
- Hirokawa, T., Xia, W., Nakamura, K.-i., Tanaka, I., Nishiyama, F., Kiso, Y., Gaš, B. and Vacik, J.
Study of isotachopheretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

- Hirose, T., see Goto, M. 690(1995)1
 Hirose, T., see Shiosaki, A. 679(1994)1
 Hirota, T., Minato, K., Ishii, K., Nishimura, N. and Sato, T.
 High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37
 Hisamitsu, T., see Otsuka, K. 652(1993)253
 Hitchen, S.M., see Barnabas, I.J. 665(1994)307
 Hjerpe, A., see Karamanos, N.K. 696(1995)295
 Hjertén, S., see Liao, J.-L. 676(1994)421
 Hjertén, S., Liao, J.-L. and Zhang, R.
 New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409
 Hlavay, J., see Gelencsér, A. 654(1993)269
 Hlavay, J., see Gelencsér, A. 693(1995)217
 Hlavay, J., see Gelencsér, A. 693(1995)227
 Ho, Y.-S. and Uden, P.C.
 Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107
 Hoang, D., see Shich, P.C.H. 676(1994)219
 Hobo, T., see Ihara, T. 694(1995)49
 Hobo, T., see Sato, K. 666(1994)463
 Hodges, R.S., see Sereda, T.J. 676(1994)139
 Hodges, R.S., see Sereda, T.J. 695(1995)205
 Hodges, R.S., Zhu, B.-Y., Zhou, N.E. and Mant, C.T.
 Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3
 Hodgeson, J., Collins, J. and Bashe, W.
 Determination of acid herbicides in aqueous samples by liquid-solid disk extraction and capillary gas chromatography 659(1994)395
 Hoffmann, A., see Wahl, H.G. 697(1995)453
 Höfle, M.G., see Katsivela, E. 700(1995)125
 Hofman, Y.L., Petrillo, K.L., Greenblatt, H.C., Lehrer, R. and Payne, M.S.
 Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233
 Hogancamp, R.E., see Johnson, P.R. 667(1994)1
 Hogendoorn, E.A., see Poletini, A. 695(1995)19
 Hogendoorn, E.A., see Sancho, J.V. 678(1994)59
 Holadová, K., see Hajšlová, J. 699(1995)231
 Holanová, J., see Tichý, M. 667(1994)11
 Holeman, J.A. and Danielson, N.D.
 Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277
 Holloway, R.R., see Keely, C.A. 652(1993)283
 Höltje, J.-V., see Chen, Y. 680(1994)63
 Höltje, J.-V., see Chen, Y. 685(1994)121
 Höltje, J.-V., see Chen, Y. 700(1995)35
 Holzbauer, H.-R., see Just, U. 667(1994)354
 Holzbauer, H.-R., see Trathnigg, B. 657(1993)365
 Holzbauer, H.-R., see Trathnigg, B. 665(1994)47
 Holzschuh, H., see Koppenhoefer, B. 666(1994)557
 Honda, D., see Fronek, R. 658(1994)483
 Honda, D., see Miller, L. 658(1994)429
 Honda, F., Honda, H. and Koishi, M.
 Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19
 Honda, H., see Honda, F. 696(1995)19
 Honda, S., see Kakehi, K. 680(1994)209
 Hong, K.S., see Abdullah, M.P. 697(1995)363
 Hong, U.S., see Kwon, K.-H. 688(1994)350
 Hong-You, R.L., see Lee, H.-B. 653(1993)83
 Hoogerbrugge, R., see Van der Velde, E.G. 683(1994)125
 Hoogmartens, J., see Paesen, J. 677(1994)377
 Hoogmartens, J., see Paesen, J. 699(1995)93
 Hoogmartens, J., see Paesen, J. 699(1995)99
 Hoogmartens, J., see Roets, E. 696(1995)131
 Hoogmartens, J., see Thoithi, G. 689(1995)247
 Hoogmartens, J., see Van Schepdael, A. 657(1993)208
 Hoogmartens, J., see Van Schepdael, A. 687(1994)167
 Hoon Hahn, J., see Kim, S. 680(1994)109
 Hopkins, J.L., see Palladino, D.E.H. 676(1994)99
 Hora, J., see Kříž, J. 663(1994)151
 Horak, M., see Armstrong, D.W. 688(1994)201
 Hořicová, P., see Zahradníčková, H. 688(1994)383
 Horiguchi, K., see Kano, K. 694(1995)307
 Horká, M., Kahle, V., Krejčí, M. and Šlais, K.
 Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45
 Horká, M., Kahle, V. and Šlais, K.
 Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187
 Horng, J.-Y. and Huang, S.-D.
 Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313
 Horrobin, D.F., see Redden, P.R. 694(1995)381
 Horrocks, L.A., see Farooqui, A.A. 673(1994)149
 Horsthuis, P., see Zweipfenning, P.G.M. 674(1994)87
 Horvat, J., see Varga-Defterdarović, L. 687(1994)101
 Horvat, J., see Varga-Defterdarović, L. 687(1994)107
 Horvat, Š., see Varga-Defterdarović, L. 687(1994)101
 Horvat, Š., see Varga-Defterdarović, L. 687(1994)107
 Horváth, C., see Freitag, R. 686(1994)165
 Horváth, C., see Velayudhan, A. 663(1994)1
 Horvath, J., Boschetti, E., Guerrier, L. and Cooke, N.
 High-performance protein separations with novel strong ion exchangers 679(1994)11
 Hoshino, H., see Iki, N. 652(1993)539
 Hoshino, M., Matsui, E., Yajima, K. and Okahira, A.
 Direct high-performance liquid chromatographic separation of the racemates and diastereomers of nadolol 664(1994)104
 Hoskovec, M., see Koutek, B. 679(1994)307
 Hosoya, K., Kishii, Y., Kimata, K., Araki, T., Tanaka, N., Svec, F. and Fréchet, J.M.J.
 Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

- Hosoya, K., Sawada, E., Kimata, K., Araki, T. and Tanaka, N.
Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-tert.-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37
- Hosoya, K., see Tanaka, N. 656(1993)265
- Hosoya, K., see Tanaka, N. 699(1995)331
- Hosoya, K., Yoshizako, K., Tanaka, N., Kimata, K., Araki, T. and Fréchet, J.M.J.
One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449
- Hostettmann, K., see Marston, A. 658(1994)315
- Hotchkiss, Jr., A.T., see Simms, P.J. 667(1994)67
- Hott, C., see Bowlin, D.W. 677(1994)307
- Hotter, G., Roselló-Catafau, J., Closa, D., Bioque, G., Gelpí, E., Javerbaum, A., González, E. and Gimeno, M.A.F.
Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E₁ and E₂ in rat embryo incubates 655(1993)85
- Hou, J., see Gao, J. 657(1993)95
- Houben, R.J. and Brunt, K.
Determination of glycoalkaloids in potato tubers by reversed-phase high-performance liquid chromatography 661(1994)169
- Howe, K., see Fronck, R. 658(1994)483
- Howe, K., see Miller, L. 658(1994)429
- Howell, R., see Buzanowski, W.C. 677(1994)355
- Howells, J.S., see Altria, K.D. 696(1995)341
- Hoyer, G.L., Nolan, Jr., P.E., LeDoux, J.H. and Moore, L.A.
Selective stability-indicating high-performance liquid chromatographic assay for recombinant human regular insulin 699(1995)383
- Hoyes, J., see Weinmann, W. 680(1994)353
- Hoyos, M., see Belgaied, J.E. 678(1994)85
- Hrabovsky, I., see Czajkowska, T. 691(1995)217
- Hrouzek, J., see Hatrík, S. 665(1994)9
- Hrouzek, J., Hatrík, S., Krupčík, J. and Benická, E.
Evaluation of separation quality with a novel threshold criterion 665(1994)3
- Hsieh, A.K., see Chi, H. 680(1994)593
- Hsieh, F.Y.L., Cai, J. and Henion, J.
Determination of trace impurities of peptides and alkaloids by capillary electrophoresis-ion spray mass spectrometry 679(1994)206
- Hsieh, J.C., see Chadwick, R.R. 671(1994)403
- Hsu, M.-C., see Chen, Y.-P. 672(1994)231
- Hsu, M.-C., Lin, Y.-S. and Chung, H.-C.
High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67
- Hu, C.C., see Chen, G.J. 699(1995)343
- Hu, S. and Do, D.D.
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311
- Hu, Y.-f., see Shahi, P. 687(1994)121
- Hu, Z. and Zhang, H.
Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275
- Hu, Z.-D., see Zhang, H.-W. 677(1994)159
- Huang, C., see Fu, R. 653(1993)173
- Huang, C.-Y., see Lee, Y.-C. 660(1994)299
- Huang, C.-Y., see Lee, Y.-C. 692(1995)137
- Huang, I.-P., see Ling, Y.-C. 669(1994)119
- Huang, I.-P., see Ling, Y.-C. 695(1995)75
- Huang, S.-D., see Horng, J.-Y. 678(1994)313
- Huang, S.-D., see Lu, C.-S. 696(1995)201
- Huang, T.-L., Shieh, P.C.H., Koh, E.V. and Cooke, N.
Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313
- Huang, T.-L., see Wu, C.-T. 652(1993)277
- Huang, Y.-S., see Redden, P.R. 694(1995)381
- Huang, Z., see Fu, R. 653(1993)173
- Huang, Z., see Zhou, W. 659(1994)477
- Huang, Z.-H., see Wang, J. 663(1994)71
- Huber, C.G., see Corradini, C. 685(1994)213
- Huber, J.F.K., see Lamprecht, G. 667(1994)47
- Hubert, J., see Leblanc, Y. 657(1993)111
- Hubert, Ph., Chiap, P., Moors, M., Bourguignon, B., Massart, D.L. and Crommen, J.
Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β -receptor blocking agents 665(1994)87
- Huddleston, J.G., Wang, R., Flanagan, J.A., O'Brien, S. and Lyddiatt, A.
Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)-salt aqueous two-phase systems 668(1994)3
- Hudecz, F., see Bösze, S. 668(1994)345
- Hughes, B., see Wheatley, J.B. 676(1994)81
- Huie, C.W., see Wu, N. 659(1994)435
- Humayoun Akhtar, M., Danis, C., Sauve, A. and Barry, C.
Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123
- Hummel, H.E., see Schütz, S. 683(1994)141
- Hundt, H.K.L., see Swart, K.J. 663(1994)65
- Hunt, T., see Gerstner, J.A. 695(1995)195
- Hupe, K.-P., see Minnaard, W.A. 696(1995)333
- Husain, N., Christian, A.Y. and Warner, I.M.
Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73
- Husain, S., Nageswara Sarma, P., Sita Rama Rao, K. and Lakshmi, V.V.S.
Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

- Husain, S., Narsimha, R., Alvi, S.N. and Nageswara Rao, R.
Monitoring the products of acetylation, sulphonation and condensation of 2,4-diaminobenzenesulphonic acid by high-performance liquid chromatography 662(1994)71
- Husain, S., Narsimha, R., Khalid, S. and Nageswara Rao, R.
Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375
- Husain, S., Sekar, R. and Rao, R.N.
Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
- Hušek, P., see Janák, J. 677(1994)192
- Hüsters, N. and Kleiböhmer, W.
Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107
- Hutta, M., Kaniansky, D., Kovalčíková, E., Marák, J., Chalányová, M., Madajová, V. and Šimuničová, E.
Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123
- Hutton, K.A., see Eckers, C. 686(1994)213
- Huve, P., Verrecchia, T., Bazile, D., Vauthier, C. and Couvreur, P.
Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129
- Huynh, T.K.X., Lederer, M. and Leipzig-Pagani, E.
Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155
- Huynh, T.K.X., Lederer, M. and Leipzig-Pagani, E.
Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160
- Huynh, T.K.X., Ossicini, L. and Polcaro, C.
Chiral separations on cellulose in electrophoresis 663(1994)264
- Hykl, J., see Piš, J. 658(1994)77
- Hynninen, P.H., see Kuronen, P. 654(1993)93
- Hyun, M.H., Cho, Y.J., Ryoo, J.-J., Jyung, K.K. and Heo, G.S.
Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173
- Hyun, M.H., Ryoo, J.-J., Cho, Y.J. and Jin, J.S.
Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π -donor analytes on a π -donor chiral stationary phase 692(1995)91
- Hyun, M.H., Yang, D.H., Kim, H.J. and Ryoo, J.-J.
Mechanistic evaluation of the resolution of α -amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189
- Hyvärinen, K., see Kuronen, P. 654(1993)93
- Iavarone, L., see Barnaby, R.J. 660(1994)319
- Ibañez, E., Tabera, J., Herraiz, M. and Reglero, G.
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249
- Ibarra, I., see Periago, J.F. 657(1993)147
- Ibarra, I., see Prado, C. 657(1993)131
- Ibarra, J., see Moliner, R. 655(1993)155
- Ichida, A., see Oguni, K. 694(1995)91
- Ichihara, A., see Ozaki, H. 680(1994)117
- Ichitani, Y., see Matsumoto, K. 678(1994)241
- Igarashi, K., see Kasuya, F. 654(1993)221
- Igarashi, K., see Kasuya, F. 684(1994)93
- Igimi, H., see Nakamura, Y. 655(1993)355
- Ihara, H., see Fukumoto, T. 672(1994)237
- Ihara, H., see Hirayama, C. 676(1994)267
- Ihara, T., Sugimoto, Y., Asada, M., Nakagama, T. and Hobo, T.
Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49
- Iida, T., Tazawa, S., Tamaru, T., Goto, J. and Nambara, T.
Gas chromatographic separation of bile acid 3-glucosides and 3-glucuronides without prior deconjugation on a stainless-steel capillary column 689(1995)77
- Ikai, Y., see Asukabe, H. 657(1993)349
- Ikai, Y., see Oka, H. 674(1994)301
- Iki, N., Hoshino, H. and Yotsuyanagi, T.
Ion-association capillary electrophoresis. New separation mode for equally and highly charged metal chelates 652(1993)539
- Imai, K., see Matsumoto, K. 678(1994)241
- Imai, K., see Toyo'oka, T. 675(1994)79
- Imamura, T., see Goto, M. 690(1995)1
- Imaz, C., see Carreras, D. 683(1994)195
- Ingraham, R.H., see Palladino, D.E.H. 676(1994)99
- Ingvarsen, L., see Bjerregaard, C. 653(1993)99
- Inomata, T., see Oikawa, K. 671(1994)211
- Inoue, H., Yamashita, H., Furuya, K., Nonomura, Y., Yoshioka, N. and Li, S.
Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99
- Inoue, S. and Ohtaki, N.
Metaphosphates as packing materials for biochromatography 679(1994)247
- Inoue, Y., Kawabata, K., Takahashi, H. and Endo, G.
Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149
- Intararuangsorn, S., see Nishida, F. 664(1994)195

- Iob, A., Al-Yousef, F., Tawabini, B.S., Mohammed, A.I. and Abbas, N.M.
Simultaneous determination of benzotriazole copper inhibitor and microbiocidal isothiazolinones by high-performance liquid chromatography 661(1994)245
- Ip, D.P., see Bell, C. 675(1994)248
- Ip, D.P., see Qin, X.-Z. 686(1994)205
- Irace, G., see Bismuto, E. 662(1994)263
- Ireland, I.D., see Crabtree, H.J. 669(1994)263
- Irgens, L.H., Farkas, G. and Vigh, G.
Displacement chromatography on cyclodextrin silicas.
V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603
- Irimie, F., see Gocan, S. 675(1994)282
- Irth, H., see Buscher, B.A.P. 678(1994)145
- Irth, H., see Van Der Vlis, E. 665(1994)233
- Irth, H., see Van der Vlis, E. 687(1994)333
- Isajeva, T., see Kurganov, A. 660(1994)97
- Isaksson, R., see Hansson, L. 653(1993)9
- Ishibashi, M., see Toyooka, T. 661(1994)105
- Ishihama, Y., Oda, Y., Asakawa, N., Yoshida, Y. and Sato, T.
Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193
- Ishii, D., see Okamoto, M. 697(1995)153
- Ishii, K., see Hirota, T. 673(1994)37
- Ishii, K., Minato, K., Nishimura, N., Miyamoto, T. and Sato, T.
Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93
- Ishimaru, N., see Baba, Y. 653(1993)329
- Ishimaru, N., see Sumita, C. 661(1994)297
- Ishimura, T., see Kano, K. 694(1995)307
- Isobe, T., see Izumi, T. 652(1993)41
- Issaq, H.J.
Capillary zone electrophoresis (by F. Foret, L. Křivánková and P. Boček) (Book review) 675(1994)286
- Issaq, H.J., see Chan, K.C. 653(1993)93
- Issaq, H.J., see Chan, K.C. 690(1995)149
- Issaq, H.J., see Janini, G.M. 653(1993)321
- Ito, K., Shimazu, H., Shoto, E., Okada, M., Hirokawa, T. and Sunahara, H.
Ion chromatographic separation of alkali metal and ammonium cations on a C₁₈ reversed-phase column 670(1994)99
- Ito, M., see Ito, M. 661(1994)143
- Ito, M., Miura, J., Ito, M., Umesato, F., Yasuda, K., Takata, Y. and Stanislawski, B.
Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143
- Ito, Y., see Denekamp, C. 685(1994)253
- Ito, Y., see Du, Q. 687(1994)174
- Ito, Y. and Ma, Y.
pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101
- Ito, Y., see Ma, Y. 678(1994)233
- Ito, Y., see Ma, Y. 685(1994)259
- Ito, Y., see Weisz, A. 658(1994)505
- Ito, Y., see Weisz, A. 678(1994)77
- Itoh, H., Kinoshita, T. and Nimura, N.
High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95
- Itoh, H., see Nimura, N. 689(1995)203
- Itoh, K., see Jinno, K. 691(1995)91
- Itoh, T. and Yamada, H.
Diastereomeric β -lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195
- Ivanov, A.E. and Zubov, V.P.
Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159
- Ivanov, A.V., see Nesterenko, P.N. 671(1994)95
- Iwaki, K., Bunrin, T., Kameda, Y. and Yamazaki, M.
Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87
- Iwaki, K., see Sakagami, H. 653(1993)37
- Iwasaki, M., see Kai, M. 653(1993)235
- Iwase, H. and Ono, I.
Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215
- Izumi, T., see Shibukawa, A. 697(1995)337
- Izumi, T., Yamaguchi, M., Yoneda, K., Isobe, T., Okuyama, T. and Shinoda, T.
Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41
- Izutsu, H., see Mizukami, F. 697(1995)279

J

- Jacewicz, V.W., see Eckers, C. 686(1994)213
- Jackson, C.
Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1
- Jackson, D.S., see Heitkemper, D.T. 671(1994)101
- Jackson, D.S., see Heitkemper, D.T. 671(1994)323
- Jackson, D.S., see Kaine, L.A. 671(1994)303
- Jackson, P., Carter, D., Dent, G., Cook, B.W., Chalmers, J.M. and Dunkin, I.R.
Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

- Jackson, P.E.
Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155
- Jackson, P.E., see Carnevale, J. 671(1994)115
- Jackson, P.E., Carnevale, J., Fuping, H. and Haddad, P.R.
Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181
- Jacquier, J.C., see Rony, C. 669(1994)195
- Jacquier, J.C., Rony, C. and Desbene, P.L.
Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337
- Jafar, S.A., see Bartle, K.D. 697(1995)579
- Jageland, P., Magnusson, J. and Bryntesson, M.
Optimization of industrial-scale high-performance liquid chromatography applications using a newly developed software 658(1994)497
- Jakobsson, E., see Järnberg, U. 683(1994)385
- Jakubetz, H., see Schurig, V. 694(1995)119
- Jalbert, J., see Leblanc, Y. 657(1993)111
- Janák, J.
Process gas chromatography—Fundamentals and applications (by R. Annino and R. Villalobos) (Book Review) 655(1993)359
- Janák, J.
Basic Relationships of Gas Chromatography (by L.S. Ettre and J.V. Hinshaw) (Book Review) 688(1994)390
- Janák, J., Billiet, H.A.H., Frank, J., Luyben, K.Ch.A.M. and Hušek, P.
Separation of selenium analogues of sulphur-containing amino acids by high-performance liquid chromatography and high-resolution gas chromatography 677(1994)192
- Janák, K., see Hägglund, I. 673(1994)93
- Janas, J., see Voelkel, A. 654(1993)135
- Janas, J., see Voelkel, A. 669(1994)89
- Janas, J., see Voelkel, A. 693(1995)315
- Janda, V., Kříž, J., Vejrosta, J. and Bartle, K.D.
Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241
- Janda, V., see Vejrosta, J. 685(1994)113
- Jandera, P.
Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437
- Jandera, P., see Fischer, J. 684(1994)77
- Jandera, P. and Urbánek, J.
Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255
- Jandik, P., see Carpio, R.A. 657(1993)185
- Jandik, P., see Timerbaev, A.R. 671(1994)419
- Jang, M.D., see Park, J.H. 656(1993)69
- Jang, M.D., see Park, J.H. 664(1994)149
- Jang, T.-F., see Law, S.-L. 670(1994)234
- Janicki, W.C., Wolska, L., Wardencki, W. and Namieśnik, J.
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279
- Janini, G.M., see Chan, K.C. 653(1993)93
- Janini, G.M., Chan, K.C., Barnes, J.A., Muschik, G.M. and Issaq, H.J.
Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321
- Jankowski, A. and Lamparczyk, H.
Evaluation of chromatographic methods for the determination of nifedipine in human serum 668(1994)469
- Janoš, P.
Study of complex-forming equilibria between divalent metal cations and some inorganic anions using ion chromatography 657(1993)435
- Janoš, P.
Complex-forming equilibria in ion chromatography (Review) 699(1995)1
- Janoš, P., Broul, M., Novobilský, V. and Kolský, V.
Normal-phase high-performance liquid chromatographic separation of halocyclophosphazenes 676(1994)451
- Janson, J.-C., see Belew, M. 679(1994)67
- Janssen, G., see Van Schepdael, A. 657(1993)208
- Jansson, M., see Emmer, Å. 672(1994)231
- Jaques, K., Buda, W.M., Venema, A. and Sandra, P.
Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-O-*tert*-butyldimethylsilyl- β - and - γ -cyclodextrins 666(1994)131
- Jardim, I.C.S.F., see Anazawa, T.A. 697(1995)159
- Järnberg, U., Asplund, L. and Jakobsson, E.
Gas chromatographic retention behaviour of polychlorinated naphthalenes on non-polar, polarizable, polar and smectic capillary columns 683(1994)385
- Jaroniec, M.
Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37
- Jaroniec, M.
Theoretical advancement in chromatography and related separation techniques (edited by F. Dondi and G. Guiochon) (Book Review) 672(1994)278
- Jaroniec, M., see Buszewski, B. 668(1994)293
- Jaroniec, M., see Buszewski, B. 673(1994)11
- Jaroniec, M., see Czajkowska, T. 691(1995)217
- Jaroniec, M., see Kasturi, P. 659(1994)261
- Jarrett, H.W., see DiRusso, C. 677(1994)45
- Jarrett, H.W., see Lee, H.G. 653(1993)130
- Javerbaum, A., see Hotter, G. 655(1993)85

- Jedrzejewski, P.T. and Taylor, L.T.
Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO₂
677(1994)365
- Jegle, U.
Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495
- Jegorov, A., see Šimek, P. 679(1994)195
- Jegorov, A., Tríska, J. and Trnka, T.
1-Thio- β -D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286
- Jekel, M., see Reemtsma, T. 660(1994)199
- Jelínek, I., see Pacáková, V. 700(1995)187
- Jen, S.C.D. and Pinto, N.G.
Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396
- Jeng, C.-Y., see Ludolph, B.S. 660(1994)3
- Jenkins, T.F. and Walsh, M.E.
Instability of tetryl to Soxhlet extraction 662(1994)178
- Jensen, A.V., see Luthman, K. 666(1994)527
- Jensen, E., see Stensen, W. 659(1994)87
- Jensen, P.E.H., Stigbrand, T. and Shanbhag, V.P.
Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α -macroglobulins 668(1994)101
- Jeong, J.H., see Song, C.E. 654(1993)303
- Jhon, G.-J., see Yoo, Y.S. 652(1993)431
- Jiang, X., see Zhang, X. 671(1994)23
- Jickells, S.M., see Castle, L. 675(1994)261
- Jiménez, A., see Vilaplana, J. 679(1994)133
- Jiménez, J.J., see Atienza, J. 655(1993)95
- Jiménez, M.I., see Sanz, J. 657(1993)103
- Jiménez, O., see García, M.A. 675(1994)1
- Jimeno, P., see Pinilla, M. 668(1994)165
- Jimidar, M., see Yang, O. 673(1994)275
- Jin, J.S., see Hyun, M.H. 692(1995)91
- Jindal, K.C., Chaudhary, R.S., Gangwal, S.S., Singla, A.K. and Khanna, S.
High-performance thin-layer chromatographic method for monitoring degradation products of rifampicin in drug excipient interaction studies 685(1994)195
- Jing, G., Zhou, B., Liu, L., Zhou, J. and Liu, Z.
Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformation homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31
- Jing, H., see Kalontarov, L. 696(1995)245
- Jinno, H., see Toyo'oka, T. 675(1994)79
- Jinno, K.
HPLC detection: newer methods (edited by G. Patonay) (Book Review) 659(1994)225
- Jinno, K., see Fujimoto, C. 680(1994)33
- Jinno, K., Nakagawa, K., Saito, Y., Ohta, H., Nagashima, H., Itoh, K., Archer, J. and Chen, Y.-L.
Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91
- Jirskog-Hed, B., see Petersson, B. 653(1993)25
- Johansen, S.S., see Rastogi, S.C. 692(1995)53
- Johansson, B., see Bøwadt, S. 675(1994)189
- Johansson, B., see Bøwadt, S. 662(1994)424
- Johansson, G., see Lu, M. 668(1994)215
- Johansson, I.M., Grön-Rydberg, M.-B. and Schmekel, B.
Determination of theophylline in plasma using different capillary electrophoretic systems 652(1993)487
- Johansson, K., see Marko-Varga, G. 660(1994)153
- Johns, S.M., see Castle, L. 675(1994)261
- Johnson, D.C., see Dobberpuhl, D.A. 694(1995)391
- Johnson, P.R., Stern, N.J., Eitzman, P.D., Rasmussen, J.K., Milbrath, D.S., Gleason, R.M. and Hogancamp, R.E.
Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1
- Johnson, R.D., see Todd, R.J. 662(1994)13
- Johnson-Watts, R., see Jordan, J.M. 671(1994)445
- Jones, D., Scarborough, A. and Tier, C.M.
Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1
- Jones, P., Foulkes, M. and Paull, B.
Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173
- Jones, W.J., see Brumley, W.C. 680(1994)163
- Jönsson, J.A., see Grönberg, L. 655(1993)207
- Jönsson, J.A., Mathiasson, L., Lindegård, B., Trocewicz, J. and Olsson, A.-M.
Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259
- Jönsson, J.Å., see Nilvé, G. 688(1994)75
- Jordan, J.M., Moese, R.L., Johnson-Watts, R. and Burton, D.E.
Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445
- Josefsson, M., Carlsson, B. and Norlander, B.
Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23
- Joseph, I., see Deruaz, D. 677(1994)345
- Joshi, N., see Hernandez, L. 652(1993)399
- Joshua, H.
Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247
- Josic, D., see Luksa, J. 661(1994)161
- Josic, D., see Strancar, A. 658(1994)475
- Joyce, R.J. and Dhillon, H.S.
Trace level determination of bromate in ozonated drinking water using ion chromatography 671(1994)165
- Juan, H., see Wintersteiger, R. 660(1994)205
- Jumppanen, J., Sirén, H. and Riekkola, M.-L.
Screening for diuretics in urine and blood serum by capillary zone electrophoresis 652(1993)441
- Jung, J.M., see McCord, B.R. 652(1993)75
- Jung, M., see Schurig, V. 694(1995)119

- Jung, Y.-W., see Gildersleeve, D.L. 667(1994)183
 Jungbauer, A., Hackl, S. and Yamamoto, S.
 Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399
 Jurova, I., see Palamareva, M. 670(1994)181
 Jusiak, L., see Golkiewicz, W. 686(1994)85
 Juskowiak, B.
 Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313
 Just, U., Holzbauer, H.-R. and Resch, M.
 Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 667(1994)354
 Just, U., see Mellor, F. 679(1994)147
 Just, U., Mellor, F. and Keidel, F.
 Supercritical fluid chromatography-mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105
 Just, U., see Wachholz, S. 693(1995)89
 Justice, J.D., see Ricker, R.D. 691(1995)67
 Jyung, K.K., see Hyun, M.H. 696(1995)173
- K**
- Kadlecek, D., see Cole, R.B. 680(1994)363
 Kadohara, M., see Shibukawa, A. 694(1995)81
 Kafil, J.B. and Dhingra, B.S.
 Stability-indicating method for the determination of levodopa, levodopa-carbidopa and related impurities 667(1994)175
 Kahle, V., see Doležel, P. 675(1994)47
 Kahle, V., see Horká, M. 660(1994)187
 Kahle, V., see Horká, M. 697(1995)45
 Kai, M., Kojima, E., Ohkura, Y. and Iwasaki, M.
 High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235
 Kaida, Y., see Okamoto, Y. 666(1994)403
 Kaida, Y., see Yashima, E. 694(1995)347
 Kailas, T., see Orav, A. 659(1994)143
 Kailas, T., see Orav, A. 697(1995)495
 Kaine, L.A., see Heitkemper, D.T. 671(1994)101
 Kaine, L.A., see Heitkemper, D.T. 671(1994)323
 Kaine, L.A., Heitkemper, D.T., Jackson, D.S. and Wolnik, K.A.
 Use of ion chromatography for the verification of drug authenticity 671(1994)303
 Kaine, L.A. and Wolnik, K.A.
 Forensic investigation of gentamicin sulfates by anion-exchange ion chromatography with pulsed electrochemical detection 674(1994)255
 Kaiser, E. and Wojtusik, M.J.
 Determination of trace anions in isopropanol 671(1994)253
 Kaiser, K.-P., see Weder, J.K.P. 698(1995)181
 Kakehi, K., Susami, A., Taga, A., Suzuki, S. and Honda, S.
 High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209
 Kalachova, G.S., see Sushchik, N.N. 695(1995)223
 Kalbitz, K., see Popp, P. 687(1994)133
 Kaliaguine, S., see Shang, D.Y. 672(1994)185
 Kaliszan, R.
 Quantitative structure-retention relationships applied to reversed-phase high-performance liquid chromatography quantitative structure-retention relationships (Review) 656(1993)417
 Kaliszan, R., see Nasal, A. 692(1995)83
 Kaliszan, R., see Sun, P. 652(1993)247
 Kaljurand, M., Urbas, E. and Haldna, U.
 Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147
 Kalontarov, L., Jing, H., Amirav, A. and Cheskis, S.
 Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245
 Kamata, K., Takahashi, M., Terasima, K. and Nishijima, M.
 Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113
 Kambhampati, I., Roinestad, K.S., Hartman, T.G., Rosen, J.D., Fukuda, E.K., Lippincott, R.L. and Rosen, R.T.
 Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67
 Kameda, Y., see Iwaki, K. 662(1994)87
 Kamenchuk, A.A., see Galushko, S.V. 660(1994)47
 Kamisaka, S., see Ueda, J. 658(1994)129
 Kanasugi, N., see Haginaka, J. 694(1995)71
 Kanda, T., Kutsuna, H., Ohtsu, Y. and Yamaguchi, M.
 Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51
 Kaneko, S., Mitsuzawa, T., Ohmori, S., Nakamura, M., Nobuhara, K. and Masatani, M.
 Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

- Kaneta, T., Tanaka, S. and Taga, M.
Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313
- Kang, J., see Gao, J. 657(1993)95
- Kaniansky, D., see Hutta, M. 689(1995)123
- Kaniansky, D., Masár, M., Madajová, V. and Marák, J.
Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179
- Kaniansky, D., see Šimuničová, E. 665(1994)203
- Kano, K., see Esaka, Y. 652(1993)225
- Kano, K., Minami, K., Horiguchi, K., Ishimura, T. and Kodera, M.
Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307
- Kanoongo, N., see Mathur, V. 685(1994)360
- Kao, M.C.C., see Yao, Z.J. 679(1994)190
- Kaouadji, N., see Lafont, R. 658(1994)55
- Kapadia, G.J., Oguntimein, B. and Shukla, Y.N.
High-speed counter-current chromatographic separation of biflavonoids from *Garcinia kola* seeds 673(1994)142
- Kapadia, S.R., see Palladino, D.E.H. 676(1994)99
- Kapila, S., see Sivils, L.D. 688(1994)221
- Kapila, S., see Tilio, R. 662(1994)191
- Kaplan, M., Davidson, G. and Poliakov, M.
Capillary supercritical fluid chromatography-Fourier transform infrared spectroscopy study of triglycerides and the qualitative analysis of normal and "unsaturated" cheeses 673(1994)231
- Käppler, K., see Wachholz, S. 693(1995)89
- Kapustin, D.V., see Kataev, A.D. 660(1994)131
- Karamanos, N.K., Axelsson, S., Vanky, P., Tzanakakis, G.N. and Hjerpe, A.
Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295
- Karásek, P., see Vejrosta, J. 685(1994)113
- Karger, B.L.
Foreword 652(1993)1
- Karger, B.L., see Greve, K.F. 680(1994)15
- Karger, B.L., see Pariat, Y.F. 652(1993)57
- Karger, B.L., see Schmalzing, D. 652(1993)149
- Karickhoff, S.W., see Hilal, S.H. 662(1994)269
- Karl, V., see Frank, C. 653(1993)385
- Karlsson, A., see Luthman, K. 666(1994)527
- Karlsson, S., see Albertsson, A.-C. 690(1995)207
- Karlsson, S., Hakkarainen, M. and Albertsson, A.-C.
Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251
- Karlsson, S., Sares, C., Renstad, R. and Albertsson, A.-C.
Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97
- Karovičová, J., Drdák, M., Polonský, J. and Rajniaková, A.
Dynamics of production of organic acids during lactic fermentation of vegetable juice 665(1994)55
- Karst, U., see Grömping, A.H.J. 653(1993)341
- Karuhaka, K., see Otsuka, K. 680(1994)317
- Kasche, V., Gottschlich, N., Lindberg, A., Niebuhr-Redder, C. and Schmieding, J.
Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137
- Kashihara, M., see Otsuka, K. 652(1993)253
- Kasper, M., see Woolf, E.J. 660(1994)307
- Kasturi, P., Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Reordering/resolution studies of alkylamide phases 659(1994)261
- Kasuga, T., see Cheng, J. 677(1994)169
- Kasuya, F., Igarashi, K. and Fukui, M.
Liquid chromatographic-atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221
- Kasuya, F., Igarashi, K. and Fukui, M.
Evaluation of liquid chromatography-ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93
- Kataev, A.D., Saburov, V.V., Reznikova, O.A., Kapustin, D.V. and Zubov, V.P.
Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131
- Kataoka, H., Miyanaga, Y. and Makita, M.
Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481
- Kataoka, H., Shindoh, S. and Makita, M.
Determination of secondary amines in various foods by gas chromatography with flame photometric detection 695(1995)142
- Katmeh, M.F., see Shahtaheri, S.J. 697(1995)131
- Kato, H., see Saitoh, K. 687(1994)149
- Kato, M., see Shoji, M. 698(1995)145
- Kato, S., see Hara, T. 652(1993)361
- Kato, Y., see Moriyama, H. 691(1995)81
- Katsivela, E. and Höfle, M.G.
Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125
- Katsumata, Y., see Sato, K. 674(1994)127
- Kauffman, G.B., see Ray, R.K. 675(1994)271
- Kaufmann, S.H.E., see Schoel, B. 667(1994)131
- Kaul, A., see Asenjo, J.A. 668(1994)129
- Kaul, R., see Guoqiang, D. 668(1994)145
- Kaunzinger, A., see Frank, C. 653(1993)385
- Kavanagh, P.E., see Shalliker, R.A. 664(1994)221
- Kavanagh, P.E., see Shalliker, R.A. 679(1994)105
- Kawabata, K., see Inoue, Y. 675(1994)149
- Kawaguchi, Y., see Otsuka, K. 652(1993)253
- Kawahara, A., see Takeda, S. 653(1993)109
- Kawamoto, K., see Kobayashi, M. 678(1994)351
- Kawamura, K., see Sakaguchi, F. 687(1994)315
- Kawamura, N., see Oka, H. 674(1994)301
- Kawashima, S., see Miyamoto, E. 653(1993)135

- Kawata, K., Minagawa, M., Fujieda, Y. and Yasuhara, A.
Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369
- Kebede, N., see Khan, J.K. 687(1994)113
- Kee, T.G., see Griffin, R.M.E. 674(1994)271
- Keely, C.A., Holloway, R.R., Van de Goor, T.A.A.M. and McManigill, D.
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283
- Keffer, S.S., see Stover, F.S. 657(1993)450
- Kehr, J.
Determination of catecholamines by automated pre-column derivatization and reversed-phase column liquid chromatography with fluorescence detection 661(1994)137
- Keidel, F., see Just, U. 683(1994)105
- Keidel, F., see Wachholz, S. 693(1995)89
- Kellard, E., see Kopaciewicz, W. 690(1995)9
- Kelley, M.K., see Wheatley, J.B. 663(1994)53
- Kelly, M.
Chromatography today (by C.F. Poole and S.K. Poole) (Book Review) 664(1994)135
- Kemmerly, B., see Thompson, C.O. 694(1995)507
- Kempe, M. and Mosbach, K.
Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276
- Kempe, M. and Mosbach, K.
Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317
- Kempe, M. and Mosbach, K.
Molecular imprinting used for chiral separations (Review) 694(1995)3
- Kempný, M., see Hajšlová, J. 699(1995)231
- Kenndler, E., see Blatný, P. 679(1994)345
- Kenndler, E., see Gassner, B. 680(1994)25
- Kenndler, E., see Reijenga, J.C. 659(1994)403
- Kenndler, E., see Reijenga, J.C. 659(1994)417
- Kennedy, I.R., see Dowton, M. 664(1994)280
- Kent, M.C., see Richheimer, S.L. 677(1994)75
- Keogh, R.A., see Shi, B. 678(1994)97
- Keplinger, D., see Laus, G. 662(1994)243
- Kermasha, S., Kubow, S. and Goetghebeur, M.
Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229
- Kerns, E.H., see Liu, J. 680(1994)395
- Kerr, D., see Spencer, J.L. 654(1993)143
- Kertscher, U., see Brudel, M. 661(1994)55
- Kesner, F., see Sýkora, D. 665(1994)59
- Kettrup, A., see Garrison, A.W. 688(1994)317
- Ketz, H., see Harfst, S. 678(1994)41
- Keymeulen, R., Voutetaki, A. and Van Langenhove, H.
Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223
- Khac, S.B.-P. and Moreau, N.J.
Interactions between fluoroquinolones, Mg²⁺, DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241
- Khalaf, H., see Steinert, J. 693(1995)281
- Khalaf, H.I., see Habboush, A.E. 696(1995)257
- Khaledi, M.G., see Dorsey, J.G. 656(1993)485
- Khaledi, M.G., see Madamba-Tan, L.S. 683(1994)321
- Khaledi, M.G., see Madamba-Tan, L.S. 683(1994)335
- Khaledi, M.G., see Quang, C. 659(1994)459
- Khaledi, M.G., see Quang, C. 692(1995)253
- Khaledi, M.G., see Yang, S. 664(1994)1
- Khaledi, M.G., see Yang, S. 692(1995)301
- Khaledi, M.G., see Yang, S. 692(1995)311
- Khaledi, M.G., see Ye, B. 692(1995)291
- Khalifaoui, B. and Newsham, D.M.T.
Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85
- Khalifaoui, B. and Newsham, D.M.T.
Determination of second cross virial coefficients from gas-liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117
- Khalid, S., see Husain, S. 679(1994)375
- Khalifa, M., see Schmeer, K. 691(1995)285
- Khalifa, M., see Tatár, E. 672(1994)109
- Khan, J.K., Kuo, Y.-H., Kebede, N. and Lambein, F.
Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113
- Khan, S.A., see Serwer, P. 698(1995)251
- Khanna, S., see Jindal, K.C. 685(1994)195
- Khanolkar, A.D., see Yin, D. 678(1994)176
- Khaskhely, G.O., see Khuhawar, M.Y. 689(1995)39
- Khoo, K.S., see Yao, Y.J. 680(1994)431
- Khoshab, A. and Teasdale, R.
Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil 660(1994)195
- Khots, M.S., see Yang, Q. 688(1994)339
- Khuhawar, M.Y. and Lanjwani, S.N.
High-performance liquid chromatographic separation and determination of cobalt(II), cobalt(III) and iron(II) using bis(salicylaldehyde)tetramethylethylenediimine 695(1995)132
- Khuhawar, M.Y., Lanjwani, S.N. and Khaskhely, G.O.
High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39
- Kibbey, R.G., see Harman, A.D. 652(1993)525
- Kido, A., see Yamashita, T. 657(1993)405
- Kiechle, P., see Werner, A. 666(1994)375
- Kientz, Ch.E., see Sanger-van de Griend, C.E. 673(1994)299
- Kilpelainen, I., see Kuronen, P. 654(1993)93

- Kim, H.C., see Park, J.H. 656(1993)69
- Kim, H.J., see Hyun, M.H. 684(1994)189
- Kim, I.O., see Song, C.E. 654(1993)303
- Kim, J.-H., Nishida, Y., Ohru, H. and Meguro, H.
Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1994)241
- Kim, J.-H., see Oh, C.-H. 669(1994)112
- Kim, J.-H., Uzawa, H., Nishida, Y., Ohru, H. and Meguro, H.
Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35
- Kim, J.W., see Ro, K.W. 688(1994)375
- Kim, K.-R., see Oh, C.-H. 669(1994)112
- Kim, S., Kim, W. and Hoon Hahn, J.
Extended path length post-column flow cell for UV-visible absorbance detection in capillary electrophoresis 680(1994)109
- Kim, W., see Kim, S. 680(1994)109
- Kim, Y., Park, S., Park, J. and Lee, W.
Detection of benzthiazide by high-performance liquid chromatography-thermospray mass spectrometry 689(1995)170
- Kim, Y.J. and Cramer, S.M.
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193
- Kim, Y.S., see Yoo, Y.S. 652(1993)431
- Kim, Y.T., Glerum, C., Noland, T.L. and Hickie, D.
Use of Sep-Pak C₁₈ cartridges to clean up free amino acids from coniferous needles 690(1995)226
- Kimata, H., see Baba, S. 663(1994)35
- Kimata, K., see Hosoya, K. 662(1994)37
- Kimata, K., see Hosoya, K. 666(1994)449
- Kimata, K., see Hosoya, K. 690(1995)21
- Kimata, K., see Tanaka, N. 656(1993)265
- Kimata, K., see Tanaka, N. 699(1995)331
- Kingery, A.F. and Allen, H.E.
Ion chromatographic separation and quantitative analysis of fluoroacetic acid and formic acid in soil 671(1994)231
- Kinghorn, N.M., Norris, C.S., Paterson, G.R. and Otter, D.E.
Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111
- Kinkel, J., see Kurganov, A. 666(1994)99
- Kinkel, J.N., see Dingenen, J. 666(1994)627
- Kinoshita, T., see Itoh, H. 662(1994)95
- Kinoshita, T., see Nimura, N. 689(1995)203
- Király, Z., see Görgényi, M. 693(1995)181
- Kirchberger, J., Erdmann, H., Hecht, H.-J. and Kopperschläger, G.
Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153
- Kirkland, J.J., see Chloupek, R.C. 686(1994)45
- Kirkland, J.J., see Hancock, W.S. 686(1994)31
- Kirkland, J.J., see Kirkland, K.M. 660(1994)327
- Kirkland, J.J., Van Straten, M.A. and Claessens, H.A.
High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3
- Kirkland, K.M. and McCombs, D.A.
Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211
- Kirkland, K.M., McCombs, D.A. and Kirkland, J.J.
Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327
- Kirsch, N.H. and Stan, H.-J.
Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277
- Kirschbaum, J., Luckas, B. and Beinert, W.-D.
Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193
- Kishii, Y., see Hosoya, K. 690(1995)21
- Kiso, Y., see Hirokawa, T. 658(1994)343
- Kiso, Y., see Hirokawa, T. 663(1994)245
- Kiso, Y., see Hirokawa, T. 689(1995)149
- Kiss, G., see Gelencsér, A. 693(1995)217
- Kiss, G., see Gelencsér, A. 693(1995)227
- Kissinger, P.T.
Voltammetric determination of molecules of biological significance (by W.F. Smyth) (Book Review) 657(1993)458
- Kisu, N., see Ôi, N. 689(1995)195
- Kitagawa, H., see Nakamura, K. 694(1995)111
- Kitahara, H., see Ôi, N. 666(1994)457
- Kitahara, H., see Ôi, N. 689(1995)195
- Kitahara, H., see Ôi, N. 694(1995)129
- Kitaoka, Y., see Kobayashi, M. 678(1994)351
- Kitts, D.D., see Zheng, M. 670(1994)77
- Kiyozumi, Y., see Mizukami, F. 697(1995)279
- Klatte, S.J., see Wheeler, J.F. 656(1993)317
- Klebovich, I., see Erdélyi-Tóth, V. 668(1994)419
- Kleiböhmer, W., see Hüsters, N. 697(1995)107
- Kleiböhmer, W., see Meyer, A. 657(1993)327
- Klein, R.F.X., see Moore, J.M. 659(1994)163
- Klepárník, K., Garner, M. and Boček, P.
Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375
- Klick, S.
Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69
- Kline, M.C., see Srinivasan, K. 652(1993)83
- Klockow, A., Paulus, A., Figueiredo, V., Amadó, R. and Widmer, H.M.
Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187
- Klose, U., see Baumeister, E. 694(1995)321

- Klyushnichenko, V.E., Koulich, D.M., Yakimov, S.A., Maltsev, K.V., Grishina, G.A., Nazimov, I.V. and Wulfson, A.N.
Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83
- Knoche, B. and Blaschke, G.
Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235
- Knox, J.H.
Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Knox, J.H., see Kříž, J. 663(1994)151
- Knutsson, M., see Nilvé, G. 688(1994)75
- Kołodziejczyk, A.M., see Wodecki, Z. 696(1995)149
- Kobayashi, H., see Satow, T. 652(1993)23
- Kobayashi, M., Kitaoka, Y., Tanaka, Y. and Kawamoto, K.
Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351
- Kobinger, G., see Gübitz, G. 666(1994)91
- Kočan, A., Petrik, J., Chovancová, J. and Drobná, B.
Method for the group separation of non-*ortho*-, mono-*ortho*- and multi-*ortho*-substituted polychlorinated biphenyls and polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans using activated carbon chromatography 665(1994)139
- Kocourek, V., see Hajšlová, J. 699(1995)231
- Kodera, M., see Kano, K. 694(1995)307
- Koebel, M. and Elsener, M.
Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164
- Koh, D., see Lee, B.L. 685(1994)263
- Koh, E., see Chen, F.-T.A. 652(1993)355
- Koh, E.V., see Huang, T.-L. 685(1994)313
- Köhler, K., see Hassinen, C. 668(1994)121
- Kohr, J. and Engelhardt, H.
Characterization of quartz capillaries for capillary electrophoresis 652(1993)309
- Koike, R., see Otsuka, K. 652(1993)253
- Koishi, M., see Honda, F. 696(1995)19
- Kojima, E., see Kai, M. 653(1993)235
- Kok, W.Th., see Van Asten, A.C. 676(1994)361
- Kok, W.Th., see Wijnhoven, J.E.G.J. 699(1995)119
- Kokk, H., see Mäeorg, U. 659(1994)213
- Kokusenya, Y., see Nishi, H. 659(1994)449
- Kokusenya, Y., see Nishi, H. 672(1994)125
- Kolb, M. and Bahadır, M.
Formation of Schiff bases with acetone as a solvent in the determination of anilines 685(1994)189
- Kolla, P.
Gas chromatography, liquid chromatography and ion chromatography adapted to the trace analysis of explosives 674(1993)309
- Kollie, T.O., see Poole, S.K. 664(1994)229
- Kołodziej, H., see Treutter, D. 667(1994)290
- Kolský, V., see Janoš, P. 676(1994)451
- Komiya, K., see Moriyama, H. 691(1995)81
- Kondo, F., see Murata, H. 693(1995)263
- Konečný, K., see Koutek, B. 679(1994)307
- Konecny, P., Brown, R.J. and Scouten, W.H.
Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45
- König, W.A., see Ciucanu, I. 685(1994)166
- König, W.A., see Hardt, I. 666(1994)611
- Konopski, L. and Pawłowska, E.
2-Trichloromethylbenzimidazole as a selective chromogenic reagent for the detection of some azoles on thin-layer plates 669(1994)275
- Konrad, K., see Chen, F.-T.A. 652(1993)355
- Kontani, H., see Miyamoto, E. 653(1993)135
- Koopal, L.K., see Tijssen, R. 656(1993)135
- Koorn, J.P., see Wijnhoven, J.E.G.J. 699(1995)119
- Kootstra, P.R. and Herbold, H.A.
Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203
- Kootstra, P.R., see Hesslink, W. 697(1995)165
- Kootstra, P.R., Straub, M.H.C., Stil, G.H., Van der Velde, E.G., Hesslink, W. and Land, C.C.J.
Solid-phase extraction of polycyclic aromatic hydrocarbons from soil samples 697(1995)123
- Kootstra, P.R., see Van der Velde, E.G. 683(1994)167
- Kopaciewicz, W., Kellard, E. and Cox, G.B.
High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 µm particles 690(1995)9
- Koplimets, E., see Orav, A. 659(1994)143
- Koppenhoefer, B., Graf, R., Holzschuh, H., Nothdurft, A., Trettin, U., Piras, P. and Roussel, C.
CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557
- Koppenhoefer, B., Mühleck, U. and Lohmiller, K.
Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215
- Kopperschläger, G. and Birkenmeier, G.
Preface 668(1994)1
- Kopperschläger, G., see Kirchberger, J. 668(1994)153
- Kopycki, W., see Kudzin, Z.H. 655(1993)346
- Korakas, D., Valkó, K., Wood, I., Gibbons, W.A. and Toth, I.
Structure-retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307
- Körner, A. and Peter, A.
Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235
- Koropchak, J.A., see Allen, L.B. 657(1993)192
- Kosh, J.W., see Harris, S.E. 657(1993)395
- Koshioka, M., see Pearce, D.W. 658(1994)91

- Kotyński, A. and Kudzin, Z.H.
Application of trifluoroacetic anhydride–sodium iodide reagent for selective detection in thin-layer chromatography. IV. Thin-layer chromatographic differentiation of nitrones, nitroxide radicals and nitrosoamines in mixtures 663(1994)127
- Kotz, L., see Boden, J. 696(1995)321
- Kou, H.-S., see Liu, K.-R. 676(1994)455
- Koullich, D.M., see Klyushnichenko, V.E. 661(1994)83
- Koutek, B., Hoskovec, M., Vrkočová, P., Konečný, K. and Feltl, L.
Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307
- Kovács, B., see Prokisch, J. 683(1994)253
- Kovalčíková, E., see Hutta, M. 689(1995)123
- Kováts, E., see Défayes, G. 699(1995)131
- Kováts, E., see Reddy, K.S. 673(1994)181
- Koves, E.M.
Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103
- Kowalczyk, J., see Sybilska, D. 659(1994)389
- Kowalczyk, J., see Sybilska, D. 665(1994)67
- Kozekov, I., see Palamareva, M. 670(1994)181
- Kozlovsky-Vagenina, I.V., see Baru, M.B. 657(1993)199
- Kozłowski, A., see Alred, P.A. 659(1994)289
- Kraak, J.C., see Busch, M.H.A. 695(1995)287
- Kraak, J.C., see Erim, F.B. 694(1995)471
- Kraak, J.C., see Stegeman, G. 657(1993)283
- Kraak, J.C., see Swart, R. 670(1994)25
- Kraak, J.C., see Swart, R. 689(1995)177
- Kraal, B., see Mesters, J.R. 679(1994)93
- Králiková, D., see Brandšteterová, E. 665(1994)101
- Kralovánszky, J., see Erdélyi-Tóth, V. 668(1994)419
- Krametter, D., see Veigl, E. 694(1995)135
- Krametter, D., see Veigl, E. 694(1995)151
- Krasnopolsky, Yu.M., see Menzeleev, R.F. 678(1994)183
- Krastins, L., see Quitasol, J. 671(1994)273
- Krattiger, B., see Saz, J.M. 699(1995)315
- Kraus, G., see Krupčík, J. 665(1994)111
- Kraus, G., Thierfelder, J.M. and Soják, L.
Highly selective liquid crystalline polysiloxane stationary phase for gas chromatographic separation of isomers 677(1994)197
- Krause, E., see Rothmund, S. 661(1994)77
- Krause, E., see Rothmund, S. 689(1995)219
- Krause, H., see Winkler, F.J. 666(1994)549
- Krauss, G.-J., see Friebe, S. 661(1994)7
- Krauss, G.-J., see Wutte, A. 677(1994)186
- Krauze-Baranowska, M. and Cisowski, W.
High-performance liquid chromatographic determination of flavone C-glycosides in some species of the Cucurbitaceae family 675(1994)240
- Kreishan, A.-L.Y., see Habboush, A.E. 664(1994)71
- Krejčí, M., see Doležel, P. 675(1994)47
- Krejčí, M., see Horká, M. 697(1995)45
- Kreling, J.R., Cowan, J.S., Block, F. and DeZwaan, J.
Progress and problems in organic microanalysis by ion chromatography 671(1994)295
- Kremer, D.M., see Nores, G.A. 686(1994)155
- Křiška, M., see Brandšteterová, E. 665(1994)101
- Kristensen, K., Angelo, H.R. and Blemmer, T.
Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283
- Kristol, L., see Mizrotsky, N. 691(1995)21
- Krivácsy, Z., see Gelencsér, A. 693(1995)217
- Krivácsy, Z., see Gelencsér, A. 693(1995)227
- Kříž, J., Adamcová, E., Knox, J.H. and Hora, J.
Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151
- Kříž, J., see Janda, V. 669(1994)241
- Krock, K.A. and Wilkins, C.L.
Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265
- Krogh, M., Brekke, S., Tønnesen, F. and Rasmussen, K.E.
Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235
- Krohn, R.I., see Hermanson, G.T. 691(1995)113
- Kronberg, B., see Silveston, R. 659(1994)43
- Krotov, V.V., see Nesterenko, P.N. 667(1994)19
- Kroviarski, Y., see Cochet, S. 663(1994)175
- Kruk, L.F.R., see Yang, S. 664(1994)1
- Krull, I.S.
Handbook of derivatives for chromatography (by K. Blau and J.M. Halket) (Book Review) 659(1994)226
- Krull, I.S., see Szulc, M.E. 659(1994)231
- Krupčík, J., Benická, E., Májek, P., Skačáni, I. and Sandra, P.
Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175
- Krupčík, J., see Hatrik, S. 665(1994)9
- Krupčík, J., see Hrouzek, J. 665(1994)3
- Krupčík, J., Špánik, I. and Sandra, P.
Separation of C₁₁–C₁₄ branched-chain alcohols by high-resolution gas chromatography on a modified β -cyclodextrin stationary phase 665(1994)163
- Krupčík, J., Valachovičová, M. and Kraus, G.
Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111
- Kubaszek, M., see Bojarski, J. 668(1994)481
- Kubben, R.G.R., see Duchateau, A.L.L. 664(1994)169
- Kubinec, R., see Kuraň, P. 665(1994)133
- Kubinec, R., Kuraň, P., Ostrovský, I. and Soják, L.
Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography–mass spectrometry with selected ion monitoring 653(1993)363
- Kubinec, R., see Soják, L. 665(1994)169
- Kubinec, R., see Soják, L. 695(1995)57

- Kubota, K. and Hayashi, S.
Preparative chromatographic separation with moving feed ports (Review) 658(1994)259
- Kubow, S., see Kermasha, S. 685(1994)229
- Kuczyński, J., see Golkiewicz, W. 686(1994)85
- Kudzin, Z.H., see Kotyński, A. 663(1994)127
- Kudzin, Z.H., Sochacki, M. and Drabowicz, J.
Carboxylic anhydrides—orthoesters—novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299
- Kudzin, Z.H., Sochacki, M. and Kopycki, W.
Orthoformates as reagents for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography—mass spectrometry 655(1993)346
- Kuehl, D.W., Serrano, J. and Naumann, S.
Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic—thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113
- Kugel, C., Heintzelmann, B. and Wagner, J.
Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29
- Kuhn, M., see Nickus, U. 671(1994)225
- Kuhn, R., Steinmetz, C., Bereuter, T., Haas, P. and Erni, F.,
Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367
- Kuksis, A., see Marai, L. 672(1994)87
- Kula, M.-R., see Dos Reis Coimbra, J. 668(1994)85
- Kulicke, W.-M., see Roessner, D. 687(1994)249
- Küllertz, G. and Fischer, G.
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
- Kumagai, H., Sakai, T., Matsumoto, K. and Hanaoka, Y.
Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15
- Kumar, N. and Gow, J.G.
Residual solvent analysis by headspace gas chromatography 667(1994)235
- Kumar, N., Windisch, V., Trivedi, P. and Golebiowski, C.
Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259
- Kumar, U.T., Dorsey, J.G., Caruso, J.A. and Evans, E.H.
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
- Kumar, U.T., Vela, N.P., Dorsey, J.G. and Caruso, J.A.
Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340
- Kumar, V.T., see Akins, D.L. 689(1995)269
- Kumazawa, T., see Sato, K. 674(1994)127
- Kunath, A., Theil, F. and Wagner, J.
Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
- Kuningas, K., see Orav, A. 659(1994)143
- Kuningas, K., see Orav, A. 697(1995)495
- Kuo, Y.-H., see Khan, J.K. 687(1994)113
- Kuráň, P., see Kubinec, R. 653(1993)363
- Kuráň, P., Kubinec, R., Ostrovský, I. and Soják, L.
Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133
- Kurganov, A., Davankov, V., Isajeva, T., Unger, K. and Eisenbeiss, F.
Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97
- Kurganov, A., Davankov, V., Unger, K., Eisenbeiss, F. and Kinkel, J.
Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
- Kurganov, A., see Hanson, M. 656(1993)369
- Kurganov, A., Puchkova, Yu., Davankov, V. and Eisenbeiss, F.
Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163
- Kuriki, T., see Nokihara, K. 676(1994)233
- Kuronen, P., Hyvärinen, K., Hynninen, P.H. and Kälpeläinen, I.
High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93
- Kurtin, W.E., see Harman, A.D. 652(1993)525
- Kus, B., see Luksa, J. 661(1994)161
- Küsters, E., Loux, V., Schmid, E. and Floersheim, Ph.
Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421
- Kute, T., see Shihabi, Z.K. 680(1994)181
- Kutsuna, H., see Kanda, T. 672(1994)51
- Kuwabara, S., see Okamura, N. 679(1994)381
- Kvalheim, G., see Schneede, J. 669(1994)185
- Kvalheim, O.M., see Liang, Y.-z. 662(1994)113
- Kvasnička, F., see Blatný, P. 670(1994)223
- Kvasnička, F., see Blatný, P. 679(1994)345
- Kwasowski, P., see Shahtaheri, S.J. 697(1995)131
- Kwon, K.-H., Paeng, K.-J., Lee, D.K., Lee, I.C., Hong, U.S. and Cha, G.S.
Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

L

- Lach, G., see Niedwetzki, G. 661(1994)175
- Lackmann, M., see Nice, E. 660(1994)169
- Lacorte, S., Barceló, D. and Tauler, R.
Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345
- Lacout, J.L., see Benmoussa, A. 694(1995)486
- Lafont, R., Kaouadji, N., Morgan, E.D. and Wilson, I.D.
Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55
- Lafont, R., Morgan, E.D. and Wilson, I.D.
Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31
- Lagerström, P.-O., see Balmér, K. 660(1994)269
- Lagoutte, D., Lombard, G., Nisseron, S., Papet, M.P. and Saint-Jalm, Y.
Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251
- Lagu, A.L., see Strege, M.A. 652(1993)179
- Lai, E.P.C., see Weatherell, C.J. 669(1994)31
- Lai, F. and White, L.
Automated precolumn concentration and high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in water using a single pump and a single valve 692(1995)11
- Laksana, S., see Haddad, P.R. 671(1994)131
- Lakshmi, V.V.S., see Husain, S. 685(1994)356
- Lalaguna, F.
Purification of fresh cassava root polyphenols by solid-phase extraction with Amberlite XAD-8 resin 657(1993)445
- Lalljie, S.P.D., Vindevoegel, J. and Sandra, P.
Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563
- Lamb, J.D., see Smith, R.G. 671(1994)89
- Lamb, J.D., Smith, R.G., Anderson, R.C. and Mortensen, M.K.
Anion separations on columns based on transition metal-macrocyclic complex exchange sites 671(1994)55
- Lambein, F., see Khan, J.K. 687(1994)113
- Lambert, W.J.
Modeling oil-water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469
- Lambin, P., see Cochet, S. 663(1994)175
- Lameloise, M.-L. and Lewandowski, R.
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45
- Lameloise, M.-L. and Viard, V.
Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255
- Lamm, B., see Pirkle, W.H. 659(1994)69
- Lamparczyk, H., see Jankowski, A. 668(1994)469
- Lamparczyk, H., see Sybilska, D. 665(1994)67
- Lamparczyk, H., Zarzycki, P.K. and Nowakowska, J.
Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413
- Lampreave, F., Alava, M.A. and Piñeiro, A.
Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107
- Lamprecht, G. and Huber, J.F.K.
Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47
- Lan, W.G., see Wan, H.B. 677(1994)255
- Laňas, F.M., see Sargentini, S.R. 667(1994)213
- Land, C.C.J., see Kootstra, P.R. 697(1995)123
- Landers, J.P., see Oda, R.P. 680(1994)85
- Landers, J.P., see Oda, R.P. 680(1994)341
- Landers, J.P., Oda, R.P., Liebenow, J.A. and Spelsberg, T.C.
Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109
- Landers, J.P., see Tomlinson, A.J. 652(1993)171
- Landers, J.P., see Tomlinson, A.J. 652(1993)417
- Landman, A., see Sun, P. 685(1994)303
- Landman, A., Sun, P. and Hartwick, R.A.
Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259
- Lang, V., see Cigánek, M. 668(1994)441
- Langer, M., see Brückner, H. 666(1994)259
- Langer, M., see Brückner, H. 697(1995)229
- Langer, S.H., see Ludolph, B.S. 660(1994)3
- Langer, S.H., see Thede, R. 683(1994)279
- Lanjwani, S.N., see Khuhawar, M.Y. 689(1995)39
- Lanjwani, S.N., see Khuhawar, M.Y. 695(1995)132
- Larew, L.A., Olsen, B.A., Stafford, J.D. and Wilhelm, M.V.
Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183
- Larrousse, M., see Capparella, M. 691(1995)141
- Larsen, B., see Bøwadt, S. 675(1994)189
- Larsen, B.R., see Bøwadt, S. 662(1994)424
- Larsson, M., see Witte, D.T. 687(1994)155
- Lasonder, E., Bloemhoff, W. and Welling, G.W.
Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91
- Lattes, A., see Madelaine-Dupuich, C. 653(1993)178
- Lau, B.P.-Y., see Lawrence, J.F. 659(1994)119

- Lau, O.-W. and Mok, C.-S.
High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45
- Läufer, K., Lehmann, J., Petry, S., Scheuring, M. and Schmidt-Schuchardt, M.
Simple, inexpensive system for using thin-layer chromatography for micro-preparative purposes 684(1994)370
- Laugel, C., Chaminade, P., Baillet, A. and Ferrier, D.
Ion-pair reversed-phase liquid chromatographic determination of dihydralazine 686(1994)344
- Laughton, W.R., see Cardwell, T.J. 678(1994)364
- Laus, G. and Keplinger, D.
Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243
- Lausch, R., Scheper, T., Reif, O.-W., Schlösser, J., Fleischer, J. and Freitag, R.
Rapid capillary gel electrophoresis of proteins 654(1993)190
- Lautala, P., see Salomies, H. 697(1995)597
- Lauwers, M., see Boonkerd, S. 695(1995)97
- Law, B. and Weir, S.
Quantitative structure-retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17
- Law, S.-L. and Jang, T.-F.
High-performance liquid chromatographic determination of mitoxantrone in liposome preparations using solid-phase extraction and its application in stability studies 670(1994)234
- Lawrence, J., see Morré, D.J. 668(1994)201
- Lawrence, J.F., Cleroux, C. and Truelove, J.F.
Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173
- Lawrence, J.F., Lau, B.P.-Y., Cleroux, C. and Lewis, D.
Comparison of UV absorption and electrospray mass spectrometry for the high-performance liquid chromatographic determination of domoic acid in shellfish and biological samples 659(1994)119
- Laycock, M.V., see Buzy, A. 688(1994)301
- Lázaro, M., see Moliner, R. 655(1993)155
- Le, K., see Armstrong, D.W. 688(1994)201
- Leader, R.U., see Harrison, I. 688(1994)181
- Leathard, D.A., see Allen, D.W. 679(1994)285
- Le Bars, D., see Roturier, J.M. 696(1995)209
- Leblanc, Y., Gilbert, R., Jalbert, J., Duval, M. and Hubert, J.
Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111
- Le Bris, A., see Fabre, H. 697(1995)81
- Lebrón-Aguilar, R., Quintanilla-López, J.E., Tello, A.M., Fernández-Torres, A. and García-Domínguez, J.A.
New equation for specific retention volumes in capillary column gas chromatography 697(1995)441
- Lederer, M., see Huynh, T.K.X. 695(1995)155
- Lederer, M., see Huynh, T.K.X. 695(1995)160
- Lederer, M., see Xuan, H.T.K. 659(1994)191
- LeDoux, J.H., see Hoyer, G.L. 699(1995)383
- Ledo de Medina, H., Colina de Vargas, M., Marin, J. and Pirela, D.
Determination of total nitrogen in water samples by means of high-pressure bombs and ion chromatography 671(1994)287
- Lee, B., see Greenberg, J.P. 676(1994)389
- Lee, B.-L., Ong, H.Y., Koh, D. and Ong, C.N.
High-performance liquid chromatographic method for determination of dehydroabietic and abietic acids, the skin sensitizers in bindi adhesive 685(1994)263
- Lee, C., see Srivatsa, G.S. 680(1994)469
- Lee, C.-S., see Ting, K.-C. 690(1995)119
- Lee, C.S., see Wu, C.-T. 652(1993)277
- Lee, D.K., see Kwon, K.-H. 688(1994)350
- Lee, H.-B. and Peart, T.E.
Optimization of supercritical carbon dioxide extraction for polychlorinated biphenyls and chlorinated benzenes from sediments 663(1994)87
- Lee, H.-B., Peart, T.E., Hong-You, R.L. and Gere, D.R.
Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83
- Lee, H.G. and Desiderio, D.M.
Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271
- Lee, H.G. and Desiderio, D.M.
Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309
- Lee, H.G. and Jarrett, H.W.
Chromatographic stability of glucose-silica 653(1993)130
- Lee, H.K., see Chi, H. 680(1994)593
- Lee, H.K., see Ng, C.L. 652(1993)547
- Lee, H.K., see Ng, C.L. 659(1994)427
- Lee, H.K., see Ng, C.L. 680(1994)579
- Lee, H.K., see Ong, C.P. 686(1994)319
- Lee, H.K., see Ong, C.P. 692(1995)207
- Lee, I.C., see Kwon, K.-H. 688(1994)350
- Lee, K.C., see Song, C.E. 654(1993)303
- Lee, M., see Shao, X. 680(1994)463
- Lee, M.H., see Ro, K.W. 688(1994)375
- Lee, M.L., see Peterson, P. 684(1994)297
- Lee, M.L., see Yi, G. 673(1994)219
- Lee, M.S., see Liu, J. 680(1994)395
- Lee, N.M., see Chen, G.J. 699(1995)343
- Lee, S.C., see Armstrong, D.W. 688(1994)201
- Lee, S.G., see Song, C.E. 654(1993)303
- Lee, S.-H., see Woo, K.-L. 667(1994)105
- Lee, S.-S.
Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322
- Lee, W., see Kim, Y. 689(1995)170
- Lee, W.-Y. and Nienan, T.A.
Determination of dansyl amino acids using tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111

- Lee, Y.-C., Huang, C.-Y., Wen, K.-C. and Suen, T.-T.
Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography 660(1994)299
- Lee, Y.-C., Huang, C.-Y., Wen, K.-C. and Suen, T.-T.
Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137
- Lee, Y.-H., see Lin, T.-I. 654(1993)167
- Lee, Y.-H. and Lin, T.-I.
Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227
- Lee, Y.-H. and Lin, T.-I.
Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287
- Leepipatpiboon, V.
Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137
- Lefebvre, R.A., see Rosseel, M.T. 668(1994)475
- LeFevre, J.W.
Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β -cyclodextrin as a mobile phase additive 653(1993)293
- Legaz, M.E. and Pedrosa, M.M.
Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21
- Legaz, M.E., see Pedrosa, M.M. 697(1995)571
- Legaz, M.E., Pedrosa, M.M., De Armas, R., Martinez, M.M. and Vicente, C.
Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329
- Lehmann, J., see Lufer, K. 684(1994)370
- Lehotay, J., see Hatrik, S. 665(1994)9
- Lehrer, R., see Hofman, Y.L. 692(1995)233
- Leipzig-Pagani, E., see Huynh, T.K.X. 695(1995)155
- Leipzig-Pagani, E., see Huynh, T.K.X. 695(1995)160
- Leis, H.-J., see Gleispach, H. 665(1994)155
- Lemoine, Y., see Schoefs, B. 692(1995)239
- Lemr, K., Zanette, M. and Marcomini, A.
Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219
- Lensmeyer, G.L., Onsager, C., Carlson, I.H. and Wiebe, D.A.
Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239
- Leo, A.J., see Abraham, M.H. 685(1994)203
- Leonard, B.P., see Cai, S.-J. 696(1995)49
- Leoncini, F., see Gelfi, C. 689(1995)97
- Leonhardt, B.A., see DeMilo, A.B. 673(1994)295
- Lepoutre, J.-P., see Chassagne, D. 694(1995)441
- Le Quere, J.-L., see Lubke, M. 690(1995)41
- Lercker, G., see Caboni, M.F. 683(1994)59
- Lertsiri, S., see Miyazawa, T. 667(1994)99
- Le Sech, J., Ducruet, V. and Feigenbaum, A.
Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340
- Lesellier, E., see Tchaplal, A. 656(1993)81
- Leško, J., see Musil, S. 664(1994)253
- Leskovšek, H., see Šepić, E. 697(1995)515
- Le Vent, S., see Al-Bajjari, T.I. 683(1994)367
- Le Vent, S., see Al-Bajjari, T.I. 683(1994)377
- Levesque, A., see Paquet, A. 667(1994)125
- Levetsovitou, Z., see Buiarelli, F. 695(1995)229
- Levi, S., see Ball, H.L. 686(1994)73
- Levi, V., see Zhu, M. 652(1993)119
- Levin, E.I., see Bello, M.S. 652(1993)329
- Levin, S., see Abu-Lafi, S. 664(1994)159
- Levin, S., see Abu-Lafi, S. 679(1994)47
- Levin, S., Abu-Lafi, S., Golshan-Shirazi, S. and Guiochon, G.
Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213
- Levin, S., Abu-Lafi, S., Zahalka, J. and Mechoulam, R.
Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
- Levison, P.R., Badger, S.E., Toome, D.W., Streater, M. and Cox, J.A.
Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419
- Levitt, M.D., Ellis, C., Springfield, J. and Engel, R.R.
Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324
- Levsen, K., see Eisert, R. 683(1994)175
- Levsen, K., see Volmer, D. 660(1994)231
- Lew, C., see Chen, F.-T.A. 652(1993)355
- Lewandowski, R., see Lameloise, M.-L. 685(1994)45
- Lewin, E.E., see Sundaram, K.M.S. 687(1994)323
- Lewis, D., see Lawrence, J.F. 659(1994)119
- Lewis, I.A.S., see Tomlinson, A.J. 652(1993)171
- Lewis, S.W., Worsfold, P.J. and McKerrell, E.H.
Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91
- Li, G., see Song, L. 699(1995)371
- Li, H. and Westerholm, R.
Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177
- Li, J., see Carr, P.W. 656(1993)113
- Li, J. and Carr, P.W.
Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367

- Li, J. and Carr, P.W.
Extra-thermodynamic relationships in chromatography. Enthalpy-entropy compensation in gas chromatography 670(1994)105
- Li, L., see Guan, Y. 655(1993)243
- Li, L., Wu, C.-Y., Cai, L.-S. and Zeng, Z.-R.
Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354
- Li, M., see Du, Q. 687(1994)174
- Li, S., see Inoue, H. 679(1994)99
- Li, S. and Lloyd, D.K.
Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321
- Li, S., see Lloyd, D.K. 694(1995)285
- Li, S.F.Y., see Chi, H. 680(1994)593
- Li, S.F.Y., see Ng, C.L. 652(1993)547
- Li, S.F.Y., see Ng, C.L. 659(1994)427
- Li, S.F.Y., see Ng, C.L. 680(1994)579
- Li, S.F.Y., see Ong, C.P. 686(1994)319
- Li, S.F.Y., see Ong, C.P. 692(1995)207
- Li, S.F.Y., see Yao, Y.J. 663(1994)97
- Li, S.F.Y., see Yao, Y.J. 680(1994)431
- Li, S.-H., see Chu, C.-C. 694(1995)492
- Li, T., see Liu, A. 699(1995)39
- Li, W., see Yi, G. 673(1994)219
- Li, X.-d. and Lin, Z.-s.
Determination of sulphonic compounds as their thio-trifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219
- Li, Y.-L. and Pinto, N.G.
Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445
- Liang, W., see Liao, J. 669(1994)225
- Liang, Y.-z., Hämmäläinen, M.D., Kvalheim, O.M. and Andersson, R.
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113
- Liao, J., Liang, W. and Tu, G.
Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225
- Liao, J.-L., see Hjertén, S. 676(1994)409
- Liao, J.-L. and Zhang, R.
Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
- Liao, J.-L., Zhang, R. and Hjertén, S.
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421
- Liapis, A.I. and McCoy, M.A.
Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85
- Liapis, A.I., see Tongta, A. 686(1994)21
- Liebenow, J.A., see Landers, J.P. 652(1993)109
- Liebich, H.M., see Wahl, H.G. 697(1995)453
- Lightfoot, E.N., see Roper, D.K. 654(1993)1
- Lightly, E.R.T., see Cheng, J. 677(1994)169
- Liliemark, J., see Reichelová, V. 667(1994)37
- Lilley, T.H., see Guan, Y. 668(1994)31
- Lim, P.Y., see Wan, H.B. 662(1994)147
- Lima III, L.R. and Synovec, R.E.
Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195
- Lin, B.L., Colón, L.A. and Zare, R.N.
Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263
- Lin, C., see Zhang, X. 684(1994)354
- Lin, C.-E. and Lin, C.-H.
Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyldisubstituted cyanuric chloride 676(1994)303
- Lin, C.-H., see Lin, C.-E. 676(1994)303
- Lin, E.L., see Reddy, T.V. 655(1993)331
- Lin, J.-T., McKeon, T.A. and Stafford, A.E.
Gradient reversed-phase high-performance liquid chromatography of saturated, unsaturated and oxygenated free fatty acids and their methyl esters 699(1995)85
- Lin, J.-Y. and Yang, M.-H.
N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π - π interaction site on the chiral stationary phase 684(1994)13
- Lin, S.H.C., see Wong, T.M. 680(1994)413
- Lin, T.-I., see Lee, Y.-H. 675(1994)227
- Lin, T.-I., see Lee, Y.-H. 680(1994)287
- Lin, T.-I., Lee, Y.-H. and Chen, Y.-C.
Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167
- Lin, X., see Redden, P.R. 694(1995)381
- Lin, Y.-S., see Hsu, M.-C. 692(1995)67
- Lin, Z.-s., see Li, X.-d. 667(1994)219
- Linares, F., see Medina, I. 659(1994)472
- Lind, P., see Skarping, G. 663(1994)199
- Lindahl, J., see Guttman, A. 676(1994)227
- Lindberg, A., see Kasche, V. 660(1994)137
- Lindeberg, G., see Hansen, P. 662(1994)235
- Lindeberg, G., see Hansen, P. 690(1995)155
- Lindgård, B., see Jönsson, J.A. 665(1994)259
- Lindell, J., see Nilsson, K. 680(1994)57
- Lindner, W.
Preface 666(1994)1
- Lindner, W., Böhs, B. and Seidel, V.
Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549
- Lindner, W., see Egginger, G. 666(1994)275
- Lindner, W., see Uray, G. 666(1994)41

- Lindner, W., see Veigl, E. 660(1994)255
 Lindner, W., see Veigl, E. 694(1995)135
 Lindner, W., see Veigl, E. 694(1995)151
 Ling, D.-K., see Zhang, C.-X. 655(1993)309
 Ling, J.R., see Nagasawa, T. 653(1993)336
 Ling, V.T., see Olson, C.V. 675(1994)101
 Ling, Y.-C., Chang, M.-Y. and Huang, I.-P.
 Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
 Ling, Y.-C. and Huang, I.-P.
 Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75
 Lingeman, H.
 Practical HPLC Methodology and Applications (by B.A. Bidlingmeyer) (Book Review) 663(1994)132
 Lingeman, H.
 Analytical Applications of Immobilized Enzyme Reactors (edited by S. Lam and G. Malikin) (Book Review) 699(1995)413
 Lingeman, H., see Brouwer, E.R. 669(1994)45
 Lingeman, H., see Zegers, B.N. 677(1994)141
 Lipkowitz, K.B.
 Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493
 Lipkowitz, K.B.
 Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15
 Lipman, P.J.L., see Verweij, A.M.A. 653(1993)359
 Lippincott, R.L., see Kambhampati, I. 688(1994)67
 Lipsky, J.J., see Benson, L.M. 693(1995)162
 Liska, I.
 On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163
 Little, B.H., see Speers, S.J. 674(1994)263
 Litvina, M.L., see Voloschik, I.N. 671(1994)51
 Litvina, M.L., see Voloschik, I.N. 671(1994)205
 Litvina, M.L., see Voloschik, I.N. 671(1994)249
 Litvina, M.L., Voloschik, I.N. and Rudenko, B.A.
 Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29
 Liu, A., Xu, L., Li, T., Dong, S. and Wang, E.
 Electrocatalytic oxidation and ion chromatographic detection of Br^- , I^- , SO_4^{2-} , $\text{S}_2\text{O}_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39
 Liu, B., Lockwood, G.B. and Gifford, L.A.
 Supercritical fluid extraction of diosgenin from tubers of *Dioscorea nipponica* 690(1995)250
 Liu, C.Y., see Chen, G.J. 699(1995)343
 Liu, G., see Penn, S.G. 680(1994)147
 Liu, H., see Ruan, Z. 693(1995)79
 Liu, H.J.
 Determination of amino acids by precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography with ultraviolet detection 670(1994)59
 Liu, H.-Y., see Zheng, M. 670(1994)77
 Liu, J., Volk, K.J., Lee, M.S., Kerns, E.H. and Rosenberg, I.E.
 Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395
 Liu, K.-R., Chen, S.-H., Wu, S.-M., Kou, H.-S. and Wu, H.-L.
 High-performance liquid chromatographic determination of betamethasone and dexamethasone 676(1994)455
 Liu, L., see Jing, G. 689(1994)31
 Liu, L., see Zhang, X. 684(1994)354
 Liu, X. and Yun, Z.
 High-performance liquid chromatographic determination of thiocyanate anion by derivatization with pentafluorobenzyl bromide 653(1993)348
 Liu, X.-C. and Scouten, W.H.
 New ligands for boronate affinity chromatography 687(1994)61
 Liu, Y., Fu, R. and Gu, J.
 Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498
 Liu, Y., Yun, K.S. and Parcher, J.F.
 Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392
 Liu, Y.-M. and Sheu, S.-J.
 Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239
 Liu, Y.-M., see Toyo'oka, T. 675(1994)79
 Liu, Y.-M., see Toyo'oka, T. 689(1995)23
 Liu, Y.-M., see Toyo'oka, T. 695(1995)11
 Liu, Z., see Jing, G. 689(1994)31
 Liu, Z., Sam, P., Sirimanne, S.R., McClure, P.C., Grainger, J. and Patterson, Jr., D.G.
 Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125
 Lliberia, J.L., see Comellas, L. 655(1993)57
 Lloyd, D.K., see Li, S. 666(1994)321
 Lloyd, D.K., Li, S. and Ryan, P.
 Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
 Loch, J., see Prokisch, J. 683(1994)253
 Lochman, L., see Fréchet, J.M.J. 667(1994)284
 Lochmüller, C.H., Reese, C., Aschman, A.J. and Breiner, S.J.
 Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3

- Lockwood, G.B., see Liu, B. 690(1995)250
- Logan, C.J., see Bedford, C.T. 695(1995)123
- Logawa, E., see De Zeeuw, R.A. 664(1994)263
- Loh, K.C., see Yao, Z.J. 679(1994)190
- Lohmiller, K., see Koppenhoefer, B. 699(1995)215
- Lohse, K., see Wu, D.-R. 658(1994)381
- Lokšíková, K., see Šimuničová, E. 665(1994)203
- Lombard, G., see Lagoutte, D. 684(1994)251
- Lompret, V., see Moussa, F. 664(1994)189
- Long, T.E., see Schunk, T.C. 692(1995)221
- Lonkar, S.T., see Patil, S.F. 684(1994)133
- Lonkar, S.T., see Patil, S.F. 688(1994)189
- Lopes Guimaraes, L.F., see Bertucci, C. 666(1994)535
- López, F., see Rosell, M.G. 655(1993)151
- López, F.J., see Sancho, J.V. 678(1994)59
- López, J., see Vilaplana, J. 679(1994)133
- Lopez-Avila, V., Young, R., Tehrani, J., Damian, J., Hawthorne, S., Dankers, J. and Van der Heiden, C. Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167
- López de Blas, E., see Fernández-Sánchez, E. 655(1993)11
- López-Pérez, M.J. Aqueous Two-Phase Systems (Methods in Enzymology, Vol. 228) (edited by H. Walter and G. Johannson) (Book Review) 689(1995)312
- López-Pérez, M.J., see Ollero, M. 668(1994)173
- López Sabater, M.C., see Rodriguez-Palmero, M. 672(1994)267
- López-Sánchez, J.F., see Rigol, A. 664(1994)301
- Lora-Tamayo, C., Tena, T. and Rodriguez, A. Cocaine-related deaths 674(1994)217
- Loran, J.S., see Penn, S.G. 680(1994)147
- Lorbeer, E., see Bereuter, T.L. 697(1995)469
- Lorbeer, E., see Plank, C. 683(1994)95
- Lorbeer, E., see Plank, C. 697(1995)461
- Lord, G.A., Gordon, D.B., Tetler, L.W. and Carr, C.M. Electrochromatography-electrospray mass spectrometry of textile dyes 700(1995)27
- Lorenzo-Ferreira, R.A., see Carro-Díaz, A.M. 683(1994)245
- Lores, M., García, C.M. and Cela, R. High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31
- Loukas, Y.L., Antoniadou-Vyza, E. and Papadaki-Valiraki, A. High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53
- Loureiro, J.M., see Rodrigues, A.E. 653(1993)189
- Louter, A.J.H., see Rinkema, F.D. 678(1994)289
- Loux, V., see Küsters, E. 666(1994)421
- Lovati, M.R., see Gianazza, E. 698(1995)351
- Lowe, C.R., see Alderton, W.K. 677(1994)289
- Lowe, C.R., see McCreath, G.E. 659(1994)275
- Lowery, N.B., see Aue, W.A. 688(1994)153
- Lowery, N.B., see Aue, W.A. 699(1995)195
- Lu, B., Stefansson, M. and Westerlund, D. Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317
- Lu, C.-S. and Huang, S.-D. Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201
- Lu, H., Arriaga, E., Chen, D.Y. and Dovichi, N.J. High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497
- Lu, H., Arriaga, E., Chen, D.Y., Figeys, D. and Dovichi, N.J. Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503
- Lu, M., Albertsson, P.-A., Johansson, G. and Tjerneld, F. Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215
- Lu, T. and Gray, H.B. Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339
- Lu, X.-L. and Yang, S.K. Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249
- Lu, X.-R., see Zhou, X.-C. 662(1994)203
- Lu, Z.P., see Rodrigues, A.E. 653(1993)189
- Lubda, D., see Cabrera, K. 666(1994)433
- Lübke, M., le Quééré, J.-L. and Barron, D. Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41
- Lucangioli, S.E., see Fernández Otero, G.C. 654(1993)87
- Lucarelli, C., see Draisci, R. 697(1995)407
- Lucentini, L., see Draisci, R. 697(1995)407
- Luekas, B., see Kirschbaum, J. 661(1994)193
- Luekas, B., see Vetter, W. 699(1995)173
- Luey, C.A. and Ye, L. Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121
- Lüdemann, G., see Hartkopf, J. 672(1994)242
- Ludolph, B.S., Jeng, C.-Y., Chu, A.H.T. and Langer, S.H. Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3
- Lui, M., see Elicone, C. 676(1994)121
- Luijk, R., see Spieksma, W. 672(1994)141
- Lukkari, P., Nyman, T. and Riekkola, M.-L. Determination of nine β -blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241

- Lukkari, P., Vuorela, H. and Riekkola, M.-L.
Effect of buffer solution pH on the elution and separation of β -blockers by micellar electrokinetic capillary chromatography 652(1993)451
- Lukkari, P., Vuorela, H. and Riekkola, M.-L.
Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317
- Luksa, J., Menart, V., Milicic, S., Kus, B., Gaberc-Porekar, V. and Josic, D.
Purification of human tumour necrosis factor by membrane chromatography 661(1994)161
- Lukulay, P.H. and McGuffin, V.L.
Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171
- Lunec, J., see Evans, M.D. 700(1995)151
- Lunte, C.E., see Chen, A. 691(1995)29
- Lunte, S.M., see Deacon, M. 652(1993)377
- Lunte, S.M., see Malone, M.A. 700(1995)73
- Lunte, S.M., see Weber, P.L. 680(1994)225
- Lunte, S.M., see Zhou, J. 680(1994)271
- Lupi, A., see Castagnola, M. 694(1995)463
- Lüpke, M., see Brückner, H. 697(1995)229
- Lüpke, M., see Brückner, H. 697(1995)295
- Luque, J., see Pinilla, M. 668(1994)165
- Luthman, K., Jensen, A.V., Hacksell, U., Karlsson, A. and Pettersson, C.
Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527
- Luyben, K.Ch.A.M., see Janák, J. 677(1994)192
- Luyben, K.Ch.A.M., see Valkó, I.E. 678(1994)139
- Lyddiatt, A., see Huddleston, J.G. 668(1994)3
- Lydon, J., see Moore, J.M. 659(1994)163
- Ma, K., see Giometti, C.S. 698(1995)341
- Ma, Y., see Ito, Y. 672(1994)101
- Ma, Y. and Ito, Y.
Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233
- Ma, Y., Ito, Y., Sokolosky, E. and Fales, H.M.
Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259
- Ma, Y., Meyer, K.G., Afzal, D. and Agena, E.A.
Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535
- Ma, Y., see Shi, H. 680(1994)653
- Ma, Y.-P., Deng, F.-Q., Chen, D.-Z. and Sun, S.-W.
Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259
- Mabry, T.J., see Oh, C.-H. 669(1994)112
- Macaulay, R., see Dasgupta, A. 695(1995)136
- Maccarrone, G., see Fisichella, S. 693(1995)33
- MacEachern, G.J., see Mattina, M.J.I. 679(1994)269
- Macek, K.
Thin-Layer Chromatography —Techniques and Applications (by B. Fried and J. Sherma) (Book Review) 699(1995)409
- Machado, A.A.S.C., see Vasconcelos, M.T.S.D. 685(1994)53
- Machida, A., see Satow, T. 652(1993)23
- Macka, M., Mettler, H.-P., Bokel, M. and Röder, W.
Analysis of silanised polyglycerols by supercritical fluid chromatography 675(1994)267
- Macken, E., see Van Schepdael, A. 657(1993)208
- Madaj, J., Wisniewski, A., Skorupowa, E. and Sokolowski, J.
Capillary gas chromatographic separations of a multi-component mixture of polyalcohol compounds 655(1993)267
- Madajová, V., see Hutta, M. 689(1995)123
- Madajová, V., see Kamiansky, D. 677(1994)179
- Madamba-Tan, L.S., Strasters, J.K. and Khaledi, M.G.
Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321
- Madamba-Tan, L.S., Strasters, J.K. and Khaledi, M.G.
Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335
- Madden, B.J., see Morbeck, D.E. 680(1994)217
- Madden, B.J., see Oda, R.P. 680(1994)85
- Madden, B.J., see Oda, R.P. 680(1994)341
- Madelaine-Dupuich, C., Azema, J., Escoula, B., Rico, I. and Lattes, A.
Analysis of N-acyl aminonaphthalene sulphonic acid derivatives with potential anti-human immunodeficiency virus activity by thin-layer chromatography and flame ionization detection 653(1993)178
- Maeda, K., see Mizukami, F. 697(1995)279
- Maeda, M., see Arakawa, H. 664(1994)89
- Maeda, M., see Arakawa, H. 680(1994)517
- Mäeorg, U., Paama, L. and Kokk, H.
Gas chromatographic determination of organobromine micropollutants in air and water 659(1994)213
- Maes, B., see Ghoo, Y. 665(1994)333
- Maghuin-Rogister, G., see Van Vyncht, G. 683(1994)67
- Magnusson, J., see Jageland, P. 658(1994)497
- Mahalakshmi, P., see Dass, C. 678(1994)249
- Maher, K.M., Taylor, D.R. and Ritchie, H.J.
Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247
- Mai, X., see Giometti, C.S. 698(1995)341
- Maier, B., see Trathnigg, B. 657(1993)365
- Maier, B., see Trathnigg, B. 665(1994)47
- Maier, C., see Weinmann, W. 664(1994)271

M

- Maier, N.M., see Uray, G. 666(1994)41
- Maikner, J.J., see Firouztale', E. 658(1994)361
- Maillard, C., see Calmes, M. 663(1994)119
- Mainka, A., see Bächmann, K. 688(1994)283
- Májek, P., see Krupčík, J. 665(1994)175
- Mák, M., see Bösze, S. 668(1994)345
- Mäkelä, M. and Pyy, L.
Effect of temperature on retention time reproducibility and on the use of programmable fluorescence detection of fifteen polycyclic aromatic hydrocarbons 699(1995)49
- Mäki, E., see Torniainen, K. 697(1995)397
- Makino, K., see Nakamura, K. 694(1995)111
- Makita, M., see Kataoka, H. 659(1994)481
- Makita, M., see Kataoka, H. 695(1995)142
- Makriyannis, A., see Yin, D. 678(1994)176
- Malak, N., see Bartle, K.D. 697(1995)579
- Malik, A., see Petersson, P. 684(1994)297
- Malik, A., see Shao, X. 680(1994)463
- Malik, A., see Yi, G. 673(1994)219
- Malik, S., see Dasgupta, A. 685(1994)279
- Malmquist, G.
Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
- Malmquist, G. and Danielsson, R.
Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71
- Malmquist, J., see Petersson, P. 670(1994)239
- Malone, M.A., Zuo, H., Lunte, S.M. and Smyth, M.R.
Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73
- Maltsev, K.V., see Klyushnichenko, V.E. 661(1994)83
- Malyukova, I.V., see Berezkin, V.G. 699(1995)155
- Mamantov, G., see Harwood, J.J. 654(1993)315
- Mandelbaum, A., see Denekamp, C. 685(1994)253
- Mandl, A., see Veigl, E. 694(1995)135
- Mandl, A., see Veigl, E. 694(1995)151
- Mañes, J., see Escrivá, C. 676(1994)375
- Mañes, J., see Picó, Y. 693(1994)339
- Mañes, J., see Viana, E. 655(1993)285
- Mañes, J., see Viana, E. 678(1994)109
- Manes, J.D., see Fujinari, E.M. 676(1994)113
- Manfait, M., see Tarantilis, P.A. 664(1994)55
- Manfredi, K.P., see Hallock, Y.F. 688(1994)83
- Mank, A.J.G., Velthorst, N.H., Brinkman, U.A.Th. and Gooijer, C.
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165
- Mank, A.J.G., Velthorst, N.H., Brinkman, U.A.Th. and Gooijer, C.
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175
- Mannhold, R., see Dross, K. 673(1994)113
- Manni, G. and Caron, F.
Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237
- Mano, N., Oda, Y., Asakawa, N., Yoshida, Y., Sato, T. and Miwa, T.
Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
- Manoussaridou, E., see Psathaki, M. 667(1994)241
- Mant, C.T., see Hodges, R.S. 676(1994)3
- Mant, C.T., see Sereda, T.J. 676(1994)139
- Mant, C.T., see Sereda, T.J. 695(1995)205
- Manzin, V., see Biechi, C. 666(1994)137
- Manzoni, C., see Gianazza, E. 698(1995)351
- Mao, F.-w., see Greenspan, P. 698(1995)333
- Mao, J., Pacheco, C.R., Traficante, D.D. and Rosen, W.
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103
- Mao, Q.-M., Prince, I.G. and Hearne, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Marai, L., Kuksis, A. and Myher, J.J.
Reversed-phase liquid chromatography-mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87
- Marák, J., see Hutta, M. 689(1995)123
- Marák, J., see Kaniansky, D. 677(1994)179
- Marc, A., see Gaillard, I. 679(1994)261
- Marcé, R.M., see Crespo, C. 670(1994)135
- Marcé, R.M., see Pocurull, E. 696(1995)31
- Marcé, R.M., Prosen, H., Crespo, C., Calull, M., Borrull, F. and Brinkman, U.A.Th.
On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography-diode array detection-particle beam mass spectrometry 696(1995)63
- Marchante, J.M., see Sanz-Medel, A. 683(1994)233
- Marchelli, R., see Dossena, A. 653(1993)229
- Marchelli, R., see Galaverna, G. 657(1993)43
- Marchelli, R., see Gallii, B. 666(1994)77
- Marehylo, B.A., see Chloupek, R.C. 686(1994)45
- Marcomini, A., see Lemr, K. 686(1994)219
- Mardi, A., see Fronck, R. 658(1994)483
- Marigo, M., see Tagliaro, F. 674(1994)207
- Marin, J., see Ledo de Medina, H. 671(1994)287
- Marina, M.L., see García, M.A. 675(1994)1
- Marina, M.L., see García, M.A. 687(1994)233
- Marina, M.L., see San Andrés, M.P. 685(1994)271
- Marina, M.L., see Saz, J.M. 687(1994)1
- Marinello, E., see Terzuoli, L. 684(1994)350
- Marino, M.A., Turni, L.A., Del Rio, S.A. and Williams, P.E.
Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

- Marino, M.A., see Williams, P.E. 680(1994)525
- Maris, F.A., see Vervoort, R.J.M. 678(1994)1
- Markides, K.E., see Almquist, S.R. 679(1994)139
- Markides, K.E., see Petersson, P. 666(1994)381
- Markides, K.E., see Petersson, P. 670(1994)239
- Markides, K.E., see Petersson, P. 684(1994)297
- Markoglou, N., see Aubry, A.-F. 685(1994)1
- Marko-Varga, G., Buttlera, T., Gortona, L., Olsson, L., Durand, G. and Barceló, D.
Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317
- Marko-Varga, G., Johansson, K. and Gorton, L.
Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153
- Marko-Varga, G., see Ortega, F. 675(1994)65
- Markowski, W., see Gólkiewicz, W. 686(1994)85
- Marnitz, U., see Weber, W. 679(1994)181
- Márquez-Ruiz, G., Pérez-Camino, M.C. and Dobarganes, M.C.
Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363
- Marshall, T. and Williams, K.M.
Analysis of snake venoms by sodium dodecyl sulfate-polyacrylamide gel electrophoresis and two-dimensional electrophoresis 662(1994)167
- Marston, A. and Hostettmann, K.
Counter-current chromatography as a preparative tool—applications and perspectives (Review) 658(1994)315
- Martens, M.H.J., see Scheepers, P.T.J. 677(1994)107
- Martial, A., see Gaillard, I. 679(1994)261
- Martín Alvarez, P.J., see García Romero, E. 655(1993)111
- Martin, C.L., see Cleveland, J.A. 679(1994)167
- Martín, F., see del Río, J.C. 657(1993)119
- Martin, M., see Belgaied, J.E. 678(1994)85
- Martín, M.T., see Atienza, J. 655(1993)95
- Martin, P., see Albert, K. 665(1994)253
- Martin, W.J., see Cheng, J. 677(1994)169
- Martínez, B., Orte, J.C., Miró, M., Crovetto, G. and Thomas, J.
Thin-layer chromatography of N,N-disubstituted dithiocarbamates of nickel(II) and cobalt(II) 655(1993)45
- Martínez, E., see Chiron, S. 665(1994)283
- Martínez, J.A., see Sosa, M.E. 662(1994)251
- Martínez, J.R., see Blanco Tirado, C. 697(1995)501
- Martínez, M. and Aguilar, M.
Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443
- Martínez, M., see Baraj, B. 695(1995)103
- Martínez, M.M., see Legaz, M.E. 697(1995)329
- Martínez-Castro, I., see Esteban, J.L. 657(1993)155
- Martínez-Castro, I., see Sanz, J. 657(1993)103
- Martínez De Aparicio, E., see Rosas Romero, A.J. 667(1994)361
- Martire, D.E., see Carr, P.W. 656(1993)1
- Martorell, C., Calpena, A.C., Escribano, E., Poblet, J.M. and Freixas, J.
Influence of the chromatographic capacity factor ($\log k'$) as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177
- Marucco, M.G., see Rocklin, R.D. 671(1994)109
- Maruyama, T., see Shirao, M. 680(1994)247
- Masár, M., see Kaniánsky, D. 677(1994)179
- Masatani, M., see Kaneko, S. 669(1994)1
- Mascagni, P., see Ball, H.L. 686(1994)73
- Mason, G., see Meacham, R.I. 659(1994)205
- Massart, D.L., see Hamoir, T. 673(1994)1
- Massart, D.L., see Hubert, Ph. 665(1994)87
- Massart, D.L., see Yang, Q. 673(1994)275
- Massart, D.L., see Yang, Q. 688(1994)339
- Masselter, S.M. and Zemann, A.J.
Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359
- Mathiasson, L., see Jönsson, J.A. 665(1994)259
- Mathre, D.J., see Bell, C. 675(1994)248
- Mathur, A.K.
Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284
- Mathur, N.K., see Mathur, V. 685(1994)360
- Mathur, R., see Mathur, V. 685(1994)360
- Mathur, V., Kanoongo, N., Mathur, R., Narang, C.K. and Mathur, N.K.
Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360
- Matisová, E., see Oriňák, A. 660(1994)67
- Matisová, E., see Škrabáková, S. 665(1994)27
- Matisova, E., see Sokol, J. 669(1994)75
- Matlin, S.A., see Grieb, S.J. 697(1995)271
- Matsubara, N. and Terabe, S.
Separation of 24 dansylamino acids by capillary electrophoresis with a non-ionic surfactant 680(1994)311
- Matsubara, Y., see Arakawa, H. 680(1994)517
- Matsui, E., see Hoshino, M. 664(1994)104
- Matsui, H., see Fujimoto, C. 680(1994)33
- Matsui, K., Oda, Y., Ohe, H., Tanaka, S. and Asakawa, N.
Direct determination of E2020 enantiomers in plasma by liquid chromatography-mass spectrometry and column-switching techniques 694(1995)209
- Matsumoto, K., Ichitani, Y., Ogasawara, N., Yuki, H. and Imai, K.
Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241
- Matsumoto, K., see Kumagai, H. 671(1994)15
- Matsunaga, A., see Yamamoto, A. 667(1994)85
- Matsushita, M., see Wada, H. 657(1993)87
- Matsushita, S., see Tanaka, K. 671(1994)239
- Matsuzaka, Y., see Oi, S. 659(1994)75

- Mattiasson, B., see Galaev, I.Yu. 662(1994)27
 Mattiasson, B., see Galaev, I.Yu. 684(1994)37
 Mattiasson, B., see Galaev, I.Yu. 684(1994)45
 Mattiasson, B., see Guoqiang, D. 668(1994)145
 Mattina, M.J.I. and MacEachern, G.J.
 Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269
 Mattson, G.R., see Hermanson, G.T. 691(1995)113
 Mattusch, J. and Dittrich, K.
 Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279
 Mattusch, J., see Schlegel, D. 683(1994)261
 Matulik, F., see Caslavská, J. 680(1994)549
 Matusch, R., see Sauer, B. 672(1994)247
 Matushita, H., see Yamashita, T. 657(1993)405
 Matuszewski, B., see Woolf, E. 692(1995)45
 Matuszewski, B., see Woolf, E.J. 660(1994)307
 Matyska, M.T., see Pesek, J.J. 687(1994)33
 Maubois, J.-L., see Awadé, A.C. 677(1994)279
 Maulik, N., see Cordis, G.A. 661(1994)181
 Mauri, P., see Pietta, P. 661(1994)121
 Mauri, P.L., see Pace, M. 691(1995)331
 Mauri, P.L., see Pietta, P.G. 680(1994)175
 Mauro, M., see Di Muccio, A. 697(1995)145
 Mayer, M.L., Poole, C.F. and Henry, M.P.
 Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267
 Mayer, M.L., Poole, S.K. and Poole, C.F.
 Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89
 Mayer, S., see Schurig, V. 694(1995)119
 Mays, D.C., see Benson, L.M. 693(1995)162
 Mazereeuw, M., Tjaden, U.R. and Van der Greef, J.
 In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151
 Mazereeuw, M., see Van der Vlis, E. 687(1994)333
 Mazzeo, J.R., Grover, E.R., Swartz, M.E. and Petersen, J.S.
 Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
 Mazzeo, J.R., see Bouvine, J.P. 677(1994)87
 McAndrew, R.S., see Cai, S.-J. 696(1995)49
 McCalley, D.V.
 Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139
 McCarthy, J.P.
 Direct enantiomeric separation of the four stereoisomers of nadolol using normal-phase and reversed-phase high-performance liquid chromatography with Chiralpak AD 685(1994)349
 McCarthy, P.T., see Croes, K. 693(1995)289
 McClure, D.L., see McCord, B.R. 652(1993)75
 McClure, P.C., see Liu, Z. 673(1994)125
 McCombs, D.A., see Kirkland, K.M. 660(1994)327
 McCombs, D.A., see Kirkland, K.M. 666(1994)211
 McCord, B.R., McClure, D.L. and Jung, J.M.
 Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75
 McCormick, A., see Nawrocki, J. 657(1993)229
 McCormick, A.V., see Sun, L. 658(1994)465
 McCormick, D.J., see Morbeck, D.E. 680(1994)217
 McCormick, R.M., see Cole, R.B. 680(1994)363
 McCoy, B.J.
 Chromatographic separation of continuous mixtures in distributed pores 697(1995)533
 McCoy, M.A., see Liapis, A.I. 660(1994)85
 McCreath, G.E., Chase, H.A. and Lowe, C.R.
 Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275
 McCrossen, S.D. and Simpson, C.F.
 Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53
 McDowell, I., see Bailey, R.G. 662(1994)101
 McErlane, K.M., see Zheng, M. 670(1994)77
 McGregor, D.A. and Yeung, E.S.
 Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67
 McGregor, D.A. and Yeung, E.S.
 Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491
 McGuffin, V.L., see Lukulay, P.H. 691(1995)171
 McGuffin, V.L., see Tavares, M.F.M. 686(1994)129
 McKeon, T.A., see Lin, J.-T. 699(1995)85
 McKerrill, E.H., see Lewis, S.W. 667(1994)91
 McKillop, A.G., Smith, R.M., Rowe, R.C. and Wren, S.A.C.
 Separation and identification of the Z and E isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69
 McLaughlin, K., see Sagar, K. 659(1994)329
 McManigill, D., see Keely, C.A. 652(1993)283
 McNally, M.E.P.
 Applications of Supercritical Fluids in Industrial Analysis (edited by J.R. Dean) (Book review) 677(1994)208
 McNeff, C., Zhao, Q. and Carr, P.W.
 High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201
 McQuillan, J., see Speers, S.J. 674(1994)319
 Meacham, R.I., Buffham, B.A., Drott, D.W. and Mason, G.
 Fan-induced heating 659(1994)205
 Mechoulam, R., see Abu-Lafi, S. 664(1994)159
 Mechoulam, R., see Levin, S. 654(1993)53

- Mechref, Y., Ostrander, G.K. and El Rassi, Z.
Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83
- Medina, I., see Garrido, J.L. 673(1994)101
- Medina, I., Linares, F. and Garrido, J.L.
Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472
- Medina, R., see Winkler, F.J. 666(1994)549
- Medina-Hernández, M.J., see Torres-Lapasio, J.R. 677(1994)239
- Medzihradsky-Schweiger, H., see Bösze, S. 668(1994)345
- Meevootisom, V., see Nishida, F. 664(1994)195
- Meguro, H., see Kim, J.-H. 677(1994)35
- Meguro, H., see Kim, J.-H. 693(1994)241
- Mehlert, A., see Alpert, A.J. 676(1994)191
- Mehlis, B., see Brudel, M. 661(1994)55
- Meier, B., see Rehwald, A. 677(1994)25
- Meiring, H.D. and De Jong, A.P.J.M.
Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography-negative ion chemical ionization mass spectrometry 683(1994)157
- Mejuto, M.C., see Turnes, M.I. 683(1994)21
- Meléndez, J., see Ferreira, V. 695(1995)41
- Mellor, F., see Just, U. 683(1994)105
- Mellor, F., Just, U. and Strumpf, Th.
Supercritical fluid extraction using a new restrictor design 679(1994)147
- Melton, C.M., see Hilal, S.H. 662(1994)269
- Melzi d'Eril, G., see Achilli, G. 661(1994)201
- Menart, V., see Luksa, J. 661(1994)161
- Menet, J.-M., Thiebaut, D. and Rosset, R.
Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
- Menotta, S., see Caboni, M.F. 683(1994)59
- Mentasti, E., see Sacchero, G. 668(1994)365
- Mentasti, E., see Sacchero, G. 671(1994)151
- Mentasti, E., see Sarzanini, C. 671(1994)259
- Menzeleev, R.F., Krasnopolsky, Yu.M., Zvonkova, E.N. and Shvets, V.I.
Preparative separation of ganglioside GM₁ by high-performance liquid chromatography 678(1994)183
- Merfort, I., see Schmidt, T.J. 669(1994)236
- Messana, I., see Castagnola, M. 694(1995)463
- Messina, A., see Sinibaldi, M. 666(1994)471
- Mesters, J.R., Vorstenbosch, E.L.H., De Boer, A.J. and Kraal, B.
Complete purification of tRNA, charged or modified with hydrophobic groups, by reversed-phase high-performance liquid chromatography on a C₄/C₁₈ column system 679(1994)93
- Metcalfe, S.G., see Hills, J.W. 679(1994)319
- Mettler, H.-P., see Macka, M. 675(1994)267
- Metzger, W., see Reif, K. 692(1995)131
- Meunier, F., see Zhong, G.M. 658(1994)355
- Mevoli, A., see Buldini, P.L. 654(1993)123
- Meyer, A. and Kleiböhmer, W.
Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid-solid trapping 657(1993)327
- Meyer, K., see Simat, T. 661(1994)93
- Meyer, K.G., see Ma, Y. 652(1993)535
- Meyer, V.R.
Liquid Chromatography for the Analyst (by R.P.W. Scott) (Book Review) 694(1995)517
- Michaelsen, S., see Arentoft, A.M. 652(1993)189
- Michaelsen, S., see Arentoft, A.M. 652(1993)517
- Michaelsen, S., see Bjerregaard, C. 652(1993)477
- Michaelsen, S., Møller, P. and Sørensen, H.
Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299
- Michaelsen, S., Schröder, M.-B. and Sørensen, H.
Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503
- Michaud, D. and Asselin, A.
Application to plant proteins of gel electrophoretic methods (Review) 698(1994)263
- Michigami, Y., Fujii, K. and Ueda, K.
Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117
- Michigami, Y. and Ueda, K.
Sulphite stabilizer in ion chromatography 663(1994)255
- Michotte, Y., see Boonkerd, S. 670(1994)209
- Michotte, Y., see Boonkerd, S. 695(1995)97
- Micklewright, R., see Chan, W.C. 697(1995)213
- Mifsud, J.C., see Hernandez, L. 652(1993)399
- Mihellyes, S., see Gübitz, G. 666(1994)91
- Mikešová, M., see Vejrosta, J. 659(1994)209
- Mikešová, M., see Vejrosta, J. 685(1994)113
- Mikou, M., see Benmoussa, A. 694(1995)486
- Mikšik, I., see Deyl, Z. 698(1995)369
- Mikšik, I., see Rohlíček, V. 662(1994)369
- Milat, M.-L. and Blein, J.-P.
Cercospora beticola toxins. III. Purification, thin-layer and high-performance liquid chromatographic analyses 699(1995)277
- Milbrath, D.S., see Johnson, P.R. 667(1994)1
- Milbrath, D.S., see Subramanian, A. 672(1994)11
- Milicic, S., see Luksa, J. 661(1994)161
- Miller, D.J., see Burford, M.D. 657(1993)413
- Miller, D.J., see Burford, M.D. 685(1994)79
- Miller, D.J., see Burford, M.D. 685(1994)95
- Miller, D.J., see Yang, Y. 690(1995)131
- Miller, D.J., see Yang, Y. 699(1995)265
- Miller, G.C., see Hackett, M. 695(1995)243
- Miller, L. and Bergeron, R.
Preparative liquid chromatographic isolation of unknown impurities in Arbidol and SI-5 658(1994)489
- Miller, L., see Fronck, R. 658(1994)483

- Miller, L., Honda, D., Fronek, R. and Howe, K.
Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429
- Miller, L. and Weyker, C.
Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219
- Miller-Stein, C., see Boppana, V.K. 676(1994)161
- Miller, W.R., see Rhoderick, G.C. 653(1993)71
- Millier, B., see Singh, H. 687(1994)291
- Millier, B., see Singh, H. 689(1995)45
- Millier, B., see Singh, H. 690(1995)103
- Millier, B., see Sun, X.-Y. 687(1994)259
- Millier, B., Sun, X.-Y. and Aue, W.A.
Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155
- Mills, J.D., see Schachterle, S. 683(1994)185
- Mills, R.J., see Chen, T.K. 659(1994)321
- Milton, A.D., see Guse, A.H. 661(1994)13
- Minagawa, M., see Kawata, K. 653(1993)369
- Minami, K., see Kano, K. 694(1995)307
- Minato, K., see Hirota, T. 673(1994)37
- Minato, K., see Ishii, K. 686(1994)93
- Mínguez-Mosquera, M.I. and Gandul-Rojas, B.
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161
- Minguillón, C., see Oliveros, L. 653(1993)144
- Minguillón, C., see Oliveros, L. 672(1994)59
- Minnaard, W.A., Slobodník, J., Vreuls, J.J., Hupe, K.-P. and Brinkman, U.A.Th.
Rapid liquid chromatographic screening of organic micropollutants in aqueous samples using a single short column for trace enrichment and separation 696(1995)333
- Minniti, G., see Caruso, U. 661(1994)101
- Miró, M., see Martínez, B. 655(1993)45
- Mishra, U. and Singh, R.K.P.
Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)-hydrazine-nitritoltriacetate mixed-ligand complexes 667(1994)371
- Misiti, D., see Galli, B. 666(1994)77
- Misiti, D., see Gasparrini, F. 694(1995)163
- Mistry, S.L., see Asenjo, J.A. 668(1994)129
- Mitchelson, K.R., see Cheng, J. 677(1994)169
- Mitra, G., see Ng, P. 658(1994)459
- Mitra, S., see Xu, Y.H. 688(1994)171
- Mitsuzawa, T., see Kaneko, S. 669(1994)1
- Miura, J., see Ito, M. 661(1994)143
- Miwa, T., see Mano, N. 687(1994)223
- Miwa, T., see Takeuchi, T. 666(1994)439
- Miwa, T., see Takeuchi, T. 696(1995)185
- Miyajima, T., see Yoza, N. 664(1994)111
- Miyake, T. and Shibamoto, T.
Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376
- Miyamoto, E., Demizu, Y., Murata, Y., Yamada, Y., Kawashima, S., Kontani, H. and Sakai, T.
High-performance liquid chromatographic preparation of oxybutynin enantiomers on a chiral stationary phase 653(1993)135
- Miyamoto, K., see Ueda, J. 658(1994)129
- Miyamoto, T., see Ishii, K. 686(1994)93
- Miyamoto, T., see Nishi, H. 659(1994)449
- Miyanaga, A., see Tanaka, K. 671(1994)239
- Miyanaga, Y., see Kataoka, H. 659(1994)481
- Miyanishi, H., see Tanaka, N. 656(1993)265
- Miyano, S., see Oi, S. 659(1994)75
- Miyano, S., see Oi, S. 679(1994)35
- Miyano, S., see Yasuhara, F. 694(1995)227
- Miyauchi, N., see Yashima, E. 654(1993)151
- Miyauchi, N., see Yashima, E. 654(1993)159
- Miyazaki, M., see Yamamoto, A. 667(1994)85
- Miyazawa, T., Lertsiri, S., Fujimoto, K. and Oka, M.
Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99
- Mizrotsky, N., Kristol, L. and Grushka, E.
Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21
- Mizukami, E., see Yamamoto, A. 667(1994)85
- Mizukami, F., Izutsu, H., Osaka, T., Akiyama, Y., Ujii, N., Moriya, K., Endo, K., Maeda, K., Kiyozumi, Y. and Sakaguchi, K.
Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279
- Mizutamari, R.K., see Nores, G.A. 686(1994)155
- Mňuk, P. and Feltl, L.
Gas chromatographic study of the inclusion properties of calixarenes. I. *p*-*tert*-Butylcalix[4]arene in a micropacked column 696(1995)101
- Möckel, H.J.
Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13
- Modler, A., see Facklam, C. 664(1994)203
- Modlin, R.F., Alred, P.A. and Tjerneld, F.
Utilization of temperature-induced phase separation for the purification of eedysone and 20-hydroxyecdysone from spinach 668(1994)229
- Moedritzer, K., see Hamper, B.C. 666(1994)479
- Moese, R.L., see Jordan, J.M. 671(1994)445
- Mohammed, A.I., see Iob, A. 661(1994)245
- Mohnke, M., Schmidt, B., Schmidt, R., Buijten, J.C. and Musche, Ph.
Application of a fused-silica column to the determination of very volatile amines by gas-solid chromatography 667(1994)334
- Mok, C.-S., see Lau, O.-W. 693(1995)45
- Mok, C.Y., see Wan, H.B. 662(1994)147
- Mok, C.Y., see Wan, H.B. 663(1994)123
- Mok, C.Y., see Wan, H.B. 677(1994)255
- Molina Cuevas, E.A., see Rosas Romero, A.J. 667(1994)361
- Moliner, R., Lázaro, M., Fernández, A., Ibarra, J. and Comellas, L.
Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155
- Mollé, D., see Awadé, A.C. 677(1994)279

- Moller, D., see Harfst, S. 678(1994)41
- Møller, P., see Frøkiær, H. 680(1994)437
- Møller, P., see Michaelsen, S. 680(1994)299
- Molnár, A., see Török, B. 668(1994)463
- Molnar, I., see Fritsch, H. 684(1994)65
- Molnár-Perl, I.
Advances in the high-performance liquid chromatographic determination of phenylthiocarbonyl amino acids (Review) 661(1994)43
- Molnár-Perl, I., see Schmeer, K. 691(1995)285
- Molnár-Perl, I., see Tatár, E. 672(1994)109
- Molnár-Perl, I., see Tisza, S. 676(1994)461
- Molteni, S., see Caslavská, J. 680(1994)549
- Moltó, J.C., see Escrivá, C. 676(1994)375
- Moltó, J.C., see Viana, E. 655(1993)285
- Moltó, J.C., see Viana, E. 678(1994)109
- Mongay, C., Olmos, C. and Pastor, A.
Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355
- Monnig, C.A., see Penn, S.G. 680(1994)233
- Montagna, M., see Polettini, A. 695(1995)19
- Montali, J.A., see Wheatley, J.B. 663(1994)53
- Montali, J.A., see Wheatley, J.B. 676(1994)65
- Montalti, A., see Pattuelli, M.E. 665(1994)117
- Montero, E., Sibole, J., Cabot, C., Poschenrieder, Ch. and Barceló, J.
Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83
- Montes, M.C., Van Amen, C., Pesek, J.J. and Sandoval, J.E.
Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride-silica intermediate 688(1994)31
- Moore, B.J., see Chong, R.W. 692(1995)203
- Moore, J.M. and Casale, J.F.
In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165
- Moore, J.M., Casale, J.F., Klein, R.F.X., Cooper, D.A. and Lydon, J.
Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163
- Moore, L.A., see Hoyer, G.L. 699(1995)383
- Moors, M., see Hubert, Ph. 665(1994)87
- Moraes, N.M.P. and Shihomatsu, H.M.
Dynamic ion-exchange chromatography for the determination of lanthanides in rock standards 679(1994)387
- Morales, J.A., De Medina, H.L., De Nava, M.G., Velásquez, H. and Santana, M.
Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193
- Morales, M.T., Aparicio, R. and Rios, J.J.
Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455
- Morbeck, D.E., Madden, B.J. and McCormick, D.J.
Analysis of the microheterogeneity of the glycoprotein chorionic gonadotropin with high-performance capillary electrophoresis 680(1994)217
- Morcillo, M.A. and Santamaria, J.
Separation and characterization of rat kidney iso metallothioneins induced by exposure to inorganic mercury 655(1993)77
- Moreau, N.J., see Khac, S.B.-P. 668(1994)241
- Moreau, S., see Awadé, A.C. 677(1994)279
- Moretti, P., see Castello, G. 677(1994)95
- Moretti, P., see Vezzani, S. 677(1994)331
- Morgan, E.D., see Lafont, R. 658(1994)31
- Morgan, E.D., see Lafont, R. 658(1994)55
- Mori, S. and Naito, M.
Elution behaviour of styrene-acrylonitrile copolymers in high-performance liquid chromatography with mixtures of chloroform and *n*-hexane as mobile phases 655(1993)185
- Moriguchi, S., Naito, K. and Takei, S.
Adsorption effects on retention behaviour of hydrocarbons in gas-liquid and gas-solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101
- Moriguchi, S., see Ogino, K. 699(1995)59
- Moriguchi, S., see Ogino, K. 699(1995)67
- Morin, C.J., see Desbène, P.L. 689(1995)135
- Morita, N., see Nokihara, K. 676(1994)233
- Moriya, K., see Mizukami, F. 697(1995)279
- Moriyama, H., Anegayama, M., Komiya, K. and Kato, Y.
Characterization of a new reversed-phase chromatographic column on a 2- μ m porous microspherical silica gel 691(1995)81
- Morovjín, G., see Fekete, J. 660(1994)33
- Morré, D.J., Lawrence, J., Safranski, K., Hammond, T. and Morré, D.M.
Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201
- Morré, D.M., see Morré, D.J. 668(1994)201
- Morris, J., see Gerstner, J.A. 695(1995)195
- Morris, J.C., see Oda, R.P. 680(1994)341
- Morris, S.C., see Srinivasan, K. 652(1993)83
- Morrone, L.A., see Quaglia, M.G. 666(1994)289
- Mortensen, J.H., see Schneede, J. 669(1994)185
- Mortensen, K., see Bjerregaard, C. 652(1993)477
- Mortensen, M.K., see Lamb, J.D. 671(1994)55
- Mosandl, A., see Faber, B. 666(1994)161
- Mosbach, K., see Kempe, M. 664(1994)276
- Mosbach, K., see Kempe, M. 691(1995)317
- Mosbach, K., see Kempe, M. 694(1995)3
- Mosbach, K., see Nicholls, I.A. 691(1995)349
- Moskvin, L.N.
Chromatomembrane method for the continuous separation of substances 669(1994)81
- Motegi, C., Takatsuto, S. and Gamoh, K.
Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

- Motellier, S. and Pitsch, H.
Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211
- Mothes, S., see Tutschku, S. 683(1994)269
- Motozato, Y., see Murakami, R. 678(1994)180
- Mount, D.L., see Green, M.D. 695(1995)237
- Mounds, T.L., see Abidi, S.L. 670(1994)67
- Mounds, T.L., see Abidi, S.L. 694(1995)365
- Mourey, T.H. and Bryan, T.G.
Size-exclusion chromatography of nylons in methylene chloride-dichloroacetic acid 679(1994)201
- Mourey, T.H., Bryan, T.G. and Greener, J.
Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride-dichloroacetic acid 657(1993)377
- Moussa, F., Depasse, F., Lompert, V., Hautem, J.-Y., Girardet, J.-P., Fontaine, J.-L. and Aymard, P.
Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189
- Moutounet, M., see Viriot, C. 662(1994)77
- Mowery, R.L., see Barger, W.R. 680(1994)659
- Moyano, E., see Galceran, M.T. 683(1994)9
- Moyna, P., see Ferreira, F. 653(1993)380
- Much, H., see Trathnigg, B. 657(1993)365
- Much, H., see Trathnigg, B. 665(1994)47
- Mühleck, U., see Koppenhoefer, B. 699(1995)215
- Muijselaar, P.G.H.M., Claessens, H.A. and Cramers, C.A.
Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273
- Muñoz-Blanco, T., see Ollero, M. 668(1994)173
- Mukai, T., see Furusawa, N. 677(1994)81
- Mukund, S., see Giometti, C.S. 698(1995)341
- Müller, B., see Guse, A.H. 661(1994)13
- Müller, C., see Wahl, H.G. 697(1995)453
- Müller, P.K., see Açı, Y. 664(1994)183
- Mulligan, K.A., see Heitkemper, D.T. 671(1994)323
- Mulvihill, M.J., see Zhu, J. 669(1994)103
- Munro, P.D., Winzor, D.J. and Cann, J.R.
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267
- Murakami, R., Hachisako, H., Yamada, K. and Motozato, Y.
Gel permeation chromatographic properties of poly(vinyl alcohol) gel particles prepared by freezing and thawing 678(1994)180
- Muralidharan, D. and Sundara Rao, V.S.
Identification of leather preservatives by gas chromatography-mass spectrometry 675(1994)257
- Muramatsu, I., see Tamaki, M. 685(1994)237
- Murano, K., see Oikawa, K. 671(1994)211
- Murashima, T., see Haginaka, J. 660(1994)275
- Murashima, T., see Haginaka, J. 666(1994)203
- Murashima, T., see Haginaka, J. 677(1994)229
- Murata, H., see Asukabe, H. 657(1993)349
- Murata, H., Shoji, H., Oshikata, M., Harada, K.-I., Suzuki, M., Kondo, F. and Goto, H.
High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263
- Murata, Y., see Miyamoto, E. 653(1993)135
- Muriithi, I.G., see Roets, E. 696(1995)131
- Murphy, J., see Fronck, R. 658(1994)483
- Murphy, J.A., see Camilleri, P. 654(1993)207
- Murray, W.V., see Evangelisto, M.F. 695(1995)128
- Murugaiah, V., see Crowley, X.W. 699(1995)395
- Murugaverl, B., Gharaibeh, A. and Voorhees, K.J.
Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223
- Murzi, E., see Hernandez, L. 652(1993)399
- Muschalek, V., see Zimmer, D. 666(1994)241
- Muschik, G.M., see Chan, K.C. 653(1993)93
- Muschik, G.M., see Chan, K.C. 690(1995)149
- Muschik, G.M., see Janini, G.M. 653(1993)321
- Musil, S. and Leško, J.
Isotopic ratio of molecular patterns via gas chromatography-mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253
- Mussche, Ph., see Mohnke, M. 667(1994)334
- Musso, G.F., see Straub, J.A. 679(1994)85
- Mutton, I.M.
Application of a comparative evaluation of several reversed-phase columns to the automated analysis of candidate pharmaceuticals 697(1995)191
- Mutton, I.M., see Bevan, C.D. 697(1995)541
- Myher, J.J., see Marai, L. 672(1994)87

N

- Nadal, T., see Ventura, R. 655(1993)233
- Nadler, T.K., Paliwal, S.K. and Regnier, F.E.
Rapid, automated, two-dimensional high-performance liquid chromatographic analysis of immunoglobulin G and its multimers 676(1994)331
- Nadler, T.K., Paliwal, S.K., Regnier, F.E., Singhvi, R. and Wang, D.I.C.
Process monitoring of the production of γ -interferon in recombinant Chinese hamster ovary cells 659(1994)317
- Nägård, S., see Witte, D.T. 687(1994)155
- Nagasawa, T., Ling, J.R. and Onodera, R.
Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336
- Nagashima, H., see Jinno, K. 691(1995)91

- Nagaya, S., see Yamazaki, S. 662(1994)219
- Nageswara Rao, R., see Husain, S. 662(1994)71
- Nageswara Rao, R., see Husain, S. 679(1994)375
- Nageswara Sarma, P., see Husain, S. 685(1994)356
- Nagy-Turák, A. and Végh, Z.
Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501
- Nah, T.H., see Park, J.H. 664(1994)149
- Naim, A., see Crowley, X.W. 699(1995)395
- Nair, J.B.
Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367
- Nair, L.M., see Saari-Nordhaus, R. 671(1994)159
- Nair, L.M., Saari-Nordhaus, R. and Anderson, Jr., J.M.
Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43
- Nair, L.M., Saari-Nordhaus, R. and Anderson, Jr., J.M.
Determination of haloacetic acids by ion chromatography 671(1994)309
- Naito, K., see Moriguchi, S. 686(1994)101
- Naito, M., see Mori, S. 655(1993)185
- Naito, S., see Shibukawa, A. 694(1995)81
- Nakagama, T., see Ihara, T. 694(1995)49
- Nakagawa, G., see Wada, H. 657(1993)87
- Nakagawa, K., see Jinno, K. 691(1995)91
- Nakagawa, T., see Chen, N. 678(1994)327
- Nakagawa, T., see Nakatani, M. 661(1994)315
- Nakagawa, T., see Nakatani, M. 672(1994)213
- Nakagawa, T., see Shibukawa, A. 694(1995)81
- Nakagawa, T., see Shibukawa, A. 697(1995)337
- Nakahara, T., see Abe, I. 676(1994)469
- Nakahara, T., see Abe, I. 694(1995)237
- Nakai, H., see Nishi, H. 678(1994)333
- Nakajima, C., see Onodera, S. 699(1995)291
- Nakajima, R., see Hara, T. 652(1993)361
- Nakamura, H., see Sumiyoshi, K. 690(1995)77
- Nakamura, K., Fujima, H., Kitagawa, H., Wada, H. and Makino, K.
Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
- Nakamura, K., see Nishi, H. 678(1994)333
- Nakamura, K.-i., see Hirokawa, T. 663(1994)245
- Nakamura, K.T., see Shimada, E. 685(1994)172
- Nakamura, M., see Kaneko, S. 669(1994)1
- Nakamura, T., see Yoza, N. 664(1994)111
- Nakamura, Y., Igimi, H., Takase, H., Nomura, Y., Takahashi, S. and Uchida, K.
Trifluoroacetylation of muricholic acids and hyocholic acids 655(1993)355
- Nakano, H., see Sato, K. 666(1994)463
- Nakao, C., see Shibukawa, A. 697(1995)337
- Nakashima, S., see Yoza, N. 664(1994)111
- Nakatani, M., Shibukawa, A. and Nakagawa, T.
High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213
- Nakatani, M., Shibukawa, A. and Nakagawa, T.
Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315
- Nakazawa, H., see Okamoto, M. 653(1993)261
- Nakazawa, H., see Shirao, M. 680(1994)247
- Nakazawa, H., see Suzuki, S. 680(1994)541
- Nam, K.S., see Tilio, R. 662(1994)191
- Nambara, T., see Iida, T. 689(1995)77
- Namiešnik, J., see Janicki, W.C. 654(1993)279
- Nann, A. and Pretsch, E.
Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437
- Narang, C.K., see Mathur, V. 685(1994)360
- Narayanan, S.R.
Preparative affinity chromatography of proteins (Review) 658(1994)237
- Nardillo, A.M., see Titon, M.C. 699(1995)403
- Narisawa, K., see Arakawa, H. 680(1994)517
- Narsimha, R., see Husain, S. 662(1994)71
- Narsimha, R., see Husain, S. 679(1994)375
- Narum, D.L., Welling, G.W. and Thomas, A.W.
Ion-exchange-immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357
- Nasal, A., Sznitowska, M., Buciński, A. and Kaliszán, R.
Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83
- Nashabeh, W., see Greve, K.F. 680(1994)15
- Nassauer, T., see Werner, A. 666(1994)375
- Natangelo, M., see Terreni, M. 688(1994)243
- Nau, H., see Sass, J.O. 685(1994)182
- Naumann, S., see Kuehl, D.W. 684(1994)113
- Navajas, R., see Carreras, D. 683(1994)195
- Navas Díaz, A., see García Sánchez, F. 655(1993)31
- Navas Díaz, A., see García Sánchez, F. 676(1994)347
- Navas Díaz, A., Guirado Paniagua, A. and García Sánchez, F.
Thin-layer chromatography and fibre-optic fluorimetric quantitation of thiamine, riboflavin and niacin 655(1993)39
- Nave, R., Weber, K. and Potschka, M.
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229
- Nawrocki, J., Rigney, M.P., McCormick, A. and Carr, P.W.
Chemistry of zirconia and its use in chromatography (Review) 657(1993)229
- Naylor, S., see Benson, L.M. 693(1995)162
- Naylor, S., see Tomlinson, A.J. 652(1993)171
- Naylor, S., see Tomlinson, A.J. 652(1993)417
- Nazimov, I.V., see Klyushnichenko, V.E. 661(1994)83

- Neffati, J., see Cretier, G. 670(1994)173
- Negur, S., see Schurig, V. 694(1995)119
- Nelson, A.N., see Benson, L.M. 693(1995)162
- Nelson, R.B., see Chadwick, R.R. 671(1994)403
- Nerín, C., Cacho, J., Tornés, A.R. and Echarri, I.
Some observations on the standard addition procedure
in gas chromatographic analysis 672(1994)159
- Nerín, C., Salafranca, J., Cacho, J. and Rubio, C.
Separation of polymer and on-line determination of
several antioxidants and UV stabilizers by coupling
size-exclusion and normal-phase high-performance
liquid chromatography columns 690(1995)230
- Nerva, M., see Sarzanini, C. 671(1994)259
- Nesi, M., see Chiari, M. 652(1993)31
- Nesi, M., Chiari, M., Carrea, G., Ottolina, G. and
Righetti, P.G.
Capillary electrophoresis of nicotinamide-adenine
dinucleotide and nicotinamide-adenine dinucleotide
phosphate derivatives in coated tubular columns
670(1994)215
- Nesi, M., see Chiari, M. 680(1994)571
- Nesterenko, P.N. and Ivanov, A.V.
Detection of transition metals during their separation
in an isoconductive pH gradient 671(1994)95
- Nesterenko, P.N., Krotov, V.V. and Staroverov, S.M.
Effect of mobile phase composition on the
enantioselectivity of chromatographic separation on a
quinine-bonded silica stationary phase 667(1994)19
- Neubert, K., see Friebe, S. 661(1994)7
- Neuteboom, E., see Castle, M. 696(1995)93
- Newburger, J., DeLange, B. and Guiochon, G.
New hybrid displacement technique for preparative
liquid chromatography 684(1994)1
- Newman, P.D., see Aldrich-Wright, J.R. 693(1995)366
- Newsham, D.M.T., see Khalfaoui, B. 673(1994)85
- Newsham, D.M.T., see Khalfaoui, B. 688(1994)117
- Ng, C.L., see Chi, H. 680(1994)593
- Ng, C.L., Lee, H.K. and Li, S.F.Y.
Determination of organolead and organoselenium
compounds by micellar electrokinetic chromatography
652(1993)547
- Ng, C.L., Lee, H.K. and Li, S.F.Y.
Prevention of protein adsorption on surfaces by
polyethylene oxide-polypropylene oxide-polyethylene
oxide triblock copolymers in capillary electrophoresis
659(1994)427
- Ng, C.L., see Ong, C.P. 686(1994)319
- Ng, C.L., see Ong, C.P. 692(1995)207
- Ng, C.L., Ong, C.P., Lee, H.K. and Li, S.F.Y.
Determination of pharmaceuticals and related
impurities by capillary electrophoresis 680(1994)579
- Ng, P. and Mitra, G.
Removal of DNA contaminants from therapeutic
protein preparations 658(1994)459
- Nice, E., Lackmann, M., Smyth, F., Fabri, L. and
Burgess, A.W.
Synergies between micropreparative high-performance
liquid chromatography and an instrumental optical
biosensor 660(1994)169
- Nichol, J., see Castle, L. 675(1994)261
- Nicholls, I.A., Ramström, O. and Mosbach, K.
Insights into the role of the hydrogen bond and
hydrophobic effect on recognition in molecularly
imprinted polymer synthetic peptide receptor mimics
691(1995)349
- Nichols, S.C., see Dawson, J.R. 700(1995)163
- Nicholson, L.W., Pfeiffer, C.D., Goralski, C.T., Singaram,
B. and Fisher, G.B.
High-performance liquid chromatographic separation of
 β -amino alcohols. I. Separation of (*R,S*)-1-
(dialkylamino)-2-alkanols on an amylose-based chiral
stationary phase 687(1994)241
- Nickless, G., see Elaseer, A. 664(1994)77
- Nickless, G., see O'Doherty, S.J. 657(1993)123
- Nickless, G., see Trigg, D.P. 690(1995)197
- Nickus, U. and Kuhn, M.
Ion chromatographic determination of anions and
cations at ultra-low concentrations in Alpine snow
671(1994)225
- Nicolas, J., see Richard-Forget, F. 667(1994)141
- Nicoll-Griffith, D., Scartozzi, M. and Chiem, N.
Automated derivatization and high-performance liquid
chromatographic analysis of ibuprofen enantiomers
653(1993)253
- Niebuhr-Redder, C., see Kasche, V. 660(1994)137
- Niedwetzki, G., Lach, G. and Geschwill, K.
Determination of aflatoxins in food by use of an
automatic work station 661(1994)175
- Nielsen, K.R. and Foley, J.P.
Zone sharpening of neutral solutes in micellar
electrokinetic chromatography with electrokinetic
injection 686(1994)283
- Nielsen, S.S., see Rounds, M.A. 653(1993)148
- Nieman, T.A., see Lee, W.-Y. 659(1994)111
- Nier, V., see Reif, O.-W. 664(1994)13
- Nikolova-Damyanova, B., Christie, W.W. and Herslöf, B.
Silver ion high-performance liquid chromatography of
esters of isomeric octadecenoic fatty acids with short-
chain monounsaturated alcohols 693(1995)235
- Nikolova-Damyanova, B., Christie, W.W. and Herslöf, B.G.
High-performance liquid chromatography of fatty acid
derivatives in the combined silver ion and reversed-
phase modes 653(1993)15
- Nikolova-Damyanova, B., Christie, W.W. and Herslöf,
B.G.
Retention properties of triacylglycerols on silver ion
high-performance liquid chromatography 694(1995)375
- Nilsson, C.-A., see Sunesson, A.-L. 699(1995)203
- Nilsson, K., Lindell, J., Norrlöv, O. and Sällergren, B.
Imprinted polymers as antibody mimetics and new
affinity gels for selective separations in capillary
electrophoresis 680(1994)57
- Nilvé, G., Knutsson, M. and Jönsson, J.Å.
Liquid chromatographic determination of sulfonyleurea
herbicides in natural waters after automated sample
pretreatment using supported liquid membranes
688(1994)75
- Nimura, N., see Itoh, H. 662(1994)95
- Nimura, N., Itoh, H. and Kinoshita, T.
Diol-bonded silica gel as a restricted access packing
forming a binary-layered phase for direct injection of
serum for the determination of drugs 689(1995)203

- Ning, J.G.
Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299
- Nishi, H., Kokusenya, Y., Miyamoto, T. and Sato, T.
Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449
- Nishi, H., Nakamura, K., Nakai, H. and Sato, T.
Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333
- Nishi, H., see Terabe, S. 666(1994)295
- Nishi, H. and Terabe, S.
Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Nishi, H., Yamasaki, K., Kokusenya, Y. and Sato, T.
Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125
- Nishida, F., Nishimura, M., Harada, K.-I., Suzuki, M., Meevootisom, V., Flegel, T.W., Thebtaranonth, Y. and Intararuangsorn, S.
Structure elucidation of glykenin glycosidic antibiotics from *Basidiomycetes* sp. V. High-performance liquid chromatographic separation of components of glykenin 664(1994)195
- Nishida, Y., see Kim, J.-H. 677(1994)35
- Nishida, Y., see Kim, J.-H. 693(1994)241
- Nishijima, M., see Kamata, K. 667(1994)113
- Nishikawa, Y. and Okumura, T.
Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109
- Nishimura, M., see Nishida, F. 664(1994)195
- Nishimura, M., see Shibukawa, A. 694(1995)81
- Nishimura, N., see Hirota, T. 673(1994)37
- Nishimura, N., see Ishii, K. 686(1994)93
- Nishiyama, F., see Hirokawa, T. 663(1994)245
- Nishiyama, T., see Abe, I. 694(1995)237
- Nisseron, S., see Lagoutte, D. 684(1994)251
- Nobuhara, K., see Kaneko, S. 669(1994)1
- Nobuhara, K., see Okamoto, M. 697(1995)153
- Noctor, T.A.G., see Hage, D.S. 693(1995)23
- Nogata, Y., Ohta, H., Yoza, K.-I., Berhow, M. and Hasegawa, S.
High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59
- Noguchi, H., see Tokuma, Y. 694(1995)181
- Noguchi, K., see Seki, T. 661(1994)113
- Noij, T.H.M., see Hendriks, P.J.M. 655(1993)325
- Nokihara, K., Kuriki, T. and Morita, N.
Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233
- Nolan, Jr., P.E., see Hoyer, G.L. 699(1995)383
- Noland, T.L., see Kim, Y.T. 690(1995)226
- Nomura, A., see Yarita, T. 679(1994)329
- Nomura, Y., see Nakamura, Y. 655(1993)355
- Nonomura, Y., see Inoue, H. 679(1994)99
- Noordhoek, J., see Scheepers, P.T.J. 677(1994)107
- Nores, G.A., Mizutamari, R.K. and Kremer, D.M.
Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155
- Norlander, B., see Josefsson, M. 684(1994)23
- Norris, C.S., see Kinghorn, N.M. 700(1995)111
- Norrlöw, O., see Nilsson, K. 680(1994)57
- Norstrom, R.J., see Zhu, J. 669(1994)103
- Nothdurft, A., see Koppenhoefer, B. 666(1994)557
- Nott, R., see Sundaram, K.M.S. 687(1994)323
- Novák, I. and Berek, D.
Structural inhomogeneities in wide-pore silica gels 665(1994)33
- Novák, I., see Škrabáková, S. 665(1994)27
- Novaković, J., Tvrzická, E. and Pacáková, V.
High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359
- Novobilský, V., see Janoš, P. 676(1994)451
- Novotny, M.V., see Soini, H. 680(1994)623
- Nowakowska, J., see Lamparczyk, H. 668(1994)413
- Núñez, E., see Sánchez-Ferrer, A. 668(1994)75
- Nursten, H.E., see Bailey, R.G. 662(1994)101
- Nyberg, F., see Sanderson, K. 676(1994)155
- Nyberg, G., see Sanderson, K. 676(1994)155
- Nyerges, L., see Török, B. 668(1994)353
- Nyman, T., see Lukkari, P. 674(1994)241
- Nyström, L.-E., see Belew, M. 679(1994)67

O

- Obiols, J., see Rosell, M.G. 652(1993)151
- O'Brien, S., see Huddleston, J.G. 668(1994)3
- Ochiai, Y., see Yasuhara, F. 694(1995)227
- Ochocka, R.J., see Sybilska, D. 659(1994)389
- Ochocka, R.J., see Sybilska, D. 665(1994)67
- Oda, H., see Oguni, K. 694(1995)91
- Oda, R.P., see Landers, J.P. 652(1993)109
- Oda, R.P., Madden, B.J., Morris, J.C., Spelsberg, T.C. and Landers, J.P.
Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341
- Oda, R.P., Madden, B.J., Spelsberg, T.C. and Landers, J.P.
 α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85
- Oda, Y., see Ishihama, Y. 666(1994)193
- Oda, Y., see Mano, N. 687(1994)223

- Oda, Y., see Matsui, K. 694(1995)209
- O'Doherty, S.J., Simmonds, P.G. and Nickless, G.
Analysis of replacement chlorofluorocarbons using
carboxen microtraps for isolation and preconcentration
in gas chromatography-mass spectrometry
657(1993)123
- Odom, J.D., see Harris, S.E. 657(1993)395
- Oehrle, S.A.
Versatility of capillary electrophoresis of anions with a
high-mobility chromate electrolyte 671(1994)383
- Oehrle, S.A., Blanchard, R.D., Stumpf, C.L. and
Wulfeck, D.L.
Environmental monitoring of wastewater using
capillary ion electrophoresis 680(1994)645
- Oehrle, S.A. and Bossle, P.C.
Analysis of nerve agent degradation products using
capillary ion electrophoresis 692(1995)247
- Oei, H.B., see Brinkmann, E. 693(1995)271
- Oesch, F., see Funk, M. 659(1994)57
- Ofner, B., see Wintersteiger, R. 660(1994)205
- Ogasawara, N., see Matsumoto, K. 678(1994)241
- Ogino, H. and Aomura, Y.
Selective enhancement for neon detection in a helium
discharge photoionization detector 659(1994)381
- Ogino, K., Sato, H., Aihara, Y., Suzuki, H. and
Moriguchi, S.
Preparation and characterization of monodisperse
oligo(ethylene glycol) dimethacrylate polymer beads
for aqueous high-performance liquid chromatography
699(1995)67
- Ogino, K., Sato, H., Tsuchiya, K., Suzuki, H. and
Moriguchi, S.
Synthesis of monodisperse macroporous styrene-
divinylbenzene gel particles by a single-step swelling
and polymerization method 699(1995)59
- Oguni, K., Oda, H. and Ichida, A.
Development of chiral stationary phases consisting of
polysaccharide derivatives (Review) 694(1995)91
- Oguntimein, B., see Kapadia, G.J. 673(1994)142
- Oh, C.-H., Kim, J.-H., Kim, K.-R., Brownson, D.M. and
Mabry, T.J.
Simultaneous gas chromatographic analysis of non-
protein and protein amino acids as N(O,S)-
isobutyloxycarbonyl *tert*-butyldimethylsilyl derivatives
669(1994)125
- Ohashi, M., see Toda, T. 698(1995)41
- Ohe, H., see Matsui, K. 694(1995)209
- Ohgami, Y., see Okamoto, M. 653(1993)261
- Ohkubo, T., Uno, T. and Sugawara, K.
Enantiomer separation of dihydropyridine derivative
calcium antagonists by high-performance liquid
chromatography with chiral stationary phases
659(1994)467
- Ohkura, Y., see Kai, M. 653(1993)235
- Ohmori, S., see Kaneko, S. 669(1994)1
- Ohnishi, K., see Suzuki, T. 662(1994)139
- Ohno, T., see Oka, H. 674(1994)301
- Ohruï, H., see Kim, J.-H. 677(1994)35
- Ohruï, H., see Kim, J.-H. 693(1994)241
- Ohta, H., see Jinno, K. 691(1995)91
- Ohta, H., see Nogata, Y. 667(1994)59
- Ohta, K., see Tanaka, K. 671(1994)239
- Ohtaki, N., see Inoue, S. 679(1994)247
- Ohtsu, Y., see Kanda, T. 672(1994)51
- Ohtsuka, C., see Wada, H. 657(1993)87
- Ôi, N., Kitahara, H. and Aoki, F.
Enantiomer separation by high-performance liquid
chromatography with (*R,R*)-tartaric acid mono-amide
derivatives as bifunctional chiral selectors
666(1994)457
- Ôi, N., Kitahara, H. and Aoki, F.
Direct enantiomer separations by high-performance
liquid chromatography with chiral urea derivatives as
stationary phases 694(1995)129
- Ôi, N., Kitahara, H., Aoki, F. and Kisu, N.
Direct separation of carboxylic acid enantiomers by
high-performance liquid chromatography with amide
and urea derivatives bonded to silica gel as chiral
stationary phases 689(1995)195
- Oi, S., Ono, H., Tanaka, H., Matsuzaka, Y. and Miyano,
S.
Investigation on the chiral discrimination mechanism
using an axially asymmetric binaphthalene-based
stationary phase for high-performance liquid
chromatography 659(1994)75
- Oi, S., Ono, H., Tanaka, H., Shijo, M. and Miyano, S.
Axially dissymmetric bianthracene-based chiral
stationary phase for the high-performance liquid
chromatographic separation of enantiomers
679(1994)35
- Oikawa, K., Murano, K., Enomoto, Y., Wada, K. and
Inomata, T.
Automatic monitoring system for acid rain and snow
based on ion chromatography 671(1994)211
- Ojanperä, I., see Rasanen, I. 693(1995)69
- Ojanperä, I. and Vuori, E.
Identification of drugs in autopsy liver samples by
instrumental qualitative thin-layer chromatography
674(1994)147
- Oka, H., see Asukabe, H. 657(1993)349
- Oka, H., Ikai, Y., Ohno, T., Kawamura, N., Hayakawa,
J., Harada, K.-I. and Suzuki, M.
Identification of unlawful food dyes by thin-layer
chromatography-fast atom bombardment mass
spectrometry 674(1994)301
- Oka, M., see Miyazawa, T. 667(1994)99
- Okada, M., see Ito, K. 670(1994)99
- Okada, T.
Non-aqueous capillary electrophoretic separation of
polyethers and evaluation of weak complex formation
695(1995)309
- Okada, T. and Usui, T.
Stationary phase complexation of polyethers:
separation of polyethers with amino-bonded silica gel
676(1994)355
- Okahira, A., see Hoshino, M. 664(1994)104
- Okamoto, M., Nobuhara, K. and Ishii, D.
Effect of calcium-modified silica on retention and
selectivity in normal-phase liquid chromatography
697(1995)153

- Okamoto, M., Ohgami, Y. and Nakazawa, H.
Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261
- Okamoto, M., Takahashi, K.-I. and Doi, T.
Direct stereochemical resolution of 3,4-dihydroxyphenylserine using a chiral crown ether stationary phase 675(1994)244
- Okamoto, Y., see Chankvetadze, B. 670(1994)39
- Okamoto, Y., see Chankvetadze, B. 694(1995)101
- Okamoto, Y. and Kaida, Y.
Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403
- Okamoto, Y., see Yashima, E. 677(1994)11
- Okamoto, Y., see Yashima, E. 694(1995)347
- Okamura, N., Fujimoto, Y., Kuwabara, S. and Yagi, A.
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381
- Okamura, S., see Hara, T. 652(1993)361
- Okumura, T., see Nishikawa, Y. 690(1995)109
- Okuyama, T., see Izumi, T. 652(1993)41
- Olesik, S.V., see Cui, Y. 691(1995)151
- Olieman, C., see de Jong, N. 652(1993)207
- Olivella, L., see Amaral, O.C. 675(1994)177
- Oliveros, L. and Minguillón, C.
Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144
- Oliveros, L., Minguillón, C. and González, T.
Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(S)-phenylalanine and (S)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59
- Ollero, M., Pascual, M.L., Muñio-Blanco, T., Cebrián-Pérez, J.A. and López-Pérez, M.J.
Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173
- Ollivier, E., see Calmes, M. 663(1994)119
- Olmos, C., see Mongay, C. 683(1994)355
- Olsen, B.A., see Larew, L.A. 692(1995)183
- Olsen, B.A. and Sullivan, G.R.
Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147
- Olson, C.V., Reifsnnyder, D.H., Canova-Davis, E., Ling, V.T. and Builder, S.E.
Preparative isolation of recombinant human insulin-like growth factor 1 by reversed-phase high-performance liquid chromatography 675(1994)101
- Olsson, A.-M., see Egginger, G. 666(1994)275
- Olsson, A.-M., see Jönsson, J.A. 665(1994)259
- Olsson, L., see Marko-Varga, G. 665(1994)317
- Ombaba, J.M. and Barry, E.F.
Determination of (methylcyclopentadienyl)manganesetricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection 678(1994)319
- O'Neill, K., see Shao, X. 680(1994)463
- Ong, C.N., see Lee, B.L. 685(1994)263
- Ong, C.P., Chow, K.K., Ng, C.L., Ong, F.M., Lee, H.K. and Li, S.F.Y.
Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207
- Ong, C.P., see Ng, C.L. 680(1994)579
- Ong, C.P., Ng, C.L., Lee, H.K. and Li, S.F.Y.
Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319
- Ong, F.M., see Ong, C.P. 692(1995)207
- Ong, H.Y., see Lee, B.L. 685(1994)263
- Ono, H., see Oi, S. 659(1994)75
- Ono, H., see Oi, S. 679(1994)35
- Ono, I., see Iwase, H. 654(1993)215
- Onodera, R., see Nagasawa, T. 653(1993)336
- Onodera, S., Uchida, A. and Nakajima, C.
Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291
- Onsager, C., see Lensmeyer, G.L. 691(1995)239
- Onuska, F.I., Terry, K.A., Seech, A. and Antonic, M.
Determination of toxaphene in soil by electron-capture negative-ion mass spectrometry and capillary column gas chromatography 665(1994)125
- Oomens, A.C., see Van Damme, F. 696(1995)41
- Oppermann, G., see Popp, P. 687(1994)133
- Orav, A., Kuningas, K. and Kailas, T.
Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495
- Orav, A., Kuningas, K., Kailas, T., Koplímets, E. and Rang, S.
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
- Oriňák, A., Gyoryová, K., Matisová, E., Šlesárová, L., Skoršepa, J., Rosival, I. and Ganajová, M.
Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67
- Orita, Y., see Seki, T. 661(1994)113
- Orlando, R., see Alpert, A.J. 676(1994)191
- Orsi, A., see Bossi, A. 686(1994)121
- Orsi, A., see Gelfi, C. 689(1995)97
- Orte, J.C., see Martínez, B. 655(1993)45
- Ortega, F., Domínguez, E., Burestedt, E., Emnéus, J., Gorton, L. and Marko-Varga, G.
Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

P

- Orwar, O., Weber, S.G., Sandberg, M., Folestad, S., Tivesten, A. and Sundahl, M.
Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/ β -mercaptoethanol-labelled aliphatic α -oligopeptides 696(1995)139
- Osaka, T., see Mizukami, F. 697(1995)279
- Oscarsson, S., Angulo-Tatis, D., Chaga, G. and Porath, J.
Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3
- Osei-Owusu, J.P., see Abraham, M.H. 688(1994)125
- O'Shea, T.J., see Deacon, M. 652(1993)377
- O'Shea, T.J., see Zhou, J. 680(1994)271
- Oshikata, M., see Murata, H. 693(1995)263
- Osman, S.F., see Simms, P.J. 667(1994)67
- Ossicini, L., see Huynh, T.K.X. 663(1994)264
- Ossicini, L., see Sybilska, D. 659(1994)389
- Ostacoli, G., see Zerbinati, O. 671(1994)217
- Östman, C., see Grimvall, E. 675(1994)55
- Östman, C., see Grimvall, E. 685(1994)338
- Ostrand, G.K., see Mehref, Y. 695(1995)83
- Ostrovský, I., see Kubinec, R. 653(1993)363
- Ostrovský, I., see Kuráň, P. 665(1994)133
- Oszczapowicz, J.
Limitations of additivity of Kováts retention indices 668(1994)435
- Otsuka, K., Karuhaka, K., Higashimori, M. and Terabe, S.
Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with *N*-dodecanoyl-L-serine 680(1994)317
- Otsuka, K., Kashihara, M., Kawaguchi, Y., Koike, R., Hisamitsu, T. and Terabe, S.
Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium *N*-dodecanoyl-L-glutamate and digitonin 652(1993)253
- Otsuka, K., see Terabe, S. 666(1994)295
- Ottanà, R., see Caccamese, S. 694(1995)355
- Otter, D.E., see Kinghorn, N.M. 700(1995)111
- Otter, D.E., see Paterson, G.R. 700(1995)105
- Ottolina, G., see Chiari, M. 680(1994)571
- Ottolina, G., see Nesi, M. 670(1994)215
- Otvos, Jr., L., see Gorbics, L. 676(1994)169
- Ou, Q., see Song, L. 657(1993)175
- Ou, Q., see Song, L. 696(1995)307
- Ou, Q., see Song, L. 699(1995)371
- Ou, Q., see Wan, H. 673(1994)107
- Overklift, G.T., see Damm, J.B.L. 678(1994)151
- Owen, S.P., see Barnabas, I.J. 665(1994)307
- Oxford, J., see Smith, M.S. 683(1994)402
- Ozaki, H., Terabe, S. and Ichihara, A.
Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117
- Paama, L., see Mäeorg, U. 659(1994)213
- Pacáková, V., see Novaković, J. 678(1994)359
- Pacáková, V., Štulík, K., Hau, P.T., Jelínek, I., Vinš, I. and Šykora, D.
Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187
- Pace, M., Agnellini, D., Gardana, C., Mauri, P.L. and Pietta, P.G.
High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331
- Pacheco, C.R., see Mao, J. 684(1994)103
- Pacifici, R., see Pichini, S. 697(1995)383
- Paeng, K.-J., see Kwon, K.-H. 688(1994)350
- Paesen, J., Claeys, P., Cypers, W., Roets, E. and Hoogmartens, J.
Liquid chromatography of tylosin A and related substances on poly(styrene-divinylbenzene) 699(1995)93
- Paesen, J., Cypers, W., Busson, R., Roets, E. and Hoogmartens, J.
Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99
- Paesen, J., Quintens, I., Thoithi, G., Roets, E., Reybrouck, G. and Hoogmartens, J.
Quantitative analysis of quaternary ammonium antiseptics using thin-layer densitometry 677(1994)377
- Páez, R., see Agraz, A. 672(1994)25
- Páez, X., see Hernandez, L. 652(1993)393
- Pagani, G., see Terreni, M. 688(1994)243
- Pagani, R., see Terzuoli, L. 684(1994)350
- Pagé, M., see Paquet, A. 667(1994)125
- Pagé, M., see Perron, M.J. 662(1994)383
- Pahlke, C., see Hartkopf, J. 672(1994)242
- Pahlke, S., see Boden, J. 696(1995)321
- Pais, P., see Galceran, M.T. 655(1993)101
- Pakdel, H. and Roy, C.
Simultaneous gas chromatographic-Fourier transform infrared spectroscopic-mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203
- Palamareva, M., Kozekov, I. and Jurova, I.
Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of malic and fumaric acids 670(1994)181
- Pálincó, I., see Török, B. 668(1994)353
- Paliwal, S.K., see Nadler, T.K. 659(1994)317
- Paliwal, S.K., see Nadler, T.K. 676(1994)331
- Paliwal, S.K., see Regchr, M.F. 659(1994)247

- Palladino, D.E.H., Hopkins, J.L., Ingraham, R.H., Warren, T.C., Kapadia, S.R., Van Moffaert, G.J., Grob, P.M., Stevenson, J.M. and Cohen, K.A. High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99
- Palma, F., see Piccoli, G. 676(1994)239
- Pálmarsdóttir, S. and Edholm, L.-E.
Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337
- Pálmarsdóttir, S. and Edholm, L.-E.
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131
- Palmer, S. and Cox, S.
Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316
- Pandolfi, M.L., see Terzuoli, L. 684(1994)350
- Pang, G.-F., Fan, C.-L., Chao, Y.-Z. and Zhao, T.-S.
Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348
- Paniagua, L., see Galceran, M.T. 657(1993)77
- Panov, K.I.
Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229
- Panzeter, P.L., Zweifel, B. and Althaus, F.R.
Fast protein liquid chromatographic purification of poly(ADP-ribose) polymerase and separation of ADP-ribose polymers 678(1994)35
- Pap, E., see Erdélyi-Tóth, V. 668(1994)419
- Papac, D.I., see Weinmann, W. 680(1994)353
- Papadaki-Valiraki, A., see Loukas, Y.L. 677(1994)53
- Papadaki-Valiraki, A., see Tsantili-Kakoulidou, A. 654(1993)43
- Papenfuss, R., see Buzanowski, W.C. 677(1994)355
- Papet, M.P., see Lagoutte, D. 684(1994)251
- Paquet, A., Lévesque, A. and Pagé, M.
Rapid purification method for human recombinant tumor necrosis factor alpha 667(1994)125
- Paquette, D.M., see Banks, P.R. 693(1995)145
- Parcher, J.F., see Liu, Y. 679(1994)392
- Parenteau, H., see Wainer, I.W. 694(1995)169
- Pariat, Y.F., Berka, J., Heiger, D.N., Schmitt, T., Vilenchik, M., Cohen, A.S., Foret, F. and Karger, B.L.
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
- Parissi-Poulou, M., see Piperaki, S. 660(1994)339
- Park, J., see Kim, Y. 689(1995)170
- Park, J., see Yoo, Y.S. 652(1993)431
- Park, J.H., Chae, J.J., Nah, T.H. and Jang, M.D.
Characterization of some silica-based reversed-phase liquid chromatographic columns based on linear solvation energy relationships 664(1994)149
- Park, J.H., Dallas, A.J., Chau, P. and Carr, P.W.
Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1
- Park, J.H., Jang, M.D., Chae, J.J., Kim, H.C. and Suh, J.K.
UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69
- Park, S., see Kim, Y. 689(1995)170
- Parker, C.E., see Weinmann, W. 664(1994)271
- Parker, C.E., see Weinmann, W. 680(1994)353
- Parmar, P., see Straub, J.A. 679(1994)85
- Parreño, M., Castellote, A.I. and Codony, R.
High-performance liquid chromatographic determination of plasma triglyceride type composition in a normal population of Barcelona. Relationship with age, sex and other plasma lipid parameters 655(1993)89
- Parvoli, G., see Sturaro, A. 688(1994)211
- Pasch, H. and Rode, K.
Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21
- Pascual, J.A., see Ventura, R. 655(1993)233
- Pascual, M.L., see Ollero, M. 668(1994)173
- Passa, A.R., see Pichini, S. 697(1995)383
- Passell, T.O.
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331
- Pastor, A., see Mongay, C. 683(1994)355
- Patamia, M., see Castagnola, M. 694(1995)463
- Paterson, G.R., Hill, J.P. and Otter, D.E.
Separation of β -lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105
- Paterson, G.R., see Kinghorn, N.M. 700(1995)111
- Patil, S.F. and Lonkar, S.T.
Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133
- Patil, S.F. and Lonkar, S.T.
Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189
- Patil, V.B. and Shingare, M.S.
Thin-layer chromatographic detection of carbaryl using phenylhydrazine hydrochloride 653(1993)181
- Patonay, G., see Pullen, R.H. 691(1995)187
- Patrickios, C.S. and Patrickios, E.S.
Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480
- Patrickios, E.S., see Patrickios, C.S. 694(1995)480
- Patterson, D.H., see Harmon, B.J. 657(1993)429

- Patterson, D.H., Harmon, B.J. and Regnier, F.E.
Electrophoretically mediated microanalysis of calcium
662(1994)389
- Patterson, Jr., D.G., see Liu, Z. 673(1994)125
- Patthy, M.
Explanation of the selectivity differences between
reversed-phase ion-pair chromatographic systems
containing trifluoroacetate or heptafluorobutyrate as
pairing ion 660(1994)17
- Patton, W.F.
Biologist's perspective on analytical imaging systems as
applied to protein gel electrophoresis (Review)
698(1995)55
- Pattueli, M.E., Montalti, A., Viola, G.T. and Zazzetta, A.
Sequence distribution of styrene-butadiene copolymers
by ozonolysis. high-performance liquid
chromatographic and gas chromatographic-mass
spectrometric techniques 665(1994)117
- Pauli, B., see Jones, P. 673(1994)173
- Paulus, A., see Klockow, A. 680(1994)187
- Pauly, M., see Alpert, A.J. 676(1994)191
- Pauné, F., Rivera, J., Espadaler, I. and Caixach, J.
Determination of polychlorinated biphenyls in sewage
sludges from Catalonia (N.E. Spain) by high-resolution
gas chromatography with electron-capture detection
684(1994)289
- Pawliszyn, J., see Wu, J. 652(1993)295
- Pawlowska, E., see Konopski, L. 669(1994)275
- Pawlowska, M., Zukowski, J. and Armstrong, D.W.
Sensitive enantiomeric separation of aliphatic and
aromatic amines using aromatic anhydrides as non-
chiral derivatizing agents 666(1994)485
- Payne, M.S., see Hofman, Y.L. 692(1995)233
- Pazourek, J., Urbánková, E. and Chmelík, J.
Experimental study on the separation of silica gel
supports by gravitational field-flow fractionation
660(1994)113
- Pearce, D.W., Koshioka, M. and Pharis, R.P.
Chromatography of gibberellins (Review) 658(1994)91
- Peart, T.E., see Lee, H.-B. 653(1993)83
- Peart, T.E., see Lee, H.-B. 663(1994)87
- Pedersen-Bjergaard, S. and Greibrokk, T.
N-, O- and P-selective on-column atomic emission
detection in capillary gas chromatography
686(1994)109
- Pedrosa, M.M., see Legaz, M.E. 655(1993)21
- Pedrosa, M.M., see Legaz, M.E. 697(1995)329
- Pedrosa, M.M., Reyes, A., Vicente, C. and Legaz, M.E.
Analysis of the quaternary structure of catalase by
capillary zone electrophoresis 697(1995)571
- Pelosi, P., see Di Muccio, A. 697(1995)145
- Pelusio, F., see Bowadt, S. 662(1994)424
- Peña Heras, A., see De la Colina, C. 655(1993)127
- Peng, C.T.
Retrieval of structure information from retention index
(Review) 678(1994)189
- Penn, S.G., Chiu, R.W. and Monnig, C.A.
Separation and analysis of cyclodextrins by capillary
electrophoresis with dynamic fluorescence labelling and
detection 680(1994)233
- Penn, S.G., Liu, G., Bergström, E.T., Goodall, D.M. and
Loran, J.S.
Systematic approach to treatment of enantiomeric
separations in capillary electrophoresis and liquid
chromatography.. I. Initial evaluation using
propranolol and dansylated amino acids 680(1994)147
- Penn, S.G., see Piperaki, S. 700(1995)59
- Pentchuk, J., see Haldna, U. 670(1994)51
- Pentoney, Jr., S., see Chen, F.-T.A. 652(1993)355
- Pentoney, Jr., S.L., see Chen, F.-T.A. 680(1994)425
- Perakis, A., see Piperaki, S. 660(1994)339
- Pérez, B., see García Regueiro, J.A. 655(1993)73
- Perez, G., see Sybilska, D. 659(1994)389
- Pérez, L., see Agraz, A. 672(1994)25
- Pérez-Bustamante, J.A., see Guillén, D.A. 655(1993)227
- Pérez-Camino, M.C., see Márquez-Ruiz, G. 662(1994)363
- Pérez-Gilbert, M., see Sánchez-Ferrer, A. 668(1994)75
- Pérez-Giménez, F., see Antón-Fos, G.M. 672(1994)203
- Pérez Iglesias, J., see González Rodríguez, V.
673(1994)291
- Pérez-Illarbe, F.J., see Bartolomé, B. 655(1993)119
- Pérez-Illarbe, F.J., see Bartolomé, B. 664(1994)39
- Periago, F., see Prado, C. 657(1993)131
- Periago, J.F., Prado, C., Ibarra, I. and Tortosa, J.
Application of thermal desorption to the biological
monitoring of organic compounds in exhaled breath
657(1993)147
- Perjéssy, A., see Soják, L. 665(1994)169
- Perjéssy, A., see Soják, L. 695(1995)57
- Perrett, D., see Evans, M.D. 700(1995)151
- Perrett, D. and Ross, G.A.
Rapid determination of drugs in biofluids by capillary
electrophoresis. Measurement of antipyrine in saliva
for pharmacokinetic studies 700(1995)179
- Perrin, S.R., see Welch, C.J. 690(1995)218
- Perron, M.J. and Pagé, M.
Measurement of the enzymatic specificity of
carboxypeptidase A by capillary zone electrophoresis
662(1994)383
- Perrut, M.
Advances in supercritical fluid chromatographic
processes (Review) 658(1994)293
- Perrut, M., see Fuchs, G. 658(1994)437
- Perry, R.L., see Tindall, G.W. 696(1995)349
- Persson, B., see Wingren, C. 668(1994)65
- Persson, B.-A., see Balmér, K. 660(1994)269
- Pesek, J.J. and Matyska, M.T.
Synthesis and spectrometric characterization of a true
diol bonded phase 687(1994)33
- Pesek, J.J., see Montas, M.C. 688(1994)31
- Pesliakas, H., Žutautas, V. and Baškevičiūtė, B.
Immobilized metal-ion affinity partitioning of NAD⁺-
dependent dehydrogenases in poly(ethylene glycol)-
dextran two-phase systems 678(1994)25
- Peter, A., see Körner, A. 689(1995)235
- Péter, A., Tóth, G., Cserpán, E. and Tourwé, D.
Monitoring of optical isomers of β-
methylphenylalanine in opioid peptides 660(1994)283

- Péter, A., Tóth, G. and Tourwé, D.
Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331
- Peters, R.J.B., De Leer, E.W.B. and Versteegh, J.F.M.
Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253
- Petersen, J.S., see Mazzeo, J.R. 680(1994)125
- Pettersson, B., Podlaha, O. and Jirskog-Hed, B.
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25
- Pettersson, P., see Almquist, S.R. 679(1994)139
- Pettersson, P., Malmquist, J., Markides, K.E. and Sjöberg, S.
Determination of enantiomeric purity of (*S*)-carboranylalanine using capillary column supercritical fluid chromatography 670(1994)239
- Pettersson, P. and Markides, K.E.
Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381
- Pettersson, P., Reese, S.L., Yi, G., Yun, H., Malik, A., Bradshaw, J.S., Rossiter, B.E., Lee, M.L. and Markides, K.E.
Evaluation of β -cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297
- Petrik, J., see Kočan, A. 665(1994)139
- Petrillo, K.L., see Hofman, Y.L. 692(1995)233
- Petro, M., Gemeiner, P. and Berek, D.
Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37
- Petry, S., see Läufer, K. 684(1994)370
- Pettersson, C., see Luthman, K. 666(1994)527
- Pezet, R., Pont, V. and Cuenat, P.
Method to determine resveratrol and pterostilbene in grape berries and wines using high-performance liquid chromatography and highly sensitive fluorimetric detection 663(1994)191
- Pfäffli, P.
Determination of low concentrations of trimellitic anhydride in air 684(1994)269
- Pfeffer, M., Gelbe, B., Woicke, B. and Wykhoff, B.
High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407
- Pfeffer, W.D., see Andersson, P.E. 699(1995)323
- Pfeiffer, C.D., see Nicholson, L.W. 687(1994)241
- Pfeiffer, U., see Camilleri, P. 654(1993)207
- Phan-Tan-Luu, R., see De Vanssay, E. 688(1994)161
- Pharis, R.P., see Pearce, D.W. 658(1994)91
- Phillips, D.J., see Capparella, M. 691(1995)141
- Phillips, J.B., see Zhang, M. 689(1995)275
- Phillips, J.G. and Simmonds, C.
Determination of spectinomycin using cation-exchange chromatography with pulsed amperometric detection 675(1994)123
- Pianezzola, E., see Fontana, E. 660(1994)293
- Pianezzola, E., see Frigerio, E. 660(1994)351
- Piccoli, G., Fiorani, M., Biagiarelli, B., Palma, F., Potenza, L., Amicucci, A. and Stocchi, V.
Simultaneous high-performance capillary electrophoretic determination of reduced and oxidized glutathione in red blood cells in the femtomole range 676(1994)239
- Piccoli, G., see Stocchi, V. 676(1994)51
- Pichini, A., see Sinibaldi, M. 666(1994)471
- Pichini, S., Altieri, L., Passa, A.R., Rosa, M., Zuccaro, P. and Pacifici, R.
Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383
- Pichon, V. and Hennion, M.-C.
Determination of pesticides in environmental waters by automated on-line trace-enrichment and liquid chromatography 665(1994)269
- Picó, Y., see Escrivá, C. 676(1994)375
- Picó, Y., Redondo, M.J., Font, G. and Mañes, J.
Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk 693(1994)339
- Pidgeon, C., see Cai, S.-J. 696(1995)49
- Pietrogrande, A., see Toniolo, R. 662(1994)185
- Pietrzyk, D.J., see Chen, S. 671(1994)73
- Pietta, P., Facino, R.M., Carini, M. and Mauri, P.
Thermospray liquid chromatography-mass spectrometry of flavonol glycosides from medicinal plants 661(1994)121
- Pietta, P.G., Mauri, P.L., Zini, L. and Gardana, C.
Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175
- Pietta, P.G., see Pace, M. 691(1995)331
- Piggee, C.A., see Schmalzing, D. 652(1993)149
- Piñeiro, A., see Lampreave, F. 698(1995)107
- Pinho, R.T., see De Simon, S.G. 688(1994)357
- Pini, D., see Uccello-Barretta, G. 666(1994)541
- Pinilla, M., De la Fuente, J., García-Pérez, A.I., Jimeno, P., Sancho, P. and Luque, J.
Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165
- Pinto, N.G., see Jen, S.C.D. 662(1994)396
- Pinto, N.G., see Li, Y.-L. 658(1994)445
- Pinza, M., see Camilleri, P. 654(1993)207
- Piovetto, L., see Valls, R. 663(1994)114
- Piperaki, S., Penn, S.G. and Goodall, D.M.
Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59
- Piperaki, S., Perakis, A. and Parissi-Poulou, M.
Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β -cyclodextrin bonded-phase column 660(1994)339
- Piras, P., see Koppenhoefer, B. 666(1994)557
- Pirela, D., see Ledo de Medina, H. 671(1994)287
- Pires, M.J., see Sarmiento, M.J. 668(1994)117

- Pirkle, W.H., Bowen, W.E. and Vuong, D.V.
Liquid chromatographic separation of the enantiomers of cyclic β -amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297
- Pirkle, W.H., see Schleimer, M. 679(1994)23
- Pirkle, W.H., Spence, P.L., Lamm, B. and Welch, C.J.
Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69
- Pirkle, W.H., see Villani, C. 693(1995)63
- Pirkle, W.H. and Welch, C.J.
Chromatographic and ^1H NMR support for a proposed chiral recognition model 683(1994)347
- Píry, J. and Pribela, A.
Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105
- Piš, J., Hykl, J., Vaisar, T. and Harmatha, J.
Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77
- Pit, G.L., see Galushko, S.V. 660(1994)47
- Pitsch, H., see Motellier, S. 660(1994)211
- Pizzale, L., see Bortolomeazzi, R. 683(1994)75
- Pizzichini, M., see Terzuoli, L. 684(1994)350
- Planeta, J., see Vejrosta, J. 683(1994)407
- Planeta, J., see Vejrosta, J. 685(1994)113
- Plank, C. and Lorbeer, E.
On-line liquid chromatography-gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95
- Plank, C. and Lorbeer, E.
Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461
- Platt, K.L., see Funk, M. 659(1994)57
- Pleil, J.D. and Stroupe, M.L.
Measurement of vapor-phase organic compounds at high concentrations 676(1994)399
- Plomley, J.B., see Cormier, J.F. 662(1994)401
- Plzák, Z., Polanská, M. and Suchánek, M.
Identification and determination of butyltin compounds in water by ion trap gas chromatography-mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241
- Poblet, J.M., see Martorell, C. 655(1993)177
- Pocurull, E., Sánchez, G., Borrull, F. and Marcé, R.M.
Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31
- Podlaha, O., see Petersson, B. 653(1993)25
- Podzimek, S.
Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21
- Poh, Y.H., see Wan, H.B. 677(1994)255
- Pohjola, J. and Harpf, M.
Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350
- Polanská, M., see Plzák, Z. 699(1995)241
- Polcaro, C., see Huynh, T.K.X. 663(1994)264
- Polettini, A., Montagna, M., Hogendoorn, E.A., Dijkman, E., Van Zoonen, P. and Van Ginkel, L.A.
Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography-UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19
- Poliakoff, M., see Kaplan, M. 673(1994)231
- Polissiou, M., see Tarantilis, P.A. 664(1994)55
- Polissiou, M., see Tarantilis, P.A. 699(1995)107
- Polonský, J.
Preface 665(1994)1
- Polonský, J., see Karovičová, J. 665(1994)55
- Polzer, J. and Bächmann, K.
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography-mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283
- Pomfret, A., see Capparella, M. 691(1995)141
- Ponde, D.E., see Wakharkar, R.D. 662(1994)420
- Ponder, G.W., Butram, S.L., Adams, A.G., Ramanathan, C.S. and Stewart, J.T.
Resolution of promethazine, ethopropazine, trimiprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173
- Ponder, G.W. and Stewart, J.T.
High-performance thin-layer chromatographic determination of digoxin and related compounds, digoxigenin bisdigitoxoside and gitoxin, in digoxin drug substance and tablets 659(1994)177
- Pont, V., see Pezet, R. 663(1994)191
- Poole, C.F., see Abraham, M.H. 688(1994)125
- Poole, C.F., see Mayer, M.L. 695(1995)267
- Poole, C.F., see Mayer, M.L. 697(1995)89
- Poole, C.F., see Poole, S.K. 664(1994)229
- Poole, C.F., see Poole, S.K. 697(1995)415
- Poole, C.F., see Poole, S.K. 697(1995)429
- Poole, S.K., see Abraham, M.H. 688(1994)125
- Poole, S.K., Kollie, T.O. and Poole, C.F.
Influence of temperature on the mechanism by which compounds are retained in gas-liquid chromatography 664(1994)229
- Poole, S.K., see Mayer, M.L. 697(1995)89
- Poole, S.K. and Poole, C.F.
Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
- Poole, S.K. and Poole, C.F.
Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

- Popp, P., Kalbitz, K. and Oppermann, G.
Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133
- Poppe, H.
Distribution isotherms in reversed-phase systems (Review) 656(1993)19
- Poppe, H., see Busch, M.H.A. 695(1995)287
- Poppe, H., see Cifuentes, A. 680(1994)321
- Poppe, H., see Stegeman, G. 657(1993)283
- Poppe, H., see Swart, R. 670(1994)25
- Poppe, H., see Swart, R. 689(1995)177
- Poppe, H., see Van Asten, A.C. 676(1994)361
- Poppe, H., see Wijnhoven, J.E.G.J. 699(1995)119
- Porath, J., see Oscarsson, S. 689(1995)3
- Porcar, I., see García, R. 655(1993)3
- Porcar, I., see García, R. 655(1993)191
- Porcar, I., see García, R. 662(1994)61
- Porcar, I., García, R., Campos, A. and Soria, V.
Size-exclusion chromatographic and viscometric study of polymer solutions containing nicotine or silicic acid 673(1994)65
- Porsch, B.
Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1
- Porsch, B.
Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179
- Porsch, B. and Sundelöf, L.-O.
Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21
- Portillo, J.L., see Comellas, L. 657(1993)25
- Poschenrieder, Ch., see Montero, E. 658(1994)83
- Potaman, V.N. and Soyfer, V.N.
Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65
- Potenza, L., see Piccoli, G. 676(1994)239
- Potsehka, M., see Nave, R. 654(1993)229
- Potter, G.A.
New lateral reservoir flash chromatography system for the expeditious preparative purification of organic compounds 675(1994)237
- Potter, K.J., Allington, R.J.B. and Algaier, J.
Separation of estrogens and rodenticides using capillary electrophoresis with aqueous-methanolic buffers 652(1993)427
- Pötzsche, H., see Barnikol, W.K.R. 685(1994)221
- Poustka, J., see Hajšlová, J. 699(1995)231
- Powell, B., see Tetler, L.W. 700(1995)21
- Powell, M.W.
Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101
- Prado, C., Periago, F., Ibarra, I. and Tortosa, J.
Evaluation of isoflurane in air by thermal desorption-gas chromatography 657(1993)131
- Prado, C., see Periago, J.F. 657(1993)147
- Pretsch, E., see Nann, A. 676(1994)437
- Previtera, T., see Caccamese, S. 694(1995)355
- Prevost, J., see Sebedio, J.L. 659(1994)101
- Pribela, A., see Piry, J. 665(1994)105
- Price, N.P.J., Firmin, J.L., Robins, R.J. and Gray, D.O.
High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161
- Prieur, C., see Rigaud, J. 654(1993)255
- Prince, I.G., see Mao, Q.-M. 691(1995)273
- Principato, G., see Caccamese, S. 694(1995)355
- Procopio, J.R., see Del Pilar da Silva, M. 653(1993)267
- Prokai, A.M. and Ravichandran, R.K.
Simultaneous analysis of hydroxylamine, N-methylhydroxylamine and N,N-dimethylhydroxylamine by ion chromatography 667(1994)298
- Prokisch, J., Kovács, B., Györi, Z. and Loch, J.
Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253
- Proksa, B., Adamcová, J. and Fuska, J.
Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185
- Prosen, H., see Marcé, R.M. 696(1995)63
- Provost, L.R., see D'Agostino, P.A. 670(1994)127
- Provost, L.R., see D'Agostino, P.A. 695(1995)65
- Przybylski, M., see Weinmann, W. 664(1994)271
- Przybylski, M., see Weinmann, W. 680(1994)353
- Przyjazny, A., Hentz, N.G. and Bachas, L.G.
Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79
- Psathaki, M., Manoussaridou, E. and Stephanou, E.G.
Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241
- Puchkova, Yu., see Kurganov, A. 663(1994)163
- Puig, D. and Barceló, D.
Comparative study of various size-exclusion chromatographic columns for the clean-up of selected pesticides in soil samples 673(1994)55
- Puig-Deu, M. and Buxaderas, S.
Analytical conditions for the determination of 23 phenylthiocarbonyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21
- Puignou, L., see Carneiro, M.C. 669(1994)217
- Puignou, L., see Galeceran, M.T. 655(1993)101
- Pujol, V., see Agraz, A. 672(1994)25
- Pullen, R.H., Brennan, J.J. and Patonay, G.
Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187
- Purdy, W.C., see Tadey, T. 652(1993)131
- Putra, D.P., see Devêvre, O. 679(1994)349

- Pyell, U. and Garrigues, P.
Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223
- Pyy, L.. see Mäkelä, M. 699(1995)49

Q

- Qiao, G., see Zhang, X. 684(1994)354
- Qin, X.-Z., Tsai, E.W., Sakuma, T. and Ip, D.P.
Pharmaceutical application of liquid chromatography-mass spectrometry. II. Ion chromatography-ion spray mass spectrometric characterization of alendronate 686(1994)205
- Quaglia, M.G., Desideri, N., Bossù, E., Farina, A. and Morrone, L.A.
Chromatographic resolution and pharmacological investigation of ICI 118551, a new β_2 -blocker 666(1994)289
- Quang, C. and Khaledi, M.G.
Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459
- Quang, C. and Khaledi, M.G.
Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253
- Quintanilla-López, J.E., see Lebrón-Aguilar, R. 697(1995)441
- Quintens, I., see Paesen, J. 677(1994)377
- Quintero, G., Vo, M., Farkas, G. and Vigh, G.
Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1
- Quirijns, J., see Rietveld, R. 683(1994)151
- Quitasol, J. and Krastins, L.
Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

R

- Rabin, S. and Stillian, J.
Practical aspects on the use of organic solvents in ion chromatography 671(1994)63
- Rabino, R., see Castagnola, M. 694(1995)463
- Raffaelli, R., see Vitali, P. 660(1994)219
- Rahko, E.-L., see Vuorela, P. 670(1994)191
- Rajniaková, A., see Karovičová, J. 665(1994)55
- Ramanathan, C.S., see Ponder, G.W. 692(1995)173
- Ramlal, M.R., see Van der Velde, E.G. 683(1994)125
- Ramlal, M.R., see Van der Velde, E.G. 683(1994)167
- Ramos, L., Blanch, G.P., Hernández, L. and González, M.J.
Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243
- Ramström, O., see Nicholls, I.A. 691(1995)349
- Rang, S., see Orav, A. 659(1994)143
- Rao, K.R.N., see Aldrich-Wright, J.R. 693(1995)366
- Rao, R.N., see Husain, S. 687(1994)351
- Rasanen, I., Ojanperä, I. and Vuori, E.
Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69
- Rasmussen, J.K., see Johnson, P.R. 667(1994)1
- Rasmussen, K.E., see Krogh, M. 674(1994)235
- Raspor, P., see Strancar, A. 658(1994)475
- Rastogi, S.C. and Johansen, S.S.
Comparison of high-performance liquid chromatographic methods for the determination of 1,2-dibromo-2,4-dicyanobutane in cosmetic products 692(1995)53
- Raulin, F., see De Vanssay, E. 688(1994)161
- Rauret, G., see Rigol, A. 664(1994)301
- Ravichandran, R.K., see Prokai, A.M. 667(1994)298
- Ravindranath, Y., see Stout, M.L. 692(1995)59
- Rawjee, Y.Y., Williams, R.L., Buckingham, L.A. and Vigh, G.
Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
- Rawjee, Y.Y., Williams, R.L. and Vigh, G.
Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233
- Rawjee, Y.Y., Williams, R.L. and Vigh, G.
Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599

- Ray, A., see Almudaris, A. 689(1995)31
- Ray, R.K. and Kauffman, G.B.
Chromatographic studies of metal complexes. VII.
Thin-layer chromatography of cobalt(III) complexes
675(1994)271
- Raynor, M.W., see Blake, E. 683(1994)223
- Read, R.W., see Black, R.M. 662(1994)301
- Recanatini, M., see Biagi, G.L. 662(1994)341
- Recanatini, M., see Biagi, G.L. 669(1994)246
- Recanatini, M., see Biagi, G.L. 678(1994)127
- Redden, P.R., Huang, Y.-S., Lin, X. and Horrobin, D.F.
Separation and quantification of the triacylglycerols in
evening primrose and borage oils by reversed-phase
high-performance liquid chromatography 694(1995)381
- Reddy, G., see Reddy, T.V. 655(1993)331
- Reddy, G.R., Signs, M.W., Flores, H.E. and Curtis, W.R.
Reversed-phase liquid chromatographic isolation of
lubimin and solavetivone from *Hyoscyamus muticus*
"hairy" root cultures 657(1993)440
- Reddy, K.S., Cloux, R. and Kováts, E.
Pair-wise interactions by gas chromatography.
IV. Interaction free enthalpies of solutes with
trifluoromethyl-substituted alkanes 673(1994)181
- Reddy, K.S., see Défayes, G. 699(1995)131
- Reddy, T.V., Wiceman, B.E., Lin, E.L., Chang, L.W.,
Smith, M.K., Daniel, F.B. and Reddy, G.
Separation and quantitation of nitrobenzenes and their
reduction products nitroanilines and phenylenediamines
by reversed-phase high-performance liquid
chromatography 655(1993)331
- Redondo, A., Villanueva, M.J. and Rodríguez, M.D.
High-performance liquid chromatographic
determination of dietary fibre in raw and processed
carrots 677(1994)273
- Redondo, M.J., see Picó, Y. 693(1994)339
- Redondo, M.J., Ruiz, M.J., Boluda, R. and Font, G.
Determination of thiobencarb residues in water and
soil using solid-phase extraction discs 678(1994)375
- Reeder, D.J., see Srinivasan, K. 652(1993)83
- Reemtsma, T. and Jekel, M.
Analysis of sulphonated polyphenols, synthetic tanning
agents in heavily polluted tannery wastewaters
660(1994)199
- Reese, C., see Lochmüller, C.H. 656(1993)3
- Reese, S.L., see Petersson, P. 684(1994)297
- Regehr, M.F., Paliwal, S.K. and Regnier, F.E.
Ensemble averaging and digital filtering in
chromatography and electrophoresis 659(1994)247
- Reglero, G., see Blanch, G.P. 655(1993)141
- Reglero, G., see Ibáñez, E. 667(1994)249
- Regnier, F.E.,
Foreword 676(1994)1
- Regnier, F.E., see Harmon, B.J. 657(1993)429
- Regnier, F.E., see Nadler, T.K. 659(1994)317
- Regnier, F.E., see Nadler, T.K. 676(1994)331
- Regnier, F.E., see Patterson, D.H. 662(1994)389
- Regnier, F.E., see Regehr, M.F. 659(1994)247
- Rehwald, A., Meier, B. and Sticher, O.
Qualitative and quantitative reversed-phase high-
performance liquid chromatography of flavonoids in
Crataegus leaves and flowers 677(1994)25
- Reichelová, V., Albertioni, F. and Liliemark, J.
Hydrophobicity parameters of 2-chloro-2'-
deoxyadenosine and some related analogues and
retention in reversed-phase liquid chromatography
667(1994)37
- Reid III, G.L., see Armstrong, D.W. 688(1994)201
- Reid, M.T.J., see Black, R.M. 662(1994)301
- Reid, R.H.P.
Electrophoretic behaviour of a group of organic anions
of biochemical interest in a functionally coherent series
of buffers 669(1994)151
- Reid, R.H.P.
Studies on the retention behaviour of a group of
organic anions of biochemical interest on quaternary
bonded silica columns equilibrated with a functionally
coherent series of counterions. Use of 2-(N-
morpholino)ethanesulphonate as a counterion and N-
tris(hydroxymethyl)methyl-3-aminopropanesulphonate
as an eluent 684(1994)221
- Reif, K. and Metzger, W.
Determination of aflatoxins in medicinal herbs and
plant extracts 692(1995)131
- Reif, O.-W. and Freitag, R.
Characterization and application of strong ion-
exchange membrane adsorbents as stationary phases in
high-performance liquid chromatography of proteins
654(1993)29
- Reif, O.-W. and Freitag, R.
Control of the cultivation process of antithrombin III
and its characterization by capillary electrophoresis
680(1994)383
- Reif, O.-W., see Lausch, R. 654(1993)190
- Reif, O.-W., Nier, V., Bahr, U. and Freitag, R.
Immobilized metal affinity membrane adsorbents as
stationary phases for metal interaction protein
separation 664(1994)13
- Reifsnnyder, D.H., see Olson, C.V. 675(1994)101
- Reijenga, J.C.
Isotachopheresis of polyols in borate buffer solutions
659(1994)223
- Reijenga, J.C. and Kennidler, E.
Computational simulation of migration and dispersion
in free capillary zone electrophoresis. I. Description of
the theoretical model 659(1994)403
- Reijenga, J.C. and Kennidler, E.
Computational simulation of migration and dispersion
in free capillary zone electrophoresis. II. Results of
simulation and comparison with measurements
659(1994)417
- Reimer, G. and Suarez, A.
Comparison of supercritical fluid extraction and
Soxhlet extraction for the analysis of native polycyclic
aromatic hydrocarbons in soils 699(1995)253
- Reinhardt, R., see Steinborn, A. 697(1995)485
- Reinhardt, R., Steinborn, A., Engewald, W., Anhalt, K.
and Schulze, K.
Enantiomer separation of α -campholene and
fencholene derivatives by capillary gas chromatography
on permethylated cyclodextrin phases. I. Compounds
separable with single columns 697(1995)475

- Reinhold, N.J., Tjaden, U.R. and Van der Greef, J.
Strategy for setting up single-capillary
isotachopheresis-zone electrophoresis 653(1993)303
- Reinhold, N.J., Tjaden, U.R. and van der Greef, J.
Correlation between zone velocity and current in
automated single capillary isotachopheresis-zone
electrophoresis 673(1994)239
- Reinhold, N.J., Tjaden, U.R. and Van der Greef, J.
Automated on-capillary isotachopheretic reaction cell
for fluorescence derivatization of small sample volumes
at low concentrations followed by capillary zone
electrophoresis 673(1994)255
- Rella, R., see Sturaro, A. 688(1994)211
- Renard, J. and Vidal-Madjar, C.
Kinetic study of the adsorption of human serum
albumin on immobilized antibody using the split-peak
effect in immunochromatography 661(1994)35
- Renborg, A., see Figeys, D. 669(1994)205
- Renstad, R., see Karlsson, S. 669(1994)97
- Resch, M., see Just, U. 667(1994)354
- Resham, K.S., see Chadwick, R.R. 671(1994)403
- Reybrouck, G., see Paesen, J. 677(1994)377
- Reyes, A., see Pedrosa, M.M. 697(1995)571
- Reznikova, O.A., see Kataev, A.D. 660(1994)131
- Rezzonico, R., see Bello, M.S. 659(1994)199
- Rhemrev-Boom, M.M.
Determination of anions with capillary electrophoresis
and indirect ultraviolet detection 680(1994)675
- Rhoderick, G.C. and Miller, W.R.
Development of hydrocarbon gas standards
653(1993)71
- Rhomberg, A., see Corradini, D. 661(1994)305
- Ribot, E., see Sebedio, J.L. 659(1994)101
- Richard-Forget, F., Goupy, P. and Nicolas, J.
New approaches for separating and purifying apple
polyphenol oxidase isoenzymes: hydrophobic, metal
chelate and affinity chromatography 667(1994)141
- Richards, K.L., Aguilar, M.I. and Hearn, M.T.W.
A comparative study of the retention behaviour and
stability of cytochrome *c* in reversed-phase high-
performance liquid chromatography 676(1994)17
- Richards, K.L., Aguilar, M.I. and Hearn, M.T.W.
Effect of protein conformation on experimental
bandwidths in reversed-phase high-performance liquid
chromatography 676(1994)33
- Richards, M.P., see Beattie, J.H. 664(1994)129
- Richards, M.P., see Beattie, J.H. 700(1995)95
- Richardson, D.E., Ash, G.H. and Harden, P.E.
Determination of diethylenetriaminepentaacetic acid in
pulp mill effluent by ion-interaction reversed-phase
liquid chromatography 688(1994)47
- Richardson, H., see Andrews, R.W. 683(1994)3
- Richheimer, S.L., Kent, M.C. and Bernart, M.W.
Reversed-phase high-performance liquid
chromatographic method using a pentafluorophenyl
bonded phase for analysis of tocopherols 677(1994)75
- Richter, O., see Wiegel, D. 668(1994)107
- Rickard, E.C. and Bopp, R.J.
Optimization of a capillary electrophoresis method to
determine the chiral purity of a drug 680(1994)609
- Ricker, R.D., Sandoval, L.A., Justice, J.D. and Geiser,
F.O.
Multivariate visualization in the size-exclusion
chromatography and pattern recognition of biological
samples 691(1995)67
- Rico, I., see Madelaine-Dupuich, C. 653(1993)178
- Riekkola, M.-L., see Jumppanen, J. 652(1993)441
- Riekkola, M.-L., see Lukkari, P. 652(1993)451
- Riekkola, M.-L., see Lukkari, P. 655(1993)317
- Riekkola, M.-L., see Lukkari, P. 674(1994)241
- Riekkola, M.-L., see Soini, H. 680(1994)623
- Riemer, D.D., see Wells, M.J.M. 659(1994)337
- Rietveld, R. and Quirijns, J.
On-line liquid chromatography-gas chromatography for
determination of fenarimol in fruiting vegetables
683(1994)151
- Rigaud, J., Escribano-Bailon, M.T., Prieur, C., Souquet,
J.-M. and Cheyrier, V.
Normal-phase high-performance liquid chromatographic
separation of procyanidins from cacao beans and grape
seeds 654(1993)255
- Righetti, P.G.
Macroporous gels: facts and misfacts (Review)
698(1995)3
- Righetti, P.G., see Bello, M.S. 652(1993)317
- Righetti, P.G., see Bello, M.S. 652(1993)329
- Righetti, P.G., see Bello, M.S. 659(1994)199
- Righetti, P.G., see Bello, M.S. 684(1994)311
- Righetti, P.G., see Bello, M.S. 693(1995)113
- Righetti, P.G., see Bossi, A. 686(1994)121
- Righetti, P.G., see Chiari, M. 652(1993)31
- Righetti, P.G., see Chiari, M. 680(1994)571
- Righetti, P.G., see Ermakov, S.V. 661(1994)265
- Righetti, P.G., see Ermakov, S.V. 667(1994)257
- Righetti, P.G., see Ermakov, S.V. 699(1995)297
- Righetti, P.G., see Gelfi, C. 689(1995)97
- Righetti, P.G., see Nesi, M. 670(1994)215
- Righetti, P.G., see Simò-Alfonso, E. 689(1995)85
- Righetti, P.G., see Weber, W. 679(1994)181
- Righetti, P.G.
Gel electrophoresis: proteins (by M.J. Dunn) (Book
Review) 662(1994)200
- Righezza, M., see Haldna, U. 670(1994)51
- Rigney, M.P., see Nawrocki, J. 657(1993)229
- Rigol, A., López-Sánchez, J.F. and Rauret, G.
Capillary zone electrophoresis of humic acids
664(1994)301
- Rimpler, M., see Steinert, J. 693(1995)281
- Rinkema, F.D., Louter, A.J.H. and Brinkman, U.A.Th.
Large-volume injections in gas chromatography-atomic
emission detection: an approach for trace-level
detection in water analysis 678(1994)289
- Ríos, A.
Flow Injection Separation and Preconcentration (by Z.
Fang) (Book Review) 685(1994)365
- Rios, J.J., see Morales, M.T. 668(1994)455
- Ripamonti, M., see Flaminio, L. 668(1994)403
- Rippel, G., Alattyani, E. and Szepesy, L.
Characterization of stationary phases used in reversed-
phase and hydrophobic interaction chromatography
668(1994)301

- Rippel, G., Bede, A. and Szepesy, L.
Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17
- Rippel, G. and Szepesy, L.
Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27
- Rippel, G., see Szepesy, L. 668(1994)337
- Rissler, K.
Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167
- Rissler, K., Fuchslueger, U. and Grether, H.-J.
Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C₁₈ stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309
- Ritchie, H.J., see Grieb, S.J. 697(1995)271
- Ritchie, H.J., see Maher, K.M. 697(1995)247
- Rivera, J., see Caixach, J. 675(1994)205
- Rivera, J., see Pauné, F. 684(1994)289
- Rivero-Urgell, M., see Rodríguez-Palmero, M. 672(1994)267
- Riviello, J.M. and Harrold, M.P.
Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385
- Ro, K.W., Choi, J.B., Lee, M.H. and Kim, J.W.
Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography-mass spectrometry 688(1994)375
- Robecke, M., see Bettmer, J. 654(1993)177
- Robert, E., Beboulene, J.-J., Codet, G. and Enache, D.
High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215
- Roberts, D.J., see Ahmad, F. 693(1995)167
- Roberts, D.M., see Weingarten, B. 696(1995)83
- Roberts, J.K. and Smith, R.J.
Use of liquid chromatography-nuclear magnetic resonance spectroscopy for the identification of impurities in drug substances 677(1994)385
- Robinett, R.S.R. and Herber, W.K.
Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315
- Robinett, R.S.R., see Herber, W.K. 676(1994)287
- Robins, R.J., see Price, N.P.J. 653(1993)161
- Robins, W.H. and Wright, B.W.
Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667
- Robinson, M.L., see Dyas, A.M. 660(1994)249
- Roby, R.K., see Srinivasan, K. 652(1993)83
- Roca, A., see Comellas, L. 655(1993)57
- Rocca, J.L., see Cretier, G. 658(1993)195
- Rocca, J.L., see Cretier, G. 670(1994)173
- Roch, O., see Cordier, Y. 680(1994)479
- Rocklin, R.D., Tullsen, T.R. and Marucco, M.G.
Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109
- Rode, K., see Pasch, H. 699(1995)21
- Röder, A. and Bächmann, K.
Simultaneous determination of organic and inorganic anions in the sub- μ mol/l range in rain water by capillary zone electrophoresis 689(1995)305
- Röder, W., see Macka, M. 675(1994)267
- Rodrigues, A.E., Lu, Z.P., Loureiro, J.M. and Carta, G.
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
- Rodriguez, A., see Lora-Tamayo, C. 674(1994)217
- Rodriguez, A.F., see Carreras, D. 683(1994)195
- Rodriguez, C., see Carreras, D. 683(1994)195
- Rodriguez, I., see Turnes, M.I. 683(1994)21
- Rodriguez, M.D., see Redondo, A. 677(1994)273
- Rodriguez, R., see Zhu, M. 652(1993)119
- Rodríguez Delgado, M.A., Sánchez, M.J., González, V. and García Montelongo, F.
Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71
- Rodríguez-Palmero, M., De la Presa-Owens, S., Castellote-Bargallo, A.I., López Sabater, M.C., Rivero-Urgell, M. and De la Torre-Boronat, M.C.
Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267
- Roeraade, J., see Emmer, Å. 662(1994)375
- Roeraade, J., see Emmer, Å. 672(1994)231
- Roeraade, J., see Hagman, G. 654(1993)287
- Roessner, D. and Kulicke, W.-M.
On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249
- Roets, E., Adams, E., Muriithi, I.G. and Hoogmartens, J.
Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131
- Roets, E., see Paesen, J. 677(1994)377
- Roets, E., see Paesen, J. 699(1995)93
- Roets, E., see Paesen, J. 699(1995)99
- Roets, E., see Thoithi, G. 689(1995)247
- Roets, E., see Van Schepdael, A. 657(1993)208
- Roets, E., see Van Schepdael, A. 687(1994)167
- Rogers, R.P., see DiRusso, C. 677(1994)45
- Rohlíček, V., Deyl, Z. and Mikšík, I.
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369
- Rohrer, J.S.
Improved fractionation of sialylated glycopeptides by pellicular anion-exchange chromatography 667(1994)75
- Rohrer, E.R., see Havenga, W.J. 669(1994)139
- Roinestad, K.S., see Kambhampati, I. 688(1994)67
- Rolando, C., see Viriot, C. 662(1994)77
- Rollmann, B., see Van Dyck, M.M.C. 697(1995)377
- Romano, A., see Wirth, P.J. 698(1995)123
- Romano, C., see Caruso, U. 661(1994)101
- Romano, V.A., see Cai, C.-h. 693(1995)251
- Romanová, D., see Brandšterová, E. 665(1994)101

- Rony, C., see Jacquier, J.C. 652(1993)337
- Rony, C., Jacquier, J.C. and Desbène, P.L.
Analytical study of biomass pyrolysis oils. II.
Optimization of analytical conditions for the phenolic
fraction using micellar electrokinetic chromatography
669(1994)195
- Rony, C.M., see Desbène, P.L. 689(1995)107
- Roper, D.K. and Lightfoot, E.N.
Comparing steady counterflow separation with
differential chromatography 654(1993)1
- Rosa, M., see Pichini, S. 697(1995)383
- Rosas Romero, A.J., Herrera, J.C., Martinez De Aparicio,
E. and Molina Cuevas, E.A.
Thin-layer chromatographic determination of β -
carotene, cantaxanthin, lutein, violaxanthin and
neoxanthin on Chromarods 667(1994)361
- Rosell, M.G., Obiols, J., Berenguer, M.J., Guardino, X.,
López, F. and Brosa, J.
Determination of chlorinated insecticides in blood
samples of agricultural workers 655(1993)151
- Roselló-Catafau, J., see Hotter, G. 655(1993)85
- Rosen, J.D., see Kambhampati, I. 688(1994)67
- Rosen, R.T., see Kambhampati, I. 688(1994)67
- Rosen, W., see Mao, J. 684(1994)103
- Rosenberg, I.E., see Liu, J. 680(1994)395
- Rosenfeld, J.M. and Fang, X.
Simultaneous sorption and analytical derivatization on
a polystyrene-divinylbenzene polymer. Preparation of
chromophoric and fluorophoric derivatives of the
prostaglandins 691(1995)231
- Rosini, C., see Uccello-Barretta, G. 666(1994)541
- Rosival, I., see Oriñák, A. 660(1994)67
- Rösler, J., see Harfst, S. 678(1994)41
- Rosnack, K.J., Stroh, J.G., Singleton, D.H., Guarino,
B.C. and Andrews, G.C.
Use of capillary electrophoresis-electrospray ionization
mass spectrometry in the analysis of synthetic peptides
675(1994)219
- Ross, G.A., see Perrett, D. 700(1995)179
- Rosseel, M.T. and Lefebvre, R.A.
Capillary gas chromatographic determination with
nitrogen-phosphorus detection of the calcium
antagonist nicardipine and its pyridine metabolite M-5
in plasma 668(1994)475
- Rosset, R., see Menet, J.-M. 659(1994)3
- Rossetti, D.V., see Castagnola, M. 694(1995)463
- Rossiter, B.E., see Petersson, P. 684(1994)297
- Rossiter, B.E., see Yi, G. 673(1994)219
- Roston, D.A., see Sun, J.J. 673(1994)211
- Roth, E., see Guse, A.H. 661(1994)13
- Rothmund, S., Krause, E., Beyermann, M., Dathe, M.,
Engelhardt, H. and Bienert, M.
Recognition of α -helical peptide structures using high-
performance liquid chromatographic retention data for
D-amino acid analogues: influence of peptide
amphipathicity and of stationary phase hydrophobicity
689(1995)219
- Rothmund, S., Krause, E., Ehrlich, A., Bienert, M.,
Glusa, E. and Verhallen, P.
Determination of peptide hydrophobicity parameters
by reversed-phase high-performance liquid
chromatography 661(1994)77
- Roturier, J.M., Le Bars, D. and Gripon, J.C.
Separation and identification of hydrophilic peptides in
dairy products using FMOC derivatization
696(1995)209
- Round, A.J., Aguilar, M.I. and Hearn, M.T.W.
High-performance liquid chromatography of amino
acids, peptides and proteins. CXXXIII. Peak tracking
of peptides in reversed-phase high-performance liquid
chromatography 661(1994)61
- Rounds, M.A. and Nielsen, S.S.
Anion-exchange high-performance liquid
chromatography with post-column detection for the
analysis of phytic acid and other inositol phosphates
653(1993)148
- Roush, D.J., see Gill, D.S. 684(1994)55
- Roush, D.J., Gill, D.S. and Willson, R.C.
Anion-exchange chromatographic behavior of
recombinant rat cytochrome b_5 . Thermodynamic
driving forces and temperature dependence of the
stoichiometric displacement parameter Z 653(1993)207
- Roussel, C., see Koppenhoefer, B. 666(1994)557
- Routledge, C., see Dawson, L.A. 700(1995)81
- Rovida, C., see Bøwadt, S. 662(1994)424
- Rowe, R.C., see McKillop, A.G. 700(1995)69
- Roy, C., see Pakdel, H. 683(1994)203
- Roy, M., see Speers, S.J. 674(1994)263
- Ruan, Z. and Liu, H.
Preparation of 4-vinylpyridine and divinylbenzene
porous-layer open tubular columns by in situ
copolymerization 693(1995)79
- Ruana, J., Urbe, I. and Borrull, F.
Determination of phenols at the ng/l level in drinking
and river waters by liquid chromatography with UV
and electrochemical detection 655(1993)217
- Rubio, C., see Nerín, C. 690(1995)230
- Rudenko, B.A., see Litvina, M.L. 671(1994)29
- Rudenko, B.A., see Voloschik, I.N. 671(1994)51
- Rudenko, B.A., see Voloschik, I.N. 671(1994)205
- Rudenko, B.A., see Voloschik, I.N. 671(1994)249
- Rudnick, S.E., Hilser, Jr., V.J. and Worosila, G.D.
Comparison of the utility of capillary zone
electrophoresis and high-performance liquid
chromatography in peptide mapping and separation
672(1994)219
- Ruhn, P.F., Garver, S. and Hage, D.S.
Development of dihydrazide-activated silica supports
for high-performance affinity chromatography
669(1994)9
- Ruiz, M.J., see Redondo, M.J. 678(1994)375
- Rundlett, K.L., see Armstrong, D.W. 689(1995)285
- Russell, I.M., see Shalliker, R.A. 664(1994)221
- Russell, I.M., see Shalliker, R.A. 679(1994)105
- Rustum, A.M.
Separation of the R(-) and S(+)-enantiomers of the
ethyl ester of tiagabine·HCl using a Chiralcel-OG
column 684(1994)29
- Rustum, A.M.
Determination of chiral purity of ethyl nipecotate using
a Chiralcel-OG column 696(1995)75
- Rutan, S.
Diode array detection in HPLC (edited by L. Huber
and S.A. George) (Book Review) 657(1993)457

- Rutan, S.C.
Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197
- Rutan, S.C., see Snyder, L.R. 656(1993)537
- Rutgeerts, P., see Ghooos, Y. 665(1994)333
- Ruttkat, A. and Erbersdobler, H.F.
Degradation of furosine during heptafluorobutyric anhydride-derivatization for gas chromatographic determination 678(1994)103
- Ryan, P., see Lloyd, D.K. 694(1995)285
- Ryerson, T.B., Barkley, R.M. and Sievers, R.E.
Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen-phosphorus detection for gas chromatography 670(1994)117
- Rykowska, I., see Wasiak, W. 690(1995)83
- Ryoo, J.-J., see Hyun, M.H. 684(1994)189
- Ryoo, J.-J., see Hyun, M.H. 692(1995)91
- Ryoo, J.-J., see Hyun, M.H. 696(1995)173
- Ryu, B.-H., see Greenspan, P. 698(1995)333
- S**
- Saari-Nordhaus, R., see Nair, L.M. 671(1994)43
- Saari-Nordhaus, R., see Nair, L.M. 671(1994)309
- Saari-Nordhaus, R., Nair, L.M. and Anderson, Jr., J.M.
Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159
- Sablík, M.A., see Harman, A.D. 652(1993)525
- Saburov, V.V., see Kataev, A.D. 660(1994)131
- Sacchero, G., Aponc, S., Sarzanini, C. and Mentasti, E.
Chromatographic behaviour of triazine compounds 668(1994)365
- Sacchero, G., Sarzanini, C. and Mentasti, E.
On-line preconcentration and ion chromatography of triazine compounds 671(1994)151
- Safranski, K., see Morré, D.J. 668(1994)201
- Sagar, K., Smyth, M.R., Wilson, J.G. and McLaughlin, K.
High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329
- Saint-Jalm, Y., see Lagoutte, D. 684(1994)251
- Saito, K., see Tsuneda, S. 689(1995)211
- Saito, K., see Yamazaki, S. 662(1994)219
- Saito, Y., see Jinno, K. 691(1995)91
- Saito, Y., see Takagi, K. 659(1994)127
- Saitoh, K., Awaka, I. and Suzuki, N.
Separation of chlorophyll c_1 and c_2 by reversed-phase high-performance liquid chromatography 653(1993)247
- Saitoh, K., Awaka, I. and Suzuki, N.
Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176
- Saitoh, K., Kato, H. and Teramae, N.
Separation of chlorophyll- c_1 and - c_2 by micellar electrokinetic capillary chromatography 687(1994)149
- Šajbidor, J., Čertík, M. and Grego, J.
Lipid analysis of baker's yeast 665(1994)191
- Sakagami, H., Sakagami, T., Takeda, M., Iwaki, K. and Takeda, K.
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37
- Sakagami, T., see Sakagami, H. 653(1993)37
- Sakaguchi, F. and Kawamura, K.
Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography-mass spectrometry 687(1994)315
- Sakaguchi, K., see Mizukami, F. 697(1995)279
- Sakai, T., see Kumagai, H. 671(1994)15
- Sakai, T., see Miyamoto, E. 653(1993)135
- Sakaki, S., see Fukumoto, T. 672(1994)237
- Sakata, M., see Hirayama, C. 676(1994)267
- Sakellariou, P., see Abraham, M.H. 688(1994)125
- Saklatvala, R., see Allen, D.W. 679(1994)285
- Sakuma, T., see Qin, X.-Z. 686(1994)205
- Salabert-Salvador, M.T., see Antón-Fos, G.M. 672(1994)203
- Salafranca, J., see Ferreira, V. 655(1993)257
- Salafranca, J., see Nerín, C. 690(1995)230
- Saletti, R., see Fisichella, S. 693(1995)33
- Salmona, M., see Gianazza, E. 698(1995)351
- Salomies, H., Lautala, P. and Toppila, M.
High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597
- Salomon, K. and Buttrill, Jr., S.E.
Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139
- Salvadori, P., see Bertucci, C. 666(1994)535
- Salvadori, P., see Uccello-Barretta, G. 666(1994)541
- Sam, P., see Liu, Z. 673(1994)125
- Samata, K., see Baba, Y. 653(1993)329
- Samata, K., see Sumita, C. 661(1994)297
- San Andrés, M.P., Vera, S. and Marina, M.L.
Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271
- Sanchez, E.I., see Alvarez, C. 686(1994)333
- Sánchez, G., see Pocurull, E. 696(1995)31
- Sanchez, J., see Galceran, M.T. 655(1993)275
- Sánchez, M.J., see Rodríguez Delgado, M.A. 697(1995)71

- Sánchez-Brunete, C., García-Valcárcel, A.I. and Tadeo, J.L.
Determination of residues of phenoxy acid herbicides in soil and cereals by gas chromatography-ion trap detection 675(1994)213
- Sánchez-Ferrer, A., Pérez-Gilbert, M., Núñez, E., Bru, R. and García-Carmona, F.
Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75
- Sánchez Muñoz, G., see García Romero, E. 655(1993)111
- Sánchez-Perez, A., see Delgado-Zamarreño, M.M. 694(1995)399
- Sánchez Rasero, F., see De la Colina, C. 655(1993)127
- Sanchis-Mallols, J.M., see Torres-Lapasíó, J.R. 677(1994)239
- Sancho, J.V., López, F.J., Hernández, F., Hogendoorn, E.A. and Van Zoonen, P.
Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59
- Sancho, P., see Pinilla, M. 668(1994)165
- Sandberg, M., see Orwar, O. 696(1995)139
- Sander, L.C. and Wise, S.A.
Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335
- Sanderson, K., Thörnwall, M., Nyberg, G., Glámsta, E.-L. and Nyberg, F.
Reversed-phase high-performance liquid chromatography for the determination of haemorphin-like immunoreactivity in human cerebrospinal fluid 676(1994)155
- Sandoval, J.E., see Montes, M.C. 688(1994)31
- Sandoval, L.A., see Ricker, M.D. 691(1995)67
- Sandra, P., see Jaques, K. 666(1994)131
- Sandra, P., see Krupčík, J. 665(1994)163
- Sandra, P., see Krupčík, J. 665(1994)175
- Sandra, P., see Lalljie, S.P.D. 652(1993)563
- Sandra, P., see Sippola, E. 683(1994)45
- Sänger-van de Griend, C.E., Kientz, Ch.E. and Brinkman, U.A.Th.
Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299
- Santamaría, J., see Morcillo, M.A. 655(1993)77
- Santana, M., see Morales, J.A. 671(1994)193
- Santini, S.A., see Destro-Bisol, G. 698(1995)33
- Santiuste, J.M.
Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177
- Santos-Buelga, C., see Treutter, D. 667(1994)290
- Santos, F.J., see Caixach, J. 675(1994)205
- Santos, F.J., see Galeceran, M.T. 655(1993)275
- Santos, J.M., see Cifuentes, A. 652(1993)161
- Santos, J.M., see Cifuentes, A. 655(1993)63
- Santos, R., see De Simon, S.G. 688(1994)357
- Sanz, J., see Esteban, J.L. 657(1993)155
- Sanz, J., Jiménez, M.I. and Martínez-Castro, I.
Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103
- Sanz-Medel, A., Aizpun, B., Marchante, J.M., Segovia, E., Fernandez, M.L. and Blanco, E.
Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233
- Sapone, A., see Biagi, G.L. 662(1994)341
- Sapone, A., see Biagi, G.L. 669(1994)246
- Sares, C., see Karlsson, S. 669(1994)97
- Sargenti, S.R. and Lanças, F.M.
Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213
- Sarin, J.P.S., see Dwivedi, A.K. 663(1994)187
- Sarker, M. and Guiochon, G.
Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293
- Sarmento, M.J., Pires, M.J., Cabral, J.M.S. and Aires-Barros, M.R.
Liquid-liquid extraction of a recombinant protein, cytochrome *b₅*, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117
- Sarna, L.P., Webster, G.R.B., Friesen-Fischer, M.R. and Sri Ranjan, R.
Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201
- Sarzanini, C., Mentasti, E. and Nerva, M.
Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259
- Sarzanini, C., see Sacchero, G. 668(1994)365
- Sarzanini, C., see Sacchero, G. 671(1994)151
- Sasa, K., see Suzuki, S. 680(1994)541
- Sasagawa, H., see Suzuki, S. 680(1994)541
- Sasaki, H., see Hiraoka, A. 680(1994)243
- Sass, J.O. and Nau, H.
Single-run analysis of isomers of retinoyl- β -D-glucuronide and retinoic acid by reversed-phase high-performance liquid chromatography 685(1994)182
- Sass, P., see Tisza, S. 676(1994)461
- Sastre, A., see Baraj, B. 695(1995)103
- Sato, H., see Ogino, K. 699(1995)59
- Sato, H., see Ogino, K. 699(1995)67
- Sato, K., Kumazawa, T. and Katsumata, Y.
On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127
- Sato, K., Nakano, H. and Hobo, T.
Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463
- Sato, T., see Hirota, T. 673(1994)37
- Sato, T., see Ishihama, Y. 666(1994)193
- Sato, T., see Ishii, K. 686(1994)93
- Sato, T., see Mano, N. 687(1994)223
- Sato, T., see Nishi, H. 659(1994)449

- Sato, T., see Nishi, H. 672(1994)125
Sato, T., see Nishi, H. 678(1994)333
Satoh, T., see Takagi, K. 659(1994)127
Satow, T., Akiyama, T., Machida, A., Utagawa, Y. and Kobayashi, H.
Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23
Sauer, B. and Matusch, R.
High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247
Saurina, J. and Hernández-Cassou, S.
Determination of amino acids by ion-pair liquid chromatography with post-column derivatization using 1,2-naphthoquinone-4-sulfonate 676(1994)311
Sauve, A., see Humayoun Akhtar, M. 696(1995)123
Sawa, T., see Baba, Y. 652(1993)93
Sawada, E., see Hosoya, K. 662(1994)37
Sawada, H., see Fujimoto, C. 680(1994)33
Sawada, T., see Shibukawa, A. 697(1995)337
Saz, J.M., Krattiger, B., Bruno, A.E., Diez-Masa, J.C. and Widmer, H.M.
Thermo-optical absorbance detection of native proteins separated by capillary electrophoresis in 10 μ m I.D. tubes 699(1995)315
Saz, J.M. and Marina, M.L.
Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1
Scalbert, A., see Viriot, C. 662(1994)77
Scanlan, G.F., see Tomlinson, A.J. 652(1993)417
Scarborough, A., see Jones, D. 661(1994)1
Scartozzi, M., see Nicoll-Griffith, D. 653(1993)253
Schaapman, S., see De Zeeuw, R.A. 664(1994)263
Schachterle, S., Brittain, R.D. and Mills, J.D.
Analysis of pesticide residues in food using gas chromatography-tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185
Schaufelberger, D., see Yan, C. 670(1994)15
Scheepers, P.T.J., Velders, D.D., Martens, M.H.J., Noordhoek, J. and Bos, R.P.
Gas chromatographic-mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107
Scheller, R.H., see Fishman, H.A. 680(1994)99
Schenk, T., Schuphan, I. and Schmidt, B.
High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7
Scheper, T., see Lausch, R. 654(1993)190
Schepky, A.G., Schulz-Knappe, P. and Forssmann, W.-G.
High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255
Scheuring, M., see Läufer, K. 684(1994)370
Schiffer, R.H.N.A., see Hesselink, W. 697(1995)165
Schlegel, D., Mattusch, J. and Dittrich, K.
Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261
Schleimer, M., Pirkle, W.H. and Schurig, V.
Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23
Schlösser, J., see Lausch, R. 654(1993)190
Schmalzing, D., Piggee, C.A., Foret, F., Carrilho, E. and Karger, B.L.
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
Schmeer, K., Khalifa, M., Császár, J., Farkas, G., Bayer, E. and Molnár-Perl, I.
Compositional analysis of the phenylthiocarbonyl amino acids by liquid chromatography-atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285
Schmekel, B., see Johansson, I.M. 652(1993)487
Schmerr, M.J. and Goodwin, K.R.
Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199
Schmerr, M.J., Goodwin, K.R. and Cutlip, R.C.
Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447
Schmid, B., see Andersson, J.T. 693(1995)325
Schmid, E., see Küsters, E. 666(1994)421
Schmid, J., Albert, K. and Bayer, E.
Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333
Schmidli, H., see Grize, Y.-L. 686(1994)1
Schmidt, A.S., see Asenjo, J.A. 668(1994)47
Schmidt, B., see Mohnke, M. 667(1994)334
Schmidt, B., see Schenk, T. 693(1995)7
Schmidt, Jr., D.E., see Wheatley, J.B. 663(1994)53
Schmidt, Jr., D.E., see Wheatley, J.B. 676(1994)65
Schmidt, Jr., D.E., see Wheatley, J.B. 676(1994)81
Schmidt, L.W., see Fritz, J.S. 691(1995)133
Schmidt, R., see Mohnke, M. 667(1994)334
Schmidt, T.G.M. and Skerra, A.
One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337
Schmidt, T.J., Merfort, I. and Willuhn, G.
Gas chromatography-mass spectrometry of flavonoid aglycones. II. Structure-retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236
Schmidt-Schuchardt, M., see Läufer, K. 684(1994)370
Schmieding, J., see Kasche, V. 660(1994)137
Schmitt, P., see Garrison, A.W. 688(1994)317
Schmitt, T. and Engelhardt, H.
Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561
Schmitt, T., see Pariat, Y.F. 652(1993)57

- Schmutz, A., see Wolfisberg, H. 652(1993)407
- Schneede, J., Mortensen, J.H., Kvalheim, G. and Ueland, P.M.
Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185
- Schneider, S., see Bringmann, G. 670(1994)153
- Schoefs, B., Bertrand, M. and Lemoine, Y.
Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239
- Schoel, B., Welzel, M. and Kaufmann, S.H.E.
Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131
- Schoenke, M.P., see Talasek, R.T. 667(1994)205
- Schoenmakers, P.J., see Tijssen, R. 656(1993)135
- Schoenmakers, P.J. and Tijssen, R.
Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577
- Schoenmakers, P.J., see Vanbel, P.F. 697(1995)3
- Schöler, H.F., see Falter, R. 675(1994)253
- Scholten, A.B., De Haan, J.W., Claessens, H.A., Van de Ven, L.J.M. and Cramers, C.A.
29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25
- Schomburg, G., see Belder, D. 666(1994)351
- Schröder, M.-B., see Michaelsen, S. 652(1993)503
- Schuberth, J.
Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63
- Schuette, J., see Srivatsa, G.S. 680(1994)469
- Schügerl, K.
Principles and practices of solvent extraction (edited by J. Rydberg, C. Musikas and G.R. Choppin) (Book Review) 657(1993)455
- Schügerl, K.
Separations for Biotechnology 3 (edited by D.L. Pyle) (Book Review) 690(1995)256
- Schügerl, K., see Ziele, D. 669(1994)254
- Schulze, K., see Reinhardt, R. 697(1995)475
- Schulze, K., see Steinborn, A. 697(1995)485
- Schulze-Koops, H., see Guse, A.H. 661(1994)13
- Schulz-Knappe, P., see Schepky, A.G. 691(1995)255
- Schumacher, K., see Frank, C. 653(1993)385
- Schunk, T.C.
Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591
- Schunk, T.C.
Composition distribution separation of methyl methacrylate-methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215
- Schunk, T.C., Balke, S.T. and Cheung, P.
Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227
- Schunk, T.C. and Burke, M.F.
Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289
- Schunk, T.C. and Long, T.E.
Compositional distribution characterization of poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers 692(1995)221
- Schuphan, I., see Schenk, T. 693(1995)7
- Schurig, V.
Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111
- Schurig, V., see Gil-Av, E. 666(1994)519
- Schurig, V. and Grosenick, H.
Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617
- Schurig, V., Jung, M., Mayer, S., Fluck, M., Negura, S. and Jakubetz, H.
Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119
- Schurig, V., see Schleimer, M. 679(1994)23
- Schütz, R., see Strancar, A. 658(1994)475
- Schütz, S., Hummel, H.E., Duhr, A. and Wollnik, H.
Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141
- Schwarz, U., see Chen, Y. 680(1994)63
- Schwarz, U., see Chen, Y. 685(1994)121
- Schwarz, U., see Chen, Y. 700(1995)35
- Schwarzenbach, R.
Perfumery—Practice and Principles (by R.R. Calkin and J.S. Jellinek) (Book Review) 689(1995)175
- Schwarzer, F., see Stan, H.-J. 653(1993)45
- Schwinn, H., see Strancar, A. 658(1994)475
- Scopes, R.K.
Recovery Processes for Biological Materials (edited by J.F. Kennedy and J.M.S. Cabral) (Book Review) 690(1995)254
- Scott, R.P.W.
Control of retention by molecular interactions in reversed-phase chromatography (Review) 656(1993)51
- Scouten, W.H., see Konecny, P. 673(1994)45
- Scouten, W.H., see Liu, X.-C. 687(1994)61
- Scribe, P., see Chiron, S. 665(1994)295
- Seaman, S.W., see Sen, N.P. 673(1994)77
- Sebastião, M.J., Cabral, J.M.S. and Aires-Barros, M.R.
Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol-aqueous salt solution two-phase systems 668(1994)139

- Sebedio, J.L., Prevost, J., Ribot, E. and Grandgirard, A.
Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101
- Sebille, B., see Agnus, B. 663(1994)27
- Sebille, B., see Thuaud, N. 685(1994)15
- Seco Lago, H.M., see González Rodríguez, V. 673(1994)291
- Sedmiková, A., see Gasparič, J. 665(1994)197
- Seech, A., see Onuska, F.I. 665(1994)125
- Segovia, E., see Sanz-Medel, A. 683(1994)233
- Segura, J., see Ventura, R. 655(1993)233
- Seidel, V., see Lindner, W. 697(1995)549
- Sekar, R., see Husain, S. 687(1994)351
- Seki, T., Orita, Y., Yamamoto, S., Ueda, N., Yanagihara, Y. and Noguchi, K.
Column-switching liquid chromatographic method for the simultaneous determination of isothalamic acid and creatinine in biological fluids 661(1994)113
- Sellergren, B.
Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133
- Sellergren, B., see Nilsson, K. 680(1994)57
- Sellergren, B. and Shea, K.J.
Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17
- Sellergren, B. and Shea, K.J.
Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29
- Semenova, O.P., see Timerbaev, A.R. 671(1994)419
- Semenova, O.P., see Timerbaev, A.R. 690(1995)141
- Semenova, O.P., Timerbaev, A.R. and Bonn, G.K.
Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327
- Sen, N.P., Baddoo, P.A. and Seaman, S.W.
Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77
- Senior, L.A., see Camilleri, P. 654(1993)207
- Sentell, K.B.
Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231
- Šepič, E., Leskovšek, H. and Trier, C.
Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515
- Sereda, T.J., Mant, C.T. and Hodges, R.S.
Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205
- Sereda, T.J., Mant, C.T., Sönnichsen, F.D. and Hodges, R.S.
Reversed-phase chromatography of synthetic amphipathic α -helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139
- Sergent, M., see De Vanssay, E. 688(1994)161
- Serrano, J., see Kuehl, D.W. 684(1994)113
- Serwer, P., Khan, S.A. and Griess, G.A.
Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251
- Seth, R.K., see Dwivedi, A.K. 663(1994)187
- Seto, Y.
Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25
- Ševčík, J.G.K., see Havelec, P. 677(1994)319
- Seyama, C., see Haginaka, J. 660(1994)275
- Seyama, C., see Haginaka, J. 666(1994)203
- Seyama, C., see Haginaka, J. 677(1994)229
- Shah, G. and Dubin, P.L.
Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197
- Shahi, P., Hu, Y.-f. and Chakma, A.
Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121
- Shahtaheri, S.J., Katmeh, M.F., Kwasowski, P. and Stevenson, D.
Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131
- Shalliker, R.A., Kavanagh, P.E. and Russell, I.M.
Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane-acetonitrile 664(1994)221
- Shalliker, R.A., Kavanagh, P.E. and Russell, I.M.
Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105
- Shamsi, S.A. and Danielson, N.D.
Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153
- Shanbhag, V.P., see Jensen, P.E.H. 668(1994)101
- Shang, D.Y., Grandmaison, J.L. and Kaliaguine, S.
Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185
- Shang, Z., see Guo, W. 685(1994)344
- Shao, X., O'Neill, K., Zhao, Z., Anderson, S., Malik, A. and Lee, M.
Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463
- Sharma, J.L., see Buldini, P.L. 654(1993)113
- Sharma, J.L., see Buldini, P.L. 654(1993)123
- Sharma, J.L., see Buldini, P.L. 654(1993)129
- Sharma, S., see Buldini, P.L. 654(1993)113
- Shaw, P.N., see Wan, O.H. 697(1995)219
- Shea, K.J., see Sellergren, B. 654(1993)17

- Shea, K.J., see Sellergren, B. 690(1995)29
- Sheikh, J., see Fronek, R. 658(1994)483
- Shelly, D.C., see Abbas, A.A. 691(1995)37
- Shelly, D.C., see Siddiqui, A. 691(1995)55
- Shen, Y., see Grönberg, L. 655(1993)207
- Shephard, G.S., Thiel, P.G. and Sydenham, E.W.
Liquid chromatographic determination of the
mycotoxin fumonisin B₂ in physiological samples
692(1995)39
- Sheu, S.-J., see Chen, H.-R. 653(1993)184
- Sheu, S.-J., see Chuang, W.-C. 685(1994)243
- Sheu, S.-J., see Liu, Y.-M. 663(1994)239
- Shi, B. and Davis, B.H.
Gas chromatographic separation of pairs of isotopic
molecules 654(1993)319
- Shi, B., Keogh, R.A. and Davis, B.H.
Gas chromatographic separation of deuterated and
optical isomers of di-2-butyl ethers 678(1994)97
- Shi, H., Zhang, R., Chandrasekher, G. and Ma, Y.
Simultaneous detection and quantitation of sodium,
potassium, calcium and magnesium in ocular lenses by
high-performance capillary electrophoresis with indirect
photometric detection 680(1994)653
- Shi, J.Y. and Goffe, R.A.
Comprehensive study on binding capacity of human
immunoglobulin G to Avid AL affinity gel
686(1994)61
- Shi, Y. and Fritz, J.S.
New electrolyte systems for the determination of metal
cations by capillary zone electrophoresis 671(1994)429
- Shibamoto, T., see Miyake, T. 693(1995)376
- Shibamoto, T., see Yasuhara, A. 672(1994)261
- Shibukawa, A., Kadohara, M., He, J., Nishimura, M.,
Naito, S. and Nakagawa, T.
Study of the enantioselective binding between BOP-
4272 and serum albumins by means of high-
performance frontal analysis 694(1995)81
- Shibukawa, A., see Nakatani, M. 672(1994)213
- Shibukawa, A., Sawada, T., Nakao, C., Izumi, T. and
Nakagawa, T.
High-performance frontal analysis for the study of
protein binding of troglitazone (CS-045) in albumin
solution and in human plasma 697(1995)337
- Shibukawa, M.
Dependence of retention of ionic solutes on the
composition of the mobile phase electrolytes in
partition chromatography 655(1993)199
- Shibukawa, M.
Theoretical interpretation of the retention of system
peaks in partition chromatography with a mobile phase
containing electrolytes 696(1995)165
- Shieh, P., see Guttman, A. 676(1994)227
- Shieh, P.C.H., Hoang, D., Guttman, A. and Cooke, N.
Capillary sodium dodecyl sulfate gel electrophoresis of
proteins. I. Reproducibility and stability 676(1994)219
- Shieh, P.C.H., see Huang, T.-L. 685(1994)313
- Shiffer, K., see Zhu, M. 652(1993)119
- Shihabi, Z.K.
Sample matrix effects in capillary electrophoresis. II.
Acetonitrile deproteinization 652(1993)471
- Shihabi, Z.K., see Garcia, L.L. 652(1993)465
- Shihabi, Z.K., Kute, T., Garcia, L.L. and Hinsdale, M.
Analysis of isoflavones by capillary electrophoresis
680(1994)181
- Shihomatsu, H.M., see Moraes, N.M.P. 679(1994)387
- Shijo, M., see Oi, S. 679(1994)35
- Shimada, E. and Nakamura, K.T.
Determination of Stokes radii and molecular masses of
sodium hyaluronates by Sephacryl gel chromatography
685(1994)172
- Shimazu, H., see Ito, K. 670(1994)99
- Shimizu, M., see Takagi, K. 659(1994)127
- Shin, T.-S. and Godber, J.S.
Isolation of four tocopherols and four tocotrienols
from a variety of natural sources by semi-preparative
high-performance liquid chromatography 678(1994)49
- Shindoh, S., see Kataoka, H. 695(1995)142
- Shingare, M.S., see Patil, V.B. 653(1993)181
- Shinoda, T., see Izumi, T. 652(1993)41
- Shinohara, Y., see Baba, S. 663(1994)35
- Shiosaki, A., Goto, M. and Hirose, T.
Frontal analysis of protein adsorption on a membrane
adsorber 679(1994)1
- Shirao, M., Furuta, R., Suzuki, S., Nakazawa, H., Fujita,
S. and Maruyama, T.
Determination of organic acids in urine by capillary
zone electrophoresis 680(1994)247
- Shirao, M., see Suzuki, S. 680(1994)541
- Shishkina, I.P., see Galushko, S.V. 661(1994)51
- Shitangkoon, A., see Staerk, D.U. 663(1994)79
- Shitangkoon, A., see Staerk, D.U. 677(1994)133
- Shitangkoon, A., Staerk, D.U. and Vigh, G.
Gas chromatographic separation of the enantiomers of
volatile fluoroether anesthetics using derivatized
cyclodextrin stationary phases. Part I 657(1993)387
- Shoji, H., see Murata, H. 693(1995)263
- Shoji, M., Kato, M. and Hashizume, S.
Electrophoretic recovery of proteins from
polyacrylamide gel (Review) 698(1995)145
- Shortt, D.W.
Measurement of narrow-distribution polydispersity
using multi-angle light scattering 686(1994)11
- Shosenji, H., see Fukumoto, T. 672(1994)237
- Shoto, E., see Ito, K. 670(1994)99
- Shriver, Z.H., see Benson, L.M. 693(1995)162
- Shuely, W.J., see Abraham, M.H. 688(1994)125
- Shukla, A.K., see Alpert, A.J. 676(1994)191
- Shukla, M., see Alpert, A.J. 676(1994)191
- Shukla, Y.N., see Kapadia, G.J. 673(1994)142
- Shvets, V.I., see Menzeleev, R.F. 678(1994)183
- Sibole, J., see Montero, E. 658(1994)83
- Siddiqui, A. and Shelly, D.C.
Amperostatic-potentiometric detection for micro high-
performance liquid chromatography 691(1995)55
- Siebrands, T., see Fischer, C.-H. 670(1994)89
- Siehr, D.J., see Tongta, A. 686(1994)21
- Sievers, R.E., see Ryerson, T.B. 670(1994)117
- Signs, M.W., see Reddy, G.R. 657(1993)440
- Siiteri, P.K., see Chan, K.C. 690(1995)149
- Silks, L.A. III, see Harris, S.E. 657(1993)395

- Silveston, R. and Kronberg, B.
Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43
- Sim, P.G., see Thomas, D. 695(1995)1
- Simanov, A.L.
High-performance liquid chromatographic analysis of low-molecular-mass products synthesized by polynucleotide phosphorylase in polymerization reaction 685(1994)39
- Simat, T., Meyer, K. and Steinhart, H.
Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93
- Šimek, P., Jegorov, A. and Dusbábek, F.
Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195
- Šimek, P., see Zahradníčková, H. 688(1994)383
- Šimek, Z. and Vespalec, R.
Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7
- Šimenc, T., see Stibilj, V. 668(1994)449
- Simmer, B., see Guse, A.H. 661(1994)13
- Simmonds, C., see Phillips, J.G. 675(1994)123
- Simmonds, P.G., see O'Doherty, S.J. 657(1993)123
- Simmonds, P.G., see Trigg, D.P. 690(1995)197
- Simms, P.J., Hicks, K.B., Haines, R.M., Hotchkiss, Jr., A.T. and Osman, S.F.
Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67
- Simo, R., Grimalt, J.O. and Albaiges, J.
Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301
- Simò-Alfonso, E., Conti, M., Gelfi, C. and Righetti, P.G.
Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85
- Simonsen, H., see Bjerregaard, C. 680(1994)561
- Simpson, C.F., see McCrossen, S.D. 697(1995)53
- Simpson, R.C.
Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163
- Šimuničová, E., see Hutta, M. 689(1995)123
- Šimuničová, E., Kaniansky, D. and Lokšíková, K.
Separation of alkali and alkaline earth metal and ammonium cations by capillary zone electrophoresis with indirect UV absorbance detection 665(1994)203
- Singaram, B., see Nicholson, L.W. 687(1994)241
- Singh, H., see Aue, W.A. 687(1994)283
- Singh, H., Chen, L. and Aue, W.A.
Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153
- Singh, H., Millier, B. and Aue, W.A.
Dual-channel response ratios from an integrative algorithm 687(1994)291
- Singh, H., Millier, B. and Aue, W.A.
Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45
- Singh, H., Millier, B. and Aue, W.A.
Constant-current a.c. electron-capture detector 690(1995)103
- Singh, H., see Sun, X.-Y. 687(1994)259
- Singh, R.K.P., see Mishra, U. 667(1994)371
- Singh, S., see Dwivedi, A.K. 663(1994)187
- Singhal, R.P. and Xian, J.
Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47
- Singhvi, R., see Nadler, T.K. 659(1994)317
- Singla, A.K., see Jindal, K.C. 685(1994)195
- Singleton, D.H., see Rosnack, K.J. 675(1994)219
- Sinibaldi, M., Flieger, M., Cvak, L., Messina, A. and Pichini, A.
Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471
- Siouffi, A.M.
Thin Layer Chromatography: Reagents and Detection Methods (by H. Jork, W. Funk, W. Fisher and H. Wimmer) (Book Review) 687(1994)357
- Siouffi, A.M., see Benmoussa, A. 694(1995)486
- Sippola, E., Himberg, K., David, F. and Sandra, P.
Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45
- Siregar, C.J.P., see De Zeeuw, R.A. 664(1994)263
- Sirén, H., see Jumppanen, J. 652(1993)441
- Siridewa, K., see Gilljam, G. 675(1994)89
- Sirimanne, S.R., see Liu, Z. 673(1994)125
- Sirkar, K.P., see Dwivedi, A.K. 663(1994)187
- Sita Rama Rao, K., see Husain, S. 685(1994)356
- Sitrin, R., see DePhillips, P. 663(1994)43
- Sivils, L.D., Kapila, S., Yan, Q. and Elseewi, A.A.
Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins 688(1994)221
- Sjöberg, S., see Petersson, P. 670(1994)239
- Skačáni, I., see Krupčík, J. 665(1994)175
- Skarping, G., Dalene, M. and Lind, P.
Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199
- Skerra, A., see Essen, L.-O. 657(1993)55
- Skerra, A., see Schmidt, T.G.M. 676(1994)337
- Skibukawa, A., see Nakatani, M. 661(1994)315
- Skoršepa, J., see Oriňák, A. 660(1994)67
- Skorupowa, E., see Madaj, J. 655(1993)267

- Škrabáková, S., Matisová, E., Benická, E., Novák, I. and Berek, D.
Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27
- Skurić, M., see Varga-Defterdarović, L. 687(1994)101
- Skurić, M., see Varga-Defterdarović, L. 687(1994)107
- Skurský, L., see Dolník, V. 680(1994)455
- Šlais, K.
Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335
- Šlais, K.
Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149
- Šlais, K., see Caslavská, J. 680(1994)549
- Šlais, K. and Friedl, Z.
Low-molecular-mass *pI* markers for isoelectric focusing 661(1994)249
- Šlais, K. and Friedl, Z.
Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113
- Šlais, K., see Horká, M. 660(1994)187
- Šlais, K., see Horká, M. 697(1995)45
- Šlebioda, M., see Wodecki, Z. 696(1995)149
- Slegers, G., see De Vos, F. 692(1995)97
- Šlesárová, L., see Oriňák, A. 660(1994)67
- Slobodník, J., see Minnaard, W.A. 696(1995)333
- Smalley, R.E., see Heymann, D. 689(1995)157
- Smetena, I., see Yang, S.S. 664(1994)289
- Smets, K., see Van Schepdael, A. 687(1994)167
- Smeyers-Verbeke, J., see Yang, Q. 673(1994)275
- Smeyers-Verbeke, J., see Yang, Q. 688(1994)339
- Šmigol, V., see Fréchet, J.M.J. 667(1994)284
- Smisek, D.L., see Belenky, A. 700(1995)137
- Smit, H.C.
Statistical methods in analytical chemistry (by P.C. Meier and R.E. Zünd) (Book Review) 670(1994)245
- Smith, B.D., see Westmark, P.R. 664(1994)123
- Smith, C.G., see Buzanowski, W.C. 677(1994)355
- Smith, C.G., see Cutié, S.S. 693(1995)371
- Smith, J.T. and El Rassi, Z.
Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131
- Smith, L.L., see Teng, J.I. 691(1995)247
- Smith, M.K., see Reddy, T.V. 655(1993)331
- Smith, M.S., Oxford, J. and Evans, M.B.
Improved method for the separation of ranitidine and its metabolites based on supercritical fluid chromatography 683(1994)402
- Smith, N.W.
Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259
- Smith, R.D., see Wahl, J.H. 659(1994)217
- Smith, R.G., see Lamb, J.D. 671(1994)55
- Smith, R.G. and Lamb, J.D.
Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89
- Smith, R.J., see Roberts, J.K. 677(1994)385
- Smith, R.J., Taylor, D.R. and Wilkins, S.M.
Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591
- Smith, R.J., see Wilkins, S.M. 697(1995)587
- Smith, R.M.
Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381
- Smith, R.M. and Briggs, D.A.
Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161
- Smith, R.M. and Briggs, D.A.
Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261
- Smith, R.M., see Cocks, S. 697(1995)115
- Smith, R.M. and Deasy, J.B.
Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63
- Smith, R.M., see McKillop, A.G. 700(1995)69
- Smits, R.
Preface 683(1994)1
- Smolarz, H.D., see Dzido, T.H. 679(1994)59
- Smyth, F., see Nice, E. 660(1994)169
- Smyth, M.R., see Deacon, M. 652(1993)377
- Smyth, M.R., see Deacon, M. 657(1993)69
- Smyth, M.R., see Deacon, M. 659(1994)349
- Smyth, M.R., see Malone, M.A. 700(1995)73
- Smyth, M.R., see Sagar, K. 659(1994)329
- Snider, N., see Wigfield, Y.Y. 657(1993)219
- Snyder, L.R., see Carr, P.W. 656(1993)1
- Snyder, L.R., Carr, P.W. and Rutan, S.C.
Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537
- Snyder, L.R., see Chloupek, R.C. 686(1994)45
- Snyder, L.R., see Hancock, W.S. 686(1994)31
- Snyder, L.R., see Valkó, K. 656(1993)501
- Soane, D., see Bac, Y.C. 652(1993)17
- Soane, D.S., see Barron, A.E. 652(1993)3
- Sochacki, M., see Kudzin, Z.H. 655(1993)346
- Sochacki, M., see Kudzin, Z.H. 678(1994)299
- Soentjens-Werts, V., Dubois, J.G., Atassi, G. and Hanocq, M.
High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255
- Sogomo, W., see Griffin, R.M.E. 674(1994)271
- Soini, H., Riekkola, M.-L. and Novotny, M.V.
Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623
- Soják, L., see Kraus, G. 677(1994)197
- Soják, L., see Kubinec, R. 653(1993)363
- Soják, L., see Kurán, P. 665(1994)133

- Soják, L., Perjéssy, A., Kubinec, R., Giumanini, A.G. and Strazzolini, P.
Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169
- Soják, L., Perjéssy, A., Kubinec, R., Giumanini, A.G. and Strazzolini, P.
Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57
- Sokolowski, J., see Madaj, J. 655(1993)267
- Sokol, J. and Matisova, E.
Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75
- Sokolosky, E., see Ma, Y. 685(1994)259
- Soloshonok, V.A., see Galushko, S.V. 661(1994)51
- Soltani, N., see Bohnenstengel, F. 655(1993)249
- Song, C.E., Lee, S.G., Lee, K.C., Kim, I.O and Jeong, J.H.
Chromatographic resolution of racemic α -halocarboxylic acids and O-substituted α -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303
- Song, L., Ou, Q. and Yu, W.
Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175
- Song, L., Ou, Q., Yu, W. and Li, G.
Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371
- Song, L., Ou, Q., Yu, W. and Xu, G.
Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307
- Sönnichsen, F.D., see Sereda, T.J. 676(1994)139
- Sonntag, C., see Dross, K. 673(1994)113
- Sopok, S.
Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265
- Sørensen, H., see Arentoft, A.M. 652(1993)189
- Sørensen, H., see Arentoft, A.M. 652(1993)517
- Sørensen, H., see Bjergegaard, C. 652(1993)477
- Sørensen, H., see Bjergegaard, C. 653(1993)99
- Sørensen, H., see Bjergegaard, C. 680(1994)561
- Sørensen, H., see Frøkiær, H. 680(1994)437
- Sørensen, H., see Michaelsen, S. 652(1993)503
- Sørensen, H., see Michaelsen, S. 680(1994)299
- Sørensen, S., see Arentoft, A.M. 652(1993)189
- Sørensen, S., see Frøkiær, H. 680(1994)437
- Soria, V., see García, R. 655(1993)3
- Soria, V., see García, R. 655(1993)191
- Soria, V., see García, R. 662(1994)61
- Soria, V., see Porcar, I. 673(1994)65
- Sosa, M.E., Valdés, J.R. and Martínez, J.A.
Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251
- Soule, S., see Ferreira, F. 653(1993)380
- Souquet, J.-M., see Rigaud, J. 654(1993)255
- Soussan-Marchal, F., see Deruaz, D. 677(1994)345
- Soyfer, V.N., see Potaman, V.N. 690(1995)65
- Spanedda, L., see Cherchi, A. 669(1994)59
- Špánik, I., see Krupčík, J. 665(1994)163
- Speers, S.J., Doolan, K., McQuillan, J. and Wallace, J.S.
Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319
- Speers, S.J., see Griffin, R.M.E. 674(1994)271
- Speers, S.J., Little, B.H. and Roy, M.
Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263
- Spelsberg, T.C., see Landers, J.P. 652(1993)109
- Spelsberg, T.C., see Oda, R.P. 680(1994)85
- Spelsberg, T.C., see Oda, R.P. 680(1994)341
- Spence, P.L., see Pirkle, W.H. 659(1994)69
- Spencer, J.L., Hendricks, J.P. and Kerr, D.
Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143
- Spencer, W.F., see Gan, J. 684(1994)121
- Sperini, F., see Tissot, J.-D. 698(1995)225
- Spieksma, W., Luijk, R. and Govers, H.A.J.
Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141
- Spöhrer, U. and Eyer, P.
Separation of geometrical *syn* and *anti* isomers of obidoxime by ion-pair high-performance liquid chromatography 693(1995)55
- Springfield, J., see Levitt, M.D. 695(1995)324
- Sri Ranjan, R., see Sarna, L.P. 677(1994)201
- Srinivasan, K., Girard, J.E., Williams, P., Roby, R.K., Weedn, V.W., Morris, S.C., Kline, M.C. and Reeder, D.J.
Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83
- Srivatsa, G.S., Batt, M., Schuette, J., Carlson, R.H., Fitchett, J., Lee, C. and Cole, D.L.
Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469
- Staerk, D.U., see Shitangkoon, A. 657(1993)387
- Staerk, D.U., Shitangkoon, A. and Vigh, G.
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79
- Staerk, D.U., Shitangkoon, A. and Vigh, G.
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133

- Stafford, A.E., see Lin, J.-T. 699(1995)85
- Stafford, J.D., see Larew, L.A. 692(1995)183
- Stafiej, J., see Glód, B.K. 654(1993)197
- Stahl, R.
Routine determination of anions by capillary electrophoresis and ion chromatography 686(1994)143
- Ståhlberg, J., see Bartha, Á. 668(1994)255
- Ståhlberg, O. and Arvidsson, T.
Liquid chromatographic determination of ethylenediaminetetraacetic acid as metal complexes on a porous graphitic carbon column 684(1994)213
- Stalcup, A.M. and Williams, K.L.
Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185
- Stan, H.-J., see Butz, S. 677(1994)63
- Stan, H.-J. and Heberer, Th.
Automated recognition of target compounds at low levels in environmental samples by means of capillary gas chromatography-mass spectrometry with dedicated mass spectral libraries and the macro program AUTARG. II. Application to pesticides in groundwater samples 653(1993)55
- Stan, H.-J., see Kirsch, N.H. 684(1994)277
- Stan, H.-J. and Schwarzer, F.
Automated recognition of target compounds at low levels in environmental samples by means of capillary gas chromatography-mass spectrometry with dedicated mass spectral libraries and the macro program AUTARG. I. Description of the macro program AUTARG 653(1993)45
- Stan, H.-J., see Zapf, A. 694(1995)453
- Stanislawski, B., see Ito, M. 661(1994)143
- Stanley, B.J., see Guan, H. 659(1994)27
- Staroverov, S.M., see Nesterenko, P.N. 667(1994)19
- Stashenko, E.E., see Blanco Tirado, C. 697(1995)501
- Stathakis, C. and Cassidy, R.M.
Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353
- Stathakis, C., Warburton, P.L. and Cassidy, R.M.
Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443
- Stearns, S., see Wentworth, W.E. 688(1994)135
- Stefánsson, H., Wollenberger, L. and Albertsson, P.-A.
Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191
- Stefansson, M., see Lu, B. 697(1995)317
- Stegeman, G., Kraak, J.C., Poppe, H. and Tijssen, R.
Hydrodynamic chromatography of polymers in packed columns 657(1993)283
- Steghens, J.P., see Belinga, H.F. 695(1995)33
- Steinborn, A., see Reinhardt, R. 697(1995)475
- Steinborn, A., Reinhardt, R., Engewald, W., Wyssuwa, K. and Schulze, K.
Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485
- Steinert, J., Khalaf, H. and Rimpler, M.
HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281
- Steinhart, H., see Simat, T. 661(1994)93
- Steinmetz, C., see Kuhn, R. 666(1994)367
- Stekar, J.M., see Stibilj, V. 668(1994)449
- Stensen, W. and Jensen, E.
High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87
- Stephanou, E.G., see Psathaki, M. 667(1994)241
- Sterin, M., see Abu-Lafi, S. 664(1994)159
- Sterin, M., see Abu-Lafi, S. 679(1994)47
- Stern, D.A., see Demkowicz, M.P. 671(1994)351
- Stern, N.J., see Johnson, P.R. 667(1994)1
- Sternberg, J., see Chen, F.-T.A. 652(1993)355
- Sternberg, R., see De Vanssay, E. 688(1994)161
- Stevenson, D.
Foreword 665(1994)215
- Stevenson, D., see Shahtaheri, S.J. 697(1995)131
- Stevenson, J.M., see Palladino, D.E.H. 676(1994)99
- Stewart, J.T., see Ponder, G.W. 659(1994)177
- Stewart, J.T., see Ponder, G.W. 692(1995)173
- Stibilj, V., Dermelj, M., Byrne, A.R., Šimenc, T. and Stekar, J.M.
Determination of trace amounts of selenium in poultry feedstuffs by gas chromatography 668(1994)449
- Sticher, O., see Rehwald, A. 677(1994)25
- Stigbrand, T., see Jensen, P.E.H. 668(1994)101
- Stil, G.H., see Kootstra, P.R. 697(1995)123
- Stillian, J., see Rabin, S. 671(1994)63
- Stocchi, V., Cardoni, P., Ceccaroli, P., Piccoli, G., Cucchiari, L., De Bellis, R. and Dachà, M.
High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51
- Stocchi, V., see Piccoli, G. 676(1994)239
- Stortz, C.A., see Cases, M.R. 662(1994)293
- Stotzer, R., see Wolfisberg, H. 652(1993)407
- Stout, M.L. and Ravindranath, Y.
Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1- β -D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59
- Stover, F.S., Bulmahn, J.A. and Gard, J.K.
Polyphosphate separations and chain length characterization using minibore ion chromatography with conductivity detection 688(1994)89
- Stover, F.S. and Keffer, S.S.
Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450
- Stow, J.M., see Dawson, L.A. 700(1995)81
- Strancar, A., Raspor, P., Schwinn, H., Schütz, R. and Josic, D.
Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent-detergent method 658(1994)475
- Strasters, J.K., see Madamba-Tan, L.S. 683(1994)321
- Strasters, J.K., see Madamba-Tan, L.S. 683(1994)335

- Straub, J.A., Akiyama, A., Parmar, P. and Musso, G.F.
Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85
- Straub, J.A., see Wu, C. 684(1994)243
- Straub, M.H.C., see Kootstra, P.R. 697(1995)123
- Strazzolini, P., see Soják, L. 665(1994)169
- Strazzolini, P., see Soják, L. 695(1995)57
- Streater, M., see Levison, P.R. 658(1994)419
- Stred'anský, M., Tomáška, M., Tomašková, A. and Šturdík, E.
Lactose hydrolysis in an aqueous two-phase system by whole-cell β -galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179
- Strege, M.A. and Lagu, A.L.
Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179
- Stringfield, W.B., see Carta, G. 658(1994)407
- Stroh, J.G., see Rosnack, K.J. 675(1994)219
- Strolin Benedetti, M., see Fontana, E. 660(1994)293
- Strolin Benedetti, M., see Frigerio, E. 660(1994)351
- Strömquist, M.
Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304
- Stroupe, M.L., see Pleil, J.D. 676(1994)399
- Strumia, M., see Alvarez, C. 686(1994)333
- Strumpf, Th., see Mellor, F. 679(1994)147
- Strydom, D.J.
On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227
- Strydom, D.J.
Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17
- Štulík, K., see Pacáková, V. 700(1995)187
- Stumpf, C.L., see Oehrlé, S.A. 680(1994)645
- Sturaro, A., Parvoli, G., Rella, R. and Doretta, L.
Gas chromatographic-mass spectrometric, high-performance liquid chromatographic-UV and gas chromatographic-Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211
- Šturdík, E., see Stred'anský, M. 668(1994)179
- Stuting, H.H., see Dou, L. 679(1994)367
- Suarez, A., see Reimer, G. 699(1995)253
- Subramanian, A., Van Cott, K.E., Milbrath, D.S. and Velander, W.H.
Role of local antibody density effects on immunosorbent efficiency 672(1994)11
- Suchánek, M., see Plzák, Z. 699(1995)241
- Suehiro, N., see Yashima, E. 654(1993)151
- Suehiro, N., see Yashima, E. 654(1993)159
- Suen, S.-Y. and Etsel, M.R.
Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179
- Suen, T.-T., see Lee, Y.-C. 660(1994)299
- Suen, T.-T., see Lee, Y.-C. 692(1995)137
- Sugawara, K., see Ohkubo, T. 659(1994)467
- Sugimoto, Y., see Ihara, T. 694(1995)49
- Sugo, T., see Tsuneda, S. 689(1995)211
- Suh, J.K., see Park, J.H. 656(1993)69
- Sullivan, G.R., see Olsen, B.A. 692(1995)147
- Sullivan, J. and Douek, M.
Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339
- Sumita, C., Baba, Y., Hide, K., Ishimaru, N., Samata, K., Tanaka, A. and Tshako, M.
Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297
- Sumiyoshi, K., Yagi, T. and Nakamura, H.
Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77
- Sun, J.J. and Roston, D.A.
Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211
- Sun, L., see Cassidy, R.M. 654(1993)105
- Sun, L., McCormick, A.V. and Carr, P.W.
Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465
- Sun, P., Barker, G.E., Hartwick, R.A., Grinberg, N. and Kaliszán, R.
Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis 652(1993)247
- Sun, P. and Hartwick, R.A.
On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279
- Sun, P., see Landman, A. 669(1994)259
- Sun, P., Landman, A., Barker, G.E. and Hartwick, R.A.
Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303
- Sun, S.-W., see Ma, Y.-P. 695(1995)259
- Sun, X.-Y. and Aue, W.A.
Constancy of spectral response ratios in the flame photometric detector 667(1994)191
- Sun, X.-Y., see Aue, W.A. 687(1994)283
- Sun, X.-Y., see Millier, B. 675(1994)155
- Sun, X.-Y., Singh, H., Millier, B., Warren, C.H. and Aue, W.A.
Noise, filters and detection limits 687(1994)259
- Sun, Y., Zhang, R., Wang, Q. and Xu, B.
Programmed-temperature gas chromatographic retention index (Review) 657(1993)1
- Sun, Z.-P., see Zhang, C.-X. 655(1993)309
- Sunahara, H., see Ito, K. 670(1994)99
- Sundahl, M., see Orwar, O. 696(1995)139
- Sundara Rao, V.S., see Muralidharan, D. 675(1994)257

- Sundaram, K.M.S. and Curry, J.
High-performance liquid chromatographic method for the analysis of aminocarb. mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
- Sundaram, K.M.S., Nott, R. and Lewin, E.E.
Comparative study of the determination of tebufenozide in formulated products by gas chromatographic and liquid chromatographic methods 687(1994)323
- Sundelöf, L.-O., see Porsch, B. 669(1994)21
- Sunesson, A.-L., Nilsson, C.-A. and Andersson, B.
Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203
- Susami, A., see Kakchi, K. 680(1994)209
- Sushchik, N.N., Gladyshev, M.I., Kalachova, G.S. and Guseynova, V.E.
Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223
- Sutherland, J.B., see Wilkes, J.G. 695(1995)319
- Suzuki, E.Y. and Early, R.J.
High-performance liquid chromatographic separation of phenylthiocarbonyl derivatives of amino acids from protein hydrolysates using a Partisphere C₁₈ column 657(1993)204
- Suzuki, H., see Ogino, K. 699(1995)59
- Suzuki, H., see Ogino, K. 699(1995)67
- Suzuki, M., see Asukabe, H. 657(1993)349
- Suzuki, M., see Murata, H. 693(1995)263
- Suzuki, M., see Nishida, F. 664(1994)195
- Suzuki, M., see Oka, H. 674(1994)301
- Suzuki, N., see Saitoh, K. 653(1993)247
- Suzuki, N., see Saitoh, K. 693(1995)176
- Suzuki, O., see Hattori, H. 674(1994)15
- Suzuki, S., see Kakehi, K. 680(1994)209
- Suzuki, S., see Shirao, M. 680(1994)247
- Suzuki, S., Shirao, M., Aizawa, M., Nakazawa, H., Sasa, K. and Sasagawa, H.
Determination of synthetic food dyes by capillary electrophoresis 680(1994)541
- Suzuki, T.
High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters 677(1994)301
- Suzuki, T., Yaguchi, K., Ohnishi, K. and Yamagishi, T.
Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139
- Švec, F., see Fréchet, J.M.J. 667(1994)284
- Švec, F., see Hosoya, K. 690(1995)21
- Švec, F., see Wang, Q.C. 669(1994)230
- Swart, C.P., see Van der Velde, E.G. 683(1994)167
- Swart, K.J., Hundt, H.K.L. and Groenewald, A.M.
Automated high-performance liquid chromatographic method for the determination of acyclovir in plasma 663(1994)65
- Swart, R., Kraak, J.C. and Poppe, H.
Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25
- Swart, R., Kraak, J.C. and Poppe, H.
Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177
- Swartz, M.E., see Mazzeo, J.R. 680(1994)125
- Sybilka, D., Asztemborska, M., Kowalczyk, J., Ochocka, R.J., Ossicini, L. and Perez, G.
Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L. 659(1994)389
- Sybilka, D., Kowalczyk, J., Asztemborska, M., Ochocka, R.J. and Lamparczyk, H.
Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67
- Sydenham, E.W., see Shephard, G.S. 692(1995)39
- Sýkora, D., see Pacáková, V. 700(1995)187
- Sýkora, D., Vinš, I., Hermann, P. and Kesner, F.
Reversed-phase high-performance liquid chromatography of diastereomers of some phosphonodipeptides 665(1994)59
- Synovec, R.E., see Bahowick, T.J. 663(1994)135
- Synovec, R.E., see Lima III, L.R. 691(1995)195
- Synovec, R.E., see Taylor, D.B. 659(1994)133
- Sypniewski, S. and Bald, E.
Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321
- Szegletes, Z., see Török, B. 668(1994)463
- Szémán, J. and Ganzler, K.
Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
- Szepesy, L.
Foreword 668(1994)253
- Szepesy, L., see Rippel, G. 664(1994)27
- Szepesy, L., see Rippel, G. 668(1994)301
- Szepesy, L. and Rippel, G.
Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337
- Szepesy, L., see Rippel, G. 697(1995)17
- Szépvolgyi, J., see Gelencsér, A. 654(1993)269
- Sziele, D., Brüggemann, O., Döring, M., Freitag, R. and Schügerl, K.
Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254
- Sznitowska, M., see Nasal, A. 692(1995)83
- Szulec, M.E. and Krull, I.S.
Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

T

- Tabacchi, R., see Hägglund, I. 673(1994)93
- Tabera, J., see Blanch, G.P. 655(1993)141
- Tabera, J., see Ibáñez, E. 667(1994)249
- Tadeo, J.L., see Sánchez-Brunete, C. 675(1994)213
- Tadey, T. and Purdy, W.C.
Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131
- Taga, A., see Kakehi, K. 680(1994)209
- Taga, M., see Kaneta, T. 653(1993)313
- Tagliaro, F., Antonoli, C., De Battisti, Z., Ghielmi, S. and Marigo, M.
Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207
- Takagi, K., Toyoda, M., Shimizu, M., Satoh, T. and Saito, Y.
Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127
- Takagi, T., see Watanabe, Y. 653(1993)241
- Takahashi, H., see Inoue, Y. 675(1994)149
- Takahashi, K.-I., see Okamoto, M. 675(1994)244
- Takahashi, M., see Kamata, K. 667(1994)113
- Takahashi, S., see Nakamura, Y. 655(1993)355
- Takao, N., see Yamagami, C. 662(1994)49
- Takase, H., see Nakamura, Y. 655(1993)355
- Takata, Y., see Ito, M. 661(1994)143
- Takatsuto, S.
Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography-mass spectrometry (Review) 658(1994)3
- Takatsuto, S., see Gamoh, K. 658(1994)17
- Takatsuto, S., see Motegi, C. 658(1994)27
- Takayama, Y. and Takeichi, T.
Preparation of deactivated metal capillary for gas chromatography 685(1994)61
- Takeda, K., see Sakagami, H. 653(1993)37
- Takeda, M., see Sakagami, H. 653(1993)37
- Takeda, M., see Yasuhara, F. 694(1995)227
- Takeda, S., Wakida, S.-i., Yamane, M., Kawahara, A. and Higashi, K.
Separation of aniline derivatives by micellar electrokinetic chromatography 653(1993)109
- Takei, S., see Moriguchi, S. 686(1994)101
- Takeichi, T., see Takayama, Y. 685(1994)61
- Takeo, K.
Advances in affinity electrophoresis (Review) 698(1995)89
- Takeshita, Y., see Yarita, T. 679(1994)329
- Takeuchi, T. and Miwa, T.
Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β -cyclodextrin as mobile phase additive 666(1994)439
- Takeuchi, T. and Miwa, T.
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185
- Talasek, R.T. and Schoenke, M.P.
Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205
- Tallarek, U., Baumeister, E., Albert, K., Bayer, E. and Guiochon, G.
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1
- Tamaki, M., Akabori, S. and Muramatsu, I.
Studies of gramicidin S analogues having various ring sizes by reversed-phase high-performance liquid chromatography 685(1994)237
- Tamaru, T., see Iida, T. 689(1995)77
- Tambe, A.S., Biswas, S.S. and Zubaidha, P.K.
Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397
- Tambuté, A., see Bargmann-Leyder, N. 666(1994)27
- Tambuté, A., see Camel, V. 693(1995)101
- Tan, H.S.I., Xu, J. and Zheng, Y.
Cation-exchange high-performance liquid chromatographic assay of piperazine in some pharmaceutical formulations 693(1994)307
- Tan, L.C., see Carr, P.W. 656(1993)113
- Tan, L.C. and Carr, P.W.
Extra-thermodynamic relationships in chromatography—study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521
- Tanaka, A., see Sumita, C. 661(1994)297
- Tanaka, H., see Oi, S. 659(1994)75
- Tanaka, H., see Oi, S. 679(1994)35
- Tanaka, I., see Hirokawa, T. 663(1994)245
- Tanaka, K., Ohta, K., Fritz, J.S., Matsushita, S. and Miyanaga, A.
Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239
- Tanaka, M., see Yoshinaga, M. 679(1994)359
- Tanaka, N., Fukutome, T., Tanigawa, T., Hosoya, K., Kimata, K., Araki, T. and Unger, K.K.
Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331
- Tanaka, N., see Hosoya, K. 662(1994)37
- Tanaka, N., see Hosoya, K. 666(1994)449
- Tanaka, N., see Hosoya, K. 690(1995)21
- Tanaka, N., Kimata, K., Hosoya, K., Miyaniishi, H. and Araki, T.
Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265

- Tanaka, S., see Kaneta, T. 653(1993)313
 Tanaka, S., see Matsui, K. 694(1995)209
 Tanaka, Y., see Kobayashi, M. 678(1994)351
 Tanaka, Y. and Terabe, S.
 Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277
 Tang, Y., Zhou, Y. and Armstrong, D.W.
 Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147
 Tanigawa, T., see Tanaka, N. 699(1995)331
 Tanimura, T., see Yamazaki, S. 662(1994)219
 Tarantilis, P.A., Polissiou, M. and Manfait, M.
 Separation of picrocrocin, *cis-trans*-crocin and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55
 Tarantilis, P.A., Tsoupras, G. and Polissiou, M.
 Determination of saffron (*Crocus sativus* L.) components in crude plant extract using high-performance liquid chromatography-UV-visible photodiode-array detection-mass spectrometry 699(1995)107
 Tardif, B., see Bounine, J.P. 677(1994)87
 Tasi, Gy., see Török, B. 668(1994)353
 Tatár, E., Khalifa, M., Záray, G. and Molnár-Perl, I.
 Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109
 Tauler, R., see Lacorte, S. 697(1995)345
 Tavares, M.F.M. and McGuffin, V.L.
 Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129
 Tawabini, B.S., see Iob, A. 661(1994)245
 Taylor, D.B. and Synovec, R.E.
 Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133
 Taylor, D.R., see Al-Bajjari, T.I. 683(1994)367
 Taylor, D.R., see Al-Bajjari, T.I. 683(1994)377
 Taylor, D.R., see Maher, K.M. 697(1995)247
 Taylor, D.R., see Smith, R.J. 697(1995)591
 Taylor, D.R., see Wilkins, S.M. 697(1995)587
 Taylor, G.E., see Dawson, J.R. 700(1995)163
 Taylor, L.T., see Jedrzejewski, P.T. 677(1994)365
 Taylor, M.R. and Westwood, S.A.
 Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389
 Tazawa, S., see Iida, T. 689(1995)77
 Tchapla, A. and Héron, S.
 Property-structure relationship of solute-stationary phase complexes occurring in a molecular mechanism by penetration of elute in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175
 Tchapla, A., Héron, S., Lesellier, E. and Colin, H.
 General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81
 Teasdale, R., see Khoshab, A. 660(1994)195
 Tehrani, J., see Lopez-Avila, V. 672(1994)167
 Tello, A.M., see Lebrón-Aguilar, R. 697(1995)441
 Tempst, P., see Elicone, C. 676(1994)121
 Tena, T., see Lora-Tamayo, C. 674(1994)217
 Teng, J.I. and Smith, L.L.
 High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^3 -ketone derivatives 691(1995)247
 Terabe, S., see Chen, N. 678(1994)327
 Terabe, S., see Matsubara, N. 680(1994)311
 Terabe, S., see Nishi, H. 694(1995)245
 Terabe, S., see Otsuka, K. 652(1993)253
 Terabe, S., see Otsuka, K. 680(1994)317
 Terabe, S., Otsuka, K. and Nishi, H.
 Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295
 Terabe, S., see Ozaki, H. 680(1994)117
 Terabe, S., see Tanaka, Y. 694(1995)277
 Terabe, S.
 Foreword 680(1994)1
 Teramae, N., see Saitoh, K. 687(1994)149
 Terao, T., see Toyooka, T. 661(1994)105
 Terasima, K., see Kamata, K. 667(1994)113
 Terazawa, Y., see Baba, S. 663(1994)35
 Terhechte, A. and Blaschke, G.
 Investigation of the stereoselective metabolism of the chiral H₁-antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219
 Terreni, M., Benfenati, E., Natangelo, M., Facchini, G. and Pagani, G.
 Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243
 Terry, K.A., see Onuska, F.I. 665(1994)125
 Terzuoli, L., Pizzichini, M., Arezzini, L., Pandolfi, M.L., Marinello, E. and Pagani, R.
 Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350
 Tetler, L.W., Cooper, P.A. and Powell, B.
 Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis-electrospray mass spectrometry interface 700(1995)21
 Tetler, L.W., see Lord, G.A. 700(1995)27
 Thamer, D., see Trathnigg, B. 657(1993)365
 Thamer, D., see Trathnigg, B. 665(1994)47
 Thanh, H.H.
 Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343
 Thatcher, D.R., see Alderton, W.K. 677(1994)289
 Thebtaranonth, Y., see Nishida, F. 664(1994)195
 Thede, R., Haberland, D. and Below, E.
 Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

- Thede, R., Haberland, D., Deng, Z. and Langer, S.H.
Second-order kinetics in the liquid chromatographic reactor 683(1994)279
- Theil, F., see Kunath, A. 684(1994)162
- Thibault, P., see Buzy, A. 688(1994)301
- Thiebaut, D., see Menet, J.-M. 659(1994)3
- Thiede, S., see Benedek, K. 676(1994)209
- Thiel, P.G., see Shephard, G.S. 692(1995)39
- Thierfelder, J.M., see Kraus, G. 677(1994)197
- Thies, F. and Grimme, L.H.
In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168
- Thoithi, G., see Paesen, J. 677(1994)377
- Thoithi, G., Van Schepdael, A., Herdewijn, P., Roets, E. and Hoogmartens, J.
Liquid chromatographic separation of diamino analogues of 2'- or 3'-deoxyadenosine from adenine on a poly(styrene-divinylbenzene) polymer column 689(1995)247
- Thomas, A.W., see Narum, D.L. 657(1993)357
- Thomas, D., Crain, S.M., Sim, P.G. and Benoit, F.M.
Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1
- Thomas, J., see Martinez, B. 655(1993)45
- Thömmes, J., see Dos Reis Coimbra, J. 668(1994)85
- Thompson, C.O., Trenerry, V.C. and Kemmery, B.
Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507
- Thompson, J.D., see Hagen, S.R. 692(1995)167
- Thompson, Jr., H.C., see Billedeau, S.M. 688(1994)55
- Thompson, W.C., see Dasgupta, A. 685(1994)279
- Thomsen, U.G., Cornett, C., Tjørnelund, J. and Hansen, S.H.
Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica 697(1995)175
- Thormann, W., see Caslavská, J. 680(1994)549
- Thormann, W., see Wollfisberg, H. 652(1993)407
- Thörnwall, M., see Sanderson, K. 676(1994)155
- Thuaud, N. and Schille, B.
Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15
- Thurbide, K.B. and Aue, W.A.
Reactive-flow luminescence detector for gas chromatography 684(1994)259
- Thurbide, K.B. and Aue, W.A.
Quenching-free reactive-flow photometry 694(1995)433
- Thurbide, K.B., see Aue, W.A. 699(1995)183
- Tichý, M., Holanová, J. and Závada, J.
6,6'-Dinitrophenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11
- Tiebach, R., see Brinkmann, E. 693(1995)271
- Tier, C.M., see Jones, D. 661(1994)1
- Tijssen, R., see Schoenmakers, P.J. 656(1993)577
- Tijssen, R., Schoenmakers, P.J., Böhmer, M.R., Koopal, L.K. and Billiet, H.A.H.
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Tijssen, R., see Stegeman, G. 657(1993)283
- Tijssen, R., see Van Asten, A.C. 676(1994)361
- Tilio, R., Kapila, S., Nam, K.S., Bossi, R. and Facchetti, S.
Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191
- Tilotta, D.C., see Wittkamp, B.L. 670(1994)145
- Tilquin, B.L., see Vanbel, P.F. 697(1995)3
- Timerbaev, A.R., see Semenova, O.P. 667(1994)327
- Timerbaev, A.R. and Semenova, O.P.
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141
- Timerbaev, A.R., Semenova, O.P., Jandik, P. and Bonn, G.K.
Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419
- Tindall, G.W. and Perry, R.L.
Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349
- Ting, K.-C. and Lee, C.-S.
Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119
- Tissot, J.-D. and Spertini, F.
Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225
- Tisza, S., Sass, P. and Molnár-Perl, I.
Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography-mass spectrometry and determination of the composition of six apple varieties 676(1994)461
- Titon, M.C. and Nardillo, A.M.
Separation of low-boiling pyridine bases by gas chromatography 699(1995)403
- Tivesten, A., see Orwar, O. 696(1995)139
- Tjaden, U.R., see Buscher, B.A.P. 678(1994)145
- Tjaden, U.R., see Mazereeuw, M. 677(1994)151
- Tjaden, U.R., see Reinhoud, N.J. 653(1993)303
- Tjaden, U.R., see Reinhoud, N.J. 673(1994)239
- Tjaden, U.R., see Reinhoud, N.J. 673(1994)255
- Tjaden, U.R., see Van Der Vlis, E. 665(1994)233
- Tjaden, U.R., see Van der Vlis, E. 687(1994)333
- Tjell, J.C., see Harrison, I. 688(1994)181

- Tjerneld, F., see Alfred, P.A. 659(1994)289
Tjerneld, F., see Lu, M. 668(1994)215
Tjerneld, F., see Modlin, R.F. 668(1994)229
Tjornelund, J., see Thomsen, U.G. 697(1995)175
Toda, T. and Ohashi, M.
Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41
Todd, B., see Zhao, J. 673(1994)167
Todd, G.D., see Green, M.D. 695(1995)237
Todd, N., see Griffin, R.M.E. 674(1994)271
Todd, R.J., Johnson, R.D. and Arnold, F.H.
Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13
Todoulou, O., see Tsantili-Kakoulidou, A. 654(1993)43
Tokuma, Y. and Noguchi, H.
Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
Tollaksen, S.L., see Giometti, C.S. 698(1995)341
Tomás-Barberán, F.A., see Ferreres, F. 669(1994)268
Tomáška, M., see Střed'anský, M. 668(1994)179
Tomašková, A., see Střed'anský, M. 668(1994)179
Tomer, K.B., see Weinmann, W. 664(1994)271
Tomer, K.B., see Weinmann, W. 680(1994)353
Tomimaga, I., see Hiraoka, A. 680(1994)243
Tomlinson, A.J., Benson, L.M., Landers, J.P., Scanlan, G.F., Fang, J., Gorrod, J.W. and Naylor, S.
Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis 652(1993)417
Tomlinson, A.J., Landers, J.P., Lewis, I.A.S. and Naylor, S.
Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171
Tongta, A., Liapis, A.I. and Siehr, D.J.
Equilibrium and kinetic parameters of the adsorption of α -chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21
Toniolo, R., Bontempelli, G., Zancato, M. and Pietrogrande, A.
Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185
Tønnesen, F., see Krogh, M. 674(1994)235
Toome, D.W., see Levison, P.R. 658(1994)419
Toppila, M., see Salomies, H. 697(1995)597
Tornés, A.R., see Nerín, C. 672(1994)159
Tornjainen, K. and Mäki, E.
Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397
Török, B., Pálkó, I., Tasi, Gy., Nyerges, L. and Bogár, F.
Gas chromatographic-mass spectrometric determination of α -phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353
Török, B., Szegletes, Z. and Molnár, A.
Separation and identification of stereoisomeric cyclobutanediols by gas chromatography-mass spectrometry 668(1994)463
Torres-Lapasió, J.R., Villanueva-Camañas, R.M., Sanchis-Mallols, J.M., Medina-Hernández, M.J. and García-Alvarez-Coque, M.C.
Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239
Tortosa, J., see Periago, J.F. 657(1993)147
Tortosa, J., see Prado, C. 657(1993)131
Tóth, G., see Péter, A. 660(1994)283
Tóth, G., see Péter, A. 668(1994)331
Toth, I., see Korakas, D. 659(1994)307
Tourwé, D., see Péter, A. 660(1994)283
Tourwé, D., see Péter, A. 668(1994)331
Toyoda, M., see Takagi, K. 659(1994)127
Toyo'oka, T., Ishibashi, M. and Terao, T.
Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105
Toyo'oka, T. and Liu, Y.-M.
High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23
Toyo'oka, T. and Liu, Y.-M.
Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11
Toyo'oka, T., Liu, Y.-M., Hanioka, N., Jinno, H., Ando, M. and Imai, K.
Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79
Tracy, R.P., see Young, D.S. 698(1995)163
Traficante, D.D., see Mao, J. 684(1994)103
Tran, P., see Armstrong, D.W. 688(1994)201
Trathnigg, B., Thamer, D., Yan, X., Maier, B., Holzbauer, H.-R. and Much, H.
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365
Trathnigg, B., Thamer, D., Yan, X., Maier, B., Holzbauer, H.-R. and Much, H.
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. II. Quantification in liquid chromatography under critical conditions 665(1994)47
Trathnigg, B. and Yan, X.
Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199
Treffry, T.E., see Guan, Y. 668(1994)31
Treiber, L.R.
Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193
Trenerry, V.C., see Thompson, C.O. 694(1995)507

- Trettin, U., see Koppenhoefer, B. 666(1994)557
- Treutter, D., Santos-Buelga, C., Gutmann, M. and Kolodziej, H.
Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290
- Trier, C., see Šepić, E. 697(1995)515
- Trigg, D.P., Simmonds, P.G. and Nickless, G.
Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197
- Trinajstić, N., see Amić, D. 653(1993)115
- Triska, J., see Jegorov, A. 673(1994)286
- Triska, J., see Zahradníčková, H. 688(1994)383
- Trivedi, P., see Kumar, N. 678(1994)259
- Trnka, T., see Jegorov, A. 673(1994)286
- Trocewicz, J., see Jönsson, J.A. 665(1994)259
- Truelove, J.F., see Lawrence, J.F. 662(1994)173
- Truffert, J.-C., see Bargmann-Leyder, N. 666(1994)27
- Tsai, E.W., see Bell, C. 675(1994)248
- Tsai, E.W., see Qin, X.-Z. 686(1994)205
- Tsai, F.Y., Chen, C.J. and Chien, C.S.
Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309
- Tsantili-Kakoulidou, A., Filippatos, E., Todoulou, O. and Papadaki-Valiraki, A.
Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9*H*-xanthene and 9*H*-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol-water partition coefficients 654(1993)43
- Tsikas, D., Böger, R.H., Bode-Böger, S.M., Brunner, G. and Frölich, J.C.
Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363
- Tsonis, P.A. and Del Rio-Tsonis, K.
Protein separation techniques in the study of tissue regeneration 698(1995)361
- Tsoupras, G., see Tarantilis, P.A. 699(1995)107
- Tsuchiya, K., see Ogino, K. 699(1995)59
- Tsueda, M.S., see Hayes, F.J. 692(1995)73
- Tsuhako, M., see Baba, Y. 652(1993)93
- Tsuhako, M., see Baba, Y. 653(1993)329
- Tsuhako, M., see Sumita, C. 661(1994)297
- Tsuji, A., see Arakawa, H. 664(1994)89
- Tsuji, A., see Arakawa, H. 680(1994)517
- Tsuji, K.
Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139
- Tsuji, K.
Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257
- Tsukamoto, T. and Ushio, T.
Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]-heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69
- Tsuneda, S., Saito, K., Furusaki, S. and Sugo, T.
High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211
- Tu, G., see Liao, J. 669(1994)225
- Tuberoso, C., see Cherchi, A. 669(1994)59
- Tucci, S., see Hernandez, L. 652(1993)393
- Tucker, R.C., see Chang, J.P. 675(1994)113
- Tuinstra, L.G.M.Th., see Deacon, M. 657(1993)69
- Tuinstra, L.G.M.Th., see Deacon, M. 659(1994)349
- Tullsen, T.R., see Rocklin, R.D. 671(1994)109
- Turiák, G. and Volicer, L.
Stability of *o*-phthalaldehyde-sulfite derivatives of amino acids and their methyl esters: electrochemical and chromatographic properties 668(1994)323
- Turner, M., see Buchberger, W. 671(1994)375
- Turner, R.E., see Aserjo, J.A. 668(1994)129
- Turnes, M.I., Rodriguez, I., Mejuto, M.C. and Cela, R.
Determination of chlorophenols in drinking water samples at the subnanogram per millilitre level by gas chromatography with atomic emission detection 683(1994)21
- Turni, L.A., see Marino, M.A. 676(1994)185
- Turni, L.A., see Williams, P.E. 680(1994)525
- Tusak, A., see Chen, F.-T.A. 652(1993)355
- Tusak, A., see Chen, F.-T.A. 685(1994)331
- Tutschku, S., Mothes, S. and Dittrich, K.
Determination and speciation of organotin compounds by gas chromatography-microwave induced plasma atomic emission spectrometry 683(1994)269
- Tuvim, Y., see Capparella, M. 691(1995)141
- Tvrzická, E., see Novaković, J. 678(1994)359
- Tzanakakis, G.N., see Karamanos, N.K. 696(1995)295

U

- Uccello-Barretta, G., Pini, D., Rosini, C. and Salvadori, P.
Stereochemical features of the stereoselective interaction between (*R*)- or (*S*)-7,7'-bis(1-propen-3-oxy)-2,2'-dihydroxy-1,1'-binaphthyl and quinine 666(1994)541
- Uchida, A., see Onodera, S. 699(1995)291
- Uchida, K., see Nakamura, Y. 655(1993)355
- Uden, P.C., see Ho, Y.-S. 688(1994)107

- Ueda, J., Miyamoto, K. and Kamisaka, S.
Separation of a new type of plant growth regulator, jasmonates, by chromatographic procedures (Review) 658(1994)129
- Ueda, K., see Michigami, Y. 663(1994)255
- Ueda, K., see Michigami, Y. 664(1994)117
- Ueda, N., see Seki, T. 661(1994)113
- Ueda, N., see Yoza, N. 664(1994)111
- Ueland, P.M., see Schneede, J. 669(1994)185
- Uetanaka, K., see Arakawa, H. 664(1994)89
- Uetanaka, K., see Arakawa, H. 680(1994)517
- Uiji, N., see Mizukami, F. 697(1995)279
- Umesato, F., see Ito, M. 661(1994)143
- Unger, K., see Kurganov, A. 660(1994)97
- Unger, K., see Kurganov, A. 666(1994)99
- Unger, K.K.
Foreword 660(1994)1
- Unger, K.K., see Hanson, M. 656(1993)369
- Unger, K.K., see Tanaka, N. 699(1995)331
- Uno, T., see Ohkubo, T. 659(1994)467
- Uray, G., Maier, N.M. and Lindner, W.
Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41
- Urbánek, J., see Jandera, P. 689(1995)255
- Urbánková, E., see Pazourek, J. 660(1994)113
- Urbas, E., see Kaljurand, M. 660(1994)147
- Urbe, I., see Ruana, J. 655(1993)217
- Urge, L., see Gorbics, L. 676(1994)169
- Ushio, T., see Tsukamoto, T. 678(1994)69
- Ushio, T. and Yamamoto, K.
High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235
- Usui, T., see Okada, T. 676(1994)355
- Utagawa, Y., see Satow, T. 652(1993)23
- Uzawa, H., see Kim, J.-H. 677(1994)35
- Valachovičová, M., see Krupčík, J. 665(1994)111
- Valdés, J.R., see Sosa, M.E. 662(1994)251
- Valencia, L.S., see Westmark, P.R. 664(1994)123
- Valkó, I.E., Billiet, H.A.H., Frank, J. and Luyben, K.Ch.A.M.
Effect of the degree of substitution of (2-hydroxy)propyl- β -cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139
- Valko, K., see Almudaris, A. 689(1995)31
- Valkó, K., see Korakas, D. 659(1994)307
- Valkó, K., Snyder, L.R. and Glajch, J.L.
Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501
- Vallhonrat, R., see Comellas, L. 655(1993)57
- Valls, R., Artaud, J., Amade, P., Vincente, N. and Piovetti, L.
Determination of caulerpenyne, a toxin from the green alga *Caulerpa taxifolia* (Caulerpaceae) 663(1994)114
- Valverde, A., see Fernandez-Alba, A.R. 686(1994)263
- Van Aerschoot, A., see Van Schepdael, A. 687(1994)167
- Van Amen, C., see Montes, M.C. 688(1994)31
- Van Asten, A.C., Kok, W.Th., Tijssen, R. and Poppe, H.
Thermal field flow fractionation of polytetrahydrofuran 676(1994)361
- Vanatta, L.E.
Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83
- Vanbel, P.F., Tilquin, B.L. and Schoenmakers, P.J.
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3
- Van Beuzekom, A.C., see Van der Velde, E.G. 683(1994)125
- Van Cott, K.E., see Subramanian, A. 672(1994)11
- Van Damme, F. and Oomens, A.C.
Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium *N,N*-diethyldithiocarbamate and liquid chromatography 696(1995)41
- Van de Goor, T.A.A.M., see Keely, C.A. 652(1993)283
- Van de Goor, T.A.A.M., see Wanders, B.J. 652(1993)291
- Vande Gucht, I.
Determination of chelating agents in fertilizers by ion chromatography 671(1994)359
- Vandendriessche, F., see Van Schepdael, A. 687(1994)167
- Van de Ven, L.J.M., see Scholten, A.B. 688(1994)25
- Van de Ven, L.J.M., see Verhulst, H.A.M. 687(1994)213
- Van der Greef, J., see Buscher, B.A.P. 678(1994)145
- Van der Greef, J., see Mazereeuw, M. 677(1994)151
- Van der Greef, J., see Reinhoud, N.J. 653(1993)303
- Van der Greef, J., see Reinhoud, N.J. 673(1994)239
- Van der Greef, J., see Reinhoud, N.J. 673(1994)255
- Van Der Greef, J., see Van Der Vlis, E. 665(1994)233
- Van der Greef, J., see Van der Vlis, E. 687(1994)333
- Van der Heiden, C., see Lopez-Avila, V. 672(1994)167
- Van der Schans, M.J., Allen, J.K., Wanders, B.J. and Guttman, A.
Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

V

- Vaccher, C., Berthelot, P. and Debaert, M.
Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213
- Vacík, J., see Hirokawa, T. 663(1994)245
- Vagg, R.S., see Aldrich-Wright, J.R. 693(1995)366
- Vaisar, T., see Piš, J. 658(1994)77

- Van der Velde, E.G., Dietvorst, M., Swart, C.P., Ramlal, M.R. and Kootstra, P.R.
Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167
- Van der Velde, E.G., see Kootstra, P.R. 697(1995)123
- Van der Velde, E.G., Ramlal, M.R., Van Beuzekom, A.C. and Hoogerbrugge, R.
Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125
- Van Der Vlis, E., Irth, H., Tjaden, U.R. and Van Der Greef, J.
Potential of receptor-ligand interactions for sample handling in liquid and gas chromatography 665(1994)233
- Van der Vlis, E., Mazereeuw, M., Tjaden, U.R., Irth, H. and Van der Greef, J.
Combined liquid-liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333
- Van Dongen, W., see Chauvaux, N. 657(1993)337
- Van Dyck, M.M.C., Rollmann, B. and De Meester, C.
Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377
- Van Ginkel, L.A., see Poletini, A. 695(1995)19
- Van Halem, M., see De Zeeuw, R.A. 664(1994)263
- Van Herk, A.M., see Eleveld, J.T. 677(1994)211
- Vanky, P., see Karamanos, N.K. 696(1995)295
- Van Langenhove, H., see Görgényi, M. 693(1995)181
- Van Langenhove, H., see Keymeulen, R. 699(1995)223
- Van Moffaert, G.J., see Palladino, D.E.H. 676(1994)99
- Van Onckelen, H.A., see Chauvaux, N. 657(1993)337
- Vanoosthuyze, K., see Daeseleire, E. 674(1994)247
- Van Peteghem, C., see Croubels, S. 673(1994)267
- Van Peteghem, C., see Daeseleire, E. 674(1994)247
- Van Schepdael, A., Macken, E., Busson, R., Janssen, G., Herdewijn, P., Roets, E. and Hoogmartens, J.
Stability study of 2'-deoxyuridine by liquid chromatography 657(1993)208
- Van Schepdael, A., Smets, K., Vandendriessche, F., Van Aerschot, A., Herdewijn, P., Roets, E. and Hoogmartens, J.
Comparative stability study of thymidine and (dideoxy-D-erythro-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167
- Van Schepdael, A., see Thoithi, G. 689(1995)247
- Van Straten, M.A., see Kirkland, J.J. 691(1995)3
- Van Tilburg, A.F.P., see Duchateau, A.L.L. 664(1994)169
- Van Vyncht, G., Gaspar, P., DePauw, E. and Maghuin-Rogister, G.
Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67
- Van Zoonen, P., see Poletini, A. 695(1995)19
- Van Zoonen, P., see Sancho, J.V. 678(1994)59
- Vaquero, M.T., see Codina, G. 673(1994)21
- Vaquero, M.T., see Comellas, L. 657(1993)25
- Varga-Defterdarović, L., Horvat, Š., Skurić, M. and Horvat, J.
Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101
- Varga-Defterdarović, L., Horvat, Š., Skurić, M. and Horvat, J.
Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107
- Varga-Puchony, Z., see Gelencsér, A. 693(1995)217
- Varga-Puchony, Z., see Gelencsér, A. 693(1995)227
- Varghese, J. and Cole, R.B.
Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369
- Varghese, J., see Cole, R.B. 680(1994)363
- Vasconcelos, M.T. and Gomes, C.A.R.
Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227
- Vasconcelos, M.T.S.D., Gomes, C.A.R. and Machado, A.A.S.C.
Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53
- Vasileva, E., see Agapova, N.N. 654(1993)299
- Vasquez, F.G., see Demkowicz, M.P. 671(1994)351
- Vast, P., see Yoza, N. 664(1994)111
- Vauthier, C., see Huve, P. 675(1994)129
- Vázquez, A., see Ferreira, F. 653(1993)380
- Večeřa, Z., see Zdráhal, Z. 668(1994)371
- Végh, Z., see Nagy-Turák, A. 668(1994)501
- Veide, A., see Hassinen, C. 668(1994)121
- Veigl, E., Böhs, B., Mandl, A., Krametter, D. and Lindner, W.
Comparison of (S)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
- Veigl, E., Böhs, B., Mandl, A., Krametter, D. and Lindner, W.
Evaluation of silica gel-based brush type chiral cation exchangers with (S)-N-(3,5-dinitrobenzoyl)tyrosine as chiral selector: attempt to interpret the discouraging results 694(1995)151
- Veigl, E. and Lindner, W.
Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255
- Vejrosta, J., Ansořgová, A., Mikešová, M. and Bartle, K.D.
Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209
- Vejrosta, J., Ansořgová, A., Planeta, J., Breen, D.G., Bartle, K.D. and Clifford, A.A.
Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

- Vejrosta, J., see Janda, V. 669(1994)241
- Vejrosta, J., Planeta, J., Mikešová, M., Ansorgová, A., Karásek, P., Fanta, J. and Janda, V.
Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113
- Vela, N.P., see Carey, J.M. 662(1994)329
- Vela, N.P., see Kumar, U.T. 655(1993)340
- Velander, W.H., see Subramanian, A. 672(1994)11
- Velásquez, H., see Morales, J.A. 671(1994)193
- Velayudhan, A. and Horváth, C.
Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1
- Velders, D.D., see Scheepers, P.T.J. 677(1994)107
- Velthorst, N.H., see Mank, A.J.G. 695(1995)165
- Velthorst, N.H., see Mank, A.J.G. 695(1995)175
- Venema, A., see Jaques, K. 666(1994)131
- Ventriglia, M., see Di Muccio, A. 697(1995)145
- Ventura, R., Nadal, T., Alcalde, P., Pascual, J.A. and Segura, J.
Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233
- Venturini, E., see Vitali, P. 660(1994)219
- Vera, S., see San Andrés, M.P. 685(1994)271
- Vera-Avila, L.E., see Contreras Martínez, S. 667(1994)119
- Verchère, J.-F., see Dona, A.-M. 689(1995)13
- Verdeguer, P., see Hernandez, L. 652(1993)399
- Veress, T.
Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285
- Verhallen, P., see Rothemund, S. 661(1994)77
- Verhoeven, J.T.H., see Hendriks, P.J.M. 655(1993)325
- Verhulst, H.A.M., Van de Ven, L.J.M., De Haan, J.W., Claessens, H.A., Eisenbeiss, F. and Cramers, C.A.
Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213
- Vermeulen, D.M. and Cantwell, F.F.
Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205
- Vermillion-Salsbury, R., see Harcastle, J.E. 691(1995)225
- Verpoorte, R., see Hermans-Lokkerbol, A.C.J. 664(1994)45
- Verpoorte, R., see Hermans-Lokkerbol, A.C.J. 669(1994)65
- Verrall, M.S., see Bartle, K.D. 697(1995)579
- Verrecchia, T., see Huvé, P. 675(1994)129
- Versteegh, J.F.M., see Peters, R.J.B. 686(1994)253
- Vervoort, R.J.M., Derksen, M.W.J. and Maris, F.A.
Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1
- Verweij, A.M.A. and Lipman, P.J.L.
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359
- Vespalec, R., see Šimek, Z. 685(1994)7
- Vetter, W. and Luckas, B.
Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173
- Vetter, W. and Walther, W.
Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149
- Veverka, K.A., see Benson, L.M. 693(1995)162
- Vezzani, S., see Castello, G. 677(1994)95
- Vezzani, S., Moretti, P. and Castello, G.
Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331
- Viana, E., see Escrivá, C. 676(1994)375
- Viana, E., Moltó, J.C., Mañes, J. and Font, G.
Clean-up and confirmation procedures for gas chromatographic determination of pesticide residues in contaminated waters. Part I 655(1993)285
- Viana, E., Moltó, J.C., Mañes, J. and Font, G.
Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109
- Viard, V., see Lameloise, M.-L. 679(1994)255
- Vicari, A., see Dinelli, G. 700(1995)195
- Vicari, A., see Dinelli, G. 700(1995)201
- Vicente, C., see Legaz, M.E. 697(1995)329
- Vicente, C., see Pedrosa, M.M. 697(1995)571
- Vidal-Madjar, C., see Renard, J. 661(1994)35
- Videira, M. and Aires-Barros, M.R.
Liquid-liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237
- Vigh, G., see Irgens, L.H. 666(1994)603
- Vigh, G., see Quintero, G. 693(1995)1
- Vigh, G., see Rawjee, Y.Y. 652(1993)233
- Vigh, G., see Rawjee, Y.Y. 680(1994)599
- Vigh, G., see Rawjee, Y.Y. 688(1994)273
- Vigh, G., see Shitangkoon, A. 657(1993)387
- Vigh, G., see Staerk, D.U. 663(1994)79
- Vigh, G., see Staerk, D.U. 677(1994)133
- Vigh, Gy., see Biggin, M.E. 692(1995)319
- Vigh, Gy., see Camacho-Torralba, P.L. 691(1995)213
- Vilanova, R., see Fernandez, P. 688(1994)363
- Vilaplana, J., López, J. and Jiménez, A.
Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133
- Vilenchik, M., Belenky, A. and Cohen, A.S.
Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105
- Vilenchik, M., see Pariat, Y.F. 652(1993)57
- Villani, C., see Galli, B. 666(1994)77
- Villani, C., see Gasparrini, F. 694(1995)163
- Villani, C. and Pirkle, W.H.
Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6 -arene)-chromium(0) complexes 693(1995)63
- Villanueva, M.J., see Redondo, A. 677(1994)273

- Villanueva-Camañas, R.M., see Torres-Lapasió, J.R. 677(1994)239
- Villaseñor, S.R.
 "Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11
- Vincente, N., see Valls, R. 663(1994)114
- Vindevogel, J., see Lalljie, S.P.D. 652(1993)563
- Vinš, I., see Čoupek, J. 658(1994)391
- Vinš, I., see Pacáková, V. 700(1995)187
- Vinš, I., see Sýkora, D. 665(1994)59
- Viola, G.T., see Patuelli, M.E. 665(1994)117
- Virirot, C., Scalbert, A., Hervé du Penhoat, C.L.M., Rolando, C. and Moutounet, M.
 Methylation, acetylation and gel permeation of hydrolysable tannins 662(1994)77
- Visser, S., see de Jong, N. 652(1993)207
- Visser, T., Vredendregt, M.J. and De Jong, A.P.J.M.
 Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303
- Vitali, P., Venturini, E., Bonora, C., Calori, R. and Raffaelli, R.
 Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction 660(1994)219
- Vivilecchia, R.V., see Yowell, G.G. 652(1993)215
- Vö, M., see Quintero, G. 693(1995)1
- Voelkel, A. and Janas, J.
 Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89
- Voelkel, A. and Janas, J.
 Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315
- Voelkel, A., Janas, J. and Garcia-Dominguez, J.A.
 Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135
- Voelkel, A., see Wasiak, W. 690(1995)83
- Vogt, C. and Werner, G.
 Speciation of heavy metals by capillary electrophoresis 686(1994)325
- Voicu, A., see Anghel, D.F. 668(1994)375
- Volicer, L., see Turiák, G. 668(1994)323
- Volk, K.J., see Liu, J. 680(1994)395
- Volmer, D., Levsen, K. and Wünsch, G.
 Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231
- Voloschik, I.N., see Litvina, M.L. 671(1994)29
- Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
 Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51
- Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
 Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205
- Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
 Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249
- Voorhees, K.J., see Murugaverl, B. 657(1993)223
- Vorstenbosch, E.L.H., see Mesters, J.R. 679(1994)93
- Voutetaki, A., see Keymeulen, R. 699(1995)223
- Vredendregt, M.J., see Visser, T. 687(1994)303
- Vreeken, R.J., Ghijsen, R.T., Frei, R.W., De Jong, G.J. and Brinkman, U.A.Th.
 Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65
- Vreuls, J.J., see Minnaard, W.A. 696(1995)333
- Vrkočová, P., see Koutek, B. 679(1994)307
- Vuong, D.V., see Pirkle, W.H. 676(1994)297
- Vuorela, H., see Lukkari, P. 652(1993)451
- Vuorela, H., see Lukkari, P. 655(1993)317
- Vuorela, H., see Vuorela, P. 670(1994)191
- Vuorela, P., Rahko, E.-L., Hiltunen, R. and Vuorela, H.
 Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191
- Vuori, E., see Ojanperä, I. 674(1994)147
- Vuori, E., see Rasanen, I. 693(1995)69

W

- Wachholz, S., Keidel, F., Just, U., Geissler, H. and Käppler, K.
 Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography-Fourier transform infrared spectroscopy and gas chromatography-mass spectrometry 693(1995)89
- Wächter, H., see Guse, A.H. 661(1994)13
- Wada, H., see Haginaka, J. 660(1994)275
- Wada, H., Matsushita, M., Yasui, T., Yuchi, A., Yamada, H., Nakagawa, G. and Ohtsuka, C.
 Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87
- Wada, H., see Nakamura, K. 694(1995)111
- Wada, H., see Yasui, T. 659(1994)359
- Wada, K., see Oikawa, K. 671(1994)211

- Wagner, J., see Kugel, C. 667(1994)29
- Wagner, J., see Kunath, A. 684(1994)162
- Wagner, J., see Walbroehl, Y. 680(1994)253
- Wagner, J., see Walbroehl, Y. 685(1994)321
- Wahab, F.A., see El-Yazigi, A. 690(1995)71
- Wahl, H.G., Chrzanoski, A., Müller, C., Liebich, H.M. and Hoffmann, A.
Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry 697(1995)453
- Wahl, J.H., Gale, D.C. and Smith, R.D.
Sheathless capillary electrophoresis-electrospray ionization mass spectrometry using 10 μ m I.D. capillaries: analyses of tryptic digests of cytochrome c 659(1994)217
- Wainer, I.W.
Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221
- Wainer, I.W., see Alebić-Kolbah, T. 653(1993)122
- Wainer, I.W., see Aubry, A.-F. 685(1994)1
- Wainer, I.W., Ducharme, J., Granvil, C.P., Parenteau, H. and Abdullah, S.
Using chirality as a unique probe of pharmacological properties 694(1995)169
- Wainer, I.W., see Hage, D.S. 693(1995)23
- Wakharkar, R.D., Biswas, S.S., Borate, H.B. and Ponde, D.E.
Monitoring the conversion of cycloheptanone to methyl 7-oxoheptanoate by gas chromatography 662(1994)420
- Wakida, S.-i., see Takeda, S. 653(1993)109
- Walbroehl, Y. and Wagner, J.
Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253
- Walbroehl, Y. and Wagner, J.
Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321
- Walbroehl, Y.M., see Cleveland, Jr., J.A. 652(1993)301
- Walker, D.G., see Boyes, B.E. 691(1995)337
- Walker, T.A., see Bunton, B.M. 699(1995)389
- Walkup, R.G., see Ye, M.Y. 662(1994)323
- Wallace, J.S., see Speers, S.J. 674(1994)319
- Walsh, M.E., see Jenkins, T.F. 662(1994)178
- Walter, H. and Widen, K.E.
Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185
- Walther, W., see Almquist, S.R. 679(1994)139
- Walther, W., see Vetter, W. 686(1994)149
- Wan, H., Zhou, X. and Ou, O.
Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated- γ -cyclodextrin capillary column 673(1994)107
- Wan, H.B., Lan, W.G., Wong, M.K., Mok, C.Y. and Poh, Y.H.
Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255
- Wan, H.B., Wong, M.K., Lim, P.Y. and Mok, C.Y.
Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147
- Wan, H.B., Wong, M.K. and Mok, C.Y.
Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123
- Wan, Q.H., Shaw, P.N., Davies, M.C. and Barrett, D.A.
Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219
- Wanders, B.J., van de Goor, T.A.A.M. and Everaerts, F.M.
On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291
- Wanders, B.J., see van der Schans, M.J. 680(1994)511
- Wang, D.I.C., see Nadler, T.K. 659(1994)317
- Wang, E., see Liu, A. 699(1995)39
- Wang, H., see Hackett, M. 695(1995)243
- Wang, H.-Y., see Weingarten, B. 696(1995)83
- Wang, J., see Ding, H. 694(1995)425
- Wang, J., Huang, Z.-H., Gage, D.A. and Watson, J.T.
Analysis of amino acids by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry: Simultaneous derivatization of functional groups by an aqueous-phase chloroformate-mediated reaction 663(1994)71
- Wang, Q., see Sun, Y. 657(1993)1
- Wang, Q.C., Švec, F. and Fréchet, J.M.J.
Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene-co-divinylbenzene) 669(1994)230
- Wang, R., see Huddleston, J.G. 668(1994)3
- Wang, S., see Belew, M. 679(1994)67
- Warburton, P.L., see Stathakis, C. 659(1994)443
- Wardenci, W., see Janicki, W.C. 654(1993)279
- Warner, I.M., see Husain, N. 699(1995)73
- Warner, I.M., see Zhang, Y. 688(1994)293
- Warren, C.H., see Sun, X.-Y. 687(1994)259
- Warren, T.C., see Palladino, D.E.H. 676(1994)99
- Warrol, C., see Galaev, I.Yu. 684(1994)37
- Warthen, Jr., J.D., see DeMilo, A.B. 673(1994)295
- Wasels, R. and Belleville, F.
Gas chromatographic-mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 674(1994)225
- Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63
- Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93
- Wasiak, W., Voelkel, A. and Rykowska, I.
Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

- Watanabe, Y. and Takagi, T.
Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241
- Waterhouse, K.S., see Cao, X.-L. 679(1994)115
- Watson, J.T., see Wang, J. 663(1994)71
- Watson, N.D., see Cheng, J. 677(1994)169
- Wätzig, H.
Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1
- Wätzig, H., see Baumann, K. 700(1995)9
- Wätzig, H., see Dette, C. 700(1995)89
- Weatherell, C.J. and Lai, E.P.C.
Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31
- Weber, K., see Nave, R. 654(1993)229
- Weber, P.L., Bramich, C.J. and Lunte, S.M.
Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225
- Weber, S.G., see Chen, J.-G. 656(1993)549
- Weber, S.G., see Chen, J.-G. 691(1995)301
- Weber, S.G., see Orwar, O. 696(1995)139
- Weber, T.P., see Whitman, D.A. 691(1995)205
- Weber, W., Wenisch, E., Günther, N., Marnitz, U., Betzel, C. and Righetti, P.G.
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartiment electrolyzer with isoelectric membranes 679(1994)181
- Webster, G.R.B., see Sarna, L.P. 677(1994)201
- Weder, J.K.P. and Kaiser, K.-P.
Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181
- Weedn, V.W., see Srinivasan, K. 652(1993)83
- Wehr, T., see Zhu, M. 652(1993)119
- Weinberg, H.
Pre-concentration techniques for bromate analysis in ozonated waters 671(1994)141
- Weinbrenner, W.F. and Etzel, M.R.
Competitive adsorption of α -lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414
- Weingarten, B., Wang, H.-Y. and Roberts, D.M.
Determination of codeine in human plasma by high-performance liquid chromatography with fluorescence detection 696(1995)83
- Weinmann, W., Maier, C., Baumeister, K., Przybylski, M., Parker, C.E. and Tomer, K.B.
Isolation of hydrophobic lipoproteins in organic solvents by pressure-assisted capillary electrophoresis for subsequent mass spectrometric characterization 664(1994)271
- Weinmann, W., Parker, C.E., Deterding, L.J., Papac, D.I., Hoyes, J., Przybylski, M. and Tomer, K.B.
Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353
- Weir, S., see Law, B. 657(1993)17
- Weir, S.I., Butler, E.C.V. and Haddad, P.R.
Ion chromatography with UV detection for the determination of thiosulfate and polythionates in saline waters 671(1994)197
- Weis, U., see Andersson, J.T. 659(1994)151
- Weiss, E., see Guse, A.H. 661(1994)13
- Weisz, A., Andrzejewski, D., Hight, R.J. and Ito, Y.
Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505
- Weisz, A., Andrzejewski, D. and Ito, Y.
Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77
- Weisz, A., see Denekamp, C. 685(1994)253
- Welch, C.J.
Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3
- Welch, C.J.
Imprintable brush-type chiral stationary phase 689(1995)189
- Welch, C.J. and Perrin, S.R.
Improved chiral stationary phase for β -blocker enantioseparations 690(1995)218
- Welch, C.J., see Pirkle, W.H. 659(1994)69
- Welch, C.J., see Pirkle, W.H. 683(1994)347
- Welling, G.W., see Damhof, R.A. 676(1994)43
- Welling, G.W., see Lasonder, E. 676(1994)91
- Welling, G.W., see Narum, D.L. 657(1993)357
- Welling-Wester, S., see Damhof, R.A. 676(1994)43
- Wells-Knecht, M.C., see Wells, M.J.M. 659(1994)337
- Wells, M.J.M., Riemer, D.D. and Wells-Knecht, M.C.
Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337
- Wells, R.J., see Amijee, M. 662(1994)123
- Wells, R.J., see Aumatell, A. 686(1994)293
- Wells, R.J., see Aumatell, A. 688(1994)329
- Welzel, M., see Schoel, B. 667(1994)131
- Wen, K.-C., see Lee, Y.-C. 660(1994)299
- Wen, K.-C., see Lee, Y.-C. 692(1995)137
- Wenclawiak, B.W. and Hees, T.
Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61
- Wenisch, E., see Weber, W. 679(1994)181
- Wentworth, W.E., Cai, H. and Stearns, S.
Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

- Werner, A., Nassauer, T., Kiechle, P. and Erni, F.
Chiral separation by capillary zone electrophoresis of
an optically active drug and amino acids by host-guest
complexation with cyclodextrins 666(1994)375
- Werner, G., see Vogt, C. 686(1994)325
- Westerholm, R., see Li, H. 664(1994)177
- Westerlund, D., see Lu, B. 697(1995)317
- Westhauser, T., see Brückner, H. 666(1994)259
- Westhauser, T., see Brückner, H. 697(1995)229
- Westmark, P.R., Valencia, L.S. and Smith, B.D.
Influence of eluent anions in boronate affinity
chromatography 664(1994)123
- Westwood, S.A., see Taylor, M.R. 697(1995)389
- Weyker, C., see Miller, L. 653(1993)219
- Whang, C.-W., see Chao, Y.-C. 663(1994)229
- Whatley, J.
Enantiomeric separation by packed column chiral
supercritical fluid chromatography 697(1995)251
- Whatley, J.A.
Rapid method development for the separation of
enantiomers by means of chiral column switching
697(1995)257
- Whatley, J.A.
Chiral resolution of protein kinase C inhibitors by
reversed-phase high-performance liquid
chromatography on cellulose tris-3,5-
dimethylphenylcarbamate 697(1995)263
- Wheatley, J.B., Hughes, B., Bauer, K. and Schmidt, Jr.,
D.E.
Study of chromatographic parameters for glutathione
S-transferases on an high-performance liquid
chromatography affinity stationary phase 676(1994)81
- Wheatley, J.B., Kelley, M.K., Montali, J.A., Berry,
C.O.A. and Schmidt, Jr., D.E.
Examination of glutathione S-transferase isoenzyme
profiles in human liver using high-performance affinity
chromatography 663(1994)53
- Wheatley, J.B., Montali, J.A. and Schmidt, Jr., D.E.
Coupled affinity-reversed-phase high-performance
liquid chromatography systems for the measurement of
glutathione S-transferases in human tissues
676(1994)65
- Wheeler, J.F., Beck, T.L., Klatte, S.J., Cole, L.A. and
Dorsey, J.G.
Phase transitions of reversed-phase stationary phases.
Cause and effects in the mechanism of retention
(Review) 656(1993)317
- White, L., see Lai, F. 692(1995)11
- White, L.B., see Wu, R. 692(1995)1
- Whitman, D.A., Weber, T.P. and Blackwell, J.A.
Chemometric characterization of Lewis base-modified
zirconia for normal phase chromatography
691(1995)205
- Widen, K.E., see Walter, H. 668(1994)185
- Widmer, H.M., see Klockow, A. 680(1994)187
- Widmer, H.M., see Saz, J.M. 699(1995)315
- Wiebe, D.A., see Lensmeyer, G.L. 691(1995)239
- Wiechman, B.E., see Reddy, T.V. 655(1993)331
- Wiegel, D., Richter, O. and Arnold, K.
Partitioning of chemically modified low-density
lipoprotein in aqueous polymer two-phase systems
668(1994)107
- Wieland, D.M., see Gildersleeve, D.L. 667(1994)183
- Wiesiolek, R. and Bächmann, K.
Electrolytic conductivity detector for selective detection
of chlorine-containing compounds in liquid
chromatography 676(1994)277
- Wigfield, Y.Y., Grant, R. and Snider, N.
Gas chromatographic and mass spectrometric
investigation of seven carbamate insecticides and one
metabolite 657(1993)219
- Wijnhoven, J.E.G.J., Koorn, J.P., Poppe, H. and Kok,
W.Th.
Hollow-fibre flow field-flow fractionation of polystyrene
sulphonates 699(1995)119
- Wildenburg, S.H.J., see Zegers, B.N. 677(1994)141
- Wilderink, A.H.C.M., see Zweipfenning, P.G.M.
674(1994)87
- Wiley, J.P.
Determination of polycarboxylic acids by capillary
electrophoresis with copper complexation
692(1995)267
- Wilhelm, M.V., see Larew, L.A. 692(1995)183
- Wilkes, J.G., see Billedeau, S.M. 688(1994)55
- Wilkes, J.G., Sutherland, J.B., Churchwell, M.I. and
Williams, A.J.
Determination of fumonisins B₁, B₂, B₃ and B₄ by
high-performance liquid chromatography with
evaporative light-scattering detection 695(1995)319
- Wilkins, C.L., see Krock, K.A. 678(1994)265
- Wilkins, S.M., see Smith, R.J. 697(1995)591
- Wilkins, S.M., Taylor, D.R. and Smith, R.J.
Enantiomer separations by supercritical fluid
chromatography on a chiral stationary phase physically
anchored to porous graphitic carbon 697(1995)587
- Williams, A.J., see Wilkes, J.G. 695(1995)319
- Williams, K.L., see Stalcup, A.M. 695(1995)185
- Williams, K.M., see Marshall, T. 662(1994)167
- Williams, P., see Srinivasan, K. 652(1993)83
- Williams, P.A., see Aldrich-Wright, J.R. 693(1995)366
- Williams, P.E., see Marino, M.A. 676(1994)185
- Williams, P.E., Marino, M.A., Del Rio, S.A., Turni, L.A.
and Devaney, J.M.
Analysis of DNA restriction fragments and polymerase
chain reaction products by capillary electrophoresis
680(1994)525
- Williams, R.L., see Biggin, M.E. 692(1995)319
- Williams, R.L., see Rawjee, Y.Y. 652(1993)233
- Williams, R.L., see Rawjee, Y.Y. 680(1994)599
- Williams, R.L., see Rawjee, Y.Y. 688(1994)273
- Willson, R.C., see Gill, D.S. 684(1994)55
- Willson, R.C., see Roush, D.J. 653(1993)207
- Willuhn, G., see Schmidt, T.J. 669(1994)236
- Wilson, I.D., see Albert, K. 665(1994)253
- Wilson, I.D., see Lafont, R. 658(1994)31
- Wilson, I.D., see Lafont, R. 658(1994)55
- Wilson, J.G., see Sagar, K. 659(1994)329
- Wilson, W.H., see Anton, K. 666(1994)395
- Windisch, M., see Wintersteiger, R. 660(1994)205

- Windisch, V., see Kumar, N. 678(1994)259
- Windischhofer, W., see Gleispach, H. 665(1994)155
- Wingren, C., Persson, B. and Hansson, U.-B.
Supports for liquid-liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65
- Winkler, F.J., Medina, R., Winkler, J. and Krause, H.
Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549
- Winkler, J., see Winkler, F.J. 666(1994)549
- Winna, K., see Buchberger, W. 671(1994)375
- Wintersteiger, R., Ofner, B., Juan, H. and Windisch, M.
Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205
- Winzor, D.J.
Measurement of binding constants by capillary electrophoresis 696(1995)160
- Winzor, D.J., see Munro, P.D. 659(1994)267
- Wirth, P.J. and Romano, A.
Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123
- Wise, S.A., see Sander, L.C. 656(1993)335
- Wiśniewski, A., see Madaj, J. 655(1993)267
- Witte, D.T., Någård, S. and Larsson, M.
Improved sensitivity by on-line isotachopheretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155
- Wittkamp, B.L. and Tilotta, D.C.
Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145
- Wittner, R., see Brückner, H. 666(1994)259
- Wodecki, Z., Ślebioda, M. and Kołodziejczyk, A.M.
Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149
- Woicke, B., see Pfeffer, M. 662(1994)407
- Wojtusik, M.J. and Harrold, M.P.
Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411
- Wojtusik, M.J., see Kaiser, E. 671(1994)253
- Wolfe, J.T., see Evans, M.D. 700(1995)151
- Wolfisberg, H., Schmutz, A., Stotzer, R. and Thormann, W.
Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407
- Wollenberger, L., see Stefánsson, H. 668(1994)191
- Wollnik, H., see Schütz, S. 683(1994)141
- Wolnik, K.A., see Flurer, C.L. 663(1994)259
- Wolnik, K.A., see Flurer, C.L. 674(1994)153
- Wolnik, K.A., see Heitkemper, D.T. 671(1994)101
- Wolnik, K.A., see Heitkemper, D.T. 671(1994)323
- Wolnik, K.A., see Kaine, L.A. 671(1994)303
- Wolnik, K.A., see Kaine, L.A. 674(1994)255
- Wolska, L., see Janicki, W.C. 654(1993)279
- Woltman, S.J., see Chen, J.-G. 691(1995)301
- Wong, D.K.Y., see Aumatell, A. 686(1994)293
- Wong, M.K., see Wan, H.B. 662(1994)147
- Wong, M.K., see Wan, H.B. 663(1994)123
- Wong, M.K., see Wan, H.B. 677(1994)255
- Wong, T.M., Carey, C.M. and Lin, S.H.C.
Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413
- Woo, K.-L. and Lee, S.-H.
Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105
- Wood, I., see Korakas, D. 659(1994)307
- Woodward, C. and Geiser, F.O.
Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11
- Woolf, E., Au, T., Haddix, H. and Matuszewski, B.
Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45
- Woolf, E.J., Au, T., Kasper, M., Constanzer, M. and Matuszewski, B.
Simultaneous determination of L-693,612, a topical carbonic anhydrase inhibitor, and two potential metabolites in human whole blood by ion-pair high-performance liquid chromatography 660(1994)307
- Worosila, G.D., see Rudnick, S.E. 672(1994)219
- Worsfold, P.J., see Lewis, S.W. 667(1994)91
- Wren, S.A.C., see McKillop, A.G. 700(1995)69
- Wright, B.W., see Robins, W.H. 680(1994)667
- Wrigley, S.K., see Cocks, S. 697(1995)115
- Wroński, M.
Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165
- Wroński, M.
Determination of thiols as sulphonic acids by capillary isotachopheresis 672(1994)273
- Wu, C., Akiyama, A. and Straub, J.A.
High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α -ketoamide calpain inhibitors 684(1994)243
- Wu, C.-T., Huang, T.-L. and Lee, C.S.
Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277
- Wu, C.-Y., see Li, L. 653(1993)354
- Wu, C.-Y., see Zhou, X.-C. 662(1994)203
- Wu, D.-R. and Lohse, K.
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381
- Wu, H.-L., see Liu, K.-R. 676(1994)455
- Wu, J. and Pawliszyn, J.
In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

- Wu, N., Barker, G.E. and Huie, C.W.
Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant-bovine serum albumin buffer systems 659(1994)435
- Wu, R. and White, L.B.
Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1
- Wu, S.-M., see Liu, K.-R. 676(1994)455
- Wu, W., see Yang, Q. 688(1994)339
- Wulfbeck, D.L., see Oehrle, S.A. 680(1994)645
- Wulfson, A.N., see Klyushnichenko, V.E. 661(1994)83
- Wünsch, G., see Eisert, R. 683(1994)175
- Wünsch, G., see Volmer, D. 660(1994)231
- Wurl, M., see Fritsch, H. 684(1994)65
- Wutte, A., see Gübitz, G. 666(1994)91
- Wutte, A., Gübitz, G., Friebe, S. and Krauss, G.-J.
High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186
- Wyatt, J.R., see Barger, W.R. 680(1994)659
- Wykhoff, B., see Pfeffer, M. 662(1994)407
- Wyssuwa, K., see Steinborn, A. 697(1995)485
- ## X
- Xia, J. and Dubin, P.L.
Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311
- Xia, J. and Gilmer, P.J.
Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203
- Xia, W., see Hirokawa, T. 663(1994)245
- Xia, W., see Hirokawa, T. 689(1995)149
- Xian, J., see Singhal, R.P. 652(1993)47
- Xie, J., Aguilar, M.-I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263
- Xu, B., see Sun, Y. 657(1993)1
- Xu, G., see Song, L. 696(1995)307
- Xu, J., see Tan, H.S.I. 693(1994)307
- Xu, L., see Liu, A. 699(1995)39
- Xu, W., see Fu, R. 653(1993)173
- Xu, X., see Erim, F.B. 694(1995)471
- Xu, Y.H. and Mitra, S.
Continuous monitoring of volatile organic compounds in water using on-line membrane extraction and microtrap gas chromatography system 688(1994)171
- Xuan, H.T.K. and Lederer, M.
Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191
- Xue, Q. and Yeung, E.S.
Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287
- ## Y
- Yagi, A., see Okamura, N. 679(1994)381
- Yagi, T., see Sumiyoshi, K. 690(1995)77
- Yaguchi, K., see Suzuki, T. 662(1994)139
- Yajima, K., see Hoshino, M. 664(1994)104
- Yakimov, S.A., see Klyushnichenko, V.E. 661(1994)83
- Yamada, H., see Itoh, T. 694(1995)195
- Yamada, H., see Wada, H. 657(1993)87
- Yamada, H., see Yasui, T. 659(1994)359
- Yamada, K., see Murakami, R. 678(1994)180
- Yamada, M., see Yashima, E. 694(1995)347
- Yamada, T., see Hattori, H. 674(1994)15
- Yamada, Y., see Miyamoto, E. 653(1993)135
- Yamagami, C., Yokota, M. and Takao, N.
Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49
- Yamagishi, T., see Suzuki, T. 662(1994)139
- Yamaguchi, M., see Izumi, T. 652(1993)41
- Yamaguchi, M., see Kanda, T. 672(1994)51
- Yamaguchi, S., see Yasuhara, F. 694(1995)227
- Yamaguchi, Y., see Esaka, Y. 652(1993)225
- Yamamoto, A., Matsunaga, A., Mizukami, E., Hayakawa, K. and Miyazaki, M.
Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85
- Yamamoto, K., see Ushio, T. 684(1994)235
- Yamamoto, S., see Jungbauer, A. 658(1994)399
- Yamamoto, S., see Seki, T. 661(1994)113
- Yamane, M., see Takeda, S. 653(1993)109
- Yamasaki, K., see Nishi, H. 672(1994)125
- Yamashita, H., see Inoue, H. 679(1994)99
- Yamashita, T., Haraguchi, K., Kido, A. and Matushita, H.
Determination of chlordane in air by gas chromatography-mass spectrometry with selected ion monitoring 657(1993)405

- Yamazaki, M., see Iwaki, K. 662(1994)87
- Yamazaki, S., see DePhillips, P. 663(1994)43
- Yamazaki, S., Nagaya, S., Saito, K. and Tanimura, T.
Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219
- Yan, C., Schaufelberger, D. and Erni, F.
Electrochromatography and micro high-performance liquid chromatography using 320 μm I.D. packed columns 670(1994)15
- Yan, Q., see Sivils, L.D. 688(1994)221
- Yan, X., see Trathnigg, B. 653(1993)199
- Yan, X., see Trathnigg, B. 657(1993)365
- Yan, X., see Trathnigg, B. 665(1994)47
- Yanagihara, Y., see Seki, T. 661(1994)113
- Yang, D.H., see Hyun, M.H. 684(1994)189
- Yang, H.-C., see Farooqui, A.A. 673(1994)149
- Yang, M.-H., see Lin, J.-Y. 684(1994)13
- Yang, Q., Jimidar, M., Hamoir, T.P., Smeyers-Verbeke, J. and Massart, D.L.
Determination of alkali and alkaline earth metals in real samples by capillary ion analysis 673(1994)275
- Yang, Q., Smeyers-Verbeke, J., Wu, W., Khots, M.S. and Massart, D.L.
Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339
- Yang, S. and Khaledi, M.G.
Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301
- Yang, S. and Khaledi, M.G.
Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311
- Yang, S., Kruk, L.F.R. and Khaledi, M.G.
Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
- Yang, S.K., see Lu, X.-L. 666(1994)249
- Yang, S.S. and Smetena, I.
Determination of aldicarb, aldicarb sulfoxide and aldicarb sulfone in tobacco using high-performance liquid chromatography with dual post-column reaction and fluorescence detection 664(1994)289
- Yang, Y., Hawthorne, S.B. and Miller, D.J.
Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131
- Yang, Y., Hawthorne, S.B. and Miller, D.J.
Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265
- Yao, Y.J., Khoo, K.S., Chung, M.C.M. and Li, S.F.Y.
Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431
- Yao, Y.J. and Li, S.F.Y.
Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97
- Yao, Z.J., Kao, M.C.C., Loh, K.C. and Chung, M.C.M.
Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190
- Yarita, T., Nomura, A., Abe, K. and Takeshita, Y.
Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329
- Yarovsky, I., Aguilar, M.-I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents 660(1994)75
- Yashima, E., see Chankvetadze, B. 670(1994)39
- Yashima, E., see Chankvetadze, B. 694(1995)101
- Yashima, E., Fukaya, H. and Okamoto, Y.
3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11
- Yashima, E., Suehiro, N., Miyauchi, N. and Akashi, M.
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151
- Yashima, E., Suehiro, N., Miyauchi, N. and Akashi, M.
Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159
- Yashima, E., Yamada, M., Kaida, Y. and Okamoto, Y.
Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347
- Yasuda, K., see Ito, M. 661(1994)143
- Yasuhara, A.
Determination of tris(2-chloroethyl) phosphate in leachates from landfills by capillary gas chromatography using flame photometric detection 684(1994)366
- Yasuhara, A., see Kawata, K. 653(1993)369
- Yasuhara, F., Yamaguchi, S., Takeda, M., Ochiai, Y. and Miyano, S.
Gas chromatographic separation of enantiomeric amino acids and amines with α -methoxy- α -trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227
- Yasuhara, A. and Shibamoto, T.
Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261
- Yasui, T., see Wada, H. 657(1993)87
- Yasui, T., Yuchi, A., Yamada, H. and Wada, H.
Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359
- Yates, M.V., see Gan, J. 684(1994)121
- Yates, S.R., see Gan, J. 684(1994)121
- Ye, B., Hadjmohammadi, M. and Khaledi, M.G.
Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291

- Ye, J. and Baldwin, R.P.
Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141
- Ye, L., see Lucy, C.A. 671(1994)121
- Ye, M.Y., Hill, K.D. and Walkup, R.G.
Separation of T-MAZ ethoxylated sorbitan fatty acid esters by supercritical fluid chromatography 662(1994)323
- Yeung, E.S., see McGregor, D.A. 652(1993)67
- Yeung, E.S., see McGregor, D.A. 680(1994)491
- Yeung, E.S., see Xue, Q. 661(1994)287
- Yew, C.H., see Abdullah, M.P. 697(1995)363
- Yi, G., Bradshaw, J.S., Rossiter, B.E., Malik, A., Li, W., Yun, H. and Lee, M.L.
Large-rim-tethered permethyl-substituted β -cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219
- Yi, G., see Petersson, P. 684(1994)297
- Yin, D., Khanolkar, A.D., Makriyannis, A. and Froimowitz, M.
Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176
- Yinon, J., Yost, R.A. and Bulusu, S.
Thermal decomposition characterization of explosives by pyrolysis-gas chromatography-mass spectrometry 688(1994)231
- Yokogi, J., see Hara, T. 652(1993)361
- Yokota, M., see Yamagami, C. 662(1994)49
- Yon, R.J., see Dowd, V. 693(1995)15
- Yoneda, K., see Izumi, T. 652(1993)41
- Yoo, Y.S., Kim, Y.S., Jhon, G.-J. and Park, J.
Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431
- Yoshida, Y., see Ishihama, Y. 666(1994)193
- Yoshida, Y., see Mano, N. 687(1994)223
- Yoshinaga, M. and Tanaka, M.
Use of selectively methylated β -cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359
- Yoshioka, N., see Inoue, H. 679(1994)99
- Yoshizako, K., see Hosoya, K. 666(1994)449
- Yost, R.A., see Yinon, J. 688(1994)231
- Yotsuyanagi, T., see Iki, N. 652(1993)539
- Young, D.S. and Tracy, R.P.
Clinical applications of two-dimensional electrophoresis (Review) 698(1995)163
- Young, J.C. and Games, D.E.
Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374
- Young, J.C. and Games, D.E.
Analysis of *Fusarium* mycotoxins by gas chromatography-Fourier transform infrared spectroscopy 663(1994)211
- Young, R., see Lopez-Avila, V. 672(1994)167
- Yowell, G.G., Fazio, S.D. and Vivilecchia, R.V.
Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215
- Yoza, K.-I., see Nogata, Y. 667(1994)59
- Yoza, N., Nakashima, S., Ueda, N., Miyajima, T., Nakamura, T. and Vast, P.
High-performance liquid chromatographic characterization of monofluorophosphate, difluorophosphate and hexafluorophosphate 664(1994)111
- Yu Ip, C.C., see Hepler, R.W. 680(1994)201
- Yu, W., see Song, L. 657(1993)175
- Yu, W., see Song, L. 696(1995)307
- Yu, W., see Song, L. 699(1995)371
- Yu, Y., see Guo, W. 685(1994)344
- Yuchi, A., see Wada, H. 657(1993)87
- Yuchi, A., see Yasui, T. 659(1994)359
- Yuen, S.W., see Alpert, A.J. 676(1994)191
- Yugawa, Y., see Hirayama, C. 676(1994)267
- Yuki, H., see Matsumoto, K. 678(1994)241
- Yun, H., see Petersson, P. 684(1994)297
- Yun, H., see Yi, G. 673(1994)219
- Yun, K.S., see Liu, Y. 679(1994)392
- Yun, T. and Guiochon, G.
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1
- Yun, Z., see Liu, X. 653(1993)348
- Yunes, R.A., see Heinzen, V.E.F. 654(1993)183

Z

- Zaghoulani, H., see Brumeanu, T.-D. 696(1995)219
- Zahalka, J., see Levin, S. 654(1993)53
- Zahradníčková, H., Šimek, P., Hořicová, P. and Tříska, J.
Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383
- Zancato, M., see Toniolo, R. 662(1994)185
- Zanette, M., see Lemr, K. 686(1994)219
- Zapf, A., Heyer, R. and Stan, H.-J.
Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453
- Zappalà, C., see Caccamese, S. 694(1995)355
- Záray, G., see Tatár, E. 672(1994)109
- Zare, R.N., see Fishman, H.A. 680(1994)99
- Zare, R.N., see Lin, B.L. 680(1994)263
- Zarzycki, P.K., see Lamparczyk, H. 668(1994)413
- Závada, J., see Tichý, M. 667(1994)11

- Zazzetta, A., see Pattuelli, M.E. 665(1994)117
- Zdráhal, Z. and Večeřa, Z.
Preconcentration and determination of 2,4,5-trichlorophenol in air using a wet effluent denuder and high-performance liquid chromatography 668(1994)371
- Zedde, C., see Baltas, M. 123(1994)123
- Zegers, B.N., De Geus, H.-J., Wildenburg, S.H.J., Lingeman, H. and Brinkman, U.A.Th.
Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141
- Zemann, A.J., see Masselter, S.M. 693(1995)359
- Zeng, J.-N., see Dou, L. 679(1994)367
- Zeng, Z.-R., see Li, L. 653(1993)354
- Zerbinati, O., Aigotti, R. and Daniele, P.G.
Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281
- Zerbinati, O. and Ostacoli, G.
Determination of aromatic sulphonates in surface waters by high-performance liquid chromatography with coupled fluorescence and UV detection 671(1994)217
- Zhang, C.-X., Sun, Z.-P. and Ling, D.-K.
Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309
- Zhang, H., see Hu, Z. 653(1993)275
- Zhang, H.-W., Chen, X.-G. and Hu, Z.-D.
Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159
- Zhang, M. and Phillips, J.B.
Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275
- Zhang, R., see Hjertén, S. 676(1994)409
- Zhang, R., see Liao, J.-L. 676(1994)421
- Zhang, R., see Liao, J.-L. 684(1994)143
- Zhang, R., see Shi, H. 680(1994)653
- Zhang, R., see Sun, Y. 657(1993)1
- Zhang, T.Y., see Du, Q. 687(1994)174
- Zhang, X. and Jiang, X.
Low-pressure ion chromatography 671(1994)23
- Zhang, X., Lin, C., Liu, L. and Qiao, G.
Determination of platinum by ion-pair reversed-phase high-performance liquid chromatography with 4,4'-bis(dimethylamino)thiobenzophenone 684(1994)354
- Zhang, Y., see Chen, N. 678(1994)327
- Zhang, Y. and Warner, I.M.
Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis 688(1994)293
- Zhao, J., Todd, B. and Fleet, G.H.
Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167
- Zhao, M. and Bada, J.L.
Determination of α -dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthalaldehyde 690(1995)55
- Zhao, Q., see McNeff, C. 684(1994)201
- Zhao, T.-S., see Pang, G.-F. 667(1994)348
- Zhao, Z., see Shao, X. 680(1994)463
- Zheng, M., Liu, H.-Y., Hall, S.F., Kitts, D.D. and McLane, K.M.
High-performance liquid chromatographic analysis of Romet-30 in Chinook salmon (*Oncorhynchus tshawytscha*): wash-out time, tissue distribution in muscle, liver and skin, and metabolism of sulfadimethoxine 670(1994)77
- Zheng, Y., see Tan, H.S.I. 693(1994)307
- Zhong, G. and Guiochon, G.
Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1
- Zhong, G.M., Meunier, F. and Guiochon, G.
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355
- Zhou, B., see Jing, G. 685(1994)31
- Zhou, J., see Jing, G. 685(1994)31
- Zhou, J., O'Shea, T.J. and Lunte, S.M.
Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271
- Zhou, L., see Guan, Y. 655(1993)243
- Zhou, L., see Guo, W. 685(1994)344
- Zhou, N.E., see Hodges, R.S. 676(1994)3
- Zhou, W., Fu, R., Dai, R., Huang, Z. and Chen, Y.
Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477
- Zhou, X., see Wan, H. 673(1994)107
- Zhou, X.-C., Wu, C.-Y., Lu, X.-R. and Chen, Y.-Y.
Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203
- Zhou, Y., see Belew, M. 679(1994)67
- Zhou, Y., see Tang, Y. 666(1994)147
- Zhou, Z.H., see Giometti, C.S. 698(1995)341
- Zhu, B.-Y., see Hodges, R.S. 676(1994)3
- Zhu, D., see Guan, Y. 655(1993)243
- Zhu, J. and Guiochon, G.
Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15
- Zhu, J., Mulvihill, M.J. and Norstrom, R.J.
Characterization of technical toxaphene using combined high-performance liquid chromatography-gas chromatography-electron capture negative ionization mass spectrometry techniques 669(1994)103
- Zhu, M., Wehr, T., Levi, V., Rodriguez, R., Shiffer, K. and Cao, Z.A.
Capillary electrophoresis of abnormal hemoglobins associated with α -thalassemias 652(1993)119
- Zhukov, M.Yu., see Bello, M.S. 693(1995)113
- Zhukov, M.Yu., see Ermakov, S.V. 699(1995)297
- Zieske, L.R., see Alpert, A.J. 676(1994)191
- Zilli, D., see Bøwadt, S. 675(1994)189

- Zimmer, D. and Muschalek, V.
Enantioselective assay for the determination of nisoldipine in dog, rat and mouse plasma by chiral microbore high-performance liquid chromatography combined with gas chromatography-mass spectrometry 666(1994)241
- Zimmerman, P.R., see Greenberg, J.P. 676(1994)389
- Zini, L., see Pietta, P.G. 680(1994)175
- Zubaidha, P.K., see Tambe, A.S. 683(1994)397
- Zubov, V.P., see Ivanov, A.E. 673(1994)159
- Zubov, V.P., see Kataev, A.D. 660(1994)131
- Zubrzycki, S., see De Vanssay, E. 688(1994)161
- Zuccaro, P., see Pichini, S. 697(1995)383
- Zukowski, J., see Armstrong, D.W. 666(1994)445
- Zukowski, J., see Pawlowska, M. 666(1994)485
- Zuo, H., see Malone, M.A. 700(1995)73
- Žutautas, V., see Pesliakas, H. 678(1994)25
- Zvonkova, E.N., see Menzeleev, R.F. 678(1994)183
- Zweifel, B., see Panzeter, P.L. 678(1994)35
- Zweipfenning, P.G.M., Wilderink, A.H.C.M., Horsthuis, P., Franke, J.-P. and De Zeeuw, R.A.
Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87