

SUBJECT INDEX

J. CHROMATOGR. A VOLS. 651-700

A

- Abrahams solvation parameter model**
Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
- Absorbance**
Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3
- Absorbance profiles**
Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297
- Absorbance ratio**
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135
- Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81
- Absorbance spectrometry**
Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167
- Acid deposition**
Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225
- Acid rain**
Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211
- Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239
- Acid snow**
Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211
- Acrylic fibres**
An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271
- Activation energy**
Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503
- Activity coefficients**
Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269
- Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141
- Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85
- Adamson-Ling numerical method**
Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1
- Additives**
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
- Adsorbents**
see also Affinity adsorbents
- Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223
- Cross-linked N,N-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267

- Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121
- Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133
- Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333
- Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography-flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368
- Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3
- Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263
- Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480
- Lead phosphate hydroxyapatite high-performance liquid chromatography 694(1995)486
- Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203
- Adsorption**
Model for the mixed ion-exclusion-adsorption retention mechanism in ion-exclusion chromatography 654(1995)197
- Distribution isotherms in reversed-phase systems (Review) 656(1993)19
- Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591
- Interference and heat effects: moment analysis for two-component chromatography 658(1994)355
- Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361
- Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465
- Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
- Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427
- Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3
- Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85
- Competitive adsorption of α -lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414
- Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27
- Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249
- Presence of a preferred anion-exchange binding site on cytochrome *b_c*: structural and thermodynamic considerations 684(1994)55
- High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201
- Adsorption effects on retention behaviour of hydrocarbons in gas-liquid and gas-solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101
- Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125
- High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211
- Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Adsorption, nonspecific

Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Adsorption capacity

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Adsorption-desorption behaviour

Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Adsorption effects

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Adsorption energy distribution function

Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1

Adsorption equilibria

Equilibrium and kinetic parameters of the adsorption of α -chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21

Adsorption isotherms

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Adsorption and separation of proteins on composite anion exchangers with poly(*N*-diethylaminoethylacrylamide) bonded phases 673(1994)159

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Recycling in preparative liquid chromatography 687(1994)13

- Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
- Displacement chromatography in biotechnological downstream processing 691(1995)101
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263
- Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1
- Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153
- Adsorption kinetics**
Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35
- Adsorption models**
Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305
- Adsorption processes**
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Aerosol interface**
Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192
- Aerosols**
Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133
- Affinity adsorbents**
Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
- Preparative affinity chromatography of proteins (Review) 658(1994)237
- Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267
- Influence of eluent anions in boronate affinity chromatography 664(1994)123
- Purification of glutamine synthetase by adenosine-affinity chromatography 664(1994)280
- Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1
- New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141
- Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9
- Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35
- Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45
- Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133
- Coupled affinity-reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65
- Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81
- Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249
- One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337
- Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45
- Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289
- Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37
- Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61
- Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1
- Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Affinity capillary electrophoresis

Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis 652(1993)247

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

Determination of antigen-antibody affinity by immunocapillary electrophoresis 680(1994)405

Affinity chromatography

Preparative affinity chromatography of proteins (Review) 658(1994)237

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Affinity displacing ligand

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Affinity electrokinetic chromatography

Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277

Affinity electrophoresis

Advances in affinity electrophoresis (Review) 698(1995)89

Affinity emulsions

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Affinity gels

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57

Affinity interactions

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Affinity ligands

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

New ligands for boronate affinity chromatography 687(1994)61

Affinity membranes

Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Affinity partitioning

Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α -macroglobulins 668(1994)101

Immobilized metal-ion affinity partitioning of NAD⁺-dependent dehydrogenases in poly(ethylene glycol)-dextran two-phase systems 678(1994)25

Affinity precipitation

Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145

Affinoimmuno-electrophoresis

Lectin affinity immuno-electrophoresis of serum glycoproteins (Review) 698(1995)107

Agarose gel electrophoresis

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Air analysis

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Airborne particles

Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375

Air samples

Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Algorithm, reaction chromatograms

Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

Algorithms

Numerical algorithms for capillary electrophoresis 661(1994)265

Dual-channel response ratios from an integrative algorithm 687(1994)291

Alkaline treatment

High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Alkyl-bonded phases

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride-silica intermediate 688(1994)31

Alkylglycoside surfactants

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Alkylsilane ligands

²⁹Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Alternating current plasma emission detector

Determination of (methylecyclopentadienyl)manganesetricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection 678(1994)319

Alumina

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Ames assay

Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291

Amidoxim column

Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Amino-bonded phases

Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino-bonded stationary phases 684(1994)77

 α -Amino group

Importance of the α -amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Amperometric detector

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Amperostatic-potentiometric detector

Amperostatic-potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Amphiphiles, fluorescent

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Ampholytes

Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Amylose, substituted phenylcarbamate derivatives

Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101

Analyte zone

Electrophoretically mediated microanalysis of calcium 662(1994)389

Ancistrocladus korupensis

Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83

Anion exchangers

see also Ion exchangers

Optimization of the anion-exchange separation of metal-oxalate complexes 654(1993)105

Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Methods and materials for solid-phase extraction 691(1995)133

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Anisotropy

Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

Antibacterial agents

Interactions between fluoroquinolones, Mg^{2+} , DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Antibody-antigen reactions

Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Antigen-antibody interactions

Determination of antigen-antibody affinity by immuno-capillary electrophoresis 680(1994)405

Antibody density

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Antigen-immobilized antibody reaction

Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35

Antibody-mimics

Molecular imprinting used for chiral separations (Review) 694(1995)3

Apple juice

Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Apples

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography-mass spectrometry and determination of the composition of six apple varieties 676(1994)461

Aquatic ecosystems

Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223

Aqueous polymer solutions

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Aqueous two-phase partitioning

Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Aqueous two-phase systems

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Supports for liquid-liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Protein refolding using aqueous two-phase systems 668(1994)95

Polyethylene glycol-potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121

Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129

Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Liquid-liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Interactions between fluoroquinolones, Mg^{2+} , DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Aqueous vesicular media

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Argentation chromatography

Silver ion high-performance liquid chromatographic separation of fatty acid methyl esters labelled with deuterium atoms on the double bonds 685(1994)178

Argentation constant

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Artifacts

Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography-flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368

Artificial sweeteners

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Aspergillus ficuum

Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371

Association constants

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Atmospheric aerosols

Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Atmospheric pressure chemical ionization

Liquid chromatographic-atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221

Atomic absorption spectrometry

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Atomic emission detector

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Determination of chlorophenols in drinking water samples at the subnanogram per millilitre level by gas chromatography with atomic emission detection 683(1994)21

Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Determination of polychlorinated biphenyls in biotic matrices using gas chromatography-microwave-induced plasma atomic emission spectrometry 699(1995)231

Atomic emission spectrometry, inductively coupled plasma

Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Atomistic molecular modeling

Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Atractylis gummifera

High-performance liquid chromatographic determination of atractyloside and carboxyatractyloside from *Atractylis gummifera* L. 663(1994)119

Autoinjector

Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163

Automated biodetermination

Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β -receptor blocking agents 665(1994)87

Automation

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Process monitoring of the production of γ -interferon in recombinant Chinese hamster ovary cells 659(1994)317

Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319

Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Fully automated gas chromatograph-flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Automated *in situ* gas chromatographic-mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123

Displacement chromatography in biotechnological downstream processing 691(1995)101

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography-UV detection 692(1995)21

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Automobile exhaust

Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261

Gas-solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications 688(1994)201

Autosampler

Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309

Avid AL

Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61

Axial compression columns

Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Axial diffusion

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Axial dispersion

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Axial-illumination flow cell

Optical properties of axial-illumination flow cells for simultaneous absorbance-fluorescence detection in micro liquid chromatography 691(1995)37

Az lactone-based supports

Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

B**Background electrolyte composition**

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

UV detection in capillary zone electrophoresis. Peaks or dips - that is the question 679(1994)153

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Bacterial toxins

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Bacteriophages

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Ballpoint ink

Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119

Band broadening

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Band profiles

see also Peak shape

Modeling of preparative liquid chromatography (Review) 658(1994)149

Rapid simulation of chromatographic band profiles on personal computers 658(1994)511

Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Band spacing

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Band width

Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Banknotes

Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Bark

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanae* (Bignoniaceae) 693(1995)281

Baseline fluctuations

Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317

Basicity

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

Bayer liquor

Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Beef

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N¹-acetyl metabolites in foods of animal origin 677(1994)81

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377

Bee venom

Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199

Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187

Biased reptation model

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Bidirectional isotachopheresis

Bidirectional isotachopheresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

Bidisperse porous adsorbents

Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Bile salt micelles

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Binary mixtures

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Binary parameters

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Bindi adhesive

High-performance liquid chromatographic method for determination of dehydroabiatic and abiatic acids, the skin sensitizers in bindi adhesive 685(1994)263

Binding capacity

Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Binding constants

Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Measurement of binding constants by capillary electrophoresis 696(1995)160

Binding equilibria

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Binding sites

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Binding studies

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Binodal model

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Bioactivity

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Bioaffinity adsorbents

Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Biochemical reactions

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Biocompatible trapping column

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Biomass pyrolysis oil

Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195

Biosensors

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor 660(1994)169

Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Biosludge

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Biospecific adsorbents

Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333

Biospecific interactions

Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

Bipolar, constant-frequency drive

Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Bitter principles

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Bitumen

Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography-mass spectrometry with selected ion monitoring 653(1993)363

Biuret reaction

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Blackcurrant buds

Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105

Blood gas composition

Chromatogram method for the continuous separation of substances 669(1994)81

Blotting

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Bonded phase conformation

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Bonded phases

Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337

Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Bonded phases, multilegged

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Bonded silica phases

High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Property-structure relationship of solute-stationary phase complexes occurring in a molecular mechanism by penetration of elute in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175

High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Bond orders

Gas chromatographic-mass spectrometric determination of α -phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353

Book reviews

High performance liquid chromatography in food control and research (edited by R. Matissek and R. Wittowski) 653(1993)385

Advances in mass spectrometry Proceedings of the 12th International Mass Spectrometry Conference, Amsterdam, August 26-30, 1992) (edited by P.J. Kistemaker and N.M.M. Nibbering) 653(1993)387

Process gas chromatography—Fundamentals and applications (by R. Annino and R. Villalobos) 655(1993)359

Gas-liquid-solid chromatography (by V.G. Berezkin) 657(1993)227

Principles and practices of solvent extraction (edited by J. Rydberg, C. Musikas and G.R. Chopin) 657(1993)455

Diode array detection in HPLC (edited by L. Huber and S.A. George) 657(1993)457

Volammetric determination of molecules of biological significance (by W.F. Smyth) 657(1993)458

HPLC detection: newer methods (edited by G. Patonay) 659(1994)225

Handbook of derivatives for chromatography (by K. Blau and J.M. Halket) 659(1994)226

Chromatography of polymers —Characterization by SEC and FFF (edited by T. Provder) 659(1994)228

Chromatography of mycotoxins —Techniques and applications (edited by V. Betina) 662(1994)198

Gel electrophoresis: proteins (by M.J. Dunn) 662(1994)200

Capillary electrophoresis technology (by N.A. Guzman) 662(1994)437

Practical HPLC Methodology and Applications (by B.A. Bidlingmeyer) 663(1994)132

Chromatography today (by C.F. Poole and S.K. Poole) 664(1994)135

Environmental analysis —Techniques, applications and quality assurance (edited by D. Barceló) 670(1994)243

Statistical methods in analytical chemistry (by P.C. Meier and R.E. Zünd) 670(1994)245

Theoretical advancement in chromatography and related separation techniques (edited by F. Dondi and G. Guiochon) 672(1994)278

Capillary zone electrophoresis (by F. Foret, L. Krivánková and P. Boček) 675(1994)286

Manual of Pesticide Residue Analysis (edited by H.-P. Thier and J. Kirchhoff) 677(1994)206

- Applications of Supercritical Fluids in Industrial Analysis (edited by J.R. Dean) 677(1994)208
- Practical High-Performance Liquid Chromatography (by V.R. Meyer) 679(1994)212
- Electrophoresis in Practice —A Guide to Theory and Practice (by R. Westermeier) 679(1994)402
- Mass Spectrometry for the Characterization of Microorganisms (edited by C. Fenselau) 679(1994)404
- Advances in Lipid Methodology (edited by W.W. Christie) 683(1994)411
- Modern Methods and Applications in Analysis of Explosives (by J. Yinon and S. Zitrin) 685(1994)200
- Flow Injection Separation and Preconcentration (by Z. Fang) 685(1994)365
- Time-of-Flight Mass Spectrometry and its Applications (edited by E.W. Schlag) 687(1994)356
- Thin Layer Chromatography: Reagents and Detection Methods (by H. Jork, W. Funk, W. Fischer and H. Wimmer) 687(1994)357
- Basic Relationships of Gas Chromatography (by L.S. Ettre and J.V. Hinshaw) 688(1994)390
- Perfumery—Practice and Principles (by R.R. Calkin and J.S. Jellinek) 689(1995)175
- Aqueous Two-Phase Systems (Methods in Enzymology, Vol. 228) (edited by H. Walter and G. Johansson) 689(1995)312
- Introduction to Open-Tubular Column Gas Chromatography (by J.V. Hinshaw and L.S. Ettre) 689(1995)313
- Recovery Processes for Biological Materials (edited by J.F. Kennedy and J.M.S. Cabral) 690(1995)254
- Separations for Biotechnology 3 (edited by D.L. Pyle) 690(1995)256
- Basic Protein and Peptide Protocols (edited by J.M. Walker) 694(1995)515
- Liquid Chromatography for the Analyst (by R.P.W. Scott) 694(1995)517
- Fractionation by Packed-Column SFE and SFC, Principles and Applications (edited by M. Saito, Y. Yamauchi and T. Okuyama) 696(1995)353
- Directory of Capillary Electrophoresis (edited by D. Coleman) 699(1995)408
- Thin-Layer Chromatography —Techniques and Applications (by B. Fried and J. Sherma) 699(1995)409
- Analytical Applications of Immobilized Enzyme Reactors (edited by S. Lam and G. Malikin) 699(1995)411
- Advances in Electrophoresis (edited by A. Chrambach, M.J. Dunn and B.J. Radola) 699(1995)413
- Borage oil**
Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381
- Borate esterification**
Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667
- Boronate affinity adsorbents**
Influence of eluent anions in boronate affinity chromatography 664(1994)123
- Bovine serum albumin-bonded columns**
Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71
- Brain microdialysates**
Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81
- Brain tissue**
Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry 657(1993)395
- Breakthrough curves**
Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85
- Competitive adsorption of α -lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414
- Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1
- Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255
- Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179
- Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123

Breakthrough volumes

Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Bromination

Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

Brush-type stationary phases

Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Buffer capacity

Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Buffer composition

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161

Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369

Effect of buffer solution pH on the elution and separation of β -blockers by micellar electrokinetic capillary chromatography 652(1993)451

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175

Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant-bovine serum albumin buffer systems 659(1994)435

Chiral separations on cellulose in electrophoresis 663(1994)264

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Effect of the degree of substitution of (2-hydroxy)propyl- β -cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609

Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667

Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319

Behaviour of periodate ion in isotachopheresis using cyclodextrins 684(1994)343

Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Separation of β -lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105

Determination of impurities in a novel analogue of adenosine 5'-triphosphate by capillary electrophoresis 700(1995)163

Buffer temperature

Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Bulk drugs

Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367

Butteroil

Reversed-phase liquid chromatography-mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87

C

Calculation algorithm

Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173

Calibration

Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

Calibration, universal

Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Calibration functions

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9

Capacitively coupled plasmas

Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269

Capacity factors

Influence of the chromatographic capacity factor ($\log k'$) as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103

Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water-octanol partition coefficients 685(1994)203

Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C₁₈ column 687(1994)233

Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Capillary, fused silica

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Capillary, gel-filled

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Capillary, open tubular

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Capillary, polymer-coated

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Capillary, tapered

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Capillary column, copper(II)-saturated

Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377

Capillary columns

Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Preparation of deactivated metal capillary for gas chromatography 685(1994)61

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343

Capillary columns, anionic polymer coated

Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259

Capillary columns, chitosan-modified

Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97

Capillary columns, coated

Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Capillary columns, concentric

The use of a microconcentric column in capillary electrophoresis 680(1994)33

Capillary columns, packed

Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Capillary columns, polyacrylamide-filled

Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Capillary columns, surface modified

Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

- Capillary columns, uncoated**
Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175
- Capillary edge**
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323
- Capillary electrochromatography**
Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321
- Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
- Capillary electrofocusing**
Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113
- Capillary electrokinetic chromatography**
Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283
- Capillary electrophoresis**
see also Micellar electrokinetic chromatography
- Capillary electrophoresis of abnormal hemoglobins associated with α -thalassemias 652(1993)119
- Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3
- Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17
- Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23
- Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31
- Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41
- Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47
- Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
- Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67
- Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75
- Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83
- Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93
- Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101
- Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109
- Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131
- Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139
- Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
- High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161
- Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171
- Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179
- High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189
- Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199
- Determination of milk proteins by capillary electrophoresis 652(1993)207

- Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215
- Separation of amino acid-oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225
- Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233
- Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis 652(1993)247
- Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259
- Timescales of transient processes in capillary electrophoresis 652(1993)263
- Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277
- Dispersion in capillary electrophoresis with external flow control methods 652(1993)283
- On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291
- Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301
- Characterization of quartz capillaries for capillary electrophoresis 652(1993)309
- Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317
- Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329
- Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337
- High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbonyl amino acids 652(1993)347
- Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355
- On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361
- Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369
- Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377
- Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385
- In vivo* monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393
- Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399
- Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407
- Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis 652(1993)417
- Separation of estrogens and rodenticides using capillary electrophoresis with aqueous-methanolic buffers 652(1993)427
- Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431
- Screening for diuretics in urine and blood serum by capillary zone electrophoresis 652(1993)441
- Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459
- Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465
- Sample matrix effects in capillary electrophoresis. II. Acetonitrile deproteinization 652(1993)471
- Determination of theophylline in plasma using different capillary electrophoretic systems 652(1993)487
- Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495
- Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517
- Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535

- Ion-association capillary electrophoresis. New separation mode for equally and highly charged metal chelates 652(1993)539
- Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555
- Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563
- Laser-induced fluorescence detection of 9-fluorenylmethyl chloroformate derivatized amino acids in capillary electrophoresis 653(1993)93
- Determination of glycyrrhizin and glycyrrhetic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184
- Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303
- Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313
- Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321
- High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329
- Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167
- Rapid capillary gel electrophoresis of proteins 654(1993)190
- Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21
- Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63
- Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175
- Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185
- Electrophoretically mediated microanalysis of ethanol 657(1993)429
- Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450
- Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199
- Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
- Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403
- Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417
- Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427
- Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant-bovine serum albumin buffer systems 659(1994)435
- Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443
- Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459
- Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1
- Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83
- Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257
- Numerical algorithms for capillary electrophoresis 661(1994)265
- Analysis of derivatized peptides by capillary electrophoresis 661(1994)279
- Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287
- Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297

- Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305
- Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315
- System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)153
- Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369
- Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375
- Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383
- Electrophoretically mediated microanalysis of calcium 662(1994)389
- pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434
- Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97
- Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105
- Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219
- Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229
- Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239
- Quantitation of gentamicin sulfate in injectable solutions by capillary electrophoresis 663(1994)259
- Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89
- Capillary zone electrophoresis of humic acids 664(1994)301
- Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271
- Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295
- Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337
- Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351
- Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367
- Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host-guest complexation with cyclodextrins 666(1994)375
- Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304
- Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367
- Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
- Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151
- Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185
- Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205
- Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217
- Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254
- Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein 670(1994)199
- Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

- Capillary electrophoresis of nicotinamide-adenine dinucleotide and nicotinamide-adenine dinucleotide phosphate derivatives in coated tubular columns 670(1994)215
- Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375
- Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383
- Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389
- Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
- Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403
- Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411
- Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419
- New electrolyte systems for the determination of metal cations by capillary zone electrophoresis 671(1994)429
- Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437
- Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445
- High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213
- Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219
- Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231
- Correlation between zone velocity and current in automated single capillary isotachopheresis-zone electrophoresis 673(1994)239
- Automated on-capillary isotachopheretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255
- Capillary electrophoresis of some tetracycline antibiotics 673(1994)267
- Determination of alkali and alkaline earth metals in real samples by capillary ion analysis 673(1994)275
- Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299
- Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153
- Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235
- Determination of nine β -blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241
- Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227
- Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185
- High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate-poly(ethylene oxide) 676(1994)209
- Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219
- Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227
- Simultaneous high-performance capillary electrophoretic determination of reduced and oxidized glutathione in red blood cells in the femtomole range 676(1994)239
- New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409
- New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421
- Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437
- Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443
- In-line isotachopheretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

- Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159
- Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169
- Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179
- Effect of the degree of substitution of (2-hydroxy)propyl- β -cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139
- Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145
- Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151
- Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167
- Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333
- Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343
- UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153
- Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167
- Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173
- Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349
- Use of selectively methylated β -cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359
- Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15
- Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25
- The use of a microconcentric column in capillary electrophoresis 680(1994)33
- Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43
- Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49
- Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57
- Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63
- α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85
- Microcolumn sample injection by spontaneous fluid displacement 680(1994)99
- Extended path length post-column flow cell for UV-visible absorbance detection in capillary electrophoresis 680(1994)109
- Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
- Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147
- Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157
- Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175
- Analysis of isoflavones by capillary electrophoresis 680(1994)181
- Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187
- Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201
- High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

- Analysis of the microheterogeneity of the glycoprotein chorionic gonadotropin with high-performance capillary electrophoresis 680(1994)217
- Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225
- Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233
- Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243
- Determination of organic acids in urine by capillary zone electrophoresis 680(1994)247
- Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253
- Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263
- Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271
- Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279
- Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287
- Separation of 24 dansylamino acids by capillary electrophoresis with a non-ionic surfactant 680(1994)311
- Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321
- Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341
- Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353
- Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375
- Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383
- Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395
- Determination of antigen-antibody affinity by immuno-capillary electrophoresis 680(1994)405
- Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413
- Characterization of charge-modified and fluorescein-labeled antibody by capillary electrophoresis using laser-induced fluorescence. Application to immunoassay of low level immunoglobulin A 680(1994)419
- Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425
- Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431
- High-performance capillary electrophoresis for characterization of hapten-protein conjugates used for production of antibodies against soyasaponin I 680(1994)437
- Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447
- Monitoring enzymic peroxidation of NAD⁺ by capillary electrophoresis 680(1994)455
- Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463
- Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469
- Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479
- Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491
- High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497
- Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503
- Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

- Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517
- Analysis of DNA restriction fragments and polymerase chain reaction products by capillary electrophoresis 680(1994)525
- Determination of synthetic food dyes by capillary electrophoresis 680(1994)541
- Determination of pharmaceuticals and related impurities by capillary electrophoresis 680(1994)579
- Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587
- Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593
- Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599
- Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609
- Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623
- Environmental monitoring of wastewater using capillary ion electrophoresis 680(1994)645
- Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653
- Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659
- Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667
- Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675
- Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
- Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221
- Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251
- Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311
- Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323
- Behaviour of periodate ion in isotachopheresis using cyclodextrins 684(1994)343
- Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121
- Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145
- Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155
- Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161
- Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303
- Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313
- Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321
- Characterization of food proteins by capillary electrophoresis 685(1994)331
- Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121
- Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129
- Routine determination of anions by capillary electrophoresis and ion chromatography 686(1994)143

- Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309
- Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319
- Speciation of heavy metals by capillary electrophoresis 686(1994)325
- Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141
- Improved sensitivity by on-line isotachopheretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155
- Comparative stability study of thymidine and (dideoxy-D-erythro-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167
- Combined liquid-liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333
- Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343
- Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
- Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis 688(1994)293
- Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301
- Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317
- Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339
- Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85
- Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97
- Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135
- Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285
- Simultaneous determination of organic and inorganic anions in the sub- μ mol/l range in rain water by capillary zone electrophoresis 689(1995)305
- Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141
- Separation of estrogens by micellar electrokinetic chromatography 690(1995)149
- Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253
- Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267
- Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319
- Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113
- Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131
- Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145
- Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155
- Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347
- Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359
- Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

- Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307
- Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463
- Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498
- Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83
- Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103
- On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279
- Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287
- The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297
- Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309
- Measurement of binding constants by capillary electrophoresis 696(1995)160
- Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285
- Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295
- Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307
- Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321
- Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341
- Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349
- Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541
- Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549
- Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561
- Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571
- Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19
- Separation of collagen type I chain polymers by electrophoresis in non-cross-linked polyacrylamide-filled capillaries 698(1995)369
- Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375
- Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297
- Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323
- Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343
- Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353
- Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1
- Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9
- Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis-electrospray mass spectrometry interface 700(1995)21
- Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

- Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43
- Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51
- Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59
- Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69
- Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73
- Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81
- Separation of r-hirudin from similar substances by capillary electrophoresis 700(1995)89
- Separation of β -lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105
- Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111
- Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125
- Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137
- Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151
- Determination of impurities in a novel analogue of adenosine 5'-triphosphate by capillary electrophoresis 700(1995)163
- Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies 700(1995)179
- Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187
- Separation of sulfonylurea metabolites in water by capillary electrophoresis 700(1995)195
- Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201
- Capillary electrophoresis, free solution**
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
- Capillary electrophoresis-mass spectrometry**
Sheathless capillary electrophoresis-electrospray ionization mass spectrometry using 10 μ m I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217
- Determination of trace impurities of peptides and alkaloids by capillary electrophoresis-ion spray mass spectrometry 679(1994)206
- Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry 680(1994)363
- Capillary electroseparation**
Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Capillary gel electrophoresis**
Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497
- Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503
- Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181
- Capillary isotachopheresis**
Determination of thiols as sulphonic acids by capillary isotachopheresis 672(1994)273
- Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Capillary micellar electrochromatography**
Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Capillary zone electrophoresis, mathematical model**
Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Capsids, viral

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Carbon black

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Carbon fiber array microelectrode

Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Carbon fibre microelectrode

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Carbon number

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography-mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Carboxen microtraps

Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography-mass spectrometry 657(1993)123

Carrier ampholytes

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Carrier electrolyte composition

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Carrier gas

Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155

Carrots

High-performance liquid chromatographic determination of dietary fibre in raw and processed carrots 677(1994)273

CARTAGO-S

Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Catalysis

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Catalytic reduction

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Catharanthus roseus

High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Cation-exchange membrane

On-line analysis of alkaline samples with a flow-through electroanalysis device coupled to an ion chromatograph 671(1994)131

Caulerpa taxifolia

Determination of caulerpenyne, a toxin from the green alga *Caulerpa taxifolia* (Caulerpaceae) 663(1994)114

Cavity model of solvation

Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

Cell electrophoresis

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Cell lysates

Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43

Cellogel

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Cell partitioning

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Cellulose

Chiral separations on cellulose in electrophoresis 663(1994)264

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Cellulose acetate membranes

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Cellulose-based sorbents

Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421

Cellulose benzoates

Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Cellulose derivatives

High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329

Cellulose films

Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Cellulose tribenzoate

Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421

Cellulose tris(3,5-dimethylphenylcarbamate)

Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203

Cellulose trisphenylcarbamate

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Centrifugal partition chromatography

Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315

Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322

Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83

Cercospora beticola

Cercospora beticola toxins. III. Purification, thin-layer and high-performance liquid chromatographic analyses 699(1995)277

Cerebrospinal fluid

Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1- β -D-arabinofuranosylectosine in pediatric pharmacokinetic analysis 692(1995)59

Chain length

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Chain length characterization

Polyphosphate separations and chain length characterization using minibore ion chromatography with conductivity detection 688(1994)89

Charcoal tubes

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Charge-coupled devices

Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55

Charge density region, high linear

Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227

Charge-transfer chromatography

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl- β -cyclodextrin 665(1994)17

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Cheese

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Capillary supercritical fluid chromatography–Fourier transform infrared spectroscopy study of triglycerides and the qualitative analysis of normal and “unsaturated” cheeses 673(1994)231

Separation and identification of hydrophilic peptides in dairy products using FMOc derivatization 696(1995)209

Chelating agents

pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Chelation ion chromatography

Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173

Chemical ionization

Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyl derivatives of fatty alcohols—a novel derivative for gas chromatography–chemical ionization mass spectrometric study 695(1995)136

Chemically bonded phases

Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Chemical reactions

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Chemical warfare agents

Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350

Chemiluminescence

Quenching-free reactive-flow photometry 694(1995)433

Chemiluminescence detection, peroxyoxalate

High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263

Chemiluminescence detector

On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361

Determination of dansyl amino acids using tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237

Chemiluminescence nitrogen detector

Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113

Chemometric detectors

Isotopic ratio of molecular patterns via gas chromatography–mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Chemometrics

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1

Retention of 4-cyanophenyl herbicides on water-insoluble β -cyclodextrin support 685(1994)295

Statistical treatment of large digital chromatographic data sets 686(1994)225

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Chicken

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^1 -acetyl metabolites in foods of animal origin 677(1994)81

Chicken tissue

Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Chiral additives

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549

Chiral buffer modifiers

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Chiral centers

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α -ketoamide calpain inhibitors 684(1994)243

Chiral column switching

Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257

Chiral derivatization reagents

Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

Chiral derivatizing agent

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (S)-(+)-2-*tert*.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35

Gas chromatographic separation of enantiomeric amino acids and amines with α -methoxy- α -trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227

Chiral discrimination

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of α -amino acid amides as additives to the eluent 657(1993)43

Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Chiral displacement chromatography

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Chiral Edman reagents

High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Chiral ion-pairing reagents

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Chiral ligand exchange

Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Chiral metal complexes

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Chiral mobile phase additives

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Chiral recognition

Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57

Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L. 659(1994)389

Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated- γ -cyclodextrin capillary column 673(1994)107

Liquid chromatographic separation of the enantiomers of cyclic β -amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297

3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Chromatographic and ^1H NMR support for a proposed chiral recognition model 683(1994)347

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π - π interaction site on the chiral stationary phase 684(1994)13

Mechanistic evaluation of the resolution of α -amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6 -arene)-chromium(0) complexes 693(1995)63

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173

Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247

Chiral selectivity

Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 699(1994)299

Chiral selectors

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69

Epimeric *N*-substituted *L*-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255

Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41

Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167

Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted *N*-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Use of selectively methylated β -cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359

Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157

Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609

Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Chiral solvating agents

Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3

Chiral stationary phases, GC

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111

Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-*O*-methyl-3-*O*-pentyl- β -cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137

Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-*O*-butyl-3-*O*-trifluoroacetylated- γ -cyclodextrin capillary column 673(1994)107

Large-rim-tethered permethyl-substituted β -cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469

- Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370
- Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119
- Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237
- Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215
- Chiral stationary phases, LC**
- Direct resolution of racemic drugs using cellulose silica as a chiral stationary phase 653(1993)138
- Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219
- Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17
- Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
- Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429
- Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57
- Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69
- Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75
- Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299
- Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321
- Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249
- Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255
- Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269
- Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275
- High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169
- Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203
- Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276
- Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3
- Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27
- Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41
- Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55
- Enantiomeric separation of dansyl- and dansylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77
- New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91
- Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
- Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203
- Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211

- Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221
- Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249
- Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403
- Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421
- One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449
- Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457
- Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463
- Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471
- Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493
- Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
- 6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11
- Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19
- Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39
- Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted *N*-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59
- Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125
- High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37
- Liquid chromatographic separation of the enantiomers of cyclic β -amino esters as their *N*-3,5-dinitrobenzoyl derivatives 676(1994)297
- Enantiomer separation of amino acids on a chiral stationary phase derived from *L*-alaninyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303
- 3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11
- Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229
- Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176
- Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23
- Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35
- Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147
- Chromatographic and ^1H NMR support for a proposed chiral recognition model 683(1994)347
- N*-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13
- Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentane-1,2-diols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
- Mechanistic evaluation of the resolution of α -amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

- Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1
- Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15
- Immobilization of peralkylated β -cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166
- Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93
- Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45
- Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
- Imprintable brush-type chiral stationary phase 689(1995)189
- Direct separation of carboxylic acid enantiomers by high-performance liquid chromatography with amide and urea derivatives bonded to silica gel as chiral stationary phases 689(1995)195
- Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29
- Improved chiral stationary phase for β -blocker enantioseparations 690(1995)218
- Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349
- Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π -donor analytes on a π -donor chiral stationary phase 692(1995)91
- Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173
- Molecular imprinting used for chiral separations (Review) 694(1995)3
- Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15
- Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49
- Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1 -acid glycoprotein column 694(1995)57
- Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71
- Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91
- Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101
- Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
- Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119
- Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129
- Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
- Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163
- Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
- Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347
- Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185
- Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173
- Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247
- Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271

Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Chiral separation of MDL 73.005EF enantiomers using an α_1 -acid glycoprotein column 699(1995)389

Chiral stationary phases, SFC

Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Large-rim-tethered permethyl-substituted β -cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Evaluation of β -cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Chiral surfactants

Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

CHIRBASE

CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557

Chlorella fusca

In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168

Chromarods

Analysis of N-acyl aminonaphthalene sulphonic acid derivatives with potential anti-human immunodeficiency virus activity by thin-layer chromatography and flame ionization detection 653(1993)178

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Chromatofocusing

Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

Chromatographic bands

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Chromatographic congenity

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Chromatographic parameters

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(S)-phenylalanine and (S)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Chromatographic probes

Purification of synthetic peptides with the aid of reversible chromatographic probes 686(1994)73

Chromatographic profiles

Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71

Chromatographic reactor

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Chromatographic tank, TLC

Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155

Chromatographic theory

Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Chromatographic theory, TLC

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Chromatomembranes

Chromatomembrane method for the continuous separation of substances 669(1994)81

Chromium plating solutions

Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265

Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443

Chromogenic reagents

Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

Cigarettes

Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Cigarette smoke

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376

Circular dichroism detector

Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Cis-trans isomerism

High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Citrus

High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59

Citrus juice

Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555

Citrus oils

Rapid identification of some coumarin derivatives in deterpented citrus peel oil by gas chromatography 672(1994)177

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

Clay

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303

Clean-up methods

Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Clean-up and confirmation procedures for gas chromatographic determination of pesticide residues in contaminated waters. Part I 655(1993)285

Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid-solid trapping 657(1993)327

- Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83
- Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119
- Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil 660(1994)195
- Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205
- Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223
- Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13
- Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113
- Determination of aflatoxins in food by use of an automatic work station 661(1994)175
- Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147
- Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301
- Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11
- Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43
- Method for the group separation of non-*ortho*-, mono-*ortho*- and multi-*ortho*-substituted polychlorinated biphenyls and polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans using activated carbon chromatography 665(1994)139
- On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217
- Potential of receptor-ligand interactions for sample handling in liquid and gas chromatography 665(1994)233
- Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection 665(1994)333
- Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348
- Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403
- Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427
- Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
- Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159
- Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181
- Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259
- Comparison of various extraction and clean-up methods for the determination of polycyclic aromatic hydrocarbons in sewage sludge-amended soils 673(1994)21
- Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189
- Determination of a novel hemoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialdehyde-thiol post-column reaction with fluorescence detection 676(1994)161
- Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N¹-acetyl metabolites in foods of animal origin 677(1994)81
- Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49
- Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109
- High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Liquid chromatographic determination of the mycotoxin fumonisin B₂ in physiological samples 692(1995)39

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography-UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Simplified clean-up for the determination of benzimidazole fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Improved method for the determination of glyphosate in water 697(1995)363

Closed-loop recycling

Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627

Cluster analysis

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Coal

Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Coated capillaries

High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Coating

Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213

Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Coca leaves

Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

- Co-electroosmotic flow**
Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359
- Coil planet centrifuge, cross-axis**
Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
- Cold vapour atomic absorption spectrometry**
Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253
- Collection devices**
Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107
- Colloidal particles**
Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89
- Column dead time**
Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392
- Column degradation**
High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3
- Column diameter**
Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257
- Column efficiency**
Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139
- High-performance protein separations with novel strong ion exchangers 679(1994)11
- Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
- Characterization of a new reversed-phase chromatographic column on a 2- μ m porous microspherical silica gel 691(1995)81
- Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141
- Column length**
Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257
- Column loading**
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Column outlet pressure**
Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395
- Column packing charge density**
Ionic strength dependence of protein retention on Superose 12 in SEC-IEC mixed mode chromatography 693(1995)251
- Column performance**
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249
- Columns, radially heterogeneous cylindrical**
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1
- Columns, SFC**
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249
- Column selectivity**
Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41
- Column switching**
see also Coupled columns
- Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229
- Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349
- Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205
- Column-switching liquid chromatographic method for the simultaneous determination of isothalamic acid and creatinine in biological fluids 661(1994)113

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

“Heart-cut” column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11

Column-switching techniques in the analysis of phosphate by ion chromatography 675(1994)141

Coupled affinity-reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography-infrared spectroscopy-mass spectrometry system 678(1994)265

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45

Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

Direct determination of E2020 enantiomers in plasma by liquid chromatography-mass spectrometry and column-switching techniques 694(1995)209

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257

Column temperature

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Combustion isotope ratio mass spectrometry

High-precision gas chromatography-combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Co-modifiers

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Competitive adsorption models

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Complementarity determining regions

Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91

Complexation

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Complexation constants

Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309

Complex formation

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309

Complex-forming equilibria

Complex-forming equilibria in ion chromatography (Review) 699(1995)1

Complexing agents

Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227

Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Complexing sorbents

Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Composition distribution

Composition distribution separation of methyl methacrylate-methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Computational chemistry

Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15

Computer-aided drug identification

Use of high-performance liquid chromatography-diode array detection in forensic toxicology 692(1995)103

Computer-aided two-dimensional densitometry

Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Computer-assisted chromatography

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87

Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Computerized substance identification

Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3

Computer modeling

Model for the mixed ion-exclusion-adsorption retention mechanism in ion-exclusion chromatography

Computer programs

Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385

Computer simulation

Rapid simulation of chromatographic band profiles on personal computers 658(1994)511

Numerical algorithms for capillary electrophoresis 661(1994)265

Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1

Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Concentration gradient imaging detector

In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Concentration methods

Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Concentration profiles

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Concentration sensitivity

Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Concerted cluster model

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Conductivity cell

On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291

Conformation, proteins

Protein refolding using aqueous two-phase systems 668(1994)95

Conformational changes

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

High-performance liquid chromatographic separation of *cis-trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7

Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Conformation analysis

Reordering/resolution studies of alkylamide phases 659(1994)261

- Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α -macroglobulins 668(1994)101
- Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformation homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31
- Coniferous needles**
Use of Sep-Pak C₁₈ cartridges to clean up free amino acids from coniferous needles 690(1995)226
- Connectivity indices**
Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183
- Continuous elution**
Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145
- Continuous extractions**
Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259
- Continuous-flow plate theory**
Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399
- Continuous-flow systems**
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207
- Continuous mixtures**
Chromatographic separation of continuous mixtures in distributed pores 697(1995)533
- Continuous separation processes**
Chromatomembrane method for the continuous separation of substances 669(1994)81
- Continuous wave lasers**
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165
- Contour plots**
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15
- Contrast media**
Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343
- Controlled pore glass**
Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205
- Convection**
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
- Copolymerization**
Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251
- Copper(II) complexation**
Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377
- Correlation chromatography**
Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147
- Correlation coefficients**
Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67
- Correlative retention time identification procedure**
Correlative retention time peak identification method for glycosylated haemoglobin in high-performance liquid chromatography 661(1994)143
- Correspondence factor analysis**
Factor analysis in ion chromatography of carboxylate ions 670(1994)51
- Corrosion**
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331
- Corydalis decumbens***
Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225
- Cosmetics**
Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Comparison of high-performance liquid chromatographic methods for the determination of 1,2-dibromo-2,4-dicyanobutane in cosmetic products 692(1995)53

Cotton

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Cough-cold syrups

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Coulometry

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Counter-current chromatography

Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

High-speed counter-current chromatographic separation of billavanoids from *Garcinia kola* seeds 673(1994)142

Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Purification of (–)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1

Counter-current distribution

Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Counterflow affinity isotachopheresis

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Coupled columns

see also Column switching

Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283

Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography-UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Craig method

Model for the mixed ion-exclusion-adsorption retention mechanism in ion-exclusion chromatography

***Crataegus* leaves**

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Critical micelle concentration

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Cross-linked gels

Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Crude oil

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Cryogenic preconcentration

Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography-mass spectrometry 657(1993)123

Cryogenic trapping

Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303

Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Crystal growth

Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

Cucurbitaceae

High-performance liquid chromatographic determination of flavone C-glycosides in some species of the Cucurbitaceae family 675(1994)240

Cured ham

Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225

Cyclic voltammetry

Determination of spectinomycin using cation-exchange chromatography with pulsed amperometric detection 675(1994)123

Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73

Cyclodextrin additives

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599

Cyclodextrin-based stationary phases

Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147

Cyclodextrin-coated capillaries

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

 β -Cyclodextrin polysiloxanes, large-rim-tethered

Large-rim-tethered permethyl-substituted β -cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Cylindrical symmetry

Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

D**Data acquisition**

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Data analysis

Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Database, toxic compounds

Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97

Databases

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557

Deactivated metal capillary columns

Preparation of deactivated metal capillary for gas chromatography 685(1994)61

Dead time

Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

Dead volume

Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13

DEAE-cellulose

Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Densitometry

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Densitometry, two-dimensional

Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Density detector

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

Density effects

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Dentifrice

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Deproteinization methods

Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Derivatization, electrophoresis

Separation of amino acid-oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225

Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

Analysis of derivatized peptides by capillary electrophoresis 661(1994)279

Automated on-capillary isotachopheretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83

Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/ β -mercaptoethanol-labelled aliphatic α -oligopeptides 696(1995)139

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549

Derivatization, GC

Gas chromatographic-mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 225(1994)225

Capillary gas chromatographic separations of a multi-component mixture of polyalcohol compounds 655(1993)267

Orthoformates as reagents for derivatization of aminoalkane phosphonic acids for characterization by gas chromatography-mass spectrometry 655(1993)346

Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Methylation reagents for the direct on-column derivatization of veterinary residues 662(1994)123

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

Analysis of amino acids by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry: Simultaneous derivatization of functional groups by an aqueous-phase chloroformate-mediated reaction 663(1994)71

Determination of selenium by gas chromatography-electron-capture detection using a rapid derivatization procedure 664(1994)77

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219

- Gas chromatographic-mass spectrometric determination of α -phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353
- Separation and identification of stereoisomeric cyclobutanediols by gas chromatography-mass spectrometry 668(1994)463
- Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert*-butyldimethylsilyl derivatives 669(1994)125
- Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261
- One-step conversion of fatty acids into their 2-alkenyl-4,4-dimethylloxazoline derivatives directly from total lipids 673(1994)101
- Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1
- Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography-mass spectrometry and determination of the composition of six apple varieties 676(1994)461
- Degradation of furosine during heptafluorobutyric anhydride-derivatization for gas chromatographic determination 678(1994)103
- Carboxylic anhydrides-orthoesters—novel reagent systems for derivatization of aminoalkane phosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299
- Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography-negative ion chemical ionization mass spectrometry 683(1994)157
- Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195
- Determination and speciation of organotin compounds by gas chromatography-microwave induced plasma atomic emission spectrometry 683(1994)269
- Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277
- Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography-mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279
- Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149
- Determination of nonylphenols as pentafluorobenzyl derivatives by capillary gas chromatography with electron-capture and mass spectrometric detection in environmental matrices 686(1994)275
- Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography-mass spectrometry 687(1994)315
- Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109
- Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119
- Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187
- Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197
- Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376
- Gas chromatographic separation of enantiomeric amino acids and amines with α -methoxy- α -trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227
- Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyl derivatives of fatty alcohols—a novel derivative for gas chromatography-chemical ionization mass spectrometric study 695(1995)136
- Determination of secondary amines in various foods by gas chromatography with flame photometric detection 695(1995)142
- Determination of methylmercury in fish and river water samples using in situ sodium tetrathylborate derivatization following by solid-phase microextraction and gas chromatography-mass spectrometry 696(1995)113
- Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461
- Identification and determination of butyltin compounds in water by ion trap gas chromatography-mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241

Derivatization, LC

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161

High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235

Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253

High-performance liquid chromatographic determination of thiocyanate anion by derivatization with pentafluorobenzyl bromide 653(1993)348

Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79

Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

Trifluoroacetylation of muricholic acids and hyocholic acids 655(1993)355

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

High-performance liquid chromatographic separation of phenylthiocarbonyl derivatives of amino acids from protein hydrolysates using a Partisphere C_{18} column 657(1993)204

Liquid chromatographic-mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17

Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127

Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351

Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Advances in the high-performance liquid chromatographic determination of phenylthiocarbonyl amino acids (Review) 661(1994)43

Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105

Determination of catecholamines by automated pre-column derivatization and reversed-phase column liquid chromatography with fluorescence detection 661(1994)137

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Methylation, acetylation and gel permeation of hydrolysable tannins 662(1994)77

Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284

Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105

- Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to biosciences 666(1994)259
- Stereoselective high-performance liquid chromatographic assay of (±)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275
- Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463
- Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485
- Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91
- Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99
- Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105
- Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113
- Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290
- Stability of *o*-phthalaldehyde-sulfite derivatives of amino acids and their methyl esters: electrochemical and chromatographic properties 668(1994)323
- Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331
- Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185
- Determination of amino acids by precolumn derivatization with 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate and high-performance liquid chromatography with ultraviolet detection 670(1994)59
- Analysis of aluminium in pharmaceutical products by post-column derivatization ion chromatography 671(1994)115
- Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181
- Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109
- High-performance liquid chromatographic method for the analysis of aminocarb. mexacarbate and some of their *N*-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
- Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125
- Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135
- High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37
- 1-Thio-β-D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286
- Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79
- Comparative and optimized dabsyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169
- Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177
- Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191
- Determination of amino acids by ion-pair liquid chromatography with post-column derivatization using 1,2-naphthoquinone-4-sulfonate 676(1994)311
- Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their *S*-pyridinium derivatives 676(1994)321
- Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-*O*-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert.*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35
- Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C₁₈ material 677(1994)63

- High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters 677(1994)301
- Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17
- Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59
- Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241
- Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279
- High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31
- Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113
- High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23
- Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235
- Determination of α -dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthalaldehyde 690(1995)55
- Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77
- Simultaneous sorption and analytical derivatization on a polystyrene-divinylbenzene polymer. Preparation of chromophoric and fluorophoric derivatives of the prostaglandins 691(1995)231
- High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^3 -3-ketone derivatives 691(1995)247
- High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255
- Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1
- Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167
- High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7
- Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1995)241
- High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263
- Sensitive fluorescence detection of robenidine by derivatization with dansyl chloride and high-performance liquid chromatography 694(1995)407
- Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(*N,N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11
- Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium *N,N*-diethyldithiocarbamate and liquid chromatography 696(1995)41
- Separation and identification of hydrophilic peptides in dairy products using FMOC derivatization 696(1995)209
- Purification of antigenized immunoglobulins derivatized with monomethoxypolyethylene glycol 696(1995)219
- Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227
- Porous graphitic carbon for the chromatographic separation of *O*-tetraacetyl- β -*D*-glucopyranosyl isothiocyanate-derivatized amino acid enantiomers 697(1995)213
- Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to food science 697(1995)229
- Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Derivatization, SFC

Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Derivatization, TLC

Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131

Derringer's desirability function

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Desalting methods

Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Desorption

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Desorption efficiency

Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

Desorption kinetics

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Detection cells

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Detection limits

Noise, filters and detection limits 687(1994)259

Detector linearity

Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

Detectors, electrophoresis

In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347

Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355

On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361

Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377

Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)153

Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

UV detection in capillary zone electrophoresis. Peaks or dips - that is the question 679(1994)153

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry 680(1994)363

Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

- Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275
- Thermo-optical absorbance detection of native proteins separated by capillary electrophoresis in 10 μm I.D. tubes 699(1995)315
- Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137
- Detectors, GC**
- Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269
- Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243
- Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381
- Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205
- Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123
- Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection 665(1994)333
- Constancy of spectral response ratios in the flame photometric detector 667(1994)191
- Determination of sulphonic compounds as their thio-trifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219
- Relative electron-capture detector response of selected polychlorinated biphenyl congeners. Influence of detector temperature and design 668(1994)441
- Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen-phosphorus detection for gas chromatography 670(1994)117
- Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145
- Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15
- Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155
- Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345
- Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography-infrared spectroscopy-mass spectrometry system 678(1994)265
- Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279
- Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289
- Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115
- Effect of detector temperature on the flame ionization detector response 679(1994)299
- Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51
- Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175
- Analysis of pesticide residues in food using gas chromatography-tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185
- Simultaneous gas chromatographic-Fourier transform infrared spectroscopic-mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203
- Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245
- Determination and speciation of organotin compounds by gas chromatography-microwave induced plasma atomic emission spectrometry 683(1994)269
- Reactive-flow luminescence detector for gas chromatography 684(1994)259
- N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109
- Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253
- Noise, filters and detection limits 687(1994)259

- Fundamental noise in three chromatographic detectors 687(1994)283
- Dual-channel response ratios from an integrative algorithm 687(1994)291
- Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135
- Holophotal flame photometric detection 688(1994)153
- Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45
- Constant-current a.c. electron-capture detector 690(1995)103
- Quenching-free reactive-flow photometry 694(1995)433
- Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell 695(1995)243
- Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245
- Reactive-flow luminescence with flame ionization detection 699(1995)183
- Second-channel designs for a single-channel flame photometric detector 699(1995)195
- Determination of polychlorinated biphenyls in biotic matrices using gas chromatography-microwave-induced plasma atomic emission spectrometry 699(1995)231
- Detectors, LC**
- Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119
- Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365
- Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride-dichloroacetic acid 657(1993)377
- Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187
- Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1
- Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11
- Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85
- Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95
- Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101
- Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109
- Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281
- Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367
- Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65
- Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113
- Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277
- Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21
- Use of liquid chromatography-nuclear magnetic resonance spectroscopy for the identification of impurities in drug substances 677(1994)385
- Column efficiency and radial homogeneity in liquid chromatography 679(1994)231
- Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277
- Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3
- High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Optical properties of axial-illumination flow cells for simultaneous absorbance-fluorescence detection in micro liquid chromatography 691(1995)37

Amperostatic-potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Determination of fumonisins B₁, B₂, B₃ and B₄ by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography-diode array detection-particle beam mass spectrometry 696(1995)63

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21

Electrocatalytic oxidation and ion chromatographic detection of Br⁻, I⁻, SO₄²⁻, S₂O₃²⁻ and SCN⁻ at a platinum particle-based glassy carbon modified electrode 699(1995)39

Detectors, SFC

Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO₂ 677(1994)365

Detectors, TLC

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Detector-signal processing, computerized

Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147

Detector temperature

Effect of detector temperature on the flame ionization detector response 679(1994)299

Detergents

Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445

Deuterated compounds

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243

Dextran-grafted silica gel

Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37

Dialysis

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Diastereomer separation

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentane diols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α -ketoamide calpain inhibitors 684(1994)243

Diatomaceous earth

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Dielectric constant detector

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Diesel exhaust

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Gas chromatographic-mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

Diesel fuel

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Diesel fuel substitutes

On-line liquid chromatography-gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Dietary fibre

High-performance liquid chromatographic determination of dietary fibre in raw and processed carrots 677(1994)273

Differential chromatography

Comparing steady counterflow separation with differential chromatography 654(1993)1

Differential refractive index detector

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride-dichloroacetic acid 657(1993)377

Diffuse-layer ion-exchange model

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Diffusion

Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

Diffusion coefficients

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119

Diffusion-layer theory

Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Digital filtering

Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247

Dimerization, disulfide-mediated

Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109

2,3-Di-O-acetyl-6-O-tert.-butyldimethylsilyl-cyclodextrins

Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-O-tert.-butyldimethylsilyl- β - and - γ -cyclodextrins 666(1994)131

Dinitroanilinopropylsilica

Fractionation of non-ortho-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

(S)-N-(3,5-Dinitrobenzoyl)tyrosine methyl ester phases

Comparison of (S)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135

Diode array detector

Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119

Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography-mass spectrometry with on-line diode array detection 679(1994)285

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67

Use of high-performance liquid chromatography-diode array detection in forensic toxicology 692(1995)103

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography-diode array detection-particle beam mass spectrometry 696(1995)63

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Diol-bonded phases

Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Diphenyl phthalate

Adsorption effects on retention behaviour of hydrocarbons in gas-liquid and gas-solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101

Dipole-stacking interaction

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Direct current argon plasma detector

Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107

Direct injection

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103

Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Discharge ionization detector

Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Discharge residues

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Dispersion

Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Dispersion coefficients

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Dispersion interactions

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Dispersion polymerization

Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Dispersive interactions

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89

Displacement chromatography

Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Displacement chromatography on cyclodextrin silicas. V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

New hybrid displacement technique for preparative liquid chromatography 684(1994)1

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Displacement chromatography in biotechnological downstream processing 691(1995)101

High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213

Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1995)187

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Displacement electrophoresis

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Displacement kinetics

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Displacement model, stoichiometric

Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227

Displacement post-column detection

Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121

Displacer equilibrium properties

Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1995)187

Displacers

Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Dissociation constants

Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301

Structure-retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B₄ and prostaglandin B₂ 691(1995)225

Advances in affinity electrophoresis (Review) 698(1995)89

Dissolved gases

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Distribution coefficients

Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Distribution isotherms

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

DNA fragmentation, internucleosomal

Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151

DNA-Sepharose columns

Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45

DNA sequencing

High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Doehlert experimental design

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

 π -Donor-acceptor interactions

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Double stacking procedure

Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Downstream process analysis

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Downstream processing

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

Displacement chromatography in biotechnological downstream processing 691(1995)101

- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Drift voltage**
Evaluation of liquid chromatography-ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93
- Drinking water**
Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47
- Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241
- Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29
- Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249
- Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C₁₈ material 677(1994)63
- Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253
- Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243
- Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383
- Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1
- Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525
- Drug delivery systems**
Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129
- Drug metabolism**
Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39
- Drug profiling**
Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153
- Drug-protein interaction**
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
- Drug screening**
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147
- Dry impact blending**
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19
- Drying agents**
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413
- Drying methods**
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279
- Drylab**
Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183
- Drylab G**
Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213
- Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59
- Dual-channel response ratios**
Dual-channel response ratios from an integrative algorithm 687(1994)291
- Dual detection**
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365
- Dye-affinity ligands**
Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27

Dye-ligand chromatography

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Dynamically coated columns

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Dynamically coated sorbents

Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Dynamically modified silica

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica 697(1995)175

Dynamic anion exchanger

Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Dynamic axial compression

Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Dynamic fluorescence labelling

Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233

Dynamic ion-exchange model

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Dynamic light scattering

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Dynamic particle coating

Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Dynamic sorption capacity

High-performance protein separations with novel strong ion exchangers 679(1994)11

Dynamic surface tension detector

Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195

E**Edman degradation**

Chromatographic characterization of HSV-1 gD 268–284 and IL-6 179–185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345

Edman reagents, chiral

High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Effective carbon number

Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Effective excluded volume

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Effective mass

Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

Effective mobilities

Determination of thiols as sulphonic acids by capillary isotachopheresis 672(1994)273

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Efficiency

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Eggs

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N⁴-acetyl metabolites in foods of animal origin 677(1994)81

Characterization of food proteins by capillary electrophoresis 685(1994)331

Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Electrical double layer

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Electrical potential

Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Electric current

Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Electric current fluctuations

Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317

Electric field strength

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Electroanalyzer, multicompartiment

Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartiment electrolyzer with isoelectric membranes 679(1994)181

Electroblotting

Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233

Electrocatalytic oxidation

Electrocatalytic oxidation and ion chromatographic detection of Br⁻, I⁻, SO₃²⁻, S₂O₃²⁻ and SCN⁻ at a platinum particle-based glassy carbon modified electrode 699(1995)39

Electrochemical detector

Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Electrocatalytic oxidation and ion chromatographic detection of Br⁻, I⁻, SO₃²⁻, S₂O₃²⁻ and SCN⁻ at a platinum particle-based glassy carbon modified electrode 699(1995)39

Electrochromatography

Electrochromatography and micro high-performance liquid chromatography with 320 μm I.D. packed columns 670(1994)15

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Electrochromatography-electrospray mass spectrometry of textile dyes 700(1995)27

Electrodes

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Electrodes, rotating disks

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Electrodialysis

On-line analysis of alkaline samples with a flow-through electrodialysis device coupled to an ion chromatograph 671(1994)131

Electrodispersive effects

Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Electroelution

Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Electrokinetic chromatography

Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331

Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371

Electrokinetic injection

Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Electrolyte additives

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437

Electrolyte composition

Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Electrolytes

Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675

Electrolytes, background

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Electrolyte systems

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223

New electrolyte systems for the determination of metal cations by capillary zone electrophoresis 671(1994)429

Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149

Simultaneous determination of organic and inorganic anions in the sub- $\mu\text{mol/l}$ range in rain water by capillary zone electrophoresis 689(1995)305

- Electrolytic conductivity detector**
Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277
- Electromigration dispersion**
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403
- Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113
- Electron-capture detector**
Relative electron-capture detector response of selected polychlorinated biphenyl congeners. Influence of detector temperature and design 668(1994)441
- Fundamental noise in three chromatographic detectors 687(1994)283
- Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45
- Constant-current a.c. electron-capture detector 690(1995)103
- Electron capture negative ionization**
Characterization of technical toxaphene using combined high-performance liquid chromatography-gas chromatography-electron capture negative ionization mass spectrometry techniques 669(1994)103
- Electronic spectroscopy**
Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197
- Electron microscopy**
Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97
- Electron spin resonance spectroscopy**
Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231
- Electroosmosis**
On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291
- Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321
- Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Electroosmotic dispersion**
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403
- Electroosmotic flow**
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
- Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
- Timescales of transient processes in capillary electrophoresis 652(1993)263
- Dispersion in capillary electrophoresis with external flow control methods 652(1993)283
- Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321
- Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305
- Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369
- Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239
- Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337
- Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151
- Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437
- Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167
- Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287
- Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313

Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343

Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Electroosmotic flow, pH independent

Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Electroosmotic flow modifier

Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Electroosmotic mobility

Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313

Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175

Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311

Electroosmotic zone displacement

Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Electrophoresis

see also Capillary electrophoresis

Separation and characterization of rat kidney isometallothioneins induced by exposure to inorganic mercury 655(1993)77

Chiral separations on cellulose in electrophoresis 663(1994)264

Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197

Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)-hydrazine-nitilotriacetate mixed-ligand complexes 667(1994)371

Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351

Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Advances in affinity electrophoresis (Review) 698(1995)89

Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Electrophoretically mediated microanalysis

Electrophoretically mediated microanalysis of calcium 662(1994)389

Electrophoretic focusing

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Electrophoretic migration

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

Electrophoretic mobility

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313

Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197

Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Electrophoretic theory

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Electropolishing solutions

Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265

Electrospray ionization

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369

Sheathless capillary electrophoresis-electrospray ionization mass spectrometry using 10 μ m I.D. capillaries: analyses of tryptic digests of cytochrome c 659(1994)217

Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry 680(1994)363

High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9

Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93

Rapid liquid chromatographic–mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21

Electrostacking

Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411

Electrostatic effects

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Electrostatic interactions

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Electrostatic retention model

Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255

Element selective detectors

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Element specific detectors

Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Eluting strength

Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Elution band profiles

Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

Elution behaviour

Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191

Elution by characteristic point

Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Elution methods

Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Elution modes

Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27

Elution order

Selectivity effects in semi-polar columns. II 688(1994)363

Elution profiles

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Recycling in preparative liquid chromatography 687(1994)13

Elution window

Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273

Embryos

Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E₁ and E₂ in rat embryo incubates 655(1993)85

Emphaze beads

Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113

Emphaze biosupport medium AB 1

Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

Emulsifiers

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Emulsions, perfluorocarbon

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Enantiomer-enantiomer interaction

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Enantiomeric excess

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Enantiomeric purity

Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183

Enantiomeric ratio

Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Enantiomer separation

Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233

Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis 652(1993)247

Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253

Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259

Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

High-performance liquid chromatographic preparation of oxybutynin enantiomers on a chiral stationary phase 653(1993)135

Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253

Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261

Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β -cyclodextrin as a mobile phase additive 653(1993)293

Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207

Chromatographic resolution of racemic α -halocarboxylic acids and O-substituted α -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Direct chromatographic separation of the enantiomers of pfaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429

Enantiomer fractionation by preparative gas chromatography 658(1994)437

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57

Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69

Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191

Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299

Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321

Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449

Enantiomer separation of dihydropyridine derivative calcium antagonists by high-performance liquid chromatography with chiral stationary phases 659(1994)467

Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Chiral separations on cellulose in electrophoresis 663(1994)264

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203

Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276

Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67

Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75

Separation of C₁₁-C₁₄ branched-chain alcohols by high-resolution gas chromatography on a modified β -cyclodextrin stationary phase 665(1994)163

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27

- Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41
- Enantiomeric separation of dansyl- and dabsylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77
- New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91
- Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
- Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111
- Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-*O*-*tert*-butyldimethylsilyl- β - and - γ -cyclodextrins 666(1994)131
- Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl- β -cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137
- Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147
- Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161
- Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
- Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181
- Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193
- Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203
- Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211
- Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235
- Enantioselective assay for the determination of nisoldipine in dog, rat and mouse plasma by chiral microbore high-performance liquid chromatography combined with gas chromatography-mass spectrometry 666(1994)241
- Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249
- Liquid chromatographic determination of *D*- and *L*-amino acids by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to biosciences 666(1994)259
- Stereoselective high-performance liquid chromatographic assay of (\pm)-dekmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275
- Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283
- Chromatographic resolution and pharmacological investigation of ICI 118551, a new β_2 -blocker 666(1994)289
- Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295
- Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321
- Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337
- Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351
- Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367
- Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host-guest complexation with cyclodextrins 666(1994)375
- Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381
- Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

- Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403
- Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421
- Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β -cyclodextrin as stationary phase 666(1994)433
- Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β -cyclodextrin as mobile phase additive 666(1994)439
- Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α -cyclodextrin bonded stationary phase 666(1994)445
- One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449
- Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457
- Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463
- Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471
- Analytical and preparative separation of the enantiomers of pyrazole phenyl ether herbicides on three chiral stationary phases 666(1994)479
- Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485
- Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493
- Resolution of non-racemic mixtures in achiral chromatographic systems: a model for the enantioselective effects observed 666(1994)519
- Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527
- Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535
- Stereochemical features of the stereoselective interaction between (*R*)- or (*S*)-7,7'-bis(1-propen-3-oxy)-2,2'-dihydroxy-1,1'-binaphthyl and quinine 666(1994)541
- Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549
- CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557
- Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
- Displacement chromatography on cyclodextrin silicas. V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603
- Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611
- Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617
- Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627
- 6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11
- Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19
- Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183
- Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367
- Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331
- Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413

- Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
- Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519
- Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39
- Determination of enantiomeric purity of (*S*)-carboranylalanine using capillary column supercritical fluid chromatography 670(1994)239
- Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125
- Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted *N*-benzoyl(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59
- Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135
- Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-*O*-butyl-3-*O*-trifluoroacetylated- γ -cyclodextrin capillary column 673(1994)107
- Large-rim-tethered permethyl-substituted β -cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219
- 1-Thio- β -*D*-galactose as a chiral derivatization agent for the resolution of *D,L*-amino acid enantiomers 673(1994)286
- Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79
- Direct stereochemical resolution of 3,4-dihydroxyphenylserine using a chiral crown ether stationary phase 675(1994)244
- Liquid chromatographic separation of the enantiomers of cyclic β -amino esters as their *N*-3,5-dinitrobenzoyl derivatives 676(1994)297
- Enantiomer separation of amino acids on a chiral stationary phase derived from *L*-alanine- and pyrrolidinyldisubstituted cyanuric chloride 676(1994)303
- Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431
- Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469
- Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-*O*-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35
- Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133
- Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229
- Gas chromatographic separation of deuterated and optical isomers of di-2-butyl ethers 678(1994)97
- Effect of the degree of substitution of (2-hydroxy)propyl- β -cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139
- Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176
- Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259
- Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333
- Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23
- Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35
- Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47
- Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139
- Use of selectively methylated β -cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359
- Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367

- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
- Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147
- Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157
- Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253
- Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with N-dodecanoyl-L-serine 680(1994)317
- Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599
- Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609
- Chromatographic and ^1H NMR support for a proposed chiral recognition model 683(1994)347
- Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397
- N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13
- Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23
- Separation of the *R*(-)- and *S*(+)-enantiomers of the ethyl ester of tiagabine $\cdot\text{HCl}$ using a Chiralcel-OG column 684(1994)29
- Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentane diols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
- High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235
- Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360
- Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1
- Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7
- Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15
- Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155
- Immobilization of peralkylated β -cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166
- Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321
- Direct enantiomeric separation of the four stereoisomers of nadolol using normal-phase and reversed-phase high-performance liquid chromatography with Chiralpak AD 685(1994)349
- Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93
- Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293
- Recycling in preparative liquid chromatography 687(1994)13
- Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45
- Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

- High-performance liquid chromatographic separation of β -amino alcohols. I. Separation of (*R,S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241
- Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
- Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
- Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317
- Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329
- High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23
- Imprintable brush-type chiral stationary phase 689(1995)189
- Direct separation of carboxylic acid enantiomers by high-performance liquid chromatography with amide and urea derivatives bonded to silica gel as chiral stationary phases 689(1995)195
- Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285
- Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29
- Determination of α -dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthalaldehyde 690(1995)55
- Improved chiral stationary phase for β -blocker enantioseparations 690(1995)218
- Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187
- High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213
- Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349
- Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π -donor analytes on a π -donor chiral stationary phase 692(1995)91
- Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173
- Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253
- Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319
- Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1
- Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6 -arene)-chromium(0) complexes 693(1995)63
- Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131
- Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1995)241
- Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366
- Molecular imprinting used for chiral separations (Review) 694(1995)3
- Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49
- Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1 -acid glycoprotein column 694(1995)57
- Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

- Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101
- Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
- Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119
- Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129
- Comparison of (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
- Using chirality as a unique probe of pharmacological properties 694(1995)169
- Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
- Direct determination of E2020 enantiomers in plasma by liquid chromatography-mass spectrometry and column-switching techniques 694(1995)209
- Investigation of the stereoselective metabolism of the chiral H₁-antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219
- Gas chromatographic separation of enantiomeric amino acids and amines with α -methoxy- α -trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227
- Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277
- Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
- Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297
- Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307
- Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347
- Liquid chromatographic separation of the enantiomers of antihistaminic 3,3'-di(1,3-thiazolidin-4-one) derivatives with two and four stereogenic centres 694(1995)355
- Determination of chiral purity of ethyl nipecotate using a Chiralcel-OG column 696(1995)75
- Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173
- Porous graphitic carbon for the chromatographic separation of *O*-tetraacetyl- β -*D*-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213
- Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to food science 697(1995)229
- Enantiomeric separation by packed column chiral supercritical fluid chromatography 697(1995)251
- Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257
- Chiral resolution of protein kinase C inhibitors by reversed-phase high-performance liquid chromatography on cellulose tris-3,5-dimethylphenylcarbamate 697(1995)263
- Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271
- Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns 697(1995)475
- Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485
- Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549
- Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561
- Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

- Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591
- Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215
- Chiral separation of MDL 73,005EF enantiomers using an α_1 -acid glycoprotein column 699(1995)389
- Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43
- Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51
- Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59
- Enantioselective binding**
Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81
- Enantioselective complexation**
Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307
- Enantioselective temperature**
Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591
- Enantioselectivity**
Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233
- Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
- Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43
- Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249
- High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169
- Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55
- Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221
- Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235
- Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19
- Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(S)-phenylalanine and (S)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59
- Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229
- Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23
- Use of selectively methylated β -cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359
- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with N-dodecanoyl-L-serine 680(1994)317
- N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π - π interaction site on the chiral stationary phase 684(1994)13
- Mechanistic evaluation of the resolution of α -amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189
- Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7
- Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1 -acid glycoprotein column 694(1995)57

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271

Endcapping

The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Endosmotic flow

Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Engine oils

Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91

Enhanced-fluidity mobile phases

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Ensemble averaging

Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247

Entangled polymers

Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297

Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Entangled solution capillary electrophoresis

Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169

Entanglement threshold

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Enthalpy-entropy compensation

Extra-thermodynamic relationships in chromatography. Enthalpy-entropy compensation in gas chromatography 670(1994)105

Enthalpy of adsorption

Presence of a preferred anion-exchange binding site on cytochrome *b₅*: structural and thermodynamic considerations 684(1994)55

Environmental analysis

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Determination of phenols at the ng/l level in drinking and river waters by liquid chromatography with UV and electrochemical detection 655(1993)217

Gas chromatographic analysis of organophosphorus pesticides of horticultural concern 655(1993)293

Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Capillary liquid chromatography-mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic-thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113

Enzymatic digestion

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Enzymatic hydrolysis

Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Enzymatic reactions

Electrophoretically mediated microanalysis of ethanol 657(1993)429

Enzyme activity

Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Enzyme assays

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Enzyme electrodes

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Enzyme inhibition assay

Simultaneous structure-activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162

Epimers

Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Epitope mapping

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

Equations, TLC

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Equilibrium constants, acid-base

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Equilibrium dispersive model

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Modeling of preparative liquid chromatography (Review) 658(1994)149

Equilibrium isotherms

Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Equilibrium model

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Erythrocytes

Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4 -3-ketone derivatives 691(1995)247

Erythroxylum

Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

Essential oils

Chiral compounds of essential oils. XV.

Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Use of esterified and unesterified dipentylated γ -, β - and α -cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254

Evaporative light scattering detector

Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167

Determination of fumonisins B₁, B₂, B₃ and B₄ by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

Evaporative loss

Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction 699(1995)395

Evening primrose oil

Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381

Exhaled breath sampler

Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath 657(1993)147

Experimental design

Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Expert systems

Method development by an expert system. Advantages and limitations 660(1994)33

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Explosives

Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Extra-column band broadening

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Extra-column effects

Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Extra-column volumes

Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192

Extraction cells

Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213

Extraction columns

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Extraction disks

Determination of acid herbicides in aqueous samples by liquid-solid disk extraction and capillary gas chromatography 659(1994)395

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Extraction methods

Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Preconcentration of samples by steam distillation-solvent extraction at low temperature 655(1993)141

- On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163
- Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25
- Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid-solid trapping 657(1993)327
- Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27
- Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83
- Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209
- Determination of acid herbicides in aqueous samples by liquid-solid disk extraction and capillary gas chromatography 659(1994)395
- Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119
- High-performance liquid chromatographic determination of FCE 24928, a new aromatase inhibitor, in human plasma 660(1994)293
- Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319
- Evaluation of the analysis of cholesterol oxides by liquid chromatography 661(1994)127
- Instability of tetryl to Soxhlet extraction 662(1994)178
- Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243
- Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281
- Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101
- Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259
- Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47
- Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213
- Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241
- Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316
- Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322
- Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348
- Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85
- Liquid-liquid extraction of a recombinant protein, cytochrome *b₅*, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117
- Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75
- Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
- Determination of various pesticides using membrane extraction discs and gas chromatography-mass spectrometry 670(1994)135
- Comparison of various extraction and clean-up methods for the determination of polycyclic aromatic hydrocarbons in sewage sludge-amended soils 673(1994)21
- High-speed counter-current chromatographic separation of billavanoids from *Garcinia kola* seeds 673(1994)142
- Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

- Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87
- Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263
- Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319
- Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89
- Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189
- Determination of a novel hemoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthalaldehyde-thiol post-column reaction with fluorescence detection 676(1994)161
- Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347
- Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375
- Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C₁₈ material 677(1994)63
- Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N²-acetyl metabolites in foods of animal origin 677(1994)81
- Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49
- Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313
- Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375
- Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133
- Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269
- Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51
- High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59
- Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125
- Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography-negative ion chemical ionization mass spectrometry 683(1994)157
- Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167
- Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175
- Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195
- Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65
- Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53
- Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113
- Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67
- Selectivity effects in semi-polar columns. II 688(1994)363
- Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31
- High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39
- Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119
- High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

- Solid-phase extraction and gas chromatographic-mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207
- Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243
- Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239
- High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255
- Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography-UV detection 692(1995)21
- Liquid chromatographic determination of the mycotoxin fumonisin B₂ in physiological samples 692(1995)39
- Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45
- Rapid liquid chromatographic-mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73
- Use of high-performance liquid chromatography-diode array detection in forensic toxicology 692(1995)103
- Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131
- Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195
- High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7
- HPLC separation and determination of naphtho[2,3-*b*]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281
- Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371
- Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81
- Extraction of pesticides using supercritical trifluoromethane and carbon dioxide 695(1995)149
- Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography-mass spectrometry 696(1995)113
- Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123
- Extraction-gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257
- Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89
- High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115
- Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137
- Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345
- Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377
- Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389
- Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407
- Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501
- Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263
- Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253
- Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Extraction parameters

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Extraction time

Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Extractive alkylation

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195

Extra-thermodynamic relationships

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Extra-thermodynamic relationships in chromatography. Enthalpy-entropy compensation in gas chromatography 670(1994)105

Eye care pharmaceuticals

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

F**Factor analysis**

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Factorial design

Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Fan-induced heating

Fan-induced heating 659(1994)205

Fast atom bombardment mass spectrometry

On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Feed concentration

Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

Feed grains

Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Feed mixtures

Determination of fluoride in feed mixtures by capillary isotachopheresis 670(1994)223

Ferguson method

High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate-poly(ethylene oxide) 676(1994)209

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Fermentation broth

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315

Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Fermentation processes

Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Fermentation products

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Fertilizers

Chromatographic separations of metal chelates present in commercial fertilizers. I. Development of a gel permeation chromatographic separation method for the identification of metal chelates in commercial fertilizers 657(1993)69

Chromatographic separations of metal chelates present in commercial fertilizers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

- Determination of chelating agents in fertilizers by ion chromatography 671(1994)359
- Festuca arundinacea***
Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535
- Field-amplified sample stacking**
Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125
- Field-flow fractionation**
Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113
- Thermal field flow fractionation of polytetrahydrofuran 676(1994)361
- Velocity profiles in thermal field-flow fractionation 678(1994)85
- On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249
- Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119
- Film thickness**
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
- Filter fluorometer**
High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347
- Filters**
Noise, filters and detection limits 687(1994)259
- Fingerprinting**
Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25
- Fish**
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
- Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193
- Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
- Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189
- Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography-mass spectrometry 696(1995)113
- Fixed-bed modelling**
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45
- Flame ionization detector**
Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363
- Effect of detector temperature on the flame ionization detector response 679(1994)299
- Fundamental noise in three chromatographic detectors 687(1994)283
- Reactive-flow luminescence with flame ionization detection 699(1995)183
- Flame photometric detector**
Constancy of spectral response ratios in the flame photometric detector 667(1994)191
- Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299
- Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155
- Fundamental noise in three chromatographic detectors 687(1994)283
- Dual-channel response ratios from an integrative algorithm 687(1994)291
- Holophotal flame photometric detection 688(1994)153
- Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245
- Second-channel designs for a single-channel flame photometric detector 699(1995)195
- Flash chromatography**
New lateral reservoir flash chromatography system for the expeditious preparative purification of organic compounds 675(1994)237
- Cercospora beticola* toxins. III. Purification, thin-layer and high-performance liquid chromatographic analyses 699(1995)277

Flash pyrolysis-gas chromatography

Flash pyrolysis-gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119

Flory-Huggins theory

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43

Flow

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Flow cell

Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell 695(1995)243

Flow injection

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Flow-rate

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Flow resistance

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Flow reversal

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Flow systems

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Flow-through devices

On-line analysis of alkaline samples with a flow-through electro dialysis device coupled to an ion chromatograph 671(1994)131

Flow velocity

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Fluid density

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Fluorescence

High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

Fluorescence labelling

Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233

Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(*N,N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11

Fluorescence lifetime

High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263

Fluorescence microcell

Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Fluorescence spectroscopy

Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

Fluorinated bonded phases

Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1

Fluorogenic substrates

Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Fly ash

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Focusing efficiency

Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Folch method

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry 697(1995)453

Food additives

Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99

Food analysis

High-performance liquid chromatographic determination of ten heterocyclic aromatic amines with electrochemical detection 655(1993)101

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N¹-acetyl metabolites in foods of animal origin 677(1994)81

Characterization of food proteins by capillary electrophoresis 685(1994)331

Forced-flow planar chromatography

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Forensic analysis

Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207

Cocaine-related deaths 674(1994)217

Application of high-performance thin-layer chromatography and gas chromatography-mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271

High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281

Identification of unlawful food dyes by thin-layer chromatography-fast atom bombardment mass spectrometry 674(1994)301

Gas chromatography, liquid chromatography and ion chromatography adapted to the trace analysis of explosives 674(1993)309

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Use of high-performance liquid chromatography-diode array detection in forensic toxicology 692(1995)103

Formation constants

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Fourier-transform infrared spectroscopy

Analysis of *Fusarium* mycotoxins by gas chromatography-Fourier transform infrared spectroscopy 663(1994)211

Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography-Fourier transform infrared spectroscopy and gas chromatography-mass spectrometry 693(1995)89

Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Fractionation methods

Solid-phase extraction and gas chromatographic-mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Fraction collector

Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309

Free energy changes

Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Free energy of retention

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Free energy of transfer

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43

Free-flow electrophoresis

Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201

Free-flow isoelectric focusing

Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Free radicals

High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93

Freeze-thaw flow

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Friction heat

Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Frontal adsorption capacity

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μ m particles 690(1995)9

Frontal analysis

Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337

Frontal chromatography

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Fruit juice

Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187

Fruit peel

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

Fruits

Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348

Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119

Fuel

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Simultaneous gas chromatographic-Fourier transform infrared spectroscopic-mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Fugacity

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Functional group contributions

Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Fusarium

Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374

Analysis of *Fusarium* mycotoxins by gas chromatography-Fourier transform infrared spectroscopy 663(1994)211

Fusarium moniliforme

Determination of fumonisins B₁, B₂, B₃ and B₄ by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

Fusarium solani pisi

Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol-aqueous salt solution two-phase systems 668(1994)139

Fusion proteins

Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227

G

***Garcinia kola* seeds**

High-speed counter-current chromatographic separation of biflavonoids from *Garcinia kola* seeds 673(1994)142

Garlic

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Gas chromatograph oven

Fan-induced heating 659(1994)205

Gas chromatography

Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Gas chromatography-atomic emission detection

Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175

Gas chromatography-Fourier transform infrared spectrometry

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303

Gas chromatographic-mass spectrometric, high-performance liquid chromatographic-UV and gas chromatographic-Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211

Gas chromatography-infrared spectrometry-mass spectrometry

Simultaneous gas chromatographic-Fourier transform infrared spectroscopic-mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Gas chromatography-mass spectrometry

Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography-mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Characterization of technical toxaphene using combined high-performance liquid chromatography-gas chromatography-electron capture negative ionization mass spectrometry techniques 669(1994)103

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography-negative ion chemical ionization mass spectrometry 683(1994)157

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195

Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289

Gas chromatographic-mass spectrometric, high-performance liquid chromatographic-UV and gas chromatographic-Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211

Synthesis and use of pentadeuterioethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243

Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography-mass spectrometry 688(1994)375

High-precision gas chromatography-combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109

Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyryl derivatives of fatty alcohols—a novel derivative for gas chromatography-chemical ionization mass spectrometric study 695(1995)136

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry 697(1995)453

Gas chromatography-tandem mass spectrometry

Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Gas hold-up time

Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Gas oils

High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Gasoline

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Gas sampling

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Gas standards

Development of hydrocarbon gas standards 653(1993)71

Gas stripping

Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Gaussian function

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Gel electrophoresis

Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263

Gel-filled capillaries

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83

Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139

Rapid capillary gel electrophoresis of proteins 654(1993)190

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Gel immobilization

Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Gel permeation columns

Synthesis of monodisperse macroreticular styrene-divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Gels

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

Rapid capillary gel electrophoresis of proteins 654(1993)190

Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375

Macroporous gels: facts and misfacts (Review) 698(1995)3

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Gel structure

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Genes

Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89

Geological samples

Determination of C_{60} and C_{70} fullerenes in geologic materials by high-performance liquid chromatography 689(1995)157

Determination of α -dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthalaldehyde 690(1995)55

Geometrical isomers

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Separation of geometrical *syn* and *anti* isomers of obidoxime by ion-pair high-performance liquid chromatography 693(1995)55

Gibbs free energy

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Gibbs function

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Ginseng extract

Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243

Glass fiber disks, particle embedded

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Glassy carbon electrodes

Electrocatalytic oxidation and ion chromatographic detection of Br^- , I^- , SO_3^{2-} , $\text{S}_2\text{O}_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39

Glucose-silica phases

Chromatographic stability of glucose-silica 653(1993)130

Glycosylation

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Golay equation

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Good's buffers

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Gradient baseline disturbances

Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11

Gradient elution

Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1994)195

Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27

Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene-divinylbenzene) column 664(1994)33

Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229

Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105

Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321

Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103

Compositional distribution characterization of poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers 692(1995)221

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Gradient steepness

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Gradient times

Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

Graesser contactor

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Graft copolymers

Compositional distribution characterization of poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers 692(1995)221

Grafted layers

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Grana margins

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Grape musts

Solid-phase extraction of soluble proteins in grape musts 655(1993)336

Analytical conditions for the determination of 23 phenylthiocarbonyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21

Graphitized carbon black

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Graphitized carbon stationary phase

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Gravitational field-flow fractionation

Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113

Ground water

Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241

Determination of organic pollutants in small samples of groundwaters by liquid-liquid extraction and capillary gas chromatography 688(1994)181

Group interaction parameters

Determination of second cross virial coefficients from gas-liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Group-type separation

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Guard columns

Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141

H

Hair

Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207

Headspace analysis

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133

Residual solvent analysis by headspace gas chromatography 667(1994)235

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Measurement of vapor-phase organic compounds at high concentrations 676(1994)399

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Dual vapor and liquid injector for gas chromatography 696(1995)235

Headspace analysis, static

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Heart-cutting techniques

"Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11

Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259

Heat effects

Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Helium discharge photoionization detector

Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381

Helium ionization detector

Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

Helix pomatia

Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Henry's constant

Determination of second cross virial coefficients from gas-liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Heparin-Sepharose chromatography

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Herpes simplex virus

Chromatographic characterization of HSV-1 gD 268-284 and IL-6 179-185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345

Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43

Heteroatomic systems

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Heteroscedasticity

Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9

Heuristic evolving latent projections

Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Hexadecane columns

Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Hidden mass

Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

High-low chromatography

Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113

High-pressure bomb

Determination of total nitrogen in water samples by means of high-pressure bombs and ion chromatography 671(1994)287

High-speed liquid chromatography

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 µm particles 690(1995)9

High-temperature gas chromatography

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

High-temperature liquid chromatography

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243

HILDA numerical method

Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1

Hill binding constant

Presence of a preferred anion-exchange binding site on cytochrome *b₅*: structural and thermodynamic considerations 684(1994)55

Histidine-metal interactions

Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Hollow-fibre field-flow fractionation

Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119

Holophotal flame photometric detector

Holophotal flame photometric detection 688(1994)153

Homologous series

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Homologue distribution

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Honey

Supercritical fluid extraction of fluralinate residues in honey. Determination by high-performance liquid chromatography 655(1993)95

Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59

Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268

Hop extracts

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Human immunodeficiency virus

High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

Humic substances

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Humidity

Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Hummel–Dreyer method

Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311

Humulus lupulus

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Hybrid displacement technique

New hybrid displacement technique for preparative liquid chromatography 684(1994)1

Hybridoma cultures

Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261

Hydride technique

Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Hydrodynamic chromatography

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Hydrodynamic counterflow

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Hydrodynamic flow

Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Hydrodynamic injection

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Hydrodynamic layer thickness

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Hydrodynamic radius

The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297

Hydrogen bonding

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Quantitative structure–retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89

Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Hydrolysis

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride–silica intermediate 688(1994)31

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Hydrolytic degradation

Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Hydrophilic interaction

Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191

Hydrophilic porous polymers

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Hydrophobic effect

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Hydrophobic interaction chromatography

Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13

Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337

Hydrophobic interaction electrokinetic chromatography

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

Hydrophobic interactions

Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111

Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Hydrophobicity

see also Lipophilicity

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Ion-exchange-immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77

Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21

Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Reversed-phase chromatography of synthetic amphipathic α -helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Recognition of α -helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity 689(1995)219

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Macroporous gels: facts and misfacts (Review) 698(1995)3

Hydrophobicity

Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl- β -cyclodextrin 665(1994)17

Hydrophobicity index

Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Hydrophobicity parameters

Quantitative structure-retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113

Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Hydrophobic phases

Reordering/resolution studies of alkylamide phases 659(1994)261

Hydrophobic selectivity

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Hydrophobic surface area

Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl- β -cyclodextrin 665(1994)17

Hydrostatic injection

Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Hydroxyapatite

Rapid purification method for human recombinant tumor necrosis factor alpha 667(1994)125

Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Hydroxyethyl methacrylate-based sorbents

Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391

Hyoscyamus muticus

Reversed-phase liquid chromatographic isolation of lubimin and solavetivone from *Hyoscyamus muticus* "hairy" root cultures 657(1993)440

I

Ideal model of chromatography

Modeling of preparative liquid chromatography (Review) 658(1994)149

A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173

Image analysis

Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Imaging systems

Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55

Imaging techniques

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Imidazole gradients

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Iminodiacetic acid affinity sorbents

Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Immobilization

Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249

Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Immobilization of peralkylated β -cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

High-throughput processing of proteins using a porous and tetracle anion-exchange membrane 689(1995)211

Immobilization efficiency

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immobilization techniques

Potential of receptor–ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Immobilized alkyl chains

Reordering/resolution studies of alkylamide phases 659(1994)261

Immobilized antibodies

Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Immobilized artificial membrane chromatography

Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Immobilized dyes

Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Immobilized enzymes

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Immobilized lectins

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Immobilized ligands

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Immobilized metal affinity adsorbents

Single-step purification of a bacterially expressed antibody F_v fragment by immobilized metal affinity chromatography in the presence of betaine 657(1993)55

Immobilized metal affinity chromatography

Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Purification of tryptophan containing synthetic peptides by selective binding of the α -amino group to immobilised metal ions 662(1994)235

Importance of the α -amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1

Immobilized metal affinity membrane adsorbers

Immobilized metal affinity membrane adsorbers as stationary phases for metal interaction protein separation 664(1994)13

Immobilized metal ions

New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141

Immobilized pH gradients

Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartiment electrolyzer with isoelectric membranes 679(1994)181

Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121

Macroporous gels: facts and misfacts (Review) 698(1995)3

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Immobilized polymers

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Immobilized proteins

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Immobilized protein-dextran polymer

Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis 652(1993)247

Immunoaffinity columns

Ion-exchange-immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Chromatography of gibberellins (Review) 658(1994)91

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131

Immunoassays

Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Immunolectrophoresis

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Immunofixation electrophoresis

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Impregnated silica

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Imprinted stationary phases

Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Molecular imprinting used for chiral separations (Review) 694(1995)3

Impurities

Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

Inclusion bodies

Protein refolding using aqueous two-phase systems 668(1994)95

Inclusion complexes

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β -cyclodextrin bonded-phase column 660(1994)339

High-performance liquid chromatographic separation of *cis-trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7

- Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl- β -cyclodextrin 665(1994)17
- Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β -cyclodextrin as mobile phase additive 666(1994)439
- Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73
- Inclusion interactions**
- Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549
- Indirect detection**
- Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287
- Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27
- Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229
- Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
- Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145
- Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151
- Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287
- Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659
- Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145
- High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13
- Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135
- High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45
- Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471
- Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341
- Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317
- Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323
- Indirect UV detection**
- Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675
- Inductively coupled plasma atomic emission spectrometry**
- Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192
- Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101
- Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253
- Inductively coupled plasma mass spectrometry**
- Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329
- Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
- Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340
- Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Infinite dilution activity coefficients

Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Infrared spectrometry

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography-infrared spectroscopy-mass spectrometry system 678(1994)265

Infrared spectrometry, Fourier transform

First results in trace identification of allelochemicals and pheromones by combining gas chromatography-mass spectrometry and direct deposition gas chromatography-Fourier transform infrared spectrometry 683(1994)87

Infrared spectrometry, matrix-isolation Fourier-transform

Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Infusion bags

High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597

Injection methods

Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

Microcolumn sample injection by spontaneous fluid displacement 680(1994)99

Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69

Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Injection systems, LC

Comparison of two injection systems to be used with 5 μ m I.D. open-tubular columns 659(1994)255

Injection temperature

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Injection volume

In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Injectors

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Dual vapor and liquid injector for gas chromatography 696(1995)235

Ink

Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119

Inlet systems

Measurement of vapor-phase organic compounds at high concentrations 676(1994)399

Instrumentation

Preparative procedures in isotachopheresis (Review) 658(1994)343

Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161

Instrument parameters, GC

Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Integral membrane proteins

Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43

Integration parameters

Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1

Integrative algorithm

Dual-channel response ratios from an integrative algorithm 687(1994)291

Integrators

Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307

Interaction free enthalpy

Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181

Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

Interaction indices

Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Intercalating dyes

Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Intercalibration

Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Intercept, plot of k' vs. mobile phase composition

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Interfaces

Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329

Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192

Sheathless capillary electrophoresis-electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217

Quantitative polymer composition characterization with a liquid chromatography–Fourier transform infrared spectrometry–solvent-evaporation interface 661(1994)227

On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography–mass spectrometry with pure and modified CO₂ 677(1994)365

Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223

Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile *N*-nitrosamines 688(1994)55

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21

Interfacial adsorption

Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Interference filter

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Intermolecular interactions

Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Internal standards

Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243

Interstitial volume

Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Intramolecular cross-linking

Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Intraparticle convection

Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Intraparticle porosity

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Intravenous fat emulsions

Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189

Intravenous sampling

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Intravenous solutions

Applications of amino acid derivatization with 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Inverse gas chromatography

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Inverse isotope effect

Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Iodination

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Iodine complexation

Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382

Ion chromatography

Complex-forming equilibria in ion chromatography (Review) 699(1995)1

Ion-exchange isotherms

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Ion-exchange membrane

Competitive adsorption of α -lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414

Ion exchangers

Ion-exchange-immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Anion separations on columns based on transition metal-macrocycle complex exchange sites 671(1994)55

Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83

Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89

Synthesis and characterization of silica-based aliphatic ion exchangers 675(1994)29

High-performance protein separations with novel strong ion exchangers 679(1994)11

Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213

Ion-exclusion chromatography

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Ion-exclusion systems

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Ionic mobility

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599

Ionic sorption

Electrical double-layer models of ion-modified (ion-pair)-reversed-phase liquid chromatography (Review) 656(1993)549

Ionic strength

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Reversed phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73

Ionic strength dependence of protein retention on Superose 12 in SEC-IEC mixed mode chromatography 693(1995)251

Ion-interaction reagents

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Ionization constants

Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167

Ionization efficiency

Reactive-flow luminescence with flame ionization detection 699(1995)183

Ionization methods

Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9

Ionophores

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Ion-pair chromatography

Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255

Ion-pair extraction

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Ion-pairing reagents

Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17

Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249

Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217

Ion-pair reversed-phase liquid chromatographic determination of dihydralazine 686(1994)344

High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269

Ion partition model

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Ion-selective electrodes

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Ion trap detector

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography–ion trap detection 665(1994)333

Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

Ion trap mass spectrometry

Analysis of pesticide residues in food using gas chromatography–tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Identification and determination of butyltin compounds in water by ion trap gas chromatography–mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241

Ion-traps

Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Isoelectric focusing

Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215

In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Low-molecular-mass *pI* markers for isoelectric focusing 661(1994)249

Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

- Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383
- Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549
- Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
- Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
- Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121
- Macroporous gels: facts and misfacts (Review) 698(1995)3
- Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
- Isoelectric point markers**
Low-molecular-mass *pI* markers for isoelectric focusing 661(1994)249
- Isoelectric points**
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369
- Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383
- Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431
- Isomeric purity**
Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345
- Isomer identification**
Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169
- Isopotential eluent composition**
Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301
- Isotachophoresis**
Strategy for setting up single-capillary isotachophoresis-zone electrophoresis 653(1993)303
- Preparative procedures in isotachophoresis (Review) 658(1994)343
- Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223
- Correlation between zone velocity and current in automated single capillary isotachophoresis-zone electrophoresis 673(1994)239
- Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255
- Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachophoresis 679(1994)345
- Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343
- Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158
- Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155
- Combined liquid-liquid electroextraction and isotachophoresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333
- Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149
- Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321
- Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
- Isotachophoretic desorption**
Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325
- Isotachophoretic focusing, in-line**
In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151
- Isotherms**
see also Adsorption isotherms
- Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Isotope ratios

Isotopic ratio of molecular patterns via gas chromatography-mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

High-precision gas chromatography-combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Isotopes

Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Isotopic analysis

Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360

Iterative solvent strength optimization

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

J

Joule heating

Electrochromatography and micro high-performance liquid chromatography with 320 μm I.D. packed columns 670(1994)15

Juice

Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563

K

KanK sorbents

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Kerosenes

High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Kerosine

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Kinematic viscosities

Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317

Kinetic constants

Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Kinetic monitoring

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Kinetic parameters

Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Kinetic studies

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Kluyveromyces marxianus

Lactose hydrolysis in an aqueous two-phase system by whole-cell β -galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179

Knowledge-based system

Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β -receptor blocking agents 665(1994)87

Knox-Pyper model

Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

Kola phosphate rock

Determination of lanthanides in Kola nitrophosphate solution by cation-exchange ion chromatography 671(1994)173

Kováts coefficients

Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

Kováts retention index

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Kraft black liquor

Practical aspects on the use of organic solvents in ion chromatography 671(1994)36

L**Langmuir behaviour**

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Langmuir coefficients

Modification of the h -root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396

Langmuir isotherms

see also Adsorption isotherms

Large-volume injections

Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139

Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141

Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Large-volume sampling

Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography-mass spectrometry with selected ion monitoring 653(1993)363

Laser-desorption mass spectrometry

Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing-laser-desorption mass spectrometric analysis 676(1994)121

Laser detectors

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Laser induced fluorescence detector

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83

Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355

Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399

Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105

Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279

Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517

Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Laser-induced indirect fluorimetric detection

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

Laser light-scattering detector

Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Lateral aggregation

Macroporous gels: facts and misfacts (Review) 698(1995)3

Lateral molecular interactions

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Lateral solvent reservoir

New lateral reservoir flash chromatography system for the expeditious preparative purification of organic compounds 675(1994)237

Latex

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Lathyrus

Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113

Lattice models

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Leakage current

Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277

Least-squares analysis

Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Leather preservatives

Identification of leather preservatives by gas chromatography-mass spectrometry 675(1994)257

Lectin blotting

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Lentiviruses

Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199

Lift forces

Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113

Ligand-biopolymer interactions

Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Ligand density

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Ligand exchange

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

- Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336
- Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43
- Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51
- Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219
- Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55
- Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
- Mechanistic evaluation of the resolution of α -amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189
- Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Ligand–ligand interactions**
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
- Ligand–receptor interaction**
Reversed-phase chromatography of synthetic amphipathic α -helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139
- Ligand structural descriptors**
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141
- Ligand structure**
A comparative study of the retention behaviour and stability of cytochrome c in reversed-phase high-performance liquid chromatography 676(1994)17
- Ligation**
Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137
- Light scattering, multi-angle**
Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11
- Light-scattering detector**
High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59
- Lime oil**
Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307
- Linear chromatography**
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
- Linear perturbation**
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355
- Linear polyacrylamide network matrices**
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
- Linear polymer matrix**
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
- Linear regression**
Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113
- Linear sieving polymers**
Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125
- Linear solvation energy relationships**
Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521
- Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367
- Characterization of some silica-based reversed-phase liquid chromatographic columns based on linear solvation energy relationships 664(1994)149
- Concept of additivity for a non-polar solute–solvent criterion $\log L^{16}$. Non-aromatic compounds 677(1994)319
- Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Linear solvent strength theory

Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27

Lipid peroxidation

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Toxic aldehydes formed by lipid peroxidation. I. Sensitive, gas chromatography-based stereoisomer analysis of 4-hydroxyalkenals, toxic products of lipid peroxidation 670(1994)153

Lipophilicity

see also Hydrophobicity

Influence of the chromatographic capacity factor ($\log k'$) as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177

Modeling oil-water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395

Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanalamine using reversed-phase thin-layer chromatography 675(1994)282

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Lipophilicity parameters

Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9H-xanthene and 9H-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol-water partition coefficients 654(1993)43

Quantitative structure-retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Determination of distribution coefficients for some 5-HT₃ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113

Liposomes

High-performance liquid chromatographic determination of mitoxantrone in liposome preparations using solid-phase extraction and its application in stability studies 670(1994)234

Liquid backflush system

On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Liquid chromatography, coupling to capillary electrophoresis

Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Liquid chromatography-gas chromatography

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

On-line liquid chromatography-gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95

On-line liquid chromatography-gas chromatography for determination of fenarimol in fruiting vegetables 683(1994)151

High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Liquid chromatography-infrared spectrometry

Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227

Liquid chromatography-mass spectrometry

Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

- Liquid chromatographic-atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221
- Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
- Liquid chromatographic-mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337
- Comparison of UV absorption and electrospray mass spectrometry for the high-performance liquid chromatographic determination of domoic acid in shellfish and biological samples 659(1994)119
- Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231
- Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55
- Thermospray liquid chromatography-mass spectrometry of flavonol glycosides from medicinal plants 661(1994)121
- Application of on-line solid-phase extraction followed by liquid chromatography-thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295
- Reversed-phase liquid chromatography-mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87
- On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127
- Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149
- Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography-mass spectrometry with on-line diode array detection 679(1994)285
- Capillary liquid chromatography-mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635
- High-performance liquid chromatography-mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9
- Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141
- Evaluation of liquid chromatography-ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93
- Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103
- Pharmaceutical application of liquid chromatography-mass spectrometry. II. Ion chromatography-ion spray mass spectrometric characterization of alendronate 686(1994)205
- Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography-tandem mass spectrometry 686(1994)213
- Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55
- Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67
- Detection of benzthiazide by high-performance liquid chromatography-thermospray mass spectrometry 689(1995)170
- Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography-atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285
- Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325
- Rapid liquid chromatographic-mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73
- Simultaneous structure-activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162
- Direct determination of E2020 enantiomers in plasma by liquid chromatography-mass spectrometry and column-switching techniques 694(1995)209

Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63

Liquid crystals

Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477

Gas–liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Highly selective liquid crystalline polysiloxane stationary phase for gas chromatographic separation of isomers 677(1994)197

Liquid–liquid electroextraction

Combined liquid–liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Liquid–liquid extraction

Strategy for setting up single-capillary isotachopheresis–zone electrophoresis 653(1993)303

Liquid–liquid extraction of a recombinant protein, cytochrome *b₅*, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117

Liquid–liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Evaluation of chromatographic methods for the determination of nifedipine in human serum 668(1994)469

Determination of organic pollutants in small samples of groundwaters by liquid–liquid extraction and capillary gas chromatography 688(1994)181

Rapid micro liquid–liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Liquid membranes

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Liquid microchromatograph

Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Liquid–solid trapping

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid–solid trapping 657(1993)327

Listeria monocytogenes

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Liver

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Load capacity

Molecular imprinting used for chiral separations (Review) 694(1995)3

Low-angle laser light scattering

Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377

Low-pressure ion chromatography

Low-pressure ion chromatography 671(1994)23

Lubricating oil additives

Extraction–gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257

Lymphoma cells

Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463

M

Macrocycle-based ion exchangers

Anion separations on columns based on transition metal–macrocycle complex exchange sites 671(1994)55

Macroelectrolytes

Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Macropores

Chromatomembrane method for the continuous separation of substances 669(1994)81

Macroporous beads

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-*tert*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Macroporous gels

Macroporous gels: facts and misfacts (Review) 698(1995)3

Macroporous hydrophobic phases

Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Macroreticular copolymer beads

Synthesis of monodisperse macroreticular styrene-divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Magnetically stabilized fluidized beds

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Marine sediments

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid-solid trapping 657(1993)327

Mass-action ion-exchange model

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Mass exchange

Chromatomembrane method for the continuous separation of substances 669(1994)81

Mass loadability

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Mass spectra

Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography-mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293

Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert*-butyldimethylsilyl derivatives 669(1994)125

Identification of thermal oxidation products of cholesteryl acetate 683(1994)75

Mass spectrometry

Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Rapid determination of 20-hydroxycyclosteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

HPLC purification and separation of 5,5'-substituted-2,4-imidazolidinedithiones 664(1994)63

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Chromatographic characterization of HSV-1 gD 268-284 and IL-6 179-185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345

Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing-laser-desorption mass spectrometric analysis 676(1994)121

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography-infrared spectroscopy-mass spectrometry system 678(1994)265

Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67

Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography-mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Pharmaceutical application of liquid chromatography-mass spectrometry. II. Ion chromatography-ion spray mass spectrometric characterization of alendronate 686(1994)205

Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography-tandem mass spectrometry 686(1994)213

Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography-mass spectrometry 687(1994)315

Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Tryptic peptide mapping of sequence 299-585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33

Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography-Fourier transform infrared spectroscopy and gas chromatography-mass spectrometry 693(1995)89

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis-electrospray mass spectrometry interface 700(1995)21

Electrochromatography-electrospray mass spectrometry of textile dyes 700(1995)27

Mass spectrometry, ion-trap
Analysis of pesticide residues in food using gas chromatography-tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Mass transfer
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Mass transport
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Mass transport equations
Numerical algorithms for capillary electrophoresis 661(1994)265

Mathematical models
Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Matrix-assisted laser desorption-ionization mass spectrometry
Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 667(1994)354

Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21

Matrix effects
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159

Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Matrix elimination

Determination of trace anions in isopropanol
671(1994)253

Matrix interference

Elimination of matrix interferences in ion chromatography
by the use of solid-phase extraction disks 671(1994)159

Matrix-isolation Fourier-transform infrared spectrometry

Selective thermolysis of the enol forms of acetoacetates
during gas chromatography, revealed by combined matrix-
isolation Fourier transform infrared and mass spectrometry
685(1994)287

Mayonnaise

Determination of the alkyl esters of *p*-hydroxybenzoic acid
in mayonnaise by high-performance liquid chromatography
and fluorescence labelling 664(1994)213

Mean list length

Potential and pitfalls of chromatographic techniques and
detection modes in substance identification for systematic
toxicological analysis 674(1994)3

Membrane adsorber

Frontal analysis of protein adsorption on a membrane
adsorber 679(1994)1

Membrane affinity chromatography

Membrane affinity chromatography of alkaline phosphatase
685(1994)344

Membrane chromatography

Purification of human tumour necrosis factor by membrane
chromatography 661(1994)161

Membrane extraction

Continuous monitoring of volatile organic compounds in
water using on-line membrane extraction and microtrap gas
chromatography system 688(1994)171

Membrane extraction disks

On-line sample treatment for or via column liquid
chromatography (Review) 665(1994)217

Determination of various pesticides using membrane
extraction discs and gas chromatography-mass spectrometry
670(1994)135

Extraction, purification by solid-phase extraction and high-
performance liquid chromatographic analysis of taxanes
from ornamental *Taxus* needles 679(1994)269

Membrane permeation

Modeling oil-water partitioning and membrane permeation
using reversed-phase chromatography (Review)
656(1993)469

Membranes

Separation of closely related intrinsic membrane
polypeptides of the photosystem II light-harvesting complex
(LHC II) by reversed-phase high-performance liquid
chromatography on a poly(styrene-divinylbenzene) column
664(1994)33

Chromatomembrane method for the continuous separation
of substances 669(1994)81

Preparative separation of ganglioside GM₃ by high-
performance liquid chromatography 678(1994)183

High-throughput processing of proteins using a porous and
tentacle anion-exchange membrane 689(1995)211

Basic proteins and basic membranes. Adjusting blotting
and staining conditions to Immobilon CD 698(1995)351

Membranes, immobiline

Protein microheterogeneity and crystal habits: the case of
epidermal growth factor receptor isoforms as isolated in a
multicompartment electrolyzer with isoelectric membranes
679(1994)181

Membranes, ion-exchange

Characterization and application of strong ion-exchange
membrane adsorbers as stationary phases in high-
performance liquid chromatography of proteins
654(1993)29

Membranes, particle-loaded

Use of particle-loaded membranes to extract steroids for
high-performance liquid chromatographic analyses.
Improved analyte stability and detection 691(1995)239

Retention characteristics of octadecylsiloxane-bonded silica
and porous polymer particle-loaded membranes for solid-
phase extraction 697(1995)89

Membranes, semipermeable

Electrophoretic recovery of proteins from polyacrylamide
gel (Review) 698(1995)145

Membranes, supported liquid

Ion chromatographic determination of carboxylic acids in
air with on-line liquid membrane pretreatment
655(1993)207

Automated system for the trace analysis of organic
compounds with supported liquid membranes for sample
enrichment 665(1994)259

Mentha species

Chiral compounds of essential oils. XV.
Stereodifferentiation of characteristic compounds of *Mentha*
species by multi-dimensional gas chromatography
666(1994)161

Metal affinity displacement chromatography

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Metal chelate affinity adsorbents

Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249

Metal speciation

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Metaphosphate packings

Metaphosphates as packing materials for biochromatography 679(1994)247

Method development

Method development by an expert system. Advantages and limitations 660(1994)33

Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1

The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Methylation efficiency

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Micellar electrokinetic chromatography

see also Capillary electrophoresis

Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253

Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407

Effect of buffer solution pH on the elution and separation of β -blockers by micellar electrokinetic capillary chromatography 652(1993)451

Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477

Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503

Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Determination of aromatic choline esters by micellar electrokinetic capillary chromatography 653(1993)99

Separation of aniline derivatives by micellar electrokinetic chromatography 653(1993)109

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309

Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317

Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1

Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography 664(1994)129

Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295

- Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195
- Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259
- Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263
- Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268
- Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209
- Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125
- Capillary electrophoresis of some tetracycline antibiotics 673(1994)267
- Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153
- Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235
- Determination of nine β -blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241
- Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431
- Effect of physico-chemical properties and molecular structure on the micelle-water partition coefficient in micellar electrokinetic chromatography 678(1994)327
- Terminology and nomenclature in capillary electroseparation systems 680(1994)3
- Pressurized gradient electro-high-performance liquid chromatography 680(1994)93
- Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117
- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163
- Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299
- Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561
- Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571
- Capillary liquid chromatography-mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635
- Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131
- Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283
- Separation of chlorophyll- c_1 and - c_2 by micellar electrokinetic capillary chromatography 687(1994)149
- Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329
- Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107
- Separation of estrogens by micellar electrokinetic chromatography 690(1995)149
- Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291
- Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

- Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471
- Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507
- Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97
- Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273
- Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341
- Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571
- Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography 700(1995)95
- Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173
- Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies 700(1995)179
- Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201
- Micellar enhanced fluorescence detection**
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185
- Micellar liquid chromatography**
Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
- Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1
- Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239
- Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321
- Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335
- Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1
- Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233
- Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301
- Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311
- Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425
- Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71
- Micellar systems**
Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329
- Micelle concentration gradient**
Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321
- Micelles**
Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55
- Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45
- Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73
- Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131
- Micelle-water partition coefficient**
Effect of physico-chemical properties and molecular structure on the micelle-water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Microanalysis

Electrophoretically mediated microanalysis of ethanol
657(1993)429

Microbial cell walls

Application to plant proteins of gel electrophoretic
methods (Review) 698(1995)263

Microbial volatiles

Evaluation of adsorbents for sampling and quantitative
analysis of microbial volatiles using thermal desorption–gas
chromatography 699(1995)203

Microcolumn techniques

Microbore reversed-phase high-performance liquid
chromatographic purification of peptides for combined
chemical sequencing–laser-desorption mass spectrometric
analysis 676(1994)121

Direct and indirect approaches to enantiomeric separation
of benzodiazepines using micro column techniques
679(1994)139

Pressurized gradient electro-high-performance liquid
chromatography 680(1994)93

Microcolumn sample injection by spontaneous fluid
displacement 680(1994)99

Microdialysis sampling coupled on-line to fast microbore
liquid chromatography 691(1995)29

Amperostatic–potentiometric detection for micro high-
performance liquid chromatography 691(1995)55

Effect of sodium dodecyl sulfate as stationary phase on
signal intensities of dansylamino acids in microcolumn
liquid chromatography with on-column fluorimetric
detection 696(1995)185

Microdetermination

Simultaneous microdetermination of chlorine, bromine and
phosphorus in organic compounds by ion chromatography
662(1994)185

Microdialysis

Microdialysis sampling coupled on-line to fast microbore
liquid chromatography 691(1995)29

Analysis of glutamate in striatal microdialysates using
capillary electrophoresis and laser-induced fluorescence
detection 700(1995)81

Microelectrodes

Potentiometric detection of anions separated by capillary
electrophoresis using an ion-selective microelectrode
676(1994)437

Simultaneous detection of thiols and disulfides by capillary
electrophoresis–electrochemical detection using a mixed-
valence ruthenium cyanide-modified microelectrode
680(1994)271

Amperostatic–potentiometric detection for micro high-
performance liquid chromatography 691(1995)55

Microemulsions

Optical resolution of drugs by capillary electrophoretic
techniques (Review) 694(1995)245

Micro-Kuderna–Danish concentrator

Analytical characteristics of sample evaporation with the
micro-Kuderna–Danish concentrator 695(1995)41

Micropore diffusion

Perfusion chromatography Effect of micropore diffusion on
column performance in systems utilizing perfusive
adsorbent particles with a bidisperse porous structure
660(1994)85

Micropores

Peak resolution in linear chromatography. Effects of
intraparticle convection 653(1993)189

Micro-preparative thin-layer chromatography

Simple, inexpensive system for using thin-layer
chromatography for micro-preparative purposes
684(1994)370

Microtraps

Analysis of replacement chlorofluorocarbons using carboxen
microtraps for isolation and preconcentration in gas
chromatography–mass spectrometry 657(1993)123

Microwave hydrolysis system

Comparison of the recovery of amino acids in vapour-phase
hydrolysates of proteins performed in a Pico Tag work
station and in a microwave hydrolysis system
672(1994)109

Microwave induced plasma atomic emission detector

Speciation of organomercurials in biological and
environmental samples by gas chromatography with
microwave-induced plasma atomic emission detection
683(1994)245

Determination and speciation of organotin compounds by
gas chromatography–microwave induced plasma atomic
emission spectrometry 683(1994)269

Microwave-induced synthesis

Microwave-induced rapid synthesis of 4-
carbethoxyhexafluorobutyl derivatives of fatty alcohols
—a novel derivative for gas chromatography–chemical
ionization mass spectrometric study 695(1995)136

Microwave irradiation

Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography-mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Migration

Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Migration behaviour

Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

Behaviour of periodate ion in isotachopheresis using cyclodextrins 684(1994)343

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Migration coefficient

Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23

Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

Migration model

Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233

Migration order

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Migration order, reversal

Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Migration time

Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Migration time prediction

Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

Migration velocity

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Milk

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109

Characterization of food proteins by capillary electrophoresis 685(1994)331

Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk 693(1995)339

Milk powder

Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Milk whey

Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45

Mineral oils

Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Mineral sands

Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181

Mineral water

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Miniaturization

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Mixed-mode stationary phases

Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211

Mixed polymer networks

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Mixer

Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Mobile phase composition

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199

Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β -cyclodextrin as a mobile phase additive 653(1993)293

Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Optimization of the anion-exchange separation of metal-oxalate complexes 654(1993)105

High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299

Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309

Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315

Elution behaviour of styrene-acrylonitrile copolymers in high-performance liquid chromatography with mixtures of chloroform and *n*-hexane as mobile phases 655(1993)185

Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57

High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87

Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Method development by an expert system. Advantages and limitations 660(1994)33

Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61

Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

- High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255
- Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341
- Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75
- Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
- Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181
- Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211
- Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381
- Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β -cyclodextrin as mobile phase additive 666(1994)439
- Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19
- Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29
- Effect of mobile phase composition on the separation of thyrotropin-releasing hormone and some metabolites by reversed-phase ion-pair chromatography 667(1994)119
- Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395
- Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
- Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65
- Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246
- Factor analysis in ion chromatography of carboxylate ions 670(1994)51
- Separations of tocopherols and methylated tocopherols on cyclodextrin-bonded silica 670(1994)67
- Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191
- Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51
- Anion separations on columns based on transition metal-macrocycle complex exchange sites 671(1994)55
- Reversed phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73
- Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83
- Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273
- Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67
- High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247
- High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37
- Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113
- Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1
- Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13
- Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191
- Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203
- Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

- Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1
- Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239
- Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41
- Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249
- Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259
- Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105
- Size-exclusion chromatography of nylons in methylene chloride-dichloroacetic acid 679(1994)201
- Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329
- Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233
- Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321
- Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335
- Improved method for the separation of ranitidine and its metabolites based on supercritical fluid chromatography 683(1994)402
- Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65
- Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino-bonded stationary phases 684(1994)77
- High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235
- High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α -ketoamide calpain inhibitors 684(1994)243
- Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271
- High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous-organic solvent mixtures 686(1994)85
- Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219
- Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45
- High-performance liquid chromatographic separation of β -amino alcohols. I. Separation of (*R,S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241
- Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31
- Liquid chromatographic separation of diamino analogues of 2'- or 3'-deoxyadenosine from adenine on a poly(styrene-divinylbenzene) polymer column 689(1995)247
- Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255
- Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41
- High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3
- Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21
- Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151
- Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1 -acid glycoprotein column 694(1995)57

Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165

Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53

Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Chiral separation of MDL 73,005EF enantiomers using an α_1 -acid glycoprotein column 699(1995)389

Mobile phase density

Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249

Mobile phase modifier

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Mobile phase velocity

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μ m particles 690(1995)9

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Mobility, effective

Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Modified γ -cyclodextrin ester stationary phases, GC

Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Modifiers

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424

Molar refractivity

Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395

Molasses

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Molecular asymmetry

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Molecular connectivity indices

Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317

Molecular descriptors

Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505

Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71

Molecular dynamics

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Molecular dynamics simulation

High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents 660(1994)75

Molecular imprinting

Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276

Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Molecular imprinting used for chiral separations (Review) 694(1995)3

Molecular interaction mechanisms

General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Molecular interactions

Property–structure relationship of solute–stationary phase complexes occurring in a molecular mechanism by penetration of elute in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175

Molecular mass

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Rapid capillary gel electrophoresis of proteins 654(1993)190

Normal-phase high-performance liquid chromatographic separation of procyanidins from cacao beans and grape seeds 654(1993)255

Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99

Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 667(1994)354

High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate–poly(ethylene oxide) 676(1994)209

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Molecular mass calibration

Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Molecular mass determination

Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Separation and analysis of proteins by perfusion liquid chromatography and electro-spray ionization mass spectrometry 691(1995)325

Molecular mass distribution

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride-dichloroacetic acid 657(1993)377

Composition distribution separation of methyl methacrylate-methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1

Compositional distribution characterization of poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers 692(1995)221

Molecular mechanics

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527

Molecular modeling

Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15

Molecular patterns

Isotopic ratio of molecular patterns via gas chromatography-mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Molecular radius

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Molecular recognition

Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317

Molecular shape

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Molecular sieves

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Molecular structural coefficients

Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

Molecular structure

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Effect of physico-chemical properties and molecular structure on the micelle-water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Molecular topology

Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Moment analysis

Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Moments

Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Monoclonal antibodies

Determination of antigen-antibody affinity by immunocapillary electrophoresis 680(1994)405

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Monodisperse gel beads

Synthesis of monodisperse macroreticular styrene-divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Monte-Carlo calculations

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Moving feed port

Preparative chromatographic separation with moving feed ports (Review) 658(1994)259

Multi-angle laser light scattering

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Multichannel chromatography

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Multicolumn analysis

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Multicomponent adsorption

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Multicomponent systems

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Multi criteria decision making

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Multidimensional liquid chromatography

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Multidimensional gas chromatography

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography-infrared spectroscopy-mass spectrometry system 678(1994)265

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry 697(1995)453

Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485

Multimodal columns

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Multiparametric migration model

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Multiple linear regression

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Multiple reaction monitoring

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Multiple threshold approach

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Multiplex gas chromatography

Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Multi-point detection

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Multi-residue methods

Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography–UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Multi-residue solid-phase dispersion

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Multivariate classification

Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Multivariate regression analysis

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Multivariate self-modelling curve resolution

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Muscat wine

Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441

Must

Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111

Mutagenesis

Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic–thermospray mass spectrometric characterization of *in vitro* DNA adducts 684(1994)113

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291

Mutations

Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Mutation screening

Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169

Mycobacteria

Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167

N

Nafion tubes

Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Nanoparticles

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Naphtha, pyrolytic

Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Naproxen chiral stationary phase

Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173

Natural products

Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213

Near-infrared laser-induced fluorescence detector

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Nebulization

Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Nebulizing interface

Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Nirvana algorithm

Optimization of industrial-scale high-performance liquid chromatography applications using a newly developed software 658(1994)497

Nitrile-bonded phases

Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77

Noise

Noise, filters and detection limits 687(1994)259

Fundamental noise in three chromatographic detectors 687(1994)283

Non-linear chromatography

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Non-linear electrophoresis

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Non-linear equilibrium chromatography

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Non-linear ion exchange

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Non-linear isotherms

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Non-linear regression

Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113

Non-porous microparticulate packings

High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Normalised spectral overlay method

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61

Nuclear magnetic resonance spectrometry

Chromatographic resolution of racemic α -halocarboxylic acids and O-substituted α -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231

Characterisation of C₁₈-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253

Use of liquid chromatography-nuclear magnetic resonance spectroscopy for the identification of impurities in drug substances 677(1994)385

Chromatographic and ¹H NMR support for a proposed chiral recognition model 683(1994)347

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69

Nuclear power plants

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Numerical algorithms

Numerical algorithms for capillary electrophoresis 661(1994)265

Numerical simulations

Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

O

Occupational hygiene

Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Octadecylsilica

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Octanol-water partition coefficient

Structure-retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_{18} column 687(1994)233

Ocular lenses

Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Off-line extraction methods

On-line versus off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Oils

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Oil shales

Flash pyrolysis-gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119

Oil-water partitioning

Modeling oil-water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Oligo(ethylene glycol) dimethacrylate beads

Preparation and characterization of monodisperse oligo(ethylene glycol) dimethacrylate polymer beads for aqueous high-performance liquid chromatography 699(1995)67

Oligosaccharide linkage positions

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Olive oil

On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455

Olives

High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

On-column bromination

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

On-column derivatization

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

On-column derivatization, GC

Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

On-column detection

Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Extended path length post-column flow cell for UV-visible absorbance detection in capillary electrophoresis 680(1994)109

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

On-column detection, fluorimetric

Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

On-line extraction methods

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

On-line micelle mediated sample preparation

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

On-line reaction detection

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

On-line sample pretreatment

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Open tubular columns

Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Open-tubular liquid chromatography

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Ophthalmic solutions

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397

Optical purity

Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Optimization

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61

Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255

Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. I. Optimization of chromatographic parameters 685(1994)79

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α -acid glycoprotein column 694(1995)57

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Organic microanalysis

Progress and problems in organic microanalysis by ion chromatography 671(1994)295

Organic modifiers

Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO_2 677(1994)365

Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259

Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335

Organic solvents

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Organophosphate antidote

Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350

Orthogonal array designs

Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255

Ostwald solubility coefficient

Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Overlapping peaks

Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Overlapping resolution mapping

Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Overloaded columns

Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Ovine lentiviruses

Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199

Ovomucoid protein-based column

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211

Ovomucoid pseudostationary phase

Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

Oxidation states

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Oxidative damage

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Oxidative stress

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

P**Packed bed adsorber**

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Packed beds

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Packed capillary columns

Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Packed columns, SFC

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Packing methods

Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Packing pressure

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Packing solvent

Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Paintings

Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177

Pair-wise interactions

Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

Panax ginseng

Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243

Paper electrophoresis

Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)-hydrazine-nitrilotriacetate mixed-ligand complexes 667(1994)371

Parallel-current open-tubular liquid chromatography

Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Pareto-optimality plot

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Partial least squares analysis

Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505

Partial molar volume

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Partial separation zone technique

Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277

Particle beam mass spectrometry

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO₂ 677(1994)365

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography-mass spectrometry with on-line diode array detection 679(1994)285

Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography-diode array detection-particle beam mass spectrometry 696(1995)63

Particle-induced X-ray emission

Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

Particle shape

Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Particle size

Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane-acetonitrile 664(1994)221

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Particle size distribution

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Partition behaviour

Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Partition chromatography

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Partition coefficients

Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9*H*-xanthene and 9*H*-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol-water partition coefficients 654(1993)43

- Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469
- Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485
- Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43
- Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77
- Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49
- Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99
- Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37
- Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)–salt aqueous two-phase systems 668(1994)3
- Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13
- Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21
- Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47
- Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25
- Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327
- Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203
- Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_{18} column 687(1994)233
- Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301
- Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429
- Chromatographic separation of continuous mixtures in distributed pores 697(1995)533
- Partitioning**
- Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37
- Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469
- Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485
- Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3
- Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)–salt aqueous two-phase systems 668(1994)3
- Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31
- Improvement in the polyethylene glycol–Cibacron Blue purification method 668(1994)61
- Partitioning of chemically modified low-density lipoprotein in aqueous polymer two-phase systems 668(1994)107
- Polyethylene glycol–potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121
- Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129
- Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol–aqueous salt solution two-phase systems 668(1994)139
- Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145

Lactose hydrolysis in an aqueous two-phase system by whole-cell β -galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Utilization of temperature-induced phase separation for the purification of ecdysone and 20-hydroxyecdysone from spinach 668(1994)229

Liquid-liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Immobilized metal-ion affinity partitioning of NAD⁺-dependent dehydrogenases in poly(ethylene glycol)-dextran two-phase systems 678(1994)25

Partition kinetics

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Partition number

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Passion fruit

Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441

Passive sampling

Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography-flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368

Patching

Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

Patchouli oil

Evaluation of a "Chirasit-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Peak area

Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Peak asymmetry

Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Peak broadening

Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Peak capacity

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Peak dispersion

Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Peak distortion

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Peak evolution

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Peak height

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Peak identification methods

Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143

Peak origin

Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

- Peak overlap**
 Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135
- Evaluation of separation quality with a novel threshold criterion 665(1994)3
- Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9
- Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239
- Peak purity**
 Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113
- Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3
- Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47
- Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81
- Peak resolution**
 Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
- Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599
- Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
- Peak shape**
 see also Band profiles
- Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321
- Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399
- Numerical algorithms for capillary electrophoresis 661(1994)265
- Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
- Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161
- Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11
- Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113
- Peak shape equations**
 Second-order kinetics in the liquid chromatographic reactor 683(1994)279
- Peak splitting**
 Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263
- Peak suppression**
 Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135
- Peak symmetry**
 Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11
- Peak tracking**
 High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61
- Peclet number**
 Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
- Penicillium vermiculatum***
 Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185
- Pentafluorophenyl bonded phase**
 Reversed-phase high-performance liquid chromatographic method using a pentafluorophenyl bonded phase for analysis of tocopherols 677(1994)75
- Peptide amphipathicity**
 Recognition of α -helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity 689(1995)219

Peptide conformation

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Peptide mapping

Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304

Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219

Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113

Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173

Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71

Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Tryptic peptide mapping of sequence 299–585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33

Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11

Peptide sequencing

Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing–laser-desorption mass spectrometric analysis 676(1994)121

Perfusable adsorbents

Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Perfusion chromatography

Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325

Perfusive particles

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Periodate oxidation

Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316

Permeability

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Petasites

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Petroleum

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediamine 689(1995)39

Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Pharmaceutical preparations

Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69

Pharmacogenetic variation

Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Phase inversion

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13

Phase partitioning

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Phase ratio

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Phase separation

Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Phase stability

²⁹Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Phase systems

Protein refolding using aqueous two-phase systems 668(1994)95

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13

Phase-system switching

Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

Phase transitions

Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

pH effects

Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233

Effect of buffer solution pH on the elution and separation of β -blockers by micellar electrokinetic capillary chromatography 652(1993)451

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Phenol oxidase-based biosensors

Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Phenylsilica

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

pH gradients

Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339

pH optimization

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Phosphorimetry

Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201

Photoaffinity crosslinking

High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

Photodegradation

Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins 688(1994)221

Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397

Photodimerization

Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

Photodiode array detector

Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

Photoirradiation

Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255

Photon correlation spectroscopy

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Photoproducts

Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

Photosynthetic membranes

Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene-divinylbenzene) column 664(1994)33

Photosystems

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

pH profiles

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Physicochemical models

Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Physicochemical parameters

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

pH-Zone-refining counter-current chromatography

Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77

Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233

Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Pickler oils

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Pico Tag work station

Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109

 π - π Interactions

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π - π interaction site on the chiral stationary phase 684(1994)13

Planar electrophoresis

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

- Plant extracts**
Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131
- Plant hormones**
Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography-mass spectrometry (Review) 658(1994)3
Selectivity in the high-performance liquid chromatography of ecysteroids 658(1994)55
Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83
- Plant membranes**
Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75
- Plant variety identification**
Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281
- Plasma dopants**
N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109
- Plastics**
Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133
- Plate height**
Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1
Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45
- Plate height, reduced**
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381
- Plate height theory**
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283
- Poiseuille's law**
Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95
- Polarimetric detector**
Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4H)-oxazolones 696(1995)149
- Polar indices**
Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437
- Polar interactions**
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135
Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89
Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113
- Polarity**
Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173
Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203
Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193
- Polarity interactions**
Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261
- Polarity parameters**
Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315
- Polarization**
Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45
- Polarized photometric detector**
Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85
- Polar porous polymers**
Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79

Poly(styrene-co-divinylbenzene) rod

Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene-co-divinylbenzene) 669(1994)230

Polyacrylamide solutions

Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Polyacrylate films

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Polybutadiene maleic acid-coated stationary phase

Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43

Polyclonal antibodies

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Polydispersity

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Polyethylene beads

Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Polyethyleneimine coated zirconia

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Polymerase chain reaction

Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89

Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517

Polymer characterization

Sequence distribution of styrene-butadiene copolymers by ozonolysis, high-performance liquid chromatographic and gas chromatographic-mass spectrometric techniques 665(1994)117

Polymer coatings

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131

Polymer distribution

Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207

Polymer-filled capillaries

Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67

Polymer gels

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Polymeric packings

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Polymeric separation media

Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Polymer immobilized silica gels

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Polymer matrices, two-component

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Polymer networks

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83

Macroporous gels: facts and misfacts (Review) 698(1995)3

Polymer size

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Polymer solution capillary electrophoresis

Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47

Polymer type

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Polysaccharide carbamates

Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Polysaccharide chiral stationary phases

Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91

Polysiloxane phases

Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Polysiloxanes

Large-rim-tethered permethyl-substituted β -cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Stability of high-performance liquid chromatography columns packed with C_1 and C_8 polysiloxanes sorbed into porous silica particles 697(1995)159

Polyurethane foam columns

Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185

Polyvalent eluents

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Polyvinylidenedifluoride membranes

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Polyvinylpyrrolidone-coated silica

Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163

Pore diameter

Macroporous gels: facts and misfacts (Review) 698(1995)3

Pore diffusion

Equilibrium and kinetic parameters of the adsorption of α -chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21

Pore size

Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane-acetonitrile 664(1994)221

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Macroporous gels: facts and misfacts (Review) 698(1995)3

Synthesis of monodisperse macroporous styrene-divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Pore size distribution

Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p-tert.*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163

Structural inhomogeneities in wide-pore silica gels 665(1994)33

Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Pork

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^+ -acetyl metabolites in foods of animal origin 677(1994)81

Porosity

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Porosity, intraparticle

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Porous and tentacle membrane

High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211

Porous beads

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Porous carbon sorbent

Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27

Porous glass

Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197

Porous graphitic carbon

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Porous graphitic carbon for the chromatographic separation of O-tetraacetyl- β -D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Portable gas chromatograph

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Portable liquid chromatograph

Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223

Positional global resolution

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Positional isomers

Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Capillary gas chromatography method for the analysis of the *trans* isomers of ceralure, a medfly attractant 673(1994)295

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Post-column enzyme assay

Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Post-column flow cell

Extended path length post-column flow cell for UV-visible absorbance detection in capillary electrophoresis 680(1994)109

Post-column reaction detection

Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Determination of a novel hematoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialdehyde-thiol post-column reaction with fluorescence detection 676(1994)161

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Post-column reactors

Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79

High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407

Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Improved method for the determination of glyphosate in water 697(1995)363

Postmortem blood

Use of high-performance liquid chromatography-diode array detection in forensic toxicology 692(1995)103

Post-sampling transformation reactions

Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133

Potato tubers

Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Potency assays

High-performance liquid chromatographic method for potency determination of cephalixin in commercial preparations and for stability studies 692(1995)67

Potentiometric detector

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Poultry feed

Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Precipitation monitoring system

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Precision

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Precolumn concentration

Automated precolumn concentration and high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in water using a single pump and a single valve 692(1995)11

Pre-column derivatization

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284

Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105

Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11

Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Precolumns

On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Preconcentration

Preconcentration of samples by steam distillation-solvent extraction at low temperature 655(1993)141

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301

Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography-mass spectrometry 657(1993)123

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection 665(1994)333

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Preconcentration and determination of 2,4,5-trichlorophenol in air using a wet effluent denuder and high-performance liquid chromatography 668(1994)371

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Chromatomembrane method for the continuous separation of substances 669(1994)81

Determination of various pesticides using membrane extraction discs and gas chromatography-mass spectrometry 670(1994)135

Pre-concentration techniques for bromate analysis in ozonated waters 671(1994)141

On-line preconcentration and ion chromatography of triazine compounds 671(1994)151

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous-organic solvent mixtures 686(1994)85

Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Preparative chromatography

Chromatographic resolution of racemic α -halocarboxylic acids and O-substituted α -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

- Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345
- Chromatography of gibberellins (Review) 658(1994)91
- Modeling of preparative liquid chromatography (Review) 658(1994)149
- A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173
- Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179
- Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1994)195
- Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
- Preparative affinity chromatography of proteins (Review) 658(1994)237
- Preparative chromatographic separation with moving feed ports (Review) 658(1994)259
- Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271
- Advances in supercritical fluid chromatographic processes (Review) 658(1994)293
- Counter-current chromatography as a preparative tool—applications and perspectives (Review) 658(1994)315
- Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371
- Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399
- Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407
- Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419
- Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429
- Enantiomer fractionation by preparative gas chromatography 658(1994)437
- Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445
- Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent-detergent method 658(1994)475
- Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483
- Preparative liquid chromatographic isolation of unknown impurities in Arbidol and SI-5 658(1994)489
- Optimization of industrial-scale high-performance liquid chromatography applications using a newly developed software 658(1994)497
- Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505
- Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13
- Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1
- Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
- Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627
- Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229
- Preparative isolation of recombinant human insulin-like growth factor I by reversed-phase high-performance liquid chromatography 675(1994)101
- Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133
- Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77
- Preparative separation of ganglioside GM₁ by high-performance liquid chromatography 678(1994)183
- Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233
- Purification of recombinant human granulocyte-macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67
- Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293

- Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311
- New hybrid displacement technique for preparative liquid chromatography 684(1994)1
- Recycling in preparative liquid chromatography 687(1994)13
- Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
- Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
- High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μ m particles 690(1995)9
- Displacement chromatography in biotechnological downstream processing 691(1995)101
- High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213
- Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233
- Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1
- Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163
- Preparative high-performance liquid chromatographic separation of fluorodeoxy sugars 695(1995)128
- Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195
- Preparative-scale supercritical fluid chromatography 697(1995)579
- Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99
- Preparative electrophoresis**
Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201
- Preparative chromatography**
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25
- Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283
- Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79
- Preparative isotachopheresis**
Preparative procedures in isotachopheresis (Review) 658(1994)343
- Preparative separations**
Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45
- Pressure drop**
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1
- Pressure injection**
Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511
- Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375
- Pressure programming**
Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45
- Pressurized gradient electrochromatography**
Pressurized gradient electro-high-performance liquid chromatography 680(1994)93
- Principal component analysis**
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113
- Influence of temperature on the mechanism by which compounds are retained in gas-liquid chromatography 664(1994)229
- Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485
- Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31
- Factor analysis in ion chromatography of carboxylate ions 670(1994)51
- Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1

- Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360
- Retention of 4-cyanophenyl herbicides on water-insoluble β -cyclodextrin support 685(1994)295
- Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71
- Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
- Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41
- Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67
- Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205
- Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147
- Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
- Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59
- Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
- Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429
- Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11
- Process analysis**
Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43
- Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356
- Process liquor**
Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339
- Process monitoring**
Process monitoring of the production of γ -interferon in recombinant Chinese hamster ovary cells 659(1994)317
- Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11
- Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279
- Displacement chromatography in biotechnological downstream processing 691(1995)101
- Process-scale chromatography**
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233
- Production rate**
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79
- Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311
- Recycling in preparative liquid chromatography 687(1994)13
- Programmed-temperature gas chromatography**
Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331
- Programmed-temperature retention value databases**
Programmed-temperature gas chromatographic retention index (Review) 657(1993)1
- Programmed-temperature vaporizer**
Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472
- Proteinaceous binding media**
Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177

Protein adsorption

Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

Immobilized metal affinity membrane adsorbers as stationary phases for metal interaction protein separation 664(1994)13

Protein binding

High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337

Protein-capillary wall interactions

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Protein conformation

Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

Protein folding

Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179

Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Protein-immobilized chiral stationary phases

Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

Protein-ligand binding

Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Protein-metal interactions

Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Protein mutations

Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Protein phosphorylation

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Protein refolding

Protein refolding using aqueous two-phase systems 668(1994)95

Protein sequencing

On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227

Protein stability

Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

Protein synthesis

Protein separation techniques in the study of tissue regeneration 698(1995)361

Proteolytic degradation

Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55

Pseudomonas aeruginosa

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

Pseudostationary phase

Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331

Pulp

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Pulp mill effluent

Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47

Pulsed amperometric detector

Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Pulsed discharge helium ionization detector

Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

Pulsed electrochemical detector

Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Pulsed field gradient NMR

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Pulsed lasers

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Purge-and-trap methods

Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

Purge gases

Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Pyrococcus furiosus

Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341

Pyrolysis

Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Determination of sodium polyacrylate by pyrolysis-gas chromatography 677(1994)355

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195

Pyrolysis-capillary gas chromatography

Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Pyrolysis-gas chromatography-mass spectrometry

Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry 657(1993)395

Pyrolysis-gas chromatography-mass spectrometry of poly(dialkylsilylenes) 683(1994)115

Thermal decomposition characterization of explosives by pyrolysis-gas chromatography-mass spectrometry 688(1994)231

Pyrolysis oil

Simultaneous gas chromatographic-Fourier transform infrared spectroscopic-mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Q**Quadratic isotherm**

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Quantitative analysis

Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21

Quantitative structure-bioactivity relationships

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Quantitative structure-migration relationships

Effect of physico-chemical properties and molecular structure on the micelle-water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Quantitative structure-retention relationships

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Quantitative structure-retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Quantum chemical calculations, semi-empirical

Gas chromatographic-mass spectrometric determination of α -phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353

Quantum mechanics

Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15

Quartz capillaries

Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Quaternary solvent system

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Quenching effects

Quenching-free reactive-flow photometry 694(1995)433

R

Racemization

Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Radial compression columns

Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407

Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293

High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269

Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1- β -D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59

Radial distribution

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Radioactivity counting

Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Radioactivity monitor

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Radioimmunoassay

Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E₁ and E₂ in rat embryo incubates 655(1993)85

Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173

Radiolabeling

Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Radioligands

High-performance liquid chromatographic determination of (4-[¹¹C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methylencaminobutyric acid and its benzophenone metabolite 692(1995)97

Radioluminography

Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35

Radiopharmaceutical preparations

High-performance liquid chromatographic determination of (4-[¹¹C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methylencaminobutyric acid and its benzophenone metabolite 692(1995)97

Radius of gyration

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Rain water

Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193

Simultaneous determination of organic and inorganic anions in the sub- μ mol/l range in rain water by capillary zone electrophoresis 689(1995)305

Raspberry cultivars

Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360

Rate constants

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Rate-equation model

Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

Rate equations

Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Rate kinetics

Equilibrium and kinetic parameters of the adsorption of α -chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21

Reaction cell

Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Reaction kinetics

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Reaction mixtures

Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

Reaction products

Monitoring the products of acetylation, sulphonation and condensation of 2,4-diaminobenzenesulphonic acid by high-performance liquid chromatography 662(1994)71

Reactive-flow luminescence detector

Reactive-flow luminescence detector for gas chromatography 684(1994)259

Quenching-free reactive-flow photometry 694(1995)433

Reactive-flow luminescence with flame ionization detection 699(1995)183

Reactive solvent modifier

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Real-time drug monitoring

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Receptor antagonists

Determination of distribution coefficients for some 5-HT₃ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Receptor-ligand interactions

Potential of receptor-ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

Determination of antigen-antibody affinity by immunocapillary electrophoresis 680(1994)405

Receptors

Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

High-performance liquid chromatographic determination of (4-[¹¹C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97

Recovery

High-performance protein separations with novel strong ion exchangers 679(1994)11

Recycling in preparative liquid chromatography 687(1994)13

Recycling

Recycling in preparative liquid chromatography 687(1994)13

Reduction gas detector

Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115

Refractive index

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Refractive index detector

Structure elucidation of glykenin glycosidic antibiotics from *Basidiomyces* sp. V. High-performance liquid chromatographic separation of components of glykenin 664(1994)195

Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Refractive index gradients

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Regioselectivity

3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Regression models

Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15

Relative retention

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245

Relaxation

Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Relaxation times

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Relay gradient elution

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 656(1995)193

Reordering/resolution

Reordering/resolution studies of alkylamide phases 659(1994)261

Resin-loaded membranes

Methods and materials for solid-phase extraction 691(1995)133

Resins

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Resin sulfonation

Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123

Resolution

Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309

Evaluation of separation quality with a novel threshold criterion 665(1994)3

High-performance protein separations with novel strong ion exchangers 679(1994)11

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Resolution criteria

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Resolution mechanisms

Resolution of non-racemic mixtures in achiral chromatographic systems: a model for the enantioselective effects observed 666(1994)519

Response ratios

Dual-channel response ratios from an integrative algorithm 687(1994)291

Response surface design

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Restricted access packings

Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Restriction fragment mapping

Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Restrictor plugging

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Restrictors

Supercritical fluid extraction using a new restrictor design 679(1994)147

Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131

Retainers

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Retention

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Retention-activity relationships

Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495

Retention behaviour

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309

Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β -cyclodextrin bonded-phase column 660(1994)339

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117

Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(*N*-morpholino)ethanesulphonate as a counterion and *N*-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Adsorption effects on retention behaviour of hydrocarbons in gas-liquid and gas-solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311

Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485

Retention data

Quantitative structure-retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Retention enhancement

Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227

Retention factors

see also Capacity factors

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217

The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227

Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273

Retention gap

On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Retention indices

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Chromatography of gibberellins (Review) 658(1994)91

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Limitations of additivity of Kováts retention indices 668(1994)435

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181

Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97

Retrieval of structure information from retention index (Review) 678(1994)189

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69

Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181

Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

- Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161
- Retention maps**
Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227
- Retention mechanisms**
Control of retention by molecular interactions in reversed-phase chromatography (Review)
- Model for the mixed ion-exclusion-adsorption retention mechanism in ion-exclusion chromatography 654(1995)197
- General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81
- Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265
- Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317
- The influence of silica structure on reversed-phase retention (Review) 656(1993)353
- Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521
- Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591
- Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13
- Influence of temperature on the mechanism by which compounds are retained in gas-liquid chromatography 664(1994)229
- Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313
- Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248
- Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203
- Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355
- Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino-bonded stationary phases 684(1994)77
- Adsorption effects on retention behaviour of hydrocarbons in gas-liquid and gas-solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101
- Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1
- Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255
- Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187
- HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289
- Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1 -acid glycoprotein column 694(1995)57
- Complex-forming equilibria in ion chromatography (Review) 699(1995)1
- Retention models**
Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17
- Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3
- Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37
- Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113
- Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197
- Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Ionic strength dependence of protein retention on Superose 12 in SEC-IEC mixed mode chromatography 693(1995)251

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Retention parameters

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Retention phase velocity

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Retention prediction

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3

Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Retention prediction for β -adrenergic blocking drugs in normal-phase liquid chromatography 673(1994)1

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331

Velocity profiles in thermal field-flow fractionation 678(1994)85

Retrieval of structure information from retention index (Review) 678(1994)189

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165

Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71

Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161

Retention processes

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Retention times

Correlative retention time peak identification method for glycosylated haemoglobin in high-performance liquid chromatography 661(1994)143

- Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269
- Factor analysis in ion chromatography of carboxylate ions 670(1994)51
- Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161
- Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67
- Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263
- Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331
- Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173
- Retention volumes**
Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3
- Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3
- Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85
- Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125
- Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177
- New equation for specific retention volumes in capillary column gas chromatography 697(1995)441
- Retentive layer, flowing**
Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187
- Reverse-displacement mode**
Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259
- Reversed-phase liquid chromatography**
Control of retention by molecular interactions in reversed-phase chromatography (Review)
- UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69
- General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81
- Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113
- Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217
- Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231
- Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265
- Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289
- Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317
- Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335
- Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369
- Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381
- Quantitative structure-retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417
- Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437
- Modeling oil-water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469
- Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

- Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501
- Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521
- Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577
- Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591
- Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3
- Reviews**
- Control of retention by molecular interactions in reversed-phase chromatography (Review)
- Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17
- Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3
- Distribution isotherms in reversed-phase systems (Review) 656(1993)19
- Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37
- General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81
- Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197
- Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217
- Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231
- Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265
- Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289
- Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317
- Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335
- The influence of silica structure on reversed-phase retention (Review) 656(1993)353
- Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369
- Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381
- Quantitative structure-retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417
- Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437
- Modeling oil-water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469
- Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485
- Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501
- Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521
- Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537
- Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549
- Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

- Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591
- Chemistry of zirconia and its use in chromatography (Review) 657(1993)229
- Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography-mass spectrometry (Review) 658(1994)3
- Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17
- Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31
- Chromatography of gibberellins (Review) 658(1994)91
- Separation of a new type of plant growth regulator, jasmonates, by chromatographic procedures (Review) 658(1994)129
- Modeling of preparative liquid chromatography (Review) 658(1994)149
- A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173
- Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179
- Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1994)195
- Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
- Preparative affinity chromatography of proteins (Review) 658(1994)237
- Preparative chromatographic separation with moving feed ports (Review) 658(1994)259
- Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271
- Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283
- Advances in supercritical fluid chromatographic processes (Review) 658(1994)293
- Counter-current chromatography as a preparative tool—applications and perspectives (Review) 658(1994)315
- Preparative procedures in isotachopheresis (Review) 658(1994)343
- Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
- Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
- Advances in the high-performance liquid chromatographic determination of phenylthiocarbamyl amino acids (Review) 661(1994)43
- Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203
- Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3
- Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55
- Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111
- Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
- Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221
- Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295
- Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381
- Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403
- Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493
- Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
- Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75
- Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149
- Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1
- Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

- Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25
- On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127
- In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165
- High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281
- Retrieval of structure information from retention index (Review) 678(1994)189
- Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275
- Molecular imprinting used for chiral separations (Review) 694(1995)3
- Theoretical studies of type II-V chiral stationary phases (Review) 694(1995)15
- Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39
- Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91
- Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
- Diastereomeric β -lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19
- Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
- Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55
- Advances in affinity electrophoresis (Review) 698(1995)89
- Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107
- Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123
- Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145
- Clinical applications of two-dimensional electrophoresis (Review) 698(1995)163
- Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181
- Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203
- Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225
- Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251
- Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263
- Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281
- Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301
- Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333
- Complex-forming equilibria in ion chromatography (Review) 699(1995)1
- River sediment**
Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133
- River water**
Determination of various pesticides using membrane extraction discs and gas chromatography-mass spectrometry 670(1994)135
- Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109
- Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77
- Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109
- Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Determination of methylmercury in fish and river water samples using *in situ* sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113

Rolling mill oils

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

h-Root method

Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396

Rosmarinus officinalis

High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

Rotating disk electrodes

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Rotational isomeric state

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Rubber latex

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Ruggedness criteria

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

R_f values

Bidirectional isotachopheresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

R_M values

Thin-layer chromatography of *N,N*-disubstituted dithiocarbamates of nickel(II) and cobalt(II) 655(1993)45

S

Saccharomyces cerevisiae

Lipid analysis of baker's yeast 665(1994)191

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Saffron

Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Salt gradients

High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51

Salting effects

Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299

Salvia officinalis

High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

Sample collection/introduction system

Fully automated gas chromatograph–flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389

Sample concentration methods

Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41

Sample condensation

Identification of unlawful food dyes by thin-layer chromatography–fast atom bombardment mass spectrometry 674(1994)301

Sample matrix effects

Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465

Sample matrix effects in capillary electrophoresis. II. Acetonitrile deproteinization 652(1993)471

Sample preparation

Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Determination of pesticides in environmental waters by automated on-line trace-enrichment and liquid chromatography 665(1994)269

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Determination of fluoride in feed mixtures by capillary isotachopheresis 670(1994)223

Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299

Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75

Gas chromatographic-mass spectrometric, high-performance liquid chromatographic-UV and gas chromatographic-Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211

Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

Sample solubility

Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Sample stacking

Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Simultaneous determination of organic and inorganic anions in the sub- $\mu\text{mol/l}$ range in rain water by capillary zone electrophoresis 689(1995)305

Sample volume

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Sample-wall interactions

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Sample zone composition

Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285

Sample zones

Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Sampling-injection system

Automated in situ gas chromatographic-mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123

Sampling methods

Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography-mass spectrometry with selected ion monitoring 653(1993)363

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Coupled affinity-reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Dual vapor and liquid injector for gas chromatography 696(1995)235

Scrapie

Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447

Screening methods

Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195

Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69

Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography-UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101

Seafood

Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173

Seawater

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Seaweed

Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176

Secondary chemical equilibria

Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B₄ and prostaglandin B₂ 691(1995)225

Second cross virial coefficients

Determination of second cross virial coefficients from gas-liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Second order reactions

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Sediments

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Determination and speciation of organotin compounds by gas chromatography-microwave induced plasma atomic emission spectrometry 683(1994)269

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303

Selectivity effects in semi-polar columns. II 688(1994)363

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109

Seeds

Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert*.-butyldimethylsilyl derivatives 669(1994)125

Selected ion monitoring

Isotopic ratio of molecular patterns via gas chromatography-mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Selective detection

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Selectivity

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

- Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437
- Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55
- Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17
- Factor analysis in ion chromatography of carboxylate ions 670(1994)51
- Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191
- Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341
- Selectivity effects in semi-polar columns. II 688(1994)363
- Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91
- Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205
- Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
- Selectivity optimization**
Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337
- Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3
- Selectivity reversal**
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311
- Selectivity surfaces**
Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
- Self-consistent field lattice theory**
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Semiconductor particles, colloidal**
Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89
- Semiconductors processing**
Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185
- Senecio**
Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427
- Sensitivity**
Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1
- Sensitivity enhancement**
Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209
- Sensors, substrate-selective**
Molecular imprinting used for chiral separations (Review) 694(1995)3
- Separation compartment, hydrodynamically closed**
Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179
- Separation efficiency**
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323
- Separation factor**
Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191
- Separation quality**
Evaluation of separation quality with a novel threshold criterion 665(1994)3
- Separation selectivity model**
Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233
- Sephacryl**
Determination of Stokes radii and molecular masses of sodium hyaluronates by Sephacryl gel chromatography 685(1994)172
- Sequencing**
On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227

Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Sequential chromatogram ratio

Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Sewage sludge

Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289

Shale oil

Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325

Shape selectivity

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α -cyclodextrin bonded stationary phase 666(1994)445

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Sheath-flow detection

Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491

Sheath-flow interface

Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Shell fish

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Shock layer thickness

Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15

Shoe polish

On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Shrimp

Determination of saccharin in shrimp by ion chromatography and capillary gas chromatography-mass spectrometry 671(1994)323

Siberian fir oil

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Sieving additives

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Sieving matrices

Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Sieving polymer network

High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate-poly(ethylene oxide) 676(1994)209

Sigmoid transformation

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Signal-to-noise ratio

Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Silane chains

Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

Silanol groups

The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Silanophilic index

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Silanophilic interactions

Determination of the hydrophobicity parameter R_{Mw} by reversed-phase thin-layer chromatography 673(1994)113

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Silica

Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1

Chromatographic stability of glucose-silica 653(1993)130

The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Structural inhomogeneities in wide-pore silica gels 665(1994)33

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous-organic solvent mixtures 686(1994)85

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

²⁹Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Silica, bare

Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Silica, bonded

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride-silica intermediate 688(1994)31

Silica, calcium modified

Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153

Silica, C₁₈-bonded

Characterisation of C₁₈-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253

Silica columns, bonded

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Silica-containing mixed oxides

Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Silica dissolution

High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3

Silica, bonded

Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Silica, borate-gelled guaran impregnated

Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360

Silica, N-benzoylthiourea modified

Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93

Silicone gum

Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93

Silicone oils

Supercritical fluid chromatography-mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105

Silicone rubbers

Supercritical fluid chromatography-mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105

Silicon wafers

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Siloxane bonds

29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Silver ion liquid chromatography

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Silver ion high-performance liquid chromatography of esters of isomeric octadecenoic fatty acids with short-chain monounsaturated alcohols 693(1995)235

Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

Silver loaded columns

Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

SIMCA

Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Simian immunodeficiency virus

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Simplex optimization

Preconcentration of samples by steam distillation-solvent extraction at low temperature 655(1993)141

Simulated electrophoresis

Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285

Simulated moving-bed chromatography

Comparing steady counterflow separation with differential chromatography 654(1993)1

Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1

Simulation

Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Size-exclusion chromatography

Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Comparative study of various size-exclusion chromatographic columns for the clean-up of selected pesticides in soil samples 673(1994)55

Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Skin permeability

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Slab gel systems

Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219

Slope, plot of k' vs. mobile phase composition

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of $\ln k'$ vs. mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Smoke dyes

Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Snow

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Soft drinks

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Software

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61

Soil

Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303

Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Soil pollution

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

 α -Solanine

Determination of glycoalkaloids in potato tubers by reversed-phase high-performance liquid chromatography 661(1994)169

Solid-phase extraction

Supercritical fluid extraction of tributyltin and its degradation products from seawater via liquid-solid phase extraction 655(1993)51

Determination of organophosphorous and nitrogen-containing pesticides in water samples by solid phase extraction with gas chromatography and nitrogen-phosphorus detection 655(1993)127

- On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163
- Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325
- Solid-phase extraction of soluble proteins in grape musts 655(1993)336
- Purification of fresh cassava root polyphenols by solid-phase extraction with Amberlite XAD-8 resin 657(1993)445
- Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77
- Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent-detergent method 658(1994)475
- Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337
- Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction 660(1994)219
- Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319
- On-line solid-phase extraction with automated cartridge exchange for liquid chromatographic determination of lipophilic antioxidants in plasma 661(1994)153
- Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β -receptor blocking agents 665(1994)87
- Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101
- On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243
- Characterisation of C_{18} -bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253
- Application of on-line solid-phase extraction followed by liquid chromatography-thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295
- Stereoselective high-performance liquid chromatographic assay of (\pm)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275
- Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155
- Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241
- Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403
- Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427
- Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59
- Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75
- Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
- Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87
- Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319
- Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP- C_{18} material 677(1994)63
- Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255
- Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289
- Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133
- Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

- Capillary liquid chromatography–mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635
- Identification of thermal oxidation products of cholesteryl acetate 683(1994)75
- Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221
- Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53
- Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263
- Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75
- Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243
- Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383
- Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207
- Use of Sep-Pak C₁₈ cartridges to clean up free amino acids from coniferous needles 690(1995)226
- Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123
- Methods and materials for solid-phase extraction 691(1995)133
- Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography–UV detection 692(1995)21
- Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161
- Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195
- A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217
- The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227
- Solid-phase extraction on C₁₈ in the trace determination of selected polychlorinated biphenyls in milk 693(1995)339
- Directly coupled sample treatment–high-performance liquid chromatography for on-line automatic determination of liposoluble vitamins in milk 694(1995)399
- Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75
- Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267
- Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89
- Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101
- Solid-phase extraction of polycyclic aromatic hydrocarbons from soil samples 697(1995)123
- Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131
- Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137
- Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185
- Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203
- Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389

Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction 699(1995)395

Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Solid-phase extraction disks

Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159

Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375

Solid-phase microextraction

Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201

Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313

Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175

Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography-mass spectrometry 696(1995)113

Solubility

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43

Solubility parameters

Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Solubilization

Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Solute collection

Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113

Solute discrimination

Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Solute distribution

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Solute interference

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Solute-matrix interaction

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Solute partitioning

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Solute-solvent interactions

UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69

Estimation of gas-liquid chromatographic retention times from molecular structure 662(1994)269

Concept of additivity for a non-polar solute-solvent criterion $\log L^{16}$. Non-aromatic compounds 677(1994)319

Solute-stationary phase interactions

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Property-structure relationship of solute-stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Solute trapping

Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Solvation

Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Solvation enthalpy

Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367

Solvation interactions

Influence of temperature on the mechanism by which compounds are retained in gas-liquid chromatography 664(1994)229

Solvation parameter model

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Solvatochromic parameters

Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Effect of physico-chemical properties and molecular structure on the micelle-water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Solvent annealing

Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227

Solvent classification

Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Solvent effects

Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161

Solvent elimination

Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472

Solvent evaporation

Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227

Analytical characteristics of sample evaporation with the micro-Kuderna-Danish concentrator 695(1995)41

Solvent extraction

Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39

Extraction-gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Solvent modulation

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Solvent partitioning

Chromatography of gibberellins (Review) 658(1994)91

Solvents

Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123

Residual solvent analysis by headspace gas chromatography 667(1994)235

Solvent selectivity

Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Solvent-stationary phase interactions

Control of retention by molecular interactions in reversed-phase chromatography (Review)

Solvent strength

Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Solvent systems

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Solvent trapping

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Solvent traps

Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107

Solvophobic driving forces

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Sorbents

see also Adsorbents

Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207

Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Sorbents, solid-phase

Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101

Sorbent trapping

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Sorption effects

High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597

Sorption isotherm

Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Sorption kinetics

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Southern blotting

Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105

Soxhlet extraction

Instability of tetryl to Soxhlet extraction 662(1994)178

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253

Soybean

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Soybean oil

Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Soybean seeds

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Soy protein

Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413

Spacer length

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Spacers

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Speciation

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Determination and speciation of organotin compounds by gas chromatography-microwave induced plasma atomic emission spectrometry 683(1994)269

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Specific hydrophobic surface area

Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485

Specific retention volume

Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

New equation for specific retention volumes in capillary column gas chromatography 697(1995)441

Spectral mapping

Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Spectral overlay

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Spectral response ratio

Constancy of spectral response ratios in the flame photometric detector 667(1994)191

Spectroscopic monitoring

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Spermatozoa

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Spinach

High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Split injection

Comparison of two injection systems to be used with 5 μ m I.D. open-tubular columns 659(1994)255

Split-peak effect

Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35

Split ratio

Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Split vent

Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123

- Spontaneous fluid displacement injection**
Microcolumn sample injection by spontaneous fluid displacement 680(1994)99
- Squalane columns**
Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125
- Stability constants**
Study of complex-forming equilibria between divalent metal cations and some inorganic anions using ion chromatography 657(1993)435
- Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)-hydrazine-nitrotriacetate mixed-ligand complexes 667(1994)371
- Stability-indicating methods**
Stability-indicating method for the determination of levodopa, levodopa-carbidopa and related impurities 667(1994)175
- High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87
- High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67
- Stability studies**
Chromatographic stability of glucose-silica 653(1993)130
- High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53
- Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71
- Stabilizers**
Sulphite stabilizer in ion chromatography 663(1994)255
- Stacking**
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131
- Staining methods**
Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123
- Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351
- Standard addition**
Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159
- Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211
- Staphylococcus aureus***
Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131
- Starburst dendrimers**
Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463
- Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331
- Static coating**
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
- Static headspace sampler**
Automated static headspace sampler for gas chromatography 686(1994)235
- Stationary phases, CE**
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63
- Stationary phases, GC**
Potential of three different α -cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167
- Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173
- Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354
- Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11
- Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103
- Chemistry of zirconia and its use in chromatography (Review) 657(1993)229
- Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477

- Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203
- Gas-liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71
- Influence of temperature on the mechanism by which compounds are retained in gas-liquid chromatography 664(1994)229
- Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111
- Separation of C₁₁-C₁₄ branched-chain alcohols by high-resolution gas chromatography on a modified β -cyclodextrin stationary phase 665(1994)163
- Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175
- Application of a fused-silica column to the determination of very volatile amines by gas-solid chromatography 667(1994)334
- Use of esterified and unesterified dipentylated γ -, β - and α -cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254
- Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93
- Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181
- Capillary gas chromatography method for the analysis of the *trans* isomers of ceralure, a medfly attractant 673(1994)295
- Highly selective liquid crystalline polysiloxane stationary phase for gas chromatographic separation of isomers 677(1994)197
- Gas chromatographic retention behaviour of polychlorinated naphthalenes on non-polar, polarizable, polar and smectic capillary columns 683(1994)385
- Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161
- Selectivity effects in semi-polar columns. II 688(1994)363
- Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83
- Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93
- Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69
- Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79
- Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
- Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429
- Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131
- Separation of low-boiling pyridine bases by gas chromatography 699(1995)403
- Stationary phases, LC**
Control of retention by molecular interactions in reversed-phase chromatography (Review)
- Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1
- Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122
- Chromatographic stability of glucose-silica 653(1993)130
- Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
- Characterization and application of strong ion-exchange membrane adsorbents as stationary phases in high-performance liquid chromatography of proteins 654(1993)29
- Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197
- Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

- Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231
- Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265
- Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289
- Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317
- Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335
- Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369
- Chemistry of zirconia and its use in chromatography (Review) 657(1993)229
- Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
- Predictable and consistent performance of angular packing in axial compression columns 658(1994)381
- Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391
- Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407
- Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419
- Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465
- Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43
- Reordering/resolution studies of alkylamide phases 659(1994)261
- Structure-retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307
- Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359
- Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents 660(1994)75
- Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85
- Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97
- Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131
- Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327
- Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β -cyclodextrin bonded-phase column 660(1994)339
- Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207
- Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-*tert*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37
- High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95
- Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151
- Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163
- Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
- Immobilized metal affinity membrane adsorbents as stationary phases for metal interaction protein separation 664(1994)13

- Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117
- Characterization of some silica-based reversed-phase liquid chromatographic columns based on linear solvation energy relationships 664(1994)149
- Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159
- Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane-acetonitrile 664(1994)221
- Structural inhomogeneities in wide-pore silica gels 665(1994)33
- Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37
- Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1
- Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67
- Supports for liquid-liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65
- Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293
- Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301
- Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337
- Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1
- Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9
- Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene-co-divinylbenzene) 669(1994)230
- Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25
- Ion chromatographic separation of alkali metal and ammonium cations on a C_{18} reversed-phase column 670(1994)99
- Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33
- Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43
- Anion separations on columns based on transition metal-macrocyclic complex exchange sites 671(1994)55
- Practical aspects on the use of organic solvents in ion chromatography 671(1994)63
- Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83
- Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35
- Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51
- Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237
- Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11
- Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133
- Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149
- Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159
- Synthesis and characterization of silica-based aliphatic ion exchangers 675(1994)29
- Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55
- Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

- High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51
- Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81
- Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191
- Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249
- Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355
- Reversed-phase high-performance liquid chromatographic method using a pentafluorophenyl bonded phase for analysis of tocopherols 677(1994)75
- High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186
- Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211
- Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1
- Gel permeation chromatographic properties of poly(vinyl alcohol) gel particles prepared by freezing and thawing 678(1994)180
- Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201
- Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259
- High-performance protein separations with novel strong ion exchangers 679(1994)11
- Column efficiency and radial homogeneity in liquid chromatography 679(1994)231
- Metaphosphates as packing materials for biochromatography 679(1994)247
- Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255
- Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293
- Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23
- Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77
- Property-structure relationship of solute-stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175
- High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201
- Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221
- Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213
- Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165
- Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333
- Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33
- New ligands for boronate affinity chromatography 687(1994)61
- Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
- Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
- Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213
- ²⁹-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

- Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride-silica intermediate 688(1994)31
- Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177
- Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203
- Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1
- High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 µm particles 690(1995)9
- Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21
- Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41
- High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3
- Characterization of a new reversed-phase chromatographic column on a 2-µm porous microspherical silica gel- 691(1995)81
- Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91
- Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187
- Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome c onto a tentacle-type cation exchanger 691(1995)263
- Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317
- Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337
- Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147
- Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197
- Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205
- HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289
- Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333
- High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415
- Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195
- Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19
- Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185
- Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17
- Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153
- Stability of high-performance liquid chromatography columns packed with C₁ and C₈ polysiloxanes sorbed into porous silica particles 697(1995)159
- Separation of polycyclic aromatic hydrocarbons on a wide-pore polymeric C₁₈ bonded phase 697(1995)165
- Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185
- Application of a comparative evaluation of several reversed-phase columns to the automated analysis of candidate pharmaceuticals 697(1995)191

- Porous graphitic carbon for the chromatographic separation of O-tetraacetyl- β -D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213
- Synthesis of monodisperse macroreticular styrene-divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59
- Preparation and characterization of monodisperse oligo(ethylene glycol) dimethacrylate polymer beads for aqueous high-performance liquid chromatography 699(1995)67
- Liquid chromatography of tylosin A and related substances on poly(styrene-divinylbenzene) 699(1995)93
- Stationary phases, pseudo**
Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117
- Stationary phases, SFC**
Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185
- Evaluation of β -cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297
- Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261
- Stationary phases, TLC**
Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181
- Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360
- Statistical algorithm**
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329
- Statistical analysis**
Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103
- Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125
- Statistical treatment of large digital chromatographic data sets 686(1994)225
- Statistical model of overlap**
Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307
- Steady solid-fluid counterflow**
Comparing steady counterflow separation with differential chromatography 654(1993)1
- Steady state electrophoresis**
Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335
- Steam distillation**
Preconcentration of samples by steam distillation-solvent extraction at low temperature 655(1993)141
- Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243
- Step gradients**
Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89
- Stereoselective effects**
Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269
- Stereoselective pharmacokinetics**
Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
- Stereoselectivity**
Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39
- Diastereomeric β -lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195
- Steric mass action model**
Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1995)187
- Stoichiometric displacement parameter**
Anion-exchange chromatographic behavior of recombinant rat cytochrome *b₅*. Thermodynamic driving forces and temperature dependence of the stoichiometric displacement parameter *Z* 653(1993)207
- Stokes radius**
Determination of Stokes radii and molecular masses of sodium hyaluronates by Sephaeryl gel chromatography 685(1994)172

Stopped-flow injection

Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Storage conditions

Chromatographic stability of glucose-silica 653(1993)130

Streptococcus pneumoniae

Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201

Structural descriptors

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Structural information

Retrieval of structure information from retention index (Review) 678(1994)189

Structural isomers

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Structural recognition

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Structure-activity relationships

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Simultaneous structure-activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162

Structure analysis

Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207

Structure-enantioselective retention relationship

Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47

Structure-resolution relationships

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549

Structure-retention relationships

Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183

Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Quantitative structure-retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Structure-retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Retention of some monoamine oxidase inhibitory drugs on a β -cyclodextrin polymer-coated silica column 660(1994)313

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Gas chromatography-mass spectrometry of flavonoid aglycones. II. Structure-retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236

Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Retention prediction for β -adrenergic blocking drugs in normal-phase liquid chromatography 673(1994)1

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanolamine using reversed-phase thin-layer chromatography 675(1994)282

- Retrieval of structure information from retention index (Review) 678(1994)189
- Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101
- Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107
- Gas chromatographic study of the inclusion properties of calixarenes. I. *p*-*tert*-Butylcalix[4]arene in a micropacked column 696(1995)101
- Subambient temperatures**
Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153
- Sugar cane juice**
Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329
- Sulphur and nitrogen-phosphorus detector**
Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen-phosphorus detection for gas chromatography 670(1994)117
- Sulphur emission quenching**
Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245
- Sunscreen agents**
Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography-mass spectrometry 688(1994)375
- Supercritical fluid chromatography**
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329
- Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374
- Advances in supercritical fluid chromatographic processes (Review) 658(1994)293
- Separation of T-MAZ ethoxylated sorbitan fatty acid esters by supercritical fluid chromatography 662(1994)323
- Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381
- Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395
- Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249
- Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 667(1994)354
- Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161
- Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173
- Determination of enantiomeric purity of (*S*)-carboranylalanine using capillary column supercritical fluid chromatography 670(1994)239
- Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185
- Capillary supercritical fluid chromatography-Fourier transform infrared spectroscopy study of triglycerides and the qualitative analysis of normal and "unsaturated" cheeses 673(1994)231
- Analysis of silanised polyglycerols by supercritical fluid chromatography 675(1994)267
- Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141
- Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139
- Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329
- Improved method for the separation of ranitidine and its metabolites based on supercritical fluid chromatography 683(1994)402
- Evaluation of β -cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297
- Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261
- Enantiomeric separation by packed column chiral supercritical fluid chromatography 697(1995)251
- Preparative-scale supercritical fluid chromatography 697(1995)579

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Supercritical fluid chromatography-mass spectrometry
Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO₂ 677(1994)365

Supercritical fluid chromatography-mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105

Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223

Supercritical fluid extraction

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Supercritical fluid extraction of tributyltin and its degradation products from seawater via liquid-solid phase extraction 655(1993)51

Supercritical fluid extraction of fluvalinate residues in honey. Determination by high-performance liquid chromatography 655(1993)95

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid-solid trapping 657(1993)327

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209

Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191

Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424

Optimization of supercritical carbon dioxide extraction for polychlorinated biphenyls and chlorinated benzenes from sediments 663(1994)87

Supercritical fluid extraction of organochlorine pesticides from an aqueous matrix 665(1994)307

Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213

Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241

Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Supercritical fluid extraction using a new restrictor design 679(1994)147

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167

Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113

Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131

Supercritical fluid extraction of diosgenin from tubers of *Dioscorea nipponica* 690(1995)250

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

Extraction of pesticides using supercritical trifluoromethane and carbon dioxide 695(1995)149

Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107

- High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products** 697(1995)115
- Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils** 699(1995)253
- Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil** 699(1995)265
- Supercritical fluid extraction-gas chromatography**
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. I. Optimization of chromatographic parameters 685(1994)79
- Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. II. Quantitation of petroleum hydrocarbons from environmental sample** 685(1994)95
- Superox 20M**
Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11
- Supported liquid membranes**
Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259
- Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes** 688(1994)75
- Supports**
Supports for liquid-liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65
- Suppressed ion chromatography**
Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364
- Surface area**
Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97
- Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-tert.-butylbenzoate) beads. Evaluation of preferential retention toward organohalides** 662(1994)37
- Surface bonding reactions**
Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1
- Surface characterization**
Characterization of quartz capillaries for capillary electrophoresis 652(1993)309
- Surface charge density**
Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463
- Surface coverage**
Reordering/resolution studies of alkylamide phases 659(1994)261
- Surface heterogeneity**
Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201
- Surface homogeneity**
Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213
- Surface ionization detector**
Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15
- Surface layers**
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
- Surface modification**
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
- Surface modified phases**
Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21
- Surface plasmon resonance**
Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor 660(1994)169
- Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance** 676(1994)91
- Surface potential**
Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Surface tension

Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195

Surface water

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Surfactants

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369

Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

Micellar electrokinetic capillary chromatography with *in situ* charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Suspended particles

Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Switching valves

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Symmetry axis

6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C₂ symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11

Symphytum

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Systematic toxicological analysis

Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3

System dead time

Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

System peaks

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)153

UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21

Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165

System-suitability parameters

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

T

Tabebuia avellanedae

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Tablets

High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87

Tall fescue

Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535

Tandem mass spectrometry

Capillary column gas chromatographic-tandem mass spectrometric analysis of phosphate esters in the presence of interfering hydrocarbons 670(1994)127

Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Analysis of pesticide residues in food using gas chromatography-tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography-tandem mass spectrometry 686(1994)213

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

Tars

Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Tea

Isolation and high-performance liquid chromatographic analysis of thearubigin fractions from black tea 662(1994)101

Tears

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Temperature

Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Temperature control

Fan-induced heating 659(1994)205

Temperature effects

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Influence of temperature on the mechanism by which compounds are retained in gas-liquid chromatography 664(1994)229

Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β -cyclodextrin as stationary phase 666(1994)433

Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249

Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413

Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Effect of temperature on retention time reproducibility and on the use of programmable fluorescence detection of fifteen polycyclic aromatic hydrocarbons 699(1995)49

Temperature gradients

Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181

Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41

Temperature-induced displacement

Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37

Temperature-induced phase separation

Utilization of temperature-induced phase separation for the purification of ecdysone and 20-hydroxyecdysone from spinach 668(1994)229

Temperature programming

Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283

Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153

Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161

Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173

Tenax

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

Tentacle-type cation exchangers

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Tetranitrofluoreniminopropylsilica

Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

Textile fibres

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

 α -Thalassemia

Capillary electrophoresis of abnormal hemoglobins associated with α -thalassemias 652(1993)119

Thermal conductivity detector

Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Thermal decomposition

Thermal decomposition characterization of explosives by pyrolysis–gas chromatography–mass spectrometry 688(1994)231

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Thermal desorption

Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath 657(1993)147

Evaluation and optimization of the automatic thermal desorption method in the gas chromatographic determination of plant volatile compounds 657(1993)155

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption–gas chromatography 699(1995)203

Thermal diffusion

Thermal field flow fractionation of polytetrahydrofuran 676(1994)361

Thermal energy analyzer

Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Thermal expansion

Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13

Thermal field-flow fractionation

Thermal field flow fractionation of polytetrahydrofuran 676(1994)361

Velocity profiles in thermal field-flow fractionation 678(1994)85

Thermal gradient

Timescales of transient processes in capillary electrophoresis 652(1993)263

Thermal oxidation

Identification of thermal oxidation products of cholesteryl acetate 683(1994)75

Thermal zone broadening

Timescales of transient processes in capillary electrophoresis 652(1993)263

Thermodynamic parameters

Anion-exchange chromatographic behavior of recombinant rat cytochrome *b₅*. Thermodynamic driving forces and temperature dependence of the stoichiometric displacement parameter *Z* 653(1993)207

Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43

Gas-liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Presence of a preferred anion-exchange binding site on cytochrome *b₅*: structural and thermodynamic considerations 684(1994)55

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Advances in affinity electrophoresis (Review) 698(1995)89

Thermodynamics of sorption

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Thermo-optical absorption

Thermo-optical absorbance detection of native proteins separated by capillary electrophoresis in 10 μ m I.D. tubes 699(1995)315

Thermospray ionization

Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Thermospray vaporizer

Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Thermus thermophilus

Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153

Thiele modulus

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Thin film coatings

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Thin-layer cell

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Thin-layer chromatography-mass spectrometry

Identification of unlawful food dyes by thin-layer chromatography-fast atom bombardment mass spectrometry 674(1994)301

Thin-layer plates

Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360

Thiophilic gel

Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45

Three-point interaction model

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Threshold criterion

Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9

Thrombocytes

Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Throughput

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Thylakoid membrane

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Time-of-flight mass spectrometry

Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 667(1994)354

Tobacco

Liquid chromatographic-mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337

Tomatoes

Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127

Topological indices

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Toxicological screening

Use of high-performance liquid chromatography-diode array detection in forensic toxicology 692(1995)103

Trace analysis

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Determination of trace anions in isopropanol 671(1994)253

Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211

Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227

Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography-negative ion chemical ionization mass spectrometry 683(1994)157

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

- Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235
- Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197
- Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1
- Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk 693(1995)339
- Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201
- Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101
- Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185
- Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203
- Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345
- Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525
- Identification and determination of butyltin compounds in water by ion trap gas chromatography-mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241
- Trace enrichment**
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207
- Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101
- Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259
- Determination of pesticides in environmental waters by automated on-line trace-enrichment and liquid chromatography 665(1994)269
- Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155
- Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241
- Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223
- Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31
- On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography-diode array detection-particle beam mass spectrometry 696(1995)63
- Rapid liquid chromatographic screening of organic micropollutants in aqueous samples using a single short column for trace enrichment and separation 696(1995)333
- Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137
- Transfer ratio**
Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
- Transformer insulating oils**
Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111
- Transformer oils**
Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139
- Transient processes**
Timescales of transient processes in capillary electrophoresis 652(1993)263
- Transition energy**
Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Transverse dispersion

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Trapping columns

Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

Trapping efficiency

Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107

Trapping material

Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424

Trapping methods

Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209

Trapping systems

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection 665(1994)333

Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Triplet oxygen oxidation

High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93

TSKgel Super-ODS

Characterization of a new reversed-phase chromatographic column on a 2- μ m porous microspherical silica gel 691(1995)81

Two-dimensional affinity electrophoresis

Advances in affinity electrophoresis (Review) 698(1995)89

Two-dimensional chromatography

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

Coupled affinity-reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Rapid, automated, two-dimensional high-performance liquid chromatographic analysis of immunoglobulin G and its multimers 676(1994)331

Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins 688(1994)221

Two-dimensional electrophoresis

Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233

Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Clinical applications of two-dimensional electrophoresis (Review) 698(1995)163

Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341

Protein separation techniques in the study of tissue regeneration 698(1995)361

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Two-dimensional mapping

Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Two-phase extraction

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Two-phase solvent systems

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

U

Ultraviolet absorbance detector

UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153

Ultraviolet detection, pitfalls

Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

Ultraviolet–mass spectrometry

Ultraviolet–visible detection for capillary gas chromatography and combined ultraviolet–mass spectrometry using a remote flow cell 695(1995)243

Ultraviolet spectra

Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97

Ultraviolet-visible detector

Ultraviolet–visible detection for capillary gas chromatography and combined ultraviolet–mass spectrometry using a remote flow cell 695(1995)243

Ultraviolet–visible spectroscopy

Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

UNIFAC model

UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69

Unified enantioselective chromatography

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Universal calibration

Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

V

Vacuum pyrolysis

Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Vacuum systems

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Validation

Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675

Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1

Valley-to-peak criterion

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Valves

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265

Van 't Hoff plots

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Vapour pressure

Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307

Vapour–liquid equilibrium

Dual vapor and liquid injector for gas chromatography 696(1995)235

Vegetable oils

Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329

Vegetables

Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348

Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119

Velocity profiles

Velocity profiles in thermal field-flow fractionation 678(1994)85

Vesicle-mediated separation

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Vinegar

Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111

Virial coefficients

Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Viruses

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Virus inactivation

Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent-detergent method 658(1994)475

Viscometry

Size-exclusion chromatographic and viscometric study of polymer solutions containing nicotine or silicic acid 673(1994)65

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Viscosity

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Void volume

Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

Volatile oil constituents

Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Volatile oils

Potential of three different α -cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Voltage gradients

Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

W**Wall adsorption**

Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25

Waste leachates

Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

Waste-water

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Environmental monitoring of wastewater using capillary ion electrophoresis 680(1994)645

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Water analysis

Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography-mass spectrometry with selected ion monitoring 653(1993)363

Determination of organochlorine compounds in anion-exchange resins by UV irradiation and ion chromatography 655(1993)57

Determination of phenols at the ng/l level in drinking and river waters by liquid chromatography with UV and electrochemical detection 655(1993)217

Clean-up and confirmation procedures for gas chromatographic determination of pesticide residues in contaminated waters. Part I 655(1993)285

Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29

Pre-concentration techniques for bromate analysis in ozonated waters 671(1994)141

Trace level determination of bromate in ozonated drinking water using ion chromatography 671(1994)165

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Determination of aromatic sulphonates in surface waters by high-performance liquid chromatography with coupled fluorescence and UV detection 671(1994)217

Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249

Determination of total nitrogen in water samples by means of high-pressure bombs and ion chromatography 671(1994)287

Environmental monitoring of wastewater using capillary ion electrophoresis 680(1994)645

Continuous monitoring of volatile organic compounds in water using on-line membrane extraction and microtrap gas chromatography system 688(1994)171

Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Water-dip interference

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Water quality

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Water vapour

Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Wavelength scanning

Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69

Weighted least squares regression

Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9

Welding fumes

Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53

Western blotting

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Wet effluent denuder

Preconcentration and determination of 2,4,5-trichlorophenol in air using a wet effluent denuder and high-performance liquid chromatography 668(1994)371

Wheat bran

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Wheat germ

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Wheat grain

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Whey

Separation of β -lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105

Whey proteins

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Wiener number

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Wine

Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111

Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Analytical conditions for the determination of 23 phenylthiocarbonyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21

Determination of phenolic acids in wine by high-performance liquid chromatography with a microbore column 695(1995)229

WITCO TRS 10-80

Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107

Wood

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Wool

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Workplace air

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

X**X-ray diffraction data**

Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207

Y**Yeast**

Lipid analysis of baker's yeast 665(1994)191

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Z**Zeta potential**

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

Zirconia

Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205

Zonal elution

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Zone capacity

Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335

Zone electrophoresis

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Zone refining

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Zone resolution

Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335

Zone sharpening

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Zone variance

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Zone velocity

Correlation between zone velocity and current in automated single capillary isotachopheresis-zone electrophoresis 673(1994)239

Zwitterionic detergents

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15