

COMPOUND INDEX

J. CHROMATOGR. A VOLS. 651-700

A

Abietic acid

High-performance liquid chromatographic method for determination of dehydroabietic and abietic acids, the skin sensitizers in bindi adhesive 685(1994)263

Abscisic acid

Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83

Acebutolol

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Acesulfame-K

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Acetaldehyde

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Acetanilides

Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Acetate

Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

O-Acetate groups

Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201

Acetic acid

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Acetic anhydride

Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

Acetoacetates, enol form

Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Acetone

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Residual solvent analysis by headspace gas chromatography 667(1994)235

Formation of Schiff bases with acetone as a solvent in the determination of anilines 685(1994)189

Acetone-2,4-dinitrophenylhydrazone

Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263

Acetonitrile

Residual solvent analysis by headspace gas chromatography 667(1994)235

Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263

Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105

Acetopromazine

Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Acetylcarnitine

High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37

Acetylcholine

Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry 657(1993)395

Normal-phase high-performance liquid chromatography with relay gradient elution. 1. Description of the method 696(1995)193

Acetylcholine esterase inhibitors

Direct determination of E2020 enantiomers in plasma by liquid chromatography-mass spectrometry and column-switching techniques 694(1995)209

Acetylcysteine

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

N-Acetylcysteine

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309

N-Acetyl-L-cysteine

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

2-Acetylfuran

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

N-Acetylneuroaminylactose

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

N-Acetyl-D,L-penicillamine

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

N-Acetylphosphatidylethanolamine synthase

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Acetylsalicylic acid

Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97

Acetyltelluronium choline

Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry 657(1993)395

Acetylvitexin-2''-O-rhamnoside

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Acid gases

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

 α_1 -Acid glycoprotein

Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Acidic drugs

Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Acid phosphatase

Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371

Acid Red

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

α -Acids

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Actin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

N-Acyl aminonaphthalene disulphonic acids

Analysis of N-acyl aminonaphthalene sulphonic acid derivatives with potential anti-human immunodeficiency virus activity by thin-layer chromatography and flame ionization detection 653(1993)178

Acylcarnitines

Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241

Acylglycerols

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

N-Acyloxazolidinones

Chromatographic resolution of racemic α -halocarboxylic acids and O-substituted α -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Adenine

Liquid chromatographic separation of diamino analogues of 2'- or 3'-deoxyadenosine from adenine on a poly(styrene-divinylbenzene) polymer column 689(1995)247

Adenosine deaminase

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Adenosines

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Adenosine 5'-triphosphate analogue

Determination of impurities in a novel analogue of adenosine 5'-triphosphate by capillary electrophoresis 700(1995)163

Adhumulone

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Adlupulone

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Adenosine 5'-diphosphate-ribose polymers

Fast protein liquid chromatographic purification of poly(ADP-ribose) polymerase and separation of ADP-ribose polymers 678(1994)35

Adrenaline

see Epinephrine

Aflatoxins

Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Agglutinins

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Ajmaline

Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251

Alachlor

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

2-L-Alanyl-4-chloro-6-pyrrolidinyl-1,3,5-triazine

Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303

Alanylglutamine

Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1

L-Alanyl-pyrrolidinyl-disubstituted cyanuric chloride

Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303

Albendazole

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Albumin

Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21

Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35

Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261

Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7

Tryptic peptide mapping of sequence 299–585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Alcohol dehydrogenase

Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21

Electrophoretically mediated microanalysis of ethanol 657(1993)429

Low-molecular-mass *pI* markers for isoelectric focusing 661(1994)249

Alcohol polyethoxylates

Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219

Alcohols

Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography 654(1993)197

Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Separation of C₁₁–C₁₄ branched-chain alcohols by high-resolution gas chromatography on a modified β -cyclodextrin stationary phase 665(1994)163

Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79

Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307

Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293

Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79

Silver ion high-performance liquid chromatography of esters of isomeric octadecenoic fatty acids with short-chain monounsaturated alcohols 693(1995)235

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography–mass spectrometry 697(1995)501

Alcohols, aromatic

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Alcohols, secondary

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Aldehyde dehydrogenase

Simultaneous structure-activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162

Aldehydes

Development of a method for simultaneous determinations of nitrogen oxides, aldehydes and ketones in air samples 653(1993)341

Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261

High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181

Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376

Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

Aldicarb

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Alditol acetates, partially methylated

Immobilization of peralkylated β -cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

Alditols

Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Aldonic acids

Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67

Aldononitriles

Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293

Aldoses

Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17

Alendronate

Pharmaceutical application of liquid chromatography-mass spectrometry. II. Ion chromatography-ion spray mass spectrometric characterization of alendronate 686(1994)205

Alexan

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Algestone acetophenide

Application of high-performance thin-layer chromatography and gas chromatography-mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247

Aliphatic bases

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Aliphatic hydrocarbons

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Aliphatic hydrocarbons, halogenated

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Alitame

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Alkali metals

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

Ion chromatographic separation of alkali metal and ammonium cations on a C₁₈ reversed-phase column 670(1994)99

Determination of alkali and alkaline earth metals in real samples by capillary ion analysis 673(1994)275

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

Alkaline earth metals

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29

Determination of alkali and alkaline earth metals in real samples by capillary ion analysis 673(1994)275

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

Alkaline phosphatase

Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Alkaloids

Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535

High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235

Determination of trace impurities of peptides and alkaloids by capillary electrophoresis-ion spray mass spectrometry 679(1994)206

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous-organic solvent mixtures 686(1994)85

Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83

Alkaloids, polar phenolic

Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322

Alkanes

Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Gas-liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13

Effect of detector temperature on the flame ionization detector response 679(1994)299

Dual vapor and liquid injector for gas chromatography 696(1995)235

Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Alkanes, trifluoromethyl substituted

Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181

Alkanesulfonic acids

Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211

Alkanoic acid

see Carboxylic acids

Alkanolamines

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Alkanones

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Alkenes

Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115

Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

Alkenols

Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307

Alkoxy coumarin

In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168

Alkoxyresorufin

In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168

Alkylaromatic compounds

Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107

Alkyl aryl ketones

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

Alkylbenzenes

Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid-liquid chromatography 659(1994)43

- Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293
- Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene-co-divinylbenzene) 669(1994)230
- Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329
- Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211
- Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73
- Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107
- Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
- Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333
- Alkylbenzenesulphonates**
Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25
- Alkylbenzenesulphonates, linear**
Reversed phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73
- Alkylcarbazoles**
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103
- n-Alkylcyclohexenes**
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
- Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25
- Alkyl esters**
Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213
- Alkylhydroperoxides**
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography-mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283
- Alkyl hydroxybenzoates**
Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301
- Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211
- Alkylindoles**
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103
- Alkylpyridines**
Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211
- Alkylstyrenes**
Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329
- n-Alkynes**
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
- Allantoin**
Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350
- Allelochemicals**
First results in trace identification of allelochemicals and pheromones by combining gas chromatography-mass spectrometry and direct deposition gas chromatography-Fourier transform infrared spectrometry 683(1994)87
- Allium volatiles**
First results in trace identification of allelochemicals and pheromones by combining gas chromatography-mass spectrometry and direct deposition gas chromatography-Fourier transform infrared spectrometry 683(1994)87
- Allura Red AC**
Determination of synthetic food dyes by capillary electrophoresis 680(1994)541
- N-Allylacrylamide**
Cross-linked N,N-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267

Allylaryl sulfoxides

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Alpidem

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

Alprenolol

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Aluminium

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434

Analysis of aluminium in pharmaceutical products by post-column derivatization ion chromatography 671(1994)115

Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminium ions in solutions of multiple cations 680(1994)659

Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53

Amaranth

Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Ambroxol hydrochloride

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Amides

Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505

Amines

see also Catecholamines

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

High-performance liquid chromatographic determination of ten heterocyclic aromatic amines with electrochemical detection 655(1993)101

Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17

Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

Application of a fused-silica column to the determination of very volatile amines by gas-solid chromatography 667(1994)334

"Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11

Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

- Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35
- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253
- N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13
- Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79
- Gas chromatographic separation of enantiomeric amino acids and amines with α -methoxy- α -trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227
- Determination of secondary amines in various foods by gas chromatography with flame photometric detection 695(1995)142
- Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185
- Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53
- Amino acid benzyl esters**
Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233
- Amino acid conjugates**
Structure-retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307
- Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure-resolution relationships 697(1995)549
- Amino acids**
Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555
- Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229
- Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43
- Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
- Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481
- Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51
- Determination of tryptophan and ten of its metabolites in a single analysis by high-performance liquid chromatography with multiple detection 661(1994)101
- Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193
- Analysis of amino acids by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry: Simultaneous derivatization of functional groups by an aqueous-phase chloroformate-mediated reaction 663(1994)71
- Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
- New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91
- Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
- Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to biosciences 666(1994)259
- Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host-guest complexation with cyclodextrins 666(1994)375
- Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457
- Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463
- Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331

Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated- γ -cyclodextrin capillary column 673(1994)107

Determination of amino acids by ion-pair liquid chromatography with post-column derivatization using 1,2-naphthoquinone-4-sulfonate 676(1994)311

Separation of selenium analogues of sulphur-containing amino acids by high-performance liquid chromatography and high-resolution gas chromatography 677(1994)192

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Microcolumn sample injection by spontaneous fluid displacement 680(1994)99

Extended path length post-column flow cell for UV-visible absorbance detection in capillary electrophoresis 680(1994)109

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π - π interaction site on the chiral stationary phase 684(1994)13

Mechanistic evaluation of the resolution of α -amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7

Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321

Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360

High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Determination of α -dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthalaldehyde 690(1995)55

Use of Sep-Pak C₁₈ cartridges to clean up free amino acids from coniferous needles 690(1995)226

Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317

Gas chromatographic separation of enantiomeric amino acids and amines with α -methoxy- α -trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to food science 697(1995)229

Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247

Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Amino acids, 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate derivatives

Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Determination of amino acids by precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography with ultraviolet detection 670(1994)59

Amino acids, BTC derivatives

Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105

Amino acids, dansyl derivatives

Enantiomeric separation of dansyl- and dabsylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77

Comparative and optimized dansyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169

Amino acids, 3,5-dinitrobenzoyl methyl esters

Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303

Amino acids, DNP derivatives

Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Amino acids, Dns derivatives

Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β -cyclodextrin as a mobile phase additive 653(1993)293

Determination of dansyl amino acids using tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111

Enantiomeric separation of dansyl- and dabsylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77

Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471

Use of selectively methylated β -cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299

Separation of 24 dansylamino acids by capillary electrophoresis with a non-ionic surfactant 680(1994)311

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Amino acids, FITC derivatives

Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279

Amino acids, FMOC derivatives

Laser-induced fluorescence detection of 9-fluorenylmethyl chloroformate derivatized amino acids in capillary electrophoresis 653(1993)93

Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177

Amino acids, GITC derivatives

Porous graphitic carbon for the chromatographic separation of O-tetraacetyl- β -D-glucopyranosyl isothiocyanate-derivatized amino acid enantiomers 697(1995)213

Amino acids, isobutyloxycarbonyl tert.-butyldimethylsilyl derivatives

Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl tert.-butyldimethylsilyl derivatives 669(1994)125

Amino acids, N(O)-TFA methyl esters

Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469

Amino acids, non-protein

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Amino acids, OPA derivatives

Stability of o-phthalaldehyde-sulfite derivatives of amino acids and their methyl esters: electrochemical and chromatographic properties 668(1994)323

Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

1-Thio- β -D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286

Amino acids, phenylthiocarbonyl derivatives

High-performance liquid chromatographic separation of phenylthiocarbonyl derivatives of amino acids from protein hydrolysates using a Partisphere C₁₈ column 657(1993)204

Advances in the high-performance liquid chromatographic determination of phenylthiocarbamyl amino acids (Review) 661(1994)43

Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109

Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113

Analytical conditions for the determination of 23 phenylthiocarbamyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21

Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography-atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285

Amino acids, PTH derivatives

Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium *N*-dodecanoyl-L-glutamate and digitonin 652(1993)253

On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227

Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with *N*-dodecanoyl-L-serine 680(1994)317

Amino acids, thiocarbamyl derivatives

High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347

Amino acids, *N*-trifluoroacetyl *n*-propyl esters

Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215

Amino alcohols

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203

Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75

6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π - π interaction site on the chiral stationary phase 684(1994)13

High-performance liquid chromatographic separation of β -amino alcohols. I. Separation of (*R,S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Aminoalkanephosphonic acids

Orthoformates as reagents for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography-mass spectrometry 655(1993)346

Carboxylic anhydrides-orthoesters—novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299

Aminobenzoic acids

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Amino biphosphonates

Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

Aminocarb

High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their *N*-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117

6-Amino-2-chloro-9-(2-deoxy-2-fluoro- β -D-arabinofuranosyl)-9H-purine

Preparative high-performance liquid chromatographic separation of fluorodeoxy sugars 695(1995)128

1-Aminocyclopropane-1-carboxylic acid

Liquid chromatographic-mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337

Aminodecalins

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Amino esters

Liquid chromatographic separation of the enantiomers of cyclic β -amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297

4-(2-Aminoethylamino)-7-nitro-2,1,3-benzoxadiazole

Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241

Aminomethylated sulphonphthaleins

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Aminomethylbenzodioxane

Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Aminomethylnitrophenols

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Aminomethylphenol dyes

Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Aminomethylphenols

Low-molecular-mass pI markers for isoelectric focusing 661(1994)249

4-Aminomorpholine

Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235

Aminonaphthalenes

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Aminophenanthrenes

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Aminophenols

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

2-Aminopyridine

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

6-Aminoquinolyl-N-hydroxysuccinimidyl carbamate

Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Determination of amino acids by precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography with ultraviolet detection 670(1994)59

Amino sugars

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Aminotetralins

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Aminothiols

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Amitriptyline

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87

Amlodipine

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173

Ammonia

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Ammonium

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography–cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous–organic media by capillary ion analysis 688(1994)339

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Ammonium cations

Ion chromatographic separation of alkali metal and ammonium cations on a C_{18} reversed-phase column 670(1994)99

Amperozide

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Amphetamines

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen–phosphorus detection 674(1994)87

Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235

Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Ampholytes

Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

β -Amylase

Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21

Amylose

3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Anabolic agents

Application of high-performance thin-layer chromatography and gas chromatography–mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247

Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67

Anaesthetics

Gas chromatographic separation of the enantiomers of volatile fluoroether anaesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

Anhydrides

Quantitative analysis of mixtures of symmetric and mixed anhydrides 673(1994)31

Anilides

Thermospray liquid chromatographic–mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Aniline derivatives

Separation of aniline derivatives by micellar electrokinetic chromatography 653(1993)109

Anilines

Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163

Formation of Schiff bases with acetone as a solvent in the determination of anilines 685(1994)189

Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189

Rapid micro liquid–liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53

Anionic metal complexes

Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249

Anions

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117

Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89

On-line analysis of alkaline samples with a flow-through electro-dialysis device coupled to an ion chromatograph 671(1994)131

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Determination of trace anions in isopropanol 671(1994)253

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397

Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Routine determination of anions by capillary electrophoresis and ion chromatography 686(1994)143

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Anions, inorganic

see Inorganic anions

Anisic acids

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Anisidines

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Anthocyanidin pigments

Isolation and high-performance liquid chromatographic analysis of thearubigin fractions from black tea 662(1994)101

Anthocyanins

Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Preparative high-performance liquid chromatography for the purification of natural anthocyanins 692(1995)213

9-Anthracenemethanol

Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91

Anthracenes

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Anthraquinone

Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375

Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

Anthraquinonesulphonates

Determination of aromatic sulphonates in surface waters by high-performance liquid chromatography with coupled fluorescence and UV detection 671(1994)217

9-Anthryldiazomethane

High-performance liquid chromatographic resolution of dinophysistoxin-I and free fatty acids as 9-anthrylmethyl esters 677(1994)301

Antiallergic drugs

High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

Antiaspartame

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Antibiotics

Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Automated assay for GVI04326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Quantitation of gentamicin sulfate in injectable solutions by capillary electrophoresis 663(1994)259

Structure elucidation of glykenin glycosidic antibiotics from *Basidiomycetes* sp. V. High-performance liquid chromatographic separation of components of glykenin 664(1994)195

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247

Capillary electrophoresis of some tetracycline antibiotics 673(1994)267

Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153

Forensic investigation of gentamicin sulfates by anion-exchange ion chromatography with pulsed electrochemical detection 674(1994)255

Determination of spectinomycin using cation-exchange chromatography with pulsed amperometric detection 675(1994)123

Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69

Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Studies of gramicidin S analogues having various ring sizes by reversed-phase high-performance liquid chromatography 685(1994)237

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Diastereomeric β -lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195

Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123

Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131

Liquid chromatography of tylosin A and related substances on poly(styrene-divinylbenzene) 699(1995)93

Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99

Antibodies

see also Monoclonal antibodies

High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189

Single-step purification of a bacterially expressed antibody F_v fragment by immobilized metal affinity chromatography in the presence of betaine 657(1993)55

- Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13
- Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91
- High-performance capillary electrophoresis for characterization of hapten-protein conjugates used for production of antibodies against soyasaponin I 680(1994)437
- Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587
- Advances in affinity electrophoresis (Review) 698(1995)89
- Antibodies, fluorescein-labelled**
Characterization of charge-modified and fluorescein-labeled antibody by capillary electrophoresis using laser-induced fluorescence. Application to immunoassay of low level immunoglobulin A 680(1994)419
- Anticancer drugs**
Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59
- Anticoagulant**
Displacement chromatography in biotechnological downstream processing 691(1995)101
- Antidepressants, tricyclic**
Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15
- Antiepileptic drugs**
Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141
- Antigens**
Ion-exchange-immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357
- Antihistamines**
Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277
- Antiinflammatory drugs, non-steroidal**
Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285
- Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297
- Antimuscarinic drugs**
Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303
- Antioxidants**
Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230
- Antioxidants, lipophilic**
On-line solid-phase extraction with automated cartridge exchange for liquid chromatographic determination of lipophilic antioxidants in plasma 661(1994)153
- Anti-phosphotyrosine antibodies**
Determination of antigen-antibody affinity by immunocapillary electrophoresis 680(1994)405
- Antipyrine**
Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407
- Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies 700(1995)179
- Antisense DNA**
Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105
- Antithrombin III**
Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383
- Displacement chromatography in biotechnological downstream processing 691(1995)101
- α_1 -Antitrypsin**
Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107
- Apamin**
Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199
- Apolipoproteins**
Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131
- 1- β -D-Arabinofuranosylcytosine**
Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1- β -D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59

Arabinose

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Arachidonic acid metabolites

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Arbidol

Preparative liquid chromatographic isolation of unknown impurities in Arbidol and SI-5 658(1994)489

Arenes

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Aroclors

Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109

Aromatic amines

see also Amines

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241

Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201

Aromatic amines, heterocyclic

Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377

Aromatic compounds

Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Aromatic compounds, halogenated

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Aromatic constituents, volatile oils

Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Aromatic hydrocarbons

see also Hydrocarbons

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Arsenazo III complexes

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

Arsenic

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Arsenic compounds

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Arsenobetaine

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Arsenous acid

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Artemisinin

Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237

Aryl alkyl amines

Quantitative structure-retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Arylboronates

Rapid determination of 20-hydroxycyclosteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

2-Arylcarboxylic acids

Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471

Arylpropionic acids

Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π -donor analytes on a π -donor chiral stationary phase 692(1995)91

Ascorbic acid

Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Aspartame

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Asphaltenes

Flash pyrolysis-gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119

Astemizole

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Astragalin

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Asulam

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

Atenolol

Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173

Atractyloside

High-performance liquid chromatographic determination of atractyloside and carboxyatractyloside from *Atractylis gummifera* L. 663(1994)119

Atrazine

Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383

Atropine

Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350

Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Atropisomers

Imprintable brush-type chiral stationary phase 689(1995)189

Aucubin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Azaarenes

Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93

3'-Azido-3'-deoxythymidine

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

3'-Azido-3'-deoxy-5'-O-tritylthymidine

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Azidothymidine

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Azo dyes, sulphonated

Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197

Azoles

2-Trichloromethylbenzimidazole as a selective chromogenic reagent for the detection of some azoles on thin-layer plates 669(1994)275

B**Baicalin**

Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography 660(1994)299

Bambuterol

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Barbital

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Barbiturates

New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91

Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Barium

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazo chromotropic acid 657(1993)87

Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173

Basic compounds

Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1

Basic drugs

Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289

Evaluation of silica gel-based brush type chiral cation exchangers with (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine as chiral selector: attempt to interpret the discouraging results 694(1995)151

Basic Green 4

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Basic proteins

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Bayer liquor

Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155

Benazolin

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

Bendiocarb

Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223

Benidipine

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Benomyl

Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Bentazone

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

Benzaldehyde

Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375

Benzalkonium chloride

Quantitative analysis of quaternary ammonium antiseptics using thin-layer densitometry 677(1994)377

Benzamido alcohols

6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C₂ symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11

Benzene derivatives

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Residual solvent analysis by headspace gas chromatography 667(1994)235

Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201

Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_{18} column 687(1994)233

Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189

Benzenesulphonates

Determination of aromatic sulphonates in surface waters by high-performance liquid chromatography with coupled fluorescence and UV detection 671(1994)217

Benzenesulphonic acid

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Benzene-toluene-xylene (BTX)

Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell 695(1995)243

Benzimidazoles

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Benzodiazepines

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

Benzofurans

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Benzoic acid 1-phenylethylamide

Comparison of (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135

Benzoic acids

Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301

Determination of sodium 5,6-benzylidene- ϵ -ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Liquid chromatographic-atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221

Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Quantitative analysis of mixtures of symmetric and mixed anhydrides 673(1994)31

Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375

Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25

Evaluation of liquid chromatography-ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Benzooin

Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

- Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203
- Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321
- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
- Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71
- Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587
- Benzonaphthazepine**
Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299
- Benzophenones**
Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography-mass spectrometry 688(1994)375
- Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101
- Benzosuberone**
New hybrid displacement technique for preparative liquid chromatography 684(1994)1
- Benzothiazole**
Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289
- Benzothiophenes**
Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325
- Benzovesamicol**
Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183
- Benzoyl dextran**
Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215
- Benzoylcegonine**
Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1
- Cocaine-related deaths 674(1994)217
- Benzthiazide**
Detection of benzthiazide by high-performance liquid chromatography-thermospray mass spectrometry 689(1995)170
- Benzyl alcohol**
The use of a microconcentric column in capillary electrophoresis 680(1994)33
- 5,6-Benzylidene-L-ascorbate**
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37
- Benzyloxycarbonylglycyl-L-proline**
Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527
- Bergapten**
Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177
- β -Agonists**
Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography-UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19
- β -Blockers**
Effect of buffer solution pH on the elution and separation of β -blockers by micellar electrokinetic capillary chromatography 652(1993)451
- Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317
- Quantitative structure-retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17
- Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β -receptor blocking agents 665(1994)87

Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27

Retention prediction for β -adrenergic blocking drugs in normal-phase liquid chromatography 673(1994)1

Determination of nine β -blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241

Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Improved chiral stationary phase for β -blocker enantioseparations 690(1995)218

Betamethasone

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

High-performance liquid chromatographic determination of betamethasone and dexamethasone 676(1994)455

Betaxolol

Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Biaryls

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Bicarbonate

Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83

Bicnu

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Biflavonoids

High-speed counter-current chromatographic separation of biflavonoids from *Garcinia kola* seeds 673(1994)142

Bile acid 3-glucosides

Gas chromatographic separation of bile acid 3-glucosides and 3-glucuronides without prior deconjugation on a stainless-steel capillary column 689(1995)77

Bile acid 3-glucuronides

Gas chromatographic separation of bile acid 3-glucosides and 3-glucuronides without prior deconjugation on a stainless-steel capillary column 689(1995)77

Bile acids

Trifluoroacetylation of muricholic acids and hyocholic acids 655(1993)355

Gas chromatographic separation of bile acid 3-glucosides and 3-glucuronides without prior deconjugation on a stainless-steel capillary column 689(1995)77

Bilirubin

Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525

Biochanin

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Biocytin

Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79

Biogenic amines

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17

Biopolymers

Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Biosurfactants

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

Biotin

Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79

Biphenyls, fluorinated

Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

4,4'-Bis(dimethylamino)thiobenzophenone

Determination of platinum by ion-pair reversed-phase high-performance liquid chromatography with 4,4'-bis(dimethylamino)thiobenzophenone 684(1994)354

Bisoprolol

High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299

Bisphosphonates

Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

Pharmaceutical application of liquid chromatography-mass spectrometry. II. Ion chromatography-ion spray mass spectrometric characterization of alendronate 686(1994)205

7,7'-Bis(1-propen-3-oxy)-2,2'-dihydroxy-1,1'-binaphthyl

Stereochemical features of the stereoselective interaction between (*R*)- or (*S*)-7,7'-bis(1-propen-3-oxy)-2,2'-dihydroxy-1,1'-binaphthyl and quinine 666(1994)541

 α,ω -Bis-quaternary ammonium alkanes

α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

N,O-Bis(trimethylsilyl)trifluoroacetamide

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Bitter acids, hop

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Biuret

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Borate

Isotachopheresis of polyols in borate buffer solutions 659(1994)223

Isotachopheresis of polyols in borate buffer solutions —a reply 659(1994)224

Borate complexes

Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343

Bornanes

Characterization of technical toxaphene using combined high-performance liquid chromatography-gas chromatography-electron capture negative ionization mass spectrometry techniques 669(1994)103

Bornenes

Characterization of technical toxaphene using combined high-performance liquid chromatography-gas chromatography-electron capture negative ionization mass spectrometry techniques 669(1994)103

Boronates

Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17

Boron clusters

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Bowman Birk inhibitor

High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189

Bradykinin

Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene-co-divinylbenzene) 669(1994)230

Bradykinin analogue

Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85

Brassinolide

Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography-mass spectrometry (Review) 658(1994)3

Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

Brassinosteroids

Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography-mass spectrometry (Review) 658(1994)3

Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17

Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

Bromate

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Pre-concentration techniques for bromate analysis in ozonated waters 671(1994)141

Trace level determination of bromate in ozonated drinking water using ion chromatography 671(1994)165

Bromhexine

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Bromide

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Electrocatalytic oxidation and ion chromatographic detection of Br^- , I^- , SO_3^{2-} , $\text{S}_2\text{O}_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39

Brominated hydrocarbons

Determination of second cross virial coefficients from gas-liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Bromine

Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269

Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185

Progress and problems in organic microanalysis by ion chromatography 671(1994)295

1-Bromoacetylpyrene

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Bromoalkanes

Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

 α -Bromobutyric acid

Gas chromatographic determination of organobromine micropollutants in air and water 659(1994)213

Bromochlorofluorocarbons

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Bromodiolone

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

Bromoisoval

Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Bromophenol blue

Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

3-Bromo-5-trifluoromethyl-1,2-diaminobenzene

Determination of selenium by gas chromatography-electron-capture detection using a rapid derivatization procedure 664(1994)77

Brompheniramine

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Bufuralol

Improved chiral stationary phase for β -blocker enantioseparations 690(1995)218

Bulbocapnine

Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225

 β -Bungarotoxins

Resolution of isotoxins in the β -bungarotoxin family 694(1995)492

Bupivacaine

Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407

Evaluation of silica gel-based brush type chiral cation exchangers with (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine as chiral selector: attempt to interpret the discouraging results 694(1995)151

Buserelin

Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55

2,3-Butanediol

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

Butene

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

Butenolides

Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

Butylboronates

Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277

***p*-tert.-Butylcalix[4]arene**

Gas chromatographic study of the inclusion properties of calixarenes. I. *p*-tert.-Butylcalix[4]arene in a micropacked column 696(1995)101

(*S*)-(+)-2-tert.-Butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid

Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent. (*S*)-(+)-2-tert.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1995)241

Butyltin compounds

Identification and determination of butyltin compounds in water by ion trap gas chromatography-mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241

Butyric acid

Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Butyrophenones

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

C

Cadaverine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Cadmium

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Cadmium sulphide

Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Caffeic acid

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593

Caffeine

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Calcium

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Electrophoretically mediated microanalysis of calcium 662(1994)389

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173

Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153

Calcium antagonists

Enantioselective assay for the determination of nisoldipine in dog, rat and mouse plasma by chiral microbore high-performance liquid chromatography combined with gas chromatography-mass spectrometry 666(1994)241

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Calcium channel blockers

Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93

Caldesmon

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Calixarenes

Gas chromatographic study of the inclusion properties of calixarenes. I. *p-tert*-Butylcalix[4]arene in a micropacked column 696(1995)101

Calixarenes, sulfonated

Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis 688(1994)293

Calmodulin

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Calponin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Camazepam

Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249

Campesterol

Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267

Camphene

Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67

α -Campholene

Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns 697(1995)475

- Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485
- Cannabidiol**
Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
- Cannabinoids**
Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
- Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285
- Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47
- Carbamates**
Thin-layer chromatographic detection of carbaryl using phenylhydrazine hydrochloride 653(1993)181
- Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223
- Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231
- High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
- Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247
- Carbamazepine**
Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119
- Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51
- Carbaryl**
Thin-layer chromatographic detection of carbaryl using phenylhydrazine hydrochloride 653(1993)181
- Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219
- Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223
- Carbazoles**
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103
- Carbendazim**
Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145
- Carbidopa**
Stability-indicating method for the determination of levodopa, levodopa-carbidopa and related impurities 667(1994)175
- Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
- Carbofuran**
Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219
- Carbohydrates**
see Sugars and Saccharides
- Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517
- Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267
- Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317
- Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315
- Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339
- Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191
- Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151

Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187

Simple, inexpensive system for using thin-layer chromatography for micro-preparative purposes 684(1994)370

Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213

Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329

Advances in affinity electrophoresis (Review) 698(1995)89

Carbon

Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269

Carbonate

Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83

On-line analysis of alkaline samples with a flow-through electro dialysis device coupled to an ion chromatograph 671(1994)131

Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Carbon dioxide

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

Carbonic anhydrase inhibitor

Simultaneous determination of L-693.612, a topical carbonic anhydrase inhibitor, and two potential metabolites in human whole blood by ion-pair high-performance liquid chromatography 660(1994)307

Carbon monoxide

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Carbonyl compounds

Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Carboranylalanine

Determination of enantiomeric purity of (S)-carboranylalanine using capillary column supercritical fluid chromatography 670(1994)239

Carboxyatractyloside

High-performance liquid chromatographic determination of atractyloside and carboxyatractyloside from *Atractylis gummifera* L. 663(1994)119

Carboxylate anions

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Carboxylic acids

see also Fatty acids and Organic acids

Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563

Model for the mixed ion-exclusion-adsorption retention mechanism in ion-exclusion chromatography 654(1993)197

Liquid chromatographic-atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221

- Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207
- Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75
- Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87
- Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457
- Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471
- Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91
- Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281
- Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
- Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167
- Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351
- Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35
- Determination of organic acids in urine by capillary zone electrophoresis 680(1994)247
- N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13
- Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
- Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7
- Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261
- Direct separation of carboxylic acid enantiomers by high-performance liquid chromatography with amide and urea derivatives bonded to silica gel as chiral stationary phases 689(1995)195
- Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285
- Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267
- Carboxylic anhydrides**
Carboxylic anhydrides-orthoesters—novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299
- S-Carboxymethylcysteine**
Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methyleysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309
- N^ε-Carboxymethyllysine**
Determination of N^ε-carboxymethyllysine by a reversed-phase high-performance liquid chromatography method 672(1994)242
- Carboxypeptidase A**
Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383
- Carnitine**
Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113
- High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37
- Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241
- Carnosic acid**
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381
- Carnosol**
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

β -Carotene

High-performance liquid chromatographic determination of the geometrical isomers of β -carotene in several foodstuffs 697(1995)289

Carotenoids

Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239

Carprofen

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Caseins

Determination of milk proteins by capillary electrophoresis 652(1993)207

Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113

Characterization of food proteins by capillary electrophoresis 685(1994)331

 β -Casomorphins

High-performance liquid chromatographic separation of *cis-trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7

Castasterone

Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

Catalase

Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571

Catecholamines

Determination of catecholamines by automated pre-column derivatization and reversed-phase column liquid chromatography with fluorescence detection 661(1994)137

Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Catecholase

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Catechols

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

New ligands for boronate affinity chromatography 687(1994)61

Cations

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Cations, monovalent

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Caulerpenyne

Determination of caulerpenyne, a toxin from the green alga *Caulerpa taxifolia* (Caulerpaceae) 663(1994)114

Cefotaxime sodium

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Cell culture-derived products

Removal of DNA contaminants from therapeutic protein preparations 658(1994)459

Cellulose

Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191

3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Cellulose, microcrystalline

Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Cellulose ethers

Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Centchroman

Determination of *cis*- and *trans*-centchroman in its dosage forms by high-performance liquid chromatography 663(1994)187

Cephalexin

High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67

Cephalosporins

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67

Ceralure

Capillary gas chromatography method for the analysis of the *trans* isomers of ceralure, a medfly attractant 673(1994)295

Cesium

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Cetrimide

Quantitative analysis of quaternary ammonium antiseptics using thin-layer densitometry 677(1994)377

Cetylpyridinium chloride

Quantitative analysis of quaternary ammonium antiseptics using thin-layer densitometry 677(1994)377

Cetyltrimethylammonium bromide

Quantitative analysis of quaternary ammonium antiseptics using thin-layer densitometry 677(1994)377

Cetyltrimethylammonium chloride

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369

Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313

Chaconine

Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Determination of glycoalkaloids in potato tubers by reversed-phase high-performance liquid chromatography 661(1994)169

Chaetoglobosin

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Charged compounds

Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21

Chelating agents

Determination of chelating agents in fertilizers by ion chromatography 671(1994)359

Chemical warfare agents

Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Chitosan

Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97

Chloramphenicol

Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123

Chlordane

Determination of chlordane in air by gas chromatography-mass spectrometry with selected ion monitoring 657(1993)405

Chlordiazepoxide

High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255

Chloride

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Determination of trace anions in isopropanol 671(1994)253

Use of ion chromatography for the verification of drug authenticity 671(1994)303

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Chlorimuron

High-performance liquid chromatographic determination of sulfonylureas in soil and water 692(1995)27

Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Chlorinated hydrocarbons

Determination of infinite dilution activity coefficients and second virial coefficients using gas-liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Chlorinated pesticides

Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Chlorinated phenoxy acids

Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

Chlorinated solvents

Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483

Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

Chlorine

Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269

Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185

Progress and problems in organic microanalysis by ion chromatography 671(1994)295

Chlorine-containing compounds

Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Chlormezanone

Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

2-Chloroacetophenone

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

Chloroalkanes

Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

2-Chloro-4-aminophenol

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Chloroamphetamine

Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Chloroanilines

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Chlorobenzenes

Optimization of supercritical carbon dioxide extraction for polychlorinated biphenyls and chlorinated benzenes from sediments 663(1994)87

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277

Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161

4-Chlorobenzophenone

Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

***o*-Chlorobenzylidenemalonitrile**

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

Chlorobiphenyls

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Chlorocatechols

Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277

Chlorocyclophosphazenes

Normal-phase high-performance liquid chromatographic separation of halocyclophosphazenes 676(1994)451

2-Chloro-2'-deoxyadenosine

Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

3'-Chloro-3'-deoxythymidine

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Chloroethanol

Determination of organochlorine compounds in anion-exchange resins by UV irradiation and ion chromatography 655(1993)57

Chlorofluorocarbons

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Chlorofluorocarbons, methane based

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Chloroform

Residual solvent analysis by headspace gas chromatography 667(1994)235

4-(2-Chloroformylpyrrolidin-1-yl)-7-nitro-2,13-benzoxadiazole

Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79

Chlorogenic acid

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Chloro-4-methylphenols

Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291

2-Chloro-1-methylpyridinium iodide

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Chloronitrobenzenes

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Chlorophacinone

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

Chlorpheniramine

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Chlorphenols

Method development by an expert system. Advantages and limitations 660(1994)33

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Identification of leather preservatives by gas chromatography-mass spectrometry 675(1994)257

Determination of chlorophenols in drinking water samples at the subnanogram per millilitre level by gas chromatography with atomic emission detection 683(1994)21

Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161

Chlorophyll *a* allomers

High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93

Chlorophyllides

Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239

Chlorophylls

Separation of chlorophyll c_1 and c_2 by reversed-phase high-performance liquid chromatography 653(1993)247

Separation of chlorophyll- c_1 and - c_2 by micellar electrokinetic capillary chromatography 687(1994)149

High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239

Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176

Chlorpheniramine

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97

Chlorpromazine

Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Chlorsulfuron

High-performance liquid chromatographic determination of sulfonyleureas in soil and water 692(1995)27

Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371

Detection and quantitation of sulfonyleurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Chlortetracycline

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Capillary electrophoresis of some tetracycline antibiotics 673(1994)267

Chlortoluron

Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131

Cholestane

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Cholestanetriol

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Cholesterol

Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

- Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193
- Cholesterol oxides**
Evaluation of the analysis of cholesterol oxides by liquid chromatography 661(1994)127
- Cholesteryl acetates**
Identification of thermal oxidation products of cholesteryl acetate 683(1994)75
- Cholesteryl esters**
Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225
- Cholic acid**
Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525
- Choline**
Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry 657(1993)395
- Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193
- Choline esters**
Determination of aromatic choline esters by micellar electrokinetic capillary chromatography 653(1993)99
- Chondroitin sulphate**
Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295
- Chorionic gonadotropin**
Analysis of the microheterogeneity of the glycoprotein chorionic gonadotropin with high-performance capillary electrophoresis 680(1994)217
- Chromate**
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331
- Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383
- Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
- Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443
- Chromic acid**
Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265
- Chromium**
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329
- Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33
- Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253
- Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103
- Chromium-tricarbonyl arene complexes**
Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6 -arene)-chromium(0) complexes 693(1995)63
- Chymosin**
Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179
- α -Chymotrypsin**
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122
- α -Chymotrypsinogen A**
Equilibrium and kinetic parameters of the adsorption of α -chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21
- Cibacron Blue**
Improvement in the polyethylene glycol-Cibacron Blue purification method 668(1994)61
- Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45
- Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15
- Cimetidine**
Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Cinnamaldehyde

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Cinnamic acid

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Cinnamoyl cocaines

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Ciprofloxacin

Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459

Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397

Citrate

Use of ion chromatography for the verification of drug authenticity 671(1994)303

Determination of citrate, inositol and gentisic acid in a pharmaceutical diagnostic formulation by ion-moderated partition chromatography 692(1995)203

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Citropten

Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177

Cladribine

Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Clarithromycin

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Clavam-2-carboxylate

Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography-tandem mass spectrometry 686(1994)213

Clavulanate potassium

Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography-tandem mass spectrometry 686(1994)213

Clavulanic acid

Liquid-liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Clenbuterol

Determination of clenbuterol and salbutamol in urine by capillary gas chromatography with capillary columns of 100 μm 655(1993)73

Applicability of coupled-column liquid chromatography to the analysis of β -agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography-UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Clindamycin phosphate

Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153

Cobalt

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Simultaneous determination of cobalt and nickel by reversed-phase high-performance liquid chromatography with diethyldithiocarbamic acid 673(1994)291

Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271

High-performance liquid chromatographic separation and determination of cobalt(II), cobalt(III) and iron(II) using bis(salicylaldehyde)tetramethylethylenediamine 695(1995)132

Cobalt complexes

Chromatographic studies of metal complexes. VII. Thin-layer chromatography of cobalt(III) complexes 675(1994)271

Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366

Coca alkaloids

Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

Cocaine

Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207

Cocaine-related deaths 674(1994)217

Cocoamphocarboxylglycinate

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Codeine

Gas chromatographic-mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 225(1994)225

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Determination of codeine in human plasma by high-performance liquid chromatography with fluorescence detection 696(1995)83

Cohumulone

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Collagen

Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Separation of collagen type I chain polymers by electrophoresis in non-cross-linked polyacrylamide-filled capillaries 698(1995)369

Colloids

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Colony-stimulating factor

Purification of recombinant human granulocyte-macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67

Colupulone

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Complexing agents

Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167

Concanavalin A

Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333

Contraceptives

Determination of *cis*- and *trans*-centchroman in its dosage forms by high-performance liquid chromatography 663(1994)187

Contrast agents

High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Copolymers

Elution behaviour of styrene-acrylonitrile copolymers in high-performance liquid chromatography with mixtures of chloroform and *n*-hexane as mobile phases 655(1993)185

Composition distribution separation of methyl methacrylate-methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Copper

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Copper chelates

Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Copper(II) chlorophyllins

Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99

Copper complexes

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Copper iminodiacetate

Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Copper(II) pheophorbides

Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99

Corklumidine

Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225

Corticosterone

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Cortisol

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Cortisone

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Coumachlor

Separation of estrogens and rodenticides using capillary electrophoresis with aqueous-methanolic buffers 652(1993)427

Coumarins

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177

Automated static headspace sampler for gas chromatography 686(1994)235

Coumatetralyl

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Coumestrol

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Creatinine

Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Cresolase

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Cresols

Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293

Properties of some C₁₈ stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Crocin

Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Crocins

Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Determination of saffron (*Crocus sativus* L.) components in crude plant extract using high-performance liquid chromatography-UV-visible photodiode-array detection-mass spectrometry 699(1995)107

Croda glue

Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Crotonic acid

Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Crown ethers

Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

18-Crown-6 tetracarboxylic acid

Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367

Crude oil

On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Cryoglobulins

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Cusohygrine

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Cutinase

Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol-aqueous salt solution two-phase systems 668(1994)139

Cyanamide

Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367

Cyanide

Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77

Cyanide complexes

Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343

Cyanine dyes

Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355

High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269

***p*-Cyano-(3-chloro-2-hydroxypropoxy)benzene**

Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69

α -4-Cyano-1,3-dimethyl-4-phenylpiperidine

Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176

***p*-Cyano(epoxypropoxy)benzene**

Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69

4-Cyanophenyl herbicides

Retention of 4-cyanophenyl herbicides on water-insoluble β -cyclodextrin support 685(1994)295

Cyanuric acid

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Cyanuric chloride

Enantiomer separation of amino acids on a chiral stationary phase derived from *L*-alaninyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303

Cyasorb UV

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Cyclic fatty acids

Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101

Cyclobutanediols

Separation and identification of stereoisomeric cyclobutanediols by gas chromatography-mass spectrometry 668(1994)463

 β -Cyclodextrin polymer

Retention of 4-cyanophenyl herbicides on water-insoluble β -cyclodextrin support 685(1994)295

Cyclodextrins

Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233

Potential of three different α -cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-O-*tert*-butyldimethylsilyl- β - and - γ -cyclodextrins 666(1994)131

Retention behaviour of barbituric acid derivatives on a β -cyclodextrin polymer-coated silica column 668(1994)395

Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259

Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431

Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β -cyclodextrin as a mobile phase additive 653(1993)293

Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191

Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449

Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27

Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl- β -cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host-guest complexation with cyclodextrins 666(1994)375

Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509

Effect of the degree of substitution of (2-hydroxy)propyl- β -cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139

Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333

Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233

Behaviour of periodate ion in isotachopheresis using cyclodextrins 684(1994)343

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51

Cyclodextrins, dipentylated

Use of esterified and unesterified dipentylated γ -, β - and α -cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254

Cycloheptaindoles

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β -cyclodextrin as a mobile phase additive 691(1995)187

Cycloheptanone

Monitoring the conversion of cycloheptanone to methyl 7-oxoheptanoate by gas chromatography 662(1994)420

Cyclohexane

Gas-liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

trans-1,2-Cyclohexanediol

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

Cyclopentane

Gas-liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

Cyclopentenones

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Cyclosiloxanes

Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography-Fourier transform infrared spectroscopy and gas chromatography-mass spectrometry 693(1995)89

Cyhalothrin

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Cypermethrin

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Cysteine

Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109

Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography-atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285

Cysteine derivatives

Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309

Cystine

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography-atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285

Cytochrome *b₅*

Anion-exchange chromatographic behavior of recombinant rat cytochrome *b₅*. Thermodynamic driving forces and temperature dependence of the stoichiometric displacement parameter *Z* 653(1993)207

Liquid-liquid extraction of a recombinant protein, cytochrome *b₅*, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117

Presence of a preferred anion-exchange binding site on cytochrome *b₅*: structural and thermodynamic considerations 684(1994)55

Cytochrome *c*

Sheathless capillary electrophoresis-electrospray ionization mass spectrometry using 10 μ m I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217

Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Cytokines

Purification of human tumour necrosis factor by membrane chromatography 661(1994)161

D

Daidzein

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Daidzin

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Dang-Guei-San

Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography 660(1994)299

Dansyl acid

The use of a microconcentric column in capillary electrophoresis 680(1994)33

Dansyl-cysteine adducts

High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263

D&C Red No. 28

Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77

Decalins

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Decamethonium bromide

α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

Decarbamoyl toxins

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Dehydroabietic acid

High-performance liquid chromatographic method for determination of dehydroabietic and abietic acids, the skin sensitizers in bindi adhesive 685(1994)263

Dehydroaltenusin

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Dehydroascorbic acid

Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215

Dehydrogenases, NAD⁺-dependent

Immobilized metal-ion affinity partitioning of NAD⁺-dependent dehydrogenases in poly(ethylene glycol)-dextran two-phase systems 678(1994)25

Dehydro- α -lapachon

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Delmadinone acetate

Application of high-performance thin-layer chromatography and gas chromatography-mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247

Delmopinol

Stereoselective high-performance liquid chromatographic assay of (\pm)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275

Deltamethrin

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Deltorphan C

Monitoring of optical isomers of β -methylphenylalanine in opioid peptides 660(1994)283

Dendritic macromolecules

Reversed-phase high-performance liquid chromatography of functionalized dendritic macromolecules 667(1994)284

Denopamine

Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449

Deoxyadenosine, diamino analogues

Liquid chromatographic separation of diamino analogues of 2'- or 3'-deoxyadenosine from adenine on a poly(styrene-divinylbenzene) polymer column 689(1995)247

Deoxynucleotides

Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316

Deoxyribonucleosides

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Deoxyribonucleotides

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Deoxyspergualin

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

2'-Deoxyuridine

Stability study of 2'-deoxyuridine by liquid chromatography 657(1993)208

Dephenhydramin hydrochloride

Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333

Dermatan sulphate

Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295

Dermorphins

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Desferrioxamine

pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434

Desflurane

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Desmethyl olanzapine

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Desmin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Detergents

see also Surfactants

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent-detergent method 658(1994)475

Deticene

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Deuterium

Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Dexamethasone

High-performance liquid chromatographic determination of betamethasone and dexamethasone 676(1994)455

Dexfenfluramine

Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367

Dextran, hydrophobically modified

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Dextrans

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Dextromethorphan

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Dextropropoxyphene

Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97

Dextrose

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

N,N'-Diacylcystine

Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Di-O-acylglycerol

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35

Diacylglycerols

Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1995)241

2,2-Dialkyl-4-alkoxycarbonyl-1,3-dioxolane

Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-*O*-acetyl-6-*O*-*tert*-butyldimethylsilyl- β - and - γ -cyclodextrins 666(1994)131

 α -Dialkylamino acids

Determination of α -dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthalaldehyde 690(1995)55

(*R,S*)-1-(Dialkylamino)-2-alkanols

High-performance liquid chromatographic separation of β -amino alcohols. I. Separation of (*R,S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241

Dialkylphthalates

Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Dialkyl tartrates, protonated

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

1,2-Diamines

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

2,4-Diaminobenzene sulphonic acid

Monitoring the products of acetylation, sulphonation and condensation of 2,4-diaminobenzenesulphonic acid by high-performance liquid chromatography 662(1994)71

1,2-Diamino-4-methylpentane

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

 α,ω -Diamino oligoethers

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω -diamino oligoethers 669(1994)89

1,2-Diamino-2-phenylethane

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

2,6-Diaminopimelic acid

Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Diazepam

Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333

Diazo dyes

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Dibenzo-*p*-dioxins, polychlorinated

Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243

Dibenzofurans, polychlorinated

Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243

Dibenzo[*b,f*]-1,4-oxazepin

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

Dibenzothiophenes

Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325

1,2-Dibromo-2,4-dicyanobutane

Comparison of high-performance liquid chromatographic methods for the determination of 1,2-dibromo-2,4-dicyanobutane in cosmetic products 692(1995)53

Di-2-butyl ethers

Gas chromatographic separation of deuterated and optical isomers of di-2-butyl ethers 678(1994)97

Dibutyltin

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Dicarboxylic acids

Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471

Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185

Dichloroacetic acid

Size-exclusion chromatography of nylons in methylene chloride-dichloroacetic acid 679(1994)201

Dichlorobenzenes

Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277

1,2-Dichloroethane

Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223

Dichloromethane

Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483

Residual solvent analysis by headspace gas chromatography 667(1994)235

Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167

Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105

Size-exclusion chromatography of nylons in methylene chloride-dichloroacetic acid 679(1994)201

Analytical characteristics of sample evaporation with the micro-Kuderna-Danish concentrator 695(1995)41

2,6-Dichlorophenol

Determination of organochlorine compounds in anion-exchange resins by UV irradiation and ion chromatography 655(1993)57

2,4-Dichlorophenoxyacetic acid

Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

1,3-Dichloropropene

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Dichlorprop

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317

Diclofensine

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Dicoumarol

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

5,10-Dideazatetrahydrofolic acid

Displacement chromatography on cyclodextrin silicas. V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603

(Dideoxy-D-erythro-hexopyranosyl)thymines

Comparative stability study of thymidine and (dideoxy-D-erythro-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167

Diepoxides

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Diethyldithiocarbamic acid

Simultaneous determination of cobalt and nickel by reversed-phase high-performance liquid chromatography with diethyldithiocarbamic acid 673(1994)291

Diethylenetriaminepentaacetic acid

Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47

Di(2-ethylhexyl) adipate

Determination of high- and low-molecular-mass plasticisers in stretch-type packaging films 675(1994)261

Diethyl stilbestrol

Potential of receptor-ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Difenzoquat

Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217

Difluorophosphate

High-performance liquid chromatographic characterization of monofluorophosphate, difluorophosphate and hexafluorophosphate 664(1994)111

Digitonin

Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253

Diglycerides

Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Digoxigenin

Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Digoxigenin-bis-digitoxoside

High-performance thin-layer chromatographic determination of digoxin and related compounds, digoxigenin bisdigitoxoside and gitoxin, in digoxin drug substance and tablets 659(1994)177

Digoxin

High-performance thin-layer chromatographic determination of digoxin and related compounds, digoxigenin bisdigitoxoside and gitoxin, in digoxin drug substance and tablets 659(1994)177

Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Dihydralazine

Ion-pair reversed-phase liquid chromatographic determination of dihydralazine 686(1994)344

Dihydrodiazepam

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

17 α -Dihydroequilenin

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

17 α -Dihydroequilin

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

Dihydrofolate reductase inhibitors

The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297

1-[(2,3-Dihydro-7-methyl-1H-inden-4-yl)oxy]-3-[(1-methylethyl)amino]-2-butanol

Chromatographic resolution and pharmacological investigation of ICI 118551, a new β_2 -blocker 666(1994)289

Dihydropyridines

Enantiomer separation of dihydropyridine derivative calcium antagonists by high-performance liquid chromatography with chiral stationary phases 659(1994)467

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1

Dihydroxybenzylamine

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

2,2'-Dihydroxy-1,1'-binaphthyl

One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449

Dihydroxyboryl compounds

Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351

***p*-Dihydroxyborylphenylalanine**

Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351

3,4-Dihydroxyphenylserine

Direct stereochemical resolution of 3,4-dihydroxyphenylserine using a chiral crown ether stationary phase 675(1994)244

Diisopropynaphthalenes

Gas chromatographic-mass spectrometric, high-performance liquid chromatographic-UV and gas chromatographic-Fourier transform IR responses to an industrial mixture of diisopropynaphthalenes 688(1994)211

2,6-Diisopropylphenol

High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597

Diketopiperazines

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Diltiazem

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173

Dimeric ions

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

1,4-Dimethoxy-2,3-butanediol

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

Dimethylamine

Application of a fused-silica column to the determination of very volatile amines by gas-solid chromatography 667(1994)334

***N,N*-Dimethylaminopropylacrylamide**

Cross-linked *N,N*-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267

Dimethylarsenic acid

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Dimethylarsinic acid

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Dimethylcaffeic acid

Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593

Dimethylcrocin

Separation of picrocrocins, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Dimethyldiphenylphosphonium ion

Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411

Dimethyldiselenide

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Dimethyl disulfide

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

N,N-Dimethylhydroxylamine

Simultaneous analysis of hydroxylamine, N-methylhydroxylamine and N,N-dimethylhydroxylamine by ion chromatography 667(1994)298

Dimethylphenol

Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Effect of detector temperature on the flame ionization detector response 679(1994)299

Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

Dimethyl phthalate

Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Diniconazole

Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431

Dinitroanilines

Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction 660(1994)219

3,5-Dinitrobenzamido phenylalanine

Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319

Dinitrobenzenes

Separation and quantitation of nitrobenzenes and their reduction products nitroanilines and phenylenediamines by reversed-phase high-performance liquid chromatography 655(1993)331

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid

6,6'-Dinitrobiphenyl-2,2'-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11

Dinitrodiphenylacetic acids

Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169

2,4-Dinitrophenylhydrazones

Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181

Dinitrotoluene

Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313

Dinophysistoxin-1

High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters 677(1994)301

Diolein

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Diosgenin

Supercritical fluid extraction of diosgenin from tubers of *Dioscorea nipponica* 690(1995)250

1,4-Dioxane

Residual solvent analysis by headspace gas chromatography 667(1994)235

1,5-Dioxepan-2-one

Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Dioxindolylalanine

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

Dioxins

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Dipeptides

Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1

New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91

High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366

Diphacinone

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

Diphenhydramine

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Diphenic anhydride

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

Diphenylacetic acids

Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169

Diphenylamine

Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

trans-1,2-Diphenylcyclopropane

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Diphenylethanediamine derivatives

Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41

Diphenylhydramine

Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Diphenylmaleic anhydride

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

Diphenylmethane antihistaminics

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

trans-2,3-Diphenyloxirane

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Diphenyl selenide

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Diphenyltin chloride

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Dipivefrin hydrochloride

Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397

Diquat

Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67

Disaccharides

Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503

Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295

Disopyramide

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Displacement post-column detection reagents

Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121

Disulfides

Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Disulfiram

Simultaneous structure-activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162

Diterpenes

High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

3,3'-Di(1,3-thiazolidin-4-one) derivatives

Liquid chromatographic separation of the enantiomers of antihistaminic 3,3'-di(1,3-thiazolidin-4-one) derivatives with two and four stereogenic centres 694(1995)355

Dithiobenzoic acid

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Dithiocarbamates

Thin-layer chromatography of N,N-disubstituted dithiocarbamates of nickel(II) and cobalt(II) 655(1993)45

Diuretics

Screening for diuretics in urine and blood serum by capillary zone electrophoresis 652(1993)441

Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography-mass spectrometry 683(1994)195

DNA

Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3

Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23

Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83

Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101

Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

Removal of DNA contaminants from therapeutic protein preparations 658(1994)459

- Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
- Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105
- Interactions between fluoroquinolones, Mg^{2+} , DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241
- Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205
- Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185
- Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169
- Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491
- High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497
- Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503
- Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511
- Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517
- Analysis of DNA restriction fragments and polymerase chain reaction products by capillary electrophoresis 680(1994)525
- Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65
- Macroporous gels: facts and misfacts (Review) 698(1995)3
- Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151
- DNA, antisense**
Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137
- DNA adducts**
Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic-thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113
- DNA fragments**
Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47
- Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
- Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83
- Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297
- Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219
- Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89
- Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97
- Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375
- DNA gyrase**
Interactions between fluoroquinolones, Mg^{2+} , DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241
- N-Dodecanoyl-L-glutamate**
Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253
- Dodecyldecaol**
Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Dodecyltin compounds

High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407

Domoic acid

Comparison of UV absorption and electrospray mass spectrometry for the high-performance liquid chromatographic determination of domoic acid in shellfish and biological samples 659(1994)119

Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173

 π -Donor analytes

Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π -donor analytes on a π -donor chiral stationary phase 692(1995)91

L-Dopa

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17

Stability-indicating method for the determination of levodopa, levodopa-carbidopa and related impurities 667(1994)175

Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351

Dopamine

Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259

Doping agents

Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233

Doxazosin

Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Drimarinene rubine

Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Drugs

Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565

Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3

DTPA

Determination of chelating agents in fertilizers by ion chromatography 671(1994)359

Dulcin

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Dyes

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271

High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281

Identification of unlawful food dyes by thin-layer chromatography-fast atom bombardment mass spectrometry 674(1994)301

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Capillary liquid chromatography-mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1

High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269

Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201

Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Electrochromatography-electrospray mass spectrometry of textile dyes 700(1995)27

Dyes, ampholytic

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Dyes, fluorescent

High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

Dynorphin A

High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235

E

Ecdysone

Utilization of temperature-induced phase separation for the purification of ecdysone and 20-hydroxyecdysone from spinach 668(1994)229

Ecdysteroids

Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

Ecgonine methyl ester

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

EDDHA

Determination of chelating agents in fertilizers by ion chromatography 671(1994)359

[¹⁴C] Eicosapentaenoic acid

Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35

Elaiophylin

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Enalapril maleate

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Endotoxins

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Cross-linked N,N-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267

Enflurane

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133

Engineered model proteins

Polyethylene glycol-potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121

Enilconazole

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Enkephalins

Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107

Enol acetoacetates

Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Enzyme inhibitors

High-performance liquid chromatographic determination of FCE 24928, a new aromatase inhibitor, in human plasma 660(1994)293

High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45

Enzymes

see also Proteins

Electrophoretically mediated microanalysis of ethanol 657(1993)429

Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371

Determination of pteric acid by high-performance thin-layer chromatography. Contribution to the investigation of 7,8-dihydropteroate synthase 659(1994)185

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383

Examination of glutathione S-transferase isoenzyme profiles in human liver using high-performance affinity chromatography 663(1994)53

Influence of eluent anions in boronate affinity chromatography 664(1994)123

Purification of glutamine synthetase by adenosine-affinity chromatography 664(1994)280

Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304

Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol-aqueous salt solution two-phase systems 668(1994)139

Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145

Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153

Interactions between fluoroquinolones, Mg^{2+} , DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229

Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51

Coupled affinity-reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Immobilized metal-ion affinity partitioning of NAD^+ -dependent dehydrogenases in poly(ethylene glycol)-dextran two-phase systems 678(1994)25

Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37

Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α -ketoamide calpain inhibitors 684(1994)243

Membrane affinity chromatography of alkaline phosphatase 685(1994)344

- High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331
- Firefly luciferase purification using polyethylene glycol and Dyematrix Orange A 695(1995)33
- On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279
- Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49
- Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571
- Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
- Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181
- Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281
- Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341
- Eosin Y**
On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361
- Eperisone**
Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193
- Ephedrine**
Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337
- Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
- Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135
- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
- Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293
- High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45
- Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561
- Epidermal growth factor receptor**
Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor 660(1994)169
- Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartiment electrolyzer with isoelectric membranes 679(1994)181
- Epigallocatechin**
Purification of (-)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174
- Epinephrine**
Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
- Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259
- Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397
- Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
- Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45
- Epoxides**
Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium N,N-diethyldithiocarbamate and liquid chromatography 696(1995)41
- Epoxidised soybean oil**
Determination of high- and low-molecular-mass plasticisers in stretch-type packaging films 675(1994)261
- Epoxy resins**
Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Equilenin

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

Equilin

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

Ergotamine tartrate

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Ergovaline

Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535

Eriocitrin

High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59

Erythromycin

Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153

Erythrosine

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Esfenvalerate

Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337

Essential oils

Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243

Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L. 659(1994)389

Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105

Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl- β -cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137

Esters, unsaturated

Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

Estradiol

Potential of receptor-ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Estrogens

Separation of estrogens and rodenticides using capillary electrophoresis with aqueous-methanolic buffers 652(1993)427

Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

Estrone

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

Ethane-based compounds

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Ethanol

Electrophoretically mediated microanalysis of ethanol 657(1993)429

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Residual solvent analysis by headspace gas chromatography 667(1994)235

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Ethanolamine

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Analytical conditions for the determination of 23 phenylthiocarbonyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21

Ethanolamine, amido esters

Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanolamine using reversed-phase thin-layer chromatography 675(1994)282

Ethene

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

Ethene-based halocarbons

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245

Ethenes, 1,2-disubstituted

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Ethers

Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Ethidium bromide

Separation of DNA restriction fragments by polymer-resolution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47

Ethofumesate

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243

Ethopropazine

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

2-Ethoxyethyl acetate

Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Ethoxyethylacrylate

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Ethoxylated alkylphenols

Analysis of alkylphenol-based non-ionic surfactants by high-performance liquid chromatography 668(1994)375

Ethoxylated fatty alcohols

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. II. Quantification in liquid chromatography under critical conditions 665(1994)47

Ethyl acetate

Residual solvent analysis by headspace gas chromatography 667(1994)235

Ethylaniline

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Ethylbenzene

Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201

Ethyl carbamate

Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259

Ethyl centralite

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Ethylenediaminetetraacetic acid

Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Determination of chelating agents in fertilizers by ion chromatography 671(1994)359

Liquid chromatographic determination of ethylenediaminetetraacetic acid as metal complexes on a porous graphitic carbon column 684(1994)213

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Ethylene oxide

Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium N,N-diethylthiocarbamate and liquid chromatography 696(1995)41

Ethylene oxide adducts

Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 667(1994)354

Ethylenethiourea

Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography-negative ion chemical ionization mass spectrometry 683(1994)157

Ethylmercury

Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253

Ethyl methylphosphonic acid

Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247

Ethyl nipecotate

Determination of chiral purity of ethyl nipecotate using a Chiralcel-OG column 696(1995)75

Explosives

Gas chromatography, liquid chromatography and ion chromatography adapted to the trace analysis of explosives 674(1993)309

Thermal decomposition characterization of explosives by pyrolysis-gas chromatography-mass spectrometry 688(1994)231

F**FadR transcription factor**

Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45

Famotidine

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Fats

Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101

Fatty acid esters

Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Fatty acid methyl esters

Separation of *cis* and *trans* unsaturated fatty acid methyl esters by silver ion high-performance liquid chromatography 659(1994)95

Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472

High-precision gas chromatography-combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Gradient reversed-phase high-performance liquid chromatography of saturated, unsaturated and oxygenated free fatty acids and their methyl esters 699(1995)85

Fatty acid methyl esters, deuterium-labelled

Silver ion high-performance liquid chromatographic separation of fatty acid methyl esters labelled with deuterium atoms on the double bonds 685(1994)178

Fatty acids

see also Carboxylic acids and Organic acids

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101

Lipid analysis of baker's yeast 665(1994)191

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Quantitative analysis of mixtures of symmetric and mixed anhydrides 673(1994)31

One-step conversion of fatty acids into their 2-alkenyl-4,4-dimethylxazoline derivatives directly from total lipids 673(1994)101

High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters 677(1994)301

Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149

Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

Silver ion high-performance liquid chromatography of esters of isomeric octadecenoic fatty acids with short-chain monounsaturated alcohols 693(1995)235

Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471

Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry 697(1995)453

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Gradient reversed-phase high-performance liquid chromatography of saturated, unsaturated and oxygenated free fatty acids and their methyl esters 699(1995)85

Fatty alcohols

Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography-mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Microwave-induced rapid synthesis of 4-carboxyhexafluorobutyl derivatives of fatty alcohols—a novel derivative for gas chromatography-chemical ionization mass spectrometric study 695(1995)136

Fatty alcohols, ethoxylated

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

FD&C Red No. 3

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

Felodipine

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Fenarimol

On-line liquid chromatography-gas chromatography for determination of fenarimol in fruiting vegetables 683(1994)151

Fenbendazole

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Fencholene

Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns 697(1995)475

Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485

Fenoprofen

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Fenoprop

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317

Fenpropathrin

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Fenvalerate

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Fermentation metabolites

Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315

Ferrocene derivatives

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Ferrocenylethanol

Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β -cyclodextrin as mobile phase additive 666(1994)439

Ferulic acid

Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography 660(1994)299

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

 α -Fetoprotein

Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Fetuin

Improved fractionation of sialylated glycopeptides by pellicular anion-exchange chromatography 667(1994)75

Fibrinogen receptor-antagonist peptides

Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77

Fibroblast growth factor

Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43

Ficoll

Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197

Filamin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Firefly luciferase

Firefly luciferase purification using polyethylene glycol and Dymatex Orange A 695(1995)33

Flavanoids

High-speed counter-current chromatographic separation of biflavanoids from *Garcinia kola* seeds 673(1994)142

Flavan-3-ols

Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290

Flavonoid aglycones

Gas chromatography-mass spectrometry of flavonoid aglycones. II. Structure-retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236

Flavonoids

Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477

Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555

High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59

Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268

High-performance liquid chromatographic determination of flavone C-glycosides in some species of the Cucurbitaceae family 675(1994)240

Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Flavonol glucosides

Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175

Flavonol glycosides

Thermospray liquid chromatography-mass spectrometry of flavonol glycosides from medicinal plants 661(1994)121

Flecainide

Direct resolution of racemic drugs using cellulose silica as a chiral stationary phase 653(1993)138

Flufenoxuron

Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Fluoranthene

Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Fluorene

Preparative-scale supercritical fluid chromatography 697(1995)579

9-Fluorenylmethoxycarbonyl chloride

Separation and identification of hydrophilic peptides in dairy products using Fmoc derivatization 696(1995)209

Fluorescein

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

Fluorescein isothiocyanate

Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145

Fluoride

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

Determination of fluoride in feed mixtures by capillary isotachopheresis 670(1994)223

On-line analysis of alkaline samples with a flow-through electro dialysis device coupled to an ion chromatograph 671(1994)131

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364

Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53

Fluorinated hydrofluorocarbons

Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography-mass spectrometry 657(1993)123

Fluoroacetic acid

Ion chromatographic separation and quantitative analysis of fluoroacetic acid and formic acid in soil 671(1994)231

Fluoro-aluminium complexes

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

Fluorocarbon-hydrocarbon surfactants

Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291

Fluorocarbons

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Fluorodeoxy sugars

Preparative high-performance liquid chromatographic separation of fluorodeoxy sugars 695(1995)128

Fluoroether anaesthetics

Gas chromatographic separation of the enantiomers of volatile fluoroether anaesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133

[4 α ,6 β (E)]-(\pm)-6-[2-[2-(4-Fluoro-3-methylphenyl)-4,4,6,6-tetramethyl-1-cyclohexen-1-yl]ethenyl]-tetrahydro-4-hydroxy-2H-pyran-2-one

Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259

Fluorophosphates

High-performance liquid chromatographic characterization of monofluorophosphate, difluorophosphate and hexafluorophosphate 664(1994)111

Fluoroquinolones

Influence of the chromatographic capacity factor ($\log k'$) as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177

Interactions between fluoroquinolones, Mg^{2+} , DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Fluorosurfactants

Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Fluoxetine

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59

Flurbiprofen

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Fluvalinate

Supercritical fluid extraction of fluvalinate residues in honey. Determination by high-performance liquid chromatography 655(1993)95

Food dyes

High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281

Identification of unlawful food dyes by thin-layer chromatography-fast atom bombardment mass spectrometry 674(1994)301

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Formaldehyde

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Formate

Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364

Formic acid

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Ion chromatographic separation and quantitative analysis of fluoroacetic acid and formic acid in soil 671(1994)231

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

N-Formylkynurenine

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

Freon

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Ftorafur

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Fullerenes

Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315

Supercritical fluid extraction using a new restrictor design 679(1994)147

Determination of C₆₀ and C₇₀ fullerenes in geologic materials by high-performance liquid chromatography 689(1995)157

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Fumaric acid esters

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Fumonisin

Liquid chromatographic determination of the mycotoxin fumonisin B₂ in physiological samples 692(1995)39

Determination of fumonisins B₁, B₂, B₃ and B₄ by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

Fungicides

see Pesticides

Funiculosis acid

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Fura-2

High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

2-Furaldehyde

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Furanacrylic acid

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Furan fatty acid

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry 697(1995)453

Furans

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Furfural

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

Furfuryl alcohol

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Furocoumarins

Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177

Furosine

Degradation of furosine during heptafluorobutyric anhydride-derivatization for gas chromatographic determination 678(1994)103

Fusel alcohols

Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

G**Gadolinium**

Speciation of heavy metals by capillary electrophoresis 686(1994)325

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Galactosamine

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Galactosaminoglycan

Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295

Galactose

Separation and identification of partially ethylated galactoses as their acetylated aldonitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Galactose oxidase

Influence of eluent anions in boronate affinity chromatography 664(1994)123

 β -Galactosidase

Lactose hydrolysis in an aqueous two-phase system by whole-cell β -galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179

Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227

Gangliosides

Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431

Preparative separation of ganglioside GM₁ by high-performance liquid chromatography 678(1994)183

Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155

Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83

Gases, permanent

Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79

Gastrins

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Gelatin

Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Genistein

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Genistin

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Gentamicin sulphate

Quantitation of gentamicin sulfate in injectable solutions by capillary electrophoresis 663(1994)259

Forensic investigation of gentamicin sulfates by anion-exchange ion chromatography with pulsed electrochemical detection 674(1994)255

Gentiopicrotin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Gentisic acid

Determination of citrate, inositol and gentisic acid in a pharmaceutical diagnostic formulation by ion-moderated partition chromatography 692(1995)203

Geosmin

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

G factors

Chromatographic analysis of G₁-G₃ natural cyclic peroxides and compounds obtained from Ru(II)-catalysed reaction of G₃ 658(1994)123

Gibberellins

Chromatography of gibberellins (Review) 658(1994)91

Ginsenosides

Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243

Gitoxin

High-performance thin-layer chromatographic determination of digoxin and related compounds, digoxigenin bisdigitoxoside and gitoxin, in digoxin drug substance and tablets 659(1994)177

Glibenclamides

Enantiomeric separation by packed column chiral supercritical fluid chromatography 697(1995)251

Glucomannan

Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Gluconic acid

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Gluconolactones

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Glucopeptides

Comparative and optimized dansyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169

Glucosamine

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Glucose

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Glucose-6-phosphate dehydrogenase

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Influence of eluent anions in boronate affinity chromatography 664(1994)123

Glue

Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Glufosinate

Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59

Glutamate

In vivo monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393

Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81

Glutamic acid

Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399

Glutamine synthetase

Purification of glutamine synthetase by adenosine-affinity chromatography 664(1994)280

Glutathione

Simultaneous high-performance capillary electrophoretic determination of reduced and oxidized glutathione in red blood cells in the femtomole range 676(1994)239

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

Glutathione S-transferase

Examination of glutathione S-transferase isoenzyme profiles in human liver using high-performance affinity chromatography 663(1994)53

Coupled affinity-reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Glycerols

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 677(1994)35

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Glycine

Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Glycine conjugates

Liquid chromatographic-atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221

Evaluation of liquid chromatography-ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93

Glycoalkaloids

Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127

Determination of glycoalkaloids in potato tubers by reversed-phase high-performance liquid chromatography 661(1994)169

Glycoconjugates

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Glycogen

Advances in affinity electrophoresis (Review) 698(1995)89

Glycolic acid

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Glycolipids

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Glycopeptide antibiotics

Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Glycopeptides

Improved fractionation of sialylated glycopeptides by pellicular anion-exchange chromatography 667(1994)75

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography.

I. Leucine-enkephalin-related glycoconjugates 687(1994)101

Glycoproteins

Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199

Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein 670(1994)199

Purification of simian immunodeficiency virus, SIV_{MAC251} , and of its external envelope glycoprotein, gp148 675(1994)89

Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Purification of recombinant human granulocyte-macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67

α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Analysis of the microheterogeneity of the glycoprotein chorionic gonadotropin with high-performance capillary electrophoresis 680(1994)217

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329

Advances in affinity electrophoresis (Review) 698(1995)89

Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Glycosaminoglycans

Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Glycosides, trifluoroacetylated

Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441

Glycosphingolipids

Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155

Glycosyltransferase

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Glycyrrhetic acids

Determination of glycyrrhizin and glycyrrhetic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184

Glycyrrhizin

Determination of glycyrrhizin and glycyrrhetic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Glykenin

Structure elucidation of glykenin glycosidic antibiotics from *Basidiomycetes* sp. V. High-performance liquid chromatographic separation of components of glykenin 664(1994)195

Glyoxal

High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235

Glyphosate

Improved method for the determination of glyphosate in water 697(1995)363

Gonadotropin-releasing hormone

Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55

Gramicidin S

Studies of gramicidin S analogues having various ring sizes by reversed-phase high-performance liquid chromatography 685(1994)237

Granisetron

Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195

Granulocyte macrophage colony stimulating factor

Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215

Purification of recombinant human granulocyte-macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67

Growth factors

Preparative isolation of recombinant human insulin-like growth factor I by reversed-phase high-performance liquid chromatography 675(1994)101

Growth hormones

Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139

Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31

Guanidinium chloride

Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Guanine

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

H**Haemocyanin**

Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Haemoglobin

Capillary electrophoresis of abnormal hemoglobins associated with α -thalassemias

Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143

Macroporous gels: facts and misfacts (Review) 698(1995)3

Haemolysins

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Haemorphins

Reversed-phase high-performance liquid chromatography for the determination of haemorphin-like immunoreactivity in human cerebrospinal fluid 676(1994)155

Haloacetic acids

Determination of haloacetic acids by ion chromatography 671(1994)309

Halocarbons

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245

 α -Halocarboxylic acids

Chromatographic resolution of racemic α -halocarboxylic acids and O-substituted α -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Halocyclophosphazenes

Normal-phase high-performance liquid chromatographic separation of halocyclophosphazenes 676(1994)451

Halogenated aliphatic acids

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Halogenated compounds

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Halogenated organic compounds

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-*tert*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Haloperidol

In vivo monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393

Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis 652(1993)417

Hapten-protein conjugates

High-performance capillary electrophoresis for characterization of hapten-protein conjugates used for production of antibodies against soyasaponin I 680(1994)437

Haptens

Advances in affinity electrophoresis (Review) 698(1995)89

Heat shock protein

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

Heavy metals

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazo chromotropic acid 657(1993)87

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

HEEDTA

Determination of chelating agents in fertilizers by ion chromatography 671(1994)359

Helenin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Heparin

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151

Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51

Heptadecanoic acid

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Heptylamine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Herbicides

see Pesticides

Heritionin

Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

Heroin

Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235

Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Hesperidin

High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Heteroaromatic compounds

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Heterocyclic amines

High-performance liquid chromatographic determination of ten heterocyclic aromatic amines with electrochemical detection 655(1993)101

Heterocyclic compounds

Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Hexabromocyclotriphosphazene

Normal-phase high-performance liquid chromatographic separation of halocyclophosphazenes 676(1994)451

Hexachlorocyclohexane

Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133

1-Hexadecanol

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Hexaflumuron

Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil 660(1994)195

Hexafluorophosphate

High-performance liquid chromatographic characterization of monofluorophosphate, difluorophosphate and hexafluorophosphate 664(1994)111

Hexafluoropropylene epoxide

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Hexahydrocannabinol

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Hexahydro-1,3,5-trinitro-1,3,5-triazine

Use of narrow-bore high-performance liquid chromatography–diode array detection for the analysis of intermediates of the biological degradation of 2,4,6-trinitrotoluene 693(1995)167

Hexamethonium bromide

α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

Hexamethonium chloride

α,ω -Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

Hexane

Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41

Hexobarbital

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509

Immobilization of peralkylated β -cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Hexokinase

Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51

Hexoses

Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17

Hexyldecaol

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Hexylhexaol

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Hirudin

Separation of r-hirudin from similar substances by capillary electrophoresis 700(1995)89

Hispidulin

Gas chromatography–mass spectrometry of flavonoid aglycones. II. Structure–retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236

Histamine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Histidine peptides

Importance of the α -amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Histones

Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121

HIV protease inhibitors

Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45

Homatropine

Capillary electrophoretic chiral separations using β -cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β -cyclodextrin 652(1993)233

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599

Homocysteine

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Homologous series

General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Homosalate

Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography-mass spectrometry 688(1994)375

Honokiol

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Hormones

Potential of receptor-ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Application of high-performance thin-layer chromatography and gas chromatography-mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247

Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

 α_2 -HS glycoprotein

Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Human serum albumin

see Albumin

Humic acids

Capillary zone electrophoresis of humic acids 664(1994)301

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Humulone

Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Hyaluronan

Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295

Hyaluronates

Determination of Stokes radii and molecular masses of sodium hyaluronates by Sephacryl gel chromatography 685(1994)172

Hydantoin

Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350

Hydrocarbons

Development of hydrocarbon gas standards 653(1993)71

Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133

Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

- Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27
- Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133
- Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α -cyclodextrin bonded stationary phase 666(1994)445
- Capillary column gas chromatographic-tandem mass spectrometric analysis of phosphate esters in the presence of interfering hydrocarbons 670(1994)127
- Fully automated gas chromatograph-flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389
- Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115
- Supercritical fluid extraction using a new restrictor design 679(1994)147
- Simultaneous gas chromatographic-Fourier transform infrared spectroscopic-mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203
- High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215
- Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367
- Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. II. Quantitation of petroleum hydrocarbons from environmental sample 685(1994)95
- Adsorption effects on retention behaviour of hydrocarbons in gas-liquid and gas-solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101
- Automated static headspace sampler for gas chromatography 686(1994)235
- Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161
- Gas-solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications 688(1994)201
- Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography-flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368
- Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93
- Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by *in situ* copolymerization 693(1995)79
- Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324
- Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155
- Hydrocarbons, volatile**
Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265
- Hydrocinnamic acid**
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122
- Hydrofluorocarbons**
Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography-mass spectrometry 657(1993)123
- Hydrogen**
Gas chromatographic separation of pairs of isotopic molecules 654(1993)319
- Hydrogen cyanide**
Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25
- Hydrogen isotopes**
Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283
- Hydrogen peroxide**
Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185

Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99

Hydrogen sulphide

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

Hydrolases

Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Hydroperoxides

Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography-mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Hydroquinone

Amperostatic-potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Hydroxy acids

New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91

4-Hydroxyalkenals

Toxic aldehydes formed by lipid peroxidation. I. Sensitive, gas chromatography-based stereoanalysis of 4-hydroxyalkenals, toxic products of lipid peroxidation 670(1994)153

4-Hydroxybenzenesulfonate

Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis 688(1994)293

p-Hydroxybenzoic acid

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

3-Hydroxybutyrate

Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

2-Hydroxybutyric acid

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-*O*-butyl-3-*O*-trifluoroacetylated- γ -cyclodextrin capillary column 673(1994)107

3-Hydroxycarbofuran

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Hydroxychloroquine

Using chirality as a unique probe of pharmacological properties 694(1995)169

Hydroxycholesterol

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Hydroxycocaine

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

α -Hydroxydiphenylacetic acid

Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

4-Hydroxy-2-dipropylaminoindan

Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527

6-Hydroxydopamine

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptalluorobutyrate as pairing ion 660(1994)17

20-Hydroxyecdysone

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Phytoecdysteroids in *Kochia scoparia* (burning bush) 658(1994)69

Utilization of temperature-induced phase separation for the purification of ecdysone and 20-hydroxyecdysone from spinach 668(1994)229

20-Hydroxyecdysteroids

Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

5-Hydroxyeicosatetraenoic acid

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Hydroxyethyl cellulose

Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3

Hydroxy fatty acids

Applications of gas chromatography-mass spectrometry in clinical chemistry 665(1994)155

7-Hydroxygranisetron

Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195

2-Hydroxyisobutyric acid

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

 α -Hydroxyisobutyric acid

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149

3-Hydroxykynurenine

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

Hydroxylamine

Simultaneous analysis of hydroxylamine, N-methylhydroxylamine and N,N-dimethylhydroxylamine by ion chromatography 667(1994)298

Hydroxymethanesulphonate

Sulphite stabilizer in ion chromatography 663(1994)255

5-Hydroxymethylfurfural

Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171

Hydroxy-3-methylglutaryl-CoA reductase inhibitor

Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β -cyclodextrin stationary phase 678(1994)259

 β -Hydroxyphenylethylamine

Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

17- α -Hydroxyprogesterone

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Hydroxyprolines

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

Hydroxypropyl- β -cyclodextrin

Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155

8-Hydroxyquinoline-5-sulphonic acid

Analysis of aluminium in pharmaceutical products by post-column derivatization ion chromatography 671(1994)115

Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121

Hydroxy-Saclofen

Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

5-Hydroxytryptophan

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

Hygrine

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Hyperoside

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in Crataegus leaves and flowers 677(1994)25

Hypoxanthine

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

I

Ibuprofen

Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β -cyclodextrin 680(1994)599

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Ibuprofen-1-naphthylamide

Comparison of (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135

ICI 118551

Chromatographic resolution and pharmacological investigation of ICI 118551, a new β_2 -blocker 666(1994)289

Ifosfamide

Using chirality as a unique probe of pharmacological properties 694(1995)169

Imidapril hydrochloride

Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125

Imidazoles

Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Imidazolidinedithiones

HPLC purification and separation of 5,5'-substituted-2,4-imidazolidinedithiones 664(1994)63

Imidazopyrine

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

Immunoglobulin A

Characterization of charge-modified and fluorescein-labeled antibody by capillary electrophoresis using laser-induced fluorescence. Application to immunoassay of low level immunoglobulin A 680(1994)419

Immunoglobulin G

Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45

Rapid, automated, two-dimensional high-performance liquid chromatographic analysis of immunoglobulin G and its multimers 676(1994)331

Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61

Immunoglobulins

Supports for liquid-liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65

Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113

Purification of antigenized immunoglobulins derivatized with monomethoxypolyethylene glycol 696(1995)219

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Immunotoxins

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Indenoindolic antioxidants

On-line solid-phase extraction with automated cartridge exchange for liquid chromatographic determination of lipophilic antioxidants in plasma 661(1994)153

Indole alkaloids

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Indolecarboxylic acids

Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases 691(1995)217

Indoles

Determination of tryptophan and ten of its metabolites in a single analysis by high-performance liquid chromatography with multiple detection 661(1994)101

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography-mass spectrometry-ultraviolet spectrometry methods 684(1994)103

Indomethacin

Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Indoprofen

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Inorganic anions

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

Study of complex-forming equilibria between divalent metal cations and some inorganic anions using ion chromatography 657(1993)435

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Anion separations on columns based on transition metal-macrocycle complex exchange sites 671(1994)55

Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83

On-line analysis of alkaline samples with a flow-through electro-dialysis device coupled to an ion chromatograph 671(1994)131

Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249

Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383

Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411

Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Simultaneous determination of organic and inorganic anions in the sub- $\mu\text{mol/l}$ range in rain water by capillary zone electrophoresis 689(1995)305

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Inorganic bases

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Inorganic cations

see also Metal cations

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659

Inorganic gases

Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381

Gas-solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications 688(1994)201

Inorganic ions

see also Metal ions

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Environmental monitoring of wastewater using capillary ion electrophoresis 680(1994)645

Inorganic sulphate

Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445

Inorganic tin compounds

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Inosine

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Inositol

Determination of citrate, inositol and gentisic acid in a pharmaceutical diagnostic formulation by ion-moderated partition chromatography 692(1995)203

Inositol phosphates

Anion-exchange high-performance liquid chromatography with post-column detection for the analysis of phytic acid and other inositol phosphates 653(1993)148

Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Insecticides

see Pesticides

Insulin

Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 µm particles 690(1995)9

Selective stability-indicating high-performance liquid chromatographic assay for recombinant human regular insulin 699(1995)383

Insulin-like growth factors

Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219

Preparative isolation of recombinant human insulin-like growth factor 1 by reversed-phase high-performance liquid chromatography 675(1994)101

Insulin, recombinant

Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83

γ-Interferon

Process monitoring of the production of γ-interferon in recombinant Chinese hamster ovary cells 659(1994)317

Iodide

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Electrocatalytic oxidation and ion chromatographic detection of Br⁻, I⁻, SO₃²⁻, S₂O₃²⁻ and SCN⁻ at a platinum particle-based glassy carbon modified electrode 699(1995)39

Iodine

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Ionogenic compounds

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Iothalamic acid

Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113

Irganox 1010

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography-mass spectrometry with on-line diode array detection 679(1994)285

Irganox 1076

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Iron

In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25

Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

High-performance liquid chromatographic separation and determination of cobalt(II), cobalt(III) and iron(II) using bis(salicylaldehyde)tetramethylethylenediamine 695(1995)132

Iron chelates

Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Isoajmaline

Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251

Isoborone

Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313

N-Isobutyrylcysteine

Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to biosciences 666(1994)259

Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthalaldehyde and chiral thiols. Applications with reference to food science 697(1995)229

Isoferulic acid

Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593

Isoflavones

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Isolflurane

Evaluation of isolflurane in air by thermal desorption-gas chromatography 657(1993)131

Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath 657(1993)147

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Preparative enantiomer separation of enflurane and isolflurane by inclusion gas chromatography 666(1994)617

Isomenthone

Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Isomint lactone

Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

Isomitraphylline

Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Isoprene

Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115

Isoprenyl pyrophosphates

Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323

Isopromethazine

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β -cyclodextrin bonded-phase column 660(1994)339

Isopropanol

Residual solvent analysis by headspace gas chromatography 667(1994)235

Determination of trace anions in isopropanol 671(1994)253

Isopropyl 3-cyclohexylglycerates

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

***p*-Isopropylidiphenylamine**

Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241

2-Isopropyl-3-methoxypyrazine

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

Isopropyl methylphosphonic acid

Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247

Isoproterenol

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Isopteropodine

Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Isorhamnetin

Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175

Isosandwicine

Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251

Isothiazolinones

Simultaneous determination of benzotriazole copper inhibitor and microbiocidal isothiazolinones by high-performance liquid chromatography 661(1994)245

Isotopes

Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571

Isradipine

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

J

Jacalin

Preparative isolation of the lectin jacalin by anion-exchange high-performance liquid chromatography 688(1994)357

Jaceosidin

Gas chromatography-mass spectrometry of flavonoid aglycones. II. Structure-retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236

Jasmonates

Separation of a new type of plant growth regulator, jasmonates, by chromatographic procedures (Review) 658(1994)129

Jatrorrhizine

Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225

Jeffamines

Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167

K

Kaempferol

Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Kaempferol glycosides

Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477

Kauranoids

Chromatography of gibberellins (Review) 658(1994)91

Kerogens

Flash pyrolysis-gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119

Ketamine

Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

α -Ketoamide calpain inhibitors

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α -ketoamide calpain inhibitors 684(1994)243

Ketobemidone

Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176

7-Ketocholesterol

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Ketones

Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Development of a method for simultaneous determinations of nitrogen oxides, aldehydes and ketones in air samples 653(1993)341

Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367

Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181

Ketoprofen

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Recycling in preparative liquid chromatography 687(1994)13

Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Kinases

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Korupensamines Michellamines

Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83

Kunitz soybean trypsin inhibitor

High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189

Kynurenes

Determination of tryptophan and ten of its metabolites in a single analysis by high-performance liquid chromatography with multiple detection 661(1994)101

Determination of tryptophan and kynurene in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73

L**L-693,612**

Simultaneous determination of L-693,612, a topical carbonic anhydrase inhibitor, and two potential metabolites in human whole blood by ion-pair high-performance liquid chromatography 660(1994)307

Labetalol

Effects of organic mobile phase modifiers on elution and separation of β -blockers in micellar electrokinetic capillary chromatography 655(1993)317

 α -Lactalbumin

Competitive adsorption of α -lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

 β -Lactam antibiotics

see also Antibiotics

Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69

Diastereomeric β -lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195

Lactams

Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207

Lactate

Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243

Lactate dehydrogenase

Poly(*N*-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27

Influence of eluent anions in boronate affinity chromatography 664(1994)123

Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145

Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Lactic acid

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

1-(*D,L*)-Lactide

Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of 1- and *D,L*-lactide and 1,5-dioxepan-2-one 688(1994)251

Lactobionic acid

Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67

Lactobionolactone

Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67

Lactoglobulin

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Separation of β -lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105

Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111

Lactones

Gas chromatographic analysis of diastereomers and enantiomers of β,γ -unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247

Lactose

Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67

Lactose hydrolysis in an aqueous two-phase system by whole-cell β -galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179

Lansoprazole

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Lanthanides

Determination of lanthanides in Kola nitrophosphate solution by cation-exchange ion chromatography 671(1994)173

Dynamic ion-exchange chromatography for the determination of lanthanides in rock standards 679(1994)387

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Lapachol

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Lasalocid

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Laudanosoline

Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333

Lauroilsine

Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322

Lead

Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Lectins

Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333

Measurement of binding constants by capillary electrophoresis 696(1995)160

Leucine-enkephalin

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101

Leucovorin

Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis 652(1993)247

Leukotriene antagonist

Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321

Leukotriene B₄

Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B₄ and prostaglandin B₂ 691(1995)225

Leukotrienes

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Leurosine

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Light-harvesting complex II

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Limonene

Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

Linear alkylbenzenesulphonates

Reversed phase liquid chromatographic separation of linear alkylbenzenesulphonates. Effect of mobile phase ionic strength 671(1994)73

Linoleic acid

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Linsidomine

Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235

Lipases

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Lipids

Lipid analysis of baker's yeast 665(1994)191

Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225

Reversed-phase liquid chromatography-mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87

One-step conversion of fatty acids into their 2-alkenyl-4,4-dimethylloxazoline derivatives directly from total lipids 673(1994)101

Selectivity effects in semi-polar columns. II 688(1994)363

Lipoproteins

Partitioning of chemically modified low-density lipoprotein in aqueous polymer two-phase systems 668(1994)107

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Liquiritin

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Listeriolysin O

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Lithium

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Lithium dodecyl sulphate

Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291

Lithium perfluorooctane sulphonate

Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291

Loganin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Lorazepam

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Lormetazepam

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Low-density lipoprotein

Partitioning of chemically modified low-density lipoprotein in aqueous polymer two-phase systems 668(1994)107

Lubimin

Reversed-phase liquid chromatographic isolation of lubimin and solavetivone from *Hyoscyamus muticus* "hairy" root cultures 657(1993)440

Luciferase

Firefly luciferase purification using polyethylene glycol and Dymatex Orange A 695(1995)33

Luminol

Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237

Lupulone

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Luteolin

Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

Luteoreticulin

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Lysozyme

Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97

Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311

Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91

Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 µm particles 690(1995)9

M**α-Macroglobulins**

Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α-macroglobulins 668(1994)101

Macrolide antibiotics

Liquid chromatography of tylosin A and related substances on poly(styrene-divinylbenzene) 699(1995)93

Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99

Macromolecules

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Mag-fura

High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

Magnesium

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Interactions between fluoroquinolones, Mg²⁺, DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Magnolol

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography 692(1995)137

Maillard reaction products

Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171

Malachite green

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Malathion

Analysis of pesticide residues in food using gas chromatography–tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Maleic acid, esters

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Malic acid

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Malonaldehyde

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Manganese

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazo chromotropic acid 657(1993)87

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Manganese chelates

Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Manidipine

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Mannose

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Mannosides

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

MCPA

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

MCPP

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

Mecoprop

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317

Melamine

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Melittin

Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199

Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187

Membrane proteins

see also Proteins

Ion-exchange–immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene–divinylbenzene) column 664(1994)33

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Membrane vesicles

Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201

Menthofuran

Potential of three different α -cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Menthol

Chiral compounds of essential oils. XV.
Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557

Menthone

Chiral compounds of essential oils. XV.
Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Menthyl acetate

Chiral compounds of essential oils. XV.
Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Meperidine

Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176

2-Mercaptopropionic acid

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

N-(2-Mercaptopropionyl)glycine

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Mercaptooundecahydrododecaborate

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Mercury

Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Separation and characterization of rat kidney isometallothioneins induced by exposure to inorganic mercury 655(1993)77

Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107

Mesityl oxide

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Mesocarb

Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233

Metal cations

see also Inorganic cations

Study of complex-forming equilibria between divalent metal cations and some inorganic anions using ion chromatography 657(1993)435

Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227

Metal chelates

Ion-association capillary electrophoresis. New separation mode for equally and highly charged metal chelates 652(1993)539

Thin-layer chromatography of N,N-disubstituted dithiocarbamates of nickel(II) and cobalt(II) 655(1993)45

Chromatographic separations of metal chelates present in commercial fertilizers. I. Development of a gel permeation chromatographic separation method for the identification of metal chelates in commercial fertilizers 657(1993)69

Chromatographic separations of metal chelates present in commercial fertilizers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

Simultaneous determination of cobalt and nickel by reversed-phase high-performance liquid chromatography with diethyldithiocarbamic acid 673(1994)291

Metal complexes

Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)-hydrazine-nitritoltriacetate mixed-ligand complexes 667(1994)371

Chromatographic studies of metal complexes. VII. Thin-layer chromatography of cobalt(III) complexes 675(1994)271

Liquid chromatographic determination of ethylenediaminetetraacetic acid as metal complexes on a porous graphitic carbon column 684(1994)213

Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279

Complex-forming equilibria in ion chromatography (Review) 699(1995)1

Metal ions

see also Inorganic ions

Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167

Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121

Metallized dyes

Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Metallochlorophyllins

Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99

Metallo-cyanides

Separation of metallo-cyanide complexes by capillary zone electrophoresis 687(1994)343

Metallothioneins

Separation and characterization of rat kidney isometallothioneins induced by exposure to inorganic mercury 655(1993)77

Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography 664(1994)129

Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography 700(1995)95

Metal-oxalate complexes

Optimization of the anion-exchange separation of metal-oxalate complexes 654(1993)105

Metal oxoanions

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Metals

New electrolyte systems for the determination of metal cations by capillary zone electrophoresis 671(1994)429

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous-organic media by capillary ion analysis 688(1994)339

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Methadone

Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283

Methamphetamine

Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

Methane

Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Methanol

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Residual solvent analysis by headspace gas chromatography 667(1994)235

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Methiocarb

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223

Methionine-enkephalin

Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107

Methomyl

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Methotrexate

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

1-Methoxycycloheptatriene

Analysis of irritants by capillary column gas chromatography-tandem mass spectrometry 695(1995)65

(4-[¹¹C]Methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methylethylamine

High-performance liquid chromatographic determination of (4-[¹¹C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methylethylamine and its benzophenone metabolite 692(1995)97

1-Methylaminoanthraquinone

Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Methyl (4-aminobenzene sulphonyl)carbamate

Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

Methylbenzenes

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Methyl benzoate

Properties of some C₁₈ stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Properties of some C₁₈ stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

N-Methylcarbamates

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155

Methyl carboxylic esters

Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367

Methylcellulose

Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Methyl centralite

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

2-Methyl-4-chlorophenoxyacetic acid

Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

(Methylcyclopentadienyl)manganesetricarbonyl

Determination of (methylcyclopentadienyl)manganesetricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection 678(1994)319

Quenching-free reactive-flow photometry 694(1995)433

Methylcysteine

Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309

5-Methylfurfural

Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

N-Methylhydroxylamine

Simultaneous analysis of hydroxylamine, N-methylhydroxylamine and N,N-dimethylhydroxylamine by ion chromatography 667(1994)298

2-Methylisoborneol

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

Methyl isothiocyanate

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Methyl jasmonate

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Methyl linoleate

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Methylmalonic acid

Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185

Methylmannoside

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Methylmercury

Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography-mass spectrometry 696(1995)113

Methyl methacrylate-methacrylic acid copolymers

Composition distribution separation of methyl methacrylate-methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Methyl 2-methoxybenzoate

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

1-Methyl-4-methoxymethylcyclohexanecarboxylic acid

Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253

Methyl 2-methylbenzoate

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

Methyl orange

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

Methyl 7-oxoheptanoate

Monitoring the conversion of cycloheptanone to methyl 7-oxoheptanoate by gas chromatography 662(1994)420

Methylphenol

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

4-Methylphenols, chlorinated dimers

Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291

 β -Methylphenylalanine

Monitoring of optical isomers of β -methylphenylalanine in opioid peptides 660(1994)283

- 5-(*p*-Methylphenyl)-5-phenylhydantoin**
Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333
- Methylphosphonic acid**
Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247
- Methyl salicylate**
Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101
- Methyl secondary alkyl ethers**
Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175
- 2-Methylsorbic acid**
Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185
- 1-Methyl-1,2,3,4-tetrahydro- β -carboline-3-carboxylic acid**
Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93
- Methyltryptophans**
Chiral separations on cellulose in electrophoresis 663(1994)264
- Metolachlor**
Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337
- Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345
- Metoprolol**
Improved chiral stationary phase for β -blocker enantioseparations 690(1995)218
- Metribuzin**
Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337
- Metronidazole**
Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica 697(1995)175
- Metsulfuron**
High-performance liquid chromatographic determination of sulfonyleureas in soil and water 692(1995)27
- Detection and quantitation of sulfonyleurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201
- Mevinolines**
Method development by an expert system. Advantages and limitations 660(1994)33
- Mexacarbate**
High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
- Microcystins**
High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263
- Milbemycin α_2**
Preparative-scale supercritical fluid chromatography 697(1995)579
- Milk proteins**
Determination of milk proteins by capillary electrophoresis 652(1993)207
- Mitomycin C**
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
- Mitorubrinol**
Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185
- Mitoxantrone**
High-performance liquid chromatographic determination of mitoxantrone in liposome preparations using solid-phase extraction and its application in stability studies 670(1994)234
- Mitraphylline**
Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243
- Mixed ligand complexes**
Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)-hydrazine-nitritotriacetate mixed-ligand complexes 667(1994)371
- Molsidomine**
Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235
- Monesin**
Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

6-Monoacetylmorphine

Gas chromatographic-mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 225(1994)225

Monoamine oxidase inhibitors

Retention of some monoamine oxidase inhibitory drugs on a β -cyclodextrin polymer-coated silica column 660(1994)313

Monoclonal antibodies

see also Antibodies

Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Monoesters

Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentane-1,2-diols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162

Monofluorophosphate

High-performance liquid chromatographic characterization of monofluorophosphate, difluorophosphate and hexafluorophosphate 664(1994)111

Monoglycerides

Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Monomeric ions

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Monomethylamine

Application of a fused-silica column to the determination of very volatile amines by gas-solid chromatography 667(1994)334

Monomethylarsonic acid

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Mononitrodiphenylacetic acids

Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169

Mononitrophenylacetic acids

Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169

Monoolein

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Mono-O-5-pent-1-enyl- β -cyclodextrin

Immobilization of peralkylated β -cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

Monosaccharides

Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17

Monosialooligosaccharides

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Monoterpenes

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α -cyclodextrin bonded stationary phase 666(1994)445

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

Monoterpenoids

Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Use of esterified and unesterified dipentylated γ -, β - and α -cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpene constituents of volatile oils 672(1994)254

Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Morazone

Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233

Morin

High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407

Morphine

Gas chromatographic-mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 225(1994)225

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87

Analysis of structural specificity in antibody-antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Morpholine

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Mucin

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Muconic acid

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Muricholic acids

Trifluoroacetylation of muricholic acids and hyocholic acids 655(1993)355

Muscle proteins

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Muscone

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Mycolic acids

Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167

Mycolutein

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Mycotoxins

Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374

Analysis of *Fusarium* mycotoxins by gas chromatography-Fourier transform infrared spectroscopy 663(1994)211

Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Liquid chromatographic determination of the mycotoxin fumonisin B₂ in physiological samples 692(1995)39

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Determination of fumonisins B₁, B₂, B₃ and B₄ by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

Myoglobin

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μ m particles 690(1995)9

Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Myo-inositol hexaphosphoric acid

Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachopheresis 679(1994)345

Myosin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

N

NAD⁺

Monitoring enzymic peroxidation of NAD⁺ by capillary electrophoresis 680(1994)455

NAD(P)(H) derivatives

Capillary electrophoresis of nicotinamide-adenine dinucleotide and nicotinamide-adenine dinucleotide phosphate derivatives in coated tubular columns 670(1994)215

NADH oxidase

Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153

Nadolol

Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

Direct high-performance liquid chromatographic separation of the racemates and diastereomers of nadolol 664(1994)104

Direct enantiomeric separation of the four stereoisomers of nadolol using normal-phase and reversed-phase high-performance liquid chromatography with Chiralpak AD 685(1994)349

NAD(P)(H) derivatives

Capillary electrophoresis of nicotinamide-adenine dinucleotide and nicotinamide-adenine dinucleotide phosphate derivatives in coated tubular columns 670(1994)215

NADX

Monitoring enzymic peroxidation of NAD⁺ by capillary electrophoresis 680(1994)455

Naphtha

Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243

Naphthalenes

Evidence obtained by gas chromatography-mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Naphthalenes, fluorinated

Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

Naphthalenesulphonates

Determination of aromatic sulphonates in surface waters by high-performance liquid chromatography with coupled fluorescence and UV detection 671(1994)217

Naphthalenesulphonic acid

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

1,8-Naphthalic anhydride

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

- Naphthamides**
Imprintable brush-type chiral stationary phase
689(1995)189
- Naphtho[2,3-b]furan-4,9-diones**
HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281
- Naphthoquinones**
High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87
- 1,2-Naphthoquinone-4-sulphonate**
Determination of amino acids by ion-pair liquid chromatography with post-column derivatization using 1,2-naphthoquinone-4-sulfonate 676(1994)311
- Naphthothiophenes**
Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325
- 1- α -(Naphthyl)ethylamine**
Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129
- 1-(1-Naphthyl)ethylphenylurea**
Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
- Naphthyltetrahydroisoquinoline alkaloids**
Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83
- Naproxen**
Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69
- Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119
- Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276
- Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181
- Chromatographic and ¹H NMR support for a proposed chiral recognition model 683(1994)347
- Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155
- Narasin**
Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349
- Narcotics**
Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15
- Naringin**
High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59
- Natulan**
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
- Natural products**
Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315
- Nebulin**
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229
- Neoisomenthol**
Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161
- Neomenthol**
Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161
- Neomycin sulphate**
Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131
- Neon**
Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381
- Neostigmine**
Combined liquid-liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333
- Nerve agent degradation products**
Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247

Nerve agents

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Neurotoxins

Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113

Resolution of isotoxins in the β -bungarotoxin family 694(1995)492

Neurotransmitters

Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis–gas chromatography–mass spectrometry 657(1993)395

High-performance liquid chromatographic determination of (4-[^{11}C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97

Nevirapine

High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

New Coccine

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Niacin

Thin-layer chromatography and fibre-optic fluorimetric quantitation of thiamine, riboflavin and niacin 655(1993)39

Nicarbazin

Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Nicardipine

Capillary gas chromatographic determination with nitrogen–phosphorus detection of the calcium antagonist nicardipine and its pyridine metabolite M-5 in plasma 668(1994)475

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Nickel

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Simultaneous determination of cobalt and nickel by reversed-phase high-performance liquid chromatography with diethyldithiocarbamic acid 673(1994)291

Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Nicotinamide

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

Nicotine

Size-exclusion chromatographic and viscometric study of polymer solutions containing nicotine or silicic acid 673(1994)65

Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Nicotinic acid

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Nifedipine

Evaluation of chromatographic methods for the determination of nifedipine in human serum 668(1994)469

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173

Nilvadipine

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Nimodipine

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Nisoldipine

Enantioselective assay for the determination of nisoldipine in dog, rat and mouse plasma by chiral microbore high-performance liquid chromatography combined with gas chromatography–mass spectrometry 666(1994)241

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Nitrate

Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Determination of trace anions in isopropanol 671(1994)253

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachophoresis 699(1995)363

Nitrendipine

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Nitric oxide

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachophoresis 699(1995)363

Nitriles

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79

Nitrioltriacetic acid

Liquid chromatographic determination of ethylenediaminetetraacetic acid as metal complexes on a porous graphitic carbon column 684(1994)213

Determination of nitrioltriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography-mass spectrometry 690(1995)109

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Nitrite

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachophoresis 699(1995)363

4-Nitro-1,2-diaminobenzene

Determination of trace amounts of selenium in poultry feedstuffs by gas chromatography 668(1994)449

Nitroalkanes

Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Nitroanilines

Separation and quantitation of nitrobenzenes and their reduction products nitroanilines and phenylenediamines by reversed-phase high-performance liquid chromatography 655(1993)331

Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Nitrobenzenes

Separation and quantitation of nitrobenzenes and their reduction products nitroanilines and phenylenediamines by reversed-phase high-performance liquid chromatography 655(1993)331

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313

Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189

Nitro compounds

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α -cyclodextrin as eluent 695(1995)155

2-Nitrofluorene

Gas chromatographic-mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107

Nitrogen

Determination of total nitrogen in water samples by means of high-pressure bombs and ion chromatography 671(1994)287

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

Nitrogen-containing compounds

Determination of organophosphorous and nitrogen-containing pesticides in water samples by solid phase extraction with gas chromatography and nitrogen-phosphorus detection 655(1993)127

Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen-phosphorus detection for gas chromatography 670(1994)117

Nitrogen oxides

Development of a method for simultaneous determinations of nitrogen oxides, aldehydes and ketones in air samples 653(1993)341

Nitroglycerine

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Nitrones

Application of trifluoroacetic anhydride-sodium iodide reagent for selective detection in thin-layer chromatography. IV. Thin-layer chromatographic differentiation of nitrones, nitroxide radicals and nitrosoamines in mixtures 663(1994)127

Nitrophenols

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167

***p*-Nitrophenyl-2-amino-3-hydroxypropanone**

Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367

***p*-Nitrophenylmannoside**

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

3-Nitrophthalic anhydride

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

Nitro polycyclic aromatic hydrocarbons

Gas chromatographic-mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107

Nitroprusside

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

1-Nitropyrene

Gas chromatographic-mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107

Nitrosamines

Application of trifluoroacetic anhydride-sodium iodide reagent for selective detection in thin-layer chromatography. IV. Thin-layer chromatographic differentiation of nitrones, nitroxide radicals and nitrosoamines in mixtures 663(1994)127

Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

S-Nitroso compounds

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

N-Nitrosodiethanolamine

Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

N-Nitrosomethyl-*p*-amino-2-ethyl hexylbenzoate

Application of the particle beam interface to high-performance liquid chromatography-thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Nitrotoluene

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Nitroxide radicals

Application of trifluoroacetic anhydride-sodium iodide reagent for selective detection in thin-layer chromatography. IV. Thin-layer chromatographic differentiation of nitrones, nitroxide radicals and nitrosoamines in mixtures 663(1994)127

Non-aromatic compounds

Concept of additivity for a non-polar solute-solvent criterion $\log L^{16}$. Non-aromatic compounds 677(1994)319

Non-ionic disperse dyes

Electrochromatography-electrospray mass spectrometry of textile dyes 700(1995)27

Non-steroidal anti-inflammatory drugs

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Nonylphenols

Determination of nonylphenols as pentafluorobenzyl derivatives by capillary gas chromatography with electron-capture and mass spectrometric detection in environmental matrices 686(1994)275

Norephedrine

Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Norepinephrine

Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259

Norfluoxetine

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59

Norgestrel

Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413

Norlaudanosoline

Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333

Norphenylephrine

Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

Nortestosterone

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

11-Nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

Nortriptyline

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87

Novolac resin

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Nuclease

Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformational homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31

Nucleic acids

see also DNA and RNA

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95

Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105

Complete purification of tRNA, charged or modified with hydrophobic groups, by reversed-phase high-performance liquid chromatography on a C_4/C_{18} column system 679(1994)93

Metaphosphates as packing materials for biochromatography 679(1994)247

Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233

Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19

Nucleobases

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

Nucleoside methylphosphonamidites

Normal-phase high-performance liquid chromatographic resolution of 5'-O-protected deoxynucleoside methylphosphonamidites 662(1994)401

Nucleoside phosphonates

Determination of impurities in a novel analogue of adenosine 5'-triphosphate by capillary electrophoresis 700(1995)163

Nucleosides

Influence of eluent anions in boronate affinity chromatography 664(1994)123

Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

Comparative stability study of thymidine and (dideoxy-D-erythro-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167

Liquid chromatographic separation of diamino analogues of 2'- or 3'-deoxyadenosine from adenine on a poly(styrene-divinylbenzene) polymer column 689(1995)247

Nucleotides

Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93

Influence of eluent anions in boronate affinity chromatography 664(1994)123

Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316

Metaphosphates as packing materials for biochromatography 679(1994)247

Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463

Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339

Nylon

Size-exclusion chromatography of nylons in methylene chloride-dichloroacetic acid 679(1994)201

Nystatin

High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247

O

Obidoxime

Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350

Separation of geometrical *syn* and *anti* isomers of obidoxime by ion-pair high-performance liquid chromatography 693(1995)55

Octadecenoic acids

Silver ion high-performance liquid chromatography of esters of isomeric octadecenoic fatty acids with short-chain monounsaturated alcohols 693(1995)235

Octanol

Effect of detector temperature on the flame ionization detector response 679(1994)299

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

3-Octanone

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

1-Octen-3-ol

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

1-Octenyl 3-acetate

Enantiomer fractionation by preparative gas chromatography 658(1994)437

Octopamine

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

Octylsalicylate

Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography-mass spectrometry 688(1994)375

Olanzapine

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Oleic acid

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Oligoethylene glycol nonylphenyl ethers

Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255

Oligomers

Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207

Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 667(1994)354

High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Oligonucleotides

Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23

Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93

Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101

Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315

Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469

Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

High-performance liquid chromatographic analysis of low-molecular-mass products synthesized by polynucleotide phosphorylase in polymerization reaction 685(1994)39

Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339

Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

 α -Oligopeptides

Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/ β -mercaptoethanol-labelled aliphatic α -oligopeptides 696(1995)139

Oligosaccharides

Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Omeprazole

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Opiates

Gas chromatographic-mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 225(1994)225

Confirmatory tests for drugs in the workplace by gas chromatography-mass spectrometry (Review) 674(1994)1

Opioid peptides

Monitoring of optical isomers of β -methylphenylalanine in opioid peptides 660(1994)283

Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271

Reversed-phase high-performance liquid chromatography for the determination of haemorphin-like immunoreactivity in human cerebrospinal fluid 676(1994)455

Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249

Orange A

Firefly luciferase purification using polyethylene glycol and Dymatrix Orange A 695(1995)33

Organic acids

see also Carboxylic acids and Fatty acids

Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111

Applications of gas chromatography-mass spectrometry in clinical chemistry 665(1994)155

Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59

Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193

Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography-mass spectrometry and determination of the composition of six apple varieties 676(1994)461

Effect of the degree of substitution of (2-hydroxy)propyl- β -cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139

Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243

Determination of organic acids in urine by capillary zone electrophoresis 680(1994)247

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases 691(1995)217

Organic anions

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

Simultaneous determination of organic and inorganic anions in the sub- μ mol/l range in rain water by capillary zone electrophoresis 689(1995)305

Organic pollutants

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Organochlorine compounds

Determination of organochlorine compounds in anion-exchange resins by UV irradiation and ion chromatography 655(1993)57

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147

Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191

Supercritical fluid extraction of organochlorine pesticides from an aqueous matrix 665(1994)307

Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159

Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167

Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263

Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133

Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243

Organohalogen compounds

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-*tert*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Organolead compounds

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Organomercury compounds

Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253

Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107

Organophosphonic acids

Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667

Organophosphorus compounds

Determination of organophosphorous and nitrogen-containing pesticides in water samples by solid phase extraction with gas chromatography and nitrogen-phosphorus detection 655(1993)127

Gas chromatographic analysis of organophosphorus pesticides of horticultural concern 655(1993)293

Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241

Capillary column gas chromatographic-tandem mass spectrometric analysis of phosphate esters in the presence of interfering hydrocarbons 670(1994)127

Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Extraction-gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257

Organoselenium compounds

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Organotin compounds

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223

Determination and speciation of organotin compounds by gas chromatography-microwave induced plasma atomic emission spectrometry 683(1994)269

Identification and determination of butyltin compounds in water by ion trap gas chromatography-mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241

Orthoformates

Orthoformates as reagents for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography-mass spectrometry 655(1993)346

Orthophosphate

Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450

Ovalbumin

Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Ovomucin

Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279

Ovotransferrin

Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279

Oxalate

Optimization of the anion-exchange separation of metal-oxalate complexes 654(1993)105

Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155

Oxamniquine

Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51

Oxamyl

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Oxazepam

Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β -cyclodextrin as stationary phase 666(1994)433

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Oxaziridines

High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255

5(4H)-Oxazolones

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4H)-oxazolones 696(1995)149

Oxibendazole

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Oximes

Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Separation of geometrical *syn* and *anti* isomers of obidoxime by ion-pair high-performance liquid chromatography 693(1995)55

Oxindole alkaloids

Séparation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Oxindolylalanine

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

4-Oxoheptanedioic acid

Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography-mass spectrometry 687(1994)315

4-Oxomyrtenyl pivalate

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Oxovanadium complexes

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediamine 689(1995)39

Oxybutynin

High-performance liquid chromatographic preparation of oxybutynin enantiomers on a chiral stationary phase 653(1993)135

Oxyethylates

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Oxymetazoline

Rapid liquid chromatographic-mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73

Oxyphenbutazone

Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389

Oxysterols

High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4 -3-ketone derivatives 691(1995)247

Oxytetracycline

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Capillary electrophoresis of some tetracycline antibiotics 673(1994)267

Ozone

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

P**Paeoniflorin**

Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography 660(1994)299

Palmatine

Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225

Pamidronate disodium

Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

Panomifene

Determination of panomifene in human plasma by high-performance liquid chromatography 668(1994)419

Pantoprazole

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Papaverine

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Paracetamol

Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97

Paraffins

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Paraquat

Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67

Paraxanthine

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Patchoulol

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Patulin

Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Penicillins

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Pentachlorophenol

Identification of leather preservatives by gas chromatography-mass spectrometry 675(1994)257

Pentadeuteroethyl ethofumesate

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243

Pentaerythritol tetrakis-3-(3,5-di-tert.-butyl-4-hydroxyphenyl)propionate

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography-mass spectrometry with on-line diode array detection 679(1994)285

Pentamidine

Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57

Pentane

Analytical characteristics of sample evaporation with the micro-Kuderna-Danish concentrator 695(1995)41

Pentanol

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13

Pentasaccharides

Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151

Pentene

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

2-(3-Pentenyl)pyridine

Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69

Pentoses

Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17

Pentyl secondary alkyl ethers

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

1-Pentyl-1,2,3,4-tetrahydro- β -carboline-3-carboxylic acid

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

Pepsin

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Pepstatin A

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Peptide-like substances

Improved sensitivity by on-line isotachopheretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Peptides

Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369

- Determination of peptides by capillary electrophoresis-electrochemical detection using on-column Cu(II) complexation 652(1993)377
- Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165
- Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
- Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
- Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17
- Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131
- Monitoring of optical isomers of β -methylphenylalanine in opioid peptides 660(1994)283
- High-performance liquid chromatographic separation of *cis-trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7
- Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61
- Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77
- Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105
- Analysis of derivatized peptides by capillary electrophoresis 661(1994)279
- Purification of tryptophan containing synthetic peptides by selective binding of the α -amino group to immobilised metal ions 662(1994)235
- Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383
- Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163
- Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
- Reversed-phase high-performance liquid chromatography of diastereomers of some phosphonodipeptides 665(1994)59
- Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
- Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271
- Improved fractionation of sialylated glycopeptides by pellicular anion-exchange chromatography 667(1994)75
- Effect of mobile phase composition on the separation of thyrotropin-releasing hormone and some metabolites by reversed-phase ion-pair chromatography 667(1994)119
- Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304
- Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21
- Polyethylene glycol-potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121
- Chromatographic characterization of HSV-1 gD 268-284 and IL-6 179-185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345
- Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519
- Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene-co-divinylbenzene) 669(1994)230
- Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219
- Preparative isolation of recombinant human insulin-like growth factor I by reversed-phase high-performance liquid chromatography 675(1994)101
- Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3
- Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113
- Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing-laser-desorption mass spectrometric analysis 676(1994)121

- Reversed-phase chromatography of synthetic amphipathic α -helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139
- Reversed-phase high-performance liquid chromatography for the determination of haemorphin-like immunoreactivity in human cerebrospinal fluid 676(1994)155
- Determination of a novel hemoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialdehyde-thiol post-column reaction with fluorescence detection 676(1994)161
- Comparative and optimized dansyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169
- Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233
- New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409
- New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421
- High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186
- Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249
- Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85
- Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190
- Determination of trace impurities of peptides and alkaloids by capillary electrophoresis-ion spray mass spectrometry 679(1994)206
- Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15
- Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321
- Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341
- Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353
- Studies of gramicidin S analogues having various ring sizes by reversed-phase high-performance liquid chromatography 685(1994)237
- Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31
- Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45
- Purification of synthetic peptides with the aid of reversible chromatographic probes 686(1994)73
- Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309
- Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
- Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203
- Recognition of α -helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity 689(1995)219
- High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μ m particles 690(1995)9
- Importance of the α -amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155
- High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255
- Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301
- Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317

Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337

Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291

High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263

Resolution of isotoxins in the β -bungarotoxin family 694(1995)492

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/ β -mercaptoethanol-labelled aliphatic α -oligopeptides 696(1995)139

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Separation and identification of hydrophilic peptides in dairy products using FMOc derivatization 696(1995)209

Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11

Separation of r-hirudin from similar substances by capillary electrophoresis 700(1995)89

Peptides, N-terminal tryptophan-containing

High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235

Peptidoglycans

Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Perfluorotributyl amine

Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Periodate ions

Behaviour of periodate ion in isotachopheresis using cyclodextrins 684(1994)343

Perivine

High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161

Permanent gases

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehrlert experimental design 688(1994)161

Permethrin

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Peroxides

Chromatographic analysis of G₁-G₃ natural cyclic peroxides and compounds obtained from Ru(II)-catalysed reaction of G₁ 658(1994)123

Pesticides

Thin-layer chromatographic detection of carbaryl using phenylhydrazine hydrochloride 653(1993)181

Determination of organophosphorous and nitrogen-containing pesticides in water samples by solid phase extraction with gas chromatography and nitrogen-phosphorus detection 655(1993)127

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Clean-up and confirmation procedures for gas chromatographic determination of pesticide residues in contaminated waters. Part I 655(1993)285

Gas chromatographic analysis of organophosphorus pesticides of horticultural concern 655(1993)293

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223

Determination of chlordane in air by gas chromatography-mass spectrometry with selected ion monitoring 657(1993)405

Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337

- Determination of acid herbicides in aqueous samples by liquid-solid disk extraction and capillary gas chromatography 659(1994)395
- Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443
- Method development by an expert system. Advantages and limitations 660(1994)33
- Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil 660(1994)195
- Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205
- Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231
- Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139
- Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147
- Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191
- Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9
- Determination of toxaphene in soil by electron-capture negative-ion mass spectrometry and capillary column gas chromatography 665(1994)125
- Determination of pesticides in environmental waters by automated on-line trace-enrichment and liquid chromatography 665(1994)269
- On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283
- Application of on-line solid-phase extraction followed by liquid chromatography-thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295
- Supercritical fluid extraction of organochlorine pesticides from an aqueous matrix 665(1994)307
- Analytical and preparative separation of the enantiomers of pyrazole phenyl ether herbicides on three chiral stationary phases 666(1994)479
- Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
- Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155
- Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241
- Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348
- Chromatographic behaviour of triazine compounds 668(1994)365
- Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495
- Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217
- Determination of various pesticides using membrane extraction discs and gas chromatography-mass spectrometry 670(1994)135
- On-line preconcentration and ion chromatography of triazine compounds 671(1994)151
- High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
- Comparative study of various size-exclusion chromatographic columns for the clean-up of selected pesticides in soil samples 673(1994)55
- Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299
- Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55
- Determination of residues of phenoxy acid herbicides in soil and cereals by gas chromatography-ion trap detection 675(1994)213
- Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

- High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53
- Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C₁₈ material 677(1994)63
- Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141
- Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO₂ 677(1994)365
- Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109
- Large-volume injections in gas chromatography-atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289
- Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375
- Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141
- On-line liquid chromatography-gas chromatography for determination of fenarimol in fruiting vegetables 683(1994)151
- Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167
- Element-selective detection of pesticides by gas chromatography-atomic emission detection and solid-phase microextraction 683(1994)175
- Analysis of pesticide residues in food using gas chromatography-tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185
- Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407
- Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino-bonded stationary phases 684(1994)77
- Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121
- Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113
- Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131
- Retention of 4-cyanophenyl herbicides on water-insoluble β -cyclodextrin support 685(1994)295
- Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263
- Comparative study of the determination of tebufenozide in formulated products by gas chromatographic and liquid chromatographic methods 687(1994)323
- Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography-particle beam mass spectrometry 688(1994)67
- Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75
- Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography-mass spectrometry 688(1994)243
- Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317
- Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383
- Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119
- High-performance liquid chromatographic determination of sulfonylureas in soil and water 692(1995)27
- Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453
- Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75
- Extraction of pesticides using supercritical trifluoromethane and carbon dioxide 695(1995)149

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63

Rapid liquid chromatographic screening of organic micropollutants in aqueous samples using a single short column for trace enrichment and separation 696(1995)333

Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131

Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Simultaneous determination of 27 phenols and herbicides in water by high-performance liquid chromatography with multi-electrode electrochemical detection 697(1995)357

Improved method for the determination of glyphosate in water 697(1995)363

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371

Separation of sulfonyleurea metabolites in water by capillary electrophoresis 700(1995)195

Detection and quantitation of sulfonyleurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Phaclofen

Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

Pharmaceuticals

Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627

Determination of pharmaceuticals and related impurities by capillary electrophoresis 680(1994)579

Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Phenanthrene

Evidence obtained by gas chromatography–mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Preparative-scale supercritical fluid chromatography 697(1995)579

Phenanthrenes, fluorinated

Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

Phencyclidine

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Phenetidines

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Pheniramine

Liquid chromatography of antihistamines using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Phenobarbital

Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Phenolic acids

Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59

High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31

Determination of phenolic acids in wine by high-performance liquid chromatography with a microbore column 695(1995)229

Phenolic aldehydes

High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31

Phenolic compounds

Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555

Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119

Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Identification of leather preservatives by gas chromatography-mass spectrometry 675(1994)257

Determination of organic pollutants in small samples of groundwaters by liquid-liquid extraction and capillary gas chromatography 688(1994)181

A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217

The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227

Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201

Phenols

Determination of phenols at the ng/l level in drinking and river waters by liquid chromatography with UV and electrochemical detection 655(1993)217

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187

Identification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC-MS analysis 662(1994)281

Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195

Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Combined solvent extraction-mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163

Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293

Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Amperostatic-potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Simultaneous determination of 27 phenols and herbicides in water by high-performance liquid chromatography with multi-electrode electrochemical detection 697(1995)357

Phenols, halogenated

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Phenothiazines

Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Phenoxy acid herbicides

Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51

Determination of residues of phenoxy acid herbicides in soil and cereals by gas chromatography-ion trap detection 675(1994)213

Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C₁₈ material 677(1994)63

Phenylalanine

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Phenylalanine anilide

Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Phenylalaninol

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Phenylalkanoic acids

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Phenylalkanols

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Phenylboronates

Gas chromatographic-mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277

Phenylbutazone

Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389

 α -Phenylcinnamic acid

Gas chromatographic-mass spectrometric determination of α -phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353

Phenylenediamines

Separation and quantitation of nitrobenzenes and their reduction products nitroanilines and phenylenediamines by reversed-phase high-performance liquid chromatography 655(1993)331

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Phenylephrine

High-performance liquid chromatographic determination of active ingredients in cough-cold syrups with indirect conductometric detection 693(1995)45

Phenylethylamine

Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Phenylethylamines

Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Phenylglycine

Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51

Phenylglycinol

Enantiomeric separation of underivatized aliphatic β -amino alcohols by ligand-exchange chromatography using barbital as an additive to the mobile phase 662(1994)219

N-Phenyl-N'-isopropyl-p-phenylenediamine

Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241

S-Phenylmercapturic acid

Sensitive determination of the benzene metabolite S-phenylmercapturic acid in urine by high-performance liquid chromatography with fluorescence detection 697(1995)371

Phenylmercury

Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253

N-Phenyl-N'-2-methyl-4-pentyl-p-phenylenediamine

Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241

3-Phenyl-1-propanol

Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

Phenylselenenyl chloride

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Phenylurea pesticides

Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9

Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO_2 677(1994)365

Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino-bonded stationary phases 684(1994)77

Phenytol

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Pheoporphyrins

Separation of chlorophyll- c_1 and - c_2 by micellar electrokinetic capillary chromatography 687(1994)149

Pheromones

Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565

Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307

First results in trace identification of allelochemicals and pheromones by combining gas chromatography-mass spectrometry and direct deposition gas chromatography-Fourier transform infrared spectrometry 683(1994)87

Phloxine

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Phloxine B

Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77

Phosphates

Determination of phosphate in samples with high levels of sulphate by ion chromatography 657(1993)77

Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450

Capillary column gas chromatographic-tandem mass spectrometric analysis of phosphate esters in the presence of interfering hydrocarbons 670(1994)127

Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15

Determination of trace anions in isopropanol 671(1994)253

Use of ion chromatography for the verification of drug authenticity 671(1994)303

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Column-switching techniques in the analysis of phosphate by ion chromatography 675(1994)141

Phosphatidic acid

Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365

Phosphatidylethanolamine

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Phosphofructokinase

Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45

6-Phosphogluconic dehydrogenase

Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

3-Phosphoglycerate kinase

Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Phospholipases

Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187

Phospholipids

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Phosphonamidites

Normal-phase high-performance liquid chromatographic resolution of 5'-O-protected deoxynucleoside methylphosphonamidites 662(1994)401

Phosphonodipeptides

Reversed-phase high-performance liquid chromatography of diastereomers of some phosphonodipeptides 665(1994)59

Phosphopeptides

Comparative and optimized dansyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169

Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249

Phosphoric acid

Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265

Phosphorothioate oligonucleotides

Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469

Phosphorothioates

Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101

Phosphorus

Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185

Progress and problems in organic microanalysis by ion chromatography 671(1994)295

Reactive-flow luminescence detector for gas chromatography 684(1994)259

Phosphorus-containing compounds

Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen-phosphorus detection for gas chromatography 670(1994)117

Phosphorylase

Advances in affinity electrophoresis (Review) 698(1995)89

Photosystem II light-harvesting complex

Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene-divinylbenzene) column 664(1994)33

- o*-Phthalaldehyde- β -mercaptoethanol**
Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/ β -mercaptoethanol-labelled aliphatic α -oligopeptides 696(1995)139
- Phthalic acid**
Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239
- Phthalic anhydride**
Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485
- B-Phycoerythrin**
Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425
- Phylloquinone**
Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189
- Phytic acid**
Anion-exchange high-performance liquid chromatography with post-column detection for the analysis of phytic acid and other inositol phosphates 653(1993)148
- Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachopheresis 679(1994)345
- Phytoecdysteroids**
Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31
- Phytoecdysteroids in *Kochia scoparia* (burning bush) 658(1994)69
- Phytol**
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161
- Picrocrocin**
Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55
- Determination of saffron (*Crocus sativus* L.) components in crude plant extract using high-performance liquid chromatography-UV-visible photodiode-array detection-mass spectrometry 699(1995)107
- Pig liver esterase**
Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231
- Pigments**
Isolation and high-performance liquid chromatographic analysis of thearubigin fractions from black tea 662(1994)101
- High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161
- Pinacolyl ethyl methylphosphonate**
Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101
- Pinacolyl methylphosphonic acid**
Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247
- Pinenes**
Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159
- Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67
- Piperacillin**
Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69
- Piperazine**
Cation-exchange high-performance liquid chromatographic assay of piperazine in some pharmaceutical formulations 693(1995)307
- Piperonyl butoxide**
Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205
- Pivalic acid**
Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397
- Plant growth regulators**
Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanolamine using reversed-phase thin-layer chromatography 675(1994)282
- Plant hormones**
Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17
- Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

Phytoecdysteroids in *Kochia scoparia* (burning bush)
658(1994)69

Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry
658(1994)77

Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay
658(1994)83

Chromatographic analysis of G_1 - G_3 natural cyclic peroxides and compounds obtained from Ru(II)-catalysed reaction of G_1 658(1994)123

Separation of a new type of plant growth regulator, jasmonates, by chromatographic procedures (Review)
658(1994)129

Plant pigments

Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239

Plasticisers

Determination of high- and low-molecular-mass plasticisers in stretch-type packaging films 675(1994)261

Platinum

Determination of platinum by ion-pair reversed-phase high-performance liquid chromatography with 4,4'-bis(dimethylamino)thiobenzophenone 684(1994)354

Speciation of heavy metals by capillary electrophoresis
686(1994)325

Pluronic polymers

Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis
659(1994)427

Pneumococcal polysaccharides

Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201

Polar compounds

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Polar organic compounds

Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123

Polyacrylamide

Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315

Poly(acrylic acid)

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191

Poly(ADP-ribose) polymerase

Fast protein liquid chromatographic purification of poly(ADP-ribose) polymerase and separation of ADP-ribose polymers 678(1994)35

Polyalcohol compounds

Capillary gas chromatographic separations of a multi-component mixture of polyalcohol compounds
655(1993)267

Polyamino acids

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Polyaromatic compounds

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column
694(1995)111

Polyaromatic hydrocarbons

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons
699(1995)73

Poly-(α , β)-D,L-aspartate

Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Polybrominated diphenyl ethers

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Poly(butylene adipate)

Determination of high- and low-molecular-mass plasticisers in stretch-type packaging films 675(1994)261

Polybutylene glycol 1000

Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309

Polycarboxylates

Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Polychlorinated biphenyls

Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191

Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424

Optimization of supercritical carbon dioxide extraction for polychlorinated biphenyls and chlorinated benzenes from sediments 663(1994)87

Isotopic ratio of molecular patterns via gas chromatography-mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Method for the group separation of non-*ortho*-, mono-*ortho*- and multi-*ortho*-substituted polychlorinated biphenyls and polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans using activated carbon chromatography 665(1994)139

Relative electron-capture detector response of selected polychlorinated biphenyl congeners. Influence of detector temperature and design 668(1994)441

Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109

Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289

Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation-solvent extraction at normal pressure 690(1995)243

Solid-phase extraction on C₁₈ in the trace determination of selected polychlorinated biphenyls in milk 693(1995)339

Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell 695(1995)243

Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173

Determination of polychlorinated biphenyls in biotic matrices using gas chromatography-microwave-induced plasma atomic emission spectrometry 699(1995)231

Polychlorinated biphenyls, non-*ortho*

Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

Polychlorinated dibenzo-*p*-dioxins

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins 688(1994)221

Polychlorinated naphthalenes

Gas chromatographic retention behaviour of polychlorinated naphthalenes on non-polar, polarizable, polar and smectic capillary columns 683(1994)385

Polychlorinated terphenyls

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Polychlorocamphenes

Characterization of technical toxaphene using combined high-performance liquid chromatography–gas chromatography–electron capture negative ionization mass spectrometry techniques 669(1994)103

Polychlorodibenzofurans

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Polycyclic aromatic hydrocarbons

see Polynuclear aromatic hydrocarbons

Poly(dialkylsilylenes)

Pyrolysis–gas chromatography–mass spectrometry of poly(dialkylsilylenes) 683(1994)115

Poly(1,1-dimethyl-3,5-dimethylenepiperidinium chloride)

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Poly(1,1-dimethyl-3,5-dimethylenepyrrolidinium chloride)

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Polyelectrolytes

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Polyesters

Gas chromatographic, liquid chromatographic and gas chromatographic–mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Polyether antibiotics

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Polyether polyols

Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium *N,N*-diethyldithiocarbamate and liquid chromatography 696(1995)41

Polyethers

Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309

Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355

Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309

Polyethoxylates

Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219

Polyethylene

Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Poly(ethylene glycol)

Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1

Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371

Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Improvement in the polyethylene glycol–Cibacron Blue purification method 668(1994)61

Polyethylene glycol–potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121

Liquid–liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Poly(ethylene glycol) ether ethoxymers

Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219

Polyethylene terephthalate

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377

Poly(L-glutamic acid)

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191

Polyglycerols

Analysis of silanised polyglycerols by supercritical fluid chromatography 675(1994)267

Polyhydroxyalkanoates

Gas chromatographic, liquid chromatographic and gas chromatographic-mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Polyhydroxy compounds

Capillary gas chromatographic separations of a multi-component mixture of polyalcohol compounds 655(1993)267

Poly(lactic acid)

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Polymerase chain reaction products

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis-laser induced fluorescence system 652(1993)83

Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169

Analysis of DNA restriction fragments and polymerase chain reaction products by capillary electrophoresis 680(1994)525

Polymers

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride-dichloroacetic acid 657(1993)377

Composition distribution separation of methyl methacrylate-methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227

Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. II. Quantification in liquid chromatography under critical conditions 665(1994)47

Sequence distribution of styrene-butadiene copolymers by ozonolysis, high-performance liquid chromatographic and gas chromatographic-mass spectrometric techniques 665(1994)117

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117

Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219

Identification by headspace gas chromatography-mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Compositional distribution characterization of poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers 692(1995)221

High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21

Polymers, branched

Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1

Polymer solutions

Size-exclusion chromatographic and viscometric study of polymer solutions containing nicotine or silicic acid 673(1994)65

Poly(methyl methacrylate)

Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227

Poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers

Compositional distribution characterization of poly(methyl methacrylate)-graft-polydimethylsiloxane copolymers 692(1995)221

Polycyclic aromatic hydrocarbons, hydroxy

High-performance liquid chromatography-mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9

Polycyclic aromatic sulphur heterocycles

Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325

Polynuclear aromatic compounds

Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1

Polynuclear aromatic hydrocarbons

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction. large-volume sampling and gas chromatography-mass spectrometry with selected ion monitoring 653(1993)363

Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid-solid trapping 657(1993)327

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π -donor-acceptor interactions 659(1994)57

Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167

Comparison of various extraction and clean-up methods for the determination of polycyclic aromatic hydrocarbons in sewage sludge-amended soils 673(1994)21

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163

Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113

Study of the k' or $\log k' - \log P_{ow}$ correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_{18} column 687(1994)233

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography-Fourier transform infrared spectrometry 687(1994)303

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride-silica intermediate 688(1994)31

Optical properties of axial-illumination flow cells for simultaneous absorbance-fluorescence detection in micro liquid chromatography 691(1995)37

Automated precolumn concentration and high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in water using a single pump and a single valve 692(1995)11

Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography-UV detection 692(1995)21

Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell 695(1995)243

Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71

Solid-phase extraction of polycyclic aromatic hydrocarbons from soil samples 697(1995)123

Separation of polycyclic aromatic hydrocarbons on a wide-pore polymeric C_{18} bonded phase 697(1995)165

Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515

Effect of temperature on retention time reproducibility and on the use of programmable fluorescence detection of fifteen polycyclic aromatic hydrocarbons 699(1995)49

Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253

Polynucleotide phosphorylase

High-performance liquid chromatographic analysis of low-molecular-mass products synthesized by polynucleotide phosphorylase in polymerization reaction 685(1994)39

Polyols

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Isotachopheresis of polyols in borate buffer solutions 659(1994)223

Isotachopheresis of polyols in borate buffer solutions —a reply 659(1994)224

Polyoxyethylenes

Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection.

VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199

Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207

Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355

Polypeptides

Purification of human tumour necrosis factor by membrane chromatography 661(1994)161

Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene-divinylbenzene) column 664(1994)33

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride-silica intermediate 688(1994)31

Polyphenoloxidase

New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141

Polyphenols

Purification of fresh cassava root polyphenols by solid-phase extraction with Amberlite XAD-8 resin 657(1993)445

Polyphenols, sulphonated

Analysis of sulphonated polyphenols, synthetic tanning agents in heavily polluted tannery wastewaters 660(1994)199

Polyphosphates

Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153

Polyphosphate separations and chain length characterization using minibore ion chromatography with conductivity detection 688(1994)89

Polypodine B

Phytoecdysteroids in *Kochia scoparia* (burning bush) 658(1994)69

Polypropylene glycol 1200

Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309

Polypropylene glycol diamines

Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167

Polypropylene glycol triamines

Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167

Polysaccharides

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201

Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197

Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Measurement of binding constants by capillary electrophoresis 696(1995)160

Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329

Polystyrene-divinylbenzene polymer

Simultaneous sorption and analytical derivatization on a polystyrene-divinylbenzene polymer. Preparation of chromophoric and fluorophoric derivatives of the prostaglandins 691(1995)231

Polystyrenes

Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane-acetonitrile 664(1994)221

Quantitative polymer composition characterization with a liquid chromatography-Fourier transform infrared spectrometry-solvent-evaporation interface 661(1994)227

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Synthesis of monodisperse macroreticular styrene-divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Poly(styrene sulphonate)

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191

Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119

Polytetrahydrofuran

Thermal field flow fractionation of polytetrahydrofuran 676(1994)361

Polythionates

Ion chromatography with UV detection for the determination of thiosulfate and polythionates in saline waters 671(1994)197

Poly(vinyl alcohol)

Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

Gel permeation chromatographic properties of poly(vinyl alcohol) gel particles prepared by freezing and thawing 678(1994)180

Porin

Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241

Porphyrins

Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant-bovine serum albumin buffer systems 659(1994)435

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Potash

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Potassium

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Potassium phosphate

Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21

Polyethylene glycol-potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121

Liquid-liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Pranoprofen

Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

Prazosin

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Prednisolone

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Prednisone

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Pregnancy zone protein

Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α -macroglobulins 668(1994)101

Pregnanolone

Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27

Primaquine

Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449

Proanthocyanidins

Normal-phase high-performance liquid chromatographic separation of procyanidins from cacao beans and grape seeds 654(1993)255

Probenecid

Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233

Prochlorperazine

Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71

Procyanidins

Normal-phase high-performance liquid chromatographic separation of procyanidins from cacao beans and grape seeds 654(1993)255

Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290

Prodine

Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176

Progesterone

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Proinsulin

Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83

Proline

High-performance liquid chromatography of *cis-trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

L-Proline, N-alkyl derivatives

Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255

Promazine

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Promethazine

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β -cyclodextrin bonded-phase column 660(1994)339

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Prominal

Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β -cyclodextrin as stationary phase 666(1994)433

Propafenone

Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Propanol

Residual solvent analysis by headspace gas chromatography 667(1994)235

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

Propantheline

Combined liquid-liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Propargylamine derivatives

Retention of some monoamine oxidase inhibitory drugs on a β -cyclodextrin polymer-coated silica column 660(1994)313

Propene

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

Propiomazine

Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Propionaldehyde

High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Propionic acid

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Propofol

High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597

Propolis

Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593

Propoxur

Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Propranolol

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Determination of nine β -blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241

- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
- Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147
- Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157
- Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
- Effects of pH and hydroxypropyl β -cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
- Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
- Propranolol derivatives**
Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203
- Propranolol oxazolidin-2-one**
Comparison of (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
- Propylene oxide**
Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium *N,N*-diethyldithiocarbamate and liquid chromatography 696(1995)41
- Prostaglandins**
Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E₁ and E₂ in rat embryo incubates 655(1993)85
- Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341
- Applications of gas chromatography-mass spectrometry in clinical chemistry 665(1994)155
- Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246
- Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B₄ and prostaglandin B₂ 691(1995)225
- Simultaneous sorption and analytical derivatization on a polystyrene-divinylbenzene polymer. Preparation of chromophoric and fluorophoric derivatives of the prostaglandins 691(1995)231
- Proteinase inhibitors**
High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189
- Protein kinase C inhibitors**
Chiral resolution of protein kinase C inhibitors by reversed-phase high-performance liquid chromatography on cellulose tris-3,5-dimethylphenylcarbamate 697(1995)263
- Proteins**
Protein refolding using aqueous two-phase systems 668(1994)95
- Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
- High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161
- Determination of milk proteins by capillary electrophoresis 652(1993)207
- Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215
- Chromatographic stability of glucose-silica 653(1993)130
- Anion-exchange chromatographic behavior of recombinant rat cytochrome *b₅*. Thermodynamic driving forces and temperature dependence of the stoichiometric displacement parameter *Z* 653(1993)207
- Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241
- Comparing steady counterflow separation with differential chromatography 654(1993)1

- Characterization and application of strong ion-exchange membrane adsorbents as stationary phases in high-performance liquid chromatography of proteins 654(1993)29
- Rapid capillary gel electrophoresis of proteins 654(1993)190
- Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229
- Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21
- Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63
- Solid-phase extraction of soluble proteins in grape musts 655(1993)336
- Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175
- High-performance liquid chromatographic separation of phenylthiocarbonyl derivatives of amino acids from protein hydrolysates using a Partisphere C₁₈ column 657(1993)204
- Ion-exchange-immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357
- Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
- Preparative affinity chromatography of proteins (Review) 658(1994)237
- Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391
- Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399
- Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419
- Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445
- Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465
- Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
- Sheathless capillary electrophoresis-electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome c 659(1994)217
- Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
- Process monitoring of the production of γ -interferon in recombinant Chinese hamster ovary cells 659(1994)317
- Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427
- Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85
- Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131
- Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor 660(1994)169
- Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83
- Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257
- Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305
- Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes c 662(1994)13
- Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27
- Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97
- Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163
- Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175
- Immobilized metal affinity membrane adsorbents as stationary phases for metal interaction protein separation 664(1994)13

- Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27
- Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene-divinylbenzene) column 664(1994)33
- Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99
- Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography 664(1994)129
- Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37
- Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
- Enantioselective high-performance liquid affinity chromatography as a probe of ligand-biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221
- Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105
- New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141
- Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311
- Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)-salt aqueous two-phase systems 668(1994)3
- Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47
- Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55
- Supports for liquid-liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65
- Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85
- Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α -macroglobulins 668(1994)101
- Liquid-liquid extraction of a recombinant protein, cytochrome b_5 , with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117
- Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129
- Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191
- Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215
- Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337
- Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229
- High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213
- Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45
- Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149
- Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159
- Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113
- Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3
- A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17
- Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33
- Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43

- High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51
- Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91
- High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate-poly(ethylene oxide) 676(1994)209
- Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219
- Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227
- Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233
- Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249
- Rapid, automated, two-dimensional high-performance liquid chromatographic analysis of immunoglobulin G and its multimers 676(1994)331
- One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337
- New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409
- New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421
- Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45
- Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279
- Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1
- High-performance protein separations with novel strong ion exchangers 679(1994)11
- Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190
- Metaphosphates as packing materials for biochromatography 679(1994)247
- Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261
- Capillary electrophoresis-matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353
- Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry 680(1994)363
- Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375
- Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383
- Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395
- Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413
- Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431
- Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447
- Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549
- Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37
- Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
- Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
- Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformation homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31
- Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313

- Characterization of food proteins by capillary electrophoresis 685(1994)331
- Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31
- Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45
- Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121
- Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165
- Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193
- Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
- Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3
- Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85
- High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211
- Charged fusions for β -galactosidase retention in anion-exchange chromatography 689(1995)227
- High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μ m particles 690(1995)9
- Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21
- Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67
- Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263
- High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
- Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317
- Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325
- Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337
- Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233
- Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23
- Tryptic peptide mapping of sequence 299–585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33
- Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1995)187
- Ionic strength dependence of protein retention on Superose 12 in SEC-IEC mixed mode chromatography 693(1995)251
- Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
- Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
- Lead phosphate hydroxyapatite high-performance liquid chromatography 694(1995)486
- Resolution of isotoxins in the β -bungarotoxin family 694(1995)492
- Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195
- Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287
- Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

- Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17
- High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337
- Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571
- Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19
- Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
- Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41
- Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55
- Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123
- Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145
- Clinical applications of two-dimensional electrophoresis (Review) 698(1995)163
- Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203
- Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225
- Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281
- Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341
- Protein separation techniques in the study of tissue regeneration 698(1995)361
- Thermo-optical absorbance detection of native proteins separated by capillary electrophoresis in 10 μm I.D. tubes 699(1995)315
- Selective stability-indicating high-performance liquid chromatographic assay for recombinant human regular insulin 699(1995)383
- Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography 700(1995)95
- Separation of β -lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105
- Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111
- Proteins, plant**
Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263
- Proteins, therapeutic**
Removal of DNA contaminants from therapeutic protein preparations 658(1994)459
- Protochlorophyllides**
Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239
- Protochlorophylls**
Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239
- Pseudoephedrine**
Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135
- Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
- Pteronic acid**
Determination of pteronic acid by high-performance thin-layer chromatography. Contribution to the investigation of 7,8-dihydropteroate synthase 659(1994)185
- Pteropodine**
Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243
- Pterostilbene**
Method to determine resveratrol and pterostilbene in grape berries and wines using high-performance liquid chromatography and highly sensitive fluorimetric detection 663(1994)191
- Pullulan**
High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213

Purines

see also Nucleobases

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

Putrescine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Pyrazole phenyl ethers

Analytical and preparative separation of the enantiomers of pyrazole phenyl ether herbicides on three chiral stationary phases 666(1994)479

1-Pyrenyldiazomethane

Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185

Pyrene

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Pyrethrins

Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205

Pyrethroids

Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147

Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348

Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Pyridine

Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Pyridine bases

Separation of low-boiling pyridine bases by gas chromatography 699(1995)403

Pyridinecarboxylic acids

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases 691(1995)217

Pyridines, alkyl-substituted

Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

Pyridoxine

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

4-(2-Pyridylazo)resorcinol complexes

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

Pyrimidines

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

Pyroglutamic acid

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Pyrophosphate

Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450

Pyrroles

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol-water partition coefficient 662(1994)49

Pyrrolizidine alkaloids

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Pyrroloquinoline quinone

Separation of amino acid-oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225

Pyruvate

Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193

Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243

Pyruvic acid

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Q**Quaternary ammonium compounds**

Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437

HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289

Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365

Quercetin

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175

Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593

Quercetin glycosides

Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477

Quinidine

Automated solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101

Quinine

Stereochemical features of the stereoselective interaction between (*R*)- or (*S*)-7,7'-bis(1-propen-3-oxy)-2,2'-dihydroxy-1,1'-binaphthyl and quinine 666(1994)541

Quinolines

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Quinolizine

Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Quinolones

Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459

On-line high-performance liquid chromatography-fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

R**Ranitidine**

Improved method for the separation of ranitidine and its metabolites based on supercritical fluid chromatography 683(1994)402

Rare earth ions

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149

Reactive Blue 2

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Reactive dyes

Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153

Reboxetine

Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351

Recombinant human granulocyte macrophage colony-stimulating factor

Purification of recombinant human granulocyte-macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67

Recombinant proteins

One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Refrigerants

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245

Resins

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Resorcinol

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Resorufin

In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168

Resveratrol

Method to determine resveratrol and pterostilbene in grape berries and wines using high-performance liquid chromatography and highly sensitive fluorimetric detection 663(1994)191

Retinoic acid

Single-run analysis of isomers of retinoyl- β -D-glucuronide and retinoic acid by reversed-phase high-performance liquid chromatography 685(1994)182

Retinol

Separation of geometrical retinol isomers in food samples by using narrow-bore high-performance liquid chromatography 693(1995)271

Retinoyl- β -D-glucuronide

Single-run analysis of isomers of retinoyl- β -D-glucuronide and retinoic acid by reversed-phase high-performance liquid chromatography 685(1994)182

Reverse transcriptase

High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

Rhamnolipids

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

Rhodamine 6G

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry 652(1993)369

Riboflavin

Thin-layer chromatography and fibre-optic fluorimetric quantitation of thiamine, riboflavin and niacin 655(1993)39

Determination of thiamine (vitamin B₁) and riboflavin (vitamin B₂) in meat and liver by high-performance liquid chromatography 668(1994)359

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

Ribonucleases

Effect of pH, ion-type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229

Ribonucleosides

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Ribonucleotides

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Ricin

Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein 670(1994)199

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Rifampicin

High-performance thin-layer chromatographic method for monitoring degradation products of rifampicin in drug excipient interaction studies 685(1994)195

Rigid solutes

General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Ristocetin A

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

RMP-7

Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85

RNA

Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide-nucleobase conjugated gel 654(1993)159

RNA, ribosomal

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

RNA, transfer

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Complete purification of tRNA, charged or modified with hydrophobic groups, by reversed-phase high-performance liquid chromatography on a C_4/C_{18} column system 679(1994)93

Ro 31-8830

Chiral resolution of protein kinase C inhibitors by reversed-phase high-performance liquid chromatography on cellulose tris-3,5-dimethylphenylcarbamate 697(1995)263

Robenidine

Sensitive fluorescence detection of robenidine by derivatization with dansyl chloride and high-performance liquid chromatography 694(1995)407

Romet-30

High-performance liquid chromatographic analysis of Romet-30 in Chinook salmon (*Oncorhynchus tshawytscha*): wash-out time, tissue distribution in muscle, liver and skin, and metabolism of sulfadimethoxine 670(1994)77

Rose Bengal

On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Roxithromycin

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Rubber additives

Supercritical fluid extraction using a new restrictor design 679(1994)147

Rubidium

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Ruthenium(III)

Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185

Ruthenocene

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Rutin

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in Crataegus leaves and flowers 677(1994)25

S

Saccharic acid

Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Saccharides

Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Saccharin

Determination of saccharin in shrimp by ion chromatography and capillary gas chromatography-mass spectrometry 671(1994)323

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Saclofen

Direct chromatographic separation of the enantiomers of pfaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

Saffron components

Determination of saffron (*Crocus sativus* L.) components in crude plant extract using high-performance liquid chromatography-UV-visible photodiode-array detection-mass spectrometry 699(1995)107

Safranal

Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Salbutamol

Determination of clenbuterol and salbutamol in urine by capillary gas chromatography with capillary columns of 100 μm 655(1993)73

Combined liquid-liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Salinomycin

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284

Salts

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Sandwicine

Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251

Santonin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Saponarin

High-performance liquid chromatographic determination of flavone C-glycosides in some species of the Cucurbitaceae family 675(1994)240

Sarin

Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

SC-51146 ethyl ester

Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429

SC-53864

Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429

Schiff bases

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Formation of Schiff bases with acetone as a solvent in the determination of anilines 685(1994)189

Scopolamine

Strategy for setting up single-capillary isotachopheresis-zone electrophoresis 653(1993)303

Scrapie prion protein

Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447

SDZ EAA 494 s

Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host-guest complexation with cyclodextrins 666(1994)375

Secondary alcohol dehydrogenase

Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27

Secondary alkyl acetates

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Secondary alkyl trifluoroacetates

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β -cyclodextrin stationary phase 665(1994)175

Selenium

Determination of selenium by gas chromatography-electron-capture detection using a rapid derivatization procedure 664(1994)77

Determination of trace amounts of selenium in poultry feedstuffs by gas chromatography 668(1994)449

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Seleno amino acids

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Selenocysteamine

Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Selenocysteine

Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Selenocystine

Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Separation of selenium analogues of sulphur-containing amino acids by high-performance liquid chromatography and high-resolution gas chromatography 677(1994)192

Selenoethionine

Separation of selenium analogues of sulphur-containing amino acids by high-performance liquid chromatography and high-resolution gas chromatography 677(1994)192

Selenomethionine

Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Separation of selenium analogues of sulphur-containing amino acids by high-performance liquid chromatography and high-resolution gas chromatography 677(1994)192

Sesquiterpenes

Reversed-phase liquid chromatographic isolation of lubimin and solavetivone from *Hyoisycyamus muticus* "hairy" root cultures 657(1993)440

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237

Sesquiterpenoids

Determination of caulerpenyne, a toxin from the green alga *Caulerpa taxifolia* (Caulerpaceae) 663(1994)114

SI-5

Preparative liquid chromatographic isolation of unknown impurities in Arbidol and SI-5 658(1994)489

Sialic acids

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83

Sialogangliosides

Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83

Sialooligosaccharides

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Silica gel

Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113

Silicic acid

Size-exclusion chromatographic and viscometric study of polymer solutions containing nicotine or silicic acid 673(1994)65

Siloxanes

Supercritical fluid chromatography-mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105

Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography-Fourier transform infrared spectroscopy and gas chromatography-mass spectrometry 693(1995)89

Silver

High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Silylene copolymers

Pyrolysis-gas chromatography-mass spectrometry of poly(dialkylsilylenes) 683(1994)115

Simazine

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383

 β -Sitosterol

Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267

SK&F 106203

Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321

SM-11044

Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261

Sodium

Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Slow change in the electrical potential at glass and silica surfaces due to Na⁺ sorption in the hydrated layer 693(1995)205

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Sodium benzotriazole

Simultaneous determination of benzotriazole copper inhibitor and microbiocidal isothiazolinones by high-performance liquid chromatography 661(1994)245

Sodium bis(2-ethyl-1-hexyl)sulphosuccinate

High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263

Sodium carbonate

On-line analysis of alkaline samples with a flow-through electro dialysis device coupled to an ion chromatograph 671(1994)131

Sodium chloride

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Sodium cholate

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Sodium deoxycholate

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Sodium dodecylbenzenesulphonate

Ion chromatographic separation of alkali metal and ammonium cations on a C₁₈ reversed-phase column 670(1994)99

Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471

Sodium dodecyl sulphate

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Ion chromatographic separation of alkali metal and ammonium cations on a C₁₈ reversed-phase column 670(1994)99

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Sodium 1-icosylsulphate

Ion chromatographic separation of alkali metal and ammonium cations on a C₁₈ reversed-phase column 670(1994)99

Sodium hydroxide

Use of combined sodium hydroxide and carbonate-bicarbonate eluents with various anion-exchange columns 671(1994)83

Sodium isocyanate

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Sodium laurylsulphate

Use of ion chromatography for the verification of drug authenticity 671(1994)303

Sodium nitroprusside

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

Sodium polyacrylate

Determination of sodium polyacrylate by pyrolysis-gas chromatography 677(1994)355

Sodium sulphate

Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445

Solanine

Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Solavetivone

Reversed-phase liquid chromatographic isolation of lubimin and solavetivone from *Hyoscyamus muticus* "hairy" root cultures 657(1993)440

Solvents

Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483

Somatotropin

Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139

Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113

Sorbic acid

Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Sorbitan fatty acids, T-MAZ ethoxylated

Separation of T-MAZ ethoxylated sorbitan fatty acid esters by supercritical fluid chromatography 662(1994)323

Soyasaponin I

High-performance capillary electrophoresis for characterization of hapten-protein conjugates used for production of antibodies against soyasaponin I 680(1994)437

Speciophylline

Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Spectinomycin

Determination of spectinomycin using cation-exchange chromatography with pulsed amperometric detection 675(1994)123

Spermidine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Spermine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Starch

Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Steroidal alkaloids

Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127

Steroidal 3-(O-carboxymethyl) oximes

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Steroids

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography-mass spectrometry (Review) 658(1994)3

Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17

Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3

Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27

Applications of gas chromatography-mass spectrometry in clinical chemistry 665(1994)155

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Application of high-performance thin-layer chromatography and gas chromatography-mass spectrometry to the detection of new anabolic steroids used as growth promoters in cattle fattening 674(1994)247

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography-mass spectrometry with pure and modified CO₂ 677(1994)365

High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359

Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67

Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4 -3-ketone derivatives 691(1995)247

Sterols

Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267

On-line liquid chromatography-gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95

Stigmasterol

Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267

Stilbene

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

trans-Stilbene oxide

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Strep tag fusion proteins

One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337

Streptavidin

One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337

Strontium

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Strychnine

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen-phosphorus detection 674(1994)87

Styrene

Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath 657(1993)147

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Styrene-acetonitrile

Elution behaviour of styrene-acrylonitrile copolymers in high-performance liquid chromatography with mixtures of chloroform and *n*-hexane as mobile phases 655(1993)185

Styrene-butadiene copolymers

Sequence distribution of styrene-butadiene copolymers by ozonolysis, high-performance liquid chromatographic and gas chromatographic-mass spectrometric techniques 665(1994)117

Styrene sulphates

Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211

Sucrose

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Sucrose octalinate

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Sugar acids

Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141

Sugar alcohols

Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315

Sugars

see also Carbohydrates and Saccharides

Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography-mass spectrometry and determination of the composition of six apple varieties 676(1994)461

Sulpha drugs

Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141

Sulphadimethoxine

High-performance liquid chromatographic analysis of Romet-30 in Chinook salmon (*Oncorhynchus tshawytscha*): wash-out time, tissue distribution in muscle, liver and skin, and metabolism of sulfadimethoxine 670(1994)77

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N¹-acetyl metabolites in foods of animal origin 677(1994)81

Sulphadimidine

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Sulphamides

Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Sulphamonomethoxine

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N¹-acetyl metabolites in foods of animal origin 677(1994)81

Sulphanilate

Preparative capillary isotachopheresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

Sulphates

Determination of phosphate in samples with high levels of sulphate by ion chromatography 657(1993)77

Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147

Sulphite stabilizer in ion chromatography 663(1994)255

- "Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11
- Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15
- Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211
- Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225
- Simultaneous ion-exclusion chromatography-cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239
- Determination of trace anions in isopropanol 671(1994)253
- Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331
- Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445
- Column-switching techniques in the analysis of phosphate by ion chromatography 675(1994)141
- Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159
- Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155
- Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321
- Sulphite**
Sulphite stabilizer in ion chromatography 663(1994)255
- Stability of *o*-phthalaldehyde-sulfite derivatives of amino acids and their methyl esters: electrochemical and chromatographic properties 668(1994)323
- Sulphonamides**
Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123
- Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
- Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311
- Sulphonated polyphenols**
Analysis of sulphonated polyphenols, synthetic tanning agents in heavily polluted tannery wastewaters 660(1994)199
- Sulphonates**
Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219
- Sulphonic acids**
Determination of thiols as sulphonic acids by capillary isotachopheresis 672(1994)273
- Sulphonylureas**
Liquid chromatographic determination of sulphonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75
- High-performance liquid chromatographic determination of sulphonylureas in soil and water 692(1995)27
- Separation of sulphonylurea metabolites in water by capillary electrophoresis 700(1995)195
- Detection and quantitation of sulphonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201
- Sulphoxides**
Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421
- Comparison of (*S*)-*N*-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
- Sulphur**
Characterization of an element-specific detector for combined gas chromatography-atomic emission detection 654(1993)269
- Progress and problems in organic microanalysis by ion chromatography 671(1994)295
- Reactive-flow luminescence detector for gas chromatography 684(1994)259
- Quenching-free reactive-flow photometry 694(1995)433
- Sulphur compounds, volatile**
Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301
- Sulphur-containing complexing reagents**
Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Sulphur-containing compounds

Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen-phosphorus detection for gas chromatography 670(1994)117

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245

Sulphuric acid

Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265

Sulphur mustard

Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Sulphur oxy-anions

Ion chromatography with UV detection for the determination of thiosulfate and polythionates in saline waters 671(1994)197

Superoxide dismutase

Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399

Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304

Suplatast tosilate

High-performance liquid chromatography of enantiomers of (2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl)-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

Suprofen

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Surfactants

see also Detergents

Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207

High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263

Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl- β -cyclodextrin 665(1994)17

Analysis of alkylphenol-based non-ionic surfactants by high-performance liquid chromatography 668(1994)375

Reversed phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73

Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355

Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117

Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219

Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107

Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255

Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195

Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon-hydrocarbon anionic surfactants 692(1995)291

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

Swertiamarin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Sydowinin

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Synthetic polymers

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

T

Tachykinin

Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271

Tamoxifen

Determination of panomifene in human plasma by high-performance liquid chromatography 668(1994)419

Tamoxifen, metabolite

Determination of pharmaceuticals and related impurities by capillary electrophoresis 680(1994)579

Tangeretin

High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59

Tannase

Purification of (-)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174

Tanning agents

Analysis of sulphonated polyphenols, synthetic tanning agents in heavily polluted tannery wastewaters 660(1994)199

Tannins

Methylation, acetylation and gel permeation of hydrolysable tannins 662(1994)77

Tartaric acid

Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149

(*R,R*)-Tartaric acid monoamide

Enantiomer separation by high-performance liquid chromatography with (*R,R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Taurochenodeoxycholic acid

Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525

Taurocholic acid

Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525

Taxanes

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Taxol

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Tebufenozide

Comparative study of the determination of tebufenozide in formulated products by gas chromatographic and liquid chromatographic methods 687(1994)323

Tellurium choline

Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis-gas chromatography-mass spectrometry 657(1993)395

Temazepam

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Terazosin

Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Terbutaline

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Use of β -cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

Combined liquid-liquid electroextraction and isotachopheresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Terfenadine

Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Investigation of the stereoselective metabolism of the chiral H₁-antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219

Terpenes

Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L. 659(1994)389

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

Automated static headspace sampler for gas chromatography 686(1994)235

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry 697(1995)501

Terpenoids

Potential of three different α -cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Chromatography of gibberellins (Review) 658(1994)91

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Terpenoids, bicyclic

Comparison of two esterified γ -cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Testosterone

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Tetraazamacrocycles

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein-capillary wall interactions 652(1993)161

Tetraborate

On-line analysis of alkaline samples with a flow-through electro dialysis device coupled to an ion chromatograph 671(1994)131

Tetrabromotetrachlorofluorescein

Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77

Tetrabutylammonium ion

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Tetra-*n*-butylgermane

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Tetrachlorodibenzo-*p*-dioxins

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p*-*tert*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Tetrachloroethene

Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223

Tetrachloromethane

Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223

Tetracyclines

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Capillary electrophoresis of some tetracycline antibiotics 673(1994)267

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Tetradecyltrimethylammonium bromide

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Tetrahydrocannabinol

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

2',4',5',7'-Tetraiodofluorescein

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

 α -Tetralone

New hybrid displacement technique for preparative liquid chromatography 684(1994)1

Tetrameric ions

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

2,2,4,4-Tetramethyl-1,3-cyclobutanediols

Separation and identification of stereoisomeric cyclobutanediols by gas chromatography-mass spectrometry 668(1994)463

Tetramethyltin

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Tetraphenylarsonium ion

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Tetraphenylborate ion

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Tetroses

Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17

Tetryl

Instability of tetryl to Soxhlet extraction 662(1994)178

Thalidomide

Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β -cyclodextrins 686(1994)293

Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Thaumatococcus

Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129

Thearubigin

Isolation and high-performance liquid chromatographic analysis of thearubigin fractions from black tea 662(1994)101

Theobromine

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Theophylline

Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465

Determination of theophylline in plasma using different capillary electrophoretic systems 652(1993)487

Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Thermolabile compounds

Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69

Thiabendazole

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Simplified clean-up for the determination of benzimidazole fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Thiamine

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Thin-layer chromatography and fibre-optic fluorimetric quantitation of thiamine, riboflavin and niacin 655(1993)39

Determination of thiamine (vitamin B₁) and riboflavin (vitamin B₂) in meat and liver by high-performance liquid chromatography 668(1994)359

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

Thianaphthene

Quenching-free reactive-flow photometry 694(1995)433

Thifensulfuron

High-performance liquid chromatographic determination of sulfonyleureas in soil and water 692(1995)27

Thimerosal

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Thiobarbiturates

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β -cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Thiobencarb

Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375

Thiocyanate

High-performance liquid chromatographic determination of thiocyanate anion by derivatization with pentafluorobenzyl bromide 653(1993)348

1-Thio- β -D-galactose

1-Thio- β -D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286

Thiols

Determination of thiols as sulphonic acids by capillary isotachopheresis 672(1994)273

Simultaneous detection of thiols and disulfides by capillary electrophoresis-electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Thiols, reduced

Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachopheresis 699(1995)363

Thiophanate methyl

Simplified clean-up for the determination of benzimidazole fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Thiosalicylic acid

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Thiosulphate

Ion chromatography with UV detection for the determination of thiosulfate and polythionates in saline waters 671(1994)197

Thiouracils

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

9H-Thioxanthenes

Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9H-xanthene and 9H-thioxanthene derivatives containing an aminoalkanamide or a nitrosoimide group. Comparison between capacity factors and calculated octanol-water partition coefficients 654(1993)43

Thorium

Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181

Thymidine

Comparative stability study of thymidine and (dideoxy-D-erythro-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167

Thymine

The use of a microconcentric column in capillary electrophoresis 680(1994)33

Thyrotropin-releasing hormone

Effect of mobile phase composition on the separation of thyrotropin-releasing hormone and some metabolites by reversed-phase ion-pair chromatography 667(1994)119

Tiaprofenic acid

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Tibagine ethyl ester

Separation of the *R*(-)- and *S*(+)-enantiomers of the ethyl ester of tiagabine · HCl using a Chiralcel-OG column 684(1994)29

Timoprazole

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Tin

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Tinuvin

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Tissue plasminogen activator

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Titin

Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Tocols, methylated

Separations of tocopherols and methylated tocols on cyclodextrin-bonded silica 670(1994)67

Tocopherols

Separations of tocopherols and methylated tocols on cyclodextrin-bonded silica 670(1994)67

Reversed-phase high-performance liquid chromatographic method using a pentafluorophenyl bonded phase for analysis of tocopherols 677(1994)75

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329

Tocotrienols

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Tolperisone

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Toluene

Residual solvent analysis by headspace gas chromatography 667(1994)235

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201

Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

Toluenediamine

Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Toluic acids

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Toluidine Blue

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Tomatine

Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127

Toxaphene

Determination of toxaphene in soil by electron-capture negative-ion mass spectrometry and capillary column gas chromatography 665(1994)125

Characterization of technical toxaphene using combined high-performance liquid chromatography–gas chromatography–electron capture negative ionization mass spectrometry techniques 669(1994)103

Toxic compounds

Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97

 α -Toxin

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Toxins

High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters, 677(1994)301

Toxins, paralytic shellfish poisoning

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carboxylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Transferrin

In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261

Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Transition metals

Optimization of the anion-exchange separation of metal-oxalate complexes 654(1993)105

Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43

Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous–organic media by capillary ion analysis 688(1994)339

Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343

***trans*-Sobrerol**

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Trenbolone

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Triacylglycerols

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

High-performance liquid chromatographic determination of plasma triglyceride type composition in a normal population of Barcelona. Relationship with age, sex and other plasma lipid parameters 655(1993)89

Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Reversed-phase liquid chromatography–mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87

Capillary supercritical fluid chromatography–Fourier transform infrared spectroscopy study of triglycerides and the qualitative analysis of normal and “unsaturated” cheeses 673(1994)231

Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149

Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Trialkyl orthoformate

Carboxylic anhydrides-orthoesters —novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299

Triazines

Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction 660(1994)219

Thermospray liquid chromatographic-mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen-phosphorus or mass spectrometric detection 667(1994)241

Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153

Chromatographic behaviour of triazine compounds 668(1994)365

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

On-line preconcentration and ion chromatography of triazine compounds 671(1994)151

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry-time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113

Use of narrow-bore high-performance liquid chromatography-diode array detection for the analysis of intermediates of the biological degradation of 2,4,6-trinitrotoluene 693(1995)167

Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Tribactam antibiotics

Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319

1,1,3-Tribromopropane

Gas chromatographic determination of organobromine micropollutants in air and water 659(1994)213

Tributylphenol ethylene oxide

Retention behaviour of tributylphenol ethylene oxide oligomers on an alumina high-performance liquid chromatographic column 661(1994)239

Tributyl phosphate

Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

Tributyltin

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Supercritical fluid extraction of tributyltin and its degradation products from seawater via liquid-solid phase extraction 655(1993)51

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Tricarbonyl (η^6 -arene)-chromium complexes

Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6 -arene)-chromium(0) complexes 693(1995)63

Trichloroethene

Residual solvent analysis by headspace gas chromatography 667(1994)235

Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223

1,1,1-Trichloroethane

Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223

Trichloromethane

Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry 699(1995)223

2-Trichloromethylbenzimidazole

2-Trichloromethylbenzimidazole as a selective chromogenic reagent for the detection of some azoles on thin-layer plates 669(1994)275

2,4,5-Trichlorophenol

Preconcentration and determination of 2,4,5-trichlorophenol in air using a wet effluent denuder and high-performance liquid chromatography 668(1994)371

Triclopyr

Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119

Triclosan

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Triethyllead chloride

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

1,1,1-Trifluoroacetophenone

Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

2,2,2-Trifluoro-1-(9-anthryl)ethanol

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Trihalomethanes

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Triheptadecanoin

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

2',4',5'-Triiodofluorescein

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

2',4',7'-Triiodofluorescein

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

Trilinolein

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Trimellitic acid

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Trimellitic anhydride

Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Trimeprazine

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Trimeric ions

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Trimethylamine

Application of a fused-silica column to the determination of very volatile amines by gas-solid chromatography 667(1994)334

Trimethylarsine oxide

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Trimethyllead chloride

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Trimethyltin chloride

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Trimetoquinol

Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449

Chiral separation of drugs by capillary electrophoresis using β -cyclodextrin polymer 678(1994)333

Trimipramine

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Trinitrotoluene

Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Use of narrow-bore high-performance liquid chromatography–diode array detection for the analysis of intermediates of the biological degradation of 2,4,6-trinitrotoluene 693(1995)167

Triolein

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Triphenylmethane dyes

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Triphenyltin

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Tripolyphosphate

Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Tris(2,2'-bipyridyl)ruthenium(III)

Determination of dansyl amino acids using tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111

Tris(2-chloroethyl) phosphate

Determination of tris(2-chloroethyl) phosphate in leachates from landfills by capillary gas chromatography using flame photometric detection 684(1994)366

Tris(pentafluorophenyl) phosphorus

Quenching-free reactive-flow photometry 694(1995)433

Tris(2,4-pentanedionato)metal complexes

Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279

Triton X-100

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent–detergent method 658(1994)475

Trityl-AZT

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Troglitazone

High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337

Tropacocaine

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Tropic acid amides

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Tropine

Determination of distribution coefficients for some 5-HT₁ receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Tropomyosin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Troponin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Truxillines

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Tryptamine

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13

Tryptophan

Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93

Determination of tryptophan and ten of its metabolites in a single analysis by high-performance liquid chromatography with multiple detection 661(1994)101

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73

Tryptophol

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)-ammonium sulfate aqueous two-phase system 668(1994)13

Tumour necrosis factor

Purification of human tumour necrosis factor by membrane chromatography 661(1994)161

Rapid purification method for human recombinant tumor necrosis factor alpha 667(1994)125

Tylosin

Liquid chromatography of tylosin A and related substances on poly(styrene-divinylbenzene) 699(1995)93

Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99

Tylosin A aldol

Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99

Tyramine

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

U**Umbelliferone**

In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168

Uncarine

Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Uniconazole

Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431

Uranium

Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181

Urea

Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93

Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Uric acid

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350

Uridine 5'-diphosphate

Mixed ion-pair high-performance liquid chromatography of uridine 5'-diphospho- α -D-glucuronic acid and its hydrolysis products 695(1995)123

Uridine 5'-diphospho- α -D-glucose

Mixed ion-pair high-performance liquid chromatography of uridine 5'-diphospho- α -D-glucuronic acid and its hydrolysis products 695(1995)123

Uridine 5'-diphospho- α -D-glucuronic acid

Mixed ion-pair high-performance liquid chromatography of uridine 5'-diphospho- α -D-glucuronic acid and its hydrolysis products 695(1995)123

Uridine 3',5'-monophosphate

Mixed ion-pair high-performance liquid chromatography of uridine 5'-diphospho- α -D-glucuronic acid and its hydrolysis products 695(1995)123

Uridine 5'-monophosphate

Mixed ion-pair high-performance liquid chromatography of uridine 5'-diphospho- α -D-glucuronic acid and its hydrolysis products 695(1995)123

V

Valeryl dextran

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Vanadium

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediamine 689(1995)39

Vegetable oil methyl esters

On-line liquid chromatography-gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Verapamil

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173

Verbenalin

Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

cis-Verbenol

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Verbenone

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Vermiculic acid

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Vermiculicin

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Vermiculinic acid

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Vermilutin

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Vermistatin

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Vermixocins

Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Vesamicol

Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183

Vimentin

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Vinblastine

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Vincristine

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

5-Vinylpyrrolidin-2-one

High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213

Viruses

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Vitamins

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555

Thin-layer chromatography and fibre-optic fluorimetric quantitation of thiamine, riboflavin and niacin 655(1993)39

Determination of phyloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189

Applications of gas chromatography-mass spectrometry in clinical chemistry 665(1994)155

Determination of thiamine (vitamin B₁) and riboflavin (vitamin B₂) in meat and liver by high-performance liquid chromatography 668(1994)359

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

Directly coupled sample treatment-high-performance liquid chromatography for on-line automatic determination of liposoluble vitamins in milk 694(1995)399

Vitexin

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Vitexin-2"-O-rhamnoside

Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in *Crataegus* leaves and flowers 677(1994)25

Volatile carbonyl compounds

Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376

Volatile carboxylic acids

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Volatile compounds

Evaluation and optimization of the automatic thermal desorption method in the gas chromatographic determination of plant volatile compounds 657(1993)155

Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl- β -cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455

Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography 699(1995)203

Volatile halogenated compounds

Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Volatile organic compounds

Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography-ion trap detection 665(1994)333

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

Measurement of vapor-phase organic compounds at high concentrations 676(1994)399

Automated in situ gas chromatographic-mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123

Continuous monitoring of volatile organic compounds in water using on-line membrane extraction and microtrap gas chromatography system 688(1994)171

Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography-flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368

Vumon

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

W

Warfarin

Separation of estrogens and rodenticides using capillary electrophoresis with aqueous-methanolic buffers 652(1993)427

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

Weak acids

Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319

Whey proteins

Characterization of food proteins by capillary electrophoresis 685(1994)331

Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111

WOPC-315 myeloma protein

Advances in affinity electrophoresis (Review) 698(1995)89

Wuu-Ji-San

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wuu-Ji-San by high-performance liquid chromatography 692(1995)137

X

9H-Xanthenes

Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9H-xanthene and 9H-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol-water partition coefficients 654(1993)43

Xanthine

Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195

Xanthine oxidase inhibitors

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

Xanthon derivatives

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Xylenes

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201

Xylose

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

p-Xylylenediamine

Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331

Y**YO-PRO-1**

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Yttrium

Determination of lanthanides in Kola nitrophosphate solution by cation-exchange ion chromatography 671(1994)173

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α -hydroxyisobutyric acid 689(1995)149

Z**Zidovudine**

Trace analysis of impurities in 3'-azido-3'-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Zinc

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Zinc carboxylates

Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67

Zinc chelates

Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Zinc sulphide

Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89

Zirconia

Chemistry of zirconia and its use in chromatography (Review) 657(1993)229

Zopiclone

High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87