

Gas Chromatography

1. REVIEWS AND BOOKS

- 1184 Grob, K.: *Einspritztechniken in der Kapilar-Gaschromatographie*. Hüthig, Heidelberg, 1995, 465 p.
- 1185 Miller, R.J.: Industrial gas chromatography - "A personal perspective". *J. High. Resolut. Chromatogr.*, 18 (1995) 213-216.
- 1186 Samukawa, K. and Oguri, N.: (Pyrolysis gas chromatography.) Gihodo Shuppan, Tokyo, 1994, 278 p.; C.A., 122 (1995) 122115z.
- 1187 Verhoeven, N.M., Wanders, R.J.A., van den Heuvel, C.M.M. and Jakobs, C.: Stable isotope dilution gas chromatography-mass spectrometry for detection of peroxisomal metabolites: pre- and postnatal diagnosis. *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 19 (1994) 3-20; C.A., 122 (1995) 50293f - a review with 33 refs.

See also 1198, 1298, 1301, 1308, 1336, 1343, 1498, 1603, 1609, 1741, 1784.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 1188 Bartle, K.D.: Introduction to the theory of chromatographic separations with reference to gas chromatography. In: Baugh, P.J. (Editor), *Gas Chromatography*, IRL, Oxford, 1993, pp.1-14.
- 1189 Berthod, A., Zhou, E.Y., Le, K. and Armstrong, D.W.: Determination and use of Rohrschneider-McReynolds constants for chiral stationary phases used in capillary gas chromatography. *Anal. Chem.*, 67 (1995) 849-857.
- 1190 Johll, M., Bowlin, D. and Davis, J.M.: Verification of the extended statistical model of overlap: application to gas chromatograms containing variable peak densities. *Anal. Chim. Acta*, 302 (1995) 133-146; C.A., 122 (1995) 150533c.
- 1191 Lebrón-Aguilar, R., Quintanilla-López, J.E., Tello, A.M., Fernández-Torres, A. and García-Domínguez, J.A.: New equation for specific retention volumes in capillary column gas chromatography. *J. Chromatogr. A*, 697 (1995) 441-451.
- 1192 Olivé, J. and Grimalt, J.O.: Relationship between different chromatographic peak description functions and numerical solutions of the mass balance equation. *J. Chromatogr. Sci.*, 33 (1995) 194-203.
- 1193 Zhang, X., Zhao, L. and Zhang, G.: (Prediction of gas chromatographic retention index by neural network.) *Yingyong Huaxue*, 11, No. 5 (1994) 54-59; C.A., 122 (1995) 95603y.
- 1194 Zou, G. and Liu, Z.: (Demonstrating the tailing of normal chromatographic peak by theory of diffusion and mass transfer.) *Chin. J. Chromatogr.*, 13 (1995) 107.

See also 1268.

2b. Thermodynamics and theoretical relationships

- 1195 Afzal, M., Khan, M. and Ahmad, H.: Kinetics of the sorption of organic vapors in chromatographic silica gel. *Adsorpt. Sci. Technol.*, 11, No. 2 (1994) 113-122; C.A., 122 (1995) 143511r.
- 1196 Kowalski, W.J.: Gas chromatographic enantioseparation of nucleophilic compounds on a stationary phase containing europium chelate. *Acta Chromatogr.*, 2 (1993) 84-88; C.A., 122 (1995) 150550f.

See also 1342.

2c. Relationship between structure and chromatographic behaviour

- 1197 Défayes, G., Reddy, K.S., Dallos, A. and Kováts, E.sz.: Pair-wise interactions by gas chromatography V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes. *J. Chromatogr. A*, 699 (1995) 131-154.
- 1198 Jing, P. and Fu, R.: Supramolecular chemistry for gas chromatography. I. Relationship between supramolecular chemistry and gas chromatography. *Fenxi Huaxue*, 23 (1995) 104-110; C.A., 122 (1995) 177343c - a review with 55 refs.

See also 1280, 1281, 1341, 1345, 1366, 1395, 1459, 1692.

2d. Measurement of physico-chemical and related values

- 1199 Balard, H., Wang, W.D. and Papirer, E.: Energetic surface heterogeneity of carbon black determined by IGC. *Polym. Mater. Sci. Eng.*, 70 (1993) 468-469; C.A., 122 (1995) 39671g.
- 1200 Berezhkina, L.G. and Sarycheva, E.A.: (Gas chromatographic study of dehydration of dicalciumphosphate dihydrate.) *Zh. Fiz. Khim.*, 68 (1994) 1304-1306.
- 1201 Berezhkina, L.G., Sarycheva, E.A. and Sukhdolova, V.I.: (Investigation of de- and rehydration in system CaSO₄-water vapours by chromatographic methods.) *Zh. Fiz. Khim.*, 68 (1994) 1678-1681.
- 1202 Boneva, S. and Tashkova, K.: Gas chromatographic investigation of the interaction between vinyltriethoxysilane and aerosil and active charcoal surfaces. *Anal. Lab.*, 2, No. 1 (1993) 53-55; C.A., 122 (1995) 204243d.
- 1203 Carraffa, H.M., Simon, L.D., Daly, J.W., Spande, T.F. and Jones, T.H.: Cis- and trans-configuration of α,α' -disubstituted piperidines and pyrrolidines by GC-FTIR; application to decahydroquinoline stereochemistry. *Tetrahedron*, 50 (1994) 11329-11338; C.A., 122 (1995) 10323j.
- 1204 Chickos, J.S., Hosseini, S. and Hesse, D.G.: Determination of vaporization enthalpies of simple organic molecules by correlations of changes in gas chromatographic net retention times. *Thermochim. Acta*, 249 (1995) 41-61; C.A., 122 (1995) 171385w.

- 1205 Fafard, M., El-Kindi, M., Schreiber, H.P., Dipaola-Baranyi, G. and Hor, A.M.: Estimating surface energy variations of solids by inverse gas chromatography. *J. Adhes. Sci. Technol.*, 8 (1994) 1383-1394; C.A., 122 (1995) 82532z.
- 1206 Garnier, G. and Glasser, W.G.: Measurement of the surface free energy of amorphous cellulose by alkane adsorption: a critical evaluation of inverse gas chromatography (IGC). *J. Adhes.*, 46 (1994) 165-180; C.A., 122 (1995) 136443s.
- 1207 Genkin, A.N. and Petrova, N.A.: Some peculiarities of the reaction between Rh(I) carbonyl complexes and unsaturated hydrocarbons under the conditions of gas-liquid chromatography. *Rhodium Express*, 2 (1993) 12-18; C.A., 122 (1995) 45351u.
- 1208 Genkin, A.N. and Petrova, N.A.: The competition between unsaturated hydrocarbons in the course of their reactions with rhodium(I) carbonyl complexes under the conditions of GLC. *Rhodium Express*, 6 (1994) 19-26; C.A., 122 (1995) 133379q.
- 1209 Guan, Y.-A., Zhou, L.-M. and Li, L.-E.: Live retention database for identification of compounds in capillary gas chromatographic analysis. Principle and structure. *Chin. J. Chem.*, 12 (1994) 265-269; C.A., 121 (1994) 314902e.
- 1210 Hussam, A., Basu, S.G., Hixon, M. and Olumee, Z.: General method for the study of solute-surfactants association equilibria of volatile solutions by head space gas chromatography. *Anal. Chem.*, 67 (1995) 1459-1464.
- 1211 Jackson, P.L. and Huglin, M.B.: Use of inverse gas chromatography to measure diffusion coefficients in crosslinked polymers at different temperatures. *Eur. Polym. J.*, 31, No.1 (1995) 63-65; C.A., 122 (1995) 82786k.
- 1212 Jiang, X., Fan, X. and Yang, Z.: (Gas chromatography observation of enantioselective autoinduction effect in the synthesis of chiral alcohols.) *Chin. J. Chromatogr.*, 13 (1995) 110-112.
- 1213 Lai, C.-C. and Tan, C.-S.: Measurement of molecular diffusion coefficients in supercritical carbon dioxide using a coated capillary column. *Ind. Eng. Chem. Res.*, 34 (1995) 674-680; C.A., 122 (1995) 115575w.
- 1214 Langleron, M., Cavadias, S. and Amouroux, J.: Study by mass spectrometry and gas chromatography of toluene oxidation in low-pressure plasma reactor. *Rapid Commun. Mass Spectrom.*, 9 (1995) 18-22; C.A., 122 (1995) 164023y.
- 1215 Mahne, I. and Tiedje, J.M.: Criteria and methodology for identifying respiratory denitrifiers. *Appl. Environ. Microbiol.*, 61, No. 3 (1995) 1110-1115; C.A., 122 (1995) 186324z.
- 1216 Marinichev, A.N., Puchkova, L.V. and Stolyarov, B.V.: (Use of vapor-phase gas chromatographic analysis to study the solvolysis of tert.-butyl chloride.) *Zh. Prikl. Khim. (S.-Peterburg)*, 67, No. 7 (1994) 1132-1138.
- 1217 Nikolic, A.D., Ivancev, I.I. and Petrovic, S.D.: A thermodynamic study of N-n-pentylbenzamide solutions using gas-liquid chromatography. *J. Serb. Chem. Soc.*, 59 (1994) 633-638; C.A., 122 (1995) 40008c.
- 1218 Pershina, V., Fricke, B. and Ionova, G.V.: Theoretical study of the physicochemical properties of the light transactinides. *J. Alloys Compd.*, 213/214 (1994) 33-37; C.A., 121 (1994) 308532t.
- 1219 Raihane, M., Montheard, J.P. and Boinon, B.: Kinetics of thermal degradation of copolymers methyl/vinylidene cyanide with substituted styrenes. Thermogravimetric and gas chromatography-mass spectroscopy studies. *Polym. Degrad. Stab.*, 46 (1994) 171-179; C.A., 122 (1995) 82275t.
- 1220 Sandercock, P.M.L.: Comparison of passive charcoal adsorption with a dynamic charcoal adsorption technique. *J. - Can. Soc. Forensic Sci.*, 27 (1994) 179-201; C.A., 122 (1995) 2902g.
- 1221 Shaonian, P., Wu, T., Qu, J. and Ji, Y.: (Study on adsorption of organic compounds on river sediment using gas chromatography.) *Fenxi Huaxue*, 22 (1994) 656-659; C.A., 122 (1995) 88770x.
- 1222 Sotiropoulou, V., Vassilev, G.P., Katsanos, N.A., Hetaxa, H. and Roubani-Kalantzopoulou, F.: Simple determination of experimental isotherms using diffusion denuder tubes. *J. Chem. Soc. Faraday Trans.*, 91 (1995) 485-492; C.A., 122 (1995) 109618w.
- 1223 Tsutsumi, K. and Ban, K.: Analysis of adsorption and adhesion behaviors of modified carbon fibers by means of inverse gas chromatography. *Stud. Surf. Sci. Catal.*, 80 (1993) 679-684; C.A., 122 (1995) 33446r.
- 1224 Voelkel, A. and Janas, J.: Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography. *J. Chromatogr. A*, 693 (1995) 315-323.
- 1225 Wang, W.-D., Haidar, B., Vidal, A. and Donnet, J.-B.: Study of surface activity of carbon black by inverse gas chromatography. Part IV: Effect of mechanical action on surface activity of carbon black. *Kautsch. Gummi Kunstst.*, 47 (1994) 238-241; C.A., 122 (1995) 108308h.
- 1226 Wang, W.-D., Vidal, A., Nanse, G. and Donnet, J.-B.: Study of surface activity of carbon black by inverse gas chromatography. Part V: Modification of carbon black surface by silane. *Kautsch. Gummi Kunstst.*, 47 (1994) 493-501; C.A., 122 (1995) 135717x.
- 1227 Zechmeister-Boltenstern, S.: Measurement of actual and potential denitrification and soil respiration with an automated gas chromatographic system. *Bodenkultur*, 45 (1994) 219-226; C.A., 122 (1995) 55065t.

See also 1344, 1370, 1412, 1675, 1677, 1678, 1680, 1786.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 1228 Arutyunov, Yu.A. and Vigdergauz, M.S.: (Some specific features of chromatography. Apparatus and methodical aspects.) *Zh. Anal. Khim.*, 49 (1994) 796-803.
- 1229 Fulton, D.B.: Method of producing a gas chromatogram. *Can. Pat. Appl.* CA 2,091,279 (Cl. G01N30/00), 10 Sep. 1994, Appl. 09 Mar. 1993; 24 pp.; C.A., 122 (1995) 122273z.
- 1230 Ghaoui, L. and Green, L.S.: Dual vapor and liquid injector for gas chromatography. *J. Chromatogr. A*, 696 (1995) 235-244.
- 1231 González, M.I., Carnicer, M., de la Torre, R., Ortúñoz, J. and Segura, J.: Influence of the injection technique on the thermal degradation of cocaine and its metabolites in gas chromatography. *J. Chromatogr. B*, 664 (1995) 317-327.
- 1232 Grob, K. and Munari, F.: Process and device for gas chromatographic analysis of large volume samples. *PCT Int. Appl.* WO 94 28,409 (Cl. G01N30/12), 8 Dec. 1994, IT Appl. 93/Mi1058, 21 May 1993; 33 pp.; C.A., 122 (1995) 95644n.

- 1233 Hayashi, T.: (Gas chromatograph for separation of low boiling point components.) *Jpn. Kokai Tokkyo Koho* JP 06,288,998 [94,288,998] (Cl. G01N30/46), 18 Oct. 1994, Appl. 93/78,112, 05 Apr. 1993; 5 pp.; C.A., 122 (1995) 122272y.
- 1234 Higdon, W.R.: Connector for capillary tubes. *Eur. Pat. Appl.* EP 636,882 (Cl. G01N30/60), 01 Feb. 1995, US Appl. 100,022, 30 Jul. 1993; 17 pp.; C.A., 122 (1995) 177430d.
- 1235 Hinshaw, J.V.: Measuring flow. *LC-GC Int.*, 8 (1995) 137-142.
- 1236 Iida, K. and Yoshihara, T.: (Gas chromatograph.) *Jpn. Kokai Tokkyo Koho* JP 06,324,028 [94,324,028] (Cl. G01N30/66), 25 Nov. 1994, Appl. 93/111,375, 13 May 1993; 4 pp.; C.A., 122 (1995) 177426g.
- 1237 Ivanov, T., Balkanski, A. and Barbov, D.: (Automated system for gas chromatographic diagnostic of oil-filled high-voltage equipment in electric power systems.) *Energetika (Sofia)*, 45, No. 3 (1994) 44-46; C.A., 122 (1995) 110323c.
- 1238 Jiao, K.: Development of field analysis for semi-volatile organic compounds by gas chromatography/mass spectrometry. Avail. *Univ. Microfilms Int.*, Order No. DA9425789, 1994, 194 pp.; C.A., 122 (1995) 150567s.
- 1239 Kolesar, E.S.Jr. and Reston, R.R.: Silicon micromachined gas chromatography system with a thin-film copper phthalocyanine stationary phase and its resulting performance. *Surf. Coat. Technol.*, 68/69 (1994) 679-685; C.A., 122 (1995) 95379d.
- 1240 Krylov, V.A., Krasotskii, S.G. and Yan'kov, S.V.: (Dosing system for aggressive volatile substances for highly sensitive gas-chromatographic determination of impurities.) *Vysokochist. Veshchestva*, 4 (1994) 157-160; C.A., 122 (1995) 203969h.
- 1241 Majors, R.E.: New approaches to sample preparation. *LC-GC Int.*, 8 (1995) 128-133.
- 1242 Mattsson, J. and Wirth, K.P.: (Automatic flow control - a promising technique in gas chromatography.) *Kern. Tidskr./Kernivaerden*, 2 (1994) 20-22; C.A., 122 (1995) 121993x.
- 1243 Sivchenko, V.Ya., Maltsev, E.K., Ovcharenko, N.P., Bondarchuk, A.I., Kritskij, V.E. and Singgovskij, S.V.: (Gas chromatograph.) U.S.S.R. SU 1,807,384 (Cl. G01/N30/10), 07 Apr. 1993, Appl. 4,913,720, 25 Feb. 1991; C.A., 122 (1995) 95639q.
- 1244 Tipler, A.: Gas chromatography instrumentation, operation, and experimental considerations. In: Baugh, P.J. (Editor), *Gas Chromatography*, IRL, Oxford, 1993, pp. 15-70.
- 1245 Tirillini, B. and Stoppini, A.M.: Injection of a sample by means of microneedles followed by capillary gas chromatography. *J. Chromatogr. Sci.*, 33 (1995) 139-142.
- 1246 Torres, L. and Amiet, F.: Method for continuous analysis of volatile organic compounds in an atmosphere to be analyzed and corresponding concentration unit and chromatograph. *PCT Int. Appl.* WO 94 28,408 (Cl. G01N30/08), 08 Dec. 1994, FR Appl. 93/6,628, 01 Jun. 1993; 32 pp.; C.A., 122 (1995) 122264x.
- 1247 Wiegand P.M., Fisher, J.F., Parrish, J.R. and Ballard, E.S.: (Fast gas chromatography method, apparatus and applications.) *Eur. Pat. Appl.* EP 633,469 (Cl. G01N30/30), 11 Jan. 1995, US Appl. 88,677, 07 Jul. 1993; 27 pp.; C.A., 122 (1995) 95646q.
- See also 1227, 1294, 1326, 1357, 1385, 1392.
- 3b. Detectors and detection reagents
- 1248 Aue, W.A. and Thurbide, K.B.: Reactive-flow luminiscence with flame ionization detection. *J. Chromatogr. A*, 699 (1995) 183-193.
- 1249 Aue, W.A., Eisener, C.G., Gebhardt, J.A. and Lowery, N.B.: Second-channel design for a single-channel flame photometric detector. *J. Chromatogr. A*, 699 (1995) 195-201.
- 1250 Blumberg, L.M. and Dandeneau, R.D.: The effect of capillary column diameter on the performance of thermal conductivity detectors. *J. High. Resolut. Chromatogr.*, 18 (1995) 235-242.
- 1251 Goode, S.R. and Thomas, C.L.: Characterizing the factors that influence oxygen selectivity in gas chromatography-microwave-induced plasma atomic emission spectrometry. *J. Anal. At. Spectrom.*, 9 (1994) 965-970; C.A., 121 (1994) 314637x.
- 1252 Hackett, M., Wang, H., Miller, G.C. and Bornhop, D.J.: Ultraviolet-visible detection for capillary gas chromatography and combined ultraviolet-mass spectrometry using a remote flow cell. *J. Chromatogr. A*, 695 (1995) 243-257.
- 1253 Jones, M.E.: A simple-to-build thermal-conductivity GC detector. *J. Chem. Educ.*, 71 (1994) 995-996; C.A., 122 (1995) 9084a.
- 1254 Kalontarov, L., Jing, H., Amirav, A. and Cheskis, S.: Mechanism of sulfur emission quenching in flame photometric detectors. *J. Chromatogr. A*, 696 (1995) 245-256.
- 1255 Lacey, R.F.: Thermal conductivity detector. U.S. US 5,379,630 (Cl. 73-25.03; G01N25/18), 10 Jan. 1995, Appl. 84,652, 28 Jun. 1993; 8 pp.; C.A., 122 (1995) 150608f.
- 1256 Mistry, B.S., Reineccius, G.A. and Jasper, B.L.: Comparison of gas chromatographic detectors for the analysis of volatile sulfur compounds in foods. *ACS Symp. Ser.*, 564 (1994) 8-21; C.A., 121 (1994) 299395w.
- 1257 Roth, E. and Kiefer, W.: Surface-enhanced Raman spectroscopy as a detection in gas chromatography. *Appl. Spectrosc.*, 48 (1994) 1193-1195.
- 1258 Sandmann B.W.: Peroxyoxalate chemiluminescence detection with chromatography: 1. Development and evaluation of an interface for packed column supercritical fluid chromatography. 2. Quinoxalinone derivatization of carboxylic acids for high-performance liquid chromatography. Avail. *Univ. Microfilms Int.*, Order No. DA9420284, 1993, 95 pp.; C.A., 122 (1995) 150569u.
- 1259 Seo, Y., Umemura, K. and Ichise, M.: (Gas electrode for selective detection of sulfur compounds in gasoline.) *Bunseki Kagaku*, 44 (1995) 277-282.
- 1260 Steely, J.S.: Chemiluminescence detection of sulfur compounds in cooked milk. *ACS Symp. Ser.*, 564 (1994) 22-35; C.A., 121 (1994) 299396x.
- 1261 Thurbide, K.B. and Aue, W.A.: Quenching-free reactive-flow photometry. *J. Chromatogr. A*, 694 (1995) 433-440.
- 1262 Tzanani, N. and Amirav, A.: Combined pulsed flame photometric ionization detector. *Anal. Chem.*, 67 (1995) 167-173.
- 1263 Witkiewicz, Z.: (Atomic emission detector for gas chromatography.) *Przem. Chem.*, 73 (1994) 460-462 C.A., 122 (1995) 121973r.
- 1264 Yu, A., Tian, X., Yang, W. and Jin, Q.: (Microwave-induced plasma ionization detector for gas chromatography.) *Jilin Daxue Ziran Kexue Xuebao*, 2 (1994) 105-108; C.A., 122 (1995) 150531a.

1265 Zhu, J.: (Diagnosis and treatment of contamination in gas chromatographical detectors.) *Huagong Zidonghua Ji Yibiao*, 21, No. 2 (1994) 58-59; C.A., 122 (1995) 150521x.

See also 1236, 1329, 1332, 1339, 1346.

3c. Sorbents and columns, packing procedures

1266 Bao, L., Dai, R., Deng, Y. and Fu, R.: (The preparation and characterization of high temperature gas chromatographic column.) *Chin. J. Chromatogr.*, 13 (1995) 108-109.

1267 Baugh, P.J.: Applications of packed and capillary GC. In: Baugh, P.J. (Editor), *Gas Chromatography*, IRL, Oxford, 1993, pp.103-131.

1268 Berezkin, V.G., Malyukowa, I.V. and Alishoev, V.R.: Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography. *J. Chromatogr. A*, 699 (1995) 155-159.

1269 Cui, T. and Fu, C.: (High performance liquid chromatographic detection of trace polyamines in plant tissue by pre-column derivatization with phthalimidobenzensulfonyl chloride.) *Chin. J. Chromatogr.*, 13 (1995) 117-119.

1270 Dawes, P.A.: Development, technology, and utilization of capillary columns for gas chromatography. In: Baugh, P.J. (Editor), *Gas Chromatography*, IRL, Oxford, 1993, pp. 71-102; C.A., 122 (1995) 150504u.

1271 Dimandja, J.-M., Valentin, J.R. and Phillips, J.B.: Gas chromatographic column for the storage of sample profiles. *Anal. Chim. Acta.*, 299 (1994) 29-36.

1272 Gavrilova, T.B., Nikitin, Yu. S. and Rudnitskaya, T.A.: (Adsorbents on the basis of sym-Heptazine.) *Zh. Fiz. Khim.*, 68 (1994) 545-550.

1273 Gawdzik, B. and Matynia, T.: Studies of the selectivity of di(methacryloxymethyl)-m-xylene-divinylbenzene porous copolymers for gas chromatography. *Chem. Anal. (Warsaw)*, 39 (1994) 161-166.

1274 Huang, Z., Cheng, Y., Cai, G., Fu, R. and Jing, P.: (Synthesis of crown ethers. Part XXIV. Synthesis of liquid crystal crown ether and its use as stationary phase for capillary gas chromatography.) *Wuhan Daxue Xuebao, Ziran Kexueban*, 6 (1993) 93-99; C.A., 122 (1995) 57221q.

1275 Lao, H. and Detellier, C.: Gas chromatographic separation of linear hydrocarbons on microporous organo-smectites. *Clays Clay Miner.*, 42 (1994) 477-481; C.A., 121 (1994) 304341g.

1276 Li, W., Malik, A. and Lee, M.L.: Fused silica packed capillary columns in supercritical fluid chromatography. *J. Microcolumn Separ.*, 6 (1994) 557-563.

1277 Liu, L., Tang, M., Han, J. and Shen, H.: (Epichlorhydrin crosslinked oligopolymer of β -cyclodextrin as a stationary phase in gas chromatography.) *Fenxi Huaxue*, 22 (1994) 905-908; C.A., 122 (1995) 95602x.

1278 Mnuk, P. and Feltl, L.: Gas chromatographic study of the inclusion properties of calixarenes I. p-tert-Butylcalix[4]arene in a micropacked column. *J. Chromatogr. A*, 696 (1995) 101-112.

1279 Naohiro, N.K.: (Inorganic porous chromatographic column.) *Jpn. Kokai Tokkyo Koho* JP 06,265,534 [94,265,534] (Cl. G01N30/60), 22 Sep. 1994, JP Appl. 93/23,670, 18 Jan. 1993; 8 pp.; C.A., 122 (1995) 70989r.

1280 Poole, S.K. and Poole, C.F.: Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases. *J. Chromatogr. A*, 697 (1995) 429-440.

1281 Poole, S.K. and Poole, C.F.: Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases. *J. Chromatogr. A*, 697 (1995) 415-427.

1282 Ruan, Z. and Liu, H.: Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by *in situ* copolymerization. *J. Chromatogr. A*, 693 (1995) 79-88.

1283 Tambe, A.S., Biswas, S.S. and Ayyangar, N.R.: Synthesis of novel asters of 4-(2'-phenylisopropyl)phenol used as column packings for gas liquid chromatography. *Indian J. Chem. Technol.*, (1994) 371-372; C.A., 122 (1995) 136681t.

1284 Xu, H.-S. and Hong, H.: (Study of the gradient effect of a new-kind of gradient loaded GC column.) *Gaodeng Xuexiao Huaxue Xuebao*, 15 (1994) 1152-1154; C.A., 122 (1995) 22841q.

1285 Xu, Y.: (Sample capacity of capillary column.) *Hebei Shifan Daxue Xuebao, Ziran Kexueban*, 18, No. 4 (1994) 68-71; C.A., 122 (1995) 177384s.

See also 1189, 1195, 1239, 1314, 1315, 1317, 1320, 1322, 1331, 1340, 1384, 1556.

3d. Quantitative analysis

1286 Below, L.: (Methods for certification of calibration gases for the operation of process gas chromatographs.) *Gas-Wasserfach: Gas/Erdgas*, 135 (1994) 1-7; C.A., 122 (1995) 191817s - a review with 5 refs.

1287 Gu, H., Zhang, L., Li, B. and Liu, L.: (Quality control and quality assurance of GC-MS in international interlaboratory comparison test.) *Huaxue Tongbao*, 10 (1994) 37-40; C.A., 122 (1995) 95565n.

1288 Hachenberg, H.: (Calibration and result evaluation in statistic head-space gas chromatography.) *LaborPraxis* 18, No 8 (1994) 32-34.

1289 Schwertner, H.A.: Method with addition of fatty acid analog internal standard to blood for concentration-based analysis of lipid fatty acids, and its use in determining the likelihood that a patient is at risk for coronary artery disease or diabetes. U.S. US 5,362,649 (Cl. 436-71; G01N33/92), 08 Nov. 1994, Appl. 19,582, 16 Feb. 1993; 7 pp.; C.A., 122 (1995) 27254k.

See also 1311, 1631, 1647.

3e. Preparative scale chromatography

See 1333, 1710.

3f. Programmed temperature, pressure, vapors, gradients

1290 Ferchichi, L. and Messadi, D.: (Retention and column efficiency simulations in programmed temperature gas chromatography: theory and application.) *Analisis*, 22 (1994) 392-399; C.A., 122 (1995) 122224j.

- 1291 Gerbino, T.C. and Castello, G.: Prediction of programmed temperature retention indices on capillary columns of different polarities. *J. Chromatogr. A*, 699 (1995) 161-171.
- 1292 Krylov, A.I., Vasil'eva, I.A. and Khlebnikova, N.S.: (Effect of parameters of chromatographic separation on the accuracy and precision in the determination of retention indexes with temperature programming). *Zh. Anal. Khim.*, 49 (1994) 1097-1103.
- 1293 Rubey, W.A.: An instrumentation assembly for studying operational behavior of thermal gradient programmed gas chromatography. *Rev. Sci. Instrum.*, 65 (1994) 2802-2807.

See also 1268, 1327.

4. SPECIAL TECHNIQUES

4a. Automation

- 1294 Amamya, M., Shibata, S. and Matsura, T.: (Process gas chromatography.) *Jpn. Kokai Tokkyo Koho* JP 06,242,096 [94,242,096] (Cl. G01N30/68), 02 Sep. 1994, Appl. 93/25,320, 15 Feb. 1993; 4 pp.; C.A., 122 (1995) 45312g.

See also 1286, 1392, 1722.

4b. Computerization and modelling

- 1295 Dimov, N. and Lekova, K.: (Software products in chromatographic analytical activities.) *Anal. Lab.*, 3, No. 2 (1994) 110-115; C.A., 122 (1995) 203901e - a review with 28 refs.

See also 1395, 1543.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 1296 Ardrey, R.E., Bukowski, N. and Gummersbach, J.: (Negative-chemical ionization eliminates matrix effects.) *Laborpraxis*, 18, No. 11 (1994) 92-94.
- 1297 Braumann, U., Händel, H., Albert, K., Ecker, R. and Spraul, M.: On-line monitoring of the supercritical fluid extraction process with proton nuclear magnetic resonance spectroscopy. *Anal. Chem.*, 67 (1995) 930-935.
- 1298 Collman, W.M., III. and Gordon, B.M.: Analysis of natural products by gas chromatography/matrix isolation/infrared spectrometry. *Adv. Chromatogr. (N.Y.)*, 34 (1994) 57-108; C.A., 122 (1995) 204147a - a review with 51 refs.
- 1299 Dagan, S. and Amirav, A.: Fast, high temperature and thermolabile GC-MS in supersonic molecular beams. *Int. J. Mass Spectrom. Ion Processes*, 133 (1994) 187-210; C.A., 122 (1995) 22827q.

- 1300 Feigel, C.: Ion trap GC-MS-MS with a benchtop mass spectrometer. *Spectroscopy (Eugene)*, 9, No. 5 (1994) 31-33; C.A., 122 (1995) 150515y.

- 1301 Niwa, M. and Imai, M.: (Gas chromatograph/mass spectrometer and its applications to the analysis of lubricating oils.) *Sumitomo Keikinzoku Giho*, 35 (1994) 103-109; C.A., 122 (1995) 122192x.

- 1302 Seeterlin, M.A.: A tandem time-of-flight mass spectrometer: MS/MS on the chromatographic time scale. Avail. *Univ. Microfilms Int.*, Order No. DA9431311, 1994, 128 pp.; C.A., 122 (1995) 173242w.

- 1303 Ye, M., Ye, H., Zeng, X. and Chen, Z.: (Study on combined gas chromatography and infrared spectrometry.) *Huazhong Ligong Daxue Xuebao*, 22, No. 10 (1994) 24-28; C.A., 122 (1995) 150532b.

See also 1252, 1361, 1366, 1465, 1526, 1547, 1554, 1585, 1593, 1596, 1673.

4e. Functional analysis

- 1304 Watson, D.G.: Chemical derivatization in gas chromatography. In: Baugh, P.J. (Editor), *Gas Chromatography*, IRL, Oxford, 1993, pp.133-170.

See also 1473, 1782, 1788.

4f. Trace analysis and preseparation techniques

- 1305 Benfenati, E., Garofani, S., Natangelo, M., Mangiapane, S. and Fanelli, R.: Impurities released from extractive phases used in the analysis of pesticides. *Intern. J. Environ. Anal. Chem.*, 58 (1995) 23-30.

- 1306 Crowley, X.W., Murugaiah, V., Nairn, A. and Giese, R.W.: Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction. *J. Chromatogr. A*, 699 (1995) 395-402.

- 1307 Ferreira, V., Fernández, P., Meléndez, J. and Cacho, J.: Analytical characteristics of sample evaporation with the micro-Kuderna-Danish concentrator. *J. Chromatogr. A*, 695 (1995) 41-55.

- 1308 Pawliszyn, J.: New directions in sample preparation for analysis of organic compounds. *TrAC*, 14 (1995) 113-122 - a review with 30 refs.

- 1309 Skrabakova, S. and Matisova, E.: (Application of carbon sorbents for enrichment of pollutants in environmental samples.) *Chem. Listy*, 89 (1995) 180-191 - a review with 104 refs.

- 1310 Skrabakova, S., Matisova, E., Onderova, M., Novak, I. and Berek, D.: The testing of carbon sorbent for preconcentration of volatile organic trace compounds. *Chem. Zvesti*, 48 (1994) 169-174.

- 1311 Sunesson, A.-L., Nilsson, C.-A. and Andersson, B.: Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption-gas chromatography. *J. Chromatogr. A*, 699 (1995) 203-214.

- 1312 Zapf, A., Heyer, R. and Stan, H.-J.: Rapid micro liquid-liquid extraction method for trace analysis of organic contaminants in drinking water. *J. Chromatogr. A*, 694 (1995) 453-461.

See also 1802.

4g. Enantiomers, separation

- 1313 Koppenhoefer, B. and Epperlein, U.: Overview of the gas chromatographic separation of enantiomers containing a three-membered ring. *J. Chromatogr. Sci.*, 33 (1995) 244-255.

- 1314 Koppenhoefer, B., Mühleck, U. and Lohmiller, K.: Backbone modification of Chirasil-Val I. Effect of loading on the separation of enantiomers by gas chromatography. *J. Chromatogr. A*, 699 (1995) 215-221.
- 1315 Koppenhoefer, B., Mühleck, U., Walser, M. and Lohmiller, K.: Backbone modification of Chirasil-Val, part II: Introduction of a rigid cyclohexyl spacer. *J. Chromatogr. Sci.*, 33 (1995) 217-222.
- 1316 Leal, W.S., Shi, X., Liang, D., Schal, C. and Meinwald, J.: Application of chiral gas chromatography with electroantennographic detection to the determination of the stereochemistry of a cockroach sex pheromone. *Proc. Natl. Acad. Sci. U. S. A.*, 92 (1995) 1033-1037; *C.A.*, 122 (1995) 182318c.
- 1317 Maas, B., Dietrich, A., Bartschat, D. and Mosandl, A.: Tert.-butyldimethylsilylated cyclodextrins: Versatile chiral stationary phases in capillary gas chromatography. *J. Chromatogr. Sci.*, 33 (1995) 223-228.
- 1318 Reinhardt, R., Engewald, W., Himmelreich, U., Christian, B. and Koppenhoefer, B.: Enantiomer separation of cycloalkanols by capillary gas chromatography on cyclodextrin phases. *J. Chromatogr. Sci.*, 33 (1995) 236-243.
- 1319 Smith, R.J., Taylor, D.R. and Wilkins, S.M.: Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography. *J. Chromatogr. A*, 697 (1995) 591-596.
- 1320 Takeichi, T., Toriyama, H., Shimura, S., Takayama, Y. and Morikawa, M.: Cyclodextrin carbamates as novel chiral stationary phase for capillary gas chromatography. *J. High Resolut. Chromatogr.*, 18 (1995) 179-190.
- 1321 Taylor, D.R.: Chiral separations by gas chromatography. In: Baugh, P.J. (Editor), *Gas Chromatography*, IRL, Oxford, 1993, pp.237-281.
- 1322 Wilkins, S.M., Taylor, D.R. and Smith, R.J.: Enantiomer separation by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon. *J. Chromatogr. A*, 697 (1995) 587-590.
- 1323 Zhou, X., Wan, H. and Ou, Q.: Gas chromatographic separation mechanism of enantiomers on 2,6-O-dibutyl-3-O-trifluoroacetylated- γ -cyclodextrin. *Fenxi Huaxue*, 22 (1994) 560-564; *C.A.*, 121 (1994) 314884a.
- See also 1189, 1196, 1212, 1419, 1431, 1447, 1450, 1468, 1470, 1494, 1523, 1540, 1541, 1570, 1579, 1644, 1687, 1693, 1710, 1711, 1741.
- 4h. Other special techniques**
- 1324 Akrad, M.L.: Turnable selectivity strategies for high-speed gas chromatography. Avail. *Univ. Microfilms Int.*, Order No. DA9423132, 1994, 192 pp.; *C.A.*, 122 (1995) 150566r.
- 1325 Williams, D.: Inverse gas chromatography. In: Ishida, H. (Editor), *Charact. Compos. Mater.*, Butterworth-Heinemann, Boston, 1994, pp. 80-104; *C.A.*, 122 (1995) 143229e.
- See also 1787.
- 4i. *Supercritical fluid chromatography*
- 1326 Allington, R.W., Walters, H.L., Jameson, D.G. and Tehrani, Y.: Apparatus and method for supercritical fluid extraction or supercritical fluid chromatography. *PCT Int. Appl.* WO 95 03,106 (Cl. B01D15/08), 02 Feb. 1995, US Appl. 96,919, 23 Jul. 1993; 212 pp.; *C.A.*, 122 (1995) 191211q.
- 1327 Bartle, K.D., Bevan, C.D., Clifford, A.A., Jafar, S.A., Naila, M. and Verrall, M.S.: Preparative-scale supercritical fluid chromatography. *J. Chromatogr. A*, 697 (1995) 579-585.
- 1328 Blackwell, J.A. and Schallinger, L.E.: Hydrofluorocarbon and perfluorocarbon mobile phases for capillary supercritical fluid chromatography. *J. Microcolumn Separ.*, 6 (1994) 551-556.
- 1329 Brown, F.R., Roehl, R., Tabajonda, J. and Garcha, J.S.: Evaluation and application of supercritical fluid chromatography with electrolytic conductivity detection. *Anal. Lett.*, 28 (1995) 703-729.
- 1330 Champagne, A.T. and Bienkowski, P.R.: The supercritical fluid extraction of anthracene and pyrene from a model soil: Equilibrium study. *Sep. Sci. Technol.*, 30 (1995) 1289-1307.
- 1331 Dressman, S.F. and Michael, A.C.: On-line electrochemical detection for supercritical fluid chromatography. *Anal. Chem.*, 67 (1995) 1339-1345.
- 1332 Duccate, G.R.: Aspects of the microwave-induced plasma as an element selective detector for supercritical fluid chromatography and supercritical fluid extraction. Avail. *Univ. Microfilms Int.*, Order No. DA9419207, 1993, 115 pp.; *C.A.*, 122 (1995) 177100w.
- 1333 Hanson, M.: Small-scale preparative supercritical fluid chromatography of cyproterone acetate. *Chromatographia*, 40 (1995) 139-142.
- 1334 Lanças, F.M., Queiroz, M.E.C. and Silva, I.C.E.: Simplex optimization of extraction of soybean oil by supercritical pentane. *Chromatographia*, 40 (1995) 421-424.
- 1335 Maxwell, R.J., Lightfield, A.R. and Stolker, A.A.M.: An SPE column-teflon sleeve assembly for in-line retention during supercritical fluid extraction of analytes from biological matrices. *J. High. Resolut. Chromatogr.*, 18 (1995) 231-234.
- 1336 McNally, M.E.P.: Advances in environmental SFE. *Anal. Chem.*, 67, No. 9 (1995) 308A-315A - a review with 30 refs.
- 1337 Messer, D.C., Taylor, L.T., Weiser, W.E., McRae, J.W. and Cook, C.C.: Quantitative analysis of a drug in an animal feed employing sample preparation by supercritical fluid extraction. *Pharm. Res.*, 11 (1994) 1545-1548; *C.A.*, 121 (1994) 299436k.
- 1338 Mikesova, M. and Vejrosta, J.: (Publication activity in supercritical fluid extraction (SFE).) *Chem. Listy*, 89 (1995) 217-222.
- 1339 Miller, D.J. and Hawthorne, S.B.: Determination of solubilities of organic solutes in supercritical CO₂ by online flame ionization detection. *Anal. Chem.*, 67 (1995) 273-279.
- 1340 Morrison, J.F. and Lee, M.L.: Effect of phase behavior on supercritical fluid chromatographic and extraction performance. *NATO ASI Ser., Ser. E*, 273 (1994) 641-652; *C.A.*, 122 (1995) 204208w.
- 1341 Nishikawa, Y.: Studies on evaluation of retention and separation of pesticides by supercritical fluid chromatography. *Bunseki Kagaku*, 44 (1995) 247-248.
- 1342 Roth, M.: Current challenges in thermodynamics of supercritical fluid chromatography. *NATO ASI Ser., Ser. E*, 273 (1994) 631-639; *C.A.*, 122 (1995) 170851h.

- 1343 Saito, M., Yamauchi, Y. and Okuyama, T.: *Fractionation by Packed-Column SFC and SFE: Principles and Applications*. VCH, New York, 1994, 276 p.; C.A., 122 (1995) 204267q.
- 1344 Simoes, P.C., Matos, H.A., Carmelo, P.J., Gomes de Azevedo, E. and Nunes da Ponte, M.: Mass transfer on countercurrent packed columns: Application to supercritical CO₂ extraction of terpenes. *Ind. Eng. Chem. Res.*, 34, No. 2 (1995) 613-618; C.A., 122 (1995) 89055e.
- 1345 Wang, F.A., Jiang, Y.L., Jiang, D.G. and Wang, W.C.: The relationship between the retention value and carbon number of homologues in supercritical fluid chromatography. *J. Chromatogr. Sci.*, 33 (1995) 71-74.
- 1346 Zegers, B.N., Hessels, R., Jagesar, J., Rozenbrand, J., Lingeman, H. and Brinkman, U.A.T.: Photoionization detection in packed-capillary liquid and supercritical-fluid chromatography. *J. Liq. Chromatogr.*, 18 (1995) 413-440; C.A., 122 (1995) 177139r.

See also 1213, 1258, 1276, 1297, 1319, 1322, 1367, 1373, 1414, 1498, 1503, 1579, 1603, 1611, 1621, 1629, 1638, 1664, 1673, 1693, 1711, 1717, 1758, 1761, 1768, 1780.

S. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 1347 Bechtold, W.E., Strunk, M.R., Thornton-Manning, J.R. and Henderson, R.F.: Analysis of butadiene, butadiene monoxide, and butadiene dioxide in blood by gas chromatography/gas chromatography/mass spectrometry. *Chem. Res. Toxicol.*, 8 (1995) 182-187; C.A., 122 (1995) 125434p.
- 1348 Choi, Y.-W. and Choe, K.-H.: (Determination of natural gas components by gas chromatographic multicolumn system.) *Anal. Sci. Technol.*, 7 (1994) 339-347; C.A., 122 (1995) 85124d.
- 1349 Grob, K. and Bronz, M.: Analytical problems in determining 3,5-stigmastadiene and campestdiene in edible oils. *Riv. Ital. Sostanze Grasse*, 71 (1994) 291-295; C.A., 122 (1995) 54325r.
- 1350 Kawano, T. and Shimokawa, K.: A simple method for vacuum extraction and quantitative determination of internal ethylene of excised apple tissue. *Enger Gakkai Zasshi*, 63 (1994) 453-459; C.A., 122 (1995) 79321z.
- 1351 Kohlmueller, D. and Kochen, W.: (Analysis of the human expiration air: a challenge for medicine and environmental toxicology.) *CLB Chem. Labor Biotech.*, 45 (1994) 17-21; C.A., 122 (1995) 195380s.
- 1352 Reis Alves, L.A., Grob, R., Min, M. and de Desmolin, M.: (Improvement for the natural gas analysis.) *Analisis*, 22 (1994) 490-494; C.A., 122 (1995) 165020g.
- 1353 Rho, B.R., Park, B.E., Park, D.S. and Son, M.R.: Determination of trace methane impurities in ultra-high purity gases by gas chromatography. *Bull. Korean Chem. Soc.*, 15 (1994) 811-814; C.A., 122 (1995) 71103j.
- 1354 Wu, X.-m.: (A technique for the evaluation of shallow gaseous hydrocarbons and results of its application.) *Shiyu Kantan Yu Kaifa*, 21, No. 1 (1994) 40-45; C.A., 122 (1995) 110256h.
- See also 1275, 1522, 1744, 1796, 1802.
- 5b. Cyclic hydrocarbons, fullerenes
- 1355 Ciupe, R., Spangenberg, J., Meyer, T. and Wild, G.: (Solid-phase extraction system for gas chromatographic determination of PAHs (polycyclic aromatic hydrocarbons) in oil samples.) *GIT Fachz. Lab.*, 38 (1994) 825-829; C.A., 121 (1994) 304262g.
- 1356 Ehret-Henry, J., Cucruet, V., Luciani, A. and Feigenbaum, A.: Styrene and ethylbenzene migration from polystyrene into dairy products by dynamic purge-and-trap gas chromatography. *J. Food Sci.*, 59 (1994) 990-992 and 1001; C.A., 122 (1995) 7935b.
- 1357 Górecki, T. and Pawliszyn, J.: Solid phase microextraction/iso-thermal GC for rapid analysis of complex organic samples. *J. High Resolut. Chromatogr.*, 18 (1995) 161-166.
- 1358 Heo, G.S. and Kim, D.H.: (A rapid method for analyzing polycyclic aromatic hydrocarbons (PAHs) in urban dust using supercritical fluid extraction (SFE) and gas chromatography/mass spectrometry (GC/MS).) *J. Korean Chem. Soc.*, 38, No. 10 (1994) 726-733; C.A., 121 (1994) 307085n.
- 1359 Kok, P.W. and Ong, C.N.: Blood and urinary benzene determined by headspace gas chromatography with photoionization detection: application in biological monitoring of low-level non-occupational exposure. *Int. Arch. Occup. Environ. Health*, 66 (1994) 195-201; C.A., 122 (1995) 48566d.
- 1360 Komolprasert, V., Hargraves, W.A. and Armstrong, D.J.: Determination of benzene residues in recycled polyethylene terephthalate (PETE) by dynamic headspace-gas chromatography. *Food Addit. Contam.*, 11 (1994) 605-614; C.A., 122 (1995) 79344j.
- 1361 Krige, M.A. and Bensley, D.F.: Flash pyrolysis-gas chromatography-mass spectrometry of lower Kittanning vitrinites. Changes in distributions of polycyclic aromatic hydrocarbons as a function of coal rank. *ACS Symp. Ser.*, 570 (1994) 136-148; C.A., 122 (1995) 34854j.
- 1362 Landrock, A., Richter, H. and Merten, H.: Water Cl⁺, a new selective and highly sensitive method for the detection of environmental components using ion trap mass spectrometer. *Fresenius J. Anal. Chem.*, 351 (1995) 536-543.
- 1363 Li, R., Wang, Y. and Cao, L.: (Determination of benzene and C₇-C₁₀ alkyl substitute benzenes in No.2 mixed benzene by capillary gas chromatography.) *Shiyu Huagong*, 23 (1994) 83-815; C.A., 122 (1995) 110343j.
- 1364 Peschke, L. and Haegel, F.-H.: Improved analysis of polycyclic aromatic hydrocarbons in aqueous solutions by gas chromatography. *Fresenius J. Anal. Chem.*, 351 (1995) 622-624.
- 1365 Pilchowski, K. and Richartz, T.: Automatic gas chromatographic determination of BTX aromatics in ambient air. *J. Prakt. Chem./Chem.-Ztg.*, 336 (1994) 617-619; C.A., 121 (1994) 307074h.
- 1366 Radke, M., Budzinski, H., Pierard, C., Willsch, H. and Garrigues, P.: Chromatographic retention behavior of trimethylphenanthrenes and their identification by GC-FTIR in geological samples. *Polycyclic. Aromat. Compd.*, 3(Suppl.) (1993) 467-474; C.A., 121 (1994) 314878b.
- 1367 Reimer, G. and Suarez, A.: Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils. *J. Chromatogr. A*, 699 (1995) 253-263.

- 1368 Skrbic, B.D.: Unified retention indexes of some alkylbenzenes and bicyclic and related compounds on OV-101 and SE-30. *J. Serb. Chem. Soc.*, 59 (1994) 153-155; C.A., 121 (1994) 314883z.
- 1369 Wilgoeroth, U. and Schwedt, G.: (Relating to practice of PAH determination in waste oil. Method comparison GC-HPLC.) *J. Prakt. Chem./Chem.-Ztg.*, 336 (1994) 703-706; C.A., 122 (1995) 113999p.
- See also 1345, 1394, 1686.
- Sc. Halogen derivatives
- 1370 Brunazzi, E., Pagliani, A. and Petarea, L.: Measurement of activity coefficients at infinite dilution of chlorinated solvents in commercial polyethylene glycol ethers. *J. Chem. Eng. Data*, 40 (1995) 443-447.
- 1371 Brush, R.C. and Rice, G.W.: Trihalomethanes produced in humic acid reactions: a GC-MS experiment for instrumental analysis. *J. Chem. Educ.*, 71, No. 12 (1994) A293-296; C.A., 122 (1995) 55240w.
- 1372 Buethe, A. and Denker, E.: Qualitative and quantitative determination of PCB congeners by using a HT-5 GC column and an efficient quadrupole MS. *Chemosphere*, 30 (1995) 753-771.
- 1373 Castillano, T.M., Giglio, J.J., Evans, E.H. and Caruso, J.A.: Evaluation of low pressure inductively coupled plasma mass spectrometry for the analysis of gaseous samples. *J. Anal. At. Spectrom.*, 9 (1994) 1335-1340; C.A., 122 (1995) 122208g.
- 1374 Chu, S., Yang, C. and Xu, X.: (Separation of polychlorobiphenyls by alumina-silica(Ag^+) combined column for capillary GC analysis.) *Huanjing Huaxue*, 13 (1994) 555-560; C.A., 122 (1995) 196364b.
- 1375 Cooper, C.M., Chang, S.F., Harrison, L.I.: Determination of the chlorofluorocarbon substitute 1,1,1,2-tetrafluoroethane (HFA-134a) in human and animal blood using gas chromatography with headspace analysis. *J. Chromatogr. B*, 667 (1995) 85-93.
- 1376 De Boer, J., Dao, Q.T., Wester, P.G., Bøwadt, S. and Brinkman, U.A.T.: Determination of mono-ortho substituted chlorobiphenyls by multidimensional gas chromatography and their contribution to TCDD equivalents. *Anal. Chim. Acta*, 300 (1995) 135-165.
- 1377 Djozan, D. and Assadi, Y.: Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water. *J. Chromatogr. A*, 697 (1995) 525-532.
- 1378 Geissler, M. and Weimar, A.: (Determination of polychlorinated biphenyls (PCBs) by gas chromatography-mass spectrometry (GC-MS).) *GIT Spez. Chromatogr.*, 14, No. 1 (1994) 29-33; C.A., 122 (1995) 22852u.
- 1379 Hajslová, J., Cuhra, P., Kermný, M., Poušťka, J., Holadová, K. and Kočourek, V.: Determination of polychlorinated biphenyls in biotic matrices using gas chromatography-microwave-induced plasma atomic emission spectrometry. *J. Chromatogr. A*, 699 (1995) 231-239.
- 1380 Hale, R.C. and Taylor, M.O.: Determination of PCBs in fish tissues using supercritical fluid extraction. *Environ. Sci. Technol.*, 29 (1995) 1043-1047.
- 1381 Imagawa, T.: Synthesis of unidentified hexachloronaphthalene isomers and their retention characteristics. *Kankyo Kagaku*, 4, No. 3 (1994) 671-676; C.A., 122 (1995) 105376t.
- 1382 Janák, K., Grimvall, E., Östman, C., Colmsjö, A., Athanasiadou, M. and Bergman, Å.: Gas chromatography-atomic emission detection (GC-AED) set up for bio-monitoring of PCBs and methylsulfonyl-PCBs. *J. Microcolumn Separ.*, 6 (1994) 605-616.
- 1383 Keymeulen, R., Voutetaki, A. and van Langenhove, H.: Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography-mass spectrometry. *J. Chromatogr. A*, 699 (1995) 223-229.
- 1384 Larsen, B.R.: HRGC separation of PCB congeners. *J. High Resolut. Chromatogr.*, 18 (1995) 141-151.
- 1385 LeBlanc, A., Levesque, B. and Allaire, S.: Rapid, sensitive, and noninvasive sampling technique for determination of chloroform in alveolar breath. *J. Anal. Toxicol.*, 19 (1995) 56-57; C.A., 122 (1995) 125435q.
- 1386 Ma, Y. and Guo, C.: (Gas-chromatographic determination of Freon 12.) *Huanjing Wuran Yu Fangzhi*, 16, No. 3 (1994) 43-44; C.A., 122 (1995) 168511d.
- 1387 Natzeck, C., Luckas, B., Buyten, J. and Moskopp, G.: HRGC determination of toxic PCBs in marine organisms after SPE with Carbopack B. *Organohalogen Compd.*, 11 (1993) 143-146; C.A., 122 (1995) 4607p.
- 1388 Ogino, H. and Sakai, N.: Determination of trace impurities in high purity carbon tetrachloride using capillary gas chromatography-mass spectrometry. *Kuromatogurafu*, 15, No. 1 (1994) 11-15; C.A., 122 (1995) 177398z.
- 1389 Picó, Y., Redondo, M.J., Font, G. and Manes, J.: Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk. *J. Chromatogr. A*, 693 (1995) 339-346.
- 1390 Pyle, S.M. and Gurka, D.F.: Volatile organic analysis by direct aqueous injection. *Talanta*, 41 (1994) 1845-1852.
- 1391 Raccanelli, S., Pavoni, B., Maroli, L. and Sfriso, A.: One step clean-up and separation of chlorinated, aliphatic and polycyclic aromatic hydrocarbons in environmental samples, prior to gas chromatographic quantification. *Toxicol. Environ. Chem.*, 45 (1994) 121-137; C.A., 122 (1995) 87882y.
- 1392 Simmonds, P.G., O'Doherty, S., Nickless, G., Sturrock, G.A., Swaby, R., Knight, P., Ricketts, J., Woffendin, G. and Smith, R.: Automated gas chromatograph/mass spectrometer for routine atmospheric field measurements of the CFC replacement compounds, the hydrofluorocarbons and hydrochlorofluorocarbons. *Anal. Chem.*, 67 (1995) 717-723.
- 1393 Takasuga, T., Ohi, E. and Inoue, T.: Complete isolation and determination of mono-ortho and non-ortho substituted PCBs and PCDDs/PCDFs by HPLC, on porous graphitic carbon, with HRGC/HRMS. *Organohalogen Compd.*, 11 (1993) 101-104; C.A., 122 (1995) 204237e.
- 1394 Tanaka, N., Kirmata, K., Hosoya, K., Araki, T., Patterton, D.G., Barnhart, E.R. and Alexander, L.R.: (Sample preparation for GC/MS analysis of hydrophobic environmental contaminants by direct serum injection into restricted-access reversed-phase HPLC columns.) *Kankyo Kagaku*, 4 (1994) 484-485; C.A., 122 (1995) 180385y.
- 1395 Vetter, W. and Luckas, B.: Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column. *J. Chromatogr. A*, 699 (1995) 173-182.
- 1396 Wang, H.-w., Simmons, M.S. and Deininger, R.A.: Application of dynamic headspace analysis for trihalomethanes in flowing water. *J. Chromatogr. Sci.*, 33 (1995) 109-115.

- 1397 Wester, P.G. and de Boer, J.: Determination of polychlorinated terphenyls in biota and sediments with gas chromatography/mass spectrometry. *Organohalogen Compd.*, 14 (1993) 121-124; C.A., 122 (1995) 45380c.
- 1398 Yokouchi, Y., Akimoto, H., Barrie, L.A., Bottenheim, J.W., Anlauf, K. and Jobson, B.T.: Serial gas chromatographic/mass spectrometric measurements of some volatile organic compounds in the Arctic atmosphere during the 1992 Polar Sunrise Experiment. *J. Geophys. Res. [Atmos.]*, 99 (1994) 23,379-23,389; C.A., 122 (1995) 166005t.
- 1399 Zhang, X.: (Determination of chlorobenzenes in water by headspace-GC.) *Kuangye Gongcheng*, 14, No.3 (1994) 52-55; C.A., 122 (1995) 169493m.
- See also 1197, 1296, 1635, 1636, 1639, 1643, 1647.
- 5d. *Complex hydrocarbon mixtures (incl. analysis of tars, bitumens and mineral oils)*
- 1400 Alajbeg, A. and Kovac, T.: HR GC and GC-MS study of steriods in northern Croatian petroleum. *Croat. Chem. Acta*, 67 (1994) 393-405; C.A., 122 (1995) 85067n.
- 1401 Barman, B.N.: Determination of hydrocarbon types in gasoline range samples by multidimensional gas chromatography, fluorescent indicator adsorption and bromine number methods. *Fuel*, 74 (1995) 401-406; C.A., 122 (1995) 191909y.
- 1402 Chen, B., Qin, Y. and Li, M.: (Analysis of organic compounds in particulate phases of combustion products in domestic fuel gas.) *Weisheng Yanjiu*, 23 (1994) 286-289; C.A., 122 (1995) 62948m.
- 1403 De Juan, G.D.: (Applications of gas chromatography in the refining industry. Part I. Determination of the types of hydrocarbons in middle petroleum fractions.) *Quim Ind.*, 41, No. 3 (1994) 25-32; C.A., 122 (1995) 191947j.
- 1404 Dinkov, N. and Shopnikov, E.: (Possibilities of gas chromatography for determination of mineral oils and greases for forensic practice purposes.) *Anal. Lab.*, 3 (1994) 199-202; C.A., 122 (1995) 125469d.
- 1405 Hall, P.B., Stoddart, D., Bjoroe, M., Larter, L.S. and Brasher, J.E.: Detection of petroleum heterogeneity in Eldfisk and satellite fields using thermal extraction, pyrolysis-GC, GC-MS and isotope techniques. *Org. Geochem.*, 22 (1994) 383-402; C.A., 122 (1995) 164954c.
- 1406 Letoffe, J.M., Claudy, P., Garcin, M. and Volle, J.L.: Evaluation od crystallized fractions of crude oils by differential scanning calorimetry. Correlation with gas chromatography. *Fuel*, 74 (1995) 92-95; C.A., 122 (1995) 59844u.
- 1407 Li, W., Malik, A., Lee, M.L., Jones, B.A., Porter, N.L. and Richter, B.E.: Group-type separation of diesel fuels using packed capillary column supercritical fluid chromatography. *Anal. Chem.*, 67 (1995) 647-654.
- 1408 Luo, Z., Hsia, Y.-p., Xie, K. and Zhang, Y.: Analysis of diesel components in soil and water contaminated by semivolatile synthetic organic compounds. *J. Chromatogr. Sci.*, 33 (1995) 263-267.
- 1409 Mitsui, T. and Fujimura, Y.: Determination of blend composition of heavy oil and kerosene by GC using principal component analysis. *Bunseki Kagaku*, 44 (1995) 383-389.

- 1410 Sepic, E., Leskovsek, H. and Trier, C.: Aerobic bacterial degradation of selected polycyclic aromatic compounds and *n*-alkanes found in petroleum. *J. Chromatogr. A*, 697 (1995) 515-523.
- 1411 Tang, Y. and Stauffer, M.: Multiple cold trap pyrolysis gas chromatography: a new technique for modeling hydrocarbon generation. *Org. Geochem.*, 22 (1994) 863-872; C.A., 122 (1995) 164966h.
- 1412 Tegelaar, E.W. and Noble, R.A.: Kinetics of hydrocarbon generation as a function of the molecular structure of kerogen as revealed by pyrolysis-gas chromatography. *Org. Geochem.*, 22 (1994) 543-574; C.A., 122 (1995) 191833u.
- 1413 Xiang, Y., Morgan, S.L. and Watt, B.E.: TPH and BTEX quantitation in gasoline and diesel contaminated soils by capillary gas chromatography-mass spectrometry. *J. Chromatogr. Sci.*, 33 (1995) 98-108.
- 1414 Yang, Y., Hawthorne, S.B. and Miller, D.J.: Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil. *J. Chromatogr. A*, 699 (1995) 265-276.
- See also 1786, 1794.
6. ALCOHOLS
- 1415 Bureiko, A.S., Dorofeikov, V.V., Scherbak, I.G. and Pavlov, I.P.: (Gas chromatographic estimation of the esterase activity of proteolytic enzymes by means of continuous gas extraction of a volatile product.) *Vopr. Med. Khim.*, 40, No. 3 (1994) 57-58; C.A., 122 (1995) 4100t.
- 1416 Dasgupta, A. and Macaulay, R.: Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyl derivatives of fatty alcohols - a novel derivative for gas chromatography-chemical ionization mass spectrometric study. *J. Chromatogr. A*, 695 (1995) 136-141.
- 1417 Fomichev, A.E. and Klyuev, A.E.: (Method for ethylene glycol measurements in biological and technical fluids.) *Sud.-Med. Ekspert.*, 37, No. 3 (1994) 28-30; C.A., 122 (1995) 98910g.
- 1418 Livasey, J.F., Perkins, S.L., Tokessy, N.E. and Maddock, M.J.: Simultaneous determination od alcohols and ethylene glycol in serum by packed or capillary-column gas chromatography. *Clin. Chem. (Washington)*, 41 (1995) 300-305.
- 1419 Reinhardt, R., Engewald, W. and Görög, S.: Gas chromatographic separation of the enantiomers of flumecinol and some related compounds. *J. High. Resolut. Chromatogr.*, 18 (1995) 259-262.
- 1420 Tsukamoto, S., Kanegae, T., Matsumura, Y., Uchigasaki, S., Kitazawa, M., Muto, T., Chiba, S., Oshida, S., Nagoya, T. et al.: Simultaneous measurement of alcohols and hydrogen cyanide in biological specimens using headspace chromatography. *Nippon Hoigaku Zasshi*, 48 (1994) 336-342; C.A., 122 (1995) 153476x.
- 1421 Yang, Y., Yao, G. and Li, H.: (The rapid determination of normal alcohols in fatty alcohols produced from hydroformylation unit by capillary gas chromatographic (GC) method.) *Chin. J. Chromatogr.*, 13 (1995) 126-127.
- 1422 Zhang, Q.: (Determination of methanol in perfume by headspace gas chromatography (GC).) *Chin. J. Chromatogr.*, 13 (1995) 144.

See also 1212, 1269, 1317, 1318, 1443, 1479.

7. PHENOLS

- 1423 Ahmed, N. and Hale, K.: A microassay for urinary phenol using capillary gas chromatography and optimized enzymic hydrolysis. *Clin. Chim. Acta*, 230 (1994) 201-208; C.A., 121 (1994) 294507z.
 1424 Bayonove, C. and Leroy, F.: (Detection of chlorophenols in wines and corks.) *Ind. Bevande*, 23 (1994) 231-242; C.A., 122 (1995) 29965s.
 1425 Besner, A., Gilbert, R., Tetreault, P., Lepine, L. and Archambault, J.-F.: Determination of pentachlorophenol and its hydrocarbon solvent in wood, soil, and water by gas chromatography and FT-IR spectroscopy in a single-sample treatment. *Anal. Chem.*, 67 (1995) 442-446.
 1426 Janku, J., Kubes, V., Horsak, J. and Kuras, M.: Determination of phenol and phenol derivatives in polluted soils and sludges. *Fresenius Environ. Bull.*, 3 (1994) 475-480; C.A., 122 (1995) 204244e.
 1427 Pendergrass, S.M.: An alternative method for the analysis of phenol and *o*-, *m*- and *p*-cresol by capillary GC/FID. *Am. Ind. Hyg. Assoc. J.*, 55 (1994) 1051-1054; C.A., 122 (1995) 62718m.
 1428 Smith, T.J., Wearne, R.H. and Wallis, A.F.A.: Properties of chlorinated dihydroxybenzenes-components of pulp bleaching effluents. *Chemosphere*, 29 (1994) 1555-1560.
 1429 Venerova, M., Prachar, V., Uhnak, J. and Kovacicova, J.: Polychlorinated phenols in total diet. *Z. Lebensm.-Unters. Forsch.*, 199 (1994) 317-321; C.A., 121 (1994) 299426g.

See also 1312, 1784.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 1430 Adlercreutz, H., Fotsis, T., Kurzer, M.S., Wähälä, K., Mäkelä, T. and Hase, T.: Isotope dilution gas chromatographic-mass spectrometric method for the determination of unconjugated lignans and isoflavonoids in human feces, with preliminary results in omnivorous and vegetarian women. *Anal. Biochem.*, 225 (1995) 101-105.

8b. Aflatoxins and other mycotoxins

- 1431 Haugen, J.-E., Oehrne, M. and Mueller, M.D.: Enantiomer-specific analysis of homoanatoxin-a, a cyanophyte neurotoxin. *Spec. Publ. - R. Soc. Chem.*, 149 (1994) 40-44; C.A., 122 (1995) 74058j.
 1432 Jefferis, T.M., Brammer, G., Zottou, A., Brough, P.A. and Gallagher, T.: Determination of anatoxin-a, homoanatoxin and propylanatoxin in cyanobacterial extracts by HPLC, GC/mass spectrometry and capillary electrophoresis. *Spec. Publ. - R. Soc. Chem.*, 149 (1994) 34-39; C.A., 122 (1995) 74057h.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

- 1433 Bestmann, H.J., Haak, U., Kern, F. and Hölldobler, B.: 2,4-Dimethyl-5-hexanolide, a trail pheromone component of the carpenter ant *Camponotus herculeanus*. *Naturwissenschaften*, 82 (1995) 142-144.
 1434 Galletti, G.C. and Bocchini, P.: Behavior of catechin and ellagic acid subjected to thermally-assisted hydrolysis-methylation/gas chromatography/mass spectrometry. *Rapid Commun. Mass Spectrom.*, 9 (1995) 250-254; C.A., 122 (1995) 182710z.
 1435 Kim, J.-Y., Chang, Y.-S. and Lee, D.-W.: (Sample pretreatment and HRGC/HRMS analysis for determination of dioxins in environmental samples.) *J. Korean Chem. Soc.*, 38 (1994) 819-826; C.A., 122 (1995) 95634j.
 1436 Klyuev, N.A., Golovkov, V.F., Chernov, S.A., Brodsky, E.S. and Shuisky, G.M.: Synthesis and properties of halo derivatives of dibenzo-*p*-dioxin containing a trifluoromethyl group. *Khim. Geterotsikl. Soedin.*, 7 (1994) 902-907; C.A., 122 (1995) 187504v.
 1437 Samsonov, D.P., Kiryukhin, V.P. and Zhiryukhina, N.P.: (Determination of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in biological materials using gas chromatography-mass spectrometry in the negative ion-chemical ionization mode.) *Zh. Anal. Khim.*, 49 (1994) 868-873.
 1438 Scilingo, A., Gigantiello, N., Guidugli, F. and Munari, F.: Analysis of polychlorinated dibenzo-*p*-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) by online LC-GC-MS. *Organohalogen Compd.*, 19 (1994) 55-59; C.A., 122 (1995) 195394z.
 1439 Soyfer, V.S., Murennet, N.V., Brodsky, E.S. and Klyuev, N.A.: A unified extraction and clean-up procedure for PCDD/PCDF determination in various matrixes by GC-MS. *Organohalogen Compd.*, 11 (1993) 79-81; C.A., 122 (1995) 150585w.

See also 1203, 1393, 1394.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

- 1440 Buckee, G.K. and Mundy, A.P.: Determination of vicinal diketones in beer by gas chromatography (headspace technique)-collaborative trial. *J. Inst. Brew.*, 100 (1994) 247-253; C.A., 122 (1995) 8304k.
 1441 Dagaut, P., Reuillon, M., Cathonet, M. and Presvots, D.: Gas chromatography and mass spectrometry identification of cyclic ethers formed from reference fuels combustion. *Chromatographia*, 40 (1995) 147-154.
 1442 Ichinose, T., Miller, M.G. and Shibamoto, T.: Determination of free malonaldehyde formed in liver microsomes upon CCl_4 oxidation. *J. Appl. Toxicol.*, 14 (1994) 453-455; C.A., 122 (1995) 25438z.
 1443 Logan, B.K., Case, G.A. and Kiesel, E.L.: Differentiation of diethylacetone and ethanol/acetonitrile solvent pairs, and other common volatiles by dual column headspace gas chromatography. *J. Forensic Sci.*, 39 (1994) 1544-1551; C.A., 122 (1995) 48625x.
 1444 Miyake, T. and Shibamoto, T.: Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke. *J. Chromatogr. A*, 693 (1995) 376-381.

- 1445 Nishikawa, Y., Shimono, M., Kakagawa, K., Kato, T., Adachi, A. and Arimoto, H.: (Analysis for aldehydes in air using GC/MS; a comparison with the GC-FTD method.) *Kankyo Kagaku*, 4 (1994) 518-519; C.A., 122 (1995) 195401z.
- 1446 Noguchi, K., Nagai, K., Fukita, K. and Maeda, H.: Determination of acetone and acetaldehyde in biological materials by gas chromatography combined with a pulse heating Curie-point hydrolizer. *Hochudoku*, 12 (1994) 199-206; C.A., 122 (1995) 74085r.
- 1447 Reinhardt, R., Steinborn, A., Engewald, W., Anhalt, K. and Schulze, K.: Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns. *J. Chromatogr. A*, 697 (1995) 475-484.
- 1448 Rosell-Melé, A., Carter, J., Parry, A.T. and Eglinton, G.: Determination of the UK₃₇ index in geological samples. *Anal. Chem.*, 67 (1995) 1283-1289.
- 1449 Sithole, B.B., Nyarku, S. and Allen, L.H.: Chromatographic methods for the determination of alkylketene dimer in pulp and paper matrices. *Analyst (Cambridge)*, 120 (1995) 1163-1169.
- 1450 Steinborn, A., Reinhardt, R., Engewald, W., Wysswa, K. and Schulze, K.: Enantiomer separation of α -campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques. *J. Chromatogr. A*, 697 (1995) 485-494.
- 1451 Thomas, M.J., Robison, T.W., Samuel, M. and Forman, H.J.: Detection and identifying volatile aldehydes as dinitrophenylhydrazone using gas chromatography mass spectrometry. *Free Radical Biol. Med.*, 18 (1995) 553-557; C.A., 122 (1995) 128036w.
- See also 1347, 1754.
- ## 10. CARBOHYDRATES
- 10a. Mono and oligosaccharides. Structural studies**
- 1452 Deutsch, J.C., Kolli, V.R., Santosh-Kumar, C.R. and Kolhouse, J.F.: Serum xylose analysis by gas chromatography/mass spectrometry. *Am. J. Clin. Pathol.*, 102 (1994) 595-599; C.A., 122 (1995) 50620k.
- 1453 Kim, Y.S., Park, K.S., Park, H.K. and Kim, S.W.: Compositional sugar analysis of antitumor polysaccharides by high-performance liquid chromatography and gas chromatography. *Arch. Pharmacal Res.*, 17 (1994) 337-342; C.A., 122 (1995) 23103n.
- 1454 Siccha, M.A., Lock De Ugaz, O. and Molina, S.M.: (Determination of galactomannan in gums of Tara, Charan and Cat's claw by gas chromatography.) *Bol. Soc. Quim. Peru*, 60 (1994) 39-43; C.A., 122 (1995) 109208n.
- 1455 Zhu, X., Zeng, Z., Tang, X. and Zhuang, H.: (Analysis of monosaccharides in polyhedrons and granules of insect virus by gas chromatography.) *Bingdu Xuebao*, 10 (1994) 278-284; C.A., 122 (1995) 100760d.
- 10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides
- 1456 Chassagne, D., Crouzet, J., Baumes, R.L., Lepoutre, J.-P. and Bayonove, C.L.: Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry. *J. Chromatogr. A*, 694 (1995) 441-451.
- 1457 Chester, T.L. and Innis, D.P.: Determination of maltodextrin in psyllium-based bulk laxatives by *in situ* silylation and supercritical fluid chromatography. *Anal. Chem.*, 67 (1995) 1290-1292.
- 1458 Kleen, M. and Lindstroem, K.: Polysaccharides and lignins in newsprint process waters studied by pyrolysis-gas chromatography/mass spectrometry. *Nord. Pulp. Pap. Res. J.*, 9 (1994) 111-119; C.A., 122 (1995) 190774p.
- ## 11. ORGANIC ACIDS AND LIPIDS
- 11a. Organic acids and simple esters**
- 1459 Antonios Filho, N.R. and Lanças, F.M.: Identification of FAMES using ECL values and a three-dimensional Kováts retention index system. *J. High Resolut. Chromatogr.*, 18 (1995) 167-170.
- 1460 Asakawa, F., Jitunari, F., Suna, S., Choi, J.O., Manabe, Y. and Takeda, N.: (Determination of 3-phenoxybenzoic acid in urine of workers exposed to permethrin using GC-MS). *Sangyo Igaku*, 36 (1994) 324-325; C.A., 122 (1995) 125423j.
- 1461 De Jong, C., Palma, K. and Neeter, R.: Sample preparation before capillary gas-chromatographic estimation of free fatty acids in fermented dairy products. *Neth. Milk Dairy J.*, 48 (1994) 151-156; C.A., 122 (1995) 158845b.
- 1462 Engan, T., Bjerve, K.S., Hoe, A.L. and Krane, J.: Characterization of plasma lipids in patients with malignant disease by ¹³C nuclear magnetic resonance spectroscopy and gas liquid chromatography. *Blood*, 85 (1995) 1323-1330; C.A., 122 (1995) 182659q.
- 1463 Fox, A. and Rosario, R.M.T.: Quantification of muramic acid, a marker for bacterial peptidoglycan, in dust collected from hospital and home air-conditioning filters using gas chromatography-mass spectrometry. *Indoor Air*, 4 (1994) 239-247; C.A., 122 (1995) 195430h.
- 1464 Franotovic, M. and Sipus, D.: Rapid identification of *M. tuberculosis* by analysing tuberculostearic acid with gas chromatography: Determination of the method's sensitivity. *Period. Biol.*, 96 (1994) 27-30; C.A., 121 (1994) 296284y.
- 1465 Goosens, E.C., Beertshuizen, I.M., de Jong, D., de Jong, G.J. and Brinkman, U.A.T.: Reversed-phase liquid chromatography coupled on-line with capillary gas chromatography. Use of an anion-exchange membrane to remove an ion-pair reagent from the eluent. *Chromatographia*, 40 (1995) 267-271.
- 1466 Huifen, G., Guanliang, C., Liming, Z. and Yuzheng, Z.: (Determination of benzylic acid in water by gas chromatography-mass spectrometry.) *Fenxi Huaxue*, 22 (1994) 826-828; C.A., 122 (1995) 88867j.
- 1467 Jan, S., Roblot, C., Goethals, G., Courtois, J., Courtois, B., Nava Suacedo, J.E., Sequin, J.-P. and Barbotin, J.-N.: Study of parameters affecting poly(3-hydrobutyrate) quantification by gas chromatography. *Anal. Biochem.*, 225 (1995) 258-263.

- 1468 Karl, V., Gutser, J., Dietrich, A., Maas, B. and Mosandl, A.: Stereoisomeric flavor compounds. LXVIII. 2-,3- And 4-alkyl-branched acids, part 2: chirospecific analysis and sensory evaluation. *Chirality*, 6 (1994) 427-434; C.A., 122 (1995) 54281y.
- 1469 Katayama-Hirayama, K., Tobita, S. and Hirayama, K.: (Analysis of the methoxime-trimethylsilyl derivative of β -keto adipic acid by the GC/MS method.) *Mizu Shori Gijutsu*, 35 (1994) 401-404; C.A., 122 (1995) 122244r.
- 1470 Kaunzinger, A., Thomsen, M., Dietrich, A. and Mosandl, A.: Stereodifferentiation and simultaneous analysis of 2- and 3-hydroxyalkanoic acids from biomembranes by multidimensional gas chromatography. *J. High Resolut. Chromatogr.*, 18 (1995) 191-194.
- 1471 Li, Y., Zhang, L., Liu, G., Hou, Y., Chen, L. and Zeng, P.: (Gas chromatographic analysis of C₁-C₆ fatty acids in rat fecal samples.) *Huaxi Yike Daxue Xuebao*, 25 (1994) 456-459; C.A., 122 (1995) 100768n.
- 1472 Li, Z. and Li, Q.: (Determination of fatty acids in red scalefish meat by gas chromatography/mass spectrometry method.) *Chin. J. Chromatogr.*, 13 (1995) 113-114.
- 1473 Liu, K.-S.: Preparation of fatty acids methyl esters for gas-chromatographic analysis of lipids in biological materials. *J. Am. Oil Chem. Soc.*, 71, No. 11 (1994) 1179-1187; C.A., 122 (1995) 4527y.
- 1474 Manni, G. and Caron, F.: Calibration and determination of volatile fatty acids in waste leachates by gas chromatography. *J. Chromatogr. A*, 690 (1995) 237-242.
- 1475 Michaelis, W., Richnow, H.H. and Seifert, R.: Chemically bound chlorinated aromatics in humic substances. *Naturwissenschaften*, 82 (1995) 139-142.
- 1476 Mo, G.Q., Zhang, X.M., Cheng, W.B., Li, D. and Yang, X.Y.: (Determination of β -phenyllactic acid in rat plasma by derivatization capillary gas chromatography (DCGC).) *Yaoxue Xuebao*, 30 (1995) 70-73; C.A., 122 (1995) 177592h.
- 1477 Murase, M., Kimura, Y. and Nagata, Y.: Determination of portal short-chain fatty acids in rats fed various dietary fibers by capillary gas chromatography. *J. Chromatogr. B*, 664 (1995) 415-420.
- 1478 Nikkari, T., Malo-Ranta, U., Hiltunen, T., Jaakkola, O. and Yla-Herttula, S.: Monitoring of lipoprotein oxidation by gas chromatographic analysis of hydroxy fatty acids. *J. Lipid Res.*, 36 (1995) 200-207; C.A., 122 (1995) 100765j.
- 1479 Perez, J.J., Fauville-Duffaux, M., Dossogne, J.L., de Hoffmann, E. and Pouthier, F.: Faster identification of mycobacteria using gas liquid and thin layer chromatography. *Eur. J. Clin. Microbiol. Infect. Dis.*, 13 (1994) 717-725; C.A., 122 (1995) 4624s.
- 1480 Park, P.W. and Goins, R.E.: *In situ* preparation of fatty acid methyl esters for analysis of fatty acid composition in foods. *J. Food Sci.*, 59 (1994) 1262-1266; C.A., 122 (1995) 131279h.
- 1481 Pena, A. and Sandra, P.: Chemotaxometric characterization of yeast cell. *J. Chromatogr. Sci.*, 33 (1995) 116-122.
- 1482 Procida, G., Gabrielli-Favretto, L., Pertoldi-Marletta, G. and Ceccon, L.: Modified esterification procedure employing boron trifluoride/methanol complex for the determination of fatty acids and oils. *Riv. Ital. Sostanze Grasse*, 71 (1994) 547-553; C.A., 122 (1995) 185711m.
- 1483 Robles, V.E., Gonzales, A.M., Sainz, M.M., Ramirez, G.P. and Martinez, R.B.: Determination of cellular fatty acids of *Klebsiella ozaenae* by gas chromatography. *Rev. Roum. Biochim.*, 31 (1994) 51-55; C.A., 121 (1994) 296274v.
- 1484 Sakai, T., Araki, T., Morita, Y. and Masuyama, Y.: Gas chromatographic determination of butoxyacetic acid after hydrolysis of conjugated metabolites in urine from workers exposed to 2-butoxyethanol. *Int. Arch. Occup. Environ. Health*, 66 (1994) 249-254; C.A., 122 (1995) 88110g.
- 1485 Santosh-Kumar, C.R., Deutsch, J.C., Hassel, K.L., Kolhouse, N.M. and Kolhouse, J.F.: Quantitation of red blood cell folates by stable isotope dilution gas chromatography-mass spectrometry utilizing a folate internal standard. *Anal. Biochem.*, 225 (1995) 1-7.
- 1486 Schuetz, B., Hack, B., Hanstein, S., Zimmermann, K. and Rusch, V.: (Quality control of starter cultures by gas chromatographic analysis of cell wall fatty acids.) *Lebensmittelind. Milchwirtsch.*, 114 (1993) 432-434; C.A., 122 (1995) 131254w.
- 1487 Schwaiger, I. and Vojir, F.: (Application of multivariate statistical methods for the authenticity control of the edible oils.) *Dtsch. Lebensm.-Rundsch.*, 90, No. 5 (1994) 143-146; C.A., 122 (1995) 131497c.
- 1488 Shao, X. and Liu, Y.: (Gas chromatographic analysis of sesame oil and sauce adulterated with peanut oil and sauce.) *Zhongguo Tiaoweipin*, 9 (1994) 29-30; C.A., 122 (1995) 185690d.
- 1489 Sturaro, A., Parvoli, G., Doretti, L., Bancomina, C. and Neonato, C.: Gas chromatographic/mass spectrometric determination of vinyl acetate levels in air. *Org. Mass Spectrom.*, 29 (1994) 575-577; C.A., 121 (1994) 307087q.
- 1490 Wahl, H.G., Chrzanowski, A., Müller, C., Liebich, H.M. and Hoffmann, A.: Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography-mass spectrometry. *J. Chromatogr. A*, 697 (1995) 453-459.
- 1491 Wheelan, P., Zirrolli, J.A. and Murphy, R.C.: Analysis of hydroxy fatty acids as pentafluorobenzyl ester, trimethylsilyl ether derivatives by electron ionization gas chromatography/mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 6 (1995) 40-51; C.A., 122 (1995) 187229j.
- 1492 Xiong, D., Zhu, X. and Sheng, Z.: (Analysis of metabolic products of anaerobes with gas-liquid chromatography.) *Zhonghua Yixue Jianyan Zazhi*, 17 (1994) 172-175; C.A., 121 (1994) 296286a.
- 1493 Zhancai, Z.: (Gas chromatographic determination of trace propionic acid in glutinous broomcorn millet, non-glutinous broomcorn millet and grain sorghum.) *Fenxi Huaxue*, 22, No. 7 (1994) 753; C.A., 122 (1995) 54300d.
- 1494 Zhang, L.-Y. and Hamberg, M.: A gas-liquid chromatographic method for steric analysis of 2-hydroxy, 3-hydroxy, and 2,3-dihydroxy acids. *Chem. Phys. Lipids*, 74 (1994) 151-161; C.A., 122 (1995) 100734y.
- 1495 Zhou, X. and Zhang, D.: Structural investigation of fulvic acid from weathered coal by using capillary GC-MS. *Fuel Sci. Technol. Int.*, 12 (1994) 1169-1182; C.A., 122 (1995) 13448q.
- 1496 Zielinska-Stasiek, M. and Cisowski, W.: Gas-liquid chromatographic analysis of fatty acids obtained from the seeds of common trees. *Acta Chromatogr.*, 3 (1994) 37-47; C.A., 122 (1995) 155378r.

See also 1289, 1448, 1449, 1554, 1613.

11b. Prostaglandins

- 1497 Schwerer, H., Cawello, W. and Seyberth, H.W.: Gas chromatography/negative ion chemical ionization triple quadrupole mass spectrometry determination and pharmacokinetics of 11 α -hydroxy-9,15-dioxo-2,3,4,5,20-pentanor-19-carboxyprostanoic acid in plasma. *Prostaglandins, Leukotrienes Essent. Fatty Acids* 51 (1994) 401-405; C.A., 122 (1995) 152104n.

See also 1611.

11c. Lipids and their constituents

- 1498 Bartle, K.D. and Clifford, A.A.: Supercritical fluid extraction and chromatography of lipid materials. *Spec. Publ. - R. Soc. Chem.*, 160 (1994) 1-41; C.A., 122 (1995) 50308q - a review with 112 refs.
- 1499 Bereuter, T.L. and Lorbeer, E.: Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography. *J. Chromatogr. A*, 697 (1995) 469-474.
- 1500 Blomberg, L.G. and Demibuker, M.: Analysis of triacylglycerols by argentation supercritical fluid chromatography. *Spec. Publ. - R. Soc. Chem.*, 160 (1994) 42-58; C.A., 122 (1995) 50418a.
- 1501 Ellerbe, P., Sniegoski, L.T. and Welch, M.J.: Isotope dilution mass spectrometry as a candidate definitive method for determining total glycerides and triglycerides in serum. *Clin. Chem. (Washington)*, 41 (1995) 397-404.
- 1502 Gulumian, M., Ambaram, K. and Verdoon, G.H.: Identification and quantification of fiber-induced lipid peroxidation products by GC-MSD. *NATO ASI Ser., Ser. H*, 85 (1994) 417-424; C.A., 121 (1994) 294504w.
- 1503 Nakajima, N. and Yamamoto, T.: (Isolation of triglycerides from plant oil by supercritical chromatography.) *Jpn. Kokai Tokkyo Koho* JP 06,293,895 [94,293,895] (Cl. C11B3/10), 21 Oct. 1994, Appl. 91/106,410, 12 Apr. 1991; 4 pp.; C.A., 122 (1995) 104556q.
- 1504 Plank, C. and Lorbeer, E.: Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography. *J. Chromatogr. A*, 697 (1995) 461-468.
- 1505 Precht, D. and Frede, E.: Determination of the solid fat content in milk fat by gas chromatographic triglyceride analysis. *Fat Sci. Technol.*, 96 (1994) 324-330; C.A., 121 (1994) 299423d.
- 1506 Tetens, V., Kristensen, N.B. and Calder, A.G.: Measurement of ^{13}C enrichment of plasma lactate by gas chromatography/isotope ratio mass spectrometry. *Anal. Chem.*, 67 (1995) 858-862.
- 1507 Zoellner, P., Lorbeer, E. and Remberg, G.: Utility of nicotinoyl derivatives in structural studies on mono- and diacylglycerols by gas chromatography/mass spectrometry. Part. 1. *Org. Mass Spectrom.*, 29 (1994) 253-259; C.A., 122 (1995) 106267v.

See also 1334, 1416.

13. STEROIDS

13b. Pregnane and androstane derivatives

- 1508 Holder, G.: External quality assessment of urinary-free cortisol measurements in the UK against a gas chromatography mass spectroscopy reference method. *Ann. Clin. Biochem.*, 32, No. 1 (1995) 84-90; C.A., 122 (1995) 178552g.
- 1509 Legrand, C., Dousset, B., Tronel, H., Belleville, F. and Nabet, P.: Measurement of plasma testosterone by gas chromatography-negative-ion mass spectrometry using pentafluoropropionic derivatives. *J. Chromatogr. B*, 663 (1995) 187-192.
- 1510 Mgrd, M., Berg, H.E.B., Tagesson, V., Jaeremo, M.L.G., Karlsson, L.L.H., Mathiasson, L.J.E., Bonneau, M. and Hansen-Moller, J.: Determination of androstenone in pig fat using supercritical fluid extraction and gas chromatography-mass spectrometry. *J. Agric. Food Chem.*, 43 (1995) 114-120.
- 1511 Reisch, J. and Cramer, M.: (The detection of biogenic steroids in sheep thymus tissue by GC-MS.) *Sci. Pharm.*, 61 (1993) 185-191; C.A., 121 (1994) 292927n.
- 1512 Steinhart, H. and Hartwig, M.: (Determination of naturally-occurring steroids (androgens and progestogens) in beef.) *GfT Fachz. Lab.*, 38 (1994) 893-898; C.A., 122 (1995) 185639u.
- 1513 Vermeulen, G.J., Lambert, J.G.D., van der Looy, M.J.W. and Goos, H.J.T.: Gas chromatographic-mass spectrometric (GC-MS) analysis of gonadal steroids in plasma of the male African catfish, *Clarias gariepinus*: effects of castration or treatment with gonadotropin releasing hormone analog. *Gen. Comp. Endocrinol.*, 96 (1994) 288-297; C.A., 122 (1995) 6005q.
- 1514 Vladimirova, V. and Tsoutsoulova-Draganova, A.: Gas chromatographic-mass spectrometric investigation of fluoxymestrone in urine samples. *Anal. Lab.*, 2, No. 3 (1993) 184-189; C.A., 122 (1995) 23963t.
- 1515 Ye, L., Zhang, C. and Zhang, Y.: (Gas chromatography-mass spectrometric analysis of metabolites of nandronolone and norethisterone in human urine.) *Fenxi Huaxue* 23 (1995) 32-35; C.A., 122 (1995) 96621q.

13c. Estrogens

- 1516 Moretti, G., Citti, G., Cammarata, P., Ferretti, E., Fiori, M. and di Giovannandrea, R.: (Residue analysis of urinary trenbolone in cattle by thin-layer chromatography and gas chromatography-mass spectrometry.) *Riv. Sci. Aliment.*, 23 (1994) 227-232; C.A., 122 (1995) 29974u.

13d. Sterols

- 1517 Benfenati, E., Cools, E., Fattore, E. and Fanelli, R.: A GC-MS method for the analysis of fecal and plant sterols in sediment samples. *Chemosphere*, 29 (1994) 1393-1405.
- 1518 Grob, K. and Mariani, C.: LC-GC methods for the determination of adulterated edible oils and fats. *Spec. Publ. - R. Soc. Chem.*, 160 (1994) 73-81; C.A., 122 (1995) 131220g - a review with 13 refs.
- 1519 Kisza, J., Staniewski, B. and Januszkiewicz, M.: Determination of cholesterol in milk fat by gas chromatography (GC). *Pol. J. Food Nutr. Sci.*, 3 (1994) 75-81; C.A., 122 (1995) 104162h.

- 1520 Klatt, L.V., Mitchell, B.A. and Smith, R.L.: Cholesterol analysis in foods by direct saponification-gas chromatographic method: Collaborative study. *J. Assoc. Off. Anal. Chem. Int.*, 78 (1995) 75-79.
- 1521 Toschi, T.G., Caboni, M.F., Capella, P. and Lercker, G.: High performance liquid chromatography and capillary gas chromatography in the analysis of oxysterols. *Riv. Ital. Sostanze Grasse*, 71 (1994) 329-333; *C.A.*, 122 (1995) 54328u.

See also 1481.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 1522 Bosset, J.O., Buetikofer, U., Gauch, R and Sieber, R.: (Occurrence of terpenes and aliphatic hydrocarbons in Swiss Gruyere and Etivaz alpine cheese using dynamic headspace GC-MS analysis of their volatile flavor compounds.) *Schweiz. Milchwirtsch. Forsch.*, 23, No. 2 (1994) 37-41; *C.A.*, 122 (1995) 8443e.
- 1523 Dietrich, A., Maas, B. and Mosandl, A.: Diluted modified cyclodextrins as chiral stationary phases - Influence of the polysiloxane solvent: heptakis(2,3-di-O-acetyl-6-O-tert.-butyldimethylsilyl)- β -cyclodextrin. *J. High Resolut. Chromatogr.*, 18 (1995) 152-156.
- 1524 Fan, H., Xu, K., Yang, F., Wang, S. and Wu, L.: Determination of menthol and borneol in Houyanqing pill by capillary gas chromatography. *Zhongguo Yaoxue Zazhi*, 29, No. 8 (1994) 51-52; *C.A.*, 121 (1994) 308490c.
- 1525 Grob, K., Biedermann, M., Bronz, M. and Schmid, J.P.: Recognition of mild deodorization of edible oils by the loss of volatile components. *Z. Lebensm.-Unters. Forsch.*, 199 (1994) 191-194; *C.A.*, 122 (1995) 8294g.
- 1526 Kawai, N., Tsubokura, H. and Nishikawa, Y.: Structural analysis of phytol group of protochlorophylls by gas chromatography. *Kinki Daigaku Rikogakubu Kenkyu Hokoku*, 30 (1994) 25-29; *C.A.*, 122 (1995) 80977z.
- 1527 Kimball, B.A., Craver, R.K., Johnston, J.J. and Nolte, D.L.: Quantitative analysis of the mono- and sesquiterpenoids of Douglas-fir sapwood by solvent extraction and gas chromatography with mass selective detection. *J. High. Resolut. Chromatogr.*, 18 (1995) 221-225.
- 1528 Li, X., Shen, X. and Yao, T.: (Rapid assay of borneol in Zhen-zhumingmu eye drops) *Zhejiang Yike Daxue Xuebao*, 23, No. 1 (1994) 43-44; *C.A.*, 122 (1995) 38979b.
- 1529 Patitucci, M.L., Pinto, A.C. and Cordoso, J.N.: Analysis of crude extracts and fractions of Brazilian Polypodiaceae by high-resolution gas chromatography-mass spectrometry. I. Triterpenes. *Phytochem. Anal.*, 6 (1995) 38-44; *C.A.*, 122 (1995) 155672g.
- 1530 Ravid, U., Putievsky, E. and Katir, I.: Chiral GC analysis of enantiomerically pure (R)(-)-linalyl acetate in some Lamiaceae, Myrtle and Petitgrain essential oils. *Flavour Fragrance J.*, 9 (1994) 275-276; *C.A.*, 122 (1995) 63966c.
- 1531 Rossini, C., Pandolfi, E., Dellacassa, E. and Moyna, P.: Determination of 1,8-cineole in *Eucalyptus* essential oils by thin-layer chromatography and densitometry. *J. Assoc. Off. Anal. Chem. Int.*, 78 (1995) 115-117.
- 1532 Vilegas, J.H.Y., Lanças, F.M. and Antoniosi Filho, N.R.: High temperature capillary GC analysis of phytopreparations of "Espinheira Santa" (*Maytenus ilicifolia* M. and *Maytenus aquifolium* M.-Celastraceae), a Brasilian antiulcer plant. *Chromatographia*, 40 (1995) 341-344.
- See also 1344, 1447, 1450, 1719.
- 15b. Essential oils**
- 1533 Alfonso, D. and Kapetanidis, I.: (Volatile constituents of *Isochroma gesnerioides*: qualitative analysis by GC-MS.) *Sci. Pharm.*, 62 (1994) 59-65; *C.A.*, 122 (1995) 156263m.
- 1534 Blanco Tirado, C., Stashenko, E.E., Combariza, M.Y. and Martinez, J.R.: Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography-mass spectrometry. *J. Chromatogr. A*, 697 (1995) 501-513.
- 1535 Dung, N.X., Luu, H.V., Khoi, T.T. and Leclercq, P.A.: GC and GC/MS analysis of the leaf oil of *Cleistocalyx operculatus* Roxb. Merr. e Perry (Syn. *Eugenia operculata* Roxb.; *Syzygium mervorum* DC.) *J. Essent. Oil Res.*, 6, No. 6 (1994) 661-662; *C.A.*, 122 (1995) 101642d.
- 1536 Garcia, V.M.C., Nascimento, E.A. and Morais, S.A.L.: Volatile wood oils of the Brazilian *Pinus caribaea* var. *Hondurensis* and Spanish *Pinus pinaster* var. *mediterranea*. *J. Braz. Chem. Soc.*, 5 (1994) 107-112; *C.A.*, 122 (1995) 63967d.
- 1537 Hener, U., Faulhaber, S., Kreis, P. and Mosandl, A.: Evaluation of authenticity of balm oil (*Melissa officinalis* L.) *Pharmazie*, 50 (1995) 60-62; *C.A.*, 122 (1995) 196656y.
- 1538 Hethelyi, I., Ceseko, I., Grosz, M., Mark, G. and Palinkas, J.: (Capillary gas chromatographic investigation of *Artemisia annua* essential oils.) *Olas Szappan, Kozmet.*, 43 (1994) 103-106; *C.A.*, 122 (1995) 89057g.
- 1539 Jirovetz, L., Buchbauer, G., Remberg, G. and Nikiforov, A.: (Analysis of grapevine secretion (grapevine tears) using GC-FTIR-MS.) *Vitis*, 33, No. 2 (1994) 97; *C.A.*, 122 (1995) 76513c.
- 1540 Kreis, P. and Mosandl, A.: Chiral compounds of essential oils. Part XVI. Enantioselective multidimensional gas chromatography in authenticity control of balm oil (*Melissa officinalis* L.) *Flavour Fragrance J.*, 9 (1994) 249-256; *C.A.*, 122 (1995) 38982x.
- 1541 Kreis, P. and Mosandl, A.: Chiral compounds of essential oils. Part XVII. Simultaneous stereoanalysis of *Cymbopogon* oil constituents. *Flavour Fragrance J.*, 9 (1994) 257-260; *C.A.*, 122 (1995) 63957a.
- 1542 Ma, X.-y., Pan, H.-p. and Chen, Y.-z.: Off-line two-dimensional gas chromatography-mass spectrometry for analysis of essential oil of medicinal herb. *Chem. Res. Chin Univ.*, 10 (1994) 291-296; *C.A.*, 122 (1995) 182310u.
- 1543 Orav, A., Kunigas, K. and Kailas, T.: Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents. *J. Chromatogr. A*, 697 (1995) 495-499.
- 1544 Vernin, G., Ghiglione, C. and Parkanyi, C.: GC-MS-SPECMA bank analysis of *Thymus serpyllum praecox* (Opiz) Wollm (wild thyme) from Hautes Alpes (France). *Dev. Food Sci.*, 34 (1994) 50-515; *C.A.*, 122 (1995) 8390k.

- 1545 Wang, J., Yang, C., Da, W. and Zhang, C.: (GC-MS analysis of essential oil from pericaps of *Illicium difengpi*.) *Zhongguo Zhongyao Zazhi*, 19 (1994) 422-423; C.A., 122 (1995) 76504a.
- 1546 Wang, Y., Zhang, H. and Zhang, J.: (GC-MS analysis of the volatile oil in the stem of *Actinidia kolomikta* Planch.) *Baiqiu'en Yike Daxue Xuebao*, 20 (1994) 358-359; C.A., 122 (1995) 156308e.
- 1547 Yan, J.-C., Zhang, H., Xu, S.-M., Wei, Y.-D. and Yan, X.: (Studies on the volatile oil composition of Rhodiola using GC/MS/DS and GC/IS/DS.) *Gaodeng Xuexiao Huaxue Xuebao*, 15 (1994) 1175-1177; C.A., 122 (1995) 17300h.
- 1548 Yang, S. and Lin, D.: (GC-MS study on the essential oil of citrus peel. III. Analysis of the essential oil from *Meixian shaddock* peel.) *Fenxi Ceshi Xuebao*, 13, No. 6 (1994) 56-59; C.A., 122 (1995) 185664y.
- 1549 Ye, C., Wu, X., Rong, Y., Liu, W., Zhu, R. and Mao, X.: (The fingerprint spectrum analysis of capillary gas chromatographic retention indices for essential oil of the genus *Atractylodes*.) *Yaowu Fenxi Zazhi*, 14, No. 6 (1994) 13-16; C.A., 122 (1995) 115092m.
- See also 1530.
16. NITRO AND NITROSO COMPOUNDS
- 1550 Akiyama, K. and Sakamoto, K.: (Analytical method of nitro-PAHs in automobile exhaust by GC-SID.) *Kankyo Kagaku*, 4 (1994) 647-654; C.A., 122 (1995) 87870t.
- 1551 Frassanito, R., Benfenati, E., Ciotti, G. and Fanelli, R.: A simple method for determination of N-nitrosamine traces in trifluralin samples by gas chromatography-mass spectrometry. *Toxicol. Environ. Chem.*, 45 (1994) 199-204; C.A., 122 (1995) 125831r.
- 1552 Ma, M., Xu, X., Kang, Z. and Bian, Y.: (Detection of trace level nitropolycyclic aromatic hydrocarbons in urban surface water for the first time.) *Huanjing Huaxue*, 13 (1994) 543-549; C.A., 122 (1995) 196362z.
- 1553 Mussmann, P., Preiss, A., Levsen, K. and Wuensch, G.: Development of methods for the analysis of nitrotoluenes, nitramines and other organic compounds in wastewater of former ammunition manufacturing sites. *Vom Wasser*, 82 (1994) 79-90; C.A., 122 (1995) 114386y.
- 1554 Soják, L., Perjessy, A., Kubíneč, R., Giumanini, A.G. and Strazzolini, P.: Identification of the isomers from mono- and dinitration of α -hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection. *J. Chromatogr. A*, 695 (1995) 57-64.
- 1555 You, J., Li, H. and Sun, X.: (The determination of nitrated products of toluene by gas chromatography (GC).) *Chin. J. Chromatogr.*, 13 (1995) 128-129.
17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS
- 17a. Amines and polyamines
- 1556 Ghaoui, L., Pell, K., Chritz, K. and Loomis, R.N.: Analysis of amine compounds by capillary gas chromatography using ammonia-helium carrier gas. *J. High Resolut. Chromatogr.*, 18 (1995) 157-160.
- 1557 Lin, D., Lay, J.O.Jr., Bryant, M.S., Malaveille, C., Friesen, M., Bartsch, H., Lang, N.P. and Kadlubar, F.F.: Analysis of 4-amino-biphenyl-DNA adducts in human urinary bladder and lung by alkaline hydrolysis and negative ion gas chromatography-mass spectrometry. *Environ. Health Perspect. Suppl.*, 102 (1994) 11-16; C.A., 122 (1995) 98874y.
- 1558 Wilson, P.M., Que Hee, S.S. and Froines, J.R.: Determination of hemoglobin adduct levels of the carcinogen 2,4-diaminotoluene using gas chromatography-electron impact positive-ion mass spectrometry. *J. Chromatogr. B*, 667 (1995) 166-172.

See also 1312, 1570.

17c. Urea and guanidine derivatives

See 1562.

17d. Other amine derivatives and amides (excl. peptides)

- 1559 Avtushenko, Yo.Ye., Sulman, E.M., Ankudinova, T.V. and Sidorov, A.I.: (GLC analysis of reaction mixtures in the reductive condensation of 3,4-xylidine with D-ribose.) *Khim.-Farm. Zh.*, 28, No.5 (1994) 59-60; C.A., 122 (1995) 187958w.
- 1560 Dong, X.-D., Lu, J. and Cha, C.: Determination of 4,4'-methylenedianiline (MDA) and identification of isomers in technical-grade MDA in hydrolyzed plasma and urine from workers exposed to methylenediphenylisocyanate by gas chromatography-mass spectrometry. *J. Electroanal. Chem.*, 381 (1995) 195-201; C.A., 122 (1995) 155193b.
- 1561 Kataoka, H., Shindoh, S. and Makita, M.: Determination of secondary amines in various foods by gas chromatography with flame photometric detection. *J. Chromatogr. A*, 695 (1995) 142-148.
- 1562 Zell, C.H., Neidlein, R., Strein, K., Bartsch, W. and Michel, H.: Pharmacokinetics of the organic nitrates trans-N-(4-nitroxy-cyclohexyl)-urea in dogs and trans-(4-nitroxy-cyclohexyl)-acetamide in dogs and man. *Arzneim.-Forsch.*, 44 (1994) 1186-1190; C.A., 122 (1995) 95801m.

See also 1322, 1766.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 1563 Adachi, J., Mio, T., Ueno, Y., Nishimura, A., Sumino, K. and Tatsuno, Y.: (Gas chromatography-mass spectrometry analysis for 3-(phenylamino) alanine and its metabolites.) *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 19 (1994) 103-106; C.A., 122 (1995) 71258p.

- 1564 Bartels, M.J.: Quantitation of the tetrachloroethylene metabolite N-acetyl-S-(trichlorovinyl)cysteine in rat urine via negative ion chemical ionization gas chromatography/tandem mass spectrometry. *Biol. Mass Spectrom.*, 23 (1994) 689-694; C.A., 121 (1994) 294513y.
- 1565 Kataoka, H., Takagi, K. and Makita, M.: Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection. *J. Chromatogr. B*, 664 (1995) 421-425.
- 1566 Li, D., Yin, Q. and Yao, Y.: (Determination of amino acids in radish.) *Yanbian Daxue Xuebao, Ziran Kexueban*, 20, No. 3 (1994) 47-49; C.A., 122 (1995) 159138k.
- 1567 Oh, C.-H., Brownson, D.M. and Mabry, T.J.: Screening for non-protein amino acids in seeds of the Guam cycad, *Cycas circinalis*, by an improved GC-MS method. *Planta Med.*, 61 (1995) 66-70; C.A., 122 (1995) 182671n.
- 1568 Peaper, D.R. and Jones, H.L.: Determination of S-methylmethionine in malt by alkaline hydrolysis and headspace gas chromatography - a collaborative trial. *J. Inst. Brew.*, 100 (1994) 397-398; C.A., 122 (1995) 158849f.
- 1569 Williams, B.D. and Wolfe, R.R.: Determination of amino- and amide-¹⁵N glutamine enrichment with tertiary butyldimethylsilyl derivatives. *Biol. Mass Spectrom.*, 23, No. 11 (1994) 682-688; C.A., 122 (1995) 27179q.
- 1570 Yasuhara, F., Yamaguchi, S., Takeda, M., Ochiai, Y. and Miyano, S.: Gas chromatographic separation of enantiomeric amine acids and amines with α-methoxy-α-trifluoromethylpropionic acid as a chiral derivatizing agent. *J. Chromatogr. A*, 694 (1995) 227-236.
- See also 1314, 1315, 1323.

18b. Peptides, peptidic and proteinous hormones, growth factors

- 1571 Kataoka, H., Takagi, K. and Makita, M.: Determination of glutamine and related aminothiols by gas chromatography with flame photometric detection. *Biomed. Chromatogr.*, 9 (1995) 85-89.

20. ENZYMES AND ENZYME ACTIVITY ESTIMATION

20a. Oxidoreductases

See 1716.

20d. Hydrolases, acting on ester bonds (E.C. 3.1.-.-)

See 1415.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS
- 21a. *Purines, pyrimidines, nucleosides, nucleotides*
- 1572 Malins, D.C. and Gunselman, S.J.: Fourier-transform infrared spectroscopy and gas chromatography-mass spectrometry reveal a remarkable degree of structural damage in the DNA of wild fish exposed to toxic chemicals. *Proc. Natl. Acad. Sci. U. S. A.*, 91 (1994) 13038-13041; C.A., 122 (1995) 63783r.
- 1573 Ohba, S., Kidouchi, K., Sumi, S., Takeda, N., Yoshizumi, H., Tatematsu, A., Kobayashi, M. and Wada, Y.: Chemical diagnosis of dihydropyrimidinuria (the first case in Japan) by using HPLC and GC-MS. *Nippon Iyo Masu Supekutoru Gakkai Koen-shu*, 19 (1994) 147-150; C.A., 122 (1995) 103244z.
- 1574 Teixeira, A.J.R., Ferreira, M.R., van Dijk, W.J. van de Werken, G. and de Jong, A.P.J.M.: Analysis of 8-hydroxy-2'-deoxyguanosine in rat urine and liver DNA by stable isotope dilution gas chromatography/mass spectrometry. *Anal. Biochem.*, 227 (1995) 307-319.

21c. Nucleic acids, DNA

- 1575 Dizdaroglu, M.: Chemical determination of oxidative DNA damage by gas chromatography-mass spectrometry. *Methods Enzymol.*, 234 (1994) 1-16; C.A., 121 (1994) 294482n.

See also 1572.

22. ALKALOIDS

- 1576 Draeger, B.: Identification and quantification of calystegines, polyhydroxyl nortropane alkaloids. *Phytochem. Anal.*, 6 (1995) 31-37; C.A., 122 (1995) 155671f.
- 1577 Gallagher, C.A., Hough, L.B., Keefner, S.M., Seyed-Mozaffari, A., Archer, S. and Glick, S.D.: Identification and quantification of the indole alkaloid ibogaine in biological samples by gas chromatography-mass spectrometry. *Biochem. Pharmacol.*, 49 (1995) 73-79; C.A., 122 (1995) 122391m.
- 1578 Mizugaki, M.: Analysis of aconitum alkaloids by means of gas chromatography/mass spectrometry. *Nippon Iyo Masu Supekutoru Gakkai Koen-shu*, 19 (1994) 65-72; C.A., 122 (1995) 74046d.

See also 1568.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23c. Indole derivatives and plant hormones (gibberellins)

See 1577.

23d. Pyridine derivatives

- 1579 Siret, L., Macaudiere, P., Bargmann-Leyder, N., Tambute, A., Caude, M. and Gougeon, E.: Separation of the optical isomers of a new 1,4-dihydropyridine calcium channel blocker (LF 2.0254) by liquid and supercritical fluid chromatography. *Chirality*, 6 (1994) 440-445.
- 1580 Titon, M.C. and Nardillo, A.M.: Separation of low-boiling pyridine bases by gas chromatography. *J. Chromatogr. A*, 699 (1995) 403-407.

23e. Other N-heterocyclic compounds

- 1581 Benetti, G. and Renzetti, A.: (Alkylpyrazines: important aroma components of licorice extracts.) *Ind. Aliment. (Pinerolo)*, 33 (1994) 639-642; C.A., 122 (1995) 29983w.
- 1582 Taylor, G.W., Machan, Z.A., Mehmet, S., Cole, P.J. and Wilson, R.: Rapid identification of 4-hydroxy-3-alkylquinolines produced by *Pseudomonas aeruginosa* using gas chromatography-electron-capture mass spectrometry. *J. Chromatogr. B*, 664 (1995) 458-462.

See also 1203.

24. ORGANIC SULPHUR COMPOUNDS (INCL. GLUCOSINOLATES)

- 1583 Andersson, J.T. and Schmid, B.: Polycyclic aromatic sulfur heterocycles IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector. *J. Chromatogr. A*, 693 (1995) 325-338.
- 1584 Anonymous: Dimethyl sulfide precursor in malt by headspace gas chromatography. *J. Am. Soc. Brew. Chem.*, 52 (1994) 193; C.A., 122 (1995) 54381f.
- 1585 Betti, A., Lodi, G., Bighi, C., Chiorboli, G. and Coppi, S.: Use of overpressured layer chromatography and coupled OPLC-GC-MS for the analysis of acetylenic thiophene derivatives in extracts of *Tagete patula*. *J. Planar Chromatogr.*, 7 (1994) 301-304; C.A., 122 (1995) 27180h.
- 1586 Choi, Y.-W., Kim, J.-H., Choe, K.-H. and Shin, S.-S.: (Determination of sulfur-containing odorants in natural gas by gas chromatography/flame photometric detection.) *Anal. Sci. Technol.*, 7 (1994) 349-359; C.A., 122 (1995) 85125e.
- 1587 Heberer, T. and Stan, H.-J.: N-(Phenylsulfonyl)-sarcosine a new contaminant in sewage from ground water. *Fresenius Environ. Bull.*, 3 (1994) 639-643; C.A., 122 (1995) 88883m.

See also 1256, 1259, 1260, 1565, 1571, 1748.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)

- 1588 Habboush, A.E., Farroha, S.M. and Khalaf, H.I.: Extraction-gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives. *J. Chromatogr. A*, 696 (1995) 257-263.

See also 1718.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 1589 Cai, Y. and Bayona, J.M.: Determination of methylmercury in fish and river water samples using *in situ* sodium tetraethylborate derivatization followed by solid-phase microextraction and gas chromatography-mass spectrometry. *J. Chromatogr. A*, 696 (1995) 113-122.
- 1590 Cai, Y. and Bayona, J.M.: Simultaneous speciation of butyl-, phenyl-, and cyclohexyltin compounds in aqueous matrices using ethylation followed by solid-phase trace enrichment, SFC and GC determination. *J. Chromatogr. Sci.*, 33 (1995) 89-97.
- 1591 Chiavarini, S., Cremisini, C., Ingrao, G. and Morabito, R.: Determination of methylmercury in human hair by capillary GC with electron-capture detection. *Appl. Organomet. Chem.*, 8 (1994) 563-570; C.A., 122 (1995) 125451s.
- 1592 Dirkx, W.M.R.: Speciation of organotin compounds in waters and sediments using gas chromatography-quartz furnace atomic absorption spectrometry (GC-QFAAS) and/or atomic emission detection (GC-AED). *Avail. Univ. Microfilms Int.*, Order No. DA9419247, 1993, 224 pp.; C.A., 122 (1995) 114389b.
- 1593 Filippelli, M.: Methylmercury determination by purge and trap-GC-FTIR-AAS after NaBH₄ derivatization of an environmental thiosulfate extract. *Appl. Organomet. Chem.*, 8 (1994) 687-691; C.A., 122 (1995) 204264m.
- 1594 Forsyth, D.S. and Hayward, S.: Further development and optimization of a quartz tube atomizer for a gas chromatography-atomic absorption spectrometer system. *Fresenius J. Anal. Chem.*, 351 (1995) 403-409.
- 1595 Harms, U.: Improvement of sample pretreatment for gas chromatographic determination of methylmercury in marine biota. *Appl. Organomet. Chem.*, 8 (1994) 645-648; C.A., 122 (1995) 125453u.
- 1596 Mena, M.L., McLeod, C.W., Jones, P., Withers, A., Minganti, V., Capelli, R. and Quevauviller, P.: Microcolumn preconcentration and gas chromatography-microwave induced plasma-atomic emission spectrometry (GC-MIP-AES) for mercury speciation in waters. *Fresenius J. Anal. Chem.*, 351 (1995) 456-460.
- 1597 Minganti, V., Capelli, R. and de Pellegrini, R.: Evaluation of different derivatization methods for the multi-element analysis of Hg, Pb and Sn compounds by gas chromatography-microwave induced plasma-atomic emission spectrometry in environmental samples. *Fresenius J. Anal. Chem.*, 351 (1995) 471-477.
- 1598 Nerin, C. and Pons, B.: Speciation of organolead compounds in air by GC-MS-SIM. *Appl. Organomet. Chem.*, 8 (1994) 607-614; C.A., 122 (1995) 140980g.
- 1599 Plzák, Z., Polanská, M. and Suchánek, M.: Identification and determination of butyltin compounds in water by ion trap gas chromatography-mass spectrometry after conversion to methyl or hydride derivatives. *J. Chromatogr. A*, 699 (1995) 241-252.
- 1600 Rubí, E., Lorenzo, R.A., Casais, M.C. and Cela, R.: Quality control in the routine analysis of methylmercury in biological and environmental materials using gas chromatography with electron capture detection. *Appl. Organomet. Chem.*, 8 (1994) 677-686; C.A., 122 (1995) 125454v.

- 1601 Sanderson, R.D., Roediger, A.H.A. and Summers, G.J.: Hydrocarbon-soluble difunctional organolithium anionic initiators. A gas-liquid chromatographic study of the reaction of sec.-butyl-lithium with *m*-divinylbenzene. *Polym. Int.*, 35 (1994) 263-272; *C.A.*, 122 (1995) 10785m.
- 1602 Stab, J.A., Brinkman, U.A.T. and Cofino, W.P.: Validation of the analysis of organotin compounds in biological tissues using alkylation and gas chromatography. *Appl. Organomet. Chem.*, 8 (1994) 577-585; *C.A.*, 122 (1995) 125452t.
- 1603 Szpunar-Lobińska, J., Witte, C., Lobiński, R. and Adams, F.C.: Separation techniques in speciation analysis for organometallic species. *Fresenius J. Anal. Chem.*, 351 (1995) 351-377.
- 1604 Wang, K., Zhong, L. and Liu, S.: (Determination of aquatic butyltin compounds by chromatography with flame photometric detection.) *Huanjing Huaxue*, 13 (1994) 550-554; *C.A.*, 122 (1995) 196363a.
- 1605 Witte, C., Szpunar-Lobińska, J., Lobiński, R. and Adams, F.C.: Determination of trimethyllead in rainwater and road dust by capillary GC MIP-AE spectrometry after *in situ* ethylation and extraction. *Appl. Organomet. Chem.*, 8 (1994) 621-627; *C.A.*, 122 (1995) 141853e.
- 1606 Xu, F., Jiang, G. and Han, H.: (Determination of butyltin species in sediments by gas chromatography.) *Huanjing Kexue*, 15 (1994) 85-87; *C.A.*, 122 (1995) 141810p.

See also 1609.

26b. Boranes, silanes and related non-metallic compounds

- 1607 Badescu, V., Radu, M., Zaharescu, M. and Vasilescu, A.: Hydrolysis-condensation of tetraethoxysilane in nonparental solvents studied by GC-MS. *J. Sol-Gel Sci. Technol.*, 2 (1994) 43-49; *C.A.*, 122 (1995) 133257y.
- 1608 Wachholz, S., Keidel, F., Just, U., Geissler, H. and Käppler, K.: Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography-Fourier transform infrared spectroscopy and gas chromatography-mass spectrometry. *J. Chromatogr. A*, 693 (1995) 89-99.

26c. Coordination compounds

- 1609 Lin, Y., Smart, N.G. and Wai, C.M.: Supercritical fluid extraction and chromatography on metal chelates and organometallic compounds. *TrAC*, 14 (1995) 123-132 - a review with 56 refs.

See also 1207.

27. VITAMINS AND VARIOUS ANIMAL GROWTH FACTORS (NON-PEPTIDIC)

- 1610 Ballesteros, E., Gallego, M. and Valcárcel, M.: A gas chromatographic flow method for preconcentration and determination of vitamins D₂ and D₃ in pharmaceutical preparations. *Chromatographia*, 40 (1995) 425-431.
- 1611 Brunner, G.H. and Upnmoor, D.: Scale up of supercritical fluid chromatography (SFC). *NAto ASI Ser., Ser. E*, 273 (1994) 653-668; *C.A.*, 122 (1995) 50391m.
- 1612 Ibáñez, E., Tabera, J., Reglero, G. and Herranz, M.: Optimization of fat-soluble vitamin separation by supercritical fluid chromatography. *Chromatographia*, 40 (1995) 448-452.

- 1613 Norman, E.J. and Morrison, J.A.: Screening elderly population of cobalamin (vitamin B₁₂) deficiency using the urinary methylmalonic acid assay by gas chromatography mass spectrometry. *Am. J. Med.*, 94, No. 6 (1993) 589-594; *C.A.*, 122 (1995) 50676h.

- 1614 Riss, G., Kormann, A.W., Glinz, E., Walther, W. and Ranalder, U.B.: Separation of the eight stereoisomers of all-rac- α -tocopherol from tissues and plasma: chiral phase HPLC and capillary gas chromatography. *Methods Enzymol.*, 234 (1994) 302-310; *C.A.*, 122 (1995) 4615q.

- 1615 Scalda, S., Ruberto, G. and Bonina, F.: Determination of vitamin A, vitamin E, and their esters in tablet preparations using supercritical fluid extraction and HPLC. *J. Pharm. Sci.*, 84 (1995) 433-436; *C.A.*, 122 (1995) 197095b.

- 1616 Yamada, S., Nitsuta, T. and Tomyama, S.: (Gas chromatography for determination of vitamin D₃ derivatives.) *Jpn. Kokai Tokkyo Koho* JP 06,341,980 [94,341,980] (Cl. G01N30/88), 13 Dec. 1994, Appl. 93/58,033, 24 Feb. 1993; 4 pp.; *C.A.*, 122 (1995) 128085m.

28. ANTIBIOTICS

- 1617 Akhtar, M.H., Danis, C., Sauve, A. and Barry, C.: Gas chromatographic determination of incurred chloramphenicol residues in eggs following optical extraction. *J. Chromatogr. A*, 696 (1995) 123-130.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. General techniques

- 1618 Brooks, M.W.: Application of supercritical fluid extraction and chromatography in residue analysis. *Avail. Univ. Microfilms Int.*, Order No. DA9420603, 1994, 185 pp.; *C.A.*, 122 (1995) 154004d.

- 1619 Cheng, C.-L., Shih, S.-J., Yen, G.-C., Chou, S.-S. and Liu, C.-H.: Multiresidue determination of pesticides in fruits and vegetables by gas chromatography/mass spectrometry/selected ion monitoring. *Yaowu Shipin Fenxi*, 2 (1994) 113-122; *C.A.*, 122 (1995) 54312j.

- 1620 Eisert, R., Levsen, K. and Wünsch, G.: Analysis of polar thermally labile pesticides using different solid-phase extraction (SPE) materials with GC and HPLC techniques. *Intern. J. Environ. Anal. Chem.*, 58 (1995) 103-120.

- 1621 Hillmann, R. and Bächmann, K.: Extraction of pesticides using supercritical trifluoromethane and carbon dioxide. *J. Chromatogr. A*, 695 (1995) 149-154.

- 1622 Hirahara, Y., Narita, M., Okamoto, K., Miyoshi, T., Miyata, M., Koiguchi, S., Hasegawa, M., Kamakura, K., Yamana, T. and Tonogai, Y.: (Simple and rapid simultaneous determination of various pesticides of polished rice by gas chromatography.) *Shokuhin Eiseigaku Zasshi*, 35 (1994) 517-524; *C.A.*, 122 (1995) 8309r.

- 1623 Itano, K. and Okamoto, A.: (Multiresidue gas chromatographic method for determining pesticides in agricultural products.) *Kankyo Kagaku*, 4 (1994) 458-459; *C.A.*, 122 (1995) 158890n.

- 1624 Kawasaki, M., Fukuhara, K. and Uchiyama, S.: (Gas chromatographic-mass spectrometric (GC/MS) screening of pesticides.) *Shokuhin Eiseigaku Zasshi*, 35 (1994) 479-496; C.A., 122 (1995) 29978y.
- 1625 Li, L., Guan, Y. and Zhou, L.: (Standart Kovats indexes of 20 pesticides and their identification in temperature-programmed capillary gas chromatography.) *Fenxi Huaxue*, 23 (1995) 14-19; C.A., 122 (1995) 99228c.
- 1626 Mojasevic, M. and Helling, C.S.: Use of multiresidue gas chromatographic analysis to determine pesticide mobility on soil TLC plates. *J. Environ. Sci. Health, Part B*, 30, No. 2 (1995) 163-173; C.A., 122 (1995) 180905t.
- 1627 Newsome, W.H.: An evolution of pesticide residue methodology. *J. Assoc. Off. Anal. Chem. Int.*, 78 (1995) 4-8.
- 1628 Scaroni, I., Previati, M.P. and Bovolenta, A.: (Evaluation of a multiresidue method for the determination of pesticide residues in wine - Note 1.) *Ind. Bevande*, 23 (1994) 222-226; C.A., 122 (1995) 29964r.
- 1629 Snyder, J.L., Grob, R.L., McNally, M.E. and Oostdyk, T.S.: Super-critical fluid extraction of selected pesticides from fortified soils and determination by gas chromatography with electron capture detection. *J. Environ. Sci. Health*, A29 (1994) 1801-1816; C.A., 121 (1994) 294955u.
- 1630 Tuinstra, L.G.M.T., van de Spreng, P. and Gaikhorst, P.: Ion trap detection for development of a multi residue/multi matrix method for pesticide residues in agricultural products. *Intern. J. Environ. Anal. Chem.*, 58 (1995) 81-91.
- 1631 Wan, H.B., Wong, M.K. and Mok, C.Y.: Use of statistically designed experiments to minimize the effect of water on gas chromatographic analysis. *J. Chromatogr. Sci.*, 33 (1995) 66-70.
- 1632 Williams, C.S., Eastoe, B.V., Slaiding, I.R. and Walker, M.D.: Analysis of pesticide residues in hops and their extraction by liquid CO₂ during the production of hop extracts. *Food Addit. Contam.*, 11 (1994) 615-619; C.A., 122 (1995) 79345k.
- See also 1312, 1551.
- 29b. *Chlorinated insecticides*
- 1633 Bentabol, A. and Jodral, M.: Determination of organochlorine pesticides in cheese. *J. Assoc. Off. Anal. Chem. Int.*, 78 (1995) 94-98.
- 1634 Hainzl, D., Burhenne, J. and Parlar, H.: (Isolation of single components for toxaphene analysis.) *GIT Fachz. Lab.*, 38 (1994) 285-294; C.A., 121 (1994) 294490p.
- 1635 Hirama, Y., Nakano, M. and Nishimura, K.: (Analytical method for PCBs and organochlorine pesticides by dual-column capillary gas chromatography.) *Hokkaidoritsu Eisei Kenkyushobo*, 44 (1994) 73-76; C.A., 122 (1995) 79333e.
- 1636 Ling, Y.-C. and Huang, I.-P.: Multiresidue-matrix solid-phase dispersion method for determining 16 organochlorine pesticides and polychlorinated biphenyls in fish. *Chromatographia*, 40 (1995) 259-266.
- 1637 Liu, C.: Field detection of organochlorine pesticides, explosives, and volatile organic compounds. *Avail. Univ. Microfilms Int.*, Order No. DA9425790, 1994, 133 pp.; C.A., 122 (1995) 150594y.
- 1638 Macnaughton, S.J., Kikic, I., Rovedo, G., Foster, N.R. and Alessi, P.: Solubility of chlorinated pesticides in supercritical carbon dioxide. *J. Chem. Eng. Data*, 40 (1995) 593-597.
- 1639 Mariani, E., Bargagna, A., Longobardi, M. and Bruschi, E.: Gas chromatographic determination of chlorinated pesticides and PCBs in complex cosmetic matrixes. *Farmaco*, 49 (1994) 441-442; C.A., 122 (1995) 16814s.
- 1640 Mariani, G., Benfenati, E. and Fanelli, R.: A Nici-GC-MS method to analyze endosulfan in biological samples. *Intern. J. Environ. Anal. Chem.*, 58 (1995) 67-72.
- 1641 Natangelo, M., Romagnano, S., Guzzella, L. and Benfenati, E.: GC analysis of some organochlorine pesticides using a brominated internal standard. *Intern. J. Environ. Anal. Chem.*, 58 (1995) 55-66.
- 1642 Nowak, J.: Determination of phosalone and methoxychlor residues in soil by gas chromatography. *Chem. Anal. (Warsaw)*, 39 (1994) 681-685.
- 1643 Ong, V.S. and Hites, R.A.: Determination of pesticides and polychlorinated biphenyls in water: A low-solvent method. *Environ. Sci. Technol.*, 29 (1995) 1259-1266.
- 1644 Pfaffenberger, B., Hühnerfuss, H., Gehrcke, B., Hardt, I., König, W.A. and Rimkus, G.: Gas chromatographic separation of the enantiomers of bromocyclen in fish samples. *Chemosphere*, 29 (1994) 1385-1391.
- 1645 Polese, L., Minelli, E.V. and Ribeiro, M.L.: An online method for the determination of organochlorine pesticide residues in soybean derivative. *J. Braz. Chem. Soc.*, 5 (1994) 19-22; C.A., 122 (1995) 29966t.
- 1646 Rao, V.S.: Detection of organochlorine pesticide residues using gas-chromatography in village drinking water ponds and in biota of Guntur (Dist.) of Andhra Pradesh. *Geobios (Uodhpur)*, 21 (1994) 68-73; C.A., 121 (1994) 307730u.
- 1647 Schantz, M.M., Koster, B.J., Oakley, L.M., Schiller, S.B. and Wise, S.A.: Certification of polychlorinated biphenyl congeners and chlorinated pesticides in a whale blubber standart reference material. *Anal. Chem.*, 67 (1995) 901-910.
- 1648 Yuan, L., Chen, Q., Wang, Y. and Jing, Z.: (Method for the determination od residual PCNB and benzene hexachloride isomers in ginseng (*Panax ginseng*) by capillary column gas chromatography.) *Zhongcaoyao*, 25 (1994) 519-520; C.A., 122 (1995) 64554d.
- 1649 Yuanhong, W. and Rong, H.: (Determination of organic chloride pesticide residues in ginseng with capillary gas chromatography.) *Fenxi Huaxue*, 22 (1994) 931-934; C.A., 122 (1995) 17328y.
- 29c. *Phosphorus insecticides*
- 1650 Barra, R. and Carmi, J.: A simple method for extraction and GC-ECD analysis of chlorpyrifos from water and environmental samples. *J. High Resolut. Chromatogr.*, 18 (1995) 194-195.
- 1651 Cai, C.P., Liang, M. and Wen, R.R.: Rapid multiresidue screening method for organophosphate pesticides in vegetables. *Chromatographia*, 40 (1995) 417-420.
- 1652 Camel, V., Caude, M. and Tambute, A.: SFE of an organophosphorus compound from soils with capillary GC analysis. *J. Chromatogr. Sci.*, 33 (1995) 123-132.

- 1653 Eisert, R. and Levsen, K.: Determination od organophosphorus, triazine and 2,6-dinitroaniline pesticides in aqueous samples via solid-phase microextraction (SPME) and gas chromatography with nitrogen-phosphorus detection. *Fresenius J. Anal. Chem.*, 351 (1995) 555-562.
- 1654 Hankemeier, T., Louter, A.J.H., Rinkema, F.D. and Brinkman, U.A.T.: On-line coupling of solid-phase extraction and gas chromatography with atomic emission detection for analysis of trace pollutants in aqueous samples. *Chromatographia*, 40 (1995) 119-124.
- 1655 Saenz Barrio, C., Sanz Asensio, J., Plaza Medina, M. and Perez Clavijo, M.: Evaluation of the decay of malathion, dichlofluanid and fenitrothion pesticides in apple samples, using gas chromatography. *Food Chem.*, 52 (1995) 305-309; C.A., 122 (1995) 185788s.
- 1656 Sakai, T., Imamura, T., Sato, M., Ogawa, M., Shimura, K., Ohkuma, K., Mori, Y., Kurata, H., Ohida, T. et al.: (Rapid and simultaneous determination of organophosphorus pesticides in agricultural products by FDP-GC.) *Shokuhin Eiseigaku Zasshi*, 35 (1994) 636-644; C.A., 122 (1995) 131287j.
- 29d. Carbamates
- 1657 Ma, Y.-P., Deng, F.-Q., Chen, D.-Z. and Sun, S.-W.: Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection. *J. Chromatogr. A*, 695 (1995) 259-265.
- 29e. Herbicides
- 1658 Antonovic, D.G. and Boncic-Caricic, G.A.: (Gas chromatographic retention indexes for N-substituted amino s-triazines on DB-1 and DB-5 capillary columns.) *J. Serb. Chem. Soc.*, 59 (1994) 993-996; C.A., 122 (1995) 203979m.
- 1659 Bonwick, G.A., Abdul-Latif, P., Sun, C., Baugh, P.J., Smith, C.J., Armitage, R. and Davies, D.H.: Comparison of chemical methods and immunoassay for the detection of pesticide residues in various matrices. *Food Agric. Immunol.*, 6 (1994) 267-276; C.A., 122 (1995) 74472q.
- 1660 Brady, J.F., LeMasters, G.S., Williams, R.K., Pittman, J.H., Daubert, J.P., Cheung, M.W., Skinner, D.H., Turner, J. and Rowland, M.A.: Immunoassay analysis and gas chromatography confirmation of atrazine residues in water samples from a field study conducted in the state of Wisconsin. *J. Agric. Food Chem.*, 43, No. 1 (1995) 268-274.
- 1661 Guuessner, B., Shambaugh, N.C. and Watzin, M.C.: Comparison of an enzyme immunoassay and gas chromatography/mass spectrometry for the detection of atrazine in surface waters. *Environ. Sci. Technol.*, 29 (1995) 251-254.
- 1662 Heberer, T., Butz, S. and Stan, H.-J.: Analysis of phenoxycarboxylic acids and other acidic compounds in tap, ground, surface and sewage water at the low ng/l level. *Intern. J. Environ. Anal. Chem.*, 58 (1995) 43-53.
- 1663 Kumazawa, T., Sato, K., Seno, H., Ishii, A. and Suzuki, O.: Capillary gas chromatography with four different detectors for dinitroaniline herbicides in human body fluids. *J. Anal. Toxicol.*, 19 (1995) 95-98; C.A., 122 (1995) 180436r.
- 1664 Lanças, F.M., Barbirato, M.A. and Galhiane, M.S.: Extraction of norflurazon residues in cotton seeds with supercritical CO₂. *Chromatographia*, 40 (1995) 432-434.
- 1665 Thio, A.P. and Kornet, M.J.: Confirmation and analysis of s-chlorotriazines by derivatization with pyrrolidine. *Anal. Lett.*, 28 (1995) 677-684.
- 1666 Ting, K.-C. and Lee, C.-S.: Gas chromatographic determination of triclopyr in fruits and vegetables. *J. Chromatogr. A*, 690 (1995) 119-129.
- See also 1429, 1653.
- 29f. Fungicides
- 1667 Van Doorn, C., Vink, M. and van der Poll, J.M.: Gas chromatographic determination of chlorothalonil and its metabolite 4-hydroxy-2,5,6-trichloroisophtalonitrile (HTI) in water. *Chromatographia*, 40 (1995) 458-462.
- See also 1425.
- 29g. Other types of pesticides and various agrochemicals
- 1668 Bingkun, X., Yimin, S. and Lianying, L.: (Analysis of the chemical components of TY germicide for crops by gas chromatography.) *Fenxi Huaxue*, 22 (1994) 829-832; C.A., 122 (1995) 3432r.
- 1669 Ling, Y.-C. and Huang, L.-P.: Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection. *J. Chromatogr. A*, 695 (1995) 75-82.
- 1670 Mallinson, E.T., Dreas, J.S., Wilson, R.T. and Henry, A.C.: Determination of dexamethasone in liver and muscle by liquid chromatography and gas chromatography/mass spectrometry. *J. Agric. Food Chem.*, 43 (1995) 140-145.
- 1671 Zhou, Y.: (Determination od chlordimeform residue in honey by using GC with wide-bore capillary column.) *Fenxi Ceshi Xuebao*, 13, No. 4 (1994) 60-62; C.A., 122 (1995) 54295f.
31. PLASTICS AND THEIR INTERMEDIATES
- 1672 Albertsson, A.-C., Barenstedt, C. and Karlsson, S.: Solid-phase extraction and gas chromatographic-mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene. *J. Chromatogr. A*, 690 (1995) 207-217.
- 1673 Calvey, E. M., Begley, T.H. and Roach, J.A.G.: SFC-FTIR spectroscopy and SFC-MS of nonvolatile extractants of microwave susceptor packaging. *J. Chromatogr. Sci.*, 33 (1995) 61-65.
- 1674 Choi, Y., Lee, H., Fountain, S.T. and Lubman, D.M.: Direct chemical analysis of UV laser ablation products of organic polymers by using selective ion monitoring mode in gas chromatography/mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 5 (1994) 106-112; C.A., 122 (1995) 32730s.
- 1675 Hadj Romdhane, I.: Polymer-solvent diffusion and equilibrium parameters by inverse gas-liquid chromatography. Avail. Univ. Microfilms Int., Order No. DA9428107, 1994, 235 pp.; C.A., 122 (1995) 161994e.
- 1676 Hiramatsu, S., Akieda, T. and Inoma, S.: (Quantitative analysis of polybutene.) *Kanzei Chuo Bunsekishoho*, 33 (1994) 107-115; C.A., 122 (1995) 134374w.

- 1677 Jackson, P.L., Huglin, M.B. and Cervenka, A.: Use of inverse gas chromatography to quantify interactions in amine cured epoxy resins. *Polym. Int.*, 35 (1994) 119-133; *C.A.*, 121 (1994) 302187n.
- 1678 Judge, M.D.: Investigation of the thermal oxidation of a polybutadiene by head-space sampling-gas chromatography. *Talanta*, 41 (1994) 755-759.
- 1679 Kwong, E., Baert, L. and Bechard, S.: Gas-liquid chromatographic quantitation of polyethylene glycol 400 in pharmaceutical preparations. *J. Pharm. Biomed. Anal.*, 13 (1995) 77-81; *C.A.*, 122 (1995) 142724a.
- 1680 Lezcano, E.G., Prolongo, M.G. and Coll, C.S.: Characterization of the interactions in the poly(4-hydroxystyrene)/poly(ϵ -caprolactone) system by inverse gas chromatography. *Polymer*, 36 (1995) 565-573; *C.A.*, 122 (1995) 188829s.
- 1681 MacMahon, T. and Chace, M.: Poly(amic acid) and polyimide characterization using gas chromatography/mass spectrometry and particle beam liquid chromatography/mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 5 (1994) 299-304; *C.A.*, 122 (1995) 161983a.
- 1682 Pleshkova, A.P. and Volkovich, S.V.: (Analysis of polycarbonate compositions of unknown composition using a chromatography/mass spectrometry method.) *Khim. Prom-st. (Moscow)*, 2 (1994) 86-89.
- 1683 Pokorný, J., Zachoval, J. and Kubat, J.: (Study of migration of volatile components from plastics by the headspace method.) *Plasty Kauc.*, 31 (1994) 106-109.
- 1684 Sithole, B.B. and Allen, L.H.: Quantitative analysis of synthetic polymers in pulp and paper mill pitch deposits by pyrolysis gas chromatography. *J. Pulp Pap. Sci.*, 20 (1994) 168-172; *C.A.*, 122 (1995) 109031z.
- 1685 Sturman, H.W., Geissler, M., Weimar, A., Paul, A. and Nickel, B.: (High performance liquid chromatography (HPLC) and gas chromatography (GC) as methods in plastic material analysis.) *Kautsch. Gummi Kunstst.*, 47 (1994) 812-815; *C.A.*, 122 (1995) 107514k.
- 1686 Yang, X.: (Reinforced plastics based on unsaturated polyester resins - determination of residual styrene monomer content by gas chromatography. *Huaxue Shijie*, 34 (1993) 220-223; *C.A.*, 122 (1995) 82675y.
- See also 1211, 1219, 1360, 1765.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

- 1687 Abe, I., Nishiyama, T., Nakahara, T. and Frank, H.: Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes. *J. Chromatogr. A*, 694 (1995) 237-243.
- 1688 Feng, C., Liu, Y. and Luo, Y.: (Systematic analysis for twenty-one hypnotic and sedative drugs by two different GC columns and detectors.) *Yaowu Fenxi Zazhi*, 14, No. 5 (1994) 3-6; *C.A.*, 122 (1995) 17334x.
- 1689 Ferry, M.A.: GC/MS for volatile organics. *Environ. Test. Anal.*, 3, No. 5 (1994) 46-50; *C.A.*, 122 (1995) 204167g.
- 1690 Noggle, F.T., Clark, C.R. and DeRuiter, J.: GC-MS and LC of addition products formed from the reaction of allylbenzene and related arylpropenes with acetonitrile and sulfuric acid. *J. Chromatogr. Sci.*, 33 (1995) 255-262.
- 1691 Ohayon-Courtes, C.: Significance of gas chromatography coupled with mass spectrometry for the pharmaceutical product control laboratory. *Ann. Falsif. Expert. Chim. Toxicol.*, 87 (1994) 135-144; *C.A.*, 121 (1994) 308439t.
- 1692 Rasanen, I., Ojanperä, I. and Vuori, E.: Comparison of four homologous retention index standard series for gas chromatography of basic drugs. *J. Chromatogr. A*, 693 (1995) 69-78.
- See also 1610, 1679.
- 32b. Antirheumatics and antiinflammatory drugs**
- See 1392.
- 32c. Autonomic and cardiovascular drugs**
- 1693 Bargmann-Leyder, N., Sella, C., Bauer, D., Tambuté, A. and Caude, M.: Supercritical fluid chromatographic separation of β -blockers on Chrysosine-A: Investigation of the chiral recognition mechanism using molecular modeling. *Anal. Chem.*, 67 (1995) 952-958.
- 1694 Nishikawa, M., Ishii, A., Watanabe, K., Hiroshi, S., Kumazawa, T. and Suzuki, O.: Determination of diltiazem in body fluids by gas chromatography with surface ionization detection. *Ho-chudoku*, 12 (1994) 247-251; *C.A.*, 122 (1995) 71235d.
- 1695 Xu, Y., Shen, L., Wu, Y., Wang, S. and Zhang, C.: (Analysis of beta-blockers and their metabolites in urine by gas chromatogr. II. Analysis of carteolol, pindolol, timolol and their metabolites.) *Fenxi Ceshi Xuebao*, 13, No. 6 (1994) 85-87; *C.A.*, 122 (1995) 150732s.
- See also 1579.
- 32d. Central nervous system drugs**
- 1696 Berger, T.A. and Wilson, W.H.: Separation of basic drugs by packed-column supercritical fluid chromatography 3. Stimulants. *J. Pharm. Sci.*, 84 (1995) 489-492; *C.A.*, 122 (1995) 197135q.
- 1697 Chiarotti, M. and Marsili, R.: Gas chromatographic analysis of methadone in urine samples after solid phase microextraction. *J. Microcolumn Separ.*, 6 (1994) 577-580.
- 1698 Feng, N., Vollenweider, F.X., Minder, E.I., Rentsch, K., Grampp, T. and Vonderschmitt, D.J.: Development of a gas chromatography-mass spectrometry method for determination of ketamine in plasma and its application to human samples. *Ther. Drug Monit.*, 17 (1995) 95-100; *C.A.*, 122 (1995) 177554x.
- 1699 Hu, X., Liu, F. and Luo, Y.: (Analysis for local anesthetics in plasma.) *Yaowu Fenxi Zazhi*, 14, No. 6 (1994) 7-10; *C.A.*, 122 (1995) 95761y.
- 1700 Ishii, A., Nishikawa, M., Seno, H., Kumazawa, T., Watanabe, K. and Suzuki, O.: Determination of trihexyphenidyl in body fluids by gas chromatography with surface ionization detection. *Ho-chudoku*, 12 (1994) 241-246; *C.A.*, 122 (1995) 71236e.

- 1701 Jacob, P., III, Tisdale, E.C., Panganiban, K., Cannon, D., Zabel, K., Mendelson, J.E. and Jones, R.T.: Gas chromatographic determination of methamphetamine and its metabolite in human plasma and urine following conversion to N-propyl derivatives. *J. Chromatogr. B*, 664 (1995) 449-457.
- 1702 Jeannet, C. and Rohrbasser, C.: (Gas chromatographic/mass spectrometric analysis of β-agonists using an immunoaffinity column.) *Chimia*, 48 (1994) 413-416; C.A., 122 (1995) 71239h.
- 1703 Kingsbury, D.P., Makowski, G.S. and Stone, J.A.: Quantitative analysis of fentanyl in pharmaceutical preparations by gas chromatography-mass spectrometry. *J. Anal. Toxicol.*, 19 (1995) 27-30; C.A., 122 (1995) 89600d.
- 1704 Li, H., Zhang, Y., Yan, X., Tang, X. and Jing, Y.: (Capillary gas chromatographic analysis of central nerve system sedatives in blood.) *Yaowu Fenxi Zazhi*, 14, No. 5 (1994) 7-9; C.A., 122 (1995) 23105q.
- 1705 Loret, A.-M., Bruguerolle, B., Attolini, L. and Roucoules, X.: Rapid simultaneous determination of lidocaine, bupivacaine, and their two main metabolites using capillary gas-liquid chromatography with nitrogen phosphorus detector. *Ther. Drug Monit.*, 16 (1994) 592-595; C.A., 122 (1995) 71207w.
- 1706 Luo, Y., Feng, J.L., Liu, F. and Hu, X.Y.: (Determination of dihydroetorpine hydrochloride in biological fluids.) *Yaoxue Xuebao*, 29 (1994) 702-706; C.A., 122 (1995) 23104p.
- 1707 Meatherall, R.: GC-MS conformation of urinary benzodiazepine metabolites. *J. Anal. Toxicol.*, 18 (1994) 369-381; C.A., 122 (1995) 25448c.
- 1708 Noggle, F.T., Clark, C.R. and DeRuiter, J.: Gas chromatographic and mass spectral analysis of methamphetamine synthesized from allylbenzene. *J. Chromatogr. Sci.*, 33 (1995) 153-161.
- 1709 Sautou, V., Constant, H., Bonnefous, J.-L., Chopineau, J. and Aulagney, G.: (Analysis of opiates in urine of children by gas chromatography/mass spectrometry.) *J. Pharm. Belg.*, 49 (1994) 383-389; C.A., 122 (1995) 2918s.
- 1710 Schurig, V., Green, B.S. and Grosenick, H.: (Preparative gas phase chromatographic resolution of inhalation anesthetics.) *Ger. Offen.* DE 4,317,139 (Cl. C01B57/00), 24 Nov. 1994, Appl. 21 May 1993; 4 pp.; C.A., 122 (1995) 132557j.
- 1711 Schurig, V., Jung, M., Mayer, S., Negura, S., Fluck, M. and Jakubetz, H.: (Enantioselective separation of hexobarbital by gas chromatography (GC), supercritical fluid chromatography (SFC), liquid chromatography (LC), and cation-exchange chromatography (CEC) on capillary column packed with Chirasil-Dex.) *Angew. Chem.*, 106 (1994) 2265-2267; C.A., 122 (1995) 142721x.
- 1712 Song, D., Khaykis, V. and Kohlhof, K.: Determination of flumazenil in plasma by gas chromatography-negative chemical ionization mass spectrometry. *J. Chromatogr. B*, 663 (1995) 263-273.
- 1713 Ulrich, S., Meyer, F.P., Neuhof, S. and Knorr, W.: Megabore capillary gas-liquid chromatographic method with nitrogen-phosphorus selective detection for the assay of haloperidol and reduced haloperidol in serum: results of therapeutic drug monitoring during acute therapy of eight schizophrenics. *J. Chromatogr. B*, 663 (1995) 289-296.
- 1714 Xie, X., Yang, Z., Li, J., Cai, C. and Pang, J.: (Study on the relative bioavailability in human body of tramadol hydrochloride tablets by gas chromatography.) *Zhongguo Yaoxue Zazhi*, 29 (1994) 671-673; C.A., 122 (1995) 71293w.
- 1715 Yamaguchi, Y., Yasuki, Y., Maeda, T., Suzuki, T., Yamamoto, N. and Morita, M.: (Automated analysis of trace organic compounds in the atmosphere by thermal desorption-GC dual detector (photo ionization detector with electrolytic conductivity detector).) *Kankyo Kagaku*, 4 (1994) 510-511; C.A., 122 (1995) 195400y.
- See also 1231, 1391, 1688, 1724, 1726, 1731.
- 32e. Chemotherapeutics (exc. cytostatics and antibiotics)**
- 1716 Fraser, I.J., Clare, R.A. and Pleasance, S.: Determination of the acylcoenzyme A cholesterol acyltransferase inhibitor 447C88 in plasma using gas chromatography-mass spectrometry and liquid chromatography atmospheric pressure chemical ionization tandem mass spectrometry. *J. Chromatogr. B*, 663 (1995) 275-287.
- 1717 Tena, M.T., Lugué de Castro, M.D. and Valcárcel, M.: Improved supercritical fluid extraction of sulphonamides. *Chromatographia*, 40 (1995) 197-203.
- See also 1668.
- 32f. Cytostatics**
- 1718 Steelant, W.F.A., Bruyneel, E.A., Mareel, M.M. and van den Eeckhout, E.G.: Capillary gas chromatography of hexadecylphosphocholine in Caco-2T cells and cell culture media. *Anal. Biochem.*, 227 (1995) 246-250.
- See also 1453.
- 32g. Other drug categories**
- 1719 Huang, Q., Liang, B., Lu, H. and Su, H.: (Gas chromatographic determination of menthol and menthone in YinQiao-Jiedu granules.) *Guangdong Yiyao Xueyuan Xuebao*, 10, No. 2 (1994) 90-91; C.A., 122 (1995) 197100z.
- 1720 Wu, G. and Liu, C.: (Determination of Norcantharidi in tablets by gas chromatography (GC).) *Chin. J. Chromatogr.*, 13 (1995) 142-143.
- 1721 Yang, L.L., Yuan, Y.S., Tong, Y.L. and Guo, C.Y.: Determination of tetramethylpyrazine and borneol in human plasma by gas chromatography-mass spectrometry. *Yaoxue Xuebao*, 29 (1994) 697-701; C.A., 122 (1995) 200c.
- See also 1524, 1528.
- 32h. Toxicological and forensic applications**
- 1722 Karkkainen, M., Sippola, E., Pikkarainen, A.-L., Rautio, T. and Himberg, K.: Automated gas chromatographic amphetamine profiling. *Forensic Sci. Int.*, 69 (1994) 55-64; C.A., 122 (1995) 180423j.
- 1723 Kudo, K., Nagata, T., Kimura, K., Imamura, T. and Jitsufuchi, N.: Sensitive determination of Δ⁹-tetrahydrocannabinol in human tissues by GC-MS. *J. Anal. Toxicol.*, 19 (1995) 87-90; C.A., 122 (1995) 180435q.

- 1724 Liu, R.H., McKeehan, A.M., Edwards, C., Foster, G., Bensley, W.D., Langner, J.G. and Walia, A.S.: Improved gas chromatography/mass spectrometry analysis of barbiturates in urine using centrifuge-based solid-phase extraction, methylation, with d₅-pentobarbital as internal standard. *J. Forensic Sci.*, 39 (1994) 1504-1514; C.A., 122 (1995) 48623v.
- 1725 Maurer, H.H.: Toxicological analysis of drugs and poisons by GC/MS. *Spectrosc. Eur.*, 6, No. 6 (1994) 21-23; C.A., 122 (1995) 125464y.
- 1726 Mieczkowski, T.: A research note: The outcome of GC/MS/MS confirmation of hair assays on 93 cannabinoid (+) cases. *Forensic Sci. Int.*, 70 (1995) 83-91; C.A., 122 (1995) 153484y.
- 1727 Moeller, M.R. and Mueller, C.: The detection of 6-monoacetylmorphine in urine, serum and hair by GC/MS and RIA. *Forensic Sci. Int.*, 70 (1995) 125-133; C.A., 122 (1995) 153486a.
- 1728 Neumann, H.: Comparison of heroin by capillary gas chromatography in Germany. *Forensic Sci. Int.*, 69 (1994) 7-16; C.A., 122 (1995) 180419n.
- 1729 Ripani, L., Schiavone, S. and Garofano, L.: GC quantitative determination of illicit LSD. *J. Forensic Sci.*, 39 (1994) 512-517; C.A., 122 (1995) 48601m.
- 1730 Seto, Y.: (Headspace gas chromatography in forensic toxicology.) *Hochudoku*, 12 (1994) 175-191; C.A., 122 (1995) 74106y.
- 1731 Smith, M.L., Hughes, R.O., Levine, B., Dickerson, S., Darwin, W.D. and Cone, E.J.: Forensic drug testing for opiates. VI. Urine testing for hydromorphone, hydrocodone, oxymorphone, and oxycodone with commercial opiate immunoassays and gas chromatography-mass spectrometry. *J. Anal. Toxicol.*, 19 (1995) 18-26; C.A., 122 (1995) 74109b.
- 1732 Tanaka, K., Ohmori, T., Inoue, T. and Seta, S.: Impurity profiling analysis of illicit metamphetamine by capillary gas chromatography. *J. Forensic Sci.*, 39 (1994) 500-511; C.A., 122 (1995) 48600k.
- 1733 Watson, D.G., Su, Q., Midgley, J.M., Doyle, E. and Morton, N.S.: Analysis of unconjugated morphine, codeine, and normorphine and of morphine glucuronides in small volumes of plasma from children. *J. Pharm. Biomed. Anal.*, 13 (1995) 27-32; C.A., 122 (1995) 150728m.
- See also 1351, 1359, 1404, 1418, 1460, 1484, 1560.
- 32i. Plant extracts
- 1734 O'Rear, C.E. and Llewellyn, G.C.: A rapid analytical procedure for Δ⁹-tetrahydrocannabinol in plant material. In: Llewellyn, G.C., Dashek, W.V. and O'Rear, C.E. (Editors), *Biodeterior. Res.* 4, Plenum, New York, 1994, pp. 493-497; C.A., 122 (1995) 180417k.
- See also 1542.
34. FOOD ANALYSIS
- 34b. Complex mixtures (single compounds by cross-reference only)
- 1735 Laber, H., Schulz, J., Spanholz, W.R. and Bremser, W.: Use of a combined GC/FTIR/MS system for the analysis of spirits. *Fresenius J. Anal. Chem.*, 351 (1995) 530-535.
- See also 1349, 1356, 1380, 1389, 1424, 1429, 1440, 1461, 1480, 1487, 1488, 1493, 1504, 1505, 1512, 1518, 1519, 1520, 1561, 1584, 1589, 1617, 1619, 1623, 1628, 1655, 1657, 1666, 1669, 1790, 1791, 1793, 1807.
- 34c. Organoleptically important compounds (flavors, odors, volatiles)
- 1736 Akochi, K.-E., Alli, L., Kermasha, S. and Yaylayan, V.: Quantitation of alkylpyrazines in maple syrup, maple flavors and non-maple syrups. *Food Res. Int.*, 27, No. 5 (1994) 451-457; C.A., 122 (1995) 8298m.
- 1737 Apps, P.J. and Veary, C.M.: (High precision profiling of volatiles from raw meat.) *Arch. Lebensmittelhyg.*, 44 (1993) 92-95; C.A., 121 (1994) 299386u.
- 1738 Blank, I., Staempfli, A. and Eisenreich, W.: Analysis of food flavorings by gas chromatography-olfactometry. *Dev. Food Sci.*, 35 (1994) 271-276; C.A., 121 (1994) 299526q.
- 1739 Garcia-Jares, C., Garcia-Martin, S. and Cela-Torrijos, R.: Analysis of some highly volatile compounds of wine by means of purge and cold trapping injector capillary gas chromatography. Application to the differentiation of Rias Baixas Spanish white wines. *J. Agric. Food Chem.*, 43 (1995) 764-768.
- 1740 Harayama, K., Hayase, F. and Kato, H.: New method for analysing the volatiles in beer. *Biosci., Biotechnol., Biochem.*, 58 (1994) 2246-2247; C.A., 122 (1995) 79365s.
- 1741 Koppenhoefer, B., Behnisch, R., Epperlein, U., Holzschuh, H., Bernreuther, A., Piras, P. and Roussel, C.: Enantiomeric odor differences and gas chromatographic properties of flavors and fragrances. *Perfum. Flavor.*, 19, No. 5 (1994) 1-14; C.A., 121 (1994) 307955w.
- 1742 Milo, C. and Grosch, W.: Detection of odor defects in boiled cod and trout by gas chromatography-olfactometry of headspace samples. *J. Agric. Food. Chem.*, 43 (1995) 459-462.
- 1743 Mosandl, A.: (Gas chromatography-isotope ratio mass spectrometry (GC-IRMS) in analysis of odorous compounds.) *GIT Fachz. Lab.*, 38 (1994) 882-888; C.A., 122 (1995) 196518e.
- 1744 Schulzki, G., Spiegelberg, A., Boegl, K.W. and Schreiber, G.A.: Detection of radiation-induced hydrocarbons in camembert irradiated before and after the maturing process-comparison of florilis column chromatography and online coupled liquid chromatography-gas chromatography. *J. Agric. Food. Chem.*, 43 (1995) 372-376.
- 1745 Villen, J., Senorans, F.J., Reglero, G. and Herraiz, M.: Analysis of wine aroma by direct injection and gas chromatography without previous extraction. *J. Agric. Food Chem.*, 43 (1995) 717-722.
- 1746 Waldhams, L.J., Blight, M.M., Kerguelen, V., le Metayer, M., Marion-Poll, F., Masson, C., Pham-Delegue, M. and Woodcock, C.M.: Discrimination of oilseed rape volatiles by honey bee: novel combined gas chromatographic-electrophysiological behavioral assay. *J. Chem. Ecol.*, 20 (1994) 3221-3231; C.A., 122 (1995) 50705s.
- 1747 Wood, A.F., Aston, J.W. and Douglas, G.K.: A cold-trap method for the collection and determination of headspace compounds from cheese. *Aust. J. Dairy Technol.*, 49 (1994) 42-47; C.A., 122 (1995) 54286d.

- 1748 Wyllie, S.G., Leach, D.N., Wang, Y. and Shewfelt, R.L.: Sulfur volatiles in *Cucumis melo* cv. *makdimon* (Muskmelon) aroma. Sensory evaluation by gas chromatography-olfactometry. *ACS Symp. Ser.*, 564 (1994) 36-48; *C.A.*, 121 (1994) 299609u.

See also 1256, 1468, 1522, 1525, 1581.

35. ENVIRONMENTAL ANALYSIS

35a. General papers and reviews

- 1749 Madden, A. and Lewis, E.T.: From purge and trap to ambient air. *Environ. Test. Anal.*, 4, No. 1 (1995) 56-57 and 89; *C.A.*, 122 (1995) 195388a.

See also 1597.

35b. Air pollution (complex mixtures; single compounds by cross-reference only)

- 1750 Chai, M. and Pawliszyn, J.: Analysis of environmental air samples by solid-phase microextraction and gas chromatography/ion trap mass spectrometry. *Environ. Sci. Technol.*, 29 (1995) 693-701.

- 1751 Davoli, E., Cappellini, L., Moggi, M. and Fanelli, R.: Automated high-speed analysis of selected organic compounds in urban air by online isotopic dilution cryofocusing gas chromatography/mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 5 (1994) 1001-1007; *C.A.*, 122 (1995) 37519q.

- 1752 Milina, R., Tsatsova, D. and Pavlova, A.: (Analysis of volatile organic pollutants in air.) *Anal. Lab.*, 2 (1993) 104-108; *C.A.*, 122 (1995) 62727p.

- 1753 Scharf, J. and Sarafin, R.: Analysis of airborne substances by means of microwave thermal desorption. *J. High. Resolut. Chromatogr.*, 18 (1995) 253-258.

See also 1246, 1365, 1398, 1445, 1463, 1489, 1598, 1802, 1803, 1806.

35c. Water pollution (complex mixtures; single compounds by cross-reference only)

- 1754 Amalric, L., Guillard, C. and Pichat, P.: The GC-MS identification of some aliphatic intermediates from the TiO₂ photocatalytic degradation of dimethoxybenzenes in water. *Res. Chem. Intermed.*, 21 (1995) 33-46; *C.A.*, 122 (1995) 196432x.

- 1755 Tandom, R.K., Finlayson, P. and Adelolu, S.B.: Testing the waters. *Educ. Chem.*, 31 (1994) 159-161; *C.A.*, 122 (1995) 132189r.

- 1756 Tera, M. and Kitsuwa, T.: (Analysis of volatile organic compounds in water using purge and trap GC/MS without cryo-focus technique.) *Kogyo Yosui*, 433 (1994) 63-68; *C.A.*, 122 (1995) 196317p.

- 1757 Wan, H.B., Chi, H., Wong, M.K. and Mok, C.Y.: Solid phase microextraction using pencil lead as sorbent for analysis of organic pollutants in water. *Anal. Chim. Acta*, 298 (1994) 219-223.

- See also 1312, 1362, 1377, 1390, 1396, 1399, 1408, 1425, 1466, 1552, 1553, 1587, 1589, 1592, 1605, 1643, 1646, 1650, 1654, 1660, 1661, 1770.

35d. Soil pollution (complex mixtures; single compounds by cross-reference only)

- 1758 Camel, V., Tambuté, A. and Caude, M.: Influence of ageing on the supercritical fluid extraction of pollutants in soils. *J. Chromatogr. A*, 693 (1995) 101-111.

- 1759 Noureddin, S., Vandenbroucke, M. and Courtot, et P.: (Study of sedimentary humic matter by application of the pyrolysis-liquid chromatography-gas chromatography technique.) *Oceanol. acta*, 17 (1994) 43-53; *C.A.*, 122 (1995) 114147w.

See also 1221, 1330, 1358, 1367, 1397, 1408, 1413, 1414, 1425, 1426, 1517, 1606, 1629, 1642, 1652, 1784.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. Surfactants

- 1760 Almen, P. and Ericsson, I.: Quantification of sodium dodecyl sulfate in a two-phase system using filament-pulse-pyrolysis-gas chromatography. *Langmuir*, 11 (1995) 108-110; *C.A.*, 122 (1995) 164086w.

- 1761 Arzt, W.E. and Meyrs, M.R.: Supercritical fluid extraction and chromatography of emulsifiers. *J. Am. Oil Chem. Soc.*, 72 (1995) 219-224; *C.A.*, 122 (1995) 185672z.

- 1762 Fendinger, N., Begley, W.M., McAvoy, D.C. and Eckhoff, W.S.: Measurement of alkyl ethoxylate surfactants in natural waters. *Environ. Sci. Technol.*, 29 (1995) 856-863.

- 1763 McPherson, B.P. and Rasmussen, H.T.: Chromatography of cationic surfactants: HPLC, TLC, and GLC. *Surfactant Sci. Ser.*, 53 (1994) 289-326; *C.A.*, 122 (1995) 136787g - a review with 89 refs.

- 1764 Nace, V.M. and Knoel, J.C.: Nonionic surfactant polarity index determination by inverse gas chromatography. *J. Am. Oil Chem. Soc.*, 72 (1995) 89-95; *C.A.*, 122 (1995) 109358m.

See also 1210.

36b. Antioxidants and preservatives

- 1765 Ali, S., Bhatt, B.D. and Nigam, R.N.: Determination of additives in polyolefines using megabore capillary gas chromatography. *Polym. Sci.*, 2 (1994) 922-926; *C.A.*, 122 (1995) 11080q.

- 1766 Duffield, P., Bourne, D., Tan, K., Garruto, R.M. and Duncan, M.W.: Analysis of the neurotoxic plasticizer *n*-butylbenzene-sulfonamide by gas chromatography combined with accurate mass selected ion monitoring. *J. Anal. Toxicol.*, 18 (1994) 361-368; *C.A.*, 122 (1995) 71104k.

See also 1588.

- 36c. *Complex mixtures, technical products and unidentified compounds*
- 1767 Carbini, M., Volpin, S. and Traldi, P.: Curie-point pyrolysis gas chromatography/mass spectrometry in the identification of paint media. *Org. Mass Spectrom.*, 29 (1994) 561-565; C.A., 122 (1995) 9023e.
- 1768 Carey, J.M. and Sutton, G.P.: Polyol ester synthetic refrigeration lubricant analysis by supercritical fluid chromatography. *Anal. Chem.*, 67 (1995) 1632-1636.
- 1769 Cassista, A.R. and Sandercock, P.M.L.: Comparison and identification of automotive topcoats: microchemical spot tests, microspectrophotometry, pyrolysis-gas chromatography, and diamond anvil cell FTIR. *J. - Can. Soc. Forensic Sci.*, 27 (1994) 209-223; C.A., 122 (1995) 2903h.
- 1770 Eschke, H.-D., Traud, J. and Dibowski, H.-J.: (Studies on the occurrence of polycyclic musk odors in different environmental compartments. 1st Communication: detection and analysis by GC/MS in surface and sewage waters and fish.) *Umweltwiss. Schadst.-Forsch.*, 6 (1994) 183-189; C.A., 122 (1995) 114425k.
- 1771 Tognay, G., Marlier, M., Seck, D., Haubruege, E., Wathelet, J.P., Coulibaly, A.D., Gaspar, C. and Severin, M.: (Head space sampling and GC-MS detection of the biocide molecules from *Boszia senegalensis* leaves.) *Bull. Rech. Agron. Gembloux*, 29, No. 1 (1994) 117-124; C.A., 122 (1995) 51369x.
- 1772 Mellon, F.A., Waldron, K.W., Selvendran, R.R. and Galletti, G.C.: The potential of pyrolysis/gas chromatography/mass spectrometry for determining the progress of lignification: an investigation of maturing asparagus sclerenchyma tissue. *Org. Mass Spectrom.*, 29, No. 10 (1994) 556-560; C.A., 122 (1995) 8313n.
- 1773 Nakashima, H., Miyano, N. and Matsunaga, I.: (Analysis of tributyl phosphate in flame retardant textiles by capillary gas chromatography.) *Jpn. J. Toxicol. Environ. Health*, 40 (1994) 461-466; C.A., 122 (1995) 12008j.
- 1774 Nali, M., Calemma, V. and Montanari, L.: Pyrolysis/gas chromatography/mass spectrometry of asphaltene fractions. *Org. Mass Spectrom.*, 29 (1994) 607-614; C.A., 122 (1995) 137788v.
- 1775 Nali, M., Corana, F., Montanari, L. and Pellegrini, L.: A pyrolysis-gas chromatography/mass spectrometry study on coals. *J. Anal. Appl. Pyrolysis*, 29 (1994) 15-23; C.A., 122 (1995) 852226p.
- 1776 Neer, L.A. and Deo, M.D.: Simulated distillation of oils with a wide carbon number distribution. *J. Chromatogr. Sci.*, 33 (1995) 133-138.
- 1777 Ohtani, H., Kato, T., Tsuge, S. and Yano, T.: Determination of rosin sizing agents in paper by pyrolysis-gas chromatography combined with online methylation. *Tappi J.*, 77 (1994) 177-183; C.A., 122 (1995) 190767p.
- 1778 Ono, A. and Inokawa, T.: (Quantitative analysis of pulverization agent in inorganic powder materials.) *Jpn. Kokai Tokkyo Koho JP 06,308,110 [94,308,110] (Cl. G01/N30/88)*, 04 Nov. 1994, Appl. 93/94,333, 21 Apr. 1993, 8 pp.; C.A., 122 (1995) 95556k.
- 1779 Qi, Y., Wang, F., Liu, S. and Fan, Y.: (Rapid evaluation of antiaging properties of asphalt by inverse gas-liquid chromatography.) *Shiyou Huagong*, 24 (1995) 44-49 C.A., 122 (1995) 140762n.
- 1780 Schubert, A.J.: Determining fractions of petroleum fuels by supercritical fluid chromatography. *U.S. US 5,345,029 (Cl. 585-825; C07C7/12)*, 06 Sep. 1994, Appl. 949,198, 22 Sep. 1992; 5 pp.; C.A., 121 (1994) 304424m.
- 1781 Senthil, V. and Soundararajan, N.: Determination of molecular structures of photolysis products of substituted aromatic azides in diethylamine solvent by gas chromatography/mass spectrometry. *Rapid Commun. Mass Spectrom.*, 8 (1994) 755-758; C.A., 121 (1994) 300525x.
- 1782 Smith, D.L. and Piepmeyer, E.H.: Multivariate approach to fingerprint identification of organic compounds using an oscillating glow discharge detector for gas chromatography. *Anal. Chem.*, 67 (1995) 1084-1091.
- 1783 Smolenskaya, N.Yu. and Sapozhnikov, Yu.M.: (Gas chromatographic analysis of transformer oil for air, water, oxygen and nitrogen.) *Elektr. Stn.*, 8 (1994) 34-37; C.A., 122 (1995) 137768p.
- 1784 Tavendale, M.H., Wilkins, A.L., Langdon, A.G., Mackie, K.L., Sturridge, T.R. and McFarlane, P.N.: Analytical methodology for the determination of freely available bleached kraft mill effluent-derived organic constituents in recipient sediments. *Environ. Sci. Technol.*, 29 (1995) 1407-1414.
- 1785 Uematsu, Y., Hatooka, Y., Hirata, K., Hirokado, M. and Kazama, M.: (Determination of residual organic solvents in flavor by standard addition head-space gas chromatography.) *Shokuhin Eiseigaku Zasshi*, 35 (1994) 645-651; C.A., 122 (1995) 131288k.
- 1786 Van Leeuwen, J.A., Jonker, R.J. and Gill, R.: Octane number prediction based on gas chromatographic analysis with non-linear regression techniques. *Chemom. Intell. Lab. Syst.*, 25 (1994) 325-339.
- 1787 Ye, L., Luo, A. and Fu, R.: (The latest developments of the application of pyrolysis gas chromatography to explosives.) *Chin. J. Chromatogr.*, 13 (1995) 104-106.
- 1788 Young, R.J. and Fujinari, E.M.: Nitrogen detection for simulated distillation of refinery streams. *Int. Lab.*, 25, No. 2 (1995) 22-28.
- See also 1206, 1214, 1223, 1237, 1259, 1361, 1369, 1370, 1400, 1401, 1402, 1403, 1405, 1406, 1407, 1409, 1421, 1422, 1444, 1449, 1474, 1475, 1637, 1684, 1799.
37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES
- See 1479, 1481, 1485, 1486, 1718.
38. INORGANIC COMPOUNDS
- 38b. Anions
- 1789 Cardeal, Z.L., Gallet, J.P., Astier, A. and Pradeau, D.: Cyanide assay: statistical comparison of a new gas chromatographic calibration method versus the classical spectrophotometric method. *J. Anal. Toxicol.*, 19 (1995) 31-34; C.A., 122 (1995) 74110v.

- 1790 Dennis, M.J., Burrell, A., Mathieson, K., Willets, P. and Massey, R.C.: The determination of the flour improver potassium bromate in bread by gas chromatographic and ICP-MS methods. *Food Addit. Contam.*, 11 (1994) 633-639; C.A., 122 (1995) 79359t.
- 1791 Himata, K., Kuwahara, T., Ando, S. and Maruoka, H.: Determination of bromate in bread by capillary gas chromatography with a mass detector (GC/MS). *Food Addit. Contam.*, 11 (1994) 559-569; C.A., 122 (1995) 79343h.
- 1792 Van Kreel, B.K.: An improved bromide assay for the estimation of extracellular water volume by capillary gas chromatography. *Clin. Chim. Acta*, 231 (1994) 117-128.

38c. Permanent and rare gases

- 1793 Abe, M., Miyazaki, H., Nagai, Y., Nakajima, M. and Miyabe, M.: Determination of carbon monoxide in dark-fleshed fish by gas chromatography. *Nagoya-shi Eisei Kenkyusho*, 40 (1994) 10-15; C.A., 122 (1995) 158857g.
- 1794 Czaplicka, M. and Kubica, K.: (A single step determination of coal pyrolysis gases.) *Karbo-Energochem.-Ekol.*, 38 (1993) 254-256; C.A., 122 (1995) 137860n.
- 1795 Goyette, B., Vigneault, C. and Raghavan, G.S.V.: Effect of argon on gas chromatographic analysis for controlled atmosphere storage. *Trans. ASAE*, 37 (1994) 1221-1224; C.A., 122 (1995) 54324q.
- 1796 Hiyama, T., Sugaya, S., Yamamoto, J. and Kamimura, K.: Determination of occluded gases in mixed oxide fuel pellets using gas sampling unit and gas chromatography. *J. Nucl. Mater.*, 218 (1995) 1-7; C.A., 122 (1995) 122061d.
- 1797 Lasa, J., Drozdowicz, B. and Koros, A.: Determination of the nitrogen concentration in argon on ppm level by gas chromatography with thermal conductivity detector. *Chem. Anal. (Warsaw)*, 39 (1994) 735-739.
- 1798 Lazutkin, A.E., Sokolov, B.K. and Sorokin, F.A.: (Method for determination of carbon oxides in inert gases and air.) *U.S.S.R. SU 1,814,061* (Cl. G01N30/08), 07 May 1993, Appl. 4,938,231, 12 Apr. 1991; C.A., 122 (1995) 95547h.
- 1799 Levin, M.D., Ellis, C., Springfield, J. and Engel, R.R.: Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? *J. Chromatogr. A*, 695 (1995) 324-328.
- 1800 Van Dam, J. and Daenens, P.: Microanalysis of carbon monoxide in blood by head-space capillary gas chromatography. *J. Forensic Sci.*, 39 (1994) 473-478; C.A., 122 (1995) 48597q.
- 1801 Yoshino, N., Nii, Y. and Hirata, T.: (A separation system of nitrogen, oxygen, carbon dioxide, and argon by capillary gas chromatography and its application to in-package atmosphere.) *Nippon Shokuhin Kogyo Gakkaishi*, 41 (1994) 865-870; C.A., 122 (1995) 158846c.

See also 1215, 1352, 1353, 1803, 1811.

38d. Volatile inorganic compounds

- 1802 Arah, J.R.M., Crichton, I.J., Smith, K.A., Clayton, H. and Skiba, U.: Automated gas chromatographic analysis system for micrometeorological measurements of trace gas fluxes. *J. Geophys. Res. (Atmos.)*, 99, No. D8 (1994) 16593-16598; C.A., 121 (1994) 314755j.
- 1803 Borossay, J., Torkos, K. and Bakos, E.: Gas chromatographic CO₂/O₂ determinations in manholes of a telephone network. *Microchem. J.*, 51 (1995) 122-126; C.A., 122 (1995) 195407f.
- 1804 Brunner, U., Chasteen, T.G., Ferloni, P. and Bachofen, R.: Chromatographic determination of phosphine (PH₃) and hydrogen sulfide (H₂S) in the headspace of anaerobic bacterial enrichments using flame photometric detection. *Chromatographia*, 40 (1995) 399-403.
- 1805 Cheng, J., Yin, B., Lu, D. and Cha, H.: (Method with bacterial culture and headspace gas chromatography for detecting environmental toxicants.) *Huanjing Kexue*, 15, No. 3 (1994) 71-79; C.A., 122 (1995) 180406f.
- 1806 DeAndrade, J.B., Araujo, F.R.J. and de Aragao, N.M.: (Determination of nitric acid vapor in air.) *Quim. Nova*, 18, No. 1 (1995) 5-10; C.A., 122 (1995) 168516j.
- 1807 Munar, M., Maurice, M.-J. and Kluessendorf, A.: Quantitation of sulfur dioxide residues in malt and beer by headspace gas chromatography. *J. Am. Soc. Brew. Chem.*, 52 (1994) 168-171; C.A., 122 (1995) 54376h.
- 1808 Semiletov, I.P., Pozdnyakov, N.V. and Kosolapkin, G.Yu.: (Method of determination of the composition of gas inclusions in ice.) *U.S.S.R. SU 1,809,380* (Cl. G01N30/06), 15 Apr. 1993, Appl. 4,654,383, 23 Dec. 1988; C.A., 122 (1995) 122180s.

See also 1215, 1420, 1796.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 1809 Fujioka, J., Chiba, K. and Kayane, M.: (Product analysis in reaction involving carbon-13 isotope ratio variation.) *Jpn. Kokai Tokkyo Koho JP 06,265,524*, [94,265,524] (Cl. G01N27/62), 22 Sep. 1994, Appl. 92/75,855, 28 Feb. 1992; 7 pp.; C.A., 122 (1995) 122172r.
- 1810 Merritt, D.A. and Hayes, J.M.: Nitrogen isotopic analyses by isotope-ratio-monitoring gas chromatography/mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 5, No. 5 (1994) 387-397; C.A., 121 (1994) 314910f.
- 1811 Ricapito, I., Malara, C., Pierini, G. and Spelta, B.: Near real-time diagnostic analysis of hydrogen isotopes by gas chromatography. *Process Technol. Proc.*, 11 (1994) 465-473; C.A., 122 (1995) 22680m.

See also 1506, 1569, 1616.