



ELSEVIER

Journal of Chromatography A, 741 (1996) 147–148

JOURNAL OF
CHROMATOGRAPHY A

Erratum

Erratum to ‘Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides’ [J. Chromatogr. A, 720 (1996) 227–233]¹

Michael J. Davies, Elizabeth F. Hounsell

Glycoprotein Structure/Function Group, Department of Biochemistry and Molecular Biology, University College London, Gower Street, London, WC1E 6BT, UK

Received 21 March

The Publisher regrets that inadvertently for Fig. 3a (p. 231) and Fig. 4b (p. 232) incorrect chromatograms were published. The correct Fig. 3a and b, and Fig. 4a and b (including their legends) should read:

¹SSDI of original article: 0021-9673(95)00221-9.




Fig. 3. PGC chromatography (a) and Biogel P4 chromatography (b) with UV and fluorescence detection, respectively, of chitotriose derivatised by reductive amination with 2-aminobenzamide.




Fig. 4. PGC chromatography (a) and Biogel P4 chromatography (b) with UV and fluorescence detection, respectively, of oligosaccharides released from sialidase-treated bovine serum fetuin by PNGaseF digestion and derivatised by reductive amination with 2-aminobenzamide.