

Gas Chromatography

1. REVIEWS AND BOOKS

- 1 Grob, R.L.: *Modern Practise of Gas Chromatography, (Third Ed.)*. Wiley, New York, N.Y., 1995, 888p; C.A., 123 (1995) 159689m.
- 2 Rood, D.: *A Practical Guide to the Care, Maintenance, and Troubleshooting of Capillary Gas Chromatography Systems. (Second Ed.)*. Hüthig, Heidelberg, 1995, XX, 323 pp.

See also 33, 39, 71, 74, 75, 82, 85, 91, 154, 155, 167, 169, 176, 177, 296, 310, 314, 351, 357, 359, 361, 366, 372, 378, 458, 464, 474, 551, 597, 612, 634, 635, 637, 640, 641, 651, 653.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 3 Blumberg, L.M.: Relations between pneumatic parameters of ideal gas in a column with uniform permeability. *Chromatographia*, 41 (1995) 15-22.
- 4 Felinger, A.: Superposition of chromatographic retention patterns. *Anal. Chem.*, 67 (1995) 2078-2087.
- 5 Kowalska, T., Hobo, T., Watabe, K. and Gil-Av, E.: Gas chromatography on a self-associating component of a binary phase. Retention model by formal analogy with conductance of electrolytes in dilute solution. *Chromatographia*, 41 (1995) 221-226.
- 6 Krupcik, J., Havesi, T. and Sandra, P.: Peak capacity calculation in capillary gas liquid chromatography. *Collect. Czech. Chem. Commun.*, 60 (1995) 559-567.
- 7 Le Went, S.: Simulation of chromatographic peaks by simple functions. *Anal. Chim. Acta*, 312 (1995) 263-270.
- 8 Morton, D.W. and Young, C.L.: Analysis of peak profiles using statistical moments. *J. Chromatogr. Sci.*, 33 (1995) 514-524.
- 9 Row, K.H. and Choi, D.-K.: Asymmetry of peak shapes in linear gas-liquid chromatography. *Separ. Sci. Technol.*, 30 (1995) 3615-3628.
- 10 Rowe, K., Bowlin, DeWayne., Zou, M. and Davis, J.M.: Application of 2-D static theory of overlap to three separation types: 2-D thin-layer chromatography, 2-D gas chromatography, and liquid chromatography/capillary electrophoresis. *Anal. Chem.*, 67 (1995) 2994-3003.

See also 134.

2b. Thermodynamics and theoretical relationships

- 11 Castells, R.C., Romero, L.M. and Nardillo, A.M.: Thermodynamic consideration of the retention mechanism in a poly(perfluoroalkyl ether) gas chromatographic stationary phase used in packed columns. *J. Chromatogr. A*, 715 (1995) 299-308.

- 12 Cavalli, E.J. and Guinchard, C.: Empirical approach to the dependence of plate height on temperature and gas velocity in gas chromatography. *J. Chromatogr. Sci.*, 33 (1995) 573-577.
- 13 Li, J.: A simplified exponentially modified Gaussian function for modeling chromatographic peaks. *J. Chromatogr. Sci.*, 33 (1995) 568-572.
- 14 Shi, J., Su, L., Zheng, Y., Shen, S. and Zhang, W.: (Gas chromatography retention value equation based on the scaled particle theory). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 334-336.
- 15 Wolf, C., Koenig, W.A. and Roussel, C.: Influence of substituents on the rotational energy barrier of atropisomeric biphenyls - studies by polarimetry and dynamic gas chromatography. *Liebigs Ann.*, No. 5 (1995) 781-786; C.A., 123 (1995) 111320g.

See also 103, 533, 540.

2c. Relationship between structure and chromatographic behaviour

- 16 Dimov, N. and Osman, A.: Significance of physicochemical, topological, electronic and quantum-chemical indexes in quantitative structure gas chromatographic retention relationships. *Acta Chromatogr.*, 3 (1994) 7-22; C.A., 123 (1995) 131633q.
- 17 Guan, Y., Li, L. and Zhou, L.: (Live retention database for compounds identification in capillary gas chromatography). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 351-357.
- 18 Körtvélyesi, T., Görgényi, M. and Seres, L.: Correlation of retention indices with van der Waals' volumes and surface areas: alkanes and azo compounds. *Chromatographia*, 41 (1995) 282-286.
- 19 Wang, FuAn., Song, JianChi., Wang, WenChang and Jiang, DengGao.: Parameter of intersection point equation between retention and normal boiling point for homologs in supercritical fluid chromatography. *Microchem. J.*, 52 (1995) 205-207.

See also 21, 130, 164, 177, 204.

2d. Measurement of physico-chemical and related values

- 20 Aoki, N., Koganei, K., Chang, H.-S., Furuhashi, K.-i. and Sakamoto, M.: Gas chromatographic-mass spectrometric study of reactions of halodeoxycellulose with thiols in aqueous solutions. *Carbohydr. Polym.*, 27 (1995) 13-21; C.A., 123 (1995) 115808v.
- 21 Bardina, I.A., Kovaleva, N.V. and Nikitin, Yu.S.: (Gas chromatographic study of the adsorption of various organic substances on Porolas porous polymers). *Zh. Fiz. Khim.*, 69 (1995) 705-711; C.A., 123 (1995) 153562t.
- 22 Bogillo, V.I., Semenyuk, A.S. and Utlenko, Y.V.: (Study of the adsorption properties of surfaces of clear rubber extenders by gas chromatography). *Ukr. Khim. Zh.*, 60 (1994) 398-403; C.A., 123 (1995) 123998x.
- 23 Chaintreau, A., Grade, A. and Muñoz-Box, R.: Determination of partition coefficients and quantitation of headspace volatile compounds. *Anal. Chem.*, 67 (1995) 3300-3304.

- 24 Davidov, V.Y., Roshchina, T.M., Filatova, G.N. and Khrustaleva, N.M.: (Gas chromatography studies of silica with a deposited carbon layer). *Vestn. Mosk. Univ., Ser. 2: Khim.*, 35, No. 5 (1994) 411-417; *C.A.*, 123 (1995) 18561b.
- 25 Dossi, C., Fusi, A., Recchia, S., Calmotti, S. and Pesaro, R.: Analytical chemist's approach to heterogeneous catalysis. Gas chromatographic-mass spectrometric characterization of polycyclic aromatic hydrocarbons as a fingerprint of active sites in hydrocarbon-reforming catalysts. *Analyst (Cambridge)*, 120 (1995) 2353-2356.
- 26 Fung, S.C., Querini, C.A., Liu, K., Rumschitzki, D.S. and Ho, T.C.: In situ coking kinetics obtained from a new flow through microbalance and reaction kinetics monitored by GC. *Stud. Surf. Sci. Catal.*, 88 (1994) 305-312; *C.A.*, 123 (1995) 87735y.
- 27 Gonenc, Z.S., Akman, U. and Sunol, A.K.: Solubility and partial molar volumes of naphthalene, phenanthrene, benzoic acid, and 2-methoxynaphthalene in supercritical carbon dioxide. *J. Chem. Eng. Data*, 40 (1995) 799-804; *C.A.*, 123 (1995) 18748t.
- 28 Katsanos, N.A. and Roubani-Kalantzopoulou, F.: Denuder tubes used with gas chromatographic instrumentation to measure rate coefficients and equilibrium constants. *J. Chromatogr. A*, 710 (1995) 191-228.
- 29 King, J.W.: Determination of the solubility parameter of soybean oil by inverse gas chromatography. *Food Sci. Technol.*, 28 (1995) 190-195; *C.A.*, 123 (1995) 8277z.
- 30 Kirichenko, V.E., Promyshlennikova, E.P. and Pashkevich, K.I.: (Sorption characteristics of perfluorocarboxamides). *Izv. Akad. Nauk, Ser. Khim.*, No. 5 (1994) 868-871; *C.A.*, 123 (1995) 18558f.
- 31 Lee, J.-D., Lee, T.-J. and Park, S.-J.: (Vapor-liquid equilibria for the systems of MTBE-methanol, MTBE-*n*-heptane, *n*-heptane-methanol by using head space gas chromatography). *Kongop Hwahak*, 5 (1994) 706-713.
- 32 Lindqvist, A., Oedberg, L. and Berg, J.C.: Surface characterization of non-chlorine-bleached pulp fibers and calcium carbonate coatings using inverse gas chromatography. *Tappi J.*, 78, No. 5 (1995) 39-42; *C.A.*, 123 (1995) 231682y.
- 33 Mukhopadhyay, P. and Schreiber, H.P.: Aspects of acid-base interactions and use of inverse gas chromatography. *Colloids Surf., A*, 100 (1995) 47-71; *C.A.*, 123 (1995) 113252k - a review with 185 refs.
- 34 Rybolt, T.R., Epperson, M.T., Weaver, H.W., Thomas, H.E., Clare, S.E., Manning, B.M. and McClung, J.F.: Henry's law gas-solid chromatography and correlations of virial coefficients for hydrocarbons, chlorofluorocarbons, ethers, and sulfur hexafluoride adsorbed onto carbon. *J. Colloid Interface Sci.*, 173 (1995) 202-210; *C.A.*, 123 (1995) 267027c.
- 35 Saada, A., Papirer, E., Balard, H. and Siffert, B.: Determination of the surface properties of illites kaolinites by inverse gas chromatography. *J. Colloid Interface Sci.*, 175 (1995) 212-218.
- 36 Shcherbina, T.M., Laretina, A.P., Gilyarov, V.A. and Kabachnik, M.I.: GC-MS study of imide-amide rearrangement mechanism. *Izv. Akad. Nauk, Ser. Khim.*, No. 4 (1995) 690-692; *C.A.*, 123 (1995) 56076e.
- 37 Stach, H., Sigrüst, K., Radeke, K.H. and Riedel, V.: (Adsorption of halogenated hydrocarbons. Part 3. Gas chromatographic determination of the initial heat of adsorption Q_0 on activated carbon). *Chem. Tech. (Leipzig)*, 47 (1995) 55-61; *C.A.*, 123 (1995) 124030n.
- 38 Uriarte, C., Alfigeme, J., Etxeberria, A. and Iruin, J.J.: Gas chromatographic measurements of solute diffusion in blends of phenoxy and poly(1,4-butylene adipate). *Eur. Polym. J.*, 31 (1995) 609-614; *C.A.*, 123 (1995) 84627d.
- 39 Valko, K.: Application of gas chromatography for the determination of molecular hydrophobicity. *Bulg. Chem. Commun.*, 26 (1993) 207-273; *C.A.*, 123 (1995) 187341k - a review with 31 refs.
- 40 Von Kreudener, S., Schempp, H. and Elstner, E.F.: Gas chromatographic differentiation between myeloperoxidase activity and fenton-type oxidants. *Free Radical Biol. Med.*, 19 (1995) 141-146; *C.A.*, 123 (1995) 51396z.
- 41 Zhang, M.: (Determination of activity coefficients of binary liquids by headspace-capillary gas chromatography with thermal desorption modulation). *Fenxi Huaxue*, 23 (1995) 972-977.

See also 140, 158, 182, 188, 195, 269, 281, 418, 532, 539, 541, 546, 548, 549, 650, 657, 663.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 42 Bobrov, N.N. and Poleshchuk, L.S.: (Method of gas chromatography assay.) *Russ. RU 2,011,989 (Cl. G01N30/48)*, 30 Apr. 1994, SU Appl. 4,928,173, 16 Apr. 1991; *C.A.*, 123 (1995) 73895p.
- 43 Bondarenko, M.A., Lomakina, I.A., Sergievskij, V.V. and Khmel'nitskij, R.A.: (Method of chromatographic fraction of vapor phase mixture.) *Russ. RU 2,008,667 (Cl. G01N30/00)*, 28 Feb. 1994, SU Appl. 4,952,695, 15 Jul. 1991; *C.A.*, 123 (1995) 73883h.
- 44 Bruns, M.W.: A portable environmental sample concentrator and micro-GC system for high-speed field analysis of VOCs in air. *Am. Environ. Lab.*, 7, No. 3 (1995) 29-34; *C.A.*, 123 (1995) 236226n.
- 45 Capuano, I.A., Lefebvre, W.T. and Creasy, K.E.: Gas chromatograph with photoionization detector as analyzer for monitoring volatile contaminants in wastewaters. *PCT Int. Appl. WO 95 20,165 (Cl. G01N35/08)*, 27 Jul. 1995, US Appl. 185,539, 24 Jan. 1994; 27 pp.; *C.A.*, 123 (1995) 237438v.
- 46 Cheh, C.H., Chew, V.S., Weng, C., Yao, Q. and Holzhueter, I.B.: Advanced gas chromatographic system testing. *Fusion Technol.*, 28 (1995) 561-565.
- 47 Dong, P., Wu, H. and Zhao, R.: (Micro-pulse cracking gas chromatography (MPCGC) for evaluating industrial ethylene.) *Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1,086,015 (Cl. G01N30/00)*, 27 Apr. 1994, Appl. 93/118,732, 22 Oct. 1993; 9 pp.; *C.A.*, 123 (1995) 24996p.
- 48 Gerstel, E. and Bremer, R.: (Thermodesorption apparatus for a gas chromatograph). *Ger. DE 4,419,596 (Cl. G01N30/16)*, 1 Jun. 1995, Appl. 4,419,596, 3 Jun. 1994; 5 pp.; *C.A.*, 123 (1995) 131730u.
- 49 Görecki, T. and Pawliszin, J.: Sample introduction approaches for solid phase microextraction/rapid GC. *Anal. Chem.*, 67 (1995) 3265-3274.
- 50 Hinshaw, J.V.: Computer-controlled pneumatics. *IG-GC Int.*, 8 (1995) 631-635 - a review with 18 refs.

- 51 Hudak, G.J., Demond, P.S. and Russel, L.: Performance of a gas chromatograph-atomic emission detector system in a mobile analytical laboratory. *J. Hazard. Mater.*, 43 (1995) 155-167; C.A., 123 (1995) 151303k.
- 52 Kimijima, T.: (Gas chromatography with screwless column connector.) *Jpn. Kokai Tokkyo Koho JP 07 72,134 [95 72,134]* (Cl. G01N30/60), 17 Mar. 1995, Appl. 93/252,078, 1 Sep. 1993; 3 pp.; C.A., 123 (1995) 73870b.
- 53 Klemp, M. and Allen, P.A.J.: Apparatus for gas chromatography. *Eur. Pat. Appl. EP 661,537* (Cl. G01N30/12), 5 Jul. 1995, US Appl. 174,129, 28 Dec. 1993; 15 pp.; C.A., 123 (1995) 101751j.
- 54 Knobloch, T. and Engewald, W.: Sampling and gas chromatographic analysis of volatile organic compounds in hot and extremely humid emissions. *J. High Resolut. Chromatogr.*, 18 (1995) 635-642.
- 55 Li, K., Fingas, M.F., Belanger, J.M.R. and Pare, J.R.J.: The vehicle-portable analytical system of the Emergencies Science Division of Environment Canada. *J. Hazard. Mater.*, 43 (1995) 141-154; C.A., 123 (1995) 151917p.
- 56 Markelov, M.: Headspace autosampler apparatus. *U.S. US 5,441,700* (Cl. 422-83; G01N35/00), 15 Aug. 1995, Appl. 72,822, 7 Jun. 1993; 14 pp.; C.A., 123 (1995) 187313c.
- 57 Mol, H.G.J., Janssen, H.-G., Cramers, C.A. and Brinkman, U.A.T.: On-line sample enrichment-capillary gas chromatography of aqueous samples using geometrically deformed open-tubular extraction columns. *J. Microcolumn Separ.*, 7 (1995) 247-257.
- 58 Morisawa, Y., Shibata, Y., Kono, S. and Ishimoto, S.: (Back flushing of concentration tube in gas chromatography.) *Jpn. Kokai Tokkyo Koho JP 07 83,893 [95 83,893]* (Cl. G01N30/08), 31 Mar. 1995, Appl. 93/250,011, 11 Sep. 1993; 4 pp.; C.A., 123 (1995) 159818c.
- 59 Murakami, A.A. and Goldstein, H.: High-resolution beer volatile analysis method. *U.S. US 5,402,668* (Cl. 73-19.02; G01N33/00), 4 Apr. 1995, US Appl. 980,827,24, 24 Nov. 1992; 12 pp.; C.A., 123 (1995) 8354x.
- 60 Panda, S., Bu, Q., Yun, K.S. and Parcher, J.F.: Repetitive liquid injection system for inverse gas chromatography. *J. Chromatogr. A*, 715 (1995) 279-285.
- 61 Pleil, J.D. and Stroupe, M.L.: Sample injection apparatus and method. *U.S. US 5,447,556* (Cl. 95-87; B01D15/08), 5 Sep. 1995, Appl. 206,467, 4 Mar. 1994; 18 pp.; C.A., 123 (1995) 245784v.
- 62 Ripper, W. and Klieber, H.: (Evaporating apparatus for sample extracts in trace analysis by TLC, GC, HPLC, GC/MS, UV and other methods.) *Ger. Offen. DE 4,335,888* (Cl. G01N1/28), 27 Apr. 1995, Appl. 4,335,888, 21 Oct. 1993; 3 pp.; C.A., 123 (1995) 73720c.
- 63 Sacks, R.D., Peters, A.J., Klemp, M.A. and Holmes, E.J.: Gas chromatography systems. *Eur. Pat. Appl. EP 654,667* (Cl. G01N30/46), 24 May 1995, US Appl. 147,746, 5 Nov. 1993; 12 pp.; C.A., 123 (1995) 24992j.
- 64 Sye, W.-F. and Shu, C.-C.: Programmed-temperature vaporizing (PTV) liners to introduce chlorinated and sulfur compounds into a capillary gas chromatography. *J. Chin. Chem. Soc. (Taipei)*, 42 (1995) 761-767.
- 65 Tang, Y.Z., Fellin, P. and Otson, R.: Evaluation of a transportable gas chromatograph for monitoring of indoor airborne volatile organic compounds with a gas sampling valve or a concentrator. *Indoor Environ.*, 4 (1995) 27-36.
- 66 Tong, D., Bartle, K.D., Clifford, A.A. and Robinson, R.E.: United chromatograph for gas chromatography, supercritical fluid chromatography, and micro-liquid chromatography. *Analyst (Cambridge)*, 120 (1995) 2461-2467.
- 67 Townshend, A., Green, J.D. and Dunn, W.B.: The potential of on-line headspace analysis of liquid streams using direct mass spectrometric detection. *Anal. Proc.*, 32 (1995) 361-363.
- 68 Toyora, Y. and Kinoshita, K.: (High sensitive device for determination of ultratrace components in gases by gas chromatography.) *Jpn. Kokai Tokkyo Koho JP 07 55,780 [95 55,780]* (Cl. G01N30/08), 3 Mar. 1995, Appl. 93/214,914, 6 Aug. 1993; 9 pp.; C.A., 123 (1995) 24660z.

See also 133, 143, 159, 163, 168, 170, 222, 273, 543.

3b. Detectors and detection reagents

- 69 Amirav, A. and Jing, H.: Pulsed flame photometer detector for gas chromatography. *Anal. Chem.*, 67 (1995) 3305-3318.
- 70 Carron, K.T. and Kennedy, B.J.: Molecular-specific chromatographic detector using modified SERS substrates. *Anal. Chem.*, 67 (1995) 3353-3356.
- 71 De Wit, A. and Beens, J.: Microwave plasma detectors. *J. Chromatogr. Libr.*, 56 (1995) 159-200; C.A., 123 (1995) 131231g - a review with 33 refs.
- 72 Forsberg, K.E.: Partial premixing in flame-ionization detection for determination of contaminants in an air sample. *U.S. US 5,432,095* (Cl. 436-154; G01N30/68), 11 Jul. 1995, Appl. 126,060, 23 Sep. 1993; 8 pp.; C.A., 123 (1995) 207651s.
- 73 Franzke, J., v. Irmer, A., Veza, D. and Niemax, K.: Plasma wave detection in laser spectroscopy and gas chromatography. *AIP Conf. Proc.*, 329 (1995) 277-280; C.A., 123 (1995) 217355n.
- 74 Gallagher, M.M. and Hill, H.H., Jr.: Metal selectivity by ion mobility discrimination in a flame ionization detector. *Chem. Anal. (N.Y.)*, 131 (1995) 127-142; C.A., 123 (1995) 217322z - a review with 9 refs.
- 75 Goekeler, U.K.: The oxygen-sensitive detector O-FID. *Chem. Anal. (N.Y.)*, 131 (1995) 99-126; C.A., 123 (1995) 60741k - a review with 57 refs.
- 76 Hirai, K.: (Hydrogen ion flame ionization detector). *Jpn. Kokai Tokkyo Koho JP 07,103,957 [95,103,957]* (Cl. G01N30/68), 21 Apr. 1995, Appl. 93/268,234, 30 Sep. 1993; 4 pp.; C.A., 123 (1995) 245614q.
- 77 Holland, P.T.: Capillary GC with selective detectors (ECD, NPD, FPD). *Chem. Plant Prot.*, 11 (1995) 67-112; C.A., 123 (1995) 208238z.
- 78 Hong, Q., Pan, X. and Li, C.: (Optimization of the operating conditions of DFDP in gas chromatograph by using simplex method). *Fudan Xuebao, Ziran Kexueban*, 34 (1995) 229-234.
- 79 Kawazoe, S.: (Ionization detector for gas chromatography.) *Jpn. Kokai Tokkyo Koho JP 07,128,292 [95,128,292]* (Cl. G01N27/64), 19 May 1995, Appl. 93/271,569, 29 Oct. 1993; 4 pp.; C.A., 123 (1995) 131566v.
- 80 Mitov, I.P. and Petrov, L.A.: Assessment of some possibilities for improving the performance of gas chromatographic thermal conductivity detectors with hot-wire sensitive elements. *J. Chromatogr. A*, 715 (1995) 287-297.
- 81 Noble, D.: Applications for EDCs continue to appear as needs for routine GC detection change. *Anal. Chem.*, 67 (1995) 439A-442A.

- 82 Scott, B.F. and Wylie, P.L.: Capillary GC with atomic emission detection (AED). *Chem. Plant Prot.*, 12 (1995) 33-37; C.A., 123 (1995) 135731t 3b.
- 83 Tian, X., Yang, W., Liu, M., Yu, A. and Jin, Q.: (Studies on direct current plasma ionization detector - measurements of flammable gases in coal gas). *Fenxi Kexue Xuebao*, 11, No. 2 (1995) 32-34; C.A., 123 (1995) 261494f.
- 84 Tian, X., Yang, W., Yu, A. and Jin, Q.: Studies on a helium ionization detector for gas chromatography. *Microchem. J.*, 52 (1995) 139-145.
- 85 Uden, P.C.: Element-selective gas chromatographic detection by atomic plasma emission spectroscopy. *Chem. Anal. (N.Y.)*, 131 (1995) 143-169; C.A., 123 (1995) 159733w - a review with 69 refs.
- 86 Wentworth, W.E. and Stearns, S.D.: Improved pulsed discharge helium ionization detection systems. *PCT Int. Appl. WO 95 18,966* (Cl. G01N30/64), 13 Jul. 1995, US Appl. 176,968, 3 Jan. 1994; 42 pp.; C.A., 123 (1995) 187333j.
- 87 Zybin, A., Schnuerer-Patschan, C. and Niemax, K.: Wavelength modulation diode laser atomic absorption spectrometry in modulated low-pressure helium plasmas for element-selective detection in gas chromatography. *J. Anal. At. Spectrom.*, 10 (1995) 563-567.
- See also 51, 269, 285, 480, 651, 653, 708.
- 3c. *Sorbents and columns, packing procedures*
- 88 Baykut, S. and Ornektekin, S.: (A new method for the use of glass beads as supporting material in GLC. II. Separation of fatty acid methyl esters on this new supporting material). *Rev. Roum. Chim.*, 40 (1995) 45-51; C.A., 123 (1995) 245733c.
- 89 Berezkin, V.G., Khvoshchev, S.S., Voloshina, N.V., Sorokina, E.Y. and Feoktistova, N.N.: Silicalite as a gas-chromatographic adsorbent. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 470-473.
- 90 Berezkin, V.G., Tuzhilina, Z.R., Gerasimov, Y.A., Kalachev, A.A. and Sorokina, E.Y.: Modification of Polysorb-1 in microwave low-temperature plasma of the vapor of polar unsaturated organic compounds. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 474-477.
- 91 Bicchi, C., Manzin, V., D'Amato, A. and Rubiolo, P.: Cyclodextrin derivatives in GC separation of enantiomers of essential oil, aroma and flavor compounds. *Flavour Fragrance J.*, 10 (1995) 127-137; C.A., 123 (1995) 179065h - a review with 90 refs.
- 92 Bruner, F., Rezai, M.A. and Lattanzi, L.: New GC quartz-lined aluminum capillary columns coated with graphitized carbon black modified by liquid phases. *Chromatographia*, 41 (1995) 403-406.
- 93 Cai, L.-S., Wu, C.Y., Han, H.-M., Huang, Z.F. and Zeng, F.: Open crown ether polysiloxane stationary phases for capillary gas chromatography. *J. Microcolumn Sep.*, 7 (1995) 137-144.
- 94 Dai, R., Fu, R., Feng, Z. and Zhou, W.: Pyrolysis-gas chromatography investigation of peralkylated β -cyclodextrins used as a capillary GC stationary phase. *J. Anal. Appl. Pyrolysis*, 34 (1995) 181-189; C.A., 123 (1995) 274781x.
- 95 Dai, R., Fu, R., Feng, Z. and Zhou, W.: Synthesis and characterization of peralkylated β -cyclodextrins used as gas chromatographic stationary phases. *J. Beijing Inst. Technol.*, 3, No. 2 (1994) 144-154; C.A., 123 (1995) 245684n.
- 96 Dai, R., Zhou, W. and Fu, R.: (Three peralkylated β -cyclodextrins as gas chromatographic stationary phase). *Fenxi Huaxue*, 23 (1995) 374-377; C.A., 123 (1995) 245726c.
- 97 Furuno, M. and Yamazi, T.: (Enantioselective capillary columns and selectivity tuning by two dimensional gas chromatography). *Kuromatogurafi*, 16 (1995) 110-113.
- 98 Khuhawar, M.Y., Memon, A.A. and Bhangar, M.I.: Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography. *J. Chromatogr. A*, 715 (1995) 366-371.
- 99 Kou, D., Yun, X., Wu, W. and Chen, D.: (Characteristics of barium sulfate microcrystal modified capillary columns). *Fenxi Huaxue*, 23 (1995) 561-564; C.A., 123 (1995) 159775m.
- 100 Lu, Z. and Zhao, G.: (Potential of 530m wide-bore capillary columns in gas chromatographic analysis). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 346-350.
- 101 Malik, A., Yun, H., Yi, G., Bradshaw, J.S., Rossiter, B.E., Markides, K.E. and Lee, M.L.: Structural characteristics of pendant and copolymeric cyclodextrin polysiloxane stationary phases and their influence on chiral selectivity and resolution in capillary gas chromatography. *J. Microcolumn Sep.*, 7 (1995) 91-105.
- 102 Mayer, B.X. and Lorbeer, E.: A fused silica capillary column coated with a medium polar stationary phase for HTGC. *J. High Resolut. Chromatogr.*, 8 (1995) 504-506.
- 103 Mouloud, K. and Chelghoum, C.: Study of the solute polymeric stationary phases mixed interaction by gas chromatography: Methyl phenyl silicone cases. *Pr. Nauk. Politech. Szczecin.*, 514 (1994) 137-142; C.A., 123 (1995) 131628s.
- 104 Mukhina, V.P., Levnin, Ya.A., Berezkin, V.G. and Mukhamadeeva, R.M.: New approach to the synthesis of immobilized stationary phases for capillary gas chromatography. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 880-882.
- 105 Nayak, V.S.: Application of heteropoly compounds in the gas chromatographic separation of lower hydrocarbons. *J. Chromatogr. Sci.*, 33 (1995) 578-582.
- 106 Olesik, S.V., Callstrom, M.R. and Engel, T.M.: Glassy carbon in separation processes. *U.S. US 5,431,821* (Cl. 210-635; B01D15/08), 11 Jul. 1995, US Appl. 832,792, 7 Feb. 1992; 19 pp.; C.A., 123 (1995) 203685h.
- 107 Shen, Y., Reese, S.L., Rossiter, B.E. and Lee, M.L.: Silver-complexed dicyanobiphenyl-substituted polymethylsiloxane encapsulated particles for packed capillary column supercritical fluid chromatography. *J. Microcolumn Separ.*, 7 (1995) 279-287.
- 108 Smolenskaya, N.Yu. and Sapozhnikov, Yu.M.: (Regeneration of chromatographic columns and precolumns for analysis of transformer oil). *Elektr. Stn.*, No. 2 (1995) 47-48; C.A., 123 (1995) 232939z.
- 109 Sojak, L., Ostrovsky, I., Kubinec, R., Kuran, P. and Berezkin, V.G.: Ageing of GC capillary columns with polar stationary liquid phase and retention index of hydrocarbons. *Chem. Papers*, 49 (1995) 80-84.
- 110 Starshinin, A.Yu., Ivanova, N.V. and Zibarev, P.V.: (Characterization of radiation-modified polymeric sorbents as materials for chromatography). *Zh. Anal. Khim.*, 50 (1995) 478-483.
- 111 Su, Z. and Zhong, F.: (Structure and gas chromatographic performance of thorium bis(monodecyl phosphate)). *Fenxi Huaxue*, 23 (1995) 741-744; C.A., 123 (1995) 274780w.

- 112 Surzhikova, G.V., Pakhomova, V.I. and Vigdergauz, M.S.: (Sorbents with grafted liquid crystal stationary phases). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 37, No. 7-9 (1994) 97-100; *C.A.*, 123 (1995) 159747d.
- 113 Sybilska, D., Asztemborska, M., Zook, D.R. and Goronowicz, J.: Glycerol as a new dissolution medium for α -, β - and γ -cyclodextrins for preparing stereoselective stationary phases for gas-liquid chromatography. *J. Chromatogr. A*, 715 (1995) 309-315.
- 114 Takeichi, T., Yada, H., Takayama, Y. and Morikawa, M.: Study on the thermal stability of a chiral stationary phase coated on capillaries for GC. *J. High Resolut. Chromatogr.*, 18 (1995) 630-634.
- 115 Tong, D., Bartle, K.D., Clifford, A.A. and Edge, A.M.: Theoretical studies of the preparation of packed capillary columns for chromatography. *J. Microcolumn Separ.*, 7 (1995) 265-278.
- 116 Wu, C., Yan, H., Shentu, X. and Wu, G.: (Synthesis and chromatographic characteristics of chiral stationary phases containing crown ether group). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 337-341.
- 117 Yang, Y. and Liu, H.: (Role of the liquid phase in polymeric gas-liquid-solid chromatographic column and its influence on performance). *Fenxi Huaxue*, 23 (1995) 621-625; *C.A.*, 123 (1995) 217376v.
- 118 Yun, H., Lee, M.L. and Markides, K.E.: Charcoal porous layer open tubular column gas chromatography for permanent gas analysis. *J. Microcolumn Separ.*, 7 (1995) 207-212.
- 119 Yun, H., Markides, K.E. and Lee, M.L.: Preparation of silica porous-layer open tubular columns using fused silica capillaries. *J. Microcolumn Sep.*, 7 (1995) 153-158.
- 120 Zhang, X., Wang, W. and Deng, J.: (Optimization of multi-column system selectivity). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 329-333.
- 121 Zhong, Z.-L., Tang, C.-P., Wu, C.-Y. and Chen, Y.-Y.: Synthesis and properties of calixcrown telomers. *J. Chem. Soc., Chem. Commun.*, (1995) 1737-1738; *C.A.*, 123 (1995) 199460m.
- 122 Zhou, X., Zhang, L., Wu, C., Lu, X. and Chen, Y.: (Preparation of chiral amide-type polysiloxane stationary phases and its gas chromatographic property). *Fenxi Huaxue*, 23 (1995) 1003-1008.
- 123 Zhou, X.C., Lu, X.R., Wu, C.Y. and Chen, Y.Y.: (Two novel easily prepared chiral polysiloxane stationary phases for GC resolution of enantiomers). *Chin. Chem. Lett.*, 6, No. 1 (1995) 53-54; *C.A.*, 123 (1995) 73828u.
- 124 Zhou, Z., Zeng, Y., Xie, M. and Cao, Y.: (Studies on chromatographic characteristics of benzo-15-crown-5 as stationary liquid for gas chromatography). *Sichuan Daxue Xuebao, Ziran Kexueban*, 32 (1995) 74-77; *C.A.*, 123 (1995) 217399e.
- 125 Zibarev, P.V., Starshinin, A.Y. and Nedavnii, O.I.: (Use of hydroxyl-containing graft polymer sorbents for monitoring the purity of substances and air quality in manufacturing zones). *Defektoskopiya*, No. 6 (1994) 87-95; *C.A.*, 123 (1995) 131699r.
- See also 5, 11, 131, 180, 221, 410, 512.
- 3d. *Quantitative analysis*
- 126 Khatskevich, E.A. and Konorel'ko, L.A.: (Metrological aspects in the analysis of the natural gases by a chromatographic method). *Izmer. Tekh.*, No. 4 (1995) 62-65; *C.A.*, 123 (1995) 232897j.
- 127 Neves, N.P., Jr., Gasparoto, C.A. and Collins, C.H.: A static dilution system to produce trace level gas standards for chromatography. *J. Chromatogr. Sci.*, 33 (1995) 591-593.
- 128 Witter, B., Francke, W. and Knauth, H.-D.: Investigations on the supercritical fluid extraction of spiked organic pollutants from wet soils. *Fresenius J. Anal. Chem.*, 353 (1995) 107-109.
- See also 223, 701.
- 3e. *Preparative scale chromatography*
- 129 Lasser, R., Jones, G., Hemmerich, J.L., Stagg, R. and Yorkshades, J.: The preparative gas chromatographic system for the jet active gas handling system - inactive commissioning. *Fusion Technol.*, 28 (1995) 681-686.
- See also 172, 713.
- 3f. *Programmed temperature, pressure, vapors, gradients*
- 130 Grigoryeva, D.N., Golovnya, R.V. and Samusenko, A.L.: Inequality of temperature increments of *n*-alkane homologs as one of the reasons of nonlinear variation of sorption parameters of substances in temperature programmed gas chromatography. *Izv. Akad. Nauk, Ser. Khim.*, No. 4 (1994) 642-645; *C.A.*, 123 (1995) 131669f.
- 131 Messadi, D., Ferchichi, L., Nouar, L. and Rebbani, N.: Simulation of column efficiency in temperature programmed gas-liquid chromatography. *Chromatographia*, 41 (1995) 37-42.
- 132 Phillips, J.B. and Jain, V.: On-column temperature programming in gas chromatography using temperature gradients along the capillary column. *J. Chromatogr. Sci.*, 33 (1995) 541-550.
- See also 198.
4. SPECIAL TECHNIQUES
- 4a. *Automation*
- 133 Seita, M. and Mutoh, H.: Locally mounted process gas analyzing system. *Adv. Technol. IM, Conf. Proc.*, 10th, 3 (1994) 1519-1520; *C.A.*, 123 (1995) 131310g.
- See also 202, 636.
- 4b. *Computerization and modelling*
- 134 Dai, C.: (Evaluating the equation for chromatographic dynamics with a computer). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 325-328.

- 135 Wang, X.-S., Zhu, C.-S. and Yan, B.-W.: A modified simplex method for multifactor optimization of selectivity in gas chromatography. *Chin. J. Chem.*, 13 (1995) 169-174; *C.A.*, 123 (1995) 24932q.
- 136 Xu, G., Yang, L., Liu, H., Hong, Q., Yang, B. and Zhang, Y.: (Advances in expert system on gas chromatography). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 310-315.

See also 50, 162, 673.

4c. *Combination with other physico-chemical techniques (MS, IR etc.)*

- 137 Becker, K.: (Coupling of capillary supercritical fluid chromatographs with mass spectrometers). *GIT Fachz. Lab.*, 39 (1995) 432-433; *C.A.*, 123 (1995) 187366x.
- 138 Bergner, E.A. and Lee, W.-N.P.: Testing gas chromatographic/mass spectrometric systems for linearity of response. *J. Mass Spectrom.*, 30 (1995) 778-780; *C.A.*, 123 (1995) 5088c.
- 139 Cai, G.: (QDTA/TEGD/GC online coupled simultaneous technique. X. Composition analysis of five-component mixed minerals of siderite, kaolinite, dolomite, calcite and quartz). *Huadong Ligong Daxue Xuebao*, 21 (1995) 256-261; *C.A.*, 123 (1995) 217252b.
- 140 Hiatt, M.H.: Vacuum distillation coupled with gas chromatography/mass spectrometry for the analysis of environmental samples. *Anal. Chem.*, 67 (1995) 4044-4052.
- 141 Higgins, M.K.: Chemometric analysis of gas chromatographic/mass spectrometric and spectroscopic data for classification and modeling of chemical structure and composition (mass spectrometry). Avail. *Univ. Microfilms Int.*, Order No. DA9508147, 1995, 4817 pp.; *C.A.*, 123 (1995) 101526q.
- 142 Koelsch, P., Venzke, D. and Caro, J.: (New techniques with a ion-trap gas chromatograph/mass spectrometer). *GIT Fachz. Lab.*, 39 (1995) 429-431; *C.A.*, 123 (1995) 187365w.
- 143 Merritt, D.A., Freeman, K.H., Ricci, M.P., Studley, S.A. and Hayes, J.M.: Performance and optimization of a combustion interface for isotope ratio monitoring gas chromatography/mass spectrometry. *Anal. Chem.*, 67 (1995) 2461-2473.
- 144 Pinkston, J.D. and Baker, T.R.: Modified ionspray interface for supercritical fluid chromatography/mass spectrometry: interface design and initial results. *Rapid Commun. Mass Spectrom.*, 9 (1995) 1087-1094.
- 145 Rowland, A.T.: A microscale GC-MS experiment: identification of an acyclic saturated ketone. *J. Chem. Educ.*, 72 (1995) A160-A162; *C.A.*, 123 (1995) 227224h.
- 146 Stan, H.-J. and Heberer, T.: Identification and confirmatory analysis based on capillary GC-mass spectrometry. *Chem. Plant Prot.*, 11 (1995) 141-183; *C.A.*, 123 (1995) 208239a.

See also 160, 305, 352, 356, 429, 476, 594, 673, 679.

4e. *Functional analysis*

- 147 Fang, F. and Wu, Z.: (Calculation and determination of percentage of active hydrogen chain in poly(methylhydrosiloxanes)). *Huaxue Shijie*, 35 (1995) 424-426; *C.A.*, 123 (1995) 113356x.

See also 422.

4f. *Trace analysis and preseparation techniques*

- 148 Herber, U. and Meisch, H.-U.: Studies about the desorption of volatile hydrocarbons from activated carbon by application of static headspace gas chromatography. *Fresenius J. Anal. Chem.*, 353 (1995) 219-221.
- 149 Lopez-Avila, V., Young, R., Kim, R. and Beckert, W.F.: Accelerated extraction of organic pollutants using microwave energy. *J. Chromatogr. Sci.*, 33 (1995) 481-484.
- 150 Schiek, D. and Brown, F.: Online analysis of volatile organics in water using headspace gas chromatography: Evaluation of five headspace techniques. *Proc. Annu. ISA Anal. Div. Symp.*, 28 (1995) 29-39; *C.A.*, 123 (1995) 92610h.

See also 57, 62, 125, 127, 178, 214, 223, 226, 229, 233, 263, 267, 284, 338, 490, 619, 634, 638, 645, 666.

4g. *Enantiomers, separation*

See 15, 91, 97, 101, 113, 114, 116, 123, 162, 218, 260, 265, 291, 299, 382, 409, 419, 420, 423, 424.

4h. *Other special techniques*

- 151 Akard, M. and Sacks, R.: Separation window diagrams for high-speed GC. *Anal. Chem.*, 67 (1995) 2733-2737.
- 152 Jayatilaka, A.K.P.: Multidimensional gas chromatography: optimization and method development for the analysis of pharmaceutical, forensic and flavor compounds. Avail. *Univ. Microfilms Int.*, Order No. DA9519904, 1994, 341 pp.; *C.A.*, 123 (1995) 187064x.
- 153 Lacy, M.J., Robbins, G.A., Wang, S. and Stuart, J.D.: Use of sequential purging with the static headspace method to quantify gasoline contamination. *J. Hazard. Mater.*, 43 (1995) 31-44; *C.A.*, 123 (1995) 152380v.
- 154 Oguri, N.: (The prospects of pyrolysis gas chromatography with online derivatization). *Bunseki*, (1994) 903-909; *C.A.*, 123 (1995) 170687e - a review with 25 refs.
- 155 Tashkov, W.: Rapid headspace gas chromatographic method. *Mater. Eng.*, 9 (1995) 245-257; *C.A.*, 123 (1995) 217325c.
- 156 Wilkes, J.G.: Diffusion based solvent removal interface for coupling liquid and supercritical fluid chromatography to gas chromatographic detectors. Avail. *Univ. Microfilms Int.*, Order No. DA9522348, 1991, 289 pp.

See also 23, 60.

4i. *Supercritical fluid chromatography*

- 157 Ashraf-Khorassani, M., Barzegar, M. and Yamini, Y.: On-line coupling of supercritical fluid extraction with high performance liquid chromatography. *J. High Resolut. Chromatogr.*, 8 (1995) 472-476.
- 158 Bishop, R.D., Jr.: Using GC-MS to determine relative reactivity ratios. *J. Chem. Educ.*, 72 (1995) 743-745; *C.A.*, 123 (1995) 227245r.
- 159 Bonoshita, M. and Yamauchi, Y.: (Supercritical fluid chromatograph.) *Jpn. Kokai Tokkyo Koho JP 07 83,899 [95 83,899] (Cl. G01N30/68)*, 31 Mar. 1995, Appl. 93/180,675, 24 Jun. 1993; 5 pp.; *C.A.*, 123 (1995) 159816a.

- 160 Brede, C. and Lundanes, E.: Identification of diflubenzuron by packed-capillary supercritical fluid chromatography-mass spectrometry with electron-capture negative ionization. *J. Chromatogr. A*, 712 (1995) 95-101.
- 161 Chester, T.L. and Innis, D.P.: Quantitative open-tubular supercritical fluid chromatography using direct injection onto a retention gap. *Anal. Chem.*, 67 (1995) 3057-3063.
- 162 Edge, A.M., Heaton, D.M., Bartle, K.D., Clifford, A.A. and Myers, P.: A computational study of the chromatographic separation of racemic mixtures. *Chromatographia*, 41 (1995) 161-166.
- 163 Favretto, D., Cecchinato, F., Traldi, P. and March, R.E.: 'Under-flow' introduction system for solid and liquid samples in bench-top gas chromatographic/mass spectrometric systems. *J. Mass Spectrom.*, 30 (1995) 1347-1351.
- 164 Gonenc, Z.S., Akman, U. and Sunol, A.K.: Solubility/retention relationships in supercritical-fluid chromatography. *Can. J. Chem. Eng.*, 73 (1995) 267-271; *C.A.*, 123 (1995) 123974m.
- 165 Gray, D.J., Zytner, R.G. and Stiver, W.H.: Supercritical carbon dioxide-soil partition coefficients. *J. Supercrit. Fluids*, 8 (1995) 149-155.
- 166 Hawthorne, S.B., Galy, A.B., Schmitt, V.O. and Miller, D.J.: Effect of SFE flow rate on extraction rates: Classifying sample extraction behavior. *Anal. Chem.*, 67 (1995) 2723-2732.
- 167 Hirata, Y.: (Supercritical fluid chromatography). *Bunseki*, (1995) 651-656; *C.A.*, 123 (1995) 238399v - a review with 92 refs.
- 168 Ibáñez, E., Herraiz, M. and Reglero, G.: On-line SFE-SFC coupling using micropacked columns. *J. High Resolut. Chromatogr.*, 8 (1995) 507-509.
- 169 Jinno, K., Nagashima, H., Itoh, K., Saito, M. and Bounoshita, M.: Supercritical fluid extraction and supercritical fluid chromatography of carbon clusters C₆₀ and C₇₀. In: Saito, M., Yamauchi, Y. and Okuyama, T. (Editors), *Fractionation Packed-Column SFC SFE*, VCH, New York, 1994, pp. 255-272; *C.A.*, 123 (1995) 131215e - a review with 29 refs.
- 170 King, J.W.: Analytical-process supercritical fluid extraction: a synergistic combination for solving analytical and laboratory scale problems. *TrAC*, 14 (1995) 474-481 - a review with 24 refs.
- 171 Lancas, F.M., Vilegas, J.H.Y., Queiroz, M.E.C. and de Marchi, E.: (Project, construction and application of home-made SFE systems. I. Applications of an analytical system in the study of natural products of plant origin). *Cienc. Tecnol. Aliment.*, (1994) 45-55; *C.A.*, 123 (1995) 226161y.
- 172 Lancas, F.M., Vilegas, J.H.Y., Sargentini, S.R., de Moraes, M. de L.L. and Nossack, A.C.: (Project, construction and application of home-made SFE systems. II. Applications of a semi-preparative scale system in the study of natural products of plant origin). *Cienc. Tecnol. Aliment.*, (1994) 56-65; *C.A.*, 123 (1995) 226162z.
- 173 Lou, X., Janssen, H.-G. and Cramers, C.A.: Correlation of supercritical-fluid extraction recoveries with supercritical-fluid chromatographic retention data: A fundamental study. *J. High Resolut. Chromatogr.*, 8 (1995) 483-489.
- 174 Miao, Z., Yang, M.J. and Pawliszyn, J.: Extraction of airborne organic contaminants from adsorbents using supercritical fluid. *J. Chromatogr. Sci.*, 33 (1995) 493-499.
- 175 Moore, W.N. and Taylor, L.T.: Solid phase trapping mechanisms involved in the supercritical fluid extraction of digitalis glycosides with modified carbon dioxide. *Anal. Chem.*, 67 (1995) 2030-2036.
- 176 Saito, M.: (Supercritical fluid chromatography. Principle and application). *Nippon Gomu Kyokaishi*, 67 (1994) 781-788; *C.A.*, 123 (1995) 66510f.
- 177 Saito, M. and Nitta, T.: Fundamental properties of supercritical fluids relevant to chromatography and extraction. In: Saito, M., Yamauchi, Y. and Okuyama, T. (Editors), *Fractionation Packed-Column SFC SFE*, VCH, New York, 1994, pp. 27-62; *C.A.*, 123 (1995) 124252m - a review with 46 refs.
- 178 Stearman, G.K., Wells, M.J.M., Adkisson, S.M. and Ridgill, T.E.: Supercritical fluid extraction coupled with enzyme immunoassay analysis of soil herbicides. *Analyst (Cambridge)*, 120 (1995) 2617-2621.
- 179 Williams, K.L., Sander, L.C., Page, S.H. and Wise, S.A.: Selectivity trends in packed column supercritical fluid chromatography with C₁₈ stationary phases. *J. High Resolut. Chromatogr.*, 8 (1995) 477-482.
- See also 19, 27, 66, 107, 115, 137, 144, 156, 193, 194, 205, 212, 276, 315, 342, 350, 353, 354, 373, 394, 402, 471, 472, 476, 477, 498, 509, 512, 551, 576, 580, 603, 617, 660, 679.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 180 Akapo, S.O.: Characterization of micropacked alkyl-bonded silica columns for gas chromatographic analyses of light hydrocarbons in planetary atmospheres. *J. Chromatogr. A*, 709 (1995) 291-301.
- 181 Daube, B.C., Munger, J.W. and Wofsy, S.C.: Automated in-situ monitoring of atmospheric non-methane hydrocarbon concentrations and gradients. *J. Atmos. Chem.*, 21 (1995) 43-59; *C.A.*, 123 (1995) 121441m.
- 182 De Mare, G.R. and Termonia, M.: GC/MS separation and identification of the C₅H₁₀ isomers. Application to the Hg 6(³P₁) photosensitized reactions of *cis*-2-pentene, 1-pentene and *trans*-1,2-dimethylcyclopropane. *Bull. Soc. Chim. Belg.*, 104 (1995) 155-159; *C.A.*, 123 (1995) 70060b.
- 183 Hermida-Ameijeiras, A., Simal-Gandara, J., Lopez-Hernandez, J. and Simal-Lozano, J.: Evaluation of the performance of a multiresidue gas chromatographic method for the determination of aliphatic hydrocarbons in mussels of Galicia (N.W. Spain). *Water Res.*, 29 (1995) 2118-2124; *C.A.*, 123 (1995) 135229k.
- 184 Jones, A.W., Lagesson, V. and Tagesson, C.: Determination of isoprene in human breath by thermal desorption gas chromatography with ultraviolet detection. *J. Chromatogr. B*, 672 (1995) 1-6.
- 185 Khatskevich, E.A., Manokhina, T.Yu., Mgeberova, A.V., Niki-forova, N.V. and Borodulina, S.G.: (Chromatographic method for the determination of natural gas composition). *Gazov. Prom-st.*, No. 12 (1994) 16-17; *C.A.*, 123 (1995) 232891c.

- 186 Lin, H.: (Determination of acetylene in calcium carbide slurry by gas chromatography). *Huanjing Wuran Yu Fangzhi*, 17, No. 2 (1995) 42-44; C.A., 123 (1995) 178555f.
- 187 Peltonen, K. and Vaaranrinta, R.: Sampling and analysis of 1,3-butadiene in air by gas chromatography on a porous-layer open-tubular fused-silica column. *J. Chromatogr. A*, 710 (1995) 237-241.
- 188 Topalova, I., Niotis, A., Katsanos, N.A. and Sotiropoulou, V.: Ring opening of cyclohexane over ZSM-zeolites followed by reversed-flow gas chromatography. *Chromatographia*, 41 (1995) 227-235.
- See also 11, 40, 47.
- 5b. *Cyclic hydrocarbons, fullerenes*
- 189 Benner, B.A., Jr., Wise, S.A., Currie, L.A., Klouda, G.A. and Klinedinst, D.B.: Distinguishing the contributions of residential wood combustion and mobile source emissions using relative concentrations of dimethylphenanthrene isomers. *Environ. Sci. Technol.*, 29 (1995) 2382-2389.
- 190 Casalini, A.: (Use of bidimensional gas chromatography for the determination of benzene in gasoline). *Riv. Combust.*, 49 (1994) 429-434; C.A., 123 (1995) 174530w.
- 191 Chopra, S.K., Kapoor, V.B. and Bhagat, S.D.: Aromatized product of *n*-heptane. Characterization by gas chromatography. *Erdol Kohle, Erdgas, Petrochem.*, 48 (1995) 186-190; C.A., 123 (1995) 187416p.
- 192 Hanada, Y., Sato, K., Kadokami, K., Baba, K. and Shiraishi, H.: Analysis of benzene derivatives in aquatic samples using GC/MS. *Kankyo Kagaku*, 4 (1994) 516-517; C.A., 123 (1995) 131701k.
- 193 Höner, A., Arnold, M., Hüßers, N. and Kleiböhmer, W.: Monitoring polycyclic aromatic hydrocarbons in waste gases. *J. Chromatogr. A*, 710 (1995) 129-137.
- 194 Ischi, F. and Haerdi, W.: Supercritical fluid extraction-high performance liquid chromatography on-line coupling: extraction of some models aromatic compounds. *Chromatographia*, 41 (1995) 238-242.
- 195 Kumarathasan, P., Otson, R. and Chu, I.: Dynamic vapor generation and head space determination of *m*-xylene for pharmacokinetic studies. *Int. J. Environ. Anal. Chem.*, 60 (1995) 203-211.
- 196 Lee, H.K.: Recent applications of gas and high-performance liquid chromatographic techniques to the analysis of polycyclic aromatic hydrocarbons in airborne particulates. *J. Chromatogr. A*, 710 (1995) 79-92 - a review with 106 refs.
- 197 Librando, V., Liberatori, A. and Fazzino, S.D.: (Advanced techniques for separation and GC-MS determination of organic micro-pollutants in environmental matrixes. I. Polycyclic aromatic hydrocarbons). *Acqua Aria*, No. 2 (1995) 211-215; C.A., 123 (1995) 245738h.
- 198 Luo, J. and Zhang, Q.: (Determination of aromatic-ring retention indexes of polynuclear aromatics in temperature-programmed gas chromatography). *Fenxi Huaxue*, 23 (1995) 707-711; C.A., 123 (1995) 217377w.
- 199 Nerín, C., Rubio, C., Cacho, J. and Salafranca, J.: Determination of styrene in olive oil by an automatic purge-and-trap system coupled to gas chromatography-mass spectrometry. *Chromatographia*, 41 (1995) 216-220.
- 200 Niu, Y., Ren, Q., Zhao, X. and Chen, Z.: (Analysis for trace isomer impurities in *p*-xylene). *Shiyu Huagong*, 24 (1995) 252-255; C.A., 123 (1995) 159789u.
- 201 Peltonen, K. and Kuljukka, T.: Air sampling and analysis of polycyclic aromatic hydrocarbons. *J. Chromatogr. A*, 710 (1995) 93-108 - a review with 131 refs.
- 202 Pilchowski, K., Fuchs, P. and Richartz, T.: (Air analyzer for automatic gas chromatographic determination of BTX (benzene, toluene, xylene)-aromatics). *GIT Fachz. Lab.*, 39 (1995) 457-460; C.A., 123 (1995) 177875y.
- 203 Russo, M.V.: Fast headspace analysis with short microcapillary columns. *Chromatographia*, 41 (1995) 419-423.
- 204 Skrbic, B.D.: Comparison of correlation equations for the prediction of gas chromatographic separation of alkylbenzenes. *Chromatographia*, 41 (1995) 183-186.
- 205 Sun, Y.: (A study of supercritical fluid chromatographic separation of polycyclic aromatic hydrocarbons). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 398-399.
- 206 Walte, A., Matz, G. and Muenchmeyer, W.: (Online determination of aromatic compounds in waste gases by mobile GC-MS). *WLB, Wasser, Luft Boden* 39, No. 3 (1995) 54-57; C.A., 123 (1995) 236241p.
- 207 Wang, Z., Fingas, M., Landriault, M., Sigouin, L. and Xu, N.: Identification of alkylbenzenes and direct determination of BTEX and (BTEX+C₃-benzenes) in oils by GC/MS. *Anal. Chem.*, 67 (1995) 3491-3500.
- 208 Yao, W., Spitzauer, P. and Ketrup, A.: Determination of polycyclic aromatic hydrocarbons with supercritical fluid extraction and chromatography (SFE/SFC). *J. Environ. Sci. (China)*, 7 (1995) 224-228; C.A., 123 (1995) 177871u.
- 209 Yu, Y., Wade, T.L., Fang, J., McDonald, S. and Brooks, J.M.: Gas chromatographic-mass spectrometric analysis of polycyclic aromatic hydrocarbon metabolites in Antarctic fish (*Notothenia gibberifrons*) injected with diesel fuel Arctic. *Arch. Environ. Contam. Toxicol.*, 29 (1995) 241-246; C.A., 123 (1995) 76514z.
- See also 10, 25, 174, 214.
- 5c. *Halogen derivatives*
- 210 Aggazzotti, G., Fantuzzi, G., Righi, E. and Predieri, G.: Environmental and biological monitoring of chloroform in indoor swimming pools. *J. Chromatogr. A*, 710 (1995) 181-190.
- 211 Bourgeois, D.J., Deveau, P. and Mallet, V.N.: Microextraction of selected polychlorinated biphenyls congeners and dichlorodiphenyltrichloroethanes from environmental water and analysis by gas chromatography-electron capture detector. *Int. J. Environ. Anal. Chem.*, 59 (1995) 15-24.
- 212 Bøwadt, S., Johansson, B., Wunderli, S., Zennegg, M., de Alencastro, L.F. and Grandjean, D.: Independent comparison of Soxhlet and supercritical fluid extraction for the determination of PCBs in an industrial soil. *Anal. Chem.*, 67 (1995) 2424-2430.
- 213 Buszka, P.M., Rose, D.L., Ozuna, G.B. and Groschen, G.E.: Determination of nanogram per liter concentrations of volatile organic compounds in water by capillary gas chromatography and selected ion monitoring mass spectrometry and its use to define groundwater flow directions in Edwards Aquifer, Texas. *Anal. Chem.*, 67 (1995) 3659-3667.

- 214 Cardinali, F.L., McCraw, J.M., Ashley, D.L., Bonin, M. and Wooten, J.: Treatment of vacutainers for use in the analysis of volatile organic compounds in human blood at the low parts-per-trillion level. *J. Chromatogr. Sci.*, 33 (1995) 557-560.
- 215 Chen, Y., Yuan, H. and Lu, Y.: (Gas chromatographic analysis of 1,1,1-trichloroethane). *Shanghai Keji Daxue Xuebao*, 17 (1994) 159-162.
- 216 Chupalov, A.A., Mokchanov, A.P. and Zenkevich, I.G.: (Chromatographic and mass spectrometric characteristics of alkyl- and aryl-1,1-dichlorocyclopropanes). *Zh. Obshch. Khim.*, 64 (1994) 966-974; *C.A.*, 123 (1995) 143171a.
- 217 Glausch, A., Hahn, J. and Schurig, V.: Enantioselective determination of chiral 2,2',3,3',4,4'-hexachlorobiphenyl (PCB 132) in human milk samples by multidimensional gas chromatography/electron capture detection and by mass spectrometry. *Chemosphere*, 30 (1995) 2079-2085.
- 218 Grosenic, H., Schurig, V., Costante, J. and Collet, A.: Gas chromatographic enantiomer separation of bromochlorofluoromethane. *Tetrahedron: Asymmetry*, 6 (1995) 87-88; *C.A.*, 123 (1995) 111514y.
- 219 Haglund, P.S., Wiberg, K.I. and Zook, D.R.: Identification and quantification of monobromopolychlorobiphenyls in Baltic ringed seal and a technical PCB (Clophen A50). *Environ. Sci. Technol.*, 29 (1995) 2801-2805.
- 220 Hajslova, J., Schoula, R., Holadova, K. and Poustka, J.: Analysis of PCBs in biotic matrixes by two-dimensional GC-ECD. *Int. J. Environ. Anal. Chem.*, 60 (1995) 163-173.
- 221 Hillery, B.R., Girard, J.E., Schantz, M.M., Wise, S.A., Malik, A. and Lee, M.L.: Comparison of selectivities for PCBs in gas chromatography for a series of cyanobiphenyl stationary phases. *J. Microcolumn Separ.*, 7 (1995) 221-230.
- 222 Ichihashi, K., Kanazawa, Y., Isomura, K. and Teranishi, K.: (Full automatic and continuous measurement of the volatile organics in drinking water with the purge and trap/gas chromatography/mass spectrometry). *Yosui to Haisu*, 37 (1995) 455-460; *C.A.*, 123 (1995) 92607n.
- 223 Jaouen, P., Gonzalez-Flesca, N. and Carlier, P.: Dynamic polluted atmosphere generator at low ppbv levels for validating VOC sampling methods. *Environ. Sci. Technol.*, 29 (1995) 2718-2724.
- 224 Le, H. and Zhang, M.: (Gas chromatography of trace dichloromethane in polycarbonate pellet). *Huaxue Shijie*, 35 (1995) 152-154; *C.A.*, 123 (1995) 57348g.
- 225 Li, L., Chen, Y., Zhou, Y., Wu, J. and Jiang, K.: (Use of acid-base silica/alumina column and gas chromatography-mass spectrometry (GC/MS) methods for determination of residual PCBs in the solid wastes of an incinerator). *Huanjing Huaxue*; 14 (1995) 322-328; *C.A.*, 123 (1995) 178557h.
- 226 Lopez-Avila, V., Benedicto, J., Charan C. and Young, R.: Determination of PCBs in soils/sediments by microwave-assisted extraction and GC/ECD or ELISA. *Environ. Sci. Technol.*, 29 (1995) 2709-2712.
- 227 Lulek, J. and Makowski, J.: (Application of high resolution gas chromatography for the determination of polychlorinated biphenyls in transformer oils). *Bromatol. Chem. Toksykol.*, 28 (1995) 179-184.
- 228 Maeda, T., Funaki, K., Yamaguchi, Y., Ichioka, K., Yamamoto, N. and Morita, M.: (Automated monitoring for volatile organic components in environmental air using capillary column/GC/PID/ELCD dual detector). *Kankyo Kagaku*, 5 (1995) 502-503; *C.A.*, 123 (1995) 178002y.
- 229 Nilsson, T., Pelusio, F., Montanarella, L., Larsen, B., Facchetti, S. and Madsen, J.Ø.: An evaluation of solid-phase microextraction for analysis of volatile organic compounds in drinking water. *J. High Resolut. Chromatogr.*, 18 (1995) 617-624.
- 230 Norman, K.N.T., Scudamore, K.A., Matthews, W.A. and Wilson, M.F.: Determination of methyl bromide residues in stored foods using automated headspace gas chromatography. *Pestic. Sci.*, 44 (1995) 309-316; *C.A.*, 123 (1995) 167908x.
- 231 Shen, X., Wang, G., Huang, Q. and Dong, M.: (Determination of trace volatile halogenated hydrocarbon in water and its application). *Shuichuli Jishu*, 21 (1995) 223-226; *C.A.*, 123 (1995) 208274h.
- 232 Sheridan, B.R., Poole, G., Dowdall, E. and Chiu, C.: The effect of temperature on GPC for the separation of PCBs from transformer oil and subsequent analysis by GC-MSD. *Int. J. Environ. Anal. Chem.*, 60 (1995) 195-202.
- 233 Shirey, R.E.: Rapid analysis of environmental samples using solid-phase microextraction (SPME) and narrow bore capillary columns. *J. High Resolut. Chromatogr.*, 8 (1995) 495-499.
- 234 Shu, Y.Y., Dowdall, J.E., Chiu, C. and Lao, R.C.: Interference of transformer oil matrixes to the internal standards on PCB quantification. *Int. J. Environ. Anal. Chem.*, 60 (1995) 185-194.
- 235 Sinkkonen, S., Veijanen, A., Paasivirta, J., Lahtipera, M. and Vattulainen, A.: Chlorinated short chain aliphatic hydrocarbons in pine needles by purge and trap gas chromatography/mass spectrometry. *Chemosphere*, 30 (1995) 2343-2352.
- 236 Stan, H.-J. and Kirsch, N.-H.: GC-FID determination of chlorobenzene isomers in methanogenic batch-cultures from river sediments. *Int. J. Environ. Anal. Chem.*, 60 (1995) 33-40.
- 237 Sugino, K., Miyachi, J., Ozawa, R. and Yamaguchi, K.: (Determination of extractable organic bromine (EOBr) and chlorine (EOCl) in chlorinated seawater by GC with atomic emission detector). *Kankyo Kagaku*, 5 (1995) 540-541; *C.A.*, 123 (1995) 237291s.
- 238 Tinkilic, N., Korkmaz, H. and Oezcimder, M.: Gas chromatographic measurements of TTHM's in drinking water of Ondokuz Mayıs University and the city of Samsun-Turkey. *Turk. J. Chem.*, 19, No. 2 (1995) 87-93.
- 239 Van der Velde, E.G., Linders, S.H.M.A., Wammes, H.I., Meiring, H.D. and Liem, A.K.D.: GC-MS analysis of the PCB substitute uglec 141 and its occurrence in waste mineral oils. *J. High Resolut. Chromatogr.*, 18 (1995) 647-652.
- 240 Welsh, M.S.: Extraction and gas chromatography/electron capture analysis of polychlorinated biphenyls in raikar paint scrapings. *Appl. Occup. Environ. Hyg.*, 10 (1995) 175-181; *C.A.*, 123 (1995) 16937e.
- 241 Zenkevich, I.G.: (Current status of data availability for gas chromatographic identification of chloro derivative polycyclic aromatic compounds). *Zh. Ekol. Khim.*, No. 1 (1994) 39-48; *C.A.*, 123 (1995) 220331g.
- 242 Zhang, C. and Li, C.: (Determination of dichloro propane in the air of workplace by activated carbon adsorption-gas chromatography). *Weisheng Yanjiu*, 24, No. 2 (1995) 77-78; *C.A.*, 123 (1995) 16333e.

See also 37, 44, 66, 87, 174, 271, 273, 280, 491.

5d. *Complex hydrocarbon mixtures (incl. analysis of tars, bitumens and mineral oils)*

- 243 Aboul-Kassim, T.A.T. and Simoneit, B.R.T.: Aliphatic and aromatic hydrocarbons in particulate fallout of Alexandria, Egypt: Sources and implications. *Environ. Sci. Technol.*, 29 (1995) 2473-2483.
- 244 Barrefors, G. and Petersson, G.: Assessment by gas chromatography and gas chromatography-mass spectrometry of volatile hydrocarbons from biomass burning. *J. Chromatogr. A*, 710 (1995) 71-77.
- 245 Canel, M., Canel, E., Borrego, A.G., Blanco, C.G. and Guillen, M.D.: Characterization of the Goeynuek oil shale-derived asphaltens and pre-asphaltens by ¹H and ¹³C nuclear magnetic resonance and by gas chromatography. *Fuel Process. Technol.*, 43 (1995) 111-122; C.A., 123 (1995) 117940f.
- 246 Feng, X. and Chen, W.: (Gas chromatography-mass spectrometric detection of hydrocarbons concentrated by adsorption wire in geochemical samples). *Fenxi Huaxue*, 23 (1995) 453-455; C.A., 123 (1995) 87678g.
- 247 Huang, Z.-q. and Zheng, J.-s.: Capillary gas chromatographic analyses of the petroleum hydrocarbons in coastal seawater. *Chin. J. Oceanol. Limnol.*, 13, No. 2 (1995) 177-182.
- 248 Keto, R.O.: GC/MS data interpretation for petroleum distillate identification in contaminated arson debris. *J. Forensic Sci.*, 40 (1995) 412-423; C.A., 123 (1995) 76495u.
- 249 Kvenvolden, K.A., Hostettler, F.D., Carlson, P.R., Rapp, J.B., Threlkeld, C.N. and Warden, A.: Ubiquitous tar balls with a California-source signature on the shorelines of Prince William Sound, Alaska. *Environ. Sci. Technol.*, 29 (1995) 2684-2694.
- 250 Lavine, B.K., Mayfield, H., Kromann, P.R. and Faruque, A.: Source identification of underground fuel spills by pattern recognition analysis of high-speed gas chromatograms. *Anal. Chem.*, 67 (1995) 3846-3852; C.A., 123 (1995) 237296x.
- 251 Wang, Z. and Fingas, M.: Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry. *J. Chromatogr. A*, 712 (1995) 321-343.
- 252 Wang, Z., Fingas, M. and Sergy, G.: Chemical characterization of crude oil residues from an Arctic beach by GC/MS and GC/FID. *Environ. Sci. Technol.*, 29 (1995) 2622-2631.

See also 16, 54, 66, 109, 148, 153, 169, 454, 690.

6. ALCOHOLS

- 253 Amiss, T.J. and Smoak, I.W.: Determination of chlorbutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection. *J. Chromatogr. B*, 673 (1995) 59-66.
- 254 Boettger, A., Krell, U. and Pieper, H.J.: (Head-space gas chromatography (HSGC) and HPLC of mashes from alcohol production). *GIT Fachz. Lab.*, 39 (1995) 16-18; C.A., 123 (1995) 54379g.

- 255 Clarkson, S.P., Ormrod, I.H.L. and Sharpe, F.R.: Determination of ethanol in beer by direct injection gas chromatography: a comparison of six identical systems. *J. Inst. Brew.*, 101 (1995) 191-193; C.A., 123 (1995) 167870d.
- 256 Dasgupta, A. and Macaulay, R.: A novel derivatization of ethylene glycol from human serum using 4-carbomethoxyhexafluorobutyl chloride for unambiguous gas chromatography-chemical ionization mass spectrometric identification and quantification. *Am. J. Clin. Pathol.*, 104 (1995) 283-288.
- 257 Drugov, Yu. S. and Murav'eva, G.V.: Gas-chromatographic determination of diethylene glycol in ambient air. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 899-902.
- 258 Hak, E.A., Gerlitz, B.J., Demont, P.M. and Bowthorpe, W.D.: Determination of serum alcohol: Blood alcohol ratios. *J. - Can. Soc. Forensic Sci.*, 28 (1995) 123-126; C.A., 123 (1995) 135266v.
- 259 Izotova, V.I. and Krylova, Y.N.: (Gas chromatographic detection of glycols and their ethers in biological objects during forensic chemical studies). *Sud.-Med. Ekspert.*, 37, No. 4 (1995) 20-24; C.A., 123 (1995) 2912f.
- 260 Lee, S.-H., Seo, Y.-J. and Lee, K.-P.: (Chiral separation of derivatized racemic alcohols on substituted cyclodextrin stationary phases by capillary gas chromatography). *J. Korean Chem. Soc.*, 39 (1995) 94-102; C.A., 123 (1995) 101701t.
- 261 Ma, Q. and Wu, X.: (Rapid determination of alcohol content in beer by gas chromatography). *Taiyuan Gongye Daxue Xuebao*, 26 (1995) 78-81; C.A., 123 (1995) 8109w.
- 262 Macchia, T., Mancinelli, R., Gentili, S., Lugaesi, E.C., Raponi, A. and Taggi, F.: Ethanol in biological fluids: headspace GC measurements. *J. Anal. Toxicol.*, 19 (1995) 241-246; C.A., 123 (1995) 76517c.
- 263 Malosse, C., Ramirez-Lucas, P., Rochat, D. and Morin, J.-P.: Solid-phase microextraction, an alternative method for the study of airborne insect pheromones (*Metamasius hemipterus*, Coleoptera, Curculionidae). *J. High Resolut. Chromatogr.*, 18 (1995) 669-670.
- 264 Sondack, D., Ron, T., Polishuk, M. and Kallos, M.D.: Analysis of pentaerythritols and brominated derivatives. *Ind. Chem. Libr.*, 7 (1995) 408-420; C.A., 123 (1995) 245719c.
- 265 Wassgren, A.-B. and Bergstroem, G.: Quantitative high-resolution gas chromatographic determination of stereoisomeric composition of chiral volatile compounds in the picogram range by EC-detection. *J. Chem. Ecol.*, 21 (1995) 987-994.

See also 308, 337, 356, 410, 597, 608.

7. PHENOLS

- 266 Galceran, M.T., Moyano, E. and Poza, J.M.: Pentafluorobenzyl derivatives for the gas chromatographic determination of hydroxy-polycyclic aromatic hydrocarbons in urban aerosols. *J. Chromatogr. A*, 710 (1995) 139-147.
- 267 Koch, J. and Voelker, P.: Solid-phase extraction of phenols from water by highly porous cross-linked polystyrene. *Acta Hydrochim. Hydrobiol.*, 23 (1995) 66-71; C.A., 123 (1995) 65366b.

- 268 Korenman, Y.I., Alymova, A.T. and Kalinkina, S.P.: (Determination of volatile phenols in water by gas chromatography and solid-phase sampling). *Zavod. Lab.*, 61, No. 3 (1995) 1-4.
- 269 Kowalski, W.J.: Complexation gas chromatography of alkyl phenols. *Acta Chromatogr.*, 3 (1994) 105-115; *C.A.*, 123 (1995) 131636t.
- 270 Lee, H.-B. and Peart, T.E.: Determination of 4-nonylphenol in effluent and sludge from sewage treatment plants. *Anal. Chem.*, 67 (1995) 1976-1980.
- 271 Mussmann, P., Eisert, R., Levsen, K. and Wuench, G.: Determination of nitrophenols, diaminitoluenes, and chloroaromatics in ammunition wastewater. *Acta Hydrochim. Hydrobiol.*, 23 (1995) 13-19; *C.A.*, 123 (1995) 17273x.
- 272 Sattar, M.A.: GC analysis of chlorinated catechols in soils by internal standard method. *Pak. J. Sci. Ind. Res.*, 37, No. 5 (1994) 187-189; *C.A.*, 123 (1995) 110820h.
- 273 Vincenti, M., Minerio, C. and Segal, M.: Optimized splitless injection of hydroxylated PCBs by pressure pulse programming. *J. High Resolut. Chromatogr.*, 8 (1995) 490-494.
- 274 Wennrich, L., Efer, J. and Engewald, W.: Gas chromatographic trace analysis of underivatized nitrophenols. *Chromatographia*, 41 (1995) 361-366.

See also 209, 648.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 275 Berahia, T., Gaydou, E.M., Cerrati, C. and Wallet, J.C.: Gas chromatography-mass spectrometry of polymethoxylated flavones. *Colloq. - Inst. Natl. Rech. Agron.*, 69 (1995) 441-442; *C.A.*, 123 (1995) 256386t.
- 276 Yao, W.X., Cheng, X.M. and Zhang, Y.Q.: Determination of flavonoid compounds in *Ginkgo biloba* leaves with supercritical fluid extraction and high performance liquid chromatography (SFE/HPLC). *Chin. Chem. Lett.*, 6 (1995) 589-592; *C.A.*, 123 (1995) 164320p.

See also 680.

8b. Aflatoxins and other mycotoxins

- 277 Onji, Y., Aoki, Y. and Tani, N.: (Analysis of Fusarium mycotoxins by gas chromatography/mass spectrometry without chemical derivatization). *Maikotokishin (Tokyo)*, 40 (1994) 49-51; *C.A.*, 123 (1995) 162834k.
- 278 Wegmueller, F. and Steiner, W.: (Fusarium toxins in cereals and cereal containing foods. Method for the determination of the most important trichothecenes and first results). *Mitt. Geb. Lebensmittelunters. Hyg.*, 85 (1994) 553-565; *C.A.*, 123 (1995) 110418h.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

- 279 Eljarrat, E., Casanovas, J., Muro, R., Huguet, X., Caixach, J. and Rivera, J.: (Determination of chlorinated dioxins and furans by high resolution gas chromatography coupled to mass spectrometry: comparative study of LRMS and HRMS). *Quim. Anal. (Barcelona)*, 14, No. 2 (1995) 89-95; *C.A.*, 123 (1995) 274785b.
- 280 Gardinali, P.R., Wade, T.L., Chambers, L. and Brooks, J.M.: A complete method for the quantitative analysis of planar, mono, and diortho PCB's, polychlorinated dibenzodioxins, and furans in environmental samples. *Organohalogen Compd.*, 19 (1994) 67-71; *C.A.*, 123 (1995) 131685h.
- 281 Govers, H.A.J., van der Wielen, F.W.M. and Olie, K.: Derivation of solubility parameters of chlorinated dibenzofurans and dibenzo[p]dioxins from gas chromatographic retention parameters via SOFA. *J. Chromatogr. A*, 715 (1995) 267-278.
- 282 Grainger, J., Sewer, M., Sirimanne, S., McClure, C., Gillyard, C. and Patterson, D.G., Jr.: Isomer identification of non-laterally tetrachlorinated dibenzo-p-dioxin isomer groups by gas chromatography/Fourier transform infrared spectroscopy. *Organohalogen Compd.*, 19 (1994) 143-148; *C.A.*, 123 (1995) 101717c.
- 283 Guedes de Pinho, P. and Bertrand, A.: Analytical determination of furaneol (2,5-dimethyl-4-hydroxy-3(2H)-furanone). Application to differentiation of white wines from hybrid and various *Vitis vinifera* cultivars. *Am. J. Enol. Vitic.*, 46 (1995) 181-186; *C.A.*, 123 (1995) 226134s.
- 284 Lebo, J.A., Gale, R.W., Petty, J.D., Tillitt, D.E., Huckins, J.N., Meadows, J.C., Orazio, C.E., Echols, K.R., Schroeder, D.J. and Inmon, L.E.: Use of the semipermeable membrane device as an *in situ* sampler of waterborne bioavailable PCDD and PCDF residues at sub-parts-per-quadrillion concentrations. *Environ. Sci. Technol.*, 29 (1995) 2886-2892.
- 285 Naikwadi, K.P., Albrecht, I.A., Karasek, F.W. and Gohda, H.: Development of capillary columns for environmental analysis. *Organohalogen Compd.*, 19 (1994) 139-142; *C.A.*, 123 (1995) 131637u.
- 286 Schoonenboom, M.H. and Olie, K.: Formation of PCDDs and PCDFs from anthracene and chloroanthracene in a model fly ash system. *Environ. Sci. Technol.*, 29 (1995) 2005-2009.
- 287 Zou, H., Xu, X., Zhang, J. and Zhu, Z.: The determination of strong mutagen MX[3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone] in drinking water in China. *Chemosphere*, 30 (1995) 2219-2225; *C.A.*, 123 (1995) 65352u.

See also 291.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

- 288 Culea, M., Palibroda, N., Hantz, A., Fenesan, I. and Nicoara, S.: Determination of bis(chloromethyl) ether in laboratory air. *Indoor Environ.*, 3 (1994) 299-303; *C.A.*, 123 (1995) 16312x.
- 289 Giammarioli, S., Bellomonte, G., Denaro, M. and Milana, M.R.: Determination of hexanal in infant formulas by headspace-gas chromatography. *Ital. J. Food Sci.*, 7 (1995) 69-76; *C.A.*, 123 (1995) 196858m.

- 290 Jain, V. and Thielen, D.: Determination of aldehydes in basic medium by gas chromatography using O-benzylhydroxylamine derivatization. *J. Chromatogr. A*, 709 (1995) 387-392.
- 291 Jaques, K., Buda, W.M., Venema, A. and Sandra, P.: Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. Part IV. Enantioselective interaction model of 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxalane derivatives on some substituted cyclodextrins. *J. Microcolumn Sep.*, 7 (1995) 145-151.
- 292 Kataoka, H., Sumida, A., Nishihata, N. and Makita, M.: Determination of aliphatic aldehydes as their thiazolidine derivatives in foods by gas chromatography with flame photometric detection. *J. Chromatogr. A*, 709 (1995) 303-311.
- 293 Linssen, J., Reitsma, H. and Cozijnsen, J.: Static headspace gas chromatography of acetaldehyde in aqueous foods and polythene terephthalate. *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 253-255.
- 294 Matsushima, Y., Nagoshi, H. and Ohtani, H.: Direct and rapid characterization of paraformaldehydes by pyrolysis-gas chromatography/chemical ionization mass spectrometry. *J. Anal. Appl. Pyrolysis*, 33 (1995) 111-119; *C.A.*, 123 (1995) 258105z.
- 295 Nishikawa, H. and Sakai, T.: Derivatization and chromatographic determination of aldehydes in gaseous and air samples. *J. Chromatogr. A*, 710 (1995) 159-165 - a review with 59 refs.
- 296 Nishikawa, H. and Yasuhara, A.: (Derivatization and gas chromatographic or high performance liquid chromatographic analysis of aldehydes in air samples). *Kankyo Kagaku*, 5 (1995) 199-205; *C.A.*, 123 (1995) 177842k - a review with 53 refs.
- 297 Spitzer, T. and Takeuchi, T.: Determination of benzantrone in environmental samples. *J. Chromatogr. A*, 710 (1995) 109-116 - a review with 77 refs.
- 298 Woodrow, J.E., McChesney, M.M. and Sieber, J.N.: Determination of ethylene oxide in spices using headspace gas chromatography. *J. Agric. Food Chem.*, 43 (1995) 2126-2129.

See also 337, 352, 436, 630.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 299 Cases, M.R., Cerezo, A.S. and Stortz, C.A.: Separation and quantitation of enantiomeric galactoses and their mono-O-methyl ethers as their diastereomeric acetylated 1-deoxy-1-(2-hydroxypropylamino)alditols. *Carbohydr. Res.*, 269 (1995) 333-341; *C.A.*, 123 (1995) 137812u.
- 300 Low, N.H. and South, W.: Determination of honey authenticity by capillary gas chromatography. *J. AOAC Int.*, 78 (1995) 1210-1218.
- 301 Madaj, J., Skorupowa, E., Sokolowski, J., Wisniewski, A., Duzynski, W., Slawek, J. and Hejka, Z.: Capillary GC determination of sugars and polyols in human cerebrospinal fluid. *Pol. J. Chem.*, 69 (1995) 1036-1038; *C.A.*, 123 (1995) 192668b.

See also 604.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 302 Arisz, P.W., Kauw, H.J.J. and Boon, J.J.: Substituent distribution along the cellulose backbone in O-methylcelluloses using GC and FAB-MS for monomer and oligomer analysis. *Carbohydr. Res.*, 271 (1995) 1-14; *C.A.*, 123 (1995) 146994g.

See also 20, 327, 667.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 303 Arthur, K. and Hommes, F.A.: Simple isotope dilution assay for propionic acid and isovaleric acid. *J. Chromatogr. B*, 673 (1995) 132-135.
- 304 Carrier, D.-J., Cunningham, J.E., Hogge, L.R., Taylor, D.C. and Dunstan, D.I.: Gas chromatographic-mass spectrometric characterization of some fatty acids from white and interior spruce. *J. Chromatogr. A*, 715 (1995) 317-324.
- 305 Chaurasia, C.S., Williams, T.D., Judson, C.M. and Hanzlik, R.P.: Quantitation of fatty acids and hydroxy fatty acids by gas chromatography/mass spectrometry. Predictively useful correlations of relative response factor with empirical formula. *J. Mass Spectrom.*, 30 (1995) 1018-1022; *C.A.*, 123 (1995) 138075t.
- 306 Choong, Y.M., Ku, K.L., Wang, M.L. and Lee, M.H.: (Simple and rapid method for the determination of sorbic acid and benzoic acid in foods). *Zhongguo Nongye Huaxue Huizhi*, 33 (1995) 247-261; *C.A.*, 123 (1995) 196870j.
- 307 Couderc, F.: Gas chromatography/tandem mass spectrometry as an analytical tool for the identification of fatty acids. *Lipids*, 30 (1995) 691-699.
- 308 Das, J., Joshi, N.C., Sarma, A.S. and Mallik, K.L.: Quantitative analysis of mixtures of fatty alcohols, alkyl acrylates and alkyl methacrylates by gas chromatography technique. *Indian J. Chem. Technol.*, 2 (1995) 184-188; *C.A.*, 123 (1995) 217418k.
- 309 Demina, A.M., Pozdorovkina, V.V., Beloborodova, N.V., Kurchavov, V.A., Rogatina, E.L. and Minaev, V.A.: (Analysis of higher fatty acids in *Candida* by gas chromatography). *Antibiot. Khimioter.*, 39, No. 12 (1994) 13-18; *C.A.*, 123 (1995) 164778u.
- 310 Eder, K.: Gas chromatographic analysis of fatty acids methyl esters. *J. Chromatogr. B*, 67 (1995) 113-131 - a review with 140 refs.
- 311 Fillibeck, J., Raffius, B., Schleyer, R. and Hammer, J.: (Trichloroacetic acid (TCA) in rain water. Results and comparison of two analytical methods). *Vom Wasser*, 84 (1995) 181-195; *C.A.*, 123 (1995) 152414j.
- 312 Fox, A., Wright, L. and Fox, K.: Gas chromatography-tandem mass spectrometry for trace detection of muramic acid, a peptidoglycan chemical marker, in organic dust. *J. Microbiol. Methods*, 22 (1995) 11-26; *C.A.*, 123 (1995) 4892y.
- 313 Full, G. and Winterhalter, P.: Application of online coupled mass spectrometric techniques for the study of isomeric vitispiranes and their precursors of grapevine cv. Riesling. *Vitis*, 33 (1994) 241-244; *C.A.*, 123 (1995) 54572q.

- 314 Gutnikov, G.: Fatty acids profiles of lipid samples. *J. Chromatogr. B*, 67 (1995) 71-89 - a review with 218 refs.
- 315 Ikawa, N., Furuta, S., Fukuzato, R., Imanishi, N., Kawana, H. and Mitsuiki, M.: Separation of polyunsaturated fatty acids from vegetable oil by supercritical fluid extraction and chromatography. In: Saito, M., Yamauchi, Y. and Okuyama, T. (Editors), *Fractionation Packed-Column SFC SFE*, VCH: New York, N.Y., 1994, pp. 179-189; *C.A.*, 123 (1995) 226430k.
- 316 Imamura, N.: (Automated analysis of urinary organic acid by gas chromatography-mass spectrometry.) *Kurume Igakkai Zasshi*, 58, No. 1 (1995) 1-12; *C.A.*, 123 (1995) 234747p.
- 317 Kim, K.R., Kim, J.H., Park, Y.J. and Kim, J.O.: (Rapid gas chromatographic screening of saliva samples for organic acids). *Yakhak Hoechi*, 39 (1995) 283-288; *C.A.*, 123 (1995) 106909b.
- 318 Kulik, W., van Toledo-Eppinga, L., Kok, R.M., Guerand, W.S. and Lafeber, H.M.: Simultaneous determination of concentrations and stable isotope enrichments of α -ketoisocaproic acid, leucine, phenylalanine and tyrosine in blood plasma by gas chromatography/negative ion mass spectrometry. *J. Mass Spectrom.*, 30 (1995) 1260-1266; *C.A.*, 123 (1995) 193004u.
- 319 Lamberto, M. and Ackman, R.G.: Positional isomerization of trans-3-hexadeconic acid employing 2-amino-2-methylpropanol as a derivatizing agent for ethylenic bond location by gas chromatography/mass spectrometry. *Anal. Biochem.*, 230 (1995) 224-228.
- 320 Li, H., Zhang, T. and Wu, J.: (Study of fatty acids and sterols in the seed of *Cuscuta chinensis* Lam). *Beijing Shifan Daxue Xuebao, Ziran Kexueban*, 30 (1995) 491-494; *C.A.*, 123 (1995) 107197e.
- 321 Martinez-Augustin, O., Boza, J.J., Romera, J.M. and Gil, A.: A rapid gas-liquid chromatography method for the determination of lactulose and mannitol in urine: clinical application in studies of intestinal permeability. *Clin. Biochem.*, 28 (1995) 401-405; *C.A.*, 123 (1995) 164319v.
- 322 Michel, C., David, A., Lahaye, M. and Barry, J.-L.: Gas chromatographic determination of volatile fatty acids in 80% ethanol. *Sci. Aliments*, 15 (1995) 167-177; *C.A.*, 123 (1995) 226172c.
- 323 Molkentin, J. and Precht, D.: Optimized analysis of trans-octadeconic acids in edible fats. *Chromatographia*, 41 (1995) 267-272.
- 324 Nishikawa, Y. and Okumura, T.: (Determination of ethylenediaminetetra-acetic acid and nitrolotri-acetic acid as their methyl ether derivatives by GC/MS-SIM). *Kankyo Kagaku*, 4 (1994) 514-515; *C.A.*, 123 (1995) 131700j.
- 325 O'Donnell, G.E., Juska, A., Geyer, R., Faiz, M. and Stalder, S.: Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography. *J. Chromatogr. A*, 709 (1995) 313-317.
- 326 Obrechikova, D., Tashkov, W. and Konovska, L.: Determination of dicarboxylic acids in *Clinopodium vulgare* L. using gas chromatography. *Dokl. Bulg. Akad. Nauk.*, 47, No. 3 (1994) 83-85; *C.A.*, 123 (1995) 52361w.
- 327 Park, P.W. and Goins, R.E.: Determination of 2-(2'-octenyl)succinic acid in lipophilic modified starch by gas chromatography-mass spectrometry/selected ion monitoring. *J. Agric. Food Chem.*, 43 (1995) 2580-2584.
- 328 Peng, S.H. and Zhou, T.H.: The study on *in vitro* metabolism of butylphthalide by gas chromatography-mass spectrometry. *Chin. Chem. Lett.*, 6 (1995) 55-58; *C.A.*, 123 (1995) 101920p.
- 329 Phinney, C.S. and Welch, M.J.: Analysis by a combination of gas chromatography and tandem mass spectrometry: development of quantitative tandem-in-time ion trap mass spectrometry: isotope dilution quantification of 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid. *Rapid Commun. Mass Spectrom.*, 9 (1995) 1056-1060.
- 330 Powers, L., Osborn, M.K., Yang, D., Kien, C.L., Murray, R.D., Beylot, M. and Brunengraber, H.: Assay of the concentration and stable isotope enrichment of short-chain fatty acids by gas chromatography/mass spectrometry. *J. Mass Spectrom.*, 30 (1995) 747-754; *C.A.*, 123 (1995) 5087b.
- 331 Russo, M.V., Goretti, G. and Liberti, A.: Determination by capillary gas chromatography of pyromellitic acid through conversion to tetraethyltrifluoro and tetramethyl esters. *Analisis*, 23 (1995) 128-130.
- 332 Soudant, P., Marty, Y., Moal, J. and Samain, J.F.: Separation of major lipids in *Pecten maximus* by high performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography. *J. Chromatogr. B*, 673 (1995) 15-26.
- 333 Susanto, F. and Reinauer, H.: Candidate reference method: determination of valproic acid in serum by isotope-dilution mass spectrometry. *Chromatographia*, 41 (1995) 407-413.
- 334 Ulberth, F. and Henninger, M.: Determination of the fatty acid profile of fish by a one-step extraction/methylation method. *Fat Sci. Technol.*, 97, No. 2 (1995) 77-80; *C.A.*, 123 (1995) 81846p.
- 335 Ulsaker, G.A. and Teien, G.: Identification of 9,10-epoxyoctadecanoic acid in human urine using gas chromatography-mass spectrometry. *Biomed. Chromatogr.*, 9 (1995) 183-187.
- 336 Van Rooyen, J.P.G., Mienie, L.J., Erasmus, E., de Wet, W.J., Ketting, D., Duran, M. and Wadman, S.K.: Identification of the stereoisomeric configurations of methylcitric acid produced by si-citrate synthase and methylcitrate synthase using capillary gas chromatography-mass spectrometry. *J. Inherited Metab. Dis.*, 17 (1994) 738-747; *C.A.*, 123 (1995) 78061y.
- 337 VanRollins, M. and Knapp, H.R.: Identification of arachidonate epoxides/diols by capillary chromatography-mass spectrometry. *J. Lipid Res.*, 36 (1995) 952-966; *C.A.*, 123 (1995) 78988f.
- 338 Ventura, K., Prihoda, P. and Churacek, J.: Application of solid sorbents to the trace analysis of alkyl esters of acrylic acid in air. *J. Chromatogr. A*, 710 (1995) 167-173.
- 339 Wacha, C., Przyborski, H., Roth, I. and Bandion, F.: (Detection and evaluation of D- and L-isocitric acid in wine). *Mitt. Klosterneuburg*, 44 (1994) 136-145; *C.A.*, 123 (1995) 142309q.
- 340 Wei, Y. and Cao, Y.: (The analyses of fatty acids and other components in algae by gas chromatography and mass spectrometry). *Yinyang Xuebao*, 17, No. 1 (1995) 53-55; *C.A.*, 123 (1995) 54550f.
- 341 Wesen, C., Mu, H., Sundin, P., Froyen, P., Skramstad, J. and Odham, G.: Gas chromatographic-mass spectrometric identification of chlorinated octadecanoic acids in eel lipids. *J. Mass Spectrom.*, 30 (1995) 959-968; *C.A.*, 123 (1995) 104464d.
- 342 Yamada, A., Ezaki, Y., Matsuo, K., Yarita, T. and Nomura, A.: Supercritical fluid chromatography of free resin acids on an ODS-silica gel column. *J. Chromatogr. A*, 709 (1995) 345-349.
- 343 Yu, Z. and Zhu, N.: (GC/Mass analysis of fatty acid in Chinese vegetable tallow oil from HuBei Province). *Zhongguo Youzhi*, 20 (1995) 47-48; *C.A.*, 123 (1995) 51626z.

- 344 Zhi, J.: (The analysis of crude glucosamine by GC-MS). *Riyong Huaxue Gongye*, (1995) 33-35; *C.A.*, 123 (1995) 274805h.

See also 88, 358, 376, 426, 517, 604.

11b. Prostaglandins

- 345 Ferretti, A. and Flanagan, V.P.: Mass spectrometric evidence of the anomalous chemical behavior of 11-dehydrothromboxane B₂. *Chem. Phys. Lipids*, 77 (1995) 33-40; *C.A.*, 123 (1995) 160981g.
- 346 Hishinuma, T., Nakamura, H., Itoh, N., Ohyama, Y., Ishibashi, M. and Mizugaki, M.: Microdetermination of the prostaglandin B₁ in human plasma by gas chromatography/selected ion monitoring using [¹⁸O]prostaglandin as an internal standard. *Prostaglandins*, 49 (1995) 239-246; *C.A.*, 123 (1995) 48016v.
- 347 Kobzar, A.I.: (Gas liquid chromatography of prostaglandins). *Klin. Lab. Diagn.*, No. 4 (1994) 50-51; *C.A.*, 123 (1995) 75051j.

11c. Lipids and their constituents

- 348 Binnert, C., Laville, M., Pachiaudi, C., Rigalleau, V. and Beylot, M.: Use of gas chromatography/isotope ratio-mass spectrometry to study triglyceride metabolism in humans. *Lipids*, 30 (1995) 869-873.
- 349 Enomoto, Y., Terauchi, Y., Ito, S. and Kagami, N.: (Determination of milk fat in prepared fats by capillary gas chromatography). *Kanzei Chuo Bunsekishoho*, 34 (1995) 39-49; *C.A.*, 123 (1995) 254828q.
- 350 Geana, D. and Steiner, R.: Calculation of phase equilibrium in supercritical extraction of C54 triglyceride (rapeseed oil). *J. Supercrit. Fluids*, 8 (1995) 107-118.
- 351 Kinter, M.: Analytical technologies for lipid oxidation products analysis. *J. Chromatogr. B*, 67 (1995) 223-236 - a review with 81 refs.
- 352 Loidl-Stahlhofen, A., Kern, W. and Spittler, G.: Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization. *J. Chromatogr. B*, 673 (1995) 1-14.
- 353 Manninen, P., Laakso, P. and Kallio, H.: Method for characterization of triacylglycerols and fat-soluble vitamins in edible oils and fats by supercritical fluid chromatography. *J. Am. Oil Chem. Soc.*, 72 (1995) 1001-1008.
- 354 Manninen, P., Laakso, P. and Kallio, H.: Separation of γ and α -linolenic acid containing triacylglycerols by capillary supercritical fluid chromatography. *Lipids*, 30 (1995) 665-671; *C.A.*, 123 (1995) 110328d.
- 355 Mayakova, T.I., Kuznetsova, E.E., Kovaleva, M.G. and Plyusnin, S.A.: Gas chromatographic-mass spectrometric study of lipids and rapid diagnosis of *Mycobacterium tuberculosis*. *J. Chromatogr. B*, 672 (1995) 133-137.
- 356 Molinari, F., Valenti, M., Potenza, D., Dionisi, F. and Aragozzini, F.: Determination of the enantiomeric composition of 1,2-diacylglycerols from olive oil by GC and ¹³C-NMR spectroscopy. *Ital. J. Food Sci.*, 7 (1995) 37-45; *C.A.*, 123 (1995) 226133r.
- 357 Myher, J.J. and Kuksis, A.: General strategies in chromatographic analysis of lipids. *J. Chromatogr. B*, 67 (1995) 3-33.

- 358 Pontillon, J.: Determination of milk fat in chocolates by gas-liquid chromatography of triglycerides and fatty acids. *J. Am. Oil Chem. Soc.*, 72 (1995) 861-866.

- 359 Ruiz-Gutiérrez, V. and Barron, L.J.R.: Methods for the analysis of triacylglycerols. *J. Chromatogr. B*, 67 (1995) 133-168 - a review with 327 refs.

- 360 Zoellner, P. and Lorbeer, E.: Utility of nicotinoyl derivatives in structural studies of mono- and diacylglycerols by gas chromatography/mass spectrometry. Part 2. *J. Mass Spectrom.*, 30 (1995) 432-437; *C.A.*, 123 (1995) 56439a.

11d. Lipoproteins and their constituents

- 361 Singh, A.K. and Jiang, Y.: Quantitative chromatographic analysis of inositol phospholipids and related compounds. *J. Chromatogr. B*, 67 (1995) 255-280 - a review with 130 refs.

See also 332.

13. STEROIDS

13b. Pregnane and androstane derivatives

- 362 Cheney, D.L., Uzunov, D., Costa, E. and Guidotti, A.: Gas chromatographic-mass fragmentographic quantitation of 3 α -hydroxy-5 α -pregnan-20-one (allopregnanolone) and its precursors in blood and brain of adrenalectomized and castrated rats. *J. Neurosci.*, 15 (1995) 4641-4650; *C.A.*, 123 (1995) 1166d.
- 363 Jiang, Y. and Hu, A.: (The determination of fecal neutral steroids in rats by gas-liquid chromatography). *Yingyang Xuebao*, 16 (1994) 446-449; *C.A.*, 123 (1995) 48010p.
- 364 Logunov, V.P. and Mazkhar, S.A.: (Chromatographic measurement of urinary steroids in psoriasis patients). *Klin. Lab. Diagn.*, No. 4 (1994) 11-13; *C.A.*, 123 (1995) 78749d.
- 365 Stoeckl, D., Thienpont, L.M., de Brabandere, V.I. and de Leenheer, A.P.: Novel perfluoroacyl derivatives of corticosteroids and related substances for potential use in quantitative gas chromatography mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 6 (1995) 264-276; *C.A.*, 123 (1995) 131712q.
- 366 Venturelli, E., Cavalleri, A. and Secreto, G.: Methods for urinary testosterone analysis. *J. Chromatogr. B*, 67 (1995) 363-380 - a review with 85 refs.
- 367 Wudy, S.A., Wachter, U.A., Homoki, J. and Teller, W.M.: 17 α -Hydroxyprogesterone, 4-androstenedione, and testosterone profiled by routine stable isotope dilution/gas chromatography-mass spectrometry in plasma of children. *Pediatr. Res.*, 38 (1995) 76-80; *C.A.*, 123 (1995) 102895w.

13c. Estrogens

- 368 Nota, G., Naviglio, D., Romano, R., Luongo, D., Di Matteo, M. and Impronta, C.: (Gas chromatographic evaluation of trienantine in fats using appropriate software). *Riv. Ital. Sostanze Grasse*, 72 (1995) 15-17; *C.A.*, 123 (1995) 226132q.

See also 320.

13d. Sterols

- 369 Alonso, L., Lozada, L., Fontecha, J. and Juárez, M.: Determination of cholesterol in milk fat by gas chromatography with direct injection and sample saponification. *Chromatographia*, 41 (1995) 23-28.
- 370 Cárdenas, M.S., Ballesteros, E., Gallego, M. and Valcárcel, M.: Automatic gas chromatographic determination of the high-density-lipoprotein cholesterol and total cholesterol in serum. *J. Chromatogr. B*, 672 (1995) 7-16.
- 371 Fascioli, R., Tessa, A. and Scarselli, L.: (Determination of sterol content in pasta with eggs). *Boll. Chim. Ig., Parte Sci.*, 45 (1994) 393-398; C.A., 123 (1995) 254831k.
- 372 Hoving, E.B.: Chromatographic methods in the analysis of cholesterol and related lipids. *J. Chromatogr. B*, 67 (1995) 341-362 - a review with 113 refs.
- 373 Huber, W., Molero, A., Pereyra, C., Martínez de la Ossa, E.: Determination of cholesterol in milk fat by supercritical fluid chromatography. *J. Chromatogr. A*, 715 (1995) 333-336.
- 374 Lanuzza, F., Micali, G. and Calabro, G.: (Sterol analysis of olive oil by transesterification and HPLC-HRGC coupling). *Riv. Ital. Sostanze Grasse*, 72 (1995) 105-109; C.A., 123 (1995) 142069m.
- 375 Mariani, C., Bellan, G. and Grob, K.: Complexity of the sterol fraction in edible oils. Separation of campesterol into two epimers. *Riv. Ital. Sostanze Grasse*, 72 (1995) 97-104; C.A., 123 (1995) 142253s.
- 376 Rencken, I., Fleming, V., Meijering, I. and Axcell, B.: Determination of selected sterols and fatty acids in yeast. *J. Chromatogr. Sci.*, 33 (1995) 525-530.

See also 357, 363, 393.

13e. Bile acids and alcohols

- 377 Kurosawa, T., Nomura, Y., Yoshimura, T., Murai, T., Mahara, R. and Tohma, M.: (Identification and determination of 3 β ,4 β ,7 α ,12 α -tetrahydroxy-5 β -cholan-24-oic acid by GC/MS in neonatal urine). *Bunsei Kagaku*, 44 (1995) 777-782.
- 378 Scalia, S.: Bile acid separation. *J. Chromatogr. B*, 67 (1995) 299-317 - a review with 92 refs.

13g. Other steroids

- 379 Kim, S.-K., Yokota, T. and Takahashi, N.: Identification of new 2-deoxy type brassinosteroids in immature seed of *Phaseolus vulgaris* by gas chromatography-mass spectrometry. *J. Plant. Biol.*, 37 (1994) 411-415; C.A., 122 (1995) 310197b.
- 380 Park, K.-H., Kim, S.-J. and Yokota, T.: (Identification of brassinosteroids in immature seeds of *Zea mays* by GC-MS analysis). *Han'guk Nonghwa Hakhoechi*, 38 (1995) 179-183; C.A., 123 (1995) 222799q.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 381 Deng, Q., Yang, S., Chen, X. and Xie, X.: GC-MS analysis of water-soluble aromatic components in shaddock peel. *Zhongshan Daxue Xuebao, Ziran Kexueban*, 34 (1995) 120-123; C.A., 123 (1995) 254826n.
- 382 Fricke, C., Rieck, A., Hardt, I.H., Koenig, W.A. and Muhle, H.: Identification of (+)- β -caryophyllene in essential oils of liverworts by enantioselective gas chromatography. *Phytochemistry*, 39 (1995) 1119-1121; C.A., 123 (1995) 165124q.
- 383 Nabeta, K.: Application of GC-MS analysis for studies on biosynthesis of lower terpenes incorporating deuterated precursors in plant cultured cells. *Dev. Food Sci.*, 37A (1995) 951-970; C.A., 123 (1995) 193733f.
- 384 Safaev, M.A., Zainutdinov, U.N., Musabekov, A.T. and Aslanov, K.A.: (Gas chromatographic study of Lagochilus diterpenoids). *Khim. Prir. Seodin.*, (1994) 134-135; C.A., 123 (1995) 237965q.

See also 203, 638, 680.

15b. Essential oils

- 385 Bal, Y. and Kaban, S.: GC-MS analysis of *Marrubium parviflorum oligodon*. *Fitoterapia*, 66 (1995) 179-180; C.A., 123 (1995) 164411u.
- 386 Faber, B., Krause, B., Dietrich, A. and Mosandl, A.: Gas chromatography-isotope ratio mass spectrometry in the analysis of peppermint oil and its importance in the authenticity control. *J. Essent. Oil Res.*, 7 (1995) 123-131; C.A., 123 (1995) 54459h.
- 387 Frank, C., Dietrich, A., Kremer, U. and Mosandl, A.: GC-IRMS in the authenticity control of the essential oil of *Coriandrum sativum* L. *J. Agric. Food Chem.*, 43 (1995) 1634-1637.
- 388 Guo, Z., Liu, P., An, Q. and Jin, B.: GC-MS analysis of volatile compounds in *Eucommia ulmoides* leaves. *Hebei Daxue Xuebao, Ziran Kexueban*, 15, No. 3 (1995) 36-39; C.A., 123 (1995) 222781c.
- 389 Hayashi, T., Watanabe, M., Fukaya, Y., Yoshida, K., Konno, K., Hotta, I., Ikai, Y., Oka, H., Hayakawa, J. and Ishikawa, N.: (Simultaneous determination of unusual-smelling substances in foods by essential distillation and gas chromatography). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 352-359; C.A., 123 (1995) 142004m.
- 390 Huestis, M.A., Mitchell, J.M. and Cone, E.J.: Detection times of marijuana metabolites in urine by immunoassay and GC-MS. *J. Anal. Toxicol.*, 19 (1995) 443-449; C.A., 123 (1995) 248690x.
- 391 Jirovetz, L., Buchbauer, G. and Nikiforov, A.: (Comparative analysis of different dill herb and dill seed oils by GC/FID and GC/MS). *Ernaehrung (Vienna)*, 18 (1994) 534-536; C.A., 123 (1995) 168090m.
- 392 Lehmann, D., Dietrich, A., Hener, U. and Mosandl, A.: Stereoisomeric flavor compounds. LXX: 1-menthene-8-thiol: separation and sensory evaluation of the enantiomers by enantioselective gas chromatography-olfactometry. *Phytochem. Anal.*, 6 (1995) 255-257.

- 393 Lercker, G., Frega, N., Bocci, F. and Rodriguez-Estrada, M.T.: High resolution gas chromatographic determination of diterpenic alcohols and sterols in coffee lipids. *Chromatographia*, 41 (1995) 29-33.
- 394 Miller, K.G., Poole, C.F. and Chichila, T.M.P.: Solvent-assisted supercritical fluid extraction for the isolation of semivolatile flavor compounds from the cinnamoms of commerce and their separation by series-coupled column gas chromatography. *J. High Resolut. Chromatogr.*, 8 (1995) 461-471.
- 395 Orav, A., Kailas, T., Liiv, M. and Aav, R.: (Capillary gas chromatographic analysis of the monoterpenic fraction of Estonian conifer needle oil). *Eesti Taed. Akad. Toim., Keem.*, 44 (1995) 149-155.
- 396 Park, H.-J., Lee, S.-B., Lee, E., Cha, B.-C., Choi, M.-Y., Lee, S.M. and Chung, W.T.: GC-MS analysis of diterpene quinone constituents of *Salvia miltiorrhiza* radix and biological activity. *Han'guk Yongyang Siklyong Hakhoechi*, 24 (1995) 459-465; *C.A.*, 123 (1995) 237952h.
- 397 Ruiz, R.G., Price, K.R., Rose, M.E., Rhodes, M.J.C. and Fenwick, G.R.: Determination of saponins in lupin seed (*Lupinus angustifolius*) using high-performance liquid chromatography: comparison with a gas chromatographic method. *J. Liq. Chromatogr.*, 18 (1995) 2843-2853.
- 398 Schumacher, K., Turgeon, H. and Mosandl, A.: Sample preparation for gas chromatography-isotope ratio mass spectrometry: an investigation with volatile components from strawberries. *Phytochem. Anal.*, 6 (1995) 258-261.
- 399 Stashenko, E.E., Martinez, C.R. and Martinez, J.R.: Catalytic transformation of anise (*Pimpinella anisum* L.) oil over zelyte Y. *J. High Resolut. Chromatogr.*, 8 (1995) 501-503.
- 400 Stashenko, E.E., Villa, H.S. and Combariza, M.M.: Comparative study of Colombian rue oils by high resolution gas chromatography using different detection systems. *J. Microcolumn Sep.*, 7 (1995) 117-122.
- 401 Vernin, G., Merad, O., Vernin, G.M.F., Zamkotsian, R.M. and Parkanyi, C.: GC-MS analysis of *Artemisia herba alba* Asso essential oils from Algeria. *Dev. Food Sci.*, 37A (1995) 147-205; *C.A.*, 123 (1995) 152557h.
- 402 Yonei, Y., Ohinata, H., Yoshida, R., Shimizu, Y. and Yokoyama, C.: Extraction of ginger flavor with liquid or supercritical carbon dioxide. *J. Supercrit. Fluids*, 8 (1995) 156-161.
- 406 Nishikawa, Y. and Okumura, T.: Determination of nitrobenzenes in river water, sediment and fish samples by gas chromatography-mass spectrometry. *Anal. Chim. Acta.*, 312 (1995) 45-55; *C.A.*, 123 (1995) 152388d.
- 407 Schaefer, B. and Engewald, W.: (Enrichment of nitroaromatic compounds from water by solid phase microextraction). *GIT Spez. Chromatogr.*, 14, No. 2 (1994) 85-87; *C.A.*, 123 (1995) 178910t.

See also 274, 681.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 408 Demertzis, P.G., Simal-Gandara, J. and Franz, R.: A convenient group method for the gas chromatographic determination of aliphatic diamines in the four official EC food simulants. *Dtsch. Lebensm.-Rundsch.*, 91 (1995) 35-38; *C.A.*, 123 (1995) 54382c.
- 409 Huang, K.-X., Ma, M.-Y. and Yin, C.-L.: (Resolution of racemic amine and amino acids by gas chromatography using a new chiral derivatization reagent L- α -trifluoroacetoxypropionyl chloride). *Youji Huaxue*, 15 (1995) 145-149; *C.A.*, 123 (1995) 159766j.
- 410 Nardillo, A.M. and Castells, R.C.: Gas chromatography of aliphatic amines on diatomaceous solid supports modified by adsorption and crosslinking of polyethyleneimines. *An. Asoc. Quim. Argent.*, 82 (1994) 337-345; *C.A.*, 123 (1995) 187396g.
- 411 Tourres, D., Langellier, C. and Lebourgne, D.: (Analysis of nitrogen compounds in petroleum fractions by gas-phase chromatography on capillary columns and specific detection by chemiluminescence). *Analisis*, 23, No. 4 (1995) N29-M36; *C.A.*, 123 (1995) 174556j.
- 412 Wehner, W.: Determination of hydrazine in dihydralazine sulfate and in dihydralazine sulfate preparations by capillary gas chromatography after benzaldehyde derivatization. *Pharmazie*, 50 (1995) 436-437; *C.A.*, 123 (1995) 93461x.

See also 271.

17d. Other amine derivatives and amides (excl. peptides)

16. NITRO AND NITROSO COMPOUNDS

- 403 Burns, D.T. and Lewis, R.J.: Analysis and characterization of nitroglycerin-based explosive by gas chromatography-mass spectrometry. *Anal. Chim. Acta*, 307 (1995) 89-95.
- 404 Hassenbusch, S.J., Colvin, O.M. and Anderson, J.H.: Determination of nitrosoarene compounds in brain tissue by gas chromatography and electron capture detection. *J. Pharm. Sci.*, 84 (1995) 840-842; *C.A.*, 123 (1995) 155n.
- 405 Kleps, T. and Domanski, W.: (Noxious and toxic compounds in the rubber industry: N-nitrosamines - their formation and methods of determination). *Polimery (Warsaw)*, 40 (1995) 268-273; *C.A.*, 123 (1995) 177823e.
- 413 Dagnac, T., Guillot, J.M., Roulph, C., le Cloirec, P. and Charbonnel, M.C.: Thermal degradation products of a N,N-dialkylamide: identification by GC/EI-MS, GC/CI-MS and GC/FTIR. *Analisis*, 23 (1995) 120-124; *C.A.*, 123 (1995) 245748m.
- 414 Meatherall, R.: Rapid GC-MS confirmation of urinary amphetamine and methamphetamine as their propylchloroformate derivatives. *J. Anal. Toxicol.*, 19 (1995) 316-322; *C.A.*, 123 (1995) 162869a.
- 415 Staahlborn, B. and Aakesson, B.: N,N-Dimethylbenzylamine: occupational exposure, analysis and biological monitoring. *Int. Arch. Occup. Environ. Health*, 67 (1995) 159-164; *C.A.*, 123 (1995) 207552k.

- 416 Sugita, T., Kawamura, Y. and Yamada, T.: (Development of a determination method for residual triethylamine and tributylamine in polycarbonate by NPD-GC). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 501-505; C.A., 123 (1995) 199973f.
- 417 Xu, X.: (Determination of 4-nitro-2,6-dichloroaniline in wastewater by gas chromatographic method). *Shanghai Huanjing Kexue*, 14, No. 1 (1995) 27-39.
- 418 Zhuravleva, I.L., Golovnya, R.V., Terenina, M.B. and Kuzmenko, T.E.: (Gas chromatographic determination of free energy of sorption for the methylene units of N-alkyl-substituted six-membered cyclic amines). *Izv. Akad. Nauk, Ser. Khim.*, No. 3 (1995) 437-439; C.A., 123 (1995) 55324x.
- 429 Simpson, J.T., Torok, D.S. and Markey, S.P.: Pentafluorobenzyl chloroformate derivatization for enhancement of detection of amino acids or alcohols by electron capture negative ion chemical ionization mass spectrometry. *J. Am. Soc. Mass Spectrom.*, 6 (1995) 525-528; C.A., 123 (1995) 217342f.
- 430 Thienpont, L.M., van Landuyt, K.G., Stoeckl, D. and de Leenheer, A.P.: Candidate reference method for determining serum creatinine by isocratic HPLC: validation with isotope dilution gas chromatography-mass spectrometry and application accuracy assessment of routine test kits. *Clin. Chem. (Washington)*, 41 (1995) 995-1003.

See also 114, 318, 409.

See also 36, 604.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 419 Abe, I. and Nakahara, T.: (Gas chromatography of amino acid enantiomers with wide-bore chiral phase glass capillary column). *Bull. Univ. Osaka Prefect., Ser. A.*, 43, No. 1 (1994) 35-38; C.A., 123 (1995) 187377b.
- 420 Abe, I., Kawazuma, M., Fujimoto, N. and Nahakara, T.: N-Alkoxycarbonyl isobutylamides as readily prepared diamide derivatives of amino acids for separation of enantiomeric isomers by chiral phase capillary gas chromatography. *Chem. Lett.*, No. 4 (1995) 329-330; C.A., 123 (1995) 131662y.
- 421 Bertacco, G., Giomo, A., Boschelle, O. and Corradini, C.: Montasio cheese characteristics in relation to free amino acid content. Note II. *Sci. Tec. Latt.-Casearia*, 45 (1994) 421-441; C.A., 123 (1995) 142068k.
- 422 Cao, P. and Moini, M.: Quantitative analysis of fluorinated ethylchloroformate derivatives of non-protein amino acids using positive and negative chemical ionization gas chromatography-mass spectrometry. *J. Chromatogr. A*, 710 (1995) 303-308.
- 423 Chaves das Neves, H.J. and Noronha, J.P.: Recognition of vinification technology through gas chromatographic data on enantiomeric purity of free amino acids. *Fresenius J. Anal. Chem.*, 352 (1995) 783-787.
- 424 Cheong, J.Y., Choi, S.H., Woo, N.T., Shin, J.Y., Kim, S.W. and Jung, W.T.: Racemization of L-lysine for pharmaceutical synthesis and its chiral separation by GC-MS spectroscopy. *Arch. Pharmacol. Res.*, 18 (1995) 69-74; C.A., 123 (1995) 122894y.
- 425 Kunas, A.V. and Eronen, M.: Identification of free amino acids in peat by gas chromatography and mass spectrometry. *Eur. J. Soil Sci.*, 45 (1994) 387-392; C.A., 123 (1995) 111041s.
- 426 Nowik, W.: (Simultaneous chromatographic analysis of amino acids and fatty acids in paint binding media). *Stud. Conserv.*, 40 (1995) 120-126; C.A., 123 (1995) 197808g.
- 427 Rhee, J.-S., Eo, Y.-W., Park, H.-M. and Kim, T.-J.: (Separation of racemic amino acids in food and biological samples by using GLC). *Anal. Sci. Technol.*, 7, No. 1 (1994) 53-64; C.A., 123 (1995) 81848r.
- 428 Schadewaldt, P., Hammen, H.-W., Wendel, U. and Matthiesen, U.: Enzymatic-chemical preparation of quinoxaline derivatives from L-amino acids for gas chromatographic-mass spectrometric analyses. *Anal. Biochem.*, 229 (1995) 153-161.
- 431 McIlhinney, R.A.J. and Harvey, D.J.: Determination of N-terminal myristoylation of proteins using a combined gas chromatographic/mass spectrometric assay of derived myristoylglycine: electron impact-induced fragmentation of acylglycine derivatives. *J. Mass Spectrom.*, 30 (1995) 900-910; C.A., 123 (1995) 51638e.
21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS
- 21a. Purines, pyrimidines, nucleosides, nucleotides
- 432 Airoldi, L., Magagnotti, C., Chiappetta, L., Bonfanti, M., Pastorelli, R. and Fanelli, R.: Simultaneous immunoaffinity purification of O⁶-methyl, O⁶-ethyl, O⁶-propyl and O⁶-butylguanine and their analysis by gas chromatography/mass spectrometry. *Carcinogenesis*, 16 (1995) 2247-2250.
- 433 Hamberg, M. and Zhang, L.-Y.: Quantitative determination of 8-hydroxyguanine and guanine by isotope dilution mass spectrometry. *Anal. Biochem.*, 229 (1995) 336-344.
- 434 Peters, G.J., Noordhuis, P., Komissarov, A., Holwerda, U., Kok, R.M., van Laar, J.A.M., van der Wilt, C.L., van Groeningen, C.J. and Pinedo, H.M.: Quantification of 5-fluorouracil incorporation into RNA of human and murine tumors as measured with a sensitive gas chromatography-mass spectrometry. *Anal. Biochem.*, 231 (1995) 157-168.
- 435 Wang, M.L. and Lee, M.H.: (Samples and rapid method for the determination of caffeine in beverages). *Zhonggou Nongye Huaxue Huizhi*, 33 (1995) 114-123; C.A., 123 (1995) 8108v.
- 21c. Nucleic acids, DNA
- 436 Saha, M., Abushama, A. and Giese, R.W.: General method for determining ethylene oxide and related N⁷-guanine DNA adducts by gas chromatography-electron capture mass spectrometry. *J. Chromatogr. A*, 712 (1995) 345-354.

22. ALKALOIDS

- 437 Crouch, D.J., Alburges, M.E., Spanbauer, A.C., Rollins, D.E. and Moody, D.E.: Analysis of cocaine and its metabolites from biological specimens using solid-phase extraction and positive ion chemical ionization mass spectrometry. *J. Anal. Toxicol.*, 19 (1995) 352-358; C.A., 123 (1995) 248683x.
- 438 Dagnino, D. and Verpoorte, R.: Gas chromatography in the analysis of alkaloids. *Mod. Methods Plant Anal.*, 15 (1994) 115-135; C.A., 123 (1995) 137696j.
- 439 Diakanamwa, C., Diallo, B., Vanhaelen-Fastre, R., Vanhaelen, M., Jaziri, M. and Homes, J.: Gas liquid chromatographic determination of canthinone alkaloids in *Hannoa chlorantha* root bark and tissue cultures. *Phytochem. Anal.*, 6 (1995) 193-195; C.A., 123 (1995) 106903v.
- 440 Elbro, T., Derst, D. and Simak, R.: (Field determination of lewisite and its degradation products in soil and water samples using flame-photometric and photoionization detectors). *Russ. Khim. Zh.*, 39 (1995) 125-128; C.A., 123 (1995) 248659u.
- 441 Gu, H., Zhou, L., Liu, S., Qu, G. and Zhong, Y.: (Separation and identification of mustard gas compounds in diesel fuel). *Fenxi Ceshi Xuebao*, 14, No. 3 (1995) 6-9; C.A., 123 (1995) 264914d.
- 442 Haber, H., Henklein, P., Georgi, M. and Melzig, M.F.: Resolution of catecholic tetrahydroisoquinoline enantiomers and the determination of *R*- and *S*-salsolinol in biological samples by gas chromatography-mass spectrometry. *J. Chromatogr. B*, 672 (1995) 179-187.
- 443 Henninger, P. and Claus, E.: Determination of organic sulphur compounds in sediments of the river Elbe using gas chromatography with flame photometric detection. *Fresenius J. Anal. Chem.*, 353 (1995) 88-92.
- 444 Ishii, A., Hattori, H., Seno, H., Kumazawa, T. and Suzuki, O.: Sensitive detection of strychnine in biological samples by gas chromatography with surface-ionization detection. *J. Forensic Sci.*, 40 (1995) 483-485; C.A., 123 (1995) 49373w.
- 445 Li, Y., Xiao, B. and Zhou, Y.: (Determination of carbon disulfide in waste gas by gas chromatography). *Shanghai Huanjing Kexue*, 14, No. 5 (1995) 23-25.
- 446 Merkel, G.: (Method for the determination of nicotine in biological samples). *Ger. Offen.* DE 4,405,553 (Cl. G01N33/15), 17 Aug. 1995, Appl. 4,405,553, 12 Feb. 1994; 2 pp.; C.A., 123 (1995) 220754x.
- 447 Mizugaki, M.: (Poison of aconite from viewpoint of forensic medicine and pharmacology). *Hochudoku*, 13 (1995) 96-99; C.A., 123 (1995) 76538k.
- 448 Moore, C.M., Deitermann, D., Lewis, D. and Leikin, J.: The detection of hydrocodone in meconium: two case studies. *J. Anal. Toxicol.*, 19 (1995) 514-518; C.A., 123 (1995) 248695c.

See also 392, 598.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23c. Indole derivatives and plant hormones (gibberelins)

- 449 Edlund, A., Ekloef, S., Sundberg, B., Moritz, T. and Sandberg, G.: A microscale technique for gas chromatography-mass spectrometry measurements of picogram amounts of indole-3-acetic acid in plant tissues. *Plant Physiol.*, 108 (1995) 1043-1047; C.A., 123 (1995) 107193a.

23d. Pyridine derivatives

See 411.

23e. Other N-heterocyclic compounds

- 450 Khasanova, V.M.: Gas-chromatographic determination of 1,2,4-triazole in working-zone air, water and biological materials. *Uzb. Khim. Zh.*, (1994) 81-82; C.A., 123 (1995) 24970a.
- 451 Motohashi, N., Meyer, R., Molnár, J., Párkányi, C. and Fang, X.: Chromatographic determination of benz[*c*]acridines and related compounds in airborne carcinogens. *J. Chromatogr. A*, 710 (1995) 117-128 - a review with 61 refs.

24. ORGANIC SULPHUR COMPOUNDS (INCL. GLUCOSINOLATES)

- 452 Kuiper-van Loo, E.M.: (Tetrahydrothiophene determination in natural gas with two different analytical methods. Micro gas chromatography and Draeger rubes). *GWf, Gas- Wasseffach: Gas/Erdgas*, 136 (1995) 141-147; C.A., 123 (1995) 13221f.
- 453 Suzuki, N. and Philip, R.P.: Pyrolysis-GC analyses of the recent cyanobacterial mats reacted with H₂S under mild condition. *Geochem. J.*, 29 (1995) 137-148; C.A., 123 (1995) 13174t.
- 454 Wang, Z. and Fingas, M.: Use of methylidibenzothiophenes as markers for differentiation and source identification of crude and weathered oils. *Environ. Sci. Technol.*, 29 (1995) 2842-2849.

See also 678.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)

- 455 Bohnenstengel, F., Johnson, S., Hofmann, U., Eichelbaum, M. and Kroemer, H.K.: Direct gas chromatographic determination of dechloroethylcyclophosphamide following microsomal incubation of cyclophosphamide. *J. Chromatogr. B*, 672 (1995) 271-276.
- 456 Boulet, C.A. and D'Agostino, P.A.: Analysis of dimethylpyrophosphate decomposition products of VX by GC-MS/MS and ³¹P NMR. *Phosphorus, Sulfur Silicon Relat. Elem.*, 104 (1995) 93-101; C.A., 123 (1995) 135261q.
- 457 Lin, S.J., Wu, H.L., Wen, Y.H. and Chen, S.H.: Electron-capture gas chromatographic determination of alkyl thiophosphates as pentafluorobenzyl derivatives. *Anal. Lett.*, 28 (1995) 1693-1710.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 458 Dirks, W.M.R., Lobinski, R. and Adams, F.C.: Speciation analysis of organotin by GC-AAS and GC-AES after extraction and derivatization. *Tech. Instrum. Anal. Chem.*, 17 (1995) 357-409; *C.A.*, 123 (1995) 131590y - a review with 88 refs.
- 459 Hasegawa, K., Utsunomiya, A. and Setsuda, S.: (Determination of organotin compounds in textile products by gas chromatography/mass spectrometry). *Kanagawa-ken Eisei Kenkyusho Kenkyu Hokoku*, 24 (1994) 38-42; *C.A.*, 123 (1995) 172391c.
- 460 Hintelmann, H., Evans, R.D. and Villeneuve, J.Y.: Measurement of mercury methylation in sediments by using enriched stable mercury isotopes combined with methylmercury determination by gas chromatography-inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.*, 10 (1995) 619-624.
- 461 Li, X. and Liu, Z.: (Establishing the National Standard determination method of alkylmercury in water by gas chromatography and its characteristics). *Shanghai Huanjing Kexue*, 14, No. 6 (1995) 24-25.
- 462 Liu, Y., Lopez-Avila, V., Alcaraz, M. and Beckert, W.F.: Capillary gas chromatography-atomic emission detection method for the determination of pentylated organotin compounds: interlaboratory study. *J. AOAC Int.*, 78 (1995) 1275-1285.
- 463 Lu, T.-C. and Whang, C.-W.: Determination of butyltins in sea water by gas chromatography with flame photometric detection. *J. Chin. Chem. Soc. (Taipei)*, 42 (1995) 515-520; *C.A.*, 123 (1995) 17267y.
- 464 Morabito, R., Chiavarini, S. and Cremisini, C.: Speciation of organotin compounds in environmental samples by GC-MS. *Tech. Instrum. Anal. Chem.*, 17 (1995) 435-464; *C.A.*, 123 (1995) 131591z - a review with 116 refs.
- 465 Prange, A. and Jantzen, E.: Determination of organometallic species by gas chromatography-inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.*, 10 (1995) 105-109; *C.A.*, 123 (1995) 101727f.
- 466 Sharron, D., Swami, K. and Jansing, R.L.: Rapid ultratrace analysis of tributyltin in aqueous matrixes by purge-and-trap gas chromatography with flame photometric detection. *J. AOAC Int.*, 78 (1995) 1317-1321.
- 467 Xu, F., Zan, J., Jiang, G. and Han, H.: Determination of butyltin compounds in sediments by gas chromatography with flame photometric detector. *J. Environ. Sci. (China)*, 7 (1995) 218-223; *C.A.*, 123 (1995) 178865g.
- 26b. Boranes, silanes and related non-metallic compounds
- 468 Fan, H., Dai, K. and Shi, W.: (Determination of trace arsenic in green tea by gas chromatography). *Yingyang Xuebao*, 16 (1994) 412-415; *C.A.*, 123 (1995) 226150u.
- 26c. Coordination compounds
- 469 Glazkov, I.N., Kiseliov, S.M., Yashin, Y.S., Revelskii, I.A., Zirko, B.I., Eleev, A.F. and Efimov, I.P.: (Capillary gas-chromatographic determination of Cu, Al, and Cr(III) trifluoroacetylacetonates). *Vestn. Mosk. Univ., Ser. 2: Khim.*, 36, No. 3 (1995) 245-249; *C.A.*, 123 (1995) 245573a.

- 470 Khuhavar, M.Y., Sarafraz-Yazdi, A., Zeng, Y. and Uden, P.C.: Capillary gas chromatographic determination of palladium chelates using microwave induced plasma atomic emission detection. *Chem. Anal. (Warsaw)*, 40 (1995) 271-279.
- 471 Lin, Y., Smart, N.G. and Wai, C.M.: Supercritical fluid extraction of uranium and thorium from nitric acid solutions with organophosphorus reagents. *Environ. Sci. Technol.*, 29 (1995) 2706-2708.

27. VITAMINS AND VARIOUS ANIMAL GROWTH FACTORS (NON-PEPTIDIC)

- 472 Ibanez, E., Tabera, J., Reglero, G. and Herraiz, M.: Optimization of separation of fat-soluble vitamins by supercritical fluid chromatography using serial micropacked columns. *J. Agric. Food Chem.*, 43 (1995) 2667-2671.
- 473 Shao, X. and Zhang, Y.: (Determination of free tocopherols in deodorized distillate by gas chromatography). *Fenxi Shiyanshi*, 13, No. 5 (1994) 61-62 and 57; *C.A.*, 123 (1995) 226573j.
- 474 Wyss, R.: Chromatographic and electrophoretic analysis of biomedically important retinoids. *J. Chromatogr. B*, 67 (1995) 381-425 - a review with 313 refs.

See also 160, 353.

28. ANTIBIOTICS

- 475 Boerner, S., Fry, H., Baliz, G. and Kroker, R.: Confirmation of chloramphenicol residues in egg by gas chromatography/high-resolution mass spectrometry and comparison of quantitation with gas chromatography-electron capture detection. *J. AOAC Int.*, 78 (1995) 1153-1160.
- 476 Ramsay, E.D., Lawrence, S.D. and Gaimes, D.E.: Application of capillary supercritical fluid chromatography combined with benchtop mass spectrometry for the analysis of the macrolide antibiotic midecamycin A₁. *Anal. Proc.*, 32 (1995) 455-457.

See also 558.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. General techniques

- 477 Berger, T.A.: Feasibility of screening large aqueous samples for thermally unstable pesticides using high efficiency packed column supercritical fluid chromatography with multiple detectors. *Chromatographia*, 41 (1995) 471-484.
- 478 Cairns, T. and Baldwin, R.A.: MS allows detection of pesticide residues in food at the part-per-billion level. *Anal. Chem.*, 67 (1995) 552A-556A.
- 479 Chatani, Y., Chikamoto, T., Munehisa, M. and Adachi, T.: (Studies on simultaneous determination of fungicides, organophosphorus pesticides, pyrethroid pesticides and so forth in citrus fruits). *Kyoto-fu Eisei Kogai Kenkyusho Nenpo*, 39 (1994) 22-27; *C.A.*, 123 (1995) 226160x.

- 480 Draper, W.M.: Optimizing nitrogen-phosphorus detector gas chromatography for pesticide analysis. *J. Agric. Food Chem.*, 43 (1995) 2077-2082.
- 481 Efer, J., Mueller, S. and Engewald, W.: (Programed temperature vaporization (PTV) for drinking water analysis by gas chromatography). *GIT Fachz. Lab.*, 39 (1995) 639-646; *C.A.*, 123 (1995) 208252z.
- 482 Fillion, J., Hindle, R., Lacroix, M. and Selwyn, J.: Multiresidue determination of pesticides in fruit and vegetables by gas chromatography-mass-selective detection and liquid chromatography with fluorescence detection. *J. AOAC Int.*, 78 (1995) 1252-1266.
- 483 Itoyama, T., Sekiguchi, Y., Koiguchi, S., Hirahara, Y., Ohta, M., Kimura, M., Miyoshi, T., Narita, M. and Hasegawa, M.: (Simple and rapid systematic determination of various pesticides in brown rice by gas chromatography). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 516-524; *C.A.*, 123 (1995) 226146x.
- 484 Janssen, A., Keuter, M., Meyer Zu Altenschildesche, D., Ritzkopf, A. and Treder, W.: (Chromatographic determination of pesticides for drinking water supervision. Part 1. Enrichment by solid-phase extraction). *GIT Fachz. Lab.*, 39 (1995) 417-424; *C.A.*, 123 (1995) 208249d.
- 485 Janssen, A., Keuter, M., Meyer Zu Altenschildesche, D., Ritzkopf, A. and Treder, W.: (Chromatographic determination of pesticides for the drinking water supervision. Part 2. Determination by HPCL and GC). *GIT Fachz. Lab.*, 39 (1995) 516-523; *C.A.*, 123 (1995) 237281p.
- 486 Kawata, K., Mukai, H. and Yasuhara, A.: Monitoring of pesticides in air by gas chromatography-mass spectrometry and the use of quartz-fibre wool and activated carbon for sampling. *J. Chromatogr. A*, 710 (1995) 243-250.
- 487 Saito, I., Yamada, S., Oshima, H. and Hayakawa, J.: (Multi residue method for determination of pesticides using Luke method extraction gel permeation chromatography, and gas chromatography). *Nippon Noyaku Gakkaishi*, 20 (1995) 109-118; *C.A.*, 123 (1995) 54358z.
- 488 Specht, W., Pelz, S. and Gilsbach, W.: Gas-chromatographic determination of pesticide residues after clean-up by gel-permeation chromatography and mini-silica gel-column chromatography. 6.Communication: Replacement of dichloromethane by ethyl acetate/cyclohexane in liquid-liquid partition and simplified conditions for extraction and liquid-liquid partition. *Fresenius J. Anal. Chem.*, 353 (1995) 183-190.
- 489 Tsuji, H., Henmi, N. and Kaneda, Y.: Gas chromatographic and mass spectrometric determination of asulam, mecoprop, and trichlorfon in water sample. *Jpn. J. Toxic. Environ. Health*, 41 (1995) 292-299; *C.A.*, 123 (1995) 265542t.
- 492 Buser, H.-R. and Müller, M.D.: Isomer-selective and enantioselective determination of DDT and related compounds using chiral high-resolution gas chromatography/mass spectrometry and chiral high-performance liquid chromatography. *Anal. Chem.*, 67 (1995) 2691-2698.
- 493 Cetinkaya, M.: (Gas chromatographic determination of organochloro- and organophosphorus pesticide residues in wheat germ oil). *Parfuem. Kosmet.*, 75 (1995) 762-763; *C.A.*, 123 (1995) 17427a.
- 494 Chee, K.K., Wong, M.K. and Lee, H.K.: Optimization by orthogonal array design of solid phase extraction of organochlorine pesticides from water. *Chromatographia*, 41 (1995) 191-196.
- 495 Filek, G., Bergamini, M. and Lindner, W.: Steam distillation-solvent extraction, a selective sample enrichment technique for the gas chromatographic-electron-capture detection of organochlorine compounds in milk powder and other milk products. *J. Chromatogr. A*, 712 (1995) 355-364.
- 496 Gill, U.S., Schwartz, H.M. and Wheatley, B.: Toxaphene (polychlorinated camphenes) analysis in human blood. *Int. J. Environ. Anal. Chem.*, 60 (1995) 153-161.
- 497 Lee, X.-P., Kumazawa, T., Taguchi, T., Sato, K. and Suzuki, O.: (Simple extraction of organophosphate pesticides using solid-phase microextraction (SPME) before capillary gas chromatography). *Hochudoku*, 13 (1995) 122-123; *C.A.*, 123 (1995) 104767e.
- 498 Macnaughton, S.J., Kikic, I., Rovedo, G., Foster, N.R. and Alessi, P.: Solubility of chlorinated pesticides in supercritical carbon dioxide. *J. Chem. Eng. Data*, 40 (1995) 593-597.
- 499 Miskimmin, B.M., Muir, D.C.G., Schindler, D.W., Stern, G.A. and Grift, N.P.: Chlorobornanes in sediments and fish 30 years after toxaphene treatment of lakes. *Environ. Sci. Technol.*, 29 (1995) 2490-2495.
- 500 Obana, H., Hori, S., Okihashi, M. and Nishimune, T.: Determination of organochlorine pesticides and synthesized pyrethroid pesticides in vegetables and fruits by GC/MS with negative chemical ionization. *Nippon Shokuhin Kagaku Gakkaishi*, 1, No. 1 (1994) 2-7; *C.A.*, 123 (1995) 167887q.
- 501 Schenck, F.J. and Wagner, R.: Screening procedure for organochlorine and organophosphorus pesticide residues in milk using matrix solid phase dispersion (MSPD) extraction and gas chromatographic determination. *Food Addit. Contam.*, 12 (1995) 535-541; *C.A.*, 123 (1995) 110335d.
- 502 Vetter, W. and Luckas, B.: Synthesis, isolation, and chromatography of perdeuterated α -1,2,3,4,5,6-hexachlorocyclohexane. *J. High Resolut. Chromatogr.*, 18 (1995) 643-646.
- 503 Wang, S., Santos-Delgado, M.J. and Polo-Diez, L.M.: Determination of organochlorine pesticides in water in presence of surfactants and other organic compounds by solid phase extraction combined with GC. *Quim. Anal. (Barcelona)*, 14 (1995) 84-88; *C.A.*, 123 (1995) 152393b.

See also 659.

29b. Chlorinated insecticides

- 490 Bengtsson, S. and Ramberg, Å.: Solid-phase extraction of pesticides from surface water using bulk sorbents. *J. Chromatogr. Sci.*, 33 (1995) 554-556.
- 491 Bernal, J.L., Jiménez, J.J. and Rivera, J.M.: Interferences found in the determination of pesticide and PCB residues by capillary GC after SFE. *J. Chromatogr. Sci.*, 33 (1995) 500-504.

See also 66, 149.

29c. Phosphorus insecticides

- 504 Chikamoto, T., Ohta, M. and Adachi, T.: (Simultaneous gas chromatographic determination of 8 organophosphorus pesticides in agricultural products). *Kyoto-fu Eisei Kogai Kenkyusho Nenpo*, 39 (1994) 16-21; *C.A.*, 123 (1995) 167885n.

- 505 Creasy, W.R., Rodriguez, A.A., Stuff, J.R. and Warren, R.W.: Atomic emission detection for the quantitation of trimethylsilyl derivatives of chemical-warfare-agent related compounds in environmental samples. *J. Chromatogr. A*, 709 (1995) 333-344.
- 506 Lacorte, S., Ehresmann, N. and Barceló, D.: Stability of organophosphorus pesticides on disposable solid-phase extraction precolumns. *Environ. Sci. Technol.*, 29 (1995) 2834-2841.
- 507 Okumura, T. and Nishikawa, Y.: Determination of organophosphorus pesticides in environmental samples by capillary gas chromatography-mass spectrometry. *J. Chromatogr. A*, 709 (1995) 319-331.
- 508 Zhuang, W., Zhou, Y. and Liu, S.: (Method for determination of 22 organophosphorus pesticide residue in fruits and vegetables by capillary gas chromatography). *Fenxi Ceshi Xuebao*, 14, No. 3 (1995) 68-71.
- See also 493, 501, 544.
- 29d. *Carbamates*
- 509 Argauer, R.J., Eller, K.I., Ibrahim, M.A. and Brown, R.T.: Determining propoxur and other carbamates in meat using HPLC fluorescence and gas chromatography/ion trap mass spectrometry after supercritical fluid extraction. *J. Agric. Food Chem.*, 43 (1995) 2774-2778.
- 510 Friedrichs, K., Winkeler, H.-D. and Gerhards, P.: (Determination of dithiocarbamate residues in foods by headspace gas chromatography and flame photometric detection). *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 69-73; C.A., 123 (1995) 226181e.
- 29e. *Herbicides*
- 511 Antonovic, D.G. and Boncic-Caricic, G.A.: Gas chromatographic retention indexes for N-substituted amino s-triazines on DB-1 and DB-5 capillary columns. Part II. Comparison of isothermal and programmed temperature gas chromatography. *J. Serb. Chem. Soc.*, 60 (1995) 669-674.
- 512 Berger, T.A.: High efficiency packed column supercritical fluid chromatography of sulfonylurea herbicides and metabolites from large water samples. *Chromatographia*, 41 (1995) 133-140.
- 513 Class, T.J. and Boehner, W.: (Capillary gas chromatography of the natural pyrethrins). *GIT Fachz. Lab.*, 39, No. 1 (1995) 21-22; C.A., 123 (1995) 78776k.
- 514 Gruessner, B. and Watzin, M.C.: Patterns of herbicide contamination in selected vermont streams detected by enzyme immunoassay and gas chromatography/mass spectrometry. *Environ. Sci. Technol.*, 29 (1995) 2806-2813.
- 515 Hori, Y. and Numazawa, M.: (Simultaneous determination method of 15 organonitrogen pesticides in brown rice and soybean by capillary FTD-GC). *Annu. Rep. Tohoku Coll. Pharm.*, 41 (1994) 83-91; C.A., 123 (1995) 249086s.
- 516 Lee, X.-P., Kumazawa, T. and Sato, K.: Rapid extraction and capillary gas chromatography for diazine herbicides in human body fluids. *Forensic. Sci. Int.*, 72 (1995) 199-207; C.A., 123 (1995) 76528g.
- 517 Monohan, K., Tinsley, I.J., Shepherd, S.F. and Field, J.A.: Quantitative determination of the acidic metabolites of Dacthal in ground water by strong anion exchange solid-phase extraction. *J. Agric. Food Chem.*, 43 (1995) 2418-2423.
- 518 Mortimer, R.D. and Shields, J.B.: Total, free, and glucose-conjugated acid metabolites form permethrin and cypermethrin in foods by gas chromatography-electron capture detection. *J. AOAC Int.*, 78 (1995) 1302-1307.
- 519 Mouvet, C., Broussard, S., Jeannot, R., Maciag, C., Abuknesha, R. and Ismail, G.: Validation of commercially available ELISA microtiter plates for triazines in water samples. *Anal. Chim. Acta.*, 311 (1995) 331-339.
- 520 Oliveira, G.H. and Palermo-Neto, J.: Toxicology of 2,4-dichlorophenoxyacetic acid (2,4-D) and its determination in serum and brain tissue using gas chromatography-electron-capture detection. *J. Anal. Toxicol.*, 19 (1995) 251-255; C.A., 123 (1995) 76518d.
- 521 Rutherford, B.S., Shackelford, D.D. and Ulmer, J.J.: Determination of tebutiuron and metabolites in bovine milk by GC-MSD. *J. Agric. Food Chem.*, 43 (1995) 2110-2116.
- 522 Tonogai, Y., Nakamura, Y., Tsumara, Y., Shibata, T., Kimura, M., Oota, M., Hirahara, Y., Miyata, M. and Narita, M.: (Effect of a component from foods on the determination of benfurcarb and carbosulfan by gas chromatography). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 506-515; C.A., 123 (1995) 226145w.
- 523 Xu, H. and Huang, L.: (Analysis of multi-component herbicide by gas chromatography). *Xiangtan Daxue Ziran Kexue Xuebao*, 17, No. 1 (1995) 65-67 and 81; C.A., 123 (1995) 163192m.
- See also 178, 500.
- 29f. *Fungicides*
- 524 Lee, W.-o. and Wong, S.-k.: Simple and rapid method for simultaneous gas chromatographic determination of bitertanol, metalaxyl, oxadixyl, propiconazole, and triadimefon residues in cucumbers. *Analyst (Cambridge)*, 120 (1995) 2475-2478.
- See also 230, 253.
- 29g. *Other types of pesticides and various agrochemicals*
- 525 Li, G., Zeng, K. and Zhang, Z.: (Determination of butachlor, simetryn, and bentazone in fertilizer granular by gas chromatography). *Nongyao Kexue Yu Guanli*, No. 2 (1995) 8-10; C.A., 123 (1995) 135746b.
30. SYNTHETIC AND NATURAL DYES
- 30a. *Synthetic dyes*
- 526 Muralidharan, D. and Rao, V.S.S.: Identification of benzidine based dyes and nonbenzidine based dyes by gas chromatography with mass selective detector. *J. Soc. Leather Technol. Chem.*, 78 (1994) 139-141; C.A., 123 (1995) 58760x.
- 527 Turnipseed, S.B., Roybal, J.E., Hurlbut, J.A. and Long, A.R.: Gas chromatographic/mass spectrometric confirmation of leucomalachite green in catfish (*Ictalurus punctatus*). *J. AOAC Int.*, 78 (1995) 971-977.

31. PLASTICS AND THEIR INTERMEDIATES

- 528 Andrzejewska, E., Voelkel, A., Andrzejewski, M. and Maga, R.: (Inverse gas chromatography in the investigation of polymer surface: acid-base and dispersive properties of polydimethylacrylates). *Polimery (Warsaw)* 39 (1994) 464-467; *C.A.*, 123 (1995) 145213q.
- 529 Bogillo, V.I. and Voelkel, A.: Some properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography. *J. Chromatogr. A*, 715 (1995) 127-134.
- 530 Bogillo, V.I. and Voelkel, A.: Surface properties of copolymers and terpolymers of styrene as studied by inverse gas chromatography. *Polymer*, 36 (1995) 3503-3510.
- 531 Cyrys, J., Lenoir, D., Matuschek, G. and Kettrup, A.: Simultaneous thermal analysis/mass spectrometry and off-line combustion-gas chromatography experiments of new duroplastic materials without halogen as flame retardants. *J. Anal. Appl. Pyrolysis*, 33 (1995) 157-172; *C.A.*, 123 (1995) 145371q.
- 532 Etxeberria, A., Iriarte, M., Uriarte, C. and Iruin, J.J.: Lattice fluid theory and inverse gas chromatography in the analysis of polymer-polymer interactions. *Macromolecules*, 28 (1995) 7188-7195; *C.A.*, 123 (1995) 200105h.
- 533 Galin, M.: Thermodynamic studies on polyether-solvent systems by gas-liquid chromatography. *Polymer*, 36 (1995) 3533-3539; *C.A.*, 123 (1995) 200134s.
- 534 Gao, Y. and Wang, L.: Study of acrylic latex polymers by pyrolysis capillary gas chromatography-mass spectrometry. *Tuliao Gongye*, No. 6 (1993) 44-47; *C.A.*, 123 (1995) 10141u.
- 535 Grimbley, M.R., Lehrle, R.S., Williams, R.J. and Bate, D.M.: An enclosed Curie point pyrolysis-GC technique for studying the oxidative or thermal degradation of polymers and volatile oligomeric oils. *Polym. Degrad. Stab.*, 48 (1995) 143-149; *C.A.*, 123 (1995) 10556h.
- 536 Isemura, T., Jitsugiri, Y. and Yonemori, S.: Compositional and sequential analysis of poly(ethylene-tetrafluoroethylene) by pyrolysis-gas chromatography. *J. Anal. Appl. Pyrolysis*, 33 (1995) 103-109.
- 537 Ishida, Y., Ohtani, H. and Tsuge, S.: Effects of solvents and inorganic salts on the reactive pyrolysis of aromatic polyesters in the presence of tetramethylammonium hydroxide studied by pyrolysis-gas chromatography/mass spectrometry. *J. Anal. Appl. Pyrolysis*, 33 (1995) 103-109.
- 538 Ishida, Y., Ohtani, H., Abe, K., Tsuge, S., Yamamoto, K. and Katoh, K.: Sequence distributions of polyacetals studied by reactive pyrolysis-gas chromatography in the presence of cobalt sulfate. *Macromolecules*, 28 (1995) 6528-6532; *C.A.*, 123 (1995) 145082w.
- 539 Kaya, I. and Ozdemir, E.: Estimation of solubility parameters of poly(methyl methacrylate) and derivatives by inverse gas chromatography. *Macromol. Rep.*, A32(Suppl. 3) (1995) 369-376; *C.A.*, 123 (1995) 200117p.
- 540 Kaya, I. and Ozdemir, E.: Thermodynamic interactions and characterization of poly(ethyl methacrylate) by inverse gas chromatography. *Macromol. Rep.*, A32(Suppl. 3) 377-383; *C.A.*, 123 (1995) 200118q.
- 541 Kaya, I., Ceylan, K. and Ozdemir, E.: Determination of thermodynamic parameters of poly(vinyl chloride) using inverse gas chromatography. *Turk. J. Chem.*, 19, No. 2 (1995) 94-100.
- 542 Klochkova, E.O., Troitskaya, N.N., Shvetsova, L.A. and Bochkarev, V.N.: (Gas chromatographic analysis of a solvent mixture in manufacture of epoxy-novolak resins). *Zavod. Lab.*, 61, No. 2 (1995) 12-13.
- 543 Komoda, M., Ono, A., Kaneko, S. and Yamane, T.: Simple and rapid determination of micro amounts of nitrogen in steel by FIA method using gas diffusion separation and spectrophotometric detection techniques. *Bunseki Kagaku*, 44 (1995) 725-730.
- 544 Komolprasert, V., Lawson, A.R. and Hargraves, W.A.: Analytical method for quantifying butyric acid, malathion, and diazinon in recycled poly(ethylene terephthalate). *J. Agric. Food Chem.*, 43 (1995) 1963-1965.
- 545 Natarajan, L.V., Kim, S., Bombick, D.D. and Bunning, T.J.: Synthesis, characterization and performance of liquid crystalline polysiloxanes in capillary gas chromatography. *Polym. Prepr. (Am. Chem. Soc., Div. Polym. Chem.)*, 36 (1995) 381-382; *C.A.*, 123 (1995) 257647r.
- 546 Noel, L.F.J., Brouwer, E.C.P., van Herk, A.M. and German, A.L.: Online gas chromatography and densimetry to obtain partial conversions of both monomers in emulsion copolymerization. *J. Appl. Polym. Sci.*, 57 (1995) 245-254; *C.A.*, 123 (1995) 56702f.
- 547 Nonobe, T., Ohtani, H., Usami, T., Mori, T., Fukumori, H., Hirata, Y. and Tsuge, S.: Characterization of stereoregular polystyrenes by pyrolysis-gas chromatography. *J. Anal. Appl. Pyrolysis*, 33 (1995) 121-138.
- 548 Qin, R., Schreiber, H.P. and Rudin, A.: Assessment of degree of fusion of rigid PVC from inverse gas chromatographic measurements. *J. Appl. Polym. Sci.*, 56 (1995) 51-56; *C.A.*, 123 (1995) 57519p.
- 549 Romdhane, I.H., Danner, R.P. and Duda, J.L.: Influence of the glass transition on solute diffusion on polymers by inverse gas chromatography. *Ind. Eng. Chem. Res.*, 34 (1995) 2833-2840.
- 550 Sugita, T., Ishiwata, H., Kawamura, Y., Baba, T., Umehara, T., Morita, S. and Yamada, T.: (Headspace gas chromatographic analysis of residual volatile substances in polystyrene food containers). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 263-268; *C.A.*, 123 (1995) 11034y.
- 551 Ude, K.: (Fractionation of polymers by supercritical fluid chromatography). *Kobunshi Kako*, 43 (1994) 518-523; *C.A.*, 123 (1995) 112777y - a review with 31 refs.
- 552 Wada, M., Fujishige, S., Uchino, S. and Ohguri, N.: Gas chromatography of styrene oligomers using a Curie-point pyrolyzer. *J. Anal. Appl. Pyrolysis*, 33 (1995) 149-156; *C.A.*, 123 (1995) 145216t.
- 553 Wang, F.C.-Y., Gerhart, B. and Smith, C.G.: Pyrolysis with a solvent trapping technique. Qualitative identification of acrylic acid and methacrylic acid in emulsion polymers. *Anal. Chem.*, 67 (1995) 3681-3686.
- 554 Wang, F.C.-Y., Gerhart, B.G. and Smith, P.B.: Structure determination of polymeric materials by pyrolysis gas chromatography. *Anal. Chem.*, 67 (1995) 3536-3540.
- 555 Yamada, T.: (Characterization of crosslinked polymer by pyrolysis-gas chromatography). *Toyoda Gosei Giho*, 36, No. 2 (1994) 112-116; *C.A.*, 123 (1995) 84423j - a review with 10 refs.

- 556 Yamada, T., Okumoto, T., Ohtani, H. and Tsuge, S.: Characterization of epoxy resins cured with dicyandiamide in the presence of imidazole catalyts by high-resolution pyrolysis-gas chromatography. *J. Anal. Appl. Pyrolysis*, 33 (1995) 157-166.

See also 22, 38, 66, 147, 224, 293, 405, 416, 684, 688.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

- 557 Hamanaka, T., Kageura, M., Kashimura, S., Hara, K. and Hieda, Y.: (A study of solid-phase extractions for the screening of drugs and poison by GC and GC/MS). *Hochudoku*, 13 (1995) 144-145; *C.A.*, 123 (1995) 104493n.
- 558 Ma, Q., Xue, Y. and Gao, H.: (Determination of residual organic solvent in sodium ampicillin by gas chromatography). *Taiyuan Gongye Daxue Xuebao*, 26, No. 2 (1995) 87-90; *C.A.*, 123 (1995) 110261b.

See also 424.

32b. Antirheumatics and antiinflammatory drugs

- 559 Class, T.J., Bacher, R., Boehner, W. and Bergman, M.: (Determination of pyrethroids in indoor dust by GC/MS). *GIT Fachz. Lab.*, 39 (1995) 305-310; *C.A.*, 123 (1995) 151337z.

32c. Autonomic and cardiovascular drugs

- 560 Acheampong, A. and Tang-Liu, D.D.S.: Measurement of bromidide concentrations in human plasma by a highly sensitive gas chromatography/mass spectrometric assay. *J. Pharm. Biomed. Anal.*, 13 (1995) 995-1002.
- 561 Hoffman, K.L., Rossi, D.T. and Wright, D.S.: Trace quantitation of the novel cholinesterase inhibitor in human plasma by capillary gas chromatography/ion trap mass spectrometry. *J. Pharm. Biomed. Anal.*, 13 (1995) 979-985.
- 562 Jimenez-Carmona, M.M., Tena, M.T. and Luque de Castro, M.D.: Ion-pair-supercritical fluid extraction of clenbuterol from food samples. *J. Chromatogr. A*, 711 (1995) 269-276.
- 563 Montrade, M.-P., le Bizet, B., Monteau, F. and Andre, F.: Analysis of β -agonists in urine and tissues by capillary gas chromatography-mass spectrometry: *in vivo* study of salbutamol disposition in calves. *Food Addit. Contam.*, 12 (1995) 625-636.
- 564 Qin, Y., Zhang, C.J., Xu, Y.X. and Zhu, S.T.: GC/MS confirmatory method of benzthiazide in human urine. *Chin. Chem. Lett.*, 6 (1995) 497-500; *C.A.*, 123 (1995) 131874u.
- 565 Xu, Y.-X., Shen, L., Wang, S., Wu, Y. and Zhang, C.-J.: (Analysis of β -blockers and their metabolites in urine by gas chromatography. (III). Analysis of five β -blockers and their metabolites in rats' urine by solid-phase extraction and GC/MS). *Gaodeng Xuexiao Huaxue Xuebao*, 16 (1995) 384-386; *C.A.*, 123 (1995) 217599v.

See also 582.

32d. Central nervous system drugs

- 566 Clark, C.R., DeRuiter, J., Valera, A.K. and Noggle, F.T.: GC-MS analysis of acylated derivatives of methamphetamine and regioisomeric phenethylamines. *J. Chromatogr. Sci.*, 33 (1995) 485-492.
- 567 Fan, S.-Z., Yu, H.-Y., Chen, Y.-L. and Liu, C.C.: Propofol concentration monitoring in plasma or whole blood by gas chromatography and high-performance liquid chromatography. *Anesth. Analg. (Baltimore)*, 81 (1995) 175-178; *C.A.*, 123 (1995) 131875v.
- 568 Grouls, R.J.E., Machielsen, E., Korsten, H.H.M., Hellebrekers, L.J., Breimer, D.D. and Ackerman, E.W.: Capillary gas chromatographic method for the determination of *n*-butyl-*p*-aminobenzoate and lidocaine in plasma samples. *J. Chromatogr. B*, 673 (1995) 51-57.
- 569 Kumar, A. and Kiser, W.O.: Identification and quantitation of norcocaine in illicit cocaine samples. *J. Forensic Sci.*, 40 (1995) 483-485; *C.A.*, 123 (1995) 49372v.
- 570 Kumazawa, T., Lee, X.-P., Sato, K., Seno, H., Ishii, A. and Suzuki, O.: (Detection of local anesthetics in human blood using solid-phase microextraction and capillary gas chromatography). *Hochudoku*, 13 (1995) 142-143; *C.A.*, 123 (1995) 101875c.
- 571 Needleman, S.B. and Provaznik, M.: Identification of parent benzodiazepines by gas chromatography/mass spectroscopy (GC/MS) from urinary extracts treated with β -glucuronidase. *Forensic Sci. Int.*, 73 (1995) 49-60; *C.A.*, 123 (1995) 76534f.
- 572 Petri, G., Nyiredi, S., Veszki, P., Oroszlan, P. and Turiak, G.: (Gas chromatographic analysis of cannabinoids on "tandem" columns). *Acta Pharm. Hung.*, 65, No. 3 (1995) 63-67; *C.A.*, 123 (1995) 135277z.
- 573 Qiu, F., Liu, L., Luo, Y. and Feng, L.Y.: (Rapid screening method for local anesthetics in human plasma using solid-phase extraction combined with gas chromatography (GC) and gas chromatography-mass spectrometry (GC-MS)). *Huanjing Huaxue*, 14 (1995) 246-250; *C.A.*, 123 (1995) 47266q.
- 574 Qiu, F.H., Liu, L., Guo, L., Luo, Y. and Lu, Y.Q.: (Rapid identification and quantitation of barbiturates in plasma by using solid-phase extraction combined with gas chromatography-mass spectrometry). *Yaouxue Xuebao*, 30 (1995) 372-377; *C.A.*, 123 (1995) 101888j.
- 575 Rochholz, G., Ahrens, B., Koenig, F., Schuetz, H.W., Schuetz, H. and Seno, H.: Screening and identification of sumatriptan and its main metabolite by mean of thin-layer chromatography, ultraviolet spectroscopy and gas chromatography/mass spectrometry. *Arzneim. - Forsch.*, 45 (1995) 941-946.
- 576 Salvador, A., Jaime, M.A. and de la Guardia, M.: Study of the chromatographic parameters for the supercritical fluid chromatography of benzodiazepines. *Anal. Proc.*, 32 (1995) 463-465.
- 577 Schurig, V., Grosenic, H. and Juza, M.: Enantiomer separation of chiral inhalation anesthetics (enflurane, isoflurane and desflurane) by gas chromatography on a γ -cyclodextrin derivative. *Recl. Trav. Chim. Pays-Bas*, 114 (1995) 211-219; *C.A.*, 123 (1995) 93423m.
- 578 Shimano, M., Inoue, Y., Matsuzaki, R., Inde, S. and Yagasaki, K.: (Qualitative analysis of psychotropic drugs by capillary gas chromatography using NPD). *Kanzei Chuo Bunsekishoho*, 34 (1995) 87-92; *C.A.*, 123 (1995) 153022s.

- 579 Singer, K., Wenz, B., Seefeld, V. and Speer, U.: (Analysis of abused drugs using SPME). *Labor-Med.*, 18 (1995) 112-118; C.A., 123 (1995) 76552k.
- 580 Takaichi, K., Shinohara, T. and Nagano, T.: (Analysis of benzodiazepine compounds by SFE/SFC). *Hochudoku*, 13 (1995) 132-133; C.A., 123 (1995) 76540e.
- 581 Wang, S.-M., Ling, Y.-C., Tsai, L.-C. and Giang, Y.-S.: Headspace sampling and gas chromatographic-mass spectrometric determination of amphetamine and methamphetamine in betel. *J. Chromatogr. A*, 715 (1995) 325-331.
- 582 Wong, E.C., Koenig, J. and Turk, J.: Potential interference of cyclobenzaprine and norcyclobenzaprine with HPLC measurement of amitriptyline and nortriptyline: resolution by GC-MS analysis. *J. Anal. Toxicol.*, 19 (1995) 218-224; C.A., 123 (1995) 76550h.
- 583 Zhang, X., Fan, C. and Jia, J.: (Analysis of seven barbiturates in biological materials by solid-phase extraction and capillary gas chromatography with FTIR detection.) *Chin. J. Chromatogr.*, 13 (1995) 182-184.
- See also 586, 591, 600.
- 32e. *Chemotherapeutics (exc. cytostatics and antibiotics)*
- 584 Tateo, F., Caserio, G., Orlandi, A. and Giovanditto, S.: Gas chromatographic/mass spectrometry analytical characterization of smoke-liquid flavorings to evaluate the opportunity of their use as antibacterial agents. *Dev. Food Sci.*, 37A (1995) 971-979; C.A., 123 (1995) 167988y.
- See also 575.
- 32f. *Cytostatics*
- See 455.
- 32g. *Other drug categories*
- 585 Betz, J.M., White, K.D. and der Marderosian, A.H.: Gas chromatographic determination of yohimbine in commercial yohimbe products. *J. AOAC Int.*, 78 (1995) 1189-1194; C.A., 123 (1995) 266270q.
- 32h. *Toxicological and forensic applications*
- 586 DeRuiter, J. and Clark, C.R.: LC and GC-MS analysis of 4-bromo-2,5-dimethoxyphenethylamine (Nexus) and 2-propanamine and 2-butanamine analogues. *J. Chromatogr. Sci.*, 33 (1995) 583-590.
- 587 Interschick, E., Wuest, H. and Patscheke, H.: (Toxicological serum analysis using fractionated solid-phase extraction and gas chromatography with nitrogen detection). *Laboratoriumsmedizin*, 18 (1994) 533-540; C.A., 123 (1995) 187567p.
- 588 Kemp, P.M.: Temporal correlation between human topographic quantitative EEG and cannabinoids in biological matrixes using gas chromatography/mass spectrometry. Avail. *Univ. Microfilms Int.*, Order No. DA9512672, 1994, 238 pp.; C.A., 123 (1995) 188255x.
- 589 Kemp, P.M., Abujhalaf, I.K., Manno, J.E., Manno, B.R., Alford, D.D., McWilliams, M.E., Nixon, F.E., Fitzgerald, M.J., Reeves, R.R. and Wood, M.J.: Cannabinoids in humans. II. The influence of three methods of hydrolysis on the concentration of THC and two metabolites in urine. *J. Anal. Toxicol.*, 19 (1995) 292-298; C.A., 123 (1995) 162866x.
- 590 Kemp, P.M., Abukhalaf, I.K., Manno, J.E., Manno, B.R., Alford, D.D. and Abusada, G.A.: Cannabinoids in humans. I. Analysis of Δ^9 -tetrahydrocannabinol and six metabolites in plasma and urine using GC-MS. *J. Anal. Toxicol.*, 19 (1995) 285-291; C.A., 123 (1995) 159981a.
- 591 Kintz, P. and Mangin, P.: Simultaneous determination of opiates, cocaine and major metabolites of cocaine in human hair by gas chromatography/mass spectrometry (GC/MS). *Forensic Sci. Int.*, 73 (1995) 93-100; C.A., 123 (1995) 135271t.
- 592 Kintz, P., Cirimele, V. and Mangin, P.: Testing human hair for cannabis II. Identification of THC-COOH by GC-MS-NCI as a unique proof. *J. Forensic Sci.*, 40 (1995) 619-622.
- 593 Kintz, P., Machart, D., Jamey, C. and Mangin, P.: Comparison between GC-MS and the EMIT II, Abbott ADx, and Roche On-Line immunoassays for the determination of THCCOOH. *J. Anal. Toxicol.*, 19 (1995) 304-306; C.A., 123 (1995) 162868z.
- 594 LeBelle, M.J., Savard, C., Dawson, B.A., Black, D.B., Katyal, L.K., Zrcek, F. and By, A.W.: Chiral identification and determination of ephedrine, pseudoephedrine, methamphetamine and methcathinone by gas chromatography and nuclear magnetic resonance. *Forensic. Sci. Int.*, 71 (1995) 215-223; C.A., 123 (1995) 2874v.
- 595 Maruyama, K. and Takatsu, A.: The quantitative analysis of inhalational anaesthetics in forensic samples by gas chromatography/mass spectrometry/selected ion monitoring. *Biomed. Chromatogr.*, 9 (1995) 179-182.
- 596 Nakahara, Y., Takahashi, K. and Kikura, R.: (Determination of heroin metabolites in hair specimens by GC/MS method and its application to confirmation of heroin use). *Bunseki Kagaku*, 44 (1995) 747-755.
- 597 Nedeljkovic, M. and Djukic, M.: (Critical review analytical methods for biological material alcohol determination for clinical and forensic purposes). *Arkh. Farm.*, 45 (1995) 121-131; C.A., 123 (1995) 190606f - a review with 36 refs.
- 598 Thompson, W.C. and Dasgupta, A.: Confirmation and quantitation of cocaine, benzoylecgonine, ecgonine methyl ester, and cocaethylene by gas chromatography/mass spectrometry. Use of microwave irradiation for rapid preparation of trimethylsilyl and t-butylidimethylsilyl derivatives. *Am. J. Clin. Pathol.*, 104 (1995) 187-192; C.A., 123 (1995) 190636r.
- 599 Wilkins, D., Rollins, D.E., Seaman, J., Haughey, H., Krueger, G. and Foltz, R.: Quantitative determination of codeine and its major metabolites in human hair by gas chromatography-positive ion chemical ionization mass spectrometry: a clinical application. *J. Anal. Toxicol.*, 19 (1995) 269-274; C.A., 123 (1995) 162864v.
- 600 Wu, A.H.B.: Mechanism of interferences for gas chromatography/mass spectrometry analysis of urine for drugs of abuse. *Ann. Clin. Lab. Sci.*, 25 (1995) 319-329; C.A., 123 (1995) 135274w.
- See also 256, 258, 259, 325, 329, 390, 437, 447, 448, 687.

32i. *Plant extracts*

- 601 Liu, G., Ye, W. and Kimihiko, G.: (Comparison of different parts in one toxic plant using gas chromatography). *Zhongguo Yike Daxue Xuebao*, 24 (1995) 140-142.
- 602 Obrechikova, D., Tashkov, W. and Konovska, L.: A method of gas chromatography for determining the fluorine content in *Clinopodium vulgare* L. *Dokl. Bulg. Akad. Nauk.*, 47, No. 5 (1995) 37-39; *C.A.*, 123 (1995) 18027g.
- 603 Pekic, B., Zekovic, Z., Petrovic, L. and Tolic, A.: Behavior of (-)- α -bisabololoxides A and B camomile flower extraction with supercritical carbon dioxide. *Separ. Sci. Technol.*, 30 (1995) 3567-3576.

See also 171, 172, 175, 581.

33. CLINICO-CHEMICAL APPLICATIONS

33b. *Complex mixtures and profiling (single compounds by cross-reference only)*

- 604 Goux, W.J., Rodriguez, S. and Sparkman, D.R.: Analysis of the core components of Alzheimer paired helical filaments. A gas chromatography/mass spectrometry characterization of fatty acids, carbohydrates and long-chain bases. *FEBS Lett.*, 366 (1995) 81-85; *C.A.*, 123 (1995) 166711r.
- 605 Matsumoto, M., Zhang, C.-h., Kosugi, C. and Matsumoto, I.: Gas chromatography-mass spectrometric studies of canine urinary metabolism. *J. Vet. Med. Sci.*, 57 (1995) 205-211; *C.A.*, 123 (1995) 52819b.

See also 184, 214, 316, 317, 321, 333, 348, 364, 370, 434, 567, 568, 575.

34. FOOD ANALYSIS

34b. *Complex mixtures (single compounds by cross-reference only)*

- 606 Bing, J.W., Johnson, J.H., Taylor, S.L., Orton, W.L. and Hopper, M.L.: Simultaneous multi-sample supercritical-fluid extraction of food products for lipids and pesticide residue analysis. *J. Supercrit. Fluids*, 8 (1995) 167-175.
- 607 Galletti, G.C., Chiavari, G. and Bocchini, P.: Thermal decomposition products of aspartame as determined by pyrolysis-gas chromatography/mass spectrometry. *J. Anal. Appl. Pyrolysis*, 32 (1995) 137-151; *C.A.*, 123 (1995) 8110q.
- 608 Guskova, V.P., Belyaeva, R.F., Georgiev, E.S. and Sizova, L.S.: (Determination of toxic substances in vodkas and drinking alcohols by gas chromatography). *Gig. Sanit.*, No. 2 (1995) 50-51; *C.A.*, 123 (1995) 220371v.
- 609 Pfordt, J. and von Grabowski, H.U.: (Bakery products from irradiated and nonirradiated eggs. Detection of irradiation in a processed food). *Z. Lebensm.-Unters. Forsch.*, 200 (1995) 198-202; *C.A.*, 123 (1995) 168032u.

See also 29, 199, 217, 255, 261, 278, 292, 293, 300, 306, 315, 322, 323, 339, 343, 349, 353, 356, 358, 368, 369, 371, 373, 374, 375, 421, 423, 435, 478, 479, 482, 483, 495, 500, 501, 508, 509, 510, 515, 522, 527, 550, 562, 692, 706.

34c. *Organoleptically important compounds (flavors, odors, volatiles)*

- 610 Abbott, N., Puech, J.-L., Bayonove, C. and Baumes, R.: Determination of the aroma threshold of the *cis* and *trans* racemic forms of α -methyl- γ -octalactone by gas chromatography-sniffing analysis. *Am. J. Enol. Vitic.*, 46 (1995) 292-294.
- 611 Baloga, D.W., Vorsa, N. and Lawter, L.: Dynamic headspace gas chromatography-mass spectrometry analysis of volatile flavor compounds from wild diploid blueberry species. *ACS Symp. Ser.*, 596 (1995) 235-247; *C.A.*, 123 (1995) 82003y.
- 612 Boelens, M.H., Boelens, H. and van Gemert, L.J.: Trends in aroma research and gas chromatography-olfactometry. *Perfum. Flavor.*, 20, No. 1 (1995) 1-5; *C.A.*, 123 (1995) 122685f.
- 613 Groetzbach, C., Steinhart, H. and Wilkens, J.: (Changes in volatiles during hot storage of the coffee beverage). *Chem., Mikrobiol., Technol. Lebensm.*, 17 (1995) 45-52; *C.A.*, 123 (1995) 196939p.
- 614 Huerta Diaz-Reganon, M.D., Masoud Musa, T. and Salinas Fernandez, M.R.: (Determination of some major volatile compounds in wine and its distillate by gas chromatography). *Sci. Aliments*, 15 (1995) 187-191; *C.A.*, 123 (1995) 196874p.
- 615 Kihara, K.: Evaluation method and consideration of shoyu quality. 4. Usefulness of very big relative area of very small element. *Nippon Shoyu Kenkyusho Zasshi*, 21 (1995) 127-134; *C.A.*, 123 (1995) 54361v.
- 616 Lehmann, D., Maas, B. and Mosandl, A.: Stereoisomeric flavor compounds. Part 69. Stereodifferentiation of $\delta(\gamma)$ -lactones C₈-C₁₈ in dairy products, margarine, and coconut. *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 55-61; *C.A.*, 123 (1995) 226381v.
- 617 Liu, J., Zhao, J., Zhang, X. and Wang, M.: (Removing caffeine in yunnan coffee beans by supercritical fluid extraction (SFE) technique and setting up a model for coffee flavour appraisal). *Chin. J. Chromatogr. (Sepu)*, 13 (1995) 342-345.
- 618 Mani, W. and Woolley, C.: Solid-phase microextraction and chiral gas chromatography separations. *LG-GC*, 13 (1995) 734-740; *C.A.*, 123 (1995) 226196p.
- 619 Moret, I.: Quantitative determination of aroma components in wine by sorbent extraction: Improvement and chemometric evaluation. *Analyst (Cambridge)*, 120 (1995) 2561-2566.
- 620 Narziss, L., Miedaner, H. and Krottenhaler, M.: (Development of a selection method suitable for serial application for improving the quality of beer and the quality parameters of barley which influence the taste of beer. Part 3. Conclusions as to the expected taste of beer from malt and beer analysis. Presentation based on large and small scale brewery test). *Monatsschr. Brauwiss.*, 48 (1995) 108-111; *C.A.*, 123 (1995) 196894v.
- 621 Nassl, K., Kropf, F. and Klostermeyer, H.: A method to mimic and to study the release of flavor compounds from chewed food. *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 62-68; *C.A.*, 123 (1995) 226236b.

- 622 Nielsen, T.J. and Jaegerstad, M.: Supercritical fluid extraction (SFE) coupled to capillary gas chromatography for the analysis of aroma compounds sorbed by food packing material. *Spec. Publ. - R. Soc. Chem.*, 162 (1995) 59-64; *C.A.*, 123 (1995) 167853a.
- 623 Oruhanbayala, A.K.: (Studies by headspace gas chromatography on flavor components in various cheeses). *J. Rakuno Gakuen Univ., Nat. Sci.*, 19 (1995) 407-421; *C.A.*, 123 (1995) 110473x.
- 624 Petropoulos, G. and Vlachou, A.-M.: GLC analysis and comparison of the flavor of different populations of basil. *Dev. Food Sci.*, 37A (1995) 849-855; *C.A.*, 123 (1995) 196974w.
- 625 Pons, I., Jaubert, J.-N., Morel, J. and Fenyó, J.-C.: GC and sensory techniques coupled in caramel flavor analysis. *Perfum. Flavor.*, 20, No. 2 (1995) 15-18; *C.A.*, 123 (1995) 254832m.
- 626 Semmelroch, P. and Grosch, W.: Analysis of roasted coffee powders and brews by gas chromatography-olfactometry of headspace samples. *Food Sci. Technol.*, 28 (1995) 310-313; *C.A.*, 123 (1995) 82058v.
- 627 Shaw, P.E., Moshonas, M.G. and Buslig, B.S.: Multivariate analysis for classification of commercial orange juice products by volatile constituents using headspace gas chromatography. *ACS Symp. Ser.*, 596 (1995) 33-47; *C.A.*, 123 (1995) 81996n.
- 628 Soleas, G.J., Goldberg, D.M., Diamandis, E.P., Karumanchiri, A., Yan, J. and Ng, E.: A derivatized gas chromatographic-mass spectrometric method for the analysis of both isomers of resveratrol in juice and wine. *Am. J. Enol. Vitic.*, 46 (1995) 346-352.
- 629 Taylor, F.: Bleu cheese flavor production by submerged fermentation with online monitoring by gas chromatography. *J. Ind. Microbiol.*, 15 (1995) 71-74.
- 630 Ulberth, F. and Roubicek, D.: Monitoring of oxidative determination of milk powders by headspace gas chromatography. *Int. Dairy J.*, 5 (1995) 523-531.
- 631 Vallejo-Cordoba, B., Arteaga, G.E. and Nakai, S.: Predicting milk shelf-life based on artificial neural networks and headspace gas chromatographic data. *J. Food Sci.*, 60 (1995) 885-888.
- 632 Van Ruth, S.M., Roozen, J.P., Cozijnsen, J.L. and Posthumus, M.A.: Volatile compounds of rehydrated French beans, bell peppers and leeks. Part II. Gas chromatography/sniffing port analysis and sensory evaluation. *Food Chem.*, 54 (1995) 1-7; *C.A.*, 123 (1995) 82009e.
- See also 59, 91, 283, 389.
35. ENVIRONMENTAL ANALYSIS
- 35a. *General papers and reviews*
- See 140, 297, 451.
- 35b. *Air pollution (complex mixtures; single compounds by cross-reference only)*
- 633 Apel, E.C., Calvert, J.G., Zika, R., Rodgers, M.O., Aneja, V.P., Meagher, J.F. and Lonneman, W.A.: Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: protocol and quality assurance. *J. Air Waste Manage. Assoc.*, 47 (1995) 521-528; *C.A.*, 123 (1995) 236205e.
- 634 Camel, V. and Caude, M.: Trace enrichment methods for the determination of organic pollutants in ambient air. *J. Chromatogr. A*, 710 (1995) 3-19 - a review with 74 refs.
- 635 Cao, X.-L. and Hewitt, C.N.: Detection methods for the analysis of biogenic non-methane hydrocarbons in air. *J. Chromatogr. A*, 710 (1995) 39-50 - a review with 73 refs.
- 636 Castello, G., Benzo, M. and Gerbino, T.C.: Automated gas chromatographic analysis of volatile organic compounds in air. *J. Chromatogr. A*, 710 (1995) 61-70.
- 637 Cecinato, A. and Ciccio, P.: Volatile organic components (VOC) in atmospheric pollution: a challenge for capillary chromatography. *Ann. Chim. (Rome)*, 85 (1995) 109-129; *C.A.*, 123 (1995) 64147u - a review with 26 refs.
- 638 Hoffmann, T.: Adsorptive preconcentration technique including oxidant scavenging for the measurement of reactive natural hydrocarbons in ambient air. *Fresenius J. Anal. Chem.*, 351 (1995) 41-47.
- 639 Karst, U., Groemping, A.H.J., Binding, N., Witting, U. and Cammann, K.: Determination of aldehydes, ketones, and nitrogen oxides in automobile exhaust. *Am. Environ. Lab.*, 7, No. 2 (1995) 32-33; *C.A.*, 123 (1995) 16314z.
- 640 Maeda, T., Onodera, S. and Ogino, H.: On-site monitoring of volatile organic compounds as hazardous air pollutants by gas chromatography. *J. Chromatogr. A*, 710 (1995) 51-59 - a review with 39 refs.
- 641 Xu, XiaoBai., Chu, ShaoGang. and Song, N.: Application of chromatographic studies of air pollution in China. *J. Chromatogr. A*, 710 (1995) 21-37 - a review with 116 refs.
- See also 44, 54, 65, 125, 174, 181, 187, 193, 196, 201, 202, 206, 210, 228, 242, 243, 244, 257, 266, 288, 295, 296, 338, 415, 450, 486, 694, 701, 703, 712.
- 35c. *Water pollution (complex mixtures; single compounds by cross-reference only)*
- 642 Bizziuk, M., Polkowska, Z., Gorlo, D., Janicki, W. and Namiesnik, J.: Determination of volatile organic compounds in water intakes and tap water by purge and trap and direct aqueous injection-electron capture detection techniques. *Chem. Anal. (Warsaw)*, 40 (1995) 299-307.
- 643 Blevins, D.: Reducing water sample prep time. *Environ. Test. Anal.*, 4, No. 3 (1995) 28-31; *C.A.*, 123 (1995) 152362r.
- 644 Franke, S., Hildebrandt, S., Schwarzbauer, J., Link, M. and Franke, W.: Organic compounds as contaminants of the Elbe river and its tributaries. Part II. GC-MS screening for contaminants of the Elbe river. *Fresenius J. Anal. Chem.*, 353 (1995) 39-49.
- 645 Habu, T.: (Purge and trap GC-MS analysis for volatile compounds in the water). *Bunseki*, No. 5 (1995) 350-357; *C.A.*, 123 (1995) 217335f - a review with 25 refs.
- 646 Hussain, A.-R., Sojak, L. and Kminiak, M.: Volatile organic compounds in water and sediment from the Morava and the Danube rivers (Slovakia) using purge and trap injection and gas chromatography. *Water, Air, Soil Pollut.*, 81 (1995) 193-200; *C.A.*, 123 (1995) 122472j.
- 647 Kondoh, H. and Nakajima, T.: (Separation of 45 controlled pesticides in public waters by gas chromatography/mass spectrometry). *Kankyo Kagaku*, 5 (1995) 241-246; *C.A.*, 123 (1995) 265549a 29a.

- 648 Korenman, J.I., Niftalijev, S.I., Bastic, M., Milovanovic, L. and Ranic, M.: The extraction of chlorophenols - regularities and application in analysis. *Hem. Ind.*, 49 (1995) 273-278; C.A., 123 (1995) 208247b.
- 649 Korenman, Y.I. and Fokin, V.N.: (Gas chromatographic determination of volatile organic solvents in wastewater). *Lakokras. Mater. Ikh Primen.*, No. 2 (1995) 5-6.
- 650 Rudelle, D., Cassard, S., Hartemann, P., Muller, J.-F., Francais, T. and Morlot, M.: (Interaction between water and floppy plastic materials: Identification of organic compounds by gas chromatography-mass spectrometry). *J. Eur. Hydrol.*, 26 (1995) 211-225; C.A., 123 (1995) 122417v.
- 651 Stan, H.J. and Linkerhaegner, M.: Multimethod applying GC-AED to water samples. *Chem. Plant Prot.*, 12 (1995) 59-89; C.A., 123 (1995) 152068z.
- 652 Theobald, N., Lange, W., Gähler, W. and Renner, P.: Mass spectrometric investigation of water extract of the river Elbe for the determination of potential inputs of pollutants into the North Sea. *Fresenius J. Anal. Chem.*, 353 (1995) 50-56.
- 653 Vreuls, J.J., Louter, A.J.H. and Brinkman, U.A.T.: Capillary GC with selective detection using on-line solid phase extraction and liquid chromatography techniques. *Chem. Plant Prot.*, 12 (1995) 1-31; C.A., 123 (1995) 152067y.
- 654 Wilkesmann, R., Schlett, C. and Thier, H.P.: (Determination of ultra traces of odors in water after solid phase extraction and closed-loop stripping analysis (CLSA)). *Vom Wasser*, 84 (1995) 357-367; C.A., 123 (1995) 152415k.
- See also 45, 150, 192, 211, 213, 222, 229, 231, 237, 238, 247, 251, 267, 268, 270, 271, 287, 311, 324, 406, 407, 417, 440, 461, 463, 466, 481, 484, 485, 489, 490, 494, 499, 503, 517, 519, 675, 693.
- 35d. *Soil pollution (complex mixtures; single compounds by cross-reference only)*
- 655 Miyamoto, K., Urano, K., Mino, M. and Fujie, K.: (A determination method of volatile organic pollutants in soil). *Mizu Kankyo Gakkaishi*, 18 (1995) 477-488; C.A., 123 (1995) 178553d.
- See also 55, 165, 178, 197, 212, 226, 236, 248, 249, 250, 251, 252, 272, 286, 440, 443, 460, 467, 665, 682.
36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES
- 36a. *Surfactants*
- 656 Louis, D. and Talbot, J.M.: Determination of chain length distribution of anionic surfactants. Use of high resolution capillary gas chromatography (HRCGC) in the determination of chain length distribution of anionic surfactants. *Tenside, Surfactants, Deterg.*, 32 (1995) 347-350.
- 657 Sherrard, K.B., Marriott, P.J., Amiet, R.G., Colton, R., McCormick, M.J. and Smith, G.C.: Photocatalytic degradation of secondary alcohol ethoxylate: Spectroscopic, chromatographic, and mass spectrometric studies. *Environ. Sci. Technol.*, 29 (1995) 2235-2242.
- See also 270.
- 36b. *Antioxidants and preservatives*
- 658 Chiriac, G., Nita, M., Duca, G., Andrei, C. and Radu, M.: (Gas chromatographic determination of triacetoneamine). *Rev. Chim. (Bucharest)*, 46 (1995) 490-496; C.A., 123 (1995) 131694k.
- 659 Wang, X., Yang, X. and Lu, Y.: (Identification of preservatives and insecticides in wood articles by gas chromatography-mass spectrometry). *Huaxue Shijie*, 35v (1994) 654-656; C.A., 123 (1995) 173030w.
- 36c. *Complex mixtures, technical products and unidentified compounds*
- 660 Brossard, S., Lafosse, M., Dreux, M., Becart, J. and Tranchant, J.F.: (Gas-phase chromatographic and supercritical phase chromatographic analysis of natural waxes). *Parfums, Cosmet., Aromes*, 117 (1994) 48-53; C.A., 123 (1995) 202768a.
- 661 Challinor, J.M.: Characterization of wood by pyrolysis derivatization-gas chromatography/mass spectrometry. *J. Anal. Appl. Pyrolysis*, 35 (1995) 93-107.
- 662 Chiavari, G., Fabbri, D., Mazzeo, R., Bocchini, P. and Galletti, G.C.: Pyrolysis gas chromatography-mass spectrometry of natural resins used for artistic objects. *Chromatographia*, 41 (1995) 273-281.
- 663 Desobry, S., Bizet, C., Maucourt, M.N., Novak, G. and Hardy, J.: A static head space gas chromatography method to measure plastics permeability to ink solvents. *Spec. Publ. - R. Soc. Chem.*, 162 (1995) 146-151; C.A., 123 (1995) 168212c.
- 664 Fafet, A. and Magne-Drisch, J.: Quantitative analysis of middle distillates by GC/MS coupling. Application to hydrotreatment process mechanisms. *Rev. Inst. Fr. Pet.*, 50 (1995) 391-404; C.A., 123 (1995) 261388z.
- 665 Fu, T., Chen, S. and Jiang, S.: (Gas chromatographic determination of lignin in sediments). *Haiyang Xuebao (Zhongwenban)*, 17, No. 1 (1995) 59-63; C.A., 123 (1995) 265582f.
- 666 Furton, K.G., Bruna, J. and Almirall, J.R.: A simple, inexpensive, rapid, sensitive and solventless technique for the analysis of accelerants in fire debris based on SPME. *J. High Resolut. Chromatogr.*, 18 (1995) 625-629.
- 667 Galletti, G.C., Mincione, B., Mellon, F.A. and Waldron, K.W.: Application of pyrolysis/gas chromatography/mass spectrometry to the analysis of kiwi mucilage. *Ital. J. Food Sci.*, (1995) 232-239; C.A., 123 (1995) 110323y 36c.
- 668 He, E., Ji, Y. and Zhong, L.: (Determination of components in phthalic anhydride by gas chromatography). *Huaxue Yu Nianhe*, No. 3 (1995) 155-156.
- 669 Kang, J. and Zhao, L.: (Gas chromatographic/mass spectrometric (GC/MS) determination of organic substances leached from water tanks for high-rise buildings). *Huanjing Huaxue*, 14 (1995) 265-268; C.A., 123 (1995) 92516g.
- 670 Kurchenko-Gai, L.S.: (Gas chromatographic determination of the component composition of selective organic solvents). *Khim. Prom-st. (Moscow)*, No. 12 (1994) 817-818.
- 671 Kuroda, K.-i., Suzuki, A., Kato, M. and Imai, K.: Analysis of rice (*Oriza sativa*) lignin by pyrolysis-gas chromatography. *J. Anal. Appl. Pyrolysis*, 34 (1995) 1-12; C.A., 123 (1995) 79768w.
- 672 Kuroda, K.-i., Yamaguchi, A. and Sakai, K.: Analysis of sugi wood and its lignin preparations by pyrolysis-gas chromatography. *Mokuzai Gakkaishi*, 40 (1994) 987-995; C.A., 123 (1995) 115819z.

- 673 Lennard, C., Rochaix, V.T., Margot, P. and Huber, K.: A GC-MS database of target compound chromatograms for the identification of arson accelerants. *Sci. Justice*, 35 (1995) 19-30; C.A., 123 (1995) 49369z.
- 674 Leupold, G. and Lantz, I.: (Production of biogas from vegetable wastes. Part 3. Continuous gas chromatographic determination of biogas components during methanization of potato vinasse). *Chem. Mikrobiol. Technol. Lebensm.*, 16 (1995) 156-164; C.A., 123 (1995) 88196k.
- 675 Milyukin, M.V.: (Identification of microimpurities of neutral and acidic semivolatile aromatic compounds in natural and drinking waters by gas chromatography-mass spectrometry). *Khim. Tekhnol. Vody*, 16 (1994) 377-384; C.A., 123 (1995) 237351m.
- 676 Niimura, N., Miyakoshi, T., Onodera, J. and Higuchi, T.: (Thermal degradation of a lacquer film by pyrolysis-gas chromatography-mass spectrometry). *Nippon Kagaku Kaishi*, (1995) 724-729.
- 677 Patroescu, C., Baniceru, M., Popescu, A. and Pleniceanu, M.: (Gas-liquid chromatographic (GLC) separation of compounds from ethyl acetate using binary stationary-phase mixtures). *Rev. Chim. (Bucharest)*, 46 (1995) 594-600; C.A., 123 (1995) 245730z.
- 678 Pepe, C., Scribe, P., Dagaut, J., Nallard, M.A., Pollet, B. and Lapiere, C.: Lignin signature in river suspension by capillary gas chromatography-mass spectrometry of thioacidolysis products. *Analisis*, 23 (1995) 114-116.
- 679 Ramsey, E.D., Berry, A.J., Lawrence, S.D., Games, D.E. and Startin, J.R.: Ionophores: potential screening via supercritical-fluid chromatography combined with mass spectrometry and tandem mass spectrometry. *Rapid Commun. Mass Spectrom.*, 9 (1995) 712-716; C.A., 123 (1995) 81840g.
- 680 Rastogi, S.C.: Analysis of fragrances in cosmetics by gas chromatography-mass spectrometry. *J. High Resolut. Chromatogr.*, 18 (1995) 653-658.
- 681 Rietjens, M. and Wils, E.R.J.: Characterization of plastic-bonded explosives by pyrolysis gas chromatography and multivariate data analysis. Part I: Setup of the method. *Propellants, Explos., Pyrotech.*, 20 (1995) 182-186; C.A., 123 (1995) 174371v.
- 682 Schulten, H.-R., Sorge, C. and Schnitzer, M.: Structural studies on soil nitrogen by Curie-point pyrolysis gas chromatography/mass spectrometry with nitrogen-selective detection. *Biol. Fertil. Soils*, 20 (1995) 174-184.
- 683 Sharma, D.K. and Mishra, S.: Gas chromatographic mass spectrometric studies of the reaction products obtained from the depolymerization of coal by phenolation. *Fuel Sci. Technol.*, 13, No. 2 (1994) 61-69; C.A., 123 (1995) 13358f.
- 684 Struppe, H.G., Ahlheim, J., Luther, U. and Ondruschka, B.: (Conversion of mixtures of pyrolysis feedstocks and thermomechanically pre-treated waste plastics. Simplified balancing of laboratory experiments on GC analysis with application of "sealable sampling columns"). *Chem. Tech. (Leipzig)*, 47 (1995) 179-189; C.A., 123 (1995) 203965z.
- 685 Suzuki, S., Izumi, A., Ohi, H., Kuroda, K.-i. and Yamaguchi, A.: (Structural analysis of alkaline cooked lignin by pyrolysis-gas chromatography evaluation of uniformity in delignification of beech wood chips). *Kami Pa Gikyoshi*, 48 (1994) 1212-1220; C.A., 123 (1995) 115820t.
- 686 Suzuki, S., Izumi, A., Ohi, H., Kuroda, K.-i. and Yamaguchi, A.: (Structural analysis of lignin by pyrolysis-gas chromatography (II). Analysis of decayed wood lignin). *Kami Pa Gikyoshi*, 49 (1995) 735-745; C.A., 123 (1995) 202511m.
- 687 Takekoshi, Y., Sato, K., Kanno, S., Kawase, S., Kiho, T. and Ukai, S.: (Rapid analysis by capillary gas chromatography of thinners and the related organic solvents). *Jpn. J. Toxicol. Environ. Health*, 41 (1995) 227-233; C.A., 123 (1995) 135265u.
- 688 Tandler, P.I., Butcher, J.A., Tao, H. and Harrington, P. de B.: Analysis of plastic recycling products by expert system. *Anal. Chim. Acta*, 312 (1995) 231-244.
- 689 Tiburcio, A.C. and Manson, J.A.: Acid-base interactions in filler characterization by inverse gas chromatography. *Polym. Mater. Sci.*, 70 (1995) 462-464; C.A., 123 (1995) 10796m.
- 690 Voelkel, A. and Fall, J.: The use of the Flory-Huggins interaction parameter for the characterization of vacuum distillation residue fractions of mineral oils. *Chromatographia*, 41 (1995) 414-418.
- 691 Xu, H. and Yang, Y.: Analysis of the recovery liquid in production of hydroxypropyl methyl cellulose by gas chromatography. *Huaxue Shijie*, 36 (1995) 145-148; C.A., 123 (1995) 231649t.
- See also 26, 35, 126, 185, 186, 189, 190, 191, 207, 209, 227, 232, 234, 239, 240, 245, 249, 254, 264, 403, 408, 426, 441, 525, 544, 622, 700.
37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES
- See 355, 704.
38. INORGANIC COMPOUNDS
- 38b. Anions
- 692 Maruoka, H., Ando, S., Himata, K. and Kuwabara, T.: (Determination of boric acid salt residue in bread by gas chromatography.) *Jpn. Kokai Tokkyo Koho JP 07 83,890 [95 83,890] (Cl. G01N30/02)*, 31 Mar. 1995, JP Appl. 93/199,998, 20 Jul. 1993; 6 pp.; C.A., 123 (1995) 82075y.
- 693 Sarudi, I. and Nagy, I.: A gas chromatographic method for the determination of nitrite ions in natural waters. *Talanta*, 42 (1995) 1099-1102; C.A., 123 (1995) 265604q.
- 38c. Permanent and rare gases
- 694 Jaffe, D. and Herndon, S.: Measuring carbon monoxide in auto exhaust by gas chromatography. *J. Chem. Educ.*, 72 (1995) 364-366; C.A., 123 (1995) 8739b.
- 695 Melzer, W., Mueller, F., Spinner, R., Staendekke, W. and Stieler, S.: (Online-chromatograph for the analysis of carbon monoxide in the ppb-range). *Tech. Mess.*, 61 (1994) 151-156; C.A., 123 (1995) 12455y.
- 696 Song, Z.: (Determination of oxygen content in chromium by pulse heating-gas chromatography). *Fenxi Shiyanshi*, 13, No. 5 (1995) 42-43; C.A., 123 (1995) 159597e.

- 697 Wendel, J., Wertenbach, H., Gugla, M., Penzhorn, R.-D., Spelta, B., Ricapito, I., Baratti, G. and Dworschak, H.: Quantitative analysis of hydrogen isotopes with a mordenite column at 173 K by ratio gas chromatography. *Fusion Technol.*, 28, No. 3, Pt. 2 (1995) 1090-1094.
- 698 Zhang, X.: (Cryogenic gas chromatographic analysis of flame gas). *Fenxi Huaxue*, 23 (1995) 456-458; C.A., 123 (1995) 87858r.
- 699 Zimakov, I.E. and Karavanov, N.A.: (Determination of oxygen impurity in selenium, tellurium and chalcogenides). *Izv. Vyssh. Uchebn. Zaved., Khim. Tekhnol.*, 37, No. 7-9 (1994) 71-75; C.A., 123 (1995) 73578n.
- See also 46, 83, 84, 118, 129, 147, 674, 713, 714.
- 38d. Volatile inorganic compounds**
- 700 Chanot, J.F.: (Chromatographic determination of H₂S in coke-oven gas). *Rev. Metall./Cah. Inf. Tech.*, 92 (1995) 48-51; C.A., 123 (1995) 174492k.
- 701 Cyganski, A., Majewski, T. and Ptaszynski, B.: (Thermal standard substance for determination of sulfur dioxide in air). *Chem. Inz. Ekol.*, 1 (1994) 188-190; C.A., 123 (1995) 177879c.
- 702 Dong, D., Zhang, A. and Wang, Y.: (Determination of carbon dioxide in mineralized rocks by gas chromatography). *Hebei Dizhi Xueyuan Xuebao*, 17 (1994) 373-377; C.A., 123 (1995) 131525f.
- 703 Fang, F., Zhai, F. and Cui, J.: (Use of gas chromatography to calculate the amount of CO₂ in the atmosphere). *Beijing Gongye Daxue Xuebao*, 20, No. 4 (1995) 119-121; C.A., 123 (1995) 64487e.
- 704 Guilluy, R. and Brazier, J.-L.: (Determination of ¹³CO₂ released by a biological culture and application to the identification of bacteria strains, early diagnosis of bacteria growth, and study of culture media). *Fr. Demande* FR 2,714,675 (Cl. C12Q1/04), 7 Jul. 1995, Appl. 94/180, 5 Jan. 1994; 18 pp.; C.A., 123 (1995) 164651x.
- 705 Lamrini, R., Lacan, P., Francina, A., Guilluy, R. and Brazier, J.L.: Reverse isotope dilution analysis of ¹³CO₂ using gas chromatography/isotope ratio mass spectrometry: application to the quantitative determination of ¹³CO₂ released by human polymorphonuclear leukocytes. *Rapid Commun. Mass Spectrom.*, 9 (1995) 1017-1020.
- 706 Mitsuhashi, T.: (Improved gas chromatographic determination of total bromine in agricultural products). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 409-412; C.A., 123 (1995) 142006p.
- 707 Simek, M. and Sustr, V.: Gas chromatographic microrespirometry: further improvement and application in animal ecophysiology. *Soil Biol. Biochem.*, 27 (1995) 1227-1229; C.A., 123 (1995) 164316s.
- 708 Tian, X., Yang, W., Liu, M., Yu, A., Jin, Q. and Wang, S.: (Determination of carbon dioxide in air by new direct current plasma ionization detector). *Jilin Duaxue Ziran Kexue Xuebao*, No. 2 (1995) 83-86; C.A., 123 (1995) 91610w.
- 709 Wen, R. and Peng, Y.: New method for determination of arsenic content in tail gases during semiconductor processing. *J. Environ. Sci. (China)*, 7 (1995) 229-232; C.A., 123 (1995) 177872v.
- 710 Wiederholt, E. and Plempel, M.: (Demonstration experiment for the production and gas chromatographic analysis of biogas). *Math. Naturwiss. Unterr.*, 48 (1995) 33-37; C.A., 123 (1995) 255772d.
- 711 Wong, W.W., Hachey, D.L., Zhang, S. and Clarke, L.L.: Accuracy and precision of gas chromatography/combustion isotope ratio mass spectrometry for stable carbon isotope ratio measurements. *Rapid Commun. Mass Spectrom.*, 9 (1995) 1007-1011.
- 712 Yang, G. and Dai, X.: (Study on PH₃ monitoring method of 10⁷ order in the atmosphere). *Huanjing Baohu (Beijing)*, No. 12 (1994) 21-22; C.A., 123 (1995) 236219n.
- See also 674.
- 39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS**
- 713 Andreev, B.M., Kruglov, A.V. and Selivanenko, Y.L.: Continuous isotope separation in systems with solid phase. I. Gas-phase separation of isotopes of the light elements. *Separ. Sci. Technol.*, 30 (1995) 3211-3227.
- 714 Kobayashi, T., Sakamoto, A., Goto, K., Miyake, H., Matsuyama, M. and Watanabe, K.: Development of gas chromatograph for hydrogen isotope separation working at room temperature. (I). Application of palladium and effects of supporting materials. *Toyama Daigaku Suiso Doitai Kino Kenkyu Senta Kenkyu Hokoku*, 14 (1994) 97-108.
- See also 46, 129, 330, 502, 697, 704, 705, 711.