

Gas Chromatography

1. REVIEWS AND BOOKS

1080 Grant, D.W.: *Capillary Gas Chromatography*. Wiley, Chichester, 1996, 295 pp.

See also 1083, 1099, 1105, 1115, 1184, 1185, 1190, 1196, 1213, 1228, 1233, 1274, 1286, 1445, 1463, 1592, 1603, 1645.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

1081 Berezkin, V.G. and Korolev, A.A.: (Relative retention of organic compounds in capillary gas-liquid chromatography: effect of carrier gas and stationary liquids phase). *Zh. Fiz. Khim.*, 69 (1995) 2052-2055.

1082 Davis, J.M.: Simple correction for perturbations of peak amplitudes in statistical models of overlap. *Chromatographia*, 42 (1996) 367-377.

1083 De Geus, H.-J., de Boer, J. and Brinkman, U.A.T.: Multidimensionality in gas chromatography. *TrAC*, 15 (1996) 168-178 - a review with 59 refs.

2b. Thermodynamics and theoretical relationships

1084 Andronikashvili, T.G., Eprikashvili, L.G. and Ioseliani, G.Z.: (Approximate calculations of some thermodynamic characteristics of a hydrocarbon-X-zeolite system from gas chromatography data). *Zh. Fiz. Khim.*, 70 (1996) 173-175.

1085 Bai, T.-C., Zhang, X.-K., Lu, Y. and Lu, J.-S.: (Studies on the interaction parameters of the excess Gibbs free energy between solutes in quaternary mixture). *Gaodeng Xuexiao Huaxue Xuebao*, 16 (1995) 1597-1601; *C.A.*, 124 (1996) 68120y.

1086 Berezkin, V.G.: Physicochemical fundamentals of the chromatographic retention in capillary gas-liquid chromatography. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 51 (1996) 136-142.

1087 Diveev, V.A. and Azizov, A.A.: (Model of gas-chromatographic process on the basis of energy-information method). *Uzb. Khim. Zh.*, No. 2 (1995) 23-26; *C.A.*, 124 (1996) 192888u.

1088 Huang, He., Bodily, D.M. and Hucka, V.J.: Study of the thermodynamics of gas adsorption on coal by a GC method. *Coal Sci. Technol.*, 24 (1995) 3-6; *C.A.*, 124 (1996) 180665f.

1089 Vrents, J.S. and Vrentas, C.M.: Axial moment analyses of convective heat and mass transfer processes. *Chem. Eng. Sci.*, 51 (1996) 921-929; *C.A.*, 124 (1996) 205959v.

1090 Wang, Y.-L., Zhou, X.-X., Li, S.-L. and Zheng, G.-K.: (Studies on self-association of alcohols in diphenylmethane and cross-association of alcohols in dibenzyl ether by gas-liquid chromatography at finite concentrations). *Gaodeng Xuexiao Huaxue Xuebao*, 16 (1995) 1286-1288; *C.A.*, 124 (1996) 68086s.

See also 1211, 1215, 1525.

2c. Relationship between structure and chromatographic behaviour

1091 Berezkin, V.G., Malyukova, I.V. and Alishoev, V.R.: (Influence of carrier gas nature and pressure on the retention of organic compounds in capillary adsorption chromatography). *Izv. Akad. Nauk, Ser. Khim.*, (1995) 1981-1983; *C.A.*, 124 (1996) 218976y.

1092 Betts, T.J.: Plots of relative retention against solute boiling points may indicate host-guest interactions with modified cyclodextrin gas chromatographic phases. *J. Chromatogr. A*, 732 (1996) 408-413.

1093 Hu, W., Zhou, S. and Tang, W.: (Application of static gray model (0,6) to predict retention index in gas chromatography). *Fenxi Huaxue*, 24 (1996) 440-443.

1094 Zhang, X. and Lu, P.: Unified equations between Kováts indices on different stationary phases for selected types of compounds. *J. Chromatogr. A*, 731 (1996) 187-199.

See also 1166, 1177, 1221, 1223, 1257, 1267, 1431.

2d. Measurement of physico-chemical and related values

1095 Berezkin, V.G. and Korolev, A.A.: (Role of carrier gas in capillary gas-liquid chromatography). *Dokl. Akad. Nauk*, 340, No. 4 (1995) 490-492.

1096 Campostrini, R., D'Andrea, G., Carturan, G., Ceccato, R. and Soraru, G.D.: Pyrolysis study of methyl-substituted Di-H containing gel as precursors for oxycarbide glasses by combined thermogravimetry, gas chromatographic and mass spectrometric analysis. *J. Mater. Chem.*, 6 (1996) 585-594.

1097 Condo, P.D., Sumpter, S.R., Lee, M.L. and Johnston, K.P.: Partition coefficients and polymer-solute interaction parameters by inverse supercritical fluid chromatography. *Ind. Eng. Chem. Res.*, 35 (1996) 1115-1123.

1098 Foeth, F., Bosch, H., Sjöstrand, A., Aly, G. and Reith, T.: Equilibrium adsorption data from breakthrough curves with variable velocity and pressure. *Separ. Sci. Technol.*, 31 (1996) 21-38.

1099 Garzon, F.J.L. and Garcia, M.D.: The use of gas chromatography to study the adsorption from gaseous phase at the infinite dilution. *Stud. Surf. Sci. Catal.*, 99 (1996) 517-537; *C.A.*, 124 (1996) 243057g - a review with 86 refs.

1100 Incavo, J.A.: A detailed quantitative study of 1,2-dichloroethane cracking to vinyl chloride by a gas chromatographic pyrolysis device. *Ind. Eng. Chem. Res.*, 35 (1996) 931-937.

1101 Liu, G. and Xin, Z.: The study of reversed phases by inverse gas chromatography. *Chromatographia*, 42 (1996) 290-294.

1102 Lu, Z., Lu, W., Wu, PingPing and Han, ZheWan.: (Study on measurements of relative reactivity ratios by GC). *Gongneng Gaofenzi Xuebao*, 8 (1995) 259-265; *C.A.*, 124 (1996) 30518w.

- 1103 Maeda, S., Nakai, Y., Yonemochi, E., Oguchi, T. and Yamamoto, K.: (Determination of partial solubility parameters of lactoses and its application to solubility evaluation). *Yakugaku Zasshi*, 115 (1995) 234-240; C.A., 124 (1996) 37819d.
- 1104 Ososkov, V., Kebbekus, B. and Chen, M.: Emission of volatile organic compounds to the atmosphere in the solvent sublimation process. I. Toluene. *Separ. Sci. Technol.*, 31 (1996) 213-227.
- 1105 Papirer, E. and Balard, H.: Chemical and morphological characteristics of inorganic sorbents with respect to gas adsorption. *Stud. Surf. Sci. Catal.*, 99 (1996) 479-502; C.A., 124 (1996) 243056f - a review with 36 refs.
- 1106 Park, G. and Poole, C.F.: Solvation in weak complexing *n*-octyl phthalate and *n*-octyl tetrachlorophthalate solvents by gas chromatography. *J. Chromatogr. A*, 726 (1996) 141-151.
- 1107 Price, G.J. and Shillcock, I.M.: Investigation of mesophase transitions in liquid crystals using inverse gas chromatography. *Can. J. Chem.*, 73 (1995) 1883-1892.
- 1108 Rayss, J.: Structure and properties of the films formed by organic substances on silica gel surface. Investigations by inverse gas chromatography (IGC). *Stud. Surf. Sci. Catal.*, 99 (1996) 503-516; C.A., 124 (1996) 271152c.
- 1109 Shoji, K., Abe, H., Sasaki, K., Sasaki, A., Yasuhara, F., Hanaya, K. and Yamaguchi, S.: (Facile demonstration of the steric effect dependence of carboxylic acid isomers on the esterification rate by GLC). *Kagaku to Kyoiku*, 43 (1995) 652-655; C.A., 124 (1996) 28954s.
- 1110 Sotiropoulou, V., Katsanos, N.A., Metaxa, H. and Roubani-Kalantzopoulou, F.: Gas chromatographic determination of rate constants in biomolecular gaseous reactions. *Chromatographia*, 42 (1996) 441-450.
- 1111 Tarasevich, Y.I., Aksenenko, E.V. and Bondarenko, S.V.: Molecular statistic and gas chromatographic study of hydrocarbons adsorption on the modified layer silicates and silica in the Henry region. *Stud. Surf. Sci. Catal.*, 99 (1996) 539-571; C.A., 124 (1996) 271153d.
- 1112 Van de Voorde, M., Verelst, H. and Baron, G.V.: Measurements of O₂-N₂ binary sorption on 5A zeolite by isotope tracer perturbation chromatography. *J. Porous Mater.*, 2 (1995) 51-57; C.A., 124 (1996) 67468f.
- 1113 Van Haelst, A.G., van der Wielen, F.W.M. and Govers, H.A.J.: Gas chromatographic determination of liquid vapour pressure and heat of vaporization of tetrachlorobenzyltoluenes. *J. Chromatogr. A*, 727 (1996) 265-273.
- 1114 Vitha, M.F., Dallas, A.J. and Carr, P.W.: Study of water-sodium dodecyl sulfate micellar solubilization thermodynamics for several solute homolog series by headspace gas chromatography. *J. Phys. Chem.*, 100 (1996) 5050-5062.
- 1115 Voelkel, A.: Inverse gas chromatography in the examination of acid-base and some other properties of solid materials. *Stud. Surf. Sci. Catal.*, 99 (1996) 465-477; C.A., 124 (1996) 243055e - a review with 65 refs.
- 1116 Voelkel, A., Andrzejewska, E., Maga, R. and Andrzejewski, M.: Examination of surfaces of solid polymers by inverse gas chromatography. 1. Dispersive properties. *Polymer*, 37 (1996) 455-462.
3. GENERAL TECHNIQUES
- 3a. Apparatus and accessories
- 1117 Annino, R.: Practical limits of high speed chromatography: Evaluation with a computer based theoretical model of several commercially available gas chromatographs. *J. High Resolut. Chromatogr.*, 19 (1996) 285-290.
- 1118 Beauford, M.H.: Inferential correlation of composition for a distillation analyzer. U.S. US 5,464,504 (Cl. 203-3; B01D3/42), 7 Nov. 1995, Appl. 160,312, 2 Dec. 1993; 8 pp.; C.A., 124 (1996) 20642t.
- 1119 Beckmann, M.: (Collector electrodes for high-temperature gas chromatography). *Ger. Offen.* DE 4,425,304 (Cl. G01N30/68), 1 Feb. 1996, Appl. 4,425,304, 18 Jul. 1994; 6 pp.; C.A., 124 (1996) 249101p.
- 1120 Bertrand, M.: Selective removal of volatile substances injected into a chromatographic packing filled column. *PCT Int. Appl.* WO 96 00,388 (Cl. G01N30/30), 4 Jan. 1996, US Appl. 265,025, 24 Jun. 1994; 54 pp.; C.A., 124 (1996) 163862a.
- 1121 Bobrov, N.N. and Poleshchuk, L.S.: (Gas chromatographic sampler.) *Russ.* RU 2,046,337 (Cl. G01N30/24), 20 Oct. 1995, SU Appl. 5,048,823, 22 May 1992; C.A., 124 (1996) 192939m.
- 1122 Bosboom, J.C., Janssen, H.-G., Mol, H.G.J. and Cramers, C.A.: Large-volume injection in capillary gas chromatography using a programmed-temperature vaporizing injector in the on-column or solvent-vent injection mode. *J. Chromatogr. A*, 724 (1996) 384-391.
- 1123 Brand, W.A.: PreCon. A fully automated interface for the pre-GC concentration of trace gases in air for isotopic analysis. *Isot. Environ. Health Stud.*, 31 (1995) 277-284; C.A., 124 (1996) 154076v.
- 1124 Clemons, J.M.: Application of the process gas chromatograph for reformulated gasoline measurements. *Adv. Instrum. Control*, 50, Pt. 2 (1995) 97-107.
- 1125 Ezawa, M., Misumi, A., Kinugawa, K., Morishita, T., Watanabe, S. and Mori, Y.: (Cylindrical glass separation column for gas/liquid chromatography.) *Jpn. Kokai Tokkyo Koho* JP 08 29,406 [96 29,406] (Cl. G01N30/60), 2 Feb. 1996, Appl. 94/161,327, 13 Jul. 1994; 11 pp.; C.A., 124 (1996) 249117y.
- 1126 Kaneda, Y., Hasegawa, K., Himeno, J. and Kobayashi, M.: (Gas chromatograph.) *Jpn. Kokai Tokkyo Koho* JP 08 05,619 [96 05,619] (Cl. G01N30/04), 12 Jan. 1996, Appl. 94/133,028, 15 Jun. 1994; 4 pp.; C.A., 124 (1996) 192790f.
- 1127 Kanno, S. and Sugimoto, M.: A small-volume constant-flow air sampling device for thermal desorption GC analysis. *Ind. Health*, 33 (1995) 207-211; C.A., 124 (1996) 125311n.
- 1128 Maeno, S. and Rodriguez, P.A.: Simple and versatile injection system for capillary gas chromatographic columns. Performance evaluation of a system including mass spectrometric and light-pipe Fourier-transform infrared detection. *J. Chromatogr. A*, 731 (1996) 201-215.
- 1129 Marriott, P.J. and Carpenter, P.D.: Capillary gas chromatography injection: an exercise for students of instrumental analysis. *J. Chem. Educ.*, 73 (1996) 96-99; C.A., 124 (1996) 144823x.

See also 1164, 1165, 1217, 1271, 1327, 1398.

- 1130 Mitra, S., Xu, Y.H., Chen, W. and Lai, A.: Characteristics of microtrap-based injection systems for continuous monitoring of volatile organic compounds by gas chromatography. *J. Chromatogr. A*, 727 (1996) 111-118.
- 1131 Mitra, S., Zhang, L. and Zhu, N.: Online membrane extraction microtrap GC system for continuous monitoring of organic pollutants in air and water. *Adv. Instrum. Control*, 50, Pt. 2 (1995) 1-7; *C.A.*, 124 (1996) 75163t.
- 1132 Mol, H.G.J., Janssen, H.-G., Cramers, C.A. and Brinkman, U.A.T.: Large-volume injection in gas chromatographic trace analysis using temperature-programmable (PTV) injectors. *TrAC*, 15 (1996) 206-214.
- 1133 Murakami, T.: (Process gas chromatograph for multicomponent analysis). *Jpn. Kokai Tokkyo Koho* JP 07,270,389 [95,270,389] (Cl. G01N30/86), 20 Oct. 1995, Appl. 94/62,440, 31 Mar. 1994; 5 pp.; *C.A.*, 124 (1996) 75046g.
- 1134 Staphanos, S.J.: Next generation of online process gas chromatographs for environmental and vehicle emissions applications. *Adv. Instrum. Control*, 50, Pt. 2 (1995) 259-267.
- 1135 Strunk, M.R. and Bechtold, W.E.: Automated two-dimensional interface for capillary gas chromatography. *U.S. US* 5,492,555 (Cl. 95-86; B01D15/08), 20 Feb. 1996, Appl. 257,388, 9 Jun. 1994; 11 pp.; *C.A.*, 124 (1996) 219006u.
- 1136 Villalobos, R.: Predicting performance of remote discrete sampling systems for gas chromatography. *Adv. Instrum. Control*, 50, Pt. 2 (1995) 9-26.
- 1137 Wake, H.: (Gas chromatograph-mass spectrometr.) *Jpn. Kokai Tokkyo Koho* JP 08 15,246 [96 15,246] (Cl. G01N30/72), 19 Jan. 1996, Appl. 94/146,497, 28 Jun. 1994; 4 pp.; *C.A.*, 124 (1996) 218908c.
- 1138 Yanovskii, S.M., Korolkov, A.V., Saifi, R.N., Silaeva, I.A. and Khokhlov, V.N.: (Flow apparatus for pneumatic metering of samples in vapor-phase gas-chromatography analysis using carrier gas feed). *Russ. RU* 2,032,173 (Cl. G01N30/24), 27 Mar. 1995, SU Appl. 5,032,628, 17 Mar. 1992; 1 p.; *C.A.*, 124 (1996) 20640r.
- See also 1191, 1199, 1641.
- 3b. Detectors and detection reagents**
- 1139 Cai, H., Wentworth, W.E. and Stearns, S.D.: Characterization of the pulsed discharge electron capture detector. *Anal. Chem.*, 68 (1996) 1233-1244.
- 1140 De Smaele, T., Moens, L., Dams, R. and Sandra, P.: ICP-MS- A sensitive detector for metal speciation with capillary GC. *LC-GC Int.*, 9 (1996) 138-142.
- 1141 Gremaud, G., Wentworth, W.E., Zlatkis, A., Swatloski, R., Chen, E.C.M. and Stearns, S.D.: Windowless pulsed-discharge photoionization detector. Application to quantitative analysis of volatile organic compounds. *J. Chromatogr. A*, 724 (1996) 235-250.
- 1142 Gumerov, M.F.: (Chromatographic method of separating and analyzing mixtures in gaseous phase comprising ionization). *Russ. RU* 2,045,063 (Cl. G01N30/62), 27 Sep. 1995, SU Appl. 5,051,873, 9 Jul. 1992; *C.A.*, 124 (1996) 277290t.
- 1143 Kostev, O.N. and Kalmanovskij, V.I.: (Photoionization detector for gas chromatography.) *Russ. RU* 2,043,623 (Cl. G01N30/64), 10 Sep. 1995, Appl. 93,012,661, 9 Mar. 1993; *C.A.*, 124 (1996) 219008w.
- 1144 Li, H.: (Estimation and calculation of response factors of thermal conductivity detector and its application to the analysis of industrial monochloromethane). *Chin. J. Chromatogr. (Sepu)*, 14 (1996) 152-154.
- 1145 Lin, Z.-P. and Aue, W.A.: Quantitation of perfectly co-eluting analytes on dual-channel-subtraction chromatograms. *J. Chromatogr. A*, 727 (1996) 101-109.
- 1146 Pedersen-Bjergaard, S. and Greibrokk, T.: Effect of make-up gas in on-column atomic emission spectrometric detection for capillary gas chromatography. *J. Anal. At. Spectrom.*, 11 (1996) 117-121.
- 1147 Ramsay, E.D. and Raynor, M.W.: Electron ionization and chemical ionization sensitivity studies involving capillary supercritical fluid chromatography combined with benchtop mass spectrometry. *Anal. Commun.*, 33 (1996) 95-97.
- 1148 Singh, H. and Aue, W.A.: Analyte noise in the flame photometric detector. *J. Chromatogr. A*, 724 (1996) 251-254.
- 1149 Singh, H., Millier, B. and Aue, W.A.: Time-integrated spectra from a flame photometric detector. *J. Chromatogr. A*, 724 (1996) 255-264.
- 1150 Snijders, H., Janssen, H.-G. and Cramers, C.: Design and optimization of a novel type nitrogen-phosphorus detector for capillary gas chromatography. *J. Chromatogr. A*, 732 (1996) 51-61.
- 1151 Thomas, C.L.: Fundamental and applied studies of a microwave-induced plasma atomic emission source as a detector for gas chromatography. Avail. *Univ. Microfilms Int.*, Order No. DA9532944, 1995, 215 pp.
- 1152 Vicente, I.S., Pinillos, S.C., Vicente, F.S. and Bernal, J.G.: A simple detection system for gas chromatography based on molecular adsorption spectrometry in the gas phase. *Chromatographia*, 42 (1996) 435-440.
- 1153 White, R.P., Hermann, B.W. and Worden, R.D.: Thermoionic ionization detector with radiant heater assembly. *U.S. US* 5,498,548 (Cl. 436-149; G01N27/00), 12 Mar. 1996, Appl. 280,905, 27 Jul. 1994; 11 pp.; *C.A.*, 124 (1996) 277267r.
- 1154 Woo, J.-C., Moon, D.-M. and Kawaguchi, H.: Design and characterization of a helium-discharge ionization detector for gas chromatography. *Anal. Sci.*, 12 (1996) 195-200.
- See also 1182, 1189, 1208, 1212, 1272, 1407, 1458, 1481, 1640.
- 3c. Sorbents and columns, packing procedures**
- 1155 Akapo, S.O., Dimandja, J.-M.D., Matyska, M.T. and Pesek, J.J.: Synthesis of chemically bonded squalene(ane) phases for micro-column gas chromatographic separation of low-molecular-weight hydrocarbons in extraterrestrial atmospheres. *Chromatographia*, 42 (1996) 141-146.
- 1156 Bakeas, E.B. and Siskos, P.A.: A four factor simplex optimization of a serially coupled open tubular columns gas chromatographic system. *J. High Resolut. Chromatogr.*, 19 (1996) 277-283.
- 1157 Berezkin, V.G., Malyukova, I.V., Alishoev, V.R. and de Zeeuw, J.: The influence of the carrier gas on retention in capillary gas-solid chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 272-276.

- 1158 Fayet, B., Fraysse, C., Tisse, C., Pouliquen, I., Guerere, M. and Lesgards, G.: (Isotopic analysis by GC-IRMS of carbon 13 of vanillin in ice creams). *Analisis*, 23 (1995) 451-453; *C.A.*, 124 (1996) 173823c.
- 1159 Lei, G. and Yu, B.: (Preparation of crosslinked PEG-20M capillary column by superdynamic coating method). *Xibeidaxue Xuebao, Ziran Kexueban*, 25 (1995) 551-553; *C.A.*, 124 (1996) 249202x.
- 1160 Maas, B., Dietrich, A. and Mosandl, A.: Comparison of different 6-tetrabutyl-dimethyl-silylated cyclodextrins as chiral stationary phases in GC. *J. Microcolumn Separ.*, 8 (1996) 47-56.
- 1161 Maganyuk, A.P. and Lobanova, V.G.: (Method for manufacturing sorbent employed in gas-liquid chromatographic analysis.) *Russ. RU* 2,039,981 (Cl. G01N30/48), 20 Jul. 1995, Appl. 92,007,585, 23 Nov. 1992; *C.A.*, 124 (1996) 192797p.
- 1162 Maklakova, A.F., Gimaletdinov, R.M., Gamayurova, V.S. and Novikov, V.F.: (Stationary phase for gas chromatography.) *Russ. RU* 2,037,825 (Cl. G01N30/48), 19 Jun. 1995, SU Appl. 5,065,363, 14 Jul. 1992; *C.A.*, 124 (1996) 192941f.
- 1163 Mizuno, S.: (Columns for supercritical-fluid chromatography.) *Jpn. Kokai Tokkyo Koho JP* 08 05,622 [96 05,622] (Cl. G01N30/48), 12 Jan. 1996, Appl. 94/135,265, 17 Jun. 1994; 7 pp.; *C.A.*, 124 (1996) 205836c.
- 1164 Mnuk, P., Feltl, L. and Schurig, V.: Gas chromatographic study of the inclusion properties of calixarenes. II. Selective properties of cyclic tetra- to octamers derived from phenol, and some problems associated with the use of calixarenes in capillary gas chromatography. *J. Chromatogr. A*, 732 (1996) 63-74.
- 1165 Morel, D., Soleiman, S. and Serpinet, J.: Gas chromatographic and differential scanning calorimetric studies of new bonded silicas in connection with transition phenomena. *Chromatographia*, 42 (1996) 451-461.
- 1166 Pankow, J.F., Luo, W., Isabelle, L.M., Hart, K.M. and Hagen, D.F.: Gas-solid retention volumes of organic compounds on styrene-divinylbenzene and ethylvinylbenzene-divinylbenzene co-polymer sorbent beads. *J. Chromatogr. A*, 732 (1996) 317-326.
- 1167 Poljanskij, A.B.: (Gas-chromatographic capillary column.) *Russ. RU* 2,045,062 (Cl. G01N30/60), 27 Sep. 1995, SU Appl. 5,036,203, 7 Apr. 1992; *C.A.*, 124 (1996) 277430p.
- 1168 Stan, H.-J. and Linkerhägner, M.: Large-volume injection in residue analysis with capillary gas chromatography using a conventional autosampler and injection by programmed-temperature vaporization with solvent venting. *J. Chromatogr. A*, 727 (1996) 275-289.
- 1169 Vetrova, Z.P., Ivanova, L.A., Karabanov, N.T. and Akopova, O.B.: (Liquid crystals as sorbents in gas chromatography.) *Izv. Akad. Nauk, Ser. Fiz.*, 59, No. 3 (1995) 154-157; *C.A.*, 124 (1996) 20615m.
- 1170 Yarita, T., Nomura, A. and Horimoto, Y.: *In situ* silylation of silica-based packings using supercritical fluid as reaction medium. *J. Chromatogr. A*, 724 (1996) 373-377.
- 1171 Yi, G., Li, W., Bradshaw, J.S., Malik, A. and Lee, M.L.: A convenient synthesis of a permethyl-substituted β -cyclodextrin-containing polysiloxane stationary phase using an amide linking group. *J. Heterocycl. Chem.*, 32 (1995) 1715-1718; *C.A.*, 124 (1996) 202801b.
- 1172 Yun, X., Fu, C., Kou, D., Xiang, S. and Li, Y.: (Preparation of glass capillary column modified by ultrafine zeolite and its properties). *Chin. J. Chromatogr. (Sepu)*, 14 (1996) 117-120.
- 1173 Zhao, R. and Xu, Y.: (Capillary chromatographic column packed with aluminium trioxide and its preparation method). *Faming Zhuanli Shenqing Gongkai Shoumingshu* CN 1,106,139 (Cl. G01N30/56), 2 Aug. 1995, Appl. 94,105,028, 12 May 1994; 11 pp.; *C.A.*, 124 (1996) 75189f.

See also 1092, 1094, 1198, 1218, 1256, 1298, 1380, 1428.

3d. Quantitative analysis

1174 Casado, A.G., Rodriguez, L.C., Hernandez, E.A. and Vilchez, J.L.: Estimate of gas chromatographic blanks. Application to detection limits evaluation as recommended by IUPAC. *J. Chromatogr. A*, 726 (1996) 133-139.

1175 Liaw, S.-J. and Tso, T.-L.: Standardizing GC-FID measurement of nonmethane hydrocarbons in air for international intercomparison using retention index and effective carbon number concept. *Anal. Sci. Technol.*, 8 (1995) 807-814; *C.A.*, 124 (1996) 210187w.

3f. Programmed temperature, pressure, vapors, gradients

1176 Eveleigh, L.J., Ducauze, C.J. and Arpino, P.J.: Improved method for computing temperature programmed retention indices from isothermal data. *J. Chromatogr. A*, 725 (1996) 343-350.

1177 Richmond, R.: Simple calibrated merging of gas chromatography capillary column temperature-programmed retention-index compilations. *J. Chromatogr. A*, 724 (1996) 229-234.

1178 Venkatramani, C.J., Xu, J. and Phillips, J.B.: Separation orthogonality in temperature-programmed comprehensive two-dimensional gas chromatography. *Anal. Chem.*, 68 (1996) 1486-1492.

See also 1267, 1298, 1300.

4. SPECIAL TECHNIQUES

4a. Automation

1179 Woolfenden, E. and Tipler, A.: The impact of innovative technology on GC cost of ownership. Part 1: The chromatographic separation and data processing. *Am. Lab. (Shelton)*, 28 (1996) 33B-33M.

1180 Woolfenden, E. and Tipler, A.: The impact of innovative technology on GC cost of ownership. Part 2: Sample preparation. *Am. Lab. (Shelton)*, 28, No. 6 (1996) 35C-35J.

See also 1123, 1220.

4b. Computerization and modelling

See 1176, 1179, 1192, 1340, 1387.

4c. *Combination with other physico-chemical techniques (MS, IR etc.)*

- 1181 Arii, T., Senda, T. and Fujii, N.: A combined thermogravimetric-gas chromatographic/mass spectrometric analysis (TG-GC/MS) using a high resolution TG technique. *Thermochim. Acta*, 267 (1995) 209-221.
- 1182 Atkinson, D.A.: Evaluation of gas chromatography coupled with ion mobility spectrometry for use as a field screening tool. *Avail. Univ. Microfilms Int.*, Order No. DA9533815, 1994, 158 pp.:
- 1183 Brakstad, F.: The feasibility of latent variables applied to GC-MS data. *Chemom. Intell. Lab. Syst.*, 29 (1995) 157-176 - a review with 131 refs.
- 1184 Brand, W.A.: High precision isotope ratio monitoring techniques in mass spectrometry. *J. Mass Spectrom.*, 31 (1996) 225-235; *C.A.*, 124 (1996) 248835u - a review with 39 refs.
- 1185 Cao, Y.: (Combination of gas chromatography-liquid chromatography-mass spectrometry-data system and its application). *Turang (Nanjing)*, 27 (1995) 97-104; *C.A.*, 124 (1996) 174533v - a review with 5 refs.
- 1186 Helkelmann, B., Schramm, K.-W., Klimm, C. and Ketrup, A.: Quality criteria for the isotope dilution method with HRGC/MS. *Fresenius J. Anal. Chem.*, 354 (1996) 818-822.
- 1187 Hernandez, H., Cushnir, J.R., Farmer, P.B., Lamb, J.H. and Naylor, S.: A comparison of artifactual GC/MS responses with selected ion recording and multiple-reaction monitoring scan modes. *Rapid Commun. Mass Spectrom.*, 10 (1996) 399-404; *C.A.*, 124 (1996) 255010z.
- 1188 McGoran, E.C., Melton, C. and Taitch, D.: GC/MS of unknown esters for teaching MS fragmentation patterns. A combination organic experiment for estrifying unknown alcohols and determining their structures by GC/MS. *J. Chem. Educ.*, 73 (1996) 88-92; *C.A.*, 124 (1996) 144822w.
- 1189 Pritzl, G., Stuer-Lauridsen, F., Carlsen, L., Jensen, A.K. and Thorsen, T.K.: A versatile capillary gas chromatography inductively coupled plasma mass spectrometer interface. *Int. J. Environ. Anal. Chem.*, 62 (1996) 147-159.
- 1190 Termonia, M.: (Coupling techniques in chromatography). *Chim. Nouv.*, 13 (1995) 1491-1493; *C.A.*, 124 (1996) 163737p - a review with 14 refs.
- 1191 Tilotta, D.C., Heglund, D.L. and Hawthorne, S.B.: On-line SFE-FTIR spectrometry with a fiber optic transmission cell. *Am. Lab. (Shelton)*, 28, No. 6 (1996) 36R-36T.
- 1192 Varmuza, K., Stancl, F., Lohninger, H. and Werther, W.: Automatic recognition of substance classes from data obtained by gas chromatography/mass spectrometry. *Chemom. Intell. Lab. Syst.*, 31 (1996) 225-230.

See also 1128, 1147, 1194, 1196, 1210, 1393, 1412, 1416, 1494, 1593, 1637, 1652, 1657.

4e. *Functional analysis*

See 1096.

4f. *Trace analysis and preseparation techniques*

- 1193 Eglinton, T.I., Aluwihare, L.I., Bauer, J.E., Druffel, E.R.M. and McNichol, A.P.: Gas chromatographic isolation of individual compounds from complex matrices for radiocarbon dating. *Anal. Chem.*, 68 (1996) 904-912.
- 1194 Hankemeier, T., van der Laan, H.T.C., Vreuls, J.J., Vredenburg, M.J., Visser, T. and Brinkman, U.A.T.: Detectability enhancement by the use of large-volume injections in gas chromatography-cryotrapping-Fourier transform infrared spectrometry. *J. Chromatogr. A*, 732 (1996) 75-84.
- 1195 Helmig, D.: Artifact-free preparation, storage and analysis of solid adsorbent sampling cartridges used in the analysis of volatile organic compounds in air. *J. Chromatogr. A*, 732 (1996) 414-417.

See also 1246, 1279, 1381, 1594, 1604.

4g. *Enantiomers, separation*

- 1196 Hashimoto, K. and Okamura, K.: (Chiral recognition by reaction mass spectrometry for GC and LC). *Kuromatogurafi*, 16 (1995) 114-117; *C.A.*, 124 (1996) 55105x - a review with 8 refs.
- 1197 Juvancz, Z. and Petersson, P.: Enantioselective gas chromatography. *J. Microcolumn Sep.*, 8 (1996) 99-114.
- 1198 Zhao, W.-y., Nakagama, T., Uchiyama, K. and Hobo, T.: (Influence of substituent groups of ureido phase on GC enantiomer separations). *Kuromatogurafi*, 16 (1995) 274-275; *C.A.*, 124 (1996) 186304j.

See also 1160, 1171, 1296, 1334, 1349, 1410, 1411, 1414, 1417, 1533, 1540, 1550, 1592.

4h. *Other special techniques*

- 1199 Akard, M. and Sacks, R.: Simultaneous temperature and hold-up time ratio optimization for tandem column tunable selectivity with high-speed GC. *Anal. Chem.*, 68 (1996) 1474-1479.
- 1200 Anderegg, H.: (Introduction to headspace gas chromatography. Part 4). *Schweiz. Lab.-Z.*, 52 (1995) 407-411; *C.A.*, 124 (1996) 192830u.
- 1201 Jain, V.: High speed gas chromatography with simultaneous temperature gradients in time and distance along the column. *Avail. Univ. Microfilms Int.*, Order No. DA9536552, 1992, 155 pp.; *C.A.*, 124 (1996) 104861b.
- 1202 Kelmp, M.A.: High speed gas chromatography system for analysis of polar organic compounds. *Eur. Pat. Appl.* EP 682,249 (Cl. G01N30/46), 15 Nov. 1995, US Appl. 242,348, 13 May 1994; 9 pp.; *C.A.*, 124 (1996) 20641s.
- 1203 Moskvina, L.N. and Rodinkov, O.V.: Continuous chromatomembrane headspace analysis. *J. Chromatogr. A*, 725 (1996) 351-359.
- 1204 Rodinkov, O.V. and Moskvina, L.N.: Liquid-gas chromatography and its analytical capabilities. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 51 (1996) 92-99.
- 1205 Simms, C.C., Arumugam, B.K. and Wankat, P.C.: Modified displacement chromatography cycles for gas systems. *Chem. Eng. Sci.*, 51 (1996) 701-711; *C.A.*, 124 (1996) 205924e.

- 1206 Yang, M.J. and Pawliszyn, J.: Headspace membrane extraction combined with multiplex gas chromatography and mass selective detector for monitoring of volatile organic compounds. *J. Microcolumn Sep.*, 8 (1996) 89-98.

See also 1517.

4i. Supercritical fluid chromatography

- 1207 Ashraf-Khorassani, M. and Taylor, L.T.: Comparison of modifier addition to the matrix versus modifier addition to the fluid in the supercritical fluid extraction of PCBs from river sediment. *Int. Lab.*, 26, No. 3 (1996) 16-17.
- 1208 Berry, A.J., Ramsey, E.D., Newby, M. and Games, D.E.: Application of packed-column SFC using light-scattering detection. *J. Chromatogr. Sci.*, 34 (1996) 245-253.
- 1209 Black, H.: Supercritical carbon dioxide: The "greener" solvent. *Environ. Sci. Technol.*, 30 (1996) 124A-127A.
- 1210 Broadbent, J.K., Martincigh, B.S., Raynor, M.W., Salter, L.F., Moulder, R., Sjöberg, P. and Markides, K.E.: Capillary supercritical fluid chromatography combined with atmospheric pressure chemical ionisation mass spectrometry for the investigation of photoproduct formation in the sunscreen absorber 2-ethylhexyl-*p*-methoxycinnamate. *J. Chromatogr. A*, 732 (1996) 101-110.
- 1211 Cassel, E. and de Oliveira, J.V.: Discrimination of thermodynamic models applied to supercritical-fluid extraction. *J. Supercrit. Fluids*, 9 (1996) 6-11.
- 1212 Dunham, D.C., Desmarais, M.S., Breid, T. and Hills, J.W.: Carbon dioxide supercritical fluid extraction with online fluorescence detection. *Anal. Lett.*, 28 (1995) 2561-2574.
- 1213 Kudo, K.: (Application of supercritical fluid extraction and chromatography in the food industry). *Gekkan Fudo Kemikaru*, 12, No. 2 (1996) 24-28; *C.A.*, 124 (1996) 200327 - a review with 8 refs.
- 1214 Lopez-Avila, V., Young, R. and Teplitsky, N.: Microwave-assisted extraction as an alternative to Soxhlet, sonication, and supercritical fluid extraction. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 142-156.
- 1215 Mitra, S., Shi, F. and Du, J.: An empirical approach for predicting retention characteristics in supercritical fluid chromatography. *J. Chromatogr. Sci.*, 34 (1996) 115-121.
- 1216 Shen, Y., Hung, H. and Zhou, L.: Retention in SFC at high density. *J. High Resolut. Chromatogr.*, 19 (1996) 169-175.
- 1217 Zhao, S., Wang, R. and Yang, G.: (Measurement of solid solubility in supercritical carbon dioxide by SFC). *Gaoxiao Huaxue Gongcheng Xuebao*, 10, No. 1 (1996) 16-21; *C.A.*, 124 (1996) 271730q.

See also 1097, 1147, 1163, 1170, 1191, 1245, 1248, 1317, 1361, 1362, 1363, 1366, 1388, 1389, 1407, 1417, 1472, 1494, 1521, 1561, 1603, 1616, 1640.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 1218 Akapo, S.O.: Separation of light hydrocarbons on micropacked bidentate alkylsilane silica columns by gas chromatography. *J. Chromatogr. Sci.*, 34 (1996) 130-138.
- 1219 Barakat, A.O.: Identification of steranes and diterpanes in Alamein crude oil by computerized gas chromatography-mass spectrometry. *Egypt. J. Chem.*, 38 (1995) 53-66; *C.A.*, 124 (1996) 265071j.
- 1220 Bartle, K.D. and Lewis, A.C.: A simplified method for the determination of atmospheric hydrocarbons. *LC-GC Int.*, 9 (1996) 297-304.
- 1221 Dimov, N. and Osman, A.: Selection of molecular descriptors used in quantitative structure-gas chromatographic retention relationships. II. Isoalkanes and alkenes. *Anal. Chim. Acta*, 323 (1996) 15-25.
- 1222 Euler, D.E., Dave, S.J. and Guo, H.: Effect of cigarette smoking on pentane excretion in alveolar breath. *Clin. Chem. (Washington)*, 42 (1996).
- 1223 Garcia, E.C.: (Similarity between the Wiener index and its topographic derivative. Application to saturated aliphatic hydrocarbons). *Bol. Soc. Quim. Peru*, 61 (1995) 178-182; *C.A.*, 124 (1996) 249199b.
- 1224 Hartmann, M., Ammon, J. and Berg, H.: (Identification of irradiation treatment in processed foods by analysis of irradiation induced hydrocarbons. Part 1. Application of German official method L 06.00-37 (S 34 German food act) on processed food). *Dtsch. Lebensm.-Rundsch.*, 91 (1995) 277-281; *C.A.*, 124 (1996) 7358k.
- 1225 Kawai, T., Mizunuma, K., Yasugi, T., Horiguchi, S., Iguchi, H., Mutti, A., Ghittori, S. and Ikeda, M.: Monitoring of exposure to methylpentanes by diffusive sampling and urine analysis for alcoholic metabolites. *Occup. Environ. Med.*, 52 (1995) 757-763; *C.A.*, 124 (1996) 137982v.
- 1226 Lanson, A., Guinda, A. and da la Osa, C.: (A rapid method for squalene determination in vegetable oils). *Grasas Aceites (Seville)*, 46 (1995) 276-278; *C.A.*, 124 (1996) 200460r.
- 1227 Li, Q.: (GC determination of squalene capsules). *Zhongguo Yiyao Gongye Zazhi*, 26 (1995) 408-409; *C.A.*, 124 (1996) 127261v.
- 1228 Sojak, L., Ostrovsky, I., Kubinec, R. and Kuran, P.: (Separation and identification of isomeric hydrocarbons by capillary gas chromatography). *Pet. Coal*, 37 (1995) 62-67; *C.A.*, 124 (1996) 192835z - a review with 20 refs.
- 1229 Yin, F.: (Determination of C₁-C₄ hydrocarbons in gasolines by gas chromatography). *Shiyou Huagong Gaodeng Xuexiao Xuebao*, 8, No. 4 (1995) 18-22; *C.A.*, 124 (1996) 92101p.

See also 1084, 1155.

5b. Cyclic hydrocarbons, fullerenes

- 1230 Akiyama, Ken-ichi.: (Aromatic hydrocarbon types in diesel fuels by capillary multi-dimensional GC.) *Bunseki Kagaku*, 45 (1996) 441-446.

- 1231 Anba-Lurot, F.E., Guiliano, M., Doumenq, P. and Mille, G.: Photooxidation of 3,3'- and 4,4'-dimethylbiphenyls in natural seawater. *Intern. J. Environ. Anal. Chem.*, 61 (1995) 27-34.
- 1232 Bertolino, J.-M., Person, A., Marfaing, H., Lameloise, P. and Thomas, D.: (Comparison of monocyclic aromatic hydrocarbons (MAH) measurements by daily sampling and continuous analysis). *Pollut. Atmos.*, 147 (1995) 58-68; *C.A.*, 124 (1996) 95744m.
- 1233 Biggs, W.R. and Fetzer, J.C.: Analytical techniques for large polycyclic aromatic hydrocarbons: a review. *TrAC*, 15 (1996) 196-205 - a review with 74 refs.
- 1234 Brunn, W., Kestler, T. and Leisegang, R.: (Determination of 19 PAH in soil by capillary GC). *GIT Fachz. Lab.*, 40, No. 1 (1996) 28-32; *C.A.*, 124 (1996) 269327v.
- 1235 Burroughs, G.E. and Woodfin, W.J.: On-site screening for benzene in complex environments. *Am. Ind. Hyg. Assoc. J.*, 56 (1995) 874-882; *C.A.*, 124 (1996) 35988j.
- 1236 Butterfield, M.T., Agbaria, R.A. and Warner, I.M.: Extraction of volatile PAHs from air by use of solid cyclodextrin. *Anal. Chem.*, 68 (1996) 1187-1190.
- 1237 Czerski, B. and Kostrzewski, P.: (Benzene, indene, naphthalene, diphenyl and fluorene alkyl derivatives as potential sources of occupational and environmental exposure). *Med. Pr.*, 46 (1995) 359-368; *C.A.*, 124 (1996) 111375z.
- 1238 Dai, S., Zhang, L. and Zhu, T.: Sorbent thermal desorption/gas chromatography/mass selective detection method for determination of gaseous polycyclic aromatic hydrocarbons in indoor air. *Anal. Sci. Technol.*, 8 (1995) 753-758.
- 1239 Hartmann, R.: Polycyclic aromatic hydrocarbons (PAHs) in forest soils: critical evaluation of a new analytical procedure. *Intern. J. Environ. Anal. Chem.*, 62 (1996) 161-173.
- 1240 Holden, K.M.L., Lewis, A.C., Bartle, K.D. and Mitchell, S.C.: Characterization of polycyclic aromatic compounds (PAC) in coal products and related materials by GC and coupled LC-GC techniques. *Coal Sci. Technol.*, 24 (1995) 1935-1938; *C.A.*, 124 (1996) 180741c.
- 1241 Huang, C.-C., Chen, Y.-C., Her, G.-R. and Chan, C.-C.: Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminium oxide porous-layer open-tubular capillary gas chromatography-mass spectrometry using isotopically labeled internal standards. *J. Chromatogr. A*, 731 (1996) 217-224.
- 1242 Kaupp, H. and Sklorz, M.: A method for analyzing polycyclic aromatic hydrocarbons (PAHs) in plant samples. *Chemosphere*, 32 (1996) 849-854.
- 1243 Kogan, O.S., Karamova, L.M., Larionova, T.K. and Gorozhianina, N.A.: (Chromatographic determination of diphenylolpropane in the air of a working place). *Gig. Sanit.*, No. 1 (1996) 48-49; *C.A.*, 124 (1996) 240460x.
- 1244 Lau, O.-W., Lung, M.-T. and Mok, C.S.: Distillation-extraction of styrene migrating from polystyrene containers to foods by gas chromatography. *Int. J. Food Sci. Technol.*, 30 (1995) 397-404; *C.A.*, 124 (1996) 7311q.
- 1245 Leichter, E., Strode, J.T.B. III, Taylor, L.T. and Schweighardt, F.K.: Effect of helium in helium headspace carbon dioxide cylinders on packed-column supercritical fluid chromatography. *Anal. Chem.*, 68 (1996) 894-898.
- 1246 Michor, G., Carron, J., Bruce, S. and Cancilla, D.A.: Analysis of 23 polynuclear aromatic hydrocarbons from natural water at the sub-ng/l level using solid-phase disk extraction and mass-selective detection. *J. Chromatogr. A*, 732 (1996) 85-99.
- 1247 Miliazza, A.: (Determination of benzene in air). *Acqua Aria*, No. 4 (1995) 350-354; *C.A.*, 124 (1996) 36022b.
- 1248 Simon, P. and Nicot, T.: Capillary electrophoresis and supercritical chromatography, complementary and alternative techniques for the determination of urinary metabolites of styrene. *J. Chromatogr. B*, 679 (1996) 103-112.
- 1249 Skrbic, B.D. and Cvejanov, J.D.: Comparison of correlation equations for prediction of gas chromatographic separation of alkylbenzenes. *Pet. Coal*, 37 (1995) 74-76; *C.A.*, 124 (1996) 92282y.
- 1250 Thomas, S.P., Sri, R.R., Webster, G.R. and Barrie, S.L.P.: Protocol for the analysis of high concentrations of benzene, toluene, ethylbenzene, and xylene isomers in water using automated solid-phase microextraction-GC-FID. *Environ. Sci. Technol.*, 30 (1996) 1521-1526.
- 1251 Zeng, E.Y. and Yu, C.C.: Measurements of linear alkylbenzenes by GC/MS with interference from tetrapropylene-based alkylbenzenes: calculation of quantitation errors using a two-component model. *Environ. Sci. Technol.*, 30 (1996) 322-328.
- 1252 Zhong, S. and Feng, Z.: (Analysis of reaction mixture of styrene and ethylbenzene by wide-bore capillary GC/FTIR). *Fenxi Ceshi Xuebao*, 14, No. 4 (1995) 10-15; *C.A.*, 124 (1996) 249225g.
- See also 1104, 1139, 1164, 1194, 1261.

5c. Halogen derivatives

- 1253 Biziuk, M. and Przyjazny, A.: Methods of isolation and determination of volatile organohalogen compounds in natural and treated waters. *J. Chromatogr. A*, 733 (1996) 417-448 - a review with 393 refs.
- 1254 Botta, D., Dancelli, E. and Mantica, E.: A case history of contamination by polychloro-1,3-butadiene congeners. *Environ. Sci. Technol.*, 30 (1996) 453-462.
- 1255 Bruner, F., Maione, M. and Mangani, F.: New assessments of CFCs tropospheric concentration levels measured in Terra Nova bay (Antarctica). *Intern. J. Environ. Anal. Chem.*, 62 (1996) 255-262.
- 1256 Bruno, T.J., Wertz, K.H. and Caciari, M.: Kovats retention indices of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. *Anal. Chem.*, 68 (1996) 1347-1359.
- 1257 Chu, S., Miao, X. and Xu, X.: Retention index system for identification of polychlorinated biphenyl congeners in gas chromatographic analysis. *J. Chromatogr. A*, 724 (1996) 392-397.
- 1258 Dai, S., Zhang, L. and Bai, Z.: The analysis of VOCs by GC/MS with whole column coldtrapping on a fused silica capillary column in indoor environment. *Anal. Sci. Technol.*, 8 (1995) 829-834.
- 1259 De Boer, J., van der Meer, J. and Brinkman, U.A.T.: Determination of chlorobiphenyls in seal blubber, marine sediment, and fish: interlaboratory study. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 83-96.
- 1260 De Zeeuw, J., Zwiep, D. and Marinissen, J.W.: Separation of chlorofluorocarbons using high-resolution PLOT columns. *Am. Lab. (Shelton)*, 28, No. 5 (1996) 24C-24H.

- 1261 Dewulf, J. and van Langenhove, H.: Simultaneous determination of C₁- and C₂-halocarbons and monocyclic aromatic hydrocarbons in marine water samples at ng/l concentration levels. *Intern. J. Environ. Anal. Chem.*, 61 (1995) 35-46.
- 1262 Fields, S.M.: Multidimensional gas chromatographic separation of halocarbons from permanent gases using a capillary as the precolumn for a packed column. *J. Microcolumn Sep.*, 8 (1996) 123-130.
- 1263 Font, G., Maões, J., Moltó, J.C. and Picó, Y.: Current developments in the analysis of water pollution by polychlorinated biphenyls. *J. Chromatogr. A*, 733 (1996) 449-471 - a review with 154 refs.
- 1264 Fuoco, R., Colombini, M.P., Abete, C. and Carignani, S.: Polychlorobiphenyl in sediment, soil, and water samples from Antarctica. *Intern. J. Environ. Anal. Chem.*, 61 (1995) 309-319.
- 1265 Gaillard, Y., Billaut, F. and Pepin, G.: Tetrachloroethylene fatality: case report and simple gas chromatographic determination in blood and tissues. *Forensic Sci. Int.*, 76 (1995) 161-168.
- 1266 Geppet, H.: (Ion-trap-GC-MS/MS (gas chromatography-mass spectrometry/mass spectrometric) determination of PCB in oil). *GIT Fachz. Lab.*, 39 (1995) 1047-1049; *C.A.*, 124 (1996) 184590a.
- 1267 Gerbino, T.C., Garbarino, G. and Petit-Bon, P.: Programmed temperature retention indices: calculation of linear programmed temperature retention indices of halogenated benzenes from isothermal data. *Ann. Chim. (Rome)*, 86 (1996) 63-75; *C.A.*, 124 (1996) 277377b.
- 1268 Gill, U.S., Schwartz, H.M. and Wheatley, B.: Development of a method for the analysis of PCB congeners and organochlorine pesticides in blood serum. *Chemosphere*, 32 (1996) 1055-1061.
- 1269 Guo, W., Yang, G., Huang, X. and Xu, Y.: Rapid determination of residual trichloromethane in drugs. *J. Chromatogr. A*, 731 (1996) 361-364.
- 1270 Hung, I.-F., Huang, K.-C., Hung, C.-K. and Shih, T.-S.: A thermal desorption gas chromatographic method for sampling and analysis of airborne vinyl chloride. *Chemosphere*, 32 (1996) 661-666.
- 1271 Kerwin, R.A., Crill, P.M., Talbot, R.W., Hines, M.E., Shorter, J.H., Kolb, C.E. and Harriss, R.C.: Determination of atmospheric methyl bromide by cryotrapping-gas chromatography and application to soil kinetic studies using a dynamic dilution system. *Anal. Chem.*, 68 (1996) 899-903.
- 1272 Lasa, J., Sliwka, I. and Drozdowicz, B.: Simple method of electron capture detector calibration for quantitative measurements of F-11 and F-12 freons in the atmosphere. *J. Chromatogr. A*, 724 (1996) 265-270.
- 1273 McClenny, W.A., Oliver, K.D. and Daughtrey, E.H.: Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying. *J. Air Waste Manage. Assoc.*, 45 (1995) 792-800; *C.A.*, 124 (1996) 64702s.
- 1274 Norseev, Y.V.: (Gas-chromatographic determination of physico-chemical properties of astatine compounds). *Radiokhimiya*, 37 (1995) 243-252; *C.A.*, 124 (1996) 192424q - a review with 45 refs.
- 1275 Page, B.D. and Lacroix, G.M.: On-line steam distillation/purge and trap analysis of halogenated, nonpolar, volatile contaminants in foods. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1416-1428.
- 1276 Roswell, S.M. and Smythe-Wright, D.: Dual-detector system for the shipboard analysis of halocarbons in sea-water and air for oceanographic tracer studies. *Analyst (Cambridge)*, 121 (1996) 505-509.
- 1277 Rudakov, O.B., Dubko, E.A., Stepanova, G.S. and Bautin, V.I.: Head-space determination of traces of tetrachloromethane, chloroform, toluene, and chlorobenzene in waste from the chemical plant of the Altaikhimprom Joint-Stock Company. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 1095-1097; *C.A.*, 124 (1996) 66008u.
- 1278 Storr-Hansen, E.: Analysis of chlorinated biphenyl congeners in human umbilical cord: some approaches in the development and performance evaluation of an analytical method. *Intern. J. Environ. Anal. Chem.*, 62 (1996) 1-19.
- 1279 Venema, A. and Jelink, J.T.: Automated trace analysis at ppt level, using large volume injection. *J. High Resolut. Chromatogr.*, 19 (1996) 234-236.
- 1280 Wester, P.G., de Boer, J. and Brinkman, U.A.T.: Determination of polychlorinated terphenyls in aquatic biota and sediment with gas chromatography/mass spectrometry using negative chemical ionization. *Environ. Sci. Technol.*, 30 (1996) 473-480.
- 1281 Withsiepe, J., Selenka, F. and Jackwerth, E.: Gas chromatographic determination of trace amounts of vinyl chloride and dichloroethenes in landfill-gas. *Fresenius J. Anal. Chem.*, 354 (1996) 910-914.
- 1282 Xu, N., Vandegrift, S. and Sewell, G.W.: Determination of chloroethenes in environmental biological samples using gas chromatography coupled with solid phase micro extraction. *Chromatographia*, 42 (1996) 313-317.
- 1283 Zhang, Z. and Pawliszyn, J.: Sampling volatile organic compounds using a modified solid phase microextraction device. *J. High Resolut. Chromatogr.*, 19 (1996) 155-160.
- 1284 Zygmunt, B.: Determination of trihalomethanes in aqueous samples by means of purge-and-trap system with on-sorbent focusing coupled to gas chromatography with electron-capture detection. *J. Chromatogr. A*, 725 (1996) 157-163.
- See also 1100, 1113, 1141, 1144, 1315, 1317, 1466, 1607.
- Sd. Complex hydrocarbon mixtures (incl. analysis of tars, bitumens and mineral oils)*
- 1285 Allen, M.R., Braithwaite, A. and Hills, C.C.: Analysis of the trace volatile organic compounds in landfill gas using automated thermal desorption gas chromatography-mass spectrometry. *Intern. J. Environ. Anal. Chem.*, 62 (1996) 43-52.
- 1286 Durand, J.P., Beboulene, J.J. and Ducrozet, A.: Detailed characterization of petroleum products with capillary GC analyzers. *Analysis*, 23 (1995) 481-483 - a review with 16 refs.
- 1287 Hayakawa, S. and Okuda, T.: (Study of the change on standing of crude oil components). *Mie-ken Kankyo Kagaku Senta Kenkyu Hokoku*, 16 (1996) 39-47; *C.A.*, 124 (1996) 269626s.
- 1288 Iwasaki, Y., Yashiki, M., Nagasawa, N., Miyazaki, T. and Kojima, T.: Analysis of inflammable substances in blood using head space-solid phase microextraction and chemical ionization selected ion monitoring. *Jpn. J. Forensic Toxicol.*, 13 (1995) 189-194; *C.A.*, 124 (1996) 196098j.
- 1289 Lancas, F.M. and Caramao, E.B.: Chemical analysis of high ash Brazilian coal tar. 3. Hydrocarbon characterization. *Fuel Sci. Technol. Int.*, 14 (1996) 427-450; *C.A.*, 124 (1996) 206841n.

- 1290 Xiang, Y.: Protocols of algorithms for gas chromatographic/mass spectrometric analysis of multicomponent environmental samples (total petroleum hydrocarbon, naphthalene, gasoline, diesel, contaminated soil). Avail. *Univ. Microfilms Int.*, Order No. DA9532948, 1995, 192 pp.:

See also 1111, 1175, 1646, 1647.

6. ALCOHOLS

- 1291 Clerc, Y., Huart, B., Charotte, J.M. and Pailler, F.M.: (Validity of blood alcohol method using gas chromatography). *Ann. Biol. Clin.*, 53 (1995) 233-238; *C.A.*, 124 (1996) 2668b.
- 1292 Dean, R.A., Thomasson, H.R., Dumauval, N., Amann, D. and Li, T.-K.: Simultaneous measurement of ethanol and ethyl-d₅ alcohol by stable isotope gas chromatography-mass spectrometry. *Clin. Chem. (Washington)*, 42 (1996) 367-372.
- 1293 Gilbert, A.S., Moss, C.J., Francis, P.L., Ashton, M.J. and Ashton, D.S.: Combined gas chromatography-infrared spectroscopy for the determination of propanediol in acyclovir cream. *Chromatographia*, 42 (1996) 305-308.
- 1294 Jones, A.W., Edman-Falkensson, M. and Nilsson, L.: Reliability of blood alcohol determinations at clinical chemistry laboratories in Sweden. *Scand. J. Clin. Lab. Invest.*, 55 (1995) 463-468; *C.A.*, 124 (1996) 81085k.
- 1295 Mittelbach, M., Roth, G. and Bergmann, A.: Simultaneous gas chromatographic determination of methanol and free glycerol in biodiesel. *Chromatographia*, 42 (1996) 431-434.
- 1296 Wu, L., Li, Z., Mi, A. and Jiang, Y.: (The enantiomeric analysis on gas chromatography (GC). II. The separation and quantitation of chiral aromatic alcohols). *Chin. J. Chromatogr. (Sepu)*, 14 (1996) 81-85.
- 1297 Yao, H.H. and Porter, W.H.: Simultaneous determination of ethylene glycol and its major toxic metabolite, glycolic acid, in serum by gas chromatography. *Clin. Chem. (Washington)*, 42 (1996) 292-297.
- 1298 Zou, G.W., Zheng, Q., Shao, Y. and Hu, G.J.: Temperature programmed gas chromatography of alcohols on cellulose tribenzoate. *Chromatographia*, 42 (1996) 462-464.

See also 1090, 1366, 1528.

7. PHENOLS

- 1299 Bao, M.L., Pantani, F., Barbieri, K., Burrini, D. and Griffini, O.: Direct acetylation followed by solid-phase disk extraction and GC-ITDMS for the determination of trace phenols in water. *Chromatographia*, 42 (1996) 227-233.
- 1300 Chee, K.K., Wong, M.K. and Lee, H.K.: Determination of 4-nonylphenol - Part 1: Optimization of the gas chromatographic determination of 4-nonylphenol by orthogonal array design and electronic pressure programming. *J. Microcolumn Separ.*, 8 (1996) 29-36.
- 1301 Jiao, K. and Robbat, A.Jr.: Performance-based field methods for analyses of substituted phenols by thermal desorption gas chromatography/mass spectrometry. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 131-142.

- 1302 Llopart-Vizoso, M.P., Lorenzo-Ferreira, R.A. and Cela-Torrijos, R.: Gas-chromatographic headspace analysis of phenol and cresols in soils by direct acetylation. *J. High Resolut. Chromatogr.*, 19 (1996) 207-212.
- 1303 Meyer, A. and Kleiböhmer, W.: Development of a method for the rapid determination of pentachlorophenol in leather using supercritical fluid extraction with *in situ* derivatization. *J. High Resolut. Chromatogr.*, 19 (1996) 267-271.
- 1304 Myint, S., Daud, W.R.W., Mohamad, A.B. and Kadhum, A.A.H.: Gas chromatographic determination of eugenol in ethanol extract of cloves. *J. Chromatogr. B*, 679 (1996) 193-195.
- 1305 Pissolatto, T.M., Caramão, E.B. and Martins, A.F.: Solid phase extraction of chlorinated phenolics in aqueous solution. *J. Microcolumn Separ.*, 8 (1996) 5-12.
- 1306 Shi, S.: (Determination of pentachlorophenol in water by GC/MS). *Shanghai Huanjing Kexue*, 14, No. 11 (1995) 25-27; *C.A.*, 124 (1996) 211228x.
- 1307 Tan, L.K. and Liem, A.J.: Effect of hydrochloric acid on sampling and analysis of semivolatile organic compounds in incineration fuel gas. 1. Chlorophenols. *Environ. Sci. Technol.*, 30 (1996) 1053-1060.
- 1308 Tyagi, R.: Determination of substituted phenols in water by gas chromatography/mass spectrometry after solid phase extraction. *Fresenius Environ. Bull.*, 4 (1995) 751-759; *C.A.*, 124 (1996) 155365a.
- 1309 Zang, L.-Y., Kalbach, H.L., Brown, B., Jackson, L.L. and van Kuijk, F.J.G.M.: Elimination of *n*-butylated hydroxytoluene methylation during fatty acid analysis by gas chromatography. *J. Chromatogr. B*, 677 (1996) 209-216.

See also 1319, 1402.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 1310 Horvath, E., Mink, J., Bottari, E. and Fest, M.R.: Correlation between retention behavior and GC-FTIR data in the study of flavonoids. *Talanta*, 42 (1995) 979-982.

8b. Aflatoxins and other mycotoxins

- 1311 Matsushima, T., Okamoto, E., Miyagawa, E., Nishimori, E. and Matsui, Y.: Detection of diacetoxyscirpenol and the related toxins from alfalfa infested with *Fusarium* spp. by gas-liquid chromatography. *J. Rakuno Gakuen Univ., Nat. Sci.*, 20 (1995) 49-54; *C.A.*, 124 (1996) 78829a.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

- 1312 Haffer, U., Condar, D. and Rotard, W.: Contributions to the GC-MS analysis of polyfluorinated dibenzo-*p*-dioxins (PFDD). *Fresenius J. Anal. Chem.*, 354 (1996) 359-361.
- 1313 Klasmeier, J. and McLachlan, M.S.: (A quick method for determination of OCDD/F in textiles). *Organohalogen Compd.*, 22 (1995) 427-431; *C.A.*, 124 (1996) 10776a.
- 1314 Klasmeier, J. and McLachlan, M.S.: A screening method for detection of OCDD/F in textiles. *Organohalogen Compd.*, 23 (1995) 131-134; *C.A.*, 124 (1996) 234721s.

- 1315 Li, L. and Jiang, K.: (Determination of toxic equivalents of PCDD/Fs in two Chinese commercial PCBs by ^{13}C isotope dilution method). *Huanjing Kexue Xuebao*, 15 (1995) 433-439; C.A., 124 (1996) 222984s.
- 1316 Petrick, K. and McLachlan, M.S.: Rapid synthesis of some lower brominated ^{13}C -labelled dibenzo-*p*-dioxins and dibenzofurans and mixed brominated/chlorinated dibenzo-*p*-dioxins. *Intern. J. Environ. Anal. Chem.*, 62 (1996) 21-33.
- 1317 Van Bavel, B., Järemo, M., Karlsson, L. and Lindstöm, G.: Development of a solid phase carbon trap for simultaneous determination of PCDDs, PCDFs, PCBs, and pesticides in environmental samples using SFE-LC. *Anal. Chem.*, 68 (1996) 1279-1283.
9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES
- 1318 Chen, Y.-C. and Kuo, M.-S.: A comparative study for the determination of formaldehyde levels in industrial waste water by colorimetric, GC, and HPLC methods. *Huanjing Baohu (Taipei)*, 18 (1995) 25-39; C.A., 124 (1996) 96916f.
- 1319 Danielson, J.W. and Thompson, R.D.: Determination of glutaraldehyde and phenol in germicide products by capillary gas chromatography. *J. Chromatogr. A*, 724 (1996) 398-402.
- 1320 De la Ruelle, H., Klok, J., Rinken, M. and Felix, M.: Characterization of acetals by means of capillary gas chromatography/mass spectrometry. *Rapid Commun. Mass Spectrom.*, 9 (1995) 1507-1511.
- 1321 Nouri, B., Fouillet, B., Toussaint, G., Chambon, R. and Chambon, P.: Complementarity of purge-and-trap and head-space capillary gas chromatographic methods for determination of methyl-*tert*-butyl ether in water. *J. Chromatogr. A*, 726 (1996) 153-159.
- 1322 Stephan, E.: Bayer-Villiger oxidation of indan-1-ones: monitoring of the reaction by VPC and IR spectroscopy. *J. Chem. Educ.*, 72 (1995) 1142-1143; C.A., 124 (1996) 144802q.
- 1323 Tyukhtin, V.G.: (Gas chromatographic determination of ethylene oxide residues in sterilized medical goods). *Gig. Sanit.*, No. 1 (1996) 50-51; C.A., 124 (1996) 270672k.
- 1324 Ueda, H., Hiromoto, M., Uenoyama, H., Yamamoto, H., Shii, K., Baba, S. and Kolaja, R.J.: Development of a breath ketone analyzer for clinical practice. *Int. Congr. Ser.*, 1100 (1995) 1138-1142; C.A., 124 (1996) 197395r.
- 1325 Xie, S., Suckow, R.F. and Cooper, T.B.: Determination of 3,4-dihydroxyphenyl glycol in plasma by gas chromatography-mass spectrometry and high-performance liquid chromatography methods. *J. Chromatogr. B*, 677 (1996) 37-43.
- 1326 Zea, L., Moreno, J. and Medina, M.: (Monitoring of biological aging of fine wines by rapid-gas-solid-chromatographic determination of some major components). *Quim. Ind. (Madrid)*, 42, No. 8 (1995) 26-29; C.A., 124 (1996) 144188u.
- See also 1621.
10. CARBOHYDRATES
- 10a. Mono and oligosaccharides. Structural studies
- 1327 Kishimoto, M.: (A highly sensitive and selective gas chromatography/mass spectrometry analysis for studying tissue polyol pathway activity). *Osaka Daigaku Igaku Zasshi*, 47 (1995) 397-405; C.A., 124 (1996) 169912p.
- 1328 Kishimoto, T., Nakatsubo, F., Murakami, K. and Umezawa, T.: Non-chlorine bleaching of kraft pulp. II. Ozonation of methyl 4-O-ethyl- β -D-glucopyranoside preparation of authentic carbonyl sugars and their analysis by gas chromatography and mass spectrometry. *J. Wood Chem. Technol.*, 15 (1995) 453-471.
- 1329 March, J.G., Forteza, R. and Grases, F.: Determination of inositol isomers and arabitol in human urine by gas chromatography-mass spectrometry. *Chromatographia*, 42 (1996) 329-331.
- 1330 Nygren, Y., Fredriksson, S.-A. and Nilsson, B.: Identification of sialic acid and related acids as acetylated lactones by gas chromatography/mass spectrometry. *J. Mass Spectrom.*, 31 (1996) 267-274.
- 1331 Shetty, H.U., Holloway, H.W. and Schapiro, M.B.: Cerebrospinal fluid and plasma distribution of myoinositol and other polyols in Alzheimer disease. *Clin. Chem. (Washington)*, 42 (1996) 298-302.
- See also 1103.
11. ORGANIC ACIDS AND LIPIDS
- 11a. Organic acids and simple esters
- 1332 Anton, R., Abian, J. and Vila, L.: Characterization of arachidonic acid metabolites through the 12-lipoxygenase pathway in human epidermis by high-performance liquid chromatography and gas chromatography/mass spectrometry. *J. Mass Spectrom.*, (1995) S169-S182.
- 1333 Biondi, P.A., Chiesa, L.M., Mariani, C. and Renon, P.: New, stable halogenated derivative suitable for the gas chromatographic determination of muramic acid. *J. Chromatogr. A*, 726 (1996) 246-252.
- 1334 Chaves das Neves, H.J., Noronha, J.P. and Rufino, H.: A new method for the chiral HRGC assay of L-2-hydroxyglutaric acid in urine. *J. High Resolut. Chromatogr.*, 19 (1996) 161-164.
- 1335 Da Silva, G.A.: Evaluation of butanoic, pentanoic and hexanoic acids as internal standards for analysis of acidic fermentation end-products from *Bacillus stearothermophilus* by gas-liquid chromatography. *Appl. Microbiol. Biotechnol.*, 43 (1995) 626-631; C.A., 124 (1996) 84939c.
- 1336 Duchateau, G.S.M.J.E., van Oosten, H.J. and Vasconcellos, M.A.: Analysis of *cis*- and *trans*-fatty acid isomers in hydrogenated and refined vegetable oils by capillary gas-liquid chromatography. *J. Am. Oil Chem. Soc.*, 73 (1996) 275-282.
- 1337 Evteeva, V.A. and Akopova, O.B.: (Application of liquid-crystalline phases for separation of isomeric phthalic acids by gas-liquid chromatography). *Izv. Akad. Nauk, Ser. Fiz.*, 59, No. 3 (1995) 158-160; C.A., 124 (1996) 20616n.

- 1338 Favier, J.P., Bicanic, D., van de Bovenkamp, P., Chirtoc, M. and Helander, P.: Detection of total *trans* fatty acids content in margarine: an intercomparison study of GLC, GLC+TLC, FT-IR, and optothermal window (open photoacoustic cell). *Anal. Chem.*, 68 (1996) 729-733.
- 1339 Gaetano, G., Delfini, C., Piangerelli, M.G. and Fedi, C.: Identification and evaluation of D(+) malic acid in wines by means of gas chromatography/mass spectrometry. *Bull. O.I.V.*, 68 (1995) 920-930.
- 1340 Guillaume, Y. and Guinard, C.: Method to study the separation of eight *p*-hydroxybenzoic esters by gas chromatography. *J. Chromatogr. A*, 727 (1996) 93-99.
- 1341 Guitart, R., Guerrero, X. and Mateo, R.: Improved analysis of fatty acid anilides: application to toxic and to aniline and citric acid-containing oils. *Bull. Environ. Contam. Toxicol.*, 56 (1996) 351-358; *C.A.*, 124 (1996) 115697d.
- 1342 Johnson, J.A.: Separation, identification, and quantification of monohydroxylated polyunsaturated fatty acids utilizing GC/MS and chiral HPLC (tumorigenic, breast cancer). Avail. *Univ. Microfilms Int.*, Order No. DA9605885, 1996, 86 pp.; *C.A.*, 124 (1996) 225783m.
- 1343 Marks, L., Igllicki, F., Rakotoambinina, B., Thuillier, F. and Messing, B.: A gas chromatography/electron impact mass spectrometric method for the isolation and derivatization of plasma taurine for use in stable isotope tracker kinetic studies. *J. Mass Spectrom.*, 30 (1995) 1687-1693.
- 1344 Maxim, T., Oprea, M. and Radu, M.: (Determination of β -hydroxyethylmethyl terephthalate and bis(β -hydroxyethyl) terephthalate by gas-liquid chromatography). *Rev. Chim. (Bucharest)*, 46 (1995) 1026-1028; *C.A.*, 124 (1996) 192926e.
- 1345 Mu, H., Wesén, C., Novák, T., Sundin, P., Skramstad, J. and Odham, G.: Enrichment of chlorinated fatty acids in fish lipids prior to analysis by capillary gas chromatography with electrolytic conductivity detection and mass spectrometry. *J. Chromatogr. A*, 731 (1996) 225-236.
- 1346 Mueller, H.W.: Diazomethane as a highly selective fatty acid methylating reagent for use in gas chromatographic analysis. *J. Chromatogr. B*, 679 (1996) 208-209.
- 1347 Oliveira, M.B.P.P. and Ferreira, M.A.: Capillary gas chromatographic evaluation of *trans*-fatty acid content of food produced under the traditional conditions of semi-industrial frying. *J. High Resolut. Chromatogr.*, 19 (1996) 180-182.
- 1348 Pietzsch, J., Nitzsche, S., Wiedemann, B., Julius, U., Leonhardt, W. and Hanefeld, M.: Stable isotope ratio analysis of amino acids: the use of N(O)-ethoxycarbonyl ethyl ester derivatives and gas chromatography/mass spectrometry. *J. Mass Spectrom.*, (1995) S129-S135.
- 1349 Ramachandran, P.V., Rangaishenvi, M.V., Singaram, B., Goralaki, C.T. and Brown, H.C.: Organoboranes for synthesis. 16. A convenient synthesis of enantiomerically pure isopinocampheylamine, a chiral derivatizing agent for gas chromatographic analysis of optically active carboxylic acids. *J. Org. Chem.*, 61 (1996) 341-345.
- 1350 Ryll, M. and Hinz, K.-H.: (Differentiation of rough and smooth types of *Salmonella gallinarum* strains by gas-liquid-chromatographic analysis of fatty acids). *Berl. Muench. Tieraerztl. Wochenschr.*, 108 (1995) 347-349; *C.A.*, 124 (1996) 111364v.
- 1351 Szmigielska, A.M., van Rees, K.C.J., Cieslinski, G. and Huang, P.M.: Low molecular weight dicarboxylic acids in rhizosphere soil of durum wheat. *J. Agric. Food Chem.*, 44 (1996) 1036-1040.
- 1352 Tangerman, A. and Hagengast, F.M.: A gas chromatographic analysis of fecal short chain fatty acids using the direct injection method. *Anal. Biochem.*, 236 (1996) 1-8.
- 1353 Thies, W.: Determination of the petroselinic acid in seeds of *Coriandrum sativum* by gas liquid chromatography (GLC) as *n*-butyl esters. *Fett Wiss. Technol.*, 97 (1995) 411-413; *C.A.*, 124 (1996) 173763h.
- 1354 Wolff, R.L., Bayard, C.C. and Fabien, R.J.: Evaluation of sequential methods for the determination of butterfat fatty acid composition with emphasis on *trans*-18:1 acids. Application to the study of seasonal variations in French butters. *J. Am. Oil Chem. Soc.*, 72 (1995) 1471-1483; *C.A.*, 124 (1996) 53956b.
- 1355 Xie, C.X., Pyrek, J.S., Porter, W.H. and Yokel, R.A.: Hydroxyl radical generation in rat brain is initiated by iron but not aluminium, as determined by microdialysis with salicylate trapping and GC-MS analysis. *Neurotoxicology*, 16 (1995) 489-496; *C.A.*, 124 (1996) 78950h.
- 1356 Yu, H.-Y. and Shih, M.-C.: Determination of valproic acid in human plasma by capillary gas chromatography. *Ther. Drug Monit.*, 18 (1996) 107-108; *C.A.*, 124 (1996) 249485s.
- See also 1174, 1188, 1248, 1295, 1297, 1309, 1330, 1575, 1649.
- 11b. Prostaglandins**
- 1357 Mizugaki, M., Hishinuma, T., Nakagawa, Y., Nakamura, H., Nishikawa, M., Ishibashi, M. and Harima, N.: Microdetermination of 11-dehydrothromboxane B₂ in human urine by gas chromatography - selected-ion monitoring using [¹⁸O₂] analog as an internal standard. *J. Mass Spectrom.*, (1995) S55-S60.
- 1358 Obata, T., Nagakura, T., Masaki, T., Maekawa, K. and Yamashita, K.: (Simultaneous quantitative analysis of prostaglandins by GC/MS for cell characterization). *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 20 (1995) 89-92; *C.A.*, 124 (1996) 45858f.
- 1359 Tsikas, D., Fauler, J., Velasquez, R.D., Gutzki, F.-M. and Froelich, J.C.: Catalytic hydrogenation of leukotriene B₄ enhances sensitivity and specificity of gas chromatography-tandem mass spectrometry techniques and enables simultaneous analysis with cysteinyl leukotrienes in biological fluids. *Anal. Biochem.*, 236 (1996) 175-178.
- 1360 Wheelan, P., Murphy, R.C. and Simon, F.R.: Gas chromatographic/mass spectrometric analysis of oxo and chain-shortened leukotriene B₄ metabolites. Leukotriene B₄ metabolism *in vitro* cells. *J. Mass Spectrom.*, 31 (1996) 236-246.
- 11c. Lipids and their constituents**
- 1361 Borch-Jensen, C. and Mollerup, J.: Supercritical fluid chromatography of fish, shark and seal oils. *Chromatographia*, 42 (1996) 252-258.
- 1362 Choo, Y.M., Ma, A.N., Yahaya, H., Yamauchi, Y., Bounoshita, M. and Saito, M.: Separation of crude palm oil components by semipreparative supercritical fluid chromatography. *J. Am. Oil Chem. Soc.*, 73 (1996) 523-525.

- 1363 Hayes, D.G. and Kleiman, R.: A detailed triglyceride analysis of *Lesquerella fendleri* oil: column chromatographic fractionation followed by supercritical fluid chromatography. *J. Am. Oil Chem. Soc.*, 73 (1996) 267-269.
- 1364 Kalo, P., Kempainen, A. and Kilpelainen, I.: Determination of positional distribution of butyryl groups in milkfat triacylglycerols, triacylglycerol mixtures, and isolated positional isomers of triacylglycerols by gas chromatography and ¹H nuclear magnetic resonance spectroscopy. *Lipids*, 31 (1996) 331-336.
- 1365 Mutou, E.: (Changes of triacylglyceride composition analyzed on the number of carbon and double bond with gas chromatography-mass spectrometry in diabetes mellitus. Experimental study and clinical application to patients' care as a parameter of diabetic control). *Hokkaido Igaku Zasshi*, 70 (1995) 785-794; *C.A.*, 124 (1996) 172383x.
- 1366 Schmeer, K., Nicholson, G., Zhang, S., Bayer, E. and Bohning-Gaese, K.: Identification of the lipids and the ant attractant 1,2-dioleoylglycerol in the arils of *Commiphora guillaumini* Perr. (Burseraceae) by supercritical fluid chromatography-atmospheric pressure chemical ionisation mass spectrometry. *J. Chromatogr. A*, 727 (1996) 139-146.
- 1367 Ye, G.: (Gas chromatographic determination of monostearic acid glyceride content). *Pige Huagong*, No. 2 (1995) 18-20; *C.A.*, 124 (1996) 90851j.
- 1368 Zollner, P. and Schmid, R.: Utility of nicotinoyl derivatives in structural studies of mono- and diacylglycerols by gas chromatography/mass spectrometry. Part 3. Application to acylglycerols with methyl branchings and epoxy and cyclopropyl rings. *J. Mass Spectrom.*, 31 (1996) 411-417.

See also 1378.

12. ORGANIC PEROXIDES

See 1401, 1665.

13. STEROIDS

13a. General techniques

- 1369 Makin, H.L.J., Honour, J.W. and Shackleton, C.H.L.: General methods of steroid analysis, Part 1. Extraction, purification and measurement of steroids by high-performance liquid chromatography, gas-liquid chromatography and mass spectrometry. In: Makin, H.L.J., Gower, D.B. and Kirk, D.N. (Editors), *Steroid Anal.*, Blackie, Glasgow, 1995, pp. 114-184 and 214-228; *C.A.*, 124 (1996) 249151e.
- 1370 Liu, C.-S., Song, Y.S., Zhang, K.-J., Ryu, J.-C., Kim, M. and Zhou, T.-H.: Gas chromatographic/mass spectrometric profiling of luteolin and its metabolites in rat urine and bile. *J. Pharm. Biomed. Anal.*, 13 (1995) 1409-1414; *C.A.*, 124 (1996) 20919p.

13c. Estrogens

- 1371 Bagnati, R., Ramazza, V., Zucchi, M., Simonella, A., Leone, F., Bellini, A. and Panelli, R.: Analysis of dexamethazone and betamethazone in bovine urine by purification with an "on-line" immunoaffinity chromatography-high-performance liquid chromatography system and determination by gas chromatography-mass spectrometry. *Anal. Biochem.*, 236 (1996) 119-126.

13d. Sterols

- 1372 Biedermann, M., Grob, K. and Mariani, C.: On-line LC-UV-GC-FIT for the determination of Δ^7 - and $\Delta^8(14)$ -sterols and its application for the detection of adulterated olive oils. *Riv. Ital. Sostanze Grasse*, 72 (1995) 339-344; *C.A.*, 124 (1996) 200432h.
- 1373 Maraschiello, C., Diaz, I. and Regueiro, J.A.G.: Determination of cholesterol in fat and muscle of pig by HPLC and capillary gas chromatography with solvent venting injection. *J. High Resolut. Chromatogr.*, 19 (1996) 165-168.
- 1374 Modey, W.K., Mulholland, D.A., Mahomed, H. and Raynor, M.W.: Analysis of extracts from *Cedrela toona* (Meliaceae) by on-line and off-line supercritical fluid extraction-capillary gas chromatography. *J. Microcolumn Separ.*, 8 (1996) 67-74.
- 1375 Nichols, P.D., Leeming, R., Rayner, M.S. and Latham, V.: Use of capillary gas chromatography for measuring fecal-derived sterols. Application to stormwater, the sea-surface microlayer, beach greases, regional studies, and distinguishing algal blooms and human and non-human sources of sewage pollution. *J. Chromatogr. A*, 733 (1996) 497-509.
- 1376 Schmarr, H.-G., Gross, H.B. and Shibamoto, T.: Analysis of polar cholesterol oxidation products: evaluation of a new method involving transesterification, solid phase extraction, and gas chromatography. *J. Agric. Food Chem.*, 44 (1996) 512-517.
- 1377 Thienpont, L.M., van Landuyt, K.G., Stoeckel, D. and de Leenheer, A.P.: Four frequently used test systems for serum cholesterol evaluated by isotope dilution gas chromatography-mass spectrometry candidate reference method. *Clin. Chem. (Washington)*, 42 (1996) 531-535.
- 1378 Zlatanov, M. and Ivanov, S.A.: (Studies on sterol composition of some glycerides oils from family Apiaceae). *Fett Wiss. Technol.*, 97 (1995) 381-383; *C.A.*, 124 (1996) 174019g.

13f. Ecdysones and other insect steroid hormones

- 1379 Huopalahti, R.P. and Henion, J.D.: Application of supercritical fluid extraction and high performance liquid chromatography/mass spectrometry for the determination of some anabolic agents directly from bovine tissue samples. *J. Liq. Chromatogr. Relat. Technol.*, 19 (1996) 69-87.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 1380 Betts, T.J.: Indications of the chemical structure of oxygen-containing constituents of volatile oils by capillary gas chromatography using one or two modified β - and α -cyclodextrin phases. *J. Chromatogr. A*, 724 (1996) 403-410.

- 1381 Calogirou, A., Larsen, B.R., Brussol, C., Duane, M. and Kotzias, D.: Decomposition of terpenes by ozone during sampling on Tenax. *Anal. Chem.*, 68 (1996) 1499-1506.
- 1382 Cosse, A.A., Todd, J.L., Millar, J.G., Martinez, L.A. and Baker, T.C.: Electroantennographic and coupled gas chromatography-electroantennographic responses of the mediterranean fruit fly, *Ceratitis capitata*, to male-produced volatiles and mango odor. *J. Chem. Ecol.*, 21 (1995) 1823-1836.
- 1383 Désage, M., Schaal, B., Soubeyrand, J., Orgeur, P. and Brazier, J.-L.: Gas chromatographic-mass spectrometric method to characterise the transfer of dietary odorous compounds into plasma and milk. *J. Chromatogr. B*, 678 (1996) 205-210.
- 1384 Eriksson, K. and Levin, J.-O.: Gas chromatographic-mass spectrometric identification of metabolites from α -pinene in human urine after occupational exposure to sawing fumes. *J. Chromatogr. B*, 677 (1996) 85-98.
- 1385 Kosman, V.M., Blinova, K.F. and Zenkevich, I.G.: (Identification and determination of eugenol in *Geum urbanum* L. roots). *Rastit. Resur.*, 31, No. 3 (1995) 93-97; *C.A.*, 124 (1996) 127231k.
- See also 1092, 1176, 1528, 1567.
- 15b. *Essential oils*
- 1386 Bicchi, C., Rubiolo, P., Fresia, M., David, F. and Sandra, P.: Analysis of constituents of *Iris* rhizomes. Part III - packed column supercritical fluid chromatography and high pressure liquid chromatography of iridals from rhizomes of *Iris pallida* L. *Phytochem. Anal.*, 7 (1996) 37-41.
- 1387 Dunlop, P.J., Bignell, C.M., Jackson, J.F. and Hibbert, D.B.: Chemometric analysis of gas chromatographic data of oils from *Eucalyptus* species. *Chemom. Intell. Lab. Syst.*, 30 (1995) 59-67.
- 1388 Fuh, M.-R.S., Pan, W.H., Hsieh, I.J. and Chuo, C.-M.: Preparative-scale supercritical fluid extraction of essential oils from *Syzygium aromaticum* (clove bud). *Int. Lab.*, 26, No. 3 (1996) 16P-16Y.
- 1389 Gawdzik, J., Mardarowicz, M., Suprynowicz, Z., Kawka, S. and Wolski, T.: Supercritical fluid extraction of essential oils from *Archangelica* off. Hoffm. and their characterization by GC/MS. *J. High Resolut. Chromatogr.*, 19 (1996) 237-240.
- 1390 Indrayanto, G., Palupi, S. and Santosa, M.H.: Gas chromatography-mass spectrometry analysis of ether extracts from tissue cultures of *Cercura zedoaria*. *Maj. Farm. Indones.*, 6, No. 2 (1995) 52-60.
- 1391 Ji, L., Xu, Z. and Pan, J.: (GC-MS analysis of essential oil from the root of *Shaposhnikovia divaricata* (Turcz.) Schischk). *Tianran Chanwu Yanjiu Yu Kaifa*, 7, No. 4 (1995) 5-8; *C.A.*, 124 (1996) 212190r.
- 1392 Kababick, J.P.: Evaluation of incense purity using simultaneous steam distillation-extraction and HRGC analysis. *J. High Resolut. Chromatogr.*, 19 (1996) 241-242.
- 1393 Mondello, L., Dugo, P., Dugo, G. and Bartle, K.D.: On-line HPLC-HRGC-MS for the analysis of natural complex mixtures. *J. Chromatogr. Sci.*, 34 (1996) 174-181.
- 1394 Naqvi, A.A. and Mandal, S.: Detection of adulteration in sandalwood oil by GC. *Indian Perfum.*, 39, No. 1 (1995) 62-63; *C.A.*, 124 (1996) 269948y.
- 1395 Saleh, M.M., El-Olemy, M.M., Abou Zeid, A.H.S. and Awad, N.E.: GC/MS analysis and antimicrobial activity of the volatile oil of the flowers of *Hedychium coronarium* Koenig. *Egypt. J. Pharm. Sci.*, 36 (1995) 197-209; *C.A.*, 124 (1996) 270684r.
- 1396 Wang, X., Zheng, J. and Chen, Q.: (GC-MS in the study of chemical constituents of volatile oil from *Rheum tanguticum*). *Zhongguo Yaoxue Zazhi*, 30 (1995) 719-720; *C.A.*, 124 (1996) 185751r.
- 1397 Yuan, S., Zhang, B. and Xia, Q.: (Changes of *Lilac dephe* volatile oil before and after simulated vinegar processing by GC-MS). *Zhongguo Zhongyao Zazhi*, 20 (1995) 668-669; *C.A.*, 124 (1996) 241718z.
16. NITRO AND NITROSO COMPOUNDS
- 1398 Bravo Sanchez, L.R., Blanco Toledo, F. and Alvarez Brito, R.: (Chromatographic techniques for the kinetic study of the reaction for obtaining the bioactive chemical 1-(fur-2-yl)-2-nitroethene). *Afinidad*, 53 (1996) 29-34; *C.A.*, 124 (1996) 249214c.
- 1399 Hachimi, A., Krier, G., Poitevin, E., Schweigert, M.C., Peter, S. and Muller, J.F.: Characterization of nitro-PAH adsorbed on environmental micro particles: a comparison of Lamma, Fourier transform mass spectrometry laser microprobes and gas chromatography-tandem mass spectrometry. *Intern. J. Environ. Anal. Chem.*, 62 (1996) 219-230.
- 1400 Schmidt, T.C., Haas, R., von Loew, E. and Stork, G.: (Investigation of nitramines in water samples from a former ammunition plant). *Vom Wasser*, 85 (1995) 309-320; *C.A.*, 124 (1996) 184872u.
- 1401 Schrimpf, W., Mueller, K.P., Johnen, F.J., Lienaerts, K. and Rudolph, J.: An optimized method for airborne peroxyacetyl nitrate (PAN) measurements. *J. Atmos. Chem.*, 22 (1995) 303-317; *C.A.*, 124 (1996) 14190c.
- 1402 Tesarova, E., Sykora, D. and Voznakova, Z.: GC and HPLC determination of nitrophenol related pesticides. *Fresenius Environ. Bull.*, 4 (1995) 609-616; *C.A.*, 124 (1996) 48178v.
- See also 1537.
17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS
- 17a. *Amines and polyamines*
- 1403 Conte, E.D. and Miller, D.W.: A solid-phase microextraction-electrodeposition device for the determination of putrescine and cadaverine by high resolution gas chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 294-297.
- 1404 Okumura, T., Imamura, K. and Nishikawa, Y.: Determination of anilines in river water, sediment, and fish samples by gas chromatography-mass spectrometry. *J. Chromatogr. Sci.*, 34 (1996) 190-198.
- 1405 Suh, J.W., Lee, S.H., Park, Y.H., Chung, B.C. and Park, J.: Comparative free and acetylated polyamine profiles in the urine of normal subjects and various cancer patients. *Anal. Sci. Technol.*, 8 (1995) 895-900; *C.A.*, 124 (1996) 254926r.

1406 Tetlow, V.A. and Merrill, J.: Rapid determination of amphetamine stereoisomer ratios in urine by gas chromatography-mass spectroscopy. *Ann. Clin. Biochem.*, 33 (1996) 50-54.

17d. *Other amine derivatives and amides (excl. peptides)*

1407 Shi, H., Taylor, L.T. and Fujinari, E.M.: Open-tubular supercritical fluid chromatography with simultaneous flame ionization and chemiluminescent nitrogen detection. *J. High Resolut. Chromatogr.*, 19 (1996) 213-216.

1408 Vaughan, G.T. and Kenyon, R.S.: Monitoring for occupational exposure to 4,4'-methylenebis(2-chloroaniline) by gas chromatographic-mass spectrometric analysis of haemoglobin adducts, blood, plasma and urine. *J. Chromatogr. B*, 678 (1996) 197-204.

1409 Wu, W.S., Szklar, R.S. and Smith, R.: Gas chromatographic determination and negative-ion chemical ionization mass spectrometric confirmation of 4,4'-methylenebis(2-chloroaniline) in urine via thin layer chromatographic separation. *Analyst (Cambridge)*, 121 (1996) 321-324.

1410 Zhou, L.-M., Liu, X.-L., Li, Z.-S., Wang, Q.-H., Zhu, D.-Q. and Hu, D.-H.: Enantiomeric separation of α -phenylethylamine and its derivatives by series coupled open tubular columns. *Chin. J. Chem.*, 13 (1995) 435-441.

See also 1512.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. *Amino acids and their derivatives*

1411 Benická, E., Krupčík, J., Spáník, I., Hrouzek, J. and Sandra, P.: Retention behavior of N-TFA-O-alkyl derivatives of selected amino acid enantiomers separated on modified cyclodextrins by HRGC. *J. Microcolumn Separ.*, 8 (1996) 57-65.

1412 Briand, G., Fontaine, M., Schubert, R., Ricart, G., Degand, P. and Vamecq, J.: Direct analysis of electrospray ionization and matrix-assisted laser desorption ionization mass spectrometry of standard and urinary acylcarnitines. Comparison with fast atom bombardment and gas chromatography chemical ionization mass spectrometry. *J. Mass Spectrom.*, 30 (1995) 1731-1741.

1413 Carter, S.M.B., Watson, D.G., Midgley, J.M. and Logan, R.W.: Synthesis and characterisation of acyl glycines. Their measurements in single blood spots by gas chromatography-mass spectrometry to diagnose inborn errors of metabolism. *J. Chromatogr. B*, 677 (1996) 29-35.

1414 Da Silva, U.F., Cardoso, C.D., Zanatta, N., Morel, A.F., Icheln, D. and Gehrcke, B.: Determination of the stereochemistry of the N,N-dimethyl amino acid and the α -amino acid residue of peptide alkaloids by chiral gas chromatography. *Phytochem. Anal.*, 7 (1996) 20-23.

1415 Deutsch, J.C. and Santhosh-Kumar, C.R.: Quantitation of homogentisic acid in normal human plasma. *J. Chromatogr. B*, 677 (1996) 147-151.

1416 Hofmann, D., Jung, K., Segschneider, H.-J., Gehre, M. and Schueuermann, G.: $^{15}\text{N}/^{14}\text{N}$ analysis of amino acids with GC-C-IRMS. Methodical investigations and ecotoxicological applications. *Isot. Environ. Health Stud.*, 31 (1995) 367-375; *C.A.*, 124 (1996) 169970f.

1417 Medvedovici, A., Sandra, P., Kot, A. and Kolodziejczyk, A.: Study on the separation of D,L- and meso-N,N'-di(carbobenzoyloxy)-2,6-diaminopimelic acid by SFC. *J. High Resolut. Chromatogr.*, 19 (1996) 227-228.

1418 Metges, C.C., Petzke, K.-J. and Hennig, U.: Gas chromatography/combustion/isotope ratio mass spectrometric comparison of N-acetyl and N-pivaloyl amino acid esters to measure ^{15}N isotopic abundances in physiological samples; a pilot study on amino acid synthesis in the upper gastro-intestinal tract of minipigs. *J. Mass Spectrom.*, 31 (1996) 367-376.

1419 Peng, J. and Xiang, B.: (GC/MS analysis of free amino acids in pulp of *Benicasa hispalogn*). *Zhongguo Yaoke Daxue Xuebao*, 26 (1995) 286-290; *C.A.*, 124 (1996) 156235v.

See also 1632.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

1420 Bjoerkman, P.-O. and Tillberg, E.: Acetylation of cytokinins and modified adenine compounds: a simple and non-destructive derivatization method for gas chromatography-mass spectrometric analysis. *Phytochem. Anal.*, 7 (1996) 57-68.

1421 Douki, T., Delatour, T., Bianchini, F. and Cadet, J.: Observation and prevention of a artifactual formation of oxidized DNA bases and nucleosides in the GC-EIMS method. *Carcinogenesis*, 17 (1996) 347-353; *C.A.*, 124 (1996) 225738a.

1422 Kawamura, Y., Konishi, A., Yamada, T. and Saito, Y.: (Effect of gamma-irradiation on rice seed DNA. Part II. Determination of DNA base products in irradiated rice seeds using GC-MS). *Shokuhin Shosha*, 30 (1995) 23-27; *C.A.*, 124 (1996) 28572r.

22. ALKALOIDS

1423 Peters, K., Peters, E.-M., Bringmann, G. and God, R.: (Endogenous alkaloids in man. Part 24. 2-Trifluoroacetyl-1-methyl-1,2,3,4-tetrahydro- β -carboline, a gas chromatographically useful derivative of the mammalian alkaloid eleagnine). *Z. Naturforsch., B: Chem. Sci.*, 50 (1995) 1564-1565; *C.A.*, 124 (1996) 176593p.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. *Porphyryns and other pyrroles*

1424 Ishiwatari, M., Ishiwatari, R., Sakashita, H. and Tatsumi, T.: Thermogravimetry and pyrolysis-GC of chlorophyll-a: with a special emphasis on thermal behavior of its phetyl chain. *J. Anal. Appl. Pyrolysis*, 35 (1995) 237-247; *C.A.*, 124 (1996) 33398t.

23c. *Indole derivatives and plant hormones (gibberelins)*

- 1425 Lee, J., Han, I., Lee, S., Hawer, W. and Yeo, I.: (Analysis of indole-3-acetic acid from bean sprouts by GC/MSD). *Anal. Sci. Technol.*, 8 (1995) 375-381; *C.A.*, 124 (1996) 115647n.

23d. *Pyridine derivatives*

- 1426 Coleman, W.M. III.: A study of the behavior of maillard reaction products analyzed by solid-phase microextraction-gas chromatography-mass selective detection. *J. Chromatogr. Sci.*, 34 (1996) 213-218.

See also 1536.

23e. *Other N-heterocyclic compounds*

- 1427 Kajita, M., Niwa, T., Hanyu, M., Sato, M., Fujisaki, M., Ueki, M. and Nagatsu, T.: Detection of 1-phenyl-N-methyl-1,2,3,4-tetrahydroisoquinoline and 1-phenyl-1,2,3,4-tetrahydroisoquinoline in human brain by GC/MS/MS. *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 20 (1995) 169-172; *C.A.*, 124 (1996) 78827y.
- 1428 Titon, M.C., Gonzalez, F.R. and Nardillo, A.M.: Gas chromatographic separation of low-boiling pyridine bases. *Chromatographia*, 42 (1996) 465-468.
- 1429 Wang, X., Zhu, M. and Chen, Z.: (Analysis of the morphology and distribution of nitrogen-containing compounds in heavy oil. II. Method of identifying nitrogen heterocyclics). *Huadong Ligong Daxue Xuebao*, 21 (1995) 730-737; *C.A.*, 124 (1996) 180644y.

24. ORGANIC SULPHUR COMPOUNDS (INCL. GLUCOSINOLATES)

- 1430 Almen, P. and Ericsson, I.: Studies of the thermal degradation of polysulfones by filament-pulse pyrolysis-gas chromatography. *Polym. Degrad. Stab.*, 50 (1995) 223-228.
- 1431 Donovan, W.H. and Famini, G.R.: Using theoretical description in structure activity relationships: retention indexes of sulfur vesicants and related compounds. *J. Chem. Soc., Perkin Trans. 2*, (1996) 83-89; *C.A.*, 124 (1996) 137998e.
- 1432 Pashkevich, K.I., Kirichenko, V.E. and Osipova, O.A.: The determination of volatile thiols for determination with an electron capture detector. *Sulfur Lett.*, 18 (1995) 115-119; *C.A.*, 124 (1996) 249238p.
- 1433 Przyborski, H., Wacha, C. and Brandion, F.: (Detection and evaluation of methylisothiocyanate and allylthiocyanate in wine). *Mitt. Klosterneuburg*, 45 (1995) 123-126; *C.A.*, 124 (1996) 143854w.
- 1434 Savchuk, S.A., Rudenko, B.A., Brodskii, E.S. and Soifer, V.S.: Application of gas chromatography with open tubular columns and chemiluminescent detection to the determination of sulfur-containing substances in oil pollutions of sea water. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 1081-1087.
- 1435 Simo, R. and Grimalt, J.O.: Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits. *J. Chromatogr. A*, 726 (1996) 161-166.

See also 1523, 1620.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)

- 1436 Sato, K. and Kadokami, K.: (Determination of organophosphoric acid triester in aquatic environmental samples by GC/MS). *Kankyo Kagaku*, 5 (1995) 821-827; *C.A.*, 124 (1996) 222936c.

See also 1553, 1560.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. *Organometallic compounds*

- 1437 Barshick, C.M., Barshick, S.-A., Mohill, M.L., Britt, P.F. and Smith, D.H.: Elemental and organometallic analyses of soil using glow discharge mass spectrometry and gas chromatography/mass spectrometry. *Rapid Commun. Mass Spectrom.*, 10 (1996) 341-346.
- 1438 Bettmer, J., Bradter, M., Buscher, W., Erber, D., Rieping, D. and Cammann, K.: GC-MIP-PED as an element-specific system for the determination of organomercury compounds. *Appl. Organomet. Chem.*, 9 (1995) 541-545; *C.A.*, 124 (1996) 104961j.
- 1439 Biard, G.S., Fitzgerald, R.L., Aggarwal, S.K. and Herold, D.A.: Determination of blood lead by electron-capture negative chemical ionization gas chromatography-mass spectrometry. *Clin. Chem. (Washington)*, 42 (1996) 286-291.
- 1440 Ceulemans, M. and Freddy, C.: Integrated sample preparation and speciation analysis for the simultaneous determination of methylated species of tin, lead and mercury in water by purge-and-trap injection-capillary gas chromatography-atomic emission spectrometry. *J. Anal. At. Spectrom.*, 11 (1996) 201-206.
- 1441 Chau, Y.K., Yang, F. and Maguire, R.J.: Improvement of extraction recovery for the monobutyltin species from sediment. *Anal. Chim. Acta.*, 320 (1996) 165-169.
- 1442 Feldmann, J., Riechmann, T. and Hirner, A.V.: Determination of organometallics in intra-oral air by LT-GC/ICP-MS. *Fresenius J. Anal. Chem.*, 354 (1996) 620-623.
- 1443 Krupp, E.M., Grimping, R., Furchtbar, U.R.R. and Hirner, A.V.: Speciation of metals and metaloids in sediments with LTGC/ICP-MS. *Fresenius J. Anal. Chem.*, 354 (1996) 546-549.
- 1444 McCurdy, W., Jenner, D., Lee, M., Martin, C. and Pace, T.: Determining butyltin compounds. *Environ. Test. Anal.*, 4, No. 5 (1995) 25-27; *C.A.*, 124 (1996) 105170n.
- 1445 Pyrzyńska, K.: Organolead speciation in environmental samples: a review. *Microchim. Acta*, 122 (1996) 279-293 - a review with 121 refs.
- 1446 Shawky, S., Emons, H. and Durbeck, H.W.: Speciation of organotin compounds in fish. *Anal. Commun.*, 33 (1996) 107-110.
- 1447 Swami, K. and Narang, R.S.: Collection and analysis of butyltin compounds in air at nanogram-per-cubic-meter levels. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 170-174.

- 1448 Szpunar, J., Schmitt, V.O., Lobinski, R. and Monod, J.-L.: Rapid speciation of butyltin compounds in sediments and biomaterials by capillary gas chromatography-microwave-induced plasma atomic emission spectrometry after microwave-assisted leaching/digestion. *J. Anal. At. Spectrom.*, 11 (1996) 193-199.
- 1449 Tutschku, S., Mothes, S. and Wennrich, R.: Preconcentration and determination of Sn- and Pb-organic species in environmental samples by SPME and GC-AED. *Fresenius J. Anal. Chem.*, 354 (1996) 587-591.
- See also 1140.
27. VITAMINS AND VARIOUS ANIMAL GROWTH FACTORS (NON-PEPTIDIC)
- 1450 Deutsch, J.C. and Santhosh-Kumar, C.R.: Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol. *J. Chromatogr. A*, 724 (1996) 271-278.
- 1451 Imanaka, M., Kadota, M., Kumashiro, K. and Mori, T.: Identification of phyloquinone (vitamin K₁) as an unknown peak in electron capture detection gas chromatograms of pyrethroid insecticide residues. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 538-543.
- 1452 Liebler, D.C., Burr, J.A., Philips, L. and Ham, A.J.L.: Gas chromatography-mass spectrometry analysis of vitamin E and its oxidation products. *Anal. Biochem.*, 236 (1996) 27-34.
- 1453 Ueda, T. and Igarashi, O.: (Analysis of vitamin E stereoisomers). *Kagaku to Seibutsu*, 33 (1995) 745-748; *C.A.*, 124 (1996) 9001n.
28. ANTIBIOTICS
- 1454 Nagata, T. and Oka, H.: Detection of residual chloramphenicol, florfenicol and thiamphenicol in yellowtail fish muscles by capillary gas chromatography-mass spectrometry. *J. Agric. Food Chem.*, 44 (1996) 1280-1284.
29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS
- 29a. General techniques
- 1455 Beneventi, G., Barbieri, C., del Carlo, G., Dondi, C., Forti, S. and Turrini, D.: (Analytical determination of pesticides in wine by S.P.E. extraction with carbon black cartridge and GC analysis). *Riv. Vitic. Enol.*, 48, No. 2 (1995) 3-9; *C.A.*, 124 (1996) 7291h.
- 1456 De la Colina, C., Peña, A., Mingorance, M.D. and Rasero, F.S.: Influence of the solid-phase extraction process on calibration and performance parameters for the determination of pesticide residues in water by gas chromatography. *J. Chromatogr. A*, 733 (1996) 275-281.
- 1457 Hatrík, S. and Tekel, J.: Extraction methodology and chromatography for the determination of residual pesticides in water. *J. Chromatogr. A*, 733 (1996) 217-233 - a review with 125 refs.
- 1458 Jiang, G.B., Ceulemans, M. and Adams, F.C.: Optimization study for the speciation analysis of organotin and organogermanium compounds by on-column capillary gas chromatography with flame photometric detection using quartz surface-induced luminescence. *J. Chromatogr. A*, 727 (1996) 119-129.
- 1459 Liska, I. and Slobodník, J.: Comparison of gas and liquid chromatography for analysing polar pesticides in water samples. *J. Chromatogr. A*, 733 (1996) 235-258 - a review with 249 refs.
- 1460 Magdic, S., Boyd-Boland, A.A. and Pawliszyn, J.B.: The analysis of pesticides using solid phase microextraction. *Organohalogen Compd.*, 23 (1995) 47-51; *C.A.*, 124 (1996) 269705s.
- 1461 Popp, P., Mothes, S. and Brueggemann, L.: (Determination of pesticides in water by solid-phase microextraction and gas chromatography). *Vom Wasser*, 85 (1995) 229-240; *C.A.*, 124 (1996) 184870s.
- 1462 Tsumura, Y., Nakamura, Y., Tonogai, Y., Nakatsuka, K. and Shibata, T.: (Determination of debromo-bromobutide and 14 organonitrogen pesticides such as dimepiperate in agricultural products by GC). *Shokuhin Eiseigaku Zasshi*, 36 (1995) 613-621; *C.A.*, 124 (1996) 28251k.
- 1463 Yamagami, T.: (The multiresidue pesticides analysis and GC/MS). *Foods Food Ingredients J. Jpn.*, 167 (1996) 128-140; *C.A.*, 124 (1996) 173715u - a review with 17 refs.
- 29b. Chlorinated insecticides
- 1464 Andrews, P., Headrick, K., Pilon, J.-C., Bryce, F. and Iverson, F.: Capillary GC-ECD and ECNI GCMS characterization of toxaphene in primate tissues during a feeding study. *Chemosphere*, 32 (1996) 1043-1053.
- 1465 Asakawa, F., Jitsunari, F., Miki, K., Choi, J.-O., Takeda, N., Kitamado, T., Suna, S. and Manabe, Y.: Agricultural worker exposure to the absorption of permethrin applied to cabbage. *Bull. Environ. Contam. Toxicol.*, 56 (1996) 42-49; *C.A.*, 124 (1996) 14494e.
- 1466 Atuma, S., Zettermark, S. and Hansson, L.: Determination of organochlorine pesticides and PCBs in fish using off-line supercritical fluid extraction, HPLC separation, and gas chromatography. *Organohalogen Compd.*, 23 (1995) 31-34; *C.A.*, 124 (1996) 230328w.
- 1467 Dannenberger, D.: (Baltic seawater analysis in the sub-trace range. Part 2). *CLB, Chem. Labor Biotech.*, 47 (1996) 16-19; *C.A.*, 124 (1996) 211218u.
- 1468 Djordjevic, M.V., Fan, J. and Hoffmann, D.: Assessment of chlorinated pesticide residues in cigaret tobacco based on supercritical fluid extraction and GC-ECD. *Carcinogenesis*, 16 (1995) 2627-2632; *C.A.*, 124 (1996) 2901x.
- 1469 Dua, V.K., Pant, C.S., Sharma, V.P. and Pathak, G.K.: Determination of HCH and DDT in finger-prick whole blood dried on filter paper and its field application for monitoring concentrations in blood. *Bull. Environ. Contam. Toxicol.*, 56 (1996) 50-57; *C.A.*, 124 (1996) 2649w.
- 1470 Graham, K.N., Sarna, L.P., Webster, G.R.B., Gaynor, J.D. and Ng, H.Y.F.: Solid-phase microextraction of the herbicide metolachlor in runoff and tile-drainage water samples. *J. Chromatogr. A*, 725 (1996) 129-136.

- 1471 Hummert, K., Vetter, W. and Luckas, B.: Fast and effective sample preparation for determination of organochlorine compounds in fatty tissue of marine mammals using microwave extraction. *Chromatographia*, 42 (1996) 300-304.
- 1472 Lancas, F.M., Rissato, S.R. and Galhiane, M.S.: Supercritical fluid extraction of flumetralin in tobacco. *Chromatographia*, 42 (1996) 416-420.
- 1473 Lau, B., Weber, D. and Andrews, P.: GC/MS analysis of toxaphene: a comparative study of different mass spectrometric techniques. *Chemosphere*, 32 (1996) 1021-1041.
- 1474 Minelli, E.V. and Ribeiro, M.L.: Quantitative method for the determination of organochlorine pesticides in serum. *J. Anal. Toxicol.*, 20 (1996) 23-26; C.A., 124 (1996) 78853d.
- 1475 Mukherjee, I. and Gopal, M.: Insecticide residues in baby food, animal feed, and vegetables by gas liquid chromatography. *Bull. Environ. Contam. Toxicol.*, 56 (1996) 381-388; C.A., 124 (1996) 115727p.
- 1476 Young, R., Lopez-Avila, V. and Beckert, W.F.: On-line determination of organochlorine pesticides in water by solid-phase microextraction and gas chromatography with electron capture detection. *J. High Resolut. Chromatogr.*, 19 (1996) 247-256.
- 1477 Zhao, L. and Fan, D.-F.: Gas chromatographic determination of chlorothalonil in leaves and roots of *Scrophularia* and in soil. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 587-588.
- See also 1139, 1268, 1488.
- 29c. *Phosphorus insecticides*
- 1478 Alcantara-Licudine, J.P., Li, Q.X. and Kawate, M.K.: Supercritical fluid extraction of naled, methyl eugenol, and cuelure in soil. *J. Chromatogr. Sci.*, 34 (1996) 238-244.
- 1479 Blass, W. and Philipowski, C.: Gas-chromatographic method for the determination of methamidophos residues in material in plant origin, including processed products. *Planzenschutz-Nachr. Bayer (Ger. ed.)*, 48 (1995) 353-377; C.A., 124 (1996) 230365f.
- 1480 Hernández, F., Serrano, R., Beltran, J. and López, F.J.: Comparison of cleanup techniques for simple method for analysis of selected organophosphorus pesticide residues in molluscs. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 123-131.
- 1481 Jiang, G. and Xu, F.: (Application of gas chromatography with a new type of flame photometric detector for quantitative analysis of malathion products). *Huanjing Huaxue*, 14 (1995) 546-549; C.A., 124 (1996) 23807m.
- 1482 Lartiges, S.B. and Garrigues, P.: Gas chromatographic analysis of organophosphorus and organonitrogen pesticides with different detectors. *Analisis*, 23 (1995) 418-421.
- 1483 Lee, X.-P., Kumazawa, T., Sato, K. and Suzuki, O.: Detection of organophosphate pesticides in human body fluids by head-space solid-phase microextraction (SPME) and capillary gas chromatography with nitrogen-phosphorus detection. *Chromatographia*, 42 (1996) 135-140.
- 1484 Mori, Y., Hasegawa, K., Tsuji, K. and Setsuda, S.: (Gas chromatography/mass spectrometry for the determination of chlorpyrifos in indoor air). *Kanagawa-ken Eisei Kenkyusho Kenkyu Hokoku*, 25 (1995) 54-56; C.A., 124 (1996) 125314r.
- 1485 Sannino, A., Mambriani, P., Bandini, M. and Bolzoni, L.: Multiresidue method for determination of organophosphorus insecticide residues in fatty processed foods by gel permeation chromatography. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1502-1512.
- 1486 Scott, B.F., Struger, J. and Tse, H.: Examination of surface water samples using gas chromatography-atomic emission detection. *Int. J. Environ. Anal. Chem.*, 61 (1995) 129-142.
- 1487 Smith, J.R. and Schlager, J.J.: Gas chromatographic separation of the stereoisomers of organophosphorus chemical warfare agents using cyclodextrin capillary columns. *J. High Resolut. Chromatogr.*, 19 (1996) 151-154.
- 1488 Tolosa, I., Readman, J.W. and Mee, L.D.: Comparison of the performance of solid-phase extraction techniques in recovering organophosphorus and organochlorine compounds from water. *J. Chromatogr. A*, 725 (1996) 93-106.
- 1489 Wylie, P.L. and Uchiyama, K.: Improved gas chromatographic analysis of organophosphorus pesticides with pulsed splitless injection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 571-577.
- 1490 Yang, M., Lu, B. and Zheng, X.: (Analysis of malathion-methomyl by gas chromatography). *Nanjing Nongye Daxue Xuebao*, 18 (1995) 121-122; C.A., 124 (1996) 196398g.
- 1491 Zou, B., Qu, G. and Ma, Y.: (Study of pesticide 1605 by GC-atomic emission spectroscopy using microwave plasma). *Fenxi Kexue Xuebao*, 11 (1995) 63-65; C.A., 124 (1996) 167649j.
- See also 1150.
- 29d. *Carbamates*
- 1492 Izquierdo, A., Tena, M.T., de Castro, M.D.L. and Valcárcel, M.: Supercritical fluid extraction of carbamate pesticides from soils and cereals. *Chromatographia*, 42 (1996) 206-212.
- 1493 Lancas, F.M., Rissato, S.R. and Galhiane, M.S.: Analysis of carbaryl and carbofuran in tobacco samples by HRGC, HPLC, and CZE. *J. High Resolut. Chromatogr.*, 19 (1996) 200-206.
- 1494 Lancas, F.M., Rissato, S.R. and Galhiane, M.S.: Off-line SFE-CZE analysis of carbamates residues in tobacco samples. *Chromatographia*, 42 (1996) 323-328.
- 1495 Olek, M. and Tomas, R.: (Carbamate pesticide determination by gas chromatography and mass spectrometry). *Ann. Falsif. Expert. Chim. Toxicol.*, 88 (1995) 257-267; C.A., 124 (1996) 173819f.
- See also 1490.
- 29e. *Herbicides*
- 1496 Dean, J.R., Barnabas, I.J. and Owen, S.P.: Influence of pesticide-soil interactions on the recovery of pesticides using supercritical fluid extraction. *Analyst (Cambridge)*, 121 (1996) 465-468.

- 1497 Dean, J.R., Wade, G. and Barnabas, I.J.: Determination of triazine herbicides in environmental samples. *J. Chromatogr. A*, 733 (1996) 295-335 - a review with 109 refs.
- 1498 Faerber, H., Nick, K. and Schoeler, H.F.: (Determination of s-triazine metabolites in water using HPLC and GC-MS). *GIT Fachz. Lab.*, 40, No. 1 (1996) 21-27; *C.A.*, 124 (1996) 269748h.
- 1499 Hernández, F., Serrano, R., Miralles, M.C. and Font, N.: Gas and liquid chromatography and enzyme linked immuno sorbent assay in pesticide monitoring of surface water from the western mediterranean (Comunidad Valenciana, Spain). *Chromatographia*, 42 (1996) 151-158.
- 1500 Kataoka, H., Ryu, S., Sakiyama, N. and Makita, M.: Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection. *J. Chromatogr. A*, 726 (1996) 253-258.
- 1501 Lanças, F.M., Barbirato, M.A. and Galhiane, M.S.: Extraction of atabron residues from cabbage with supercritical carbon dioxide. *Chromatographia*, 42 (1996) 213-216.
- 1502 Lee, A.S., Hong, M.-K. and Smith, A.E.: Analysis of 2,2,2-trifluoroethyl derivatives of carboxylic acid herbicides by gas chromatography with mass-selective and electron capture detection. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1459-1464.
- 1503 Leone, A.M., Gambacorta, G., Faccia, M. and Greco, S.: Residue decay of some pesticides in artichokes. *Ital. J. Food Sci.*, 7 (1995) 299-303; *C.A.*, 124 (1996) 143878g.
- 1504 Mogadati, P.S., Louis, J.B. and Rosen, J.D.: Determination of glyphosate and its metabolite, (aminomethyl)phosphonic acid, in river water. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 157-162.
- 1505 Olson, N.L., Carrell, R., Cummings, R., Rieck, R. and Reimer, S.: Atomic emission detection for gas chromatographic analysis of nitrogen-containing herbicides in water. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1464-1473.
- 1506 Pang, G.-F., Chao, Y.-Z., Fan, C.-L., Zhang, J.-J., Li, X.-M. and Zhao, T.-S.: Modification of AOAC multiresidue method for determination of synthetic pyrethroid residues in fruits, vegetables, and grains. Part I: Acetonitrile extraction system and optimization of florilil cleanup and gas chromatography. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1481-1488.
- 1507 Pang, G.-F., Chao, Y.-Z., Fan, C.-L., Zhang, J.-J., Li, X.-M., Liu, Y.M. and Zhao, T.S.: Modification of AOAC multiresidue method for determination of synthetic pyrethroid residues in fruits, vegetables, and grains. Part II: Acetone extraction system. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1489-1496.
- 1508 Tan, L.K., Humphries, D., Yeung, P.Y.P. and Florence, L.Z.: Determinations of clopyralid, picloram, and silvex at low concentrations in soils by calcium hydroxide-water extraction and gas chromatography. *J. Agric. Food Chem.*, 44 (1996) 1135-1143.
- 1509 Vink, M. and van der Poll, J.M.: Gas chromatographic determination of acid herbicides in surface water samples with electron-capture detection and mass spectrometric confirmation. *J. Chromatogr. A*, 733 (1996) 361-366.
- See also 1451, 1470.
- 29f. *Fungicides*
- 1510 Englert, K., Illich, M., Weller, H. and Aldag, R.: (Determination of the fungicide difenoconazole in leeks and carrots by gas chromatography). *GIT Fachz. Lab.*, 40 (1996) 6-8; *C.A.*, 124 (1996) 196402d.
- 1511 Godejohann, M., Eisert, R., Levens, K. and Wuensch, G.: (Sum-determination of dithiocarbamate fungicides in waters by hydrolysis and detection of the developed carbon disulfide with headspace-GC/AED). *Vom Wasser*, 85 (1995) 337-351; *C.A.*, 124 (1996) 126622b.
- 1512 Headley, J.V., Maxwell, D.B., Swyngedouw, C. and Purdy, J.R.: Determination of combined residues of metalaxyl and 2,6-dimethylaniline metabolites in urine by gas chromatography/mass spectrometry. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 117-123.
- 1513 Lanças, F.M., Barbirato, M.A. and Galhiane, M.S.: Simultaneous extraction of norflurazon and oxadixyl residues from food crops with supercritical carbon dioxide. *Chromatographia*, 42 (1996) 147-150.
- See also 1271, 1303, 1402.
- 29g. *Other types of pesticides and various agrochemicals*
- 1514 Jiménez, J.J., Bernal, J.L. and Atienza, J.: CGC/AED and CGC/ECD/NPD comparison for the determination of acaricides in honey after hexane/acetone extraction. *Chromatographia*, 42 (1996) 130-134.
- See also 1319.
31. PLASTICS AND THEIR INTERMEDIATES
- 1515 Blondeau, D., Bigan, M. and Despres, P.: Methacrylic copolymers prepared by the ultrasound method: chiral HPLC and GC applications. *React. Funct. Polym.*, 27 (1995) 175-185; *C.A.*, 124 (1996) 134352d.
- 1516 Cheng, T.M.H. and Malawer, E.G.: Confirmation by pyrolysis-gas chromatography of the absence of polyvinylpyrrolidone in beer treated with cross-linked polyvinylpyrrolidone. *J. Am. Soc. Brew. Chem.*, 54 (1996) 85-90.
- 1517 Del Rio, J.C., Martin, F. and Gonzalez-Vila, F.J.: Thermally assisted hydrolysis and alkylation as a novel pyrolytic approach for the structural characterization of natural biopolymers and geomacromolecules. *TrAC*, 15 (1996) 70-79.
- 1518 Just, U. and Much, H.: Characterization of polymers using supercritical fluid chromatography: application of adsorption chromatography, size exclusion chromatography and adsorption chromatography at critical conditions. *Int. J. Polym. Anal. Charact.*, 2 (1996) 173-184.
- 1519 Kusch, P.: Application of the Curie-point pyrolysis-high resolution gas chromatography for analysis of synthetic polymers and copolymers. *Chem. Anal. (Warsaw)*, 41 (1996) 241-252.
- 1520 Ogura, I., Kawakami, S., Du Val, D.L. and Miyajima, K.: Characterization of low-molecular-weight polyethyleneimines using GC/CI-MS and GC. *Anal. Sci.*, 12 (1996) 97-102.
- 1521 Ozawa, S., Kamuki, D. and Takeuchi, M.: (Group separation by SFE equipment and its further development by SFC). *Kuromatogurafi*, 16 (1995) 270-273; *C.A.*, 124 (1996) 127653z.

- 1522 Pierce, D.E., King, D.B. and Sadler, G.D.: Analysis of contaminants in recycled poly(ethylene terephthalate) by thermal-extraction gas chromatography-mass spectroscopy. *ACS Symp. Ser.*, 609 (1995) 458-471.
- 1523 Selsbo, P. and Ericsson, E.: Studies of the thermal degradation of polythiophenes by pyrolysis-gas chromatography. *Polym. Degrad. Stab.*, 51 (1996) 83-92.
- 1524 Van Lieshout, M.H.P.M., Janssen, H.-G., Cramers, C.A., Hetem, M.J.J. and Schalk, H.J.P.: Characterization of polymers by multi-step thermal desorption/programmed pyrolysis gas chromatography using a high temperature PTV injector. *J. High Resolut. Chromatogr.*, 19 (1996) 193-199.
- 1525 Vancso, G.J. and Tan, Z.: Solvent clustering, polar network density, and thermodynamic interactions in coordination polymers: an inverse gas chromatography study of metal-ion-containing polyesters of poly(diethylene glycol-co-succinic acid). *Can. J. Chem.*, 73 (1995) 1855-1861.
- 1526 Ventura, K., Kovar, R., Mikesova, M., Karasek, P. and Vejrosta, J.: Off-line SFE of bis(2-ethylhexyl) phthalate from PVC materials. *Collect. Czech. Chem. Commun.*, 60 (1995) 1109-1114.
- 1527 Zhong, S.: (Application of the contour display analysis technique in the data processing of GC/FTIR). *Guangpuxue Yu Guangpu Fenxi*, 15, No. 6 (1995) 41-44 and 50; *C.A.*, 124 (1996) 88420z.

See also 1102, 1116, 1181, 1409.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

- 1528 Schuberth, J.: Volatile organic compounds determined in pharmaceutical products by full evaporation technique and capillary gas chromatography/ion-trap detection. *Anal. Chem.*, 68 (1996) 1317-1320.
- 1529 Zhang, X., Jia, J. and Fan, C.: (The creation of a standard library of spectra using GC-FTIR and its application in screening analysis of barbiturates). *Zhongguo Yike Daxue Xuebao*, 24 (1995) 466-469; *C.A.*, 124 (1996) 167690r.

32b. Antirheumatics and antiinflammatory drugs

- 1530 Ciccio, P., Cecinato, A., Brancaleoni, E., Frattoni, M., Bruner, F. and Maione, M.: Occurrence of oxygenated volatile organic compounds (VOC) in Antarctica. *Intern. J. Environ. Anal. Chem.*, 62 (1996) 245-253.
- 1531 Neto, L.M.R., Andraus, M.H. and Salvadori, M.C.: Determination of phenylbutazone and oxyphenbutazone in plasma and urine samples of horses by high-performance liquid chromatography and gas chromatography-mass spectrometry. *J. Chromatogr. B*, 678 (1996) 211-218.

See also 1247, 1447.

32c. Autonomic and cardiovascular drugs

- 1532 Kingston, R., Ordsmith, N., Williams, E. and Thieme, D.: An improved method for clenbuterol screening using high resolution selected ion recording. *Rapid Commun. Mass Spectrom.*, 9 (1995) 1395-1399; *C.A.*, 124 (1996) 81064c.
- 1533 Knoche, B., Gehrcke, B., Koenig, A. and Wainer, I.W.: Determination of the enantiomeric composition of mexiletine and its four hydroxylated metabolites in urine by enantioselective capillary gas chromatography. *Chirality*, 8 (1996) 30-34.
- 1534 Li, J., He, W., Yan, B. and Yan, G.: (Determination of nifedipine in serum and clinical pharmacokinetic study of oral nifedipine sibilgual and conventional tablet). *Zhongguo Yiyuan Yaoxue Zazhi*, 15 (1995) 387-389; *C.A.*, 124 (1996) 75404x.
- 1535 Malucelli, A., Rizzo, A. and Meyer, H.H.D.: Purification of clenbuterol, salbutamol, and terbutaline by immunoaffinity chromatography (IAC). *Arch. Lebensmittelhyg.*, 46 (1995) 101-103; *C.A.*, 124 (1996) 105418z.
- 1536 Monkman, S.C., Ellis, J.S., Cholerton, S., Thomason, J.M., Seymour, R.A. and Idle, J.R.: Automated gas chromatographic assay for amlodipine in plasma and gingival cervical fluid. *J. Chromatogr. B*, 678 (1996) 360-364.
- 1537 Pommier, F., Gauducheau, N., Pineau, V., Sioufi, A. and Godbillon, J.: Simultaneous determination of isosorbide dinitrate and its mononitrate metabolites in human plasma by capillary gas chromatography with electron-capture detection. *J. Chromatogr. B*, 678 (1996) 354-359.
- 1538 Shin, H.-S., Oh-Shin, Y.-S., Kim, H.-J. and Kang, Y.-K.: Sensitive assay for verapamil in plasma using gas-liquid chromatography with nitrogen-phosphorus detection. *J. Chromatogr. B*, 677 (1996) 369-373.
- 1539 Takabayashi, H., Curtius, H.-C., Blau, N., Kuster, T., Wirth, R. and Staudenmann, W.: (A new fragmentographic method for the quantitation of dopamine in human cerebrospinal fluid). *Kanazawa Ika Daigaku Zasshi*, 20 (1995) 286-293; *C.A.*, 124 (1996) 106857d.

32d. Central nervous system drugs

- 1540 Grosenick, H., Juza, M., Schurig, V. and Klein, J.: (Enantiomer discrimination of inhalation anesthetics in gas chromatography and NMR on a cyclodextrin derivative). *GIT Fachz. Lab.*, 39 (1995) 1039-1041; *C.A.*, 124 (1996) 127236r.
- 1541 Igarashi, K., Shigee, Y., Kasuya, F. and Fukui, M.: (Analysis of N-dealkylated metabolite derived from haloperidol in biological samples by GC-MS). *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 20 (1995) 109-112; *C.A.*, 124 (1996) 44619s.
- 1542 Kikura, R. and Nakahara, Y.: Hair analysis for drugs of abuse. XI. Disposition of benzphetamine and its metabolites into hair and comparison of benzphetamine use and methamphetamine use by hair analysis. *Biol. Pharm. Bull.*, 18 (1995) 1694-1699; *C.A.*, 124 (1996) 78868n.
- 1543 Kintz, P., Cirimele, V., Vaysette, F. and Mangin, P.: Hair analysis for nordiazepam and oxazepam by gas chromatography-negative-ion chemical ionization mass spectrometry. *J. Chromatogr. B*, 677 (1996) 241-244.
- 1544 Lattanzi, L., Attaran Rezai, M. and Buiarelli, F.: Complete separation of ephedrine by graphite-layer open-tubular (GLOT) column. *Chromatographia*, 42 (1996) 309-312.

- 1545 Liu, F., Luo, Y., Feng, J.-I. and Hu, X.-y.: Determination of dihydroetorphine in biological fluids by gas chromatography-mass spectrometry using selected-ion monitoring. *J. Chromatogr. B*, 679 (1996) 113-118.
- 1546 Liu, Y., Wu, Y., Zhou, J., Zhai, Z., Qi, Z., Gao, S., Kong, Q. and Wang, X.: Capillary GC determination of fentanyl and midazolam in human plasma. *Microchem. J.*, 53 (1996) 130-136.
- 1547 Martens, J.: Determination of the terfenadine metabolite azacyclonol in human serum using gas chromatography-mass spectrometry. *J. Chromatogr. B*, 678 (1996) 349-353.
- 1548 Maruyama, K., Obata, T., Shigeta, A. and Takatsu, A.: (Detection of methamphetamine-like substance during sample preparation). *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 20 (1995) 131-134; *C.A.*, 124 (1996) 44622n.
- 1549 Nagasawa, N., Yashiki, M., Iwasaki, Y., Hara, K. and Kojima, T.: (Rapid analysis of amphetamines in blood using solid phase microextraction (SPME)). *Nippon Iyo Masu Supekutoru Gakkai Koenshu*, 20 (1995) 127-130; *C.A.*, 124 (1996) 44621m.
- 1550 Ramig, K., Krishnaswami, A. and Rozov, L.A.: Chiral interactions of the fluoroether anesthetics desflurane, isoflurane, enflurane, and analogs with modified cyclodextrins studied by capillary gas chromatography and nuclear magnetic resonance spectroscopy: a simple method for column-suitability screening. *Tetrahedron*, 52 (1996) 319-330.
- 1551 Savchuk, S.A., Rudenko, B.A., Davydova, N.A., Brodskii, E.S. and Borovkova, T.F.: Determination of the katemine anesthetic in blood using capillary gas chromatography with thermionic detection and chromatography-mass spectrometry. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 1212-1217.
- 1552 Seno, H., Kumazawa, T., Ishii, A., Nishikawa, M., Watanabe, K., Hattori, H. and Suzuki, O.: Detection of some phenothiazines by headspace solid phase microextraction and gas chromatography. *Jpn. J. Forensic Toxicol.*, 14 (1996) 30-34.
- 1553 Steulet, A.-F., Moebius, H.-J., Mickel, S.J., Stoeklin, K. and Waldmeier, P.C.: Determination of rat brain and plasma levels of the orally active GABA_A antagonist 3-amino-propyl-*n*-butylphosphinic acid (CGP 36742) by a new GC/MS method. *Biochem. Pharmacol.*, 51 (1996) 613-619; *C.A.*, 124 (1996) 249494u.
- 1554 Szebeni, G., Lengyel, J., Szekacs, G., Magyar, K., Gaal, J. and Szatmari, I.: Gas chromatographic procedure for simultaneous determination of Selegiline metabolites, amphetamine, methamphetamine and demethyl-deprenyl in pig plasma. *Acta Physiol. Hung.*, 83 (1995) 135-141.
- 1555 Van Bocxlaer, J., Meyer, E., Clauwaert, K., Lambert, W., Piette, M. and de Leenheer, A.: Analysis of zopiclone (Imovane) in postmortem specimens by GC-MS and HPLC with diode-array detection. *J. Anal. Toxicol.*, 20 (1996) 52-54.
- 1556 Veuthey, J.L., Edder, P. and Staub, C.: (Detection of drug addiction by supercritical fluid extraction coupled to GC-MS: Application for urine and hair). *Analisis*, 23 (1995) 258-265; *C.A.*, 124 (1996) 26925j.
- 1557 Yashiki, M., Kojima, T., Miyazaki, T., Nagasawa, N., Iwasaki, Y. and Hara, K.: Detection of amphetamines in urine using head space-solid phase microextraction and chemical ionization selected ion monitoring. *Forensic Sci. Int.*, 76 (1995) 169-177; *C.A.*, 124 (1996) 252836n.
- 1558 Zhang, X.X., Kudo, K., Imamura, T., Jitsufuchi, N. and Nagata, T.: Sensitive determination of bromazepam in human tissues using capillary gas chromatography-mass spectrometry. *J. Chromatogr. B*, 677 (1996) 111-116.
- See also 1427, 1529, 1635.
- 32e. *Chemotherapeutics (exc. cytostatics and antibiotics)*
- 1559 Kublin, E. and Kaniewska, T.: Determination of antimycotic substances, derivatives of imidazole, by gas chromatographic method. *Chem. Anal. (Warsaw)*, 41 (1996) 19-25.
- 1560 Sakiyama, N., Kataoka, H. and Makita, M.: Gas chromatographic analysis of 3-amino-1-hydroxypropylidene-1,1-bisphosphonate and related bisphosphonate as their *N*-isobutoxycarbonyl methyl ester derivatives. *J. Chromatogr. A*, 724 (1996) 279-284.
- 1561 Scalia, S., Guarneri, M. and Menegatti, E.: Assay of triclosan in deodorant sticks and soaps by supercritical fluid extraction and HPLC. *J. Soc. Cosmet. Chem.*, 45 (1994) 35-42; *C.A.*, 124 (1996) 97230q.
- See also 1293.
- 32f. *Cytostatics*
- 1562 Lu, H. and Chan, K.K.: Gas chromatographic-mass spectrometric assay for *N*-2-chloroethylaziridine, a volatile cytotoxic metabolite of cyclophosphamide, in rat plasma. *J. Chromatogr. B*, 678 (1996) 219-225.
- 1563 Steger-Hartmann, T., Kümmerer, K. and Schecker, J.: Trace analysis of the antineoplastics ifosfamide and cyclophosphamide in sewage water by two-step solid-phase extraction and gas chromatography-mass spectrometry. *J. Chromatogr. A*, 726 (1996) 179-184.
- 32g. *Other drug categories*
- 1564 Cai, K., Tan, B., Feng, Z., Li, Z., Huang, M. and Zhao, X.: (The quantitative method of pravastatin in plasma by gas chromatography/mass spectrometry). *Chin. J. Chromatogr. (Sepu)*, 14 (1996) 121-123.
- 1565 Castelnovo, P.: Determination of the calcium antagonist SIM6080 in plasma by gas chromatography/chemical ionization mass spectrometry. *J. Mass Spectrom.*, 30 (1995) 1723-1730.
- 1566 Jones, M.G. and Chalmers, R.A.: Analysis of acylcarnitines by gas chromatography-electron impact mass spectrometry. *Biochem. Soc. Trans.*, 23 (1995) 6345; *C.A.*, 124 (1996) 197692k.
- 1567 Lai, Y., Wang, D. and Zhang, W.: (Studies on quality standard for Shuangliao Houfeng tablets). *Zhongguo Yaoxue Zazhi*, 26 (1995) 268-272; *C.A.*, 124 (1996) 185792e.
- 32h. *Toxicological and forensic applications*
- 1568 Clark, C.R., DeRuiter, J. and Noggle, F.T.: Chromatographic and mass spectrometric methods for the differentiation of *N*-methyl-1-(3,4-methylenedioxyphenyl)-2-butanamine from regioisomeric derivatives. *J. Chromatogr. Sci.*, 34 (1996) 230-237.

- 1569 Garrido, Y.D., Perez, R.M.D. and Diaz, R.C.: (Concentration of heroin and cocaine samples seized in Santa Cruz of Tenerife). *Rev. Toxicol.*, 12 (1995) 70-75; *C.A.*, 124 (1996) 138040y.
- 1570 Jurado, C., Memdez, M., Repetto, M., Kintz, P., Cirimele, V. and Mangin, P.: Hair testing for cannabis in Spain and France: is there a difference in consumption? *J. Anal. Toxicol.*, 20 (1996) 111-115.
- 1571 Morrison, J.F., Chesler, S.N. and Reins, J.L.: Supercritical fluid extraction-immunoassay for the rapid screening of cocaine in hair. *J. Microcolumn Separ.*, 8 (1996) 37-45.
- 1572 Song, DeMing., Zhang, S. and Kohlhof, K.: Determination of a trace amount of cocaine on a bank note by gas chromatography-positive-ion chemical-ionization mass spectrometry. *J. Chromatogr. A*, 731 (1996) 355-360.
- See also 1291, 1294, 1552.
- 32i. *Plant extracts*
- 1573 Antonelli, A., Fabbri, C. and Lercker, G.: Techniques for resveratrol silylation. *Chromatographia*, 42 (1996) 469-472.
- See also 1395.
33. CLINICO-CHEMICAL APPLICATIONS
- 33b. *Complex mixtures and profiling (single compounds by cross-reference only)*
- See 1222, 1297, 1324, 1331, 1334, 1355, 1365, 1405, 1412, 1413, 1415, 1510, 1536, 1545, 1553, 1565.
34. FOOD ANALYSIS
- 34b. *Complex mixtures (single compounds by cross-reference only)*
- 1574 Low, N.H.: Apple and orange juice authenticity analysis by capillary gas chromatography with flame ionization detection. *Fruit Process.*, 5 (1995) 362-367; *C.A.*, 124 (1996) 85152c.
- 1575 Stennert, A. and Maier, H.G.: Trigonelline in coffee. Part 3. Calculation of the degree of roast by the trigonelline/nicotinic acid ratio. New gas chromatographic method for nicotinic acid. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 45-47.
- 1576 Xiu, Z., Zhu, D., Xu, G. and Zhang, Y.: (Analysis of the edible oil of crab taste by gas chromatography). *Chin. J. Chromatogr. (Sepu)*, 14 (1996) 161-162.
- See also 1168, 1213, 1224, 1226, 1244, 1258, 1275, 1326, 1336, 1338, 1339, 1345, 1347, 1354, 1361, 1372, 1389, 1404, 1433, 1455, 1462, 1466, 1471, 1475, 1485, 1500, 1501, 1506, 1507, 1513, 1516, 1626.
- 34c. *Organoleptically important compounds (flavors, odors, volatiles)*
- 1577 Alonso, G.L., Salinas, M.R., Esteban-Infantes, F.J. and Sanchez-Fernandez, M.A.: Determination of safranal from saffron (*Crocus sativus* L.) by thermal desorption-gas chromatography. *J. Agric. Food Chem.*, 44 (1996) 185-188.
- 1578 Bosset, J.O., Gauch, R. and Mariaca, R.: (Comparison of various sample treatments for the analysis of volatile compounds by GC-MS. Application to the Swiss Emmental cheese). *Mitt. Geb. Lebensmittelunters. Hyg.*, 86 (1995) 672-698; *C.A.*, 124 (1996) 174138v.
- 1579 Bruche, G., Dietrich, A. and Mosandl, A.: (Stereoisomeric flavor compounds. Part 71. Determination of the origin of aroma-active dihydrofuranones). *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 249-252; *C.A.*, 124 (1996) 54146z.
- 1580 Buchbauer, G., Jirovetz, L., Wasicky, M. and Nikiforov, A.: (Aroma from blossoms from red grape varieties. Correlation of sensory data with headspace constituents). *Z. Lebensm.-Unters. Forsch.*, 200 (1995) 443-446; *C.A.*, 124 (1996) 82080s.
- 1581 De la Calle García, D., Magnaghi, S., Reichenbacher, M. and Danzer, K.: Systematic optimization of the analysis of wine bouquet components by solid-phase microextraction. *J. High Resolut. Chromatogr.*, 19 (1996) 257-262.
- 1582 Fay, L.B. and Stempfli, A.A.: New approach to processing of gas chromatographic/mass spectrometric data for detection of off flavors in complex mixtures. *J. Assoc. Off. Anal. Chem.*, 78 (1995) 1429-1434.
- 1583 Ferreira, V., Sharman, M., Cacho, J.F. and Dennis, J.: New and efficient microextraction/solid-phase extraction method for the gas chromatographic analysis of wine volatiles. *J. Chromatogr. A*, 731 (1996) 247-259.
- 1584 Fondville-Bagnol, A., Sarris, J., Bayonove, C. and Flanzly, C.: (Method of analysis of volatile compounds in fermenting grape berries). *Sci. Aliments*, 15 (1995) 359-366; *C.A.*, 124 (1996) 7274e.
- 1585 Gonzalez, L.M. and Gonzalez-Lara, R.: (Dynamic extraction in solid-phase head-space extraction. Application to the analysis of wine aromas). *Aliment., Equipos Tecnol.*, 14, No. 10 (1995) 61-63; *C.A.*, 124 (1996) 230594e.
- 1586 Guichard, H., Guichard, E., Langlois, D., Issanchou, S. and Abbott, N.: GC sniffing analysis: olfactive intensity measurements by two methods. *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 344-350; *C.A.*, 124 (1996) 173743b.
- 1587 Han, Y.-S.: (Comparison of GC profile and sensory properties of fermented cheese flavor concentrates and cheese varieties). *Han'guk Yongyang Siklyong Hakhoechi*, 24 (1995) 925-931; *C.A.*, 124 (1996) 259072u.
- 1588 Mateus, E.P., Farrall, M.H. and Paiva, M.R.: Characterization of the physiological condition of *Eucalyptus globulus* by headspace HRGC analysis of the bouquet of odors. *J. Microcolumn Sep.*, 7 (1995) 641-645.
- 1589 Mathieu, F., Malosse, C., Cain, A.-H. and Frérot, B.: Comparative headspace analysis of fresh red coffee berries from different cultivated varieties of coffee trees. *J. High Resolut. Chromatogr.*, 19 (1996) 298-300.
- 1590 Palo, V., Jancik, M. and Jancekova, J.: (GLC spectrum of readily volatile substances of fermented whey). *Potravin. Vedy*, 13 (1995) 347-353; *C.A.*, 124 (1996) 144068e.

- 1591 Pinnel, V. and Vandegans, J.: GC-MS headspace analysis of the volatile components of soya oil without heating the sample. *J. High Resolut. Chromatogr.*, 19 (1996) 263-266.
- 1592 Weber, B. and Mosandl, A.: (Advances in the analysis of chiral sulfur-containing flavor compounds). *GIT Spez. Chromatogr.*, 15, No. 1 (1995) 9-12; *C.A.*, 124 (1996) 115611w - a review with 7 refs.
- See also 1383, 1574.
35. ENVIRONMENTAL ANALYSIS
- 35a. *General papers and reviews*
- 1593 Dai, S.-G. and Jia, C.-R.: Applications of hyphenated techniques in environmental analysis. *Anal. Sci.*, 12 (1996) 355-361.
- 1594 Kolb, B.: Quantitative analysis of volatile organic compounds in air, water, and soil using equilibrium headspace gas chromatography. *LC-GC*, 14 (1996) 44-53.
- 1595 Kuran, P. and Sojak, L.: Environmental analysis of volatile organic compounds in water and sediments by gas chromatography. *J. Chromatogr. A*, 733 (1996) 119-141 - a review with 174 refs.
- 1596 Mitra, S., Zhang, L., Zhu, N. and Guo, X.: Characteristics of on-line membrane extraction microtrap GC system as applied to air and water monitoring. *J. Microcolumn Separ.*, 8 (1996) 21-27.
- See also 1259, 1375, 1445, 1500.
- 35b. *Air pollution (complex mixtures; single compounds by cross-reference only)*
- 1597 Oliver, K.D., Adams, J.F., Daughtrey, E.H., Jr., McClenny, W.A., Yoong, M.J., Pardee, M.A., Almasi, E.B. and Kirshen, N.A.: Technique for monitoring toxic VOCs in air: sorbent preconcentration, closed-cycle cooler cryofocusing, and GC/MS analysis. *Environ. Sci. Technol.*, 30 (1996) 1936-1945.
- See also 1134, 1175, 1195, 1220, 1232, 1236, 1238, 1241, 1243, 1255, 1270, 1271, 1272, 1273, 1276, 1281, 1285, 1307, 1401, 1442, 1484.
- 35c. *Water pollution (complex mixtures; single compounds by cross-reference only)*
- 1598 Ballesteros, E., Gallego, M. and Valcarcel, M.: Online preconcentration and gas chromatography determination of N-methylcarbamates and their degradation products in aqueous samples. *Environ. Sci. Technol.*, 30 (1996) 2071-2077.
- 1599 Chen, Z.: (Identification of organic pollutants in flavoring wastewater by GC-MS). *Tongji Daxue Xuebao, Ziran Kexueban*, 23 (1995) 477-481; *C.A.*, 124 (1996) 269747g.
- 1600 Desideri, P.G., Lepri, L., Checchini, L., Santianni, D., Masi, F. and Bao, M.: Organic compounds in Antarctic sea-water and packice. *Intern. J. Environ. Anal. Chem.*, 61 (1995) 319-330.
- 1601 Eisert, R. and Levsen, K.: Solid-phase microextraction coupled to gas chromatography: a new method for the analysis of organics in water. *J. Chromatogr. A*, 733 (1996) 143-157 - a review with 55 refs.
- 1602 Heberer, T. and Stan, H.J.: (Polar environmental contaminants in the aquatic system. Occurrence and identification by GC-MS). *GIT Fachz. Lab.*, 39 (1995) 718-720; *C.A.*, 124 (1996) 126393c.
- 1603 Janda, V., Mikesova, M. and Vejrosta, J.: Direct supercritical fluid extraction of water-based matrices. *J. Chromatogr. A*, 733 (1996) 35-40 - a review with 34 refs.
- 1604 Kadokami, K., Sato, K., Koga, M. and Shinohara, R.: Simultaneous determination of 285 chemicals in water at ppt levels by GC-ion trap mass spectrometry. *Anal. Sci. Technol.*, 8 (1995) 771-778.
- 1605 Krock, K.A. and Wilkins, C.L.: Qualitative analysis of contaminated environmental extracts by multidimensional gas chromatography with infrared and mass spectral detection (MDGC-IR-MS). *J. Chromatogr. A*, 726 (1996) 167-178.
- 1606 Louter, A.J.H., van Beekvelt, C.A., Montanes, P.C., Slobodnik, J., Vreuls, J.J. and Brinkman, U.A.T.: Analysis of microcontaminants in aqueous samples by fully automated on-line solid-phase extraction-gas chromatography-mass selective detection. *J. Chromatogr. A*, 725 (1996) 67-83.
- 1607 Mehran, M.F., Golkar, N., Cooper, W.J. and Vickers, A.K.: Headspace analysis of some typical organic pollutants in drinking water using differential detectors: effects of columns and operational parameters. *J. Chromatogr. Sci.*, 34 (1996) 122-129.
- 1608 Messer, D.C. and Taylor, L.T.: Recovery of trace semivolatiles from reagent water using solid-phase deposition and supercritical fluid elution. *LC-GC*, 14 (1996) 134-142.
- 1609 Puig, A., Ormad, P., Roche, P., Sarasa, J., Gimeno, E. and Ovelleiro, J.L.: Wastewater from the manufacture of rubber vulcanization accelerators: characterization, downstream monitoring and chemical treatment. *J. Chromatogr. A*, 733 (1996) 511-522.
- 1610 Qin, J., Qian, R. and Cheng, M.: (Application of black-box theory to GC analysis of wastewater from methanol production). *Huanjing Kexue*, 16, No. 5 (1995) 51-53; *C.A.*, 124 (1996) 241448m.
- 1611 Schieck, D. and Brown, F.: Online analysis of volatile organics in water using headspace gas chromatography: evaluation of five head space techniques. *Adv. Instrum. Control*, 50, Pt. 2 (1995) 227-237.
- 1612 Umano, K., Reece, C.A. and Shibamoto, T.: Recovery of trace chemicals from a large mass of water using a newly developed liquid-liquid continuous extractor. *Bull. Environ. Contamin. Toxicol.*, 56 (1996) 558-565; *C.A.*, 124 (1996) 184888d.
- 1613 Yoshimuta, H., Furukawa, Y., Hisano, H. and Ikeda, Y.: (Determination of volatile organic compounds in wastewater by solid phase microextraction-gas chromatography/mass spectrometry). *Yosui to Haisui*, 38 (1996) 207-214; *C.A.*, 124 (1996) 241510a.
- See also 1231, 1246, 1250, 1253, 1261, 1263, 1264, 1276, 1277, 1283, 1284, 1299, 1301, 1305, 1308, 1318, 1321, 1400, 1404, 1434, 1436, 1440, 1456, 1457, 1459, 1461, 1467, 1470, 1486, 1488, 1498, 1504, 1505, 1509, 1511, 1563, 1618, 1625.

35d. *Soil pollution (complex mixtures; single compounds by cross-reference only)*

- 1614 Kraus, A. and Kraus, G.: (Headspace gas chromatography in analysis of harmful substances in soil samples). *CLB, Chem. Labor Biotech.*, 46 (1995) 528-532; C.A., 124 (1996) 105090m - a review with 8 refs.
- 1615 Pedersen-Bjergaard, S., Semb, S.I., Vedde, J., Brevik, E.M. and Greibrokk, T.: Environmental screening by capillary gas chromatography combined with mass spectrometry and atomic emission spectroscopy. *Chemosphere*, 32 (1996) 1103-1115.
- 1616 Rochette, E.A., Harsh, J.B. and Hill, H.H., Jr.: Soil component interactions with 2,4-dichlorophenoxyacetic acid under supercritical fluid conditions. *Environ. Sci. Technol.*, 30 (1996) 1220-1226.

See also 1207, 1234, 1239, 1264, 1280, 1290, 1301, 1302, 1306, 1351, 1404, 1435, 1437, 1441, 1443, 1448, 1476, 1478, 1508, 1605, 1617, 1622, 1627, 1661.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. *Surfactants*

- 1617 Fernández, P., Alder, A.C., Suter, M.J.-F. and Giger, W.: Determination of the quaternary ammonium surfactant ditallowdimethylammonium in digested sludges and marine sediments by supercritical fluid extraction and liquid chromatography with postcolumn ion-pair formation. *Anal. Chem.*, 68 (1996) 921-929.
- 1618 Kiewiet, A.T. and de Voogt, P.: Chromatographic tools for analyzing and tracking non-ionic surfactants in the aquatic environment. *J. Chromatogr. A*, 733 (1996) 185-192.
- 1619 Marcomini, A. and Zanette, M.: Chromatographic determination of non-ionic aliphatic surfactants of the alcohol polyethoxylate type in the environment. *J. Chromatogr. A*, 733 (1996) 193-206 - a review with 68 refs.
- 1620 Suter, M.J.-F., Reiser, R. and Giger, W.: Differentiation of linear and branched alkylbenzenesulfonates by gas chromatography/tandem mass spectrometry. *J. Mass Spectrom.*, 31 (1996) 357-362.
- 1621 Wala-Jerzykiewicz, A. and Szymanowski, J.: (Analysis of free oxirane and 1,4-dioxane contents in the ethoxylated surface-active compounds by means of gas chromatography with headspace sample injection). *Chem. Anal. (Warsaw)*, 41 (1996) 253-261.

36b. *Antioxidants and preservatives*

- 1622 Chee, K.K., Wong, M.K. and Lee, H.K.: Microwave extraction of phthalate esters from marine sediment and soil. *Chromatographia*, 42 (1996) 378-384.
- 1623 Kondo, T., Hirano, Y. and Yamaura, R.: (Low-odor plasticizer of acetyl tributyl citrate). *Jpn. Kokai Tokkyo Koho JP 07,292,153 [95 292,153] (Cl. C08K5/11)*, 7 Nov. 1995, Appl. 94/113,977, 28 Apr. 1994; 4 pp.; C.A., 124 (1996) 178046m.

- 1624 Kondo, T., Hirano, Y. and Yamaura, R.: (Mixtures of dialkyl adipates as plasticizers with low odor). *Jpn. Kokai Tokkyo Koho JP 07,330,952 [95,330,952] (Cl. C08K5/11)*, 19 Dec. 1995, Appl. 94/152,877, 9 Jun. 1994; 4 pp.; C.A., 124 (1996) 234099v.
- 1625 Savel'eva, E.I., Tararin, P.A., Khlebnikova, N.S. and Krylov, A.I.: Gas-chromatographic determination of dibutyl dithiophosphate and the products of its hydrolysis in aqueous solutions. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 50 (1995) 1088-1092.
- 1626 Sponsler, S.: Detection of antioxidants in food by capillary GC. *Food Test. Anal.*, 1, No. 3 (1996) 45-46; C.A., 124 (1996) 230300f.
- 1627 Zhang, Y., Chen, X., Li, Z., Lei, Z. and Liang, X.: (Analysis of lake sediments for phthalic esters by gas chromatography/mass spectrometry (GC/MS)). *Fenxi Ceshi Xuebao*, 14, No. 5 (1995) 17-21; C.A., 124 (1996) 269724x.

See also 1524, 1526.

36c. *Complex mixtures, technical products and unidentified compounds*

- 1628 Alen, R., Oesch, P. and Kuoppala, E.: Py-GC/AED studies on the thermochemical behavior of softwood. *J. Anal. Appl. Pyrolysis*, 35 (1995) 259-265; C.A., 124 (1996) 59536m.
- 1629 Andrysiak, A., Dziwinski, E., Kondziolka, Z., Kaczor, G. and Czerniakowska, B.: (Gas chromatography determination of the products of oxyethylenation of alcohols, particularly aliphatic ethers and polyethylene glycols). *Pol. PL 166,937 (Cl. G01N30/48)*, 31 Jul. 1995, Appl. 292,966, 23 Dec. 1991; 3 pp.; C.A., 124 (1996) 44397t.
- 1630 Budzikiewicz, H. and Spahl, W.: (Quality control of dental resin composites by gas chromatography and liquid chromatography-mass spectrometry). *GIT Fachz. Lab.*, 39 (1995) 1043-1044; C.A., 124 (1996) 127050a.
- 1631 Casoli, A., Musini, P.C. and Palla, G.: A study for the characterization of binding media from medieval polychrome sculptures by gas chromatography-mass spectrometry. *Chromatographia*, 42 (1996) 421-430.
- 1632 Casoli, A., Musini, P.C. and Palla, G.: Gas chromatographic-mass spectrometric approach to the problem of characterizing binding media in paintings. *J. Chromatogr. A*, 731 (1996) 237-246.
- 1633 Charpenay, S., Serio, M.A., Bassilakis, R. and Solomon, P.R.: Systematic trends in pyrolysis product evolution with coal maturity. *Coal Sci. Technol.*, 24 (1995) 227-230; C.A., 124 (1996) 180692n.
- 1634 Dou, S., Lichtofouse, E. and Mariotti, A.: (Studies on hydrolysis, thermolysis and GC-MS of $\delta^{13}\text{C}$, $\delta^{15}\text{N}$ in soil under C_3 and C_4 vegetation). *Turang Tongbao*, 26 (1995) 271-273; C.A., 124 (1996) 231093c.
- 1635 Fardman, S.S. and Sarycheva, E.N.: (Use of gas-liquid chromatography in analytical monitoring of richlocaine manufacturing). *Khim.-Farm. Zh.*, 29, No. 7 (1995) 44-45; C.A., 124 (1996) 105177v.
- 1636 Fu, D., Liu, H., He, Y., Yin, L., Din, N. and Wu, L.: (Analysis of the pyrolysis gas chromatogram of lacquer film on lacquerware by using cluster analysis and artificial neural network). *Huadong Ligong Daxue Xuebao*, 21 (1995) 751-755; C.A., 124 (1996) 178938d.

- 1637 Kühn, G., Weidner, S., Just, U. and Hohner, G.: Characterization of technical waxes. Comparison of chromatographic techniques and matrix-assisted laser-desorption/ionization mass spectrometry. *J. Chromatogr. A*, 732 (1996) 111-117.
- 1638 Lai, W.-C. and Song, C.: Temperature-programmed retention indexes for GC and GC-MS analysis of coal- and petroleum-derived liquid fuels. *Fuel*, 74 (1995) 1436-1451; *C.A.*, 124 (1996) 60997u.
- 1639 Loerinci, G., Matuschek, G., Fekete, J., Gebefuegi, I. and Ketrup, A.: Investigation of thermal degradation of some adhesives used in the automobile industry by thermal analysis/mass spectrometry and GC-MS. *Thermochim. Acta*, 263 (1995) 73-86; *C.A.*, 124 (1996) 89285w.
- 1640 Nomura, A., Yamada, J., Yarita, T. and Maeda, T.: Supercritical-fluid chromatograms of fuel oils on ODS-silica gel column using fluorescence, UV-absorption, and flame-ionization detectors. *J. Supercrit. Fluids*, 8 (1995) 329-333.
- 1641 Ooguri, N., Uchino, S. and Oonishi, A.: (Combustion plastics analyzer using gas chromatograph.) *Jpn. Kokai Tokkyo Koho JP 08 05,620 [96 05,620]* (Cl. G01N30/06), 12 Jan. 1996, Appl. 94/154,329, 14 Jun. 1994; 7 pp.; *C.A.*, 124 (1996) 219002q.
- 1642 Richardin, P., Chahine, C., Copy, S., Saltron, F. and Bonnassies-Termes, S.: Gas chromatography-mass spectrometry identification of collagen breakdown products in naturally and artificially aged leathers. *J. Am. Leather Chem. Assoc.*, 91 (1996) 2-17; *C.A.*, 124 (1996) 235405d.
- 1643 Rocha, S., Delgadillo, I. and Correia, A.J.F.: GC-MS study of volatiles of normal and microbiologically attacked cork from *Quercus suber* L. *J. Agric. Food Chem.*, 44 (1996) 865-871.
- 1644 Routh, J. and Cifuentes, L.A.: Application of compound-specific stable isotope measurements by GC-combustion-IRMS in geochemical research. *Adv. Anal. Geochem.*, 2 (1995) 283-303; *C.A.*, 124 (1996) 192836a.
- 1645 Scharfenberger, G.: (Gas chromatographic method in the printing industry). *CLB, Chem. Labor Biotech.*, 46 (1995) 522-524; *C.A.*, 124 (1996) 105089t - a review with 7 refs.
- 1646 Steffen, A. and Pawliszyn, J.: Determination of liquid accelerants in arson suspected fire debris using headspace solid-phase microextraction. *Anal. Commun.*, 33 (1996) 129-131.
- 1647 Varotsis, N. and Pasadakis, N.: An integrated method for the gas chromatographic analysis of natural gases and liquid petroleum mixtures. *Chim. Chron.*, 25 (1995) 287-300; *C.A.*, 124 (1996) 236856p.
- 1648 Vidergauz, M.S., Revinskaya, E.V., Lobachev, A.L., Lobacheva, I.V. and Zhugina, E.V.: (Group and individual chromatographic identification of organic compounds on multi-section columns). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 38 (1995) 102-106; *C.A.*, 124 (1996) 134374n.
- 1649 Xiaolin, W., Jiantai, M., Zhongli, L. and Zhu, Z.: (GC-MS study on organic acid in solvent-refining of lubricating oil). *Shiyou Huagong*, 24 (1995) 891-893; *C.A.*, 124 (1996) 60973h.
- 1650 Zhang, W., Chen, F. and Shen, J.: (Comparison of GC-AED and multi-dimensional GC methods for determining oxygenates in gasoline). *Shiyou Huagong*, 25 (1996) 44-48 and 61; *C.A.*, 124 (1996) 121518n.
- 1651 Zhong, L.: (Analysis of trace organic components in the tail gas of ethanol dehydrogenation by GC). *Tianranqi Huagong*, 20, No. 4 (1995) 50-52; *C.A.*, 124 (1996) 163825r.
- See also 1088, 1096, 1124, 1230, 1240, 1269, 1287, 1289, 1290, 1295, 1303, 1313, 1314, 1315, 1323, 1373, 1426, 1530, 1606.
37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES
- 1652 Saraf, A. and Larsson, L.: Use of gas chromatography/ion-trap tandem mass spectrometry for the determination of chemical markers of microorganisms in organic dust. *J. Mass Spectrom.*, 31 (1996) 389-396.
- 1653 Shkarin, A.V., Mudrov, V.M., Ilyina, Y.A. and Kireeva, T.V.: (Feasibility of gas chromatography use for identification of *Nocardia* microorganisms). *Probl. Tuberk.*, No. 4 (1995) 40-42; *C.A.*, 124 (1996) 169684r.
- See also 1335, 1350, 1358.
38. INORGANIC COMPOUNDS
- 38b. Anions
- 1654 Sedlackova, B. and Dobos, A.: (Rapid and routine determination method of cyanide in wine). *Mitt. Klosterneuburg*, 44 (1994) 213-217; *C.A.*, 124 (1996) 115657r.
- 1655 Shin, H.-S., Oh-Shin, Y.-S., Kim, J.-H. and Ryu, J.K.: Trace level determination of iodide, iodine and iodate by gas chromatography-mass spectrometry. *J. Chromatogr. A*, 732 (1996) 327-333.
- 38c. Permanent and rare gases
- 1656 Klemp, M.A.: (Instrument for measuring non-methane organic gases in gas samples). *Eur. Pat. Appl.* EP 681,182 (Cl. G01N30/00), 8 Nov. 1995, US Appl. 237,453, 3 May 1994; 14 pp.; *C.A.*, 124 (1996) 75187d.
- 1657 Nemets, V.M., Petrov, A.A., Solovlev, A.A. and Funtov, V.N.: Isotope dilution-chromatography-spectral analysis of inorganic gases. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 51 (1996) 159-166; *C.A.*, 124 (1996) 249030q.
- 1658 Nieto, R., Calder, A.G., Anderson, S.E. and Loble, G.E.: Method for the determination of $^{15}\text{NH}_3$ enrichment in biological samples by gas chromatography/electron impact ionization mass spectrometry. *J. Mass Spectrom.*, 31 (1996) 289-294.
- See also 1112, 1262.
- 38d. Volatile inorganic compounds
- 1659 Kuselman, I., Anisimov, B., Turovski, L. and Shenhar, A.: The uncertainty of carbon dioxide determination in gaseous mixtures. *Anal. Chim. Acta*, 318 (1996) 327-333.
- 1660 Laurens, J.B. and Rohwer, E.R.: High speed analysis of H_2S and COS impurities in coal gas by capillary gas chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 217-223.
- 1661 Loconto, P.R., Pan, Y.L. and Voice, T.C.: Determination of trace water in soils by automated indirect headspace gas chromatography. *LC-GC*, 14 (1996) 128-132.

- 1662 Ma, Q. and Guo, X.: (Headspace GC determination of carbonates in caustic soda). *Lihua Jiangan, Huaxue Fence*, 31 (1995) 232-233; *C.A.*, 124 (1996) 75016x.
- 1663 Mauldin, R.E., Goldade, D.A., Engeman, R.M., Goodall, M.J., Craver, R.K. and Johnston, J.J.: Determination of zinc phosphide residues in the California ground squirrel (*Spermophilus beecheyi*) by gas chromatography-flame photometric detection. *J. Agric. Food Chem.*, 44 (1996) 189-194.
- 1664 Qu, X., Zhu, Z., Jiang, Y., Chen, L. and Zou, Y.: (Determination of water in organic solvents using polyethylene glycol and polystyrene stationary phases). *Liaoning Shifan Daxue Xuebao*, 17 (1994) 320-322; *C.A.*, 124 (1996) 192916b.
- 1665 Ramanova, G.Y. and Shigapova, L.F.: (Gas chromatographic determination of water in dicumyl peroxide). *Zavod. Lab.*, 61, No. 10 (1995) 15-16.
- 1666 Tanaka, T., Nakamura, Y., Mizuike, A. and Ono, A.: Simultaneous determination of phosphorus, sulfur and arsenic in steel by hydride generation and gas chromatography. *Anal. Sci.*, 12 (1996) 77-80.
- See also 1141, 1435, 1656.
39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS
- See 1123, 1193, 1292, 1316, 1416, 1418, 1658.