

Gas Chromatography

1. REVIEWS AND BOOKS

- 1667 Eiceman, G.A., Hill, H.H., Jr., Davani, B. and Gardea-Torresday, J.: Gas chromatography. *Anal. Chem.*, 68 (1996) 291R-308R - a review with 1300 refs.
 1668 Mondello, L., Dugo, G. and Bartle, K.D.: Online microbore high performance liquid chromatography-capillary gas chromatography for food and water analyses. A review. *J. Microcolumn Sep.*, 8 (1996) 275-310.

See also 1704, 1734, 1756, 1765, 1875, 1901, 1967, 1995.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 1669 Zhang, J., Chen, J. and Zhang, L.: (Studies of universal database of gas chromatographic retention index. II. The interrelationship of GC retention index on different fused silica capillary columns coated with PEG 20 M). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 239-240.
 1670 Zhang, J., Chen, J. and Zhang, L.: (Studies on universal database of gas chromatographic retention index. I. Inspection of retention index comparability among PEG 20M fused silica capillary columns). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 164-167.
 1671 Zhou, S., Xi, Y., Hu, W. and Shi, M.: (Predicting gas chromatographic retention values by grey model). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 187-189.

See also 1735.

2b. Thermodynamics and theoretical relationships

- 1672 Blumberg, L.M.: Spatial average velocity of carrier gas is proportional to column pressure drop. *Chromatographia*, 43 (1996) 73-75.
 1673 Roth, M.: Solute retention in gas and supercritical fluid chromatography versus pairwise interactions within the system: a numerical treatment in perturbations of molecular parameters. *J. Chromatogr. A*, 738 (1996) 101-114.
 1674 Snow, N.H.: Determination of free-energy relationships using gas chromatography. *J. Chem. Educ.*, 73 (1996) 592-597; C.A., 125 (1996) 57432w.

See also 1758, 1911.

2c. Relationship between structure and chromatographic behaviour

- 1675 Rohrschneider, L.: Dependence of GC-retention data on phase constants *a* and *b* in the James-Martin relationship for homologous *n*-alkanes. *Chromatographia*, 42 (1996) 489-493.

See also 1670, 1747, 1768, 1775, 1777, 1778, 1779, 1783, 1792, 1918, 1972.

2d. Measurement of physico-chemical and related values

- 1676 Bjoerkman, S., Fyge, A. and Qi, Z.: Determination of the steady state tissue distribution of midazolam in the rat. *J. Pharm. Sci.*, 85 (1996) 887-889; C.A., 125 (1996) 48277x.
 1677 Chuburkov, Y.T., Nam, H.S., Al'pert, L.K. and Zvara, I.: (Entropy and enthalpy of adsorption for gaseous chlorides and oxychlorides of elements on quartz glass as a function of adsorbates composition). *Radiokhimiya*, 37 (1995) 528-536; C.A., 124 (1996) 299722n.
 1678 Du, Q.-G. and Yang, X.-J.: (Study of poly(vinyl chloride)-poly(ethylene oxide) interaction parameter by inverse gas chromatography). *Gaojing Xuexiao Huaxue Xuebao*, 17 (1996) 480-484; C.A., 124 (1996) 318431k.
 1679 Faridi, N., Duda, J.L. and Danner, R.P.: Diffusion of solvents in polybutadiene rubber using capillary column inverse gas chromatography. *Rubber Chem. Technol.*, 69 (1996) 234-244.
 1680 Gaumet, J.J., Ouachini, A.E., Peter, S., Millon, E. and Muller, J.F.: Formation of carbon clusters C_n ($1 \leq n \leq 4$) by laser vaporization of graphite and a study of their chemical reactivity by gas chromatography-mass spectrometry. *J. Chem. Soc., Faraday Trans.*, 92 (1996) 1831-1834.
 1681 Hartmann, M., Poepll, A. and Kevan, L.: Ethylene dimerization and butene isomerization in nickel-containing MCM-41 and AIMCM-41 mesoporous molecular sieves: an electron spin resonance and gas chromatography study. *J. Phys. Chem.*, 100 (1996) 9906-9910.
 1682 Hurlbut, R.S., Puskas, I. and Schumacher, D.J.: Fine details on the selectivity and kinetics of the Fischer-Tropsch synthesis over cobalt catalysts by combination of quantitative gas chromatography and modeling. *Energy Fuels*, 10 (1996) 537-545; C.A., 124 (1996) 293830z.
 1683 Incavo, J.A., Jain, V., Qi, J.S. and Krishnan, C.: Determination of partition coefficients and residual solvent for polymer drying applications. *Chromatographia*, 43 (1996) 31-38.
 1684 Jiang, Y.-L., Ren, Y.-J., Pang, J., Li, Y.-C., Hu, Y.-Q. and Yuan, Y.-C.: Application of gas chromatography/mass spectrometry to the characterization of intermediates in N-alkylation of aniline over Raney nickel. *J. Mass Spectrom.*, 31 (1996) 323-324; C.A., 124 (1996) 316367v.
 1685 Kim, N.-H., Choi, B.-G. and Choi, J.-S.: Solvent activity coefficients at infinite dilution in polystyrene-hydrocarbon systems from inverse gas chromatography. *Korean J. Chem. Eng.*, 13 (1996) 129-135; C.A., 125 (1996) 14040z.
 1686 Lebossé, R., Ducruet, V. and Feigenbaum, A.: Aqueous solubility determination of volatile organic compounds by capillary gas chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 413-416.

- 1687 Staerk, D.U., Shitangkoon, A., Winchester, E., Vigh, G., Felinger, A. and Guiochon, G.: Determination of the gas-liquid partition isotherms of the enantiomers of methyl 2-chloropropionate on trichloroacetyl pentyl β -cyclodextrin using the elution by characteristic points method. *J. Chromatogr. A*, 734 (1996) 155-162.
- 1688 Voelkel, A. and Borowiak-Resterna, A.: Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography. *J. Chromatogr. A*, 740 (1996) 253-261.
- 1689 Yang, J. and Griffiths, P.R.: Prediction of the solubility in supercritical fluids based on supercritical fluid chromatography retention times. *Anal. Chem.*, 68 (1996) 2353-2360.
- 1690 Yun, X., Long, Z., Kou, D., Lu, X. and Li, H.: Determination of adsorption equilibrium constants by reversed-flow gas chromatography. *J. Chromatogr. A*, 736 (1996) 151-156.

See also 1992.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 1691 Creasy, K.E. and Capuano, I.A.: Novel headspace sampling for process analysis. *Proc. Annu. ISA Anal. Div. Symp.*, 29 (1996) 27-35; C.A., 125 (1996) 47701u.
- 1692 Ertl, H. and Breit, U.: (Gas chromatograph). *Ger. Offen.* DE 4,443,754 (Cl. G01N30/02), 13 Jun. 1996, Appl. 4,443,754, 8 Dec. 1994; 4 pp.; C.A., 125 (1996) 74928e.
- 1693 Haskell, W.W.: Gas chromatograph flow calibrator. *U.S. US 5,524,473* (Cl. 73-1G; G01N31/00), 11 Jun. 1996, Appl. 368,491, 1 Jan. 1995; 9 pp.; C.A., 125 (1996) 75010m.
- 1694 Kameshima, N.: (On-column injection gas chromatograph and capillary column therefor). *Jpn Kokai Tokkyo Koho* JP 08 94,601 [96 94,601] (Cl. G01N30/16), 12 Apr. 1996, Appl. 94/231,146, 27 Sep. 1994; 4 pp.; C.A., 124 (1996) 359462q.
- 1695 Langenfeld, J.J., Hawthorne, S.B. and Miller, D.J.: Optimizing split/splitless injection port parameters for solid-phase microextraction. *J. Chromatogr. A*, 740 (1996) 139-145.
- 1696 Magni, P., Zilioli, G., Munari, F., Trestianu, S. and Colombo, P.: Method and device for controlling flow rate of carrier gas in gas chromatographic apparatus. *PCT Int. Appl.* WO 96 08,718 (Cl. G01N30/32), 21 Mar. 1996, IT Appl. 94/M1,889, 16 Sep. 1994; 23 pp.; C.A., 125 (1996) 25206j.
- 1697 Merlin Instrument Company: Injection septum with dust wiper. *PCT Int. Appl.* WO 96 09,539 (Cl. G01N30/18), 28 Mar. 1996, US Appl. 310,276, 21 Sep. 1994; 27 pp.; C.A., 125 (1996) 25219r.
- 1698 Munari, F., Mapelli, G.P., Kotzias, D. and Duane, M.: Performance and characteristics of a trace gas analyzer for the determination of volatile organic compounds in air. *J. High Resolut. Chromatogr.*, 19 (1996) 333-338.
- 1699 Myoshi, Y.: (Nonaqueous neutralization and automatic pretreatment of samples for gas chromatography). *Jpn. Kokai Tokkyo Koho* JP 08 114,582 [96,114,582] (Cl. G01N30/06), 7 May 1996, Appl. 94/252,595, 19 Oct. 1994; 4 pp.; C.A., 125 (1996) 74939j.

- 1700 Padrayuttawat, A., Tamura, H. and Yamao, M.: A split injection system for the analysis of purge and trap headspace of the volatile components in *Citrus sudachi*. *J. High Resolut. Chromatogr.*, 19 (1996) 365-369.
- 1701 Shibamoto, S.: (Method of analyzing high-boiling point compound by gas chromatograph). *Jpn Kokai Tokkyo Koho* JP 08 94,599 [96 94,599] (Cl. G01N30/06), 12 Apr. 1996, Appl. 94/231,148, 27 Sep. 1994; 4 pp.; C.A., 124 (1996) 359474v.
- 1702 Stucken, H., Overbeck, V., Grose, D.J., Korsmeier, W. and Anderbruegge, T.: (Gas chromatograph and process for loading it). *Ger. Offen.* DE 4,435,545 (Cl. G01N30/02), 11 Apr. 1996, Appl. 4,435,545, 5 Oct. 1994; 6 pp.; C.A., 124 (1996) 306035w.
- 1703 Woolfenden, E. and Tipler, A.: The impact of innovative technology on GC cost of ownership. Part 3: minimizing operating costs. *Am. Lab. (Shelton)*, 28, No. 11 (1996) 181-18M.
- 1704 Yamaguchi, J. and Daishima, S.: (Gas chromatograph and peripheral systems). *Bunseki*, (1996) 358-365; C.A., 125 (1996) 19698e - a review with 83 refs.
- 1705 Yoshida, H., Kimijima, T. and Hirano, M.: (Preconcentration analysis and its apparatus). *Jpn Kokai Tokkyo Koho* JP 08 86,778 [96 86,788] (Cl. G01N30/08), 2 Apr. 1996, Appl. 94/222,042, 16 Sep. 1994; 7 pp.; C.A., 124 (1996) 359420z.
- See also 1708, 1738, 1754, 1874, 1956, 1959, 1981.
- 3b. Detectors and detection reagents
- 1706 Gomi, Y.: (Miniaturization of gas chromatograph). *Bunseki*, No. 4 (1996) 262-267; C.A., 124 (1996) 359487b - a review with 21 refs.
- 1707 Hermann, B.W. and White, R.P.: Thermionic ionization detector with flow-through thermionic source. *U.S. US 5,521,098* (Cl. 436-149; G01N27/00), 28 May 1996, Appl. 280,920, 27 Jul. 1994; 11 pp.; C.A., 125 (1996) 47858a.
- 1708 Kaljurand, M., Valentin, J.R. and Shao, M.: Feedback shift register sequences versus uniformly distributed random sequences for correlation chromatography. *Anal. Biochem.*, 324 (1996) 29-36.
- 1709 Khatskevich, E.A.: (The effect of changes in thermal conductivity detector signal on the error of the chromatographic determination of the composition of natural gas). *Izmer. Tekh.*, No. 1 (1996) 62-63; C.A., 125 (1996) 62649b.
- 1710 Mathews, L.T. and Medici, J.L.: Improved flame ionization detector. *PCT Int. Appl.* WO 96 06,349 (Cl. G01N31/12), 29 Feb. 1996, US Appl. 294,269, 23 Aug. 1994; 15 pp.; C.A., 124 (1996) 359448q.
- 1711 Oomya, K.: (Alkali ionization detector for gas chromatography). *Jpn. Kokai Tokkyo Koho* JP 08,101,165 [96,101,165] (Cl. G01N27/62), 16 Apr. 1996, Appl. 94/262,110, 30 Sep. 1994; 4 pp.; C.A., 125 (1996) 47841q.
- 1712 Platzer, B.: Photoionization detector and process. *PCT Int. Appl.* WO 96 02,834 (Cl. G01N30/64), 1 Feb. 1996, Appl. 94/IT114, 15 Jul. 1994; 26 pp.; C.A., 124 (1996) 306036x.
- 1713 Shen, X., Liu, H. and Yu, Y.: (Preparation and performance of porous polymer capillary column by *in-situ* polymerization of divinylbenzene and vinylpyrrolidone). *Fenxi Huaxue*, 24 (1996) 279-284; C.A., 124 (1996) 305987w.
- 1714 Singh, H. and Aue, W.A.: Correlation chromatograms from a triple-detector system. *J. Chromatogr. A*, 737 (1996) 223-231.

- 1715 Singh, H., Eisener, C.G. and Aue, W.A.: Dual-channel flame photometric detector for sensitive spectrum acquisition and variable-wavelength operation. *J. Chromatogr. A*, 734 (1996) 405-409.
- 1716 Tanaka, H.: (Improvement of gas chromatograph with hydrogen flame-ion detector). *Jpn. Kokai Tokkyo Koho* JP 08 68,786 [96 68,786] (Cl. G01N30/68), 12 Mar. 1996, Appl. 94/207,383, 31 Aug. 1994; 4 pp.; C.A., 124 (1996) 305896r.
- 1717 Vicente, I.S., Pinillos, S.C., Bernal, B.G. and Asensio, J.S.: New approaches on gas phase molecular absorption spectrometry detection in gas chromatography. *Fresenius J. Anal. Chem.*, 355 (1996) 733-735.
- See also 1746, 1762, 1764, 1835, 1916.
- 3c. *Sorbents and columns, packing procedures*
- 1718 Akapo, S.O., Dimandja, J.-M.D., Matyska, M.T. and Pesek, J.J.: Improvement of gas chromatographic performance of cyclic siloxane bonded phases by incorporation of *n*-alkyl groups. *Anal. Chem.*, 68 (1996) 1954-1959.
- 1719 Amijee, M., Cheung, J. and Wells, R.J.: Direct on-column derivatisation in gas chromatography. II. Comparison of various on-column methylation reagents and the development of a new selective methylation reagent. *J. Chromatogr. A*, 738 (1996) 43-55.
- 1720 Amijee, M., Cheung, J. and Wells, R.J.: Direct on-column derivatisation in gas chromatography. III. On-column benzylation reagents and the development of 3,5-bis(trifluoromethyl)benzyl-dimethylphenylammonium fluoride, an efficient new on-column derivatisation reagent. *J. Chromatogr. A*, 738 (1996) 57-72.
- 1721 Hickling, S.J., Shillcock, I.M. and Price, G.J.: Liquid crystal polymers for gas chromatography. *Polym. Prepr.*, 37 (1996) 793-794; C.A., 124 (1996) 318321z.
- 1722 Petersson, U. and Markides, K.E.: Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction-supercritical fluid chromatography-flame ionization detection. *J. Chromatogr. A*, 734 (1996) 311-318.
- 1723 Russo, M.V., Goretti, G. and Soriero, A.: Preparation and application of fused-silica capillary microcolumns (25-50 µm I.D.) in gas chromatography. *Ann. Chim. (Rome)*, 86 (1996) 115-124.
- 1724 Sandra, P. and David, F.: Influence of the nature of the carrier gas on the efficiency of HMW-PEG coated capillary columns operated in the GLC and GSC mode. *J. High Resolut. Chromatogr.*, 19 (1996) 363-364.
- 1725 Shang, D.: A multidimensional study of stationary phases for supercritical fluid chromatography (carbon dioxide). Avail. *Univ. Microfilms Int.*, Order No. DANN04001, 1995, 337 pp.; C.A., 125 (1996) 61871f.
- 1726 Shen, Y., Chen, Z., Owen, N.L., Li, W., Bradshaw, J.S. and Lee, M.L.: Cyclodextrin polymer encapsulated particles for supercritical fluid chromatography. *J. Microcolumn Sep.*, 8 (1996) 249-257.
- 1727 Shotangkoon, A. and Vigh, G.: Systematic modification of the separation selectivity of cyclodextrin-based gas chromatographic stationary phases by varying the size of the 6-O-substituents. *J. Chromatogr. A*, 738 (1996) 31-42.
- 1728 Wasiak, W. and Urbaniak, W.: (Method of obtaining packing for gas chromatography). *Pol. PL 168,209* (Cl. G01N30/56), 31 Jan. 1996, Appl. 306,675, 26 Feb. 1992; 6 pp.; C.A., 124 (1996) 359568d.
- 1729 Wasiak, W. and Urbaniak, W.: (Preparation of packing material for gas chromatography column). *Pol. PL 167,702* (Cl. G01N30/48), 31 Oct. 1995, Appl. 293,617, 26 Feb. 1992; 4 pp.; C.A., 124 (1996) 359569e.
- 1730 Zhang, W., Xu, G., Shi, J., Zhang, Y. and Lu, P.: (Theoretical study on the new type of two-dimensional packed capillary column GC system - effect of the column conditions on retention time and peak spreading). *Gaoeng Xuexiao Huaxue Xuebao*, 17 (1996) 367-372; C.A., 125 (1996) 25262z.
- See also 1669, 1759.
- 3d. *Quantitative analysis*
- See 1811, 1812, 1830, 1952.
- 3e. *Preparative scale chromatography*
- 1731 Row, K.H.: Simulation of the combined continuous and preparative gas-liquid chromatographic separation of three close-boiling components. *J. Chromatogr. A*, 734 (1996) 145-154.
- 1732 Staerk, D.U., Shitangkoon, A., Winchester, E., Vigh, G., Felinger, A. and Guiochon, G.: Use of the equilibrium-dispersive model of nonlinear gas chromatography for the modelling of the elution band profiles in the preparative-scale gas chromatographic separation of enantiomers. *J. Chromatogr. A*, 734 (1996) 289-296.
4. *SPECIAL TECHNIQUES*
- 4b. *Computerization and modelling*
- 1733 Brodacz, W.: (Optimization of separation in the capillary GC. Part 2. GC simulation and optimization strategies in practice). *LaborPraxis*, 20, No. 3 (1996) 46-54; C.A., 124 (1996) 305999b.
- 1734 Brodacz, W.: (Separation optimization in capillary GC). *LaborPraxis*, 20, No. 2 (1996) 48-52; C.A., 124 (1996) 305946g - a review with 7 refs.
- 1735 Du, H., Huag, G. and Stilian, M.J.: Knowledge base generation for the GC diagnostic system. *Anal. Chim. Acta*, 324 (1996) 88-101.
- 1736 Pietrogrande, M.C., Dondi, F. and Felinger, A.: HRGC separation performance evaluation by a simplified Fourier analysis approach. *J. High Resolut. Chromatogr.*, 19 (1996) 327-332.
- See also 1740.
- 4c. *Combination with other physico-chemical techniques (MS, IR etc.)*
- 1737 Amenta, D.S., DeVore, T.C., Gallaher, T.N. and Zook, C.M.: GC-MS and GC-FTIR characterization of products: from classical freshman and sophomore syntheses. *J. Chem. Educ.*, 73 (1996) 572-575; C.A., 125 (1996) 57427y.

- 1738 Andresen, B.D., Eckels, J.D., Kimmoms, J.F. and Myers, D.W.: Portable gas chromatograph-mass spectrometer. *U.S.* US 5,525,799 (Cl. 250-288; G01D59/44), 11 Jun. 1996, Appl. 225,111, 8 Apr. 1994; 8 pp.; *C.A.*, 125 (1996) 75011n.
- 1739 Grimm, C.C., Lloyd, S.W. and Munchausen, L.: Qualitative fast GC-MS using a quadrupole mass filter. *Am. Lab. (Shelton)*, 28, No. 9 (1996) 18S-18W.
- 1740 Hashizume, Y., Harada, K., Nishimura, O. and Izumi, K.: (A GC/MS data analytical system with personal computers). *J. SCCJ*, 29 (1996) 406-410; *C.A.*, 124 (1996) 324947z.
- 1741 Kostecka, K.S., Lerman, Z.M. and Angelos, S.A.: Use of gas chromatography-mass spectrometry (GC-MS) in nonscience major course laboratory experiments. *J. Chem. Educ.*, 73 (1996) 565-567; *C.A.*, 125 (1996) 57424v.
- 1742 Lazar, I.M., Lee, M.L. and Lee, E.D.: Design and optimization of a corona discharge ion source for supercritical fluid chromatography time-of-flight mass spectrometry. *Anal. Chem.*, 68 (1996) 1924-1932.
- 1743 Pool, W.G., de Leeuw, J.W. and van de Graaf, B.: Backfolding applied to differential gas chromatography/mass spectrometry as a mathematical enhancement of chromatographic resolution. *J. Mass. Spectrom.*, 31 (1996) 509-516.
- 1744 Schubert, J.: A full evaporation headspace technique with capillary GC and ITD: a means for quantitating volatile organic compounds in biological samples. *J. Chromatogr. Sci.*, 34 (1996) 314-319.
- 1745 Teffera, Y., Kusmierz, J.J. and Abramson, F.P.: Continuous-flow isotope ratio mass spectrometry using the chemical reaction interface with either gas or liquid chromatographic introduction. *Anal. Chem.*, 68 (1996) 1888-1894.
- See also 1773, 1788, 1831, 1883, 1994.
- 4e. Functional analysis
- 1746 Asp, T.N., Pedersen-Bjergaard, S. and Greibrokk, T.: Calculation of elemental ratios by on-column radiofrequency plasma atomic emission detection coupled with capillary gas chromatography. *J. Chromatogr. A*, 736 (1996) 157-164.
- 1747 Kiraly, Z., Körtvelyesi, T., Seres, L. and Görgenyi, M.: Structure-retention relationships in the gas chromatography of N,N-dialkylhydrazones. *Chromatographia*, 42 (1996) 653-659.
- 4f. Trace analysis and preseparation techniques
- 1748 Doskey, P.V., Costanza, M.S., Hansen, M.C. and Kickels, W.T.: Solid sorbent method for the collection and analysis of volatile halogenated organic compounds in soil gas. *J. Chromatogr. A*, 738 (1996) 73-81.
- 1749 He, D., Li, S., Zhao, L. and Wang, Y.: (Loss of organic compounds in preconcentration of air sample during GC analysis). *Huanjing Huaxue*, 15 (1996) 266-272; *C.A.*, 125 (1996) 65840t.
- 1750 Marriott, P.J. and Kinghorn, R.M.: Studies on cryogenic trapping of solutes during chromatographic elution in capillary gas chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 403-408.
- 1751 Messer, D.C. and Taylor, L.T.: Recovery of fortified (2ppb) EPA method 525.1 analytes from Chesapeake bay water via solid phase deposition followed by supercritical fluid elution. *J. High Resolut. Chromatogr.*, 19 (1996) 397-402.
- 1752 Ortner, E.K. and Rohwer, E.R.: Trace analysis of semi-volatile organic air pollutants using thick film silicone rubber traps with capillary gas chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 339-344.
- 4g. Enantiomers, separation
- See 1687, 1727, 1732, 1763, 1776, 1784, 1833, 1955.
- 4h. Other special techniques
- 1753 Pan, Z., Chen, P., Feng, J. and Mo, Z.: (Application of first derivative treatment in pyrolysis gas chromatography). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 224-226.
- 4i. Supercritical fluid chromatography
- 1754 Burford, M.D., Clifford, A.A., Bartle, K.D., Cowey, C.M. and Smart, N.G.: Variable flow control and collection device for use with supercritical fluids. *J. Chromatogr. A*, 738 (1996) 241-252.
- 1755 Capangpangan, M.B. and Suffet, I.H.: Optimization of a drying method for filtered suspended solids from natural waters for supercritical fluid extraction analysis of hydrophobic organic compounds. *J. Chromatogr. A*, 738 (1996) 253-264.
- 1756 Chester, T.L., Pinkston, J.D. and Raynie, D.E.: Supercritical fluid chromatography and extraction. *Anal. Chem.*, 68 (1996) 487R-514R - a review with 643 refs.
- 1757 Glaser, R.A. and Shulman, S.A.: Study of variables affecting extraction of organic solvents from solid sorbent sampling media using supercritical carbon dioxide. *Chromatographia*, 42 (1996) 665-674.
- 1758 Goto, M., Roy, B.C. and Hirose, T.: Shrinking-core leaching model for supercritical fluid extraction. *J. Supercrit. Fluids*, 9 (1996) 128-133.
- 1759 Li, W., Pyo, D., Wan, Y., Ibanez, E., Malik, A. and Lee, M.L.: Low aspect ratio packed capillary columns in supercritical fluid chromatography. *J. Microcolumn Sep.*, 8 (1996) 259-268.
- 1760 McNally, M.E.P.: Method development in supercritical fluid extraction. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 380-387.
- 1761 Modey, W.K., Mulholland, D.A. and Raynor, M.W.: Application of a dynamic extraction model to the supercritical fluid extraction of the limonoid cedrelone from *Cedrela toona*. *J. Chromatogr. Sci.*, 34 (1996) 320-325.
- 1762 Shi, H., Strode, J.T.B.III., Taylor, L.T. and Fujinari, E.M.: Feasibility of supercritical fluid chromatography-chemiluminescent nitrogen detection with open tubular columns. *J. Chromatogr. A*, 734 (1996) 303-310.
- 1763 Strigham, R.W. and Blackwell, J.A.: "Entropically driven" chiral separations in supercritical fluid chromatography. Confirmation of isoelution temperature and reversal of elution order. *Anal. Chem.*, 68 (1996) 2179-2185.
- 1764 Thompson, J., Strode, B.III. and Taylor, L.T.: Evaporative light scattering detection for supercritical fluid chromatography. *J. Chromatogr. Sci.*, 34 (1996) 261-271.

1765 Yamauchi, Y.: (Supercritical fluid extraction and chromatography). *Yuki Gosei Kagaku Kyokaishi*, 54 (1996) 395-400; C.A., 125 (1996) 14002p - a review with 7 refs.

See also 1673, 1689, 1722, 1725, 1726, 1742, 1751, 1771, 1807, 1868, 1879, 1880, 1913, 1915, 1939, 1967, 1980.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

See 1739.

5b. Cyclic hydrocarbons, fullerenes

1766 Chen, J.: GC and GC/MS methods for analysis of polycyclic aromatic hydrocarbon (PAH) in sediment of the Grand Canal of China. *Toxicol. Environ. Chem.*, 54 (1996) 69-73; C.A., 125 (1996) 66913f.

1767 Dean, J.R.: Accelerated solvent extraction of polycyclic aromatic hydrocarbons from contaminated soil. *Anal. Commun.*, 33 (1996) 191-192.

1768 Elizalde-González, M.P., Hutfles, M. and Hedden, K.: Retention index system, adsorption characteristics, and structure correlations of polycyclic aromatic hydrocarbons in fuels. *J. High Resolut. Chromatogr.*, 19 (1996) 345-352.

1769 Gorna-Binkul, A., Keymeulen, R., van Langenhove, H. and Buszewski, B.: Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry. *J. Chromatogr. A*, 734 (1996) 297-302.

1770 Igari, S.: (Analytical method for measuring atmospheric light nonmethane hydrocarbons.) *Chishitsu Chosasho Gepo*, 46 (1995) 477-481; C.A., 124 (1996) 297268v.

1771 Jaevenpaeae, E. and Huopalahti, R.: Use of supercritical fluid extraction-high performance liquid chromatography in the determination of polynuclear aromatic hydrocarbons from smoked and boiled fish. *J. Liq. Chromatogr. Rel. Technol.*, 19 (1996) 1473-1482.

1772 Medina-Vera, M.: Pyrolysis-gas chromatography/mass spectrometry used for screening polycyclic aromatic hydrocarbons by desorption from sediment. *J. Anal. Appl. Pyrolysis*, 36 (1996) 27-35.

1773 Tena, M.T., de Castro, M.D.L. and Valcárcel, M.: Screening of polycyclic aromatic hydrocarbons in soil by on-line fiber-optic-interfaced supercritical fluid extraction spectrofluorometry. *Anal. Chem.*, 68 (1996) 2386-2391.

1774 Xie, P. and Han, D.: (Study on analysis of industrial isobutylbenzene by gas chromatography using series 530 µm column). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 301-302.

1775 Zhu, X., Zhang, L. and Che, X.: (Prediction of the Kovats retention indices of polysubstituted alkylbenzenes). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 244-248.

See also 1755.

5c. Halogen derivatives

1776 Blanch, G.P., Glausch, A., Schurig, V., Serrano, R. and Gonzalez, M.J.: Quantification and determination of enantiomeric ratios of chiral PCB 95, PCB 132, and PCB 149 in shark liver samples (*C. coelolepis*) from the Atlantic ocean. *J. High Resolut. Chromatogr.*, 19 (1996) 392-396.

1777 Bruno, T.J. and Wertz, K.H.: Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. Part 6: Eleven fluoroethers and two indofluoroalkanes. *J. Chromatogr. A*, 736 (1996) 175-184.

1778 Castello, G. and Testini, G.: Determination of retention indices of polychlorobiphenyls by using other compounds detectable by electron-capture detection or selected polychlorobiphenyls as the reference series. *J. Chromatogr. A*, 741 (1996) 241-249.

1779 Castello, G., Vezzani, S. and Moretti, P.: Structure-retention correlations of chlorobenzenes as a method for the comparison of the behaviour of gas-liquid-solid and gas-liquid capillary columns of various polarities. *J. Chromatogr. A*, 734 (1996) 277-287.

1780 Connan, O., le Corre, P. and Morin, P.: (Purge and trap gas-phase chromatographic determination of volatile halocarbon compounds in seawater). *Analisis*, 24, No. 2 (1996) 55-59; C.A., 125 (1996) 41275m.

1781 Donnelly, J.R., Grange, A.H., Herron, N.R., Nichol, G.R., Jeter, J.L., White, R.J., Brumley, W.C. and van Emon, J.: Modular methodology for determination of polychlorinated biphenyls in soil as aroclors and individual congeners. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 953-961.

1782 Fattore, E., Benfenati, E. and Fanelli, R.: Analysis of chlorinated 1,3-butadienes by solid-phase microextraction and gas chromatography-mass spectrometry. *J. Chromatogr. A*, 737 (1996) 85-91.

1783 Gerbino, T.C. and Castello, G.: The use of predicted boiling points for the identification of halobenzenes and substituted phenols in capillary gas chromatography. *J. High Resolut. Chromatogr.*, 19 (1996) 377-382.

1784 Haglund, P. and Wiberg, K.: Determination of the gas chromatographic elution sequences of the (+)- and (-)-enantiomers of stable atropisomeric PCBs on Chirasil-Dex. *J. High Resolut. Chromatogr.*, 19 (1996) 373-376.

1785 Hanai, Y., Saitou, A. and Mio, N.: Determination of iodine trihalomethanes in drinking water. *Yokohama Kokuritsu Daigaku Kankyo Kagaku Kenkyu Senta Kiyo*, 22, No. 1 (1996) 11-16; C.A., 125 (1996) 66867u.

1786 Kegley, S.E., Hansen, K.J. and Cunningham, K.L.: Determination of polychlorinated biphenyls (PCBs) in river and bay sediments: an undergraduate laboratory experiment in environmental chemistry using capillary gas chromatography with electron capture detection. *J. Chem. Educ.*, 73 (1996) 558-562; C.A., 125 (1996) 57422t.

1787 Pedersen-Bjergaard, S., Semb, S.I., Vedde, J., Brevik, E.M. and Greibrokk, T.: Comparison of GC-ECD, GC-MS and GC-AED for the determination of polychlorinated biphenyls in highly contaminated marine sediments. *Chromatographia*, 43 (1996) 44-52.

- 1788 Simpson, G., Klasmeier, M., Hill, H., Atkinson, D., Radolovich, D., Lopez-Avila, V. and Jones, T.L.: Evaluation of gas chromatography coupled with ion mobility spectrometry for monitoring vinyl chloride and other chlorinated and aromatic compounds in air samples. *J. High Resolut. Chromatogr.*, 19 (1996) 301-312.
- 1789 Sugiyama, H.: (Determination of chlorinated pyrenes in soil by GC/MS). *Jpn. J. Toxicol. Environ. Health*, 42 (1996) 92-95; C.A., 124 (1996) 315856s.
- 1790 Westermann, B., Wollenberg, A. and Gerhards, P.: (Legislation and determination of polychlorinated terphenyls and PCB in used oil). *G/T Fachz. Lab.*, 40 (1996) 166-171; C.A., 125 (1996) 40927p.

See also 1746, 1811, 1813.

5d. Complex hydrocarbon mixtures (incl. analysis of tars, bitumens and mineral oils)

- 1791 Minty, B., Ramsay, E.D. and Lewis, R.: Hydrocarbons in water: Analysis using on-line aqueous supercritical fluid extraction-Fourier transform infrared spectroscopy. *Anal. Commun.*, 33 (1996) 203-204.
- 1792 Skrbic, B.D., Cvejanov, J.D. and Pavic-Suzuki, L.S.: Contribution to the unified retention data of hydrocarbons on squalene. *Chromatographia*, 42 (1996) 660-664.
- 1793 Tolosa, I., Bayona, J.M. and Albaiges, J.: Aliphatic and polycyclic aromatic hydrocarbons and sulfur/oxygen derivatives in northwestern mediterranean sediments: spatial and temporal variability, fluxes, and budgets. *Environ. Sci. Technol.*, 30 (1996) 2495-2503.
- 1794 Yan, R., Zhu, L., Zhu, H., Shi, W. and Zhu, L.: (Study on the cyclic hydrocarbons pollutants from CH_2Cl_2 extractive solution and combustion gas of coal by GC-MSD-IRD system). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 271-273.

See also 1682.

6. ALCOHOLS

- 1795 Gonzalez-Bravo, L., Magraner-Hernandez, J., Acosta-Gonzalez, P.C. and Perez-Souto, N.: Analytical procedure for the determination of 1-octacosanol in plasma by solvent extraction and capillary gas chromatography. *J. Chromatogr. B*, 682 (1996) 359-363.
- 1796 Hou, H.: (GC determination of residual ethanol and acetone in clindamycin hydrochloride). *Zhongguo Yiyao Gongye Zazhi*, 27, No. 2 (1996) 78-79; C.A., 125 (1996) 41947g.
- 1797 Jiang, S. and Shang, W.: (Study on methods for determination of alcohol percentage in beer). *Niangjiu*, (1996) 26-27; C.A., 125 (1996) 32344f.

See also 1947.

7. PHENOLS

- 1798 Angerosa, F., d'Alessandro, N., Corana, F. and Mellerio, G.: Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry. *J. Chromatogr. A*, 736 (1996) 195-203.
- 1799 Bieniek, G.: Simultaneous determination of phenol, cresol, xylenol isomers and naphthols in urine by capillary gas chromatography. *J. Chromatogr. B*, 682 (1996) 167-172.
- 1800 Clark, T.J. and Bunch, J.E.: Quantitative determination of phenols in mainstream smoke with solid-phase microextraction-gas chromatography-selected ion monitoring mass spectrometry. *J. Chromatogr. Sci.*, 34 (1996) 272-275.
- 1801 Combs, M.T., Ashraf-Khorassani, M. and Taylor, L.T.: pH Effects on the direct supercritical fluid extraction of phenols from aqueous matrices. *J. Supercrit. Fluids*, 9 (1996) 122-127.
- 1802 Korbat, T., Popl, M. and Novotná, M.: Evaluation of methods for the determination of chlorophenols in surface water. *Fresenius J. Anal. Chem.*, 355 (1996) 91-93.
- 1803 Kotsuka, Y. and Suzuki, S.: (Determination of nitrated phenols in ambient air). *Kawasaki-shi Kogai Kenkyusho Nenpo*, 21 (1995) 5-8; C.A., 125 (1996) 17465c.
- 1804 Rasmussen, H.T., McDonough, R., Gargiullo, R.J. and McPherson, B.P.: Determination of triclosan in human dental plaque by gas chromatography with atomic emission detection. *J. High Resolut. Chromatogr.*, 19 (1996) 359-361.
- 1805 Reighard, T.S. and Olesik, S.V.: Comparison of the extraction of phenolic and nitroaromatic pollutants using supercritical and enhanced-fluidity liquid methanol- CO_2 mixtures. *J. Chromatogr. A*, 737 (1996) 233-242.
- 1806 Yu, Q.: (The determination of 4-nitrophenol by low-polarity and low-loaded column gas chromatography). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 298-300.

See also 1783, 1968.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8b. Aflatoxins and other mycotoxins

- 1807 Holcomb, M., Thompson, H.C.Jr., Cooper, W.M. and Hopper, M.L.: SFE extraction of aflatoxins (B_1 , B_2 , G_1 , and G_2) from corn and analysis by HPLC. *J. Supercrit. Fluids*, 9 (1996) 118-121.
- 1808 Ryu, J.-C., Yang, J.-S., Song, Y.-S., Kwon, O.-S., Park, J. and Chang, I.-M.: Survey of natural occurrence of trichothecene mycotoxins and zearalenone in Korean cereals harvested in 1992 using gas chromatography/mass spectrometry. *Food Addit. Contam.*, 13 (1996) 333-341; C.A., 124 (1996) 287378s.
- 1809 Tacke, B.K. and Casper, H.H.: Determination of deoxynivalenol in wheat, barley, and malt by column cleanup and gas chromatography with electron capture detection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 472-475.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

- 1810 Dumler-Gradl, R., Thoma, H. and Vierle, O.: Research program on dioxin/furan concentration in chimney soot from house heating systems in the Bavarian area. *Organohalogen Compd.*, 24 (1995) 115-118; C.A., 124 (1996) 351093z.
- 1811 Horwitz, W. and Albert, R.: Reliability of the determinations of polychlorinated contaminants (biphenyls, dioxins, furans). *J. Assoc. Off. Anal. Chem.*, 79 (1996) 589-621.
- 1812 Parris, R.M., Schantz, M.M., Poster, D.L. and Wise, S.A.: NIST approach to the certification of selected chlorinated organic components in recently issued natural-matrix certified reference materials. *Organohalogen Compd.*, 24 (1995) 449-452; C.A., 124 (1996) 359508j.
- 1813 Rimkus, G.G., Rummel, M. and Nausch, I.: Gel permeation chromatography-high-performance liquid chromatography combination as an automated clean-up technique for the multiresidue analysis of fats. *J. Chromatogr. A*, 737 (1996) 9-14.

See also 1798.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

- 1814 Dollmann, B., Wichmann, D., Schmitt, A., Koehler, H. and Schreier, P.: Quantitative analysis of 2-aminoacetophenone in off-flavored wines by stable isotope dilution assay. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 583-586.
- 1815 Giachetti, C., Zanolo, G., Verga, G.R., Perovanni, F. and Assandi, A.: Gas chromatographic determination of some glycol ethers and glycol ether acetates by FID, O-FID, and MS detection. Preliminary applications in simultaneous monitoring of these chemicals in biological matrices. *J. High Resolut. Chromatogr.*, 19 (1996) 383-391.
- 1816 Grosjean, E. and Grosjean, D.: Comparison of gas chromatography and liquid chromatography methods for measuring low levels of cyclohexanone in air. *Int. J. Environ. Anal. Chem.*, 62 (1996) 311-321.
- 1817 Lehmpuhl, D.W. and Birks, J.W.: New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6-trichlorophenylhydrazine. *J. Chromatogr. A*, 740 (1996) 71-81.
- 1818 Meier, W., Artho, A. and Neageli, P.: Detection of irradiation of fat-containing foods by online LC-GC-MS of alkylcyclobutanones. *Mitt. Geb. Lebensmittelunters. Hyg.*, 87 (1996) 118-122; C.A., 124 (1996) 341210u.
- 1819 Rapp, A., Versini, G. and Engel, L.: (Determination of 2-aminoacetophenone in fermented model wine solutions). *Vitis*, 34 (1995) 193-194; C.A., 125 (1996) 8851y.
- 1820 Skrabakova, S., Matisova, E., Strakova, M. and Slezackova, M.: (Determination of epichlorohydrin emissions by capillary gas chromatography.) *Chem. Prum.*, 71, No. 2 (1996) 21-24.

See also 1974.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 1821 De Block, J., Merchiers, M., van Renterghem, R. and Moermans, R.: Evaluation of two methods for the determination of lactose in milk. *Int. Dairy J.*, 6 (1996) 217-222; C.A., 124 (1996) 287347f.
- 1822 Low, H. and Hammond, D.A.: Detection of high fructose syrup from inulin in apple juice by capillary gas chromatography with flame ionization detection. *Fruit Process.*, 6 (1996) 135-139; C.A., 125 (1996) 56467z.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 1823 Bähre, F. and Maier, H.G.: Electrophoretic clean-up of organic acids from coffee for the GC/MS analysis. *Fresenius J. Anal. Chem.*, 355 (1996) 190-193.
- 1824 Beljaars, P.R., van Dijk, R., Verheijen, P.J.J. and Anderegg, M.J.P.T.: Gas chromatographic determination of propionic acid and sorbic acid content of rye bread: interlaboratory study. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 889-894.
- 1825 Brooks, K.E. and Smith, N.B.: Four automated methods for plasma lactate assessed by comparison with capillary gas chromatography. *Clin. Chem. (Washington)*, 42 (1996) 1111-1113.
- 1826 Decsi, T., Molnar, D. and Koletzko, B.: Long-chain polyunsaturated fatty acids in plasma lipids of obese children. *Lipids*, 31 (1996) 305-311; C.A., 124 (1996) 283387w.
- 1827 Ichihara, K., Shibahara, A., Yamamoto, K. and Nakayama, T.: An improved method for rapid analysis of the fatty acids of glycerolipids. *Lipids*, 31 (1996) 535-539.
- 1828 Jönsson, B.A.G. and Lindh, C.H.: Determination of hexahydrophthalic and methylhexahydrophthalic acids in urine by gas chromatography-negative-ion chemical-ionisation mass spectrometry. *Chromatographia*, 42 (1996) 647-652.
- 1829 Lee, H.-B., Peart, T.E. and Kaiser, K.L.E.: Determination of nitrilotriacetic, ethylenediaminetetraacetic and diethylenetriaminepentaacetic acids in sewage treatment plant and paper mill effluents. *J. Chromatogr. A*, 738 (1996) 91-99.
- 1830 Maiolo, K.C., Walker, J.C. and Ogden, M.W.: Method for calibrating olfactometer output. Part 1. Acetic and propionic acid. *Anal. Commun.*, 33 (1996) 199-202.
- 1831 McCann, M.T., Thompson, M.M., Gueron, I.C., Lemieux, B., Giguere, R. and Tuchman, M.: Methylmalonic acid quantification by stable isotope dilution gas chromatography-mass spectrometry from filter paper urine samples. *Clin. Chem. (Washington)*, 42 (1996) 910-914.
- 1832 Mu, H., Wesen, C., Sundin, P. and Nilsson, E.: Gas chromatographic and mass spectrometric identification of tetrachloroalkanoic and dichloroalkenoic acids in eel lipids. *J. Mass. Spectrom.*, 31 (1996) 517-526.
- 1833 Schadewaldt, P., Wendel, U. and Hammen, H.-W.: Determination of R- and S-3-methyl-2-oxopentanoate enantiomers in human plasma: suitable method for label enrichment analysis. *J. Chromatogr. B*, 682 (1996) 209-218.

- 1834 Sillanpää, M., Sorvari, J. and Sihvonen, M.-L.: Low-level determination of EDTA and DTPA in natural waters by gas chromatography. *Chromatographia*, 42 (1996) 578-582.
- 1835 Starchevskij, M.K., Senyuta, T.B., Pasichnyk, P.I., Gladij, S.L., Pazderskij, Y.A., Moiseev, I.I., Vargaftig, M.N. and Fedushchak, A.L.: (Gas chromatography method for detecting formic acid). U.S.S.R. SU 1,331,262 (Cl. G01N30/04), 27 Dec. 1995, Appl. 3,821,545, 7 Dec. 1984; C.A., 125 (1996) 47965h.
- 1836 Sun, M., Mu, J. and Liu, M.: (The measurement of naphthenic acid in water sources by gas chromatography). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 231-232.
- 1837 Wilkins, J.P.G. and Soria, S. de J.: Identification by gas chromatography-mass spectrometry (GC-MS) of the compound responsible for the rancid odor of female cysts of *Eurhizococcus brasiliensis* (Hempel). *An. Soc. Entomol. Bras.*, 25 (1996) 169-170; C.A., 124 (1996) 338306b.
- 1838 Zhao, L. and Zhai, W.: (Determination of the fatty acid content of pine nut oil by gas chromatography and its effects in medicative and health protection). *Shaanxi Shida Xuebao, Ziran Kexueban*, 23, No. 4 (1995) 60-62; C.A., 125 (1996) 9043y.
- See also 1903, 1937, 1947, 1975, 1985, 1987.

11c. Lipids and their constituents

- 1839 Eichenberger, W., Gfeller, H., Grey, P., Gribi, C. and Henderson, R.J.: Gas chromatographic-mass spectrometric identification of betaine lipids in *Chroomonas salina*. *Phytochemistry*, 42 (1996) 967-972.
- 1840 Hubbard, W.C., Hundley, T.R., Oriente, A. and MacGlashan, D.W., Jr.: Quantitation of 1-stearoyl-2-arachidonoyl-sn-3-glycerol in human basophils via gas chromatography-negative ion chemical ionization mass spectrometry. *Anal. Biochem.*, 236 (1996) 309-321.
- 1841 Lipp, M.: Determination of the adulteration of butter fat by its triglyceride composition obtained by GC. A comparison of the suitability of PLS and neutral networks. *Food Chem.*, 55 (1996) 389-395; C.A., 124 (1996) 315281a.

See also 1826, 1827, 1842.

12. ORGANIC PEROXIDES

- 1842 Wei, Y. and Cao, Y.: (Qualitative investigation of lipid peroxides in edible oil by gas chromatography/mass spectrometry). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 185-186.

13. STEROIDS

13b. Pregnane and androstane derivatives

- 1843 Catlin, D.H., Cowan, D.A., de la Torre, R., Donike, M., Fraisse, D., Oftebro, H., Hatton, C.K., Starcevich, B. and Becchi, M.: Urinary testosterone (T) to epitestosterone (E) ratios by GC/MS. I. Initial comparison of uncorrected T/E in six international laboratories. *J. Mass Spectrom.*, 31 (1996) 397-402.

- 1844 Fitzgerald, R.L. and Herold, D.A.: Serum total testosterone: immunoassay compared with negative chemical ionization gas chromatography-mass spectrometry. *Clin. Chem. (Washington)*, 42 (1996) 749-755.

- 1845 Hartwig, M., Hartmann, S. and Steinhart, H.: (Determination of naturally occurring sex steroids (androgens and progestogens) in beef). *Z. Lebensm.-Unters. Forsch.*, 201 (1995) 533-536; C.A., 124 (1996) 315234n.

13d. Sterols

- 1846 Biedermann, M., Grob, K., Mariani, C. and Schmidt, J.P.: Detection of desterolized sunflower oil in olive oil through isomerized Δ_7 -sterols. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 199-204; C.A., 125 (1996) 56537x.

- 1847 Johnson, C.B.: Isolation of cholesterol oxidation products from animal fat using aminopropyl solid-phase extraction. *J. Chromatogr. A*, 736 (1996) 205-210.

13e. Bile acids and alcohols

- 1848 Murai, T., Mahara, R., Suzuki, M., Yoshimura, T., Kurosawa, T. and Tohma, M.: Determination of fetal bile acids in a dried blood disc from neonates by gas chromatography/negative-ion chemical ionization mass spectrometry. *J. Mass Spectrom., Spec. Issue* (1995) S205-S206; C.A., 125 (1996) 4991w.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15b. Essential oils

- 1849 Abduganiev, B.E., Abdullaev, U.A., Plugar, V.N., Shamyanov, I.D. and Fashkutdinov, M.F.: (GC-MS analysis of essential oils of some plants of the family Asteraceae Dumort). *Khim. Prir. Seodin.*, No. 4 (1995) 568-572; C.A., 125 (1996) 67109k.

- 1850 Buchbauer, G., Jirovetz, L. and Nikiforov, A.: Comparative investigation of essential clover flower oils from Austria using gas chromatography-flame ionization detection, gas chromatography-mass spectrometry, and gas chromatography-olfactometry. *J. Agric. Food Chem.*, 44 (1996) 1827-1828.

- 1851 Esteban, J.L., Martinez-Castro, I., Morales, R., Fabrelles, B. and Sanz, J.: Rapid identification of volatile compounds in aromatic plants by automatic thermal desorption-GC-MS. *Chromatographia*, 43 (1996) 63-72.

- 1852 Guillen, M.D. and Ibargoita, M.L.: Wild growing Spanish sage as a raw material in the food industry. Study by gas chromatography/mass spectrometry of its essential oil and extracts in several organic solvents. *Chem., Mikrobiol., Technol. Lebensm.*, 17 (1995) 129-134; C.A., 124 (1996) 287562x.

- 1853 Juchelka, D. and Mosandl, A.: Authenticity profiles of bergamot oil. *Pharmazie*, 51 (1996) 417-422; C.A., 125 (1996) 57378h.

- 1854 Lan, Z., Lai, P. and Han, S.: (Study on the chemical constituents and medical applications of essential in the rhizome of *Panax pseudoginseng* Wall. var. *major* (Burkhill) Li collected from Qing-Ling mountain region). *Huaxue Shijie*, 36 (1995) 641-643; C.A., 124 (1996) 352853j.

- 1855 Stashenko, E.E., Prada, N.Q. and Martínez, J.R.: HRGC/FID/NPD and HRGC/MSD study of Colombian ylang-ylang (*Cananga odorata*) oils obtained by different extraction techniques. *J. High Resolut. Chromatogr.*, 19 (1996) 353-358.
- 1856 Zang, P., Qing, J. and Lu, Q.: (A study on the chemical constituents of geranium oil). *Guizhou Gongxueyuan Xuebao*, 25 (1996) 82-85; C.A., 124 (1996) 352280v.

See also 1700, 1761, 1978.

16. NITRO AND NITROSO COMPOUNDS

- 1857 Fiddler, W. and Pensabene, J.W.: Supercritical fluid extraction of volatile *N*-nitrosamines in fried bacon and its drippings: method comparison. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 895-901.

See also 1671, 1803, 1805, 1989, 1990.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 1858 Kijima, K., Kataoka, H. and Makita, M.: Determination of aromatic amines as their *N*-dimethylthiophosphoryl derivatives by gas chromatography with flame photometric detection. *J. Chromatogr. A*, 738 (1996) 83-90.
- 1859 Pietsch, J., Hampel, S., Schmidt, W., Brauch, H.-J. and Worch, E.: Determination of aliphatic and alicyclic amines in water by gas and liquid chromatography after derivatization by chlorofornates. *Fresenius J. Anal. Chem.*, 355 (1996) 164-173.

17c. Urea and guanidine derivatives

- 1860 Sticle, D., Bohrer, A., Berger, R., Morrissey, J., Klahr, S. and Turk, J.: Quantitation of the putative neurotransmitter agmatine as the hexafluoroacetylacetone derivatives by stable isotope dilution gas chromatography-negative ion chemical ionization mass spectrometry. *Anal. Biochem.*, 238 (1996) 129-136.

17d. Other amine derivatives and amides (excl. peptides)

See 1684.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 1861 Matsumura, S., Kataoka, H. and Makita, M.: Determination of amino acids in human serum by capillary gas chromatography. *J. Chromatogr. B*, 681 (1996) 375-380.
- 1862 Meier-Augenstein, W., Rating, D., Hoffmann, G.F., Wendel, U., Matthiesen, U. and Schadewaldt, P.: Determination of ¹³C enrichment by conventional GC-MS and GC-(MS)-C-IRMS. *Isot. Environ. Health Stud.*, 31 (1995) 261-266; C.A., 124 (1996) 337222j.

- 1863 Segschneider, H.-J., Hofmann, D., Schmidt, G. and Russow, R.: Incorporation of ¹⁵NO₂ nitrogen into individual amino acids by sunflowers using GC-C-IRMS. *Isot. Environ. Health Stud.*, 31 (1995) 315-325; C.A., 124 (1996) 337976h.

- 1864 Takagi, K., Kataoka, H. and Makita, M.: Determination of glutathione and related aminothiols in mouse tissues by gas chromatography. *Biosci., Biotechnol., Biochem.*, 60 (1996) 729-731.

See also 1839.

22. ALKALOIDS

- 1865 Oertel, R., Richter, K., Ebert, U. and Kirch, W.: Determination of scopolamine in human serum by gas chromatography-ion trap tandem mass spectrometry. *J. Chromatogr. B*, 682 (1996) 259-264.

- 1866 Selsbo, P., Almen, P. and Ericsson, I.: Quantitative analysis of sulfur in coal by pyrolysis-gas chromatography and multivariate data analysis. *Energy Fuels*, 10 (1996) 751-756; C.A., 124 (1996) 293912c.

- 1867 Tang, H. and Heaton, P.: Analysis of volatile trace sulfur compounds in water with GC-SCD by direct aqueous injection. *Int. J. Environ. Anal. Chem.*, 62 (1996) 263-271.

- 1868 Vandana, V., Teja, A.S. and Zalkow, L.H.: Supercritical extraction and HPLC analysis of taxol from *Taxus brevifolia* using nitrous oxide and nitrous oxide+ethanol mixtures. *Fluid Phase Equilib.*, 116 (1996) 162-169; C.A., 125 (1996) 29359j.

See also 1760.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23c. Indole derivatives and plant hormones (gibberellins)

- 1869 Tsang, C.W., Chan, C.L., Li, P. and Pang, S.F.: Analysis of 5-methoxytryptamine at the femtomole level in the rat and quail brain by gas chromatography-electron-capture negative-ion chemical ionization mass spectrometry. *J. Chromatogr. B*, 682 (1996) 185-194.

24. ORGANIC SULPHUR COMPOUNDS (INCL. GLUCOSINOLATES)

- 1870 Scott, B.F., Sverko, E. and Maguire, R.J.: Determination of benzothiazole and alkylphosphates in water samples from the Great Lakes drainage basin by gas chromatography/atomic emission detection. *Water Qual. Res. J. Can.*, 31 (1996) 341-360.

- 1871 Viashnav, Y.N., Pendergrass, J.A.Jr., Clark, E.P. and Swenberg, C.E.: Chromatographic and mass spectral analysis of the radio-protector and chemoprotector S-3-(3-methylaminopropyl-amino)propanethiol (WR-151326) and its symmetrical disulfide (WR-25595501). *J. Pharm. Biomed. Anal.*, 14 (1996) 317-324; C.A., 125 (1996) 4445w.

- 1872 Zoccolillo, L., Conti, M., Hanel, R. and Margi, A.D.: A computerized analysis of the sulfur content in diesel fuel by capillary gas chromatography with flame photometric detector. *Chromatographia*, 42 (1996) 631-638.
25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)
- See 1870.
26. ORGANOMETALLIC AND RELATED COMPOUNDS
- 26a. *Organometallic compounds*
- 1873 Mikae, N., Wang, Y. and Harrison, R.M.: Intercomparison of alkylated compounds determination in mussels and water by two analytical techniques: gas chromatography atomic absorption spectrometry and differential pulse anodic stripping voltammetry. *Anal. Chim. Acta*, 326 (1996) 57-60.
- 1874 Saito, S. and Ooshima, M.: (Analysis for impurities in organometallic compounds and device for impurities decomposition). *Jpn. Kokai Tokkyo Koho JP 08,101,174 [96,101,174]* (Cl. G01N30/06), 16 Apr. 1996, Appl. 94/235,599, 29 Sep. 1994; 9 pp.; *C.A.*, 125 (1996) 75015s.
- See also 1737.
- 26b. *Boranes, silanes and related non-metallic compounds*
- 1875 Cavic-Vlasak, B.A., Thompson, M. and Smith, D.C.: Silicones and their determination in biological matrixes. A review. *Analyst (Cambridge)*, 121 (1996) 53R-63R - a review with 124 refs.
- 1876 Hirabara, Y., Koiguchi, S., Sekiguchi, Y., Itoyama, T., Narita, M., Hasegawa, T., Ota, M., Kimura, M. and Miyoshi, T.: (Simple and rapid simultaneous determination of various pesticides in polished rice and brown rice by GC and GC/MS). *Shokuhin Eisei Kenkyu*, 46, No. 3 (1996) 73-86; *C.A.*, 124 (1996) 310127v.
- 1877 Stankov, I.N., Forov, V.B., Tarasov, S.N., Lysenko, V.V., Nikishina, L.M., Morozova, O.T., Soloveva, N.V. and Lanin, S.N.: Chemical and chromatographic determination of β -chlorovinyldichloroarsine traces in air and in reaction mixtures of its processing. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 51 (1996) 485-489.
- 1878 Zhang, Y., Zhang, R., Lü, S. and Zhao, R.: (Determination of dimethoxydiphenylsilane by capillary gas chromatography). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 294-295.
- 26c. *Coordination compounds*
- See 1876.
27. VITAMINS AND VARIOUS ANIMAL GROWTH FACTORS (NON-PEPTIDIC)
- 1879 King, J.W., Favati, F. and Taylor, S.L.: Production of tocopherol concentrates by supercritical fluid extraction and chromatography. *Separ. Sci. Technol.*, 31 (1996) 1843-1857.
- 1880 Shen, Y., Bradshaw, J.S. and Lee, M.L.: Packed capillary column supercritical fluid chromatography of fat-soluble vitamins using liquid crystal polysiloxane coated particles. *Chromatographia*, 43 (1996) 53-58.
28. ANTIBIOTICS
- See 1796.
29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS
- 29a. *General techniques*
- 1881 Boyd-Boland, A.A., Magda, S. and Pawliszyn, J.B.: Simultaneous determination of 60 pesticides in water using solid phase microextraction and gas chromatography-mass spectrometry. *Analyst (Cambridge)*, 121 (1996) 929-938.
- 1882 Clavijo, M.P., Medina, M.P., Asensio, J.S., Bernal, J.G.: Decay study of pesticide residues in apple samples. *J. Chromatogr. A*, 740 (1996) 145-150.
- 1883 De Smaele, T., Moens, L., Dams, R. and Sandra, P.: Capillary gas chromatography-ICP mass spectrometry: a powerful hyphenated technique for determination of organometallic compounds. *Fresenius J. Anal. Chem.*, 355 (1996) 778-782.
- 1884 Patsias, J. and Papadopoulou-Mourkidou, E.: Rapid method for the analysis of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction and gas chromatography-ion trap mass spectrometry. *J. Chromatogr. A*, 740 (1996) 83-98.
- See also 1813, 1946.
- 29b. *Chlorinated insecticides*
- 1885 Chee, K.K., Wong, M.K. and Lee, H.K.: Determination of organochlorine pesticides in water by membranous solid-phase extraction, and in sediment by microwave-assisted solvent extraction with gas chromatography and electron-capture and mass spectrometric detection. *J. Chromatogr. A*, 736 (1996) 211-218.
- 1886 De Boer, J. and de Geus, H.J.: Multidimensional GC analysis of toxaphene. *Organohalogen Compd.*, 26 (1995) 345-350; *C.A.*, 124 (1996) 335512e.
- 1887 Marth, P., Schramm, K.W., Lattmann, L., Oxynos, K. and Kettrup, A.: A new semiautomatic method based on GC/HPLC techniques for GC-ECD and GC-MS analysis of toxaphene in environmental samples. *Organohalogen Compd.*, 26 (1995) 351-356; *C.A.*, 124 (1996) 350942p.
- 1888 Okihashi, M., Obana, H., Hori, S., Nishimune, T. and Sasaki, Y.: (Determination of pesticide residues in onion, using a microwave oven). *Shokuhin Eisiegaku Zasshi*, 37 (1996) 43-47; *C.A.*, 124 (1996) 315242p.
- 1889 Stern, G.A., Loewen, M.D., Miskimmin, B.M., Muir, D.C.G. and Westmore, J.B.: Characterization of two major toxaphene components in treated lake sediment. *Environ. Sci. Technol.*, 30 (1996) 2251-2258.

- 1890 Wade, T.L., Chambers, L., Gardinali, P.R., Sericano, J.L., Jackson, T.J. and McDonald, T.J.: High resolution mass spectrometry analyses of toxaphene in the blubber of Beluga whales. *Oganohalogen Compd.*, 26 (1995) 339-344; C.A., 125 (1996) 3295k.

29c. *Phosphorus insecticides*

- 1891 Abbas, R. and Hayton, W.L.: Gas chromatographic determination of parathion and paraoxon in fish plasma and tissues. *J. Anal. Toxicol.*, 20 (1996) 151-154.

- 1892 Magdic, S., Boyd-Boland, A., Jinno, K. and Pawliszyn, J.B.: Analysis of organophosphorus insecticides from environmental samples using solid-phase microextraction. *J. Chromatogr. A*, 736 (1996) 219-228.

- 1893 Sakai, T., Ogawa, M., Sato, M., Shimura, K., Ohkuma, K. and Mori, Y.: (Rapid and simultaneous determination of organophosphorus pesticides in agricultural products by FPD-GC). *Mie-ken Eisei Kenkyusho Nenpo*, 40 (1996) 139-141; C.A., 125 (1996) 8847b.

See also 1897.

29d. *Carbamates*

- 1894 Climent, M.J. and Miranda, M.A.: Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides. *J. Chromatogr. A*, 738 (1996) 225-231.

- 1895 Qiu, F., Cui, K., Luo, Y. and Lu, Y.: (Simultaneous determination of 5 carbamates in human plasma by using solid-phase extraction and capillary gas chromatography). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 264-266.

- 1896 Zhou, Y., Sun, Y. and Deng, F.: (Determination of ethyl carbamate in alcoholic beverages by selected ion monitoring in capillary gas chromatography/mass spectrometry). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 190-192.

29e. *Herbicides*

- 1897 Culea, M., Fenesan, I., Cobsac, S., Gocan, S., Chiriac, M. and Palibroda, N.: Trace analysis of triazines and organophosphorus pesticides in water. *Fresenius J. Anal. Chem.*, 355 (1996) 748-749.

- 1898 Field, J.A. and Monahan, K.: Chlorinated acid herbicides in water by strong anion-exchange disc extraction and in-vial elution and derivatization. *J. Chromatogr. A*, 741 (1996) 85-90.

- 1899 Hong, M.-K., Kim, M.-C. and Smith, A.E.: Simultaneous determination of 2,4-D, dicamba, and mecoprop in soil leachates by gas chromatography with electron capture detection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 998-1004.

- 1900 Koveranova, E.V., Barinova, E.S. and Brodskii, E.S.: Determination of Decis residues in potatoes by chromatography-mass spectrometry. *J. Anal. Chem. (Transl. of Zh. Anal. Khim.)*, 51 (1996) 397-400.

- 1901 Lesko, E., Jakubik, T., Matisova, E. and Kakalikova, L.: (GC-MS analysis of pesticide residues in wine). *Vinohrad (Bratislava)*, 34, No. 2 (1996) 40-41; C.A., 125 (1996) 32125k - a review with 12 refs.

- 1902 Lindley, C.E., Stewart, J.T. and Sandstrom, M.W.: Determination of low concentration of acetochlor in water by automated solid-phase extraction and gas chromatography with mass-selective detection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 962-966.

- 1903 Mori, M., Nakajima, H. and Seto, Y.: Determination of fluoroacetate in aqueous samples by headspace gas chromatography. *J. Chromatogr. A*, 736 (1996) 229-234.

- 1904 Mortimer, R.D. and Shields, J.B.: Determination of total free and glucose-conjugated 3-phenoxybenzyl alcohol residues in foods by gas chromatography with electron capture detection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 967-971.

- 1905 Wang, H., Lu, X. and Huang, Y.: (Analysis of butachlor and atrazine in herbicide emulsion using gas chromatography). *Nongyao Kexue Yu Guanli*, No. 4 (1995) 7-9; C.A., 124 (1996) 310124s.

- 1906 Yarita, T., Horimoto, Y., Nomura, A. and Gonda, S.: Supercritical fluid extraction of triazine herbicides from soil matrices. *Chromatographia*, 42 (1996) 551-554.

29f. *Fungicides*

- 1907 Dieckmann, H., Kreuzig, R. and Bahadir, M.: Pentafluorobenzylation of the fungicide metabolite fenpropimorphic acid for GC/MS investigation of soil samples. *Fresenius J. Anal. Chem.*, 355 (1996) 583-586.

- 1908 Lancas, F.M., Barbirato, M.A., Galhiane, M.S. and Rissato, S.R.: Supercritical fluid extraction of chlorothalonil residues from apples. *Chromatographia*, 42 (1996) 547-550.

- 1909 Nagayama, T., Kobayashi, M., Shioda, H. and Tomomatsu, T.: Gas chromatographic determination of propamocarb in agricultural commodities. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 769-772.

- 1910 Yamazaki, Y. and Ninomiya, T.: Determination of imazalil residues in lemons by gas chromatography with nitrogen-phosphorus detection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 787-790.

31. PLASTICS AND THEIR INTERMEDIATES

- 1911 Castells, R.C., Romero, L.M. and Nardillo, A.M.: Thermodynamics of solutions of hydrocarbons in low molecular weight poly(isobutylene): A gas chromatographic study. *Macromolecules*, 29 (1996) 4278-4282.

- 1912 Ito, Y., Tsuge, S., Ohtani, H., Wakabayashi, S., Atarashi, J.-i. and Kawamura, T.: Characterization of branched alkyl end groups of poly(methyl methacrylate) by pyrolysis-gas chromatography. *Macromolecules*, 29 (1996) 4516-4519.

- 1913 Lou, X., Janssen, H.-G. and Cramers, C.A.: Effect of modifier addition and temperature variation in SFE of polymeric materials. *J. Chromatogr. Sci.*, 34 (1996) 282-290.

- 1914 Takekoshi, Y., Kanno, S., Kawase, S., Kiho, T. and Ukai, S.: Forensic chemical study on nylon fibers by acid-catalyzed pyrolysis gas chromatography. *Jpn. J. Toxicol. Environ. Health*, 42 (1996) 28-31; C.A., 124 (1996) 309692u.

See also 1678, 1679, 1683, 1685, 1828, 1979.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

- 1915 Lee, C.R., Porziensky, J.-P., Gaspar, M. and Krstulovic, A.M.: Chromatographic instrumentation and techniques for the quality control of pharmaceutical products. *LC-GC Int.*, 9 (1996) 414-427.
- 1916 Morello, M., Previale, L. and Quaglino, P.: Gas chromatographic system equipped with a mass detector and a selective nitrogen-phosphorus detector operating simultaneously in the analysis of pesticide residues. *J. Chromatogr. A*, 740 (1996) 263-271.
- 1917 Rasanen, I., Ojanperä, I., Vartiovaara, J., Vuori, E. and Sunila, P.: The advantage of dual-column approach and retention indices combined with refined reporting in gas chromatographic drug screening. *J. High Resolut. Chromatogr.*, 19 (1996) 313-321.
- 1918 Rasanen, I., Ojanperä, I., Vuori, E. and Hase, T.A.: Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs. *J. Chromatogr. A*, 738 (1996) 233-239.

32b. Antirheumatics and antiinflammatory drugs

- 1919 Kim, K.-R. and Yoon, H.-R.: Rapid screening for acidic non-steroidal anti-inflammatory drugs in urine by gas chromatography-mass spectrometry in the selected-ion monitoring mode. *J. Chromatogr. B*, 682 (1996) 55-66.
- 1920 Leis, H. and Windischhofer, W.: Stable isotope labeling and determination of ketoprofen in human plasma and urine by gas chromatography/negative ion chemical ionization mass spectrometry. *J. Mass. Spectrom.*, 31 (1996) 486-492.

32c. Autonomic and cardiovascular drugs

- 1921 Tulich, L.J., Randall, J.L., Kelm, G.R. and Wehmeyer, K.R.: Determination of two mebeverine metabolites, mebeverine alcohol and desmethylmebeverine alcohol, in human plasma by a dual stable isotope-based gas chromatographic-mass spectrometric method. *J. Chromatogr. B*, 682 (1996) 273-281.

See also 1925.

32d. Central nervous system drugs

- 1922 Brenner, C., Hui, R., Passarelli, J., Wu, R., Brenneisen, R., Bracher, K., ElSohly, M.A., Ghodoussi, V.D. and Salamone, S.J.: Comparison of methaqualone excretion patterns using Abuscreen ONLINE and EMIT II immunoassays and GC/MS. *Forensic Sci. Int.*, 79 (1996) 31-41; *C.A.*, 125 (1996) 27776u.
- 1923 Darius, J.: On-column gas chromatographic-mass spectrometric assay for metabolic profiling of valproate in brain tissue and serum. *J. Chromatogr. B*, 682 (1996) 67-72.
- 1924 De Baere, S.M., Lambert, W.E., van Bocklaer, J.F. and de Leenheer, A.P.: Quantitative gas chromatographic analysis of 3-cyano-3,3-diphenylpropionic acid, the acidic metabolite of bezitramide (Burgodin), in urine. *J. Anal. Toxicol.*, 20 (1996) 159-164.

- 1925 Demedts, P., Wauters, A., Franck, F. and Neels, H.: Simultaneous determination of lidocaine, bupivacaine, and their two main metabolites using gas chromatography and a nitrogen-phosphorus detector: Selection of stationary phase and chromatographic conditions. *Ther. Drug Monit.*, 18 (1996) 208-209; *C.A.*, 124 (1996) 331467w.
- 1926 Eap, C.B., Gaillard, N., Powell, K. and Baumann, P.: Simultaneous determination of plasma levels of fluvoxamine and of the enantiomers of fluoxetine and norfluoxetine by gas chromatography-mass spectrometry. *J. Chromatogr. B*, 682 (1996) 265-272.
- 1927 Fang, J., Baker, G.B. and Coutts, R.T.: Determination of 4-(4-chlorophenyl)-4-hydroxypiperidine, a metabolite of haloperidol, by gas chromatography with electron-capture detection. *J. Chromatogr. B*, 682 (1996) 283-288.
- 1928 Kumazawa, T., Sato, K., Seno, H., Ishii, A. and Suzuki, O.: Extraction of local anaesthetics from human blood by direct immersion-solid phase micro extraction (SPME). *Chromatographia*, 43 (1996) 59-62.
- 1929 Mulvana, D.E., Duncan, G.F., Shyu, W.C., Tay, L.K. and Barbhaiya, R.H.: Quantitative determination of butorphanol and its metabolites in human plasma by gas chromatography-electron capture negative-ion chemical ionization mass spectrometry. *J. Chromatogr. B*, 682 (1996) 289-300.
- 1930 Nishioka, R.: Determination of triazolam in serum by deactivated metal capillary gas chromatography with electron-capture detection. *J. Chromatogr. B*, 681 (1996) 401-404.
- 1931 Podkowik, B.-I. and Masur, S.: Gas chromatographic determination of midazolam in low-volume plasma samples. *J. Chromatogr. B*, 681 (1996) 405-411.
- 1932 Qiu, F., Liu, L., Guo, L., Luo, Y. and Lu, Y.: (Rapid determination of central nervous drugs in plasma by solid phase extraction and GC-FID and GC-MS). *Zhongguo Yaoxue Zazhi*, 31 (1996) 32-35; *C.A.*, 124 (1996) 336968v.
- 1933 Tanaka, O., Kondo, T., Kaneko, S., Mihara, K., Otani, K. and Tokinaga, N.: A method for rapid determination of zotepine by gas chromatography-mass spectrometry. *Ther. Drug Monit.*, 18 (1996) 294-296.
- 1934 Ulrich, S., Meyer, F.P. and Bogerts, B.: A capillary gas-liquid chromatographic method for the assay of the neuroleptic drug zotepine in human serum or plasma. *J. Pharm. Biomed. Anal.*, 14 (1996) 441-449; *C.A.*, 125 (1996) 48212x.

32e. Chemotherapeutics (exc. cytostatics and antibiotics)

- 1935 Okumura, T. and Nishikawa, Y.: Gas chromatography-mass spectrometry determination of triclosan in water, sediments and fish samples via methylation with diazomethane. *Anal. Chim. Acta*, 325 (1996) 175-184.

See also 1804.

32f. Cytostatics

- 1936 Kalchenko, O.I., Golub, V.A. and Zavatskaja, I.V.: HPLC and GLC determination of residual solvents in busulphan. *J. Pharm. Biomed. Anal.*, 14 (1995) 107-111; *C.A.*, 124 (1996) 352886x.

32g. Other drug categories

- 1937 Markham, K.R., Mitchell, K.A., Wilkins, A.L., Daldy, J.A. and Lu, Y.: HPLC and GC-MS identification of the major organic constituents in New Zealand propolis. *Phytochemistry*, 42 (1996) 205-211; C.A., 124 (1996) 298561x.
- 1938 Ptacek, P., Vyhalek, O., Breuel, H.-P. and Macek, J.: Determination of furosemide in plasma and urine by gas chromatography/mass spectrometry. *Arzneim.-Forsch.*, 46 (1996) 277-283.
- 1939 Strode, J.T.B. III., Taylor, L.T. and van Beek, T.A.: Supercritical fluid chromatography of ginkgolides A,B,C and J and bilobalide. *J. Chromatogr. A*, 738 (1996) 115-122.

32h. Toxicological and forensic applications

- 1940 Cardenas, S., Gallego, M. and Valcarcel, M.: An automated preconcentration-derivatization system for the determination of cocaine and its metabolites in urine and illicit cocaine samples by gas chromatography/mass spectrometry. *Rapid Commun. Mass Spectrom.*, 10 (1996) 631-636.
- 1941 Cirimele, V., Kintz, P. and Mangin, P.: Comparison of different extraction procedures for drugs in hair of drug addicts. *Biomed. Chromatogr.*, 10 (1996) 179-182.
- 1942 Dasgupta, A., Mahle, C. and McLemore, J.: Elimination of fluconazole interference in gas chromatography/mass spectrometric confirmation of benzoylecgonine, the major metabolite of cocaine using pentafluoropropionyl derivative. *J. Forensic Sci.*, 41 (1996) 511-513.
- 1943 Jonsson, J., Kronstrand, R. and Hatanpaeae, M.: A convenient derivatization method for the determination of amphetamine and related drugs in urine. *J. Forensic Sci.*, 41 (1996) 148-151.
- 1944 Wang, K., Liu, J., Liu, L., Deng, Y., Lou, Y. and Cai, Z.: (Methodology for determination of morphine in human serum by GC-MS). *Zhongguo Linchuang Yaolixue Zazhi*, 11 (1995) 241-246; C.A., 124 (1996) 306378k.

See also 1927.

32i. Plant extracts

- 1945 Hiserodt, R., Hartman, T.G., Ho, C.-T. and Rosen, R.T.: Characterization of powdered turmeric by liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry. *J. Chromatogr. A*, 740 (1996) 51-63.
- 1946 Park, M.K., Park, J.H., Yoon, H.R., Yoon, I.B., Cho, S.Y. and Hwang, G.S.: (Analysis of residual pesticides in herbal drugs: GC/MS analysis of 27 controlled pesticides). *Yakhak Hoechi*, 40 (1996) 141-148; C.A., 124 (1996) 352878w.

See also 1868.

33. CLINICO-CHEMICAL APPLICATIONS

- 33b. Complex mixtures and profiling (single compounds by cross-reference only)
- 1947 Chou, S., Chedore, P., Haddad, A., Paul, N.R. and Kasatiya, S.: Direct identification of *Mycobacterium* species in Bactec 7H12B medium by gas-liquid chromatography. *J. Clin. Microbiol.*, 34 (1996) 1317-1320; C.A., 125 (1996) 52608y.
- 1948 Hener, U., Mosandl, A., Hagenauer-Hener, U. and Dietrich, H.: (Stable isotope ratio analysis by headspace-GC-IRMS - a contribution for the analysis of alcoholic beverages). *Wein-Wiss.*, 50 (1995) 113-117; C.A., 125 (1996) 56470v.

See also 1795, 1809, 1825, 1826, 1833, 1840.

34. FOOD ANALYSIS

34b. Complex mixtures (single compounds by cross-reference only)

- 1949 Elsner, T., Rothweiler, B., Marx, F. and Pfeilsticker, K.: Detection of irradiated chicken breast by headspace gas chromatography and discriminant analytical evaluation. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 63-65; C.A., 125 (1996) 56542v.
- 1950 Farag, S.E.D.A.: Detection of irradiated fruits by gas-chromatographic methods. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 451-457.
- 1951 Jiménez de Blas, O. and González, A.D.V.: Gas chromatographic differentiation of virgin, refined, and solvent-extracted olive oils. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 707-710.
- 1952 Lipp, M.: Comparison of PLS, PCR, and MLR for the quantitative determination of foreign oils and fats in butter fats of several European countries by their triglyceride composition. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 193-198; C.A., 125 (1996) 32202h.
- 1953 Low, N.H.: Determination of fruit juice authenticity by capillary gas chromatography with flame ionization detection. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 724-737.

See also 1769, 1771, 1797, 1798, 1818, 1821, 1822, 1823, 1824, 1838, 1842, 1846, 1847, 1876, 1882, 1896, 1900, 1901, 1904, 1908, 1909, 1945, 1976.

34c. Organoleptically important compounds (flavors, odors, volatiles)

- 1954 Adam, S.T. and Heupel, C.: (Test selection for gas chromatographic sniffing analysis). *Geschmacksstoffe Pflanz. Nahrungs- u. Dtsch. Ges. Qualitätsforsch.*, 30 (1995) 203-208; C.A., 124 (1996) 315259z.
- 1955 Bartschat, D. and Mosandl, A.: Stereoisomeric flavor compounds. Part 74.2-Phenylpropanol, 2-phenylpropanal and 2-phenylpropanal dimethyl acetal. Structure elucidation and structure-function relationship. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 266-269; C.A., 125 (1996) 56645f.

- 1956 Fernandez-Garcia, E.: Use of headspace sampling in the quantitative analysis of artisanal Spanish cheese aroma. *J. Agric. Food Chem.*, 44 (1996) 1833-1839.
- 1957 Hisil, Y., Bagdatlioglu, N. and Oties, S.: GC-MS analysis of volatile compounds of Mesir. *NATO ASI Ser., Ser. C*, 475 (1996) 475-482; C.A., 124 (1996) 341175p.
- 1958 Orko, I., Lehtomaki, J., Sandell, E. and Arnold, M.: Analysis of odorous gases with simultaneous GC-MS and sensory determination. *VTT Tied.*, 1710 (1995) 25; C.A., 124 (1996) 297249q.
- 1959 Villen, J., Senorans, F.J., Reglero, G. and Herraiz, M.: Analysis of volatile components by direct injection of real-life samples by using a programmed-temperature vaporizer. *Z. Lebensm.-Unters. Forsch.*, 202 (1996) 270-274; C.A., 125 (1996) 29360c.

See also 1814.

35. ENVIRONMENTAL ANALYSIS

- 35b. *Air pollution (complex mixtures; single compounds by cross-reference only)*

- 1960 Mitra, S., Zhu, N., Zhang, X. and Kebbekus, B.: Continuous monitoring of volatile organic compounds in air emissions using an on-line membrane extraction-microtrap-gas chromatographic system. *J. Chromatogr. A*, 736 (1996) 165-173.
- 1961 Nezu, T.: (Determination of carbon in atmospheric particulate matter by GC-pyrolysis and its application). *Nippon Kankyo Eisei Senta Shoho*, 22 (1995) 29-39; C.A., 124 (1996) 324111x.
- 1962 Oliver, K.D., Adams, J.R., Daughtrey, E.H.Jr., McClenney, W.A., Yoong, M.J. and Pardee, M.A.: Technique for monitoring ozone precursor hydrocarbons in air at photochemical assessment monitoring stations: sorbent preconcentration, closed-cycle cooler cryofocusing, and GC-FID analysis. *Atmos. Environ.*, 30 (1996) 2751-2757; C.A., 124 (1996) 350940m.

See also 1698, 1749, 1752, 1770, 1788, 1794, 1803, 1816, 1817, 1820, 1877, 1991.

- 35c. *Water pollution (complex mixtures; single compounds by cross-reference only)*

- 1963 Eisert, R. and Levsen, K.: Development of a prototype system for quasi-continuous analysis of organic contaminants in surface or sewage water based on in-line coupling solid-phase microextraction to gas chromatography. *J. Chromatogr. A*, 737 (1996) 59-65.
- 1964 Eisert, R., Levsen, K. and Wuensch, G.: (Multi-residue method for the determination of organic trace pollutants in aqueous samples by solid-phase microextraction and gas chromatography). *Vom Wasser*, 86 (1996) 1-17; C.A., 125 (1996) 66914g.
- 1965 Hynning, P.-A.: Separation, identification and quantification of components of industrial effluents with bioconcentration potential. *Water Res.*, 30 (1996) 1103-1108; C.A., 124 (1996) 352068g.

- 1966 Johansen, S.S., Hansen, A.B., Mosbaek, H. and Arvin, E.: Method development for trace analysis of heteroaromatic compounds in contaminated groundwater. *J. Chromatogr. A*, 738 (1996) 295-304.

See also 1751, 1755, 1780, 1781, 1785, 1791, 1801, 1802, 1829, 1834, 1836, 1859, 1867, 1870, 1881, 1884, 1885, 1897, 1898, 1902, 1935, 1970.

- 35d. *Soil pollution (complex mixtures; single compounds by cross-reference only)*

- 1967 Poole, C.F. and Poole, S.K.: Trends in extraction of semivolatile compounds from solids for environmental analysis. *Anal. Commun.*, 33 (1996) 11H-14H - a review with 17 refs.

See also 1748, 1755, 1766, 1767, 1772, 1773, 1786, 1787, 1789, 1793, 1889, 1899, 1907, 1935, 1973.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

- 36b. *Antioxidants and preservatives*

- 1968 Pesakova, J. and Solar, M.: (Determination of BHT (2,6-di-terc.butyl-4-methylphenol) antioxidant in aircraft fuel by GC-MS method.) *Chem. Listy*, 90 (1996) 467-480.

See also 1945.

- 36c. *Complex mixtures, technical products and unidentified compounds*

- 1969 Cappiello, A., Mangani, F., Bruner, F. and Bonfanti, L.: New approach to the characterization of pyrolysis coal products by gas chromatography-mass spectrometry. *J. Chromatogr. A*, 736 (1996) 185-194.

- 1970 Draper, W.M., Dhaliwal, J.S., Perera, S.K. and Baumann, F.J.: Determination of diesel fuel and motor oil in water and wastes by a modified diesel-range organics total petroleum hydrocarbon method. *J. Assoc. Off. Anal. Chem.*, 79 (1996) 508-519.

- 1971 Galletti, G.C., Bocchini, P. and Antonelli, A.: Pyrolysis and thermally assisted hydrolysis-methylation/gas chromatography/mass spectrometry of sound and degraded wine bottle cork. *Rapid Commun. Mass Spectrom.*, 10 (1996) 653-657.

- 1972 Hakkarainen, M., Albertsson, A.-C. and Karlsson, S.: Solid-phase extraction and subsequent gas chromatography-mass spectrometry analysis for identification of complex mixtures of degradation products in starch-based polymers. *J. Chromatogr. A*, 741 (1996) 251-263.

- 1973 Hills, J.W.: Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste. *J. Chromatogr. A*, 738 (1996) 215-224.

- 1974 Huang, X., Chen, M. and Yang, S.: (Gas chromatographic analysis in the process of carbonylation of 1-hexene to produce heptaldehyde). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 291-293.

- 1975 Ishida, Y., Isomura, S., Tsuge, S., Ohtani, H., Sekino, T., Nakanishi, M. and Kimoto, T.: Discriminative analysis of zooplankton individuals by pyrolysis-gas chromatography combined with on-line methylation. *Analyst (Cambridge)*, 121 (1996) 853-856.
- 1976 Lau, O.-W. and Wong, S.-K.: Determination of plasticisers in food by gas chromatography-mass spectrometry with ion-trap mass detection. *J. Chromatogr. A*, 737 (1996) 338-342.
- 1977 Ma, F.-Q., Lu, D.-S. and Guo, Z.-Y.: On-line monitoring of the catalytic conversion of methyl formate to methanol and carbon monoxide by gas chromatography. *J. Chromatogr. A*, 740 (1996) 65-70.
- 1978 Miller, K.G., Poole, C.F. and Pawlowski, T.M.P.: Classification of the botanical origin of cinnamon by solid-phase microextraction and gas chromatography. *Chromatographia*, 42 (1996) 639-646.
- 1979 Pacakova, V., Jelínek, I. and Zoul, J.: Capillary GC and GC/MS analysis of waste plastics combustion products. *Chem. Listy*, 90 (1996) 398-401.
- 1980 Pal, R., Tolvaj, K. and Juhasz, M.: Separation of gas oil samples by coupled packed and open tubular column SFC. *J. Microcolumn Sep.*, 8 (1996) 269-273.
- 1981 Rauh, W., Dietzel, S., Loibl, D. and Engelriederhammer, J.: (Apparatus for determination the quantity of solvent issuing from a printed product). *Ger. Offen.* DE 4,442,240 (Cl. G01N7/16), 30 May 1996, Appl. 4,442,240, 28 Nov. 1994; 7 pp.; C.A., 125 (1996) 25317w.
- 1982 Shu, X., Xu, J., Xu, J., Ge, L. and Chen, D.: Study of spontaneous combustion of coals by GC and GC/MS. *Fresenius J. Anal. Chem.*, 355 (1996) 390-392.
- 1983 Stankovic, M., Vujovic, B. and Filipovic, M.: Capillary gas chromatography of double-base propellants. *Chromatographia*, 42 (1996) 593-594.
- 1984 Wilkens, H. and Schulten, H.-R.: Differentiation of resin-modified paints by pyrolysis-gas chromatography/mass spectrometry and principal component analysis. *Fresenius J. Anal. Chem.*, 355 (1996) 157-163.
- See also 1774, 1790, 1829, 1872.
37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES
- 1985 Kellogg, J.A., Bankert, D.A., Brenneman, T.M., Grove, M.A., Wetzel, S.L. and Young, K.S.: Identification of clinical isolates of non-Enterobacteriaceae gram-negative rods by computer-assisted gas-liquid chromatography. *J. Clin. Microbiol.*, 34 (1996) 1003-1006; C.A., 124 (1996) 311498d.
- 1986 Olson, W.P.: Gas chromatography, substrate utilization, and systems for microbial identification. In: Olson, W.P. (Editor), *Autom. Microb. Identif. Quant.*, Interpharm Press, Buffalo Grove, Ill, 1996, pp. 1-11; C.A., 124 (1996) 311448n.
- 1987 Olson, W.P.: Microbial quantitation by gas chromatography. In: Olson, W.P. (Editor), *Autom. Microb. Identif. Quant.*, Interpharm Press, Buffalo Grove, Ill, 1996, pp. 299-307; C.A., 124 (1996) 311384p.
- 1988 Zhu, X., Tang, X., Liu, J., Xia, S., Chen, H. and Zhang, S.: (Recognition of patterns of insect inclusion body viruses by pyrolysis gas liquid chromatography.) *Fenxi Ceshi Xuebao*, 14 (1995) 37-42; C.A., 124 (1996) 283397z.
38. INORGANIC COMPOUNDS
- 38b. Anions
- 1989 Johnson, A.A. and Burleson, D.G.: Nitrate analysis in biological fluids by gas chromatography-nitrogen-phosphorous detection. *Anal. Biochem.*, 236 (1996) 331-337.
- 1990 Sun, M., Liu, M. and Li, D.: (A method for analysis of nitrite in body fluids by headspace gas chromatography (HSGC)). *Sepu, (Chin. J. Chromatogr.)*, 14 (1996) 319-320.
- 38c. Permanent and rare gases
- See 1977.
- 38d. Volatile inorganic compounds
- 1991 Endecott, B.R., Sanders, D.C. and Chaturvedi, A.K.: Simultaneous gas chromatographic determination of four toxic gases generally present in combustion atmospheres. *J. Anal. Toxicol.*, 20 (1996) 189-194.
- 1992 Kadkhodayan, B., Tuerler, A., Gregorich, K.E., Baisden, P.A., Czerwinski, K.R., Eichler, B., Gaeggeler, H.W., Hamilton, T.M. and Jost, D.T.: Online gas chromatographic studies of chlorides of rutherfordium and homologs Zr and Hf. *Radiochim. Acta*, 72 (1996) 168-178.
- See also 1677, 1867.
39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS
- 1993 Eichler, B.: The behavior of radionuclides in gas adsorption chromatographic processes with superimposed chemical reactions (chlorides). *Radiochim. Acta*, 72 (1996) 19-26; C.A., 125 (1996) 19764y.
- 1994 Ramsey, C.B. and Hedges, R.E.M.: Radiocarbon with gas chromatography. *Radiocarbon*, 37 (1995) 711-716.
- 1995 Teurler, A.: Gas phase chemistry experiments with transactinide elements. *Radiochim. Acta*, 72 (1996) 7-17; C.A., 125 (1996) 24685c - a review with 61 refs.
- See also 1920, 1992.