

AUTHOR INDEX

J. CHROMATOGR. A VOLS. 702–750

A

- Abad, C., see Salom, D. 725(1996)315
Abbas, N.M., see Singh, R.P. 733(1996)73
Abbas, N.M., see Singh, R.P. 733(1996)93
Abdul-Latif, P., see Bonwick, G.A. 707(1995)293
Abdul-Wajid, A., see Gadowski, L. 715(1995)241
Abe, A., see Yamane, M. 730(1996)91
Abe, F., see Wolfender, J.-L. 712(1995)155
Abe, I., Fujimoto, N., Nishiyama, T., Terada, K. and Nakahara, T.
Rapid analysis of amino acid enantiomers by chiral-phase capillary gas chromatography 722(1996)221
Abidi, S.L. and Mounts, T.L.
Reversed-phase high-performance liquid chromatography of molecular species of phospholipid derivatives 741(1996)213
Abjean, J.P., see Gaugain, M. 737(1996)343
Aboul-Enein, H.Y., see Swartz, M.E. 724(1996)307
Abraham, M.H., Poole, C.F. and Poole, S.K.
Solute effects on reversed-phase thin-layer chromatography.
A linear free energy relationship analysis 749(1996)201
Abram, V., see Kukman, I.L. 704(1995)113
Abrams, J., see Yim, K. 716(1995)401
Abramson, F.P., see McLean, M. 732(1996)189
Abriago, C., see Gennaro, M.C. 718(1995)81
Abufaf, P.A., see Goodlett, D.R. 707(1995)233
Abushamaa, A., Naim, A. and Giese, R.W.
Satellite high-performance liquid chromatography for trace sample cleanup (Letter to the Editor) 742(1996)295
Abushamaa, A., see Saha, M. 712(1995)345
Acar, J., see Gökmen, V. 730(1996)53
Achilli, G., Cellino, G.P., Melzi d'Eril, G.V. and Tagliaro, F.
Determination of illicit drugs and related substances by high-performance liquid chromatography with an electrochemical coulometric-array detector 729(1996)273
Achilli, M., Romele, L., Martinotti, W. and Sommariva, G.
Ion chromatographic determination of major ions in fog samples 706(1995)241
Acosta, M., see Herrera, J.C. 740(1996)201
Aczel, P., see Janoš, P. 749(1996)115
Adachi, S., Mizuno, T. and Matsuno, R.
Concentration dependence of the distribution coefficient of maltooligosaccharides on a cation-exchange resin 708(1995)177
Adachi, T., Nemoto, M. and Ito, Y.
Method of increasing the sensitivity of liquid chromatography-atmospheric pressure chemical ionization mass spectrometry using a semi-micro column 715(1995)13
Adams, E., Schepers, R., Roets, E. and Hoogmartens, J.
Determination of neomycin sulfate by liquid chromatography with pulsed electrochemical detection 741(1996)233
Adams, F.C., see Jiang, G.B. 727(1996)119
Adermann, K., see Schepky, A.G. 743(1996)273
Adkins, K.L., see Landzettel, W.J. 718(1995)45
Adlikofer, F., see Riedel, K. 719(1996)383
Adlof, R.O.
Analysis of fatty acid mono- and diacylglycerol positional isomers by silver ion high-performance liquid chromatography 741(1996)135
Adolph, H.W., see Hubatsch, I. 711(1995)105
Afeyan, N., see McCoy, M. 743(1996)221
Aftalaye, A., Anguel, S., Sternberg, R., Raulin, F. and Vidal-Madjar, C.
Gas chromatography of Titan's atmosphere. VII. Analysis of low molecular weight hydrocarbons and nitriles with cyanopropylphenyl dimethyl polysiloxane capillary columns 746(1996)63
Aftalaye, A., Sternberg, R., Raulin, F. and Vidal-Madjar, C.
Gas chromatography of Titan's atmosphere. VI. Analysis of low-molecular-mass hydrocarbons and nitriles with BPX5 capillary columns 708(1995)283
Agerbirk, N., Bjergegaard, C., Olsen, C.E. and Sørensen, H.
Kinetic investigation of the transformations of indol-3-ylcarbinol into oligomeric indolyl compounds based on micellar electrokinetic capillary chromatography 745(1996)239
Aggarwal, S.K., see Batta, A.K. 704(1995)228

- Aggazzotti, G., Fantuzzi, G., Righi, E. and Predieri, G.
Environmental and biological monitoring of chloroform in indoor swimming pools 710(1995)181
- Agüera, A., see Fernandez-Alba, A.R. 721(1996)97
- Aguilar, M., see Farran, A. 737(1996)109
- Aguilar, M., see Martí, V. 709(1995)367
- Aguilar, M.-I., see Fang, F. 729(1996)49
- Aguilar, M.-I., see Fang, F. 729(1996)67
- Aguilar, M.I., see Purcell, A.W. 711(1995)61
- Aguilar, M.I., see Purcell, A.W. 711(1995)71
- Aguilar, M.-I., see Xie, J. 711(1995)43
- Ahan, Y.-K., see Woo, K.-L. 740(1996)41
- Ahmad, U.K., see Sanagi, M.M. 722(1996)59
- Ahmadzadeh, H., see Figeys, D. 744(1996)325
- Akao, S.O.
Characterization of micropacked alkyl-bonded silica columns for gas chromatographic analyses of light hydrocarbons in planetary atmospheres 709(1995)291
- Akasaka, K., Ohrui, H., Meguro, H. and Yasumoto, T.
Fluorimetric determination of diarrhetic shellfish toxins in scallops and mussels by high-performance liquid chromatography 729(1995)381
- Akimoto, K., Kawai, A. and Ohya, K.
Simultaneous determination of a camptothecin derivative, used as an anticancer drug, and its photodegradation products by high-performance liquid chromatography 734(1996)401
- Akiyama, S., see Nakashima, K. 722(1996)107
- Albanesi, C., see Castelnovo, P. 715(1995)143
- Albanesi, C., see Castelnovo, P. 741(1996)123
- Albanis, T.A. and Hela, D.G.
Multi-residue pesticide analysis in environmental water samples using solid-phase extraction discs and gas chromatography with flame thermionic and mass-selective detection 707(1995)283
- Albert, K.
On-line use of NMR detection in separation chemistry (Review) 703(1995)123
- Albert, K., see Bayer, E. 704(1995)37
- Albert, K., see Brindle, R. 731(1996)41
- Albert, K., Schlotterbeck, G., Tseng, L.-H. and Braumann, U.
Application of on-line capillary high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling for the analysis of vitamin A derivatives 750(1996)303
- Albertsson, A.-C., see Hakkarainen, M. 741(1996)251
- Aldrich-Wright, J.R., Greguric, I., Vagg, R.S., Vickery, K. and Williams, P.A.
Development of DNA-immobilised chromatographic stationary phases for optical resolution and DNA-affinity comparison of metal complexes 718(1995)436
- Alegría, A., Barberá, R., Farré, R., Ferrerés, M., Lagarda, M.J. and López, J.C.
Isocratic high-performance liquid chromatographic determination of tryptophan in infant formulas 721(1996)83
- Allen, L.B., see Koropchak, J.A. 736(1996)11
- Allenmark, S., see Andersson, S. 741(1996)23
- Alli, I., see Gibbs, B.F. 725(1996)372
- Al-Mudamgha, A.A., see Nitowski, A.J. 717(1995)363
- Al-Shawi, A.W. and Dahl, R.
Determination of thorium and uranium in nitrophosphate fertilizer solution by ion chromatography 706(1995)175
- Altria, K.D.
Determination of drug-related impurities by capillary electrophoresis 735(1996)43
- Alvarez, R., see Domínguez, A. 719(1996)181
- Amadò, R., see Klockow, A. 716(1995)241
- Amari, J.V. and Mazsaroff, I.
Analysis of recombinant human interleukin-11 fusion protein derived from *Escherichia coli* lysate by combined size-exclusion and reversed-phase liquid chromatography 729(1996)113
- Amat, G., see Dulsat, J.F. 742(1996)275
- Amat, J., see Casals, I. 750(1996)397
- Amijee, M., Cheung, J. and Wells, R.J.
Direct on-column derivatisation in gas chromatography. II. Comparison of various on-column methylation reagents and the development of a new selective methylation reagent 738(1996)43
- Amijee, M., Cheung, J. and Wells, R.J.
Direct on-column derivatisation in gas chromatography. III. On-column benzylation reagents and the development of 3,5-bis(trifluoromethyl)benzyl-dimethylphenylammonium fluoride, an efficient new on-column derivatisation reagent 738(1996)57
- Amini, A., Beijersten, I., Pettersson, C. and Westerlund, D.
Enantiomeric separation of local anaesthetic drugs by micellar electrokinetic capillary chromatography with taurodeoxycholate as chiral selector 737(1996)301
- Ammann, A.A. and Rütimann, T.B.
Simultaneous determination of small organic and inorganic anions in environmental water samples by ion-exchange chromatography 706(1995)259
- Amrhein, C., see Duff, M.C. 743(1996)335
- Anderson, H.A., see Sun, C. 731(1996)161
- Anderson, Jr., J.M., see Saari-Nordhaus, R. 706(1995)563
- Andersson, B., see Kussak, A. 708(1995)55
- Andersson, E., see Buscher, B.A.P. 712(1995)235
- Andersson, E.M., see Buscher, B.A.P. 718(1995)413
- Andersson, K., see Kussak, A. 708(1995)55
- Andersson, L., see Hansen, P. 723(1996)51
- Andersson, P.E., see Engström, A. 715(1995)151
- Andersson, P.E., see Wan, H. 704(1995)179
- Andersson, S., Allenmark, S., Möller, P., Persson, B. and Sanchez, D.
Chromatographic separation of enantiomers on N,N'-diallyl-L-tartardiamide-based network-polymeric chiral stationary phases 741(1996)23
- Andersson, T., see Hagel, L. 743(1996)33
- Andre, M., Domanig, R., Riemer, E., Moser, H. and Groepelin, A.
Identification of the thermal degradation products of L-triiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287
- Andrén, P., see Nyberg, G. 723(1996)43
- Andrén, P.E., see Eriksson, U. 743(1996)213
- Andrén, P.E., see Sanderson, K. 743(1996)207
- Andreozzi, R., see Moldovan, Z. 723(1996)243

- Andrews, S.A., see Peldszus, S. 723(1996)27
- Andrisano, V., see Di Pietra, A.M. 729(1996)355
- Andueza, E., see Ledo de Medina, H. 739(1996)207
- Anegayama, M., see Moriyama, H. 729(1996)81
- Anesi, A., see Rizzo, V. 729(1996)181
- Angerosa, F., d'Alessandro, N., Corana, F. and Mellerio, G. Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography–chemical ionization mass spectrometry 736(1996)195
- Anguel, S., see Aflalaye, A. 746(1996)63
- Anigbogu, V.C., Copper, C.L. and Sepaniak, M.J. Separation of stereoisomers of aminoglutethimide using three capillary electrophoretic techniques 705(1995)343
- Annable, P.L. Determination of alkyl sulfonic acids in pharmaceuticals by ion chromatography 724(1996)199
- Ansgore, S., see Hoffmann, T. 716(1995)355
- Anspach, F.B., see Beeskow, T.C. 715(1995)49
- Anspach, F.B. and Hilbeck, O. Removal of endotoxins by affinity sorbents 711(1995)81
- Anspach, F.B., Spille, H. and Rinas, U. Purification of recombinant human basic fibroblast growth factor: stability of selective sorbents under cleaning in place conditions 711(1995)129
- Anticó, E., Masana, A., Salvadó, V., Hidalgo, M. and Valiente, M. Separation of Pd(II) and Cu(II) in chloride solutions on a glycol methacrylate gel derivatized with 8-hydroxyquinoline 706(1995)159
- Antón-Fos, G.M., see De Julián-Ortiz, J.V. 719(1996)37
- Antón-Fos, G.M., see García-March, F.J. 719(1996)45
- Antonozzi, I., see Carducci, C. 729(1996)173
- Andre, M., Domanig, R., Riemer, E., Moser, H. and Groepelin, A. Erratum to 'Identification of the thermal degradation products of L-triiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection' [J. Chromatogr. A. 725 (1996) 287] 741(1996)146
- Aoki, F., see Ōi, N. 707(1995)380
- Apffel, A., Chakel, J., Udiavar, S., Hancock, W.S., Souders, C. and Pungor Jr, E. Application of capillary electrophoresis, high-performance liquid chromatography, on-line electrospray mass spectrometry and matrix-assisted laser desorption ionization–time of flight mass spectrometry to the characterization of single-chain plasminogen activator 717(1995)41
- Apffel, A., Chakel, J.A., Hancock, W.S., Souders, C., M'Timkulu, T. and Pungor Jr, E. Application of high-performance liquid chromatography–electrospray ionization mass spectrometry and matrix-assisted laser-desorption ionization time-of-flight mass spectrometry in combination with selective enzymatic modifications in the characterization of glycosylation patterns in single-chain plasminogen activator 732(1996)27
- Apffel, A., Chakel, J.A., Hancock, W.S., Souders, C., M'Timkulu, T. and Pungor, Jr., E. Application of multidimensional affinity high-performance liquid chromatography and electrospray ionization liquid chromatography–mass spectrometry to the characterization of glycosylation in single-chain plasminogen activator. Initial results 750(1996)35
- Apffel, A., Fischer, S., Goldberg, G., Goodley, P.C. and Kuhlmann, F.E. Enhanced sensitivity for peptide mapping with electrospray liquid chromatography–mass spectrometry in the presence of signal suppression due to trifluoroacetic acid-containing mobile phases 712(1995)177
- Appelblad, P. see Hyttiäinen, M. 740(1996)279
- Appleby, J.R.G., see Law, B. 725(1996)335
- Arafa, H.M.M., Hamada, F.M.A., Elmazar, M.M.A. and Nau, H. Fully automated determination of selective retinoic acid receptor ligands in mouse plasma and tissue by reversed-phase liquid chromatography coupled on-line with solid-phase extraction 729(1996)125
- Arai, T., Nimura, N. and Kinoshita, T. Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303
- Arakawa, H., Nakashiro, S., Maeda, M. and Tsuji, A. Analysis of single-strand DNA conformation polymorphism by capillary electrophoresis 722(1996)359
- Araki, T., see Harino, H. 715(1995)135
- Araki, T., see Hosoya, K. 711(1995)247
- Araki, T., see Hosoya, K. 728(1996)139
- Araki, T., see Tanaka, N. 716(1995)57
- Aramendia, M.A., García, I., Lafont, F. and Marinas, J.M. Determination of isoflavones using capillary electrophoresis in combination with electrospray mass spectrometry 707(1995)327
- Arcelloni, C., Basile, M., Vaiani, R., Bonini, P. and Paroni, R. Determination of ceftazidime concentration in Mueller Hinton agar by high-performance liquid chromatography 742(1996)121
- Arenaza, M.J., Berrueta, L.A., Gallo, B., Vicente, F., Escobal, A. and Iriondo, C. Separation and structural elucidation of the hydrolysis compounds of loprazolam 721(1996)123
- Armitage, R., see Bonwick, G.A. 707(1995)293
- Armstrong, B.L., see Oyler, A.R. 724(1996)378
- Armstrong, D.W., see Berthod, A. 731(1996)123
- Armstrong, D.W., see Rundlett, K.L. 721(1996)173
- Armstrong, D.W., see Tang, Y. 743(1996)261
- Arnold, F.H., see Johnson, R.D. 725(1996)225
- Arnold, F.H., see Plunkett, S.D. 708(1995)19
- Arnold, M., see Höner, A. 710(1995)129
- Arpino, P.J., see Eveleigh, L.J. 725(1996)343
- Arpino, P.J. and Haas, P. Recent developments in supercritical fluid chromatography–mass spectrometry coupling (Review) 703(1995)479
- Arriaga, E., see Figeys, D. 744(1996)325
- Arriaga, E., see Zhang, Y. 716(1995)221
- Arvidsson, P., see Galaev, I.Yu. 710(1995)259
- Arvin, E., see Johansen, S.S. 738(1996)295
- Ary, K., see Róna, K. 730(1996)125

- Asai, M., see Okamura, N. 746(1996)225
 Ascalone, V., see Malavasi, B. 729(1995)323
 Asenjo, J.A., see Mistry, S.L. 741(1996)151
 Ashcroft, A.E., see Scullion, S.D. 733(1996)207
 Ashman, K., see Lee, R.P. 737(1996)273
 Ashton, D., Ray, A. and Valkó, K.
 Effect of the eluent pH on the thermospray molecular ion intensity of nucleosides 734(1996)271
 Ashton, D.S., Beddell, C., Ray, A.D. and Valkó, K.
 Quantitative structure-retention relationships of acyclovir esters using immobilised albumin high-performance liquid chromatography and reversed-phase high-performance liquid chromatography 707(1995)367
 Asp, T.N., Pedersen-Bjergaard, S. and Greibrokk, T.
 Calculation of elemental ratios by on-column radiofrequency plasma atomic emission detection coupled with capillary gas chromatography 736(1996)157
 Aspin, I.P., Hamerton, I., Howlin, B.J., Jones, J.R., Parker, M.J., Russell, J.C. and Vick, T.A.
 Development and application of radio-size-exclusion chromatography 727(1996)61
 Astafieva, I.V., Eberlein, G.A. and Wang, Y.J.
 Absolute on-line molecular mass analysis of basic fibroblast growth factor and its multimers by reversed-phase liquid chromatography with multi-angle laser light scattering detection 740(1996)215
 Astruc, A., see Carlier-Pinasseau, C. 750(1996)317
 Astruc, M., see Carlier-Pinasseau, C. 750(1996)317
 Astruc, M., see Gilon, N. 750(1996)327
 Asztemborska, M., see Sybilksa, D. 715(1995)309
 Athalye, A.M., see Lightfoot, E.N. 707(1995)45
 Athawale, V.D., see Bhabhe, M.D. 718(1995)299
 Atienza, J., Jiménez, J.J., Herguedas, A. and Bernal, J.L.
 Comparative study of three extraction procedures for imazamethabenz-methyl in agricultural soil 721(1996)113
 Atkinson, J., see Giummelly, P. 710(1995)357
 Atwood, S.E. and Wallwey, D.D.
 Ion chromatographic cation analysis of effluent waters from scale dissolver treatments 739(1996)265
 Aue, W.A., see Gebhardt, J.A. 721(1996)365
 Aue, W.A., see Lin, Z.-P. 727(1996)101
 Aue, W.A., see Lin, Z.-P. 742(1996)143
 Aue, W.A., see Singh, H. 724(1996)251
 Aue, W.A., see Singh, H. 724(1996)255
 Aue, W.A., see Singh, H. 734(1996)405
 Aue, W.A., see Singh, H. 737(1996)223
 Aue, W.A., see Singh, H. 746(1996)43
 Aue, W.A., Singh, H. and Millier, B.
 Phase-shift-free subtraction chromatograms from a dual-channel detector 719(1996)468
 Auger, J., see Ferary, S. 750(1996)63
 Aumatell, A. and Guttman, A.
 Ultra-fast chiral separation of basic drugs by capillary electrophoresis 717(1995)229
 Austermann, S., see Schepky, A.G. 743(1996)273
 Austria, R., see Semenzato, A. 705(1995)385
 Avanzi, N., see Breton, J. 709(1995)135
 Avdalovic, N., see Harrold, M. 717(1995)371
 Ayet, G., see Muzquiz, M. 719(1996)237
 Azarkan, M., Maes, D., Bouckaert, J., Thi, M.-H.D., Wyns, L. and Looze, Y.
 Thiol pegylation facilitates purification of chymopapain leading to diffraction studies at 1.4 Å resolution 749(1996)69
 Azarkan, M., Wintjens, R.T., Smolders, N., Nijs, M. and Looze, Y.
 S-Pegylthiopapain, a versatile intermediate for the preparation of the fully active form of the cysteine proteinase archetype 724(1996)185
 Azuero, S., see Salas-Auvert, R. 706(1995)183
- # B
- Bacaud, R. and Rouleau, L.
 Coupled simulated distillation-mass spectrometry for the evaluation of hydroconverted petroleum residues 750(1996)97
 Bächmann, K., see Boden, J. 716(1995)311
 Bächmann, K., see Boden, J. 734(1996)319
 Bächmann, K., see Feige, K. 730(1996)333
 Bächmann, K., see Haumann, I. 717(1995)385
 Bächmann, K., see Tenberken, B. 745(1996)209
 Backes, H., see Ettner, N. 742(1996)95
 Bader, F., see Comes, P. 723(1996)293
 Badger, S.E., see Levison, P.R. 702(1995)59
 Badger, S.E., see Levison, P.R. 734(1996)137
 Bagwill, C., see Berthod, A. 731(1996)123
 Bailey, J.M.
 Chemical methods of protein sequence analysis (Review) 705(1995)47
 Bailey, R., see Gowenlock, D. 726(1996)1
 Baiocchi, C., Marengo, E., Roggero, M.A., Giacosa, D., Giorelli, A. and Toccori, S.
 Chromatographic and chemometric investigation of the chemical defence mechanism of poplar tree genotypes against a bark fungine parasite 715(1995)95
 Baird, M., see Sun, C. 731(1996)161
 Bald, E., see Sypniewski, S. 729(1996)335
 Baldi, A., Rosen, R.T., Fukuda, E.K. and Ho, C.-T.
 Identification of nonvolatile components in lemon peel by high-performance liquid chromatography with confirmation by mass spectrometry and diode-array detection 718(1995)89
 Baldini, A., see Emaldi, P. 711(1995)339
 Balinova, A.
 Ion-pairing mechanism in the solid-phase extraction and reversed-phase high-performance liquid chromatographic determination of acidic herbicides in water 728(1996)319
 Ballantine, D.S., see Tian, W. 718(1995)357

- Ballesteros, E., Gallego, M. and Valcárcel, M.
Gas chromatographic determination of cholesterol and tocopherols in edible oils and fats with automatic removal of interfering triglycerides 719(1996)221
- Ballou, N.E., see Quang, C. 732(1996)377
- Balogh, M.P.
Adaptation of high-performance liquid chromatographic methods to multiple spectral analyses 728(1996)351
- Baluyot, E.S. and Hartford, C.G.
Comparison of polyphosphate analysis by ion chromatography and by modified end-group titration 739(1996)217
- Bangalore, P., see Keller, R.K. 737(1996)325
- Banks, Jr, J.F.
Optimization of conditions for the analysis of a peptide mixture and a tryptic digest of cytochrome c by capillary electrophoresis-electrospray-ionization mass spectrometry with an improved liquid-sheath probe 712(1995)245
- Banks, Jr, J.F.
High-sensitivity peptide mapping using packed-capillary liquid chromatography and electrospray ionization mass spectrometry 743(1996)99
- Bannikova, G.E., see Varlamov, V.P. 711(1995)113
- Banno, K., see Yamanaka, K. 726(1996)237
- Bao, L., see Harrold, M. 717(1995)371
- Baraj, B., Sastre, A., Merkoci, A. and Martínez, M.
Determination of chloride complex of Au(III) by capillary zone electrophoresis with direct UV detection 718(1995)227
- Barak, P., see Lucena, J.J. 727(1996)253
- Baraldini, M., see Gioacchini, A.M. 730(1996)31
- Baram, G.I.
Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387
- Baranowska, I., Baranowski, J., Norska-Borówka, I. and Pieszko, C.
Separation and identification of metals in human bones, placenta and milk and in air by adsorption and ion-exchange thin-layer chromatography 725(1996)199
- Baranowski, J., see Baranowska, I. 725(1996)199
- Barbaro, A.M., see Biagi, G.L. 723(1996)135
- Barberá, R., see Alegría, A. 721(1996)83
- Barbosa, J., Bergés, R. and Sanz-Nebot, V.
Solvatochromic parameter values and pH in aqueous-organic mixtures used in liquid chromatography. Prediction of retention of a series of quinolones 719(1996)27
- Barbosa, J., Sanz-Nebot, V. and Toro, I.
Solvatochromic parameter values and pH in acetonitrile-water mixtures. Optimization of mobile phase for the separation of peptides by high-performance liquid chromatography 725(1996)249
- Barceló, D., see Ferrer, I. 737(1996)93
- Barceló, D., see Hennion, M.-C. 737(1996)1
- Barceló, D., see Honing, M. 712(1995)21
- Barceló, D., see Honing, M. 733(1996)283
- Barceló, D., see Lacorte, S. 712(1995)103
- Barceló, D., see Lacorte, S. 725(1996)85
- Barceló, D., see Molina, C. 712(1995)113
- Barceló, D., see Molina, C. 737(1996)47
- Barceló, D., see Önnérjord, P. 737(1996)35
- Barceló, D., see Puig, D. 733(1996)371
- Barceló, D., see Tauler, R. 730(1996)177
- Barciszewski, J., see Mucha, P. 734(1996)410
- Barcza, L., see Szökő, É. 745(1996)181
- Barker, G.E., see Zhang, X. 745(1996)1
- Barman, B.N.
Determination of elemental sulfur by size-exclusion chromatography. Optimization and petrochemical applications 740(1996)237
- Barnabas, I.J., Dean, J.R., Fowlis, I.A. and Owen, S.P.
Automated determination of s-triazine herbicides using solid-phase microextraction 705(1995)305
- Barnabas, I.J., see Dean, J.R. 733(1996)295
- Barnard, C.F.J., see Poon, G.K. 712(1995)61
- Barnes, K.A., Damant, A.P., Startin, J.R. and Castle, L.
Qualitative liquid chromatographic-atmospheric-pressure chemical-ionisation mass spectrometric analysis of polyethylene terephthalate oligomers 712(1995)191
- Barnes, K.A., see Lewis, D.J. 750(1996)391
- Barnes, K.A., Startin, J.R., Thorpe, S.A., Reynolds, S.L. and Fussell, R.J.
Determination of the pesticide diflubenzuron in mushrooms by high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 712(1995)85
- Barrefors, G. and Petersson, G.
Assessment by gas chromatography and gas chromatography-mass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71
- Barrio, M.E., Lliberia, J.L., Comellas, L. and Broto-Puig, F.
Pyrolysis-gas chromatography applied to the study of organic matter evolution in sewage sludge-amended soils using nitrogen-phosphorus, flame ionization and mass spectrometric detection 719(1996)131
- Barron, D., see Lübke, M. 729(1996)371
- Barroso, C.G., see Chillida, C. 750(1996)209
- Barroso, C.G., see Guillén, D.A. 724(1996)117
- Barroso, C.G., see Guillén, D.A. 730(1996)39
- Barroso, C.G., Rodríguez, M.C., Guillén, D.A. and Pérez-Bustamante, J.A.
Analysis of low molecular mass phenolic compounds, furfural and 5-hydroxymethylfurfural in *Brandy de Jerez* by high-performance liquid chromatography-diode array detection with direct injection 724(1996)125
- Barry, J.P., Muth, J., Law, S.-J., Karger, B.L. and Vouros, P.
Analysis of modified oligonucleotides by capillary electrophoresis in a polyvinylpyrrolidone matrix coupled with electrospray mass spectrometry 732(1996)159
- Bartholmes, P., see Heesche-Wagner, K. 711(1995)175
- Bartle, K.D., see Burford, M.D. 738(1996)241
- Bartle, K.D., see Tong, D. 703(1995)17
- Bartolomé, B., Hernández, T., Bengoechea, M.L., Quesada, C., Gómez-Cordovés, C. and Estrella, I.
Determination of some structural features of procyanidins and related compounds by photodiode-array detection 723(1996)19
- Baru, M.B., see Danilov, A.V. 732(1996)17
- Basak, S.K., Velayudhan, A., Kohlmann, K. and Ladisch, M.R.
Electrochromatographic separation of proteins 707(1995)69
- Basile, M., see Arcelloni, C. 742(1996)121

- Baskaran, S., Lauren, D.R. and Holland, P.T.
High-performance liquid chromatographic determination of flumetsulam, a newly developed sulfonamide herbicide in soil 746(1996)25
- Bass, L., see Fan, T.Y. 740(1996)289
- Bateman, K.P., Thibault, P., Douglas, D.J. and White, R.L.
Mass spectral analyses of microcystins from toxic cyanobacteria using on-line chromatographic and electrophoretic separations 712(1995)253
- Batistoni, D.A., see Gautier, E.A. 706(1995)115
- Batjoens, P., Courteyn, D., De Brabander, H.F., Vercammen, J., De Wasch, K. and Logghe, M.
Gas chromatographic-tandem mass spectrometric analysis of clenbuterol residues in faeces 750(1996)133
- Batta, A.K., Aggarwal, S.K., Tint, G.S., Batta, M. and Salen, G.
Capillary gas-liquid chromatography of 6-hydroxylated bile acids 704(1995)228
- Batta, M., see Batta, A.K. 704(1995)228
- Batjoens, P., see De Brabander, H.F. 750(1996)105
- Baudrand, V., Moulongui, Z. and Gaset, A.
Separation and quantification of tetraethylene glycol monoheptanoate and diheptanoate by high-performance liquid chromatography 704(1995)524
- Baudry, A., see Sainthorant, C. 717(1995)167
- Baugh, P.J., see Bonwick, G.A. 707(1995)293
- Baum, O., see Löster, K. 711(1995)187
- Baumann, G., see Földes-Papp, Z. 739(1996)431
- Baumann, R.A., see Van der Hoff, G.R. 719(1996)59
- Baumeister, E., see Bayer, E. 704(1995)37
- Baumy, Ph., Morin, Ph., Dreux, M., Viaud, M.C., Boye, S. and Guillaumet, G.
Determination of β -cyclodextrin inclusion complex constants for 3,4-dihydro-2-H-1-benzopyran enantiomers by capillary electrophoresis 707(1995)311
- Bauza, T., Blaise, A., Daumas, F. and Cabanis, J.C.
Determination of biogenic amines and their precursor amino acids in wines of the Vallée du Rhône by high-performance liquid chromatography with precolumn derivatization and fluorimetric detection 707(1995)373
- Bayer, E., Baumeister, E., Tallarek, U., Albert, K. and Guiochon, G.
NMR imaging of the chromatographic process. Deposition and removal of gadolinium ions on a reversed-phase liquid chromatographic column 704(1995)37
- Bayer, E., see Behnke, B. 716(1995)207
- Bayer, E., see Gaus, H.-J. 735(1996)221
- Bayer, E., see Schmeer, K. 727(1996)139
- Bayle, J.P., see Perez, F. 746(1996)247
- Bayol, A., see Dupin, P. 707(1995)396
- Bayona, J.M., see Fernández, I. 719(1996)77
- Bazylak, G., Rosiak, A. and Shi, C.-Y.
Systematic analysis of glucoiridoids from *Penstemon serrulatus* Menz. by high-performance liquid chromatography with pre-column solid-phase extraction 725(1996)177
- Beccaloni, E., see Musmeci, L. 706(1995)321
- Bechet, I., see Fillet, M. 717(1995)203
- Beck, H., see Muth, P. 729(1995)259
- Beck, W., see Steiner, F. 738(1996)111
- Becker, G.W., see Nguyen, D.N. 705(1995)21
- Becker, H.-D., see Landzettel, W.J. 718(1995)45
- Beckers, J.L.
Calculation of the composition of sample zones in capillary zone electrophoresis. III. Weak bases and the application of background electrolytes with two co-ions 741(1996)265
- Beckers, J.L., see Van der Schans, M.J. 717(1995)139
- Beckett, R., see van Berkel, J. 733(1996)105
- Beckham, C.J., see Cooper, R.A. 732(1996)43
- Beddell, C., see Ashton, D.S. 707(1995)367
- Bede, Á., Rippel, G., Szepesy, L. and Claessens, H.A.
Characterization of wide-pore reversed-phase columns for biopolymer separations. I. Single-parametric evaluation 728(1996)179
- Bedia Erim, F., Cifuentes, A., Poppe, H. and Kraak, J.C.
Performance of a physically adsorbed high-molecular-mass polyethylenimine layer as coating for the separation of basic proteins and peptides by capillary electrophoresis 708(1995)356
- Beecher, G.R., see Bronner, W.E. 705(1995)247
- Beeskow, T.C., Kusharyoto, W., Anspach, F.B., Kroner, K.H. and Deckwer, W.-D.
Surface modification of microporous polyamide membranes with hydroxyethyl cellulose and their application as affinity membranes 715(1995)49
- Begerow, J., Jermann, E., Keles, T., Koch, T. and Dunemann, L.
Screening method for the determination of 28 volatile organic compounds in indoor and outdoor air at environmental concentrations using dual-column capillary gas chromatography with tandem electron-capture-flame ionization detection 749(1996)181
- Behnke, B., see Gaus, H.-J. 735(1996)221
- Behnke, B., Grom, E. and Bayer, E.
Evaluation of the parameters determining the performance of electrochromatography in packed capillary columns 716(1995)207
- Beigi, F., Yang, Q. and Lundahl, P.
Immobilized-liposome chromatographic analysis of drug partitioning into lipid bilayers 704(1995)315
- Beijersten, I., see Amini, A. 737(1996)301
- Beijersten, I. and Westerlund, D.
Derivatization of dipeptides with 4-fluoro-7-nitro-2,1,3-benzoxadiazole for laser-induced fluorescence and separation by micellar electrokinetic chromatography 716(1995)389
- Beketov, V.I., Parchinskii, V.Z. and Zorov, N.B.
Effects of high-frequency electromagnetic treatment on the solid-phase extraction of aqueous benzene, naphthalene and phenol 731(1996)65
- Bel, Y., see Porcar, M. 724(1996)193
- Belenguer, A., see Bryant, D.K. 712(1996)41
- Belenguer, A.M., see Grieb, S.J. 728(1996)195
- Belizaire, M., see Tharakkan, J. 702(1995)191
- Bellantoni, A., see Rizzo, V. 729(1996)181
- Bellec, G., Cauvin, J.M., Salaun, M.C., Le Calvé, K., Dréano, Y., Gouérou, H., Ménez, J.F. and Berthou, F.
Analysis of N-nitrosamines by high-performance liquid chromatography with post-column photohydrolysis and colorimetric detection 727(1996)83
- Bellini, M.S., see Bosco, R.L. 709(1995)11
- Bellioni, A., see Di Corcia, A. 733(1996)383

- Bello, M.S.
Electrolytic modification of a buffer during a capillary electrophoresis run 744(1996)81
- Bellomonte, G., see Carratù, B. 708(1995)203
- Below, E., see Thede, R. 728(1996)401
- Bemgård, A., Colmsjö, A. and Melin, J.
Assessing breakthrough times for denuder samplers with emphasis on volatile organic compounds 723(1996)301
- Benčina, M., see Friedrich, J. 704(1995)363
- Benech, A., see Frigerio, E. 729(1996)237
- Benet, L.Z., see Haj-Yehia, A.I. 724(1996)107
- Benfenati, E., see Fattore, E. 737(1996)85
- Benfenati, E., see Molina, C. 737(1996)47
- Bengoechea, M.L., see Bartolomé, B. 723(1996)19
- Benkő, M.H., see Gluck, S.J. 744(1996)141
- Benkő, M.H., see Gluck, S.J. 745(1996)117
- Benmoussa, A., Delaurent, C., Lacout, J.-L., Loiseau, P.R. and Mikou, M.
Determination of cholecalciferol and related substances by calcium phosphate hydroxyapatite and calcium phosphate fluoroapatite high-performance liquid chromatography 731(1996)153
- Bennett, N., see Garza, H. 732(1996)385
- Benson, L.M., see Naylor, S. 735(1996)415
- Benson, L.M., see Tomlinson, A.J. 744(1996)3
- Benzo, M., see Castello, G. 710(1995)61
- Berdagüe, P., see Perez, F. 746(1996)247
- Berenguer, M.J., see Guardino, X. 719(1996)141
- Berens, C., see Ettrup, N. 742(1996)95
- Bergamini, M., see Filek, G. 712(1995)355
- Bergenthal, D., see Chankvetadze, B. 717(1995)245
- Bergenthal, D., see Chankvetadze, B. 732(1996)143
- Bergenthal, D., see Endresz, G. 732(1996)133
- Berger, R.G., Hoffmann, R., Zeppezauer, M., Wagner-Redeker, W., Maljers, L., Ingendoh, A. and Hillenkamp, F.
Separation and characterisation of bovine histone H1 subtypes by combined ion-exchange and reversed-phase chromatography and mass spectrometry 711(1995)159
- Bergés, R., see Barbosa, J. 719(1996)27
- Berggren, K., Johansson, H.-O. and Tjerneld, F.
Effects of salts and the surface hydrophobicity of proteins on partitioning in aqueous two-phase systems containing thermoseparating ethylene oxide-propylene oxide copolymers 718(1995)67
- Bergmann, J., Jaehde, U., Mazereeuw, M., Tjaden, U.R. and Schunack, W.
Potential of on-line isotachophoresis-capillary zone electrophoresis with hydrodynamic counterflow in the analysis of various basic proteins and recombinant human interleukin-3 734(1996)381
- Bergqvist, M.H.J.
Chromatographic resolution of partially perdeuterated diglucosyldiacylglycerols from *Acholeplasma laidlawii* 736(1996)83
- Berka, J., see Muth, J. 744(1996)303
- Bernal, C., see Pidgeon, C. 721(1996)213
- Bernal, C. and Pidgeon, C.
Affinity purification of phospholipase A₂ on immobilized artificial membranes containing and lacking the glycerol backbone 731(1996)139
- Bernal, J.L., see Atienza, J. 721(1996)113
- Bernal, J.L., see Del Nozal, M.J. 727(1996)231
- Berrueta, L.A., see Arenaza, M.J. 721(1996)123
- Berthelot, P., see Vaccher, C. 715(1995)361
- Berthelot, P., see Vaccher, C. 732(1996)239
- Berthod, A., Liu, Y., Bagwill, C. and Armstrong, D.W.
Facile liquid chromatographic enantioresolution of native amino acids and peptides using a teicoplanin chiral stationary phase 731(1996)123
- Berthou, F., see Bellec, G. 727(1996)83
- Berton, A., see Pace, G. 706(1995)345
- Bertrand, M.J., see Carrier, A. 705(1995)205
- Bertrand, M.J., see Visentini, J. 712(1995)31
- Bertrand, O., see Cochet, S. 725(1996)237
- Berwald, L.G., see Dorresteijn, R.C. 724(1996)159
- Betowski, L.D., see Thomas, D.H. 724(1996)207
- Betschinger, F., Libman, J. and Shanzer, A.
Gas chromatographic enantiomer separation on a chiral self-associating selector 746(1996)53
- Bettero, A., see Semenzato, A. 705(1995)385
- Bettinelli, M. and Spezia, S.
Determination of trace elements in sea water by ion chromatography-inductively coupled plasma mass spectrometry 709(1995)275
- Betts, T.J.
Use of a trio of modified cyclodextrin gas chromatographic phases to provide structural information on some constituents of volatile oils 707(1995)390
- Betts, T.J.
Relative polarities of nine modified cyclodextrin commercial stationary phases in gas chromatographic capillaries 719(1996)375
- Betts, T.J.
Indications of the chemical structure of oxygen-containing constituents of volatile oils by capillary gas chromatography using one or two modified β - and α -cyclodextrin phases 724(1996)403
- Betts, T.J.
Plots of relative retention against solute boiling points may indicate host-guest interactions with modified cyclodextrin gas chromatographic phases 732(1996)408
- Betts, T.J.
Plots of relative retention against solute boiling point indicate extra solute interactions with a liquid crystal polysiloxane stationary phase 743(1996)341
- Beuvry, E.C., see Dorresteijn, R.C. 724(1996)159
- Beyrich, T., see Bunke, A. 728(1996)441
- Bhabhe, M.D. and Athawale, V.D.
Gel permeation chromatographic method for monitoring the transesterification reaction in a two-step chemoenzymatic synthesis of urethane oil based on vegetable oils 718(1995)299
- Bhanger, M.I., see Khuhawar, M.Y. 715(1995)366
- Bhushan, R. and Parshad, V.
Resolution of (\pm)-ibuprofen using L-arginine-impregnated thin-layer chromatography 721(1996)369
- Bhushan, R. and Parshad, V.
Thin-layer chromatographic separation of enantiomeric dansylamino acids using a macrocyclic antibiotic as a chiral selector 736(1996)235

- Biagi, G.L., Barbaro, A.M., Sapone, A., Borea, P.A., Varani, K. and Recanatini, M.
Study of lipophilic character of serotonergic ligands
723(1996)135
- Bianchi, M., see Marchetto, A. 706(1995)13
- Biava, M., see Quaglia, M.G. 729(1996)1
- Biber, T., see Földes-Papp, Z. 739(1996)431
- Bicchi, C., D'Amato, A., Manzin, V., Galli, A. and Galli, M.
Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. X.
2,3-Di-O-ethyl-6-O-*tert*-butyldimethylsilyl- β - and - γ -cyclodextrins 742(1996)161
- Bicchi, C. and Rubiolo, P.
High-performance liquid chromatographic-particle beam mass spectrometric analysis of sesquiterpene lactones with different carbon skeletons 727(1996)211
- Bicker, G., see Moeder, C. 736(1996)1
- Bicker, G., see Wang, T. 738(1996)290
- Biedermann, M., see Grob, K. 750(1996)11
- Bieganowska, M.L., see Waksundzka-Hajnos, M.
730(1996)195
- Bierniek, D., see Fischer, K. 706(1995)361
- Biernat, J.F., see Konieczka, P. 742(1996)175
- Biesaga, M. and Trojanowicz, M.
Phosphorus speciation in nickel plating baths by ion chromatography 705(1995)390
- Bilic, N.
Rapid identification of biogenic amine-producing bacterial cultures using isocratic high-performance liquid chromatography 719(1996)321
- Bilke, H.W., Molnar, I. and Gernet, Ch.
High-performance liquid chromatographic separation of the impurities in a pharmaceutical raw material with the aid of computer simulation 729(1996)189
- Billiet, H.A.H., see Corstjens, H. 715(1995)1
- Bingcheng, L., see Koppenhoefer, B. 717(1995)181
- Biondi, P.A., Chiesa, L.M., Mariani, C. and Renon, P.
New, stable halogenated derivative suitable for the gas chromatographic determination of muramic acid
726(1996)246
- Bipp, H.-P., see Fischer, K. 706(1995)361
- Birarelli, M., see Carducci, C. 729(1996)173
- Birch-Hirschfeld, E., see Földes-Papp, Z. 706(1995)405
- Birch-Hirschfeld, E., see Földes-Papp, Z. 739(1996)431
- Birks, J.W., see Lehmpuhl, D.W. 740(1996)71
- Birnbaum, S., see Krook, M. 711(1995)119
- Bischof, H., see Scheuer, C. 706(1995)253
- Bisello, A., see Casazza, A. 715(1995)227
- Bishop, A.G., see Kelly, S.S. 749(1996)33
- Bissell, M.G., see Petersen, J.R. 744(1996)37
- Bitsch, I., see Shahrzad, S. 741(1996)223
- Bizanek, R., see Fujinari, E.M. 743(1996)85
- Biziuk, M., Namieśnik, J., Czerwiński, J., Gorlo, D., Makuch, B., Janicki, W., Polkowska, Ž. and Wolska, L.
Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171
- Biziuk, M. and Przyjazny, A.
Methods of isolation and determination of volatile organohalogen compounds in natural and treated waters (Review) 733(1996)417
- Bjergegaard, C., see Agerbirk, N. 745(1996)239
- Bjergegaard, C., Michaelsen, S., Møller, P. and Sørensen, H.
Separation of desulphoglucosinolates by micellar electrokinetic capillary chromatography based on a bile salt
717(1995)325
- Bjergegaard, C., Møller, P. and Sørensen, H.
Determination of thiocyanate, iodide, nitrate and nitrite in biological samples by micellar electrokinetic capillary chromatography 717(1995)409
- Björk, H., see Söderström, M.T. 742(1996)191
- Björklund, M. and Hearn, M.T.W.
Synthesis of silica-based heparin-affinity adsorbents
728(1996)149
- Björklund, M. and Hearn, M.T.W.
Characterisation of silica-based heparin-affinity adsorbents through column chromatography of plasma fractions containing thrombin 743(1996)145
- Björnsdottir, I. and Hansen, S.H.
Comparison of separation selectivity in aqueous and non-aqueous capillary electrophoresis 711(1995)313
- Björnsdottir, I., Hansen, S.H. and Terabe, S.
Chiral separation in non-aqueous media by capillary electrophoresis using the ion-pair principle 745(1996)37
- Blaas, D., see Minárik, M. 738(1996)123
- Black, G.E. and Fox, A.
Recent progress in the analysis of sugar monomers from complex matrices using chromatography in conjunction with mass spectrometry or stand-alone tandem mass spectrometry 720(1996)51
- Blackburn, C., see Nadler, T. 743(1996)91
- Blaise, A., see Bauza, T. 707(1995)373
- Blanch, G.P., see Gläusch, A. 723(1996)399
- Blanco, C.G., see Domínguez, A. 719(1996)181
- Blaschke, G., see Chankvetadze, B. 704(1995)234
- Blaschke, G., see Chankvetadze, B. 717(1995)245
- Blaschke, G., see Chankvetadze, B. 732(1996)143
- Blaschke, G., see Chankvetadze, B. 732(1996)183
- Blaschke, G., see Endresz, G. 732(1996)133
- Blaschke, G., see Hempel, G. 745(1996)173
- Blatný, P., Fischer, C.-H., Rizzi, A. and Kenndler, E.
Linear polymers applied as pseudo-phases in capillary zone electrophoresis of azo compounds used as textile dyes
717(1995)157
- Blatný, P., Kváscička, F. and Kenndler, E.
Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255
- Blaylock, A., see Ward, T.J. 715(1995)337
- Blažková-Brúnová, H., see Jandera, P. 736(1996)131
- Bleton, J., Mejanelle, P., Sansoulet, J., Goursaud, S. and Tchapla, A.
Characterization of neutral sugars and uronic acids after methanolysis and trimethylsilylation for recognition of plant gums 720(1996)27
- Blomberg, L.G., see Wan, H. 704(1995)179
- Blomberg, L.G., see Wan, H. 731(1996)283
- Boatella, J., see Guardiola, F. 705(1995)289
- Boatella, J., see Guardiola, F. 705(1995)396
- Bocchini, P., see Galletti, G.C. 729(1995)393
- Bocchini, P., see Gioacchini, A.M. 730(1996)31
- Boček, P., see Kriváňková, L. 716(1995)35
- Bockhardt, A., see Krause, I. 715(1995)67
- Bockx, M., see Hendrickx, J. 729(1996)341

- Bode, Ch., see Parlesak, A. 711(1995)277
- Boden, J. and Bächmann, K.
Investigation of matrix effects in capillary zone electrophoresis 734(1996)319
- Boden, J., Darius, M. and Bächmann, K.
Determination of inorganic and small organic anions in pure boric acid using capillary zone electrophoresis 716(1995)311
- Boedennec, G., see Parrish, C.C. 741(1996)91
- Boelens, H.F.M., see Busch, M.H.A. 744(1996)195
- Boelens, H.F.M., see van der Moolen, J.N. 744(1996)103
- Bogillo, V.I. and Voelkel, A.
Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127
- Bogoni, P., see Zonta, F. 718(1995)99
- Bohning-Gaese, K., see Schmeer, K. 727(1996)139
- Bollaín, M.H., see Rodríguez, I. 733(1996)405
- Bollaín, M.H., see Rodríguez, I. 750(1996)341
- Bollhagen, R., Schmiedberger, M. and Grell, E.
High-performance liquid chromatographic purification of extremely hydrophobic peptides: transmembrane segments 711(1995)181
- Bolten, W.W., see Metz, R. 729(1996)243
- Bolten, W.W., see Muth, P. 729(1996)251
- Bolten, W.W., see Muth, P. 729(1995)259
- Boluda, R., see Redondo, M.J. 719(1996)69
- Bonfanti, L., see Cappiello, A. 736(1996)185
- Bonfanti, L., Careri, M., Mangia, A., Manini, P. and Maspero, M.
Simultaneous identification of different classes of hydrocarbons and determination of nitro-polycyclic aromatic hydrocarbons by means of particle beam liquid chromatography-mass spectrometry 728(1996)359
- Bonfichi, R.
Capillary electrophoresis of glycosylated proteins performed on a conventional capillary gas chromatographic column 741(1996)139
- Bonfichi, R., Dallanoce, C., Locriuro, S. and Spada, A.
Free-solution capillary electrophoretic resolution of chiral amino acids via derivatization with homochiral isothiocyanates. Part I 707(1995)355
- Boniglia, C., see Carratù, B. 708(1995)203
- Bonini, P., see Arcelloni, C. 742(1996)121
- Bonn, G.K., see Niessner, G. 737(1996)215
- Bonnett, R., see Jones, R.M. 722(1996)257
- Bonwick, G.A., Sun, C., Abdul-Latif, P., Baugh, P.J., Smith, C.J., Armitage, R. and Davies, D.H.
Determination of permethrin and cyfluthrin in water and sediment by gas chromatography-mass spectrometry operated in the negative chemical ionization mode 707(1995)293
- Boon, J.J., see van der Hage, E.R.E. 736(1996)61
- Boonkerd, S., Detaevemier, M.R., Michotte, Y. and Vindevogel, J.
Suppression of chiral recognition of 3-hydroxy-1,4-benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238
- Boonkerd, S., Detaevemier, M.R., Heyden, YV., Vindevogel, J. and Michotte, Y.
Determination of the enantiomeric purity of dexfenfluramine by capillary electrophoresis: use of a Plackett-Burman design for the optimization of the separation 736(1996)281
- Boos, J., see Hempel, G. 745(1996)173
- Booth, T.D. and Wainer, I.W.
Investigation of the enantioselective separations of α -alkylarylcarboxylic acids on an amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase using quantitative structure-enantioselective retention relationships. Identification of a conformationally driven chiral recognition mechanism 737(1996)157
- Booth, T.D. and Wainer, I.W.
Mechanistic investigation into the enantioselective separation of mexiletine and related compounds, chromatographed on an amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 741(1996)205
- Bordin, G., see Virtanen, V. 734(1996)391
- Bordini, C.S., see Saccani, G. 706(1995)395
- Borea, P.A., see Biagi, G.L. 723(1996)135
- Borgmans, C., see Hendrickx, J. 729(1996)341
- Börnsen, K.O., see Bruin, G.J.M. 709(1995)181
- Borowiak-Resterna, A., see Voelkel, A. 740(1996)253
- Borrull, F., see Bustó, O. 718(1995)309
- Borrull, F., see Bustó, O. 737(1996)205
- Borrull, F., see Martínez, D. 734(1996)367
- Borrull, F., see Pocurull, E. 719(1996)105
- Borrull, F., see Pocurull, E. 738(1996)1
- Bory, C., Chantin, C. and Boulieu, R.
Comparison of capillary electrophoretic and liquid chromatographic determination of hypoxanthine and xanthine for the diagnosis of xanthinuria 730(1996)329
- Bosboom, J.C., Janssen, H.-G., Mol, H.G.J. and Cramers, C.A.
Large-volume injection in capillary gas chromatography using a programmed-temperature vaporizing injector in the on-column or solvent-vent injection mode 724(1996)384
- Bosch, N.B., Mata, M.G., Peñuela, M.J., Galán, T.R. and Ruiz, B.L.
Determination of nitrite levels in refrigerated and frozen spinach by ion chromatography 706(1995)221
- Bosch Reig, F., Campins Falcó, P. and Verdú Andrés, J.
H-Point standard additions method for resolution of overlapping chromatographic peaks with diode array detection by using area measurements. Determination of phenol and cresols in waters 726(1996)57
- Boschetti, E., see Bouhallab, S. 724(1996)137
- Bose, S., see Yang, J. 735(1996)209
- Boso, R.L., Bellini, M.S., Mikšík, I. and Deyl, Z.
Microemulsion electrokinetic chromatography with different organic modifiers: separation of water- and lipid-soluble vitamins 709(1995)11
- Bossányi, F., see Piotte, M. 704(1995)377
- Bossù, E., see Quaglia, M.G. 729(1996)1
- Botana, A., see Leira, E. 724(1996)67
- Botton, B., see Giummelly, P. 710(1995)357
- Bouckaert, J., see Azarkan, M. 749(1996)69
- Boudah, S., see Perez, F. 746(1996)247

- Bouhalab, S., Henry, G. and Boschetti, E.
Separation of small cationic bioactive peptides by strong ion-exchange chromatography 724(1996)137
- Boulieu, R.
Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197
- Boulieu, R., see Bory, C. 730(1996)329
- Bouraly, M., see Nguyen Hong, T.D. 743(1996)323
- Bourguignon, B., see Jimidar, M. 740(1996)109
- Bousquet, O. and Le Goffic, F.
Counter-current chromatographic separation of polyunsaturated fatty acids 704(1995)211
- Bøwadt, S. and Hawthorne, S.B.
Supercritical fluid extraction in environmental analysis (Review) 703(1995)549
- Bowers, R.J., see Cooper, R.A. 732(1996)43
- Boyd-Boland, A., see Magdic, S. 736(1996)219
- Boyd-Boland, A.A. and Pawliszyn, J.B.
Solid-phase microextraction of nitrogen-containing herbicides 704(1995)163
- Boye, S., see Baumy, Ph. 707(1995)311
- Branch, S.K., see Matchett, M.W. 705(1995)351
- Brandão, A.C.M., Buchberger, W.W., Butler, E.C.V., Fagan, P.A. and Haddad, P.R.
Matrix-elimination ion chromatography with post-column reaction detection for the determination of iodide in saline waters 706(1995)271
- Brankow, D., see Lu, H.S. 705(1995)163
- Braud, C., see Vidil, C. 711(1995)323
- Brault, M., see Milleroux, L. 729(1995)309
- Brault, M., see Pédron, J. 723(1996)381
- Braumann, U., see Albert, K. 750(1996)303
- Bravo, A., see Salas-Auvert, R. 706(1995)183
- Brechtel, R., Hohmann, W., Rüdiger, H. and Wätzig, H.
Control of the electroosmotic flow by metal-salt-containing buffers 716(1995)97
- Breda, M., Marrari, P., Pianezzola, E. and Strolin Benedetti, M.
Determination of ethambutol in human plasma and urine by high-performance liquid chromatography with fluorescence detection 729(1995)301
- Brede, C. and Lundanes, E.
Identification of diflubenzuron by packed-capillary supercritical fluid chromatography-mass spectrometry with electron-capture negative ionization 712(1995)95
- Brekkan, E., Lu, L. and Lundahl, P.
Properties of immobilized-liposome-chromatographic supports for interaction analysis 711(1995)33
- Breme, U., see Breton, J. 709(1995)135
- Bretnall, A.E. and Clarke, G.S.
Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49
- Bretnall, A.E. and Clarke, G.S.
Selectivity of capillary electrophoresis for the analysis of cardiovascular drugs 745(1996)145
- Breton, J., Avanzi, N., Valsasina, B., Sgarella, L., La Fiura, A., Breme, U., Orsini, G., Wenisch, E. and Righetti, P.G.
Detection of traces of a trisulphide derivative in the preparation of a recombinant truncated interleukin-6 mutein 709(1995)135
- Brevik, E.M., see Pedersen-Bjergaard, S. 723(1996)337
- Brew, K., see Calero, M. 719(1996)149
- Brice, L.J., see Pirkle, W.H. 721(1996)241
- Bridenbaugh, R.L., see McNerney, T.M. 744(1996)223
- Brindle, R., Albert, K., Harris, S.J., Tröltzsch, C., Horne, E. and Glennon, J.D.
Silica-bonded calixarenes in chromatography. I. Synthesis and characterization by solid-state NMR spectroscopy 731(1996)41
- Bringezu, F., Dobner, B., Stritzel, R., Elsner, B. and Nuhn, P.
Preparative separation of the diastereomers of methyl branched-chain phosphatidylcholines 724(1996)367
- Bringmann, G., Hesselmann, C. and Feineis, D.
Endogenous alkaloids in man. XXI. Analysis of glyoxylate-derived 1,3-thiazolidines and their precursors after trimethylsilylation by gas chromatography-mass spectrometry 707(1995)267
- Brinkman, J.H.W., Van Dijk, A.G., Wagenaar, R. and Quirijns, J.K.
Determination of daminozide residues in apples using gas chromatography with nitrogen-phosphorus detection 723(1996)355
- Brinkman, U.A.Th., see Van de Nesse, R.J. 704(1995)1
- Brinkman, U.A.Th., see Brouwer, E.R. 703(1995)167
- Brinkman, U.A.Th., see Hankemeier, Th. 732(1996)75
- Brinkman, U.A.Th., see Hankemeier, Th. 750(1996)161
- Brinkman, U.A.Th., see Honing, M. 712(1995)21
- Brinkman, U.A.Th., see Honing, M. 733(1996)283
- Brinkman, U.A.Th., see Louter, A.J.H. 725(1996)67
- Brinkman, U.A.Th., see Mol, H.G.J. 703(1995)277
- Brinkman, U.A.Th. and Poppe, H.
Preface 703(1995)1
- Brinkman, U.A.Th., see Slobodník, J. 703(1995)81
- Brinkman, U.A.Th., see Slobodník, J. 730(1996)353
- Brinkman, U.A.Th., see Slobodník, J. 741(1996)59
- Brinkman, U.A.Th., see Slobodník, J. 750(1996)227
- Brinkman, U.A.Th., see Van der Hoff, G.R. 719(1996)59
- Brinkman, U.A.Th., see Van de Merbel, N.C. 725(1996)13
- Brinkman, U.A.Th., see Vreuls, J.J. 750(1996)275
- Broadbent, J.K., Martincigh, B.S., Raynor, M.W., Salter, L.F., Moulder, R., Sjöberg, P. and Markides, K.E.
Capillary supercritical fluid chromatography combined with atmospheric pressure chemical ionisation mass spectrometry for the investigation of photoproduct formation in the sunscreen absorber 2-ethylhexyl-p-methoxycinnamate 732(1996)101
- Broadbent, J.R., see Strickland, M. 731(1996)305
- Bronner, W.E. and Beecher, G.R.
Extraction and measurement of prominent flavonoids in orange and grapefruit juice concentrates 705(1995)247
- Brønnum-Hansen, K., see Ekelund, J. 708(1995)253
- Brosa, J., see Guardino, X. 719(1996)141
- Brossia, C.S., see Kelly, R.G. 739(1996)191
- Broto-Puig, F., see Barrio, M.E. 719(1996)131
- Broto-Puig, F., see Díaz, J. 719(1996)171
- Broto-Puig, F., see Folch, I. 719(1996)121
- Brouwer, E.R., Kofman, S. and Brinkman, U.A.Th.
Selected procedures for the monitoring of polar pesticides and related microcontaminants in aquatic samples (Review) 703(1995)167
- Brouwer, S., see Swart, R. 732(1996)201
- Brown, P.R., see Swartz, M.E. 724(1996)307

- Brown, P.R., see Swartz, M.E. 735(1996)303
- Brown, R., see Lucy, C.A. 745(1996)9
- Broyles, B.S., see Guan, H. 734(1996)49
- Bruce, S., see Michor, G. 732(1996)85
- Bruckert, H.-J., see Schoene, K. 719(1996)401
- Brückner, H. and Wachsmann, M.
Liquid chromatographic separation of amino acid enantiomers on a silica-bonded chiral *s*-triazine column 728(1996)447
- Brückner, H., Westhauser, T. and Godel, H.
Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthalaldehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201
- Brudel, M., Kertscher, U., Schröder, D., Melzig, M.F. and Mehlis, B.
Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of β -endorphin by endothelial cells 712(1995)169
- Brufau, J., see Pérez-Vendrell, A.M. 718(1995)291
- Brüggemann, O. and Freitag, R.
Determination of polycyclic aromatic hydrocarbons in soil samples by micellar electrokinetic capillary chromatography with photodiode-array detection 717(1995)309
- Brüggemann, O., Meder, M. and Freitag, R.
Analysis of amatoxins α -amanitin and β -amanitin in toadstool extracts and body fluids by capillary zone electrophoresis with photodiode array detection 744(1996)167
- Bruin, G.J.M., Börnsen, K.O., Hüskens, D., Gassmann, E., Widmer, H.M. and Paulus, A.
Stability measurements of antisense oligonucleotides by capillary gel electrophoresis 709(1995)181
- Bruley, D.F., see Dalton, J.C. 718(1995)1
- Bruley, M.D., see Dalton, J.C. 718(1995)1
- Brumley, W.C., see Jung, M. 717(1995)299
- Brunelli, V., see Gelfi, C. 706(1995)463
- Bruner, F., see Cappiello, A. 736(1996)185
- Brunner, H., see Müller-Schulte, D. 711(1995)53
- Bruno, T.J.
Permeation tube approach to long-term use of automatic sampler retention index standards 704(1995)157
- Bruno, T.J.
Simple and efficient methane-marker devices for chromatographic samples 721(1996)157
- Bruno, T.J. and Wertz, K.H.
Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black. Part 5: heavier ethane- and ethene-based compounds 723(1996)325
- Bruno, T.J. and Wertz, K.H.
Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. Part 6: Eleven fluoroethers and two iodofluoroalkanes 736(1996)175
- Bruno, T.J., Wertz, K.H. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. IV. Propane-based compounds 708(1995)293
- Bruzzoniti, M.C., Mentasti, E., Sacchero, G. and Sarzanini, C.
Retention model for singly and doubly charged analytes in ion-interaction chromatography 728(1996)55
- Bruzzoniti, M.C., see Sarzanini, C. 739(1996)63
- Bryant, D.K., Kingswood, M.D. and Belenguer, A.
Determination of liquid chromatographic peak purity by electrospray ionization mass spectrometry 712(1996)41
- Brydon, D.L., see Sun, C. 731(1996)161
- Bu, Q., see Panda, S. 715(1995)279
- Bubner, M., see Kubátová, A. 750(1996)245
- Buchberger, W., see Haddad, P.R. 706(1995)571
- Buchberger, W., see Macka, M. 706(1995)493
- Buchberger, W., see Niessner, G. 737(1996)215
- Buchberger, W. and Winna, K.
Optimization of the separation of polycarboxylic acids by capillary zone electrophoresis 739(1996)389
- Buchberger, W.W., see Brandão, A.C.M. 706(1995)271
- Bucheli, F., see Wyss, R. 729(1996)315
- Buchmann, T., see Fricke, B. 715(1995)247
- Buckley, T.J. and Gillis, K.A.
All-metal collection system for preparative-scale gas chromatography. Purification of low-boiling-point compounds 702(1995)243
- Buiarelli, F., Cartoni, G.P., Cocciali, F. and Leone, T.
Analysis of bitter essential oils from orange and grapefruit by high-performance liquid chromatography with microbore columns 730(1996)9
- Buldini, P.L., Cavalli, S., Mevoli, A. and Milella, E.
Application of ion chromatography to the analysis of high-purity CdTe 739(1996)131
- Buldini, P.L., Cavalli, S. and Mevoli, A.
Sample pretreatment by UV photolysis for the ion chromatographic analysis of plant material 739(1996)167
- Bult, A., see Cui, H. 704(1995)27
- Bult, A., see Cui, H. 736(1996)91
- Bumgarner, J.G. and Khaledi, M.G.
Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography. Enhanced separation of corticosteroids 738(1996)275
- Bumgarner, J.G., see Yang, S. 721(1996)323
- Bumgarner, J.G., see Yang, S. 738(1996)265
- Bunke, A., Jira, T. and Beyrich, T.
Influence of different types of cyclodextrins on the racemization of scopolamine-N-butylbromide 728(1996)441
- Burbano, C., see Muzquiz, M. 719(1996)237
- Burford, M.D., Clifford, A.A., Bartle, K.D., Cowey, C.M. and Smart, N.G.
Variable flow control and collection device for use with supercritical fluids 738(1996)241
- Burinsky, D.J., see Oyler, A.R. 724(1996)378
- Burmester, A. and Jastorff, B.
Enantioseparation in the synthesis of *myo*-inositol phosphates by high-performance liquid chromatography using a β -cyclodextrin-bonded column 749(1996)21
- Burris, S.C., see Kleyle, R.M. 749(1996)211
- Burt, H., Lewis, D.M. and Tapley, K.N.
Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis 736(1996)265
- Burt, H., Lewis, D.M. and Tapley, K.N.
Resin coating for capillaries giving a net positive charge and great potential for customised modification of surface properties 739(1996)367

C

- Busch, M.H.A., Boelens, H.F.M., Kraak, J.C., Poppe, H., Meekel, A.A.P. and Resmini, M. Critical evaluation of the applicability of capillary zone electrophoresis for the study of hapten–antibody complex formation 744(1996)195
- Buscher, B.A.P., Tjaden, U.R., Irth, H., Andersson, E.M. and Van der Greef, J. Determination of 1,2,6-inositol trisphosphate (derivatives) in plasma using iron(III)-loaded adsorbents and capillary zone electrophoresis–(indirect) UV detection 718(1995)413
- Buscher, B.A.P., see Van der Hoeven, R.A.M. 712(1995)211
- Buscher, B.A.P., Van der Hoeven, R.A.M., Tjaden, U.R., Andersson, E. and Van der Greef, J. Analysis of inositol phosphates and derivatives using capillary zone electrophoresis–mass spectrometry 712(1995)235
- Büschges, R., Linde, H., Mutschler, E. and Spahn-Langguth, H. Chloroformates and isothiocyanates derived from 2-arylpropionic acids as chiral reagents: synthetic routes and chromatographic behaviour of the derivatives 725(1996)323
- Busto, O., Guasch, J. and Borrull, F. Improvement of a solid-phase extraction method for determining biogenic amines in wines 718(1995)309
- Busto, O., Guasch, J. and Borrull, F. Determination of biogenic amines in wine after precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate 737(1996)205
- Buszewski, B., see Czajkowska, T. 728(1996)213
- Buszewski, B., see Górná-Binkul, A. 734(1996)297
- Bütehorn, U., see Pyell, U. 716(1995)81
- Bütehorn, U. and Pyell, U. Micellar electrokinetic chromatography as a screening method for the analysis of vanilla flavourings and vanilla extracts 736(1996)321
- Butler, E.C.V., see Brandão, A.C.M. 706(1995)271
- Buttler, T., Nilsson, C., Gorton, L., Marko-Varga, G. and Laurell, T. Membrane characterisation and performance of microdialysis probes intended for use as bioprocess sampling units 725(1996)41
- Byrdy, F.A., Olson, L.K., Vela, N.P. and Caruso, J.A. Chromium speciation by anion-exchange high-performance liquid chromatography with both inductively coupled plasma atomic emission spectroscopic and inductively coupled plasma mass spectrometric detection 712(1995)311
- Batjoens, P., De Brabander, H.F. and De Wasch, K. Rapid and high-performance analysis of thyrostatic drug residues in urine using gas chromatography–mass spectrometry 750(1996)127
- Cabanis, J.C., see Bauza, T. 707(1995)373
- Cabezas, H., Cole, K.D. and Hubbard, J.B. Foreword 707(1995)1
- Caboot, J.B., see Landzettel, W.J. 718(1995)45
- Cabral, J.M.S., see Queiroz, J.A. 374(1996)213
- Cabral, J.M.S., see Queiroz, J.A. 707(1995)137
- Cabrera, K., Jung, M., Fluck, M. and Schurig, V. Determination of enantiomerization barriers by computer simulation of experimental elution profiles obtained by high-performance liquid chromatography on a chiral stationary phase 731(1996)315
- Caccamese, S., see Pirkle, W.H. 721(1996)241
- Caccamese, S., Principato, G., Viaud, M.-C. and Guillaumet, G. Direct high-performance liquid chromatographic separation of the enantiomers of methoxy and hydroxy derivatives of 3,4-dihydro-3-(dipropylamino)-2*H*-1-benzopyrans with dopaminergic activity 704(1995)83
- Caccialanza, G., see Massolini, G. 704(1995)55
- Cacho, J.F., see Ferreira, V. 731(1996)247
- Caciari, M., see Bruno, T.J. 708(1995)293
- Caddy, B., see Kennedy, S. 726(1996)211
- Cai, J. and Henion, J. Capillary electrophoresis–mass spectrometry (Review) 703(1995)667
- Cai, S.J., see Pidgeon, C. 721(1996)213
- Caldwell, J. Importance of stereospecific bioanalytical monitoring in drug development 719(1996)3
- Calero, M., Escribano, J., Soriano, F., Grubb, A., Brew, K. and Méndez, E. Spectroscopic characterization by photodiode array detection of human urinary and amniotic protein HC subpopulations fractionated by anion-exchange and size-exclusion high-performance liquid chromatography 719(1996)149
- Calligaro, L., see Pace, G. 706(1995)345
- Calull, M., see Martínez, D. 734(1996)367
- Calull, M., see Pocurull, E. 719(1996)105
- Calvete, J.J., Reinert, M., Sanz, L. and Töpfer-Petersen, E. Effect of glycosylation on the heparin-binding capability of boar and stallion seminal plasma proteins 711(1995)167
- Calza, M., see Saccani, G. 706(1995)395
- Camel, V. and Caude, M. Trace enrichment methods for the determination of organic pollutants in ambient air 710(1995)3
- Camera, E., see Fanali, S. 745(1996)17
- Camilleri, P., see Kornfelt, T. 726(1996)223
- Campillo, N., see Viñas, P. 726(1996)125
- Campins Falco, P., see Bosch Reig, F. 726(1996)57
- Campos, A., see García, R. 721(1996)203
- Canal, P., see Nouadje, G. 717(1995)293
- Cancilla, D.A., see Michor, G. 732(1996)85

- Cannarsa, G., see Corradini, D. 709(1995)127
 Cantwell, F.F., see Gowenlock, D. 726(1996)1
 Cantwell, F.F., see Li, J. 726(1996)25
 Cantwell, F.F., see Li, J. 726(1996)37
 Cao, G. and Hoshino, T.
 Analysis of overlapped chromatographic peaks by multi-channel electrochemical detection 722(1996)151
 Cao, G.M.
 Quantitation of unresolved chromatographic peak using overlapping ratio of profiles of standard chromatographic peaks 746(1996)161
 Cao, P. and Moini, M.
 Quantitative analysis of fluorinated ethylchloroformate derivatives of non-protein amino acids using positive and negative chemical ionization gas chromatography-mass spectrometry 710(1995)303
 Cao, X., see Hunt, A.J. 708(1995)61
 Cao, X.-L. and Hewitt, C.N.
 Detection methods for the analysis of biogenic non-methane hydrocarbons in air 710(1995)39
 Capangpangan, M.B. and Suffet, I.H. (Mel)
 Optimization of a drying method for filtered suspended solids from natural waters for supercritical fluid extraction analysis of hydrophobic organic compounds 738(1996)253
 Capelli, L., see Ermakov, S.V. 744(1996)55
 Cappiello, A., Mangani, F., Bruner, F. and Bonfanti, L.
 New approach to the characterization of pyrolysis coal products by gas chromatography-mass spectrometry 736(1996)185
 Cappiello, A., see Rezai, M.A. 742(1996)69
 Cappuccia, N., see Melzi D'Erl, G. 718(1995)141
 Caprioli, R.M., see Eriksson, U. 743(1996)213
 Caprioli, R.M., see Sanderson, K. 743(1996)207
 Carabias Martínez, R., Rodríguez Gonzalo, E., Muñoz Domínguez, A.I., Domínguez Alvarez, J. and Hernández Méndez, J.
 Determination of triazine herbicides in water by micellar electrokinetic capillary chromatography 733(1996)349
 Cardellincho, N., see Cavallii, S. 706(1995)429
 Carducci, C., Birarelli, M., Leuzzi, V., Santagata, G., Serafini, P. and Antonozzi, I.
 Automated method for the measurement of amino acids in urine by high-performance liquid chromatography 729(1996)173
 Carducci, C.N., Lucangioli, S.E., Rodríguez, V.G. and Fernández Otero, G.C.
 Application of extraction disks in dissolution tests of clenbuterol and levothyroxine tablets by capillary electrophoresis 730(1996)313
 Cardwell, T.J., see Lambropoulos, N. 749(1996)87
 Careri, M., see Bonfanti, L. 728(1996)359
 Careri, M., Mangia, A., Manini, P., Predieri, G., Licandro, E. and Papagni, A.
 Characterization of chromium-carbene complexes by high-performance liquid chromatography-mass spectrometry with particle beam interface 730(1996)231
 Careri, M., Mangia, A. and Musci, M.
 Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153
 Caridi, D., see Lambropoulos, N. 749(1996)87
 Carlier-Pinasseau, C., Astruc, A., Lespes, G. and Astruc, M.
 Determination of butyl- and phenyltin compounds in biological material by gas chromatography-flame photometric detection after ethylation with sodium tetraethylborate 750(1996)317
 Carlsson, H. and Östman, C.
 Retention mechanisms of polycyclic aromatic nitrogen heterocyclics on bonded amino phases in normal-phase liquid chromatography 715(1995)31
 Carmody, E.P., see Kelly, S.S. 749(1996)33
 Carnevali, P., see Papoff, P. 706(1995)43
 Caron, F., Elchuk, S. and Walker, Z.H.
 High-performance liquid chromatographic characterization of dissolved organic matter from low-level radioactive waste leachates 739(1996)281
 Caron, I., Salvador, A., Elfakir, C., Herbreteau, B. and Dreux, M.
 Analysis of partially methylated cyclodextrins by subcritical fluid and liquid chromatography 746(1996)103
 Carpot, L., see Schäffer, S. 717(1995)351
 Carr, P.W., see Dunlap, C.J. 746(1996)199
 Carr, P.W., Tan, L.C. and Park, J.H.
 Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. III. Comparison of the behavior of nonpolar and polar solutes 724(1996)1
 Carratù, B., Boniglia, C. and Bellomonte, G.
 Optimization of the determination of amino acids in parenteral solutions by high-performance liquid chromatography with precolumn derivatization using 9-fluorenylmethyl chloroformate 708(1995)203
 Carrea, G., see Felli, C. 741(1996)287
 Carrera, P., see Gelfi, C. 706(1995)463
 Carretero, E., see Palomino, O.M. 731(1996)103
 Carrier, A., Varfalvy, L. and Bertrand, M.J.
 Development of an "in-source" thermospray-type interface for on-line capillary liquid chromatography-mass spectrometry 705(1995)205
 Carrier, A., see Visentini, J. 712(1995)31
 Carrier, D.-J., Cunningham, J.E., Hogge, L.R., Taylor, D.C. and Dunstan, D.I.
 Gas chromatographic-mass spectrometric characterization of some fatty acids from white and interior spruce 715(1995)317
 Carro-Díaz, A.M., see Cela-Torrijos, R. 750(1996)191
 Carro-Díaz, A.M., Lorenzo-Ferreira, R.A. and Cela-Torrijos, R.
 Capillary electrophoresis of methylmercury with injection by sample stacking 730(1996)345
 Carron, J., see Michor, G. 732(1996)85
 Carrozzino, S. and Righini, F.
 Ion chromatographic determination of nutrients in sea water 706(1995)277
 Carta, G., see Fernandez, M.A. 746(1996)169
 Carta, G., see Fernandez, M.A. 746(1996)185
 Carta, G., see Gervais, D.P. 708(1995)41
 Carta, P., see Gelfi, C. 718(1995)405
 Cartoni, G., Cocciali, F. and Jasionowska, R.
 Capillary electrophoretic separation of phenolic acids 709(1995)209
 Cartoni, G.P., see Buiarelli, F. 730(1996)9
 Cartron, J.P., see Cochet, S. 725(1996)237
 Caruso, J.A., see Byrdy, F.A. 712(1995)311

- Casado, A.G., Cuadros Rodriguez, L., Hernandez, E.A. and Vilchez, J.L.
Estimate of gas chromatographic blanks. Application to detection limits evaluation as recommended by IUPAC 726(1996)133
- Casal, V., see Herraiz, T. 708(1995)209
- Casale, J.F., see Moore, J.M. 704(1995)483
- Casale, J.F. and Moore, J.M.
Lesser alkaloids of cocaine-bearing plants. II. 3-Oxo-substituted tropane esters: detection and mass spectral characterization of minor alkaloids found in South American *Erythroxylum coca* var. *coca* 749(1996)173
- Casals, I., Reixach, M., Amat, J., Fuentes, M. and Serra-Majem, L.
Quantification of cyclamate and cyclohexylamine in urine samples using high-performance liquid chromatography with trinitrobenzenesulfonic acid pre-column derivatization 750(1996)397
- Casazza, A., Curcuruto, O., Hamdan, M., Bisello, A. and Peggion, E.
Investigation of crudes of synthesis of neuropeptide Y by high-performance liquid chromatography-electrospray mass spectrometry 715(1995)227
- Casella, L., see Chiari, M. 745(1996)93
- Castalvaska, J., Gassmann, E. and Thormann, W.
Modification of a tunable UV-visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147
- Castalvaska, J., see Mosher, R.A. 716(1995)17
- Casoli, A., Musini, P.C. and Palla, G.
Gas chromatographic-mass spectrometric approach to the problem of characterizing binding media in paintings 731(1996)237
- Cassiano, L., see Castagnola, M. 735(1996)271
- Cassidy, R.M., see Salimi-Moosavi, H. 749(1996)279
- Castagnola, M., Cassiano, L., Messana, I., Paci, M., Rossetti, DV. and Giardina, B.
Effect of 2,2,2-trifluoroethanol on capillary zone electrophoretic peptide separations 735(1996)271
- Castello, G., Benzo, M. and Gerbino, T.C.
Automated gas chromatographic analysis of volatile organic compounds in air 710(1995)61
- Castello, G. and Testini, G.
Determination of retention indices of polychlorobiphenyls by using other compounds detectable by electron-capture detection or selected polychlorobiphenyls as the reference series 741(1996)241
- Castello, G., Vezzani, S. and Moretti, P.
Structure-retention correlations of chlorobenzenes as a method for the comparison of the behaviour of gas-liquid-solid and gas-liquid capillary columns of various polarities 734(1996)277
- Castello, G., Vezzani, S. and Moretti, P.
Comparison of the behaviour of gas-liquid and gas-liquid-solid capillary columns through the determination of thermodynamic characteristics 742(1996)151
- Castells, R.C., Romero, L.M. and Nardillo, A.M.
Thermodynamic consideration of the retention mechanism in a poly(perfluoroalkyl ether) gas chromatographic stationary phase used in packed columns 715(1995)299
- Castelnovo, P. and Albanesi, C.
Determination of the enantiomeric purity of 5,6-dihydroxy-2-aminotetralin by high-performance capillary electrophoresis with crown ether as chiral selector 715(1995)143
- Castelnovo, P. and Albanesi, C.
Separation of the four stereoisomers of Z11556A, intermediate in the synthesis of triazole antimycotics, by capillary electrophoresis 741(1996)123
- Castillo, G., see Sanz, M.A. 719(1996)195
- Castle, L., see Barnes, K.A. 712(1995)191
- Catcheside, D.E.A., see Ralph, J.P. 724(1996)97
- Catizone, P., see Dinelli, G. 733(1996)337
- Cattaneo, T.M.P., Nigro, F., Toppino, P.M. and Denti, V.
Characterization of ewe's milk by capillary zone electrophoresis 721(1996)345
- Cau Dit Coumes, C., see Pichon, V. 737(1996)25
- Caude, M., see Camel, V. 710(1995)3
- Cauvin, J.M., see Bellec, G. 727(1996)83
- Cavallaro, A., see Longo, M. 708(1995)303
- Cavallaro, A., Piangerelli, V., Nerini, F., Cavalli, S. and Reschiotto, C.
Selective determination of aromatic amines in water samples by capillary zone electrophoresis and solid-phase extraction 709(1995)361
- Cavalli, S., see Buldini, P.L. 739(1996)131
- Cavalli, S., see Buldini, P.L. 739(1996)167
- Cavalli, S. and Cardelluccio, N.
Direct determination of seleno-amino acids in biological tissues by anion-exchange separation and electrochemical detection 706(1995)429
- Cavalli, S., see Cavallaro, A. 709(1995)361
- Cavalli, S., see Trifirò, A. 739(1996)175
- Caprini, V., see Di Pietra, A.M. 729(1996)355
- Ceccarini, A., see Papoff, P. 706(1995)43
- Ceccato, A., Chiap, Ph., Hubert, P., Toussaint, B. and Crommen, J.
Automated determination of verapamil and norverapamil in human plasma with on-line coupling of dialysis to high-performance liquid chromatography and fluorometric detection 750(1996)351
- Cecchin, G., see Marcato, B. 730(1996)83
- Ceccon, L., see Coco, F.L. 749(1996)95
- Cela, R., see Leira, E. 724(1996)67
- Cela, R., see Llompart, M.P. 723(1996)123
- Cela, R., see Lores, M. 724(1996)55
- Cela, R., see Rodriguez, I. 721(1996)297
- Cela, R., see Rodriguez, I. 733(1996)405
- Cela, R., see Rodriguez, I. 750(1996)341
- Cela, R., see Turnes, I. 743(1996)283
- Cela, R., see Turnes, M.I. 733(1996)395
- Cela-Torrijos, R., see Carro-Díaz, A.M. 730(1996)345
- Cela-Torrijos, R., Miguéns-Rodríguez, M., Carro-Díaz, A.M. and Lorenzo-Ferreira, R.A.
Optimization of supercritical fluid extraction-gas chromatography of methylmercury in marine samples 750(1996)191
- Cellerino, G.P., see Achilli, G. 729(1996)273
- Celotti, E., Ferrarini, R., Zironi, R. and Conte, L.S.
Resveratrol content of some wines obtained from dried Valpollicella grapes: Recioto and Amarone 730(1996)47

- Cepas, J., Silva, M. and Pérez-Bendito, D.
Integrated derivatization–chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73
- Cepeda, A., see Franco, C.M. 723(1996)69
- Cepeda, A., Franco, C.M., Fente, C.A., Vázquez, B.I., Rodríguez, J.L., Prognon, P. and Mahuzier, G.
Postcolumn excitation of aflatoxins using cyclodextrins in liquid chromatography for food analysis 721(1996)69
- Cepeda, A., see Vazquez, B.I. 727(1996)185
- Cercós-del-Pozo, R.A., see García-March, F.J. 719(1996)45
- Cert, A., see Pérez-Camino, M.C. 721(1996)305
- Cessna, A.J., Kerr, L.A., Pattey, E., Zhu, T. and Desjardins, R.L.
Field comparison of polyurethane foam plugs and mini-tubes containing Tenax-TA resin as trapping media for the aerodynamic gradient measurement of trifluralin vapour fluxes 710(1995)251
- Ceulemans, M., see Jiang, G.B. 727(1996)119
- Cha, J.Y., see Oyler, A.R. 724(1996)378
- Chacón, M., see Sustacha, K. 719(1996)245
- Chaga, G.S., Ersson, B. and Porath, J.O.
Isolation of calcium-binding proteins on selective adsorbents. Application to purification of bovine calmodulin 732(1996)261
- Chaiken, I., see Jones, C. 707(1995)3
- Chakel, J.A., see Apffel, A. 717(1995)41
- Chakel, J.A., see Apffel, A. 732(1996)27
- Chakel, J.A., see Apffel, A. 750(1996)35
- Chambers, T.K. and Fritz, J.S.
High-performance liquid chromatography with non-aqueous solvents. Relative elution strength on a polystyrene–divinylbenzene column 728(1996)271
- Chambon, P., see Nouri, B. 726(1996)153
- Chambon, R., see Nouri, B. 726(1996)153
- Chan, C.-C., see Huang, C.-C. 731(1996)217
- Chan, K.C., Muschik, G.M. and Issaq, H.J.
Separation of tryptophan and related indoles by micellar electrokinetic chromatography with KrF laser-induced fluorescence detection 718(1995)203
- Chan, S.M., see Tanner, P.A. 739(1996)249
- Chang, C.-C., see Lin, C.-E. 746(1996)295
- Chang, D., see Lu, H.S. 705(1995)163
- Chang, J.P., Ferguson, T.H., Record, P.A., Dickson, D.A., Kiehl, D.E. and Kennington, A.S.
Improved potency assay for recombinant bovine somatotropin by high-performance size-exclusion chromatography 736(1996)97
- Chang, K.-C., see Yang, M.-H. 722(1996)87
- Chankvetadze, B., Endresz, G. and Blaschke, G.
Enantiomeric resolution of anionic *R/S*-1,1'-binaphthyl-2,2'-diyl hydrogen phosphate by capillary electrophoresis using anionic cyclodextrin derivatives as chiral selectors 704(1995)234
- Chankvetadze, B., Endresz, G., Bergenthal, D. and Blaschke, G.
Enantioseparation of mianserin analogues using capillary electrophoresis with neutral and charged cyclodextrin buffer modifiers. ^{13}C NMR study of the chiral recognition mechanism 717(1995)245
- Chankvetadze, B., see Endresz, G. 732(1996)133
- Chankvetadze, B., Endresz, G., Schulte, G., Bergenthal, D. and Blaschke, G.
Capillary electrophoresis and ^1H NMR studies on chiral recognition of atropisomeric binaphthyl derivatives by cyclodextrin hosts 732(1996)143
- Chankvetadze, B., Schulte, G. and Blaschke, G.
Reversal of enantiomer elution order in capillary electrophoresis using charged and neutral cyclodextrins 732(1996)183
- Chantin, C., see Bory, C. 730(1996)329
- Charrière, B., see Kerhervé, P. 718(1995)283
- Charron, C., see Karlsson, A. 732(1996)245
- Charton, F. and Nicoud, R.-M.
Complete design of a simulated moving bed 702(1995)97
- Chassaing, C., Thienpont, A. and Félix, G.
Regioselective carbamoylated and benzoylated cellulose for the separation of enantiomers in high-performance liquid chromatography 738(1996)157
- Chatelut, E., see Nouadje, G. 717(1995)293
- Chaurasia, A., see Jain, A. 746(1996)31
- Che, P., see Xu, J. 749(1996)287
- Chee, K.K., Wong, M.K. and Lee, H.K.
Optimization of microwave-assisted solvent extraction of polycyclic aromatic hydrocarbons in marine sediments using a microwave extraction system with high-performance liquid chromatography–fluorescence detection and gas chromatography–mass spectrometry 723(1996)259
- Chee, K.K., Wong, M.K. and Lee, H.K.
Determination of organochlorine pesticides in water by membranous solid-phase extraction, and in sediment by microwave-assisted solvent extraction with gas chromatography and electron-capture and mass spectrometric detection 736(1996)211
- Cheicante, R.L., Stoff, J.R. and Durst, H.D.
Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347
- Chen, A.B., see Hunt, G. 744(1996)295
- Chen, A.B., see Moorhouse, K.G. 717(1995)61
- Chen, A.B., Rickel, C.A., Flanigan, A., Hunt, G. and Moorhouse, K.G.
Comparison of ampholytes used for slab gel and capillary isoelectric focusing of recombinant tissue-type plasminogen activator glycoforms 744(1996)279
- Chen, A.B., see Thorne, J.M. 744(1996)155
- Chen, C.-C., see Lin, C.-E. 731(1996)299
- Chen, C.-F., see Tsai, T.-H. 730(1996)121
- Chen, C.-T. and Sheu, S.-J.
Separation of coumarins by micellar electrokinetic capillary chromatography 710(1995)323
- Chen, E.C.M., see Gremaud, G. 724(1996)235
- Chen, E.C.M., see Mendonca, S. 749(1996)131
- Chen, E.C.M., see Wentworth, W.E. 749(1996)149
- Chen, F.-T.A., see Evangelista, R.A. 745(1996)273
- Chen, H. and Horváth, Cs.
High-speed high-performance liquid chromatography of peptides and proteins 705(1995)3
- Chen, H.-R., see Sheu, S.-J. 704(1995)141
- Chen, I.-L., see Yang, M.-H. 722(1996)97

- Chen, J.
Determination of organic acids in industrial streams by ion chromatography after solid-phase extraction 739(1996)273
- Chen, J.-G., Vinski, E., Colizza, K. and Weber, S.G.
Optimization of a modified electrode for the sensitive and selective detection of α -dipeptides 705(1995)171
- Chen, L., see Pichon, V. 711(1995)257
- Chen, L., see Pichon, V. 725(1996)107
- Chen, L., see Pichon, V. 737(1996)25
- Chen, S., Soneji, V. and Webster, J.
Determination of choline in pharmaceutical formulations by reversed-phase high-performance liquid chromatography and postcolumn suppression conductivity detection 739(1996)351
- Chen, S.-H., see Kou, H.-S. 710(1995)267
- Chen, T., see Shi, Y.-C. 742(1996)107
- Chen, T.K., see Porter, R.S. 732(1996)399
- Chen, W., see Mitra, S. 727(1996)111
- Chen, Y., see Koppenhoefer, B. 735(1996)333
- Chen, Y.-C., see Huang, C.-C. 731(1996)217
- Chen, Y.-H., see Yu, T. 724(1996)91
- Cheng, J., Shoffner, M.A., Mitchelson, K.R., Kricka, L.J. and Wilding, P.
Analysis of ligase chain reaction products amplified in a silicon-glass chip using capillary electrophoresis 732(1996)151
- Cheng, K., Zhao, Z., Garrick, R., Nordmeyer, F.R., Lee, M.L. and Lamb, J.D.
Separation of metal cations by electrophoresis in a positively charged coated capillary 706(1995)517
- Cheong, E.-j., see Kim, K.R. 722(1996)303
- Cherkaoui, S., Faupel, M. and Francotte, E.
Separation of formoterol enantiomers and detection of zeptomolar amounts by capillary electrophoresis using laser-induced fluorescence 715(1995)159
- Cherton, J.-C., see Loutelier, C. 738(1996)181
- Chervet, J.-P., see Vissers, J.P.C. 746(1996)1
- Chetram, A.J., see Jagota, N.K. 739(1996)343
- Cheung, A.P., see Hettiarachchi, K. 717(1995)191
- Cheung, J., see Amijee, M. 738(1996)43
- Cheung, J., see Amijee, M. 738(1996)57
- Chevolleau, S. and Tulliez, J.
Optimization of the separation of β -agonists by capillary electrophoresis on untreated and C_{18} bonded silica capillaries 715(1995)345
- Chiap, P., see Ceccato, A. 750(1996)351
- Chiap, P., see Fillet, M. 717(1995)203
- Chiari, M., Dell'Orto, N. and Casella, L.
Separation of organic acids by capillary zone electrophoresis in buffers containing divalent metal cations 745(1996)93
- Chiari, M., see Felli, C. 741(1996)287
- Chiari, M. and Kenndler, E.
Capillary zone electrophoresis in organic solvents: separation of anions in methanolic buffer solutions 716(1995)303
- Chiari, M., Nesi, M., Sandoval, J.E. and Pesek, J.J.
Capillary electrophoretic separation of proteins using stable, hydrophilic poly(acryloylaminoethoxyethanol)-coated columns 717(1995)1
- Chiba, W., see Katsuragi, K. 744(1996)311
- Chickering, P.K., see Nitowski, A.J. 717(1995)363
- Chiesa, L.M., see Biondi, P.A. 726(1996)246
- Chilla, C., Guillén, D.A., Barroso, C.G. and Pérez-Bustamante, J.A.
Automated on-line solid-phase extraction-high-performance liquid chromatography-diode array detection of phenolic compounds in sherry wine 750(1996)209
- Ching, C.B., see Hidajat, K. 702(1995)215
- Ching, C.-B., see Lin, B.-G. 734(1996)247
- Chinnathambi, S., Lachke, A. and Radhakrishnan, S.
Purification of α -L-arabinofuranosidase using a single-column mini-scale isoelectric focusing unit 705(1995)400
- Chiou, W.-C., see Lin, C.-E. 705(1995)325
- Chiou, W.-C., see Lin, C.-E. 722(1996)333
- Chiou, W.-C., see Lin, C.-E. 722(1996)345
- Chiou, W.-C., see Lin, C.-E. 723(1996)189
- Chirico, M., see Musmeci, L. 706(1995)321
- Chiron, S., see Fernandez-Alba, A.R. 721(1996)97
- Chiu, L.-H., see Zhan, D.-J. 710(1995)149
- Chlenov, M.A., see Varlamov, V.P. 711(1995)113
- Chmelík, J., see Deml, M. 709(1995)39
- Chmelík, J., see Pazourek, J. 715(1995)259
- Cho, B.-Y., Zou, H., Strong, R., Fisher, D.H., Nappier, J. and Krull, I.S.
Immunochromatographic analysis of bovine growth hormone releasing factor involving reversed-phase high-performance liquid chromatography-immunodetection 743(1996)181
- Cho, E.H., see Nah, T.H. 722(1996)41
- Choi, O.-K., Kim, C.-G., Kim, Y.-D., Kim, H. and Jo, J.-S.
Determination of 2-keto-L-gulonic, 2-keto-D-gluconic and 2,5-diketo-D-gluconic acids by capillary zone electrophoresis 745(1996)249
- Choudhari, K.B., Jayanthi, S., Murty, R.B. and Matharu, R.P.
A high-performance liquid chromatographic method for the analysis of lipids from lyophilized formulations 724(1996)343
- Chrétien, J.R., see Righezza, M. 723(1996)77
- Christian, B., see Koppenhoefer, B. 717(1995)181
- Christian, B., see Koppenhoefer, B. 735(1996)333
- Christie, W.W., see Dobson, G. 723(1996)349
- Christie, W.W., see Nikolova-Damyanova, B. 749(1996)47
- Chu, C.-Y., see Chuang, W.-C. 727(1996)317
- Chu, S., Miao, X. and Xu, X.
Retention index system for identification of polychlorinated biphenyl congeners in gas chromatographic analysis 724(1996)392
- Chu, S., see Xu, X. 710(1995)21
- Chuang, C.-Y., see Lee, W.-C. 721(1996)31
- Chuang, W.-C., Chu, C.-Y. and Sheu, S.-J.
Determination of the alkaloids in *Evodiae Fructus* by high-performance liquid chromatography 727(1996)317
- Chudinová, M., see Mislovicová, D. 722(1996)143
- Chung, H.-C., see Hsu, M.-C. 727(1996)239
- Churáček, J., see Ventura, K. 710(1995)167
- Churms, S.C.
Recent progress in carbohydrate separation by high-performance liquid chromatography based on hydrophilic interaction 720(1996)75

- Churms, S.C.
Recent progress in carbohydrate separation by high-performance liquid chromatography based on size exclusion 720(1996)151
- Chwojda, C.A., see Cole, R.O. 736(1996)239
- Cid Montanes, P., see Louter, A.J.H. 725(1996)67
- Cifuentes, A., see Bedia Erim, F. 708(1995)356
- Cifuentes, A., Rodriguez, M.A. and García-Montelongo, F.J.
Rectangular capillary electrophoresis: study of some dispersive effects 737(1996)243
- Cifuentes, A., Rodriguez, M.A. and García-Montelongo, F.J.
Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257
- Cifuentes, A., Xu, X., Kok, W.T. and Poppe, H.
Optimum conditions for preparative operation of capillary zone electrophoresis 716(1995)141
- Cikalo, M.G., Goodall, D.M. and Matthews, W.
Analysis of glyphosate using capillary electrophoresis with indirect detection 745(1996)189
- Cimerman, A., see Friedrich, J. 704(1995)363
- Cimpan, G., see Cosoveanu, V. 727(1996)324
- Ciucanu, I.
Selective immobilization on silica gel of permethylated β -cyclodextrin for liquid chromatography 727(1996)195
- Cladrowa-Runge, S., Hirz, R., Kenndler, E. and Rizzi, A.
Enantiomeric separation of amphetamine related drugs by capillary zone electrophoresis using native and derivatized β -cyclodextrin as chiral additives 710(1995)339
- Cladrowa-Runge, S., see Rizzi, A.M. 710(1995)287
- Claessens, H.A., see Bede, Á. 728(1996)179
- Claessens, H.A., see Muijselaar, P.G.H.M. 735(1996)395
- Claessens, H.A., Van Straten, M.A. and Kirkland, J.J.
Effect of buffers on silica-based column stability in reversed-phase high-performance liquid chromatography 728(1996)259
- Claessens, H.C., see Ingelse, B.A. 745(1996)61
- Claramunt, J., see Dulsat, J.F. 742(1996)275
- Clark, R., Katzmüller, J.A., Wiegert, E., Namyst-Goldberg, C., Sanders, L., Oda, R.P., Kyle, R.A. and Landers, J.P.
Rapid capillary electrophoretic analysis of human serum proteins: qualitative comparison with high-throughput agarose gel electrophoresis 744(1996)205
- Clarke, G.S., see Bretnall, A.E. 716(1995)49
- Clarke, G.S., see Bretnall, A.E. 745(1996)145
- Clench, M.R., see Scullion, S.D. 733(1996)207
- Cleven, R.F.M.J., see van den Hoop, M.A.G.T. 739(1996)241
- Clifford, A.A., see Burford, M.D. 738(1996)241
- Clifford, A.A., see Tong, D. 703(1995)17
- Climent, M.J. and Miranda, M.A.
Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides 738(1996)225
- Clonis, Y.D., see Labrou, N.E. 718(1995)35
- Clothier, Jr, J.G. and Tomellini, S.A.
Chiral separation of verapamil and related compounds using micellar electrokinetic capillary chromatography with mixed micelles of bile salt and polyoxyethylene ethers 723(1996)179
- Cloux, R., see Reddy, K.S. 704(1995)387
- Coccioli, F., see Buiarelli, F. 730(1996)9
- Coccioli, F., see Cartoni, G. 709(1995)209
- Cochet, S., Pesliakas, H., Kroviarski, Y., Cartron, J.P. and Bertrand, O.
Chromatography of bovine lactoserum on the immobilized metallized dye Drimarene Rubine R/K 5BL. Modulation of selectivity by metal exchange and application to purification of milk immunoglobulins 725(1996)237
- Cocker, D., see Glennon, J.D. 731(1996)47
- Coco, F.L., Valentini, C., Novelli, V. and Ceccon, L.
High-performance liquid chromatographic determination of 2-furaldehyde and 5-hydroxymethyl-2-furaldehyde in honey 749(1996)95
- Coco, R., see Del Nozal, M.J. 727(1996)231
- Codony, R., see Guardiola, F. 705(1995)289
- Codony, R., see Guardiola, F. 705(1995)396
- Coenegracht, M.T., see Meeting, H.J. 728(1996)47
- Coffey, D., see Guan, H. 736(1996)21
- Coffman, J.L., see Lightfoot, E.N. 707(1995)45
- Cofino, W.P., see Hess, P. 703(1995)417
- Cohen, M.E., see Torre, M. 729(1995)99
- Cohen, A., Terabe, S. and Deyl, Z.
Foreword 735(1996)1
- Cohen, S.A., see Li, G.-D. 724(1996)147
- Cole, K.D., see Cabezas, H. 707(1995)1
- Cole, K.D., Todd, P., Srinivasan, K. and Dutta, B.K.
Free-solution electrophoresis of proteins in an improved density gradient column and by capillary electrophoresis 707(1995)77
- Cole, R.B., see Hua, Y. 750(1996)115
- Cole, R.O., Hiller, D.L., Chwojda, C.A. and Sepaniak, M.J.
Evaluation of extended light path capillaries for use in capillary electrophoresis with laser-induced fluorescence detection 736(1996)239
- Colina de Vargas, M., see Ledo de Medina, H. 739(1996)207
- Colina, M., Ledo, H., Gutiérrez, E., Villalobos, E. and Marín, J.
Determination of total phosphorus in sediments by means of high-pressure bombs and ion chromatography 739(1996)223
- Colina, M., see Salas-Auvert, R. 706(1995)183
- Colizza, K., see Chen, J.-G. 705(1995)171
- Collet, J. and Gareil, P.
Capillary zone electrophoresis with indirect UV detection applying a UV-absorbing counter ion 716(1995)115
- Colli, M., see Melzi D'Eril, G. 718(1995)141
- Collins, S., see Van Rhijn, J.A. 712(1995)67
- Colmenarez, J., see Salas-Auvert, R. 706(1995)183
- Colmsjö, A., see Bemgård, A. 723(1996)301
- Colón, L.A., see Guo, Y. 744(1996)17
- Colyer, C.L., Myland, J.C. and Oldham, K.B.
Diffusive analyte loss in capillary electrophoresis caused by delay in field application 732(1996)335
- Colyer, C.L. and Oldham, K.B.
Emersion peaks in capillary electrophoresis 716(1995)3
- Comellas, L., see Barrio, M.E. 719(1996)131
- Comellas, L., see Díaz, J. 719(1996)171
- Comellas, L., see Folch, I. 719(1996)121
- Comes, P., Gonzalez-Flesca, N., Bader, F. and Grimalt, J.O.
Langmuirian behaviour of smelly volatile organic compounds on air sampling with solid adsorbents 723(1996)293
- Čomor, J.J., see Graovac, M. 705(1995)313
- Čomor, J.J., see Marinković, V.D. 746(1996)286

- Compagnini, A., Fisichella, S., Foti, S., Maccarrone, G. and Saletti, R.
Isolation by gel-permeation chromatography of a non-covalent complex of Cibacron Blue F3G-A with human serum albumin 736(1996)115
- Compañó, R., see Prat, M.D. 746(1996)239
- Compton, P., see Mulholland, M. 739(1996)15
- Conradi, S., Vogt, C., Wittrisch, H., Knobloch, G. and Werner, G.
Capillary electrophoretic separation of metal ions using complex forming equilibria of different stabilities 745(1996)103
- Cont, M., see Larsen, B. 708(1995)115
- Conte, L.S., see Celotti, E. 730(1996)47
- Conte, L.S., see Moret, S. 729(1996)363
- Conte, L.S., see Moret, S. 750(1996)361
- Contreras, M., see Fernandez-Alba, A.R. 721(1996)97
- Conze, C., see Riedel, K. 719(1996)383
- Cooke, M., see Scullion, S.D. 733(1996)207
- Cools, P.J.C.H., Maesen, F., Klumperman, B., van Herk, A.M. and German, A.L.
Determination of the chemical composition distribution of copolymers of styrene and butadiene by gradient polymer elution chromatography 736(1996)125
- Cooper, D.A., see Moore, J.M. 704(1995)483
- Cooper, K.R. and Kelly, R.G.
Sources of variability in cation analysis for a quantitative exfoliation corrosion resistance test 739(1996)183
- Cooper, K.R., see Kelly, R.G. 739(1996)191
- Cooper, R.A., Bowers, R.J., Beckham, C.J. and Huxtable, R.J.
Preparative separation of pyrrolizidine alkaloids by high-speed counter-current chromatography 732(1996)43
- Cooper, S.E., see Prabhu, S.V. 731(1996)331
- Coors, C., Schulz, H.-G. and Stache, F.
Development and validation of a bioanalytical method for the quantification of diltiazem and desacyldiltiazem in plasma by capillary zone electrophoresis 717(1995)235
- Copper, C.L., see Anigbogu, V.C. 705(1995)343
- Coquart, V., see Hennion, M.-C. 712(1995)287
- Corana, F., see Angerosa, F. 736(1996)195
- Cordi, A.A., see Oliveros, L. 729(1996)29
- Corkum, N., see Goodlett, D.R. 707(1995)233
- Corradi Da Silva, M.L., see Rice, K.G. 720(1996)235
- Corradini, C., see Corradini, D. 709(1995)127
- Corradini, D., Cannarsa, G., Fabbri, E. and Corradini, C.
Effects of alkylamines on electroosmotic flow and protein migration behaviour in capillary electrophoresis 709(1995)127
- Corradini, D., Kalghati, K. and Horváth, Cs.
Effect of mobile phase additives on peptide retention in reversed-phase chromatography with pellicular and totally porous sorbents 728(1996)225
- Corstjens, H., Billiet, H.A.H., Frank, J. and Luyben, K.Ch.A.M.
Optimisation of selectivity in capillary electrophoresis with emphasis on micellar electrokinetic capillary chromatography 715(1995)1
- Cortés, S., see Ormad, P. 733(1996)159
- Corzo, N., see Torre, M. 729(1995)99
- Cosoveanu, V., Danciu, V., Cimpan, G., Martre, A.-M., Mousset, G. and Gocan, S.
Determination of 4,4'-diaminostilbene-2,2'-disulfonic acid by thin-layer chromatography and densitometry 727(1996)324
- Costanza, M.S., see Doskey, P.V. 738(1996)73
- Cossu, G., see Gelfi, C. 718(1995)405
- Couderc, F., see Nouadje, G. 717(1995)293
- Couderc, F., see Nouadje, G. 717(1995)335
- Couderc, F., see Nouadje, G. 716(1995)331
- Courtheyn, D., see Batjoens, P. 750(1996)133
- Courtheyn, D., see De Brabander, H.F. 750(1996)105
- Courtieu, J., see Perez, F. 746(1996)247
- Cousement, N., see Jimidar, M. 706(1995)479
- Cowey, C.M., see Burford, M.D. 738(1996)241
- Cowie, C.E., see Paterson, B. 731(1996)95
- Cox, J.A., Novak, H.L. and Montgomery, R.M.
High-performance liquid chromatographic determination of cyanide using a pre-column conversion to a transition metal complex 739(1996)229
- Coyle, S.M., see Edwards, C. 734(1996)163
- Coyle, S.M., see Edwards, C. 734(1996)175
- Cramer, S.M., see Gallant, S.R. 702(1995)125
- Cramer, S.M., see Gallant, S.R. 725(1996)295
- Cramer, S.M., see Jayaraman, G. 702(1995)143
- Cramer, S.M., see Kundu, A. 707(1995)57
- Cramers, C., see Snijders, H. 732(1996)51
- Cramers, C.A., see Bosboom, J.C. 724(1996)384
- Cramers, C.A., see Lou, X. 750(1996)215
- Cramers, C.A., see Mol, H.G.J. 703(1995)277
- Cramers, C.A., see Muijselaar, P.G.H.M. 735(1996)395
- Creasy, W.R., Rodríguez, A.A., Stuff, J.R. and Warren, R.W.
Atomic emission detection for the quantitation of trimethylsilyl derivatives of chemical-warfare-agent related compounds in environmental samples 709(1995)333
- Cremin, P., Donnelly, D.M.X., Wolfender, J.-L. and Hostettmann, K.
Liquid chromatographic-thermospray mass spectrometric analysis of sesquiterpenes of *Armillaria* (Eumycota: Basidiomycotina) species 710(1995)273
- Crescente, O.E., see Herrera, J.C. 740(1996)201
- Crescenzi, C., Di Corcia, A., Passariello, G., Samperi, R. and Turnes Carou, M.I.
Evaluation of two new examples of graphitized carbon blacks for use in solid-phase extraction cartridges 733(1996)41
- Crisp, P., see Gabelish, C.L. 749(1996)165
- Crommen, J., see Ceccato, A. 750(1996)351
- Crommen, J., see Fillet, M. 717(1995)203
- Crosser, O.K., see Liapis, A.I. 702(1995)45
- Crouzet, J., see Langourieux, S. 707(1995)181
- Crowther, J.B., see Goodlett, D.R. 707(1995)233
- Cruz, L., Garden, R.W., Kaiser, H.J. and Sweedler, J.V.
Studies of the degradation products of nisin, a peptide antibiotic, using capillary electrophoresis with off-line mass spectrometry 735(1996)375
- Cruzado, I.D., see Hu, A.Z. 717(1995)33
- Cserháti, T. and Forgács, E.
Reversed-phase chromatographic study of the interaction of non-ionic surfactants with sodium dodecyl sulfate 722(1996)33

- Cserháti, T., see Forgács, E. 722(1996)281
 Cserháti, T. and Forgács, E.
 Use of principal component analysis for the study of the retention behaviour of anticancer drugs on a β -cyclodextrin polymer-coated silica column 728(1996)67
- Cserháti, T., see Forgács, E. 728(1996)75
 Cserháti, T. and Forgács, E.
 Simultaneous determination of 3,4-dimethoxybenzaldehyde and 3,4-dimethoxyphenylacetone in industrial waste waters by high-performance liquid chromatography-diode array detection 750(1996)257
- Cserháti, T., see Németh-Kiss, V. 750(1996)253
 Cuadrado, C., see Muzquiz, M. 719(1996)237
 Cuadros Rodriguez, L., see Casado, A.G. 726(1996)133
 Cui, H., Leon, J., Reusaet, E. and Bult, A.
 Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27
- Cui, H., Reubaet, J.L.E. and Bult, A.
 Precolumn fluorescence derivatization of the antagonist [$\text{Arg}^6,\text{D-Trp}^{7,9},\text{MePhe}^8$]-Substance P{6–11} with benzoin in high-performance liquid chromatography and selective detection of arginine-containing fragments in its degradation products 736(1996)91
- Culbertson, J.A. and Grimsrud, E.P.
 Destruction of halogenated methanes by non-electron capture processes within an electron capture detector 742(1996)135
- Cuñat-Walter, M.A., see Engelhardt, H. 716(1995)27
 Cuñat-Walter, M.A., see Engelhardt, H. 717(1995)15
 Cunningham, J.E., see Carrier, D.-J. 715(1995)317
 Curcuruto, O., see Casazza, A. 715(1995)227
 Currò, P., see Micali, G. 731(1996)336
 Curto, M.J.C., see Rivera, L. 731(1996)85
 Czajkowska, T., Jaroniec, M. and Buszewski, B.
 Retention of pyridinecarboxylic acids on monomeric and polymeric alkylamide phases 728(1996)213
- Czerwiński, J., see Biziuk, M. 733(1996)171
 Czirr, K.B., see Lamb, J.D. 739(1996)373
 Cramers, C., see Snijders, H. 718(1995)339
- D
 Dabek-Zlotorzynska, E., Dlouhy, J.F., Houle, N., Piechowski, M. and Ritchie, S.
 Comparison of capillary zone electrophoresis with ion chromatography and standard photometric methods for the determination of inorganic anions in atmospheric aerosols 706(1995)469
- Dabek-Zlotorzynska, E. and Dlouhy, J.F.
 Application of capillary electrophoresis in atmospheric aerosol analysis: determination of cations 706(1995)527
- Dabek-Zlotorzynska, E., see Nordén, M. 739(1996)421
 Dąbrowska, A., see Nawrocki, J. 749(1996)157
 Dachs, J., see Fernández, I. 719(1996)77
 Dahl, R., see Al-Shawi, A.W. 706(1995)175
 Dahlman, O., see Rydlund, A. 738(1996)129
 d'Alessandro, N., see Angerosa, F. 736(1996)195
 Dall'Aglio, C., see Semenzato, A. 705(1995)385
- Dallanoce, C., see Bonfichi, R. 707(1995)355
 Dalton, D.D., Taylor, D.R. and Waters, D.G.
 Synthesis and use of novel chiral surfactants in micellar electrokinetic capillary chromatography 712(1995)365
- Dalton, J.C., Gupta, S., Bruley, M.D., Kang, K.A. and Bruley, D.F.
 Liquid chromatographic process identification using pulse testing techniques. Applications to column standardization and scale-up 718(1995)1
- Damant, A.P., see Barnes, K.A. 712(1995)191
 D'Amato, A., see Bicchi, C. 742(1996)161
 Danciu, V., see Cosoveanu, V. 727(1996)324
 Danielson, B., see Nyberg, G. 723(1996)43
 Danielson, J.W. and Thompson, R.D.
 Determination of glutaraldehyde and phenol in germicide products by capillary gas chromatography 724(1996)398
- Danielson, N.D., see Shamsi, S.A. 737(1996)315
 Danielson, N.D., see Shamsi, S.A. 739(1996)405
 Danilov, A.V., Mustaeva, L.G., Vaginina, I.V. and Baru, M.B.
 Size-exclusion chromatography on soft packing material under axial compression 732(1996)17
- Dann III, C., see Ward, T.J. 715(1995)337
 Darius, M., see Boden, J. 716(1995)311
 Dasgupta, P.K., see Kar, S. 739(1996)379
 Dash, A.K. and Harrison, J.S.
 Ion-pair chromatographic method for the analysis of mafenide acetate 708(1995)83
- Dash, A.K. and Wong, S.-T.
 Liquid chromatographic method for the determination of nicotine in pharmaceutical formulations 749(1996)81
- Dattagupta, N., see Dinh, T.Q. 744(1996)341
 Daumas, F., see Bauza, T. 707(1995)373
 Dauphin, C., see Diallo, S. 721(1996)75
 David, F., see Sandra, P. 703(1995)467
 David, K., see Renou-Gonnord, M.F. 735(1996)249
 Davidian, E.W., see Zhang, X. 745(1996)1
 Davidson, R., see Walker, E.B. 745(1996)111
 Davidson, S.M., see Richards, D.S. 746(1996)9
 Davies, D.H., see Bonwick, G.A. 707(1995)293
 Davies, M.J. and Hounsell, E.F.
 Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides 720(1996)227
- Davies, M.J. and Hounsell, E.F.
 Erratum to 'Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides' [J. Chromatogr. A, 720 (1996) 227–233] 741(1996)147
- Davis, B.H., see Shi, B. 731(1996)351
 Davis, E., see Guan, H. 736(1996)21
 Davis, G.C. and Riggan, R.M.
 Preface 705(1995)1
- De Amici, M., see Felli, C. 741(1996)287
 Dean, J.R., see Barnabas, I.J. 705(1995)305

- Dean, J.R., Wade, G. and Barnabas, I.J.
Determination of triazine herbicides in environmental samples (Review) 733(1996)295
- De Angelis, M., see Moro, E. 706(1995)451
- Dearnley, J., see Prime, S. 720(1996)263
- Debaert, M., see Vaccher, C. 715(1995)361
- Debaert, M., see Vaccher, C. 732(1996)239
- De Boer, J., see Hess, P. 703(1995)417
- De Borrego, B.S., see Velásquez, H. 739(1996)295
- De Brabander, E.M.M., see Mengerink, Y. 730(1996)75
- De Brabander, H.F., Batjoens, P., Courteyn, D., Vercammen, J. and De Wasch, K.
Comparison of the possibilities of gas chromatography-mass spectrometry and tandem mass spectrometry systems for the analysis of anabolics in biological material 750(1996)105
- De Brabander, H.F., see Batjoens, P. 750(1996)127
- De Brabander, H.F., see Batjoens, P. 750(1996)133
- Deckwer, W.-D., see Beeskow, T.C. 715(1995)49
- Deckwer, W.-D., see Mayer, A.F. 741(1996)185
- De Cuyper, M., see Noppe, W. 719(1996)327
- De Dionisio, L.A. and Lloyd, D.H.
Capillary gel electrophoresis and antisense therapeutics. Analysis of DNA analogs 735(1996)191
- Degenhardt-Langelaan, C.E.A.M. and Kientz, Ch.E.
Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210
- De Gooijer, C.D., see Dorresteijn, R.C. 724(1996)159
- De Jong, E., see Wong, K.K.Y. 737(1996)193
- De Julián-Ortiz, J.V., García-Domenech, R., Gálvez Alvarez, J., Soler Roca, R., García-March, F.J. and Antón-Fos, G.M.
Use of topological descriptors in chromatographic chiral separations 719(1996)37
- De Julián-Ortiz, J.V., see García-March, F.J. 719(1996)45
- Deka, J., see Luo, J.L. 722(1996)353
- Dekkers, S.E.G., Tjaden, U.R. and Van der Greef, J.
Development of an instrumental configuration for pseudo-electrochromatography-electrospray mass spectrometry 712(1995)201
- Del Nozal, M.J., Bernal, J.L., Pampliega, A., Marinero, P., López, M.I. and Coco, R.
High-performance liquid chromatographic determination of vancomycin in rabbit serum, vitreous and aqueous humour after intravitreal injection of the drug 727(1996)231
- Del Rio, J.C., see González-Vila, F.J. 750(1996)155
- De la Colina, C., Peña, A., Mingorance, M.D. and Sánchez Rasero, F.
Influence of the solid-phase extraction process on calibration and performance parameters for the determination of pesticide residues in water by gas chromatography 733(1996)275
- De la Colina, C., see Sanchez-Rasero, F. 733(1996)367
- De la Torre, R., see González, G. 719(1996)251
- Delafortrie, A., see Motte, J.C. 728(1996)333
- Delaurent, C., see Benmoussa, A. 731(1996)153
- De Ledo M. H., see Salas-Auvert, R. 706(1995)183
- Delgado Luque, M.V., see Moldovan, Z. 723(1996)243
- Delgado, T., Gómez-Cordovés, C. and Scott, P.M.
Determination of alternariol and alternariol methyl ether in apple juice using solid-phase extraction and high-performance liquid chromatography 731(1996)109
- Dell'Orto, N., see Chiari, M. 745(1996)93
- Delonge, T. and Fouckhardt, H.
Integrated optical detection cell based on Bragg reflecting waveguides 716(1995)135
- De Lorenzi, E., see Massolini, G. 704(1995)55
- DeMarco, J., see Qin, X.-Z. 707(1995)245
- De Micheli, C., see Felli, C. 741(1996)287
- Deml, M., Pospíchal, J. and Chmelík, J.
Continuous micropreparative trapping in carrier ampholyte-free isoelectric focusing 709(1995)39
- DeMontigny, P., see Faulkner, A. 715(1995)189
- De Nava, M.G., see Velásquez, H. 739(1996)295
- Denizli, A., Salih, B. and Pişkin, E.
Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents. Albumin adsorption/desorption 731(1996)57
- Dennis, J., see Ferreira, V. 731(1996)247
- Dennis, M.F., see Everett, S.A. 706(1995)437
- Dennis, M.F., see Stratford, M.R.L. 706(1995)459
- Dennis, M.J., see Goodall, I. 706(1995)353
- Denti, V., see Cattaneo, T.M.P. 721(1996)345
- Denton, K.A. and Harris, R.
High-performance capillary electrophoretic separation of human serum albumin using a neutral coated capillary 705(1995)335
- DePauw, E., see Van Vyncht, G. 750(1996)433
- De Ru, A.H., see Vissers, J.P.C.. 746(1996)1
- Desbène, A.M., Morin, C.J., Mofaddel, N.L. and Grout, R.S.
Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection. II. Application to organic anions 716(1995)279
- Desbène, P.L. and Fulchic, C.E.
Utilization of *n*-alkyl- β -D-glucopyranosides in enantiomeric separation by micellar electrokinetic chromatography 749(1996)257
- Desbène, P.L., see Jacquier, J.C. 718(1995)167
- Desbène, P.L., see Jacquier, J.C. 743(1996)307
- Desbène, P.L., Portet, F.I. and Goussot, G.J.
Quantitative trace analysis of surfactant mixtures by reversed-phase high-performance liquid chromatography with refractometric detection 730(1996)209
- Desiderio, C. and Fanali, S.
Use of negatively charged sulfobutyl ether- β -cyclodextrin for enantiomeric separation by capillary electrophoresis 716(1995)183
- Desiderio, C., see Ingelse, B.A. 709(1995)89
- Desjardins, R.L., see Cessna, A.J. 710(1995)251
- De Souza, N.J., see Inamdar, P.K. 742(1996)127
- De Swaef, S.I. and Vlietinck, A.J.
Simultaneous quantitation of lauric acid and ethyl laureate in *Sabal serrulata* by capillary gas chromatography and derivatisation with trimethyl sulphoniumhydroxide 719(1996)479
- Detaevernier, M.R., see Boonkerd, S. 704(1995)238
- Detaevernier, M.R., see Boonkerd, S. 736(1996)281
- Deutsch, J.C. and Santhosh-Kumar, C.R.
Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol 724(1996)271

- Deutsch, J.C. and Santhosh-Kumar, C.R.
Publisher's Erratum to "Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol". [J. Chromatogr. A., 724 (1996) 271–278] 746(1996)300
- Deutz, N.E.P., see Rooyakers, D.R. 730(1996)99
- Deutz, N.E.P., see Van Eijk, H.M.H. 730(1996)115
- Devadher, S., see Péter, A. 729(1996)137
- Devaux, J., see Jacques, B. 725(1996)367
- De Villiers, M.M., see Swanepoel, E. 729(1996)287
- De Villiers, M.M., see Van Tonder, E.C. 729(1996)267
- De Voogt, P., see Kiewiet, A.T. 733(1996)185
- De Wasch, K., see Batjoens, P. 750(1996)127
- De Wasch, K., see Batjoens, P. 750(1996)133
- De Wasch, K., see De Brabander, H.F. 750(1996)105
- Deyl, Z.
Advances in Chromatography (edited by P. Brown and E. Grushka) (Book Review) 709(1995)397
- Deyl, Z., see Boso, R.L. 709(1995)11
- Deyl, Z., see Cohen, A. 1(1996)1
- Deyl, Z., see Jelínková, D. 709(1995)111
- Dezael, C., see Schäffer, S. 717(1995)351
- Dezael, C., see Schäffer, S. 740(1996)151
- D'Hulst, A. and Verbeke, N.
Chiral analysis of basic drugs by oligosaccharide-mediated capillary electrophoresis 735(1996)283
- Di Corcia, A., Bellioni, A., Madbouly, M.D. and Marchese, S.
Trace determination of phenols in natural waters.
Extraction by a new graphitized carbon black cartridge followed by liquid chromatography and re-analysis after phenol derivatization 733(1996)383
- Di Corcia, A., see Crescenzi, C. 733(1996)41
- Di Pietra, A.M., Gatti, R., Andrisano, V. and Cavrini, V.
Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355
- Diallo, S., Zhou, J.Y., Dauphin, C., Prognon, P. and Hamon, M.
Determination of N-nitrosodiethanolamine as nitrite in ethanolamine derivative raw materials by high-performance liquid chromatography with fluorescence detection after alkaline denitrosation 721(1996)75
- Diamandis, E.P., see Goldberg, D.M. 708(1995)89
- Díaz, J., Lliberia, J.L., Comellas, L. and Broto-Puig, F.
Amino acid and amino sugar determination by derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate followed by high-performance liquid chromatography and fluorescence detection 719(1996)171
- Díaz, J., see Velásquez, H. 739(1996)295
- Dickson, D.A., see Chang, J.P. 736(1996)97
- Diedrich, P., see Zhang, Y. 716(1995)221
- Díez, M., see Galceran, M.T. 732(1996)167
- Díez, M.A., see Domínguez, A. 719(1996)181
- Díez-Masa, J.C., see García, M.A. 732(1996)345
- Díez-Masa, J.C., see García, M.A. 742(1996)251
- Díez-Masa, J.C., see Torre, M. 729(1995)99
- Díez-Masa, J.C., see Xu, R.J. 730(1996)289
- Dijkman, E., see Sancho, J.V. 737(1996)75
- Dimond, P., see Hunt, A.J. 708(1995)61
- Dinelli, G., Vicari, A. and Catizone, P.
Monitoring of herbicide pollution in water by capillary electrophoresis (Review) 733(1996)337
- Ding, Z.-T., see Shi, Y.-C. 742(1996)107
- Dinh, T.Q., Sridhar, C.N. and Dattagupta, N.
Base composition analysis of phosphorothioate oligomers by capillary gel electrophoresis 744(1996)341
- Dios, G.C., see Sanchez-Rasero, F. 733(1996)367
- Dittmann, M.M. and Rozing, G.P.
Capillary electrochromatography – a high-efficiency micro-separation technique 744(1996)63
- Divjak, B., see Novič, M. 739(1996)35
- Djelal, B.D., see Jones, R.M. 722(1995)257
- Dlouhy, J.F., see Dabek-Zlotorzynska, E. 706(1995)469
- Dlouhy, J.F., see Dabek-Zlotorzynska, E. 706(1995)527
- Dobarganes, M.C., see Márquez-Ruiz, G. 749(1996)55
- Dobashi, A., see Ohkuma, T. 728(1996)97
- Dobberstein, P. and Muenster, H.
Application of a new atmospheric pressure ionization source for double focusing sector instruments 712(1995)3
- Dobner, B., see Bringezu, F. 724(1996)367
- Dobson, G., Christie, W.W. and Sebedio, J.L.
Gas chromatographic properties of cyclic dioenoic fatty acids formed in heated linseed oil 723(1996)349
- Doi, T., see Furuta, R. 708(1995)245
- Dolan, J.W., see Lewis, J.A. 721(1996)15
- Dolan, J.W., see Snyder, L.R. 721(1996)3
- Dolan, J.W., see Zhu, P.-L. 718(1995)429
- Dolník, V.
Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99
- Dolník, V.
Selectivity, differential mobility and resolution as parameters to optimize capillary electrophoretic separation 744(1996)115
- Dolník, V. and Dolníková, J.
Capillary zone electrophoresis of organic acids in serum of critically ill children 716(1995)269
- Dolníková, J., see Dolník, V. 716(1995)269
- Domanig, R., see Andre, M. 725(1996)287
- Domanig, R., see Andre, M. 741(1996)146
- Domínguez, A., Alvarez, R., Blanco, C.G. and Díez, M.A.
Chromatographic evaluation of some selected polycyclic aromatic hydrocarbons of coal tars produced under different coking conditions and pitches derived from them 719(1996)181
- Domínguez Alvarez, J., see Carabias Martínez, R. 733(1996)349
- Dominguez, V.M., see Gomez, F.A. 727(1996)291
- Donnelly, D.M.X., see Cremin, P. 710(1995)273
- Donovan, S.F.
New method for estimating vapor pressure by the use of gas chromatography 749(1996)123
- Dorresteijn, R.C., Berwald, L.G., Zomer, G., De Gooijer, C.D., Wieten, G. and Beuvery, E.C.
Determination of amino acids using *o*-phthalaldehyde–2-mercaptopethanol derivatization. Effect of reaction conditions 724(1996)159
- Dorsey, J.G., see Siles, B.A. 704(1995)289

- Döscher, A., Schwikowski, M. and Gäggeler, H.W.
Cation trace analysis of snow and fir samples from high-alpine sites by ion chromatography 706(1995)249
- Doskey, P.V., Costanza, M.S., Hansen, M.C. and Kickels, W.T.
Solid sorbent method for the collection and analysis of volatile halogenated organic compounds in soil gas 738(1996)73
- Doughty, S.W., see Lee, R.P. 737(1996)273
- Douglas, D.J., see Bateman, K.P. 712(1995)253
- Douglas, J.A., see Lauren, D.R. 712(1995)303
- Douse, J.M.F., see Kennedy, S. 726(1996)211
- Dovichi, N.J.
Capillary electrophoresis (by D. Baker) (Book Review) 727(1996)334
- Dovichi, N.J., see Figeys, D. 717(1995)105
- Dovichi, N.J., see Figeys, D. 717(1995)113
- Dovichi, N.J., see Figeys, D. 744(1996)325
- Dovichi, N.J., see Figeys, D. 744(1996)333
- Dovichi, N.J., see Le, X. 716(1995)215
- Dovichi, N.J., see Zhang, Y. 716(1995)221
- Dovžan, A., see Novič, M. 704(1995)530
- Drandarov, K. and Hais, I.M.
Separation of *E-Z* isomeric macrocyclic spermine alkaloids of *Verbascum pseudonobile* and *Verbascum phoeniceum* and of their derivatives using thin-layer chromatography 724(1996)416
- Dréano, Y., see Bellec, G. 727(1996)83
- Dreux, M., see Baumy, Ph. 707(1995)311
- Dreux, M., see Caron, I. 746(1996)103
- Dreux, M., see Elfakir, C. 727(1996)71
- Dreux, M., see François, C. 717(1995)393
- Dreux, M., see Francois, C. 706(1995)535
- Dreux, M., see Mercier, J.-P. 741(1996)279
- Dreux, M., see Sainthorant, C. 717(1995)167
- Drozdowicz, B., see Lasa, J. 724(1996)265
- Drozdowicz, B., see Lasa, J. 743(1996)301
- Du Preez, J.L., see Swanepoel, E. 729(1996)287
- Du Preez, J.L., see Van Tonder, E.C. 729(1996)267
- Du, Y., see Hu, Y. 734(1996)259
- Dubernet, J.F., see Dupas, S. 737(1996)117
- Ducatte, G.R., see Quang, C. 732(1996)377
- Ducauze, C.J., see Eveleigh, L.J. 725(1996)343
- Duchateau, A.L.L., see Ingelse, B.A. 745(1996)61
- Duchateau, G.S.M.J.E., see Szűcs, R. 738(1996)25
- Duchêne, D., see Lemesle-Lamache, V. 735(1996)321
- Duff, M.C. and Amrhein, C.
Method for the separation of uranium(IV) and (VI) oxidation states in natural waters 743(1996)335
- Dulay, M.T., Yan, C., Rakestraw, D.J. and Zare, R.N.
Automated capillary electrochromatography: reliability and reproducibility studies 725(1996)361
- Dulsat, J.F., Amat, G. and Claramunt, J.
Separation of 1-(*4-tert.*-butylphenyl)-4-(4-hydroxypiperidinyl)-butan-1-one and its *O*-alkylated isomer by capillary zone electrophoresis 742(1996)275
- Dumont, P.J. and Fritz, J.S.
Ion chromatographic separation of alkali metals in organic solvents 706(1995)149
- Dumont, P.J., Fritz, J.S. and Schmidt, L.W.
Cation-exchange chromatography in non-aqueous solvents 706(1995)109
- Dunemann, L., see Begerow, J. 749(1996)181
- Dunlap, C.J. and Carr, P.W.
Synthesis and chromatographic characterization of dextran-coated zirconia high-performance liquid chromatographic stationary phases 746(1996)199
- Dunn, D.L., see Hall, R.E. 718(1995)305
- Dunphy, R., see Oyler, A.R. 724(1996)378
- Dunstan, D.I., see Carrier, D.-J. 715(1995)317
- Dupas, S., Scribe, P. and Dubernet, J.F.
On-line and off-line solid-liquid extraction and liquid chromatographic analysis at trace levels, for monitoring of herbicides and their degradation products in river and fluvio-estuarine freshwater-seawater interfaces 737(1996)117
- Dupin, P., Galinou, F. and Bayol, A.
Analysis of recombinant human growth hormone and its related impurities by capillary electrophoresis 707(1995)396
- Durand, G., see Molina, C. 712(1995)113
- Durand, N., see Lawrence, J.F. 732(1996)277
- Durand, N., see Pichon, V. 725(1996)107
- Durst, H.D., see Cheicante, R.L. 711(1995)347
- Dutta, B.K., see Cole, K.D. 707(1995)77
- E**
- Eadie, J., see Herron, W.J. 712(1995)55
- Eakins, M.N., see Owies, L. 719(1996)307
- Eaton, L.C.
Host cell contaminant protein assay development for recombinant biopharmaceuticals (Review) 705(1995)105
- Eberlein, G.A., see Astafieva, I.V. 740(1996)215
- Ebermann, R., see Obinger, C. 731(1996)293
- Ebert, P., see Tenberken, B. 745(1996)209
- Echarri, I., see Wells, D.E. 718(1995)107
- Edge, C.J., see Prime, S. 720(1996)263
- Edwards, B.R., Giaquie, A.P. and Lamb, J.D.
Macrocycl-based column for the separation of inorganic cations by ion chromatography 706(1995)69
- Edwards, C., Lawton, L.A., Coyle, S.M. and Ross, P.
Laboratory-scale purification of microcystins using flash chromatography and reversed-phase high-performance liquid chromatography 734(1996)163
- Edwards, C., Lawton, L.A., Coyle, S.M. and Ross, P.
Automated purification of microcystins 734(1996)175
- Efer, J., see Lewin, U. 730(1996)161
- Effkemann, S., see Pinkernell, U. 730(1996)203
- Effmert, U., see Schoor, A. 704(1995)89
- Egger, R., see Stuppner, H. 735(1996)409
- Erwald, R., see Woehlecke, H. 708(1995)263
- Eickhoff, H., see Földes-Papp, Z. 739(1996)431
- Einarsson, M., see Nyberg, G. 723(1996)43

- Eisener, C.G., see Singh, H. 734(1996)405
- Eisert, R. and Levsen, K.
- Solid-phase microextraction coupled to gas chromatography: a new method for the analysis of organics in water (Review) 733(1996)143
- Eisert, R. and Levsen, K.
- Development of a prototype system for quasi-continuous analysis of organic contaminants in surface or sewage water based on in-line coupling of solid-phase microextraction to gas chromatography 737(1996)59
- Ekelund, J., Van Arkens, A., Brønnum-Hansen, K., Fich, K., Olsen, L. and Petersen, P.V.
- Chiral separations of β -blocking drug substances using chiral stationary phases 708(1995)253
- Ekman, L., see Tyrefors, N. 729(1996)279
- El Rassi, Z., see Mechref, Y. 724(1996)285
- Elchuk, S., see Caron, F. 739(1996)281
- Elefterov, A.I., see Nesterenko, P.N. 706(1995)59
- Elenbring, K., see Englund, A.-K. 711(1995)217
- Elfakir, C., see Caron, I. 746(1996)103
- Elfakir, C. and Dreux, M.
- Simultaneous analysis of intact and desulfated glucosinolates with a porous graphitized carbon column 727(1996)71
- El-Fizga, N.K., see El-Hamdy, A.H. 708(1995)351
- El-Hamdy, A.H. and El-Fizga, N.K.
- Detection of olive oil adulteration by measuring its authenticity factor using reversed-phase high-performance liquid chromatography 708(1995)351
- El-Khattabi, R., see Vilchez, J.L. 746(1996)289
- Elliker, P.R., see Lam, P. 707(1995)29
- Ellis, J.D., see McLoughlin, D.A. 726(1996)115
- Ellison, D.K., see Prabhu, S.V. 731(1996)331
- Elmazar, M.M.A., see Arafa, H.M.M. 729(1996)125
- Erlod, Jr., L., Schmit, J.L. and Morley, J.A.
- Determination of isoproterenol sulfate on surfaces using high-performance liquid chromatography with electrochemical detection 723(1996)235
- Elsner, B., see Bringezu, F. 724(1996)367
- Emaldi, P., Fapanni, S. and Baldini, A.
- Validation of a capillary electrophoresis method for the determination of cephadrine and its related impurities 711(1995)339
- Emenheiser, C., Englert, G., Sander, L.C., Ludwig, B. and Schwartz, S.J.
- Isolation and structural elucidation of the predominant geometrical isomers of α -carotene 719(1996)333
- Emenheiser, C., Sander, L.C. and Schwartz, S.J.
- Capability of a polymeric C_{10} stationary phase to resolve *cis-trans* carotenoid isomers in reversed-phase liquid chromatography 707(1995)205
- Emnéus, J. and Marko-Varga, G.
- Biospecific detection in liquid chromatography (Review) 703(1995)191
- Emnéus, J., see Önnérjord, P. 737(1996)35
- Endo, T.
- Fractionation of glycoprotein-derived oligosaccharides by affinity chromatography using immobilized lectin columns 720(1996)251
- Endresz, G., see Chankvetadze, B. 704(1995)234
- Endresz, G., see Chankvetadze, B. 717(1995)245
- Endresz, G., Chankvetadze, B., Bergenthal, D. and Blaschke, G.
- Comparative capillary electrophoretic and nuclear magnetic resonance studies of the chiral recognition of racemic metomidate with cyclodextrin hosts 732(1996)133
- Endresz, G., see Chankvetadze, B. 732(1996)143
- Engel, D., see Hubatsch, I. 711(1995)105
- Engelhardt, H.
- Foreword 716(1995)1
- Engelhardt, H. and Cuñat-Walter, M.A.
- Preparation and stability tests for polyacrylamide-coated capillaries for capillary electrophoresis 716(1995)27
- Engelhardt, H. and Cuñat-Walter, M.A.
- Use of plate numbers achieved in capillary electrophoretic protein separations for characterization of capillary coatings 717(1995)15
- Engelhardt, H., see Steiner, F. 738(1996)11
- Engewald, W., see Lewin, U. 730(1996)161
- Englert, G., see Emenheiser, C. 719(1996)333
- Englund, A.-K., Lundahl, P., Elenbring, K., Ericson, C. and Hjertén, S.
- Capillary and rotating-tube isoelectric focusing of a transmembrane protein, the human red cell glucose transporter 711(1995)217
- Engström, A., see Wan, H. 704(1995)179
- Engström, A., Wan, H., Andersson, P.E. and Josefsson, B.
- Determination of chiral reagent purity by capillary electrophoresis 715(1995)151
- Engström, A., see Wan, H. 731(1996)283
- Epperlein, U., see Koppenhoefer, B. 717(1995)181
- Epperlein, U., see Koppenhoefer, B. 735(1996)333
- Equisetto, V., see Tagliaro, F. 735(1996)227
- Erdmann, N., see Schoor, A. 704(1995)89
- Ericson, C., see Englund, A.-K. 711(1995)217
- Ericsson, A., see Sandström, M. 730(1996)373
- Eriksen, J.A., see Krook, M. 711(1995)119
- Eriksson, B.-M., see Toreson, H. 729(1996)13
- Eriksson, U., Andrén, P.E., Caprioli, R.M. and Nyberg, F.
- Reversed-phase high-performance liquid chromatography combined with tandem mass spectrometry in studies of a substance P-converting enzyme from human cerebrospinal fluid 743(1996)213
- Ermakov, S.V., Capelli, L. and Righetti, P.G.
- Method for measuring very weak, residual electroosmotic flow in coated capillaries 744(1996)55
- Ersson, B., see Chaga, G.S. 732(1996)261
- Esaka, Y., Goto, M., Haraguchi, H., Ikeda, T. and Kano, K.
- Hydrogen-bonding interaction in capillary electrophoresis using polyether matrices 711(1995)305
- Esaka, Y., Kobayashi, M., Ikeda, T. and Kano, K.
- Hydrogen-bonding interaction-assisted micellar electrokinetic chromatography using mixed surfactant systems 736(1996)273
- Escobal, A., see Arenaza, M.J. 721(1996)123
- Escribano, J., see Calero, M. 719(1996)149
- Estrella, I., see Bartolomé, B. 723(1996)19
- Ettner, N., Müller, G., Berens, C., Backes, H., Schnappinger, D., Schreppel, T., Pfeiderer, K. and Hillen, W.
- Fast large-scale purification of tetracycline repressor variants from overproducing *Escherichia coli* strains 742(1996)95

- Euerby, M.R., Johnson, C.M., Rushin, I.D. and Tennekoon, D.A.S.S.
Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. I. Investigations into the reaction mechanism 705(1995)219
- Euerby, M.R., Johnson, C.M., Rushin, I.D. and Tennekoon, D.A.S.S.
Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. II. The involvement of metals in commercially available C₁₈ silicas 705(1995)229
- Eusebio, C.A., see Moorhouse, K.G. 717(1995)61
- Evangelista, R.A., Chen, F.-T.A. and Guttman, A.
Reductive amination of N-linked oligosaccharides using organic acid catalysts 745(1996)273
- Evans, C.S., see Veness, R.G. 721(1996)165
- Evans, C.S., see Veness, R.G. 750(1996)311
- Evans, R.W., see Zhang, X. 745(1996)1
- Eveleigh, L.J., Ducauze, C.J. and Arpino, P.J.
Improved method for computing temperature programmed retention indices from isothermal data 725(1996)343
- Everaerts, F.M., see Ingelse, B.A. 709(1995)89
- Everaerts, F.M., see Ingelse, B.A. 745(1996)61
- Everaerts, F.M., see Reijenga, J.C. 744(1996)147
- Everaerts, F.M., see Van der Schans, M.J. 717(1995)139
- Everaerts, F.M., see Van der Schans, M.J. 735(1996)387
- Everett, S.A., Dennis, M.F., Tozer, G.M., Prise, V.E., Wardman, P. and Stratford, M.R.L.
Nitric oxide in biological fluids: analysis of nitrite and nitrate by high-performance ion chromatography 706(1995)437
- Everett, S.A., see Stratford, M.R.L. 706(1995)459
- Ezaki, Y., see Yamada, A. 709(1995)345
- F**
- Fabbri, E., see Corradini, D. 709(1995)127
- Facchetti, S., see Fromberg, A. 746(1996)71
- Fadeev, A.Yu., see Mingalyov, P.G. 719(1996)291
- Fagan, P.A., see Brandão, A.C.M. 706(1995)271
- Fagarasan, M.O., see Knight, M. 702(1995)207
- Fahey, J., see Redden, P.R. 704(1995)99
- Failla, S., see Pirkle, W.H. 721(1996)241
- Faiz, M., see O'Donnell, G.E. 709(1995)313
- Fales, H.M., see Shinomiya, K. 724(1996)179
- Fall, J., see Voelkel, A. 721(1996)139
- Famiglini, G., see Rezai, M.A. 742(1996)69
- Fan, T.Y., Wall, G.M., Sternitzke, K., Bass, L., Morton, A.B. and Muegge, E.
Improved high-performance liquid chromatographic determination of pilocarpine and its degradation products in ophthalmic solutions. Importance of octadecylsilane column choice 740(1996)289
- Fanali, S.
Identification of chiral drug isomers by capillary electrophoresis 735(1996)77
- Fanali, S. and Camera, E.
Use of cyclodextrins in the capillary electrophoretic separation of *erythro*- and *threo*-mefloquine enantiomers 745(1996)17
- Fanali, S., see Desiderio, C. 716(1995)183
- Fanali, S., see Ingelse, B.A. 709(1995)89
- Fanali, S., see Schützner, W. 719(1996)411
- Fanelli, R., see Fattore, E. 737(1996)85
- Fang, F., Aguilar, M.-I. and Hearn, M.T.W.
Influence of temperature on the retention behaviour of proteins in cation-exchange chromatography 729(1996)49
- Fang, F., Aguilar, M.-I. and Hearn, M.T.W.
Temperature-induced changes in the bandwidth behaviour of proteins separated with cation-exchange adsorbents 729(1996)67
- Fang, L., see Song, L. 715(1995)376
- Fang, X., see Motohashi, N. 710(1995)117
- Fantuzzi, G., see Aggazzotti, G. 710(1995)181
- Fapanni, S., see Emaldi, P. 711(1995)339
- Farkas, T., Sepaniak, M.J. and Guiochon, G.
Column radial homogeneity in high-performance liquid chromatography 740(1996)169
- Farran, A., Ruiz, S., Serra, C. and Aguilar, M.
Comparative study of high-performance liquid chromatography and micellar electrokinetic capillary chromatography applied to the analysis of different mixtures of pesticides 737(1996)109
- Farré, R., see Alegria, A. 721(1996)83
- Fattore, E., Benfenati, E. and Fanelli, R.
Analysis of chlorinated 1,3-butadienes by solid-phase microextraction and gas chromatography-mass spectrometry 737(1996)85
- Faulkner, A. and DeMontigny, P.
High-performance liquid chromatographic determination of denatonium benzoate in ethanol with 5% polyvinylpyrrolidone 715(1995)189
- Faupel, M., see Cherkaoui, S. 715(1995)159
- Faust, J., see Hoffmann, T. 716(1995)355
- Favrou, A., see Roussel, C. 704(1995)67
- Fazio, S.D., see Yowell, G.G. 745(1996)73
- Fehn, U., see Moran, J.E. 706(1995)215
- Feige, K., Ried, T. and Bächmann, K.
Determination of formaldehyde by capillary electrophoresis in the presence of a dihydroxyacetone matrix 730(1996)333
- Feineis, D., see Bringmann, G. 707(1995)267
- Fekete, J., Romvári, Z., Szepesi, I. and Morovján, G.
Liquid chromatographic determination of the antibiotic fumagillin in fish meat samples 712(1995)378
- Felinger, A. and Guiochon, G.
Multicomponent interferences in overloaded gradient elution chromatography 724(1996)27

- Felinger, A., see Staerk, D.U. 734(1996)155
 Felinger, A., see Staerk, D.U. 734(1996)289
 Félix, G., see Chassaing, C. 738(1996)157
 Felli, C., Carrea, G., Chiari, M., De Amici, M. and De Michelis, C.
 Chiral separation of muscarinic antagonists by capillary zone electrophoresis with cyclodextrin additives 741(1996)287
 Felmlee, T.A., Oda, R.P., Persing, D.A. and Landers, J.P.
 Capillary electrophoresis of DNA. Potential utility for clinical diagnoses 717(1995)127
 Feltl, L., see Koutek, B. 719(1996)391
 Feltl, L., see Můk, P. 732(1996)63
 Feng, W., Zhu, X., Zhang, L. and Geng, X.
 Retention behaviour of proteins under conditions of column overload in hydrophobic interaction chromatography 729(1996)43
 Fente, C., see Vazquez, B.I. 727(1996)185
 Fente, C.A., see Cepeda, A. 721(1996)69
 Fente, C.A., see Franco, C.M. 723(1996)69
 Fenwick, G.R., see Frias, J. 719(1996)213
 Ferger, M., see Metz, R. 729(1996)243
 Ferguson, J.E., see Strausbauch, M.A. 717(1995)279
 Ferguson, P.D., Goodall, D.M. and Loran, J.S.
 Systematic approach to the treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. III. A binding constant-retention factor relationship and effects of acetonitrile on the chiral separation of tioconazole 745(1996)25
 Ferguson, T.H., see Chang, J.P. 736(1996)97
 Fernández, I., Dachs, J. and Bayona, J.M.
 Application of experimental design approach to the optimization of supercritical fluid extraction of polychlorinated biphenyls and polycyclic aromatic hydrocarbons 719(1996)77
 Fernández, J., see Vilchez, J.L. 746(1996)289
 Fernandez, M.A. and Carta, G.
 Characterization of protein adsorption by composite silica-polyacrylamide gel anion exchangers. I. Equilibrium and mass transfer in agitated contactors 746(1996)169
 Fernandez, M.A., Laughinghouse, W.S. and Carta, G.
 Characterization of protein adsorption by composite silica-polyacrylamide gel anion exchangers. II. Mass transfer in packed columns and predictability of breakthrough behavior 746(1996)185
 Fernández Otero, G.C., see Carducci, C.N. 730(1996)313
 Fernandez-Alba, A.R., Valverde, A., Agüera, A., Contreras, M. and Chiron, S.
 Determination of imidacloprid in vegetables by high-performance liquid chromatography with diode-array detection 721(1996)97
 Ferrari, M., see Gelfi, C. 706(1995)463
 Ferrarini, R., see Celotti, E. 730(1996)47
 Ferré, J., see Porcar, M. 724(1996)193
 Ferreira, V., Sharman, M., Cacho, J.F. and Dennis, J.
 New and efficient microextraction/solid-phase extraction method for the gas chromatographic analysis of wine volatiles 731(1996)247
 Ferrer, I. and Barceló, D.
 Determination and stability of pesticides in freeze-dried water samples by automated on-line solid-phase extraction followed by liquid chromatography with diode-array detection 737(1996)93
 Ferrerés, M., see Alegria, A. 721(1996)83
 Ferretti, R., Gallinella, B., La Torre, F. and Villani, C.
 Direct high-performance liquid chromatography resolution on chiral columns of tiaprofenic acid and related compounds in bulk powder and pharmaceutical formulations 704(1995)217
 Ferretti, R., Gallinella, B., La Torre, F. and Lusi, A.
 Direct high-performance liquid chromatography resolution on a chiral column of dextrofenfluramine and its impurities, in bulk raw drug and pharmaceutical formulations 731(1996)340
 Ferrier, D., see Lemesle-Lamache, V. 735(1996)321
 Ferary, S. and Auger, J.
 What is the true odour of cut *Allium*? Complementarity of various hyphenated methods: gas chromatography-mass spectrometry and high-performance liquid chromatography-mass spectrometry with particle beam and atmospheric pressure ionization interfaces in sulphenic acids rearrangement components discrimination 750(1996)63
 Fiaud, J.-C., see Fischer, C. 728(1996)433
 Fich, K., see Ekelund, J. 708(1995)253
 Field, J.A. and Monahan, K.
 Chlorinated acid herbicides in water by strong anion-exchange disk extraction and in-vial elution and derivatization 741(1996)85
 Figeys, D., Ahmadzedeh, H., Arriaga, E. and Dovichi, N.J.
 Pseudo-coulometric loading in capillary electrophoresis DNA sequencing 744(1996)325
 Figeys, D. and Dovichi, N.J.
 Effect of the age of non-cross-linked polyacrylamide on the separation of DNA sequencing samples 717(1995)105
 Figeys, D. and Dovichi, N.J.
 Multiple separations of DNA sequencing fragments with a non-cross-linked polyacrylamide-filled capillary: capillary electrophoresis at 300 V/cm 717(1995)113
 Figeys, D. and Dovichi, N.J.
 Change in conductivity in non-cross-linked polyacrylamide capillary electrophoresis. Effects of aging polyacrylamide and buffer composition 744(1996)333
 Figueruelo, J.E., see García, R. 721(1996)203
 Filek, G., Bergamini, M. and Lindner, W.
 Steam distillation-solvent extraction, a selective sample enrichment technique for the gas chromatographic-electron-capture detection of organochlorine compounds in milk powder and other milk products 712(1995)355
 Filek, G. and Lindner, W.
 Determination of the mycotoxin moniliformin in cereals by high-performance liquid chromatography and fluorescence detection 732(1996)291
 Fillet, M., Bechet, I., Chiap, P., Hubert, P. and Crommen, J.
 Enantiomeric purity determination of propanolol by cyclodextrin-modified capillary electrophoresis 717(1995)203

- Finette, G.M.S., Mao, Q.-M. and Hearn, M.T.W.
Studies on the expansion characteristics of fluidised beds with silica-based adsorbents used in protein purification 743(1996)57
- Fingas, M., see Wang, Z. 712(1995)321
- Fioravanti, R., see Quaglia, M.G. 729(1996)1
- Fischer, C., Modler, A., Moinet, C. and Fiaud, J.-C.
Enantiomeric resolution of axially chiral compounds and interconvertible enantiomers by high-performance liquid chromatography 728(1996)433
- Fischer, C.-H., see Blatny, P. 717(1995)157
- Fischer, C.-H. and Siebrands, T.
Analysis of colloids. VIII. Concentration- and memory effects in size exclusion chromatography of colloidal inorganic nanometer-particles 707(1995)189
- Fischer, E., see Nirmaier, H.-P. 730(1996)169
- Fischer, J., see Jandera, P. 728(1996)279
- Fischer, J., see Jandera, P. 738(1996)201
- Fischer, J.B. and Michael, J.L.
Thermospray ionization liquid chromatography-mass spectrometry and chemical ionization gas chromatography-mass spectrometry of hexazinone metabolites in soil and vegetation extracts 704(1995)131
- Fischer, K., Bipp, H.-P., Bieniek, D. and Kettrup, A.
Determination of monomeric sugar and carboxylic acids by ion-exclusion chromatography 706(1995)361
- Fischer, S., see Apffel, A. 712(1995)177
- Fisher, D.H., see Cho, B.-Y. 743(1996)181
- Fischella, S., see Compagnini, A. 736(1996)115
- Fitos, I., Visy, J., Simonyi, M. and Hermansson, J.
Separation of enantiomers of benzodiazepines on the Chiral-AGP column 709(1995)265
- Flanigan, A., see Chen, A.B. 744(1996)279
- Fleckenstein, B., see Kuhn, R. 716(1995)371
- Fleet, G.H., see Zhao, J. 732(1996)271
- Flouquet, N., see Vaccher, C. 732(1996)239
- Fluck, M., see Cabrera, K. 731(1996)315
- Fojtášková, A., see Marklová, E. 730(1996)133
- Folch, I., Vaquero, M.T., Comellas, L. and Broto-Puig, F.
Extraction and clean-up methods for improvement of the chromatographic determination of polychlorinated biphenyls in sewage sludge-amended soils: elimination of lipids and sulphur 719(1996)121
- Foldes-Papp, Z., Birch-Hirschfeld, E., Rösch, R., Hartmann, M., Kleinschmidt, A.K. and Seliger, H.
Efficiency of chemical oligonucleotide synthesis evaluated by ion-exchange high-performance liquid chromatography 706(1995)405
- Foldes-Papp, Z., Birch-Hirschfeld, E., Eickhoff, H., Baumann, G., Peng, W.-G., Biber, T., Seydel, R., Kleinschmidt, A.K. and Seliger, H.
Fractals for multicyclic synthesis conditions of biopolymers. Examples of oligonucleotide synthesis measured by high-performance capillary electrophoresis and ion-exchange high-performance liquid chromatography 739(1996)431
- Folestad, S., see Tivesten, A. 708(1995)323
- Font, G., Mañes, J., Moltó, J.C. and Picó, Y.
Current developments in the analysis of water pollution by polychlorinated biphenyls 733(1996)449
- Font, G., see Redondo, M.J. 719(1996)69
- Font, G., see Viana, E. 733(1996)267
- Font, J., Gutiérrez, J., Laluez, J. and Pérez, X.
Determination of sulfide in the leather industry by capillary electrophoresis 740(1996)125
- Ford, J.C. and Ko, J.
Comparison of methods for extracting linear solvent strength gradient parameters from gradient chromatographic data 727(1996)1
- Foret, F., Müller, O., Thome, J., Götzinger, W. and Karger, B.L.
Analysis of protein fractions by micropreparative capillary isoelectric focusing and matrix-assisted laser desorption time-of-flight mass spectrometry 716(1995)157
- Forgács, E., see Cserháti, T. 722(1996)33
- Forgács, E. and Cserháti, T.
Determination of the retention behaviour of some non-ionic surfactants on reversed-phase high-performance liquid chromatography supports by spectral mapping in combination with cluster analysis or non-linear mapping 722(1996)281
- Forgács, E., see Cserháti, T. 728(1996)67
- Forgács, E. and Cserháti, T.
Relationship between the retention characteristics and physico-chemical parameters of some steroid drugs in reversed-phase high-performance liquid chromatography 728(1996)75
- Forgács, E., see Cserháti, T. 750(1996)257
- Forgács, E., see Németh-Kiss, V. 750(1996)253
- Fornstedt, T., see Sajonz, P. 734(1996)75
- Fornstedt, T., see Zhong, G. 734(1996)63
- Fornstedt, T., Zhong, G. and Guiochon, G.
Peak tailing and mass transfer kinetics in linear chromatography 741(1996)1
- Fornstedt, T., Zhong, G. and Guiochon, G.
Peak tailing and slow mass transfer kinetics in nonlinear chromatography 742(1996)55
- Forssmann, W.-G., see Schepky, A.G. 743(1996)273
- Foti, S., see Compagnini, A. 736(1996)115
- Foucault, A., see Ma, Y. 704(1995)75
- Fouckhardt, H., see Delonge, T. 716(1995)135
- Fouillet, B., see Nouri, B. 726(1996)153
- Fowlis, I.A., see Barnabas, I.J. 705(1995)305
- Fox, A., see Black, G.E. 720(1996)51
- Fox, R.O., see Kálman, F. 705(1995)135
- Fraisse, D., see Santos, F.J. 742(1996)181
- Francesch, M., see Pérez-Vendrell, A.M. 718(1995)291
- Franco, C., see Vazquez, B.I. 727(1996)185
- Franco, C.M., see Cepeda, A. 721(1996)69
- Franco, C.M., Fente, C.A., Vazquez, B., Cepeda, A., Lallaoui, L., Prognon, P. and Mahuzier, G.
Simple and sensitive high-performance liquid chromatography-fluorescence method for the determination of citrinin. Application to the analysis of fungal cultures and cheese extracts 723(1996)69
- Franco, P., see Minguillón, C. 728(1996)407
- Franco, P., see Minguillón, C. 728(1996)415
- François, C., Morin, P. and Dreux, M.
Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

- Francois, C., Morin, Ph. and Dreux, M.
Effect of the concentration of 18-crown-6 added to the electrolyte upon the separation of ammonium, alkali and alkaline-earth cations by capillary electrophoresis
706(1995)535
- Francotte, E., see Cherkaoui, S. 715(1995)159
- Francotte, E. and Zhang, T.
Supramolecular effects in the chiral discrimination of *meta*-methylbenzoyl cellulose in high-performance liquid chromatography 718(1995)257
- Frank, J., see Corstjens, H. 715(1995)1
- Frank, R., see Hoffmann, T. 716(1995)355
- Franke, F., see Struppe, H.G. 750(1996)239
- Franko, M., see Šikovec, M. 706(1995)121
- Franko, M., see Šikovec, M. 739(1996)111
- Frazer, R., see Jagota, N.K. 721(1996)315
- Fréchet, J.M.J., see Svec, F. 702(1995)89
- Freddi, C., see Saccani, G. 706(1995)395
- Freed, A.L., see Kostel, K.L. 744(1996)241
- Freeze, R.C., see Fritz, J.S. 739(1996)57
- Freimanis, J., see Loža, E. 708(1995)231
- Freissmuth, J., see Noe, C.R. 704(1995)503
- Freitag, D., see Schmitt, P. 709(1995)215
- Freitag, D., see Schmitt, Ph. 723(1996)169
- Freitag, R., see Brüggemann, O. 717(1995)309
- Freitag, R., see Brüggemann, O. 744(1996)167
- Freitag, R., see Reif, O.-W. 716(1995)363
- Freitag, R., see Splitt, H. 729(1996)87
- Freitag, R., Splitt, H. and Reif, O.-W.
Controlled mixed-mode interaction chromatography on membrane adsorbers 728(1996)129
- Frias, J., Price, K.R., Fenwick, G.R., Hedley, C.L., Sørensen, H. and Vidal-Valverde, C.
Improved method for the analysis of α -galactosides in pea seeds by capillary zone electrophoresis. Comparison with high-performance liquid chromatography-triple-pulsed amperometric detection 719(1996)213
- Fricke, B., Buchmann, T. and Friebie, S.
Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247
- Friebe, S., see Fricke, B. 715(1995)247
- Friedl, W., Reijenga, J.C. and Kenndler, E.
Ionic strength and charge number correction for mobilities of multivalent organic anions in capillary electrophoresis 709(1995)163
- Friedman, S.K., see Rasmussen, H.T. 719(1996)434
- Friedrich, J., Žužek, M., Benčina, M., Cimerman, A., Štrancar, A. and Radež, I.
High-performance liquid chromatographic analysis of mevinolin as mevinolinic acid in fermentation broths 704(1995)363
- Frigerio, E., Magi, N., Benecchi, A., Pianezzola, E. and Strolin Benedetti, M.
Determination of FCE 26644, a new polysulphonated derivative of distamycin A, in monkey plasma by reversed-phase ion-pair high-performance liquid chromatography with ultraviolet detection 729(1996)237
- Friot, R., see Giummelly, P. 710(1995)357
- Frisvad, J.C., see Nielsen, M.S. 721(1996)337
- Fritsch, M., Geilen, C.C. and Reutter, W.
Determination of cytidine 5'-monophospho-N-acetylneurameric acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223
- Fritz, J.S., see Chambers, T.K. 728(1996)271
- Fritz, J.S., see Dumont, P.J. 706(1995)109
- Fritz, J.S., see Dumont, P.J. 706(1995)149
- Fritz, J.S., Freeze, R.C., Thornton, M.J. and Gjerde, D.T.
Methods for concentrating metal ions prior to analysis by ion chromatography or capillary electrophoresis 739(1996)57
- Fritz, J.S., see Li, X. 728(1996)235
- Fritz, J.S., see Ohta, K. 731(1996)179
- Fritz, J.S., see Takana, K. 739(1996)317
- Fritz, J.S., see Tanaka, K. 706(1995)385
- Frokier, H., Sørensen, H., Sørensen, J.C. and Sørensen, S.
Optimization of hapten-protein conjugation by high-performance capillary electrophoresis 717(1995)75
- Fromberg, A., Nilsson, T., Larsen, B.R., Montanarella, L., Facchetti, S. and Madsen, J.
Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71
- Fu, D., see Zieske, L.R. 720(1996)395
- Fu, P.P., see Zhan, D.-J. 710(1995)149
- Fu, R., see Liu, Yu. 723(1996)157
- Fu, X., Lu, J. and Zhu, A.
Microemulsion electrokinetic chromatographic separation of antipyretic analgesic ingredients 735(1996)353
- Fuchs, M., see Mhatre, R. 707(1995)225
- Fuentes, M., see Casals, I. 750(1996)397
- Fugazza, B., see Moro, E. 706(1995)451
- Fujii, T., see Kishi, H. 722(1996)169
- Fujii, T., see Kishi, H. 750(1996)335
- Fujii, Y., see Ikeda, Y. 746(1996)255
- Fujimaki, S., see Nojima, K. 712(1995)17
- Fujimoto, C., Kino, J. and Sawada, H.
Capillary electrochromatography of small molecules in polyacrylamide gels with electroosmotic flow 716(1995)107
- Fujimoto, N., see Abe, I. 722(1996)221
- Fujinari, E.M., Manes, J.D. and Bizanek, R.
Peptide content determination of crude synthetic peptides by reversed-phase liquid chromatography and nitrogen-specific detection with a chemiluminescent nitrogen detector 743(1996)85
- Fujinari, E.M., see Shi, H. 734(1996)303
- Fukakusa, Y., Yoshimura, K., Waki, H. and Ishiguro, S.-I.
Complete chromatographic separation of aquachromium(III)-isothiocyanato successive complexes including geometric isomers using cross-linked dextran and poly(vinyl alcohol) gel columns 719(1996)365
- Fukube, H., see Monde, T. 722(1996)273
- Fukuda, E.K., see Baldi, A. 718(1995)89
- Fukutome, T., see Tanaka, N. 716(1995)57
- Fulchic, C.E., see Desbène, P.L. 749(1996)257
- Fülöp, F., see Péter, A. 705(1995)257
- Fülöp, F., see Péter, A. 715(1995)219
- Funazo, K., see Harino, H. 715(1995)135
- Fung, Y., see Ou, K. 723(1996)219
- Furusawa, M., see Kiba, N. 724(1996)354

- Furuta, R. and Doi, T.
Enantiomeric separation of a thiazole derivative by high-performance liquid chromatography and micellar electrokinetic chromatography 708(1995)245
- Furuya, K., see Nonomura, Y. 721(1996)350
- Fussell, R.J., see Barnes, K.A. 712(1995)85
- G**
- Głód, B., see Poboży, E. 718(1995)329
- Głowniak, K., Zgórka, G. and Kozyra, M.
Solid-phase extraction and reversed-phase high-performance liquid chromatography of free phenolic acids in some *Echinacea* species 730(1996)25
- Gabelish, C.L., Crisp, P. and Schneider, R.P.
Simultaneous determination of chlorophenols, chlorobenzenes and chlorobenzoates in microbial solutions using pentafluorobenzylbromide derivatization and analysis by gas chromatography with electron-capture detection 749(1996)165
- Gachályi, B., see Róna, K. 730(1996)125
- Gachanja, A.N., Lewis, S.W. and Worsfold, P.J.
Determination of aldehydes in used engine oils by liquid chromatography with chemiluminescence detection 704(1995)329
- Gadel, F., see Kerhervé, P. 718(1995)283
- Gadowski, L. and Abdul-Wajid, A.
Quantitation of monoclonal antibodies by perfusion chromatography-immunodetection 715(1995)241
- Gäggeler, H.W., see Döscher, A. 706(1995)249
- Gagnon, P., Godfrey, B. and Ladd, D.
Method for obtaining unique selectivities in ion-exchange chromatography by addition of organic polymers to the mobile phase 743(1996)51
- Gailer, J. and Irgolic, K.J.
Retention behavior of arsenobetaine, arsenocholine, trimethylarsine oxide and tetramethylarsonium iodide on a styrene-divinylbenzene column with benzenesulfonates as ion-pairing reagents 730(1996)219
- Galaev, I.Yu., Arvidsson, P. and Mattiasson, B.
Polymer displacement in dye-affinity chromatography 710(1995)259
- Galán, T.R., see Bosch, N.B. 706(1995)221
- Galbán Bernal, J., see Pérez Clavijo, M. 740(1996)146
- Galceran, M.T., Moyano, E. and Poza, J.M.
Pentafluorobenzyl derivatives for the gas chromatographic determination of hydroxy-polycyclic aromatic hydrocarbons in urban aerosols 710(1995)139
- Galceran, M.T. and Moyano, E.
Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41
- Galceran, M.T., Moyano, E., Puignou, L. and Pais, P.
Determination of heterocyclic amines by pneumatically assisted electrospray liquid chromatography-mass spectrometry 730(1996)185
- Galceran, M.T. and Moyano, E.
Determination of hydroxy polycyclic aromatic hydrocarbons by liquid chromatography-mass spectrometry. Comparison of atmospheric pressure chemical ionization and electrospray 731(1996)75
- Galceran, M.T., Pais, P. and Puignou, L.
Isolation by solid-phase extraction and liquid chromatographic determination of mutagenic amines in beef extracts 719(1996)203
- Galceran, M.T., Puignou, L. and Diez, M.
Comparison of different electroosmotic flow modifiers in the analysis of inorganic anions by capillary electrophoresis 732(1996)167
- Galceran, M.T., see Rivera, L. 731(1996)85
- Galceran, M.T., see Santos, F.J. 742(1996)181
- Galinou, F., see Dupin, P. 707(1995)396
- Gallant, S.R., Kundu, A. and Cramer, S.M.
Modeling non-linear elution of proteins in ion-exchange chromatography 702(1995)125
- Gallant, S.R., Vunnum, S. and Cramer, S.M.
Optimization of preparative ion-exchange chromatography of proteins: linear gradient separations 725(1996)295
- Gallego, M., see Ballesteros, E. 719(1996)221
- Galletti, G.C. and Bocchini, P.
High-performance liquid chromatography with electrochemical detection of aspartame with a post-column photochemical reactor 729(1995)393
- Galletti, G.C., see Gioacchini, A.M. 730(1996)31
- Galli, A., see Bicchi, C. 742(1996)161
- Galli, M., see Bicchi, C. 742(1996)161
- Gallinella, B., see Ferretti, R. 704(1995)217
- Gallinella, B., see Ferretti, R. 731(1996)340
- Gallo, B., see Arenaza, M.J. 721(1996)123
- Gálvez Alvarez, J., see De Julián-Ortiz, J.V. 719(1996)37
- Gamon, M., see Saez, A. 721(1996)107
- Gandini, C., see Massolini, G. 704(1995)55
- Gandul-Rojas, B., see Mínguez-Mosquera, M.I. 731(1996)261
- Ganzera, M., see Stuppner, H. 717(1995)271
- Ganzler, K., see Szemán, J. 728(1996)423
- Garad, M.V., see Mali, B.D. 704(1995)540
- García, C.M., see Lores, M. 724(1996)55
- García, C.M., see Rodríguez, I. 733(1996)405
- García, C.M., see Turnes, I. 743(1996)283
- García de la Quadra, J., see Saez, A. 721(1996)107
- Garcia, F.A.P., see Queiroz, J.A. 374(1996)213
- Garcia, F.A.P., see Queiroz, J.A. 707(1995)137
- García, I., see Aramendia, M.A. 707(1995)327
- García, M.A., Díez-Masa, J.C. and Marina, M.L.
Correlation between the logarithm of capacity factors for aromatic compounds in micellar electrokinetic chromatography and their octanol-water partition coefficients 742(1996)251
- García, M.A., see Jiménez, O. 719(1996)15

- García, M.A., Marina, M.L. and Díez-Masa, J.C.
Determination of solute-micelle association constants for a group of benzene derivatives and polycyclic aromatic hydrocarbons with sodium dodecyl sulphate by micellar electrokinetic chromatography 732(1996)345
- García Pareja, A., see García Sánchez, F. 723(1996)227
- García, R., Porcar, I., Figueruelo, J.E., Soria, V. and Campos, A.
Solution properties of polyelectrolytes. XII. Semi-quantitative approach to mixed electrostatic and hydrophobic polymer-gel interactions 721(1996)203
- García Sánchez, F., see Navas Díaz, A. 724(1996)411
- García Sanchez, F., Navas Díaz, A., and García Pareja, A.
Micellar liquid chromatography of plant growth regulators detected by derivative fluorometry 723(1996)227
- García-Domenech, R., see De Julián-Ortiz, J.V. 719(1996)37
- García-Domínguez, J.A., see Quintanilla-López, J.E. 721(1996)147
- García-March, F.J., Antón-Fos, G.M., Pérez-Giménez, F., Salabert-Salvador, M.T., Cercós-del-Pozo, R.A. and De Julián-Ortiz, J.V.
Prediction of chromatographic properties for a group of natural phenolic derivatives by molecular topology 719(1996)45
- García-March, F.J., see De Julián-Ortiz, J.V. 719(1996)37
- García-Montelongo, F.J., see Cifuentes, A. 737(1996)243
- García-Montelongo, F.J., see Cifuentes, A. 742(1996)257
- García-Valcárcel, A.I., Sánchez-Brunete, C., Martínez, L. and Tadeo, J.L.
Determination of dinitroaniline herbicides in environmental samples by gas chromatography 719(1996)113
- Garcia, A.A., see Miles, D. 702(1995)173
- Garden, R.W., see Cruz, L. 735(1996)375
- Gareil, P., see Collet, J. 716(1995)115
- Gareil, P., see Lelièvre, F. 723(1996)145
- Gareil, P., see Lelièvre, F. 735(1996)311
- Gareil, P., see Roldan-Assad, R. 708(1995)339
- Gareil, P., see Schäffer, S. 717(1995)351
- Gareil, P., see Schäffer, S. 740(1996)151
- Garreau, H., see Vidil, C. 711(1995)323
- Garreau, I., see Zhao, Q. 723(1996)35
- Garrick, R., see Cheng, K. 706(1995)517
- Garrido Frenich, A., Martínez Galera, M., Martínez Vidal, J.L. and Gil García, M.D.
Partial least-squares and principal component regression of multi-analyte high-performance liquid chromatography with diode-array detection 727(1996)27
- Garrido Frenich, A., see Martínez Galera, M. 727(1996)39
- Garrido, J.L. and Zapata, M.
Ion-pair reversed-phase high-performance liquid chromatography of algal chlorophylls 738(1996)285
- Garrido-Fernández, J., see Mínguez-Mosquera, M.I. 731(1996)261
- Garrison, A.W., see Schmitt, Ph. 723(1996)169
- Garza, H., Bennett, Jr. N. and Rodriguez, G.P.
Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385
- Gaš, B., see Kenndler-Blachkholm, K. 734(1996)351
- Gaš, B., see Minárik, M. 738(1996)123
- Gaš, B., see Potoček, B. 709(1995)51
- Gaš, B., Štědry, M. and Kenndler, E.
Contribution of the electroosmotic flow to peak broadening in capillary zone electrophoresis with uniform zeta potential 709(1995)63
- Gaset, A., see Baudrand, V. 704(1995)524
- Gaspar, P., see Van Vyncht, G. 750(1996)43
- Gasparrini, F., Misiti, D., Pierini, M. and Villani, C.
Enantioselective chromatography on brush-type chiral stationary phases containing totally synthetic selectors. Theoretical aspects and practical applications 724(1996)79
- Gassmann, E., see Bruin, G.J.M. 709(1995)181
- Gassmann, E., see Caslavská, J. 709(1995)147
- Gatti, R., see Di Pietra, A.M. 729(1996)355
- Gaugain, M. and Abjean, J.P.
High-performance thin-layer chromatographic method for the fluorescence detection of three nitroimidazole residues in pork and poultry tissue 737(1996)343
- Gaur, S.
Determination of Cs-137 in environmental water by ion-exchange chromatography (Review) 733(1996)57
- Gaus, H.-J., Göögüs, Z.Z., Schmeer, K., Behnke, B., Kovar, K.-A. and Bayer, E.
Separation and identification of designer drugs with capillary electrophoresis and on-line connection with ionspray mass spectrometry 735(1996)221
- Gautier, E.A., Gettar, R.T., Servant, R.E. and Batistoni, D.A.
Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography 706(1995)115
- Gawdzik, B. and Matynia, T.
Use of porous polymers in off-line preconcentration of nitrobenzenes and their reduction products from water 733(1996)491
- Gaynor, J.D., see Graham, K.N. 725(1996)129
- Gámez Evangelista, D., see Gracia Bagur, M. 730(1996)241
- Ge, J., see Hu, Y. 734(1996)259
- Gebauer, P., see Křivánková, L. 716(1995)35
- Gebhardt, J.A. and Aue, W.A.
Converting a single-channel flame photometric detector to triple-channel operation 721(1996)365
- Geblaoui, A.Z., see Knight, M. 702(1995)207
- Geilen, C.C., see Fritsch, M. 727(1996)223
- Geiss, H., see Marchetto, A. 706(1995)13
- Gelfi, C., Cossu, G., Carta, P., Serra, M. and Righetti, P.G.
Gene dosage in capillary electrophoresis: pre-natal diagnosis of Down's syndrome 718(1995)405
- Gelfi, C., Righetti, P.G., Leoncini, F., Brunelli, V., Carrera, P. and Ferrari, M.
CAG triplet analysis in families with androgen insensitivity syndrome by capillary electrophoresis in polymer networks 706(1995)463
- Gelpí, E.
Biomedical and biochemical applications of liquid chromatography-mass spectrometry (Review) 703(1995)59
- Gelpí, E. and Grimalt, J.O.
Foreword 719(1996)1
- Gemeiner, P., see Mislovičová, D. 722(1996)143
- Gemeiner, P., see Nilsson, K.G.I. 707(1995)199
- Geng, X., see Feng, W. 729(1996)43
- Genieser, H.G., see Turowski, M. 728(1996)201

- Gennaro, M.C., Abrigo, C., Giacosa, D., Rigotti, L. and Liberatori, A.
Separation of phenylurea pesticides by ion-interaction reversed-phase high-performance liquid chromatography.
Diuron determination in lagoon water 718(1995)81
- Gentien, P., see Parrish, C.C. 741(1996)91
- George, H.A., see Robinett, R.S.R. 718(1995)319
- Gerbino, T.C., see Castello, G. 710(1995)61
- German, A.L., see Cools, P.J.C.H. 736(1996)125
- German, A.L., see Philipsen, J.A. 727(1996)13
- German, A.L., see Philipsen, H.J.A. 746(1996)211
- Gernet, Ch., see Bilke, H.W. 729(1996)189
- Gervais, D.P., Laughinghouse, W.S. and Carta, G.
Study of radial compression high-performance liquid chromatographic columns for preparative chromatography 708(1995)41
- Gettar, R.T., see Gautier, E.A. 706(1995)115
- Geyer, R., see O'Donnell, G.E. 709(1995)313
- Geyer, W., see Pörschmann, J. 750(1996)287
- Gherardi, S., see Saccani, G. 706(1995)395
- Gherardi, S., see Trifirò, A. 739(1996)175
- Ghogare, A.B., see Inamdar, P.K. 742(1996)127
- Giacometti, J., Milin, Č. and Wolf, N.
Monitoring the esterification of sorbitol and fatty acids by gas chromatography 704(1995)535
- Giacosa, D., see Baiocchi, C. 715(1995)95
- Giacosa, D., see Gennaro, M.C. 718(1995)81
- Gianazza, E.
Isoelectric focusing as a tool for the investigation of post-translational processing and chemical modifications of proteins (Review) 705(1995)67
- Giang, Y.-S., see Wang, S.-M. 715(1995)325
- Giardina, B., see Castagnola, M. 735(1996)271
- Giauque, A.P., see Edwards, B.R. 706(1995)69
- Gibbs, B.F., Alli, I. and Mulligan, C.N.
Simple and rapid high-performance liquid chromatographic method for the determination of aspartame and its metabolites in foods 725(1996)372
- Giddings, J.C.
Sample dimensionality: a predictor of order-disorder in component peak distribution in multidimensional separation 703(1995)3
- Giddings, J.C., see Jensen, K.D. 746(1996)137
- Giddings, J.C., see Shiundu, P.M. 715(1995)117
- Giese, R.W.
Editorial 715(1995)v
- Giese, R.W., see Abushamaa, A. 742(1996)295
- Giese, R.W., see Saha, M. 712(1995)345
- Giese, R.W., see Wang, P. 721(1996)289
- Gifford, L.A., Owusu-Daaku, F.T.K. and Stevens, A.J.
Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201
- Gil García, M.D., see Garrido Frenich, A. 727(1996)27
- Gil García, M.D., see Martínez Galera, M. 727(1996)39
- Gilbert, J.D., see McLoughlin, D.A. 726(1996)115
- Gilbert, J.W., see Sidelmann, U.G. 728(1996)377
- Gildengorn, V.D.
Reversed-phase affinity chromatography of ecdysteroids with boronic acid-containing eluents 730(1996)147
- Giles, K., see Wycherley, D. 734(1996)339
- Gill, D.S., see Roush, D.J. 704(1995)339
- Gill, D.S., Roush, D.J., Shick, K.A. and Willson, R.C.
Microcalorimetric characterization of the anion-exchange adsorption of recombinant cytochrome b₅ and its surface-charge mutants 715(1995)81
- Gillis, K.A., see Buckley, T.J. 702(1995)243
- Gilon, N. and Potin-Gautier, M.
Capillary electrophoresis applied to the determination of some seleno compounds 732(1996)369
- Gilon, N., Potin-Gautier, M. and Astruc, M.
Optimization of the determination of inorganic and organic selenium species using high-performance liquid chromatography-electrothermal atomic absorption spectrometry 750(1996)327
- Giménez, J.J., see Guil, J.L. 719(1996)229
- Gimeno, E., see Puig, A. 733(1996)511
- Gioacchini, A.M., Roda, A., Galletti, G.C., Bocchini, P., Manetta, A.C. and Baraldini, M.
High-performance liquid chromatographic-electrospray mass spectrometric analysis of phenolic acids and aldehydes 730(1996)31
- Giorcelli, A., see Baiocchi, C. 715(1995)95
- Girard, B.
Retention index calculation using Kováts constant model for linear temperature-programmed gas chromatography 720(1996)279
- Giumanini, A.G., Verardo, G., Strazzolini, P. and Hepburn, H.R.
Rapid detection of high-molecular-mass dienes in beeswax 704(1995)224
- Giummelly, P., Botton, B., Friot, R., Prima-Putra, D. and Atkinson, J.
Measurement of desmosine and isodesmosine by capillary zone electrophoresis 710(1995)357
- Gjerde, D.T., see Fritz, J.S. 739(1996)57
- Glausch, A., Blanch, G.P. and Schurig, V.
Enantioselective analysis of chiral polychlorinated biphenyls in sediment samples by multidimensional gas chromatography-electron-capture detection after steam distillation-solvent extraction and sulfur removal 723(1996)399
- Glennon, J.D., see Brindle, R. 731(1996)41
- Glennon, J.D., Horne, E., Hall, K., Cocker, D., Kuhn, A., Harris, S.J. and McKervey, M.A.
Silica-bonded calixarenes in chromatography. II. Chromatographic retention of metal ions and amino acid ester hydrochlorides 731(1996)47
- Gluck, S.J., Benkő, M.H., Hallberg, R.K. and Steele, K.P.
Indirect determination of octanol-water partition coefficients by microemulsion electrokinetic chromatography 744(1996)141
- Gluck, S.J., Steele, K.P. and Benkő, M.H.
Determination of acidity constants of monoprotic and diprotic acids by capillary electrophoresis 745(1996)117
- Gmahl, E., see Tegeeler, A. 715(1995)195
- Gnabre, J.N., Ito, Y., Ma, Y. and Huang, R.C.
Isolation of anti-HIV-1 lignans from *Larrea tridentata* by counter-current chromatography 719(1996)353
- Gnabre, J.N., see Shinomiya, K. 724(1996)179
- Göbel, I., see Kartnig, T. 740(1996)99
- Gocan, S., see Cosoveanu, V. 727(1996)324
- Godbillon, J., see Pommier, F. 750(1996)75
- Godel, H., see Brückner, H. 711(1995)201

- Godfrey, B., see Gagnon, P. 743(1996)51
 Goetz, N., see Sainthorant, C. 717(1995)167
 Goetzinger, W.K., see Thorne, J.M. 744(1996)155
 Gögiş, Z.Z., see Gaus, H.-J. 735(1996)221
 Gökmen, V. and Acar, J.
 Rapid reversed-phase liquid chromatographic determination of patulin in apple juice 730(1996)53
 Golaz, O., see Yan, J.X. 736(1996)291
 Goldberg, D.M., Ng, E., Karumanchiri, A., Yan, J., Diamandis, E.P. and Soleas, G.J.
 Assay of resveratrol glucosides and isomers in wine by direct-injection high-performance liquid chromatography 708(1995)89
 Goldberg, G., see Apffel, A. 712(1995)177
 Goldsmith, A.I., see Yang, S.S. 746(1996)131
 Goldstein, G., see Goodlett, D.R. 707(1995)233
 Goldstein, M., see Vanderlaan, M. 711(1995)23
 Gomez de Barreda, D., see Saez, A. 721(1996)107
 Gomez, F.A., Mirkovich, J.N., Dominguez, V.M., Liu, K.W. and Macias, D.M.
 Multiple-plug binding assays using affinity capillary electrophoresis 727(1996)291
 Gómez-Cordovés, C., see Bartolomé, B. 723(1996)19
 Gómez-Cordovés, C., see Delgado, T. 731(1996)109
 Gomez-Serranillos, P., see Palomino, O.M. 731(1996)103
 Gonda, S., see Yarita, T. 750(1996)175
 González Alvarez, M.J., see Rodríguez López, M. 721(1996)231
 González, G., see Ledo de Medina, H. 739(1996)207
 González, G., Ventura, R., Smith, A.K., De la Torre, R. and Segura, J.
 Detection of non-steroidal anti-inflammatory drugs in equine plasma and urine by gas chromatography-mass spectrometry 719(1996)251
 González García, J.A., see Navas Diaz, A. 724(1996)411
 González Pérez, I., see Tleugabulova, D. 729(1996)219
 González-Casado, A., see Vilchez, J.L. 746(1996)289
 Gonzalez-Flesca, N., see Comes, P. 723(1996)293
 González-Vila, F.J., Del Rio, J.C., Martin, F. and Verdejo, T.
 Pyrolytic alkylation-gas chromatography-mass spectrometry of model polymers. Further insights into the mechanism and scope of the technique 750(1996)155
 Good, R., see Hall, R.E. 718(1995)305
 Goodall, D.M., see Cikalo, M.G. 745(1996)189
 Goodall, D.M., see Ferguson, P.D. 745(1996)25
 Goodall, D.M., see Survey, M.A. 741(1996)99
 Goodall, I., Dennis, M.J., Parker, I. and Sharman, M.
 Contribution of high-performance liquid chromatographic analysis of carbohydrates to authenticity testing of honey 706(1995)353
 Goodlett, D.R., Abuaf, P.A., Savage, P.A., Kowalski, K.A., Mukherjee, T.K., Tolan, J.W., Corkum, N., Goldstein, G. and Crowther, J.B.
 Peptide chiral purity determination: hydrolysis in deuterated acid, derivatization with Marfey's reagent and analysis using high-performance liquid chromatography-electrospray ionization-mass spectrometry 707(1995)233
 Goodley, P.C., see Apffel, A. 712(1995)177
 Gooijer, C., see Van de Nesse, R.J. 704(1995)1
 Gooley, A.A., see Ou, K. 723(1996)219
 Gooley, A.A., see Yan, J.X. 736(1996)291
 Goralski, C.T., see Nicholson, L.W. 719(1996)315
 Gordon, N., see Nadler, T. 743(1996)91
 Gordon, N.F., see Hunt, A.J. 708(1995)61
 Gorlo, D., see Biziuk, M. 733(1996)171
 Górná-Binkul, A., Keymeulen, R., Van Langenhove, H. and Buszewski, B.
 Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry 734(1996)297
 Goronowicz, J., see Sybilska, D. 715(1995)309
 Gorton, L., see Buttler, T. 725(1996)41
 Gorton, L., see Önnérjord, P. 737(1996)35
 Gorton, L., see Torto, N. 725(1996)165
 Goto, M., see Esaka, Y. 711(1995)305
 Goto, T., Yoshida, Y., Kiso, M. and Nagashima, H.
 Simultaneous analysis of individual catechins and caffeine in green tea 749(1996)295
 Gottfries, J., see Karlsson, L. 749(1996)193
 Gottschlich, N., Weidgen, S. and Kasche, V.
 Continuous biospecific affinity purification of enzymes by simulated moving-bed chromatography. Theoretical description and experimental results 719(1996)267
 Götzinger, W., see Foret, F. 716(1995)157
 Goudriaan, V.P., see Vreuls, J.J. 750(1996)275
 Gouérou, H., see Bellec, G. 727(1996)83
 Goursaud, S., see Bleton, J. 720(1996)27
 Goussot, G.J., see Desbène, P.L. 730(1996)209
 Govers, H.A.J., Van der Wielen, F.W.M. and Olie, K.
 Derivation of solubility parameters of chlorinated dibenzofurans and dibenzo[*p*]dioxins from gas chromatographic retention parameters via SOFA 715(1995)267
 Govers, H.A.J., see Van Haelst, A.G. 727(1996)265
 Gowenlock, D., Bailey, R. and Cantwell, F.F.
 Intra-particle sorption rate and liquid chromatographic bandbroadening in porous polymer packings. I. Methodology and validation of the model 726(1996)1
 Gracia Bagur, M., Gázquez Evangelista, D. and Sanchez-Viñas, M.
 Simultaneous determination of vanadium and molybdenum as N-benzoyl-N-phenylhydroxamate complexes by combining solvent extraction and liquid chromatography 730(1996)241
 Graham, E., see Welch, K.A. 739(1996)257
 Graham, K.N., Sarna, L.P., Webster, G.R.B., Gaynor, J.D. and Ng, H.Y.F.
 Solid-phase microextraction of the herbicide metolachlor in runoff and tile-drainage water samples 725(1996)129
 Granados, M., see Prat, M.D. 746(1996)239
 Granelli, K. and Helmersson, S.
 Rapid high-performance liquid chromatographic method for determination of β -carotene in milk 721(1996)355
 Graovac, M., Todorović, M., Trtanj, M.I., Kopeční, M.M. and Čomor, J.J.
 Gas chromatographic determination of 5-chloro-2-(2,4-dichlorophenoxy)-phenol in the waste water of a slaughterhouse 705(1995)313
 Grasserbauer, M., see Krška, R. 746(1996)233
 Grasso, P., see Molina, C. 737(1996)47
 Greenblatt, H.C., see Wu, D.-R. 702(1995)157
 Greenblatt, H.C., see Wu, D.-R. 702(1995)233

- Greguric, I., see Aldrich-Wright, J.R. 718(1995)436
- Greibrokk, T.
Applications of supercritical fluid extraction in multidimensional systems (Review) 703(1995)523
- Greibrokk, T., see Asp, T.N. 736(1996)157
- Greibrokk, T., see Pedersen-Bjergaard, S. 723(1996)337
- Grell, E., see Bollhagen, R. 711(1995)181
- Gremaud, G., Wentworth, W.E., Zlatkis, A., Swatoski, R., Chen, E.C.M. and Stearns, S.D.
Windowless pulsed-discharge photoionization detector. Application to qualitative analysis of volatile organic compounds 724(1996)235
- Greve, K.F., Hughes, D.E. and Karger, B.L.
Capillary electrophoretic examination of underivatized oligosaccharide mixtures released from immunoglobulin G antibodies and CTLA4Ig fusion protein 749(1996)237
- Greve, K.F., Hughes, D.E., Richberg, P., Kats, M. and Karger, B.L.
Liquid chromatographic and capillary electrophoretic examination of intact and degraded fusion protein CTLA4Ig and kinetics of conformational transition 723(1996)273
- Grévillot, G., see Simon, G. 732(1996)1
- Grieb, S.J., Matlin, S.A. and Belenguer, A.M.
Flash chiral chromatography with cellulose tris(3,5-dimethylphenylcarbamate)-coated phases. Improved resolution of basic analytes 728(1996)195
- Griffin, S., see Jones, C. 707(1995)3
- Griffiths, P.R., see Norton, K.L. 703(1995)383
- Griffiths, P.R., see Norton, K.L. 703(1995)503
- Grimalt, J.O., see Comes, P. 723(1996)293
- Grimalt, J.O., see Gelpí, E. 719(1996)1
- Grimalt, J.O., see Simo, R. 726(1996)161
- Grimalt, J.O., see Villanueva, J. 723(1996)285
- Grimm, R., see Kubach, J. 737(1996)281
- Grimsrud, E.P., see Culbertson, J.A. 742(1996)135
- Grinberg, N., see Wang, T. 738(1996)290
- Grob, K.
Development of the transfer techniques for on-line high-performance liquid chromatography-capillary gas chromatography (Review) 703(1995)265
- Grob, K. and Biedermann, M.
Vaporising systems for large volume injection or on-line transfer into gas chromatography: classification, critical remarks and suggestions 750(1996)11
- Grob, K., see Moret, S. 750(1996)361
- Groeppelin, A., see Andre, M. 725(1996)287
- Groeppelin, A., see Andre, M. 741(1996)146
- Groiss, F., see Minárik, M. 738(1996)123
- Grom, E., see Behnke, B. 716(1995)207
- Grönberg, L., see Shen, Y. 725(1996)189
- Grout, R.S., see Desbène, A.M. 716(1995)279
- Grover, E.R., see Swartz, M.E. 724(1996)307
- Grover, E.R., see Swartz, M.E. 735(1996)303
- Grubb, A., see Calero, M. 719(1996)149
- Grübler, G., see Liebich, H.M. 717(1995)25
- Grün, M., Kurganova, A.A., Schacht, S., Schüth, F. and Unger, K.K.
Comparison of an ordered mesoporous aluminosilicate, silica, alumina, titania and zirconia in normal-phase high-performance liquid chromatography 740(1996)1
- Gu, G. and Lim, C.K.
Preparation and separation of hydroxy derivatives of uroporphyrinogen I by high-performance liquid chromatography with electrochemical detection 722(1996)245
- Gu, J., see Liu, Yu. 723(1996)157
- Gualano, V., see Milleroux, L. 729(1995)309
- Guan, F., Wu, H. and Luo, Y.
Sensitive and selective method for the determination of sodium monofluoroacetate by capillary zone electrophoresis 719(1996)421
- Guan, F., Wu, H. and Luo, Y.
Sensitive and selective method for direct determination of nitrite and nitrate by high-performance capillary electrophoresis 719(1996)427
- Guan, H., Broyles, B.S. and Guiochon, G.
Modeling of the influence of the experimental conditions on the separation of the components of a binary mixture in isocratic overloaded elution preparative chromatography 734(1996)49
- Guan, H. and Guiochon, G.
Reproducibility, accuracy, and correction of isotherm data measured by chromatography 724(1996)39
- Guan, H. and Guiochon, G.
Study of physico-chemical properties of some packing materials. I. Measurements of the external porosity of packed columns by inverse size-exclusion chromatography 731(1996)27
- Guan, H., Guiochon, G., Coffey, D., Davis, E., Gulakowski, K. and Smith, D.W.
Study of the physico-chemical properties of some packing materials. II. General properties of the particles 736(1996)21
- Guan-Sajonz, H. and Guiochon, G.
Effect of the packing pressure on the performance of C₁₈ reversed-phase liquid chromatographic columns 743(1996)247
- Guardino, X., Serra, C., Obiols, J., Rosell, M.G., Berenguer, M.J., López, F. and Brosa, J.
Determination of DDT and related compounds in blood samples from agricultural workers 719(1996)141
- Guardiola, F., Codony, R., Rafecas, M. and Boatella, J.
Comparison of three methods for the determination of oxysterols in spray-dried egg 705(1995)289
- Guardiola, F., Codony, R., Rafecas, M. and Boatella, J.
Adsorption of oxysterols on different microtube materials during silanylation prior to gas chromatographic determination 705(1995)396
- Guasch, J., see Bustos, O. 718(1995)309
- Guasch, J., see Bustos, O. 737(1996)205
- Guasch, J., see Pérez-Vendrell, A.M. 718(1995)291
- Gübitz, G., see Schmid, M.G. 709(1995)81
- Gudžić, B., see Marinković, V.D. 746(1996)286
- Guenu, S., see Hennion, M.-C. 712(1995)287
- Guenu, S. and Hennion, M.-C.
Prediction from liquid chromatographic data of obligatory backflush desorption from solid-phase extraction cartridges packed with porous graphitic carbon 725(1996)57

- Guenu, S. and Hennion, M.-C.
 Evaluation of new polymeric sorbents with high specific surface areas using an on-line solid-phase extraction–liquid chromatographic system for the trace-level determination of polar pesticides 737(1996)15
- Guenu, S., see Pichon, V. 711(1995)257
- Guenu, S., see Pichon, V. 737(1996)25
- Guermouche, M.H., see Perez, F. 746(1996)247
- Guil, J.L., Torija, M., Giménez, J.J. and Rodríguez, I.
 Identification of fatty acids in edible WILD plants by gas chromatography 719(1996)229
- Guillaume, Y. and Guinchard, C.
 Method to study the separation of eight *p*-hydroxybenzoic esters by gas chromatography 727(1996)93
- Guillaume, Y., Thomassin, M. and Guinchard, C.
 Prediction of gas chromatographic retention times, column efficiency and resolution as a function of temperature and flow-rate. Application for gas chromatographic separation of eight *p*-hydroxybenzoic esters 704(1995)437
- Guillaumet, G., see Baumy, Ph. 707(1995)311
- Guillaumet, G., see Caccamese, S. 704(1995)83
- Guillén, D.A., Barroso, C.G. and Pérez-Bustamante, J.A.
 Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards 724(1996)117
- Guillén, D.A., see Barroso, C.G. 724(1996)125
- Guillén, D.A., Barroso, C.G. and Pérez-Bustamante, J.A.
 Automation of sample preparation as a preliminary stage in the high-performance liquid chromatographic determination of polyphenolic compounds in sherry wines 730(1996)39
- Guillén, D.A., see Chilla, C. 750(1996)209
- Guinchard, C., see Guillaume, Y. 704(1995)437
- Guinchard, C., see Guillaume, Y. 727(1996)93
- Guiochon, G.
 Preface 702(1995)1
- Guiochon, G., see Bayer, E. 704(1995)37
- Guiochon, G., see Farkas, T. 740(1996)169
- Guiochon, G., see Felinger, A. 724(1996)27
- Guiochon, G., see Fornstedt, T. 741(1996)1
- Guiochon, G., see Fornstedt, T. 742(1996)55
- Guiochon, G., see Guan, H. 724(1996)39
- Guiochon, G., see Guan, H. 731(1996)27
- Guiochon, G., see Guan, H. 734(1996)49
- Guiochon, G., see Guan, H. 736(1996)21
- Guiochon, G., see Guan-Sajonz, H. 743(1996)247
- Guiochon, G., see Lin, B. 708(1995)1
- Guiochon, G., see Quiñones, L. 734(1996)83
- Guiochon, G., see Sajonz, P. 728(1996)15
- Guiochon, G., see Sajonz, P. 731(1996)1
- Guiochon, G., see Sajonz, P. 734(1996)75
- Guiochon, G., see Sarker, M. 702(1995)27
- Guiochon, G. and Sarker, M.
 Consolidation of the packing material in chromatographic columns under dynamic axial compression. I. Fundamental study 704(1995)247
- Guiochon, G., see Sarker, M. 709(1995)227
- Guiochon, G., see Sarker, M. 719(1996)275
- Guiochon, G., see Sarker, M. 728(1996)3
- Guiochon, G., see Sarker, M. 741(1996)165
- Guiochon, G., see Shirazi, S.G. 734(1996)3
- Guiochon, G., see Staerk, D.U. 734(1996)155
- Guiochon, G., see Staerk, D.U. 734(1996)289
- Guiochon, G., see Stanley, B.J. 741(1996)175
- Guiochon, G., see Yun, T. 734(1996)97
- Guiochon, G., see Zhong, G. 721(1996)187
- Guiochon, G., see Zhong, G. 728(1996)25
- Guiochon, G., see Zhong, G. 734(1996)63
- Gulakowski, K., see Guan, H. 736(1996)21
- Gumbiner, H.G., see Wojciechowski, H. 717(1995)261
- Gump, E.L. and Monnig, C.A.
 Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis 715(1995)167
- Guo, W., Yang, G., Huang, X. and Xu, Y.
 Rapid determination of residual trichloromethane in drugs 731(1996)361
- Guo, Y., Imahori, G.A. and Colón, L.A.
 Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis 744(1996)17
- Guo, Z.-Y., see Ma, F.-Q. 740(1996)65
- Gupta, S., see Dalton, J.C. 718(1995)1
- Gustavsson, P.-E. and Larsson, P.-O.
 Superporous agarose, a new material for chromatography 734(1996)231
- Gutiérrez, E., see Colina, M. 739(1996)223
- Gutiérrez, E., see Ledo de Medina, H. 739(1996)207
- Gutierrez, E., see Salas-Auvert, R. 706(1995)183
- Gutiérrez, J., see Font, J. 740(1996)125
- Guttman, A., see Aumatell, A. 717(1995)229
- Guttman, A., see Evangelista, R.A. 745(1996)273
- Guttman, A. and Szökő, É.
 Capillary gel electrophoretic separation of DNA restriction fragments in a discontinuous buffer system 744(1996)321
- Guzman, N.A., see Tomlinson, A.J. 744(1996)3
- Gyimesi, J., see Szökő, É. 745(1996)181
- Gyllenhaal, O., see Karlsson, L. 749(1996)193
- Gynther, J., see Martinsen, A. 724(1996)358
- H**
- Haas, P., see Arpino, P.J. 703(1995)479
- Haberland, D., see Thede, R. 728(1996)401
- Hackl, C., Lintelmann, J., Sauerbrey, R. and Kettrup, A.
 Preliminary experiments for the analysis of tetrahydrotetrols of benz[a]anthracene and benzo[a]pyrene derived from their hemoglobin adducts using a coupled-column high-performance liquid chromatographic system 730(1996)153
- Haddad, P.R.
 Ion Chromatography (edited by J. Weiss) (Book Review) 715(1995)387
- Haddad, P.R., see Brandão, A.C.M. 706(1995)271

- Haddad, P.R., see Hao, F. 739(1996)151
 Haddad, P.R., see Hao, F. 749(1996)103
 Haddad, P.R., Harakuwe, A.H. and Buchberger, W.
 Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I.
 Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571
 Haddad, P.R., see Harakuwe, A.H. 734(1996)416
 Haddad, P.R., see Harakuwe, A.H. 739(1996)399
 Haddad, P.R., see Macka, M. 706(1995)493
 Haddad, P.R., see Mulholland, M. 739(1996)15
 Haddad, P.R., see Mulholland, M. 739(1996)25
 Haddad, P.R., see Ohta, K. 739(1996)359
 Haddad, P.R., see Umali, J.C. 706(1995)199
 Hage, D.S., see Yang, J. 725(1996)273
 Hage, D.S., see Yang, J. 735(1996)209
 Hagel, L., Östberg, M. and Andersson, T.
 Apparent pore size distributions of chromatography media 743(1996)33
 Hagen, D.F., see Pankow, J.F. 732(1996)317
 Haginiaka, J., see Hosoya, K. 728(1996)139
 Haginiaka, J., Miyano, Y., Saizen, Y., Seyama, C. and Murashima, T.
 Separation of enantiomers on a pepsin-bonded column 708(1995)161
 Haginiaka, J., Seyama, C. and Murashima, T.
 Retentive and enantioselective properties of ovomucoid-bonded silica columns. Influence of protein purity and isolation method 704(1995)279
 Haglund, P.
 Enantioselective separation of polychlorinated biphenyl atropisomers using chiral high-performance liquid chromatography 724(1996)219
 Hague, C., see Starr, C.M. 720(1996)295
 Hais, I.M., see Drandarov, K. 724(1996)416
 Hajós, P., see Sarzanini, C. 706(1995)141
 Hajšlová, J., see Tomšej, T. 704(1995)513
 Haj-Yehia, A.I. and Benet, L.Z.
 Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after precolumn derivatization with 2-(4-carboxyphenyl)-6-methoxybenzofuran 724(1996)107
 Haken, J.K.
 Applied Pyrolysis Handbook (edited by T.P. Wampler) (Book Review) 709(1995)393
 Haken, J.K.
 Gas Chromatography (by I.A. Fowlis) (Book Review) 719(1996)483
 Haken, J.K.
 Hyphenated techniques in polymer characterization: thermal, spectroscopic and other techniques (by T. Provder, M.W. Urban and H.G. Barth) (Book Review) 741(1996)149
 Hakkarainen, M., Albertsson, A.-C. and Karlsson, S.
 Solid-phase extraction and subsequent gas chromatography-mass spectrometry analysis for identification of complex mixtures of degradation products in starch-based polymers 741(1996)251
 Häkkinen, V.M.A., see Söderström, M.T. 742(1996)191
 Hall, K., see Glennon, J.D. 731(1996)47
 Hall, R.E., Havner, G.D., Good, R. and Dunn, D.L.
 Ion chromatographic method for rapid and quantitative determination of tromethamine 718(1995)305
 Hallberg, R.K., see Gluck, S.J. 744(1996)141
 Halpin, R.A., see McLoughlin, D.A. 726(1996)115
 Halsall, H.B., see Siles, B.A. 704(1995)289
 Hamachi, Y., see Nakashima, K. 722(1996)107
 Hamada, F.M.A., see Arafa, H.M.M. 729(1996)125
 Hamada, J.S.
 Separation and molecular mass distribution of rice proteins by size-exclusion high-performance liquid chromatography in a dissociating buffer 734(1996)195
 Hämäläinen, S., see Sinkkonen, S. 718(1995)391
 Hamdan, M., see Casazza, A. 715(1995)227
 Hamerton, I., see Aspin, I.P. 727(1996)61
 Hamilton, R.A., see Hunt, A.J. 708(1995)61
 Hamon, M., see Diallo, S. 721(1996)75
 Han, S.B., see Park, M.K. 736(1996)77
 Han, Y.-H.R. and Qin, X.-Z.
 Determination of alendronate sodium by ion chromatography with refractive index detection 719(1996)345
 Hanai, T., see Yamauchi, S. 737(1996)149
 Hanai, T. and Hatano, H.
 Foreword 722(1996)1
 Hanak, L., see Simon, G. 732(1996)1
 Hancock, W.S., see Apffel, A. 717(1995)41
 Hancock, W.S., see Apffel, A. 732(1996)27
 Hancock, W.S., see Apffel, A. 750(1996)35
 Handford, J.S., see Van Tonder, E.C. 729(1996)267
 Hankemeier, Th., Laan, H.T.C. van der Vreuls, J.J., Vredenbregt, M.J., Visser, T. and Brinkman, U.A.Th.
 Detectability enhancement by the use of large-volume injections in gas chromatography-cryotrapping-Fourier transform infrared spectrometry 732(1996)75
 Hankemeier, Th., Steketee, P.C., Vreuls, J.J. and Brinkman, U.A.Th.
 Automated at-line solid-phase extraction-gas chromatographic analysis of micropollutants in water using the PrepStation 750(1996)161
 Hannak, D., Scharbert, F. and Kattermann, R.
 Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307
 Hansen, A.B., see Johansen, S.S. 738(1996)295
 Hansen, M.C., see Doskey, P.V. 738(1996)73
 Hansen, P., Andersson, L. and Lindeberg, G.
 Purification of cysteine-containing synthetic peptides via selective binding of the α -amino group to immobilised Cu²⁺ and Ni²⁺ ions 723(1996)51
 Hansen, S.H., see Björnsdottir, I. 711(1995)313
 Hansen, S.H., see Björnsdottir, I. 745(1996)37
 Hansen, S.H., see Tjørnelund, J. 737(1996)291
 Hanssens, I., see Noppe, W. 719(1996)327
 Hansson, L., see Strömquist, M. 718(1995)53
 Hao, F., Paull, B. and Haddad, P.R.
 Retention behaviour of thorium(IV) and uranyl on a reversed-phase column with glycolate and mandelate as eluents 739(1996)151

- Hao, F., Paull, B. and Haddad, P.R.
Determination of trace levels of thorium(IV) and uranyl by reversed-phase chromatography with on-line preconcentration and ligand exchange 749(1996)103
- Hara, S., see Ohkuma, T. 728(1996)97
- Hara, T., see Nonomura, Y. 721(1996)350
- Harada, K., Yuan, Q., Nakayama, M. and Sugii, A.
Effects of organic modifiers on the chiral recognition by different types of silica-immobilized bovine serum albumin 740(1996)207
- Harada, K.-i., see Oka, H. 723(1996)61
- Haraguchi, H., see Esaka, Y. 711(1995)305
- Haraguchi, H., see Hu, W. 723(1996)251
- Harakuwe, A.H., see Haddad, P.R. 706(1995)571
- Harakuwe, A.H. and Haddad, P.R.
Manipulation of separation selectivity for inorganic anions in capillary zone electrophoresis using control of electrolyte pH 734(1996)416
- Harakuwe, A.H., Haddad, P.R. and Jackson, P.E.
Quantitative determination of oxalate in Bayer liquor by capillary zone electrophoresis. A validate study 739(1996)399
- Harenberg, J., see Malsch, R. 716(1995)259
- Harenberg, J., see Malsch, R. 744(1996)215
- Hargis, K.J., see Landzettel, W.J. 718(1995)45
- Häring, H.-U., see Lehmann, R. 744(1996)187
- Harino, H., Tanaka, M., Araki, T., Yasaka, Y., Masuyama, A., Nakatsuji, Y., Ikeda, I., Funazo, K. and Terabe, S.
Double-chain surfactants with two sulfonate groups as micelle-forming reagents in micellar electrokinetic chromatography of naphthalene derivatives 715(1995)135
- Harmon, B.J., Leesong, I. and Regnier, F.E.
Moving boundary electrophoretically mediated microanalysis 726(1996)193
- Harmon, B.J., see Patterson, D.H. 732(1996)119
- Harrap, K.R., see Poon, G.K. 712(1995)61
- Harrata, A.K., see Nelson, W.M. 749(1996)219
- Harris, R., see Denton, K.A. 705(1995)335
- Harris, R.J.
Processing of C-terminal lysine and arginine residues of proteins isolated from mammalian cell culture (Review) 705(1995)129
- Harris, S.J., see Brindle, R. 731(1996)41
- Harris, S.J., see Gleeson, J.D. 731(1996)47
- Harrison, J.S., see Dash, A.K. 708(1995)83
- Harrison, K., see Yang, Y.-B. 723(1996)1
- Harrison, K., see Yang, Y.-B. 743(1996)171
- Harrold, M., Stillian, J., Bao, L., Rocklin, R. and Avdalovic, N.
Capillary electrophoresis of inorganic anions and organic acids using suppressed conductivity detection. Strategies for selectivity control 717(1995)371
- Hart, K.M., see Pankow, J.F. 732(1996)317
- Hartford, C.G., see Baluyot, E.S. 739(1996)217
- Hartikainen, E., see Mälki-Laine, L. 724(1996)297
- Hartman, T.G., see Hiserodt, R. 740(1996)51
- Hartmann, C., see Jimidar, M. 706(1995)479
- Hartmann, C., see Yang, Q. 717(1995)415
- Hartmann, M., see Földes-Papp, Z. 706(1995)405
- Hartmann, M., see Tenberken, B. 745(1996)209
- Harvey, D.J.
Matrix-assisted laser desorption/ionisation mass spectrometry of oligosaccharides and glycoconjugates 720(1996)429
- Harvey, S.D.
Capillary zone electrophoretic and micellar electrokinetic capillary chromatographic separations of polyaminopolycarboxylic acids as their copper complexes 736(1996)333
- Hase, S.
Precolumn derivatization for chromatographic and electrophoretic analyses of carbohydrates 720(1996)173
- Hase, T.A., see Rasanen, I. 738(1996)233
- Haselwandter, K., see Schwarzer, C. 732(1996)390
- Hass, R., see Schepky, A.G. 743(1996)273
- Hassan, K., see Sanagi, M.M. 722(1996)59
- Hassani, A., see Righezza, M. 723(1996)77
- Hatakeyama, T., see Ikeda, Y. 746(1996)255
- Hatano, H., see Hanai, T. 722(1996)1
- Hatrík, Š. and Tekel', J.
Extraction methodology and chromatography for the determination of residual pesticides in water (Review) 733(1996)217
- Hauffe, K.D., see McLaughlin, G.M. 744(1996)123
- Haukioja, E., see Ossipov, V. 721(1996)59
- Haumann, I. and Bächmann, K.
On-column chelation of metal ions in capillary zone electrophoresis 717(1995)385
- Havaši, P., see Kaniansky, D. 709(1995)69
- Havel, J., Janoš, P. and Jandík, P.
Capillary electrophoretic estimation of sulfate stability constants of metal ions and determination of alkali and alkaline earth metals in waters 745(1996)127
- Havel, J., see Revilla, A.L. 745(1996)225
- Haverkamp, J., see Minkiewicz, P. 743(1996)123
- Haverkamp, J., see Visser, S. 711(1995)141
- Havner, G.D., see Hall, R.E. 718(1995)305
- Hawkes, S.J.
Extrapolating programmed gas chromatographic data from one set of conditions to another 746(1996)282
- Hawkins, P., see Onyewuenyi, N. 749(1996)271
- Hawthorne, S.B., see Bøwadt, S. 703(1995)549
- Hawthorne, S.B., see Langenfeld, J.J. 740(1996)139
- Hayakawa, J., see Oka, H. 723(1996)61
- Hayakawa, K., see Nishimura, M. 708(1995)195
- Hayakawa, K., see Yamamoto, A. 727(1996)55
- Hayashi, M., see Nishimura, M. 708(1995)195
- Hayashi, T., see Oka, H. 723(1996)61
- Hays, P.A., see Moore, J.M. 704(1995)483
- He, C., see Selkirk, J.K. 711(1995)331
- He, J.-y., see Shibukawa, A. 708(1995)364
- He, Y. and Lee, H.K.
Separation of structural homologues of alkylphenols and isomers of 4-nonylphenol by cyclodextrin-modified micellar electrokinetic chromatography 749(1996)227
- Hearn, M.T.W., see Björklund, M. 728(1996)149
- Hearn, M.T.W., see Björklund, M. 743(1996)145
- Hearn, M.T.W., see Fang, F. 729(1996)49
- Hearn, M.T.W., see Fang, F. 729(1996)67
- Hearn, M.T.W., see Finette, G.M.S. 743(1996)57
- Hearn, M.T.W., see Purcell, A.W. 711(1995)61

- Hearn, M.T.W., see Purcell, A.W. 711(1995)71
 Hearn, M.T.W., see Wirth, H.-J. 711(1995)223
 Hearn, M.T.W., see Xie, J. 711(1995)43
 Heberling, S., see Kaiser, E. 739(1996)71
 Hedley, C.L., see Frias, J. 719(1996)213
 Heegaard, N.H.H., Mortensen, H.D. and Roepstorff, P.
 Demonstration of a heparin-binding site in serum amyloid P component using affinity capillary electrophoresis as an adjunct technique 717(1995)83
 Heegaard, N.H.H., Olsen, D.T. and Larsen, K.-L.P.
 Immuno-capillary electrophoresis for the characterization of a monoclonal antibody against DNA 744(1996)285
 Heenan, C.L., see Koropchak, J.A. 736(1996)11
 Heene, D.L., see Malsch, R. 716(1995)259
 Heesche-Wagner, K., Schwarz, T., Bartholmes, P. and Kaufmann, M.
 Purification of unstable proteins from *Halobacterium salinarium* crude cell extracts: combined cell disruption and desalting by a hollow-fiber membrane module as an access to perform ion-exchange chromatography 711(1995)175
 Heeter, G.A. and Liapis, A.I.
 Perfusion chromatography: performance of periodic countercurrent column operation and its comparison with fixed-bed operation 711(1995)3
 Heeter, G.A. and Liapis, A.I.
 Multi-component perfusion chromatography in fixed bed and periodic counter current column operation 734(1996)105
 Heeter, G.A. and Liapis, A.I.
 Effects of structural and kinetic parameters on the performance of chromatographic columns packed with perfusive and purely diffusive adsorbent particles 743(1996)3
 Heftmann, E.
 Foreword 710(1995)1
 Heinig, K., Vogt, C. and Werner, G.
 Separation of ionic and neutral surfactants by capillary electrophoresis and high-performance liquid chromatography 745(1996)281
 Heinrich, J. and Mischnick, P.
 Rapid method for the determination of the substitution pattern of O-methylated 1,4-glucans by high-pH anion-exchange chromatography with pulsed amperometric detection 749(1996)41
 Heinzen, V.E.F. and Yunes, R.A.
 Using topological indices in the prediction of gas chromatographic retention indices of linear alkylbenzene isomers 719(1996)462
 Heise, K.-H., see Pompe, S. 723(1996)215
 Hela, D.G., see Albanis, T.A. 707(1995)283
 Helfferich, F.G. and Whitley, R.D.
 Non-linear waves in chromatography. II. Wave interference and coherence in multicomponent systems 734(1996)7
 Helias, N., see Wentworth, W.E. 749(1996)149
 Heller, C., see Mitnik, L. 710(1995)309
 Helliger, W., see Lindner, H. 743(1996)137
 Helmerson, S., see Granelli, K. 721(1996)355
 Helmig, D.
 Artifact-free preparation, storage and analysis of solid adsorbent sampling cartridges used in the analysis of volatile organic compounds in air 732(1996)414
 Hempel, G., Lehmkuhl, D., Krümpelmann, S., Blaschke, G. and Boos, J.
 Determination of paclitaxel in biological fluids by micellar electrokinetic chromatography 745(1996)173
 Hempenius, J., see Wieling, J. 730(1996)381
 Hendrickx, J., Bockx, M., Zwijnen, C., Borgmans, C., Mannens, G., Meuldermans, W. and Heykants, J.
 Location of the hydroxy functions in hydroxylated metabolites of nebivolol in different animal species and human subjects as determined by on-line high-performance liquid chromatography-diode-array detection 729(1996)341
 Hendriks, G., see Wieling, J. 730(1996)381
 Hengstenberg, W., see Weigt, C. 712(1995)141
 Henion, J., see Cai, J. 703(1995)667
 Hennion, M.-C. and Barceló, D.
 Foreword 737(1996)1
 Henle, T., see Krause, I. 715(1995)67
 Hennion, M.-C., Coquart, V., Guenu, S. and Sella, C.
 Retention behaviour of polar compounds using porous graphitic carbon with water-rich mobile phases 712(1995)287
 Hennion, M.-C., see Guenu, S. 725(1996)57
 Hennion, M.-C., see Guenu, S. 737(1996)15
 Hennion, M.-C., see Lawrence, J.F. 732(1996)277
 Hennion, M.-C., see Pichon, V. 711(1995)257
 Hennion, M.-C., see Pichon, V. 725(1996)107
 Hennion, M.-C., see Pichon, V. 737(1996)25
 Henricsson, S. and Westerholm, R.
 Liquid chromatographic method for analysing the colour marker Solvent Yellow 124, N-ethyl-N-[2-(1-isobutoxyethoxy)ethyl](4-phenylazophenyl)amine, in diesel fuels 723(1996)395
 Henry, G., see Bouhallab, S. 724(1996)137
 Henry, M.S., see Hua, Y. 750(1996)115
 Henze, G., see Nirmaier, H.-P. 730(1996)169
 Hepburn, H.R., see Giumanini, A.G. 704(1995)224
 Her, G.-R., see Huang, C.-C. 731(1996)217
 Her, G.-R., see Tsai, C.-Y. 743(1996)315
 Herber, W.K., see Robinett, R.S.R. 718(1995)319
 Herbreteau, B., see Caron, I. 746(1996)103
 Herbreteau, B., see Lafosse, M. 720(1996)61
 Herguedas, A., see Atienza, J. 721(1996)113
 Hermansson, J., see Fitos, I. 709(1995)265
 Hernández, A., see Sanz, M.A. 719(1996)195
 Hernandez, E.A., see Casado, A.G. 726(1996)133
 Hernández, F., see Sancho, J.V. 737(1996)75
 Hernández, L., see Páez, X. 735(1996)263
 Hernández Méndez, J., see Carabias Martínez, R. 733(1996)349
 Hernandez, M.G., see Vera-Avila, L.E. 731(1996)115
 Hernández, T., see Bartolomé, B. 723(1996)19
 Hernández-Apaolaza, L., see Lucena, J.J. 727(1996)253
 Hernández-Cassou, S., see Saurina, J. 740(1996)21
 Hernández-Córdoba, M., see Viñas, P. 726(1996)125

- Herod, A.A. and Kandiyoti, R.
Fractionation by planar chromatography of a coal tar pitch for characterisation by size-exclusion chromatography, UV fluorescence and direct-probe mass spectrometry
708(1995)143
- Héron, S. and Tchapla, A.
Retention mechanism in reversed-phase liquid chromatography: specific effects of propiophenyl and multifunctional (cyanopropyl-octadecyl) bonded silicas
725(1996)205
- Herraz, T. and Casal, V.
Evaluation of solid-phase extraction procedures in peptide analysis
708(1995)209
- Herreno-Saenz, D., see Zhan, D.-J. 710(1995)149
- Herrera, J.C., Romero, A.J.R., Crescente, O.E., Acosta, M. and Pekerar, S.
Analysis of 5-hydroxy-7-methoxyflavones by normal-phase high-performance liquid chromatography
740(1996)201
- Herron, W.J., Eadie, J. and Penman, A.D.
Estimation of ranolazine and eleven Phase I metabolites in human plasma by liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry with selected-ion monitoring
712(1995)55
- Herslöf, B., see Nikolova-Damyanova, B. 749(1996)47
- Hertsen, R.C., see Nojima, K. 712(1995)17
- Heskamp, H.H., see Van Rhijn, J.A. 712(1995)67
- Hess, B., see Wyss, R. 729(1996)315
- Hess, P., De Boer, J., Cofino, W.P., Leonards, P.E.G. and Wells, D.E.
Critical review of the analysis of non- and mono-*ortho*-chlorobiphenyls (Review)
703(1995)417
- Hesse, M., see Velcheva, M.P. 730(1996)63
- Hesselmann, C., see Bringmann, G. 707(1995)267
- Hettiarachchi, K. and Cheung, A.P.
Precision in capillary electrophoresis with respect to quantitative analysis of suramin
717(1995)191
- Hewitt, C.N., see Cao, X.-L. 710(1995)39
- Heyden, Y.V., see Boonkerd, S. 736(1996)281
- Heykants, J., see Hendrickx, J. 729(1996)341
- Hibbert, D.B., see Mulholland, M. 739(1996)15
- Hidajat, K., Ching, C.B. and Rao, M.S.
Preparative-scale liquid chromatographic separation of ω -3 fatty acids from fish oil sources
702(1995)215
- Hidalgo, M., see Anticó, E. 706(1995)159
- Higashi, K., see Takeda, S. 744(1996)135
- Highfield, J.C., see Zimina, T. 728(1996)33
- Hilbeck, O., see Anspach, F.B. 711(1995)81
- Hill, J.W., see Hu, A.Z. 717(1995)33
- Hill, S.A., see Stratford, M.R.L. 706(1995)459
- Hill, S.J., see Sutton, R.M.C. 739(1996)81
- Hillen, W., see Ettner, N. 742(1996)95
- Hillenkamp, F., see Berger, R.G. 711(1995)159
- Hiller, D.L., see Cole, R.O. 736(1996)239
- Hilmer, J.M., see Scheper, T.H. 725(1996)3
- Hiltunen, R., see Liang, H.-R. 746(1996)123
- Hindsgaul, O., see Le, X. 716(1995)215
- Hindsgaul, O., see Zhang, Y. 716(1995)221
- Hine, N., see Okamura, N. 746(1996)225
- Hino, T., Nakanishi, S. and Hobo, T.
Development of a whole headspace injection method for the determination of volatile organic compounds in water
746(1996)83
- Hirabayashi, J. and Kasai, K.-i.
Applied slalom chromatography. Improved DNA separation by the use of columns developed for reversed-phase chromatography
722(1996)135
- Hirayama, N., Maruo, M., Shiota, A. and Kuwamoto, T.
Use of β -diketonate anions as eluent in non-suppressed ion chromatography: 1,3-cyclohexanedionate as acidic eluent
707(1995)384
- Hirokawa, T., see Ito, K. 742(1996)281
- Hirokawa, T., Nishimoto, K. and Nishiyama, F.
Isotachophoretic separation of Fe(II) and Fe(III) by using 1,10-phenanthroline as a complex-forming agent
723(1996)389
- Hirokawa, T., Ohta, T., Nakamura, K.-i., Nishimoto, K. and Nishiyama, F.
Bidirectional isotachophoretic separation of metal cations using EDTA as a chelating agent
709(1995)171
- Hirz, R., see Cladrowa-Runge, S. 710(1995)339
- Hiserodt, R., Hartman, T.G., Ho, C.-T. and Rosen, R.T.
Characterization of powdered turmeric by liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry
740(1996)51
- Hjertén, S., see Englund, A.-K. 711(1995)217
- Hjertén, S., see Zhang, Y. 749(1996)13
- Hjorth, R., see Ljunglöf, A. 743(1996)75
- Hlavay, J., see Kiss, G. 725(1996)261
- Ho, C.-T., see Baldi, A. 718(1995)89
- Ho, C.-T., see Hiserodt, R. 740(1996)51
- Hobo, T., see Hino, T. 746(1996)83
- Hobo, T., see Nonomura, M. 739(1996)301
- Hobo, T., see Wu, X.-Z. 726(1996)205
- Hochstrasser, D.F., see Yan, J.X. 736(1996)291
- Hocker, M.D., see Wheatley, J.B. 726(1996)77
- Hoffmann, R., see Berger, R.G. 711(1995)159
- Hoffmann, T., Reinhold, D., Kähne, T., Faust, J., Neubert, K., Frank, R. and Ansorge, S.
Inhibition of dipeptidyl peptidase IV (DP IV) by anti-DP IV antibodies and non-substrate X-X-Pro- oligopeptides ascertained by capillary electrophoresis
716(1995)355
- Höfle, M.G., see Katsivela, E. 717(1995)91
- Hofmann, J., see Struppe, H.G. 750(1996)239
- Hofmann, W., see Löster, K. 711(1995)187
- Hofstetter, W., see Obinger, C. 731(1996)293
- Hogan, B.L., see Wise, E.T. 746(1996)109
- Hogenboom, A.C., see Slobođnik, J. 730(1996)353
- Hogenboom, A.C., see Slobođnik, J. 741(1996)59
- Hogendoorn, E.A., see Sancho, J.V. 737(1996)75
- Hogendoorn, E.A. and Van Zoonen, P.
Coupled-column reversed-phase liquid chromatography in environmental analysis (Review)
703(1995)149
- Hogge, L.R., see Carrier, D.-J. 715(1995)317
- Hohmann, W., see Brechtel, R. 716(1995)97
- Hohner, G., see Kühn, G. 732(1996)111
- Holland, P.T., see Baskaran, S. 746(1996)25
- Holt, R.M., see Richards, D.S. 746(1996)9

- Honda, S.
Postcolumn derivatization for chromatographic analysis of carbohydrates 720(1996)183
- Honda, S.
Separation of neutral carbohydrates by capillary electrophoresis 720(1996)337
- Honda, S., see Kakehi, K. 720(1996)377
- Honda, S., see Taga, A. 742(1996)243
- Höner, A., Arnold, M., Hüser, N. and Kleiböhmer, W.
Monitoring polycyclic aromatic hydrocarbons in waste gases 710(1995)129
- Honing, M., Barceló, D., Jager, M.E., Slobodnik, J., Van Baar, B.L.M. and Brinkman, U.A.Th.
Effect of ion source pressure on ion formation of carbamates in particle-beam chemical-ionisation mass spectrometry 712(1995)21
- Honing, M., Riu, J., Barceló, D., van Baar, B.L.M. and Brinkman, U.A.Th.
Determination of ten carbamate pesticides in aquatic and sediment samples by liquid chromatography-ionspray and thermospray mass spectrometry 733(1996)283
- Hoogmartens, J., see Adams, E. 741(1996)233
- Hoogmartens, J., see Khan, K. 742(1996)267
- Hoogmartens, J., see Li, Y.M. 740(1996)119
- Hoogmartens, J., see Saevels, J. 745(1996)293
- Hoogmartens, J., see Van Schepdael, A. 730(1996)305
- Hopfgartner, G., see Lausecker, B. 712(1995)75
- Hopia, A., see Mäkinen, M. 374(1996)221
- Hoque, E.
High-performance size-exclusion chromatographic characterization of water-soluble polymeric substances produced by *Phanerochaete chrysosporium* from free and wheat cell wall bound 3,4-dichloroaniline 708(1995)273
- Hor, T.S.A., see Li, C.-H. 740(1996)231
- Horikawa, T., see Nishimura, M. 708(1995)195
- Horimoto, Y., see Yarita, T. 724(1996)373
- Horimoto, Y., see Yarita, T. 750(1996)175
- Horiuchi, T., see Yamazoe, K. 726(1996)241
- Horká, M., Kahle, V., Krejčí, M. and Šlais, K.
Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311
- Hormazabal, V., Steffenak, I. and Yndestad, M.
Simultaneous extraction and determination of florfenicol and the metabolite florfenicol amine in sediment by high-performance liquid chromatography 724(1996)364
- Horne, E., see Brindle, R. 731(1996)41
- Horne, E., see Glennon, J.D. 731(1996)47
- Horrobin, D.F., see Redden, P.R. 704(1995)99
- Horváth, C., see Ma, S. 716(1995)167
- Horváth, C., see Rathore, A.S. 743(1996)231
- Horváth, C., see Thunecke, F. 744(1996)259
- Horváth, Cs., see Chen, H. 705(1995)3
- Horváth, Cs., see Corradini, D. 728(1996)225
- Horváth, Cs., see Kálmann, F. 705(1995)135
- Horváth, Cs., see Kálmann, A. 729(1996)155
- Hosaka, A., see Wu, X.-Z. 726(1996)205
- Hoshino, T., see Cao, G. 722(1996)151
- Hoskovec, M., see Koutek, B. 719(1996)391
- Hosoya, K., Kageyama, Y., Yoshizako, K., Kimata, K., Araki, T. and Tanaka, N.
Uniform-sized polymer-based separation media prepared using vinyl methacrylate as a cross-linking agent. Possible powerful adsorbent for solid-phase extraction of halogenated organic solvents in an aqueous environment 711(1995)247
- Hosoya, K., see Tanaka, N. 716(1995)57
- Hosoya, K., Yoshizako, K., Shirasu, Y., Kimata, K., Araki, T., Tanaka, N. and Hagiwara, J.
Molecularly imprinted uniform-size polymer-based stationary phase for high-performance liquid chromatography. Structural contribution of cross-linked polymer network on specific molecular recognition 728(1996)139
- Hostettmann, K., see Cremin, P. 710(1995)273
- Hostettmann, K., see Slimestad, R. 719(1996)438
- Hostettmann, K., see Wolfender, J.-L. 712(1995)155
- Houle, N., see Dabek-Zlotorzynska, E. 706(1995)469
- Hounsell, E.F.
Carbohydrate Analysis-High-Performance Chromatography and Capillary Electrophoresis (by Z. El Rassi) (Book Review) 704(1995)544
- Hounsell, E.F., see Davies, M.J. 720(1996)227
- Hounsell, E.F., see Davies, M.J. 741(1996)147
- Howlin, B.J., see Aspin, I.P. 727(1996)61
- Hronec, M., see Štolcová, M. 710(1995)351
- Hsieh, Y.-Z. and Huang, H.-Y.
Analysis of chlorophenoxy acid herbicides by cyclodextrin-modified capillary electrophoresis 745(1996)217
- Hsu, A., see Yim, K. 716(1995)401
- Hsu, K.-Y., see Lee, W.-C. 704(1995)307
- Hsu, M.-C., Chung, H.-C. and Lin, Yu.-S.
Liquid chromatographic determination of cephalexin preparations: interlaboratory validation 727(1996)239
- Hsu, Y.-H., see Jen, J.-F. 734(1996)375
- Hsueh, C.-C., see Lin, C.-E. 746(1996)295
- Hu, A.Z., Cruzado, I.D., Hill, J.W., McNeal, C.J. and Macfarlane, R.D.
Characterization of lipoprotein a by capillary zone electrophoresis 717(1995)33
- Hu, G.-F.
Fluorophore-assisted carbohydrate electrophoresis. Technology and applications (Review) 705(1995)89
- Hu, Q., see Li, H. 710(1995)347
- Hu, S., see Miao, H. 749(1996)5
- Hu, T., Zuo, H., Riley, C.M., Stobaugh, J.F. and Lunte, S.M.
Determination of α -difluoromethylornithine in blood by microdialysis sampling and capillary electrophoresis with UV detection 716(1995)381
- Hu, W. and Haraguchi, H.
New approach for controlling the partitioning of analyte ions in ion chromatography with a water mobile phase 723(1996)251
- Hu, Y., Zhou, G., Kang, J., Du, Y., Huang, F. and Ge, J.
Assessment of chromatographic peak purity by means of artificial neural networks 734(1996)259
- Hu, Z.-D., see Zhang, H.-W. 704(1995)242

- Hua, Y., Lu, W., Henry, M.S., Pierce, R.H. and Cole, R.B.
On-line liquid chromatography-electrospray ionization mass spectrometry for determination of the brevetoxin profile in natural "red tide" alga blooms 750(1996)115
- Huang, A., see Liu, H. 718(1995)448
- Huang, A., see Wang, Z. 749(1996)300
- Huang, C.-C., Chen, Y.-C., Her, G.-R. and Chan, C.-C.
Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminum oxide porous-layer open-tubular capillary gas chromatography-mass spectrometry using isotopically labeled internal standards 731(1996)217
- Huang, F., see Hu, Y. 734(1996)259
- Huang, G., see Regnier, F. 750(1996)3
- Huang, H.-Y., see Hsieh, Y.-Z. 745(1996)217
- Huang, M.-B., Li, H.-K., Li, G.-L., Yan, C.-T. and Wang, L.-P.
Planar chromatographic direct separation of some aromatic amino acids and aromatic amino alcohols into enantiomers using cyclodextrin mobile phase additives 742(1996)289
- Huang, R.C., see Gnabre, J.N. 719(1996)353
- Huang, X., see Guo, W. 731(1996)361
- Huang, X. and Kok, W.T.
Determination of thiols by capillary electrophoresis with electrochemical detection using a palladium field-decoupler and chemically modified electrodes 716(1995)347
- Huang, X. and Kok, W.Th.
Determination of sugars by capillary electrophoresis with electrochemical detection using cuprous oxide modified electrodes 707(1995)335
- Hubatsch, I., Maurer, P., Engel, D. and Adolph, H.W.
Preparation and characterization of isoforms and isoforms of horse liver alcohol dehydrogenase 711(1995)105
- Hubbard, J.B., see Cabezas, H. 707(1995)1
- Huber, J.F.K., see Umile, C. 723(1996)11
- Huber, W., Molero, A., Pereyra, C. and Martínez de la Ossa, E.
Determination of cholesterol in milk fat by supercritical fluid chromatography 715(1995)333
- Hubert, P., see Fillet, M. 717(1995)203
- Hubert, Ph., see Ceccato, A. 750(1996)351
- Huck, P.M., see Peldszus, S. 723(1996)27
- Hudník, V., see Novič, M. 704(1995)530
- Hudník, V., see Novič, M. 739(1996)35
- Hudník, V., see Šikovec, M. 706(1995)121
- Hughes, D.E., see Greve, K.F. 723(1996)273
- Hughes, D.E., see Greve, K.F. 749(1996)237
- Hughes, P.S.
Preparative regime for the purification of bitter acids derived from hops (*Humulus lupulus* L.) 731(1996)327
- Huhle, G., see Malsch, R. 744(1996)215
- Hummerc, C., Shen, J.L. and Luckas, B.
Automatic high-performance liquid chromatographic method for the determination of diarrhetic shellfish poison 729(1996)387
- Hunt, A.J., Lynch, P.D., Londo, T., Dimond, P., Gordon, N.F., McCormack, T., Schutz, A., Percoskie, M., Cao, X., McGrath, J.P., Putney, S. and Hamilton, R.A.
Development and monitoring of purification process for nerve growth factor fusion antibody 708(1995)61
- Hunt, G., see Chen, A.B. 744(1996)279
- Hunt, G., see Moorhouse, K.G. 717(1995)61
- Hunt, G., Moorhouse, K.G. and Chen, A.B.
Capillary isoelectric focusing and sodium dodecyl sulfate-capillary gel electrophoresis of recombinant humanized monoclonal antibody HER2 744(1996)295
- Husain, S., Khalid, S., Nagaraju, V. and Nageswara Rao, R.
High-performance liquid chromatographic separation and determination of small amounts of process impurities of ciprofloxacin in bulk drugs and formulations 705(1995)380
- Husain, S., Khalid, S., Nagaraju, V. and Rao, R.N.
High-performance liquid chromatographic separation and determination of small amounts of process impurities of famotidine in bulk drugs and formulations 743(1996)328
- Hüsers, N., see Höner, A. 710(1995)129
- Hüsken, D., see Bruin, G.J.M. 709(1995)181
- Butta, M., see Reijenga, J.C. 709(1995)21
- Hutton, T.M., see Wycherley, D. 734(1996)339
- Huxford, T.L., see Lamb, J.D. 739(1996)373
- Huxtable, R.J., see Cooper, R.A. 732(1996)43
- Huynh, N.-H., Karlsson, A. and Pettersson, C.
Enantiomeric separation of basic drugs using N-benzyloxycarbonylglycyl-L-proline as counter ion in methanol 705(1995)275
- Huynh, T.K.X.
Quantitative thin-layer chromatography of perbromate 712(1995)382
- Huynh, T.K.X. and Leipzig-Pagani, E.
Quantitative thin layer chromatography on cellulose. II. Selected applications: lower alcohols, tryptophan enantiomers, gold and platinum 746(1996)261
- Hwang, Q.-C., see Woo, K.-L. 740(1996)31
- Hyllbrant, B., see Tyrefors, N. 729(1996)279
- Hyötyläinen, T., Sirén, H. and Riekola, M.-L.
Determination of morphine analogues, caffeine and amphetamine in biological fluids by capillary electrophoresis with the marker technique 735(1996)439
- Hyun, M.H., Na, M.S. and Min, C.-S.
Improved chiral stationary phase derived from (S)-naproxen for the liquid chromatographic resolution of enantiomers 732(1996)209
- Hyytiäinen, M., Appelblad, P., Pontén, E., Stigbrand, M., Irgum, K. and Jaegfeldt, H.
Trifluoromethanesulfonic acid as a catalyst for the formation of dansylhydrazone derivatives 740(1996)279
- Hayashi, Y., Matsuda, R. and Poe, R.B.
Measurement precision and 1/f noise in analytical instruments 722(1996)157

I

Ibáñez, M., Picó, Y. and Mañes, J.

Influence of organic matter and surfactants on solid-phase extraction of diquat, paraquat and difenoquat from waters 727(1996)245

Ibáñez, M., Picó, Y. and Mañes, J.

On-line liquid chromatographic trace enrichment and high-performance liquid chromatographic determination of diquat, paraquat and difenoquat in water 728(1996)325

Ibrahim, N.M.A. and Wheals, B.B.

Oligomeric separation of alkylphenol ethoxylate surfactants on silica using aqueous acetonitrile eluents 731(1996)171

Ichihara, A., see Ozaki, H. 709(1995)3

Ichimoto, I., see Kitaoka, Y. 738(1996)305

Ikai, Y., see Oka, H. 723(1996)61

Ikarashi, Y., LeRoy Blank, C., Suda, Y., Kawakubo, T. and Maruyama, Y.

Application of a novel, plastic formed carbon as a precolumn packing material for the liquid chromatographic determination of acetylcholine and choline in biological samples 718(1995)267

Ikeda, I., see Harino, H. 715(1995)135

Ikeda, M., see Kusaka, T. 730(1996)1

Ikeda, S., see Katsuragi, K. 744(1996)311

Ikeda, T., see Esaka, Y. 711(1995)305

Ikeda, T., see Esaka, Y. 736(1996)273

Ikeda, T., see Kano, K. 721(1996)53

Ikeda, Y., Fujii, Y., Umemura, M., Hatakeyama, T., Morita, M. and Yamazaki, M.

Quantitative determination of cardiac glycosides in *Digitalis lanata* leaves by reversed-phase thin-layer chromatography 746(1996)255

Iki, N. and Yeung, E.S.

Non-bonded poly(ethylene oxide) polymer-coated column for protein separation by capillary electrophoresis 731(1996)273

Ilyina, A.V., see Varlamov, V.P. 711(1995)113

Im, S.J., see Zhang, X. 745(1996)1

Imahori, G.A., see Guo, Y. 744(1996)17

Imanari, T., Toida, T., Koshiishi, I. and Toyoda, H.

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Immenhauser-Pothast, I., see Shotyk, W. 706(1995)167

Immenhauser-Pothast, I., see Shotyk, W. 706(1995)209

Inamdar, P.K., Yeole, R.D., Ghogare, A.B. and de Souza, N.J.

Determination of biologically active constituents in *Centella asiatica* 742(1996)127

Ingelse, B.A., Claessens, H.C., van der Wal, S., Duchateau, A.L.L. and Everaerts, F.M.

Influence of the nature of the buffer on chiral separation in capillary electrophoresis 745(1996)61

Ingelse, B.A., Everaerts, F.M., Desiderio, C. and Fanali, S.

Enantiomeric separation by capillary electrophoresis using a soluble neutral β -cyclodextrin polymer 709(1995)89

Ingendoh, A., see Berger, R.G. 711(1995)159

Inokuchi, N., see Shinomiya, K. 724(1996)179

Inoue, H., see Nonomura, Y. 721(1996)350

Inoue, K., see Kano, K. 721(1996)53

Inoue, K., see Nakashima, K. 722(1996)107

Inoue, T., see Kawazumi, H. 744(1996)31

Inoue, T., see Song, J.M. 727(1996)330

Inoue, Y., see Kumagai, H. 739(1996)327

Inoue, Y., Sakai, T. and Kumagai, H.

Simultaneous determination of chromium(III) and chromium(VI) by ion chromatography with inductively coupled plasma mass spectrometry 706(1995)127

Inoue, Y., see Soga, T. 718(1995)421

Insola, A., see Moldovan, Z. 723(1996)243

Ip, D.P., see Qin, X.-Z. 707(1995)245

Irgolic, K.J., see Gailer, J. 730(1996)219

Irgum, K., see Hyttiäinen, M. 740(1996)279

Iriondo, C., see Arenaza, M.J. 721(1996)123

Irth, H., see Buscher, B.A.P. 718(1995)413

Irth, H., see Van der Vlis, E. 712(1995)227

Irth, H., see Van der Vlis, E. 741(1996)13

Isabelle, L.M., see Pankow, J.F. 732(1996)317

Ishiguro, S.-I., see Fukakusa, Y. 719(1996)365

Ishihara, S., see Kusaka, T. 730(1996)1

Ishii, D., see Okamoto, M. 722(1996)81

Ishizawa, S., see Kodama, M. 707(1995)117

Isobe, T., see Nakayama, H. 730(1996)279

Isobe, T., see Yamaki, S. 728(1996)189

Isobe, T., see Yamaki, S. 729(1996)143

Issaq, H.J., see Chan, K.C. 718(1995)203

Ito, K. and Hirokawa, T.

Separation of alkali and alkaline-earth metal and ammonium cations by capillary electrophoresis using poly(ethylene glycol) and tartaric acid 742(1996)281

Ito, M., see Yamauchi, S. 737(1996)149

Ito, Y., see Adachi, T. 715(1995)13

Ito, Y., see Gnabre, J.N. 719(1996)353

Ito, Y., see Knight, M. 702(1995)207

Ito, Y., see Ma, Y. 702(1995)197

Ito, Y., see Ma, Y. 704(1995)75

Ito, Y., see Ma, Y. 724(1996)348

Ito, Y., see Oka, H. 723(1996)61

Ito, Y., see Shinomiya, K. 724(1996)179

Ito, Y., see Weisz, A. 732(1996)283

Itou, N., see Ozaki, H. 716(1995)69

Ivanov, S.V., see Polanuer, B.M. 722(1996)311

Iványi, F., see Kaniansky, D. 709(1995)69

Ivory, C.F., see Koegler, W.S. 726(1996)229

J

- Jackson, M., see Johns, M.A. 743(1996)195
 Jackson, M.A., see Snyder, J.M. 750(1996)201
 Jackson, P.E., see Harakuwe, A.H. 739(1996)399
 Jackson, P.E., see Paterson, B. 731(1996)95
 Jackson, P.E., Romano, J.P. and Wildman, B.J.
 Studies on system performance and sensitivity in ion chromatography 706(1995)3
 Jacques, B., Devaux, J., Legras, R. and Nield, E.
 Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite 725(1996)367
 Jacquier, J.C. and Desbène, P.L.
 Determination of critical micelle concentration by capillary electrophoresis. Theoretical approach and validation 718(1995)167
 Jacquier, J.C. and Desbène, P.L.
 Determination of critical micelle concentration by capillary electrophoresis. Application to organo-saline electrolytes 743(1996)307
 Jaegfeldt, H., see Hyttiäinen, M. 740(1996)279
 Jaehde, U., see Bergmann, J. 734(1996)381
 Jager, M.E., see Honing, M. 712(1995)21
 Jagota, N.K., Chetram, A.J. and Nair, J.B.
 Ion chromatography of amylamine and *tert*-butylamine in pharmaceuticals 739(1996)343
 Jagota, N.K., Nair, J.B., Frazer, R., Klee, M. and Wang, M.Z.
 Supercritical fluid chromatography of paclitaxel 721(1996)315
 Jähnisch, K., see Kunath, A. 728(1996)249
 Jain, A., Chaurasia, A., Sahasrabuddhey, B. and Verma, K.K.
 Determination of bromide in complex matrices by pre-column derivatization linked to solid-phase extraction and high-performance liquid chromatography 746(1996)31
 Jain, V. and Thielen, D.
 Determination of aldehydes in basic medium by gas chromatography using O-benzylhydroxylamine derivatization 709(1995)387
 James, K.J., see Kelly, S.S. 749(1996)33
 Jameson, S., see Tomlinson, A.J. 744(1996)273
 Janda, V., Mikešová, M. and Vejrosta, J.
 Direct supercritical fluid extraction of water-based matrices (Review) 733(1996)35
 Jandera, P. and Fischer, J.
 Chromatographic behaviour in reversed-phase high-performance liquid chromatography with micellar and submicellar mobile phases 728(1996)279
 Jandera, P., Fischer, J., Staněk, V., Kučerová, M. and Zvoníček, P.
 Separation of aromatic sulphonlic acid dye intermediates by high-performance liquid chromatography and capillary zone electrophoresis 738(1996)201
 Jandera, P., Pošvec, Z. and Vrásprí, P.
 Mobile phase effects on single-component and competitive adsorption isotherms in reversed-phase systems 734(1996)125
 Jandera, P., Urbánek, J., Prokeš, B. and Blažková-Brúnová, H.
 Chromatographic behaviour of oligoethylene glycol nonylphenyl ether anionic surfactants in normal-phase high-performance liquid chromatography 736(1996)131
 Jandik, P., see Havel, J. 745(1996)127
 Jandik, P., see Revilla, A.L. 745(1996)225
 Jang, M.D., see Nah, T.H. 722(1996)41
 Janicki, W., see Biziuk, M. 733(1996)171
 Janoš, P.
 Separation of metal-oxalate complexes on an anion-exchange column 719(1996)457
 Janoš, P.
 Retention models for the ion chromatographic separations of metals in the presence of complexing agents 737(1996)129
 Janoš, P. and Aczel, P.
 Ion chromatographic separation of selenite and selenate using a polyanionic eluent 749(1996)115
 Janoš, P., see Havel, J. 745(1996)127
 Janssen, H.-G., see Bosboom, J.C. 724(1996)384
 Janssen, H.-G., see Lou, X. 750(1996)215
 Janssen, H.-G., see Snijders, H. 718(1995)339
 Janssen, H.-G., see Snijders, H. 732(1996)51
 Janssen, H.-G.M., see Mol, H.G.J. 703(1995)277
 Janvion, P., Motellier, S. and Pitsch, H.
 Ion-exchange mechanisms of some transition metals on a mixed-bed resin with a complexing eluent 715(1995)105
 Jarc, I., see Velikonja, Š. 704(1995)449
 Jarm, V., see Šegudović, N. 704(1995)149
 Jaroniec, M.
 Studies of the interfacial properties of chemically bonded phases by sorption and liquid chromatography 722(1996)19
 Jaroniec, M., see Czajkowska, T. 728(1996)213
 Jarrett, H.W.
 Preparation of cDNA-silica using reverse transcriptase and its DNA sequence determination 708(1995)13
 Jarrett, H.W.
 Hybrid selection with cDNA-silica 742(1996)87
 Jasionowska, R., see Cartoni, G. 709(1995)209
 Jastorff, B., see Burmester, A. 749(1996)25
 Jastorff, B., see Turowski, M. 728(1996)201
 Jayanthi, S., see Choudhari, K.B. 724(1996)343
 Jayaraman, G., Li, Y.-F., Moore, J.A. and Cramer, S.M.
 Ion-exchange displacement chromatography of proteins. Dendritic polymers as novel displacers 702(1995)143
 Jedrzejewski, P.T. and Taylor, L.T.
 Packed column supercritical fluid chromatography-mass spectrometry with particle beam interface aided with particle forming solvent 489(1995)489
 Jeffcoat, A.R., see Ley, F.R. 723(1996)101
 Jefferies, T.M., see Matchett, M.W. 705(1995)351
 Jelinková, D., Deyl, Z., Mikšík, I. and Tagliaro, F.
 Capillary electrophoresis of hair proteins modified by alcohol intake in laboratory rats 709(1995)111

- Janák, J.
Technique and Practice of Chromatography (edited by R.P.W. Scott) (Book Review) 715(1995)385
- Jen, J.-F., Hsu, Y.-H. and Lee, M.-R.
Separation of plant phenolic compounds by capillary zone electrophoresis 734(1996)375
- Jensen, D., see Kerth, J. 706(1995)191
- Jensen, D.J., see Lauren, D.R. 712(1995)303
- Jensen, K.D., Williams, S.K.R. and Giddings, J.C.
High-speed particle separation and steric inversion in thin flow field-flow fractionation channels 746(1996)137
- Jeong, C.-m., see Kim, K.R. 722(1996)303
- Jermann, E., see Begerow, J. 749(1996)181
- Jham, G.N.
High-performance liquid chromatographic quantitation of phloridzin in apple seed, leaf and callus 719(1996)444
- Ji, Y., see Koppenhoefer, B. 735(1996)333
- Jia, L., see Zhang, H.-W. 704(1995)242
- Jiang, G.B., Ceulemans, M. and Adams, F.C.
Optimization study for the speciation analysis of organotin and organogermanium compounds by on-column capillary gas chromatography with flame photometric detection using quartz surface-induced luminescence 727(1996)119
- Jiang, Y.-M., see Shi, Y.-C. 742(1996)107
- Jiménez, A., see Marín, M.L. 750(1996)183
- Jiménez, J.J., see Atienza, J. 721(1996)113
- Jiménez, O., García, M.A. and Marina, M.L.
A model describing the effect on retention of the addition of alcohols to the mobile phase in micellar liquid chromatography 719(1996)15
- Jimenez-Carmona, M.M., Tena, M.T. and Luque de Castro, M.D.
Ion-pair-supercritical fluid extraction of clenbuterol from food samples 711(1995)269
- Jimidar, M., Bourguignon, B. and Massart, D.L.
Application of Derringer's desirability function for the selection of optimum separation conditions in capillary zone electrophoresis 740(1996)109
- Jimidar, M., Hartmann, C., Cousement, N. and Massart, D.L.
Determination of nitrate and nitrite in vegetables by capillary electrophoresis with indirect detection 706(1995)479
- Jin, Y., see Song, L. 715(1995)376
- Jinno, K., see Kiso, Y. 733(1996)259
- Jinno, K., see Magdic, S. 736(1996)219
- Jira, T., see Bunke, A. 728(1996)441
- Jira, Th., see Stelzer, A. 729(1996)5
- Jo, J.-S., see Choi, O.-K. 745(1996)249
- Joergensen, L. and Thestrup, H.N.
Determination of amino acids in biomass and protein samples by microwave hydrolysis and ion-exchange chromatography 706(1995)421
- Johansen, S.S., Hansen, A.B., Mosbæk, H. and Arvin, E.
Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295
- Johansson, H.-O., see Berggren, K. 718(1995)67
- Johansson, L., Karlsson, H. and Karlsson, K.-A.
Separation and detection of 4-hexadecylaniline maltooligosaccharide derivatives with packed capillary liquid chromatography-frit fast atom bombardment-mass spectrometry 712(1995)149
- Johansson, M., see Tyrefors, N. 729(1996)279
- Johns, M.A., Rosengarten, L.K., Jackson, M. and Regnier, F.E.
Enzyme-linked immunosorbent assays in a chromatographic format 743(1996)195
- Johnson, C.B.
Isolation of cholesterol oxidation products from animal fat using aminopropyl solid-phase extraction 736(1996)205
- Johnson, C.M., see Euerby, M.R. 705(1995)219
- Johnson, C.M., see Euerby, M.R. 705(1995)229
- Johnson, J.H., McIntyre, P. and Zdunek, J.
Automated sample preparation for cholesterol determination in foods 718(1995)371
- Johnson, K.D., see Paoletti, L.C. 705(1995)363
- Johnson, R.D., Todd, R.J. and Arnold, F.H.
Multipoint binding in metal-affinity chromatography. II. Effect of pH and imidazole on chromatographic retention of engineered histidine-containing cytochromes *c* 725(1996)225
- Johnston, J.J., see Kelly, K.L. 711(1995)289
- Jolicoeur, C., see Piotte, M. 704(1995)377
- Jones, C., Patel, A., Griffin, S., Martin, J., Young, P., O'Donnell, K., Silverman, C., Porter, T. and Chaiken, I.
Current trends in molecular recognition and bioseparation 707(1995)3
- Jones, J.R., see Aspin, I.P. 727(1996)61
- Jones, P., see Sutton, R.M.C. 739(1996)81
- Jones, R.M., Wang, Q., Lamb, J.H., Djelal, B.D., Bonnett, R. and Lim, C.K.
Identification of photochemical oxidation products of 5,10,15,20-tetra(*m*-hydroxyphenyl)chlorin by on-line high-performance liquid chromatography-electrospray ionization tandem mass spectrometry 722(1996)257
- Jones, R.M., Yuan, Z.-X., Lamb, J.H. and Lim, C.K.
On-line high-performance liquid chromatographic-electrospray ionization mass spectrometric method for the study of tamoxifen metabolism 722(1996)249
- Jones, R.M.H., see Levison, P.R. 702(1995)59
- Jones, R.M.H., see Levison, P.R. 734(1996)137
- Jongenotter, G.A., see Vreuls, J.J. 750(1996)275
- Jonkman, J.H.G., see Wieling, J. 730(1996)381
- Jonsson, H., see Rizzi, A.M. 710(1995)287
- Jönsson, J.Å. and Marko-Varga, G.
Foreword 725(1996)1
- Jönsson, J.Å., see Shen, Y. 725(1996)189
- Jordan, S.L., see Taylor, L.T. 703(1995)537
- Jorge, N., see Márquez-Ruiz, G. 749(1996)55
- Jork, H., see Weins, C. 750(1996)403
- Josefsson, B., see Engström, A. 715(1995)151
- Jouan, M., see Nguyen Hong, T.D. 743(1996)323
- Jozefonvicz, J., see Lakiari, H. 711(1995)93
- Jozefonvicz, J., see Serres, A. 711(1995)151
- Jumppanen, J.H., see Riekola, M.-L. 735(1996)151
- Juneblad, K., see Strömqvist, M. 718(1995)53
- Jung, M. and Brumley, W.C.
Trace analysis of fluorescein-derivatized phenoxy acid herbicides by micellar electrokinetic chromatography with laser-induced fluorescence detection 717(1995)299
- Jung, M., see Cabrera, K. 731(1996)315
- Jungbauer, A., see Kaltenbrunner, O. 734(1996)183

Junker-Buchheit, A. and Witzenbacher, M.

Pesticide monitoring of drinking water with the help of solid-phase extraction and high-performance liquid chromatography 737(1996)67

Jürling, H., see Schoene, K. 719(1996)401

Juska, A., see O'Donnell, G.E. 709(1995)313

Just, U., see Kühn, G. 732(1996)111

K

Kabasawa, Y., see Shinomiya, K. 724(1996)179

Kadnar, R. and Rieder, J.

Determination of anions in oilfield waters by ion chromatography 706(1995)301

Kadnar, R. and Rieder, J.

Determination of anions in amine solutions for sour gas treatment 706(1995)339

Kadohara, M., see Shibukawa, A. 708(1995)364

Kadowaki, K., see Yamauchi, S. 737(1996)149

Kageyama, Y., see Hosoya, K. 711(1995)247

Kahle, V., see Horká, M. 728(1996)311

Kahle, V., see Šťastná, M. 730(1996)261

Kähne, T., see Hoffmann, T. 716(1995)355

Kaiser, E., Riviello, J., Rey, M., Statler, J. and Heberling, S. Determination of trace level ions by high-volume direct-injection ion chromatography 739(1996)71

Kaiser, H.J., see Cruz, L. 735(1996)375

Kaiser, K.L.E., see Lee, H.-B. 738(1996)91

Kakamu, H., see Okamoto, M. 722(1996)81

Kakehi, K. and Honda, S.

Analysis of glycoproteins, glycopeptides and glycoprotein-derived oligosaccharides by high-performance capillary electrophoresis 720(1996)377

Kakehi, K., see Oguri, S. 724(1996)169

Kalghatgi, K., see Corradini, D. 728(1996)225

Kalghatgi, K., see McCoy, M. 743(1996)221

Kaliszan, R., Nasal, A. and Turowski, M.

Quantitative structure-retention relationships in the examination of the topography of the binding site of antihistamine drugs on α_1 -acid glycoprotein 722(1996)25

Kaliszan, R., see Turowski, M. 728(1996)201

Kalkowska, I., see Nawrocki, J. 749(1996)157

Kálmán, A., see Ma, S. 716(1995)167

Kálmán, A., Thunecke, F., Schmidt, R., Schiller, P.W. and Horváth, Cs.

Isolation and identification of peptide conformers by reversed-phase high-performance liquid chromatography and NMR at low temperature 729(1996)155

Kálmán, A., see Thunecke, F. 744(1996)259

Kálmán, A., see Welsch, T. 728(1996)299

Kálmán, F., Ma, S., Fox, R.O. and Horváth, Cs.

Capillary electrophoresis of S. nuclelease mutants 705(1995)135

Kálmán, F., see Ma, S. 716(1995)167

Kálmán, F., see Thunecke, F. 744(1996)259

Kaltenbrunner, O. and Jungbauer, A.

Adsorption isotherms in protein chromatography. Combined influence of protein and salt concentration on adsorption isotherm 734(1996)183

Kamiusuki, T., see Monde, T. 722(1996)273

Kampus, B., see Läubli, M.W. 706(1995)99

Kampus, B., see Läubli, M.W. 706(1995)103

Kanaki, T., see Kodama, M. 707(1995)117

Kanda, T., Shiota, O., Ohtsu, Y. and Yamaguchi, M.

Synthesis and characterization of polymer-coated mixed-functional stationary phases with several different hydrophobic groups for direct analysis of biological samples by liquid chromatography 722(1996)115

Kandiyoti, R., see Herod, A.A. 708(1995)143

Kanehira, K., see Kimura, M. 722(1996)295

Kaneko, S., see Nobuhara, K. 704(1995)45

Kaneta, T., see Tanaka, S. 718(1995)233

Kang, J., see Hu, Y. 734(1996)259

Kang, K.A., see Dalton, J.C. 718(1995)1

Kaniansky, D., Havasi, P., Iványi, F. and Marák, J.

Galvanic decoupling of a postcolumn amperometric detector in capillary electrophoresis 709(1995)69

Kaniansky, D., see Masár, M. 724(1996)327

Kaniewska, J., see Poboží, E. 718(1995)329

Kano, K., see Esaka, Y. 711(1995)305

Kano, K., see Esaka, Y. 736(1996)273

Kano, K., Takagi, K., Inoue, K., Ikeda, T. and Ueda, T. Copper electrodes for stable subpicomole detection of carbohydrates in high-performance liquid chromatography 721(1996)53

Kanoh, H., see Takeda, H. 722(1996)287

Kar, S. and Dasgupta, P.K.

Measurement of phenols on a loop-supported liquid film by micellar electrokinetic chromatography and direct UV detection 739(1996)379

Karger, B.L.

Foreword 744(1996)1

Karger, B.L., see Barry, J.P. 732(1996)159

Karger, B.L., see Foret, F. 716(1995)157

Karger, B.L., see Greve, K.F. 723(1996)273

Karger, B.L., see Greve, K.F. 749(1996)237

Karger, B.L., see Muth, J. 744(1996)303

Karger, B.L., see Thorne, J.M. 744(1996)155

Karlsson, A. and Charron, C.

Reversed-phase chiral ion-pair chromatography at a column temperature below 0°C using three generations of Hypercarb as solid-phase 732(1996)245

Karlsson, A., see Huynh, N.-H. 705(1995)275

Karlsson, A., see Karlsson, L. 749(1996)193

Karlsson, H., see Johansson, L. 712(1995)149

Karlsson, K.-A., see Johansson, L. 712(1995)149

Karlsson, L., Gyllenhaal, O., Karlsson, A. and Gottfries, J.

Packed-column supercritical fluid chromatography of a new dihydropyridine drug based on direct injection of emulsion samples 749(1996)193

Karlsson, S., see Hakkarainen, M. 741(1996)251

- Karpe, P., Kirchner, S. and Rouxel, P.
Thermal desorption-gas chromatography-mass spectrometry-flame ionization detection-sniffer multi-coupling: A device for the determination of odorous volatile organic compounds in air 708(1995)105
- Karst, U., see Pinkernell, U. 730(1996)203
- Kartnig, T. and Göbel, I.
Effect of fluorescence intensifiers on the fluorodensitometric determination of flavones and flavonols after detection with diphenylboric acid 2-aminoethyl ester 740(1996)99
- Karumanchiri, A., see Goldberg, D.M. 708(1995)89
- Kasai, K.-i., see Hirabayashi, J. 722(1996)135
- Kasche, V., see Gottschlich, N. 719(1996)267
- Kašička, V., Prusík, Z., Mudra, P. and Štěpánek, J.
Capillary electrophoresis device with double UV detection and its application to the determination of effective mobilities of peptides 709(1995)31
- Kaštelan-Macan, M., see Petrović, M. 704(1995)173
- Kaszonyi, A., see Štolcová, M. 710(1995)351
- Katagiri, Y., see Yamazoe, K. 726(1996)241
- Kataoka, H.
Derivatization reactions for the determination of amines by gas chromatography and their applications in environmental analysis (Review) 733(1996)19
- Kataoka, H., see Kijima, K. 738(1996)83
- Kataoka, H., Ryu, S., Sakiyama, N. and Makita, M.
Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection 726(1996)253
- Kataoka, H., see Sakiyama, N. 724(1996)279
- Kataoka, H., Shindoh, S. and Makita, M.
Selective determination of volatile N-nitrosamines by derivatization with diethyl chlorothiophosphate and gas chromatography with flame photometric detection 723(1996)93
- Kataoka, H., Sumida, A., Nishihata, N. and Makita, M.
Determination of aliphatic aldehydes as their thiazolidine derivatives in foods by gas chromatography with flame photometric detection 709(1995)303
- Kato, A., see Kiba, N. 724(1996)354
- Kato, M., see Nobuhara, K. 704(1995)45
- Kato, Y., see Moriyama, H. 729(1996)81
- Katona, T., see Owies, L. 719(1996)307
- Kats, M., see Greve, K.F. 723(1996)273
- Katsanos, N.A. and Roubani-Kalantzopoulou, F.
Denuder tubes used with gas chromatographic instrumentation to measure rate coefficients and equilibrium constants 710(1995)191
- Katsivela, E. and Höfle, M.G.
Low-molecular-mass RNA fingerprinting of bacteria by capillary electrophoresis using entangled polymer solutions 717(1995)91
- Katsuragi, K., Kitagishi, K., Chiba, W., Ikeda, S. and Kinoshita, M.
Fluorescence-based polymerase chain reaction-single-strand conformation polymorphism analysis of p53 gene by capillary electrophoresis 744(1996)311
- Katsuta, S., Tsumura, T., Saitoh, K. and Teramae, N.
Control of selectivity in micellar electrokinetic chromatography by modification of sodium dodecyl sulfate micelles with organic hydroxy compounds 705(1995)319
- Kattermann, R., see Hannak, D. 728(1996)307
- Katti, A.M., see Sarker, M. 719(1996)275
- Katzmann, J.A., see Clark, R. 744(1996)205
- Kauffmann, J.-M., see Pravda, M. 727(1996)47
- Kaufmann, M., see Heesche-Wagner, K. 711(1995)175
- Kaul, A., see Mistry, S.L. 741(1996)151
- Kaupp, S., Steffen, R. and Wätzig, H.
Characterisation of inner surface and adsorption phenomena in fused-silica capillary electrophoresis capillaries 744(1996)93
- Kawai, A., see Akimoto, K. 734(1996)401
- Kawai, Y., see Ou, Z. 724(1996)131
- Kawakami, H., see Otsuka, K. 716(1995)319
- Kawakubo, T., see Ikarashi, Y. 718(1995)267
- Kawanishi, Y., see Ogawa, T. 741(1996)295
- Kawata, K., Mukai, H. and Yasuhara, A.
Monitoring of pesticides in air by gas chromatography-mass spectrometry and the use of quartz-fibre wool and activated carbon for sampling 710(1995)243
- Kawazumi, H., see Song, J.M. 727(1996)330
- Kawazumi, H., Song, J.M., Inoue, T. and Ogawa, T.
Application of an avalanche photodiode in a near-Geiger operation as a fluorescence detector for capillary electrophoresis 744(1996)31
- Kažoka, H. and Shatz, V.
Dynamically generated stationary liquid phase systems with silica and ternary mobile phases containing ethylene glycol and formamide 732(1996)231
- Kebbekus, B., see Mitra, S. 736(1996)165
- Keely-Templin, C., see Yin, H. 744(1996)45
- Kele, M. and Ohmacht, R.
Determination of serotonin released from coffee wax by liquid chromatography 730(1996)59
- Keles, T., see Begerow, J. 749(1996)181
- Kelland, L.R., see Poon, G.K. 712(1995)61
- Keller, R.K., Bangalore, P., Robert, J. and Swanson, M.G.
Analysis of isoprenoid phosphates and oligophosphates by capillary zone electrophoresis 737(1996)325
- Kelly, J.F., Locke, S.J., Ramaley, L. and Thibault, P.
Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis-electrospray mass spectrometry 720(1996)409
- Kelly, J.G., see Scully, P. 729(1996)297
- Kelly, K.L., Kimball, B.A. and Johnston, J.J.
Quantitation of digitoxin, digoxin, and their metabolites by high-performance liquid chromatography using pulsed amperometric detection 711(1995)289
- Kelly, M.T., see Walshe, M. 708(1995)31
- Kelly, R.G., Brossia, C.S., Cooper, K.R. and Krol, J.
Analysis of disparate levels of anions of relevance to corrosion processes 739(1996)191
- Kelly, R.G., see Cooper, K.R. 739(1996)183

- Kelly, S.S., Bishop, A.G., Carmody, E.P. and James, K.J.
Isolation of dinophysistoxin-2 and the high-performance liquid chromatographic analysis of diarrhetic shellfish toxins using derivatisation with 1-bromoacetylpyrene
749(1996)33
- Ķemme, A., see Loža, E. 708(1995)231
- Kemmery, B., see Thompson, C.O. 704(1995)203
- Kemper, F.H., see Wojciechowski, H. 717(1995)261
- Kenndler, E., see Blatný, P. 737(1996)255
- Kenndler, E., see Blatný, P. 717(1995)157
- Kenndler, E., see Chiari, M. 716(1995)303
- Kenndler, E., see Cladrowa-Runge, S. 710(1995)339
- Kenndler, E., see Friedl, W. 709(1995)163
- Kenndler, E., see Gaš, B. 709(1995)63
- Kenndler, E., see Kenndler-Blachkolm, K. 734(1996)351
- Kenndler, E., see Minárik, M. 738(1996)123
- Kenndler, E., see Potoček, B. 709(1995)51
- Kenndler, E., see Schützner, W. 719(1996)411
- Kenndler-Blachkolm, K., Popelka, Š., Gaš, B. and Kenndler, E.
Apparent baseline irregularities for neutral markers in capillary zone electrophoresis with electroosmotic flow
734(1996)351
- Kennedy, J.H.
Comparison of chiral separations on polysaccharide chiral stationary phases to an improved Pirkle phase
725(1996)219
- Kennedy, S., Caddy, B. and Douse, J.M.F.
Micellar electrokinetic capillary chromatography of high explosives utilising indirect fluorescence detection
726(1996)211
- Kennedy, V.H., see Rowland, A.P. 706(1995)229
- Kennington, A.S., see Chang, J.P. 736(1996)97
- Kerhervé, P., Charrière, B. and Gadel, F.
Determination of marine monosaccharides by high-pH anion-exchange chromatography with pulsed amperometric detection
718(1995)283
- Kerkhoff, M.A.T., see Van Stijn, F. 750(1996)263
- Kerkhoff, M.A.T., see Vreuls, J.J. 750(1996)275
- Kerns, E.H., see Liu, J. 735(1996)357
- Kerns, R.J. and Linhardt, R.J.
Separation of hydroxyl protected heparin derived disaccharides using reversed-phase high-performance liquid chromatography
705(1995)369
- Kerr, L.A., see Cessna, A.J. 710(1995)251
- Kerth, J. and Jensen, D.
Determinations of trace anions in hydrogen peroxide
706(1995)191
- Kertscher, U., see Brudel, M. 712(1995)169
- Kettrup, A., see Fischer, K. 706(1995)361
- Kettrup, A., see Hackl, C. 730(1996)153
- Kettrup, A., see Scheuer, C. 706(1995)253
- Kettrup, A., see Schmitt, P. 709(1995)215
- Kettrup, A., see Schmitt, Ph. 723(1996)169
- Keymeulen, R., see Górná-Binkul, A. 734(1996)297
- Khalaf, H., see Steinert, J. 723(1996)206
- Khaledi, M.G., see Bumgarner, J.G. 738(1996)275
- Khaledi, M.G., see Yang, S. 721(1996)323
- Khaledi, M.G., see Yang, S. 738(1996)265
- Khalid, S., see Husain, S. 705(1995)380
- Khalid, S., see Husain, S. 743(1996)328
- Khan, K., Van Schepdael, A. and Hoogmartens, J.
Capillary electrophoresis of oligonucleotides using a replaceable sieving buffer with low viscosity-grade hydroxyethyl cellulose
742(1996)267
- Khan, S.H., see Zieske, L.R. 720(1996)395
- Khudaeva, G.B., see Rasulev, U.K. 704(1995)473
- Khuhawar, M.Y. and Lanjwani, S.N.
Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenbis(salicylaldimine) as complexing reagent
740(1996)296
- Khuhawar, M.Y., Memon, A.A. and Bhanger, M.I.
Nickel(II) chelates of some tetradeятate Schiff bases as stationary phases for gas chromatography
715(1995)366
- Kiba, N., Oyama, Y., Kato, A. and Furusawa, M.
Postcolumn co-immobilized leucine dehydrogenase-NADH oxidase reactor for the determination of branched-chain amino acids by high-performance liquid chromatography with chemiluminescence detection
724(1996)354
- Kibler, M., see Tenberken, B. 745(1996)209
- Kickels, W.T., see Doskey, P.V. 738(1996)73
- Kiehl, D.E., see Chang, J.P. 736(1996)97
- Kientz, Ch.E., see Degenhardt-Langelaan, C.E.A.M.
723(1996)210
- Kiessig, S., see Vogt, C. 745(1996)53
- Kiewiet, A.T. and de Voogt, P.
Chromatographic tools for analyzing and tracking non-ionic surfactants in the aquatic environment (Review)
733(1996)185
- Kijima, K., Kataoka, H. and Makita, M.
Determination of aromatic amines as their N-dimethylthiophosphoryl derivatives by gas chromatography with flame photometric detection
738(1996)83
- Kilár, F.
Preface 709(1995)1
- Kildew, B.R., see Nair, L.M. 739(1996)99
- Killgore, J.K. and Villaseñor, S.R.
Systematic approach to generic matrix elimination via "heart-cut" column-switching techniques
739(1996)43
- Kim, C.-G., see Choi, O.-K. 745(1996)249
- Kim, H., see Choi, O.-K. 745(1996)249
- Kim, H.S. and Lee, D.W.
Retention behavior of quinolones in reversed-phase liquid chromatography
722(1996)69
- Kim, H.-S., see Woo, K.-L. 740(1996)31
- Kim, J.H., see Kim, K.R. 722(1996)303
- Kim, J.-H., Nishida, Y., Ohrui, H. and Meguro, H.
Highly sensitive high-performance liquid chromatographic method to discriminate enantiomeric monoacylglycerols based on fluorescent chiral derivatization with (S)-(+) -2-*tert*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid
709(1995)375
- Kim, J.-H., see Oh, C.-H. 708(1995)131
- Kim, J.-H., see Shin, H.-S. 732(1996)327
- Kim, K.R., Kim, J.H., Cheong, E.-j. and Jeong, C.-m.
Gas chromatographic amino acid profiling of wine samples for pattern recognition
722(1996)303
- Kim, K.-R., see Oh, C.-H. 708(1995)131
- Kim, Y.-D., see Choi, O.-K. 745(1996)249
- Kimata, K., see Hosoya, K. 711(1995)247

- Kimata, K., see Hosoya, K. 728(1996)139
 Kimata, K., see Tanaka, N. 716(1995)57
 Kimball, B.A., see Kelly, K.L. 711(1995)289
 Kimura, M., Kanehira, K. and Yokoi, K.
 Highly sensitive and simple liquid chromatographic determination in plasma of B₆ vitamers, especially pyridoxal 5'-phosphate 722(1996)295
 Kindsvater, J., see Yang, Y.-B. 723(1996)1
 King, B.W., see Zimina, T. 728(1996)33
 King, D., see Vanderlaan, M. 711(1995)23
 King, J.W., see Snyder, J.M. 750(1996)201
 Kinghorn, N.M., Paterson, G.R. and Otter, D.E.
 Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371
 Kingswood, M.D., see Bryant, D.K. 712(1996)41
 Kino, J., see Fujimoto, C. 716(1995)107
 Kinoshita, M., see Katsuragi, K. 744(1996)311
 Kinoshita, T., see Arai, T. 736(1996)303
 Kinoshita, T., see Yamauchi, S. 737(1996)149
 Kirch, W., see Richter, K. 729(1995)293
 Kirchner, S., see Karpe, P. 708(1995)105
 Kirihata, M., see Kitaoka, Y. 738(1996)305
 Kirkland, J.J., see Claessens, H.A. 728(1996)259
 Kirkland, K.M.
 Optimization of chiral selectivity on cellulose-based high-performance liquid chromatographic columns using aprotic mobile-phase modifiers 718(1995)9
 Kishi, H., Fujii, T. and Sato, G.
 Characterization of a gas chromatographic surface ionization detector based upon hyperthermal positive surface ionization 722(1996)169
 Kishi, H., Fujii, T. and Sato, G.
 Surface ionization detector with a supersonic free jet for gas chromatography. Some applications 750(1996)335
 Kiso, M., see Goto, T. 749(1996)295
 Kiso, Y., Li, H., Shigetoh, K., Kitao, T. and Jinno, K.
 Pesticide analysis by high-performance liquid chromatography using the direct injection method 733(1996)259
 Kiss, G., Varga-Puchony, Z. and Hlavay, J.
 Determination of polycyclic aromatic hydrocarbons in precipitation using solid-phase extraction and column liquid chromatography 725(1996)261
 Kisui, N., see Ôi, N. 722(1996)229
 Kitagishi, K., see Katsuragi, K. 744(1996)311
 Kitahara, H., see Ôi, N. 707(1995)380
 Kitahara, H., see Ôi, N. 722(1996)229
 Kitao, T., see Kiso, Y. 733(1996)259
 Kitaoka, Y., Kobayashi, M., Morimoto, T., Kirihata, M. and Ichimoto, I.
 Electrophoretic study of the interaction of p-boronophenylserine with carboxylic acids by the three-spot method 738(1996)305
 Klampfl, C.W. and Spanos, E.
 Separation of priority pollutant phenols on chemically modified poly(styrene-divinylbenzene) resins by high-performance liquid chromatography 715(1995)213
 Klausen, N.K. and Kornfelt, T.
 Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195
 Klawun, C., see Ragunathan, N. 703(1995)335
 Klebovich, I., see Róna, K. 730(1996)125
 Klee, M., see Jagota, N.K. 721(1996)315
 Kleiböhmer, W., see Höner, A. 710(1995)129
 Kleiböhmer, W., see Meyer, A. 718(1995)131
 Kleidmigg, O.P., Posch, K. and Lindner, W.
 Synthesis and application of a new isothiocyanate as a chiral derivatizing agent for the indirect resolution of chiral amino alcohols and amines 729(1996)33
 Klein, R.F.X., see Moore, J.M. 704(1995)483
 Kleinschmidt, A.K., see Földes-Papp, Z. 706(1995)405
 Kleinschmidt, A.K., see Földes-Papp, Z. 739(1996)431
 Kleyle, R.M., Nurok, D., Kossoy, A.D. and Burris, S.C.
 Novel computational methods for the determination of partition coefficients by planar chromatography 749(1996)211
 Klock, J.C., see Starr, C.M. 720(1996)295
 Klockow, A., Amadò, R., Widmer, H.M. and Paulus, A.
 Separation of 8-aminonaphthalene-1,3,6-trisulfonic acid-labelled neutral and sialylated N-linked complex oligosaccharides by capillary electrophoresis 716(1995)241
 Klockow, A., see Paulus, A. 720(1996)353
 Klohr, S.E., see Liu, J. 735(1996)357
 Klostermeyer, H., see Krause, I. 715(1995)67
 Klumperman, B., see Cools, P.J.C.H. 736(1996)125
 Klumperman, B., see Philipsen, J.A. 727(1996)13
 Klumperman, B., see Philipsen, H.J.A. 746(1996)211
 Klyushnichenko, V.E., Yakimov, S.A., Tuzova, T.P., Syagailo, Ya.V., Kuzovkina, I.N., Wulfson, A.N. and Miroshnikov, A.I.
 Determination of indole alkaloids from *R. serpentina* and *R. vomitoria* by high-performance liquid chromatography and high-performance thin-layer chromatography 704(1995)357
 Knight, M., Fagarasan, M.O., Takahashi, K., Geblaoui, A.Z., Ma, Y. and Ito, Y.
 Separation and purification of peptides by high-speed counter-current chromatography 702(1995)207
 Knobloch, G., see Conradi, S. 745(1996)103
 Knüver-Hopf, J. and Mohr, H.
 Differences between natural and recombinant interleukin-2 revealed by gel electrophoresis and capillary electrophoresis 717(1995)71
 Ko, J., see Ford, J.C. 727(1996)1
 Kobayashi, E., see Nonomura, M. 739(1996)301
 Kobayashi, E., see Wu, X.-Z. 726(1996)205
 Kobayashi, M., see Esaka, Y. 736(1996)273
 Kobayashi, M., see Kitaoka, Y. 738(1996)305
 Koch, M., see Lehmann, R. 744(1996)187
 Koch, T., see Begerow, J. 749(1996)181
 Kodama, K., see Tanaka, S. 718(1995)233
 Kodama, M., Ishizawa, S., Koiwa, A., Kanaki, T., Shibata, K. and Motomura, H.
 Scale-up of liquid chromatography for industrial production of parenteral antibiotic E1077 707(1995)117
 Koegler, W.S. and Ivory, C.F.
 Focusing proteins in an electric field gradient 726(1996)229
 Kofman, S., see Brouwer, E.R. 703(1995)167
 Kohlhof, K., see Song, D. 731(1996)355
 Kohlmann, K., see Basak, S.K. 707(1995)69

- Koiba, A., see Kodama, M. 707(1995)117
 Koizumi, H., see Ozaki, H. 716(1995)69
 Koizumi, K.
 High-performance liquid chromatographic separation of carbohydrates on graphitized carbon columns 720(1996)119
 Kok, W.T., see Cifuentes, A. 716(1995)141
 Kok, W.T., see Huang, X. 716(1995)347
 Kok, W.T., see Xu, X. 716(1995)231
 Kok, W.T., see Zhu, R. 716(1995)123
 Kok, W.Th., see Huang, X. 707(1995)335
 Kok, W.Th., see van Asten, A.C. 703(1995)245
 Kok, W.Th., see Wijnhoven, J.E.G.J. 732(1996)307
 Kok, W.Th., see Xu, X. 742(1996)211
 Kolehmainen, E., see Sinkkonen, S. 718(1995)391
 Komae, K., see Nagamine, T. 732(1996)255
 Komárek, K., Minář, J. and Škvarenina, S.
 Capillary gas chromatography of higher alkylpolyoxyethylene glycols with an even number of carbon atoms in the alkyl group. Influence of type of derivatizing agent, alcohol chain length and oxyethylene chain length on the retention indices with a linear temperature increase 727(1996)131
 Konečný, K., see Kouteck, B. 719(1996)391
 Konieczka, P., Wolska, L., Luboch, E., Namieśnik, J., Przyjazny, A. and Biernat, J.F.
 Calibration of the thermal desorption-gas chromatography-mass spectrometry system using standards generated in the process of thermal decomposition of chemically modified silica gel 742(1996)175
 Koom, J.-P., see Wijnhoven, J.E.G.J. 732(1996)307
 Kopatitic, Z., see Röllin, S. 739(1996)139
 Kopeční, M.M., see Graovac, M. 705(1995)313
 Kopele-Frank, H. and Mittlböck, M.
 Stability-indicating high-performance liquid chromatographic assay for the simultaneous determination of dixyrazine and chlorprothixene in intravenous admixtures 729(1996)201
 Kopinke, F.-D., see Pörschmann, J. 750(1996)287
 Køppen, B., see Spliid, N.H. 736(1996)105
 Koppenhoefer, B., Epperlein, U., Christian, B., Yibing, J., Yuying, C. and Bingcheng, L.
 Separation of enantiomers of drugs by capillary electrophoresis. I. γ -Cyclodextrin as chiral solvating agent 717(1995)181
 Koppenhoefer, B., Epperlein, U., Christian, B., Lin, B., Ji, Y. and Chen, Y.
 Separation of enantiomers of drugs by capillary electrophoresis. III. β -cyclodextrin as chiral solvating agent 735(1996)333
 Kornfelt, T., see Klausen, N.K. 718(1995)195
 Kornfelt, T., Vinther, A., Okafo, G.N. and Camilleri, P.
 Improved peptide mapping using phytic acid as ion-pairing buffer additive in capillary electrophoresis 726(1996)223
 Koropchak, J.A., Heenan, C.L. and Allen, L.B.
 Direct comparison of evaporative light-scattering and condensation nucleation light-scattering detection for liquid chromatography 736(1996)11
 Korte, H., see Weigt, C. 712(1995)141
 Koscho, M.E., see Pirkle, W.H. 726(1996)91
 Koshiishi, I., see Imanari, T. 720(1996)275
 Kossoy, A.D., see Kleyle, R.M. 749(1996)211
 Kostel, K.L., Freed, A.L. and Lunte, S.M.
 Complete capillary electrophoretic separation of substance P and its metabolites at neutral pH using ionic run buffer additives 744(1996)241
 Kostiainen, O., see Söderström, M.T. 742(1996)191
 Kot, A., see Sandra, P. 703(1995)467
 Kou, D., see Yun, X. 736(1996)151
 Kou, H.-S., Wu, H.-L., Wang, Y.-F., Chen, S.-H. and Wu, S.-S.
 Chemically removable derivatization reagent for liquid chromatography. I. 2-(N-Phthalimido)ethyl 2-(dimethylamino)ethanesulfonate 710(1995)267
 Kounosu, M., see Kubota, N. 718(1995)27
 Kouteck, B., Hoskovec, M., Vrkočová, P., Konečný, K., Feltl, L. and Vrkoč, J.
 Gas chromatographic determination of vapour pressures of pheromone-like compounds. III. Aldehydes 719(1996)391
 Kovač-Filipović, M., see Šegudović, N. 704(1995)149
 Kovar, K.-A., see Gaus, H.-J. 735(1996)221
 Kováts, E.S., see Reddy, K.S. 704(1995)387
 Kowalski, K.A., see Goodlett, D.R. 707(1995)233
 Kowalski, P., see Ochocka, R.J. 709(1995)197
 Kowalski, P., see Zarzycki, P.K. 709(1995)203
 Kozyra, M., see Głowniak, K. 730(1996)25
 Kraak, J.C., see Bedia Erim, F. 708(1995)356
 Kraak, J.C., see Busch, M.H.A. 744(1996)195
 Kraak, J.C., see Swart, R. 732(1996)201
 Kraak, J.C., see Venema, E. 740(1996)159
 Krause, I., Bockhardt, A., Neckermann, H., Henle, T. and Klostermeyer, H.
 Simultaneous determination of amino acids and biogenic amines by reversed-phase high-performance liquid chromatography of the dabsyl derivatives 715(1995)67
 Krejčí, M., see Horká, M. 728(1996)311
 Kricka, L.J., see Cheng, J. 732(1996)151
 Křivánková, L., Gebauer, P. and Boček, P.
 Some practical aspects of utilizing the on-line combination of isotachophoresis and capillary zone electrophoresis 716(1995)35
 Krock, K.A., see Ragunathan, N. 703(1995)335
 Krock, K.A. and Wilkins, C.L.
 Qualitative analysis of contaminated environmental extracts by multidimensional gas chromatography with infrared and mass spectral detection (MDGC-IR-MS) 726(1996)167
 Krokhin, O.V., Smolenkov, A.D., Svintsova, N.V., Obrezkov, O.N. and Shpigun, O.A.
 Modified silica as a stationary phase for ion chromatography 706(1995)93
 Krol, J., see Kelly, R.G. 739(1996)191
 Kröner, K.H., see Beeskow, T.C. 715(1995)49
 Krook, M., Lindbladh, C., Birnbaum, S., Naess, H., Eriksen, J.A. and Mosbach, K.
 Selection of peptides with surface affinity for α -chymotrypsin using a phage display library 711(1995)119
 Krovíarski, Y., see Cochet, S. 725(1996)237
 Krška, R., Schuhmacher, R., Grasserbauer, M. and Scott, P.M.
 Determination of the *Fusarium* mycotoxin beauvericin at $\mu\text{g}/\text{kg}$ levels in corn by high-performance liquid chromatography with diode-array detection 746(1996)233
 Kruk, L.F.R., see Yang, S. 721(1996)323
 Krull, I.S., see Cho, B.-Y. 743(1996)181

- Krull, I.S., see Li, G.-D. 724(1996)147
 Krull, I.S., see Liu, X. 735(1996)165
 Krümpelmann, S., see Hempel, G. 745(1996)173
 Kubach, J. and Grimm, R.
 Non-native capillary isoelectric focusing for the analysis of the microheterogeneity of glycoproteins 737(1996)281
 Kubáčová, A., Matucha, M. and Bubner, M.
 Application of ^{13}C -labelled polychlorinated biphenyl congener 153 as internal standard in the gas chromatographic-mass spectrometric analysis of polychlorinated biphenyls 750(1996)245
 Kubo, H., see Nishikawa, T. 720(1996)167
 Kubota, N., Kounosu, M., Saito, K., Sugita, K., Watanabe, K. and Sugo, T.
 Preparation of a hydrophobic porous membrane containing phenyl groups and its protein adsorption performance 718(1995)27
 Kučerová, M., see Jandera, P. 738(1996)201
 Kuhlmann, F.E., see Apffel, A. 712(1995)177
 Kuhn, A., see Glennon, J.D. 731(1996)47
 Kühn, G., Weidner, S., Just, U. and Hohner, G.
 Characterization of technical waxes. Comparison of chromatographic techniques and matrix-assisted laser-desorption/ionization mass spectrometry 732(1996)111
 Kuhn, R., Riester, D., Fleckenstein, B. and Wiesmüller, K.-H.
 Evaluation of an optically active crown ether for the chiral separation of di- and tripeptides 716(1995)371
 Kuitunen, M.-L., see Söderström, M.T. 742(1996)191
 Kukman, I.L., Zelenik-Blatnik, M. and Abram, V.
 Isolation of low-molecular-mass hydrophobic bitter peptides in soybean protein hydrolysates by reversed-phase high-performance liquid chromatography 704(1995)113
 Kuljukka, T., see Peltonen, K. 710(1995)93
 Kumagai, H., see Inoue, Y. 706(1995)127
 Kumagai, H., Shimizu, N., Shimomura, Y., Sakai, T. and Inoue, Y.
 Retention behavior of methylamines, ethylenediamine and N-methyl-substituted ethylenediamines on a cation-exchange resin having a polycarboxylic acid as the functional group 739(1996)327
 Kumlin, M.
 Analytical methods for the measurement of leukotrienes and other eicosanoids in biological samples from asthmatic subjects 725(1996)29
 Kummer, M., Palme, H.-J. and Werner, G.
 Resolution of enantiomeric steroids by high-performance liquid chromatography on chiral stationary phases 749(1996)61
 Kümmerer, K., see Steger-Hartmann, T. 726(1996)179
 Kunath, A., Theil, F. and Jähnisch, K.
 Influence of the kind of the alcoholic modifier on chiral separation on a Chiraldex AD column 728(1996)249
 Kundu, A., see Gallant, S.R. 702(1995)125
 Kundu, A., Vunnum, S. and Cramer, S.M.
 Antibiotics as low-molecular-mass displacers in ion-exchange displacement chromatography 707(1995)57
 Kundu, S., see Winkler, M.A. 744(1996)177
 Kupryszewski, G., see Mucha, P. 734(1996)410
- Kuráň, P. and Soják, L.
 Environmental analysis of volatile organic compounds in water and sediment by gas chromatography (Review) 733(1996)119
 Kurganova, A.A., see Grün, M. 740(1996)1
 Kuroda, N., see Nakashima, K. 722(1996)107
 Kuroda, T., see Monde, T. 722(1996)273
 Kusaka, T., Ishihara, S., Sakaida, M., Mifune, A., Nakano, Y., Tsuda, K., Ikeda, M. and Nakano, H.
 Composition analysis of normal plant triacylglycerols and hydroperoxidized *rac*-1-stearoyl-2-oleoyl-3-linoleoyl-sn-glycerols by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 730(1996)1
 Kusharyoto, W., see Beeskow, T.C. 715(1995)49
 Kussak, A., Andersson, B. and Andersson, K.
 Determination of aflatoxins in airborne dust from feed factories by automated immunoaffinity column clean-up and liquid chromatography 708(1995)55
 Küsters, E. and Spöndlin, C.
 Influence of temperature on the enantioseparation of rolipram and structurally related racemates on Chiracel-OD 737(1996)333
 Kutter, J., see Welsch, T. 728(1996)299
 Kuwamoto, T., see Hirayama, N. 707(1995)384
 Kuzovkina, I.N., see Klyushnichenko, V.E. 704(1995)357
 Kvasnička, F., see Blatný, P. 737(1996)255
 Kwong, E.C., see Visentini, J. 712(1995)31
 Kyle, R.A., see Clark, R. 744(1996)205
- L**
- La Fiura, A., see Breton, J. 709(1995)135
 La Torre, F., see Ferretti, R. 704(1995)217
 La Torre, F., see Ferretti, R. 731(1996)340
 Labrou, N.E. and Clonis, Y.D.
 Biomimetic dye affinity chromatography for the purification of bovine heart lactate dehydrogenase 718(1995)35
 Lachke, A., see Chinnathambi, S. 705(1995)400
 Lacorte, S. and Barceló, D.
 Determination of organophosphorus pesticides and their transformation products in river waters by automated on-line solid-phase extraction followed by thermospray liquid chromatography-mass spectrometry 712(1995)103
 Lacorte, S. and Barceló, D.
 Improvements in the determination of organophosphorus pesticides in ground- and wastewater samples from interlaboratory studies by automated on-line liquid-solid extraction followed by liquid chromatography-diode array detection 725(1996)85
 Lacorte, S., see Tauler, R. 730(1996)177
 Lacout, J.-L., see Benmoussa, A. 731(1996)153
 Ladd, D., see Gagnon, P. 743(1996)51

- Ladisch, M.R., see Basak, S.K. 707(1995)69
- Lafont, F., see Aramendia, M.A. 707(1995)327
- Lafosse, M., Herbreteau, B. and Morin-Allory, L.
Supercritical fluid chromatography of carbohydrates
720(1996)61
- Lagarda, M.J., see Alegria, A. 721(1996)83
- Lagerwerf, F.M., see Minkiewicz, P. 743(1996)123
- Lagerwerf, F.M., see Visser, S. 711(1995)141
- Lagu, A.L., see Strege, M.A. 705(1995)155
- Lahtipera, M., see Sinkkonen, S. 718(1995)391
- Lai, A., see Mitra, S. 727(1996)111
- Lakhiari, H., Muller, D. and Jozefonvicz, J.
Interaction mechanisms between insulin and N-acetylneurameric acid in affinity chromatography
711(1995)93
- Laleli, Y.R., see Sahin, A. 709(1995)121
- Lallaoui, L., see Franco, C.M. 723(1996)69
- Lalueza, J., see Font, J. 740(1996)125
- Lam, P., Elliker, P.R., Wnek, G.E. and Przybycien, T.M.
Towards an electrochemically modulated chromatographic stationary phase 707(1995)29
- Lamb, J.D., see Cheng, K. 706(1995)517
- Lamb, J.D., see Edwards, B.R. 706(1995)69
- Lamb, J.D., Huxford, T.L. and Czirr, K.B.
Capillary electrophoresis of anions in an untreated polypropylene hollow fiber 739(1996)373
- Lamb, J.H., see Jones, R.M. 722(1996)249
- Lamb, J.H., see Jones, R.M. 722(1996)257
- Lambert, W.J. and Stamper, G.F.
Development of an analytical reversed-phase high-performance liquid chromatography assay for transforming growth factor β_3 709(1995)249
- Lambopoulos, N., Cardwell, T.J., Caridi, D. and Marriott, P.J.
Separation of zinc dialkyldithiophosphates in lubricating oil additives by normal-phase high-performance liquid chromatography 749(1996)87
- Lammerhofer, M. and Lindner, W.
Quinine and quinidine derivatives as chiral selectors. I.
Brush type chiral stationary phases for high-performance liquid chromatography based on cinchonan carbamates and their application as chiral anion exchangers 741(1996)33
- Lammers, F., see Scheper, T.H. 725(1996)3
- Lamoree, M.H., Sprang, A.F.H., Tjaden, U.R. and van der Greef, J.
Use of heptakis(2,6-di-O-methyl)- β -cyclodextrin in on-line capillary zone electrophoresis-mass spectrometry for the chiral separation of ropivacaine 742(1996)235
- Lamoree, M.H., Tjaden, U.R. and Van der Greef, J.
On-line coupling of micellar electrokinetic chromatography to electrospray mass spectrometry 712(1995)219
- Lamparczyk, H., see Ochocka, R.J. 709(1995)197
- Lamparczyk, H., see Zarzycki, P.K. 709(1995)203
- Lancaster, F.E. and Lawrence, J.F.
High-performance liquid chromatographic separation of carminic acid, α - and β -bixin, and α - and β -norbixin, and the determination of carminic acid in foods 732(1996)394
- Landers, J.P., see Clark, R. 744(1996)205
- Landers, J.P., see Felmlee, T.A. 717(1995)127
- Landers, J.P., see Strausbauch, M.A. 717(1995)279
- Landzettel, W.J., Hargis, K.J., Caboot, J.B., Adkins, K.L., Stein, T.G., Veening, H. and Becker, H.-D.
High-performance liquid chromatographic separation and detection of phenols using 2-(9-anthrylethyl) chloroformate as a fluorophoric derivatizing reagent 718(1995)45
- Lange, C., see Loutelier, C. 738(1996)181
- Langenfeld, J.J., Hawthorne, S.B. and Miller, D.J.
Optimizing split/splitless injection port parameters for solid-phase microextraction 740(1996)139
- Langouieux, S. and Crouzet, J.
Study of aroma compound-natural polymer interactions by dynamic coupled column liquid chromatography 707(1995)181
- Lanjwani, S.N., see Khuhawar, M.Y. 740(1996)296
- Lanuzza, F., see Micali, G. 731(1996)336
- Lanza, G.S., see Marchetto, A. 706(1995)13
- Larsen, B., Cont, M., Montanarella, L. and Platzner, N.
Enhanced selectivity in the analysis of chlorobiphenyls on a carborane phenylmethylsiloxane copolymer gas chromatography phase (HT-8) 708(1995)115
- Larsen, B.R., see Fromberg, A. 746(1996)71
- Larsen, K.-L.P., see Heegaard, N.H.H. 744(1996)285
- Larsson, P.-O., see Gustavsson, P.-E. 734(1996)231
- Lasa, J., Rosiek, J. and Drozdowicz, B.
Analysis of the possibility of SF₆ detection by a solute switching method with a modulator containing a ⁶³Ni source 743(1996)301
- Lasa, J., Śliwka, I. and Drozdowicz, B.
Simple method of electron capture detector calibration for quantitative measurements of F-11 and F-12 freons in the atmosphere 724(1996)265
- Latham, V., see Nichols, P.D. 733(1996)497
- Lau, O.-W. and Wong, S.-K.
Determination of plasticisers in food by gas chromatography-mass spectrometry with ion-trap mass detection 737(1996)338
- Läubli, M.W. and Kampus, B.
Cation analysis on a new poly(butadiene-maleic acid)-based column 706(1995)99
- Läubli, M.W. and Kampus, B.
Selectivity enhancement on a poly(butadiene-maleic acid)-coated cation phase induced by ethylene oxide-based complexing agents 706(1995)103
- Laughinghouse, W.S., see Fernandez, M.A. 746(1996)185
- Laughinghouse, W.S., see Gervais, D.P. 708(1995)41
- Laurell, T., see Buttler, T. 725(1996)41
- Lauren, D.R., see Baskaran, S. 746(1996)25
- Lauren, D.R., Jensen, D.J. and Douglas, J.A.
Analysis of taxol, 10-deacetylbaccatin III and related compounds in *Taxus baccata* 712(1995)303
- Laus, G., see Péter, A. 729(1996)137
- Lausecker, B. and Hopfgartner, G.
Determination of an endothelin receptor antagonist in human plasma by narrow-bore liquid chromatography and ionspray tandem mass spectrometry 712(1995)75
- Lautamo, R.M.A., see Lillard, S.J. 718(1995)397
- Law, B. and Appleby, J.R.G.
Re-evaluation of strong cation-exchange high-performance liquid chromatography for the analysis of basic drugs 725(1996)335
- Law, S.-J., see Barry, J.P. 732(1996)159

- Lawrence, J.F., see Lancaster, F.E. 732(1996)394
- Lawrence, J.F., Ménard, C., Hennion, M.-C., Pichon, V., Le Goffic, F. and Durand, N.
Use of immunoaffinity chromatography as a simplified cleanup technique for the liquid chromatographic determination of phenylurea herbicides in plant material 732(1996)277
- Lawrence, J.F., Roussel, S. and Ménard, C.
Liquid chromatographic determination of okadaic acid and dinophysistoxin-1 in shellfish after derivatization with 9-chloromethylanthracene 721(1996)359
- Lawson, G.M., see Strausbauch, M.A. 717(1995)279
- Lawton, L.A., see Edwards, C. 734(1996)163
- Lawton, L.A., see Edwards, C. 734(1996)175
- Lazarovits, G., see Starratt, A.N. 741(1996)131
- Långström, B., see Tyrefors, N. 729(1996)279
- Le Calvè, K., see Bellec, G. 727(1996)83
- Le Goffic, F., see Bousquet, O. 704(1995)211
- Le Goffic, F., see Lawrence, J.F. 732(1996)277
- Le Goffic, F., see Pichon, V. 725(1996)107
- Le Quéré, J.-L., see Lübke, M. 729(1996)371
- Le, X., Scaman, C., Zhang, Y., Zhang, J., Dovichi, N.J., Hindsgaul, O. and Palcic, M.M.
Analysis by capillary electrophoresis-laser-induced fluorescence detection of oligosaccharides produced from enzyme reactions 716(1995)215
- Lebrero Martínez, J., see Moldovan, Z. 723(1996)243
- Lebrón-Aguilar, R., see Quintanilla-López, J.E. 721(1996)147
- Lecoeur, C., see Zhao, Q. 723(1996)35
- Lederer, M. and Nguyen, H.K.H.
Adsorption chromatography on cellulose. XIV. Some results using aqueous solutions of soluble cyclodextrin polymers as eluents 723(1996)405
- Ledo de Medina, H., Gutiérrez, E., Colina de Vargas, M., González, G., Marín, J. and Andueza, E.
Determination of phosphate and sulphite in natural waters in the presence of high sulphate concentrations by ion chromatography under isocratic conditions 739(1996)207
- Ledo, H., see Colina, M. 739(1996)223
- Lee, C.S., see Nelson, W.M. 749(1996)219
- Lee, D.W., see Kim, H.S. 722(1996)69
- Lee, H.-B., Peart, T.E. and Kaiser, K.L.E.
Determination of nitrilotriacetic, ethylenediaminetetraacetic and diethylenetriaminepentaacetic acids in sewage treatment plant and paper mill effluents 738(1996)91
- Lee, H.K.
Recent applications of gas and high-performance liquid chromatographic techniques to the analysis of polycyclic aromatic hydrocarbons in airborne particulates 710(1995)79
- Lee, H.K., see Chee, K.K. 723(1996)259
- Lee, H.K., see Chee, K.K. 736(1996)211
- Lee, H.K., see He, Y. 749(1996)227
- Lee, H.K., see Li, C.-H. 740(1996)231
- Lee, H.K., see Rodriguez, I. 745(1996)255
- Lee, H.K., see Wu, J. 709(1995)351
- Lee, H.K., see Zhang, Y. 744(1996)249
- Lee, M.L., see Cheng, K. 706(1995)517
- Lee, M.L., see Ren, X. 741(1996)115
- Lee, M.L., see Shen, Y. 707(1995)303
- Lee, M.-R., see Jen, J.-F. 734(1996)375
- Lee, M.S., see Liu, J. 735(1996)357
- Lee, R.P., Doughty, S.W., Ashman, K. and Walker, J.
Purification of hydrophobic integral membrane proteins from *Mycoplasma hyopneumoniae* by reversed-phase high-performance liquid chromatography 737(1996)273
- Lee, S.T. and Olesik, S.V.
Normal-phase high-performance liquid chromatography using enhanced-fluidity liquid mobile phases 707(1995)217
- Lee, W.-C. and Chuang, C.-Y.
Performance of pH elution in high-performance affinity chromatography of proteins using non-porous silica 721(1996)31
- Lee, W.-C., Lin, C.-H., Ruaan, R.-C. and Hsu, K.-Y.
High-performance affinity chromatography of proteins on non-porous polystyrene beads 704(1995)307
- Lee, Y.C.
Carbohydrate analyses with high-performance anion-exchange chromatography 720(1996)137
- Lee, Y.-H. and Lin, T.-I.
Capillary electrophoretic determination of amino acids: Improvement by cyclodextrin additives 716(1995)335
- Lee, Y.-H., see Wu, C.H. 716(1995)291
- Lee, Y.K., see Nah, T.H. 722(1996)41
- Lee, Y.-S., see Tanaka, K. 706(1995)385
- Lee, Y.-T. and Whang, C.-W.
Capillary electrophoresis of triorganotin compounds with indirect fluorescence detection 746(1996)269
- Leeming, R., see Nichols, P.D. 733(1996)497
- Leesong, I., see Harmon, B.J. 726(1996)193
- Legaz, M.E. and Pedrosa, M.M.
Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis 719(1996)159
- Legras, R., see Jacques, B. 725(1996)367
- Lehmann, R., Koch, M., Pfohl, M., Voelter, W., Häring, H.-U. and Lieblich, H.M.
Screening and identification of familial defective apolipoprotein B-100 in clinical samples by capillary gel electrophoresis 744(1996)187
- Lehmann, R., see Lieblich, H.M. 717(1995)25
- Lehmkuhl, D., see Hempel, G. 745(1996)173
- Lehmppuhl, D.W. and Birks, J.W.
New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6-trichlorophenylhydrazine 740(1996)71
- Leidy, R.B., see Pennetsa, K.V. 745(1996)201
- Leipzig-Pagani, E., see Huynh, T.K.X. 746(1996)261
- Leira, E., Botana, A. and Cela, R.
Resolution of complex mixtures of non-flavonoid polyphenols by column-switching high-performance liquid chromatography using octadecylsilica and graphitized carbon columns 724(1996)67
- Leister, W.H., Weamer, L.E. and Walker, D.G.
Analysis and purification of modified methoxy(polyethylene glycol) compounds of similar molecular mass by high-performance liquid chromatography 704(1995)369
- Lelièvre, F. and Gareil, P.
Chiral separations of underivatized arylpropionic acids by capillary zone electrophoresis with various cyclodextrins. Acidity and inclusion constant determinations 735(1996)311

- Lelièvre, F., Yan, C., Zare, R.N. and Gareil, P.
Capillary electrochromatography: operating characteristics and enantiomeric separations 723(1996)145
- Lemesle-Lamache, V., Taverna, M., Wouessidjewe, D., Duchêne, D. and Ferrier, D.
Determination of the binding constant of salbutamol to unmodified and ethylated cyclodextrins by affinity capillary electrophoresis 735(1996)321
- Lemr, K.
Homologue separation of linear alcohol ethoxylates by high-performance liquid chromatography 732(1996)299
- Lenhoff, A.M., see Roth, C.M. 726(1996)45
- Lennemann, F., see Matz, G. 750(1996)141
- Leon, J., see Cui, H. 704(1995)27
- Leonard, J.T. see Muth, J. 744(1996)303
- Leonardi, A., see Quaglia, M.G. 729(1996)1
- Leonards, P.E.G., see Hess, P. 703(1995)417
- Leoncini, F., see Gelfi, C. 706(1995)463
- Leone, T., see Buiarelli, F. 730(1996)9
- Léonil, J., see Mollé, D. 708(1995)223
- LeRoy Blank, C., see Ikarashi, Y. 718(1995)267
- Lespes, G., see Carlier-Pinasseau, C. 750(1996)317
- Leung, G.N.W., Tang, H.P.O., Tso, T.S.C. and Wan, T.S.M.
Separation of basic drugs with non-aqueous capillary electrophoresis 738(1996)141
- Leuzzi, V., see Carducci, C. 729(1996)173
- Levin, J.-O., see Lindahl, R. 710(1995)175
- Levison, P.R., Badger, S.E., Jones, R.M.H., Toome, D.W., Streater, M., Pathirana, N.D. and Wheeler, S.
Validation studies in the regeneration of ion-exchange celluloses 702(1995)59
- Levison, P.R., Jones, R.M.H., Toome, D.W., Badger, S.E., Streater, M. and Pathirana, N.D.
Influence of flow-rate on the chromatographic performance of agarose- and cellulose-based anion-exchange media 734(1996)137
- Levison, P.R. and Pathirana, N.D.
Rapid ion chromatographic method for the quantitative determination of ligand leakage from ion-exchange media 742(1996)79
- Levsen, K., see Eisert, R. 733(1996)143
- Levsen, K., see Eisert, R. 737(1996)59
- Lewin, U., Efer, J. and Engewald, W.
High-performance liquid chromatographic analysis with electrochemical detection for residues of explosives in water samples around a former ammunition plant 730(1996)161
- Lewis, D.J., Barnes, K.A., Wilkinson, K., Thorpe, S.A., Reynolds, S.L. and Startin, J.R.
Extraction of maleic hydrazide residues from potato crisps and their determination using high-performance liquid chromatography with UV and atmospheric pressure chemical ionisation mass spectrometric detection 750(1996)391
- Lewis, D.M., see Burt, H. 736(1996)265
- Lewis, J.A., Snyder, L.R. and Dolan, J.W.
Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15
- Lewis, S.W., see Gachanja, A.N. 704(1995)329
- Lewis, D.M., see Burt, H. 739(1996)367
- Lewtas, J., see Zhan, D.-J. 710(1995)149
- Ley, F.R., Jeffcoat, A.R. and Thomas, B.F.
Determination of ibogaine in plasma by gas chromatography-chemical ionization mass spectrometry 723(1996)101
- Li, C.-H., Hor, T.S.A. and Lee, H.K.
High-performance liquid chromatography of the coordination isomers of triphenylphosphine-substituted homo- and hetero-bimetallic carbonyl complexes of manganese and rhenium 740(1996)231
- Li, F.-K., see Lin, C.-E. 722(1996)189
- Li, F.-K., see Lin, C.-E. 722(1996)199
- Li, F.-K., see Lin, C.-E. 722(1996)211
- Li, G. and Locke, D.C.
Nonionic surfactants for improving resolution of the priority pollutant phenols by micelle-modified capillary electrophoresis 734(1996)357
- Li, G.-D., Krull, I.S. and Cohen, S.A.
Electrochemical activity of 6-aminoquinolyl urea derivatives of amino acids and peptides. Application to high-performance liquid chromatography with electrochemical detection 724(1996)147
- Li, G.-L., see Huang, M.-B. 742(1996)289
- Li, H., Hu, Q., Yang, X. and Zhou, Z.
Direct determination of 4-nitrobenzoyl chloride by high-performance liquid chromatography based on silanophilic interaction 710(1995)347
- Li, H., see Kiso, Y. 733(1996)259
- Li, H., see Yun, X. 736(1996)151
- Li, H.-K., see Huang, M.-B. 742(1996)289
- Li, H.-Z., see Li, T.-S. 715(1995)372
- Li, J. and Cantwell, F.F.
Intra-particle sorption rate and liquid chromatographic bandbroadening in porous polymer packings. III. Diffusion in the polymer matrix as the cause of slow sorption 726(1996)37
- Li, J., Litwinson, L.M. and Cantwell, F.F.
Intra-particle sorption rate and liquid chromatographic bandbroadening in porous polymer packings. II. Slow sorption rate on a microparticle packing 726(1996)25
- Li, J.-T., see Li, T.-S. 715(1995)372
- Li, L., see Nagra, D.S. 711(1995)235
- Li, S.-E., see Yu, T. 724(1996)91
- Li, S.F.Y., see Rodriguez, I. 745(1996)255
- Li, S.F.Y., see Wang, T. 707(1995)343
- Li, S.F.Y., see Wang, T. 723(1996)197
- Li, S.F.Y., see Wu, J. 709(1995)351
- Li, S.F.Y., see Zhang, Y. 744(1996)249
- Li, T.-S., Li, J.-T. and Li, H.-Z.
Modified and convenient preparation of silica impregnated with silver nitrate and its application to the separation of steroids and triterpenes 715(1995)372
- Li, W., see Shen, Y. 707(1995)303
- Li, X. and Fritz, J.S.
Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235
- Li, Y. and Pinto, N.G.
Model for ion-exchange equilibria of macromolecules in preparative chromatography 702(1995)113
- Li, Y.-F., see Jayaraman, G. 702(1995)143

- Li, Y.-L., see Shi, Y.-C. 742(1996)107
- Li, Y.M., Van Schepdael, A., Roets, E. and Hoogmartens, J. Analysis of demeclocycline by capillary electrophoresis 740(1996)119
- Li, Y.-M., see Zhang, Y. 749(1996)13
- Liang, H.-R., Sirén, H., Riekkola, M.-L., Vuorela, P., Vuorela, H. and Hiltunen, R. Optimized separation of pharmacologically active flavonoids from *Epimedium* species by capillary electrophoresis 746(1996)123
- Liao, S.-Y. and Whang, C.-W. Indirect chemiluminescence detection of amino acids separated by capillary electrophoresis 736(1996)247
- Lipapis, A.I., see Heeter, G.A. 711(1995)3
- Lipapis, A.I., see Heeter, G.A. 734(1996)105
- Lipapis, A.I., see Heeter, G.A. 743(1996)3
- Lipapis, A.I., see Xu, Y. 724(1996)13
- Lipapis, A.I., Xu, Y., Crosser, O.K. and Tongta, A. "Perfusion chromatography". The effects of intra-particle convective velocity and microsphere size on column performance 702(1995)45
- Liberatori, A., see Gennaro, M.C. 718(1995)81
- Libman, J., see Betschinger, F. 746(1996)53
- Licandro, E., see Careri, M. 730(1996)231
- Liebich, H.M., Lehmann, R., Weiler, A.E., Grübler, G. and Voelter, W. Capillary electrophoresis, a rapid and sensitive method for routine analysis of apolipoprotein A-I in clinical samples 717(1995)25
- Liebich, H.M., see Lehmann, R. 744(1996)187
- Liesiene, J., see Maruška, A. 746(1996)147
- Lightfoot, E.N., Athalye, A.M., Coffman, J.L., Roper, D.K. and Root, T.W. Nuclear magnetic resonance and the design of chromatographic separations 707(1995)45
- Lightfoot, E.N., see Roper, D.K. 702(1995)3
- Lightfoot, E.N., see Roper, D.K. 702(1995)69
- Lihl, S., Rehorek, A. and Petz, M. High-performance liquid chromatographic determination of penicillins by means of automated solid-phase extraction and photochemical degradation with electrochemical detection 729(1995)229
- Lillard, S.J., Yeung, E.S., Lautamo, R.M.A. and Mao, D.T. Separation of hemoglobin variants in single human erythrocytes by capillary electrophoresis with laser-induced native fluorescence detection 718(1995)397
- Lim, B.-G. and Ching, C.-B. Preliminary design of a simulated counter-current chromatographic system for the separation of praziquantel enantiomers 734(1996)247
- Lim, C.K. Analysis of aryltetrahydronaphthalene lignans and their glucoside conjugates in podophyllin resin by high-performance liquid chromatography 722(1996)267
- Lim, C.K., see Gu, G. 722(1996)245
- Lim, C.K., see Jones, R.M. 722(1996)249
- Lim, C.K., see Jones, R.M. 722(1996)257
- Lim, C.K., see Luo, J.L. 722(1996)353
- Lim, Y.-P., see McCarthy, E. 743(1996)163
- Lin, B., see Koppenhoefer, B. 735(1996)333
- Lin, B., Yun, T., Zhong, G. and Guiochon, G. Shock layer analysis for a single-component in preparative elution chromatography 708(1995)1
- Lin, B., see Zhou, G. 717(1995)345
- Lin, C.-E., Lin, W.-C. and Chiou, W.-C. Migration behaviour and optimization of selectivity of dichlorophenols in capillary zone electrophoresis 705(1995)325
- Lin, C.-E., Lin, C.-H. and Li, F.-K. Enantioseparation of amino acids and amino alcohols on chiral stationary phases derived from α -amino acid- and pyrrolidinyl-disubstituted cyanuric chloride 722(1996)189
- Lin, C.-E. and Li, F.-K. Enantioseparation and recognition mechanisms of dinitrobenzoyl-derivatized amino acids and amino alcohols on chiral stationary phases consisting of cyanuric chloride with (*S* or *R*)-phenylalanyl-(*S* or *R*)-1-(1-naphthyl)ethylamide substituent 722(1996)199
- Lin, C.-E., Li, F.-K. and Lin, C.-H. Evaluation of new chiral stationary phases of bonded cyanuric chloride with amino acid and naphthylalkylamine substituents for liquid chromatographic separation of amino acids and amino alcohols as dinitrobenzoyl derivatives 722(1996)211
- Lin, C.-E., Lin, W.-C. and Chiou, W.-C. Migration behaviour and selectivity of dichlorophenols in micellar electrokinetic capillary chromatography. Influence of micelle concentration and buffer pH 722(1996)333
- Lin, C.-E., Chiou, W.-C. and Lin, W.-C. Capillary zone electrophoretic separation of alkylbenzyl quaternary ammonium compounds: effect of organic modifier 722(1996)345
- Lin, C.-E., Chiou, W.-C. and Lin, W.-C. Separation of alkylbenzyl quaternary ammonium compounds by capillary zone electrophoresis. Effect of organic solvent in sample solution 723(1996)189
- Lin, C.-E. and Chen, C.-C. Migration behavior and separation of aromatic triazole and thiazole compounds by capillary zone electrophoresis 731(1996)299
- Lin, C.-E. and Lin, W.-C. Migration behavior of dichlorophenols for replicate separations without replenishment of buffer electrolyte in micellar electrokinetic capillary chromatography 732(1996)361
- Lin, C.-E., Hsueh, C.-C., Lin, W.-C. and Chang, C.-C. Migration behavior and separation of trichlorophenols by capillary zone electrophoresis 746(1996)295
- Lin, C.-H., see Lee, W.-C. 704(1995)307
- Lin, C.-H., see Lin, C.-E. 722(1996)189
- Lin, C.-H., see Lin, C.-E. 722(1996)211
- Lin, J.-Y. Comparison of the chiral resolution on *cis-trans* isomeric chiral stationary phases derived from (*S*)-1-(1-naphthyl)ethylamine 740(1996)183
- Lin, J.-Y., see Yang, M.-H. 722(1996)87

- Lin, S.-J., Tseng, H.-H., Wen, K.-C. and Suen, T.-T.
Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17
- Lin, T.-I., see Lee, Y.-H. 716(1995)335
- Lin, T.-I., see Wu, C.H. 716(1995)291
- Lin, W.-C., see Lin, C.-E. 705(1995)325
- Lin, W.-C., see Lin, C.-E. 722(1996)333
- Lin, W.-C., see Lin, C.-E. 722(1996)345
- Lin, W.-C., see Lin, C.-E. 723(1996)189
- Lin, W.-C., see Lin, C.-E. 732(1996)361
- Lin, W.-C., see Lin, C.-E. 746(1996)295
- Lin, X., see Redden, P.R. 704(1995)99
- Lin, Yu.-S., see Hsu, M.-C. 727(1996)239
- Lin, Z.-P. and Aue, W.A.
Quantitation of perfectly co-eluting analytes on dual-channel-subtraction chromatograms 727(1996)101
- Lin, Z.-P. and Aue, W.A.
Filterless, full spectral range, compound-specific detection in dual-channel photometry 742(1996)143
- Lindahl, R. and Levin, J.-O.
Laboratory validation of a diffusive sampler for the determination of glutaraldehyde in air 710(1995)175
- Lindbladh, C., see Krook, M. 711(1995)119
- Linde, H., see Büschges, R. 725(1996)323
- Lindeberg, G., see Hansen, P. 723(1996)51
- Lindgren, K., see Strömqvist, M. 718(1995)53
- Lindner, H., Sarg, B., Meraner, C. and Helliger, W.
Separation of acetylated core histones by hydrophilic-interaction liquid chromatography 743(1996)137
- Lindner, W.
A practical approach to chiral separation by liquid chromatography (edited by G. Subramanian) (Book Review) 718(1995)459
- Lindner, W., see Filek, G. 712(1995)355
- Lindner, W., see Filek, G. 732(1996)291
- Lindner, W., see Kleidernigg, O.P. 729(1996)33
- Lindner, W., see Lämmerhofer, M. 741(1996)33
- Lindon, J.C., see Sidelmann, U.G. 728(1996)377
- Ling, D., see Zheng, Z. 707(1995)131
- Ling, Y.-C., see Wang, S.-M. 715(1995)325
- Lingeman, H., see Slobodník, J. 750(1996)227
- Lingeman, H., see Van de Merbel, N.C. 725(1996)13
- Linhardt, R.J., see Kerns, R.J. 705(1995)369
- Linhardt, R.J. and Pervin, A.
Separation of negatively charged carbohydrates by capillary electrophoresis 720(1996)323
- Linkerhögner, M., see Stan, H.-J. 727(1996)275
- Linkerhögner, M., see Stan, H.-J. 750(1996)369
- Linscheid, M., see Schrader, W. 717(1995)117
- Lintelmann, J., see Hackl, C. 730(1996)153
- Lintelmann, J., see Schmitt, P. 709(1995)215
- Lionetti, C., see Longo, M. 708(1995)303
- Liptaj, T., see Štolcová, M. 710(1995)351
- Liyan, C., Wei, Z. and Zhong, Z.
Study of ion chromatography with ion-exchange fibers as the stationary phase 740(1996)195
- Liška, I. and Slobodník, J.
Comparison of gas and liquid chromatography for analysing polar pesticides in water samples (Review) 733(1996)235
- Litvina, M.L., Voloschik, I.N. and Rudenko, B.A.
Determination of aluminium in natural waters by single-column ion chromatography with indirect UV detection 706(1995)307
- Litvina, M.L., see Voloschik, I.N. 706(1995)315
- Litwinson, L.M., see Li, J. 726(1996)25
- Liu, G., see Zhang, Z. 728(1996)343
- Liu, G., see Zhang, Z. 730(1996)107
- Liu, H., see Ong, S. 728(1996)113
- Liu, H., see Ren, J. 732(1996)175
- Liu, H., Zhu, T., Zhang, Y., Qi, S., Huang, A. and Sun, Y.
Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448
- Liu, J., Zhao, H., Volk, K.J., Klohr, S.E., Kerns, E.H. and Lee, M.S.
Analysis of monoclonal antibody and immunoconjugate digests by capillary electrophoresis and capillary liquid chromatography 735(1996)357
- Liu, J., see Zhou, W. 715(1995)355
- Liu, K.W., see Gomez, F.A. 727(1996)291
- Liu, L., Osborne, L.M. and Nussbaum, M.A.
Development and validation of a combined potency assay and enantiomeric purity method for a chiral pharmaceutical compound using capillary electrophoresis 745(1996)45
- Liu, X., Susic, Z. and Krull, I.S.
Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest 735(1996)165
- Liu, Y., see Berthod, A. 731(1996)123
- Liu, Y., see Pirkle, W.H. 736(1996)31
- Liu, Y., see Pirkle, W.H. 749(1996)19
- Liu, Y.-M., Miao, J.-R. and Toyo'oka, T.
Determination of 4-hydroxy-2-nonenal by precolumn derivatization and liquid chromatography with laser fluorescence detection 719(1996)450
- Liu, Yu., Fu, R. and Gu, J.
Epoxy resin coatings for capillary zone electrophoretic separation of basic proteins 723(1996)157
- Ljunglöf, A. and Hjorth, R.
Confocal microscopy as a tool for studying protein adsorption to chromatographic matrices 743(1996)75
- Lliberia, J.L., see Barrio, M.E. 719(1996)131
- Lliberia, J.L., see Diaz, J. 719(1996)171
- Llompart, M.P., Lorenzo, R.A. and Cela, R.
Optimization of supercritical fluid extraction of phenol and cresols in soil samples 723(1996)123
- Lloyd, D.H., see DeDionisio, L.A. 735(1996)191
- Lloyd, D.K.
Capillary electrophoretic analyses of drugs in body fluids: sample pretreatment and methods for direct injection of biofluids 735(1996)29
- Lo Greco, P., see Londero, D. 729(1996)207
- Lo, Y.S., see Wu, C.H. 716(1995)291
- Lociuro, S., see Bonfichi, R. 707(1995)355
- Locke, D.C., see Li, G. 734(1996)357
- Locke, S.J., see Kelly, J.F. 720(1996)409

- Lodi, S. and Rossin, G.
Determination of some organic acids in sugar factory products 706(1995)375
- Logghe, M., see Batjoens, P. 750(1996)133
- Loh, K.-C. and Wang, D.I.C.
Characterization of pore size distribution of packing materials used in perfusion chromatography using a network model 718(1995)239
- Lohse, K., see Wu, D.-R. 702(1995)233
- Loiseau, P.R., see Benmoussa, A. 731(1996)153
- Loža, D., see Loža, E. 708(1995)231
- Londono, D. and Lo Greco, P.
Automated high-performance liquid chromatographic separation with spectrofluorometric detection of a malondialdehyde-thiobarbituric acid adduct in plasma 729(1996)207
- Londo, T., see Hunt, A.J. 708(1995)61
- Long, Z., see Yun, X. 736(1996)151
- Longo, M., Lionetti, C. and Cavallaro, A.
Determination of N-nitrosodimethylamine in beer by gas chromatography-stable isotope dilution chemical ionization mass spectrometry 708(1995)303
- Looze, Y., see Azarkan, M. 724(1996)185
- Looze, Y., see Azarkan, M. 749(1996)69
- Lopatin, S.A., see Varlamov, V.P. 711(1995)113
- López Erroz, C., see Viñas, P. 726(1996)125
- López, F., see Guardino, X. 719(1996)141
- López, F.J., see Sancho, J.V. 737(1996)75
- López, J., see Marín, M.L. 750(1996)183
- López, J.C., see Alegría, A. 721(1996)83
- López, M.I., see Del Nozal, M.J. 727(1996)231
- López, P., see Minguillón, C. 728(1996)407
- Lopez-Avila, V., see Thomas, D.H. 724(1996)207
- Lopez-Perez, M.J.
Aqueous biphasic separations biomolecules to metal ions (edited by R.D. Rogers and M.A. Eiteman) (Book Review) 742(1996)299
- Loponen, J., see Ossipov, V. 721(1996)59
- Loran, J.S., see Ferguson, P.D. 745(1996)25
- Lorenzo, E., see Saez, A. 721(1996)107
- Lorenzo, R.A., see Llompart, M.P. 723(1996)123
- Lorenzo-Ferreira, R.A., see Carro-Díaz, A.M. 730(1996)345
- Lorenzo-Ferreira, R.A., see Cela-Torrijos, R. 750(1996)191
- Lores, M., García, C.M. and Cela, R.
Selectable-power photoreactor for flow-injection analysis systems and high-performance liquid chromatography post-column photochemical derivatization 724(1996)55
- Löster, K., Baum, O., Hofmann, W. and Reutter, W.
Characterization of molecular aggregates of $\alpha_1\beta_1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187
- Lotti, R., see Vanderlaan, M. 711(1995)23
- Lou, X., Janssen, H.-G. and Cramers, C.A.
Investigation of parameters affecting the on-line combination of supercritical fluid extraction with capillary gas chromatography 750(1996)215
- Lough, W.J., Mills, M.J. and Maltais, J.
Analyte adsorption in liquid chromatography valve injectors for samples in non-eluting solvents 726(1996)67
- Loureiro, J.M., see Rodrigues, A.E. 702(1995)223
- Loutelier, C., Chéron, J.-C., Lange, C., Traris, M. and Vey, A.
Studies on the dynamics of the production of destruxins by *Metarrhizium anisopliae*. Direct high-performance liquid chromatographic and fast atom bombardment mass spectrometric analysis correlated with biological activity tests 738(1996)181
- Louter, A.J.H., see Slobodník, J. 730(1996)353
- Louter, A.J.H., van Beekvelt, C.A., Cid Montanes, P., Slobodník, J., Vreuls, J.J. and Brinkman, U.A.Th.
Analysis of microcontaminants in aqueous samples by fully automated on-line solid-phase extraction-gas chromatography-mass selective detection 725(1996)67
- Loža, E., Loža, D., Kemme, A. and Freimanis, J.
Enantiomeric enrichment of partially resolved 4-hydroxy-2-carboxymethylcyclopentanone derivatives by achiral phase chromatography 708(1995)231
- Lu, C.-F., see Sheu, S.-J. 704(1995)518
- Lu, D.-S., see Ma, F.-Q. 740(1996)65
- Lu, H.S., Chang, D., Brankow, D. and Wen, D.
Detection of neu differentiation factor with a biospecific affinity sensor during chromatography 705(1995)163
- Lu, J., see Fu, X. 735(1996)353
- Lu, L., see Brekkan, E. 711(1995)33
- Lu, L. and Lundahl, P.
Quantitative micellar chromatographic analysis of interaction between peptides and sodium dodecyl sulfate micelles 741(1996)49
- Lu, P., see Zhang, X. 731(1996)187
- Lu, W., see Hua, Y. 750(1996)115
- Lu, X., see Yun, X. 736(1996)151
- Lu, Z.P., see Rodrigues, A.E. 702(1995)223
- Lübke, M., Le Quéré, J.-L. and Barron, D.
Prefractionation of aroma extracts from fat-containing food by high-performance size-exclusion chromatography 729(1996)371
- Luboch, E., see Konieczka, P. 742(1996)175
- Lucangoli, S.E., see Carducci, C.N. 730(1996)313
- Lucena, J.J., Barak, P. and Hernández-Apaolaza, L.
Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253
- Lucero, M.L., see Sustacha, K. 719(1996)245
- Łuckas, B., see Hummert, C. 729(1996)387
- Lucy, C.A.
Recent advances in ion chromatography: A perspective 739(1996)3
- Lucy, C.A., Brown, R. and Yeung, K.K.-C.
Separation of positional and structural isomers by cyclodextrin-mediated capillary zone electrophoresis 745(1996)9
- Lucy, C.A., see Ye, L. 739(1996)307
- Ludwig, B., see Emenhiser, C. 719(1996)333
- Ludwig Sr, F.J.
Gas chromatography of petroleum-derived waxes and high-molecular-mass linear alcohols and acids 718(1995)119
- Lukkari, P. and Sirén, H.
Ion-pair chromatography and micellar electrokinetic capillary chromatography in analyzing beta-adrenergic blocking agents from human biological fluids 717(1995)211
- Lüllmann, C., see Turowski, M. 728(1996)201

- Luna, A., see Periago, J.F. 719(1996)53
 Lundahl, P., see Beigi, F. 704(1995)315
 Lundahl, P., see Brekkan, E. 711(1995)33
 Lundahl, P., see Englund, A.-K. 711(1995)217
 Lundahl, P., see Lu, L. 741(1996)49
 Lundahl, P., see Zhang, Y. 749(1996)13
 Lundanes, E., see Brede, C. 712(1995)95
 Lunte, S.M., see Hu, T. 716(1995)381
 Lunte, S.M., see Kostel, K.L. 744(1996)241
 Luo, G., see Wang, Q. 745(1996)263
 Luo, J.L., Deka, J. and Lim, C.K.
 Determination of 5-aminolaevulinic acid dehydratase activity in erythrocytes and porphobilinogen in urine by micellar electrokinetic capillary chromatography 722(1996)353
 Luo, W., see Pankow, J.F. 732(1996)317
 Luo, Y., see Guan, F. 719(1996)421
 Luo, Y., see Guan, F. 719(1996)427
 Luque de Castro, M.D., see Jimenez-Carmona, M.M. 711(1995)269
 Lusi, A., see Ferretti, R. 731(1996)340
 Luyben, K.Ch.A.M., see Corstjens, H. 715(1995)1
 Lynam, K.G., see Terfloth, G.J. 705(1995)185
 Lynch, P.D., see Hunt, A.J. 708(1995)61
 Lyons, W.B., see Welch, K.A. 739(1996)257
 Lyttle, M.H., see Wheatley, J.B. 726(1996)77
- M**
- Ma, F.-Q., Lu, D.-S. and Guo, Z.-Y.
 On-line monitoring of the catalytic conversion of methyl formate to methanol and carbon monoxide by gas chromatography 740(1996)65
 Ma, L., see Shi, Y.-C. 742(1996)107
 Ma, S., see Kálmán, F. 705(1995)135
 Ma, S., Kálmán, F., Kálmán, A., Thunecke, F. and Horváth, C.
 Capillary zone electrophoresis at subzero temperatures. I. Separation of the *cis* and *trans* conformers of small peptides 716(1995)167
 Ma, S., see Thunecke, F. 744(1996)259
 Ma, Y., see Gnabre, J.N. 719(1996)353
 Ma, Y. and Ito, Y.
 Separation of peptide derivatives by pH-zone-refining counter-current chromatography 702(1995)197
 Ma, Y., Ito, Y. and Foucault, A.
 Resolution of gram quantities of racemates by high-speed counter-current chromatography 704(1995)75
 Ma, Y., see Knight, M. 702(1995)207
 Ma, Y., Sokoloski, E. and Ito, Y.
 pH-Zone refining counter-current chromatography of polar catecholamines using di-(2-ethylhexyl)phosphoric acid as a ligand 724(1996)348
- Ma, Y., see Xu, J. 749(1996)287
 Ma, Y., see Zhou, G. 717(1995)345
 Mabry, T.J., see Oh, C.-H. 708(1995)131
 Maccarrone, G., see Compagnini, A. 736(1996)115
 Macfarlane, R.D., see Hu, A.Z. 717(1995)33
 Machacek, D., see Strausbauch, M.A. 717(1995)279
 Macher, M. and Wintersteiger, R.
 Improved electrochemical detection of diuretics in high-performance liquid chromatographic analysis by postcolumn on-line photolysis 709(1995)257
 Macias, D.M., see Gomez, F.A. 727(1996)291
 Macka, M., Haddad, P.R. and Buchberger, W.
 Separation of some metallochromic ligands by capillary zone electrophoresis and micellar electrokinetic capillary chromatography 706(1995)493
 Mackenstedt, I., see Splitt, H. 729(1996)87
 Mackenzie, K., see Pörschmann, J. 750(1996)287
 Madajová, V., see Masár, M. 724(1996)327
 Madbouly, M.D., see Di Corcia, A. 733(1996)383
 Madsen, J., see Fromberg, A. 746(1996)71
 Maeda, M., see Arakawa, H. 722(1996)359
 Maeda, T., Onodera, S. and Ogino, H.
 On-site monitoring of volatile organic compounds as hazardous air pollutants by gas chromatography 710(1995)51
 Maeno, S. and Rodriguez, P.A.
 Simple and versatile injection system for capillary gas chromatographic columns. Performance evaluation of a system including mass spectrometric and light-pipe Fourier-transform infrared detection 731(1996)201
 Maes, D., see Azarkan, M. 749(1996)69
 Maesens, F., see Cools, P.J.C.H. 736(1996)125
 Magdic, S., Boyd-Boland, A., Jinno, K. and Pawliszyn, J.B.
 Analysis of organophosphorus insecticides from environmental samples using solid-phase microextraction 736(1996)219
 Magdic, S. and Pawliszyn, J.B.
 Analysis of organochlorine pesticides using solid-phase microextraction 723(1996)111
 Maghruin-Rogister, G., see Van Vyncht, G. 750(1996)43
 Magi, N., see Frigerio, E. 729(1996)237
 Maguhn, J., see Scheuer, C. 706(1995)253
 Magyar, B., see Röllin, S. 739(1996)139
 Magyar, K., see Szökő, É. 709(1995)157
 Magyar, K., see Szökő, É. 745(1996)181
 Mahmoud, M.E.
 Studies of hydrogen/deuterium exchange of monodeuteriophenol in fused-silica capillary columns using gas chromatography-mass spectrometry 719(1996)474
 Mahuzier, G., see Cepeda, A. 721(1996)69
 Mahuzier, G., see Franco, C.M. 723(1996)69
 Mahuzier, G., see Vazquez, B.I. 727(1996)185
 Maier, N.M. and Uray, G.
 Diphenylethanediamine derivatives as chiral selectors. V. Efficient normal-phase high-performance liquid chromatographic enantioseparation of underivatized chiral arylalcohols on four differently linked 3,5-dinitrobenzoyldiphenylethanediamine-derived chiral stationary phases 732(1996)215

- Maier, N.M. and Uray, G.
Efficient high-performance liquid chromatographic enantioseparation of five-membered aryl-substituted lactones and cyclic carbamates on a (*R,R*)-diaminodihydroethanoanthracene-derived chiral stationary phase 740(1996)19
- Mainka, A., see Tenberken, B. 745(1996)209
- Mäkinen, M., Piironen, V. and Hopia, A.
Postcolumn chemiluminescence, ultraviolet and evaporative light-scattering detectors in high-performance liquid chromatographic determination of triacylglycerol oxidation products 374(1996)221
- Makita, M., see Kataoka, H. 709(1995)303
- Makita, M., see Kataoka, H. 723(1996)93
- Makita, M., see Kataoka, H. 726(1996)253
- Makita, M., see Kijima, K. 738(1996)83
- Makita, M., see Sakiyama, N. 724(1996)279
- Makuch, B., see Biziuk, M. 733(1996)171
- Malan, C.E.P., see Van Tonder, E.C. 729(1996)267
- Malavasi, B., Ripamonti, M., Rouchouse, A. and Ascalone, V.
Stereoselective determination of unchanged and glucuroconjugated eliprodil, a new anti-ischaemic drug, in human plasma and urine by precolumn derivatization and column-switching high-performance liquid chromatography with fluorescence detection 729(1995)323
- Maldiney, R., see Pétron, J. 723(1996)381
- Mali, B.D., Garad, M.V., Patil, V.B. and Padalikar, S.V.
Thin-layer chromatographic detection of dichlorvos and dimethoate using orcinol 704(1995)540
- Malik, A., see Shen, Y. 707(1995)303
- Maljers, L., see Berger, R.G. 711(1995)159
- Mälkki-Laine, L. and Hartikainen, E.
Electrokinetic behaviour of salbutamol and its decomposition products and determination of salbutamol by micellar electrokinetic capillary chromatography 724(1996)297
- Malsch, R., Harenberg, J. and Heene, D.L.
High-resolution capillary electrophoresis and polyacrylamide gel electrophoresis of heparins 716(1995)259
- Malsch, R., Mrotzek, T., Huhle, G. and Harenberg, J.
Purification of the monoclonal heparin antibody H-1.18 744(1996)215
- Maltais, J., see Lough, W.J. 726(1996)67
- Mañes, J., see Font, G. 733(1996)449
- Mañes, J., see Ibáñez, M. 727(1996)245
- Mañes, J., see Ibáñez, M. 728(1996)325
- Mañes, J., see Torres, C.M. 719(1996)95
- Manes, J.D., see Fujinari, E.M. 743(1996)85
- Manetta, A.C., see Gioacchini, A.M. 730(1996)31
- Mangani, F., see Cappiello, A. 736(1996)185
- Mangani, F., see Vérette, E. 705(1995)195
- Mangas, J.J., see Suárez, B. 727(1996)203
- Mangia, A., see Bonfanti, L. 728(1996)359
- Mangia, A., see Careri, M. 727(1996)153
- Mangia, A., see Careri, M. 730(1996)231
- Manini, P., see Bonfanti, L. 728(1996)359
- Manini, P., see Careri, M. 730(1996)231
- Mank, A.J.G. and Yeung, E.S.
Diode laser-induced fluorescence detection in capillary electrophoresis after pre-column derivatization of amino acids and small peptides 708(1995)309
- Mannens, G., see Hendrickx, J. 729(1996)341
- Manninen, P.K.G., see Pätsä-Kallio, M. 750(1996)89
- Manninen, P.K.G., see Teräsahde, P. 750(1996)83
- Mantisi, F., see Nguyen Hong, T.D. 743(1996)323
- Mantovani, A., see Pace, G. 706(1995)345
- Manzin, V., see Bicchi, C. 742(1996)161
- Mao, D.T., see Lillard, S.J. 718(1995)397
- Mao, Q.-M., see Finette, G.M.S. 743(1996)57
- Marák, J., see Kaniansky, D. 709(1995)69
- Marcato, B. and Cecchin, G.
Analysis of mixtures containing free fatty acids and mono-, di- and triglycerides by high-performance liquid chromatography coupled with evaporative light-scattering detection 730(1996)83
- Marcé, R.M., see Martínez, D. 734(1996)367
- Marcé, R.M., see Pocurull, E. 719(1996)105
- Marcé, R.M., see Pocurull, E. 738(1996)1
- Marchese, S., see Di Corcia, A. 733(1996)383
- Marchetto, A., Mosello, R., Tartari, G.A., Muntau, H., Bianchi, M., Geiss, H., Serrini, G. and Lanza, G.S.
Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13
- Marchetto, A., see Tartari, G.A. 706(1995)21
- Marchi, E., see Scapoli, L. 735(1996)367
- Marcomini, A. and Zanette, M.
Chromatographic determination of non-ionic aliphatic surfactants of the alcohol polyethoxylate type in the environment (Review) 733(1996)193
- Marengo, E., see Baiocchi, C. 715(1995)95
- Mariani, C., see Biondi, P.A. 726(1996)246
- Marigo, M., see Tagliaro, F. 735(1996)227
- Marín, J., see Colina, M. 739(1996)223
- Marín, J., see Ledo de Medina, H. 739(1996)207
- Marín, M.L., Jiménez, A., López, J. and Vilaplana, J.
Analysis of poly(vinyl chloride) additives by supercritical fluid extraction and gas chromatography 750(1996)183
- Marina, M.L., see García, M.A. 732(1996)345
- Marina, M.L., see García, M.A. 742(1996)251
- Marina, M.L., see Jiménez, O. 719(1996)15
- Marinas, J.M., see Aramendia, M.A. 707(1995)327
- Marinero, P., see Del Nozal, M.J. 727(1996)231
- Marinković, V.D., Gudžić, B., Milojković, S.S., Nedeljković, J.M. and Čomor, J.J.
Gas chromatography-mass spectrometry study of isosorbide 5-mononitrate stability 746(1996)286
- Mark, J., see Nadler, T. 743(1996)91
- Markides, K.E., see Broadbent, J.K. 732(1996)101
- Markides, K.E., see Petersson, U. 734(1996)331
- Marklová, E. and Fojtášková, A.
High-performance liquid chromatographic profiling of indolylacryloylglycine and its possible precursors in body fluids 730(1996)133
- Marko-Varga, G., see Buttler, T. 725(1996)41
- Marko-Varga, G., see Emnéus, J. 703(1995)191
- Marko-Varga, G., see Jönsson, J.A. 725(1996)1
- Marko-Varga, G., see Önnerfjord, P. 737(1996)35

- Marko-Varga, G., see Torto, N. 725(1996)165
- Markowski, W.
Computer-aided optimization of gradient multiple development thin-layer chromatography. III. Multi-stage development over a constant distance 726(1996)185
- Márquez-Ruiz, G., Jorge, N., Martín-Polvillo, M. and Dobarganes, M.C.
Rapid, quantitative determination of polar compounds in fats and oils by solid-phase extraction and size-exclusion chromatography using monostearin as internal standard 749(1996)55
- Marrari, P., see Breda, M. 729(1995)301
- Marriott, P.J., see Lambropoulos, N. 749(1996)87
- Marsel, J., see Prosen, H. 704(1995)121
- Marsel, J., see Velikonja, Š. 704(1995)449
- Marsin Sanagi, M., see Rahmalan, A. 739(1996)233
- Marston, A., see Slimestad, R. 719(1996)438
- Martens, J.H.P.A., see Reijenga, J.C. 744(1996)147
- Martí, V., Aguilar, M. and Yeung, E.S.
Indirect fluorescence detection of free cyanide and related compounds by capillary electrophoresis 709(1995)367
- Martín, A., see Ormad, P. 733(1996)159
- Martin, F., see González-Vila, F.J. 750(1996)155
- Martin, J., see Jones, C. 707(1995)3
- Martincigh, B.S., see Broadbent, J.K. 732(1996)101
- Martínez, D., Pocurull, E., Marcé, R.M., Borrull, F. and Calull, M.
Separation of eleven priority phenols by capillary zone electrophoresis with ultraviolet detection 734(1996)367
- Martínez de la Ossa, E., see Huber, W. 715(1995)333
- Martínez Galera, M., see Garrido Frenich, A. 727(1996)27
- Martínez Galera, M., Martínez Vidal, J.L., Garrido Frenich, A. and Gil García, M.D.
Determination of cypermethrin, fenvalerate and *cis*- and *trans*-permethrin in soil and groundwater by high-performance liquid chromatography using partial least-squares regression 727(1996)39
- Martínez, L., see García-Valcárcel, A.I. 719(1996)113
- Martínez, M., see Baraj, B. 718(1995)227
- Martínez Vidal, J.L., see Garrido Frenich, A. 727(1996)27
- Martínez Vidal, J.L., see Martínez Galera, M. 727(1996)39
- Martinotti, W., see Achilli, M. 706(1995)241
- Martín-Polvillo, M., see Márquez-Ruiz, G. 749(1996)55
- Martinsen, A. and Gynther, J.
Liquid chromatography-thermospray mass spectrometry of toremifene and its derivatives 724(1996)358
- Marton, G., see Simon, G. 732(1996)1
- Martre, A.-M., see Cosoveanu, V. 727(1996)324
- Marty, N.S.
Numerical simulation of hydrodynamic dispersion in random porous media 707(1995)35
- Maruo, M., see Hirayama, N. 707(1995)384
- Maruška, A., Liesienė, J. and Šėrys, A.
Regulation of cellulose-based adsorbent granule morphology 746(1996)147
- Maruyama, Y., see Ikarashi, Y. 718(1995)267
- Masada, R.I., see Starr, C.M. 720(1996)295
- Masana, A., see Anticó, E. 706(1995)159
- Masár, M., Kaniansky, D. and Madajová, V.
Separation of synthetic food colourants by capillary zone electrophoresis in a hydrodynamically closed separation compartment 724(1996)327
- Masotti, P., see Zonta, F. 718(1995)99
- Maspero, M., see Bonfanti, L. 728(1996)359
- Massart, D.L., see Jimidar, M. 706(1995)479
- Massart, D.L., see Jimidar, M. 740(1996)109
- Massart, D.L., see Yang, Q. 706(1995)503
- Massart, D.L., see Yang, Q. 717(1995)415
- Massolini, G., De Lorenzi, E., Ponci, M.C., Gandini, C., Caccialanza, G. and Monaco, H.L.
Egg yolk riboflavin binding protein as a new chiral stationary phase in high-performance liquid chromatography 704(1995)55
- Masujima, T., see Razee, S. 715(1995)179
- Masuyama, A., see Harino, H. 715(1995)135
- Mata, M.G., see Bosch, N.B. 706(1995)221
- Matallo, M., see Sanchez-Rasero, F. 733(1996)367
- Matchett, M.W., Branch, S.K. and Jefferies, T.M.
Application of modified cyclodextrins in capillary electrophoresis for enantiomeric resolution of propranolol and analogues 705(1995)351
- Matharu, R.P., see Choudhari, K.B. 724(1996)343
- Mathre, D.J., see Prabhu, S.V. 731(1996)331
- Matisová, E. and Škrabáková, S.
Carbon sorbents and their utilization for the preconcentration of organic pollutants in environmental samples 707(1995)145
- Matlin, S.A., see Grieb, S.J. 728(1996)195
- Matsuda, R., see Hayashi, Y. 722(1996)157
- Matsunaga, A., see Yamamoto, A. 727(1996)55
- Matsuno, R., see Adachi, S. 708(1995)177
- Matsuoka, K., see Yamada, A. 709(1995)345
- Matsuoka, M., see Yamanaka, K. 726(1996)237
- Matsuishi, Y., see Ōi, N. 722(1996)229
- Matthews, W., see Cikalo, M.G. 745(1996)189
- Mattiasson, B., see Galaev, I.Yu. 710(1995)259
- Matucha, M., see Kubátová, A. 750(1996)245
- Matuszewski, B., see Woolf, E.J. 729(1996)211
- Matynia, T., see Gawdzik, B. 733(1996)491
- Matysik, F.-M.
Improved end-column amperometric detection for capillary electrophoresis 742(1996)229
- Matyska, M.T., see Pesek, J.J. 736(1996)255
- Matyska, M.T., see Pesek, J.J. 736(1996)313
- Matz, G. and Lennemann, F.
On-line monitoring of biotechnological processes by gas chromatographic-mass spectrometric analysis of fermentation suspensions 750(1996)141
- Matz, G., Schröder, W. and Ollesch, T.
A new fast method for field screening of polychlorinated biphenyls in air 750(1996)151
- Maujean, A., see Nedjma, M. 704(1995)495
- Maurer, P., see Hubatsch, I. 711(1995)105
- Mayahara, K., see Nakashima, K. 722(1996)107
- Mayer, A.F. and Deckwer, W.-D.
Ion-pair adsorption chromatography for process purposes.
Basic equilibrium studies for the recovery of clavulanic acid by using quaternary ammonium salts 741(1996)185

- Mayer, S. and Schleimer, M.
Quantitative determination of heparinoid mimetics in human and rat plasma by micellar electrokinetic chromatography 730(1996)297
- Mazereeuw, M., see Bergmann, J. 734(1996)381
- Mazereeuw, M., see Van der Vlis, E. 712(1995)227
- Mazereeuw, M., see Van der Vlis, E. 741(1996)13
- Mazsaroff, I., see Amari, J.V. 729(1996)113
- Mazzeo, J.R., see Swartz, M.E. 724(1996)307
- Mazzeo, J.R., see Swartz, M.E. 735(1996)303
- McCalley, D.V.
Influence of organic solvent modifier and solvent strength on peak shape of some basic compounds in high-performance liquid chromatography using a reversed-phase column 708(1995)185
- McCalley, D.V.
Effect of organic solvent modifier and nature of solute on the performance of bonded silica reversed-phase columns for the analysis of strongly basic compounds by high-performance liquid chromatography 738(1996)169
- McCarthy, E., Vella, G., Mhatre, R. and Lim, Y.-P.
Rapid purification and monitoring of immunoglobulin M from ascites by perfusion ion-exchange chromatography 743(1996)163
- McClean, S., see McGrath, G. 735(1996)237
- McCormack, T., see Hunt, A.J. 708(1995)61
- McCoy, M., Kalghatgi, K., Regnier, F.E. and Afeyan, N.
Perfusion chromatography – characterization of column packings for chromatography of proteins 743(1996)221
- McCroskey, M.C., see Pearson, J.D. 746(1996)277
- McGrath, G., McClean, S., O'Kane, E., Smyth, W.F. and Tagliaro, F.
Study of the capillary zone electrophoretic behaviour of selected drugs, and its comparison with other analytical techniques for their formulation assay 735(1996)237
- McGrath, J.P., see Hunt, A.J. 708(1995)61
- McGuffin, V.L. and Wu, P.
Three-dimensional molecular simulation of chromatographic separations 722(1996)3
- McIntyre, P., see Johnson, J.H. 718(1995)371
- McKenzie, C., see Wells, D.E. 718(1995)107
- McKervey, M.A., see Glennon, J.D. 731(1996)47
- McKillip, A.G., Smith, R.M., Rowe, R.C. and Wren, S.A.C.
Optimisation of the separation of the dimethylpyridines by capillary electrophoresis 730(1996)321
- McKinnon, K., see Mulholland, M. 739(1996)25
- McLaughlin, G.M., Weston, A. and Hauffe, K.D.
Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123
- McLean, M., Vestal, M.L., Teffera, Y. and Abramson, F.P.
Element- and isotope-specific detection for high-performance liquid chromatography using chemical reaction interface mass spectrometry 732(1996)189
- McLoughlin, D.A., Olah, T.V., Ellis, J.D., Gilbert, J.D. and Halpin, R.A.
Quantitation of the 5HT_{1D} agonists MK-462 and sumatriptan in plasma by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 726(1996)115
- McManigill, D., see Yin, H. 744(1996)45
- McNeal, C.J., see Hu, A.Z. 717(1995)33
- McNerney, T.M., Watson, S.K., Sim, J.-H. and Bridenbaugh, R.L.
Separation of recombinant human growth hormone from *Escherichia coli* cell pellet extract by capillary zone electrophoresis 744(1996)223
- McPherson, B.P., see Rasmussen, H.T. 719(1996)434
- Meadows, P.E., see Sidelmann, U.G. 728(1996)377
- Mechref, Y. and El Rassi, Z.
Micellar electrokinetic capillary chromatography with in-situ charged micelles. VI. Evaluation of novel chiral micelles consisting of steroidol–glycoside surfactant–borate complexes 724(1996)285
- Meder, M., see Brüggemann, O. 744(1996)167
- Medina-Hernández, M.J. and Sagrado, S.
Chromatographic quantification of hydrophobicity using micellar mobile phases 718(1995)273
- Medvedovici, A., see Sandra, P. 703(1995)467
- Mee, L.D., see Tolosa, I. 725(1996)93
- Meehan, E., see Scully, P. 729(1996)297
- Meekel, A.A.P., see Busch, M.H.A. 744(1996)195
- Meeting, H.J. and Coenegracht, M.J.
Neural networks in high-performance liquid chromatography optimization: response surface modeling 728(1995)47
- Meguro, H., see Akasaka, K. 729(1995)381
- Meguro, H., see Kim, J.-H. 709(1995)375
- Mehlis, B., see Brudel, M. 712(1995)169
- Meinhardt, G., see Schepky, A.G. 743(1996)273
- Mejanelle, P., see Bleton, J. 720(1996)27
- Mejuto, M.C., see Rodríguez, I. 721(1996)297
- Mejuto, M.C., see Turnes, M.I. 733(1996)395
- Meklati, B.Y., see Righezza, M. 723(1996)77
- Melin, J., see Bengtsson, A. 723(1996)301
- Mellerio, G., see Angerosa, F. 736(1996)195
- Melucci, D., see Reschiglian, P. 740(1996)245
- Melzi D'Erl, G., Cappuccia, N., Colli, M. and Molina, V.
Gas chromatography of 4,4'-diphenylmethane diisocyanate in the workplace atmosphere 718(1995)141
- Melzi d'Erl, G.V., see Achilli, G. 729(1996)273
- Melzi d'Erl, G.V., see Rizzo, V. 729(1996)181
- Melzig, M.F., see Brudel, M. 712(1995)169
- Memon, A.A., see Khuhawar, M.Y. 715(1995)366
- Ménard, C., see Lawrence, J.F. 721(1996)359
- Ménard, C., see Lawrence, J.F. 732(1996)277
- Méndez, E., see Calero, M. 719(1996)149
- Mendez, P., see Muzquiz, M. 719(1996)237
- Mendonca, S., Wentworth, W.E., Chen, E.C.M. and Stearns, S.D.
Relative responses of various classes of compounds using a pulsed discharge helium photoionization detector.
Experimental determination and theoretical calculations 749(1996)131
- Ménez, J.F., see Bellec, G. 727(1996)83
- Meng, Q.C. and Oparil, S.
Purification and assay methods for angiotensin-converting enzyme 743(1996)105
- Mengerink, Y., Mure, M., de Brabander, E.M.M. and Van der Wal, Sj.
Exclusion chromatography of polypropylenamine dendrimers 730(1996)75
- Mensink, C.K., see Wieling, J. 730(1996)381

- Mentasti, E., see Bruzzoniti, M.C. 728(1996)55
 Mentasti, E., see Sarzanini, C. 706(1995)141
 Mentasti, E., see Sarzanini, C. 739(1996)63
 Meraner, C., see Lindner, H. 743(1996)137
 Meraz, J.L.L., see Vera-Avila, L.E. 731(1996)115
 Merchuk, J.C., see Mistry, S.L. 741(1996)151
 Mercier, J.-P., Morin, Ph., Dreux, M. and Tambute, A.
 Capillary electrophoresis analysis of chemical warfare agent breakdown products. I. Counterelectroosmotic separation of alkylphosphonic acids and their monoester derivatives 741(1996)279
 Merkoçi, A., see Baraj, B. 718(1995)227
 Merrick, B.A., see Selkirk, J.K. 711(1995)331
 Messana, I., see Castagnola, M. 735(1996)271
 Metz, R., see Muth, P. 729(1996)251
 Metz, R., see Muth, P. 729(1995)259
 Metz, R., Muth, P., Ferger, M., Bolten, W.W. and Vergin, H.
 Improved determination of sulfadiazine in human plasma and urine by high-performance liquid chromatography 729(1996)243
 Metzger, W. and Reif, K.
 Determination of 1,8-dihydroxyanthranoids in senna 740(1996)133
 Meuldermans, W., see Hendrickx, J. 729(1996)341
 Meunier, F., see Oliveros, L. 729(1996)29
 Meusel, M., see Stelzer, A. 729(1996)5
 Mevoli, A., see Buldini, P.L. 739(1996)131
 Mevoli, A., see Buldini, P.L. 739(1996)167
 Meyer, A. and Kleiböhmer, W.
 Determination of pentachlorophenol in leather using supercritical fluid extraction with in situ derivatization 718(1995)131
 Meyer, A., see Nirmaier, H.-P. 730(1996)169
 Meyer, H.E., see Weigt, C. 712(1995)141
 Meyer, R., see Motohashi, N. 710(1995)117
 Meyerhoff, M.E., see Xiao, J. 715(1995)19
 Mhatre, R., see McCarthy, E. 743(1996)163
 Mhatre, R., Nashabeh, W., Schmalzing, D., Yao, X., Fuchs, M., Whitney, D. and Regnier, F.
 Purification of antibody Fab fragments by cation-exchange chromatography and pH gradient elution 707(1995)225
 Miao, H., Yu, M. and Hu, S.
 Artificial neural networks aided deconvolving overlapped peaks in chromatograms 749(1996)5
 Miao, J.-R., see Liu, Y.-M. 719(1996)450
 Miao, X., see Chu, S. 724(1996)392
 Micali, G., Lanuzza, F. and Currò, P.
 High-performance liquid chromatographic determination of the biologically active principle hypericin in phytotherapeutic vegetable extracts and alcoholic beverages 731(1996)336
 Micali, G., see Zonta, F. 718(1995)99
 Michael, J.L., see Fischer, J.B. 704(1995)131
 Michaelsen, S., see Bjergegaard, C. 717(1995)325
 Michalke, B.
 Capillary electrophoretic methods for a clear identification of selenoamino acids in complex matrices such as human milk 716(1995)323
 Michalke, B. and Schramel, P.
 Hyphenation of capillary electrophoresis to inductively coupled plasma mass spectrometry as an element-specific detection method for metal specification 750(1996)51
 Michigami, Y., Morooka, M. and Ueda, K.
 Determination of sulphite and sulphate by ion chromatography using a weakly basic phthalate eluent 732(1996)403
 Michor, G., Carron, J., Bruce, S. and Cancilla, D.A.
 Analysis of 23 polynuclear aromatic hydrocarbons from natural water at the sub-ng/l level using solid-phase disk extraction and mass-selective detection 732(1996)85
 Michotte, Y., see Boonkerd, S. 704(1995)238
 Michotte, Y., see Boonkerd, S. 736(1996)281
 Michotte, Y., see Pravda, M. 727(1996)47
 Mifune, A., see Kusaka, T. 730(1996)1
 Miginiac, E., see Pétron, J. 723(1996)381
 Mignot, A., see Millerioux, L. 729(1995)309
 Miguéns-Rodríguez, M., see Cela-Torrijos, R. 750(1996)191
 Mikesell, D., see Welch, K.A. 739(1996)257
 Mikešová, M., see Janda, V. 733(1996)35
 Miki, A., Tsuchihashi, H., Ueda, K. and Yamashita, M.
 Gas chromatographic determination and gas chromatographic-mass spectrometric determination of dialkyl phosphates via extractive pentafluorobenzylation using a polymeric phase-transfer catalyst 718(1995)383
 Miki, Y., see Oguri, S. 724(1996)169
 Mikkat, S., see Schoor, A. 704(1995)89
 Mikou, M., see Benmoussa, A. 731(1996)153
 Mikšík, I., see Boso, R.L. 709(1995)11
 Mikšík, I., see Jelínková, D. 709(1995)111
 Mikumo, K., see Monde, T. 722(1996)273
 Milella, E., see Buldini, P.L. 739(1996)131
 Miles, D. and Garcia, A.A.
 Separation of biotin labeled proteins from their unlabeled counterparts using immobilized platinum affinity chromatography 702(1995)173
 Milin, Č., see Giacometti, J. 704(1995)535
 Miller, D.J., see Langenfeld, J.J. 740(1996)139
 Millerioux, L., Brault, M., Gualano, V. and Mignot, A.
 High-performance liquid chromatographic determination of baclofen in human plasma 729(1995)309
 Millier, B., see Aue, W.A. 719(1996)468
 Millier, B., see Singh, H. 724(1996)255
 Mills, M.J., see Lough, W.J. 726(1996)67
 Milojković, S.S., see Marinković, V.D. 746(1996)286
 Min, C.-S., see Hyun, M.H. 732(1996)209
 Minář, J., see Komárek, K. 727(1996)131
 Minárik, M., Groiss, F., Gaš, B., Blaas, D. and Kenndler, E.
 Dispersion effects accompanying pressurized zone mobilisation in capillary isoelectric focusing of proteins 738(1996)123
 Mingalyov, P.G. and Fadeev, A.Yu.
 Activated silica supports for preparation of chromatographic sorbents. A comparative study of silicas containing attached epoxy, tosyloxy and halogen groups 719(1996)291
 Mingorance, M.D., see de la Colina, C. 733(1996)275

- Mínguez-Mosquera, M.I., Gandul-Rojas, B. and Garrido-Fernández, J.
Preparation of Cu(II) complexes of oxidized chlorophylls and their determination by thin-layer and high-performance liquid chromatography 731(1996)261
- Minguillón, C., Franco, P., Oliveros, L. and López, P.
Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. I. Influence of the degree of fixation on selectivity 728(1996)407
- Minguillón, C., Franco, P. and Oliveros, L.
Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. II. Influence of the porosity of the silica gel matrix on performance 728(1996)415
- Minguillón, C., see Oliveros, L. 729(1996)29
- Minkiewicz, P., Slangen, C.J., Lagerwerf, F.M., Haverkamp, J., Rollema, H.S. and Visser, S.
Reversed-phase high-performance liquid chromatographic separation of bovine κ -casein macropeptide and characterization of isolated fractions 743(1996)123
- Miralles, E., see Prat, M.D. 746(1996)239
- Miranda, M.A., see Climent, M.J. 738(1996)225
- Miranda Ordieres, A.J., see Rodríguez López, M. 721(1996)231
- Mirkovich, J.N., see Gomez, F.A. 727(1996)291
- Miroshnikov, A.I., see Klyushnichenko, V.E. 704(1995)357
- Mischnick, P., see Heinrich, J. 749(1996)41
- Mishina, M., see Oguri, S. 724(1996)169
- Misiti, D., see Gasparrini, F. 724(1996)79
- Mislovičová, D., Chudinová, M., Vikartovská, A. and Gemeiner, P.
Lectin-glycoenzyme column chromatography monitored by enzyme flow microcalorimetry 722(1996)143
- Mistry, P., see Poon, G.K. 712(1995)61
- Mistry, S.L., Kaul, A., Merchuk, J.C. and Asenjo, J.A.
Mathematical modelling and computer simulation of aqueous two-phase continuous protein extraction 741(1996)151
- Mitchelson, K.R., see Cheng, J. 732(1996)151
- Mitnik, L., Salomé, L., Viovy, J.L. and Heller, C.
Systematic study of field and concentration effects in capillary electrophoresis of DNA in polymer solutions 710(1995)309
- Mitov, I.P. and Petrov, L.A.
Assessment of some possibilities for improving the performance of gas chromatographic thermal conductivity detectors with hot-wire sensitive elements 715(1995)287
- Mitra, S., Xu, Y.H., Chen, W. and Lai, A.
Characteristics of microtrap-based injection systems for continuous monitoring of volatile organic compounds by gas chromatography 727(1996)111
- Mitra, S., Zhu, N., Zhang, X. and Kebbekus, B.
Continuous monitoring of volatile organic compounds in air emissions using an on-line membrane extraction-microtrap-gas chromatographic system 736(1996)165
- Mitrochkin, A.A., see Varlamov, V.P. 711(1995)113
- Mittlböck, M., see Kopelent-Frank, H. 729(1996)201
- Miwa, H. and Yamamoto, M.
Determination of mono-, poly- and hydroxy-carboxylic acid profiles of beverages as their 2-nitrophenylhydrazides by reversed-phase ion-pair chromatography 721(1996)261
- Miyano, Y., see Haginaka, J. 708(1995)161
- Miyazaki, M., see Nishimura, M. 708(1995)195
- Miyazaki, M., see Yamamoto, A. 727(1996)55
- Mizuno, T., see Adachi, S. 708(1995)177
- Mlakar, A. and Spiteller, G.
Distinction between enzymic and nonenzymic lipid peroxidation 743(1996)293
- Mňuk, P., Feltl, L. and Schurig, V.
Gas chromatographic study of the inclusion properties of calixarenes. II. Selective properties of cyclic tetra- to octamers derived from phenol, and some problems associated with the use of calixarenes in capillary gas chromatography 732(1996)63
- Modler, A., see Fischer, C. 728(1996)433
- Moeder, C., O'Brien, T., Thompson, R. and Bicker, G.
Determination of stoichiometric coefficients and apparent formation constants for α - and β -CD complexes of terpenes using reversed-phase liquid chromatography 736(1996)1
- Mofaddel, N.L., see Desbène, A.M. 716(1995)279
- Mohr, H., see Knüver-Hopf, J. 717(1995)71
- Mohammad, A.A., see Petersen, J.R. 744(1996)37
- Moinet, C., see Fischer, C. 728(1996)433
- Moini, M., see Cao, P. 710(1995)303
- Mol, H.G.J., see Bosboom, J.C. 724(1996)384
- Mol, H.G.J., Janssen, H.-G.M., Cramers, C.A., Vreuls, J.J. and Brinkman, U.A.Th.
Trace level analysis of micropollutants in aqueous samples using gas chromatography with on-line sample enrichment and large volume injection (Review) 703(1995)277
- Moldovan, Z., Delgado Luque, M.V., Otal Salaverri, E., Suárez, A., Andreozzi, R., Insola, A. and Lebrato Martínez, J.
Determination of polyethylene glycols in water by reversed-phase high-performance liquid chromatography 723(1996)243
- Molero, A., see Huber, W. 715(1995)333
- Molina, C., Durand, G. and Barceló, D.
Trace determination of herbicides in estuarine waters by liquid chromatography-high-flow pneumatically assisted electrospray mass spectrometry 712(1995)113
- Molina, C., Grasso, P., Benfenati, E. and Barceló, D.
Automated sample preparation with extraction columns followed by liquid chromatography-ionspray mass spectrometry. Interferences, determination and degradation of polar organophosphorus pesticides in water samples 737(1996)47
- Molina, V., see Melzi D'Eril, G. 718(1995)141
- Molina-Cano, J.L., see Pérez-Vendrell, A.M. 718(1995)291
- Mollé, D. and Léonil, J.
Heterogeneity of the bovine κ -casein caseinomacropeptide, resolved by liquid chromatography on-line with electrospray ionization mass spectrometry 708(1995)223
- Möller, P., see Andersson, S. 741(1996)23
- Möller, P., see Bjergegaard, C. 717(1995)325
- Möller, P., see Bjergegaard, C. 717(1995)409
- Mollerup, J., see Staby, A. 734(1996)205
- Molling, M.C., see Van der Schans, M.J. 717(1995)139
- Molnar, I., see Bilke, H.W. 729(1996)189
- Molnár, J., see Motohashi, N. 710(1995)117
- Moltó, J.C., see Font, G. 733(1996)449
- Moltó, J.C., see Viana, E. 733(1996)267

- Monaco, H.L., see Massolini, G. 704(1995)55
- Monde, T., Kamiusuki, T., Kuroda, T., Mikumo, K., Ohkawa, T. and Fukube, H.
High-performance liquid chromatographic separation of phenols on a fluorocarbon-bonded silica gel column 722(1996)273
- Mongay, C., Pastor, A. and Olmos, C.
Determination of carboxylic acids and inorganic anions in wines by ion-exchange chromatography 736(1996)351
- Monnig, C.A., see Gump, E.L. 715(1995)167
- Monohan, K., see Field, J.A. 741(1996)185
- Montalbetti, L., see Rizzo, V. 729(1996)181
- Montanarella, L., see Fromberg, A. 746(1996)71
- Montanarella, L., see Larsen, B. 708(1995)115
- Monteferrante, J.A., see Owies, L. 719(1996)307
- Montgomery, R.M., see Cox, J.A. 739(1996)229
- Moodley, V.E., Mulholland, D.A. and Raynor, M.W.
Micellar electrokinetic capillary chromatography of limonoid glucosides from citrus seeds 718(1995)187
- Moore, I.L., Pritchard, G.G. and Otter, D.E.
Use of capillary zone electrophoresis in an investigation of peptide uptake by dairy starter bacteria 718(1995)211
- Moore, J.A., see Jayaraman, G. 702(1995)143
- Moore, J.M., see Casale, J.F. 749(1996)173
- Moore, J.M., Casale, J.F., Hays, P.A., Klein, R.F.X. and Cooper, D.A.
Hygrine, bona fide alkaloid or artifact: its chemical reduction, novel di-heptafluorobutyrylation and sensitive detection in South American coca leaves using capillary gas chromatography-electron capture detection 704(1995)483
- Moorhouse, K.G., Eusebio, C.A., Hunt, G. and Chen, A.B.
Rapid one-step capillary isoelectric focusing method to monitor charged glycoforms of recombinant human tissue-type plasminogen activator 717(1995)61
- Morales, J., see Velásquez, H. 739(1996)295
- Moran, G.M., see Umali, J.C. 706(1995)199
- Moran, J.E., Teng, R.T.D., Rao, U. and Fehn, U.
Detection of iodide in geologic materials by high-performance liquid chromatography 706(1995)215
- Morden, W., see Somsen, G.W. 703(1995)613
- Moreda, W., see Pérez-Camino, M.C. 721(1996)305
- Morello, M., Previale, L. and Quaglino, P.
Gas chromatographic system equipped with a mass detector and a selective nitrogen-phosphorous detector operating simultaneously in the analysis of pesticide residues 740(1996)263
- Moret, S. and Conte, L.S.
High-performance liquid chromatographic evaluation of biogenic amines in foods. An analysis of different methods of sample preparation in relation to food characteristics 729(1996)363
- Moret, S., Grob, K. and Conte, L.S.
On-line high-performance liquid chromatography-solvent evaporation-high-performance liquid chromatography-capillary gas chromatography-flame ionisation detection for the analysis of mineral oil polyaromatic hydrocarbons in fatty foods 750(1996)361
- Moretti, P., see Castello, G. 734(1996)277
- Moretti, P., see Castello, G. 742(1996)151
- Morgenstern, O., see Stelzer, A. 729(1996)5
- Morgunova, E.Yu., see Varlamov, V.P. 711(1995)113
- Mori, M., Nakajima, H. and Seto, Y.
Determination of fluoroacetate in aqueous samples by headspace gas chromatography 736(1996)229
- Mori, M., see Tokuda, T. 722(1996)123
- Moriguchi, S., see Seki, T. 730(1996)139
- Morimoto, T., see Kitaoka, Y. 738(1996)305
- Morin, C.J., see Desbène, A.M. 716(1995)279
- Morin, P., see François, C. 717(1995)393
- Morin, P., see Francois, C. 706(1995)535
- Morin, P., see Sainthorant, C. 717(1995)167
- Morin, Ph., see Baumy, Ph. 707(1995)311
- Morin, Ph., see Mercier, J.-P. 741(1996)279
- Morin-Allory, L., see Lafosse, M. 720(1996)61
- Morita, M., see Ikeda, Y. 746(1996)255
- Morita, T., see Nojima, K. 712(1995)17
- Moriyama, H., Anegayama, M. and Kato, Y.
Rapid separation of peptides and proteins on 2-μm porous microspherical reversed-phase silica material 729(1996)81
- Morley, J.A., see Elrod, Jr, L. 723(1996)235
- Moro, E., De Angelis, M. and Fugazza, B.
Plasma level determination of 1,4-butanedisulphonate by ion chromatography and conductimetric detection 706(1995)451
- Morooka, M., see Michigami, Y. 732(1996)403
- Morovján, G., see Fekete, J. 712(1995)378
- Morselli, L., see Zappoli, S. 721(1996)269
- Mortensen, H.D., see Heegaard, N.H.H. 717(1995)83
- Morton, A.B., see Fan, T.Y. 740(1996)289
- Mosbach, K., see Krook, M. 711(1995)119
- Mosbach, K., see Nilsson, K.G.I. 707(1995)199
- Mosbæk, H., see Johansen, S.S. 738(1996)295
- Mosello, R., see Marchetto, A. 706(1995)13
- Mosello, R., see Tartari, G.A. 706(1995)21
- Moser, H., see Andre, M. 725(1996)287
- Moser, H., see Andre, M. 741(1996)146
- Mosher, R.A., Zhang, C.-X., Caslavská, J. and Thormann, W.
Dynamic simulator for capillary electrophoresis with in situ calculation of electroosmosis 716(1995)17
- Moskovin, L.N. and Rodinkov, O.V.
Continuous chromatomembrane headspace analysis 725(1996)351
- Motellier, S. and Pitsch, H.
Simultaneous analysis of some transition metals at ultra-trace level by ion-exchange chromatography with on-line preconcentration 739(1996)119
- Motellier, S., see Janvion, P. 715(1995)105
- Mothes, S., see Pörschmann, J. 750(1996)287
- Motohashi, N., Meyer, R., Molnár, J., Párkányi, C. and Fang, X.
Chromatographic determination of benz[c]acridines and related compounds in airborne carcinogens 710(1995)117
- Motomura, H., see Kodama, M. 707(1995)117
- Motte, J.C., Windey, R. and Delafortrie, A.
High-sensitivity fluorescence derivatization for the determination of hydroxy compounds in aqueous solution by high-performance liquid chromatography 728(1996)333
- Mou, S., see Sun, Q. 708(1995)99
- Moulder, R., see Broadbent, J.K. 732(1996)101
- Mouloungui, Z., see Baudrand, V. 704(1995)524
- Mounts, T.L., see Abidi, S.L. 741(1996)213

- Moussa, F.
Erratum Erratum to "Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography" [J. Chromatogr. A, 664 (1994) 189] 708(1995)363
- Mousset, G., see Cosoveanu, V. 727(1996)324
- Moyano, E., see Galceran, M.T. 710(1995)139
- Moyano, E., see Galceran, M.T. 715(1995)41
- Moyano, E., see Galceran, M.T. 730(1996)185
- Moyano, E., see Galceran, M.T. 731(1996)75
- Moorhouse, K.G., see Chen, A.B. 744(1996)279
- Mrestani, Y., see Schiewe, J. 717(1995)255
- Mrotzek, T., see Malsch, R. 744(1996)215
- M'Timkulu, T., see Apffel, A. 732(1996)27
- M'Timkulu, T., see Apffel, A. 750(1996)35
- Mu, H., Wesén, C., Novák, T., Sundin, P., Skramstad, J. and Odham, G.
Enrichment of chlorinated fatty acids in fish lipids prior to analysis by capillary gas chromatography with electrolytic conductivity detection and mass spectrometry 731(1996)225
- Mucha, P., Rekowski, P., Kupryszewski, G. and Barciszewski, J.
Monitoring of the purification of systemin by capillary electrophoresis 734(1996)410
- Mück, W.M.
Enantiospecific determination of nimodipine in human plasma by liquid chromatography-tandem mass spectrometry 712(1995)45
- Mudra, P., see Kašička, V. 709(1995)31
- Muegge, E., see Fan, T.Y. 740(1996)289
- Muenster, H., see Dobberstein, P. 712(1995)3
- Muijselaar, P.G.H.M., Claessens, H.A. and Cramers, C.A.
Determination of structurally related phenothiazines by capillary zone electrophoresis and micellar electrokinetic chromatography 735(1996)395
- Mukai, H., see Kawata, K. 710(1995)243
- Mukherjee, T.K., see Goodlett, D.R. 707(1995)233
- Mulholland, D.A., see Moodley, V.E. 718(1995)187
- Mulholland, M., McKinnon, K. and Haddad, P.R.
Practical evaluation of ion chromatography methods developed by an expert system 739(1996)25
- Mulholland, M., Preston, P., Hibbert, D.B., Haddad, P.R. and Compton, P.
Teaching a computer ion chromatography from a database of published methods 739(1996)15
- Müller, C., see Schepel, T.H. 725(1996)3
- Muller, D., see Lakhiari, H. 711(1995)93
- Muller, D., see Serres, A. 711(1995)151
- Müller, G., see Ettner, N. 742(1996)95
- Müller, H., see Süsse, H. 730(1996)337
- Müller, O., see Foret, F. 716(1995)157
- Müller, O., see Muth, J. 744(1996)303
- Müller-Schulte, D. and Brunner, H.
Novel magnetic microspheres on the basis of poly(vinyl alcohol) as affinity medium for quantitative detection of glycated haemoglobin 711(1995)53
- Mulligan, C.N., see Gibbs, B.F. 725(1996)372
- Muñoz Domínguez, A.I., see Carabias Martínez, R. 733(1996)349
- Muntau, H., see Marchetto, A. 706(1995)13
- Murashima, T., see Haginaka, J. 704(1995)279
- Murashima, T., see Haginaka, J. 708(1995)161
- Murayama, T., see Nonomura, M. 739(1996)301
- Mure, M., see Mengerink, Y. 730(1996)75
- Murray, P.G., see Pirkle, W.H. 719(1996)299
- Murray, S., Rendell, N.B. and Taylor, G.W.
Microbore high-performance liquid chromatography-electrospray ionisation mass spectrometry of steroid sulphates 738(1996)191
- Murrer, B.A., see Poon, G.K. 712(1995)61
- Murty, R.B., see Choudhari, K.B. 724(1996)343
- Murugaiah, V., see Wang, P. 721(1996)289
- Musa, G., see Sanagi, M.M. 722(1996)59
- Muschik, G.M., see Chan, K.C. 718(1995)203
- Musci, M., see Careri, M. 727(1996)153
- Musini, P.C., see Casoli, A. 731(1996)237
- Musmeci, L., Beccaloni, E. and Chirico, M.
Determination of chloride in the leachates of stabilised waste by ion chromatography and by a volumetric method. Analysis and comparison 706(1995)321
- Mustaeva, L.G., see Danilov, A.V. 732(1996)17
- Muth, J., see Barry, J.P. 732(1996)159
- Muth, J., Müller, O., Berka, J., Leonard, J.T. and Karger, B.L.
DNA sequence analysis of Prrker-modified restriction fragments after collection from capillary electrophoresis with replaceable matrices 744(1996)303
- Muth, P., see Metz, R. 729(1996)243
- Muth, P., Metz, R., Beck, H., Bolten, W.W. and Vergin, H.
Improved high-performance liquid chromatographic determination of amoxicillin in human plasma by means of column switching 729(1995)259
- Muth, P., Metz, R., Siems, B., Bolten, W.W. and Vergin, H.
Sensitive determination of nitrofurantoin in human plasma and urine by high-performance liquid chromatography 729(1996)251
- Müthing, J.
High-resolution thin-layer chromatography of gangliosides 720(1996)3
- Muto, M., see Shinomiya, K. 724(1996)179
- Mutschler, E., see Büschges, R. 725(1996)323
- Muzquiz, M., Robredo, L.M., Burbano, C., Cuadrado, C., Ayet, G. and Mendez, P.
Variation in the alkaloid content of different subspecies of *Chamaecytisus proliferus* from the Canary Islands 719(1996)237
- Myers, P., see Zimina, T. 728(1996)33
- Myhill, R.G., see Wiblin, D.J. 702(1995)81
- Myland, J.C., see Colyer, C.L. 732(1996)335
- Moorhouse, K.G., see Hunt, G. 744(1996)295
- Moorhouse, K.G., see Thorne, J.M. 744(1996)155

N

Na, M.S., see Ho Hyun, M. 732(1996)209

Nadal, T., Ortúñoz, J. and Pascual, J.A.

Rapid and sensitive determination of zidovudine and zidovudine glucuronide in human plasma by ion-pair high-performance liquid chromatography 721(1996)127

Nadler, T., Blackburn, C., Mark, J., Gordon, N., Regnier, F.E. and Vella, G.

Automated proteolytic mapping of proteins 743(1996)91

Naess, H., see Krook, M. 711(1995)119

Nagamine, T. and Komae, K.

Improvement of a method for chain-length distribution analysis of wheat amylopectin 732(1996)255

Nagao, T., see Wolfender, J.-L. 712(1995)155

Nagaraju, V., see Husain, S. 705(1995)380

Nagaraju, V., see Husain, S. 743(1996)328

Nagashima, H., see Goto, T. 749(1996)295

Nageswara Rao, R., see Husain, S. 705(1995)380

Nagra, D.S. and Li, L.

Liquid chromatography-time-of-flight mass spectrometry with continuous-flow matrix-assisted laser desorption ionization 711(1995)235

Nah, T.H., Cho, E.H., Jang, M.D., Lee, Y.K. and Park, J.H.

Binding forces contributing to reversed-phase liquid chromatographic retention on a β -cyclodextrin bonded phase 722(1996)41

Nahrstedt, A., see Wojciechowski, H. 717(1995)261

Naim, A., see Abushamaa, A. 742(1996)295

Nair, J.B., see Jagota, N.K. 721(1996)315

Nair, J.B., see Jagota, N.K. 739(1996)343

Nair, L.M., Kildew, B.R. and Saari-Nordhaus, R.

Enhancing the anion separations on a polydivinylbenzene-based anion stationary phase 739(1996)99

Naito, S., see Shibukawa, A. 708(1995)364

Nakagawa, T., see Shibukawa, A. 708(1995)364

Nakagawa, Y., see Ou, Z. 724(1996)131

Nakahara, T., see Abe, I. 722(1996)221

Nakajima, H., see Mori, M. 736(1996)229

Nakajima, M., see Yamane, M. 730(1996)91

Nakajima, M., see Yamato, S. 731(1996)346

Nakamura, H., see Tanaka, S. 718(1995)233

Nakamura, K.-i., see Hirokawa, T. 709(1995)171

Nakamura, M., see Nobuhara, K. 704(1995)45

Nakanishi, S., see Hino, T. 746(1996)83

Nakano, H., see Kusaka, T. 730(1996)1

Nakano, Y., see Kusaka, T. 730(1996)1

Nakashima, K., Inoue, K., Mayahara, K., Kuroda, N., Hamachi, Y. and Akiyama, S.

Use of 3-(1,8-naphthalimido)propyl-modified silyl silica gel as a stationary phase for the high-performance liquid chromatographic separation of purine derivatives 722(1996)107

Nakashiro, S., see Arakawa, H. 722(1996)359

Nakatsuji, Y., see Harino, H. 715(1995)135

Nakayama, H., Uchida, K., Shinkai, F., Shinoda, T., Okuyama, T., Seta, K. and Isobe, T.

Capillary column high-performance liquid chromatographic-electrospray ionization triple-stage quadrupole mass spectrometric analysis of proteins separated by two-dimensional polyacrylamide gel electrophoresis. Application to cerebellar protein mapping 730(1996)279

Nakayama, M., see Harada, K. 740(1996)207

Nakazawa, H., see Oka, H. 723(1996)61

Namieśnik, J., see Biziuk, M. 733(1996)171

Namieśnik, J., see Konieczka, P. 742(1996)175

Namyśl-Goldberg, C., see Clark, R. 744(1996)205

Nappier, J., see Cho, B.-Y. 743(1996)181

Narayanan, L., see Weiss, J. 706(1995)81

Nardillo, A.M., see Castells, R.C. 715(1995)299

Nasal, A., see Kalisz, R. 722(1996)25

Nashabeh, W., see Mhatre, R. 707(1995)225

Natishan, T.K., see Prabhu, S.V. 731(1996)331

Nau, H., see Arafa, H.M.M. 729(1996)125

Nausch, I., see Rimkus, G.G. 737(1996)9

Navalón, A., see Vilchez, J.L. 746(1996)289

Navas Días, A., see García Sanchez, F. 723(1996)227

Navas Díaz, A., García Sánchez, F. and González García, J.A.

Thin-layer chromatography with chemiluminescent detection of enhancers of the luminol-H₂O₂-peroxidase system 724(1996)411

Nawrocki, J., Kalkowska, I. and Dąbrowska, A.

Optimization of solid-phase extraction method for analysis of low-ppb amounts of aldehydes-ozonation by-products 749(1996)157

Naylor, S., Benson, L.M. and Tomlinson, A.J.

Application of capillary electrophoresis and related techniques to drug metabolism studies 735(1996)415

Naylor, S., see Tomlinson, A.J. 744(1996)3

Naylor, S., see Tomlinson, A.J. 744(1996)273

Nazarov, E.G., see Rasulev, U.K. 704(1995)473

Neckermann, H., see Krause, I. 715(1995)67

Nedeljković, J.M., see Marinković, V.D. 746(1996)286

Nedjma, M. and Maujean, A.

Improved chromatographic analysis of volatile sulfur compounds by the static headspace technique on water-alcohol solutions and brandies with chemiluminescence detection 704(1995)495

Neele, J., see van den Hoop, M.A.G.T. 739(1996)241

Nelson, W.M., Tang, Q., Harrata, A.K. and Lee, C.S.

On-line partial filling micellar electrokinetic chromatography-electrospray ionization mass spectrometry 749(1996)219

Nerčec, V., see Porcar, M. 724(1996)193

Németh-Kiss, V., Forgács, E., Cserháti, T. and Schmidt, G.

Determination of taxol in *Taxus* species grown in Hungary by high-performance liquid chromatography-diode array detection. Effect of vegetative period 750(1996)253

Nemoto, M., see Adachi, T. 715(1995)13

Nerini, F., see Cavallaro, A. 709(1995)361

Nertz, M., see Nouadje, G. 716(1995)331

Nertz, M., see Nouadje, G. 717(1995)293

Nertz, M., see Nouadje, G. 717(1995)335

Nesi, M., see Chiari, M. 717(1995)1

- Nesterenko, P.N., Elefterov, A.I., Tarasenko, D.A. and Shpigun, O.A.
Selectivity of chemically bonded zwitterion-exchange stationary phases in ion chromatography 706(1995)59
- Neubert, K., see Hoffmann, T. 716(1995)355
- Neubert, R., see Schiewe, J. 717(1995)255
- Neubert, R.H.H., see Schwarz, M.A. 745(1996)135
- Neumann, K., see Welch, K.A. 739(1996)257
- Ng, E., see Goldberg, D.M. 708(1995)89
- Ng, H.Y.F., see Graham, K.N. 725(1996)129
- Nguyen, D.N., Becker, G.W. and Riggan, R.M.
Protein mass spectrometry: applications to analytical biotechnology (Review) 705(1995)21
- Nguyen, H.K.H., see Lederer, M. 723(1996)405
- Nguyen Hong, T.D., Jouan, M., Quy Dao, N., Bouraly, M. and Mantisi, F.
Coupling of high-performance liquid chromatography with Raman spectrometry 743(1996)323
- Nguyen, L., see Scheuer, C. 706(1995)253
- Nguyen, N.T. and Siegler, R.W.
Capillary electrophoresis of cardiovascular drugs 735(1996)123
- Nguyen, T.H., see Zhang, X. 745(1996)1
- Nicholls, A.W., see Sidelmann, U.G. 728(1996)377
- Nichols, P.D., Leeming, R., Rayner, M.S. and Latham, V.
Use of capillary gas chromatography for measuring fecal-derived sterols. Application to stormwater, the sea-surface microlayer, beach greases, regional studies, and distinguishing algal blooms and human and non-human sources of sewage pollution 733(1996)497
- Nicholson, G., see Schmeer, K. 727(1996)139
- Nicholson, J.K., see Sidelmann, U.G. 728(1996)377
- Nicholson, L.W., Pfeiffer, C.D., Goralski, C.T. and Singaram, B.
High-performance liquid chromatographic separation of β -amino alcohols. II. Separation of *trans*-2-(dialkylamino)cyclohexanols on an amylose-based chiral stationary phase 719(1996)315
- Nickless, G., see Sturrock, G.A. 707(1995)255
- Nicolas, E.C., see Terfloth, G.J. 705(1995)185
- Nicoud, R.-M., see Charton, F. 702(1995)97
- Nield, E., see Jacques, B. 725(1996)367
- Nielen, M.W.F.
Industrial applications of capillary zone electrophoresis-mass spectrometry 712(1995)269
- Nielsen, M.S., Nielsen, P.V. and Frisvad, J.C.
Micellar electrokinetic capillary chromatography of fungal metabolites. Resolution optimized by experimental design 721(1996)337
- Nielsen, P.V., see Nielsen, M.S. 721(1996)337
- Niessen, W.M.A., see Slobodník, J. 741(1996)59
- Niessen, W.M.A. and Tinke, A.P.
Liquid chromatography-mass spectrometry. General principles and instrumentation (Review) 703(1995)37
- Niessner, G., Buchberger, W. and Bonn, G.K.
Rapid multiresidue screening method for the determination of pesticides in plant materials 737(1996)215
- Niessner, R., see Schlegel, O. 737(1996)101
- Nigro, F., see Cattaneo, T.M.P. 721(1996)345
- Nijs, M., see Azarkan, M. 724(1996)185
- Nikolova-Damyanova, B., Christie, W.W. and Herslöf, B.
Mechanistic aspects of fatty acid retention in silver ion chromatography 749(1996)47
- Nilsson, C., see Buttler, T. 725(1996)41
- Nilsson, K.G.I., Sakaguchi, K., Gemeiner, P. and Mosbach, K.
Molecular imprinting of acetylated carbohydrate derivatives into methacrylic polymers 707(1995)199
- Nilsson, T., see Fromberg, A. 746(1996)71
- Nimura, N., see Arai, T. 736(1996)303
- Nirmaier, H.-P., Fischer, E., Meyer, A. and Henze, G.
Determination of polycyclic aromatic hydrocarbons in water samples using high-performance liquid chromatography with amperometric detection 730(1996)169
- Nishi, H.
Enantiomer separation of drugs by electrokinetic chromatography 735(1996)57
- Nishi, H.
Enantiomer separation of basic drugs by capillary electrophoresis using ionic and neutral polysaccharides as chiral selectors 735(1996)345
- Nishi, H. and Terabe, S.
Micellar electrokinetic chromatography. Perspectives in drug analysis 735(1996)3
- Nishida, Y., see Kim, J.-H. 709(1995)375
- Nishihata, N., see Kataoka, H. 709(1995)303
- Nishikawa, H. and Sakai, T.
Derivatization and chromatographic determination of aldehydes in gaseous and air samples 710(1995)159
- Nishikawa, T., Suzuki, S., Kubo, H. and Ohtani, H.
On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167
- Nishikawa, Y., see Okumura, T. 709(1995)319
- Nishimoto, K., see Hirokawa, T. 709(1995)171
- Nishimoto, K., see Hirokawa, T. 723(1996)389
- Nishimura, M., Hayashi, M., Yamamoto, A., Horikawa, T., Hayakawa, K. and Miyazaki, M.
Study on how mobile phase buffer composition effects the retention behavior of the system peak in non-suppressed ion chromatography 708(1995)195
- Nishimura, M., see Shibukawa, A. 708(1995)364
- Nishimura, M., see Yamamoto, A. 727(1996)55
- Nishiyama, F., see Hirokawa, T. 709(1995)171
- Nishiyama, F., see Hirokawa, T. 723(1996)389
- Nishiyama, T., see Abe, I. 722(1996)221
- Nitowski, A.J., Al-Mudamgha, A.A. and Chickering, P.K.
Capillary electrophoretic analysis of the sodium salt of naphthalenesulfonic acid, formaldehyde polymer in waste water using a polyethylene glycol-coated capillary 717(1995)363
- Nitsche, H., see Pompe, S. 723(1996)215
- Nitzsche, F., see Pinkernell, U. 730(1996)203
- Nobuhara, K., Kato, M., Nakamura, M., Takami, M. and Kaneko, S.
Preparation and evaluation of magnesia-coated silica as column packing material for high-performance liquid chromatography 704(1995)45
- Nobuhara, K., see Okamoto, M. 722(1996)81

- Noe, C.R. and Freissmuth, J.
Capillary zone electrophoresis of aldose enantiomers: separation after derivatization with *S*-(*-*)-1-phenylethylamine 704(1995)503
- Noel, R.J., O'Hare, W.T. and Street, G.
Thiophilic nature of divinylsulphone cross-linked agarose 734(1996)241
- Nojima, K., Fujimaki, S., Hertsen, R.C. and Morita, T.
Application of liquid chromatography-atmospheric pressure chemical ionization mass spectrometry to a sector mass spectrometer 712(1995)17
- Nöll, G.N.
High-performance liquid chromatographic analysis of retinal and retinol isomers 721(1996)247
- Nomura, A., see Yamada, A. 709(1995)345
- Nomura, A., see Yarita, T. 724(1996)373
- Nomura, A., see Yarita, T. 750(1996)175
- Nonomura, M., Hobo, T., Kobayashi, E., Murayama, T. and Satoda, M.
Ion chromatographic determination of nitrogen monoxide and nitrogen dioxide after collection in absorption bottles 739(1996)301
- Nonomura, Y., Yamaguchi, M., Hara, T., Furuya, K., Yoshioka, N. and Inoue, H.
High-performance liquid chromatographic separation of iron(III) chlorophyllin 721(1996)350
- Noppe, W., Hanssens, I. and De Cuyper, M.
Simple two-step procedure for the preparation of highly active pure equine milk lysozyme 719(1996)327
- Norborg, M.A., see Sandström, M. 730(1996)373
- Nordén, M. and Dabek-Złotorzynska, E.
Study of metal-f fulvic acid interactions by capillary electrophoresis 739(1996)421
- Nordmeyer, F.R., see Cheng, K. 706(1995)517
- Nordstrand, E.
Computer program for simulating the performance of thick-bed diffusive samplers: predicted and experimental sample loss due to reversible adsorption 709(1995)283
- Norska-Borówka, I., see Baranowska, I. 725(1996)199
- Norton, K.L. and Griffiths, P.R.
Comparison of direct deposition and flow-cell gas chromatography-Fourier transform infrared spectrometry of barbiturates 703(1995)383
- Norton, K.L. and Griffiths, P.R.
Performance characteristics of a real-time direct deposition supercritical fluid chromatography-Fourier transform infrared spectrophotometry system 703(1995)503
- Nott, R., see Sundaram, K.M.S. 708(1995)71
- Nouadje, G., Nertz, M. and Couderc, F.
Study of the racemization of L-serine by cyclodextrin-modified micellar electrokinetic chromatography and laser-induced fluorescence detection 716(1995)331
- Nouadje, G., Nertz, M., Verdeguer, P. and Couderc, F.
Ball-lens laser-induced fluorescence detector as an easy-to-use highly sensitive detector for capillary electrophoresis. Application to the identification of biogenic amines in dairy products 717(1995)335
- Nouadje, G., Rubie, H., Chatelut, E., Canal, P., Nertz, M., Puig, P. and Couderc, F.
Child cerebrospinal fluid analysis by capillary electrophoresis and laser-induced fluorescence detection 717(1995)293
- Nouri, B., Fouillet, B., Toussaint, G., Chambon, R. and Chambon, P.
Complementarity of purge-and-trap and head-space capillary gas chromatographic methods for determination of methyl-*tert*-butyl ether in water 726(1996)153
- Novak, H.L., see Cox, J.A. 739(1996)229
- Novák, T., see Mu, H. 731(1996)225
- Novelli, V., see Coco, F.L. 749(1996)95
- Novič, M., Divjak, B., Pihlar, B. and Hudník, V.
Influence of the sample matrix composition on the accuracy of the ion chromatographic determination of anions 739(1996)35
- Novič, M., Dovžan, A., Pihlar, B. and Hudník, V.
Determination of chlorine, sulphur and phosphorus in organic materials by ion chromatography using electrodialysis sample pretreatment 704(1995)530
- Novič, M., see Šíkovec, M. 706(1995)121
- Novič, M., see Šíkovec, M. 739(1996)111
- Nowakowska, J., see Zarzycki, P.K. 709(1995)203
- Nuhn, P., see Bringezu, F. 724(1996)367
- Nunez, M.E., see Strausbauch, M.A. 717(1995)279
- Nurmi, K., see Ossipov, V. 721(1996)59
- Nurok, D., see Kleyle, R.M. 749(1996)211
- Nussbaum, M.A., see Liu, L. 745(1996)45
- Nyberg, F., see Eriksson, U. 743(1996)213
- Nyberg, F., see Nyberg, G. 723(1996)43
- Nyberg, F., see Sanderson, K. 743(1996)207
- Nyberg, G., Sanderson, K., Andrén, P., Thörnwall, M., Einarsson, M., Danielson, B. and Nyberg, F.
Isolation of haemorphin-related peptides from filter membranes collected in connection with haemofiltration of human subjects 723(1996)43
- O
- Obinger, C., Pfeiffer, S., Hofstetter, W., Wutka, R. and Ebermann, R.
Fast and sensitive staining technique for glucose oxidase in polyacrylamide gel 731(1996)293
- Obiols, J., see Guardino, X. 719(1996)141
- Obrezkov, O.N., see Krokhin, O.V. 706(1995)93
- Obrezkov, O.N., see Pirogov, A.V. 706(1995)31
- O'Brien, T., see Moeder, C. 736(1996)1
- Obuseng, V., see Shen, Y. 725(1996)189
- Ochocka, R.J., Rajzer, D., Kowalski, P. and Lamparczyk, H.
Determination of coumarins from *Chrysanthemum segetum* L. by capillary electrophoresis 709(1995)197

- Oda, R.P., see Clark, R. 744(1996)205
 Oda, R.P., see Felmlee, T.A. 717(1995)127
 Odell, D.E., see Poon, G.K. 712(1995)61
 Odham, G., see Mu, H. 731(1996)225
 O'Donnell, G.E., Juska, A., Geyer, R., Faiz, M. and Stalder, S.
 Analysis of trichloroacetic acid in the urine of workers
 occupationally exposed to trichloroethylene by capillary gas
 chromatography 709(1995)313
 O'Donnell, K., see Jones, C. 707(1995)3
 Oehrle, S.A.
 Analysis of anions in drinking water by capillary ion
 electrophoresis 733(1996)101
 Oehrle, S.A.
 Determination of inorganic and organic ions in nickel-
 plating baths by capillary electrophoresis 739(1996)413
 Oehrle, S.A.
 Analysis of low-level anions in water extracts of hard disk
 drive heads by capillary electrophoresis 745(1996)81
 Oehrle, S.A.
 Controlled changes in selectivity of cation separations by
 capillary electrophoresis using various crown-ether
 additives 745(1996)87
 Oehrle, S.A.
 Analysis of nitramine and nitroaromatic explosives by
 capillary electrophoresis 745(1996)233
 Oertel, R., see Richter, K. 729(1995)293
 Ogamo, A., see Ou, Z. 724(1996)131
 Ogawa, T., see Kawazumi, H. 744(1996)31
 Ogawa, T., see Song, J.M. 727(1996)330
 Ogawa, T., Terabayashi, T. and Kawanishi, Y.
 Analysis of oligo- and poly-N-acetylneurameric acids and
 their lactones by capillary electrophoresis 741(1996)295
 Ogino, H., see Maeda, T. 710(1995)51
 Oguri, S., Uchida, C., Mishina, M., Miki, Y. and Kakehi, K.
 Determination of amino acids by pre-column fluorescence
 derivatization with 1-methoxycarbonylindolizine-3,5-
 dicarbaldehyde 724(1996)169
 Oh, C.-H., Kim, J.-H., Kim, K.-R. and Mabry, T.J.
 Rapid gas chromatographic screening of edible seeds, nuts
 and beans for non-protein and protein amino acids
 708(1995)131
 O'Hare, W.T., see Noel, R.J. 734(1996)241
 Ohkawa, T., see Monde, T. 722(1996)273
 Ohkuma, T., Dobashi, A. and Hara, S.
 Delayed adsorption on slowly accessible stationary phase
 surfaces in porous liquid chromatographic column packings
 728(1996)97
 Ohnacht, R., see Kele, M. 730(1996)59
 Ohrui, H., see Akasaka, K. 729(1995)381
 Ohrui, H., see Kim, J.-H. 709(1995)375
 Oh-Shin, Y.-S., see Shin, H.-S. 732(1996)327
 Ohta, K., see Takana, K. 739(1996)317
 Ohta, K., see Tanaka, K. 706(1995)385
 Ohta, K., Tanaka, K. and Fritz, J.S.
 Non-suppressed ion chromatography of inorganic anions,
 magnesium and calcium ions using a pyromellitate eluent
 and its application in evaluating environmental water
 quality 731(1996)179
 Ohta, K., Tanaka, K. and Haddad, P.R.
 Ion-exclusion chromatography of aliphatic carboxylic acids
 on an unmodified silica gel column 739(1996)359
 Ohta, T., see Hirokawa, T. 709(1995)171
 Ohtani, H., see Nishikawa, T. 720(1996)167
 Ohtsu, Y., see Kanda, T. 722(1996)115
 Ohya, K., see Akimoto, K. 734(1996)401
 Ôi, N., Kitahara, H. and Aoki, F.
 Direct separation of carboxylic acid and amine enantiomers
 by high-performance liquid chromatography on reversed-
 phase silica gels coated with chiral copper(II) complexes
 707(1995)380
 Ôi, N., Kitahara, H., Matsushita, Y. and Kisu, N.
 Enantiomer separation by gas and high-performance liquid
 chromatography with tripeptide derivatives as chiral
 stationary phases 722(1996)229
 Ojanperä, I., see Rasanen, I. 738(1996)233
 Oka, H., Ikai, Y., Hayakawa, J., Harada, K.-i., Suzuki, M.,
 Shimizu, A., Hayashi, T., Takeba, K., Nakazawa, H. and
 Ito, Y.
 Separation of ivermectin components by high-speed
 counter-current chromatography 723(1996)61
 Okabe, H., see Wolfender, J.-L. 712(1995)155
 Okada, S., see Yomota, C. 721(1996)89
 Okada, T. and Shimizu, H.
 Retention mechanism of anions in micellar
 chromatography: interpretation of retention data on the
 basis of an ion-exchange model 706(1995)37
 Okafu, G.N., see Kornfelt, T. 726(1996)223
 Okamoto, M., Kakamu, H., Nobuhara, K. and Ishii, D.
 Effect of silver-modified silica on retention and selectivity
 in normal-phase liquid chromatography 722(1996)81
 Okamura, N., Asai, M., Hine, N. and Yagi, A.
 High-performance liquid chromatographic determination of
 phenolic compounds in *Aloe* species 746(1996)225
 O'Kane, E., see McGrath, G. 735(1996)237
 O'Keefe, M., see Van Rhijn, J.A. 712(1995)67
 Okumura, T. and Nishikawa, Y.
 Determination of organophosphorus pesticides in
 environmental samples by capillary gas chromatography–
 mass spectrometry 709(1995)319
 Okuyama, T., see Nakayama, H. 730(1996)279
 Okuyama, T., see Yamaki, S. 728(1996)189
 Okuyama, T., see Yamaki, S. 729(1996)143
 Olah, T.V., see McLoughlin, D.A. 726(1996)115
 Olajos, E., see Péter, A. 705(1995)257
 Olajos, E., see Péter, A. 705(1995)267
 Oldham, K.B., see Colyer, C.L. 716(1995)3
 Oldham, K.B., see Colyer, C.L. 732(1996)335
 Olech, L., see Talmadge, K.W. 744(1996)347
 Olesik, S.V., see Lee, S.T. 707(1995)217
 Olesik, S.V., see Reighard, T.S. 737(1996)233
 Olie, K., see Govers, H.A.J. 715(1995)267
 Oliveros, L., see Mingüillón, C. 728(1996)407
 Oliveros, L., see Mingüillón, C. 728(1996)415
 Oliveros, L., Mingüillón, C., Serkiz, B., Meunier, F., Volland,
 J.-P. and Cordi, A.A.
 Preparative isolation of the eutomer of cyclothiazide by
 high-performance liquid chromatography on a cellulose-
 derived chiral stationary phase with toluene–acetone as the
 mobile phase 729(1996)29
 Ollesch, T., see Matz, G. 750(1996)151
 Olmos, C., see Mongay, C. 736(1996)351
 Olsen, C.E., see Agerbirk, N. 745(1996)239

- Olsen, D.T., see Heegaard, N.H.H. 744(1996)285
 Olsen, L., see Ekelund, J. 708(1995)253
 Olson, L.K., see Byrdy, F.A. 712(1995)311
 Omelchenko, N., see Rasmussen, H.T. 719(1996)434
 Ondra, P., Válka, I., Vičar, J., Sütlüpinar, N. and Šimánek, V.
 Chromatographic determination of constituents of the genus
Colchicum (Liliaceae) 704(1995)351
 Ondruschka, B., see Struppe, H.G. 750(1996)239
 O'Neill, R.A.
 Enzymatic release of oligosaccharides from glycoproteins
 for chromatographic and electrophoretic analysis
 720(1996)201
 O'Neill, R.A., see Zieske, L.R. 720(1996)395
 Ong, C.N., see Wu, J. 709(1995)351
 Ong, S., Liu, H. and Pidgeon, C.
 Immobilized-artificial-membrane chromatography:
 measurements of membrane partition coefficient and
 predicting drug membrane permeability 728(1996)113
 Önnerfjord, P., Barceló, D., Emnéus, J., Gorton, L. and Marko-
 Varga, G.
 On-line solid-phase extraction in liquid chromatography
 using restricted access pre-columns for the analysis of *s-*
 triazines in humic-containing waters 737(1996)35
 Onodera, S., see Maeda, T. 710(1995)51
 Onyewuenyi, N. and Hawkins, P.
 Separation of toxic peptides (microcystins) in capillary
 electrophoresis, with the aid of organic mobile phase
 modifiers 749(1996)271
 Oosterhuis, B., see Wieling, J. 730(1996)381
 Oparil, S., see Meng, Q.C. 743(1996)105
 Orita, Y., see Seki, T. 730(1996)139
 Orjales, A., see Sustacha, K. 719(1996)245
 Ormad, P., Cortés, S., Sarasa, J., Martín, A., Puig, A. and
 Ovelleiro, J.L.
 Characterization of organic micropollutants in the River
 Cinca (Spain) by using granular activated carbon and
 liquid-liquid extraction 733(1996)159
 Ormad, P., see Puig, A. 733(1996)511
 Orsini, G., see Breton, J. 709(1995)135
 Ortancı, R., see Şahin, A. 709(1995)121
 Ortúñoz, J., see Nadal, T. 721(1996)127
 Osborne, L.M., see Liu, L. 745(1996)45
 Osla, S., see Rizzi, A.M. 710(1995)287
 Ossipov, V., Nurmi, K., Loponen, J., Haukioja, E. and Pihlaja,
 K.
 High-performance liquid chromatographic separation and
 identification of phenolic compounds from leaves of *Betula*
 pubescens and *Betula pendula* 721(1996)59
 Östberg, M., see Hagel, L. 743(1996)33
 Österlund, B.
 Foreword 711(1995)1
 Osti, F., see Zappoli, S. 721(1996)269
 Östman, C., see Carlsson, H. 715(1995)31
 Otal Salaverri, E., see Moldovan, Z. 723(1996)243
 Otsuka, K., Kawakami, H., Tamaki, W. and Terabe, S.
 Optical resolution of amino acid derivatives by micellar
 electrokinetic chromatography with sodium
 N-tetradecanoyl-1-glutamate 716(1995)319
 Otter, D.E., see Kinghorn, N.M. 723(1996)371
 Otter, D.E., see Moore, I.L. 718(1995)211
 Ou, K., Wilkins, M.R., Yan, J.X., Gooley, A.A., Fung, Y.,
 Sheumack, D. and Williams, K.L.
 Improved high-performance liquid chromatography of
 amino acids derivatised with 9-fluorenylmethyl
 chloroformate 723(1996)219
 Ou, K., see Yan, J.X. 736(1996)291
 Ou, Q., see Song, L. 715(1995)376
 Ou, Z., Ogamo, A., Kawai, Y. and Nakagawa, Y.
 Quantitation of choline glycerophospholipids that contain
 carboxylate residues by fluorometric high-performance
 liquid chromatography 724(1996)131
 Ovelleiro, J.L., see Ormad, P. 733(1996)159
 Ovelleiro, J.L., see Puig, A. 733(1996)511
 Owen, S.P., see Barnabas, I.J. 705(1995)305
 Owies, L., Katona, T., Monteferante, J.A., Zodda, J.P. and
 Eakins, M.N.
 Determination of the impurity profile of 1,2-
 cyclohexanedione dioxime by high-performance liquid
 chromatography 719(1996)307
 Owusu-Daaku, F.T.K., see Gifford, L.A. 715(1995)201
 Oyama, Y., see Kiba, N. 724(1996)354
 Oyler, A.R., Armstrong, B.L., Cha, J.Y., Zhou, M.X., Yang, Q.,
 Robinson, R.I., Dunphy, R. and Burinsky, D.J.
 Hydrophilic interaction chromatography on amino-silica
 phases complements reversed-phase high-performance
 liquid chromatography and capillary electrophoresis for
 peptide analysis 724(1996)378
 Ozaki, H., Ichihara, A. and Terabe, S.
 Micellar electrokinetic chromatography using high-
 molecular-mass surfactants: comparison between anionic
 and cationic surfactants and effects of modifiers
 709(1995)3
 Ozaki, H., Itou, N., Terabe, S., Takada, Y., Sakairi, M. and
 Koizumi, H.
 Micellar electrokinetic chromatography-mass spectrometry
 using a high-molecular-mass surfactant. On-line coupling
 with an electrospray ionization interface 716(1995)69
 Ozaki, O., see Yokoyama, Y. 739(1996)333
 Öztezkızan, Ö., see Slobodník, J. 750(1996)227

P

- Paasivirta, J., see Sinkkonen, S. 718(1995)391
 Pace, G., Berton, A., Calligaro, L., Mantovani, A. and
 Uguagliati, P.
 Elucidation of the degradation mechanism of 2-
 chloroethanol by hydrogen peroxide under ultraviolet
 irradiation 706(1995)345
 Paci, M., see Castagnola, M. 735(1996)271
 Padalikar, S.V., see Mali, B.D. 704(1995)540
 Padilla, P.C., see Vera-Avila, L.E. 731(1996)115

- Páez, X., Rada, P., Tucci, S., Rodríguez, N. and Hernández, L. Capillary electrophoresis–laser-induced fluorescence detection of amphetamine in the brain 735(1996)263
- Pais, L.S., see Rodrigues, A.E. 702(1995)223
- Pais, P., see Galceran, M.T. 719(1996)203
- Pais, P., see Galceran, M.T. 730(1996)185
- Pais, P., see Rivera, L. 731(1996)85
- Palcic, M.M., see Le, X. 716(1995)215
- Palla, G., see Casoli, A. 731(1996)237
- Palme, H.-J., see Kummer, M. 749(1996)61
- Palmer, C.P. and Vandeginste, B.G.M. Statistical evaluation of various qualitative parameters in capillary electrophoresis 718(1995)153
- Palomino, O.M., Gomez-Serranillos, P., Carretero, E. and Villar, A. High-performance liquid chromatography of flavonoids from *Sideritis* species 731(1996)103
- Pampliega, A., see Del Nozal, M.J. 727(1996)231
- Pan, N. and Pietrzyk, D.J. Separation of anionic surfactants on anion exchangers 706(1995)327
- Panda, S., Bu, Q., Yun, K.S. and Parcher, J.F. Repetitive liquid injection system for inverse gas chromatography 715(1995)279
- Pankow, J.F., Luo, W., Isabelle, L.M., Hart, K.M. and Hagen, D.F. Gas–solid retention volumes of organic compounds on styrene–divinylbenzene and ethylvinylbenzene–divinylbenzene co-polymer sorbent beads 732(1996)317
- Pantsar-Kallio, M. and Manninen, P.K.G. Speciation of chromium in waste waters by coupled column ion chromatography–inductively coupled plasma mass spectrometry 750(1996)89
- Pantsar-Kallio, M., see Teräsahde, P. 750(1996)83
- Paoletti, L.C. and Johnson, K.D. Purification of preparative quantities of group B *Streptococcus* type III oligosaccharides 705(1995)363
- Papadopoulou-Mourkidou, E. and Patsias, J. Development of a semi-automated high-performance liquid chromatographic–diode array detection system for screening pesticides at trace levels in aquatic systems of the Axios River basin 726(1996)99
- Papadopoulou-Mourkidou, E., see Patsias, J. 740(1996)83
- Papagni, A., see Careri, M. 730(1996)231
- Papoff, P., Ceccarini, A. and Carnevali, P. Preliminary tests to select operating conditions for the accurate determination of stability constants by cation-exchange chromatography: the Cd²⁺–Cl[–] and Cd²⁺–NO₃[–] systems 706(1995)43
- Parcher, J.F., see Panda, S. 715(1995)279
- Parchinskii, V.Z., see Beketov, V.I. 731(1996)65
- Parekh, R.B., see Prime, S. 720(1996)263
- Parissi-Poulou, M., see Piperaki, S. 729(1996)19
- Park, G. and Poole, C.F. Solvation in weak complexing *n*-octyl phthalate and *n*-octyl tetrachlorophthalate solvents by gas chromatography 726(1996)141
- Park, I.H., see Park, M.K. 736(1996)77
- Park, J.H., see Carr, P.W. 724(1996)1
- Park, J.H., see Nah, T.H. 722(1996)41
- Park, J.H., see Park, M.K. 736(1996)77
- Park, M.K., Park, J.H., Han, S.B., Shin, Y.G. and Park, I.H. High-performance liquid chromatographic analysis of ginseng saponins using evaporative light scattering detection 736(1996)77
- Párkányi, C., see Motohashi, N. 710(1995)117
- Parker, I., see Goodall, I. 706(1995)353
- Parker, M.J., see Aspin, I.P. 727(1996)61
- Parkins, C.S., see Stratford, M.R.L. 706(1995)459
- Parlesak, A. and Bode, Ch. Lipopolysaccharide determination by reversed-phase high-performance liquid chromatography after fluorescence labeling 711(1995)277
- Paroni, R., see Arcelloni, C. 742(1996)121
- Parrish, C.C., Bodenec, G. and Gentien, P. Determination of glycoglycerolipids by Chromarod thin-layer chromatography with Iatroscan flame ionization detection 741(1996)91
- Parshad, V., see Bhushan, R. 721(1996)369
- Parshad, V., see Bhushan, R. 736(1996)235
- Pascual, J.A., see Nadal, T. 721(1996)127
- Pasquali, C., see Yan, J.X. 736(1996)291
- Passariello, G., see Crescenzi, C. 733(1996)41
- Pastor, A., see Mongay, C. 736(1996)351
- Patel, A., see Jones, C. 707(1995)3
- Paterson, B., Cowie, C.E. and Jackson, P.E. Determination of phenols in environmental waters using liquid chromatography with electrochemical detection 731(1996)95
- Paterson, G.R., see Kinghorn, N.M. 723(1996)371
- Pathirana, N.D., see Levison, P.R. 702(1995)59
- Pathirana, N.D., see Levison, P.R. 734(1996)137
- Pathirana, N.D., see Levison, P.R. 742(1996)79
- Patience, R. Chromatography in the Petroleum Industry (edited by E.R. Adlard) (Book Review) 709(1995)395
- Patil, V.B., see Mali, B.D. 704(1995)540
- Patsias, J., see Papadopoulou-Mourkidou, E. 726(1996)99
- Patsias, J. and Papadopoulou-Mourkidou, E. Rapid method for the analysis of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction and gas chromatography–ion trap mass spectrometry 740(1996)83
- Patterson, D.H., Harmon, B.J. and Regnier, F.E. Dynamic modeling of electrophoretically mediated microanalysis 732(1996)119
- Pattey, E., see Cessna, A.J. 710(1995)251
- Paull, B., see Hao, F. 739(1996)151
- Paull, B., see Hao, F. 749(1996)103
- Paulus, A., see Bruun, G.J.M. 709(1995)181
- Paulus, A., see Klockow, A. 716(1995)241
- Paulus, A. and Klockow, A. Detection of carbohydrates in capillary electrophoresis 720(1996)353
- Pawlizsyn, J.B., see Boyd-Boland, A.A. 704(1995)163
- Pawlizsyn, J.B., see Magdic, S. 723(1996)111
- Pawlizsyn, J.B., see Magdic, S. 736(1996)219
- Pazourek, J. and Chmelík, J. Experimental study on the separation of silica gel supports by gravitational field-flow fractionation. II. Sample preparation, stop-flow procedure and overloading effect 715(1995)259

- Pearlstein, A.J., see Shiue, M.-P. 707(1995)87
- Pearson, J.D. and McCroskey, M.C.
Perfluorinated acid alternatives to trifluoroacetic acid for reversed-phase high-performance liquid chromatography 746(1996)277
- Pearl, T.E., see Lee, H.-B. 738(1996)91
- Pedersen-Bjergaard, S., Semb, S.I., Brevik, E.M. and Greibrokk, T.
Capillary gas chromatography combined with atomic emission detection for the analysis of polychlorinated biphenyls 723(1996)337
- Pedersen-Bjergaard, S., see Asp, T.N. 736(1996)157
- Pédron, J., Maldiney, R., Brault, M. and Miginiac, E.
Monitoring of hapten-protein coupling reactions by capillary zone electrophoresis: improvement of abscisic acid-bovine serum albumin coupling and determination of molar coupling ratios 723(1996)381
- Pedrosa, M.M., see Legaz, M.E. 719(1996)159
- Peggion, E., see Casazza, A. 715(1995)227
- Pekerar, S., see Herrera, J.C. 740(1996)201
- Peldszus, S., Huck, P.M. and Andrews, S.A.
Determination of short-chain aliphatic, oxo- and hydroxy-acids in drinking water at low microgram per liter concentrations 723(1996)27
- Peltonen, K.
Sampling and analysis of 1,3-butadiene in air by gas chromatography on a porous-layer open-tubular fused-silica column 710(1995)237
- Peltonen, K. and Kuljukka, T.
Air sampling and analysis of polycyclic aromatic hydrocarbons 710(1995)93
- Pelusio, F., see Van der Hoff, G.R. 719(1996)59
- Peña, A., see de la Colina, C. 733(1996)275
- Peña, A., see Sanchez-Rasero, F. 733(1996)367
- Peng, W.-G., see Földes-Papp, Z. 739(1996)431
- Penke, B., see Péter, A. 710(1995)297
- Penman, A.D., see Herron, W.J. 712(1995)55
- Penmetsa, K.V., Leidy, R.B. and Shea, D.
Herbicide analysis by micellar electrokinetic capillary chromatography 745(1996)201
- Penn, L.S., see Scott, D.L. 736(1996)51
- Peñuela, M.J., see Bosch, N.B. 706(1995)221
- Percoskie, M., see Hunt, A.J. 708(1995)61
- Pereyra, C., see Huber, W. 715(1995)333
- Pérez Clavijo, M., Plaza Medina, M., Sanz Asensio, J. and Galbán Bernal, J.
Decay study of pesticide residues in apple samples 740(1996)146
- Perez, F., Berdagué, P., Courtieu, J., Bayle, J.P., Boudah, S. and Guermouche, M.H.
Comparison of two azobenzene liquid crystal stationary phases in open tubular column gas chromatography 746(1996)247
- Pérez, X., see Font, J. 740(1996)125
- Pérez-Bendito, D., see Cepas, J. 749(1996)73
- Pérez-Bustamante, J.A., see Guillén, D.A. 724(1996)117
- Pérez-Bustamante, J.A., see Barroso, C.G. 724(1996)125
- Pérez-Bustamante, J.A., see Guillén, D.A. 730(1996)39
- Pérez-Bustamante, J.A., see Chilla, C. 750(1996)209
- Pérez-Camino, M.C., Moreda, W. and Cert, A.
Determination of diacylglycerol isomers in vegetable oils by solid-phase extraction followed by gas chromatography on a polar phase 721(1996)305
- Pérez-Giménez, F., see García-March, F.J. 719(1996)45
- Pérez-Vendrell, A.M., Guasch, J., Francesch, M., Molina-Canó, J.L. and Brufau, J.
Determination of β -(1-3),(1-4)-D-glucans in barley by reversed-phase high-performance liquid chromatography 718(1995)291
- Periago, J.F., see Prado, C. 719(1996)87
- Periago, J.F., Prado, C. and Luna, A.
Purge-and-trap method for the determination of styrene in urine 719(1996)53
- Peris, C., see Saez, A. 721(1996)107
- Perreault, F., see Piotte, M. 704(1995)377
- Perrett, D., see Taylor, M.R. 745(1996)155
- Persing, D.A., see Felmlee, T.A. 717(1995)127
- Persson, B., see Andersson, S. 741(1996)23
- Pervin, A., see Linhardt, R.J. 720(1996)323
- Pesek, J.J., see Chiari, M. 717(1995)1
- Pesek, J.J. and Matyska, M.T.
Electrochromatography in chemically modified etched fused-silica capillaries 736(1996)255
- Pesek, J.J. and Matyska, M.T.
Separation of tetracyclines by high-performance capillary electrophoresis and capillary electrochromatography 736(1996)313
- Plesiakas, H., see Cochet, S. 725(1996)237
- Péter, A., Devadher, S., Laus, G. and Tourwé, D.
Liquid chromatography studies on the enzymatic degradation of luteinizing hormone-releasing hormone analogues with off-line identification by mass spectrometry 729(1996)137
- Péter, A. and Fülop, F.
High-performance liquid chromatographic method for the separation of isomers of *cis*- and *trans*-2-amino-cyclopentane-1-carboxylic acid 715(1995)219
- Péter, A., Somlai, C. and Penke, B.
High-performance liquid chromatographic method for the separation of the optical isomers of γ,γ' -di-*tert*-butyl-D,L- γ -carboxyglutamic acid and D,L- γ -carboxyglutamic acid 710(1995)297
- Péter, A., Tóth, G., Olajos, E., Fülop, F. and Tourwé, D.
Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures. Part II 705(1995)257
- Péter, A., Tóth, G., Olajos, E. and Tourwé, D.
Chromatographic behaviour of opioid peptides containing β -methylphenylalanine isomers 705(1995)267
- Péter, A., Tóth, G., Török, G. and Tourwé, D.
Separation of enantiomeric β -methyl amino acids and of β -methyl amino acid containing peptides 728(1996)455
- Petersen, J.R., Bissell, M.G. and Mohammad, A.A.
Laser induced resonance energy transfer - a novel approach towards achieving high sensitivity in capillary electrophoresis. Clinical diagnostic application 744(1996)37
- Petersen, P.V., see Ekelund, J. 708(1995)253
- Petersen, S.L., see Quang, C. 732(1996)377
- Petersson, G., see Barrefors, G. 710(1995)71
- Petersson, U. and Markides, K.E.
Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction-supercritical fluid chromatography-flame ionization detection 374(1996)331
- Petit, C., see Pravda, M. 727(1996)47

- Petrov, L.A., see Mitov, I.P. 715(1995)287
- Petrović, M. and Kaštelan-Macan, M.
Validation of quantitative chromatographic analysis on laboratory-prepared thin layers 704(1995)173
- Petruczynik, A., see Waksmundzka-Hajnos, M. 730(1996)195
- Pettersson, C., see Amini, A. 737(1996)301
- Pettersson, C., see Huynh, N.-H. 705(1995)275
- Petz, M., see Lihl, S. 729(1995)229
- Pfeiffer, C.D., see Nicholson, L.W. 719(1996)315
- Pfeifer, S., see Obinger, C. 731(1996)293
- Pfleiderer, K., see Ettner, N. 742(1996)95
- Pfohl, M., see Lehmann, R. 744(1996)187
- Philipsen, H.J.A., Klumperman, B. and German, A.L.
Characterization of low-molar-mass polymers by gradient polymer elution chromatography. I. Practical parameters and applications of the analysis of polyester resins under reversed phase conditions 746(1996)211
- Philipsen, J.A., Klumperman, B., van Herk, A.M. and German, A.L.
Critical retention behaviour of polymers. A study on the influence of some practical parameters 727(1996)13
- Phillips, J.B. and Xu, J.
Comprehensive multi-dimensional gas chromatography (Review) 703(1995)327
- Pianezzola, E., see Breda, M. 729(1995)301
- Pianezzola, E., see Frigerio, E. 729(1996)237
- Piangerelli, V., see Cavallaro, A. 709(1995)361
- Pichon, V., Cau Dit Coumes, C., Chen, L., Guenu, S. and Hennion, M.-C.
Simple removal of humic and fulvic acid interferences using polymeric sorbents for the simultaneous solid-phase extraction of polar acidic, neutral and basic pesticides 737(1996)25
- Pichon, V., Chen, L., Durand, N., Le Goffic, F. and Hennion, M.-C.
Selective trace enrichment on immunosorbents for the multiresidue analysis of phenylurea and triazine pesticides 725(1996)107
- Pichon, V., Chen, L., Guenu, S. and Hennion, M.-C.
Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257
- Pichon, V., see Lawrence, J.F. 732(1996)277
- Picinelli, A., see Suárez, B. 727(1996)203
- Picó, Y., see Font, G. 733(1996)449
- Picó, Y., see Ibáñez, M. 727(1996)245
- Picó, Y., see Ibáñez, M. 728(1996)325
- Picó, Y., see Torres, C.M. 719(1996)95
- Pidgeon, C., see Bernal, C. 731(1996)139
- Pidgeon, C., Cai, S.J. and Bernal, C.
Mobile phase effects on membrane protein elution during immobilized artificial membrane chromatography 721(1996)213
- Pidgeon, C., see Ong, S. 728(1996)113
- Piechowski, M., see Dabek-Złotorzynska, E. 706(1995)469
- Pierce, R.H., see Hua, Y. 750(1996)115
- Pierini, M., see Gasparini, F. 724(1996)79
- Pierrot, M., see Varlamov, V.P. 711(1995)113
- Pieszko, C., see Baranowska, I. 725(1996)199
- Pietrzik, D.J., see Pan, N. 706(1995)327
- Pihlaja, K., see Ossipov, V. 721(1996)59
- Pihlar, B., see Novič, M. 704(1995)530
- Pihlar, B., see Novič, M. 739(1996)35
- Piironen, V., see Mäkinen, M. 374(1996)221
- Pinkernell, U., Effkemann, S., Nitzsche, F. and Karst, U.
Rapid high-performance liquid chromatographic method for the determination of peroxyacetic acid 730(1996)203
- Pinto, N.G., see Li, Y. 702(1995)113
- Piot, J.M., see Zhao, Q. 723(1996)35
- Piotte, M., Bossányi, F., Perreault, F. and Jolicoeur, C.
Characterization of poly(naphthalenesulfonate) salts by ion-pair chromatography and ultrafiltration 704(1995)377
- Piperaki, S. and Parissi-Poulou, M.
Enantiomeric separation of zopiclone, its metabolites and products of degradation on a β -cyclodextrin bonded phase 729(1996)19
- Pirkle, W.H., Brice, L.J., Caccamese, S., Principato, G. and Failla, S.
Facile separation of the enantiomers of diethyl N-(aryl)-1-amino-1-arylmethanephosphonates on a rationally designed chiral stationary phase 721(1996)241
- Pirkle, W.H., Koscho, M.E. and Wu, Z.
High-performance liquid chromatographic separation of the enantiomers of N-aryloxazolinones, N-aryl thiazolinones and their sulfur derivatives on a synthetic chiral stationary phase 726(1996)91
- Pirkle, W.H. and Liu, Y.
Incremental development of chiral selectors for underderivatized profens 736(1996)31
- Pirkle, W.H. and Liu, Y.
On the relevance of face-to-edge $\pi-\pi$ interactions to chiral recognition 749(1996)19
- Pirkle, W.H. and Murray, P.G.
Observations relevant to the differential intercalation of enantiomers between the strands of brush-type chiral stationary phases 719(1996)299
- Pirkle, W.H. and Terfloth, G.J.
Naproxen-derived segmented and sidechain-modified polysiloxanes as chiral stationary phases 704(1995)269
- Pirkle, W.H., see Terfloth, G.J. 705(1995)185
- Pirkle, W.H. and Welch, C.J.
Some thoughts on the coupling of dissimilar chiral columns or the mixing of chiral stationary phases for the separation of enantiomers 731(1996)322
- Pirogov, A.V., Obrezkov, O.N. and Shpigun, O.A.
'Chromatogram generator' chromatogram modelling software 706(1995)31
- Piškin, E., see Denizli, A. 731(1996)57
- Pitsch, H., see Janvion, P. 715(1995)105
- Pitsch, H., see Motellier, S. 739(1996)119
- Platzner, N., see Larsen, B. 708(1995)115
- Plaza Medina, M., see Pérez Clavijo, M. 740(1996)146
- Plümer, F., see Stelzer, A. 729(1996)5
- Plunkett, S.D. and Arnold, F.H.
Molecularly imprinted polymers on silica: selective supports for high-performance ligand-exchange chromatography 708(1995)19

- Poboży, E., Głów, B., Kaniewska, J. and Trojanowicz, M.
Determination of triorganotin compounds by ion chromatography and capillary electrophoresis with preconcentration using solid-phase extraction
718(1995)329
- Poboży, E., Wojsińska, E. and Trojanowicz, M.
Ion chromatographic speciation of chromium with diphenylcarbazide-based spectrophotometric detection
736(1996)141
- Pocurull, E., Calull, M., Marcé, R.M. and Borrull, F.
Determination of phenolic compounds at low $\mu\text{g l}^{-1}$ levels by various solid-phase extractions followed by liquid chromatography and diode-array detection
719(1996)105
- Pocurull, E., Marcé, R.M. and Borrull, F.
Determination of phenolic compounds in natural waters by liquid chromatography with ultraviolet and electrochemical detection after on-line trace enrichment
738(1996)1
- Pocurull, E., see Martínez, D. 734(1996)367
- Poe, R.B., see Hayashi, Y. 722(1996)157
- Pohl, C., see Weiss, J. 706(1995)81
- Pohl, C.A., see Rey, M.A. 739(1996)87
- Pohl, C.A., see Slingsby, R.W. 739(1996)49
- Polanuer, B.M. and Ivanov, S.V.
High-performance liquid chromatography of amino acids in copper(II) complex form: application to valine fermentation samples
722(1996)311
- Polkowska, Ź., see Biziuk, M. 733(1996)171
- Polonský, J., see Sádecká, J. 735(1996)403
- Pommier, F., Sioufi, A. and Godbillon, J.
Quantitative determination of norethisterone acetate in human plasma by capillary gas chromatography with mass-selective detection
750(1996)75
- Pompe, S., Heise, K.-H. and Nitsche, H.
Capillary electrophoresis for a "finger-print" characterization of fulvic and humic acids
723(1996)215
- Ponci, M.C., see Massolini, G. 704(1995)55
- Pontén, E., see Hyttiäinen, M. 740(1996)279
- Poole, C.F., see Abraham, M.H. 749(1996)201
- Poole, C.F., see Park, G. 726(1996)141
- Poole, C.F. and Poole, S.K.
Multidimensionality in planar chromatography (Review)
703(1995)573
- Poole, C.F., see Poole, S.K. 749(1996)247
- Poole, S.K., see Abraham, M.H. 749(1996)201
- Poole, S.K., see Poole, C.F. 703(1995)573
- Poole, S.K. and Poole, C.F.
Separation of pharmaceutically important estrogens by micellar electrokinetic chromatography
749(1996)247
- Poon, G.K., Raynaud, F.I., Mistry, P., Odell, D.E., Kelland, L.R., Harrap, K.R., Barnard, C.F.J. and Murrer, B.A.
Metabolic studies of an orally active platinum anticancer drug by liquid chromatography-electrospray ionization mass spectrometry
712(1995)61
- Popelka, Š., see Kenndler-Blachkolm, K. 734(1996)351
- Popescu, C., see Roussel, C. 722(1996)177
- Poppe, H., see Bedia Erim, F. 708(1995)356
- Poppe, H., see Brinkman, U.A.Th. 703(1995)1
- Poppe, H., see Busch, M.H.A. 744(1996)195
- Poppe, H., see Cifuentes, A. 716(1995)141
- Poppe, H., see Swart, R. 732(1996)201
- Poppe, H., see Van Asten, A.C. 703(1995)245
- Poppe, H., see van der Moolen, J.N. 744(1996)103
- Poppe, H., see Venema, E. 740(1996)159
- Poppe, H., see Wijnhoven, J.E.G.J. 732(1996)307
- Poppe, H., see Xu, X. 716(1995)231
- Poppe, H., see Xu, X. 742(1996)211
- Porath, J.O., see Chaga, G.S. 732(1996)261
- Porcar, I., see García, R. 721(1996)203
- Porcar, M., Bel, Y., Socha, R., Neřec, V. and Ferré, J.
Identification of pteridines in the firebug, *Pyrrhocoris apterus* (L.) (Heteroptera, Pyrrhocoridae) by high-performance liquid chromatography
724(1996)193
- Porretta, G.C., see Quaglia, M.G. 729(1996)1
- Pörschmann, J., Kopinke, F.-D., Remmler, M., Mackenzie, K., Geyer, W. and Mothes, S.
Hyphenated techniques for characterizing coal wastewaters and associated sediments
750(1996)287
- Porter, R.S. and Chen, T.K.
High-performance liquid chromatographic analysis of mupirocin in polyethylene glycols 400 and 3350 using dual ultraviolet and evaporative light scattering detection
732(1996)399
- Porter, T., see Jones, C. 707(1995)3
- Portet, F.I., see Desbène, P.L. 730(1996)209
- Posch, K., see Kleidernigg, O.P. 729(1996)33
- Pospíchal, J., see Deml, M. 709(1995)39
- Pošvec, Z., see Jandera, P. 734(1996)125
- Potin-Gautier, M., see Gilon, N. 732(1996)369
- Potin-Gautier, M., see Gilon, N. 750(1996)327
- Potoček, B., Gaš, B., Kenndler, E. and Štědřík, M.
Electroosmosis in capillary zone electrophoresis with non-uniform zeta potential
709(1995)51
- Poza, J.M., see Galceran, M.T. 710(1995)139
- Prabhu, S.V., Cooper, S.E., Mathre, D.J., Natishan, T.K., Ellison, D.K. and Tway, P.C.
High-performance, purity-indicating liquid chromatographic method for the oxytocin antagonist, L-368,899
731(1996)331
- Prado, C., see Periago, J.F. 719(1996)53
- Prado, C., Periago, J.F. and Sepúlveda-Escrivano, A.
Sorbent evaluation for diffusive monitoring of environmental contaminants
719(1996)87
- Prat, M.D., Compañó, R., Granados, M. and Miralles, E.
Liquid chromatographic determination of gallium and indium with fluorimetric detection
746(1996)239
- Pravda, M., Petit, C., Michotte, Y., Kauffmann, J.-M. and Vytrás, K.
Study of a new solid carbon paste tyrosinase-modified amperometric biosensor for the determination of catecholamines by high-performance liquid chromatography
727(1996)47
- Predieri, G., see Aggazzotti, G. 710(1995)181
- Predieri, G., see Careri, M. 730(1996)231
- Preece, S., see Van Vyncht, G. 750(1996)43
- Preston, P., see Mulholland, M. 739(1996)15
- Previale, L., see Morello, M. 740(1996)263
- Price, K.R., see Frias, J. 719(1996)213
- Příhoda, P., see Ventura, K. 710(1995)167
- Prima-Putra, D., see Giummelly, P. 710(1995)357

- Prime, S., Dearnley, J., Ventom, A.M., Parekh, R.B. and Edge, C.J.
 Oligosaccharide sequencing based on exo- and endo-glycosidase digestion and liquid chromatographic analysis of the products 720(1996)263
- Principato, G., see Caccamese, S. 704(1995)83
- Principato, G., see Pirkle, W.H. 721(1996)241
- Prise, V.E., see Everett, S.A. 706(1995)437
- Pritchard, G.G., see Moore, I.L. 718(1995)211
- Prognon, P., see Cepeda, A. 721(1996)69
- Prognon, P., see Diallo, S. 721(1996)75
- Prognon, P., see Franco, C.M. 723(1996)69
- Prognon, P., see Vazquez, B.I. 727(1996)185
- Prokeš, B., see Jandera, P. 736(1996)131
- Prokop, T., see Tenberken, B. 745(1996)209
- Prosen, H., Zupančič-Kralj, L. and Marsel, J.
 Optimization of an analytical procedure for the determination of triazine herbicides in environmental samples 704(1995)121
- Prusík, Z., see Kašička, V. 709(1995)31
- Przybycien, T.M., see Lam, P. 707(1995)29
- Przyjazny, A., see Biziuk, M. 733(1996)417
- Przyjazny, A., see Konieczka, P. 742(1996)175
- Puig, A., see Ormad, P. 733(1996)159
- Puig, A., Ormad, P., Roche, P., Sarasa, J., Gimeno, E. and Ovellaero, J.L.
 Wastewater from the manufacture of rubber vulcanization accelerators: characterization, downstream monitoring and chemical treatment 733(1996)511
- Puig, D. and Barceló, D.
 Comparison of different sorbent materials for on-line liquid-solid extraction followed by liquid chromatographic determination of priority phenolic compounds in environmental waters 733(1996)371
- Puig, P., see Nouadje, G. 717(1995)293
- Puignou, L., see Galceran, M.T. 719(1996)203
- Puignou, L., see Galceran, M.T. 730(1996)185
- Puignou, L., see Galceran, M.T. 732(1996)167
- Puignou, L., see Rivera, L. 731(1996)85
- Pungor Jr, E., see Apffel, A. 717(1995)41
- Pungor Jr, E., see Apffel, A. 732(1996)27
- Pungor Jr, E., see Apffel, A. 750(1996)35
- Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
 Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. I. Resolution of insulin variants 711(1995)61
- Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
 Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. II. The role of insulin A and B chains in the chromatographic behaviour of insulin 711(1995)71
- Putney, S., see Hunt, A.J. 708(1995)61
- Pyell, U. and Bütehorn, U.
 Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier 716(1995)81
- Pyell, U., see Bütehorn, U. 736(1996)321
- Pyell, U., see Rebscher, H. 737(1996)171
- Q**
- Qi, S., see Liu, H. 718(1995)448
- Qian, F., see Vérette, E. 705(1995)195
- Qin, X.-Z., DeMarco, J. and Ip, D.P.
 Simultaneous determination of enalapril, felodipine and their degradation products in the dosage formulation by reversed-phase high-performance liquid chromatography using a Spherisorb C₈ column 707(1995)245
- Qin, X.-Z., see Han, Y.-H.R. 719(1996)345
- Quaglia, M.G., Bossù, E., Porretta, G.C., Biava, M., Fioravanti, R., Romanelli, L. and Leonardi, A.
 Chromatographic resolution and pharmacological investigation of some imidazole derivatives 729(1996)1
- Quaglino, P., see Morello, M. 740(1996)263
- Quang, C., Petersen, S.L., Ducatte, G.R. and Ballou, N.E.
 Characterization and separation of inorganic fine particles by capillary electrophoresis with an indifferent electrolyte system 732(1996)377
- Queiroz, J.A., Garcia, F.A.P. and Cabral, J.M.S.
 Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polyethylene glycol immobilized on Sepharose 374(1996)213
- Queiroz, J.A., Garcia, F.A.P. and Cabral, J.M.S.
 Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase 707(1995)137
- Quesada, C., see Bartolomé, B. 723(1996)19
- Queauviller, Ph.
 Improvement of quality control of speciation analysis using hyphenated techniques. A decade of progress within the European Community 750(1996)25
- Quiñones, I. and Guiochon, G.
 Application of different isotherm models to the description of single-component and competitive adsorption data 734(1996)83
- Quintanilla-López, J.E., Lebrón-Aguilar, R., Tello, A.M. and García-Domínguez, J.A.
 Measuring specific retention volumes in capillary gas chromatography with improved accuracy and precision 721(1996)147
- Quirijns, J.K., see Brinkman, J.H.W. 723(1996)355
- Quy Dao, N., see Nguyen Hong, T.D. 743(1996)323

R

- Rada, P., see Páez, X. 735(1996)263
- Radež, I., see Friedrich, J. 704(1995)363
- Radhakrishnan, S., see Chinnathambi, S. 705(1995)400
- Rafecas, M., see Guardiola, F. 705(1995)289
- Rafecas, M., see Guardiola, F. 705(1995)396
- Ragunathan, N., Krock, K.A., Klawun, C., Sasaki, T.A. and Wilkins, C.L.
Multispectral detection for gas chromatography (Review) 703(1995)335
- Rahmalan, A., Zahari Abdullah, M., Marsin Sanagi, M. and Rashid, M.
Determination of heavy metals in air particulate matter by ion chromatography 739(1996)233
- Rajzer, D., see Ochocka, R.J. 709(1995)197
- Rakestraw, D.J., see Dulay, M.T. 725(1996)361
- Ralph, J.P. and Catcheside, D.E.A.
Size-exclusion chromatography of solubilised low-rank coal 724(1996)97
- Ramaley, L., see Kelly, J.F. 720(1996)409
- Ramírez, H., see Velásquez, H. 739(1996)295
- Rao, M.S., see Hidajat, K. 702(1995)215
- Rao, R.N., see Husain, S. 743(1996)328
- Rao, U., see Moran, J.E. 706(1995)215
- Rasanen, I., Ojanperä, I., Vuori, E. and Hase, T.A.
Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs 738(1996)233
- Rashid, M., see Rahmalan, A. 739(1996)233
- Rasmussen, H.T., Omelchenko, N., Friedman, S.K. and McPherson, B.P.
Determination of chloroanilines in antibacterial soaps using cation-exchange chromatography with UV detection 719(1996)434
- Rassi, Z.E.
Recent progress in reversed-phase and hydrophobic interaction chromatography of carbohydrate species 720(1996)93
- Rasulev, U.K., Nazarov, E.G. and Khudaeva, G.B.
Chromatographic determination of trace amounts of amines using a surface ionization detector 704(1995)473
- Rathore, A.S. and Horváth, C.
Separation parameters via virtual migration distances in high-performance liquid chromatography, capillary zone electrophoresis and electrokinetic chromatography 743(1996)231
- Rathore, A.S., see Thunecke, F. 744(1996)259
- Rathore, H.S.
Chromatographic and related spot tests for the detection of water pollutants (Review) 733(1996)1
- Ratnayake, C.K. and Regnier, F.E.
Study of protein binding to a silica support with a polymeric cation-exchange coating 743(1996)15
- Ratnayake, C.K. and Regnier, F.E.
Lateral interaction between electrostatically adsorbed and covalently immobilized proteins on the surface of cation-exchange sorbents 743(1996)25
- Raulin, F., see Aflalaye, A. 708(1995)283
- Raulin, F., see Aflalaye, A. 746(1996)63
- Rautio, M., see Söderström, M.T. 742(1996)191
- Ravindranath, B., see Thejavathi, R. 705(1995)374
- Ray, A., see Ashton, D. 734(1996)271
- Ray, A.D., see Ashton, D.S. 707(1995)367
- Raynaud, F.I., see Poon, G.K. 712(1995)61
- Rayner, M.S., see Nichols, P.D. 733(1996)497
- Raynor, M.W., see Broadbent, J.K. 732(1996)101
- Raynor, M.W., see Moodley, V.E. 718(1995)187
- Razee, S., Tamura, A. and Masujima, T.
Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179
- Readman, J.W., see Tolosa, I. 725(1996)93
- Rebscher, H. and Pyell, U.
In-column versus on-column fluorescence detection in capillary electrochromatography 737(1996)171
- Recanatini, M., see Biagi, G.L. 723(1996)135
- Record, P.A., see Chang, J.P. 736(1996)97
- Redden, P.R., Lin, X., Fahey, J. and Horrobin, D.F.
Stereospecific analysis of the major triacylglycerol species containing γ -linolenic acid in Evening Primrose oil and borage oil 704(1995)99
- Reddy, K.S., Cloux, R. and Kováts, E.s.
Pair-wise interactions by gas chromatography.
VI. Interaction free enthalpies of solutes with primary methoxyalkane, cyanoalkane and alkanethiol groups 704(1995)387
- Redondo, M.J., Ruiz, M.J., Boluda, R. and Font, G.
Optimization of a solid-phase extraction technique for the extraction of pesticides from soil samples 719(1996)69
- Redondo, M.J., see Torres, C.M. 719(1996)95
- Redondo, M.J., see Viana, E. 733(1996)267
- Reemtsma, T.
Methods of analysis of polar aromatic sulfonates from aquatic environments (Review) 733(1996)473
- Reeuwijk, H.J.E.M., see Van der Hoeven, R.A.M. 741(1996)75
- Reglier, M., see Varlamov, V.P. 711(1995)113
- Regnier, F. and Huang, G.
Future potential of targeted component analysis by multidimensional liquid chromatography-mass spectrometry 750(1996)3
- Regnier, F., see Mhatre, R. 707(1995)225
- Regnier, F.E., see Harmon, B.J. 726(1996)193
- Regnier, F.E., see Johns, M.A. 743(1996)195
- Regnier, F.E., see McCoy, M. 743(1996)221
- Regnier, F.E., see Nadler, T. 743(1996)91
- Regnier, F.E., see Patterson, D.H. 732(1996)119
- Regnier, F.E., see Ratnayake, C.K. 743(1996)15
- Regnier, F.E., see Ratnayake, C.K. 743(1996)25
- Rehorek, A., see Lihl, S. 729(1995)229
- Reif, K., see Metzger, W. 740(1996)133

- Reif, O.-W. and Freitag, R.
Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363
- Reif, O.-W., see Freitag, R. 728(1996)129
- Reighard, T.S. and Olesik, S.V.
Comparison of the extraction of phenolic and nitroaromatic pollutants using supercritical and enhanced-fluidity liquid methanol-CO₂ mixtures 737(1996)233
- Reijenga, J.C., see Friedl, W. 709(1995)163
- Reijenga, J.C. and Hutta, M.
MECCSIM, training software for micellar electrokinetic capillary chromatography 709(1995)21
- Reijenga, J.C., see Van der Schans, M.J. 735(1996)387
- Reijenga, J.C., Verheggen, T.P.E.M., Martens, J.H.P.A. and Everaerts, F.M.
Buffer capacity, ionic strength and heat dissipation in capillary electrophoresis 744(1996)147
- Reinecke, M., see Scheper, T.H. 725(1996)3
- Reinert, M., see Calvete, J.J. 711(1995)167
- Reinhard, S., see Weiss, J. 706(1995)81
- Reinhold, D., see Hoffmann, T. 716(1995)355
- Reixach, M., see Casals, I. 750(1996)397
- Rekowski, P., see Mucha, P. 734(1996)410
- Remmler, M., see Pörschmann, J. 750(1996)287
- Ren, J. and Liu, H.
Chiral separation of dioxpromethazine enantiomers by capillary electrophoresis using β -cyclodextrin as a chiral selector 732(1996)175
- Ren, X., Shen, Y. and Lee, M.L.
Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating 741(1996)115
- Rendell, N.B., see Murray, S. 738(1996)191
- Renen, Z., see Zhang, Z. 730(1996)107
- Renon, P., see Biondi, P.A. 726(1996)246
- Renou-Gonnord, M.F. and David, K.
Optimized micellar electrokinetic chromatographic separation of benzodiazepines 735(1996)249
- Reschiglian, P., Melucci, D. and Torsi, G.
Experimental study on the retention of silica particles in gravitational field-flow fractionation. Effects of the mobile phase composition 740(1996)245
- Reschiotto, C., see Cavallaro, A. 709(1995)361
- Reschiotto, C., see Trifirò, A. 739(1996)175
- Resmini, M., see Busch, M.H.A. 744(1996)195
- Reubaet, J.L.E., see Cui, H. 736(1996)91
- Reusaet, E., see Cui, H. 704(1995)27
- Reutter, W., see Fritsch, M. 727(1996)223
- Reutter, W., see Löster, K. 711(1995)187
- Revenga, J., Rodríguez, F. and Tijero, J.
Determination of 9,10-dihydroxyanthracene and anthraquinone in Kraft pulping liquors by high-performance liquid chromatography 712(1995)372
- Revilla, A.L., Havel, J. and Jandik, P.
Peak splitting observed during capillary electrophoresis of α - and β -naphthols in borate buffer 745(1996)225
- Rey, M., see Kaiser, E. 739(1996)71
- Rey, M.A. and Pohl, C.A.
Novel cation-exchange stationary phase for the separation of amines and of six common inorganic cations 739(1996)87
- Reynolds, S.L., see Barnes, K.A. 712(1995)85
- Reynolds, S.L., see Lewis, D.J. 750(1996)391
- Reynolds, S.L., see Thorpe, S.A. 373(1996)3
- Rezai, M.A., Famiglini, G. and Cappiello, A.
Enhanced detection sensitivity by large volume injection in reversed-phase micro-high-performance liquid chromatography 742(1996)69
- Řezanka, T.
Two-dimensional separation of fatty acids by thin-layer chromatography on urea and silver nitrate silica gel plates 727(1996)147
- Rhead, M.M., see Tancell, P.J. 737(1996)181
- Rhoderick, G.C.
Development of gas standards from solid 1,4-dichlorobenzene 710(1995)229
- Riba, M.-L., see Simon, V. 704(1995)465
- Rice, K.G. and Corradi Da Silva, M.L.
Preparative purification of tyrosinamide N-linked oligosaccharides 720(1996)235
- Richard, D., see Schäffer, S. 740(1996)151
- Richards, D.S., Davidson, S.M. and Holt, R.M.
Detection of non-UV-absorbing chiral compounds by high-performance liquid chromatography-mass spectrometry 746(1996)9
- Richards, R.M.E., see Xing, J.Z. 740(1996)273
- Richberg, P., see Greve, K.F. 723(1996)273
- Richmond, R.
Simple calibrated merging of gas chromatography capillary column temperature-programmed retention-index compilations 724(1996)229
- Richmond, R.
Calibrated salvage of gas chromatography capillary column retention indices 742(1996)131
- Richter, K., Oertel, R. and Kirch, W.
New sensitive method for the determination of hydrochlorothiazide in human serum by high-performance liquid chromatography with electrochemical detection 729(1995)293
- Rickel, C.A., see Chen, A.B. 744(1996)279
- Ricker, R.D. and Sandoval, L.A.
Fast, reproducible size-exclusion chromatography of biological macromolecules 743(1996)43
- Rieckhoff, M., see Schwedt, G. 736(1996)341
- Ried, T., see Feige, K. 730(1996)333
- Riedel, K., Ruppert, T., Conze, C., Scherer, G. and Adlkofer, F.
Determination of benzene and alkylated benzenes in ambient and exhaled air by microwave desorption coupled with gas chromatography-mass spectrometry 719(1996)383
- Rieder, J., see Kadnar, R. 706(1995)301
- Rieder, J., see Kadnar, R. 706(1995)339
- Riekkola, M.-L., see Hyötyläinen, T. 735(1996)439
- Riekkola, M.-L. and Jumppanen, J.H.
Capillary electrophoresis of diuretics 735(1996)151
- Riekkola, M.-L., see Liang, H.-R. 746(1996)123
- Riekkola, M.-L., see Valkó, I.E. 737(1996)263
- Riemer, E., see Andre, M. 725(1996)287
- Riemer, E., see Andre, M. 741(1996)146
- Riering, H. and Sieber, M.
Covalently bonded permethylated cyclodextrins, new selectors for enantiomeric separations by liquid chromatography 728(1996)171
- Riester, D., see Kuhn, R. 716(1995)371

- Riggin, R.M., see Davis, G.C. 705(1995)1
 Riggin, R.M., see Nguyen, D.N. 705(1995)21
 Righetti, P.G., see Breton, J. 709(1995)135
 Righetti, P.G., see Ermakov, S.V. 744(1996)55
 Righetti, P.G., see Gelfi, C. 706(1995)463
 Righetti, P.G., see Gelfi, C. 718(1995)405
 Righezza, M., Hassani, A., Meklati, B.Y. and Chrétien, J.R.
 Quantitative structure-retention relationships (QSRR) of
 congeneric aromatics series studied on phenyl OV phases
 in gas chromatography 723(1996)77
 Righi, E., see Aggazzotti, G. 710(1995)181
 Righini, F., see Carrozzino, S. 706(1995)277
 Rigotti, L., see Gennaro, M.C. 718(1995)81
 Riley, C.M., see Hu, T. 716(1995)381
 Rimkus, G.G., Rummler, M. and Nausch, I.
 Gel permeation chromatography-high-performance liquid
 chromatography combination as an automated clean-up
 technique for the multiresidue analysis of fats 737(1996)9
 Rimmer, D.A., see Wycherley, D. 734(1996)339
 Rimpler, M., see Steinert, J. 723(1996)206
 Rinas, U., see Ansprech, F.B. 711(1995)129
 Rinas, U., see Seeger, A. 746(1996)17
 Ripamonti, M., see Malavasi, B. 729(1995)323
 Rippel, G., see Bede, Á. 728(1996)179
 Rissler, K.
 High-performance liquid chromatography and detection of
 polyethers and their mono(carboxy)alkyl and -arylalkyl
 substituted derivatives (Review) 742(1996)1
 Ritchie, H., see Walshe, M. 708(1995)31
 Ritchie, S., see Dabek-Zlotorzynska, E. 706(1995)469
 Riu, J., see Honing, M. 733(1996)283
 Rivera, L., Curto, M.J.C., Pais, P., Galceran, M.T. and Puignou,
 L.
 Solid-phase extraction for the selective isolation of
 polycyclic aromatic hydrocarbons, azaarenes and
 heterocyclic aromatic amines in charcoal-grilled meat
 731(1996)85
 Rivello, J., see Kaiser, E. 739(1996)71
 Rizzi, A., see Blatny, P. 717(1995)157
 Rizzi, A., see Cladrowa-Runge, S. 710(1995)339
 Rizzi, A., see Schützner, W. 719(1996)411
 Rizzi, A.M., Cladrowa-Runge, S., Jonsson, H. and Osla, S.
 Enantiomeric resolution of derivatized *D,L*-amino acids by
 high-performance liquid chromatography using a β -
 cyclodextrin chiral stationary phase: A comparison between
 derivatization labels 710(1995)287
 Rizzo, V., Anesi, A., Montalbetti, L., Bellantoni, A., Trottì, R.
 and Melzi d'Eril, G.V.
 Reference values of neuroactive amino acids in the
 cerebrospinal fluid by high-performance liquid
 chromatography with electrochemical and fluorescence
 detection 729(1996)181
 Robert, J., see Keller, R.K. 737(1996)325
 Robertson, J., see Trencerry, V.C. 708(1995)169
 Robertson, J., see Trencerry, V.C. 718(1995)217
 Robey, T.E., see Winkler, M.A. 744(1996)177
 Robey, W.G., see Winkler, M.A. 744(1996)177
 Robnett, R.S.R., George, H.A. and Herber, W.K.
 Determination of inorganic cations in fermentation and cell
 culture media using cation-exchange liquid chromatography
 and conductivity detection 718(1995)319
 Robinson, R.I., see Oyler, A.R. 724(1996)378
 Robredo, L.M., see Muzquiz, M. 719(1996)237
 Roche, P., see Puig, A. 733(1996)511
 Rocklin, R., see Harrold, M. 717(1995)371
 Roda, A., see Gioacchini, A.M. 730(1996)31
 Röder, A., see Tenberken, B. 745(1996)209
 Rodinkov, O.V., see Moskvin, L.N. 725(1996)351
 Rodrigues, A.E., Lu, Z.P., Loureiro, J.M. and Pais, L.S.
 Separation of enantiomers of 1*a*,2,7,7*a*-tetrahydro-3-
 methoxynaphtha-(2,3*b*)-oxirane by liquid chromatography:
 laboratory-scale elution chromatography and modelling of
 simulated moving bed 702(1995)223
 Rodríguez, A.A., see Creasy, W.R. 709(1995)333
 Rodriguez, A.-R., see Virtanen, V. 734(1996)391
 Rodríguez, F., see Revenga, J. 712(1995)372
 Rodríguez Gonzalo, E., see Carabias Martínez, R.
 733(1996)349
 Rodriguez, G.P., see Garza, H. 732(1996)385
 Rodríguez, I., Bollaín, M.H., García, C.M. and Cela, R.
 Analysis of structural isomers of polychlorinated phenols in
 water by liquid-nitrogen-trapping gas chromatography—
 Fourier transform infrared spectroscopy 733(1996)405
 Rodríguez, I., Bollaín, M.H. and Cela, R.
 Quantification of two chromatographic unresolved
 dichlorophenols using gas chromatography—direct
 deposition-Fourier transform infrared spectrometry and
 multivariate calibration 750(1996)341
 Rodríguez, I., see Guij, J.L. 719(1996)229
 Rodriguez, I., Lee, H.K. and Li, S.F.Y.
 Separation of biogenic amines by micellar electrokinetic
 chromatography 745(1996)255
 Rodríguez, I., Turnes, M.I., Mejuto, M.C. and Cela, R.
 Determination of chlorophenols at the sub-ppb level in tap
 water using derivatization, solid-phase extraction and gas
 chromatography with plasma atomic emission detection
 721(1996)297
 Rodríguez, I., see Turnes, I. 743(1996)283
 Rodríguez, J.L., see Cepeda, A. 721(1996)69
 Rodríguez López, M., González Alvarez, M.J., Miranda
 Ordieres, A.J. and Tuñón Blanco, P.
 Determination of dimethylamine in groundwater by liquid
 chromatography and precolumn derivatization with 9-
 fluorenylmethylchloroformate 721(1996)231
 Rodríguez, M.A., see Cifuentes, A. 737(1996)243
 Rodríguez, M.A., see Cifuentes, A. 742(1996)257
 Rodríguez, M.A., see Torre, M. 729(1995)99
 Rodríguez, M.C., see Barroso, C.G. 724(1996)125
 Rodríguez, N., see Páez, X. 735(1996)263
 Rodriguez, P.A., see Maeno, S. 731(1996)201
 Rodríguez, V.G., see Carducci, C.N. 730(1996)313
 Roe, S.D., see Wiblin, D.J. 702(1995)81
 Roepstorff, P., see Heegaard, N.H.H. 717(1995)83
 Roets, E., see Adams, E. 741(1996)233
 Roets, E., see Li, Y.M. 740(1996)119
 Roets, E., see Van Schepdael, A. 730(1996)305
 Roggero, M.A., see Baiocchi, C. 715(1995)95
 Roldan-Assad, R. and Gareil, P.
 Capillary zone electrophoretic determination of C₂–C₁₈
 linear saturated free fatty acids with indirect absorbance
 detection 708(1995)339
 Rollema, H.S., see Minkiewicz, P. 743(1996)123

- Röllin, S., Kopatjic, Z., Wernli, B. and Magyar, B.
Determination of lanthanides and actinides in uranium materials by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection 739(1996)139
- Romanelli, L., see Quaglia, M.G. 729(1996)1
- Romano, J.P., see Jackson, P.E. 706(1995)3
- Romele, L., see Achilli, M. 706(1995)241
- Romero, A.J.R., see Herrera, J.C. 740(1996)201
- Romero, E., see Sanchez-Rasero, F. 733(1996)367
- Romero, L.M., see Castells, R.C. 715(1995)299
- Romvári, Z., see Fekete, J. 712(1995)378
- Róna, K., Ary, K., Gachályi, B. and Klebovich, I.
Determination of α -methyldopa in human plasma by validated high-performance liquid chromatography with fluorescence detection 730(1996)125
- Rontree, J.A., see Slobodník, J. 741(1996)59
- Root, T.W., see Lightfoot, E.N. 707(1995)45
- Rooyakkers, D.R., Van Eijk, H.M.H. and Deutz, N.E.P.
Simple and sensitive multi-sugar-probe gut permeability test by high-performance liquid chromatography with fluorescence labelling 730(1996)99
- Rooyakkers, D.R., see Van Eijk, H.M.H. 730(1996)115
- Roper, D.K. and Lightfoot, E.N.
Separation of biomolecules using adsorptive membranes (Review) 702(1995)3
- Roper, D.K. and Lightfoot, E.N.
Estimating plate heights in stacked-membrane chromatography by flow reversal 702(1995)69
- Roper, D.K., see Lightfoot, E.N. 707(1995)45
- Rösch, R., see Földes-Papp, Z. 706(1995)405
- Rose, M.E., see Wycherley, D. 734(1996)339
- Rosell, M.G., see Guardino, X. 719(1996)141
- Rosen, R.T., see Baldi, A. 718(1995)89
- Rosen, R.T., see Hiserodt, R. 740(1996)51
- Rosengarten, L.K., see Johns, M.A. 743(1996)195
- Rosiak, A., see Bazylak, G. 725(1996)177
- Rosiek, J., see Lasa, J. 743(1996)301
- Ross, G.A.
Voltage pre-conditioning technique for optimisation of migration-time reproducibility in capillary electrophoresis 718(1995)444
- Ross, G.A., see Soga, T. 718(1995)421
- Ross, P., see Edwards, C. 734(1996)163
- Ross, P., see Edwards, C. 734(1996)175
- Rossetti, D.V., see Castagnola, M. 735(1996)271
- Rossin, G., see Lodi, S. 706(1995)375
- Roth, C.M., Unger, K.K. and Lenhoff, A.M.
Mechanistic model of retention in protein ion-exchange chromatography 726(1996)45
- Roth, M.
Thermodynamic background of selectivity shifts in temperature-programmed, constant-density supercritical fluid chromatography 718(1995)147
- Roth, M.
Solute retention in gas and supercritical fluid chromatography versus pairwise interactions within the system: a numerical treatment in perturbations of molecular parameters 738(1996)101
- Roubani-Kalantzopoulou, F., see Katsanos, N.A. 710(1995)191
- Rouchouse, A., see Malavasi, B. 729(1995)323
- Rouleau, L., see Bacaud, R. 750(1996)97
- Roush, D.J., see Gill, D.S. 715(1995)81
- Roush, D.J., Gill, D.S. and Willson, R.C.
Preferred high-performance liquid chromatographic anion-exchange chromatographic contact region for recombinant rat cytochrome b₅ 704(1995)339
- Roussel, C. and Favrou, A.
Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67
- Roussel, C., Popescu, C. and Shibata, T.
Factorial design approach to studying the high-performance liquid chromatographic chiral separation of N-arylthiazolin-2-(thi)one atropisomers on CHIRALCEL OJ 722(1996)177
- Roussel, S., see Lawrence, J.F. 721(1996)359
- Rouxel, P., see Karpe, P. 708(1995)105
- Row, K.H.
Combined continuous and preparative chromatographic separation 707(1995)105
- Row, K.H.
Simulation of the combined continuous and preparative gas-liquid chromatographic separation of three close-boiling components 734(1996)145
- Rowe, R.C., see McKillop, A.G. 730(1996)321
- Rowe, R.C., see Survay, M.A. 741(1996)99
- Rowland, A.P., Woods, C. and Kennedy, V.H.
Control of errors in anion chromatography applied to environmental research 706(1995)229
- Rozing, G.P., see Dittmann, M.M. 744(1996)63
- Ruaan, R.-C., see Lee, W.-C. 704(1995)307
- Rubie, H., see Nouadje, G. 717(1995)293
- Rubiolo, P., see Bicchi, C. 727(1996)211
- Rudenko, B.A., see Litvina, M.L. 706(1995)307
- Rudenko, B.A., see Voloschik, I.N. 706(1995)315
- Rüdiger, H., see Brechtel, R. 716(1995)97
- Ruess, W., see Tegeler, A. 715(1995)195
- Ruiz, B.L., see Bosch, N.B. 706(1995)221
- Ruiz, M.J., see Redondo, M.J. 719(1996)69
- Ruiz, S., see Farran, A. 737(1996)109
- Rummel, M., see Rimkus, G.G. 737(1996)9
- Rundlett, K.L. and Armstrong, D.W.
Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis 721(1996)173
- Ruppert, T., see Riedel, K. 719(1996)383
- Rushin, I.D., see Euerby, M.R. 705(1995)219
- Rushin, I.D., see Euerby, M.R. 705(1995)229
- Russell, J.C., see Aspin, I.P. 727(1996)61
- Rütimann, T.B., see Ammann, A.A. 706(1995)259
- Rüttinger, H.H., see Schwarz, M.A. 745(1996)135
- Rydlund, A. and Dahlman, O.
Efficient capillary zone electrophoretic separation of wood-derived neutral and acidic mono- and oligosaccharides 738(1996)129
- Rykowska, I., see Wasiak, W. 723(1996)313
- Ryu, J.-K., see Shin, H.-S. 732(1996)327
- Ryu, S., see Kataoka, H. 726(1996)253

S

Saari-Nordhaus, R. and Anderson, Jr, J.M.

Membrane-based solid-phase extraction as a sample clean-up technique for anion analysis by capillary electrophoresis 706(1995)563

Saari-Nordhaus, R., see Nair, L.M. 739(1996)99

Saccani, G., Gherardi, S., Trifirò, A., Bordini, C.S., Calza, M. and Freddi, C.

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Saccani, G., see Trifirò, A. 739(1996)175

Saccheri, G., see Buzzoniti, M.C. 728(1996)55

Saccheri, G., see Sarzanini, C. 706(1995)141

Saccheri, G., see Sarzanini, C. 739(1996)63

Sádecká, J. and Polonský, J.

Determination of some cardiovascular drugs in serum and urine by capillary isotachophoresis 735(1996)403

Sadlej-Sosnowska, N.

Thermodynamic parameters of the formation of a complex between cyclodextrins and steroid hormones 728(1996)89

Saevels, J., Van den Steen, K., Van Schepdael, A. and Hoogmartens, J.

Study of the competitive inhibition of adenosine deaminase by *erythro*-9-(2-hydroxy-3-nonyl)adenine using capillary zone electrophoresis 745(1996)293

Saez, A., Gomez de Barreda, D., Gamon, M., García de la Quadra, J., Lorenzo, E. and Peris, C.

UV detection of triazine herbicides and their hydroxylated and dealkylated degradation products in well water 721(1996)107

Sagrado, S., see Medina-Hernández, M.J. 718(1995)273

Saha, M., Abushamaa, A. and Giese, R.W.

General method for determining ethylene oxide and related N⁷-guanine DNA adducts by gas chromatography-electron capture mass spectrometry 712(1995)345

Sahasrabuddhey, B., see Jain, A. 746(1996)31

Şahin, A., Laleli, Y.R. and Ortancı, R.

Haemoglobin analysis by capillary zone electrophoresis 709(1995)121

Saini, C., see Weiss, J. 706(1995)81

Sainthorant, C., Morin, P., Dreux, M., Baudry, A. and Goetz, N.

Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography.

Comparison of the role of anionic and cationic surfactants 717(1995)167

Saito, K., see Kubota, N. 718(1995)27

Saito, T., see Takeuchi, M. 722(1996)317

Saitoh, K., see Katsuta, S. 705(1995)319

Saizen, Y., see Haginaka, J. 708(1995)161

Sajonz, P., Yun, T., Zhong, G., Fornstedt, T. and Guiochon, G.

Profiles of large-size system peaks and vacancy bands in liquid chromatography. II. Comparison of experimental and calculated profiles 734(1996)75

Sajonz, P., Zhong, G. and Guiochon, G.

Influence of the concentration dependence of the mass transfer properties on the chromatographic band profiles. I. Apparent axial dispersion coefficient in frontal analysis 728(1996)15

Sajonz, P., Zhong, G. and Guiochon, G.

Influence of the concentration dependence of the mass transfer properties on chromatographic band profiles. II. Accuracy of the determination of isotherm data by frontal analysis 731(1996)1

Sakaguchi, K., see Nilsson, K.G.I. 707(1995)199

Sakai, T., see Inoue, Y. 706(1995)127

Sakai, T., see Kumagai, H. 739(1996)327

Sakai, T., see Nishikawa, H. 710(1995)159

Sakaida, M., see Kusaka, T. 730(1996)1

Sakairi, M., see Ozaki, H. 716(1995)69

Sakiyama, N., Kataoka, H. and Makita, M.

Gas chromatographic analysis of 3-amino-1-hydroxypropylidene-1,1-bisphosphonate and related bisphosphonate as their N-isobutoxycarbonyl methyl ester derivatives 724(1996)279

Sakiyama, N., see Kataoka, H. 726(1996)253

Salabert-Salvador, M.T., see García-March, F.J. 719(1996)45

Salas-Auvert, R., Colmenarez, J., De Ledo M. H., Colina, M., Gutierrez, E., Bravo, A., Soto, L. and Azuero, S.

Determination of anions in human and animal tear fluid and blood serum by ion chromatography 706(1995)183

Salaun, M.C., see Bellec, G. 727(1996)83

Salen, G., see Batta, A.K. 704(1995)228

Saletti, R., see Compagnini, A. 736(1996)115

Salgó, A., see Szemán, J. 728(1996)423

Salih, B., see Denizli, A. 731(1996)57

Salimi-Moosavi, H. and Cassidy, R.M.

Control of separation selectivity and electroosmotic flow in nonaqueous capillary electrophoretic separations of alkali and alkaline earth metal ions 749(1996)279

Salo, M., Sirén, H., Volin, P., Wiedmer, S. and Vuorela, H. Structure-retention relationships of steroid hormones in reversed-phase liquid chromatography and micellar electrokinetic capillary chromatography 728(1996)83

Salom, D. and Abad, C.

Chromatographic purification and characterization of synthetic tryptophan-substituted gramicidin A analogues 725(1996)315

Salomé, L., see Mitnik, L. 710(1995)309

Salter, L.F., see Broadbent, J.K. 732(1996)101

Salvadó, V., see Anticó, E. 706(1995)159

Salvador, A., see Caron, I. 746(1996)103

Samperi, R., see Crescenzi, C. 733(1996)41

Sanagi, M.M., Ahmad, U.K., Hassan, K. and Musa, G.

Alkylbenzenes as a retention-index scale in reversed-phase high-performance liquid chromatography 722(1996)59

Sanchez, D., see Andersson, S. 741(1996)23

Sanchez, J.-C., see Yan, J.X. 736(1996)291

Sánchez-Brunete, C., see García-Valcárcel, A.I. 719(1996)113

Sanchez-Viñas, M., see Gracia Bagur, M. 730(1996)241

Sánchez-Rasero, F., see de la Colina, C. 733(1996)275

Sanchez-Rasero, F., Matallo, M., Peña, A., de la Colina, C., Dios, G.C. and Romero, E.

Liquid chromatographic determination of methabenzthiazuron in soil aqueous solutions with photodiode-array detection (Review) 733(1996)367

- Sancho, J.V., Hernández, F., López, F.J., Hogendoorn, E.A., Dijkman, E. and Van Zoonen, P.
Rapid determination of glufosinate, glyphosate and aminomethylphosphonic acid in environmental water samples using precolumn fluorogenic labeling and coupled-column liquid chromatography 737(1996)75
- Sander, L.C., see Emenhiser, C. 707(1995)205
- Sander, L.C., see Emenhiser, C. 719(1996)333
- Sander, L.C., see Williams, K.L. 746(1996)91
- Sanders, L., see Clark, R. 744(1996)205
- Sanderson, K., Andrén, P.E., Caprioli, R.M. and Nyberg, F.
In vitro metabolism of LVV-hemorphin-7 in human plasma studied by reversed-phase high-performance liquid chromatography and micro-electrospray mass spectrometry 743(1996)207
- Sanderson, K., see Nyberg, G. 723(1996)43
- Sandoval, J.E., see Chiari, M. 717(1995)1
- Sandoval, L.A., see Ricker, R.D. 743(1996)43
- Sandra, P., Kot, A., Medvedovici, A. and David, F.
Selected applications of the use of supercritical fluids in coupled systems 703(1995)467
- Sandra, P., see Szűcs, R. 738(1996)25
- Sandström, M., Norborg, M.A. and Ericsson, A.
Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373
- Sanlaville, Y., see Schmitt, P. 709(1995)215
- Sannier, F., see Zhao, Q. 723(1996)35
- Sano, Y., see Yamauchi, S. 737(1996)149
- Sansoulet, J., see Bleton, J. 720(1996)27
- Santagata, G., see Carducci, C. 729(1996)173
- Santhosh-Kumar, C.R., see Deutsch, J.C. 724(1996)271
- Santhosh-Kumar, C.R., see Deutsch, J.C. 746(1996)300
- Santos, F.J., Galceran, M.T. and Fraisse, D.
Application of solid-phase microextraction to the analysis of volatile organic compounds in water 742(1996)181
- Sanz Asensio, J., see Pérez Clavijo, M. 740(1996)146
- Sanz, L., see Calvete, J.J. 711(1995)167
- Sanz, M.A., Castillo, G. and Hernández, A.
Isocratic high-performance liquid chromatographic method for quantitative determination of lysine, histidine and tyrosine in foods 719(1996)195
- Sanz-Nebot, V., see Barbosa, J. 719(1996)27
- Sanz-Nebot, V., see Barbosa, J. 725(1996)249
- Sapone, A., see Biagi, G.L. 723(1996)135
- Sarasa, J., see Ormad, P. 733(1996)159
- Sarasa, J., see Puig, A. 733(1996)511
- Sarg, B., see Lindner, H. 743(1996)137
- Sarker, M. and Guiochon, G.
Study of the packing behavior of axial compression columns for preparative chromatography 702(1995)27
- Sarker, M., see Guiochon, G. 704(1995)247
- Sarker, M. and Guiochon, G.
Study of the operating conditions of axial compression columns for preparative chromatography 709(1995)227
- Sarker, M. and Guiochon, G.
Consolidation of the packing material in chromatographic columns under dynamic axial compression. III. Effect of the nature of the packing solvent on the consolidation and performance of axial compression columns 741(1996)165
- Sarker, M., Katti, A.M. and Guiochon, G.
Consolidation of the packing material in chromatographic columns under dynamic axial compression. II.
Consolidation and breakage of several packing materials 719(1996)275
- Sarker, M., see Stanley, B.J. 741(1996)175
- Sarker, M., Yun, T. and Guiochon, G.
Study of the operating conditions of radial compression columns in preparative chromatography 728(1996)3
- Sarna, L.P., see Graham, K.N. 725(1996)129
- Sarzanini, C.
Foreword 706(1995)1
- Sarzanini, C., see Bruzzoniti, M.C. 728(1996)55
- Sarzanini, C., Bruzzoniti, M.C., Sacchero, G. and Mentasti, E.
On-line preconcentration and separation of neutral and charged aromatic compounds by ion interaction chromatography 739(1996)63
- Sarzanini, C., Sacchero, G., Mentasti, E. and Hajós, P.
Studies on the retention behaviour of metal-EDTA complexes in cation chromatography 706(1995)141
- Sasaki, T.A., see Ragunathan, N. 703(1995)335
- Sastre, A., see Baraj, B. 718(1995)227
- Sato, G., see Kishi, H. 722(1996)169
- Sato, G., see Kishi, H. 750(1996)335
- Sato, H., see Watanabe, H. 706(1995)55
- Sato, H., see Watanabe, H. 727(1996)311
- Sato, H., see Yokoyama, Y. 739(1996)333
- Satoda, M., see Nonomura, M. 739(1996)301
- Sauerbrey, R., see Hackl, C. 730(1996)153
- Saurina, J. and Hernández-Cassou, S.
Chromatographic determination of amino acids by pre-column derivatization using 1,2-naphthoquinone-4-sulfonate as reagent 740(1996)21
- Savage, P.A., see Goodlett, D.R. 707(1995)233
- Sawada, H., see Fujimoto, C. 716(1995)107
- Seaman, C., see Le, X. 716(1995)215
- Scapol, L., Marchi, E. and Visconti, G.C.
Capillary electrophoresis of heparin and dermatan sulfate unsaturated disaccharides with triethylamine and acetonitrile as electrolyte additives 735(1996)367
- Schacht, S., see Grün, M. 740(1996)1
- Schäffer, S., Gareil, P., Carpot, L. and Dezael, C.
Capillary electrophoretic determination of degradation products of nitrilotriacetic acid used as a complexing agent in a desulphurisation process 717(1995)351
- Schäffer, S., Gareil, P., Dezael, C. and Richard, D.
Direct determination of iron(II), iron(III) and total iron as UV-absorbing complexes by capillary electrophoresis 740(1996)151
- Scharbert, F., see Hannak, D. 728(1996)307
- Schecker, J., see Steger-Hartmann, T. 726(1996)179
- Schepers, R., see Adams, E. 741(1996)233
- Schepky, A.G., Meinhardt, G., Austermann, S., Adermann, K., Schulz-Knappe, P., Forssmann, W.-G. and Hass, R.
Specific determination of tyrosine-phosphorylated proteins and peptides by differential iodination 743(1996)273
- Scher, A.L., see Weisz, A. 732(1996)283
- Scherer, G., see Riedel, K. 719(1996)383

- Scheuer, C., Wimmer, B., Bischof, H., Nguyen, L., Maguhn, J., Spitzauer, P., Kettrup, A. and Wabner, D.
Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography 706(1995)253
- Scheunert, I., see Schlegel, O. 737(1996)101
- Schiewe, J., Mrestani, Y. and Neubert, R.
Application and optimization of capillary zone electrophoresis in vitamin analysis 717(1995)255
- Schiller, P.W., see Kálmán, A. 729(1996)155
- Schlegel, O., Niessner, R. and Scheunert, I.
High-performance liquid chromatographic determination of ¹⁴C-labelled terbutylazine and principal degradates in percolation water and soil extracts from leaching experiments 737(1996)101
- Schleimer, M., see Mayer, S. 730(1996)297
- Schlotterbeck, G., see Albert, K. 750(1996)303
- Schmalzing, D., see Mhatre, R. 707(1995)225
- Schmeer, K., see Gaus, H.-J. 735(1996)221
- Schmeer, K., Nicholson, G., Zhang, S., Bayer, E. and Bohning-Gaese, K.
Identification of the lipids and the ant attractant 1,2-dioleylglycerol in the arils of *Commiphora guillauminii Perr.* (*Burseraceae*) by supercritical fluid chromatography-atmospheric pressure chemical ionisation mass spectrometry 727(1996)139
- Schmid, M., see Welsch, T. 728(1996)299
- Schmid, M.G. and Gübitz, G.
Capillary zone electrophoretic separation of the enantiomers of dipeptides based on host-guest complexation with a chiral crown ether 709(1995)81
- Schmidt, D.E., see Wheatley, J.B. 726(1996)77
- Schmidt, G., see Németh-Kiss, V. 750(1996)253
- Schmidt, J., see Schneider, G. 728(1996)371
- Schmidt, L.W., see Dumont, P.J. 706(1995)109
- Schmidt, R., see Kálmán, A. 729(1996)155
- Schmidberger, M., see Bollhagen, R. 711(1995)181
- Schmit, J.L., see Elrod, Jr., L. 723(1996)235
- Schmitt, P., Freitag, D., Sanlaville, Y., Lintelmann, J. and Kettrup, A.
Capillary electrophoretic study of atrazine photolysis 709(1995)215
- Schmitt, Ph., Garrison, A.W., Freitag, D. and Kettrup, A.
Separation of s-triazine herbicides and their metabolites by capillary zone electrophoresis as a function of pH 723(1996)169
- Schnappinger, D., see Ettner, N. 742(1996)95
- Schneider, G. and Schmidt, J.
Liquid chromatography-electrospray ionization mass spectrometry for analysing plant hormone conjugates 728(1996)371
- Schneider, R.P., see Gabelish, C.L. 749(1996)165
- Schoene, K., Bruckert, H.-J., Jürling, H. and Steinhanses, J.
Derivatization of 10-chloro-5,10-dihydrophenarsazine (Adamsite) for gas chromatographic analysis 719(1996)401
- Schomburg, G.
Two-dimensional gas chromatography: principles, instrumentation, methods (Review) 703(1995)309
- Schoor, A., Erdmann, N., Effmert, U. and Mikkat, S.
Determination of the cyanobacterial osmolyte glucosylglycerol by high-performance liquid chromatography 704(1995)89
- Schrader, W. and Linscheid, M.
Determination of styrene oxide adducts in DNA and DNA components 717(1995)117
- Schramel, P., see Michalke, B. 750(1996)51
- Schrammel, F., see Ulberth, F. 704(1995)455
- Schreppel, T., see Ettner, N. 742(1996)95
- Schröder, D., see Brudel, M. 712(1995)169
- Schröder, H.F.
Polar organic pollutants in the Elbe river. Liquid chromatographic-mass spectrometric and flow-injection analysis-mass spectrometric analyses demonstrating changes in quality and concentration during the unification process in Germany 712(1995)123
- Schröder, W., see Matz, G. 750(1996)151
- Schuhmacher, R., see Krská, R. 746(1996)233
- Schulte, G., see Chankvetadze, B. 732(1996)143
- Schulte, G., see Chankvetadze, B. 732(1996)183
- Schulz, H.-G., see Coors, C. 717(1995)235
- Schulz-Knappe, P., see Schepky, A.G. 743(1996)273
- Schunack, W., see Bergmann, J. 734(1996)381
- Schurig, V., see Cabrera, K. 731(1996)315
- Schurig, V., see Glausch, A. 723(1996)399
- Schurig, V., see Mňuk, P. 732(1996)63
- Schüth, F., see Grün, M. 740(1996)1
- Schutz, A., see Hunt, A.J. 708(1995)61
- Schützner, W., Fanali, S., Rizzi, A. and Kenndler, E.
Separation of diastereomers by capillary zone electrophoresis in free solution with polymer additive and organic solvent component. Effect of pH and solvent composition 719(1996)411
- Schwartz, S.J., see Emenhiser, C. 707(1995)205
- Schwartz, S.J., see Emenhiser, C. 719(1996)333
- Schwarz, M.A., Neubert, R.H.H. and Rüttinger, H.H.
Application of capillary electrophoresis for characterizing interactions between drugs and bile salts. Part I 745(1996)135
- Schwarz, T., see Heesche-Wagner, K. 711(1995)175
- Schwarzer, C. and Haselwandter, K.
Rapid quantification of the nitrification inhibitor dicyandiamide in soil samples, nutrient media and bacterial cell-free extracts 732(1996)390
- Schwedt, G. and Rieckhoff, M.
Separation of thio- and oxothioarsenates by capillary zone electrophoresis and ion chromatography 736(1996)341
- Schwedt, G., see Tian, S. 709(1995)381
- Schwikowski, M., see Döscher, A. 706(1995)249
- Scott, D.L., Penn, L.S. and Weetall, H.H.
Evaluation of the potential usefulness of in situ fiber optic sensors for column monitoring in chromatographic separations and purifications 736(1996)51
- Scott, P.M., see Delgado, T. 731(1996)109
- Scott, P.M., see Krská, R. 746(1996)233
- Scribe, P., see Dupas, S. 737(1996)117
- Scullion, S.D., Clench, M.R., Cooke, M. and Ashcroft, A.E.
Determination of surfactants in surface water by solid-phase extraction, liquid chromatography and liquid chromatography-mass spectrometry 733(1996)207
- Scully, P., Meehan, E. and Kelly, J.G.
High-performance liquid chromatographic assay for diltiazem in small-volume blood specimens and application to pharmacokinetic studies in rats 729(1996)297
- Sebedio, J.L., see Dobson, G. 723(1996)349

- Sébille, B., see Xu, R.J. 730(1996)289
- Seeger, A. and Rinas, U.
- Two-step chromatographic procedure for purification of basic fibroblast growth factor from recombinant *Escherichia coli* and characterization of the equilibrium parameters of adsorption 746(1996)17
- Šegudović, N., Sertić, S., Kovač-Filipović, M. and Jarm, V.
- Salt effect on size-exclusion chromatography of partially sulfonated alternating copolymers of maleic acid and styrene in a polar solvent 704(1995)149
- Segura, J., see González, G. 719(1996)251
- Seki, T., Yamaji, K., Orita, Y., Moriguchi, S. and Shinoda, A.
- Simultaneous determination of uric acid and creatinine in biological fluids by column-switching liquid chromatography with ultraviolet detection 730(1996)139
- Seliger, H., see Földes-Papp, Z. 706(1995)405
- Seliger, H., see Földes-Papp, Z. 739(1996)431
- Selkirk, J.K., He, C. and Merrick, B.A.
- Gel electrophoretic analysis of cellular and secreted proteins from resting and activated rat alveolar macrophages treated with pentamidine isethionate 711(1995)331
- Sella, C., see Hennion, M.-C. 712(1995)287
- Semb, S.I., see Pedersen-Bjergaard, S. 723(1996)337
- Semenzato, A., Austria, R., Dall'Aglio, C. and Bettero, A.
- High-performance liquid chromatographic determination of ionic compounds in cosmetic emulsions: application to magnesium ascorbyl phosphate 705(1995)385
- Sepaniak, M.J., see Anigbogu, V.C. 705(1995)343
- Sepaniak, M.J., see Cole, R.O. 736(1996)239
- Sepaniak, M.J., see Farkas, T. 740(1996)169
- Sepúlveda-Escrivano, A., see Prado, C. 719(1996)87
- Serafini, P., see Carducci, C. 729(1996)173
- Serkiz, B., see Oliveros, L. 729(1996)29
- Serra, C., see Farran, A. 737(1996)109
- Serra, C., see Guardino, X. 719(1996)141
- Serra, M., see Gelfi, C. 718(1995)405
- Serra-Majem, L., see Casals, I. 750(1996)397
- Serres, A., Muller, D. and Jozefonvicz, J.
- Purification of monoclonal antibodies on dextran-coated silica support grafted by thiophilic ligand 711(1995)151
- Serrini, G., see Marchetto, A. 706(1995)13
- Sertić, S., see Šegudović, N. 704(1995)149
- Servant, R.E., see Gautier, E.A. 706(1995)115
- Šérys, A., see Maruška, A. 746(1996)147
- Seta, K., see Nakayama, H. 730(1996)279
- Seto, Y., see Mori, M. 736(1996)229
- Seyama, C., see Haginaka, J. 704(1995)279
- Seyama, C., see Haginaka, J. 708(1995)161
- Seydel, R., see Földes-Papp, Z. 739(1996)431
- Sgarella, L., see Breton, J. 709(1995)135
- Shahrzad, S. and Bitsch, I.
- Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223
- Shamsi, S.A. and Danielson, N.D.
- Capillary electrophoresis of cationic surfactants with tetrazolium violet and of anionic surfactants with adenosine monophosphate and indirect photometric detection 739(1996)405
- Shamsi, S.A., Weathers, R.M. and Danielson, N.D.
- Capillary electrophoresis of phosphate ester surfactants with adenosine monophosphate and indirect photometric detection 737(1996)315
- Shanzer, A., see Betschinger, F. 746(1996)53
- Sharman, M., see Ferreira, V. 731(1996)247
- Sharman, M., see Goodall, I. 706(1995)353
- Shatz, V., see Kažoka, H. 732(1996)231
- Shea, D., see Penmetsa, K.V. 745(1996)201
- Shen, J.L., see Hummert, C. 729(1996)387
- Shen, Y., Malik, A., Li, W. and Lee, M.L.
- Packed capillary column supercritical fluid chromatography using SE-54 polymer encapsulated silica 707(1995)303
- Shen, Y., Obuseng, V., Grönberg, L. and Jönsson, J.Å.
- Liquid membrane enrichment for the ion chromatographic determination of carboxylic acids in soil samples 725(1996)189
- Shen, Y., see Ren, X. 741(1996)115
- Sheu, S.-J., see Chen, C.-T. 710(1995)323
- Sheu, S.-J. and Chen, H.-R.
- Simultaneous determination of twelve constituents of I-tzung-tang, a Chinese herbal preparation, by high-performance liquid chromatography and capillary electrophoresis 704(1995)141
- Sheu, S.-J., see Chuang, W.-C. 727(1996)317
- Sheu, S.-J. and Lu, C.-F.
- Determination of eight constituents of Hsiao-cheng-chi-tang by high-performance liquid chromatography 704(1995)518
- Sheumack, D., see Ou, K. 723(1996)219
- Shi, B. and Davis, B.H.
- High-performance liquid chromatographic separation of pairs of isotopic labeled (deuterium/protium) molecules 731(1996)351
- Shi, C.-Y., see Bazylak, G. 725(1996)177
- Shi, H., Strode III, J.T.B., Taylor, L.T. and Fujinari, E.M.
- Feasibility of supercritical fluid chromatography–chemiluminescent nitrogen detection with open tubular columns 734(1996)303
- Shi, Y.-C., Jiang, Y.-M., Sui, D.-X., Li, Y.-L., Chen, T., Ma, L. and Ding, Z.-T.
- Affinity chromatography of trypsin using chitosan as ligand support 742(1996)107
- Shibata, K., see Kodama, M. 707(1995)117
- Shibata, R., see Yamauchi, S. 737(1996)149
- Shibata, T., see Roussel, C. 722(1996)177
- Shibukawa, A., Kadohara, M., He, J.-y., Nishimura, M., Naito, S. and Nakagawa, T.
- Erratum Erratum to “Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis” [J. Chromatogr. A, 694 (1995) 81] 708(1995)364
- Shibuya, T., see Takeda, H. 722(1996)287
- Shick, K.A., see Gill, D.S. 715(1995)81
- Shigetoh, K., see Kiso, Y. 733(1996)259
- Shihabi, Z.K.
- Peptide stacking by acetonitrile–salt mixtures for capillary zone electrophoresis 744(1996)231
- Shim, S.-B., see Tanaka, K. 706(1995)385
- Shimada, K., see Yamato, S. 731(1996)346
- Shimizu, A., see Oka, H. 723(1996)61
- Shimizu, H., see Okada, T. 706(1995)37
- Shimizu, N., see Kumagai, H. 739(1996)327
- Shimizu, S., see Yamane, M. 730(1996)91
- Shimomura, Y., see Kumagai, H. 739(1996)327
- Shin, H.-S., Oh-Shin, Y.-S., Kim, J.-H. and Ryu, J.-K.
- Trace level determination of iodide, iodine and iodate by gas chromatography–mass spectrometry 732(1996)327

- Shin, Y.G., see Park, M.K. 736(1996)77
 Shinbo, T., see Sudo, Y. 736(1996)39
 Shindoh, S., see Kataoka, H. 723(1996)93
 Shinkai, F., see Nakayama, H. 730(1996)279
 Shinoda, A., see Seki, T. 730(1996)139
 Shinoda, T., see Nakayama, H. 730(1996)279
 Shinoda, T., see Yamaki, S. 728(1996)189
 Shinoda, T., see Yamaki, S. 729(1996)143
 Shinomiya, K., Inokuchi, N., Gnabre, J.N., Muto, M.,
 Kabasawa, Y., Fales, H.M. and Ito, Y.
 Countercurrent chromatographic analysis of ovalbumin
 obtained from various sources using the cross-axis coil
 planet centrifuge 724(1996)179
 Shiota, A., see Hirayama, N. 707(1995)384
 Shirasu, Y., see Hosoya, K. 728(1996)139
 Shirazi, S.G. and Guiochon, G.
 On nonlinear waves in chromatography 734(1996)3
 Shiota, O., see Kanda, T. 722(1996)115
 Shitangkoon, A., see Staerk, D.U. 702(1995)251
 Shitangkoon, A., see Staerk, D.U. 734(1996)155
 Shitangkoon, A., see Staerk, D.U. 734(1996)289
 Shitangkoon, A. and Vigh, G.
 Systematic modification of the separation selectivity of
 cyclodextrin-based gas chromatographic stationary phases
 by varying the size of the 6-O-substituents 738(1996)31
 Shiue, M.-P. and Pearlstein, A.J.
 Free-solution electrophoresis with amplification of small
 mobility differences by helical flow 707(1995)87
 Shiundu, P.M. and Giddings, J.C.
 Influence of bulk and surface composition on the retention
 of colloidal particles in thermal field-flow fractionation
 715(1995)117
 Shoffner, M.A., see Cheng, J. 732(1996)151
 Shotyk, W. and Immenhauser-Potthast, I.
 Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral
 skeletons by chelation ion chromatography 706(1995)167
 Shotyk, W., Immenhauser-Potthast, I. and Vogel, H.A.
 Determination of nitrate, phosphate and organically bound
 phosphorus in coral skeletons by ion chromatography
 706(1995)209
 Shotyk, W., see Steinmann, P. 706(1995)281
 Shotyk, W., see Steinmann, P. 706(1995)287
 Shotyk, W., see Steinmann, P. 706(1995)293
 Shpigu, O.A., see Krokhin, O.V. 706(1995)93
 Shpigu, O.A., see Nesterenko, P.N. 706(1995)59
 Shpigu, O.A., see Pirogov, A.V. 706(1995)31
 Sidelmann, U.G., Nicholls, A.W., Meadows, P.E., Gilbert, J.W.,
 Lindon, J.C., Wilson, I.D. and Nicholson, J.K.
 High-performance liquid chromatography directly coupled
 to ^{19}F and ^1H NMR for the analysis of mixtures of
 isomeric ester glucuronide conjugates of
 trifluoromethylbenzoic acids 728(1996)377
 Sieber, M., see Riering, H. 728(1996)171
 Siebert, C., see Talmadge, K.W. 744(1996)347
 Siebrands, T., see Fischer, C.-H. 707(1995)189
 Siegler, R.W., see Nguyen, N.T. 735(1996)123
 Siek, G., see Vanderlaan, M. 711(1995)23
 Siems, B., see Muth, P. 729(1996)251
 Šikovec, M., Novič, M., Hudnik, V. and Franko, M.
 On-line thermal lens spectrometric detection of Cr(III) and
 Cr(VI) after separation by ion chromatography
 706(1995)121
 Šikovec, M., Novič, M. and Franko, M.
 Application of thermal lens spectrometric detection to the
 determination of heavy metals by ion chromatography
 739(1996)111
 Siles, B.A., Halsall, H.B. and Dorsey, J.G.
 Retention and selectivity of flavanones on
 homopolyptide-bonded stationary phases in both normal-
 and reversed-phase liquid chromatography 704(1995)289
 Silva, M., see Cepas, J. 749(1996)73
 Silverman, C., see Jones, C. 707(1995)3
 Sim, J.-H., see McNerney, T.M. 744(1996)223
 Šimánek, V., see Ondra, P. 704(1995)351
 Simmonds, P.G., see Sturrock, G.A. 707(1995)255
 Simo, R. and Grimalt, J.O.
 Determination of volatile sulphur species in soil samples of
 interest for prospecting for metal sulphide deposits
 726(1996)161
 Simon, G., Hanak, L., Grévillot, G., Szanya, T. and Marton, G.
 Amino acid separation by preparative temperature-swing
 chromatography with flow reversal 732(1996)1
 Simon, V., Riba, M.-L., Waldhart, A. and Torres, L.
 Breakthrough volume of monoterpenes on Tenax TA:
 influence of temperature and concentration for α -pinene
 704(1995)465
 Simonyi, M., see Fitov, I. 709(1995)265
 Singaram, B., see Nicholson, L.W. 719(1996)315
 Singh, H., see Aue, W.A. 719(1996)468
 Singh, H. and Aue, W.A.
 Analyte noise in the flame photometric detector
 724(1996)251
 Singh, H. and Aue, W.A.
 Correlation chromatograms from a triple-detector system
 737(1996)223
 Singh, H. and Aue, W.A.
 Accurate spectral scans of single chromatographic peaks
 746(1996)43
 Singh, H., Eisener, C.G. and Aue, W.A.
 Dual-channel flame photometric detector for sensitive
 spectrum acquisition and variable-wavelength operation
 734(1996)405
 Singh, H., Millier, B. and Aue, W.A.
 Time-integrated spectra from a flame photometric detector
 724(1996)255
 Singh, N., see Wise, E.T. 746(1996)109
 Singh, R.P. and Abbas, N.M.
 Suppressed ion chromatographic determination of lithium,
 sodium, ammonium and potassium concentrations in sub-
 surface brines 733(1996)93
 Singh, R.P., Abbas, N.M. and Smesko, S.A.
 Suppressed ion chromatographic analysis of anions in
 environmental waters containing high salt concentrations
 (Review) 733(1996)73
 Sinkkonen, S., Kolehmainen, E., Paasivirta, J., Hämäläinen, S.
 and Lahtiperä, M.
 Analysis of chlorinated acetic and propionic acids as their
 pentafluorobenzyl derivatives. I. Preparation of the
 derivatives 718(1995)391
 Sioufi, A., see Pommier, F. 750(1996)75
 Sirén, H., see Hyötyläinen, T. 735(1996)439
 Sirén, H., see Liang, H.-R. 746(1996)123
 Sirén, H., see Lukkari, P. 717(1995)211

- Sirén, H., see Salo, M. 728(1996)83
 Sirén, H. and Sulkava, R.
 Determination of black dyes from cotton and wool fibres by capillary zone electrophoresis with UV detection: application of marker technique 717(1995)149
- Sirén, H., see Valkó, I.E. 737(1996)263
 Sjöberg, P., see Broadbent, J.K. 732(1996)101
 Skop, E., see Starr, C.M. 720(1996)295
 Škrabáková, S., see Matisová, E. 707(1995)145
 Skramstad, J., see Mu, H. 731(1996)225
 Škvarenina, S., see Komárek, K. 727(1996)131
 Šlais, K.
 Transient electrophoretic processes in capillaries of non-uniform cross-section 730(1996)247
 Šlais, K., see Horká, M. 728(1996)311
 Šlais, K., see Šťastná, M. 730(1996)261
 Slangen, C.J., see Minkiewicz, P. 743(1996)123
 Slangen, C.J., see Visser, S. 711(1995)141
 Slimestad, R., Marston, A. and Hostettmann, K.
 Preparative separation of phenolic compounds from *Picea abies* by high-speed counter-current chromatography 719(1996)438
- Slingsby, R.W. and Pohl, C.A.
 Approaches to sample preparation for ion chromatography. Sulfate precipitation on barium-form ion exchangers 739(1996)49
- Śliwka, I., see Lasa, J. 724(1996)265
 Slobodník, J., Hogenboom, A.C., Louter, A.J.H. and Brinkman, U.A.Th.
 Integrated system for on-line gas and liquid chromatography with a single mass spectrometric detector for the automated analysis of environmental samples 730(1996)353
- Slobodník, J., Hogenboom, A.C., Vreuls, J.J., Rontree, J.A., Van Baar, B.L.M., Niessen, W.M.A. and Brinkman, U.A.Th.
 Trace-level determination of pesticide residues using on-line solid-phase extraction–column liquid chromatography with atmospheric pressure ionization mass spectrometric and tandem mass spectrometric detection 741(1996)59
- Slobodník, J., see Honing, M. 712(1995)21
 Slobodník, J., see Liška, I. 733(1996)235
 Slobodník, J., see Louter, A.J.H. 725(1996)67
 Slobodník, J., Öztezkizan, Ö., Lingeman, H. and Brinkman, U.A.Th.
 Solid-phase extraction of polar pesticides from environmental water samples on graphitized carbon and Empore-activated carbon disks and on-line coupling to octadecyl-bonded silica analytical columns 750(1996)227
- Slobodník, J., Van Baar, B.L.M. and Brinkman, U.A.Th.
 Column liquid chromatography–mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds (Review) 703(1995)81
- Smart, N.G., see Burford, M.D. 738(1996)241
 Smesko, S.A., see Singh, R.P. 733(1996)73
 Smetena, I., see Yang, S.S. 746(1996)131
 Smeijers-Verbeke, J., see Yang, Q. 706(1995)503
 Smeijers-Verbeke, J., see Yang, Q. 717(1995)415
 Smit, H.C., see van der Moolen, J.N. 744(1996)103
 Smith, A.K., see González, G. 719(1996)251
 Smith, C.J., see Bonwick, G.A. 707(1995)293
 Smith, D.W., see Guan, H. 736(1996)21
- Smith, F.P., see Tagliaro, F. 735(1996)227
 Smith, R.M., see McKillop, A.G. 730(1996)321
 Smith, R.M., see Zimina, T. 728(1996)33
 Smolders, N., see Azarkan, M. 724(1996)185
 Smolenkov, A.D., see Krokhin, O.V. 706(1995)93
 Smyth, M.R., see Walshe, M. 708(1995)31
 Smyth, W.F., see McGrath, G. 735(1996)237
 Snijders, H., Janssen, H.-G. and Cramers, C.
 Optimization of temperature-programmed gas chromatographic separations. I. Prediction of retention times and peak widths from retention indices 718(1995)339
- Snijders, H., Janssen, H.-G. and Cramers, C.
 Design and optimization of a novel type nitrogen-phosphorus detector for capillary gas chromatography 732(1996)51
- Snyder, J.M., King, J.W. and Jackson, M.A.
 Fat content for nutritional labeling by supercritical fluid extraction and an on-line lipase catalyzed reaction 750(1996)201
- Snyder, L.R. and Dolan, J.W.
 Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3
- Snyder, L.R., see Lewis, J.A. 721(1996)15
 Snyder, L.R., see Zhu, P.-L. 718(1995)429
 Socha, R., see Porcar, M. 724(1996)193
 Söderström, M.T., Björk, H., Häkkinen, V.M.A., Kostainen, O., Kuitunen, M.-L. and Rautio, M.
 Identification of compounds relevant to the chemical weapons convention using selective gas chromatography detectors, gas chromatography–mass spectrometry and gas chromatography–Fourier transform infrared spectroscopy in an international trial proficiency test 742(1996)191
- Sofer, G.
 Preparative chromatographic separations in pharmaceutical, diagnostic, and biotechnology industries: current and future trends 707(1995)23
- Soga, T., Inoue, Y. and Ross, G.A.
 Analysis of halides, oxyhalides and metal oxoacids by capillary electrophoresis with suppressed electroosmotic flow 718(1995)421
- Soják, L., see Kuráň, P. 733(1996)119
 Sokoloski, E., see Ma, Y. 724(1996)348
 Soleas, G.J., see Goldberg, D.M. 708(1995)89
 Soler Roca, R., see De Julián-Ortiz, J.V. 719(1996)37
 Solfrizzo, M. and Visconti, A.
 Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69
- Somlai, C., see Péter, A. 710(1995)297
 Sommariva, G., see Achilli, M. 706(1995)241
 Somsen, G.W., Morden, W. and Wilson, I.D.
 Planar chromatography coupled with spectroscopic techniques (Review) 703(1995)613
- Soneji, V., see Chen, S. 739(1996)351
 Song, D., Zhang, S. and Kohlhof, K.
 Determination of a trace amount of cocaine on a bank note by gas chromatography–positive-ion chemical-ionization mass spectrometry 731(1996)355
- Song, J.M., see Kawazumi, H. 744(1996)31

- Song, J.M., Kawazumi, H., Inoue, T. and Ogawa, T.
Time-resolved photon-counting fluorimetry with a semiconductor laser for capillary electrophoresis 727(1996)330
- Song, L., Ou, Q., Yu, W., Fang, L. and Jin, Y.
Determination of the petroleum tracers nitrate and thiocyanate in subterranean waters by capillary ion electrophoresis 715(1995)376
- Song, N., see Xu, X. 710(1995)21
- Sopok, S.
Improved statistical analysis of ion chromatography data from acids for aluminum anodizing solutions 739(1996)163
- Sørensen, H., see Agerbirk, N. 745(1996)239
- Sørensen, H., see Bjergegaard, C. 717(1995)325
- Sørensen, H., see Bjergegaard, C. 717(1995)409
- Sørensen, H., see Frias, J. 719(1996)213
- Sørensen, H., see Frøkiær, H. 717(1995)75
- Sørensen, J.C., see Frøkiær, H. 717(1995)75
- Sørensen, S., see Frøkiær, H. 717(1995)75
- Soria, V., see García, R. 721(1996)203
- Soriano, F., see Calero, M. 719(1996)149
- Sosic, Z., see Liu, X. 735(1996)165
- Soto, L., see Salas-Auvert, R. 706(1995)183
- Souders, C., see Apffel, A. 717(1995)41
- Souders, C., see Apffel, A. 732(1996)27
- Souders, C., see Apffel, A. 750(1996)35
- Souza, N.J.d., see Inamdar, P.K. 742(1996)127
- Spada, A., see Bonfichi, R. 707(1995)355
- Spanh-Langguth, H., see Büschges, R. 725(1996)323
- Spanos, E., see Klampfli, C.W. 715(1995)275
- Spezia, S., see Bettinelli, M. 709(1995)275
- Spille, H., see Anspach, F.B. 711(1995)129
- Spiteller, G., see Mlakar, A. 743(1996)293
- Spitzauer, P., see Scheuer, C. 706(1995)253
- Spitzer, T. and Takeuchi, T.
Determination of benzanthrone in environmental samples 710(1995)109
- Spliid, N.H. and Køppen, B.
Determination of polar pesticides in ground water using liquid chromatography-mass spectrometry with atmospheric pressure chemical ionization 736(1996)105
- Splitt, H., see Freitag, R. 728(1996)129
- Splitt, H., Mackenstedt, I. and Freitag, R.
Preparative membrane adsorber chromatography for the isolation of cow milk components 729(1996)87
- Spöndlin, C., see Küsters, E. 737(1996)333
- Sprang, A.F.H., see Lamoree, M.H. 742(1996)235
- Sridhar, C.N., see Dinh, T.Q. 744(1996)341
- Srinivasan, K., see Cole, K.D. 707(1995)77
- Staby, A. and Mollerup, J.
Solute retention of lysozyme in hydrophobic interaction perfusion chromatography 734(1996)205
- Stache, F., see Coors, C. 717(1995)235
- Staerk, D.U., Shitangkoon, A. and Vigh, G.
Preparative gas chromatographic separation of the enantiomers of methyl 2-chloropropionate using a cyclodextrin-based stationary phase 702(1995)251
- Staerk, D.U., Shitangkoon, A., Winchester, E., Vigh, G., Felinger, A. and Guiochon, G.
Determination of the gas-liquid partition isotherms of the enantiomers of methyl 2-chloropropionate on trichloroacetyl pentyl β -cyclodextrin using the elution by characteristic points method 734(1996)155
- Staerk, D.U., Shitangkoon, A., Winchester, E., Vigh, G., Felinger, A. and Guiochon, G.
Use of the equilibrium-dispersive model of nonlinear gas chromatography for the modelling of the elution band profiles in the preparative-scale gas chromatographic separation of enantiomers 734(1996)289
- Stålbrand, H., see Torto, N. 725(1996)165
- Stalder, S., see O'Donnell, G.E. 709(1995)313
- Stamper, G.F., see Lambert, W.J. 709(1995)249
- Stan, H.-J. and Linkerhögner, M.
Large-volume injection in residue analysis with capillary gas chromatography using a conventional autosampler and injection by programmed-temperature vaporization with solvent venting 727(1996)275
- Stan, H.-J. and Linkerhögner, M.
Pesticide residue analysis in foodstuffs applying capillary gas chromatography with atomic emission detection. State-of-the-art use of modified multimethod S19 of the Deutsche Forschungsgemeinschaft and automated large-volume injection with programmed-temperature vaporization and solvent venting 750(1996)369
- Staněk, V., see Jandera, P. 738(1996)201
- Stanley, B.J., Sarker, M. and Guiochon, G.
Consolidation of the packing material in chromatographic columns under dynamic axial compression. IV. Mechanical properties of some packing materials 741(1996)175
- Starr, C.M., Masada, R.I., Hague, C., Skop, E. and Klock, J.C.
Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295
- Starratt, A.N. and Lazarovits, G.
High-performance liquid chromatography with photodiode array detection for analysis of the fungal metabolite sclerin 741(1996)131
- Startin, J.R., see Barnes, K.A. 712(1995)85
- Startin, J.R., see Barnes, K.A. 712(1995)191
- Startin, J.R., see Lewis, D.J. 750(1996)391
- Štaſtná, M., Kahle, V. and Šlais, K.
Automated instrumentation for miniaturized displacement electrophoresis with on-column photometric detection 730(1996)261
- Statler, J., see Kaiser, E. 739(1996)71
- Stearns, S.D., see Gremaud, G. 724(1996)235
- Stearns, S.D., see Mendonca, S. 749(1996)131
- Stearns, S.D., see Wentworth, W.E. 749(1996)149
- Štedrý, M., see Gaš, B. 709(1995)63
- Štedrý, M., see Potoček, B. 709(1995)51
- Steele, K.P., see Gluck, S.J. 744(1996)141
- Steele, K.P., see Gluck, S.J. 745(1996)117
- Stefansson, M. and Westerlund, D.
Ligand-exchange chromatography of carbohydrates and glycoconjugates 720(1996)127
- Steffen, R., see Kaupp, S. 744(1996)93
- Steffenak, I., see Hormazabal, V. 724(1996)364

- Steger-Hartmann, T., Kümmerer, K. and Schecker, J.
Trace analysis of the antineoplastics ifosfamide and cyclophosphamide in sewage water by two-step solid-phase extraction and gas chromatography-mass spectrometry 726(1996)179
- Steiner, F., Beck, W. and Engelhardt, H.
Optimization of indirect ultraviolet detection in high-performance liquid chromatography and capillary electrophoresis 738(1996)11
- Steinert, J., Khalaf, H. and Rimpler, M.
High-performance liquid chromatographic separation of some naturally occurring naphthoquinones and anthraquinones 723(1996)206
- Steinhanses, J., see Schoene, K. 719(1996)401
- Steinmann, P. and Shotyk, W.
Ion chromatography of organic-rich natural waters from peatlands. III. Improvements for measuring anions and cations 706(1995)281
- Steinmann, P. and Shotyk, W.
Ion chromatography of organic-rich natural waters from peatlands. IV. Dissolved free sulfide and acid-volatile sulfur 706(1995)287
- Steinmann, P. and Shotyk, W.
Ion chromatography of organic-rich natural waters from peatlands. V. Fe^{2+} and Fe^{3+} 706(1995)293
- Steketee, P.C., see Hankemeier, Th. 750(1996)161
- Stelzer, A., Jira, Th., Meusel, M., Morgenstern, O. and Plümer, F.
Liquid chromatographic separation of chiral triazolophthalazines 729(1996)5
- Štěpánek, J., see Kašická, V. 709(1995)31
- Sternberg, R., see Aflalaye, A. 708(1995)283
- Sternberg, R., see Aflalaye, A. 746(1996)63
- Sternitzke, K., see Fan, T.Y. 740(1996)289
- Stevens, A.J., see Gifford, L.A. 715(1995)201
- Stigbrand, M., see Hyttiäinen, M. 740(1996)279
- Stillian, J., see Harrold, M. 717(1995)371
- Stobaugh, J.F., see Hu, T. 716(1995)381
- Stöckl, D., see Thienpont, L.M. 706(1995)443
- Štolcová, M., Kaszonyi, A., Hronec, M. and Liptaj, T.
Reversed-phase high-performance liquid chromatographic method for the quantitative determination of alkylbis(2-benzothiazolylsulfen)amides 710(1995)351
- Štrancar, A., see Friedrich, J. 704(1995)363
- Stratford, M.R.L., see Everett, S.A. 706(1995)437
- Stratford, M.R.L., Parkins, C.S., Everett, S.A., Dennis, M.F., Stubbs, M. and Hill, S.A.
Analysis of the acidic microenvironment in murine tumours by high-performance ion chromatography 706(1995)459
- Strausbauch, M.A., Xu, S.J., Ferguson, J.E., Nunez, M.E., Machacek, D., Lawson, G.M., Wettstein, P.J. and Landers, J.P.
Concentration and separation of hypoglycemic drugs using solid-phase extraction-capillary electrophoresis 717(1995)279
- Strazzolini, P., see Giumanini, A.G. 704(1995)224
- Streater, M., see Levison, P.R. 702(1995)59
- Streater, M., see Levison, P.R. 734(1996)137
- Street, G., see Noel, R.J. 734(1996)241
- Strege, M.A. and Lagu, A.L.
Analysis of recombinant human growth hormone in *Escherichia coli* fermentation broth by micellar high-performance liquid chromatography 705(1995)155
- Strein, T.G., see Landzettel, W.J. 718(1995)45
- Strickland, M., Weimer, B.C. and Broadbent, J.R.
Capillary electrophoresis of Cheddar cheese 731(1996)305
- Stritzel, R., see Bringezu, F. 724(1996)367
- Stride III, B., see Thompson, J. 738(1996)115
- Stride III, J.T.B., see Shi, H. 734(1996)303
- Stride, III, J.T.B. and Taylor, L.T.
Optimization of electron-capture detector when using packed-column supercritical fluid chromatography with modified carbon dioxide 723(1996)361
- Strolin Benedetti, M., see Frigerio, E. 729(1996)237
- Strolin Benedetti, M., see Breda, M. 729(1995)301
- Strömquist, M., Lindgren, K., Hansson, L. and Juneblad, K.
Differences in the glycosylation of recombinant and native human milk bile salt-stimulated lipase revealed by peptide mapping 718(1995)53
- Strong, R., see Cho, B.-Y. 743(1996)181
- Struppe, H.G., Franke, F., Hofmann, J. and Ondruschka, B.
Coupling of thermal desorption in modified closeable sampling columns with wide-bore capillary gas chromatography and mass spectrometric detection 750(1996)239
- Stubbs, M., see Stratford, M.R.L. 706(1995)459
- Stuff, J.R., see Cheicante, R.L. 711(1995)347
- Stuff, J.R., see Creasy, W.R. 709(1995)333
- Stuppner, H. and Egger, R.
Application of capillary zone electrophoresis to the analysis of betalains from *Beta vulgaris* 735(1996)409
- Stuppner, H. and Ganzena, M.
Application of β -cyclodextrin for the analysis of the main alkaloids from *Chelidonium majus* by capillary electrophoresis 717(1995)271
- Sturrock, G.A., Simmonds, P.G. and Nickless, G.
Investigation of the use of oxygen doping of the electron-capture detection for determination of atmospheric halocarbons 707(1995)255
- Ståhlberg, J.
Ion Exchange and Solvent Extraction, Vol. 12 (edited by J.A. Marinsky and Y. Marcus) (Book Review)
719(1996)484
- Suárez, A., see Moldovan, Z. 723(1996)243
- Suárez, B., Picinelli, A. and Mangas, J.J.
Solid-phase extraction and high-performance liquid chromatographic determination of polyphenols in apple musts and ciders 727(1996)203
- Suda, Y., see Ikarashi, Y. 718(1995)267
- Sudo, Y.
End-capping of octadecylsilylated silica gels by high-temperature silylation 737(1996)139
- Sudo, Y., Yamaguchi, T. and Shinbo, T.
Preparation and enantioselectivity of (S)-binaphthol-bonded phase for high-performance liquid chromatography 736(1996)39
- Suen, T.-T., see Lin, S.-J. 730(1996)17
- Suffet, I.H. (Mel), see Capangpangan, M.B. 738(1996)253
- Sugii, A., see Harada, K. 740(1996)207
- Sugita, K., see Kubota, N. 718(1995)27

- Sugiyama, T., see Yamazoe, K. 726(1996)241
- Sugo, T., see Kubota, N. 718(1995)27
- Sui, D.-X., see Shi, Y.-C. 742(1996)107
- Sulkava, R., see Sirén, H. 717(1995)149
- Sumida, A., see Kataoka, H. 709(1995)303
- Sun, C., Baird, M., Anderson, H.A. and Brydon, D.L.
Separation of broadly distributed nonylphenol ethoxylates and determination of ethylene oxide oligomers in textile lubricants and emulsions by high-performance liquid chromatography 731(1996)161
- Sun, C., see Bonwick, G.A. 707(1995)293
- Sun, Q., Wang, H. and Mou, S.
Rapid determination of germanium and tin by ion chromatography 708(1995)99
- Sun, Y., see Liu, H. 718(1995)448
- Sun, Y., see Wang, Z. 735(1996)295
- Sun, Y., see Wang, Z. 749(1996)300
- Sun, Y., see Yan, X. 724(1996)337
- Sun, Y., see Zheng, Z. 707(1995)131
- Sun, Z., see Wang, Z. 735(1996)295
- Sun, Z., see Wang, Z. 749(1996)300
- Sundaram, K.M.S. and Nott, R.
Simultaneous determination of tebufenozide and five of its intact metabolites from forestry matrices by high-performance liquid chromatography 708(1995)71
- Sundin, P., see Mu, H. 731(1996)225
- Survey, M.A., Goodall, D.M., Wren, S.A.C. and Rowe, R.C.
Self-consistent framework for standardising mobilities in free solution capillary electrophoresis: applications to oligoglycines and oligoalanines 741(1996)99
- Süsse, H. and Müller, H.
Pesticide analysis by micellar electrokinetic capillary chromatography 730(1996)337
- Sustacha, K., Chacón, M., Lucero, M.L. and Orjales, A.
Determination of ipriflavone and its synthetic impurities by high-performance liquid chromatography using diode-array detection 719(1996)245
- Sütlüpınar, N., see Ondra, P. 704(1995)351
- Sutton, R.M.C., Hill, S.J. and Jones, P.
Comparison of the chelating ion exchange properties of dye coated cellulose and polystyrene substrates for the separation and determination of trace metals from aqueous media 739(1996)81
- Suzuki, J., see Yamauchi, S. 737(1996)149
- Suzuki, M., see Oka, H. 723(1996)61
- Suzuki, S., see Nishikawa, T. 720(1996)167
- Suzuki, Y., see Tani, K. 722(1996)129
- Svec, F. and Fréchet, J.M.J.
Modified poly(glycidyl methacrylate-co-ethylene dimethacrylate) continuous rod columns for preparative-scale ion-exchange chromatography of proteins 702(1995)89
- Svintsova, N.V., see Krokhin, O.V. 706(1995)93
- Swanepoel, E., de Villiers, M.M. and du Preez, J.L.
Fluorimetric method of analysis for D-norpseudoephedrine hydrochloride, glycine and L-glutamic acid by reversed-phase high-performance liquid chromatography 729(1996)287
- Swanson, M.G., see Keller, R.K. 737(1996)325
- Swart, R., Brouwer, S., Kraak, J.C. and Poppe, H.
Swelling behaviour and kinetic performance of polyacrylate stationary phases for reversed-phase and normal-phase open-tubular liquid chromatography 732(1996)201
- Swartz, M.E., Mazzeo, J.R., Grover, E.R., Brown, P.R. and Aboul-Enein, H.Y.
Separation of piperidine-2,6-dione drug enantiomers by micellar electrokinetic capillary chromatography using synthetic chiral surfactants 724(1996)307
- Swartz, M.E., Mazzeo, J.R., Grover, E.R. and Brown, P.R.
Validation of enantiomeric separations by micellar electrokinetic capillary chromatography using synthetic chiral surfactants 735(1996)303
- Swatloski, R., see Gremaud, G. 724(1996)235
- Swatloski, R., see Wentworth, W.E. 749(1996)149
- Sweedler, J.V., see Cruz, L. 735(1996)375
- Swen, R.J.J., see Vreuls, J.J. 750(1996)275
- Syagailo, Ya.V., see Klyushnichenko, V.E. 704(1995)357
- Sybilska, D., Asztemborska, M., Zook, D.R. and Goronowicz, J.
Glycerol as a new dissolution medium for α -, β - and γ -cyclodextrins for preparing stereoselective stationary phases for gas-liquid chromatography 715(1995)309
- Sypniewski, S. and Bald, E.
Determination of captopril and its disulphides in whole human blood and urine by high-performance liquid chromatography with ultraviolet detection and precolumn derivatization 729(1996)335
- Szanya, T., see Simon, G. 732(1996)1
- Szejtli, J., see Szemán, J. 728(1996)423
- Szemán, J., Ganzler, K., Salgó, A. and Szejtli, J.
Effect of the degree of substitution of cyclodextrin derivatives on chiral separations by high-performance liquid chromatography and capillary electrophoresis 728(1996)423
- Szepesi, I., see Fekete, J. 712(1995)378
- Szepesy, L., see Bede, Á. 728(1996)179
- Szökő, É., see Guttman, A. 744(1996)321
- Szökő, É., Gyimesi, J., Barcza, L. and Magyar, K.
Determination of binding constants and the influence of methanol on the separation of drug enantiomers in cyclodextrin modified capillary electrophoresis 745(1996)181
- Szökő, É. and Magyar, K.
Chiral separation of deprenyl and its major metabolites using cyclodextrin-modified capillary zone electrophoresis 709(1995)157
- Szűcs, R., Verleysen, K., Duchateau, G.S.M.J.E., Sandra, P. and Vandeginste, B.G.M.
Analysis of phospholipids in lecithins. Comparison between micellar electrokinetic chromatography and high-performance liquid chromatography 738(1996)25

T

- Tadeo, J.L., see García-Valcárcel, A.I. 719(1996)113
- Taga, A. and Honda, S.
Derivatization at capillary inlet in high-performance capillary electrophoresis. Its reliability in quantification 742(1996)243
- Tagliaro, F., see Achilli, G. 729(1996)273
- Tagliaro, F., see Jelíneková, D. 709(1995)111
- Tagliaro, F., see McGrath, G. 735(1996)237
- Tagliaro, F., Smith, F.P., Turrina, S., Equisetto, V. and Marigo, M.
Complementary use of capillary zone electrophoresis and micellar electrokinetic capillary chromatography for mutual confirmation of results in forensic drug analysis 735(1996)227
- Takada, Y., see Ozaki, H. 716(1995)69
- Takagi, K., see Kano, K. 721(1996)53
- Takahashi, K., see Knight, M. 702(1995)207
- Takahashi, N.
Three-dimensional mapping of N-linked oligosaccharides using anion-exchange, hydrophobic and hydrophilic interaction modes of high-performance liquid chromatography 720(1996)217
- Takahashi, Y., see Yamauchi, S. 737(1996)149
- Takahata, T., see Yomota, C. 721(1996)89
- Takami, M., see Nobuhara, K. 704(1995)45
- Takanaka, K., Ohta, K. and Fritz, J.S.
Ion-exclusion chromatography of ethanolamines on an anion-exchange resin by elution with polyols and sugars 739(1996)317
- Takasaki, M., see Takeda, H. 722(1996)287
- Takeba, K., see Oka, H. 723(1996)61
- Takeda, H., Shibuya, T., Yanagawa, K., Kanoh, H. and Takasaki, M.
Simultaneous determination of α -tocopherol and α -tocopherolquinone by high-performance liquid chromatography and coulometric detection in the redox mode 722(1996)287
- Takeda, S., Wakida, S.-i., Yamane, M., Higashi, K. and Terabe, S.
Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography 744(1996)135
- Takeuchi, M. and Saito, T.
Two-stage resolution of mixtures by supercritical fluid chromatography 722(1996)317
- Takeuchi, T., see Spitzer, T. 710(1995)109
- Tallarek, U., see Bayer, E. 704(1995)37
- Talmadge, K.W., Zhu, M., Olech, L. and Siebert, C.
Oligonucleotide analysis by capillary polymer sieving electrophoresis using acryloylaminoethoxyethanol-coated capillaries 744(1996)347
- Tamaki, W., see Otsuka, K. 716(1995)319
- Tambe, A.S.
High-performance liquid chromatographic determination of cyclohexylhydantoin and cyclohexylidenehydantoin formed during the synthesis of phenylhydantoin from hydantoin and cyclohexanone 740(1996)284
- Tambute, A., see Mercier, J.-P. 741(1996)279
- Tamminga, W.J., see Wieling, J. 730(1996)381
- Tamura, A., see Razee, S. 715(1995)179
- Tan, L.C., see Carr, P.W. 724(1996)1
- Tanaka, K., see Ohta, K. 731(1996)179
- Tanaka, K., see Ohta, K. 739(1996)359
- Tanaka, K., Ohta, K., Fritz, J.S., Lee, Y.-S. and Shim, S.-B.
Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on an H^+ -form cation-exchange resin column by elution with polyols and sugars 706(1995)385
- Tanaka, M., see Harino, H. 715(1995)135
- Tanaka, M., see Yoshinaga, M. 710(1995)331
- Tanaka, N., Fukutome, T., Hosoya, K., Kimata, K. and Araki, T.
Polymer-supported pseudo-stationary phase for electrokinetic chromatography. Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers 716(1995)57
- Tanaka, N., see Hosoya, K. 711(1995)247
- Tanaka, N., see Hosoya, K. 728(1996)139
- Tanaka, S., Kodama, K., Kaneta, T. and Nakamura, H.
Migration behavior of niacin derivatives in capillary electrophoresis 718(1995)233
- Tancell, P.J. and Rhead, M.M.
Application of radio-chromatographic techniques to diesel emissions research 737(1996)181
- Tang, H.P.O., see Leung, G.N.W. 738(1996)141
- Tang, Q., see Nelson, W.M. 749(1996)219
- Tang, Y., Zukowski, J. and Armstrong, D.W.
Investigation on enantiomeric separations of fluorenylmethoxycarbonyl amino acids and peptides by high-performance liquid chromatography using native cyclodextrins as chiral stationary phases 743(1996)261
- Tani, K. and Suzuki, Y.
Influence of titania matrix on retention behaviour in reversed-phase liquid chromatography 722(1996)129
- Tanner, P.A. and Chan, S.M.
Application of ion chromatography to the Hong Kong rainfall monitoring program 739(1996)249
- Tanner, R., see Von Heeren, F. 745(1996)165
- Tapley, K.N.
Capillary electrophoretic analysis of the reactions of bifunctional reactive dyes under various conditions including a study of the analysis of the traditionally difficult to analyse phthalocyanine dyes 706(1995)555
- Tapley, K.N., see Burt, H. 736(1996)265
- Tapley, K.N., see Burt, H. 739(1996)367
- Tarasenko, D.A., see Nesterenko, P.N. 706(1995)59
- Tartari, G.A., see Marchetto, A. 706(1995)13
- Tartari, G.A., Marchetto, A. and Mosello, R.
Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

- Tauler, R., Lacorte, S. and Barceló, D.
Application of multivariate self-modeling curve resolution to the quantitation of trace levels of organophosphorus pesticides in natural waters from interlaboratory studies 730(1996)177
- Taverna, M., see Lemesle-Lamache, V. 735(1996)321
- Taylor, D.C., see Carrier, D.-J. 715(1995)317
- Taylor, D.R., see Dalton, D.D. 712(1995)365
- Taylor, G.W., see Murray, S. 738(1996)191
- Taylor, L.T., see Jedrzejewski, P.T. 489(1995)489
- Taylor, L.T. and Jordan, S.L.
Supercritical fluid extraction coupled directly with Fourier transform infrared spectrometry (Review) 703(1995)537
- Taylor, L.T., see Shi, H. 734(1996)303
- Taylor, L.T., see Strode, III, J.T.B. 723(1996)361
- Taylor, L.T., see Thompson, J. 738(1996)115
- Taylor, M.R., Westwood, S.A. and Perrett, D.
Determination of phase II drug metabolites in equine urine by micellar electrokinetic capillary chromatography 745(1996)155
- Tchapla, A., see Bleton, J. 720(1996)27
- Tchapla, A., see Héron, S. 725(1996)205
- Teffera, Y., see McLean, M. 732(1996)189
- Tegeler, A., Ruess, W. and Gmahl, E.
Determination of amphoteric surfactants in cosmetic cleansing products by high-performance liquid chromatography on a cation-exchange column 715(1995)195
- Tekel', J., see Hatrík, Š. 733(1996)217
- Tello, A.M., see Quintanilla-López, J.E. 721(1996)147
- Tena, M.T., see Jimenez-Carmona, M.M. 711(1995)269
- Tenberken, B., Ebert, P., Hartmann, M., Kibler, M., Mainka, A., Prokop, T., Röder, A. and Bächmann, K.
Analysis of single raindrops in the nl range by capillary electrophoresis 745(1996)209
- Teng, R.T.D., see Moran, J.E. 706(1995)215
- Tennekoon, D.A.S.S., see Euerby, M.R. 705(1995)219
- Tennekoon, D.A.S.S., see Euerby, M.R. 705(1995)229
- Terabayashi, T., see Ogawa, T. 741(1996)295
- Terabe, S., see Björnsdottir, I. 745(1996)37
- Terabe, S., see Harino, H. 715(1995)135
- Terabe, S., see Otsuka, K. 716(1995)319
- Terabe, S., see Ozaki, H. 709(1995)3
- Terabe, S., see Ozaki, H. 716(1995)69
- Terabe, S., see Takeda, S. 744(1996)135
- Terada, K., see Abe, I. 722(1996)221
- Teramae, N., see Katsuta, S. 705(1995)319
- Teräsahti, P., Pantisar-Kallio, M. and Manninen, P.K.G.
Simultaneous determination of arsenic species by ion chromatography-inductively coupled plasma mass spectrometry 750(1996)83
- Terabe, S., see Cohen, A. 735(1996)1
- Terfloth, G.J., see Pirkle, W.H. 704(1995)269
- Terfloth, G.J., Pirkle, W.H., Lynam, K.G. and Nicolas, E.C.
Broadly applicable polysiloxane-based chiral stationary phase for high-performance liquid chromatography and supercritical fluid chromatography 705(1995)185
- Testini, G., see Castello, G. 741(1996)241
- Tewari, B.B.
Ionophoretic technique for the determination of stability constants of metal-nitritotriacetate-methionine mixed complexes 718(1995)454
- Tharakarn, J. and Belzaire, M.
Ligand efficiency in axial and radial flow immunoaffinity chromatography of factor IX 702(1995)191
- Thede, R., Haberland, D. and Below, E.
Autocatalytic reactions in a liquid chromatographic reactor 728(1996)401
- Theil, F., see Kunath, A. 728(1996)249
- Thejavathi, R., Yakkundi, S.R. and Ravindranath, B.
Determination of azadirachtin by reversed-phase high-performance liquid chromatography using anisole as internal standard 705(1995)374
- Thestrup, H.N., see Joergensen, L. 706(1995)421
- Theurillat, R., see Von Heeren, F. 745(1996)165
- Thi, M.-H.D., see Azarkan, M. 749(1996)69
- Thibault, P., see Bateman, K.P. 712(1995)253
- Thibault, P., see Kelly, J.F. 720(1996)409
- Thielen, D., see Jain, V. 709(1995)387
- Thienpont, A., see Chassaing, C. 738(1996)157
- Thienpont, L.M., Van Nuwenborg, J.E. and Stöckl, D.
Ion chromatography as potential reference methodology for the determination of total sodium and potassium in human serum 706(1995)443
- Thomas, B.F., see Ley, F.R. 723(1996)101
- Thomas, D.H., Lopez-Avila, V., Betowski, L.D. and Van Emon, J.
Determination of carbendazim in water by high-performance immunoaffinity chromatography on-line with high-performance liquid chromatography with diode-array or mass spectrometric detection 724(1996)207
- Thomas, J.M., see Welch, K.A. 739(1996)257
- Thomassin, M., see Guillaume, Y. 704(1995)437
- Thompson, C.O. and Treanerry, V.C.
Determination of synthetic colours in confectionery and cordials by micellar electrokinetic capillary chromatography 704(1995)195
- Thompson, C.O., Treanerry, V.C. and Kemmery, B.
Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203
- Thompson, J., Strode III, B., Taylor, L.T. and Van Beek, T.A.
Supercritical fluid chromatography of ginkgolides A, B, C and J and bilobalide 738(1996)115
- Thompson, K., see Wang, T. 738(1996)290
- Thompson, R., see Moeder, C. 736(1996)1
- Thompson, R.D., see Danielson, J.W. 724(1996)398
- Thormann, W., see Caslavská, J. 709(1995)147
- Thormann, W., see Mosher, R.A. 716(1995)17
- Thormann, W., see Von Heeren, F. 745(1996)165
- Thorne, J., see Foret, F. 716(1995)157
- Thorne, J.M., Goetzinger, W.K., Chen, A.B., Moorhouse, K.G. and Karger, B.L.
Examination of capillary zone electrophoresis, capillary isoelectric focusing and sodium dodecyl sulfate capillary electrophoresis for the analysis of recombinant tissue plasminogen activator 744(1996)155
- Thornton, M.J., see Fritz, J.S. 739(1996)57
- Thörnwall, M., see Nyberg, G. 723(1996)43

- Thorpe, S.A., see Barnes, K.A. 712(1995)85
 Thorpe, S.A., see Lewis, D.J. 750(1996)391
 Thorpe, S.A. and Reynolds, S.L.
 Accreditation in the UK for pesticide residue analysis in foods (Review) 373(1996)3
 Thunecke, F., see Kálmán, A. 729(1996)155
 Thunecke, F., Kálmán, A., Kálmán, F., Ma, S., Rathore, A.S. and Horváth, C.
 Kinetic study on the *cis-trans* isomerization of peptidyl-proline dipeptides 744(1996)259
 Thunecke, F., see Ma, S. 716(1995)167
 Tian, S. and Schwedt, G.
 Separation of chromate and tungstate by reversed-phase high-performance chromatography using rutin as chelating reagent 709(1995)381
 Tian, W. and Ballantine, Jr, D.S.
 Characterization of cyano-functionalized stationary gas chromatographic phases by linear solvation energy relationships 718(1995)357
 Tijero, J., see Revenga, J. 712(1995)372
 Tijssen, R., see Van Asten, A.C. 703(1995)245
 Tijssen, R., see Venema, E. 740(1996)159
 Tinke, A.P., see Niessen, W.M.A. 703(1995)37
 Tint, G.S., see Batta, A.K. 704(1995)228
 Tivesten, A. and Folestad, S.
 Separation of precolumn-labelled D- and L-amino acids by micellar electrokinetic chromatography with UV and fluorescence detection 708(1995)323
 Tjaden, U.R., see Bergmann, J. 734(1996)381
 Tjaden, U.R., see Buscher, B.A.P. 712(1995)235
 Tjaden, U.R., see Buscher, B.A.P. 718(1995)413
 Tjaden, U.R., see Dekkers, S.E.G. 712(1995)201
 Tjaden, U.R., see Lamoree, M.H. 712(1995)219
 Tjaden, U.R., see Lamoree, M.H. 742(1996)235
 Tjaden, U.R., see Van der Hoeven, R.A.M. 712(1995)211
 Tjaden, U.R., see Van der Hoeven, R.A.M. 741(1996)75
 Tjaden, U.R., see Van der Vlis, E. 712(1995)227
 Tjaden, U.R., see Van der Vlis, E. 741(1996)13
 Tjerneld, F., see Berggren, K. 718(1995)67
 Tjerneld, F., see Terto, N. 725(1996)165
 Tjørnelund, J. and Hansen, S.H.
 Determination of impurities in tetracycline hydrochloride by non-aqueous capillary electrophoresis 737(1996)291
 Tleugabulova, D. and González Pérez, I.
 Reversed-phase high-performance liquid chromatographic study of thimerosal stability in Cuban recombinant hepatitis B vaccine 729(1996)219
 Toccori, S., see Baiocchi, C. 715(1995)95
 Todd, P., see Cole, K.D. 707(1995)77
 Todd, R.J., see Johnson, R.D. 725(1996)225
 Todorović, M., see Graovac, M. 705(1995)313
 Toida, T., see Imanari, T. 720(1996)275
 Tokuda, T., Mori, M. and Yamada, T.
 Size-exclusion chromatography on polyhydroxymethacrylate gel with dimethylformamide as eluent 722(1996)123
 Tolan, J.W., see Goodlett, D.R. 707(1995)233
 Tolosa, I., Readman, J.W. and Mee, L.D.
 Comparison of the performance of solid-phase extraction techniques in recovering organophosphorus and organochlorine compounds from water 725(1996)93
 Tomellini, S.A., see Clothier, Jr, J.G. 723(1996)179
 Tomlinson, A.J., Benson, L.M., Guzman, N.A. and Naylor, S.
 Preconcentration and microreaction technology on-line with capillary electrophoresis 744(1996)3
 Tomlinson, A.J., Jameson, S. and Naylor, S.
 Strategy for isolating and sequencing biologically derived MHC class I peptides 744(1996)273
 Tomlinson, A.J., see Naylor, S. 735(1996)415
 Tomšej, T. and Hajšlová, J.
 Determination of benzoylurea insecticides in apples by high-performance liquid chromatography 704(1995)513
 Tong, D., Bartle, K.D. and Clifford, A.A.
 Principles and applications of unified chromatography (Review) 703(1995)17
 Tong, W. and Yeung, E.S.
 Simple double-beam absorption detection systems for capillary electrophoresis based on diode lasers and light-emitting diodes 718(1995)177
 Tongta, A., see Liapis, A.I. 702(1995)45
 Toome, D.W., see Levison, P.R. 702(1995)59
 Toome, D.W., see Levison, P.R. 734(1996)137
 Töpfer-Petersen, E., see Calvete, J.J. 711(1995)167
 Toppino, P.M., see Cattaneo, T.M.P. 721(1996)345
 Toreson, H. and Eriksson, B.-M.
 Determination of fluvastatin enantiomers and the racemate in human blood plasma by liquid chromatography and fluorometric detection 729(1996)13
 Torija, M., see Gui, J.L. 719(1996)229
 Toro, I., see Barbosa, J. 725(1996)249
 Török, G., see Péter, A. 728(1996)455
 Torre, M., Cohen, M.E., Corzo, N., Rodríguez, M.A. and Diez-Masa, J.C.
 Perfusion liquid chromatography of whey proteins 729(1995)99
 Torres, C.M., Picó, Y., Redondo, M.J. and Mañes, J.
 Matrix solid-phase dispersion extraction procedure for multiresidue pesticide analysis in oranges 719(1996)95
 Torres, L., see Simon, V. 704(1995)465
 Torsi, G., see Reschiglian, P. 740(1996)245
 Tarto, N., Marko-Varga, G., Gorton, L., Stålbbrand, H. and Tjerneld, F.
 On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165
 Tóth, G., see Péter, A. 705(1995)257
 Tóth, G., see Péter, A. 705(1995)267
 Tóth, G., see Péter, A. 728(1996)455
 Tourwé, D., see Péter, A. 705(1995)257
 Tourwé, D., see Péter, A. 705(1995)267
 Tourwé, D., see Péter, A. 728(1996)455
 Tourwé, D., see Péter, A. 729(1996)137
 Toussaint, B., see Ceccato, A. 750(1996)351
 Toussaint, G., see Nouri, B. 726(1996)153
 Towns, J.K.
 Moisture content in proteins: its effects and measurement (Review) 705(1995)115
 Toyoda, H., see Imanari, T. 720(1996)275
 Toyo'oka, T., see Liu, Y.-M. 719(1996)450
 Tozer, G.M., see Everett, S.A. 706(1995)437
 Traris, M., see Loutelier, C. 738(1996)181

- Trenerry, V.C., Robertson, J. and Wells, R.J.
Analysis of illicit amphetamine seizures by capillary electrophoresis 708(1995)169
- Trenerry, V.C., see Thompson, C.O. 704(1995)195
- Trenerry, V.C., see Thompson, C.O. 704(1995)203
- Trenerry, V.C., Wells, R.J. and Robertson, J.
Determination of morphine and related alkaloids in crude morphine, poppy straw and opium preparations by micellar electrokinetic capillary chromatography 718(1995)217
- Trifirò, A., see Saccani, G. 706(1995)395
- Trifirò, A., Saccani, G., Zanotti, A., Gherardi, S., Cavalli, S. and Reschiotto, C.
Determination of cations in fruit juices and purées by ion chromatography 739(1996)175
- Trocewicz, J.
Determination of herbicides in surface water by means of a supported liquid membrane technique and high-performance liquid chromatography 725(1996)121
- Trojanowicz, M., see Biesaga, M. 705(1995)390
- Trojanowicz, M., see Pobozy, E. 718(1995)329
- Trojanowicz, M., see Pobozy, E. 736(1996)141
- Tröltzsch, C., see Brindle, R. 731(1996)41
- Trotti, R., see Rizzo, V. 729(1996)181
- Trtanj, M.I., see Graovac, M. 705(1995)313
- Tsai, C.-Y. and Her, G.-R.
Capillary zone electrophoresis/electrospray mass spectrometry of priority phenols 743(1996)315
- Tsai, L.-C., see Wang, S.-M. 715(1995)325
- Tsai, T.-H. and Chen, C.-F.
In vivo microdialysis determination of collagen-induced serotonin release in rat blood 730(1996)121
- Tseng, H.-H., see Lin, S.-J. 730(1996)17
- Tseng, L.-H., see Albert, K. 750(1996)303
- Tso, T.S.C., see Leung, G.N.W. 738(1996)141
- Tsuchihashi, H., see Miki, A. 718(1995)383
- Tsuda, K., see Kusaka, T. 730(1996)1
- Tsuji, A., see Arakawa, H. 722(1996)359
- Tsumura, T., see Katsuta, S. 705(1995)319
- Tucci, S., see Páez, X. 735(1996)263
- Tulliez, J., see Chevallieu, S. 715(1995)345
- Tuñón Blanco, P., see Rodríguez López, M. 721(1996)231
- Turnes Carou, M.I., see Crescenzi, C. 733(1996)41
- Turnes, I., Rodríguez, I., García, C.M. and Cela, R.
Determination of chlorophenols in drinking water with high resolution gas chromatography–tandem mass spectrometry 743(1996)283
- Turnes, M.I., Mejuto, M.C. and Cela, R.
Determination of pentachlorophenol in water samples by capillary zone electrophoresis 733(1996)395
- Turnes, M.I., see Rodríguez, I. 721(1996)297
- Turowski, M., see Kalisz, R. 722(1996)25
- Turowski, M., Kalisz, R., Lüllmann, C., Genieser, H.G. and Jastorff, B.
New stationary phases for the high-performance liquid chromatographic separation of nucleosides and cyclic nucleotides. Synthesis and chemometric analysis of retention data 728(1996)201
- Turrina, S., see Tagliaro, F. 735(1996)227
- Tuzova, T.P., see Klyushnichenko, V.E. 704(1995)357
- Tway, P., see Wang, T. 738(1996)290
- Tway, P.C., see Prabhu, S.V. 731(1996)331
- Tyrefors, N., Hyllbrant, B., Ekman, L., Johansson, M. and Långström, B.
Determination of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human serum by solid-phase extraction and liquid chromatography–mass spectrometry with electrospray ionisation 729(1996)279
- Terabe, S., see Nishi, H. 735(1996)3

U

- Uchida, C., see Oguri, S. 724(1996)169
- Uchida, K., see Nakayama, H. 730(1996)279
- Uden, P.C.
Element-specific chromatographic detection by atomic absorption, plasma atomic emission and plasma mass spectrometry (Review) 703(1995)393
- Udiavar, S., see Apffel, A. 717(1995)41
- Ueda, K., see Michigami, Y. 732(1996)403
- Ueda, K., see Miki, A. 718(1995)383
- Ueda, T., see Kano, K. 721(1996)53
- Uguagliati, P., see Pace, G. 706(1995)345
- Ulberth, F. and Schrammel, F.
Accurate quantitation of short-, medium-, and long-chain fatty acid methyl esters by split-injection capillary gas–liquid chromatography 704(1995)455
- Umali, J.C., Moran, G.M. and Haddad, P.R.
Determination of phosphorus by sample combustion followed by non-suppressed ion chromatography 706(1995)199
- Umemura, M., see Ikeda, Y. 746(1996)255
- Umile, C. and Huber, J.F.K.
Significant reduction of the detection limit in ion chromatography by relative analyte enrichment with column switching 723(1996)11
- Unger, K.K., see Grün, M. 740(1996)1
- Unger, K.K., see Roth, C.M. 726(1996)45
- Uray, G., see Maier, N.M. 732(1996)215
- Uray, G., see Maier, N.M. 740(1996)19
- Urbánek, J., see Jandera, P. 736(1996)131
- Ursem, M., see Vissers, J.P.C. 746(1996)1

V

- Vaccher, C., Berthelot, P. and Debaert, M.
GABA-B agonists: enantiomeric resolution of 4-amino-3-(5-chlorothien-2-yl)butyric acid and analogues on chiral crown ether stationary phase 715(1995)361
- Vaccher, C., Berthelot, P., Flouquet, N., Vaccher, M.-P. and Debaert, M.
Preparative resolution of saclofen and hydroxysaclofen with analytical-scale high-performance liquid chromatography 732(1996)239
- Vaccher, M.-P., see Vaccher, C. 732(1996)239
- Vagennina, IV., see Danilov, A.V. 732(1996)17
- Vagg, R.S., see Aldrich-Wright, J.R. 718(1995)436
- Vahlensieck, U., see Wojciechowski, H. 717(1995)261
- Vaiani, R., see Arcelloni, C. 742(1996)121
- Valcárcel, M., see Ballesteros, E. 719(1996)221
- Valenta, J.N. and Weber, S.G.
Molecular recognition of phenobarbital in plasticizers. Equilibrium investigations on the solubility of the barbiturate artificial receptor and its binding to phenobarbital in plasticizers 722(1996)47
- Valentini, C., see Coco, F.L. 749(1996)95
- Valiente, M., see Anticó, E. 706(1995)159
- Válka, I., see Ondra, P. 704(1995)351
- Valkó, I.E., Sirén, H. and Riekkola, M.-L.
Chiral separation of dansyl-amino acids in a nonaqueous medium by capillary electrophoresis 737(1996)263
- Valko, K., see Ashton, D. 734(1996)271
- Valkó, K., see Ashton, D.S. 707(1995)367
- Valsasina, B., see Breton, J. 709(1995)135
- Valverde, A., see Fernandez-Alba, A.R. 721(1996)97
- Van Arkens, A., see Ekelund, J. 708(1995)253
- Van Asten, A.C., Van Dam, R.J., Kok, W.Th., Tijssen, R. and Poppe, H.
Determination of the compositional heterogeneity of polydisperse polymer samples by the coupling of size-exclusion chromatography and thermal field-flow fractionation 703(1995)245
- Vanatta, L.E.
Quantitation of anions at parts-per-trillion levels in semiconductor pure water by means of a laboratory ion chromatograph 739(1996)199
- van Baar, B.L.M., see Honing, M. 712(1995)21
- Van Baar, B.L.M., see Honing, M. 733(1996)283
- Van Baar, B.L.M., see Slobodník, J. 703(1995)81
- Van Baar, B.L.M., see Slobodník, J. 741(1996)59
- van Beek, T.A., see Thompson, J. 738(1996)115
- Van Berkel, J. and Beckett, R.
Determination of adsorption characteristics of the nutrient orthophosphate to natural colloids by sedimentation field-flow fractionation 733(1996)105
- Van Beekvelt, C.A., see Louter, A.J.H. 725(1996)67
- Van Dam, R.J., see Van Asten, A.C. 703(1995)245
- Vandeginste, B.G.M., see Palmer, C.P. 718(1995)153
- Vandeginste, B.G.M., see Szucs, R. 738(1996)25
- Vandeginste, B.G.M., see Van Stijn, F. 750(1996)263
- Van de Merbel, N.C., Lingeman, H. and Brinkman, U.A.Th.
Sampling and analytical strategies in on-line bioprocess monitoring and control 725(1996)13
- Van den Bergh, I., see Van Schepdael, A. 730(1996)305
- Van den Hoop, M.A.G.T., Cleven, R.F.M.J., van Staden, J.J. and Neele, J.
Analysis of fluoride in rain water. Comparison of capillary electrophoresis with ion chromatography and ion-selective electrode potentiometry 739(1996)241
- Van den Steen, K., see Saevels, J. 745(1996)293
- Van de Nesse, R.J., Velthorst, N.H., Brinkman, U.A.T. and Gooijer, C.
Laser-induced fluorescence detection of native-fluorescent analytes in column liquid chromatography, a critical evaluation 704(1995)1
- van der Greef, J.
Foreword 712(1995)1
- van der Greef, J., see Buscher, B.A.P. 712(1995)235
- van der Greef, J., see Buscher, B.A.P. 718(1995)413
- van der Greef, J., see Dekkers, S.E.G. 712(1995)201
- van der Greef, J., see Lamoree, M.H. 712(1995)219
- Van der Greef, J., see Lamoree, M.H. 742(1996)235
- van der Greef, J., see Van der Hoeven, R.A.M. 712(1995)211
- van der Greef, J., see Van der Vlis, E. 712(1995)227
- Van der Greef, J., see Van der Vlis, E. 741(1996)13
- Van der Greef, J., see Van der Hoeven, R.A.M. 741(1996)75
- van der Hage, E.R.E. and Boon, J.J.
On-line Curie-point pyrolysis-high-performance liquid chromatographic-mass spectrometric analysis of lignin polymers 736(1996)61
- Van der Hoeven, R.A.M., Buscher, B.A.P., Tjaden, U.R. and Van der Greef, J.
Performance of an electrospray-interfaced thermospray ion source in hyphenated techniques 712(1995)211
- van der Hoeven, R.A.M., see Buscher, B.A.P. 712(1995)235
- Van der Hoeven, R.A.M., Reeuwijk, H.J.E.M., Tjaden, U.R. and Van der Greef, J.
Analysis of quaternary ammonium drugs by thermospray liquid chromatography-mass spectrometry using a resin-based stationary phase 741(1996)75
- Van der Hoff, G.R., Pelusio, F., Brinkman, U.A.Th., Baumann, R.A. and Van Zoonen, P.
Automated solid-phase extraction coupled to gas chromatography with electron-capture detection: A combination of extraction and clean-up of pyrethroids in the analysis of surface water 719(1996)59
- Van der Laan, H.T.C., see Hankemeier, Th. 732(1996)75
- Vanderlaan, M., Lotti, R., Siek, G., King, D. and Goldstein, M.
Perfusion immunoassay for acetylcholinesterase: analyte detection based on intrinsic activity 711(1995)23
- Van der Moolen, J.N., Boelens, H.F.M., Poppe, H. and Smit, H.C.
Origin and correction of bias caused by sample injection and detection in capillary zone electrophoresis 744(1996)103
- Van der Poll, J.M., see Vink, M. 733(1996)361
- Van der Schans, M.J., Beckers, J.L., Molling, M.C. and Everaerts, F.M.
Intrinsic isotachophoretic preconcentration in capillary gel electrophoresis of DNA restriction fragments 717(1995)139

- Van der Schans, M.J., Reijenga, J.C. and Everaerts, F.M.
Quality control of histamine and methacholine in diagnostic
solutions with capillary electrophoresis 735(1996)387
- Van der Vlis, E., Mazereeuw, M., Tjaden, U.R., Irth, H. and
Van der Greef, J.
Combined liquid-liquid electroextraction-isotachophoresis
for loadability enhancement in capillary zone
electrophoresis-mass spectrometry 712(1995)227
- Van der Vlis, E., Mazereeuw, M., Tjaden, U.R., Irth, H. and
Van der Greef, J.
Development of a needle device for on-line
electroextraction-liquid chromatography 741(1996)13
- Van der Wal, S., see Ingelse, B.A. 745(1996)61
- Van der Wal, Sj., see Mengerink, Y. 730(1996)75
- Van der Wielen, F.W.M., see Govers, H.A.J. 715(1995)267
- Van der Wielen, F.W.M., see Van Haelst, A.G. 727(1996)265
- van Dijk, A.G., see Brinkman, J.H.W. 723(1996)355
- Van Dongen, W.D., see Visser, S. 711(1995)141
- Van Eijk, H.M.H., see Rooyakkers, D.R. 730(1996)99
- Van Eijk, H.M.H., Rooyakkers, D.R. and Deutz, N.E.P.
Automated determination of polyamines by high-
performance liquid chromatography with simple sample
preparation 730(1996)115
- Van Emon, J., see Thomas, D.H. 724(1996)207
- van Herk, A.M., see Cools, P.J.C.H. 736(1996)125
- Van Haelst, A.G., van der Wielen, F.W.M. and Govers, H.A.J.
Gas chromatographic determination of liquid vapour
pressure and heat of vaporization of
tetrachlorobenzyltoluenes 727(1996)265
- Van Herk, A.M., see Philipsen, J.A. 727(1996)13
- Van Langenhove, H., see Górná-Binkul, A. 734(1996)297
- Van Nuwenborg, J.E., see Thienpont, L.M. 706(1995)443
- Van Rhijn, J.A., O'Keeffe, M., Heskamp, H.H. and Collins, S.
Rapid analysis of β -agonists in urine by thermospray
tandem mass spectrometry 712(1995)67
- Van Schepdael, A., see Khan, K. 742(1996)267
- Van Schepdael, A., see Li, Y.M. 740(1996)119
- Van Schepdael, A., see Saevels, J. 745(1996)293
- Van Schepdael, A., Van den Bergh, I., Roets, E. and
Hoogmartens, J.
Purity control of oxytetracycline by capillary
electrophoresis 730(1996)305
- Van Stijn, F., Kerkhoff, M.A.T. and Vandeginste, B.G.M.
Determination of polycyclic aromatic hydrocarbons in
edible oils and fats by on-line donor-acceptor complex
chromatography and high-performance liquid
chromatography with fluorescence detection 750(1996)263
- Van Straten, M.A., see Claessens, H.A. 728(1996)259
- Van Tonder, E.C., De Villiers, M.M., Handford, J.S., Malan,
C.E.P. and Du Preez, J.L.
Simple, robust and accurate high-performance liquid
chromatography method for the analysis of several
anthelmintics in veterinary formulations 729(1996)267
- Van Vyncht, G., Preece, S., Gaspar, P., Maghuin-Rogister, G.
and DePauw, E.
Gas and liquid chromatography coupled to tandem mass
spectrometry for the multiresidue analysis of β -agonists in
biological matrices 750(1996)43
- Van Zoonen, P., see Hogendoorn, E.A. 703(1995)149
- van Zoonen, P., see Sancho, J.V. 737(1996)75
- Van Zoonen, P., see Van der Hoff, G.R. 719(1996)59
- Van Staden, J.J., see van den Hoop, M.A.G.T. 739(1996)241
- Vaquero, M.T., see Folch, I. 719(1996)121
- Varani, K., see Biagi, G.L. 723(1996)135
- Varesio, E. and Veuthey, J.-L.
Chiral separation of amphetamines by high-performance
capillary electrophoresis 717(1995)219
- Varfalvy, L., see Carrier, A. 705(1995)205
- Varga-Puchony, Z., see Kiss, G. 725(1996)261
- Varlamov, V.P., Lopatin, S.A., Ilyina, A.V., Bannikova, G.E.,
Chlenov, M.A., Vasiyarov, G.G., Mitrochkin, A.A.,
Morgunova, E.Yu., Pierrot, M. and Reglier, M.
New approaches to chromatographic purification of bovine
dopamine- β -hydroxylase 711(1995)113
- Vasiyarov, G.G., see Varlamov, V.P. 711(1995)113
- Vazquez, B., see Franco, C.M. 723(1996)69
- Vázquez, B.I., see Cepeda, A. 721(1996)69
- Vazquez, B.I., Fente, C., Franco, C., Cepeda, A., Prognon, P.
and Mahuzier, G.
Simultaneous high-performance liquid chromatographic
determination of ochratoxin A and citrinin in cheese by
time-resolved luminescence using terbium 727(1996)185
- Veenig, H., see Landzettel, W.J. 718(1995)45
- Vejrostá, J., see Janda, V. 733(1996)35
- Vela, N.P., see Byrdy, F.A. 712(1995)311
- Velásquez, H., Ramírez, H., Díaz, J., de Nava, M.G., de
Borrego, B.S. and Morales, J.
Determination of atmospheric sulfur dioxide by ion
chromatography in the city of Cabimas, Venezuela
739(1996)295
- Velayudhan, A., see Basak, S.K. 707(1995)69
- Velcheva, M.P., Werner, C. and Hesse, M.
Reversed-phase high-performance liquid chromatographic
separation of epimeric alkaloid N-oxides from *Thalictrum
simplex* L. 730(1996)63
- Velikonja, Š., Jarc, I., Zupančič-Kralj, L. and Marsel, J.
Comparison of gas chromatographic and spectrophotometric
techniques for the determination of formaldehyde in water
704(1995)449
- Vella, G., see McCarthy, E. 743(1996)163
- Vella, G., see Nadler, T. 743(1996)91
- Velthorst, N.H., see Van de Nesse, R.J. 704(1995)1
- Venema, E., Kraak, J.C., Poppe, H. and Tijssen, R.
Packed-column hydrodynamic chromatography using 1- μ m
non-porous silica particles 740(1996)159
- Veness, R.G. and Evans, C.S.
Identification of monosaccharides and related compounds
by gas chromatography-Fourier transform infrared
spectroscopy of their trimethylsilyl ethers 721(1996)165
- Veness, R.G. and Evans, C.S.
Identification of disaccharides by gas chromatography-
Fourier transform infrared spectroscopy 750(1996)311
- Ventom, A.M., see Prime, S. 720(1996)263
- Ventura, K., Příhoda, P. and Churáček, J.
Application of solid sorbents to the trace analysis of alkyl
esters of acrylic acid in air 710(1995)167
- Ventura, R., see González, G. 719(1996)251
- Vera-Avila, L.E., Padilla, P.C., Hernandez, M.G. and Meraz,
J.L.L.
On-line preconcentration, cleanup and high-performance
liquid chromatographic determination of chlorophenoxy
acid herbicides in water 731(1996)115

- Verardo, G., see Giumanini, A.G. 704(1995)224
- Verbeke, N., see D'Hulst, A. 735(1996)283
- Vercammen, J., see Batjoens, P. 750(1996)133
- Vercammen, J., see De Brabander, H.F. 750(1996)105
- Verdeguer, P., see Nouadje, G. 717(1995)335
- Verdejo, T., see González-Vila, F.J. 750(1996)155
- Verdú Andrés, J., see Bosch Reig, F. 726(1996)57
- Vérette, E., Qian, F. and Mangani, F.
On-line dialysis with high-performance liquid chromatography for the automated preparation and analysis of sugars and organic acids in foods and beverages 705(1995)195
- Vergin, H., see Metz, R. 729(1996)243
- Vergin, H., see Muth, P. 729(1996)251
- Vergin, H., see Muth, P. 729(1995)259
- Verheggen, T.P.E.M., see Reijenga, J.C. 744(1996)147
- Verleyen, K., see Szücs, R. 738(1996)25
- Verma, K.K., see Jain, A. 746(1996)31
- Vert, M., see Vidil, C. 711(1995)323
- Vestal, M.L., see McLean, M. 732(1996)189
- Veuthey, J.-L., see Varesio, E. 717(1995)219
- Vey, A., see Loutelier, C. 738(1996)181
- Vezzani, S., see Castello, G. 734(1996)277
- Vezzani, S., see Castello, G. 742(1996)151
- Viana, E., Redondo, M.J., Font, G. and Moltó, J.C.
Disks versus columns in the solid-phase extraction of pesticides from water 733(1996)267
- Viaud, M.C., see Baumy, Ph. 707(1995)311
- Viaud, M.-C., see Caccamese, S. 704(1995)83
- Vičar, J., see Ondra, P. 704(1995)351
- Vicari, A., see Dinelli, G. 733(1996)337
- Vicente, F., see Arenaza, M.J. 721(1996)123
- Vick, T.A., see Aspin, I.P. 727(1996)61
- Vickery, K., see Aldrich-Wright, J.R. 718(1995)436
- Vidal-Madjar, C., see Aflalaye, A. 708(1995)283
- Vidal-Madjar, C., see Aflalaye, A. 746(1996)63
- Vidal-Madjar, C., see Xu, R.J. 730(1996)289
- Vidal-Valverde, C., see Frias, J. 719(1996)213
- Vidil, C., Braud, C., Garreau, H. and Vert, M.
Monitoring of the poly(D,L-lactic acid) degradation by-products by capillary zone electrophoresis 711(1995)323
- Vigh, G., see Shitangkoon, A. 738(1996)31
- Vigh, G., see Staerk, D.U. 702(1995)251
- Vigh, G., see Staerk, D.U. 734(1996)155
- Vigh, G., see Staerk, D.U. 734(1996)289
- Vigh, Gy., see Williams, R.L. 716(1995)197
- Vigh, Gy., see Williams, R.L. 730(1996)273
- Vigh, Gy., see Williams, R.L. 744(1996)75
- Vikartovská, A., see Mislovičová, D. 722(1996)143
- Vilaplana, J., see Marín, M.L. 750(1996)183
- Vilchez, J.L., see Casado, A.G. 726(1996)133
- Vilchez, J.L., El-Khattabi, R., Fernández, J., González-Casado, A. and Navalón, A.
Determination of imidacloprid in water and soil samples by gas chromatography-mass spectrometry 746(1996)289
- Villalobos, E., see Colina, M. 739(1996)223
- Villani, C., see Ferretti, R. 704(1995)217
- Villani, C., see Gasparrini, F. 724(1996)79
- Villanueva, J. and Grimalt, J.O.
Pitfalls in the chromatographic determination of the alkenone U_{37}^k index for paleotemperature estimation 723(1996)285
- Villar, A., see Palomino, O.M. 731(1996)103
- Villaseñor, S.R., see Killgore, J.K. 739(1996)43
- Viñas, P., López Erroz, C., Campillo, N. and Hernández-Córdoba, M.
Determination of sulphonamides in foods by liquid chromatography with postcolumn fluorescence derivatization 726(1996)125
- Vindevogel, J., see Boonkerd, S. 704(1995)238
- Vindevogel, J., see Boonkerd, S. 736(1996)281
- Vink, M. and van der Poll, J.M.
Gas chromatographic determination of acid herbicides in surface water samples with electron-capture detection and mass spectrometric confirmation 733(1996)361
- Vinski, E., see Chen, J.-G. 705(1995)171
- Vinther, A., see Kornfelt, T. 726(1996)223
- Viový, J.L., see Mitnik, L. 710(1995)309
- Virtanen, V., Bordin, G. and Rodriguez, A.-R.
Separation of metallothionein isoforms with capillary zone electrophoresis using an uncoated capillary column. Effects of pH, temperature, voltage, buffer concentration and buffer composition 734(1996)391
- Visconti, G.C., see Scapol, L. 735(1996)367
- Visconti, A., see Solfrizzo, M. 730(1996)69
- Visentini, J., Kwong, E.C., Carrier, A., Zidarov, D. and Bertrand, M.J.
Comparison of softwares used for the detection of analytes present at low levels in liquid chromatographic-mass spectrometric experiments 712(1995)31
- Visser, S., see Minkiewicz, P. 743(1996)123
- Visser, S., Slangen, C.J., Lagerwerf, F.M., Van Dongen, W.D. and Haverkamp, J.
Identification of a new genetic variant of bovine β -casein using reversed-phase high-performance liquid chromatography and mass spectrometric analysis 711(1995)141
- Visser, T., see Hankemeier, Th. 732(1996)75
- Vissers, J.P.C., de Ru, A.H., Ursem, M. and Chervet, J.-P.
Optimised injection techniques for micro and capillary liquid chromatography 746(1996)1
- Visy, J., see Fitós, I. 709(1995)265
- Vivilecchia, R.V., see Yowell, G.G. 745(1996)73
- Vlietinck, A.J., see De Swaef, S.I. 719(1996)479
- Voelkel, A., see Bogillo, V.I. 715(1995)127
- Voelkel, A. and Borowiak-Resterna, A.
Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography 740(1996)253
- Voelkel, A. and Fall, J.
Influence of prediction method of the second virial coefficient on inverse gas chromatographic parameters 721(1996)139
- Voelter, W., see Lehmann, R. 744(1996)187
- Voelter, W., see Liebich, H.M. 717(1995)25
- Vogel, H.A., see Shotyk, W. 706(1995)209
- Vogt, C., see Conradi, S. 745(1996)103
- Vogt, C., see Heinig, K. 745(1996)281

- Vogt, C. and Kiessig, S.
Separation of D/L-carnitine enantiomers by capillary electrophoresis 745(1996)53
- Vogt, C., Vogt, J. and Wittrisch, H.
Element-sensitive X-ray detection for capillary electrophoresis 727(1996)301
- Vogt, J., see Vogt, C. 727(1996)301
- Volin, P., see Salo, M. 728(1996)83
- Volk, K.J., see Liu, J. 735(1996)357
- Volland, J.-P., see Oliveros, L. 729(1996)29
- Voloschik, I.N., see Litvina, M.L. 706(1995)307
- Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
Ion chromatographic determination of beryllium in rock and waste waters with a chelating sorbent and conductimetric detection 706(1995)315
- Von Heeren, F., Tanner, R., Theurillat, R. and Thormann, W.
Determination of fluconazole in human plasma by micellar electrokinetic capillary chromatography with detection at 190 nm 745(1996)165
- von Strandmann, R.P., see Weigt, C. 712(1995)141
- Von Tungeln, L.S., see Zhan, D.-J. 710(1995)149
- Vouros, P., see Barry, J.P. 732(1996)159
- Vouros, P., see Wang, P. 721(1996)289
- Vraspíř, P., see Jandera, P. 734(1996)125
- Vredenbregt, M.J., see Hankemeier, Th. 732(1996)75
- Vreuls, J.J., see Hankemeier, Th. 732(1996)75
- Vreuls, J.J., see Hankemeier, Th. 750(1996)161
- Vreuls, J.J., see Louter, A.J.H. 725(1996)67
- Vreuls, J.J., see Mol, H.G.J. 703(1995)277
- Vreuls, J.J., see Slobodník, J. 741(1996)59
- Vreuls, J.J., Swen, R.J.J., Goudriaan, V.P., Kerkhoff, M.A.T., Jongenotter, G.A. and Brinkman, U.A.Th.
Automated on-line gel permeation chromatography-gas chromatography for the determination of organophosphorus pesticides in olive oil 750(1996)275
- Vrkoč, J., see Koutek, B. 719(1996)391
- Vrkočová, P., see Koutek, B. 719(1996)391
- Vunnum, S., see Gallant, S.R. 725(1996)295
- Vunnum, S., see Kundu, A. 707(1995)57
- Vuorela, H., see Liang, H.-R. 746(1996)123
- Vuorela, H., see Salo, M. 728(1996)83
- Vuorela, P., see Liang, H.-R. 746(1996)123
- Vuori, E., see Rasanen, I. 738(1996)233
- Vytrás, K., see Pravda, M. 727(1996)47
- Wainer, I.W., see Booth, T.D. 737(1996)157
- Wainer, I.W., see Booth, T.D. 741(1996)205
- Waki, H., see Fukakusa, Y. 719(1996)365
- Wakida, S.-i., see Takeda, S. 744(1996)135
- Waksmundzka-Hajnos, M., Bieganowska, M.L. and Petruczynik, A.
High-performance liquid chromatographic separation of some 2- and 4-hydroxy derivatives of 2'-benzoylbenzoic acid on Florisil and silica gel columns 730(1996)195
- Waldhart, A., see Simon, V. 704(1995)465
- Walker, D.G., see Leister, W.H. 704(1995)369
- Walker, E.B., Walker, J.C., Zaugg, S.E. and Davidson, R.
Simultaneous analysis of selenite and selenite in bacterial suspensions by capillary electrophoresis 745(1996)111
- Walker, J., see Lee, R.P. 737(1996)273
- Walker, J.C., see Walker, E.B. 745(1996)111
- Walker, Z.H., see Caron, F. 739(1996)281
- Wall, G.M., see Fan, T.Y. 740(1996)289
- Wallwey, D.D., see Atwood, S.E. 739(1996)265
- Walshe, M., Kelly, M.T., Smyth, M.R. and Ritchie, H.
Retention studies on mixed-mode columns in high-performance liquid chromatography 708(1995)31
- Wan, H., Andersson, P.E., Engström, A. and Blomberg, L.G.
Direct and indirect chiral separation of amino acids by capillary electrophoresis 704(1995)179
- Wan, H., see Engström, A. 715(1995)151
- Wan, H., Engström, A. and Blomberg, L.G.
Direct chiral separation of amino acids derivatized with 2-(9-anthryl)ethyl chloroformate by capillary electrophoresis using cyclodextrins as chiral selectors. Effect of organic modifiers on resolution and enantiomeric elution order 731(1996)283
- Wan, T.S.M., see Leung, G.N.W. 738(1996)141
- Wang, D.I.C., see Loh, K.-C. 718(1995)239
- Wang, E., see Zhou, W. 715(1995)355
- Wang, H., see Sun, Q. 708(1995)99
- Wang, H.P., see Yu, T. 724(1996)91
- Wang, J. and Warner, I.M.
Combined polymerized chiral micelle and γ -cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297
- Wang, L.-P., see Huang, M.-B. 742(1996)289
- Wang, M.Z., see Jagota, N.K. 721(1996)315
- Wang, P., Murugaiah, V., Yeung, B., Vouros, P. and Giese, R.W.
2-Phosphoglycolate and glycolate-electrophore detection, including detection of 87 zeptomoles of the latter by gas chromatography-electron-capture mass spectrometry 721(1996)289
- Wang, Q., see Jones, R.M. 722(1996)257
- Wang, Q., Luo, G., Wang, R., Zhou, W. and Zhao, Y.
Analysis of the reaction products of N-(O,O-diisopropyl)phosphorylthreonine with uridine by capillary zone electrophoresis with diode array detection and capillary electrophoresis-mass spectrometry 745(1996)263
- Wang, R., see Wang, Q. 745(1996)263
- Wang, S.-M., Ling, Y.-C., Tsai, L.-C. and Giang, Y.-S.
Headspace sampling and gas chromatographic-mass spectrometric determination of amphetamine and methamphetamine in betel 715(1995)325

W

- Wabner, D., see Scheuer, C. 706(1995)253
- Wachsmann, M., see Brückner, H. 728(1996)447
- Wade, G., see Dean, J.R. 733(1996)295
- Wagenaar, R., see Brinkman, J.H.W. 723(1996)355
- Wagner-Redeker, W., see Berger, R.G. 711(1995)159

- Wang, T., Grinberg, N., Bicker, G., Twy, P. and Thompson, K.
High-performance liquid chromatographic separation of an HIV-1 reverse transcriptase inhibitor and its enantiomer 738(1996)290
- Wang, T. and Li, S.F.Y.
Migration behaviour of alkali and alkaline-earth metal ion-EDTA complexes and quantitative analysis of magnesium in real samples by capillary electrophoresis with indirect ultraviolet detection 707(1995)343
- Wang, T. and Li, S.F.Y.
Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection 723(1996)197
- Wang, Y.-F., see Kou, H.-S. 710(1995)267
- Wang, Y.J., see Astafieva, I.V. 740(1996)215
- Wang, Z. and Fingas, M.
Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321
- Wang, Z., Sun, Y. and Sun, Z.
Enantiomeric separation of amphetamine and phenylephrine by cyclodextrin-mediated capillary zone electrophoresis 735(1996)295
- Wang, Z., Huang, A., Sun, Y. and Sun, Z.
Cyclodextrins as buffer additives for the enantiomeric separation of pinacidil in capillary zone electrophoresis 749(1996)300
- Ward Hills, J.
Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste 738(1996)215
- Ward, T.J., Dann III, C. and Blaylock, A.
Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337
- Wardman, P., see Everett, S.A. 706(1995)437
- Warner, I.M., see Wang, J. 711(1995)297
- Warren, R.W., see Creasy, W.R. 709(1995)333
- Wasik, W. and Rykowska, I.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. IV. Silica surfaces modified with Co(II) and Ni(II) complexes 723(1996)313
- Watanabe, H. and Sato, H.
Colour-indication suppressor for anion chromatography 706(1995)55
- Watanabe, H., Yokoyama, Y. and Sato, H.
High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311
- Watanabe, K., see Kubota, N. 718(1995)27
- Watanesk, S., see Wentworth, W.E. 749(1996)149
- Waters, D.G., see Dalton, D.D. 712(1995)365
- Watson, S.K., see McNerney, T.M. 744(1996)223
- Wätzig, H., see Brechtel, R. 716(1995)97
- Wätzig, H., see Kaupp, S. 744(1996)93
- Weaner, L.E., see Leister, W.H. 704(1995)369
- Weathers, R.M., see Shamsi, S.A. 737(1996)315
- Weber, S.G., see Chen, J.-G. 705(1995)171
- Weber, S.G., see Valenta, J.N. 722(1996)47
- Webster, G.R.B., see Graham, K.N. 725(1996)129
- Webster, J., see Chen, S. 739(1996)351
- Weetall, H.H., see Scott, D.L. 736(1996)51
- Wehr, J.B.
Purification of plant polyamines with anion-exchange column clean-up prior to high-performance liquid chromatographic analysis 709(1995)241
- Wei, Z., see Liquan, C. 740(1996)195
- Weidgen, S., see Gottschlich, N. 719(1996)267
- Weidner, S., see Kühn, G. 732(1996)111
- Weigt, C., Korte, H., Von Strandmann, R.P., Hengstenberg, W. and Meyer, H.E.
Identification of phosphocysteine by electrospray mass spectrometry combined with Edman degradation 712(1995)141
- Weiler, A.E., see Liebich, H.M. 717(1995)25
- Weimer, B.C., see Strickland, M. 731(1996)305
- Weins, C. and Jork, H.
Toxicological evaluation of harmful substances by in situ enzymatic and biological detection in high-performance thin-layer chromatography 750(1996)403
- Weiss, J., Reinhard, S., Pohl, C., Saini, C. and Narayanan, L.
Stationary phase for the determination of fluoride and other inorganic anions 706(1995)81
- Weisz, A., Scher, A.L. and Ito, Y.
Isolation of 4'-bromo-4,5,6,7-tetrachlorofluorescein from a synthetic mixture by pH-zone-refining counter-current chromatography with continuous pH monitoring 732(1996)283
- Welch, C.J., see Pirkle, W.H. 731(1996)322
- Welch, K.A., Lyons, W.B., Graham, E., Neumann, K., Thomas, J.M. and Mikesell, D.
Determination of major element chemistry in terrestrial waters from Antarctica by ion chromatography 739(1996)257
- Wells, D.E., Echarri, I. and McKenzie, C.
Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107
- Wells, D.E., see Hess, P. 703(1995)417
- Wells, R.J., see Amijee, M. 738(1996)43
- Wells, R.J., see Amijee, M. 738(1996)57
- Wells, R.J., see Trencerry, V.C. 708(1995)169
- Wells, R.J., see Trencerry, V.C. 718(1995)217
- Welsch, T., Schmid, M., Kutter, J. and Kálmán, A.
Temperature of the eluent: a neglected tool in high-performance liquid chromatography? 728(1996)299
- Wen, D., see Lu, H.S. 705(1995)163
- Wen, K.-C., see Lin, S.-J. 730(1996)17
- Wenclawiak, B.W. and Wollmann, M.
Separation of platinum(II) anti-tumour drugs by micellar electrokinetic capillary chromatography 724(1996)317
- Wenisch, E., see Breton, J. 709(1995)135
- Wentworth, W.E., see Gremaud, G. 724(1996)235
- Wentworth, W.E., see Mendonca, S. 749(1996)131
- Wentworth, W.E., Watanesk, S., Helias, N., Swatloski, R., Chen, E.C.M. and Stearns, S.D.
Experimental and theoretical relative response factors for a pulsed discharge krypton photoionization detector 749(1996)149
- Werner, C., see Velcheva, M.P. 730(1996)63
- Werner, G., see Conradi, S. 745(1996)103
- Werner, G., see Heinig, K. 745(1996)281

- Werner, G., see Kummer, M. 749(1996)61
 Wernli, B., see Röllin, S. 739(1996)139
 Wertz, K.H., see Bruno, T.J. 708(1995)293
 Wertz, K.H., see Bruno, T.J. 723(1996)325
 Wertz, K.H., see Bruno, T.J. 736(1996)175
 Wesén, C., see Mu, H. 731(1996)225
 Westerholm, R., see Henricsson, S. 723(1996)395
 Westerlund, D., see Amini, A. 737(1996)301
 Westerlund, D., see Beijersten, I. 716(1995)389
 Westerlund, D., see Stefansson, M. 720(1996)127
 Westerlund, D., see Yu, Z. 725(1996)137
 Westerlund, D., see Yu, Z. 725(1996)149
 Westerlund, D., see Yu, Z. 742(1996)113
 Westerlund, J. and Yao, Z.
 Elution of lipoprotein fractions containing apolipoproteins E and A-I in size exclusion on Superose 6 columns is sensitive to mobile phase pH and ionic strength 718(1995)59
- Westhauser, T., see Brückner, H. 711(1995)201
 Weston, A., see McLaughlin, G.M. 744(1996)123
 Westwood, S.A., see Taylor, M.R. 745(1996)155
 Wettstein, P.J., see Strausbauch, M.A. 717(1995)279
 Whang, C.-W., see Lee, Y.-T. 746(1996)269
 Whang, C.-W., see Liao, S.-Y. 736(1996)247
 Wheals, B.B., see Ibrahim, N.M.A. 731(1996)171
 Wheatley, J.B., Lytle, M.H., Hocker, M.D. and Schmidt, Jr, D.E.
 Salt-induced immobilizations of DNA oligonucleotides on an epoxide-activated high-performance liquid chromatographic affinity support 726(1996)77
- Wheeler, S., see Levison, P.R. 702(1995)59
 White, R.L., see Bateman, K.P. 712(1995)253
 Whitley, R.D., see Helfferich, F.G. 734(1996)7
 Whitney, D., see Mhatre, R. 707(1995)225
 Wiblin, D.J., Roe, S.D. and Myhill, R.G.
 Computer aided desk-top scale-up and optimisation of chromatographic processes 702(1995)81
- Widmer, H.M., see Bruun, G.J.M. 709(1995)181
 Widmer, H.M., see Klockow, A. 716(1995)241
 Wiedmer, S., see Salo, M. 728(1996)83
 Wiegert, E., see Clark, R. 744(1996)205
 Wieling, J., Hendriks, G., Tamminga, W.J., Hempenius, J., Mensink, C.K., Oosterhuis, B. and Jonkman, J.H.G.
 Rational experimental design for bioanalytical methods validation. Illustration using an assay method for total captopril in plasma 730(1996)381
- Wiesmüller, K.-H., see Kuhn, R. 716(1995)371
 Wieten, G., see Dorresteijn, R.C. 724(1996)159
 Wijnhoven, J.E.G.J., Koorn, J.-P., Poppe, H. and Kok, W.Th.
 Influence of injected mass and ionic strength on retention of water-soluble polymers and proteins in hollow-fibre flow field-flow fractionation 732(1996)307
- Wilding, P., see Cheng, J. 732(1996)151
 Wildman, B.J., see Jackson, P.E. 706(1995)3
 Wilkins, C.L., see Krock, K.A. 726(1996)167
 Wilkins, C.L., see Ragunathan, N. 703(1995)335
 Wilkins, M.R., see Ou, K. 723(1996)219
 Wilkins, M.R., see Yan, J.X. 736(1996)291
 Wilkinson, K., see Lewis, D.J. 750(1996)391
 Williams, K.L., see Ou, K. 723(1996)219
 Williams, K.L., Sander, L.C. and Wise, S.A.
 Comparison of liquid and supercritical fluid chromatography using naphthylethylcarbamoylated- β -cyclodextrin chiral stationary phases 746(1996)91
 Williams, K.L., see Yan, J.X. 736(1996)291
 Williams, P.A., see Aldrich-Wright, J.R. 718(1995)436
 Williams, R.L. and Vigh, Gy.
 Buffer effects in the desionoselective/ionoselective/duoselective separation selectivity model-assisted optimization of the capillary electrophoretic separation of enantiomers. I. Low-pH phosphate buffers 716(1995)197
 Williams, R.L. and Vigh, Gy.
 Maximization of separation efficiency in capillary electrophoretic chiral separations by means of mobility-matching background electrolytes 730(1996)273
 Williams, R.L. and Vigh, Gy.
 Polyethylene glycol monomethyl ether sulfate-based background electrolytes in capillary electrophoresis 744(1996)75
 Williams, S.K.R., see Jensen, K.D. 746(1996)137
 Willson, R.C., see Gill, D.S. 715(1995)81
 Willson, R.C., see Roush, D.J. 704(1995)339
 Wilson, I.D., see Sidemann, U.G. 728(1996)377
 Wilson, I.D., see Somsen, G.W. 703(1995)613
 Wimmer, B., see Scheuer, C. 706(1995)253
 Winchester, E., see Staerk, D.U. 734(1996)155
 Winchester, E., see Staerk, D.U. 734(1996)289
 Windey, R., see Motte, J.C. 728(1996)333
 Winkler, M.A., Kundu, S., Robey, T.E. and Robey, W.G.
 Comparative peptide mapping of a hepatitis C viral recombinant protein by capillary electrophoresis and matrix-assisted laser desorption time-of-flight mass spectrometry 744(1996)177
 Winni, K., see Buchberger, W. 739(1996)389
 Winterhoff, H., see Wojciechowski, H. 717(1995)261
 Wintersteiger, R., see Macher, M. 709(1995)257
 Wintjens, R.T., see Azarkan, M. 724(1996)185
 Wirth, H.-J. and Hearn, M.T.W.
 Adsorbents for the removal of humic acid from surface water based on modified porous zirconia and silica 711(1995)223
- Wise, E.T., Singh, N. and Hogan, B.L.
 Argon-laser-induced fluorescence detection in sodium dodecyl sulfate-capillary gel electrophoretic separations of proteins 746(1996)109
 Wise, S.A., see Williams, K.L. 746(1996)91
 Wittrisch, H., see Conradi, S. 745(1996)103
 Wittrisch, H., see Vogt, C. 727(1996)301
 Witzenbacher, M., see Junker-Buchheit, A. 737(1996)67
 Wnek, G.E., see Lam, P. 707(1995)29
 Woehlecke, H. and Ehwald, R.
 Characterization of size-permeation limits of cell walls and porous separation materials by high-performance size-exclusion chromatography 708(1995)263
 Wojasińska, E., see Poboży, E. 736(1996)141
 Wojciechowski, H., Gumbinger, H.G., Vahlensieck, U., Winterhoff, H., Nahrstedt, A. and Kemper, F.H.
 Analysis of the components of *Lycopus europaeus* L. in body fluids during metabolism studies. Comparison of capillary electrophoresis and high-performance liquid chromatography 717(1995)261
 Wolf, N., see Giacometti, J. 704(1995)535
 Wolfender, J.-L., see Cremin, P. 710(1995)273

- Wolfender, J.-L., Hostettmann, K., Abe, F., Nagao, T., Okabe, H. and Yamauchi, T.
Liquid chromatography combined with thermospray and continuous-flow fast atom bombardment mass spectrometry of glycosides in crude plant extracts 712(1995)155
- Wollmann, M., see Wenclawiak, B.W. 724(1996)317
- Wolska, L., see Biziuk, M. 733(1996)171
- Wolska, L., see Konieczka, P. 742(1996)175
- Wong, K.K.Y. and De Jong, E.
Size-exclusion chromatography of lignin- and carbohydrate-containing samples using alkaline eluents 737(1996)193
- Wong, M.K., see Chee, K.K. 723(1996)259
- Wong, M.K., see Chee, K.K. 736(1996)211
- Wong, M.K., see Wu, J. 709(1995)351
- Wong, S.-K., see Lau, O.-W. 737(1996)338
- Wong, S.-T., see Dash, A.K. 749(1996)81
- Woo, K.-L. and Ahan, Y.-K.
Determination of protein amino acids as benzylthiocarbamyl derivatives compared with phenylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography, ultraviolet detection and precolumn derivatization 740(1996)41
- Woo, K.-L., Hwang, Q.-C. and Kim, H.-S.
Determination of amino acids in the foods by reversed-phase high-performance liquid chromatography with a new precolumn derivative, butylthiocarbamyl amino acid, compared to the conventional phenylthiocarbamyl derivatives and ion-exchange chromatography 740(1996)31
- Woods, C., see Rowland, A.P. 706(1995)229
- Woolf, E.J. and Matuszewski, B.
Simultaneous determination of L-702,007, a HIV-1 reverse transcriptase inhibitor, and its 6-hydroxy metabolite in human plasma by column-switching high-performance liquid chromatography with fluorescence detection 729(1996)211
- Worsfold, P.J., see Gachanja, A.N. 704(1995)329
- Wouessidjewe, D., see Lemesle-Lamache, V. 735(1996)321
- Wren, S.A.C., see McKillop, A.G. 730(1996)321
- Wren, S.A.C., see Survay, M.A. 741(1996)99
- Wu, C.H., Lo, Y.S., Lee, Y.-H. and Lin, T.-I.
Capillary electrophoretic determination of organic acids with indirect detection 716(1995)291
- Wu, D.-H., see Yang, M.-H. 722(1996)97
- Wu, D.-R. and Greenblatt, H.C.
Effect of stationary phase on preparative protein separation in reversed-phase chromatography 702(1995)157
- Wu, D.-R., Lohse, K. and Greenblatt, H.C.
Preparative separation of taxol in normal- and reversed-phase operations 702(1995)233
- Wu, H., see Guan, F. 719(1996)421
- Wu, H., see Guan, F. 719(1996)427
- Wu, H.-L., see Kou, H.-S. 710(1995)267
- Wu, J., Wong, M.K., Li, S.F.Y., Lee, H.K. and Ong, C.N.
Combination of orthogonal array design and overlapping resolution mapping for optimizing the separation of heterocyclic amines by capillary zone electrophoresis 709(1995)351
- Wu, P., see McGuffin, V.L. 722(1996)3
- Wu, S.-S., see Kou, H.-S. 710(1995)267
- Wu, X.-Z., Hosaka, A., Kobayashi, E. and Hobo, T.
Sensitivity enhancement effect in off-column detection for capillary electrophoresis 726(1996)205
- Wu, Y., see Yan, X. 724(1996)337
- Wu, Yu.-S., see Zhan, D.-J. 710(1995)149
- Wu, Z., see Pirkle, W.H. 726(1996)91
- Wulfson, A.N., see Klyushnichenko, V.E. 704(1995)357
- Wutka, R., see Obinger, C. 731(1996)293
- Wycherley, D., Rose, M.E., Giles, K., Hutton, T.M. and Rimmer, D.A.
Capillary electrophoresis with detection by inverse UV spectroscopy and electrospray mass spectrometry for the examination of quaternary ammonium herbicides 734(1996)339
- Wyns, L., see Azarkan, M. 749(1996)69
- Wyss, R., Bucheli, F. and Hess, B.
Determination of the arotoninoid mofarotene in human, rat and dog plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection 729(1996)315

X

- Xiao, J. and Meyerhoff, M.E.
High-performance liquid chromatography of C_{60} , C_{70} , and higher fullerenes on tetraphenylporphyrin-silica stationary phases using strong mobile phase solvents 715(1995)19
- Xie, J., Aguilar, M.-I. and Hearn, M.T.W.
Studies on the adsorption capacities of proteins with a tentacle-type ion exchanger and their relationship to the stoichiometric retention parameter Z_c 711(1995)43
- Xing, J.Z. and Richards, R.M.E.
Determination of peptidoglycan-associated protein in *Escherichia coli* NCIB 8545 by capillary zone electrophoresis 740(1996)273
- Xu, J., Che, P. and Ma, Y.
More sensitive way to determine iron using an iron(II)-1,10-phenanthroline complex and capillary electrophoresis 749(1996)287
- Xu, J., see Phillips, J.B. 703(1995)327
- Xu, R.J., Vidal-Madjar, C., Sébille, B. and Diez-Masa, J.C.
Separation of basic proteins by capillary zone electrophoresis with coatings of a copolymer of vinylpyrrolidone and vinylimidazole 730(1996)289
- Xu, S.J., see Strausbauch, M.A. 717(1995)279
- Xu, X., see Chu, S. 724(1996)392
- Xu, X., Chu, S. and Song, N.
Application of chromatographic studies of air pollution in China 710(1995)21
- Xu, X., see Cifuentes, A. 716(1995)141

- Xu, X., Kok, W.T. and Poppe, H.
Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231
- Xu, X., Kok, W.Th. and Poppe, H.
Change of pH in electrophoretic zones as a cause of peak deformation 742(1996)211
- Xu, Y., see Guo, W. 731(1996)361
- Xu, Y., see Liapis, A.I. 702(1995)45
- Xu, Y. and Liapis, A.I.
Modelling and analysis of the elution stage of "perfusion chromatography". Effects of intraparticle convective velocity and microsphere size on system performance 724(1996)13
- Xu, Y.H., see Mitra, S. 727(1996)111
- Xue, J., see Zhou, G. 717(1995)345
- Y**
- Yagi, A., see Okamura, N. 746(1996)225
- Yaginuma, M., see Yamauchi, S. 737(1996)149
- Yakimov, S.A., see Klyushnichenko, V.E. 704(1995)357
- Yakkundi, S.R., see Thejavathi, R. 705(1995)374
- Yamada, A., Ezaki, Y., Matsuo, K., Yarita, T. and Nomura, A.
Supercritical fluid chromatography of free resin acids on an ODS-silica gel column 709(1995)345
- Yamada, T., see Tokuda, T. 722(1996)123
- Yamaguchi, M., see Kanda, T. 722(1996)115
- Yamaguchi, M., see Nonomura, Y. 721(1996)350
- Yamaguchi, T., see Sudo, Y. 736(1996)39
- Yamaji, K., see Seki, T. 730(1996)139
- Yamaki, S., Isobe, T., Okuyama, T. and Shinoda, T.
Reversed-phase liquid chromatography on a microspherical carbon column at high temperature 728(1996)189
- Yamaki, S., Isobe, T., Okuyama, T. and Shinoda, T.
High-performance liquid chromatography of peptides on a microspherical carbon column 729(1996)143
- Yamamoto, A., Matsunaga, A., Hayakawa, K., Miyazaki, M. and Nishimura, M.
Novel approach to the measurement of enantiomeric purity by high-performance liquid chromatography using a polarized photometric detector equipped with a split cell 727(1996)55
- Yamamoto, A., see Nishimura, M. 708(1995)195
- Yamamoto, M., see Miwa, H. 721(1996)261
- Yamanaka, K., Matsuoka, M. and Banno, K.
Determination of thiamine in dried yeast by high-performance liquid chromatography using a clean-up column of CM-cellulose 726(1996)237
- Yamane, M., Abe, A., Shimizu, S. and Nakajima, M.
Subcellular localization of docosahexaenoic acid and arachidonic acid ω -hydroxylation activity in the brain, liver and colonic adenocarcinoma 730(1996)91
- Yamane, M., see Takeda, S. 744(1996)135
- Yamashita, M., see Miki, A. 718(1995)383
- Yamato, S., Nakajima, M. and Shimada, K.
Simultaneous determination of chlorpheniramine and maleate by high-performance liquid chromatography using tetra-*n*-butylammonium phosphate as an ion-pair reagent 731(1996)346
- Yamauchi, S.
Nitrobenzenes in reversed-phase liquid chromatography. New candidates for internal standards 704(1995)323
- Yamauchi, S., Hanai, T., Suzuki, J., Ito, M., Sano, Y., Shibata, R., Kinoshita, T., Yaginuma, M., Kadokawa, K. and Takahashi, Y.
Development of protamine-bonded phase for separation of saccharides in liquid chromatography 737(1996)149
- Yamauchi, T., see Wolfender, J.-L. 712(1995)155
- Yamazaki, M., see Ikeda, Y. 746(1996)255
- Yamazoe, K., Horiuchi, T., Sugiyama, T. and Katagiri, Y.
Simultaneous high-performance liquid chromatographic determination of carboplatin, epirubicin hydrochloride and mitomycin C in a Lipiodol emulsion 726(1996)241
- Yan, C., see Dulay, M.T. 725(1996)361
- Yan, C., see Lelièvre, F. 723(1996)145
- Yan, C.-T., see Huang, M.-B. 742(1996)289
- Yan, J., see Goldberg, D.M. 708(1995)89
- Yan, J.X., see Ou, K. 723(1996)219
- Yan, J.X., Wilkins, M.R., Ou, K., Gooley, A.A., Williams, K.L., Sanchez, J.-C., Golaz, O., Pasquali, C. and Hochstrasser, D.F.
Large-scale amino-acid analysis for proteome studies 736(1996)291
- Yan, X., Wu, Y. and Sun, Y.
Direct determination of coronene in heavy oil fraction by high-performance liquid chromatography 724(1996)337
- Yanagawa, K., see Takeda, H. 722(1996)287
- Yang, G., see Guo, W. 731(1996)361
- Yang, J., Bose, S. and Hage, D.S.
Improved reproducibility in capillary electrophoresis through the use of mobility and migration time ratios 735(1996)209
- Yang, J. and Hage, D.S.
Role of binding capacity versus binding strength in the separation of chiral compounds on protein-based high-performance liquid chromatography columns. Interactions of D- and L-tryptophan with human serum albumin 725(1996)273
- Yang, M.-H., Chang, K.-C. and Lin, J.-Y.
Multifunctional ion-exchange stationary phases for high-performance liquid chromatography 722(1996)87
- Yang, M.-H., Chen, I.-L. and Wu, D.-H.
Chemically bonded phenylsilicone stationary phases for the liquid chromatographic separation of polycyclic aromatic hydrocarbons and cyclosiloxanes 722(1996)97
- Yang, Q., see Beigi, F. 704(1995)315

- Yang, Q., Hartmann, C., Smeyers-Verbeke, J. and Massart, D.L.
Method development and validation for the determination of mineral elements in food and botanical materials by capillary electrophoresis 717(1995)415
- Yang, Q., see Oyler, A.R. 724(1996)378
- Yang, Q., Zhuang, Y., Smeyers-Verbeke, J. and Massart, D.L.
Interpretation of migration behaviour of inorganic cations in capillary ion electrophoresis based on an equilibrium model 706(1995)503
- Yang, S., Bumgarner, J.G., Kruk, L.F.R. and Khaledi, M.G.
Quantitative structure-activity relationships studies with micellar electrokinetic chromatography. Influence of surfactant type and mixed micelles on estimation of hydrophobicity and bioavailability 721(1996)323
- Yang, S., Bumgarner, J.G. and Khaledi, M.G.
Chemical selectivity in micellar electrokinetic chromatography. II. Rationalization of elution patterns in different surfactant systems 738(1996)265
- Yang, S.S., Smetena, I. and Goldsmith, A.I.
Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131
- Yang, X., see Li, H. 710(1995)347
- Yang, Y.-B. and Harrison, K.
Influence of column type and chromatographic conditions on the ion-exchange chromatography of immunoglobulins 743(1996)171
- Yang, Y.-B., Harrison, K. and Kindsvater, J.
Characterization of a novel stationary phase derived from a hydrophilic polystyrene-based resin for protein cation-exchange high-performance liquid chromatography 723(1996)1
- Yao, X., see Mhatre, R. 707(1995)225
- Yao, Z., see Westerlund, J. 718(1995)59
- Yarita, T., Nomura, A. and Horimoto, Y.
In situ silylation of silica-based packings using supercritical fluid as reaction medium 724(1996)373
- Yarita, T., Nomura, A., Horimoto, Y. and Gonda, S.
On-line coupled supercritical fluid extraction and chromatography for the determination of thiolcarbamate herbicides in soil matrix 750(1996)175
- Yarita, T., see Yamada, A. 709(1995)345
- Yasaka, Y., see Harino, H. 715(1995)135
- Yasuhara, A., see Kawata, K. 710(1995)243
- Yasumoto, T., see Akasaka, K. 729(1995)381
- Yatsenko, V.
Determining the characteristics of water pollutants by neural sensors and pattern recognition methods 722(1996)233
- Ye, L. and Lucy, C.A.
Ion chromatographic determination of chelating ligands based on the postcolumn formation of ternary fluorescent complexes 739(1996)307
- Yeole, R.D., see Inamdar, P.K. 742(1996)127
- Yeung, B., see Wang, P. 721(1996)289
- Yeung, E.S., see Iki, N. 731(1996)273
- Yeung, E.S., see Lillard, S.J. 718(1995)397
- Yeung, E.S., see Mank, A.J.G. 708(1995)309
- Yeung, E.S., see Martí, V. 709(1995)367
- Yeung, E.S., see Tong, W. 718(1995)177
- Yeung, E.S., see Zhang, L. 734(1996)331
- Yeung, K.K.-C., see Lucy, C.A. 745(1996)9
- Yibing, J., see Koppenhoefer, B. 717(1995)181
- Yim, K., Abrams, J. and Hsu, A.
Capillary zone electrophoretic resolution of recombinant human bone morphogenetic protein 2 glycoforms. An investigation into the separation mechanisms for an exquisite separation 716(1995)401
- Yin, H., Keely-Templin, C. and McManigill, D.
Preparative capillary electrophoresis with wide-bore capillaries 744(1996)45
- Yinon, J.
Trace analysis of explosives in water by gas chromatography-mass spectrometry with a temperature-programmed injector 742(1996)205
- Yndestad, M., see Hormazabal, V. 724(1996)364
- Yokoi, K., see Kimura, M. 722(1996)295
- Yokoyama, Y., Ozaki, O. and Sato, H.
Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333
- Yokoyama, Y., see Watanabe, H. 727(1996)311
- Yomota, C., Yoshii, Y., Takahata, T. and Okada, S.
Separation of B-3 monodesamidoinsulin from human insulin by high-performance liquid chromatography under alkaline conditions 721(1996)89
- Yoshida, Y., see Goto, T. 749(1996)295
- Yoshii, Y., see Yomota, C. 721(1996)89
- Yoshimura, K., see Fukakusa, Y. 719(1996)365
- Yoshinaga, M. and Tanaka, M.
Effect of urea addition on chiral separation of dansylamino acids by capillary zone electrophoresis with cyclodextrins 710(1995)331
- Yoshioka, N., see Nonomura, Y. 721(1996)350
- Yoshizako, K., see Hosoya, K. 711(1995)247
- Yoshizako, K., see Hosoya, K. 728(1996)139
- Young, P., see Jones, C. 707(1995)3
- Yowell, G.G., Fazio, S.D. and Vivilecchia, R.V.
Enantiomeric separation of N-*tert*-butoxycarbonyl amino acids by capillary electrophoresis using hydroxypropyl-substituted cyclodextrins 745(1996)73
- Yu, M., see Miao, H. 749(1996)5
- Yu, Q., see Zhou, G. 717(1995)345
- Yu, T., Li, S.-E., Chen, Y.-H. and Wang, H.P.
Counter-current chromatography using supercritical fluid carbon dioxide as mobile phase 724(1996)91
- Yu, W., see Song, L. 715(1995)376
- Yu, Z. and Westerlund, D.
Direct injection of large volumes of plasma in a column-switching system for the analysis of local anaesthetics. I. Optimization of semi-permeable surface precolumns in the system and characterization of some interference peaks 725(1996)137
- Yu, Z. and Westerlund, D.
Direct injection of large volumes of plasma in a column-switching system for the analysis of local anaesthetics. II. Determination of bupivacaine in human plasma with an alkyl-diol silica precolumn 725(1996)149
- Yu, Z. and Westerlund, D.
Ion-pair chromatography of methotrexate in a column-switching system using an alkyl-diol silica precolumn for direct injection of plasma 742(1996)113

- Yuan, Q., see Harada, K. 740(1996)207
 Yuan, Z.-X., see Jones, R.M. 722(1996)249
 Yun, K.S., see Panda, S. 715(1995)279
 Yun, T. and Guiochon, G.
 Modeling of radial heterogeneity in chromatographic columns. II. Separation of a two-component mixture on a column with cylindrical symmetry 734(1996)97
 Yun, T., see Lin, B. 708(1995)1
 Yun, T., see Sajonz, P. 734(1996)75
 Yun, T., see Sarker, M. 728(1996)3
 Yun, X., Long, Z., Kou, D., Lu, X. and Li, H.
 Determination of adsorption equilibrium constants by reversed-flow gas chromatography 736(1996)151
 Yunes, R.A., see Heinzen, V.E.F. 719(1996)462
 Yuying, C., see Koppenhoefer, B. 717(1995)181
- Z**
- Zahari Abdullah, M., see Rahmalan, A. 739(1996)233
 Zanette, M., see Marcomini, A. 733(1996)193
 Zanotti, A., see Trifirò, A. 739(1996)175
 Zapata, M., see Garrido, J.L. 738(1996)285
 Zappoli, S., Morselli, L. and Osti, F.
 Application of ion interaction chromatography to the determination of metal ions in natural water samples 721(1996)269
 Zare, R.N., see Dulay, M.T. 725(1996)361
 Zare, R.N., see Lelièvre, F. 723(1996)145
 Zarzycki, P.K., Kowalski, P., Nowakowska, J. and Lamparczyk, H.
 High-performance liquid chromatographic and capillary electrophoretic determination of free nicotinic acid in human plasma and separation of its metabolites by capillary electrophoresis 709(1995)203
 Zaugg, S.E., see Walker, E.B. 745(1996)111
 Zdunek, J., see Johnson, J.H. 718(1995)371
 Zelenik-Blatnik, M., see Kukman, I.L. 704(1995)113
 Zeng, C.-M., see Zhang, Y. 749(1996)13
 Zeppenauer, M., see Berger, R.G. 711(1995)159
 Zerbiniati, O.
 Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137
 Zgórka, G., see Głowniak, K. 730(1996)25
 Zhan, D.-J., Herreno-Saenz, D., Chiu, L.-H., Von Tuneln, L.S., Wu, Yu.-S., Lewtas, J. and Fu, P.P.
 Separation of ^{32}P -labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon anti-diol-epoxides and derivatives 710(1995)149
 Zhang, C.-X., see Mosher, R.A. 716(1995)17
 Zhang, H.-W., Jia, L. and Hu, Z.-D.
 Determination of palladium(II) as a chloro complex by capillary zone electrophoresis 704(1995)242
 Zhang, J., see Le, X. 716(1995)215
 Zhang, L., see Feng, W. 729(1996)43
 Zhang, L. and Yeung, E.S.
 Postcolumn reactor in capillary electrophoresis for laser-induced fluorescence detection 734(1996)331
 Zhang, R., see Zhang, Z. 728(1996)343
 Zhang, S., see Schmeer, K. 727(1996)139
 Zhang, S., see Song, D. 731(1996)355
 Zhang, T., see Francotte, E. 718(1995)257
 Zhang, X., Davidian, E.W., Nguyen, T.H., Evans, R.W., Im, S.J. and Barker, G.E.
 Investigation of chiral resolution using displacement interactions with polymer networks in capillary affinity zone electrophoresis 745(1996)1
 Zhang, X. and Lu, P.
 Unified equation between Kováts indices on different stationary phases for select types of compounds 731(1996)187
 Zhang, X., see Mitra, S. 736(1996)165
 Zhang, Y., Arriaga, E., Diedrich, P., Hindsgaul, O. and Dovichi, N.J.
 Nanomolar determination of aminated sugars by capillary electrophoresis 716(1995)221
 Zhang, Y., see Le, X. 716(1995)215
 Zhang, Y., Lee, H.K. and Li, S.F.Y.
 Separation of myoglobin molecular mass markers using non-gel sieving capillary electrophoresis 744(1996)249
 Zhang, Y., see Liu, H. 718(1995)448
 Zhang, Y., Zeng, C.-M., Li, Y.-M., Hjertén, S. and Lundahl, P.
 Immobilized liposome chromatography of drugs on capillary continuous beds for model analysis of drug-membrane interactions 749(1996)13
 Zhang, Y., see Zhou, G. 717(1995)345
 Zhang, Z., Renen, Z. and Liu, G.
 High-performance liquid chromatographic analysis of hexosamines, hexosaminolts, N-acetylhexosamines and N-acetylhexosaminolts by ultraviolet and fluorescence detection at picomole levels 730(1996)107
 Zhang, Z., Zhang, R. and Liu, G.
 Analysis of the 9-fluorenylmethoxycarbonyl hydrazide labelling of neutral and sialic acid-containing oligosaccharides by reversed-phase high-performance liquid chromatography 728(1996)343
 Zhao, H., see Liu, J. 735(1996)357
 Zhao, J. and Fleet, G.H.
 Separation of twenty isomers of ribonucleotides and deoxyribonucleotides by reversed-phase ion-pairing high-performance liquid chromatography 732(1996)271
 Zhao, Q., Sannier, F., Garreau, I., Lecoeur, C. and Piot, J.M.
 Reversed-phase high-performance liquid chromatography coupled with second-order derivative spectroscopy for the quantitation of aromatic amino acids in peptides: application to hemorphins 723(1996)35
 Zhao, Y., see Wang, Q. 745(1996)263
 Zhao, Z., see Cheng, K. 706(1995)517
 Zheng, Z., Ling, D. and Sun, Y.
 Production of rare-earth oxides of high purity 707(1995)131

- Zhong, G., Fornstedt, T. and Guiochon, G.
 Profiles of large-size system peaks and vacancy bands in liquid chromatography. I. Analytical solution of the ideal model 734(1996)63
- Zhong, G., see Fornstedt, T. 741(1996)1
 Zhong, G., see Fornstedt, T. 742(1996)55
- Zhong, G. and Guiochon, G.
 Optimum liquid and solid-phase velocity for minimum shock layer thickness in counter-current chromatography 721(1996)187
- Zhong, G. and Guiochon, G.
 Steady-state concentration boundary profile for the injection of a single-component feed in counter-current chromatography 728(1996)25
- Zhong, G., see Lin, B. 708(1995)1
- Zhong, G., see Sajonz, P. 728(1996)15
- Zhong, G., see Sajonz, P. 731(1996)1
- Zhong, G., see Sajonz, P. 734(1996)75
- Zhong, Z., see Liquan, C. 740(1996)195
- Zhou, G., see Hu, Y. 734(1996)259
- Zhou, G., Yu, Q., Ma, Y., Xue, J., Zhang, Y. and Lin, B.
 Determination of polyamines in serum by high-performance capillary zone electrophoresis with indirect ultraviolet detection 717(1995)345
- Zhou, J.Y., see Diallo, S. 721(1996)75
- Zhou, M.X., see Oyler, A.R. 724(1996)378
- Zhou, W., Liu, J. and Wang, E.
 Determination of aminopyrine and its metabolite by capillary electrophoresis-electrochemical detection 715(1995)355
- Zhou, W., see Wang, Q. 745(1996)263
- Zhou, Z., see Li, H. 710(1995)347
- Zhu, A., see Fu, X. 735(1996)353
- Zhu, M., see Talmadge, K.W. 744(1996)347
- Zhu, N., see Mitra, S. 736(1996)165
- Zhu, P.-L., Snyder, L.R. and Dolan, J.W.
 Improved baselines in gradient elution 718(1995)429
- Zhu, R. and Kok, W.T.
 Post-column reaction system for fluorescence detection in capillary electrophoresis 716(1995)123
- Zhu, T., see Cessna, A.J. 710(1995)251
- Zhu, T., see Liu, H. 718(1995)448
- Zhu, X., see Feng, W. 729(1996)43
- Zhuang, Y., see Yang, Q. 706(1995)503
- Zidarov, D., see Visentini, J. 712(1995)31
- Zieske, L.R., Fu, D., Khan, S.H. and O'Neill, R.A.
 Multi-dimensional mapping of pyridylamine-labeled N-linked oligosaccharides by capillary electrophoresis 720(1996)395
- Zimina, T., Smith, R.M., Highfield, J.C., Myers, P. and King, B.W.
 Study of the flow development during the slurry packing of microcolumns for liquid chromatography 728(1996)33
- Zironi, R., see Celotti, E. 730(1996)47
- Zlatkis, A., see Gremaud, G. 724(1996)235
- Zodda, J.P., see Owies, L. 719(1996)307
- Zomer, G., see Dorresteijn, R.C. 724(1996)159
- Zonta, F., Bogoni, P., Masotti, P. and Micali, G.
 High-performance liquid chromatographic profiles of aloë constituents and determination of aloin in beverages, with reference to the EEC regulation for flavouring substances 718(1995)99
- Zook, D.R., see Sybilska, D. 715(1995)309
- Zorov, N.B., see Beketov, V.I. 731(1996)65
- Zou, H., see Cho, B.-Y. 743(1996)181
- Zukowski, J., see Tang, Y. 743(1996)261
- Zuo, H., see Hu, T. 716(1995)381
- Zupančič-Kralj, L., see Prosen, H. 704(1995)121
- Zupančič-Kralj, L., see Velikonja, Š. 704(1995)449
- Žužek, M., see Friedrich, J. 704(1995)363
- Zvoníček, P., see Jandera, P. 738(1996)201
- Zwijsen, C., see Hendrickx, J. 729(1996)341
- Zygmunt, B.
 Determination of trihalomethanes in aqueous samples by means of a purge-and-trap system with on-sorbent focusing coupled to gas chromatography with electron-capture detection 725(1996)157