COMPOUND INDEX

J. CHROMATOGR. A VOLS. 702-750



Abscisic acid

Monitoring of hapten-protein coupling reactions by capillary zone electrophoresis: improvement of abscisic acid-bovine serum albumin coupling and determination of molar coupling ratios 723(1996)381

Abscisic acid glucosyl ester

Liquid chromatography-electrospray ionization mass spectrometry for analysing plant hormone conjugates 728(1996)371

Acenaphthene-5-sulphonyl chloride

Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201

Acenaphthene-5-sulphonyl hydrazine

Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201

Acenocoumarol

Separation of diastereomers by capillary zone electrophoresis in free solution with polymer additive and organic solvent component. Effect of pH and solvent composition 719(1996)411

Acesulphame-K

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Acetaldehyde

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation 706(1995)345

Acetaminophen

see also Paracetamol

Comparison of softwares used for the detection of analytes present at low levels in liquid chromatographic-mass spectrometric experiments 712(1995)31

Liquid chromatographic determination of cephalexin preparations: interlaboratory validation 727(1996)239

Acetate

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Acetic acid

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation 706(1995)345

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27

Acetic acid, chlorinated

Analysis of chlorinated acetic and propionic acids as their pentafluorobenzyl derivatives. I. Preparation of the derivatives 718(1995)391

Acetonitrile

Experiences with HPLC-grade solvents 715(1995)199

Peptide stacking by acetonitrile-salt mixtures for capillary zone electrophoresis 744(1996)231

Systematic approach to the treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. III. A binding constant-retention factor relationship and effects of acetonitrile on the chiral separation of tioconazole 745(1996)25

Acetophenone

Quantitative structure-retention relationships (QSRR) of congeneric aromatics series studied on phenyl OV phases in gas chromatography 723(1996)77

Counter-current chromatography using supercritical fluid carbon dioxide as mobile phase 724(1996)91

Acetylation

Separation of acetylated core histones by hydrophilic-interaction liquid chromatography 743(1996)137

Acetylcholine

Application of a novel, plastic formed carbon as a precolumn packing material for the liquid chromatographic determination of acetylcholine and choline in biological samples 718(1995)267

Acetylcholine esterase

Perfusion immunoassay for acetylcholinesterase: analyte detection based on intrinsic activity 711(1995)23

Acetylneuraminic acid

Interaction mechanisms between insulin and N-acetylneuraminic acid in affinity chromatography 711(1995)93

Determination of cytidine 5'-monophospho-N-acetylneuraminic acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223

Acetylsalicylic acid

Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355

Analysis of oligo- and poly-N-acetylneuraminic acids and their lactones by capillary electrophoresis 741(1996)295

Acid Alizarin Violet N

Retention model for singly and doubly charged analytes in ioninteraction chromatography 728(1996)55

Acid chlorides

Direct determination of 4-nitrobenzoyl chloride by highperformance liquid chromatography based on silanophilic interaction 710(1995)347

Acids

see also Carboxylic acids

Gas chromatography of petroleum-derived waxes and highmolecular-mass linear alcohols and acids 718(1995)119

High-performance liquid chromatographic-electrospray mass spectrometric analysis of phenolic acids and aldehydes 730(1996)31

Preparative regime for the purification of bitter acids derived from hops (*Humulus lupulus* L.) 731(1996)327

Acrylates

Application of solid sorbents to the trace analysis of alkyl esters of acrylic acid in air 710(1995)167

Actinides

Determination of lanthanides and actinides in uranium materials by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection 739(1996)139

Acuminatopyrone

Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69

Acyclovir

Quantitative structure-retention relationships of acyclovir esters using immobilised albumin high-performance liquid chromatography and reversed-phase high-performance liquid chromatography 707(1995)367

Acyl-coenzyme A

Performance of an electrospray-interfaced thermospray ion source in hyphenated techniques 712(1995)211

Adamantanes

Capillary electrophoresis of cationic surfactants with tetrazolium violet and of anionic surfactants with adenosine monophosphate and indirect photometric detection 739(1996)405

Adamsite

Derivatization of 10-chloro-5,10-dihydrophenarsazine (Adamsite) for gas chromatographic analysis 719(1996)401

Adenosine deaminase

Study of the competitive inhibition of adenosine deaminase by *erythro*-9-(2-hydroxy-3-nonyl)adenine using capillary zone electrophoresis 745(1996)293

Adenosine monophosphate

Capillary electrophoresis of phosphate ester surfactants with adenosine monophosphate and indirect photometric detection 737(1996)315

Capillary electrophoresis of cationic surfactants with tetrazolium violet and of anionic surfactants with adenosine monophosphate and indirect photometric detection 739(1996)405

Adenosine 5'-triphosphate

Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection 723(1996)197

Adipic acid polyesters

Characterization of low-molar-mass polymers by gradient polymer elution chromatography 746(1996)211

Adrenergic antagonists

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Aflatoxins

Determination of aflatoxins in airborne dust from feed factories by automated immunoaffinity column clean-up and liquid chromatography 708(1995)55

Postcolumn excitation of aflatoxins using cyclodextrins in liquid chromatography for food analysis 721(1996)69

Agarose

Thiophilic nature of divinylsulphone cross-linked agarose 734(1996)241

Aglycons

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Albendazole

Simple, robust and accurate high-performance liquid chromatography method for the analysis of several anthelmintics in veterinary formulations 729(1996)267

Albumin

"Perfusion chromatography". The effects of intra-particle convective velocity and microsphere size on column performance 702(1995)45

High-performance capillary electrophoretic separation of human serum albumin using a neutral coated capillary 705(1995)335

Perfusion chromatography: performance of periodic countercurrent column operation and its comparison with fixed-bed operation 711(1995)3

Preparation of a hydrophobic porous membrane containing phenyl groups and its protein adsorption performance 718(1995)27

Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371

Monitoring of hapten-protein coupling reactions by capillary zone electrophoresis: improvement of abscisic acid-bovine serum albumin coupling and determination of molar coupling ratios 723(1996)381

Modelling and analysis of the elution stage of "perfusion chromatography". Effects of intraparticle convective velocity and microsphere size on system performance 724(1996)13

Role of binding capacity versus binding strength in the separation of chiral compounds on protein-based high-performance liquid chromatography columns 725(1996)273

Preparative membrane adsorber chromatography for the isolation of cow milk components 729(1996)87

Perfusion liquid chromatography of whey proteins 729(1996)99

Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents. Albumin adsorption/desorption 731(1996)57

Adsorption isotherms in protein chromatography. Combined influence of protein and salt concentration on adsorption isotherm 734(1996)183

Isolation by gel-permeation chromatography of a non-covalent complex of Cibacron Blue F3G-A with human serum albumin 736(1996)115

Determination of amino acids in the foods by reversed-phase high-performance liquid chromatography with a new precolumn derivative, butylthiocarbamyl amino acid, compared to the conventional phenylthiocarbamyl derivatives and ion-exchange chromatography 740(1996)31

Determination of protein amino acids as benzylthiocarbamyl derivatives compared with phenylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography, ultraviolet detection and precolumn derivatization 740(1996)41

Effects of organic modifiers on the chiral recognition by different types of silica-immobilized bovine serum albumin 740(1996)207

Effects of structural and kinetic parameters on the performance of chromatographic columns packed with perfusive and purely diffusive adsorbent particles 743(1996)3

Influence of column type and chromatographic conditions on the ion-exchange chromatography of immunoglobulins 743(1996)171

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)169

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)185

Alcohol dehydrogenase

Preparation and characterization of isozymes and isoforms of horse liver alcohol dehydrogenase 711(1995)105

Alcohol ethoxylates

Homologue separation of linear alcohol ethoxylates by highperformance liquid chromatography 732(1996)299

Chromatographic tools for analyzing and tracking non-ionic surfactants in the aquatic environment 733(1996)185

Alcohol polyethoxylates

Chromatographic determination of non-ionic aliphatic surfactants of the alcohol polyethoxylate type in the environment (Review) 733(1996)193

Alcohols

Capillary electrophoresis of hair proteins modified by alcohol intake in laboratory rats 709(1995)111

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Capillary electrochromatography of small molecules in polyacrylamide gels with electroosmotic flow 716(1995)107

Gas chromatography of petroleum-derived waxes and highmolecular-mass linear alcohols and acids 718(1995)119

Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after precolumn derivatization with 2-(4-carboxyphenyl)-6-methoxybenzofuran 724(1996)107

Membrane characterisation and performance of microdialysis probes intended for use as bioprocess sampling units 725(1996)41

High-sensitivity fluorescence derivatization for the determination of hydroxy compounds in aqueous solution by high-performance liquid chromatography 728(1996)333

Prefractionation of aroma extracts from fat-containing food by high-performance size-exclusion chromatography 729(1996)371

Diphenylethanediamine derivatives as chiral selectors 732(1996)215

Comparative study of high-performance liquid chromatography and micellar electrokinetic capillary chromatography applied to the analysis of different mixtures of pesticides 737(1996)109

Surface ionization detector with a supersonic free jet for gas chromatography. Some applications 750(1996)335

Aldehydes

see also Carbonyl compounds

Determination of aliphatic aldehydes as their thiazolidine derivatives in foods by gas chromatography with flame photometric detection 709(1995)303

Determination of aldehydes in basic medium by gas chromatography using O-benzylhydroxylamine derivatization 709(1995)387

Derivatization and chromatographic determination of aldehydes in gaseous and air samples 710(1995)159

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Gas chromatographic determination of vapour pressures of pheromone-like compounds. III. Aldehydes 719(1996)391

Determination of 4-hydroxy-2-nonenal by precolumn derivatization and liquid chromatography with laser fluorescence detection 719(1996)450

Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards 724(1996)117

High-performance liquid chromatographic-electrospray mass spectrometric analysis of phenolic acids and aldehydes 730(1996)31

Chromatographic and related spot tests for the detection of water pollutants 733(1996)5

New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6trichlorophenylhydrazine 740(1996)71

Analysis of single raindrops in the nl range by capillary electrophoresis 745(1996)209

High-performance liquid chromatographic determination of 2furaldehyde and 5-hydroxymethyl-2-furaldehyde in honey 749(1996)95

Optimization of solid-phase extraction method for analysis of low-ppb amounts of aldehydes-ozonation by-products 749(1996)157

Alditol acetates

Recent progress in the analysis of sugar monomers from complex matrices using chromatography in conjunction with mass spectrometry or stand-alone tandem mass spectrometry 720(1996)51

Alendronate sodium

Determination of alendronate sodium by ion chromatography with refractive index detection 719(1996)345

Alitame

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Alkadienes

Assessment by gas chromatography and gas chromatography—mass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Alkali metals

Selectivity of chemically bonded zwitterion-exchange stationary phases in ion chromatography 706(1995)59

Cation analysis on a new poly(butadiene-maleic acid)-based column 706(1995)99

Selectivity enhancement on a poly(butadiene-maleic acid)-coated cation phase induced by ethylene oxide-based complexing agents 706(1995)103

Ion chromatographic separation of alkali metals in organic solvents 706(1995)149

Application of capillary electrophoresis in atmospheric aerosol analysis: determination of cations 706(1995)527

Effect of the concentration of 18-crown-6 added to the electrolyte upon the separation of ammonium, alkali and alkaline-earth cations by capillary electrophoresis 706(1995)535

Migration behaviour of alkali and alkaline-earth metal ion-EDTA complexes and quantitative analysis of magnesium in real samples by capillary electrophoresis with indirect ultraviolet detection 707(1995)343

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Silica-bonded calixarenes in chromatography 731(1996)47

Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis 736(1996)265

Separation of alkali and alkaline-earth metal and ammonium cations by capillary electrophoresis using poly(ethylene glycol) and tartaric acid 742(1996)281

Capillary electrophoretic estimation of sulfate stability constants of metal ions and determination of alkali and alkaline earth metals in waters 745(1996)127

Control of separation selectivity and electroosmotic flow in nonaqueous capillary electrophoretic separations of alkali and alkaline earth metal ions 749(1996)279

Alkaline-earth metals

Selectivity of chemically bonded zwitterion-exchange stationary phases in ion chromatography 706(1995)59

Cation analysis on a new poly(butadiene-maleic acid)-based column 706(1995)99

Selectivity enhancement on a poly(butadiene-maleic acid)coated cation phase induced by ethylene oxide-based complexing agents 706(1995)103

Determination of aluminium in natural waters by single-column ion chromatography with indirect UV detection 706(1995)307

Ion chromatographic determination of beryllium in rock and waste waters with a chelating sorbent and conductimetric detection 706(1995)315

Application of capillary electrophoresis in atmospheric aerosol analysis: determination of cations 706(1995)527

Effect of the concentration of 18-crown-6 added to the electrolyte upon the separation of ammonium, alkali and alkaline-earth cations by capillary electrophoresis 706(1995)535

Migration behaviour of alkali and alkaline-earth metal ion-EDTA complexes and quantitative analysis of magnesium in real samples by capillary electrophoresis with indirect ultraviolet detection 707(1995)343

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Silica-bonded calixarenes in chromatography 731(1996)47

Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis 736(1996)265

Comparison of the chelating ion exchange properties of dye coated cellulose and polystyrene substrates for the separation and determination of trace metals from aqueous media 739(1996)81

Separation of alkali and alkaline-earth metal and ammonium cations by capillary electrophoresis using poly(ethylene glycol) and tartaric acid 742(1996)281

Capillary electrophoretic estimation of sulfate stability constants of metal ions and determination of alkali and alkaline earth metals in waters 745(1996)127

Control of separation selectivity and electroosmotic flow in nonaqueous capillary electrophoretic separations of alkali and alkaline earth metal ions 749(1996)279

Alkali salts

Design and optimization of a novel type nitrogen-phosphorus detector for capillary gas chromatography 732(1996)51

Alkaloid N-oxides

Reversed-phase high-performance liquid chromatographic separation of epimeric alkaloid N-oxides from *Thalictrum simplex* L 730(1996)63

Alkaloids

Endogenous alkaloids in man. XXI. Analysis of glyoxylate-derived 1,3-thiazolidines and their precursors after trimethylsilylation by gas chromatography-mass spectrometry 707(1995)267

Application of β -cyclodextrin for the analysis of the main alkaloids from *Chelidonium majus* by capillary electrophoresis 717(1995)271

Determination of morphine and related alkaloids in crude morphine, poppy straw and opium preparations by micellar electrokinetic capillary chromatography 718(1995)217

Variation in the alkaloid content of different subspecies of *Chamaecytisus proliferus* from the Canary Islands 719(1996)237

Determination of ibogaine in plasma by gas chromatographychemical ionization mass spectrometry 723(1996)101

Separation of *E-Z* isomeric macrocyclic spermine alkaloids of *Verbascum pseudonobile* and *Verbascum phoeniceum* and of their derivatives using thin-layer chromatography 724(1996)416

Determination of the alkaloids in Evodiae Fructus by highperformance liquid chromatography 727(1996)317

Preparative separation of pyrrolizidine alkaloids by high-speed counter-current chromatography 732(1996)43

End-capping of octadecylsilylated silica gels by hightemperature silylation 737(1996)139

Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131

Integrated derivatization-chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Lesser alkaloids of cocaine-bearing plants 749(1996)173

Alkanes

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Thermodynamic consideration of the retention mechanism in a poly(perfluoroalkyl ether) gas chromatographic stationary phase used in packed columns 715(1995)299

Large-volume injection in capillary gas chromatography using a programmed-temperature vaporizing injector in the on-column or solvent-vent injection mode 724(1996)384

Detectability enhancement by the use of large-volume injections in gas chromatography-cryotrapping-Fourier transform infrared spectrometry 732(1996)75

New approach to the characterization of pyrolysis coal products by gas chromatography-mass spectrometry 736(1996)185

Variable flow control and collection device for use with supercritical fluids 738(1996)241

Comparison of two azobenzene liquid crystal stationary phases in open tubular column gas chromatography 746(1996)247

New method for estimating vapor pressure by the use of gas chromatography 749(1996)123

On-line high-performance liquid chromatography-solvent evaporation-high-performance liquid chromatography-capillary gas chromatography-flame ionisation detection for the analysis of mineral oil polyaromatic hydrocarbons in fatty foods 750(1996)361

Alkanesulphonates

Separation of anionic surfactants on anion exchangers 706(1995)327

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection. II. Application to organic anions 716(1995)279

Alkenes

Assessment by gas chromatography and gas chromatographymass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Thermodynamic consideration of the retention mechanism in a poly(perfluoroalkyl ether) gas chromatographic stationary phase used in packed columns 715(1995)299

Alkenones

Pitfalls in the chromatographic determination of the alkenone U_{17}^{k} index for paleotemperature estimation 723(1996)285

Alkylamines

Effects of alkylamines on electroosmotic flow and protein migration behaviour in capillary electrophoresis 709(1995)127

Alkylammonium ions

Maximization of separation efficiency in capillary electrophoretic chiral separations by means of mobility-matching background electrolytes 730(1996)273

Alkylation

Pyrolytic alkylation-gas chromatography-mass spectrometry of model polymers. Further insights into the mechanism and scope of the technique 750(1996)155

Alkylbenzenes

Determination of benzene and alkylated benzenes in ambient and exhaled air by microwave desorption coupled with gas chromatography-mass spectrometry 719(1996)383

Using topological indices in the prediction of gas chromatographic retention indices of linear alkylbenzene isomers 719(1996)462

Alkylbenzenes as a retention-index scale in reversed-phase highperformance liquid chromatography 722(1996)59

Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235

High-performance liquid chromatography with non-aqueous solvents. Relative elution strength on a polystyrene-divinylbenzene column 728(1996)271

Alkylbenzene sulphonates

Separation of anionic surfactants on anion exchangers 706(1995)327

Methods of analysis of polar aromatic sulfonates from aquatic environments 733(1996)473

Alkylbenzene sulfonates, linear

Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123

Separation of ionic and neutral surfactants by capillary electrophoresis and high-performance liquid chromatography 745(1996)281

Alkyl benzoates

Evaluation of the parameters determining the performance of electrochromatography in packed capillary columns 716(1995)207

Alkylbenzyl quaternary ammonium compounds

Capillary zone electrophoretic separation of alkylbenzyl quaternary ammonium compounds: effect of organic modifier 722(1996)345

Alkylbetaine

Determination of amphoteric surfactants in cosmetic cleansing products by high-performance liquid chromatography on a cation-exchange column 715(1995)195

Alkylbis(2-benzothiazolylsulfen)amides

Reversed-phase high-performance liquid chromatographic method for the quantitative determination of alkylbis(2-benzothiazolylsulfen)amides 710(1995)351

Alkylbis(trifluoromethyl)phosphine sulphides

Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs 738(1996)233

Alkylhydantoins

Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs 738(1996)233

Alkylmaleimides

Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs 738(1996)233

Alkylmethylhydantoins

Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs 738(1996)233

Alkyl methylphosphonic acids

Atomic emission detection for the quantitation of trimethylsilyl derivatives of chemical-warfare-agent related compounds in environmental samples 709(1995)333

Alkylphenol ethoxylate surfactants

Oligomeric separation of alkylphenol ethoxylate surfactants on silica using aqueous acetonitrile eluents 731(1996)171

Chromatographic tools for analyzing and tracking non-ionic surfactants in the aquatic environment 733(1996)185

Determination of surfactants in surface water by solid-phase extraction, liquid chromatography and liquid chromatography—mass spectrometry 733(1996)207

Alkylphenols

Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235

High-performance liquid chromatography with non-aqueous solvents. Relative elution strength on a polystyrene–divinylbenzene column 728(1996)271

Separation of structural homologues of alkylphenols and isomers of 4-nonylphenol by cyclodextrin-modified micellar electrokinetic chromatography 749(1996)227

Alkyl phenyl ketones

Polymer-supported pseudo-stationary phase for electrokinetic chromatography. Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers 716(1995)57

Alkyl phosphates

Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste 738(1996)215

Alkylphosphonic acids

Capillary electrophoresis analysis of chemical warfare agent breakdown products 741(1996)279

Alkylpolyoxyethylene glycols

Capillary gas chromatography of higher alkylpolyoxyethylene glycols with an even number of carbon atoms in the alkyl group. Influence of type of derivatizing agent, alcohol chain length and oxyethylene chain length on the retention indices with a linear temperature increase 727(1996)131

Alkylsulfonates

Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography: Enhanced separation of corticosteroids 738(1996)275

Alkylsulfonic acids

Determination of alkyl sulfonic acids in pharmaceuticals by ion chromatography 724(1996)199

Alkyl sulphates

Separation of anionic surfactants on anion exchangers 706(1995)327

Allyl p-nitrophenyl sulfoxide

Enantioselective chromatography on brush-type chiral stationary phases containing totally synthetic selectors. Theoretical aspects and practical applications 724(1996)79

Aloe-emodin

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Aloenin

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Aloeresin A

High-performance liquid chromatographic profiles of aloe constituents and determination of aloin in beverages, with reference to the EEC regulation for flavouring substances 718(1995)99

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Aloeresin F

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Aloesin

High-performance liquid chromatographic profiles of aloe constituents and determination of aloin in beverages, with reference to the EEC regulation for flavouring substances 718(1995)99

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Aloinosides

High-performance liquid chromatographic profiles of aloe constituents and determination of aloin in beverages, with reference to the EEC regulation for flavouring substances 718(1995)99

Aloins

High-performance liquid chromatographic profiles of aloe constituents and determination of aloin in beverages, with reference to the EEC regulation for flavouring substances 718(1995)99

Alprenolol

Enantiomeric separation of basic drugs using N-benzyloxycarbonylglyclyl-L-proline as counter ion in methanol 705(1995)275

Alternariol

Determination of alternariol and alternariol methyl ether in apple juice using solid-phase extraction and high-performance liquid chromatography 731(1996)109

Alumina

Comparison of an ordered mesoporous aluminosilicate, silica, alumina, titania and zirconia in normal-phase high-performance liquid chromatography 740(1996)1

Aluminium

Determination of aluminium in natural waters by single-column ion chromatography with indirect UV detection 706(1995)307

Aluminium alloys

Sources of variability in cation analysis for a quantitative exfoliation corrosion resistance test 739(1996)183

Aluminosilicate

Comparison of an ordered mesoporous aluminosilicate, silica, alumina, titania and zirconia in normal-phase high-performance liquid chromatography 740(1996)1

Alytesin

Investigation of crudes of synthesis of neuropeptide Y by highperformance liquid chromatography-electrospray mass spectrometry 715(1995)227

Amanitins

Analysis of amatoxins α -amanitin and β -amanitin in toadstool extracts and body fluids by capillary zone electrophoresis with photodiode array detection 744(1996)167

Amaranth

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Amatoxins

Analysis of amatoxins α -amanitin and β -amanitin in toadstool extracts and body fluids by capillary zone electrophoresis with photodiode array detection 744(1996)167

Ametryne

On-line partial filling micellar electrokinetic chromatographyelectrospray ionization mass spectrometry 749(1996)219

Amides

Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography 740(1996)253

2-Amine-5-nitro-2'-chlorobenzophenone

Separation and structural elucidation of the hydrolysis compounds of loprazolam 721(1996)123

Amines

see also Biogenic amines and Catecholamines

Determination of anions in amine solutions for sour gas treatment 706(1995)339

Determination of biogenic amines and their precursor amino acids in wines of the Vallée du Rhône by high-performance liquid chromatography with precolumn derivatization and fluorimetric detection 707(1995)373

Direct separation of carboxylic acid and amine enantiomers by high-performance liquid chromatography on reversed-phase silica gels coated with chiral copper(II) complexes 707(1995)380

Simultaneous determination of amino acids and biogenic amines by reversed-phase high-performance liquid chromatography of the dabsyl derivatives 715(1995)67

Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Child cerebrospinal fluid analysis by capillary electrophoresis and laser-induced fluorescence detection 717(1995)293

Application of a novel, plastic formed carbon as a precolumn packing material for the liquid chromatographic determination of acetylcholine and choline in biological samples 718(1995)267

Improvement of a solid-phase extraction method for determining biogenic amines in wines 718(1995)309

Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis 719(1996)159

Isolation by solid-phase extraction and liquid chromatographic determination of mutagenic amines in beef extracts 719(1996)203

Rapid identification of biogenic amine-producing bacterial cultures using isocratic high-performance liquid chromatography 719(1996)321

Multifunctional ion-exchange stationary phases for highperformance liquid chromatography 722(1996)87

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Synthesis and application of a new isothiocyanate as a chiral derivatizing agent for the indirect resolution of chiral amino alcohols and amines 729(1996)33

High-performance liquid chromatographic evaluation of biogenic amines in foods 729(1996)363

Derivatization reactions for the determination of amines by gas chromatography and their applications in environmental analysis 733(1996)19

Postcolumn reactor in capillary electrophoresis for laser-induced fluorescence detection 734(1996)331

Capillary electrophoresis-laser-induced fluorescence detection of amphetamine in the brain 735(1996)263

Preparation and enantioselectivity of (S)-binaphthol-bonded phase for high-performance liquid chromatography 736(1996)39

Determination of biogenic amines in wine after precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate 737(1996)205

Ion-pair reversed-phase high-performance liquid chromatography of algal chlorophylls 738(1996)285

Recent advances in ion chromatography: A perspective (Review) 739(1996)3

Novel cation-exchange stationary phase for the separation of amines and of six common inorganic cations 739(1996)87

Retention behavior of methylamines, ethylenediamine and N-methyl-substituted ethylenediamines on a cation-exchange resin having a polycarboxylic acid as the functional group 739(1996)327

Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333

Ion chromatography of amylamine and tert.-butylamine in pharmaceuticals 739(1996)343

Comparison of the chiral resolution on *cis-trans* isomeric chiral stationary phases derived from (S)-1-(1-naphthyl)ethylamine 740(1996)183

Separation of biogenic amines by micellar electrokinetic chromatography 745(1996)255

Amines, aliphatic

Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier 716(1995)81

Amines, aromatic

Selective determination of aromatic amines in water samples by capillary zone electrophoresis and solid-phase extraction 709(1995)361

Use of porous polymers in off-line preconcentration of nitrobenzenes and their reduction products from water 733(1996)491

Determination of aromatic amines as their N-dimethylthiophosphoryl derivatives by gas chromatography with flame photometric detection 738(1996)83

Amines, heterocyclic

Combination of orthogonal array design and overlapping resolution mapping for optimizing the separation of heterocyclic amines by capillary zone electrophoresis 709(1995)351

Determination of heterocyclic amines by pneumatically assisted electrospray liquid chromatography-mass spectrometry 730(1996)185

Amines, heterocyclic aromatic

Solid-phase extraction for the selective isolation of polycyclic aromatic hydrocarbons, azaarenes and heterocyclic aromatic amines in charcoal-grilled meat 731(1996)85

4-Amino-3-(5-chlorothien-2-yl)butyric acid

GABA-B agonists: enantiomeric resolution of 4-amino-3- (5-chlorothien-2-yl)butyric acid and analogues on chiral crown ether stationary phase 715(1995)361

4-Amino-4'-nitrostilbene-2,2'-disulfonic acid

Determination of 4,4'-diaminostilbene-2,2'-disulfonic acid by thin-layer chromatography and densitometry 727(1996)324

Amino acid ester hydrochlorides

Silica-bonded calixarenes in chromatography 731(1996)47

Amino acids

Separation of peptide derivatives by pH-zone-refining countercurrent chromatography 702(1995)197

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67

Validation of quantitative chromatographic analysis on laboratory-prepared thin layers 704(1995)173

Direct and indirect chiral separation of amino acids by capillary electrophoresis 704(1995)179

Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures. Part II 705(1995)257

Determination of amino acids in biomass and protein samples by microwave hydrolysis and ion-exchange chromatography 706(1995)421

Peptide chiral purity determination: hydrolysis in deuterated acid, derivatization with Marfey's reagent and analysis using high-performance liquid chromatography-electrospray ionization-mass spectrometry 707(1995)233

Free-solution capillary electrophoretic resolution of chiral amino acids via derivatization with homochiral isothiocyanates. Part I 707(1995)355

Determination of biogenic amines and their precursor amino acids in wines of the Vallée du Rhône by high-performance liquid chromatography with precolumn derivatization and fluorimetric detection 707(1995)373

Rapid gas chromatographic screening of edible seeds, nuts and beans for non-protein and protein amino acids 708(1995)131

Optimization of the determination of amino acids in parenteral solutions by high-performance liquid chromatography with precolumn derivatization using 9-fluorenylmethyl chloroformate 708(1995)203

Diode laser-induced fluorescence detection in capillary electrophoresis after pre-column derivatization of amino acids and small peptides 708(1995)309

Separation of precolumn-labelled p- and L-amino acids by micellar electrokinetic chromatography with UV and fluorescence detection 708(1995)323

Micellar electrokinetic chromatography using high-molecularmass surfactants: comparison between anionic and cationic surfactants and effects of modifiers 709(1995)3

Enantiomeric resolution of derivatized DL-amino acids by high-performance liquid chromatography using a β -cyclodextrin chiral stationary phase: A comparison between derivatization labels 710(1995)287

Quantitative analysis of fluorinated ethylchloroformate derivatives of non-protein amino acids using positive and negative chemical ionization gas chromatography-mass spectrometry 710(1995)303

Measurement of desmosine and isodesmosine by capillary zone electrophoresis 710(1995)357

Identification of a new genetic variant of bovine β -casein using reversed-phase high-performance liquid chromatography and mass spectrometric analysis 711(1995)141

Liquid chromatographic determination of D- and L-amino acids by derivatization with o-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201

Simultaneous determination of amino acids and biogenic amines by reversed-phase high-performance liquid chromatography of the dabsyl derivatives 715(1995)67

GABA-B agonists: enantiomeric resolution of 4-amino-3- (5-chlorothien-2-yl)butyric acid and analogues on chiral crown ether stationary phase 715(1995)361

Capillary electrochromatography of small molecules in polyacrylamide gels with electroosmotic flow 716(1995)107

 $\begin{array}{ll} Post-column\ reaction\ system\ for\ fluorescence\ detection\ in\ capillary\ electrophores is & 716 (1995)123 \end{array}$

Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with sodium N-tetradecanoyl-L-glutamate 716(1995)319

Capillary electrophoretic methods for a clear identification of selenoamino acids in complex matrices such as human milk 716(1995)323

Study of the racemization of L-serine by cyclodextrin-modified micellar electrokinetic chromatography and laser-induced fluorescence detection 716(1995)331

Capillary electrophoretic determination of amino acids Improvement by cyclodextrin additives 716(1995)335

Determination of α -difluoromethylornithine in blood by microdialysis sampling and capillary electrophoresis with UV detection 716(1995)381

Child cerebrospinal fluid analysis by capillary electrophoresis and laser-induced fluorescence detection 717(1995)293

Ball-lens laser-induced fluorescence detector as an easy-to-use highly sensitive detector for capillary electrophoresis. Application to the identification of biogenic amines in dairy products 717(1995)335

Amino acid and amino sugar determination by derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate followed by high-performance liquid chromatography and fluorescence detection 719(1996)171

Isocratic high-performance liquid chromatographic method for quantitative determination of lysine, histidine and tyrosine in foods 719(1996)195

Separation of diastereomers by capillary zone electrophoresis in free solution with polymer additive and organic solvent component. Effect of pH and solvent composition 719(1996)411

Multifunctional ion-exchange stationary phases for highperformance liquid chromatography 722(1996)87

Enantioseparation of amino acids and amino alcohols on chiral stationary phases derived from α -amino acid- and pyrrolidinyl-disubstituted cyanuric chloride 722(1996)189

Enantioseparation and recognition mechanisms of dinitrobenzoyl-derivatized amino acids and amino alcohols on chiral stationary phases consisting of cyanuric chloride with (S or R)-phenylalanyl-(S or R)-1-(1-naphthyl)ethylamide substituent 722(1996)199

Evaluation of new chiral stationary phases of bonded cyanuric chloride with amino acid and naphthylalkylamine substituents for liquid chromatographic separation of amino acids and amino alcohols as dinitrobenzoyl derivatives 722(1996)211

Rapid analysis of amino acid enantiomers by chiral-phase capillary gas chromatography 722(1996)221

Gas chromatographic amino acid profiling of wine samples for pattern recognition 722(1996)303

High-performance liquid chromatography of amino acids in copper(II) complex form: application to valine fermentation samples 722(1996)311

Reversed-phase high-performance liquid chromatography coupled with second-order derivative spectroscopy for the quantitation of aromatic amino acids in peptides: application to hemorphins 723(1996)35

Improved high-performance liquid chromatography of amino acids derivatised with 9-fluorenylmethyl chloroformate 723(1996)219

Determination of amino acids using o-phthalaldehyde-2-mercaptoethanol derivatization 724(1996)159

Determination of amino acids by pre-column fluorescence derivatization with 1-methoxycarbonylindolizine-3,5-dicarbaldehyde 724(1996)169

Micellar electrokinetic capillary chromatography with in-situ charged micelles 724(1996)285

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Computer-aided optimization of gradient multiple development thin-layer chromatography. III. Multi-stage development over a constant distance 726(1996)185

Characterization of wide-pore reversed-phase columns for biopolymer separations. I. Single-parametric evaluation 728(1996)179

Reversed-phase liquid chromatography on a microspherical carbon column at high temperature 728(1996)189

Liquid chromatographic separation of amino acid enantiomers on a silica-bonded chiral s-triazine column 728(1996)447

Temperature-induced changes in the bandwidth behaviour of proteins separated with cation-exchange adsorbents 729(1996)67

Automated method for the measurement of amino acids in urine by high-performance liquid chromatography 729(1996)173

Reference values of neuroactive amino acids in the cerebrospinal fluid by high-performance liquid chromatography with electrochemical and fluorescence detection 729(1996)181

Automated determination of polyamines by high-performance liquid chromatography with simple sample preparation 730(1996)115

Facile liquid chromatographic enantioresolution of native amino acids and peptides using a teicoplanin chiral stationary phase 731(1996)123

Gas chromatographic-mass spectrometric approach to the problem of characterizing binding media in paintings 731(1996)237

Direct chiral separation of amino acids derivatized with 2-(9-anthryl)ethyl chloroformate by capillary electrophoresis using cyclodextrins as chiral selectors 731(1996)283

Capillary electrophoresis of Cheddar cheese 731(1996)305

Amino acid separation by preparative temperature-swing chromatography with flow reversal 732(1996)1

Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385

Postcolumn reactor in capillary electrophoresis for laser-induced fluorescence detection 734(1996)331

Micellar electrokinetic chromatography. Perspectives in drug analysis 735(1996)3

Improved reproducibility in capillary electrophoresis through the use of mobility and migration time ratios 735(1996)209

Precolumn fluorescence derivatization of the antagonist [Arg⁶,D-Trp^{7,9},MePhe⁸]-Substance P{6-11} with benzoin in high-performance liquid chromatography and selective detection of arginine-containing fragments in its degradation products 736(1996)91

Thin-layer chromatographic separation of enantiomeric dansylamino acids using a macrocyclic antibiotic as a chiral selector 736(1996)235

Evaluation of extended light path capillaries for use in capillary electrophoresis with laser-induced fluorescence detection 736(1996)239

Indirect chemiluminescence detection of amino acids separated by capillary electrophoresis 736(1996)247

Large-scale amino-acid analysis for proteome studies 736(1996)291

Electrophoretic study of the interaction of p-boronophenylserine with carboxylic acids by the three-spot method 738(1996)305

Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333

Chromatographic determination of amino acids by pre-column derivatization using 1,2-naphthoquinone-4-sulfonate as reagent 740(1996)21

Determination of amino acids in the foods by reversed-phase high-performance liquid chromatography with a new precolumn derivative, butylthiocarbamyl amino acid, compared to the conventional phenylthiocarbamyl derivatives and ion-exchange chromatography 740(1996)31

Determination of protein amino acids as benzylthiocarbamyl derivatives compared with phenylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography, ultraviolet detection and precolumn derivatization 740(1996)41

Comparison of the chiral resolution on *cis-trans* isomeric chiral stationary phases derived from (S)-1-(1-naphthyl)ethylamine 740(1996)183

Effects of organic modifiers on the chiral recognition by different types of silica-immobilized bovine serum albumin 740(1996)207

Derivatization at capillary inlet in high-performance capillary electrophoresis 742(1996)243

Planar chromatographic direct separation of some aromatic amino acids and aromatic amino alcohols into enantiomers using cyclodextrin mobile phase additives 742(1996)289

Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis 744(1996)17

Enantiomeric separation of N-tert.-butoxycarbonyl amino acids by capillary electrophoresis using hydroxypropyl-substituted cyclodextrins 745(1996)73

Gas chromatographic enantiomer separation on a chiral self-associating selector 746(1996)53

Utilization of *n*-alkyl-β-D-glucopyranosides in enantiomeric separation by micellar electrokinetic chromatography 749(1996)257

Amino acids, 6-aminoquinolyl urea derivatives

Electrochemical activity of 6-aminoquinolyl urea derivatives of amino acids and peptides. Application to high-performance liquid chromatography with electrochemical detection 724(1996)147

Amino acids, branched-chain

Postcolumn co-immobilized leucine dehydrogenase–NADH oxidase reactor for the determination of branched-chain amino acids by high-performance liquid chromatography with chemiluminescence detection 724(1996)354

Amino acids, DNB derivatives

Resolution of gram quantities of racemates by high-speed counter-current chromatography 704(1995)75

Quinine and quinidine derivatives as chiral selectors 741(1996)33

Amino acids, Dns derivatives

Effect of urea addition on chiral separation of dansylamino acids by capillary zone electrophoresis with cyclodextrins 710(1995)331

Chiral separation of dansyl-amino acids in a nonaqueous medium by capillary electrophoresis 737(1996)263

Amino acids, FMOC derivatives

Investigation on enantiomeric separations of fluorenylmethoxycarbonyl amino acids and peptides by high-performance liquid chromatography using native cyclodextrins as chiral stationary phases 743(1996)261

Amino acids, β -methyl

Separation of enantiomeric β -methyl amino acids and of β -methyl amino acid containing peptides 728(1996)455

Amino alcohols

High-performance liquid chromatographic separation of β -amino alcohols. II. Separation of *trans*-2-(dialkylamino)cyclohexanols on an amylose-based chiral stationary phase 719(1996)315

Enantioseparation of amino acids and amino alcohols on chiral stationary phases derived from α -amino acid- and pyrrolidinyl-disubstituted cyanuric chloride 722(1996)189

Enantioseparation and recognition mechanisms of dinitrobenzoyl-derivatized amino acids and amino alcohols on chiral stationary phases consisting of cyanuric chloride with (S or R)-phenylalanyl-(S or R)-1-(1-naphthyl)ethylamide substituent 722(1996)199

Evaluation of new chiral stationary phases of bonded cyanuric chloride with amino acid and naphthylalkylamine substituents for liquid chromatographic separation of amino acids and amino alcohols as dinitrobenzoyl derivatives 722(1996)211

Synthesis and application of a new isothiocyanate as a chiral derivatizing agent for the indirect resolution of chiral amino alcohols and amines 729(1996)33

Reversed-phase chiral ion-pair chromatography at a column temperature below 0°C using three generations of Hypercarb as solid-phase 732(1996)245

Comparison of the chiral resolution on *cis-trans* isomeric chiral stationary phases derived from (S)-1-(1-naphthyl)ethylamine 740(1996)183

Planar chromatographic direct separation of some aromatic amino acids and aromatic amino alcohols into enantiomers using cyclodextrin mobile phase additives 742(1996)289

Chiral separation in non-aqueous media by capillary electrophoresis using the ion-pair principle 745(1996)37

4-Aminoantipyrine

Determination of aminopyrine and its metabolite by capillary electrophoresis-electrochemical detection 715(1995)355

Aminoaromatic compounds

High-performance liquid chromatographic analysis with electrochemical detection for residues of explosives in water samples around a former ammunition plant 730(1996)161

Aminobutylphosphonic acid

Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection 726(1996)253

γ-Aminobutyric acid

Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99

γ-Aminobutyric acid-B agonists

GABA-B agonists: enantiomeric resolution of 4-amino-3- (5-chlorothien-2-yl)butyric acid and analogues on chiral crown ether stationary phase 715(1995)361

Aminocaproic acid

Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99

Polyethylene glycol monomethyl ether sulfate-based background electrolytes in capillary electrophoresis 744(1996)75

2-Aminocyclopentane-1-carboxylic acid

High-performance liquid chromatographic method for the separation of isomers of *cis*- and *trans*-2-amino-cyclopentane-1-carboxylic acid 715(1995)219

Amino esters

Improved chiral stationary phase derived from (S)-naproxen for the liquid chromatographic resolution of enantiomers 732(1996)209

Aminoglutethimide

Separation of stereoisomers of aminoglutethimide using three capillary electrophoretic techniques 705(1995)343

3-Amino-1-hydroxypropylidene-1,1-bisphosphonate

Gas chromatographic analysis of 3-amino-1-hydroxypropylidene-1,1-bisphosphonate and related bisphosphonate as their Nisobutoxycarbonyl methyl ester derivatives 724(1996)279

5-Aminolaevulinic acid

Determination of 5-aminolaevulinic acid dehydratase activity in erythrocytes and porphobilinogen in urine by micellar electrokinetic capillary chromatography 722(1996)353

Aminomethylphosphonic acid

Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection 726(1996)253

Rapid determination of glufosinate, glyphosate and aminomethylphosphonic acid in environmental water samples using precolumn fluorogenic labeling and coupled-column liquid chromatography 737(1996)75

Analysis of glyphosate using capillary electrophoresis with indirect detection 745(1996)189

Aminopeptidases

Dynamic modeling of electrophoretically mediated microanalysis 732(1996)119

Aminophenols

Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography. Comparison of the role of anionic and cationic surfactants 717(1995)167

Aminopolycarboxylates

Ion chromatographic cation analysis of effluent waters from scale dissolver treatments 739(1996)265

Aminopolycarboxylic acids

Ion chromatographic determination of chelating ligands based on the postcolumn formation of ternary fluorescent complexes 739(1996)307

3-Aminopropenyl-7-fluoromethoxyiminothiadiazolylcephem

Scale-up of liquid chromatography for industrial production of parenteral antibiotic E1077 707(1995)117

Aminopropyltriethoxysilane

Synthesis of silica-based heparin-affinity adsorbents 728(1996)149

Aminopyrene trisulfonate

Reductive amination of N-linked oligosaccharides using organic acid catalysts 745(1996)273

Aminopyrine

Determination of aminopyrine and its metabolite by capillary electrophoresis-electrochemical detection 715(1995)355

Microemulsion electrokinetic chromatographic separation of antipyretic analgesic ingredients 735(1996)353

6-Aminoquinoline

Capillary electrophoresis of triorganotin compounds with indirect fluorescence detection 746(1996)269

Aminoquinolylhydroxysuccinimidyl carbamate

Electrochemical activity of 6-aminoquinolyl urea derivatives of amino acids and peptides. Application to high-performance liquid chromatography with electrochemical detection 724(1996)147

High-sensitivity fluorescence derivatization for the determination of hydroxy compounds in aqueous solution by high-performance liquid chromatography 728(1996)333

Determination of biogenic amines in wine after precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate 737(1996)205

Aminoquinuclidine

Optimization of chiral selectivity on cellulose-based highperformance liquid chromatographic columns using aprotic mobile-phase modifiers 718(1995)9

Aminosalicylic acid

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Clinical diagnostic application 744(1996)37

Amino sugar alcohols

High-performance liquid chromatographic analysis of hexosamines, hexosaminitols, N-acetylhexosamines and N-acetylhexosaminitols by ultraviolet and fluorescence detection at picomole levels 730(1996)107

Amino sugars

Amino acid and amino sugar determination by derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate followed by high-performance liquid chromatography and fluorescence detection 719(1996)171

High-performance liquid chromatographic analysis of hexosamines, hexosaminitols, N-acetylhexosamines and N-acetylhexosaminitols by ultraviolet and fluorescence detection at picomole levels 730(1996)107

Aminotetralin

Optimization of chiral selectivity on cellulose-based highperformance liquid chromatographic columns using aprotic mobile-phase modifiers 718(1995)9

Amiodarone

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307

Ammelide

Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257

Ammeline

Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257

Ammonia

Derivatization reactions for the determination of amines by gas chromatography and their applications in environmental analysis 733(1996)19

Ammonium

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Cation trace analysis of snow and firn samples from high-alpine sites by ion chromatography 706(1995)249

Application of capillary electrophoresis in atmospheric aerosol analysis: determination of cations 706(1995)527

Effect of the concentration of 18-crown-6 added to the electrolyte upon the separation of ammonium, alkali and alkaline-earth cations by capillary electrophoresis 706(1995)535

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Ammonium molybdophosphate

Determination of Cs-137 in environmental water by ionexchange chromatography (Review) 733(1996)57

Ammonium tungstate

Controlled changes in selectivity of cation separations by capillary electrophoresis using various crown-ether additives 745(1996)87

Amoxicillin

Improved high-performance liquid chromatographic determination of amoxicillin in human plasma by means of column switching 729(1996)259

Amphetamines

Analysis of illicit amphetamine seizures by capillary electrophoresis 708(1995)169

Enantiomeric separation of amphetamine related drugs by capillary zone electrophoresis using native and derivatized β -cyclodextrin as chiral additives 710(1995)339

Headspace sampling and gas chromatographic-mass spectrometric determination of amphetamine and methamphetamine in betel 715(1995)325

Chiral separation of amphetamines by high-performance capillary electrophoresis 717(1995)219

Separation and identification of designer drugs with capillary electrophoresis and on-line connection with ionspray mass spectrometry 735(1996)221

Capillary electrophoresis-laser-induced fluorescence detection of amphetamine in the brain 735(1996)263

Enantiomeric separation of amphetamine and phenylephrine by cyclodextrin-mediated capillary zone electrophoresis 735(1996)295

Determination of morphine analogues, caffeine and amphetamine in biological fluids by capillary electrophoresis with the marker technique 735(1996)439

Ampholytes

Automated instrumentation for miniaturized displacement electrophoresis with on-column photometric detection 730(1996)261

Comparison of ampholytes used for slab gel and capillary isoelectric focusing of recombinant tissue-type plasminogen activator glycoforms 744(1996)279

Amylamine

Ion chromatography of amylamine and *tert*.-butylamine in pharmaceuticals 739(1996)343

α-Amylase

Mathematical modelling and computer simulation of aqueous two-phase continuous protein extraction 741(1996)151

Amvloid P

Demonstration of a heparin-binding site in serum amyloid P component using affinity capillary electrophoresis as an adjunct technique 717(1995)83

Amylopectin

Improvement of a method for chain-length distribution analysis of wheat amylopectin 732(1996)255

Amylose tris(3,5-dimethylphenylcarbamate)

Investigation of the enantioselective separations of α -alkylarylcarboxylic acids on an amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase using quantitative structure-enantioselective retention relationships 737(1996)157

Mechanistic investigation into the enantioselective separation of mexiletine and related compounds, chromatographed on an amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 741(1996)205

Anabasine

Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131

Anabolic agents

Comparison of the possibilities of gas chromatography-mass spectrometry and tandem mass spectrometry systems for the analysis of anabolics in biological material 750(1996)105

Anatabine

Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131

Anethole

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Angiotensin

Peptide stacking by acetonitrile-salt mixtures for capillary zone electrophoresis 744(1996)231

Angiotensin-converting enzyme

Purification and assay methods for angiotensin-converting enzyme (Review) 743(1996)105

Anilines

Development and application of radio-size-exclusion chromatography 727(1996)61

End-capping of octadecylsilylated silica gels by hightemperature silylation 737(1996)139

Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography 744(1996)135

Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71

Anions

see also Inorganic anions

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Determinations of trace anions in hydrogen peroxide 706(1995)191

Control of errors in anion chromatography applied to environmental research 706(1995)229

Ion chromatographic determination of major ions in fog samples 706(1995)241

Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography 706(1995)253

Simultaneous determination of small organic and inorganic anions in environmental water samples by ion-exchange chromatography 706(1995)259

Ion chromatography of organic-rich natural waters from peatlands. III. Improvements for measuring anions and cations 706(1995)281

Determination of anions in amine solutions for sour gas treatment 706(1995)339

Use of β -diketonate anions as eluent in non-suppressed ion chromatography: 1,3-cyclohexanedionate as acidic eluent 707(1995)384

Buffer effects in the desionoselective/ionoselective/duoselective separation selectivity model-assisted optimization of the capillary electrophoretic separation of enantiomers. I. Low-pH phosphate buffers 716(1995)197

Capillary zone electrophoresis in organic solvents: separation of anions in methanolic buffer solutions 716(1995)303

Determination of inorganic and small organic anions in pure boric acid using capillary zone electrophoresis 716(1995)311

Determination of thiocyanate, iodide, nitrate and nitrite in biological samples by micellar electrokinetic capillary chromatography 717(1995)409

Simple double-beam absorption detection systems for capillary electrophoresis based on diode lasers and light-emitting diodes 718(1995)177

Significant reduction of the detection limit in ion chromatography by relative analyte enrichment with column switching 723(1996)11

New approach for controlling the partitioning of analyte ions in ion chromatography with a water mobile phase 723(1996)251

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Suppressed ion chromatographic analysis of anions in environmental waters containing high salt concentrations (Review) 733(1996)73

Analysis of anions in drinking water by capillary ion electrophoresis 733(1996)101

Teaching a computer ion chromatography from a database of published methods 739(1996)15

Quantitation of anions at parts-per-trillion levels in semiconductor pure water by means of a laboratory ion chromatograph 739(1996)199

Buffer capacity, ionic strength and heat dissipation in capillary electrophoresis 744(1996)147

Analysis of low-level anions in water extracts of hard disk drive heads by capillary electrophoresis 745(1996)81

Analysis of single raindrops in the nl range by capillary electrophoresis 745(1996)209

Anions, inorganic

Retention mechanism of anions in micellar chromatography: Interpretation of retention data on the basis of an ion-exchange model 706(1995)37

Anions, multivalent organic

Ionic strength and charge number correction for mobilities of multivalent organic anions in capillary electrophoresis 709(1995)163

Anisole

Determination of azadirachtin by reversed-phase highperformance liquid chromatography using anisole as internal standard 705(1995)374

Annatto

High-performance liquid chromatographic separation of carminic acid, α - and β -bixin, and α - and β -norbixin, and the determination of carminic acid in foods 732(1996)394

Ansamycins

Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337

Antagonist G

Precolumn fluorescence derivatization of the antagonist [Arg⁶,D-Trp^{7,9},MePhe⁸]-Substance P{6-11} with benzoin in high-performance liquid chromatography and selective detection of arginine-containing fragments in its degradation products 736(1996)91

Anthelmintics

Simple, robust and accurate high-performance liquid chromatography method for the analysis of several anthelmintics in veterinary formulations 729(1996)267

Anthranoids

Determination of 1,8-dihydroxyanthranoids in senna 740(1996)133

Anthraquinoids

Simultaneous determination of twelve constituents of I-tzu-tang, a Chinese herbal preparation, by high-performance liquid chromatography and capillary electrophoresis 704(1995)141

Anthraquinones

Determination of 9,10-dihydroxyanthracene and anthraquinone in Kraft pulping liquors by high-performance liquid chromatography 712(1995)372

High-performance liquid chromatographic separation of some naturally occurring naphthoquinones and anthraquinones 723(1996)206

Determination of 1,8-dihydroxyanthranoids in senna 740(1996)133

9-Anthroyl chloride

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

2-(9-Anthryl)ethyl chloroformate

High-performance liquid chromatographic separation and detection of phenols using 2-(9-anthrylethyl) chloroformate as a fluorophoric derivatizing reagent 718(1995)45

Direct chiral separation of amino acids derivatized with 2-(9-anthryl)ethyl chloroformate by capillary electrophoresis using cyclodextrins as chiral selectors 731(1996)283

9-Anthryldiazomethane

Quantitation of choline glycerophospholipids that contain carboxylate residues by fluorometric high-performance liquid chromatography 724(1996)131

Antibacterial agents

Determination of peptidoglycan-associated protein in *Escherichia coli* NCIB 8545 by capillary zone electrophoresis 740(1996)273

Antibiotics

High-performance liquid chromatographic separation and determination of small amounts of process impurities of ciprofloxacin in bulk drugs and formulations 705(1995)380

Antibiotics as low-molecular-mass displacers in ion-exchange displacement chromatography 707(1995)57

Scale-up of liquid chromatography for industrial production of parenteral antibiotic E1077 707(1995)117

Liquid chromatographic determination of D- and L-amino acids by derivatization with o-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201

Validation of a capillary electrophoresis method for the determination of cephradine and its related impurities 711(1995)339

Liquid chromatographic determination of the antibiotic fumagillin in fish meat samples 712(1995)378

Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337

Synthesis and characterization of polymer-coated mixedfunctional stationary phases with several different hydrophobic groups for direct analysis of biological samples by liquid chromatography 722(1996)115

Chromatographic purification and characterization of synthetic tryptophan-substituted gramicidin A analogues 725(1996)315

High-performance liquid chromatographic determination of vancomycin in rabbit serum, vitreous and aqueous humour after intravitreal injection of the drug 727(1996)231

Liquid chromatographic determination of cephalexin preparations: interlaboratory validation 727(1996)239

High-performance liquid chromatographic determination of penicillins by means of automated solid-phase extraction and photochemical degradation with electrochemical detection 729(1996)229

Improved high-performance liquid chromatographic determination of amoxicillin in human plasma by means of column switching 729(1996)259

Purity control of oxytetracycline by capillary electrophoresis 730(1996)305

Identification of chiral drug isomers by capillary electrophoresis (Review) 735(1996)77

Studies of the degradation products of nisin, a peptide antibiotic, using capillary electrophoresis with off-line mass spectrometry 735(1996)375

Thin-layer chromatographic separation of enantiomeric dansylamino acids using a macrocyclic antibiotic as a chiral selector 736(1996)235

Electrochromatography in chemically modified etched fusedsilica capillaries 736(1996)255

Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303

Separation of tetracyclines by high-performance capillary electrophoresis and capillary electrochromatography 736(1996)313

Determination of impurities in tetracycline hydrochloride by non-aqueous capillary electrophoresis 737(1996)291

Analysis of demeclocycline by capillary electrophoresis 740(1996)119

Determination of neomycin sulfate by liquid chromatography with pulsed electrochemical detection 741(1996)233

Determination of ceftazidime concentration in Mueller Hinton agar by high-performance liquid chromatography 742(1996)121

Antibodies

see also Monoclonal antibodies

Processing of C-terminal lysine and arginine residues of proteins isolated from mammalian cell culture 705(1995)129

Purification of antibody Fab fragments by cation-exchange chromatography and pH gradient elution 707(1995)225

Development and monitoring of purification process for nerve growth factor fusion antibody 708(1995)61

Inhibition of dipeptidyl peptidase IV (DP IV) by anti-DP IV antibodies and non-substrate X-X-Pro- oligopeptides ascertained by capillary electrophoresis 716(1995)355

Selective trace enrichment on immunosorbents for the multiresidue analysis of phenylurea and triazine pesticides 725(1996)107

Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest 735(1996)165

Fast, reproducible size-exclusion chromatography of biological macromolecules 743(1996)43

Influence of column type and chromatographic conditions on the ion-exchange chromatography of immunoglobulins 743(1996)171

Immunochromatographic analysis of bovine growth hormone releasing factor involving reversed-phase high-performance liquid chromatography-immunodetection 743(1996)181

Critical evaluation of the applicability of capillary zone electrophoresis for the study of hapten-antibody complex formation 744(1996)195

Capillary electrophoretic examination of underivatized oligosaccharide mixtures released from immunoglobulin G antibodies and CTLA4Ig fusion protein 749(1996)237

Antidepressants

Retention studies on mixed-mode columns in high-performance liquid chromatography 708(1995)31

Antiepileptics

Synthesis and characterization of polymer-coated mixedfunctional stationary phases with several different hydrophobic groups for direct analysis of biological samples by liquid chromatography 722(1996)115

Antigens

Immunochromatographic analysis of bovine growth hormone releasing factor involving reversed-phase high-performance liquid chromatography-immunodetection 743(1996)181

Antihistamines

Quantitative structure—retention relationships in the examination of the topography of the binding site of antihistamine drugs on α_1 -acid glycoprotein 722(1996)25

Simultaneous determination of chlorpheniramine and maleate by high-performance liquid chromatography using tetra-n-butylammonium phosphate as an ion-pair reagent 731(1996)346

Determination of structurally related phenothiazines by capillary zone electrophoresis and micellar electrokinetic chromatography 735(1996)395

Separation of basic drugs with non-aqueous capillary electrophoresis 738(1996)141

Anti-inflammatory drugs

Detection of non-steroidal anti-inflammatory drugs in equine plasma and urine by gas chromatography-mass spectrometry 719(1996)251

Adaptation of high-performance liquid chromatographic methods to multiple spectral analyses 728(1996)351

Improved chiral stationary phase derived from (S)-naproxen for the liquid chromatographic resolution of enantiomers 732(1996)209

Anti-inflammatory drugs, non-steroidal

Resolution of (±)-ibuprofen using L-arginine-impregnated thinlayer chromatography 721(1996)369

Chiral separations of underivatized arylpropionic acids by capillary zone electrophoresis with various cyclodextrins.

Acidity and inclusion constant determinations 735(1996)311

Incremental development of chiral selectors for underivatized profens 736(1996)31

Antioxidants

Wastewater from the manufacture of rubber vulcanization accelerators: characterization, downstream monitoring and chemical treatment 733(1996)511

Antisense oligonucleotides

Capillary gel electrophoresis and antisense therapeutics (Review) 735(1996)191

Antrenyl

Analysis of quaternary ammonium drugs by thermospray liquid chromatography-mass spectrometry using a resin-based stationary phase 741(1996)75

Anxiolytics

Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3

Apolipoproteins

Capillary electrophoresis, a rapid and sensitive method for routine analysis of apolipoprotein A-I in clinical samples 717(1995)25

Elution of lipoprotein fractions containing apolipoproteins E and A-I in size exclusion on Superose 6 columns is sensitive to mobile phase pH and ionic strength 718(1995)59

Screening and identification of familial defective apolipoprotein B-100 in clinical samples by capillary gel electrophoresis 744(1996)187

Aprotinin

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Aquachromium(III)-isothiocyanato complexes

Complete chromatographic separation of aquachromium(III)—isothiocyanato successive complexes including geometric isomers using cross-linked dextran and poly(vinyl alcohol) gel columns 719(1996)365

α -L-Arabinofuranosidase

Purification of α -L-arabinofuranosidase using a single-column mini-scale isoelectric focusing unit 705(1995)400

Arachidic acid

Estimate of gas chromatographic blanks 726(1996)133

Arachidonic acid

Subcellular localization of docosahexaenoic acid and arachidonic acid ω-hydroxylation activity in the brain, liver and colonic adenocarcinoma 730(1996)91

Distinction between enzymic and nonenzymic lipid peroxidation 743(1996)293

Arginine

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Precolumn fluorescence derivatization of the antagonist [Arg⁶,D-Trp^{7,9},MePhe⁸]-Substance P{6-11} with benzoin in high-performance liquid chromatography and selective detection of arginine-containing fragments in its degradation products 736(1996)91

Arginine residues

Processing of C-terminal lysine and arginine residues of proteins isolated from mammalian cell culture 705(1995)129

Aromatic anions

Buffer effects in the desionoselective/ionoselective/duoselective separation selectivity model-assisted optimization of the capillary electrophoretic separation of enantiomers. I. Low-pH phosphate buffers 716(1995)197

Aromatic compounds

see also Hydrocarbons, aromatic

Use of a trio of modified cyclodextrin gas chromatographic phases to provide structural information on some constituents of volatile oils 707(1995)390

Separation of aromatic sulphonic acid dye intermediates by high-performance liquid chromatography and capillary zone electrophoresis 738(1996)201

Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste 738(1996)215

Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295

On-line preconcentration and separation of neutral and charged aromatic compounds by ion interaction chromatography 739(1996)63

Correlation between the logarithm of capacity factors for aromatic compounds in micellar electrokinetic chromatography and their octanol-water partition coefficients 742(1996)251

Planar chromatographic direct separation of some aromatic amino acids and aromatic amino alcohols into enantiomers using cyclodextrin mobile phase additives 742(1996)289

Comparison of two azobenzene liquid crystal stationary phases in open tubular column gas chromatography 746(1996)247

Aromatic compounds, nitro

Comparison of the extraction of phenolic and nitroaromatic pollutants using supercritical and enhanced-fluidity liquid methanol-CO₂ mixtures 737(1996)233

Aroyl compounds

Filterless, full spectral range, compound-specific detection in dual-channel photometry 742(1996)143

Arsenates

Separation of thio- and oxothioarsenates by capillary zone electrophoresis and ion chromatography 736(1996)341

Arsenic

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Element-sensitive X-ray detection for capillary electrophoresis 727(1996)301

Arsenic compounds

Retention behavior of arsenobetaine, arsenocholine, trimethylarsine oxide and tetramethylarsonium iodide on a styrene-divinylbenzene column with benzenesulfonates as ion-pairing reagents 730(1996)219

Simultaneous determination of arsenic species by ion chromatography-inductively coupled plasma mass spectrometry 750(1996)83

Artificial sweeteners

see also Aspartame and Cyclamate

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Arylalkylcarbinols

Diphenylethanediamine derivatives as chiral selectors 732(1996)215

N-Aryl-α-aminophosphonic acid esters

Facile separation of the enantiomers of diethyl N-(aryl)-1-amino-1-arylmethanephosphonates on a rationally designed chiral stationary phase 721(1996)241

Aryl carbamate

Optimization of chiral selectivity on cellulose-based highperformance liquid chromatographic columns using aprotic mobile-phase modifiers 718(1995)9

Arylcyclohexanols

Diphenylethanediamine derivatives as chiral selectors 732(1996)215

Aryl hydrocarbon hydrolase

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

N-Aryloxazolinones

High-performance liquid chromatographic separation of the enantiomers of N-aryloxazolinones, N-aryl thiazolinones and their sulfur derivatives on a synthetic chiral stationary phase 726(1996)91

Aryloxy propionate "ester"

Optimization of chiral selectivity on cellulose-based highperformance liquid chromatographic columns using aprotic mobile-phase modifiers 718(1995)9

Arylpropionic acids

Chiral separations of underivatized arylpropionic acids by capillary zone electrophoresis with various cyclodextrins.

Acidity and inclusion constant determinations 735(1996)311

Chromatographic separation of enantiomers on N,N'-diallyl-L-tartardiamide-based network-polymeric chiral stationary phases 741(1996)23

Aryltetrahydronaphthalene lignans

Analysis of aryltetrahydronaphthalene lignans and their glucoside conjugates in podophyllin resin by high-performance liquid chromatography 722(1996)267

N-Arylthiazolin-2-(thi)ones

Factorial design approach to studying the high-performance liquid chromatographic chiral separation of N-arylthiazolin-2-(thi)one atropisomers on CHIRALCEL OJ 722(1996)177

N-Arylthiazolinones

High-performance liquid chromatographic separation of the enantiomers of N-aryloxazolinones, N-aryl thiazolinones and their sulfur derivatives on a synthetic chiral stationary phase 726(1996)91

Ascorbate

Galvanic decoupling of a postcolumn amperometric detector in capillary electrophoresis 709(1995)69

Ascorbic acid

see also Vitamins

Application and optimization of capillary zone electrophoresis in vitamin analysis 717(1995)255

Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol 724(1996)271

Comparison of two azobenzene liquid crystal stationary phases in open tubular column gas chromatography 746(1996)247

Ascorbyl phosphate

High-performance liquid chromatographic determination of ionic compounds in cosmetic emulsions: application to magnesium ascorbyl phosphate 705(1995)385

Asiatic acid

Determination of biologically active constituents in Centella asiatica 742(1996)127

Asiaticoside

Determination of biologically active constituents in Centella asiatica 742(1996)127

Aspartame

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Simple and rapid high-performance liquid chromatographic method for the determination of aspartame and its metabolites in foods 725(1996)372

High-performance liquid chromatography with electrochemical detection of aspartame with a post-column photochemical reactor 729(1996)393

Atosiban

Hydrophilic interaction chromatography on amino-silica phases complements reversed-phase high-performance liquid chromatography and capillary electrophoresis for peptide analysis 724(1996)378

Atrazine

Capillary electrophoretic study of atrazine photolysis 709(1995)215

Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257

Determining the characteristics of water pollutants by neural sensors and pattern recognition methods 722(1996)233

On-line partial filling micellar electrokinetic chromatographyelectrospray ionization mass spectrometry 749(1996)219

Avermectins

Separation of ivermectin components by high-speed countercurrent chromatography 723(1996)61

Azaarenes

Solid-phase extraction for the selective isolation of polycyclic aromatic hydrocarbons, azaarenes and heterocyclic aromatic amines in charcoal-grilled meat 731(1996)85

Azadirachtin

Determination of azadirachtin by reversed-phase highperformance liquid chromatography using anisole as internal standard 705(1995)374

3'-Azido-3'-deoxythymidine

Rapid and sensitive determination of zidovudine and zidovudine glucuronide in human plasma by ion-pair high-performance liquid chromatography 721(1996)127

Aziridinecarboxylic acid derivatives

Influence of the kind of the alcoholic modifier on chiral separation on a Chiralpak AD column 728(1996)249

Azobenzene

Design and optimization of a novel type nitrogen-phosphorus detector for capillary gas chromatography 732(1996)51

Azo dyes

see also Dyes

Linear polymers applied as pseudo-phases in capillary zone electrophoresis of azo compounds used as textile dyes 717(1995)157

Adsorption chromatography on cellulose. XIV. Some results using aqueous solutions of soluble cyclodextrin polymers as eluents 723(1996)405



Baccatin III

Analysis of taxol, 10-deacetylbaccatin III and related compounds in *Taxus baccata* 712(1995)303

Baclofen

GABA-B agonists: enantiomeric resolution of 4-amino-3- (5-chlorothien-2-yl)butyric acid and analogues on chiral crown ether stationary phase 715(1995)361

High-performance liquid chromatographic determination of baclofen in human plasma 729(1996)309

Baicalin

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Barbaloin

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Barbiturates

Comparison of direct deposition and flow-cell gas chromatography-Fourier transform infrared spectrometry of barbiturates 703(1995)383

Retention studies on mixed-mode columns in high-performance liquid chromatography 708(1995)31

Molecular recognition of phenobarbital in plasticizers. Equilibrium investigations on the solubility of the barbiturate artificial receptor and its binding to phenobarbital in plasticizers 722(1996)47

Barium

Approaches to sample preparation for ion chromatography 739(1996)49

Basic compounds

Influence of organic solvent modifier and solvent strength on peak shape of some basic compounds in high-performance liquid chromatography using a reversed-phase column 708(1995)185

Enantiomeric separation by capillary electrophoresis using a soluble neutral β -cyclodextrin polymer 709(1995)89

Flash chiral chromatography with cellulose tris(3,5-dimethylphenylcarbamate)-coated phases 728(1996)195

Effect of organic solvent modifier and nature of solute on the performance of bonded silica reversed-phase columns for the analysis of strongly basic compounds by high-performance liquid chromatography 738(1996)169

Basic drugs

see also Drugs, basic

Ultra-fast chiral separation of basic drugs by capillary electrophoresis 717(1995)229

End-capping of octadecylsilylated silica gels by hightemperature silylation 737(1996)139

Separation of basic drugs with non-aqueous capillary electrophoresis 738(1996)141

Chiral separation in non-aqueous media by capillary electrophoresis using the ion-pair principle 745(1996)37

Basic fibroblast growth factor

Purification of recombinant human basic fibroblast growth factor: stability of selective sorbents under cleaning in place conditions 711(1995)129

Basic proteins

Epoxy resin coatings for capillary zone electrophoretic separation of basic proteins 723(1996)157

Bayer liquor

Quantitative determination of oxalate in Bayer liquor by capillary zone electrophoresis 739(1996)399

Beauvericin

Determination of the *Fusarium* mycotoxin beauvericin at $\mu g/kg$ levels in corn by high-performance liquid chromatography with diode-array detection 746(1996)233

Benoxaprofen

Investigation of the enantioselective separations of α -alkylarylcarboxylic acids on an amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase using quantitative structure—enantioselective retention relationships 737(1996)157

Benz[c]acridines

Chromatographic determination of benz[c]acridines and related compounds in airborne carcinogens 710(1995)117

Benzaldehydes

Quantitative structure-retention relationships (QSRR) of congeneric aromatics series studied on phenyl OV phases in gas chromatography 723(1996)77

Benz[a]anthracene

Preliminary experiments for the analysis of tetrahydrotetrols of benz[a]anthracene and benzo[a]pyrene derived from their hemoglobin adducts using a coupled-column high-performance liquid chromatographic system 730(1996)153

Benzanthrone

Determination of benzanthrone in environmental samples 710(1995)109

Benzenechromium tricarbonyl

Phase-shift-free subtraction chromatograms from a dual-channel detector 719(1996)468

Benzenes

Assessment by gas chromatography and gas chromatographymass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Retention behaviour of polar compounds using porous graphitic carbon with water-rich mobile phases 712(1995)287

Polymer-supported pseudo-stationary phase for electrokinetic chromatography. Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers 716(1995)57

Determination of benzene and alkylated benzenes in ambient and exhaled air by microwave desorption coupled with gas chromatography-mass spectrometry 719(1996)383

Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3

Quantitative structure-retention relationships (QSRR) of congeneric aromatics series studied on phenyl OV phases in gas chromatography 723(1996)77

Characterization of wide-pore reversed-phase columns for biopolymer separations. I. Single-parametric evaluation 728(1996)179

High-performance liquid chromatography with non-aqueous solvents. Relative elution strength on a polystyrene–divinylbenzene column 728(1996)271

Effects of high-frequency electromagnetic treatment on the solid-phase extraction of aqueous benzene, naphthalene and phenol 731(1996)65

Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminum oxide porous-layer open-tubular capillary gas chromatography-mass spectrometry using isotopically labeled internal standards 731(1996)217

Determination of solute-micelle association constants for a group of benzene derivatives and polycyclic aromatic hydrocarbons with sodium dodecyl sulphate by micellar electrokinetic chromatography 732(1996)345

Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry 734(1996)297

New approach to the characterization of pyrolysis coal products by gas chromatography-mass spectrometry 736(1996)185

Hydrogen-bonding interaction-assisted micellar electrokinetic chromatography using mixed surfactant systems 736(1996)273

On-line preconcentration and separation of neutral and charged aromatic compounds by ion interaction chromatography 739(1996)63

Correlation between the logarithm of capacity factors for aromatic compounds in micellar electrokinetic chromatography and their octanol-water partition coefficients 742(1996)251

Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71

Experimental and theoretical relative response factors for a pulsed discharge krypton photoionization detector 749(1996)149

Benzenesulfonates

Retention behavior of arsenobetaine, arsenocholine, trimethylarsine oxide and tetramethylarsonium iodide on a styrene-divinylbenzene column with benzenesulfonates as ion-pairing reagents 730(1996)219

Methods of analysis of polar aromatic sulfonates from aquatic environments 733(1996)473

Benzimidazoles

Direct on-column derivatisation in gas chromatography 738(1996)43

Benzodiazepines

Retention studies on mixed-mode columns in high-performance liquid chromatography 708(1995)31

Separation of enantiomers of benzodiazepines on the Chiral-AGP column 709(1995)265

Separation and structural elucidation of the hydrolysis compounds of loprazolam 721(1996)123

Study of the capillary zone electrophoretic behaviour of selected drugs, and its comparison with other analytical techniques for their formulation assay 735(1996)237

Optimized micellar electrokinetic chromatographic separation of benzodiazepines 735(1996)249

Regioselective carbamoylated and benzoylated cellulose for the separation of enantiomers in high-performance liquid chromatography 738(1996)157

Benzoic acids

Hydrogen-bonding interaction in capillary electrophoresis using polyether matrices 711(1995)305

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Benzoin

Precolumn fluorescence derivatization of the antagonist [Arg⁶,D-Trp^{7,9},MePhe⁸]-Substance P{6-11} with benzoin in high-performance liquid chromatography and selective detection of arginine-containing fragments in its degradation products 736(1996)91

Benzophenone

Counter-current chromatography using supercritical fluid carbon dioxide as mobile phase 724(1996)91

Benzoylalanine

Investigation of chiral resolution using displacement interactions with polymer networks in capillary affinity zone electrophoresis 745(1996)1

2'-Benzoylbenzoic acid derivatives

High-performance liquid chromatographic separation of some 2and 4-hydroxy derivatives of 2'-benzoylbenzoic acid on Florisil and silica gel columns 730(1996)195

N-Benzoyl-N-phenylhydroxylamine

Simultaneous determination of vanadium and molybdenum as N-benzoyl-N-phenylhydroxamate complexes by combining solvent extraction and liquid chromatography 730(1996)241

Benzo[a]pyrene

Separation of ³²P-labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon *anti*-diol-epoxides and derivatives 710(1995)149

Preliminary experiments for the analysis of tetrahydrotetrols of benz[a]anthracene and benzo[a]pyrene derived from their hemoglobin adducts using a coupled-column high-performance liquid chromatographic system 730(1996)153

Benzyl cyanide

Characterization of cyano-functionalized stationary gas chromatographic phases by linear solvation energy relationships 718(1995)357

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Benzylidene cyclohexane derivatives

Enantiomeric resolution of axially chiral compounds and interconvertible enantiomers by high-performance liquid chromatography 728(1996)433

Benzylisothiocyanate

Determination of protein amino acids as benzylthiocarbamyl derivatives compared with phenylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography, ultraviolet detection and precolumn derivatization 740(1996)41

Benzyl phenyl selenoxide

Enantioselective chromatography on brush-type chiral stationary phases containing totally synthetic selectors. Theoretical aspects and practical applications 724(1996)79

Berberine

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Beryllium

Ion chromatographic determination of beryllium in rock and waste waters with a chelating sorbent and conductimetric detection 706(1995)315

β -Adrenoceptor antagonists

Chloroformates and isothiocyanates derived from 2-arylpropionic acids as chiral reagents: synthetic routes and chromatographic behaviour of the derivatives 725(1996)323

B-Agonists

Rapid analysis of β -agonists in urine by thermospray tandem mass spectrometry 712(1995)67

Gas and liquid chromatography coupled to tandem mass spectrometry for the multiresidue analysis of β -agonists in biological matrices 750(1996)43

Gas chromatographic-tandem mass spectrometric analysis of clenbuterol residues in faeces 750(1996)133

β-Blockers

Chiral separations of β -blocking drug substances using chiral stationary phases 708(1995)253

Enantiomeric purity determination of propranolol by cyclodextrin-modified capillary electrophoresis 717(1995)203

Ion-pair chromatography and micellar electrokinetic capillary chromatography in analyzing beta-adrenergic blocking agents from human biological fluids 717(1995)211

Re-evaluation of strong cation-exchange high-performance liquid chromatography for the analysis of basic drugs 725(1996)335

Flash chiral chromatography with cellulose tris(3,5-dimethylphenylcarbamate)-coated phases 728(1996)195

Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. I. Influence of the degree of fixation on selectivity 728(1996)407

Synthesis and application of a new isothiocyanate as a chiral derivatizing agent for the indirect resolution of chiral amino alcohols and amines 729(1996)33

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Determination of some cardiovascular drugs in serum and urine by capillary isotachophoresis 735(1996)403

Regioselective carbamoylated and benzoylated cellulose for the separation of enantiomers in high-performance liquid chromatography 738(1996)157

Efficient high-performance liquid chromatographic enantioseparation of five-membered aryl-substituted lactones and cyclic carbamates on a (*R*,*R*)-diaminodihydroethanoanthracenederived chiral stationary phase 740(1996)11

Selectivity of capillary electrophoresis for the analysis of cardiovascular drugs 745(1996)145

Retalains

Application of capillary zone electrophoresis to the analysis of betalains from *Beta vulgaris* 735(1996)409

Retanin

Application of capillary zone electrophoresis to the analysis of betalains from *Beta vulgaris* 735(1996)409

Betulin

Isolation of cholesterol oxidation products from animal fat using aminopropyl solid-phase extraction 736(1996)205

Bianthranyls

Determination of 1,8-dihydroxyanthranoids in senna 740(1996)133

Bile acids, 6-hydroxylated

Capillary gas-liquid chromatography of 6-hydroxylated bile acids 704(1995)228

Bile acid sulphates

Microbore high-performance liquid chromatography-electrospray ionisation mass spectrometry of steroid sulphates 738(1996)191

Bile salts

Suppression of chiral recognition of 3-hydroxy-1,4benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238

Quantitative structure-activity relationships studies with micellar electrokinetic chromatography. Influence of surfactant type and mixed micelles on estimation of hydrophobicity and bioavailability 721(1996)323

Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography. Enhanced separation of corticosteroids 738(1996)275

Application of capillary electrophoresis for characterizing interactions between drugs and bile salts. Part I 745(1996)135

Binaphthols

Combined polymerized chiral micelle and γ-cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297

Chiral separation of verapamil and related compounds using micellar electrokinetic capillary chromatography with mixed micelles of bile salt and polyoxyethylene ethers 723(1996)179

Preparation and enantioselectivity of (S)-binaphthol-bonded phase for high-performance liquid chromatography 736(1996)39

Binaphthyl

Micellar electrokinetic capillary chromatography with in-situ charged micelles 724(1996)285

Binaphthyl derivatives

Capillary electrophoresis and ¹H NMR studies on chiral recognition of atropisomeric binaphthyl derivatives by cyclodextrin hosts 732(1996)143

Binaphthyldiyl hydrogenphosphate

Enantiomeric resolution of anionic R/S-1,1'-binaphthyl-2,2'-diyl hydrogen phosphate by capillary electrophoresis using anionic cyclodextrin derivatives as chiral selectors 704(1995)234

Combined polymerized chiral micelle and γ-cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297

Reversal of enantiomer elution order in capillary electrophoresis using charged and neutral cyclodextrins 732(1996)183

Biogenic amines

see also Amines and Catecholamines

Ball-lens laser-induced fluorescence detector as an easy-to-use highly sensitive detector for capillary electrophoresis.

Application to the identification of biogenic amines in dairy products 717(1995)335

Determination of biogenic amines in wine after precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate 737(1996)205

Separation of biogenic amines by micellar electrokinetic chromatography 745(1996)255

Biotin

Application and optimization of capillary zone electrophoresis in vitamin analysis 717(1995)255

Bis(acetato)amminedichloro(cyclohexylamine) platinum(VI)

Metabolic studies of an orally active platinum anticancer drug by liquid chromatography-electrospray ionization mass spectrometry 712(1995)61

Bisdemethoxycurcumin

Characterization of powdered turmeric by liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry 740(1996)51

5,12-Bis(dodecyloxymethyl)-4,7,10,13-tetraoxa-1,16-bexadecanedisulfonate

Double-chain surfactants with two sulfonate groups as micelleforming reagents in micellar electrokinetic chromatography of naphthalene derivatives 715(1995)135

${\bf 5,13\text{-}Bis(dodecyloxymethyl)\text{--}4,7,11,14\text{-}tetraoxa\text{--}1,17\text{-}heptadecaned is ulfonate}$

Double-chain surfactants with two sulfonate groups as micelleforming reagents in micellar electrokinetic chromatography of naphthalene derivatives 715(1995)135

5,13-Bis(dodecyloxymethyl)-4,7,11,14-tetraoxa-9,9-dimethyl-1,17-heptadecanedisulfonate

Double-chain surfactants with two sulfonate groups as micelleforming reagents in micellar electrokinetic chromatography of naphthalene derivatives 715(1995)135

N,N'-Bis(2-hydroxybenzyl)ethylenediamine-N,N'-diacetic acid Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

$N,N'-Bis (\hbox{\bf 2-hydroxybenzyl}) ethylenediam in e-N,N'-dipropionic acid$

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Bisphenol-A diglycidyl ether

Development and application of radio-size-exclusion chromatography 727(1996)61

Bisphenol-A, dipropoxylated, polyesters

Characterization of low-molar-mass polymers by gradient polymer elution chromatography 746(1996)211

3',5'-Bisphosphate nucleotides

Separation of ³²P-labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon *anti*-diol-epoxides and derivatives 710(1995)149

Bisphosphonate

Gas chromatographic analysis of 3-amino-1-hydroxypropylidene-1,1-bisphosphonate and related bisphosphonate as their Nisobutoxycarbonyl methyl ester derivatives 724(1996)279

Bis(trifluoromethyl)benzyldimethylphenylammonium fluorideDirect on-column derivatisation in gas chromatography 738(1996)57

Bitter peptides

Isolation of low-molecular-mass hydrophobic bitter peptides in soybean protein hydrolysates by reversed-phase high-performance liquid chromatography 704(1995)113

Bixins

High-performance liquid chromatographic separation of carminic acid, α - and β -bixin, and α - and β -norbixin, and the determination of carminic acid in foods 732(1996)394

Boldenone

Comparison of the possibilities of gas chromatography-mass spectrometry and tandem mass spectrometry systems for the analysis of anabolics in biological material 750(1996)105

Bombesin

Investigation of crudes of synthesis of neuropeptide Y by highperformance liquid chromatography-electrospray mass spectrometry 715(1995)227

Borate

Peak splitting observed during capillary electrophoresis of α - and β -naphthols in borate buffer 745(1996)225

Boric acid

Determination of inorganic and small organic anions in pure boric acid using capillary zone electrophoresis 716(1995)311

Boronic acid

Reversed-phase affinity chromatography of ecdysteroids with boronic acid-containing eluents 730(1996)147

Boronophenylserine

Electrophoretic study of the interaction of *p*-boronophenylserine with carboxylic acids by the three-spot method 738(1996)305

Bosentan

Determination of an endothelin receptor antagonist in human plasma by narrow-bore liquid chromatography and ionspray tandem mass spectrometry 712(1995)75

Bradykinin

Electrochromatography in chemically modified etched fusedsilica capillaries 736(1996)255

Bretylium

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Brevetoxins

On-line liquid chromatography-electrospray ionization mass spectrometry for determination of the brevetoxin profile in natural "red tide" algae blooms 750(1996)115

Brilliant blue

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Rromate

Stationary phase for the determination of fluoride and other inorganic anions 706(1995)81

Quantitative thin-layer chromatography of perbromate 712(1995)382

Bromide

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Ion chromatographic determination of nutrients in sea water 706(1995)277

Determination of anions in oilfield waters by ion chromatography 706(1995)301

High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311

Determination of bromide in complex matrices by pre-column derivatization linked to solid-phase extraction and high-performance liquid chromatography 746(1996)31

5-Bromoacetyl acenaphthene

Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201

1-Bromoacetylpyrene

Isolation of dinophysistoxin-2 and the high-performance liquid chromatographic analysis of diarrhetic shellfish toxins using derivatisation with 1-bromoacetylpyrene 749(1996)33

Bromotetrachlorofluorescein

Isolation of 4'-bromo-4,5,6,7-tetrachlorofluorescein from a synthetic mixture by pH-zone-refining counter-current chromatography with continuous pH monitoring 732(1996)283

Bromothymol blue

Simple double-beam absorption detection systems for capillary electrophoresis based on diode lasers and light-emitting diodes 718(1995)177

Budesonide

Trifluoromethanesulfonic acid as a catalyst for the formation of dansylhydrazone derivatives 740(1996)279

Bupivacaine

Direct injection of large volumes of plasma in a columnswitching system for the analysis of local anaesthetics 725(1996)137

Direct injection of large volumes of plasma in a columnswitching system for the analysis of local anaesthetics. II. Determination of bupivacaine in human plasma with an alkyldiol silica precolumn 725(1996)149

Butadienes

Assessment by gas chromatography and gas chromatographymass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Sampling and analysis of 1,3-butadiene in air by gas chromatography on a porous-layer open-tubular fused-silica column 710(1995)237

Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminum oxide porous-layer open-tubular capillary gas chromatography-mass spectrometry using isotopically labeled internal standards 731(1996)217

Determination of the chemical composition distribution of copolymers of styrene and butadiene by gradient polymer elution chromatography 736(1996)125

Analysis of chlorinated 1,3-butadienes by solid-phase microextraction and gas chromatography-mass spectrometry 737(1996)85

Butanediglycidyl ether

Synthesis and chromatographic characterization of dextrancoated zirconia high-performance liquid chromatographic stationary phases 746(1996)199

1,4-Butanedisulphonate

Plasma level determination of 1,4-butanedisulphonate by ion chromatography and conductimetric detection 706(1995)451

1-Butanol

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Butylamine

Ion chromatography of amylamine and *tert*.-butylamine in pharmaceuticals 739(1996)343

p-tert.-Butylcalixarenes

Gas chromatographic study of the inclusion properties of calixarenes 732(1996)63

Butyldisulfide

Accurate spectral scans of single chromatographic peaks 746(1996)43

Butylisothiocyanate

Determination of amino acids in the foods by reversed-phase high-performance liquid chromatography with a new precolumn derivative, butylthiocarbamyl amino acid, compared to the conventional phenylthiocarbamyl derivatives and ion-exchange chromatography 740(1996)31

(S)-(+)-2-tert.-Butyl-2-methyl-1,3-benzodioxole-4-carboxylic

Highly sensitive high-performance liquid chromatographic method to discriminate enantiomeric monoacylglycerols based on fluorescent chiral derivatization with (S)-(+)-2-tert.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 709(1995)375

1-(4-tert.-Butylphenyl)-4-(4-hydroxypiperidinyl)butan-1-one

Separation of 1-(4-tert.-butylphenyl)-4-(4-hydroxypiperidinyl)-butan-1-one and its O-alkylated isomer by capillary zone electrophoresis 742(1996)275

1-(4-tert.-Butylphenyl-4-(piperidinyl-4-yloxy)butan-1-one Separation of 1-(4-tert.-butylphenyl)-4-(4-hydroxypiperidinyl)butan-1-one and its O-alkylated isomer by capillary zone

electrophoresis 742(1996)275

Butyltin compounds

Determination of butyl- and phenyltin compounds in biological material by gas chromatography-flame photometric detection after ethylation with sodium tetraethylborate 750(1996)317

Butyric acid

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27



Cadmium

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

Cadmium sulfide

Analysis of colloids. VIII. Concentration- and memory effects in size exclusion chromatography of colloidal inorganic nanometer-particles 707(1995)189

Cadmium-chloride system

Preliminary tests to select operating conditions for the accurate determination of stability constants by cation-exchange chromatography: the $\mathrm{Cd}^{2+}\mathrm{-Cl}^-$ and $\mathrm{Cd}^{2+}\mathrm{-NO}_3^-$ systems 706(1995)43

Cadmium-nitrate system

Preliminary tests to select operating conditions for the accurate determination of stability constants by cation-exchange chromatography: the Cd²⁺-Cl⁻ and Cd²⁺-NO₃⁻ systems 706(1995)43

Caesium-137

Determination of Cs-137 in environmental water by ionexchange chromatography (Review) 733(1996)57

Caffeic acid

Analysis of the components of *Lycopus europaeus* L. in body fluids during metabolism studies. Comparison of capillary electrophoresis and high-performance liquid chromatography 717(1995)261

Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223

Caffeine

Performance characteristics of a real-time direct deposition supercritical fluid chromatography-Fourier transform infrared spectrophotometry system 703(1995)503

Use of 3-(1,8-naphthalimido)propyl-modified silyl silica gel as a stationary phase for the high-performance liquid chromatographic separation of purine derivatives 722(1996)107

Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355

Feasibility of supercritical fluid chromatographychemiluminescent nitrogen detection with open tubular columns 734(1996)303

Microemulsion electrokinetic chromatographic separation of antipyretic analgesic ingredients 735(1996)353

Determination of morphine analogues, caffeine and amphetamine in biological fluids by capillary electrophoresis with the marker technique 735(1996)439

Simultaneous analysis of individual catechins and caffeine in green tea 749(1996)295

Calcium

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Cation trace analysis of snow and firm samples from high-alpine sites by ion chromatography 706(1995)249

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Calcium-binding proteins

Isolation of calcium-binding proteins on selective adsorbents 732(1996)261

Calcium channel antagonists

Selectivity of capillary electrophoresis for the analysis of cardiovascular drugs 745(1996)145

Calcium channel blockers

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Calivarene

Silica-bonded calixarenes in chromatography 731(1996)41

Gas chromatographic study of the inclusion properties of calixarenes 732(1996)63

Calmodulin

Isolation of calcium-binding proteins on selective adsorbents 732(1996)261

Camphorsulfonate

Chiral separation in non-aqueous media by capillary electrophoresis using the ion-pair principle 745(1996)37

Camptothecin

Simultaneous determination of a camptothecin derivative, used as an anticancer drug, and its photodegradation products by high-performance liquid chromatography 734(1996)401

Capsular polysaccharide

Purification of preparative quantities of group B Streptococcus type III oligosaccharides 705(1995)363

Captopri

Determination of captopril and its disulphides in whole human blood and urine by high-performance liquid chromatography with ultraviolet detection and precolumn derivatization 729(1996)335

Rational experimental design for bioanalytical methods validation. Illustration using an assay method for total captopril in plasma 730(1996)381

Carbamates

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Packed column supercritical fluid chromatography-mass spectrometry with particle beam interface aided with particle forming solvent 703(1995)489

Effect of ion source pressure on ion formation of carbamates in particle-beam chemical-ionisation mass spectrometry 712(1995)21

Determination of ten carbamate pesticides in aquatic and sediment samples by liquid chromatography-ionspray and thermospray mass spectrometry 733(1996)283

Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides 738(1996)225

Decay study of pesticide residues in apple samples 740(1996)146

Utilization of n-alkyl- β -D-glucopyranosides in enantiomeric separation by micellar electrokinetic chromatography 749(1996)257

Carbaryl

Chromatographic and related spot tests for the detection of water pollutants 733(1996)5

4-(2-Carbazoylpyrrolidin-1-yl)-7-nitro-2,1,3-benzoxadiazole
Determination of 4-hydroxy-2-nonenal by precolumn
derivatization and liquid chromatography with laser fluorescence
detection 719(1996)450

Carbendazim

Determination of carbendazim in water by high-performance immunoaffinity chromatography on-line with high-performance liquid chromatography with diode-array or mass spectrometric detection 724(1996)207

Carbene complexes

Characterization of chromium-carbene complexes by highperformance liquid chromatography-mass spectrometry with particle beam interface 730(1996)231

Carbinols

Diphenylethanediamine derivatives as chiral selectors 732(1996)215

Carbohydrate, persulfated

Quantitative determination of heparinoid mimetics in human and rat plasma by micellar electrokinetic chromatography 730(1996)297

Carbohydrates

see also Monosaccharides, Oligosaccharides, Polysaccharides, Saccharides, Sugars and Special Issue Index

Fluorophore-assisted carbohydrate electrophoresis. Technology and applications 705(1995)89

On-line dialysis with high-performance liquid chromatography for the automated preparation and analysis of sugars and organic acids in foods and beverages 705(1995)195

Contribution of high-performance liquid chromatographic analysis of carbohydrates to authenticity testing of honey 706(1995)353

Molecular imprinting of acetylated carbohydrate derivatives into methacrylic polymers 707(1995)199

Analysis of inositol phosphates and derivatives using capillary zone electrophoresis-mass spectrometry 712(1995)235

Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231

Rapid one-step capillary isoelectric focusing method to monitor charged glycoforms of recombinant human tissue-type plasminogen activator 717(1995)61

High-resolution thin-layer chromatography of gangliosides 720(1996)3

Characterization of neutral sugars and uronic acids after methanolysis and trimethylsilylation for recognition of plant gums 720(1996)27

Recent progress in the analysis of sugar monomers from complex matrices using chromatography in conjunction with mass spectrometry or stand-alone tandem mass spectrometry 720(1996)51

Supercritical fluid chromatography of carbohydrates 720(1996)61

Recent progress in carbohydrate separation by high-performance liquid chromatography based on hydrophilic interaction 720(1996)75

Recent progress in reversed-phase and hydrophobic interaction chromatography of carbohydrate species 720(1996)93

High-performance liquid chromatographic separation of carbohydrates on graphitized carbon columns 720(1996)119

Ligand-exchange chromatography of carbohydrates and glycoconjugates 720(1996)127

Carbohydrate analyses with high-performance anion-exchange chromatography 720(1996)137

Recent progress in carbohydrate separation by high-performance liquid chromatography based on size exclusion 720(1996)151

Precolumn derivatization for chromatographic and electrophoretic analyses of carbohydrates 720(1996)173

Postcolumn derivatization for chromatographic analysis of carbohydrates 720(1996)183

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides 720(1996)227

Fractionation of glycoprotein-derived oligosaccharides by affinity chromatography using immobilized lectin columns 720(1996)251

Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295

Separation of negatively charged carbohydrates by capillary electrophoresis 720(1996)323

Detection of carbohydrates in capillary electrophoresis 720(1996)353

Analysis of glycoproteins, glycopeptides and glycoproteinderived oligosaccharides by high-performance capillary electrophoresis 720(1996)377

Copper electrodes for stable subpicomole detection of carbohydrates in high-performance liquid chromatography 721(1996)53

Identification of monosaccharides and related compounds by gas chromatography-Fourier transform infrared spectroscopy of their trimethylsilyl ethers 721(1996)165

Membrane characterisation and performance of microdialysis probes intended for use as bioprocess sampling units 725(1996)41

Size-exclusion chromatography of lignin- and carbohydratecontaining samples using alkaline eluents 737(1996)193

Recent advances in ion chromatography: A perspective (Review) 739(1996)3

Analysis of partially methylated cyclodextrins by subcritical fluid and liquid chromatography 746(1996)103

Rapid method for the determination of the substitution pattern of O-methylated 1,4-glucans by high-pH anion-exchange chromatography with pulsed amperometric detection 749(1996)41

Identification of disaccharides by gas chromatography-Fourier transform infrared spectroscopy 750(1996)311

Carbohydrates, negatively charged

Separation of negatively charged carbohydrates by capillary electrophoresis 720(1996)323

Carbohydrates, neutral

Separation of neutral carbohydrates by capillary electrophoresis 720(1996)337

β -Carboline alkaloids

Integrated derivatization–chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Carbolines

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Carbonate

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Carbon disulphide

Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits 726(1996)161

Carbonic anhydrases

Analysis of protein fractions by micropreparative capillary isoelectric focusing and matrix-assisted laser desorption time-of-flight mass spectrometry 716(1995)157

Multiple-plug binding assays using affinity capillary electrophoresis 727(1996)291

Carbon monoxide

On-line monitoring of the catalytic conversion of methyl formate to methanol and carbon monoxide by gas chromatography 740(1996)65

Carbon tetrachloride

Determination of trihalomethanes in aqueous samples by means of a purge-and-trap system with on-sorbent focusing coupled to gas chromatography with electron-capture detection 725(1996)157

7,7'-{Carbonylbis[imino-*N*-methyl-4,2-pyrrolecarbonylimino(*N*-methyl-4,2-pyrrole)carbonylimino]}-bis(1,3-naphthalenedisulphonic acid)

Determination of FCE 26644, a new polysulphonated derivative of distamycin A, in monkey plasma by reversed-phase ion-pair high-performance liquid chromatography with ultraviolet detection 729(1996)237

Carbonyl compounds

see also Aldehydes and Ketones

Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201

New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6trichlorophenylhydrazine 740(1996)71

High-performance liquid chromatography of the coordination isomers of triphenylphosphine-substituted homo- and hetero-bimetallic carbonyl complexes of manganese and rhenium 740(1996)231

Carbonyl sulphide

Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits 726(1996)161

Carboplatin

Separation of platinum(II) anti-tumour drugs by micellar electrokinetic capillary chromatography 724(1996)317

Simultaneous high-performance liquid chromatographic determination of carboplatin, epirubicin hydrochloride and mitomycin C in a Lipiodol emulsion 726(1996)241

D,L-γ-Carboxyglutamic acid

High-performance liquid chromatographic method for the separation of the optical isomers of γ,γ'-di-tert.-butyl-p,t-γ-carboxyglutamic acid and p,t-γ-carboxyglutamic acid 710(1995)297

Carboxylic acids

see also Acids, Fatty acids and Organic acids

Simultaneous determination of twelve constituents of I-tzu-tang, a Chinese herbal preparation, by high-performance liquid chromatography and capillary electrophoresis 704(1995)141

Determination of monomeric sugar and carboxylic acids by ion-exclusion chromatography 706(1995)361

Direct separation of carboxylic acid and amine enantiomers by high-performance liquid chromatography on reversed-phase silica gels coated with chiral copper(II) complexes 707(1995)380

Acenaphthene fluorescence derivatisation reagents for use in high-performance liquid chromatography 715(1995)201

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection. II. Application to organic anions 716(1995)279

Determination of mono-, poly- and hydroxy-carboxylic acid profiles of beverages as their 2-nitrophenylhydrazides by reversed-phase ion-pair chromatography 721(1996)261

Liquid membrane enrichment for the ion chromatographic determination of carboxylic acids in soil samples 725(1996)189

Retention of pyridinecarboxylic acids on monomeric and polymeric alkylamide phases 728(1996)213

Chromatographic and related spot tests for the detection of water pollutants 733(1996)5

Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303

Capillary zone electrophoretic and micellar electrokinetic capillary chromatographic separations of polyaminopolycarboxylic acids as their copper complexes 736(1996)333

Determination of carboxylic acids and inorganic anions in wines by ion-exchange chromatography 736(1996)351

Retention models for the ion chromatographic separations of metals in the presence of complexing agents 737(1996)129

Direct on-column derivatisation in gas chromatography 738(1996)57

Electrophoretic study of the interaction of p-boronophenylserine with carboxylic acids by the three-spot method 738(1996)305

Ion-exclusion chromatography of aliphatic carboxylic acids on an unmodified silica gel column 739(1996)359

Optimization of the separation of polycarboxylic acids by capillary zone electrophoresis 739(1996)389

Carboxylic acids, aliphatic

Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on an H⁺-form cation-exchange resin column by elution with polyols and sugars 706(1995)385

Carboxyphenylbenzofuran

Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after precolumn derivatization with 2-(4-carboxyphenyl)-6-methoxybenzofuran 724(1996)107

Carcinogens

Chromatographic determination of benz[c] acridines and related compounds in airborne carcinogens 710(1995)117

Cardenolides

Liquid chromatography combined with thermospray and continuous-flow fast atom bombardment mass spectrometry of glycosides in crude plant extracts 712(1995)155

Cardiac glycosides

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Cardiolipin

A high-performance liquid chromatographic method for the analysis of lipids from lyophilized formulations 724(1996)343

Carminic acid

High-performance liquid chromatographic separation of carminic acid, α - and β -bixin, and α - and β -norbixin, and the determination of carminic acid in foods 732(1996)394

Carnitine

Separation of D/L-carnitine enantiomers by capillary electrophoresis 745(1996)53

α-Carotene

Isolation and structural elucidation of the predominant geometrical isomers of α -carotene 719(1996)333

B-Carotene

Rapid high-performance liquid chromatographic method for determination of β -carotene in milk 721(1996)355

Carotenoids

Capability of a polymeric C_{30} stationary phase to resolve *cistrans* carotenoid isomers in reversed-phase liquid chromatography 707(1995)205

Caseinomacropeptide

Reversed-phase high-performance liquid chromatographic separation of bovine κ -casein macropeptide and characterization of isolated fractions 743(1996)123

Caseins

Heterogeneity of the bovine κ -casein caseinomacropeptide, resolved by liquid chromatography on-line with electrospray ionization mass spectrometry 708(1995)223

Identification of a new genetic variant of bovine β -casein using reversed-phase high-performance liquid chromatography and mass spectrometric analysis 711(1995)141

Characterization of ewe's milk by capillary zone electrophoresis 721(1996)345

Separation of small cationic bioactive peptides by strong ionexchange chromatography 724(1996)137

Capillary electrophoresis of Cheddar cheese 731(1996)305

Reversed-phase high-performance liquid chromatographic separation of bovine κ -casein macropeptide and characterization of isolated fractions 743(1996)123

β-Casomorphin-5

Isolation and identification of peptide conformers by reversedphase high-performance liquid chromatography and NMR at low temperature 729(1996)155

Catechins

Preparative separation of phenolic compounds from *Picea abies* by high-speed counter-current chromatography 719(1996)438

Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards 724(1996)117

Simultaneous analysis of individual catechins and caffeine in green tea 749(1996)295

Catecholamines

see also Amines

Modification of a tunable UV-visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147

Simultaneous determination of amino acids and biogenic amines by reversed-phase high-performance liquid chromatography of the dabsyl derivatives 715(1995)67

Application of a novel, plastic formed carbon as a precolumn packing material for the liquid chromatographic determination of acetylcholine and choline in biological samples 718(1995)267

pH-Zone refining counter-current chromatography of polar catecholamines using di-(2-ethylhexyl)phosphoric acid as a ligand 724(1996)348

Study of a new solid carbon paste tyrosinase-modified amperometric biosensor for the determination of catecholamines by high-performance liquid chromatography 727(1996)47

Cations

see also Inorganic cations and Metal cations

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Ion chromatographic determination of major ions in fog samples 706(1995)241

Ion chromatography of organic-rich natural waters from peatlands. III. Improvements for measuring anions and cations 706(1995)281

Application of capillary electrophoresis in atmospheric aerosol analysis: determination of cations 706(1995)527

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Simple double-beam absorption detection systems for capillary electrophoresis based on diode lasers and light-emitting diodes 718(1995)177

Significant reduction of the detection limit in ion chromatography by relative analyte enrichment with column switching 723(1996)11

New approach for controlling the partitioning of analyte ions in ion chromatography with a water mobile phase 723(1996)251

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Teaching a computer ion chromatography from a database of published methods 739(1996)15

Ceftazidime

Determination of ceftazidime concentration in Mueller Hinton agar by high-performance liquid chromatography 742(1996)121

Cell-CAM 105

Characterization of molecular aggregates of $\alpha_1 \beta_1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187

Cellulose

Adsorption chromatography on cellulose. XIV. Some results using aqueous solutions of soluble cyclodextrin polymers as eluents 723(1996)405

Cellulose derivatives

Regioselective carbamoylated and benzoylated cellulose for the separation of enantiomers in high-performance liquid chromatography 738(1996)157

Central composite designs

Application of Derringer's desirability function for the selection of optimum separation conditions in capillary zone electrophoresis 740(1996)109

Cephalexin

Validation of a capillary electrophoresis method for the determination of cephradine and its related impurities 711(1995)339

Liquid chromatographic determination of cephalexin preparations: interlaboratory validation 727(1996)239

Cephalomannine

Analysis of taxol, 10-deacetylbaccatin III and related compounds in *Taxus baccata* 712(1995)303

Cephalosporins

Scale-up of liquid chromatography for industrial production of parenteral antibiotic E1077 707(1995)117

Cephradine

Validation of a capillary electrophoresis method for the determination of cephradine and its related impurities 711(1995)339

Cetylpyridinium chloride

Cation analysis on a new poly(butadiene-maleic acid)-based column 706(1995)99

Separation of ionic and neutral surfactants by capillary electrophoresis and high-performance liquid chromatography 745(1996)281

Cetyltrimethylammonium bromide

Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection 723(1996)197

Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257

Charcoal, activated

Ion-pair adsorption chromatography for process purposes 741(1996)185

Chinese crude drugs

Micellar electrokinetic chromatography. Perspectives in drug analysis 735(1996)3

Chitosan

Affinity chromatography of trypsin using chitosan as ligand support 742(1996)107

Chlamydospordiol

Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69

Chiamydosporol

Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69

Chloramine-T

Industrial applications of capillary zone electrophoresis-mass spectrometry 712(1995)269

Chlorate

Stationary phase for the determination of fluoride and other inorganic anions 706(1995)81

Chloride

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography 706(1995)115

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Determination of anions in human and animal tear fluid and blood serum by ion chromatography 706(1995)183

Determinations of trace anions in hydrogen peroxide 706(1995)191

Control of errors in anion chromatography applied to environmental research 706(1995)229

Determination of anions in oilfield waters by ion chromatography 706(1995)301

Determination of chloride in the leachates of stabilised waste by ion chromatography and by a volumetric method. Analysis and comparison 706(1995)321

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Determination of chloride complex of Au(III) by capillary zone electrophoresis with direct UV detection 718(1995)227

High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311

Influence of the sample matrix composition on the accuracy of the ion chromatographic determination of anions 739(1996)35

Determination of trace level ions by high-volume directinjection ion chromatography 739(1996)71

Chlorinated acids

Analysis of chlorinated acetic and propionic acids as their pentafluorobenzyl derivatives. I. Preparation of the derivatives 718(1995)391

Chlorinated butadienes

Analysis of chlorinated 1,3-butadienes by solid-phase microextraction and gas chromatography-mass spectrometry 737(1996)85

Chlorinated fatty acids

Enrichment of chlorinated fatty acids in fish lipids prior to analysis by capillary gas chromatography with electrolytic conductivity detection and mass spectrometry 731(1996)225

Chlorinated phenoxyacetic acids

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Chlorinated phenoxy acids

Chlorinated acid herbicides in water by strong anion-exchange disk extraction and in-vial elution and derivatization 741(1996)85

Chlorite

Stationary phase for the determination of fluoride and other inorganic anions 706(1995)81

Chloroanilines

Determination of chloroanilines in antibacterial soaps using cation-exchange chromatography with UV detection 719(1996)434

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71

Chloroauric acid

Adsorption chromatography on cellulose. XIV. Some results using aqueous solutions of soluble cyclodextrin polymers as eluents 723(1996)405

Chlorobenzenes

Characterization of organic micropollutants in the River Cinca (Spain) by using granular activated carbon and liquid-liquid extraction 733(1996)159

Structure-retention correlations of chlorobenzenes as a method for the comparison of the behaviour of gas-liquid-solid and gas-liquid capillary columns of various polarities 734(1996)277

Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71

Simultaneous determination of chlorophenols, chlorobenzenes and chlorobenzoates in microbial solutions using pentafluorobenzylbromide derivatization and analysis by gas chromatography with electron-capture detection 749(1996)165

Chlorobenzoates

Simultaneous determination of chlorophenols, chlorobenzenes and chlorobenzoates in microbial solutions using pentafluorobenzylbromide derivatization and analysis by gas chromatography with electron-capture detection 749(1996)165

Chlorobiphenvls

Critical review of the analysis of non- and mono-orthochlorobiphenyls 703(1995)417

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

5-Chloro-2-(2,4-dichlorophenoxy)phenol

Gas chromatographic determination of 5-chloro-2-(2,4-dichlorophenoxy)-phenol in the waste water of a slaughterhouse 705(1995)313

10-Chloro-5,10-dihydrophenarsazine

Derivatization of 10-chloro-5,10-dihydrophenarsazine (Adamsite) for gas chromatographic analysis 719(1996)401

2-Chloroethanol

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation 706(1995)345

Chlorofluorocarbons

Simple method of electron capture detector calibration for quantitative measurements of F-11 and F-12 freons in the atmosphere 724(1996)265

Chloroform

Environmental and biological monitoring of chloroform in indoor swimming pools 710(1995)181

Chlorogenic acid

Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223

Chloron itrobenzo furazan

Argon-laser-induced fluorescence detection in sodium dodecyl sulfate-capillary gel electrophoretic separations of proteins 746(1996)109

Chlorophenols

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Chemically removable derivatization reagent for liquid chromatography. I. 2-(N-Phthalimido)ethyl 2-(dimethylamino)ethanesulfonate 710(1995)267

Determination of chlorophenols at the sub-ppb level in tap water using derivatization, solid-phase extraction and gas chromatography with plasma atomic emission detection 721(1996)297

Migration behaviour and selectivity of dichlorophenols in micellar electrokinetic capillary chromatography. Influence of micelle concentration and buffer pH 722(1996)333

Determination of pentachlorophenol in water samples by capillary zone electrophoresis 733(1996)395

Analysis of structural isomers of polychlorinated phenols in water by liquid-nitrogen-trapping gas chromatography-Fourier transform infrared spectroscopy 733(1996)405

Direct on-column derivatisation in gas chromatography 738(1996)43

Direct on-column derivatisation in gas chromatography 738(1996)57

Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste 738(1996)215

Determination of chlorophenols in drinking water with high resolution gas chromatography-tandem mass spectrometry 743(1996)283

Migration behavior and separation of trichlorophenols by capillary zone electrophoresis 746(1996)295

Simultaneous determination of chlorophenols, chlorobenzenes and chlorobenzoates in microbial solutions using pentafluorobenzylbromide derivatization and analysis by gas chromatography with electron-capture detection 749(1996)165

Quantification of two chromatographic unresolved dichlorophenols using gas chromatography—direct deposition-Fourier transform infrared spectrometry and multivariate calibration 750(1996)341

Chlorophenoxy acids

On-line preconcentration, cleanup and high-performance liquid chromatographic determination of chlorophenoxy acid herbicides in water 731(1996)115

Analysis of chlorophenoxy acid herbicides by cyclodextrinmodified capillary electrophoresis 745(1996)217

Chlorophenyls

Enhanced selectivity in the analysis of chlorobiphenyls on a carborane phenylmethylsiloxane copolymer gas chromatography phase (HT-8) 708(1995)115

Chlorophyllins

High-performance liquid chromatographic separation of iron(III) chlorophyllin 721(1996)350

Chlorophylls

Preparation of Cu(II) complexes of oxidized chlorophylls and their determination by thin-layer and high-performance liquid chromatography 731(1996)261

Ion-pair reversed-phase high-performance liquid chromatography of algal chlorophylls 738(1996)285

Chlorothalidone

Covalently bonded permethylated cyclodextrins, new selectors for enantiomeric separations by liquid chromatography 728(1996)171

Determination of enantiomerization barriers by computer simulation of experimental elution profiles obtained by high-performance liquid chromatography on a chiral stationary phase 731(1996)315

Chlorowarfarin

Detection of non-UV-absorbing chiral compounds by highperformance liquid chromatography-mass spectrometry 746(1996)9

Chlorpheniramine

Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355

Chlorpheniramine maleate

Simultaneous determination of chlorpheniramine and maleate by high-performance liquid chromatography using tetra-*n*-butylammonium phosphate as an ion-pair reagent 731(1996)346

Chlorprothixene

Stability-indicating high-performance liquid chromatographic assay for the simultaneous determination of dixyrazine and chlororothixene in intravenous admixtures 729(1996)201

Chlorthalidone

Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67

5α-Cholestane

Adsorption of oxysterols on different microtube materials during silanyzation prior to gas chromatographic determination 705(1995)396

Cholesterol

Comparison of three methods for the determination of oxysterols in spray-dried egg 705(1995)289

Adsorption of oxysterols on different microtube materials during silanyzation prior to gas chromatographic determination 705(1995)396

Determination of cholesterol in milk fat by supercritical fluid chromatography 715(1995)333

Automated sample preparation for cholesterol determination in foods 718(1995)371

Gas chromatographic determination of cholesterol and tocopherols in edible oils and fats with automatic removal of interfering triglycerides 719(1996)221

A high-performance liquid chromatographic method for the analysis of lipids from lyophilized formulations 724(1996)343

Isolation of cholesterol oxidation products from animal fat using aminopropyl solid-phase extraction 736(1996)205

Cholesterol oxides

Isolation of cholesterol oxidation products from animal fat using aminopropyl solid-phase extraction 736(1996)205

Cholesteryl palmitate

Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction-supercritical fluid chromatography-flame ionization detection 734(1996)311

Choline

Application of a novel, plastic formed carbon as a precolumn packing material for the liquid chromatographic determination of acetylcholine and choline in biological samples 718(1995)267

Determination of choline in pharmaceutical formulations by reversed-phase high-performance liquid chromatography and postcolumn suppression conductivity detection 739(1996)351

Choline glycerophospholipids

Quantitation of choline glycerophospholipids that contain carboxylate residues by fluorometric high-performance liquid chromatography 724(1996)131

Cholinesterase

Toxicological evaluation of harmful substances by in situ enzymatic and biological detection in high-performance thin-layer chromatography 750(1996)403

Chondroitin sulfate

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Chromate

Separation of chromate and tungstate by reversed-phase high-performance chromatography using rutin as chelating reagent 709(1995)381

Chromium

On-line thermal lens spectrometric detection of Cr(III) and Cr(VI) after separation by ion chromatography 706(1995)121

Simultaneous determination of chromium(III) and chromium(VI) by ion chromatography with inductively coupled plasma mass spectrometry 706(1995)127

Chromium speciation by anion-exchange high-performance liquid chromatography with both inductively coupled plasma atomic emission spectroscopic and inductively coupled plasma mass spectrometric detection 712(1995)311

Ion chromatographic speciation of chromium with diphenylcarbazide-based spectrophotometric detection 736(1996)141

Speciation of chromium in waste waters by coupled column ion chromatography-inductively coupled plasma mass spectrometry 750(1996)89

Chromium complexes

Complete chromatographic separation of aquachromium(III)—isothiocyanato successive complexes including geometric isomers using cross-linked dextran and poly(vinyl alcohol) gel columns 719(1996)365

Characterization of chromium-carbene complexes by highperformance liquid chromatography-mass spectrometry with particle beam interface 730(1996)231

Chrysanthemic acid

Enantiomer separation by gas and high-performance liquid chromatography with tripeptide derivatives as chiral stationary phases 722(1996)229

Chymopapain

Thiol pegylation facilitates purification of chymopapain leading to diffraction studies at 1.4 Å resolution 749(1996)69

α -Chymotrypsin

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Continuous biospecific affinity purification of enzymes by simulated moving-bed chromatography. Theoretical description and experimental results 719(1996)267

Liquid chromatography studies on the enzymatic degradation of luteinizing hormone-releasing hormone analogues with off-line identification by mass spectrometry 729(1996)137

α-Chymotrypsinogen A

Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis 715(1995)167

Cibacron Blue F36-A

Isolation by gel-permeation chromatography of a non-covalent complex of Cibacron Blue F3G-A with human serum albumin 736(1996)115

Cimaterol

Rapid analysis of β -agonists in urine by thermospray tandem mass spectrometry 712(1995)67

Gas and liquid chromatography coupled to tandem mass spectrometry for the multiresidue analysis of β-agonists in biological matrices 750(1996)43

Cinchonan carbamates

Quinine and quinidine derivatives as chiral selectors 741(1996)33

Ciprofibrate

Covalently bonded permethylated cyclodextrins, new selectors for enantiomeric separations by liquid chromatography 728(1996)171

Ciprofloxacin

High-performance liquid chromatographic separation and determination of small amounts of process impurities of ciprofloxacin in bulk drugs and formulations 705(1995)380

Cisapride

Chiral separation in non-aqueous media by capillary electrophoresis using the ion-pair principle 745(1996)37

Cispentacin

High-performance liquid chromatographic method for the separation of isomers of *cis*- and *trans*-2-amino-cyclopentane-1-carboxylic acid 715(1995)219

Cisplatin

Separation of platinum(II) anti-tumour drugs by micellar electrokinetic capillary chromatography 724(1996)317

Citric acid

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Citrinin

Simple and sensitive high-performance liquid chromatography-fluorescence method for the determination of citrinin.

Application to the analysis of fungal cultures and cheese extracts 723(1996)69

Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium 727(1996)185

Clavulanic acid

Ion-pair adsorption chromatography for process purposes 741(1996)185

Clenbuterol

Ion-pair-supercritical fluid extraction of clenbuterol from food samples 711(1995)269

Rapid analysis of β -agonists in urine by thermospray tandem mass spectrometry 712(1995)67

Combined liquid-liquid electroextraction-isotachophoresis for loadability enhancement in capillary zone electrophoresis-mass spectrometry 712(1995)227

Application of extraction disks in dissolution tests of clenbuterol and levothyroxine tablets by capillary electrophoresis 730(1996)313

Gas and liquid chromatography coupled to tandem mass spectrometry for the multiresidue analysis of β-agonists in biological matrices 750(1996)43

Gas chromatographic-tandem mass spectrometric analysis of clenbuterol residues in faeces 750(1996)133

Clonazepam

Separation and structural elucidation of the hydrolysis compounds of loprazolam 721(1996)123

Cobalt

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

High-performance liquid chromatographic characterization of dissolved organic matter from low-level radioactive waste leachates 739(1996)281

Cobalt complexes

Retention model for singly and doubly charged analytes in ioninteraction chromatography 728(1996)55

Cocaine

Determination of a trace amount of cocaine on a bank note by gas chromatography-positive-ion chemical-ionization mass spectrometry 731(1996)355

Lesser alkaloids of cocaine-bearing plants 749(1996)173

Cocamidopropylbetaine

Determination of amphoteric surfactants in cosmetic cleansing products by high-performance liquid chromatography on a cation-exchange column 715(1995)195

Codeine

Determination of morphine analogues, caffeine and amphetamine in biological fluids by capillary electrophoresis with the marker technique 735(1996)439

Collagen

In vivo microdialysis determination of collagen-induced serotonin release in rat blood 730(1996)121

Colominic acid

Analysis of oligo- and poly-N-acetylneuraminic acids and their lactones by capillary electrophoresis 741(1996)295

Color additives

Isolation of 4'-bromo-4,5,6,7-tetrachlorofluorescein from a synthetic mixture by pH-zone-refining counter-current chromatography with continuous pH monitoring 732(1996)283

Colourants

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Conalbumin

Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis 715(1995)167

Concanavalin A

Surface modification of microporous polyamide membranes with hydroxyethyl cellulose and their application as affinity membranes 715(1995)49

Congo Red

Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents. Albumin adsorption/desorption 731(1996)57

Copper

Separation of Pd(II) and Cu(II) in chloride solutions on a glycol methacrylate gel derivatized with 8-hydroxyquinoline 706(1995)159

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

High-performance liquid chromatography of amino acids in copper(II) complex form: application to valine fermentation samples 722(1996)311

Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents. Albumin adsorption/desorption 731(1996)57

Indirect chemiluminescence detection of amino acids separated by capillary electrophoresis 736(1996)247

Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography 740(1996)253

Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenebis(salicylaldimine) as complexing reagent 740(1996)296

Copper complexes

Retention model for singly and doubly charged analytes in ioninteraction chromatography 728(1996)55

Preparation of Cu(II) complexes of oxidized chlorophylls and their determination by thin-layer and high-performance liquid chromatography 731(1996)261

Capillary zone electrophoretic and micellar electrokinetic capillary chromatographic separations of polyaminopolycarboxylic acids as their copper complexes 736(1996)333

Copper powder

Enantioselective analysis of chiral polychlorinated biphenyls in sediment samples by multidimensional gas chromatography–electron-capture detection after steam distillation–solvent extraction and sulfur removal 723(1996)399

Coprostanol

Use of capillary gas chromatography for measuring fecalderived sterols. Application to stormwater, the sea-surface microlayer, beach greases, regional studies, and distinguishing algal blooms and human and non-human sources of sewage pollution 733(1996)497

Coronene

Direct determination of coronene in heavy oil fraction by highperformance liquid chromatography 724(1996)337

Corticosteroids

see also Steroids

Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography. Enhanced separation of corticosteroids 738(1996)275

Coumarins

Determination of courarins from *Chrysanthemum segetum* L. by capillary electrophoresis 709(1995)197

Separation of coumarins by micellar electrokinetic capillary chromatography 710(1995)323

Identification of nonvolatile components in lemon peel by highperformance liquid chromatography with confirmation by mass spectrometry and diode-array detection 718(1995)89

CPT-11

Simultaneous determination of a camptothecin derivative, used as an anticancer drug, and its photodegradation products by high-performance liquid chromatography 734(1996)401

Creatinine

Simultaneous determination of uric acid and creatinine in biological fluids by column-switching liquid chromatography with ultraviolet detection 730(1996)139

Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333

Creosote

Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295

Cresols

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Optimization of supercritical fluid extraction of phenol and cresols in soil samples 723(1996)123

H-Point standard additions method for resolution of overlapping chromatographic peaks with diode array detection by using area measurements 726(1996)57

Capillary electrophoresis of Cheddar cheese 731(1996)305

Crown ethers

Selectivity enhancement on a poly(butadiene-maleic acid)coated cation phase induced by ethylene oxide-based complexing agents 706(1995)103

Ion chromatographic separation of alkali metals in organic solvents 706(1995)149

Effect of the concentration of 18-crown-6 added to the electrolyte upon the separation of ammonium, alkali and alkaline-earth cations by capillary electrophoresis 706(1995)535

Determination of the enantiomeric purity of 5,6-dihydroxy-2aminotetralin by high-performance capillary electrophoresis with crown ether as chiral selector 715(1995)143

GABA-B agonists: enantiomeric resolution of 4-amino-3- (5-chlorothien-2-yl)butyric acid and analogues on chiral crown ether stationary phase 715(1995)361

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Identification of chiral drug isomers by capillary electrophoresis (Review) 735(1996)77

Preparation and enantioselectivity of (S)-binaphthol-bonded phase for high-performance liquid chromatography 736(1996)39

Controlled changes in selectivity of cation separations by capillary electrophoresis using various crown-ether additives 745(1996)87

18-Crown-6-tetracarboxylic acid

Capillary zone electrophoretic separation of the enantiomers of dipeptides based on host-guest complexation with a chiral crown ether 709(1995)81

Curcumin

Characterization of powdered turmeric by liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry 740(1996)51

Cvanide

Indirect fluorescence detection of free cyanide and related compounds by capillary electrophoresis 709(1995)367

High-performance liquid chromatographic determination of cyanide using a pre-column conversion to a transition metal complex 739(1996)229

Cyanuric acid

Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257

Cyanuric chloride derivatives

Enantioseparation and recognition mechanisms of dinitrobenzoyl-derivatized amino acids and amino alcohols on chiral stationary phases consisting of cyanuric chloride with (S or R)-phenylalanyl-(S or R)-1-(1-naphthyl)ethylamide substituent 722(1996)199

Cyclamate

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Quantification of cyclamate and cyclohexylamine in urine samples using high-performance liquid chromatography with trinitrobenzenesulfonic acid pre-column derivatization 750(1996)397

β-Cyclodextrin polymer

Enantiomeric separation by capillary electrophoresis using a soluble neutral β -cyclodextrin polymer 709(1995)89

Cyclodextrins

Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67

Separation of stereoisomers of aminoglutethimide using three capillary electrophoretic techniques 705(1995)343

Application of modified cyclodextrins in capillary electrophoresis for enantiomeric resolution of propranolol and analogues 705(1995)351

Determination of β -cyclodextrin inclusion complex constants for 3,4-dihydro-2-*H*-1-benzopyran enantiomers by capillary electrophoresis 707(1995)311

Effect of urea addition on chiral separation of dansylamino acids by capillary zone electrophoresis with cyclodextrins 710(1995)331

Enantiomeric separation of amphetamine related drugs by capillary zone electrophoresis using native and derivatized β -cyclodextrin as chiral additives 710(1995)339

Separation of formoterol enantiomers and detection of zeptomolar amounts by capillary electrophoresis using laser-induced fluorescence 715(1995)159

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Capillary electrophoretic determination of amino acids Improvement by cyclodextrin additives 716(1995)335

Separation of enantiomers of drugs by capillary electrophoresis. I. γ -Cyclodextrin as chiral solvating agent 717(1995)181

High-performance liquid chromatographic separation of carbohydrates on graphitized carbon columns 720(1996)119

Postcolumn excitation of aflatoxins using cyclodextrins in liquid chromatography for food analysis 721(1996)69

Adsorption chromatography on cellulose. XIV. Some results using aqueous solutions of soluble cyclodextrin polymers as eluents 723(1996)405

Indications of the chemical structure of oxygen-containing constituents of volatile oils by capillary gas chromatography using one or two modified β - and α -cyclodextrin phases 724(1996)403

Selective immobilization on silica gel of permethylated β -cyclodextrin for liquid chromatography 727(1996)195

Use of principal component analysis for the study of the retention behaviour of anticancer drugs on a β -cyclodextrin polymer-coated silica column 728(1996)67

Thermodynamic parameters of the formation of a complex between cyclodextrins and steroid hormones 728(1996)89

Effect of the degree of substitution of cyclodextrin derivatives on chiral separations by high-performance liquid chromatography and capillary electrophoresis 728(1996)423

Influence of different types of cyclodextrins on the racemization of scopolamine-N-butylbromide 728(1996)441

Enantiomeric separation of zopiclone, its metabolites and products of degradation on a β -cyclodextrin bonded phase 729(1996)19

Direct chiral separation of amino acids derivatized with 2-(9-anthryl)ethyl chloroformate by capillary electrophoresis using cyclodextrins as chiral selectors 731(1996)283

Comparative capillary electrophoretic and nuclear magnetic resonance studies of the chiral recognition of racemic metomidate with cyclodextrin hosts 732(1996)133

Capillary electrophoresis and ¹H NMR studies on chiral recognition of atropisomeric binaphthyl derivatives by cyclodextrin hosts 732(1996)143

Reversal of enantiomer elution order in capillary electrophoresis using charged and neutral cyclodextrins 732(1996)183

Identification of chiral drug isomers by capillary electrophoresis (Review) 735(1996)77

Optimized micellar electrokinetic chromatographic separation of benzodiazepines 735(1996)249

Enantiomeric separation of amphetamine and phenylephrine by cyclodextrin-mediated capillary zone electrophoresis 735(1996)295

Chiral separations of underivatized arylpropionic acids by capillary zone electrophoresis with various cyclodextrins.

Acidity and inclusion constant determinations 735(1996)311

Determination of the binding constant of salbutamol to unmodified and ethylated cyclodextrins by affinity capillary electrophoresis 735(1996)321

Separation of enantiomers of drugs by capillary electrophoresis 735(1996)333

Determination of stoichiometric coefficients and apparent formation constants for α - and β -CD complexes of terpenes using reversed-phase liquid chromatography 736(1996)1

Systematic modification of the separation selectivity of cyclodextrin-based gas chromatographic stationary phases by varying the size of the 6-O-substituents 738(1996)31

Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography. Enhanced separation of corticosteroids 738(1996)275

Chiral separation of muscarinic antagonists by capillary zone electrophoresis with cyclodextrin additives 741(1996)287

Use of heptakis(2,6-di-O-methyl)- β -cyclodextrin in on-line capillary zone electrophoresis-mass spectrometry for the chiral separation of ropivacaine 742(1996)235

Planar chromatographic direct separation of some aromatic amino acids and aromatic amino alcohols into enantiomers using cyclodextrin mobile phase additives 742(1996)289

Separation of positional and structural isomers by cyclodextrinmediated capillary zone electrophoresis 745(1996)9

Use of cyclodextrins in the capillary electrophoretic separation of *erythro*- and *threo*-mefloquine enantiomers 745(1996)17

Systematic approach to the treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. III. A binding constant-retention factor relationship and effects of acetonitrile on the chiral separation of tioconazole 745(1996)25

Influence of the nature of the buffer on chiral separation in capillary electrophoresis 745(1996)61

Comparison of liquid and supercritical fluid chromatography using naphthylethylcarbamoylated- β -cyclodextrin chiral stationary phases 746(1996)91

Cyclodextrins, methylated

Analysis of partially methylated cyclodextrins by subcritical fluid and liquid chromatography 746(1996)103

Cyclodienes

Analysis of organochlorine pesticides using solid-phase microextraction 723(1996)111

trans-1,2-Cyclohexanediaminetetraacetic acid

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

1.3-Cyclohexanedionate

Use of β -diketonate anions as eluent in non-suppressed ion chromatography: 1,3-cyclohexanedionate as acidic eluent 707(1995)384

1,2-Cyclohexanedione and oximes

Determination of the impurity profile of 1,2-cyclohexanedione dioxime by high-performance liquid chromatography 719(1996)307

Cyclohexanol

Control of selectivity in micellar electrokinetic chromatography by modification of sodium dodecyl sulfate micelles with organic hydroxy compounds 705(1995)319

Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311

Cyclohexanone

High-performance liquid chromatographic determination of cyclohexylhydantoin and cyclohexylidenehydantoin formed during the synthesis of phenylhydantoin from hydantoin and cyclohexanone 740(1996)284

Cyclohexanone monoxime

Determination of the impurity profile of 1,2-cyclohexanedione dioxime by high-performance liquid chromatography 719(1996)307

Cyclohexylamine

Quantification of cyclamate and cyclohexylamine in urine samples using high-performance liquid chromatography with trinitrobenzenesulfonic acid pre-column derivatization 750(1996)397

Cyclohexylhydantoin

High-performance liquid chromatographic determination of cyclohexylhydantoin and cyclohexylidenehydantoin formed during the synthesis of phenylhydantoin from hydantoin and cyclohexanone 740(1996)284

Cyclohexylidenehydantoin

High-performance liquid chromatographic determination of cyclohexylhydantoin and cyclohexylidenehydantoin formed during the synthesis of phenylhydantoin from hydantoin and cyclohexanone 740(1996)284

Cyclopentenones

Enantiomeric enrichment of partially resolved 4-hydroxy-2-carboxymethylcyclopentanone derivatives by achiral phase chromatography 708(1995)231

Cyclophosphamide

Trace analysis of the antineoplastics ifosfamide and cyclophosphamide in sewage water by two-step solid-phase extraction and gas chromatography-mass spectrometry 726(1996)179

Cyclosiloxanes

Chemically bonded phenylsilicone stationary phases for the liquid chromatographic separation of polycyclic aromatic hydrocarbons and cyclosiloxanes 722(1996)97

Cyclothiazide

Preparative isolation of the eutomer of cyclothiazide by highperformance liquid chromatography on a cellulose-derived chiral stationary phase with toluene-acetone as the mobile phase 729(1996)29

Cyfluthrin

Determination of permethrin and cyfluthrin in water and sediment by gas chromatography-mass spectrometry operated in the negative chemical ionization mode 707(1995)293

Cypermethrin

Partial least-squares and principal component regression of multi-analyte high-performance liquid chromatography with diode-array detection 727(1996)27

Determination of cypermethrin, fenvalerate and cis- and transpermethrin in soil and groundwater by high-performance liquid chromatography using partial least-squares regression 727(1996)39

Cysteine

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Determination of thiols by capillary electrophoresis with electrochemical detection using a palladium field-decoupler and chemically modified electrodes 716(1995)347

Capillary electrophoresis of methylmercury with injection by sample stacking 730(1996)345

Cysteine-containing peptides

Purification of cysteine-containing synthetic peptides via selective binding of the α -amino group to immobilised Cu²⁺ and Ni²⁺ ions 723(1996)51

Cytidine 5'-monophospho-N-acetylneuraminic acid

Determination of cytidine 5'-monophospho-N-acetylneuraminic acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223

Cytochrome b₅

Microcalorimetric characterization of the anion-exchange adsorption of recombinant cytochrome b_5 and its surface-charge mutants 715(1995)81

Cytochrome c

Modeling non-linear elution of proteins in ion-exchange chromatography 702(1995)125

Optimization of conditions for the analysis of a peptide mixture and a tryptic digest of cytochrome c by capillary electrophoresis-electrospray-ionization mass spectrometry with an improved liquid-sheath probe 712(1995)245

Multipoint binding in metal-affinity chromatography 725(1996)225

Retention behaviour of proteins under conditions of column overload in hydrophobic interaction chromatography 729(1996)43



Daminozide

Determination of daminozide residues in apples using gas chromatography with nitrogen-phosphorus detection 723(1996)355

Dansylhydrazones

Trifluoromethanesulfonic acid as a catalyst for the formation of dansylhydrazone derivatives 740(1996)279

DDT

Determination of DDT and related compounds in blood samples from agricultural workers 719(1996)141

Gas chromatographic determination of liquid vapour pressure and heat of vaporization of tetrachlorobenzyltoluenes 727(1996)265

10-Deacetylbaccatin III

Analysis of taxol, 10-deacetylbaccatin III and related compounds in *Taxus baccata* 712(1995)303

Decalins

Glycerol as a new dissolution medium for α -, β - and γ -cyclodextrins for preparing stereoselective stationary phases for gas-liquid chromatography 715(1995)309

Decane

High-performance liquid chromatographic separation of pairs of isotopic labeled (deuterium/protium) molecules 731(1996)351

Dehydroascorbic acid

Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol 724(1996)271

Deltorphin C

Chromatographic behaviour of opioid peptides containing β -methylphenylalanine isomers 705(1995)267

Demeclocycline

Analysis of demeclocycline by capillary electrophoresis 740(1996)119

Demethoxycurcumin

Characterization of powdered turmeric by liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry 740(1996)51

Denatonium benzoate

High-performance liquid chromatographic determination of denatonium benzoate in ethanol with 5% polyvinylpyrrolidone 715(1995)189

Dendrimers

Exclusion chromatography of polypropylenamine dendrimers 730(1996)75

Dendrimers, starburst

Polymer-supported pseudo-stationary phase for electrokinetic chromatography. Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers 716(1995)57

Denopamine

Free-solution electrophoresis with amplification of small mobility differences by helical flow 707(1995)87

Deoxyepinephrine

Analysis of overlapped chromatographic peaks by multi-channel electrochemical detection 722(1996)151

Quantitation of unresolved chromatographic peak using overlapping ratio of profiles of standard chromatographic peaks 746(1996)161

Deoxyribonucleotides

Separation of twenty isomers of ribonucleotides and deoxyribonucleotides by reversed-phase ion-pairing high-performance liquid chromatography 732(1996)271

Deprenyl

Chiral separation of deprenyl and its major metabolites using cyclodextrin-modified capillary zone electrophoresis 709(1995)157

Dermatan sulfate

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Dermatan sulphate disaccharides

Capillary electrophoresis of heparin and dermatan sulfate unsaturated disaccharides with triethylamine and acetonitrile as electrolyte additives 735(1996)367

Desacetyldiltiazem

Development and validation of a bioanalytical method for the quantification of diltiazem and desacetyldiltiazem in plasma by capillary zone electrophoresis 717(1995)235

Desipramine

High-performance liquid chromatographic assay for diltiazem in small-volume blood specimens and application to pharmacokinetic studies in rats 729(1996)297

Desmosine

Measurement of desmosine and isodesmosine by capillary zone electrophoresis 710(1995)357

Destruxins

Studies on the dynamics of the production of destruxins by Metarhizium anisopliae 738(1996)181

Desulfoglucosinolates

Separation of desulphoglucosinolates by micellar electrokinetic capillary chromatography based on a bile salt 717(1995)325

Simultaneous analysis of intact and desulfated glucosinolates with a porous graphitized carbon column 727(1996)71

Detergents

see also Surfactants

Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247

Capillary zone electrophoretic and micellar electrokinetic capillary chromatographic separations of polyaminopolycarboxylic acids as their copper complexes 736(1996)333

Dexfenfluramine

Direct high-performance liquid chromatography resolution on a chiral column of dexfenfluramine and its impurities, in bulk raw drug and pharmaceutical formulations 731(1996)340

Determination of the enantiomeric purity of dexfenfluramine by capillary electrophoresis: use of a Plackett-Burman design for the optimization of the separation 736(1996)281

Dextrans

Apparent pore size distributions of chromatography media 743(1996)33

Dextrin

Study of aroma compound-natural polymer interactions by dynamic coupled column liquid chromatography 707(1995)181

DFP

Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210

Diacylglycerols

Determination of diacylglycerol isomers in vegetable oils by solid-phase extraction followed by gas chromatography on a polar phase 721(1996)305

Analysis of fatty acid mono- and diacylglycerol positional isomers by silver ion high-performance liquid chromatography 741(1996)135

trans-2-(Dialkylamino)cyclohexanols

High-performance liquid chromatographic separation of β -amino alcohols. II. Separation of *trans*-2-(dialkylamino)cyclohexanols on an amylose-based chiral stationary phase 719(1996)315

Dialkyldithiophosphates

Separation of zinc dialkyldithiophosphates in lubricating oil additives by normal-phase high-performance liquid chromatography 749(1996)87

Dialkylphosphates

Gas chromatographic determination and gas chromatographic—mass spectrometric determination of dialkyl phosphates via extractive pentafluorobenzylation using a polymeric phase-transfer catalyst 718(1995)383

Dialkyl phthalates

Effect of silver-modified silica on retention and selectivity in normal-phase liquid chromatography 722(1996)81

N,N'-Diallyl-L-tartardiamide

Chromatographic separation of enantiomers on N,N'-diallyl-L-tartardiamide-based network-polymeric chiral stationary phases 741(1996)23

Diaminodihydroethanoanthracene

Efficient high-performance liquid chromatographic enantioseparation of five-membered aryl-substituted lactones and cyclic carbamates on a (*R*,*R*)-diaminodihydroethanoanthracenederived chiral stationary phase 740(1996)11

Diaminonaphthalenes

Molecularly imprinted uniform-size polymer-based stationary phase for high-performance liquid chromatography 728(1996)139

4,4'-Diaminostilbene-2,2'-disulfonic acid

Determination of 4,4'-diaminostilbene-2,2'-disulfonic acid by thin-layer chromatography and densitometry 727(1996)324

Dianilinoethane

Development and application of radio-size-exclusion chromatography 727(1996)61

Dibromopropamidine isethionate

Determination of peptidoglycan-associated protein in Escherichia coli NCIB 8545 by capillary zone electrophoresis 740(1996)273

γ,γ'-Di-tert.-butyl-D,L-γ-carboxyglutamic acid

High-performance liquid chromatographic method for the separation of the optical isomers of γ,γ'-di-*tert*.-butyl-D,L-γ-carboxyglutamic acid and D,L-γ-carboxyglutamic acid 710(1995)297

Di-n-butyl ether

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Dibutyl phthalate

Analysis of poly(vinyl chloride) additives by supercritical fluid extraction and gas chromatography 750(1996)183

3.4-Dichloroaniline

High-performance size-exclusion chromatographic characterization of water-soluble polymeric substances produced by *Phanerochaete chrysosporium* from free and wheat cell wall bound 3,4-dichloroaniline 708(1995)273

1.4-Dichlorobenzene

Development of gas standards from solid 1,4-dichlorobenzene 710(1995)229

Dichlorobenzophenone

Characterization of organic micropollutants in the River Cinca (Spain) by using granular activated carbon and liquid-liquid extraction 733(1996)159

Dichloromethane

Combined continuous and preparative chromatographic separation 707(1995)105

Experiences with HPLC-grade solvents 715(1995)199

Simulation of the combined continuous and preparative gasliquid chromatographic separation of three close-boiling components 734(1996)145

Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295

Dichlorophenols

Migration behaviour and optimization of selectivity of dichlorophenols in capillary zone electrophoresis 705(1995)325

Migration behavior of dichlorophenols for replicate separations without replenishment of buffer electrolyte in micellar electrokinetic capillary chromatography 732(1996)361

Quantification of two chromatographic unresolved dichlorophenols using gas chromatography-direct deposition-Fourier transform infrared spectrometry and multivariate calibration 750(1996)341

2,4-Dichlorophenoxyacetic acid

Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography 706(1995)253

Dicyandiamide

Rapid quantification of the nitrification inhibitor dicyandiamide in soil samples, nutrient media and bacterial cell-free extracts 732(1996)390

Dicyclohexylamine

Preparative regime for the purification of bitter acids derived from hops (*Humulus lupulus* L.) 731(1996)327

Dienes

Rapid detection of high-molecular-mass dienes in beeswax 704(1995)224

Sampling and analysis of 1,3-butadiene in air by gas chromatography on a porous-layer open-tubular fused-silica column 710(1995)237

Gas chromatographic properties of cyclic dienoic fatty acids formed in heated linseed oil 723(1996)349

Dienoic fatty acids, cyclic

Gas chromatographic properties of cyclic dienoic fatty acids formed in heated linseed oil 723(1996)349

Diethylenetriaminepentaacetic acid

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Determination of nitrilotriacetic, ethylenediaminetetraacetic and diethylenetriaminepentaacetic acids in sewage treatment plant and paper mill effluents 738(1996)91

Diethylethanolamine

Rapid ion chromatographic method for the quantitative determination of ligand leakage from ion-exchange media 742(1996)79

Diethyl ether

Combined continuous and preparative chromatographic separation 707(1995)105

Simulation of the combined continuous and preparative gasliquid chromatographic separation of three close-boiling components 734(1996)145

Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295

Di-(2-ethylhexyl)phosphoric acid

pH-Zone refining counter-current chromatography of polar catecholamines using di-(2-ethylhexyl)phosphoric acid as a ligand 724(1996)348

Diethyl N-(aryl)-1-amino-1-arylmethanephosphonates

Facile separation of the enantiomers of diethyl N-(aryl)-1-amino-1-arylmethanephosphonates on a rationally designed chiral stationary phase 721(1996)241

Difenzoquat

Influence of organic matter and surfactants on solid-phase extraction of diquat, paraquat and difenzoquat from waters 727(1996)245

On-line liquid chromatographic trace enrichment and highperformance liquid chromatographic determination of diquat, paraquat and difenzoquat in water 728(1996)325

Diflubenzuron

Determination of the pesticide diflubenzuron in mushrooms by high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 712(1995)85

Identification of diffubenzuron by packed-capillary supercritical fluid chromatography-mass spectrometry with electron-capture negative ionization 712(1995)95

α -Difluoromethylornithine

Determination of α -difluoromethylornithine in blood by microdialysis sampling and capillary electrophoresis with UV detection 716(1995)381

Digitoxigenin

Quantitation of digitoxin, digoxin, and their metabolites by high-performance liquid chromatography using pulsed amperometric detection 711(1995)289

Digitoxin

Quantitation of digitoxin, digoxin, and their metabolites by high-performance liquid chromatography using pulsed amperometric detection 711(1995)289

Diglucosyldiacylglycerols

Chromatographic resolution of partially perdeuterated diglucosyldiacylglycerols from *Acholeplasma laidlawii* 736(1996)83

Diglycerides

Rapid, quantitative determination of polar compounds in fats and oils by solid-phase extraction and size-exclusion chromatography using monostearin as internal standard 749(1996)55

Digoxigenin

Quantitation of digitoxin, digoxin, and their metabolites by high-performance liquid chromatography using pulsed amperometric detection 711(1995)289

Digoxin

Quantitation of digitoxin, digoxin, and their metabolites by high-performance liquid chromatography using pulsed amperometric detection 711(1995)289

3,4-Dihydro-2H-1-benzopyran derivatives

Determination of β -cyclodextrin inclusion complex constants for 3,4-dihydro-2-H-1-benzopyran enantiomers by capillary electrophoresis 707(1995)311

3,4-Dihydro-3-(dipropylamino)-2H-1-benzopyrans

Direct high-performance liquid chromatographic separation of the enantiomers of methoxy and hydroxy derivatives of 3,4-dihydro-3-(dipropylamino)-2*H*-1-benzopyrans with dopaminergic activity 704(1995)83

3,4-Dihydrophenylacetic acid

Study of a new solid carbon paste tyrosinase-modified amperometric biosensor for the determination of catecholamines by high-performance liquid chromatography 727(1996)47

Dihydropyridines

Packed-column supercritical fluid chromatography of a new dihydropyridine drug based on direct injection of emulsion samples 749(1996)193

Dihydroxyacetone

Determination of formaldehyde by capillary electrophoresis in the presence of a dihydroxyacetone matrix 730(1996)333

5,6-Dihvdroxy-2-aminotetralin

Determination of the enantiomeric purity of 5,6-dihydroxy-2-aminotetralin by high-performance capillary electrophoresis with crown ether as chiral selector 715(1995)143

9,10-Dihydroxyanthracene

Determination of 9,10-dihydroxyanthracene and anthraquinone in Kraft pulping liquors by high-performance liquid chromatography 712(1995)372

Dihydroxyhydrocinnamic acid

Quantitation of unresolved chromatographic peak using overlapping ratio of profiles of standard chromatographic peaks 746(1996)161

3,4-Dihydroxyhydrocinnmic acid

Analysis of overlapped chromatographic peaks by multi-channel electrochemical detection 722(1996)151

Dihydroxypropyltrimethylammonium chloride

Rapid ion chromatographic method for the quantitative determination of ligand leakage from ion-exchange media 742(1996)79

Diisopropylphosphorylthreonine

Analysis of the reaction products of N-(O,O-diisopropyl)phosphorylthreonine with uridine by capillary zone electrophoresis with diode array detection and capillary electrophoresis—mass spectrometry 745(1996)263

β -Diketonate anions

Use of β -diketonate anions as eluent in non-suppressed ion chromatography: 1,3-cyclohexanedionate as acidic eluent 707(1995)384

Diltiazem

Development and validation of a bioanalytical method for the quantification of diltiazem and desacetyldiltiazem in plasma by capillary zone electrophoresis 717(1995)235

High-performance liquid chromatographic assay for diltiazem in small-volume blood specimens and application to pharmacokinetic studies in rats 729(1996)297

Dimethoxybenzaldehyde

Simultaneous determination of 3,4-dimethoxybenzaldehyde and 3,4-dimethoxyphenylacetone in industrial waste waters by high-performance liquid chromatography-diode array detection 750(1996)257

Dimethoxymethane

Simulation of the combined continuous and preparative gasliquid chromatographic separation of three close-boiling components 734(1996)145

Dimethoxyphenylacetone

Simultaneous determination of 3,4-dimethoxybenzaldehyde and 3,4-dimethoxyphenylacetone in industrial waste waters by high-performance liquid chromatography-diode array detection 750(1996)257

Dimethylamine

Determination of dimethylamine in groundwater by liquid chromatography and precolumn derivatization with 9-fluorenylmethylchloroformate 721(1996)231

({Dimethyl-[amino(methylsulfonyl)butyramido]bicycloheptanyl}methanesulfonyl)(methylphenyl)piperazine

High-performance, purity-indicating liquid chromatographic method for the oxytocin antagonist, L-368,899 731(1996)331

1,1-Dimethylhydrazine

Determination of daminozide residues in apples using gas chromatography with nitrogen-phosphorus detection 723(1996)355

Dimethylpolysiloxane

Two-stage resolution of mixtures by supercritical fluid chromatography 722(1996)317

Dimethylpyridines

Optimisation of the separation of the dimethylpyridines by capillary electrophoresis 730(1996)321

Dimethyl sulphides

Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits 726(1996)161

1,7-Dimethylxanthine

Use of 3-(1,8-naphthalimido)propyl-modified silyl silica gel as a stationary phase for the high-performance liquid chromatographic separation of purine derivatives 722(1996)107

Dimetridazole

High-performance thin-layer chromatographic method for the fluorescence detection of three nitroimidazole residues in pork and poultry tissue 737(1996)343

Dinitroaniline

Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311

Dinitrobenzamidophenylalanine

Polyethylene glycol monomethyl ether sulfate-based background electrolytes in capillary electrophoresis 744(1996)75

4,4'-Dinitrostilbene-2,2'-disulfonic acid

Determination of 4,4'-diaminostilbene-2,2'-disulfonic acid by thin-layer chromatography and densitometry 727(1996)324

Dinophysistoxins

Liquid chromatographic determination of okadaic acid and dinophysistoxin-1 in shellfish after derivatization with 9-chloromethylanthracene 721(1996)359

Fluorimetric determination of diarrhetic shellfish toxins in scallops and mussels by high-performance liquid chromatography 729(1996)381

Automatic high-performance liquid chromatographic method for the determination of diarrhetic shellfish poison 729(1996)387

Isolation of dinophysistoxin-2 and the high-performance liquid chromatographic analysis of diarrhetic shellfish toxins using derivatisation with 1-bromoacetylpyrene 749(1996)33

Dioctyl phthalate

Molecular recognition of phenobarbital in plasticizers. Equilibrium investigations on the solubility of the barbiturate artificial receptor and its binding to phenobarbital in plasticizers 722(1996)47

Solvation in weak complexing *n*-octyl phthalate and *n*-octyl tetrachlorophthalate solvents by gas chromatography 726(1996)141

Analysis of poly(vinyl chloride) additives by supercritical fluid extraction and gas chromatography 750(1996)183

Di-n-octyl tetrachlorophthalate

Solvation in weak complexing *n*-octyl phthalate and *n*-octyl tetrachlorophthalate solvents by gas chromatography 726(1996)141

1,2-Dioleoylglycerol

Identification of the lipids and the ant attractant 1,2-dioleoylglycerol in the arils of *Commiphora guillaumini* Perr. (Burseraceae) by supercritical fluid chromatography—atmospheric pressure chemical ionisation mass spectrometry 727(1996)139

1,4-Dioxane

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Dioxypromethazine

Chiral separation of dioxypromethazine enantiomers by capillary electrophoresis using β -cyclodextrin as a chiral selector 732(1996)175

Dipeptides

Separation and purification of peptides by high-speed countercurrent chromatography 702(1995)207

Optimization of a modified electrode for the sensitive and selective detection of α -dipeptides 705(1995)171

Capillary zone electrophoretic separation of the enantiomers of dipeptides based on host-guest complexation with a chiral crown ether 709(1995)81

Determination of chiral reagent purity by capillary electrophoresis 715(1995)151

Derivatization of dipeptides with 4-fluoro-7-nitro-2,1,3-benzoxadiazole for laser-induced fluorescence and separation by micellar electrokinetic chromatography 716(1995)389

Dipeptidyl aminopeptidase IV

Characterization of molecular aggregates of $\alpha_1 \beta_1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187

Dipeptidyl peptidase IV

Inhibition of dipeptidyl peptidase IV (DP IV) by anti-DP IV antibodies and non-substrate X-X-Pro- oligopeptides ascertained by capillary electrophoresis 716(1995)355

Diphenyl aliphatics

Analysis of organochlorine pesticides using solid-phase microextraction 723(1996)111

Diphenylamine

Feasibility of supercritical fluid chromatography-chemiluminescent nitrogen detection with open tubular columns 734(1996)303

Diphenylboric acid 2-aminoethyl ester

Effect of fluorescence intensifiers on the fluorodensitometric determination of flavones and flavonols after detection with diphenylboric acid 2-aminoethyl ester 740(1996)99

Diphenylcarbazide

Ion chromatographic speciation of chromium with diphenylcarbazide-based spectrophotometric detection 736(1996)141

Diphenylethanediamine

Diphenylethanediamine derivatives as chiral selectors 732(1996)215

Diphenylmethane

Gas chromatographic determination of liquid vapour pressure and heat of vaporization of tetrachlorobenzyltoluenes 727(1996)265

4,4'-Diphenylmethane diisocyanate

Gas chromatography of 4,4'-diphenylmethane diisocyanate in the workplace atmosphere 718(1995)141

Diquat

Influence of organic matter and surfactants on solid-phase extraction of diquat, paraquat and difenzoquat from waters 727(1996)245

On-line liquid chromatographic trace enrichment and highperformance liquid chromatographic determination of diquat, paraquat and difenzoquat in water 728(1996)325

Disaccharides

High-performance liquid chromatographic separation of carbohydrates on graphitized carbon columns 720(1996)119

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

Capillary electrophoresis of heparin and dermatan sulfate unsaturated disaccharides with triethylamine and acetonitrile as electrolyte additives 735(1996)367

Identification of disaccharides by gas chromatography-Fourier transform infrared spectroscopy 750(1996)311

Disaccharides, heparin-derived

Separation of hydroxyl protected heparin derived disaccharides using reversed-phase high-performance liquid chromatography 705(1995)369

Disopyramide

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Distamycin A derivative

Determination of FCE 26644, a new polysulphonated derivative of distamycin A, in monkey plasma by reversed-phase ion-pair high-performance liquid chromatography with ultraviolet detection 729(1996)237

1.4-Dithiane

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

Dithio-bis(2-nitrobenzoic acid)

Absolute on-line molecular mass analysis of basic fibroblast growth factor and its multimers by reversed-phase liquid chromatography with multi-angle laser light scattering detection 740(1996)215

Diuretics

Improved electrochemical detection of diuretics in highperformance liquid chromatographic analysis by postcolumn online photolysis 709(1995)257

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Capillary electrophoresis of diuretics (Review) 735(1996)151

Determination of some cardiovascular drugs in serum and urine by capillary isotachophoresis 735(1996)403

Diuron

Separation of phenylurea pesticides by ion-interaction reversedphase high-performance liquid chromatography. Diuron determination in lagoon water 718(1995)81

Divinylsulfone

Thiophilic nature of divinylsulphone cross-linked agarose 734(1996)241

Dixyrazine

Stability-indicating high-performance liquid chromatographic assay for the simultaneous determination of dixyrazine and chlorprothixene in intravenous admixtures 729(1996)201

DNA

Efficiency of chemical oligonucleotide synthesis evaluated by ion-exchange high-performance liquid chromatography 706(1995)405

Preparation of cDNA-silica using reverse transcriptase and its DNA sequence determination 708(1995)13

Systematic study of field and concentration effects in capillary electrophoresis of DNA in polymer solutions 710(1995)309

General method for determining ethylene oxide and related N⁷-guanine DNA adducts by gas chromatography-electron capture mass spectrometry 712(1995)345

Effect of the age of non-cross-linked polyacrylamide on the separation of DNA sequencing samples 717(1995)105

Multiple separations of DNA sequencing fragments with a non-cross-linked polyacrylamide-filled capillary: capillary electrophoresis at 300 V/cm 717(1995)113

Capillary electrophoresis of DNA. Potential utility for clinical diagnoses 717(1995)127

Intrinsic isotachophoretic preconcentration in capillary gel electrophoresis of DNA restriction fragments 717(1995)139

Gene dosage in capillary electrophoresis: pre-natal diagnosis of Down's syndrome 718(1995)405

2-Phosphoglycolate and glycolate-electrophore detection, including detection of 87 zeptomoles of the latter by gas chromatography-electron-capture mass spectrometry 721(1996)289

Applied slalom chromatography. Improved DNA separation by the use of columns developed for reversed-phase chromatography 722(1996)135

Analysis of single-strand DNA conformation polymorphism by capillary electrophoresis 722(1996)359

Salt-induced immobilizations of DNA oligonucleotides on an epoxide-activated high-performance liquid chromatographic affinity support 726(1996)77

Analysis of ligase chain reaction products amplified in a silicon-glass chip using capillary electrophoresis 732(1996)151

Capillary gel electrophoresis and antisense therapeutics (Review) 735(1996)191

Fractals for multicyclic synthesis conditions of biopolymers 739(1996)431

Immuno-capillary electrophoresis for the characterization of a monoclonal antibody against DNA 744(1996)285

DNA sequence analysis of Prinker-modified restriction fragments after collection from capillary electrophoresis with replaceable matrices 744(1996)303

Fluorescence-based polymerase chain reaction-single-strand conformation polymorphism analysis of p53 gene by capillary electrophoresis 744(1996)311

Capillary gel electrophoretic separation of DNA restriction fragments in a discontinuous buffer system 744(1996)321

Pseudo-coulometric loading in capillary electrophoresis DNA sequencing 744(1996)325

DNA, molecular diagnostics

Screening and identification of familial defective apolipoprotein B-100 in clinical samples by capillary gel electrophoresis 744(1996)187

DNA adducts

Separation of ³²P-labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon *anti*-diol-epoxides and derivatives 710(1995)149

Determination of styrene oxide adducts in DNA and DNA components 717(1995)117

DNA fragments

CAG triplet analysis in families with androgen insensitivity syndrome by capillary electrophoresis in polymer networks 706(1995)463

Docosahexaenoic acid

Subcellular localization of docosahexaenoic acid and arachidonic acid \(\omega \)-hydroxylation activity in the brain, liver and colonic adenocarcinoma \(730(1996)91 \)

N-Dodecanoyl-L-proline-3,5-dimethylanilide

Resolution of gram quantities of racemates by high-speed counter-current chromatography 704(1995)75

Dodecynyl methacrylate

Development and application of radio-size-exclusion chromatography 727(1996)61

DOPA

Determination of α -methyldopa in human plasma by validated high-performance liquid chromatography with fluorescence detection 730(1996)125

Improved end-column amperometric detection for capillary electrophoresis 742(1996)229

Dopamine

Study of a new solid carbon paste tyrosinase-modified amperometric biosensor for the determination of catecholamines by high-performance liquid chromatography 727(1996)47

Dopamine-\(\beta\)-hydroxylase

New approaches to chromatographic purification of bovine dopamine-β-hydroxylase 711(1995)113

Doxorubicin

Analysis of monoclonal antibody and immunoconjugate digests by capillary electrophoresis and capillary liquid chromatography 735(1996)357

Drugs

see also Special Issue Index

Planar chromatography coupled with spectroscopic techniques 703(1995)613

Concentration and separation of hypoglycemic drugs using solid-phase extraction-capillary electrophoresis 717(1995)279

Importance of stereospecific bioanalytical monitoring in drug development 719(1996)3

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Use of principal component analysis for the study of the retention behaviour of anticancer drugs on a β -cyclodextrin polymer-coated silica column 728(1996)67

Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355

Capillary electrophoretic analyses of drugs in body fluids: sample pretreatment and methods for direct injection of biofluids (Review) 735(1996)29

 $\begin{array}{lll} Determination \ of \ drug\text{-related impurities by capillary} \\ electrophores is & 735 (1996) 43 \end{array}$

Enantiomer separation of drugs by electrokinetic chromatography 735(1996)57

Identification of chiral drug isomers by capillary electrophoresis (Review) 735(1996)77

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Separation and identification of designer drugs with capillary electrophoresis and on-line connection with ionspray mass spectrometry 735(1996)221

Complementary use of capillary zone electrophoresis and micellar electrokinetic capillary chromatography for mutual confirmation of results in forensic drug analysis 735(1996)227

Separation of enantiomers of drugs by capillary electrophoresis 735(1996)333

Determination of some cardiovascular drugs in serum and urine by capillary isotachophoresis 735(1996)403

Application of capillary electrophoresis and related techniques to drug metabolism studies 735(1996)415

Comparison of four homologous retention index standard series for qualitative gas chromatography of nitrogenous acidic and neutral drugs 738(1996)233

Application of capillary electrophoresis for characterizing interactions between drugs and bile salts. Part I 745(1996)135

Determination of binding constants and the influence of methanol on the separation of drug enantiomers in cyclodextrin modified capillary electrophoresis 745(1996)181

Immobilized liposome chromatography of drugs on capillary continuous beds for model analysis of drug-membrane interactions 749(1996)13

Drugs, basic

see also Basic drugs

Enantiomeric separation of basic drugs using N-benzyloxycarbonylglyclyl-L-proline as counter ion in methanol 705(1995)275

Re-evaluation of strong cation-exchange high-performance liquid chromatography for the analysis of basic drugs 725(1996)335

Chiral analysis of basic drugs by oligosaccharide-mediated capillary electrophoresis 735(1996)283

Enantiomer separation of basic drugs by capillary electrophoresis using ionic and neutral polysaccharides as chiral selectors 735(1996)345

Drugs, cardiovascular

Selectivity of capillary electrophoresis for the analysis of cardiovascular drugs 745(1996)145

Drugs, chiral

Separation of enantiomers of drugs by capillary electrophoresis. I. y-Cyclodextrin as chiral solvating agent 717(1995)181

Drugs, illicit

Determination of illicit drugs and related substances by highperformance liquid chromatography with an electrochemical coulometric-array detector 729(1996)273

DU-6859

Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303

Dves

see also Azo dves

Planar chromatography coupled with spectroscopic techniques 703(1995)613

Determination of synthetic colours in confectionery and cordials by micellar electrokinetic capillary chromatography 704(1995)195

Capillary electrophoretic analysis of the reactions of bifunctional reactive dyes under various conditions including a study of the analysis of the traditionally difficult to analyse phthalocyanine dyes 706(1995)555

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Determination of black dyes from cotton and wool fibres by capillary zone electrophoresis with UV detection: application of marker technique 717(1995)149

Linear polymers applied as pseudo-phases in capillary zone electrophoresis of azo compounds used as textile dyes 717(1995)157

Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography. Comparison of the role of anionic and cationic surfactants 717(1995)167

Biomimetic dye affinity chromatography for the purification of bovine heart lactate dehydrogenase 718(1995)35

Chromatography of bovine lactoserum on the immobilized metallized dye Drimarene Rubine R/K 5BL. Modulation of selectivity by metal exchange and application to purification of milk immunoglobulins 725(1996)237

Sensitivity enhancement effect in off-column detection for capillary electrophoresis 726(1996)205

Time-resolved photon-counting fluorimetry with a semiconductor laser for capillary electrophoresis 727(1996)330

High-performance liquid chromatographic separation of carminic acid, α - and β -bixin, and α - and β -norbixin, and the determination of carminic acid in foods 732(1996)394

Isolation by gel-permeation chromatography of a non-covalent complex of Cibacron Blue F3G-A with human serum albumin 736(1996)115

Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123



Ecdysteroids

see also Steroids

Reversed-phase affinity chromatography of ecdysteroids with boronic acid-containing eluents 730(1996)147

EDTA chelates

Bidirectional isotachophoretic separation of metal cations using EDTA as a chelating agent 709(1995)171

Eicosanoids

Analytical methods for the measurement of leukotrienes and other eicosanoids in biological samples from asthmatic subjects (Review) 725(1996)29

Eicosapentaenoic acid

Subcellular localization of docosahexaenoic acid and arachidonic acid ω -hydroxylation activity in the brain, liver and colonic adenocarcinoma 730(1996)91

Eliprodil

Stereoselective determination of unchanged and glucuroconjugated eliprodil, a new anti-ischaemic drug, in human plasma and urine by precolumn derivatization and column-switching high-performance liquid chromatography with fluorescence detection 729(1996)323

Ellagic acid

Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223

Enalapril

Simultaneous determination of enalapril, felodipine and their degradation products in the dosage formulation by reversed-phase high-performance liquid chromatography using a Spherisorb C₈ column 707(1995)245

Endoglycosidases

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Oligosaccharide sequencing based on exo- and endoglycosidase digestion and liquid chromatographic analysis of the products 720(1996)263

Endopeptidase

Reversed-phase high-performance liquid chromatographic separation of bovine κ -casein macropeptide and characterization of isolated fractions 743(1996)123

Endoproteases

Reversed-phase high-performance liquid chromatography combined with tandem mass spectrometry in studies of a substance P-converting enzyme from human cerebrospinal fluid 743(1996)213

β -Endorphin

Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of β -endorphin by endothelial cells 712(1995)169

Endothelin

Determination of an endothelin receptor antagonist in human plasma by narrow-bore liquid chromatography and ionspray tandem mass spectrometry 712(1995)75

Endotoxins

see also Toxins

Removal of endotoxins by affinity sorbents 711(1995)81

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

Enkephalins

Chromatographic behaviour of opioid peptides containing β -methylphenylalanine isomers 705(1995)267

Peptide stacking by acetonitrile-salt mixtures for capillary zone electrophoresis 744(1996)231

Enzyme inhibitors

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Toxicological evaluation of harmful substances by in situ enzymatic and biological detection in high-performance thin-layer chromatography 750(1996)403

Enzymes

see also Proteins

High performance liquid chromatography of *Bacillus circulans* peptidoglutaminase for laboratory and industrial uses 702(1995)163

Capillary electrophoresis of S. nuclease mutants 705(1995)135

Purification of α -L-arabinofuranosidase using a single-column mini-scale isoelectric focusing unit 705(1995)400

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase 707(1995)137

Perfusion immunoassay for acetylcholinesterase: analyte detection based on intrinsic activity 711(1995)23

Preparation and characterization of isozymes and isoforms of horse liver alcohol dehydrogenase 711(1995)105

New approaches to chromatographic purification of bovine dopamine-β-hydroxylase 711(1995)113

Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247

Analysis by capillary electrophoresis—laser-induced fluorescence detection of oligosaccharides produced from enzyme reactions 716(1995)215

Inhibition of dipeptidyl peptidase IV (DP IV) by anti-DP IV antibodies and non-substrate X-X-Pro- oligopeptides ascertained by capillary electrophoresis 716(1995)355

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Differences in the glycosylation of recombinant and native human milk bile salt-stimulated lipase revealed by peptide mapping 718(1995)53

Continuous biospecific affinity purification of enzymes by simulated moving-bed chromatography. Theoretical description and experimental results 719(1996)267

Simple two-step procedure for the preparation of highly active pure equine milk lysozyme 719(1996)327

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Lectin-glycoenzyme column chromatography monitored by enzyme flow microcalorimetry 722(1996)143

S-Pegylthiopapain, a versatile intermediate for the preparation of the fully active form of the cysteine proteinase archetype 724(1996)185

On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165

Moving boundary electrophoretically mediated microanalysis 726(1996)193

Liquid chromatography studies on the enzymatic degradation of luteinizing hormone-releasing hormone analogues with off-line identification by mass spectrometry 729(1996)137

Affinity purification of phospholipase A₂ on immobilized artificial membranes containing and lacking the glycerol backbone 731(1996)139

Fast and sensitive staining technique for glucose oxidase in polyacrylamide gel 731(1996)293

Application of high-performance liquid chromatography electrospray ionization mass spectrometry and matrix-assisted laser-desorption ionization time-of-flight mass spectrometry in combination with selective enzymatic modifications in the characterization of glycosylation patterns in single-chain plasminogen activator 732(1996)27

Dynamic modeling of electrophoretically mediated microanalysis 732(1996)119

Hydrophobic interaction chromatography of *Chromobacterium* viscosum lipase on polyethylene glycol immobilized on Sepharose 734(1996)213

Purification and assay methods for angiotensin-converting enzyme (Review) 743(1996)105

Reversed-phase high-performance liquid chromatographic separation of bovine κ -casein macropeptide and characterization of isolated fractions 743(1996)123

Reversed-phase high-performance liquid chromatography combined with tandem mass spectrometry in studies of a substance P-converting enzyme from human cerebrospinal fluid 743(1996)213

Preconcentration and microreaction technology on-line with capillary electrophoresis 744(1996)3

DNA sequence analysis of Prinker-modified restriction fragments after collection from capillary electrophoresis with replaceable matrices 744(1996)303

Study of the competitive inhibition of adenosine deaminase by erythro-9-(2-hydroxy-3-nonyl)adenine using capillary zone electrophoresis 745(1996)293

Thiol pegylation facilitates purification of chymopapain leading to diffraction studies at 1.4 Å resolution 749(1996)69

Ephedrine

Validation of enantiomeric separations by micellar electrokinetic capillary chromatography using synthetic chiral surfactants 735(1996)303

Epicatechin

Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards 724(1996)117

Epinephrine

Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337

In vivo microdialysis determination of collagen-induced serotonin release in rat blood 730(1996)121

Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis 744(1996)17

Epirubicin hydrochloride

Simultaneous high-performance liquid chromatographic determination of carboplatin, epirubicin hydrochloride and mitomycin C in a Lipiodol emulsion 726(1996)241

Epoxy resins

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating 741(1996)115

Erythromycin

Thin-layer chromatographic separation of enantiomeric dansylamino acids using a macrocyclic antibiotic as a chiral selector 736(1996)235

Erythropoetin

Non-native capillary isoelectric focusing for the analysis of the microheterogeneity of glycoproteins 737(1996)281

Ervthrosine

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Estrogens

Separation of pharmaceutically important estrogens by micellar electrokinetic chromatography 749(1996)247

Ethambutol

Determination of ethambutol in human plasma and urine by high-performance liquid chromatography with fluorescence detection 729(1996)301

Ethane

Determination of adsorption equilibrium constants by reversed-flow gas chromatography 736(1996)151

Ethano

Dynamic modeling of electrophoretically mediated microanalysis 732(1996)119

Quantitative thin layer chromatography on cellulose 746(1996)261

Ethanolamines

Ion-exclusion chromatography of ethanolamines on an anion-exchange resin by elution with polyols and sugars 739(1996)317

Ethene

Assessment by gas chromatography and gas chromatographymass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Determination of adsorption equilibrium constants by reversed-flow gas chromatography 736(1996)151

Ethoxycoumarin

Evaluation of extended light path capillaries for use in capillary electrophoresis with laser-induced fluorescence detection 736(1996)239

Ethoxylates

Oligomeric separation of alkylphenol ethoxylate surfactants on silica using aqueous acetonitrile eluents 731(1996)171

Homologue separation of linear alcohol ethoxylates by highperformance liquid chromatography 732(1996)299

Determination of surfactants in surface water by solid-phase extraction, liquid chromatography and liquid chromatography-mass spectrometry 733(1996)207

Ethoxyresorufin-o-deethylase

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

Ethylanilines

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Ethylbenzene

Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry 734(1996)297

Ethylenebis(salicylaldimine)

Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenebis(salicylaldimine) as complexing reagent 740(1996)296

Ethylenediaminedi(o-hydroxy-p-methylphenylacetic) acid

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Ethylenediaminedi(o-hydroxyphenylacetic) acid

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Ethylenediamines

Retention behavior of methylamines, ethylenediamine and N-methyl-substituted ethylenediamines on a cation-exchange resin having a polycarboxylic acid as the functional group 739(1996)327

Ethylenediaminetetraacetic acid

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Determination of nitrilotriacetic, ethylenediaminetetraacetic and diethylenetriaminepentaacetic acids in sewage treatment plant and paper mill effluents 738(1996)91

Direct determination of iron(II), iron(III) and total iron as UV-absorbing complexes by capillary electrophoresis 740(1996)151

287

Capillary electrophoretic separation of metal ions using complex forming equilibria of different stabilities 745(1996)103

Ethylene glycol

Dynamically generated stationary liquid phase systems with silica and ternary mobile phases containing ethylene glycol and formamide 732(1996)231

Ethylene-maleic anhydride

Solid-phase extraction and subsequent gas chromatographymass spectrometry analysis for identification of complex mixtures of degradation products in starch-based polymers 741(1996)251

Ethylene oxide

Separation of broadly distributed nonylphenol ethoxylates and determination of ethylene oxide oligomers in textile lubricants and emulsions by high-performance liquid chromatography 731(1996)161

Ethylene oxide DNA adducts

General method for determining ethylene oxide and related N⁷-guanine DNA adducts by gas chromatography-electron capture mass spectrometry 712(1995)345

Ethylene oxide-propylene oxide copolymers

Effects of salts and the surface hydrophobicity of proteins on partitioning in aqueous two-phase systems containing thermoseparating ethylene oxide-propylene oxide copolymers 718(1995)67

Ethylene-vinyl acetate-maleic anhydride

Solid-phase extraction and subsequent gas chromatographymass spectrometry analysis for identification of complex mixtures of degradation products in starch-based polymers 741(1996)251

2-Ethylhexyl-p-methoxycinnamate

Capillary supercritical fluid chromatography combined with atmospheric pressure chemical ionisation mass spectrometry for the investigation of photoproduct formation in the sunscreen absorber 2-ethylhexyl-p-methoxycinnamate 732(1996)101

Ethyl laureate

Simultaneous quantitation of lauric acid and ethyl laureate in Sabal serrulata by capillary gas chromatography and derivatisation with trimethyl sulphoniumhydroxide 719(1996)479

N-Ethyl-N-[2-(1-isobutoxyethoxy)ethyl](4-phenylazophenyl)amine

Liquid chromatographic method for analysing the colour marker Solvent Yellow 124, N-ethyl-N-[2-(1-isobutoxyethoxy)ethyl](4-phenylazophenyl)amine, in diesel fuels 723(1996)395

3-{N-[(5-Ethyl-2-methoxy-6-methyl-3-pyridyl)methyl]amino}-5-ethyl-6-methylpyridin-2(1H)-one

Simultaneous determination of L-702,007, a HIV-1 reverse transcriptase inhibitor, and its 6-hydroxy metabolite in human plasma by column-switching high-performance liquid chromatography with fluorescence detection 729(1996)211

O-Ethyl methylphosphonothioic acid

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

Ethyl phthalate

Application of on-line capillary high-performance liquid chromatography-nuclear magnetic resonance spectrometry coupling for the analysis of vitamin A derivatives 750(1996)303

Ethyne

Determination of adsorption equilibrium constants by reversed-flow gas chromatography 736(1996)151

Exoglycosidases

Oligosaccharide sequencing based on exo- and endoglycosidase digestion and liquid chromatographic analysis of the products 720(1996)263

Explosives

Micellar electrokinetic capillary chromatography of high explosives utilising indirect fluorescence detection 726(1996)211

High-performance liquid chromatographic analysis with electrochemical detection for residues of explosives in water samples around a former ammunition plant 730(1996)161

Trace analysis of explosives in water by gas chromatographymass spectrometry with a temperature-programmed injector 742(1996)205

Analysis of nitramine and nitroaromatic explosives by capillary electrophoresis 745(1996)233

Explosives, polynitro

Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387



Factor VIIa

Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195

Famciclovir

Determination of liquid chromatographic peak purity by electrospray ionization mass spectrometry 721(1996)41

Famotidine

High-performance liquid chromatographic separation and determination of small amounts of process impurities of famotidine in bulk drugs and formulations 743(1996)328

Fast Green FCF

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Fat

Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373

Fat content for nutritional labeling by supercritical fluid extraction and an on-line lipase catalyzed reaction 750(1996)201

Fatty acid methyl esters

Two-dimensional separation of fatty acids by thin-layer chromatography on urea and silver nitrate silica gel plates 727(1996)147

Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction—supercritical fluid chromatography—flame ionization detection 734(1996)311

Fat content for nutritional labeling by supercritical fluid extraction and an on-line lipase catalyzed reaction 750(1996)201

Fatty acid methyl esters, chlorinated

Enrichment of chlorinated fatty acids in fish lipids prior to analysis by capillary gas chromatography with electrolytic conductivity detection and mass spectrometry 731(1996)225

Fatty acids

see also Carboxylic acids and Organic acids

Preparative-scale liquid chromatographic separation of ω -3 fatty acids from fish oil sources 702(1995)215

Counter-current chromatographic separation of polyunsaturated fatty acids 704(1995)211

Capillary zone electrophoretic determination of C_2 - C_{18} linear saturated free fatty acids with indirect absorbance detection 708(1995)339

Gas chromatographic-mass spectrometric characterization of some fatty acids from white and interior spruce 715(1995)317

Identification of fatty acids in edible wild plants by gas chromatography 719(1996)229

Simultaneous quantitation of lauric acid and ethyl laureate in Sabal serrulata by capillary gas chromatography and derivatisation with trimethyl sulphoniumhydroxide 719(1996)479

Gas chromatographic properties of cyclic dienoic fatty acids formed in heated linseed oil 723(1996)349

Preparative separation of the diastereomers of methyl branchedchain phosphatidylcholines 724(1996)367

Analysis of mixtures containing free fatty acids and mono-, diand triglycerides by high-performance liquid chromatography coupled with evaporative light-scattering detection 730(1996)83

Subcellular localization of docosahexaenoic acid and arachidonic acid ω-hydroxylation activity in the brain, liver and colonic adenocarcinoma 730(1996)91

Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373

Gas chromatographic-mass spectrometric approach to the problem of characterizing binding media in paintings 731(1996)237

Direct on-column derivatisation in gas chromatography 738(1996)43

Mechanistic aspects of fatty acid retention in silver ion chromatography 749(1996)47

Rapid, quantitative determination of polar compounds in fats and oils by solid-phase extraction and size-exclusion chromatography using monostearin as internal standard 749(1996)55

Fatty acids, unsaturated

Effect of silver-modified silica on retention and selectivity in normal-phase liquid chromatography 722(1996)81

Felodipine

Simultaneous determination of enalapril, felodipine and their degradation products in the dosage formulation by reversed-phase high-performance liquid chromatography using a Spherisorb C_8 column 707(1995)245

Fenbendazole

Simple, robust and accurate high-performance liquid chromatography method for the analysis of several anthelmintics in veterinary formulations 729(1996)267

Fenfluramine

Direct high-performance liquid chromatography resolution on a chiral column of dexfenfluramine and its impurities, in bulk raw drug and pharmaceutical formulations 731(1996)340

Fenoterol

Combined liquid-liquid electroextraction-isotachophoresis for loadability enhancement in capillary zone electrophoresis-mass spectrometry 712(1995)227

Fenvalerate

Partial least-squares and principal component regression of multi-analyte high-performance liquid chromatography with diode-array detection 727(1996)27

Determination of cypermethrin, fenvalerate and cis- and transpermethrin in soil and groundwater by high-performance liquid chromatography using partial least-squares regression 727(1996)39

Ferritin

Influence of injected mass and ionic strength on retention of water-soluble polymers and proteins in hollow-fibre flow field-flow fractionation 732(1996)307

Ferrocene

Accurate spectral scans of single chromatographic peaks 746(1996)43

Ferulic acid

Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223

2'-O-Feruloylaloesin

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Fibric acid

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Fibroblast growth factor

Absolute on-line molecular mass analysis of basic fibroblast growth factor and its multimers by reversed-phase liquid chromatography with multi-angle laser light scattering detection 740(1996)215

Two-step chromatographic procedure for purification of basic fibroblast growth factor from recombinant *Escherichia coli* and characterization of the equilibrium parameters of adsorption 746(1996)17

Flavones

Simultaneous determination of twelve constituents of I-tzu-tang, a Chinese herbal preparation, by high-performance liquid chromatography and capillary electrophoresis 704(1995)141

Determination of isoflavones using capillary electrophoresis in combination with electrospray mass spectrometry 707(1995)327

Determination of ipriflavone and its synthetic impurities by high-performance liquid chromatography using diode-array detection 719(1996)245

Effect of fluorescence intensifiers on the fluorodensitometric determination of flavones and flavonols after detection with diphenylboric acid 2-aminoethyl ester 740(1996)99

Analysis of 5-hydroxy-7-methoxyflavones by normal-phase highperformance liquid chromatography 740(1996)201

Flavonoids

Extraction and measurement of prominent flavonoids in orange and grapefruit juice concentrates 705(1995)247

Identification of nonvolatile components in lemon peel by highperformance liquid chromatography with confirmation by mass spectrometry and diode-array detection 718(1995)89

Solid-phase extraction and high-performance liquid chromatographic determination of polyphenols in apple musts and ciders 727(1996)203

High-performance liquid chromatography of flavonoids from Sideritis species 731(1996)103

Optimized separation of pharmacologically active flavonoids from *Epimedium* species by capillary electrophoresis 746(1996)123

Flavonols

Preparative separation of phenolic compounds from *Picea abies* by high-speed counter-current chromatography 719(1996)438

Effect of fluorescence intensifiers on the fluorodensitometric determination of flavones and flavonols after detection with diphenylboric acid 2-aminoethyl ester 740(1996)99

Florenicol

Simultaneous extraction and determination of florfenicol and the metabolite florfenicol amine in sediment by high-performance liquid chromatography 724(1996)364

Florenicol amine

Simultaneous extraction and determination of florfenicol and the metabolite florfenicol amine in sediment by high-performance liquid chromatography 724(1996)364

Fluconazole

Determination of fluconazole in human plasma by micellar electrokinetic capillary chromatography with detection at 190 nm 745(1996)165

Flumetsulam

High-performance liquid chromatographic determination of flumetsulam, a newly developed sulfonamide herbicide in soil 746(1996)25

Fluoranthene

Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311

9-Fluorenoyl chloride

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

1-(9-Fluorenyl)ethyl chloroformate

Determination of chiral reagent purity by capillary electrophoresis 715(1995)151

9-Fluorenylmethoxycarbonyl hydrazide

Analysis of the 9-fluorenylmethoxycarbonyl hydrazide labelling of neutral and sialic acid-containing oligosaccharides by reversed-phase high-performance liquid chromatography 728(1996)343

Fluorescein

Evaluation of the potential usefulness of in situ fiber optic sensors for column monitoring in chromatographic separations and purifications 736(1996)51

Fluorescein derivatives

Trace analysis of fluorescein-derivatized phenoxy acid herbicides by micellar electrokinetic chromatography with laserinduced fluorescence detection 717(1995)299

Fluorescein isothiocyanate

Child cerebrospinal fluid analysis by capillary electrophoresis and laser-induced fluorescence detection 717(1995)293

Fluorescein sodium salt

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection. II. Application to organic anions 716(1995)279

Fluoride

Stationary phase for the determination of fluoride and other inorganic anions 706(1995)81

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Manipulation of separation selectivity for inorganic anions in capillary zone electrophoresis using control of electrolyte pH 734(1996)416

Analysis of fluoride in rain water 739(1996)241

Fluoroacetate

Determination of fluoroacetate in aqueous samples by headspace gas chromatography 736(1996)229

Fluorobenzaldehydes

Quantitation of perfectly co-eluting analytes on dual-channelsubtraction chromatograms 727(1996)101

(\pm)-(RS)-4-[1-(2-Fluoro-4-biphenylyl)ethyl]-2-methylaminothiazole

Enantiomeric separation of a thiazole derivative by highperformance liquid chromatography and micellar electrokinetic chromatography 708(1995)245

Fluoroethers

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black 736(1996)175

Fluoronitrobenzofurazan

Argon-laser-induced fluorescence detection in sodium dodecyl sulfate-capillary gel electrophoretic separations of proteins 746(1996)109

4-Fluoro-7-nitro-2,1,3-benzoxadiazole

Derivatization of dipeptides with 4-fluoro-7-nitro-2,1,3-benzoxadiazole for laser-induced fluorescence and separation by micellar electrokinetic chromatography 716(1995)389

Fluvastatin

Determination of fluvastatin enantiomers and the racemate in human blood plasma by liquid chromatography and fluorometric detection 729(1996)13

Folinic acid

Investigation of chiral resolution using displacement interactions with polymer networks in capillary affinity zone electrophoresis 745(1996)1

Fombin Y HVAC 140/13

Thermodynamic consideration of the retention mechanism in a poly(perfluoroalkyl ether) gas chromatographic stationary phase used in packed columns 715(1995)299

Food colourants

Separation of synthetic food colourants by capillary zone electrophoresis in a hydrodynamically closed separation compartment 724(1996)327

Formaldehyde

Determination of formaldehyde by capillary electrophoresis in the presence of a dihydroxyacetone matrix 730(1996)333

Formamide

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Formate

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Formic acids

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation 706(1995)345

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Purification of hydrophobic integral membrane proteins from *Mycoplasma hyopneumoniae* by reversed-phase high-performance liquid chromatography 737(1996)273

Formoterol

Separation of formoterol enantiomers and detection of zeptomolar amounts by capillary electrophoresis using laser-induced fluorescence 715(1995)159

Fructose

Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

Fullerenes

High-performance liquid chromatography of C_{60} , C_{70} , and higher fullerenes on tetraphenylporphyrin-silica stationary phases using strong mobile phase solvents 715(1995)19

Fulvic acid

Capillary electrophoresis for a "finger-print" characterization of fulvic and humic acids 723(1996)215

Simple removal of humic and fulvic acid interferences using polymeric sorbents for the simultaneous solid-phase extraction of polar acidic, neutral and basic pesticides 737(1996)25

Study of metal-fulvic acid interactions by capillary electrophoresis 739(1996)421

Hyphenated techniques for characterizing coal wastewaters and associated sediments 750(1996)287

Fumagillin

Liquid chromatographic determination of the antibiotic fumagillin in fish meat samples 712(1995)378

Fumaric acid

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Furaldehyde

High-performance liquid chromatographic determination of 2-furaldehyde and 5-hydroxymethyl-2-furaldehyde in honey 749(1996)95

Fusion protein CTLA4Ig

Liquid chromatographic and capillary electrophoretic examination of intact and degraded fusion protein CTLA4Ig and kinetics of conformational transition 723(1996)273



Gadolinium

NMR imaging of the chromatographic process. Deposition and removal of gadolinium ions on a reversed-phase liquid chromatographic column 704(1995)37

Galactono-1,4\(\beta\)-lactone

Determination of cytidine 5'-monophospho-N-acetylneuraminic acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223

Galactose

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

α-Galactosides

Improved method for the analysis of α -galactosides in pea seeds by capillary zone electrophoresis. Comparison with high-performance liquid chromatography-triple-pulsed amperometric detection 719(1996)213

Galactosyl hydroxylysine

Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385

Gallic acid

Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223

Gallium

Liquid chromatographic determination of gallium and indium with fluorimetric detection 746(1996)239

Gallopamil

Chiral separation of verapamil and related compounds using micellar electrokinetic capillary chromatography with mixed micelles of bile salt and polyoxyethylene ethers 723(1996)179

Automated determination of verapamil and norverapamil in human plasma with on-line coupling of dialysis to highperformance liquid chromatography and fluorometric detection 750(1996)351

Ganciclovir nucleotides

Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197

Gangliosides

High-resolution thin-layer chromatography of gangliosides 720(1996)3

Gasoline

Correlation chromatograms from a triple-detector system 737(1996)223

Gentiopicroside

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Gentisic acid

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Clinical diagnostic application 744(1996)37

Geothermal brines

Suppressed ion chromatographic analysis of anions in environmental waters containing high salt concentrations (Review) 733(1996)73

Germanium

Rapid determination of germanium and tin by ion chromatography 708(1995)99

Germicides

Determination of glutaraldehyde and phenol in germicide products by capillary gas chromatography 724(1996)398

Gibberellin glycosyl esters

Liquid chromatography-electrospray ionization mass spectrometry for analysing plant hormone conjugates 728(1996)371

Ginkgo biloba

Supercritical fluid chromatography of ginkgolides A, B, C and J and bilobalide 738(1996)115

Ginsenosides

High-performance liquid chromatographic analysis of ginseng saponins using evaporative light scattering detection 736(1996)77

Glucans

Determination of β -(1-3),(1-4)-p-glucans in barley by reversed-phase high-performance liquid chromatography 718(1995)291

Rapid method for the determination of the substitution pattern of O-methylated 1,4-glucans by high-pH anion-exchange chromatography with pulsed amperometric detection 749(1996)41

Glucoiridoide

Systematic analysis of glucoiridoids from *Penstemon serrulatus* Menz. by high-performance liquid chromatography with precolumn solid-phase extraction 725(1996)177

Glucolipids

Chromatographic resolution of partially perdeuterated diglucosyldiacylglycerols from *Acholeplasma laidlawii* 736(1996)83

Glucose

Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

Copper electrodes for stable subpicomole detection of carbohydrates in high-performance liquid chromatography 721(1996)53

Glucose oxidase

Fast and sensitive staining technique for glucose oxidase in polyacrylamide gel 731(1996)293

Glucose transport

Quantitative micellar chromatographic analysis of interaction between peptides and sodium dodecyl sulfate micelles 741(1996)49

Glucosides

Micellar electrokinetic capillary chromatography of limonoid glucosides from citrus seeds 718(1995)187

Preparative separation of phenolic compounds from *Picea abies* by high-speed counter-current chromatography 719(1996)438

Optimized separation of pharmacologically active flavonoids from *Epimedium* species by capillary electrophoresis 746(1996)123

Glucosinolates

Simultaneous analysis of intact and desulfated glucosinolates with a porous graphitized carbon column 727(1996)71

Glucosylgalactosyl hydroxylysine

Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385

Glucosylglycerol

Determination of the cyanobacterial osmolyte glucosylglycerol by high-performance liquid chromatography 704(1995)89

8-C-Glucosyl-7-O-methyl-(S)-aloesol

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Glucuronate

Determination of cytidine 5'-monophospho-N-acetylneuraminic acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223

Glucuronides

Determination of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human serum by solid-phase extraction and liquid chromatography-mass spectrometry with electrospray ionisation 729(1996)279

Determination of phase II drug metabolites in equine urine by micellar electrokinetic capillary chromatography 745(1996)155

Glufosinate

Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection 726(1996)253

Rapid determination of glufosinate, glyphosate and aminomethylphosphonic acid in environmental water samples using precolumn fluorogenic labeling and coupled-column liquid chromatography 737(1996)75

Glutamic acid

Fluorimetric method of analysis for p-norpseudoephedrine hydrochloride, glycine and p-glutamic acid by reversed-phase high-performance liquid chromatography 729(1996)287

Glutaraldehyde

Laboratory validation of a diffusive sampler for the determination of glutaraldehyde in air 710(1995)175

Determination of glutaraldehyde and phenol in germicide products by capillary gas chromatography 724(1996)398

Glutathione

Determination of thiols by capillary electrophoresis with electrochemical detection using a palladium field-decoupler and chemically modified electrodes 716(1995)347

Hyphenation of capillary electrophoresis to inductively coupled plasma mass spectrometry as an element-specific detection method for metal speciation 750(1996)51

Glycans

New, stable halogenated derivative suitable for the gas chromatographic determination of muramic acid 726(1996)246

Glycerides

Analysis of mixtures containing free fatty acids and mono-, diand triglycerides by high-performance liquid chromatography coupled with evaporative light-scattering detection 730(1996)83

Glycerolipids

Determination of glycoglycerolipids by Chromarod thin-layer chromatography with Iatroscan flame ionization detection 741(1996)91

Glycerols

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Preparative separation of the diastereomers of methyl branchedchain phosphatidylcholines 724(1996)367 Identification of the lipids and the ant attractant 1,2-dioleoylglycerol in the arils of *Commiphora guillaumini* Perr. (Burseraceae) by supercritical fluid chromatography-atmospheric pressure chemical ionisation mass spectrometry 727(1996)139

Composition analysis of normal plant triacylglycerols and hydroperoxidized *rac*-1-stearoyl-2-oleoyl-3-linoleoyl-*sn*-glycerols by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 730(1996)1

Chromatographic resolution of partially perdeuterated diglucosyldiacylglycerols from *Acholeplasma laidtawii* 736(1996)83

Glycerophosphocholines

Preparative separation of the diastereomers of methyl branchedchain phosphatidylcholines 724(1996)367

Glycerophospholipids

Quantitation of choline glycerophospholipids that contain carboxylate residues by fluorometric high-performance liquid chromatography 724(1996)131

Glycine

Fluorimetric method of analysis for p-norpseudoephedrine hydrochloride, glycine and L-glutamic acid by reversed-phase high-performance liquid chromatography 729(1996)287

Glycoamidases

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Glycoconjugates

Ligand-exchange chromatography of carbohydrates and glycoconjugates 720(1996)127

Recent progress in carbohydrate separation by high-performance liquid chromatography based on size exclusion 720(1996)151

Detection of carbohydrates in capillary electrophoresis 720(1996)353

Matrix-assisted laser desorption/ionisation mass spectrometry of oligosaccharides and glycoconjugates 720(1996)429

Glycoenzymes

Lectin-glycoenzyme column chromatography monitored by enzyme flow microcalorimetry 722(1996)143

Glycoglycerolipids

Determination of glycoglycerolipids by Chromarod thin-layer chromatography with Iatroscan flame ionization detection 741(1996)91

Glycolate

2-Phosphoglycolate and glycolate-electrophore detection, including detection of 87 zeptomoles of the latter by gas chromatography-electron-capture mass spectrometry 721(1996)289

Glycolic acid

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation 706(1995)345

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27

Retention behaviour of thorium(IV) and uranyl on a reversedphase column with glycolate and mandelate as eluents 739(1996)151

Rapid ion chromatographic method for the quantitative determination of ligand leakage from ion-exchange media 742(1996)79

Glycolipids

Separation and detection of 4-hexadecylaniline maltooligosaccharide derivatives with packed capillary liquid chromatography-frit fast atom bombardment-mass spectrometry 712(1995)149

Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295

Glycols

Capillary gas chromatography of higher alkylpolyoxyethylene glycols with an even number of carbon atoms in the alkyl group. Influence of type of derivatizing agent, alcohol chain length and oxyethylene chain length on the retention indices with a linear temperature increase 727(1996)131

Glycopeptides

Recent progress in reversed-phase and hydrophobic interaction chromatography of carbohydrate species 720(1996)93

High-performance liquid chromatographic separation of carbohydrates on graphitized carbon columns 720(1996)119

Analysis of glycoproteins, glycopeptides and glycoproteinderived oligosaccharides by high-performance capillary electrophoresis 720(1996)377

Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis-electrospray mass spectrometry 720(1996)409

Glycoprotein oligosaccharide-releasing enzymes

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Glycoproteins

Effect of glycosylation on the heparin-binding capability of boar and stallion seminal plasma proteins 711(1995)167

Separation of 8-aminonaphthalene-1,3,6-trisulfonic acid-labelled neutral and sialylated N-linked complex oligosaccharides by capillary electrophoresis 716(1995)241

Capillary zone electrophoretic resolution of recombinant human bone morphogenetic protein 2 glycoforms. An investigation into the separation mechanisms for an exquisite separation 716(1995)401

Application of capillary electrophoresis, high-performance liquid chromatography, on-line electrospray mass spectrometry and matrix-assisted laser desorption ionization-time of flight mass spectrometry to the characterization of single-chain plasminogen activator 717(1995)41

Rapid one-step capillary isoelectric focusing method to monitor charged glycoforms of recombinant human tissue-type plasminogen activator 717(1995)61

Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195

Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis 719(1996)159

Recent progress in reversed-phase and hydrophobic interaction chromatography of carbohydrate species 720(1996)93

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides 720(1996)227

Fractionation of glycoprotein-derived oligosaccharides by affinity chromatography using immobilized lectin columns 720(1996)251

Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295

Analysis of glycoproteins, glycopeptides and glycoproteinderived oligosaccharides by high-performance capillary electrophoresis 720(1996)377

Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis-electrospray mass spectrometry 720(1996)409

Application of high-performance liquid chromatography electrospray ionization mass spectrometry and matrix-assisted laser-desorption ionization time-of-flight mass spectrometry in combination with selective enzymatic modifications in the characterization of glycosylation patterns in single-chain plasminogen activator 732(1996)27

Non-native capillary isoelectric focusing for the analysis of the microheterogeneity of glycoproteins 737(1996)281

Capillary electrophoresis of glycosylated proteins performed on a conventional capillary gas chromatographic column 741(1996)139 Examination of capillary zone electrophoresis, capillary isoelectric focusing and sodium dodecyl sulfate capillary electrophoresis for the analysis of recombinant tissue plasminogen activator 744(1996)155

Comparison of ampholytes used for slab gel and capillary isoelectric focusing of recombinant tissue-type plasminogen activator glycoforms 744(1996)279

Application of multidimensional affinity high-performance liquid chromatography and electrospray ionization liquid chromatography-mass spectrometry to the characterization of glycosylation in single-chain plasminogen activator 750(1996)35

Glycosaminoglycans

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295

Separation of negatively charged carbohydrates by capillary electrophoresis 720(1996)323

Glycosides

Assay of resveratrol glucosides and isomers in wine by direct-injection high-performance liquid chromatography 708(1995)89

Liquid chromatography combined with thermospray and continuous-flow fast atom bombardment mass spectrometry of glycosides in crude plant extracts 712(1995)155

Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Quantitative determination of cardiac glycosides in *Digitalis* lanata leaves by reversed-phase thin-layer chromatography 746(1996)255

Glycyrrhizin

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Glyoxylate

Endogenous alkaloids in man. XXI. Analysis of glyoxylatederived 1,3-thiazolidines and their precursors after trimethylsilylation by gas chromatography-mass spectrometry 707(1995)267

Glyphosate

Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection 726(1996)253

Rapid determination of glufosinate, glyphosate and aminomethylphosphonic acid in environmental water samples using precolumn fluorogenic labeling and coupled-column liquid chromatography 737(1996)75

Analysis of glyphosate using capillary electrophoresis with indirect detection 745(1996)189

Gold

Determination of chloride complex of Au(III) by capillary zone electrophoresis with direct UV detection 718(1995)227

Quantitative thin layer chromatography on cellulose 746(1996)261

Gollium

Liquid chromatographic determination of gallium and indium with fluorimetric detection 746(1996)239

Gramicidin A analogues

Chromatographic purification and characterization of synthetic tryptophan-substituted gramicidin A analogues 725(1996)315

Growth hormones

Analysis of recombinant human growth hormone and its related impurities by capillary electrophoresis 707(1995)396

Immunochromatographic analysis of bovine growth hormone releasing factor involving reversed-phase high-performance liquid chromatography-immunodetection 743(1996)181

Separation of recombinant human growth hormone from *Escherichia coli* cell pellet extract by capillary zone electrophoresis 744(1996)223

N⁷-Guanine DNA adducts

General method for determining ethylene oxide and related N⁷-guanine DNA adducts by gas chromatography-electron capture mass spectrometry 712(1995)345



Haemoglobin

Haemoglobin analysis by capillary zone electrophoresis 709(1995)121

Analysis of protein fractions by micropreparative capillary isoelectric focusing and matrix-assisted laser desorption time-of-flight mass spectrometry 716(1995)157

Separation of hemoglobin variants in single human erythrocytes by capillary electrophoresis with laser-induced native fluorescence detection 718(1995)397

Preliminary experiments for the analysis of tetrahydrotetrols of benz[a]anthracene and benzo[a]pyrene derived from their hemoglobin adducts using a coupled-column high-performance liquid chromatographic system 730(1996)153

Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest 735(1996)165

Haemoglobin, glycated

Novel magnetic microspheres on the basis of poly(vinyl alcohol) as affinity medium for quantitative detection of glycated haemoglobin 711(1995)53

Haemophilus influenza A, LOS

Application of a new atmospheric pressure ionization source for double focusing sector instruments 712(1995)3

Haemorphins

Isolation of haemorphin-related peptides from filter membranes collected in connection with haemofiltration of human subjects 723(1996)43

Hair proteins

Capillary electrophoresis of hair proteins modified by alcohol intake in laboratory rats 709(1995)111

Halazepam

Determination of a trace amount of cocaine on a bank note by gas chromatography-positive-ion chemical-ionization mass spectrometry 731(1996)355

Halides

Analysis of halides, oxyhalides and metal oxoacids by capillary electrophoresis with suppressed electroosmotic flow 718(1995)421

Halocarbons

see also Organochlorine compounds and Organohalogen compounds

Carbon sorbents and their utilization for the preconcentration of organic pollutants in environmental samples 707(1995)145

Investigation of the use of oxygen doping of the electroncapture detection for determination of atmospheric halocarbons 707(1995)255

Retention of halocarbons on a hexafluoropropylene epoxidemodified graphitized carbon black. IV. Propane-based compounds 708(1995)293 Uniform-sized polymer-based separation media prepared using vinyl methacrylate as a cross-linking agent. Possible powerful adsorbent for solid-phase extraction of halogenated organic solvents in an aqueous environment 711(1995)247

Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black. Part 5: heavier ethane- and ethene-based compounds 723(1996)325

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black 736(1996)175

Screening method for the determination of 28 volatile organic compounds in indoor and outdoor air at environmental concentrations using dual-column capillary gas chromatography with tandem electron-capture-flame ionization detection 749(1996)181

Halofantrine

Flash chiral chromatography with cellulose tris(3,5-dimethylphenylcarbamate)-coated phases 728(1996)195

Halogenated compounds

Calculation of elemental ratios by on-column radiofrequency plasma atomic emission detection coupled with capillary gas chromatography 736(1996)157

Solid sorbent method for the collection and analysis of volatile halogenated organic compounds in soil gas 738(1996)73

Halogen-containing compounds, inorganic

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Haloperidol

Application of capillary electrophoresis and related techniques to drug metabolism studies 735(1996)415

Halophilic proteins

Purification of unstable proteins from *Halobacterium salinarium* crude cell extracts: combined cell disruption and desalting by a hollow-fiber membrane module as an access to perform ion-exchange chromatography 711(1995)175

Haptens

Optimization of hapten-protein conjugation by highperformance capillary electrophoresis 717(1995)75

Monitoring of hapten-protein coupling reactions by capillary zone electrophoresis: improvement of abscisic acid-bovine serum albumin coupling and determination of molar coupling ratios 723(1996)381

Critical evaluation of the applicability of capillary zone electrophoresis for the study of hapten-antibody complex formation 744(1996)195

Harmaline

Integrated derivatization–chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Harmalal

Integrated derivatization-chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Harmane

Integrated derivatization-chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Harmine

Integrated derivatization–chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Harmol

Integrated derivatization-chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Heavy metals

see also Metals

Element-sensitive X-ray detection for capillary electrophoresis 727(1996)301

Application of thermal lens spectrometric detection to the determination of heavy metals by ion chromatography 739(1996)111

Determination of heavy metals in air particulate matter by ion chromatography 739(1996)233

Hemicelluloses

Efficient capillary zone electrophoretic separation of woodderived neutral and acidic mono- and oligosaccharides 738(1996)129

Hemorphins

Reversed-phase high-performance liquid chromatography coupled with second-order derivative spectroscopy for the quantitation of aromatic amino acids in peptides: application to hemorphins 723(1996)35

In vitro metabolism of LVV-hemorphin-7 in human plasma studied by reversed-phase high-performance liquid chromatography and micro-electrospray mass spectrometry 743(1996)207

Heparan sulfate

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Heparin

Separation of hydroxyl protected heparin derived disaccharides using reversed-phase high-performance liquid chromatography 705(1995)369

High-resolution capillary electrophoresis and polyacrylamide gel electrophoresis of heparins 716(1995)259

Demonstration of a heparin-binding site in serum amyloid P component using affinity capillary electrophoresis as an adjunct technique 717(1995)83

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Synthesis of silica-based heparin-affinity adsorbents 728(1996)149

Purification of the monoclonal heparin antibody H-1.18 744(1996)215

Heparin-binding proteins

Effect of glycosylation on the heparin-binding capability of boar and stallion seminal plasma proteins 711(1995)167

Heparin disaccharides

Capillary electrophoresis of heparin and dermatan sulfate unsaturated disaccharides with triethylamine and acetonitrile as electrolyte additives 735(1996)367

Heparinoid mimetics

Quantitative determination of heparinoid mimetics in human and rat plasma by micellar electrokinetic chromatography 730(1996)297

Heptakis(2,6-di-O-methyl)-β-cyclodextrin

Use of heptakis(2,6-di-O-methyl)- β -cyclodextrin in on-line capillary zone electrophoresis-mass spectrometry for the chiral separation of ropivacaine 742(1996)235

Analysis of partially methylated cyclodextrins by subcritical fluid and liquid chromatography 746(1996)103

Heptane

Computer program for simulating the performance of thick-bed diffusive samplers: predicted and experimental sample loss due to reversible adsorption 709(1995)283

Heroin

Determination of morphine analogues, caffeine and amphetamine in biological fluids by capillary electrophoresis with the marker technique 735(1996)439

Heteroaromatic compounds

Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295

Hexachlorocyclohexanes

Analysis of organochlorine pesticides using solid-phase microextraction 723(1996)111

Hexadecyltrimethylammonium bromide

Separation of chromate and tungstate by reversed-phase highperformance chromatography using rutin as chelating reagent 709(1995)381

Hexamethylindodicarbocyanine iodide

Application of an avalanche photodiode in a near-Geiger operation as a fluorescence detector for capillary electrophoresis 744(1996)31

Hexane

Computer program for simulating the performance of thick-bed diffusive samplers: predicted and experimental sample loss due to reversible adsorption 709(1995)283

Hexanesulfonic acid

Determination of choline in pharmaceutical formulations by reversed-phase high-performance liquid chromatography and postcolumn suppression conductivity detection 739(1996)351

1-Hexanol

Control of selectivity in micellar electrokinetic chromatography by modification of sodium dodecyl sulfate micelles with organic hydroxy compounds 705(1995)319

Hexazinone

Thermospray ionization liquid chromatography-mass spectrometry and chemical ionization gas chromatography-mass spectrometry of hexazinone metabolites in soil and vegetation extracts 704(1995)131

Hexenal

What is the true odour of cut Allium? Complementarity of various hyphenated methods: gas chromatography-mass spectrometry and high-performance liquid chromatography-mass spectrometry with particle beam and atmospheric pressure ionization interfaces in sulphenic acids rearrangement components discrimination 750(1996)63

Hexobarbital

Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67

Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337

Enantiomer separation by gas and high-performance liquid chromatography with tripeptide derivatives as chiral stationary phases 722(1996)229

Covalently bonded permethylated cyclodextrins, new selectors for enantiomeric separations by liquid chromatography 728(1996)171

Hexosamines

High-performance liquid chromatographic analysis of hexosamines, hexosaminitols, N-acetylhexosamines and N-acetylhexosaminitols by ultraviolet and fluorescence detection at picomole levels 730(1996)107

Hexosaminitols

High-performance liquid chromatographic analysis of hexosamines, hexosaminitols, N-acetylhexosamines and N-acetylhexosaminitols by ultraviolet and fluorescence detection at picomole levels 730(1996)107

Histamine

Quality control of histamine and methacholine in diagnostic solutions with capillary electrophoresis 735(1996)387

Histidine

Multipoint binding in metal-affinity chromatography 725(1996)225

Histones

Separation and characterisation of bovine histone H1 subtypes by combined ion-exchange and reversed-phase chromatography and mass spectrometry 711(1995)159

Separation of acetylated core histones by hydrophilic-interaction liquid chromatography 743(1996)137

HIV-1 reverse transcriptase inhibitor

High-performance liquid chromatographic separation of an HIV-1 reverse transcriptase inhibitor and its enantiomer 738(1996)290

Homocysteine

Determination of thiols by capillary electrophoresis with electrochemical detection using a palladium field-decoupler and chemically modified electrodes 716(1995)347

Homooligodeoxyribonucleotides

Capillary gel electrophoresis and antisense therapeutics (Review) 735(1996)191

Homovanillic acid

Study of a new solid carbon paste tyrosinase-modified amperometric biosensor for the determination of catecholamines by high-performance liquid chromatography 727(1996)47

Improved end-column amperometric detection for capillary electrophoresis 742(1996)229

Hopanes

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Hormones

Analysis of recombinant human growth hormone and its related impurities by capillary electrophoresis 707(1995)396

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Structure-retention relationships of steroid hormones in reversed-phase liquid chromatography and micellar electrokinetic capillary chromatography 728(1996)83

Thermodynamic parameters of the formation of a complex between cyclodextrins and steroid hormones 728(1996)89

High-performance, purity-indicating liquid chromatographic method for the oxytocin antagonist, L-368,899 731(1996)331

Enzyme-linked immunosorbent assays in a chromatographic format 743(1996)195

Horseradish peroxidase

Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis-electrospray mass spectrometry 720(1996)409

Host cell proteins

Host cell contaminant protein assay development for recombinant biopharmaceuticals 705(1995)105

5HT_{1D} Agonists

Quantitation of the 5HT_{1D} agonists MK-462 and sumatriptan in plasma by liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 726(1996)115

Optimization of the separation of β -agonists by capillary electrophoresis on untreated and C_{18} bonded silica capillaries 715(1995)345

Humic acids

Adsorbents for the removal of humic acid from surface water based on modified porous zirconia and silica 711(1995)223

Capillary electrophoresis for a "finger-print" characterization of fulvic and humic acids 723(1996)215

Simple removal of humic and fulvic acid interferences using polymeric sorbents for the simultaneous solid-phase extraction of polar acidic, neutral and basic pesticides 737(1996)25

Hyphenated techniques for characterizing coal wastewaters and associated sediments 750(1996)287

Humic substances

Ion chromatography of organic-rich natural waters from peatlands. V. Fe²⁺ and Fe³⁺ 706(1995)293

Capillary electrophoretic study of atrazine photolysis 709(1995)215

Capillary electrophoresis for a "finger-print" characterization of fulvic and humic acids 723(1996)215

Study of metal-fulvic acid interactions by capillary electrophoresis 739(1996)421

Hyaluronan

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Hydantoins

High-performance liquid chromatographic determination of cyclohexylhydantoin and cyclohexylidenehydantoin formed during the synthesis of phenylhydantoin from hydantoin and cyclohexanone 740(1996)284

Hvdrazone

Analysis of monoclonal antibody and immunoconjugate digests by capillary electrophoresis and capillary liquid chromatography 735(1996)357

Hydrocarbons

Permeation tube approach to long-term use of automatic sampler retention index standards 704(1995)157

Carbon sorbents and their utilization for the preconcentration of organic pollutants in environmental samples 707(1995)145

Gas chromatography of Titan's atmosphere. VI. Analysis of low-molecular-mass hydrocarbons and nitriles with BPX5 capillary columns 708(1995)283

Characterization of micropacked alkyl-bonded silica columns for gas chromatographic analyses of light hydrocarbons in planetary atmospheres 709(1995)291

Detection methods for the analysis of biogenic non-methane hydrocarbons in air 710(1995)39

Assessment by gas chromatography and gas chromatographymass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Chemically bonded chelates as selective complexing sorbents for gas chromatography. IV. Silica surfaces modified with Co(II) and Ni(II) complexes 723(1996)313

Large-volume injection in residue analysis with capillary gas chromatography using a conventional autosampler and injection by programmed-temperature vaporization with solvent venting 727(1996)275

Simultaneous identification of different classes of hydrocarbons and determination of nitro-polycyclic aromatic hydrocarbons by means of particle beam liquid chromatography-mass spectrometry 728(1996)359

Prefractionation of aroma extracts from fat-containing food by high-performance size-exclusion chromatography 729(1996)371

Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminum oxide porous-layer open-tubular capillary gas chromatography—mass spectrometry using isotopically labeled internal standards 731(1996)217

Gas-solid retention volumes of organic compounds on styrenedivinylbenzene and ethylvinylbenzene-divinylbenzene copolymer sorbent beads 732(1996)317

Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste 738(1996)215

Determination of elemental sulfur by size-exclusion chromatography 740(1996)237

Gas chromatography of Titan's atmosphere 746(1996)63

Screening method for the determination of 28 volatile organic compounds in indoor and outdoor air at environmental concentrations using dual-column capillary gas chromatography with tandem electron-capture—flame ionization detection 749(1996)181

Hydrocarbons, aromatic

Polymer-supported pseudo-stationary phase for electrokinetic chromatography. Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers 716(1995)57

Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235

Solid-phase microextraction coupled to gas chromatography: a new method for the analysis of organics in water 733(1996)143

Optimizing split/splitless injection port parameters for solidphase microextraction 740(1996)139

Hydrocarbons, volatile

Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171

Hydrochlorothiazide

New sensitive method for the determination of hydrochlorothiazide in human serum by high-performance liquid chromatography with electrochemical detection 729(1996)293

Hydrogen carbonate

Determination of anions in oilfield waters by ion chromatography 706(1995)301

Hydrogen peroxide

Determinations of trace anions in hydrogen peroxide 706(1995)191

Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography 706(1995)253

Elucidation of the degradation mechanism of 2-chloroethanol by hydrogen peroxide under ultraviolet irradiation 706(1995)345

Indirect chemiluminescence detection of amino acids separated by capillary electrophoresis 736(1996)247

Hydroperoxides

Postcolumn chemiluminescence, ultraviolet and evaporative light-scattering detectors in high-performance liquid chromatographic determination of triacylglycerol oxidation products 734(1996)221

Hydroquinone

Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis 721(1996)173

Hydroxy acids

Gas chromatographic enantiomer separation on a chiral self-associating selector 746(1996)53

Hydroxyaloin

High-performance liquid chromatographic profiles of aloe constituents and determination of aloin in beverages, with reference to the EEC regulation for flavouring substances 718(1995)99

Hydroxyanthranoids

Determination of 1,8-dihydroxyanthranoids in senna 740(1996)133

Hydroxybenzoates

Capillary electrochromatography – a high-efficiency microseparation technique 744(1996)63

3-Hydroxy-1,4-benzodiazepines

Suppression of chiral recognition of 3-hydroxy-1,4-benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238

p-Hydroxybenzoic esters

Method to study the separation of eight *p*-hydroxybenzoic esters by gas chromatography 727(1996)93

β-Hydroxybutyric acid

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27

Hydroxybutyridine

Separation of 1-(4-*tert*.-butylphenyl)-4-(4-hydroxypiperidinyl)-butan-1-one and its O-alkylated isomer by capillary zone electrophoresis 742(1996)275

Hydroxydimetridazole

High-performance thin-layer chromatographic method for the fluorescence detection of three nitroimidazole residues in pork and poultry tissue 737(1996)343

Hydroxyethyl cellulose

Surface modification of microporous polyamide membranes with hydroxyethyl cellulose and their application as affinity membranes 715(1995)49

Capillary electrophoresis of oligonucleotides using a replaceable sieving buffer with low viscosity-grade hydroxyethyl cellulose 742(1996)267

N⁷-(2'-Hydroxyethyl)guanine

General method for determining ethylene oxide and related N⁷-guanine DNA adducts by gas chromatography-electron capture mass spectrometry 712(1995)345

2-Hydroxy-9-fluorenone

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

5-Hydroxyindane

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

5-Hydroxyindole

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

Hydroxyindoleacetic acid

Analysis of overlapped chromatographic peaks by multi-channel electrochemical detection 722(1996)151

In vivo microdialysis determination of collagen-induced serotonin release in rat blood 730(1996)121

Quantitation of unresolved chromatographic peak using overlapping ratio of profiles of standard chromatographic peaks 746(1996)161

Hydroxyisobutyric acid

Capillary electrophoretic separation of metal ions using complex forming equilibria of different stabilities 745(1996)103

β -Hydroxylauric acid

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

Hydroxylysine

Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385

Hydroxymethoxyflavones

Analysis of 5-hydroxy-7-methoxyflavones by normal-phase highperformance liquid chromatography 740(1996)201

Hydroxymethylfuraldehyde

High-performance liquid chromatographic determination of 2furaldehyde and 5-hydroxymethyl-2-furaldehyde in honey 749(1996)95

β -Hydroxymyristic acid

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

Hydroxynaphthoquinones

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

4-Hydroxy-2-nonenai

Determination of 4-hydroxy-2-nonenal by precolumn derivatization and liquid chromatography with laser fluorescence detection 719(1996)450

Hydroxynonyladenine

Study of the competitive inhibition of adenosine deaminase by *erythro*-9-(2-hydroxy-3-nonyl)adenine using capillary zone electrophoresis 745(1996)293

9-Hydroxyphenanthrene

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

Hydroxyquinolinesulfonic acid

Capillary electrophoretic separation of metal ions using complex forming equilibria of different stabilities 745(1996)103

Hydroxysaclofen

Preparative resolution of saclofen and hydroxysaclofen with analytical-scale high-performance liquid chromatography 732(1996)239

Hydroxytriazines

Capillary electrophoretic study of atrazine photolysis 709(1995)215

Hydroxytyrosol

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Hypericin

High-performance liquid chromatographic determination of the biologically active principle hypericin in phytotherapeutic vegetable extracts and alcoholic beverages 731(1996)336

Hypoxanthine

Comparison of capillary electrophoretic and liquid chromatographic determination of hypoxanthine and xanthine for the diagnosis of xanthinuria 730(1996)329

I

Ibogaine

Determination of ibogaine in plasma by gas chromatographychemical ionization mass spectrometry 723(1996)101

Ibuprofen

Resolution of (\pm) -ibuprofen using L-arginine-impregnated thinlayer chromatography 721(1996)369

Comparison of the chiral resolution on *cis-trans* isomeric chiral stationary phases derived from (S)-1-(1-naphthyl)ethylamine 740(1996)183

Ifosfamide

Trace analysis of the antineoplastics ifosfamide and cyclophosphamide in sewage water by two-step solid-phase extraction and gas chromatography-mass spectrometry 726(1996)179

Imazamethabenz-methyl

Comparative study of three extraction procedures for imazamethabenz-methyl in agricultural soil 721(1996)113

Imidacloprid

Determination of imidacloprid in vegetables by highperformance liquid chromatography with diode-array detection 721(1996)97

Determination of imidacloprid in water and soil samples by gas chromatography-mass spectrometry 746(1996)289

Imidazoles

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Multipoint binding in metal-affinity chromatography 725(1996)225

Chromatographic resolution and pharmacological investigation of some imidazole derivatives 729(1996)1

Imino acids

Facile liquid chromatographic enantioresolution of native amino acids and peptides using a teicoplanin chiral stationary phase 731(1996)123

Imipramine derivatives

Comparison of separation selectivity in aqueous and non-aqueous capillary electrophoresis 711(1995)313

Immunoglobulin fusion protein

Liquid chromatographic and capillary electrophoretic examination of intact and degraded fusion protein CTLA4Ig and kinetics of conformational transition 723(1996)273

Immunoglobulin G

Computer aided desk-top scale-up and optimisation of chromatographic processes 702(1995)81

Immunoglobulins

Quantitation of monoclonal antibodies by perfusion chromatography-immunodetection 715(1995)241

Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371

Chromatography of bovine lactoserum on the immobilized metallized dye Drimarene Rubine R/K 5BL. Modulation of selectivity by metal exchange and application to purification of milk immunoglobulins 725(1996)237

Thiophilic nature of divinylsulphone cross-linked agarose 734(1996)241

Rapid purification and monitoring of immunoglobulin M from ascites by perfusion ion-exchange chromatography 743(1996)163

Influence of column type and chromatographic conditions on the ion-exchange chromatography of immunoglobulins 743(1996)171

Indigo carmine

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Indium

Liquid chromatographic determination of gallium and indium with fluorimetric detection 746(1996)239

Indoles

Modification of a tunable UV-visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147

Separation of tryptophan and related indoles by micellar electrokinetic chromatography with KrF laser-induced fluorescence detection 718(1995)203

Micellar liquid chromatography of plant growth regulators detected by derivative fluorometry 723(1996)227

Capillary electrophoresis of Cheddar cheese 731(1996)305

Feasibility of supercritical fluid chromatographychemiluminescent nitrogen detection with open tubular columns 734(1996)303

Indolylacrylic acid

High-performance liquid chromatographic profiling of indolylacryloylglycine and its possible precursors in body fluids 730(1996)133

Indolylacryloylglycine

High-performance liquid chromatographic profiling of indolylacryloylglycine and its possible precursors in body fluids 730(1996)133

Indolylcarbinol

Kinetic investigation of the transformations of indol-3-ylcarbinol into oligomeric indolyl compounds based on micellar electrokinetic capillary chromatography 745(1996)239

Indolylglucosinolates

Kinetic investigation of the transformations of indol-3-ylcarbinol into oligomeric indolyl compounds based on micellar electrokinetic capillary chromatography 745(1996)239

Indolvllactic acid

High-performance liquid chromatographic profiling of indolylacryloylglycine and its possible precursors in body fluids 730(1996)133

Indolylpropionic acid

High-performance liquid chromatographic profiling of indolylacryloylglycine and its possible precursors in body fluids 730(1996)133

Indometacine

Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307

Indomethacin

Analyte adsorption in liquid chromatography valve injectors for samples in non-eluting solvents 726(1996)67

Inorganic anions

see also Anions and Inorganic ions

Stationary phase for the determination of fluoride and other inorganic anions 706(1995)81

Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography 706(1995)115

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Comparison of capillary zone electrophoresis with ion chromatography and standard photometric methods for the determination of inorganic anions in atmospheric aerosols 706(1995)469

Capillary electrophoresis of inorganic anions and organic acids using suppressed conductivity detection. Strategies for selectivity control 717(1995)371

Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Comparison of different electroosmotic flow modifiers in the analysis of inorganic anions by capillary electrophoresis 732(1996)167

Capillary electrophoresis applied to the determination of some seleno compounds 732(1996)369

Determination of sulphite and sulphate by ion chromatography using a weakly basic phthalate eluent 732(1996)403

Investigation of matrix effects in capillary zone electrophoresis 734(1996)319

Manipulation of separation selectivity for inorganic anions in capillary zone electrophoresis using control of electrolyte pH 734(1996)416

Separation of thio- and oxothioarsenates by capillary zone electrophoresis and ion chromatography 736(1996)341

Determination of carboxylic acids and inorganic anions in wines by ion-exchange chromatography 736(1996)351

Optimization of indirect ultraviolet detection in highperformance liquid chromatography and capillary electrophoresis 738(1996)11

Recent advances in ion chromatography: A perspective (Review) 739(1996)3

Influence of the sample matrix composition on the accuracy of the ion chromatographic determination of anions 739(1996)35

Systematic approach to generic matrix elimination via "heartcut" column-switching techniques 739(1996)43

Enhancing the anion separations on a polydivinylbenzene-based anion stationary phase 739(1996)99

Application of ion chromatography to the analysis of high-purity CdTe 739(1996)131

Analysis of disparate levels of anions of relevance to corrosion processes 739(1996)191

Quantitation of anions at parts-per-trillion levels in semiconductor pure water by means of a laboratory ion chromatograph 739(1996)199

Determination of phosphate and sulphite in natural waters in the presence of high sulphate concentrations by ion chromatography under isocratic conditions 739(1996)207

Determination of total phosphorus in sediments by means of high-pressure bombs and ion chromatography 739(1996)223

Application of ion chromatography to the Hong Kong rainfall monitoring program 739(1996)249

Determination of major element chemistry in terrestrial waters from Antarctica by ion chromatography 739(1996)257

Determination of organic acids in industrial streams by ion chromatography after solid-phase extraction 739(1996)273

Resin coating for capillaries giving a net positive charge and great potential for customised modification of surface properties 739(1996)367

Capillary electrophoresis of anions in an untreated polypropylene hollow fiber 739(1996)373

Determination of sulfide in the leather industry by capillary electrophoresis 740(1996)125

Study of ion chromatography with ion-exchange fibers as the stationary phase 740(1996)195

Ion chromatographic separation of selenite and selenate using a polyanionic eluent 749(1996)115

Inorganic cations

see also Cations, Metal cations and Inorganic ions

Macrocycle-based column for the separation of inorganic cations by ion chromatography 706(1995)69

Interpretation of migration behaviour of inorganic cations in capillary ion electrophoresis based on an equilibrium model 706(1995)503

Determination of inorganic cations in fermentation and cell culture media using cation-exchange liquid chromatography and conductivity detection 718(1995)319

Suppressed ion chromatographic determination of lithium, sodium, ammonium and potassium concentrations in sub-surface brines 733(1996)93

Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis 736(1996)265

Recent advances in ion chromatography: A perspective (Review) 739(1996)3

Novel cation-exchange stationary phase for the separation of amines and of six common inorganic cations 739(1996)87

Determination of lanthanides and actinides in uranium materials by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection 739(1996)139

Determination of cations in fruit juices and purées by ion chromatography 739(1996)175

Determination of major element chemistry in terrestrial waters from Antarctica by ion chromatography 739(1996)257

Determination of inorganic and organic ions in nickel-plating baths by capillary electrophoresis 739(1996)413

Controlled changes in selectivity of cation separations by capillary electrophoresis using various crown-ether additives 745(1996)87

Analysis of single raindrops in the nl range by capillary electrophoresis 745(1996)209

Inorganic ions

see also Inorganic anions and Inorganic cations

Rapid determination of germanium and tin by ion chromatography 708(1995)99

Determination of trace elements in sea water by ion chromatography-inductively coupled plasma mass spectrometry 709(1995)275

Retention behavior of arsenobetaine, arsenocholine, trimethylarsine oxide and tetramethylarsonium iodide on a styrene-divinylbenzene column with benzenesulfonates as ion-pairing reagents 730(1996)219

Approaches to sample preparation for ion chromatography 739(1996)49

Sample pretreatment by UV photolysis for the ion chromatographic analysis of plant material 739(1996)167

High-performance liquid chromatographic determination of cyanide using a pre-column conversion to a transition metal complex 739(1996)229

Method for the separation of uranium(IV) and (VI) oxidation states in natural waters 743(1996)335

Hyphenation of capillary electrophoresis to inductively coupled plasma mass spectrometry as an element-specific detection method for metal speciation 750(1996)51

Speciation of chromium in waste waters by coupled column ion chromatography-inductively coupled plasma mass spectrometry 750(1996)89

Inositol phosphates

Performance of an electrospray-interfaced thermospray ion source in hyphenated techniques 712(1995)211

Analysis of inositol phosphates and derivatives using capillary zone electrophoresis-mass spectrometry 712(1995)235

Determination of 1,2,6-inositol trisphosphate (derivatives) in plasma using iron(III)-loaded adsorbents and capillary zone electrophoresis-(indirect) UV detection 718(1995)413

Insulin

Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. I. Resolution of insulin variants 711(1995)61

Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. II. The role of insulin A and B chains in the chromatographic behaviour of insulin 711(1995)71

Interaction mechanisms between insulin and N-acetylneuraminic acid in affinity chromatography 711(1995)93

Separation of B-3 monodesamidoinsulin from human insulin by high-performance liquid chromatography under alkaline conditions 721(1996)89

Peptide stacking by acetonitrile-salt mixtures for capillary zone electrophoresis 744(1996)231

$\alpha_1 \beta_1$ -Integrin

Characterization of molecular aggregates of $\alpha_1 \beta_1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187

Interleukin-6 mutein

Detection of traces of a trisulphide derivative in the preparation of a recombinant truncated interleukin-6 mutein 709(1995)135

Interleukins

Differences between natural and recombinant interleukin-2 revealed by gel electrophoresis and capillary electrophoresis 717(1995)71

Analysis of recombinant human interleukin-11 fusion protein derived from *Escherichia coli* lysate by combined size-exclusion and reversed-phase liquid chromatography 729(1996)113

Potential of on-line isotachophoresis-capillary zone electrophoresis with hydrodynamic counterflow in the analysis of various basic proteins and recombinant human interleukin-3 734(1996)381

Invertase

Lectin-glycoenzyme column chromatography monitored by enzyme flow microcalorimetry 722(1996)143

lodate

Trace level determination of iodide, iodine and iodate by gas chromatography-mass spectrometry 732(1996)327

Iodide

Detection of iodide in geologic materials by high-performance liquid chromatography 706(1995)215

Matrix-elimination ion chromatography with post-column reaction detection for the determination of iodide in saline waters 706(1995)271

Determination of anions in oilfield waters by ion chromatography 706(1995)301

Determination of thiocyanate, iodide, nitrate and nitrite in biological samples by micellar electrokinetic capillary chromatography 717(1995)409

Trace level determination of iodide, iodine and iodate by gas chromatography-mass spectrometry 732(1996)327

Iodine

Trace level determination of iodide, iodine and iodate by gas chromatography-mass spectrometry 732(1996)327

Iodofluoroalkanes

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black 736(1996)175

B-Ionone

Study of aroma compound-natural polymer interactions by dynamic coupled column liquid chromatography 707(1995)181

Ipriflavone

Determination of ipriflavone and its synthetic impurities by high-performance liquid chromatography using diode-array detection 719(1996)245

Irgasan DP 300

Gas chromatographic determination of 5-chloro-2-(2,4-dichlorophenoxy)-phenol in the waste water of a slaughterhouse 705(1995)313

Iron

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. I. Investigations into the reaction mechanism 705(1995)219

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. II. The involvement of metals in commercially available C₁₈ silicas 705(1995)229

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

Ion chromatography of organic-rich natural waters from peatlands. V. ${\rm Fe}^{2^+}$ and ${\rm Fe}^{3^+}$ 706(1995)293

Isotachophoretic separation of Fe(II) and Fe(III) by using 1,10-phenanthroline as a complex-forming agent 723(1996)389

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Direct determination of iron(II), iron(III) and total iron as UV-absorbing complexes by capillary electrophoresis 740(1996)151

Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenebis(salicylaldimine) as complexing reagent 740(1996)296

More sensitive way to determine iron using an iron(II)-1,10-phenanthroline complex and capillary electrophoresis 749(1996)287

Iron(III) chlorophyllin

High-performance liquid chromatographic separation of iron(III) chlorophyllin 721(1996)350

Isethionic acid

Rapid ion chromatographic method for the quantitative determination of ligand leakage from ion-exchange media 742(1996)79

Isoadhumulone

Preparative regime for the purification of bitter acids derived from hops (*Humulus lupulus* L.) 731(1996)327

Isoaloeresin D

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Isobarbaloin

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Isobetanin

Application of capillary zone electrophoresis to the analysis of betalains from *Beta vulgaris* 735(1996)409

O-Isobutyl methylphosphonothioic acid

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

N-Isobutyryl-L-cysteine

Liquid chromatographic determination of D- and L-amino acids by derivatization with o-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201

Isochlamydosporol

Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69

Isocitric acid

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Isocohumulone

Preparative regime for the purification of bitter acids derived from hops (Humulus lupulus L.) 731(1996)327

Isodermosine

Measurement of desmosine and isodesmosine by capillary zone electrophoresis 710(1995)357

Isoeugenol

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Isoflavones

Determination of isoflavones using capillary electrophoresis in combination with electrospray mass spectrometry 707(1995)327

Determination of ipriflavone and its synthetic impurities by high-performance liquid chromatography using diode-array detection 719(1996)245

Isoflurane

Systematic modification of the separation selectivity of cyclodextrin-based gas chromatographic stationary phases by varying the size of the 6-O-substituents 738(1996)31

Isohumulone

Preparative regime for the purification of bitter acids derived from hops (*Humulus lupulus* L.) 731(1996)327

Isoleucine

Postcolumn co-immobilized leucine dehydrogenase-NADH oxidase reactor for the determination of branched-chain amino acids by high-performance liquid chromatography with chemiluminescence detection 724(1996)354

Isophthalic acid polyesters

Characterization of low-molar-mass polymers by gradient polymer elution chromatography 746(1996)211

Isopilocarpine

Improved high-performance liquid chromatographic determination of pilocarpine and its degradation products in ophthalmic solutions 740(1996)289

Isoprenoid phosphates

Analysis of isoprenoid phosphates and oligophosphates by capillary zone electrophoresis 737(1996)325

Isoprenoids

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Isopropanol

Effects of organic modifiers on the chiral recognition by different types of silica-immobilized bovine serum albumin 740(1996)207

Isoproterenol

Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337

Ultra-fast chiral separation of basic drugs by capillary electrophoresis 717(1995)229

Isoproterenol sulfate

Determination of isoproterenol sulfate on surfaces using highperformance liquid chromatography with electrochemical detection 723(1996)235

Isosafrol

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Isosorbide

Gas chromatography-mass spectrometry study of isosorbide 5-mononitrate stability 746(1996)286

Isosorbide mononitrate

Gas chromatography-mass spectrometry study of isosorbide 5-mononitrate stability 746(1996)286

Isothiocyanates

Free-solution capillary electrophoretic resolution of chiral amino acids via derivatization with homochiral isothiocyanates. Part I 707(1995)355

Synthesis and application of a new isothiocyanate as a chiral derivatizing agent for the indirect resolution of chiral amino alcohols and amines 729(1996)33

Determination of amino acids in the foods by reversed-phase high-performance liquid chromatography with a new precolumn derivative, butylthiocarbamyl amino acid, compared to the conventional phenylthiocarbamyl derivatives and ion-exchange chromatography 740(1996)31

Determination of protein amino acids as benzylthiocarbamyl derivatives compared with phenylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography, ultraviolet detection and precolumn derivatization 740(1996)41

Isozymes

Preparation and characterization of isozymes and isoforms of horse liver alcohol dehydrogenase 711(1995)105

Ivermectins

Separation of ivermectin components by high-speed countercurrent chromatography 723(1996)61



Keratan sulfate

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

α-Ketobutyric acid

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27

Ketogluconic acids

Determination of 2-keto-L-gulonic, 2-keto-D-gluconic and 2,5-diketo-D-gluconic acids by capillary zone electrophoresis 745(1996)249

Ketogulonic acid

Determination of 2-keto-L-gulonic, 2-keto-D-gluconic and 2,5-diketo-D-gluconic acids by capillary zone electrophoresis 745(1996)249

Ketones

see also Carbonyl compounds

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Capillary electrochromatography of small molecules in polyacrylamide gels with electroosmotic flow 716(1995)107

Pitfalls in the chromatographic determination of the alkenone U_{12}^{k} index for paleotemperature estimation 723(1996)285

New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6trichlorophenylhydrazine 740(1996)71

Krypton

Experimental and theoretical relative response factors for a pulsed discharge krypton photoionization detector 749(1996)149

L

L-738 372

High-performance liquid chromatographic separation of an HIV-1 reverse transcriptase inhibitor and its enantiomer 738(1996)290

Labeled proteins

Separation of biotin labeled proteins from their unlabeled counterparts using immobilized platinum affinity chromatography 702(1995)173

Lactalbumin

Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371

Perfusion liquid chromatography of whey proteins 729(1996)99

Preparative membrane adsorber chromatography for the isolation of cow milk components 729(1996)87

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)169

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)185

Lactate

Analysis of the acidic microenvironment in murine tumours by high-performance ion chromatography 706(1995)459

Monitoring of the poly(D,L-lactic acid) degradation by-products by capillary zone electrophoresis 711(1995)323

Lactate dehydrogenase

Polymer displacement in dye-affinity chromatography 710(1995)259

Biomimetic dye affinity chromatography for the purification of bovine heart lactate dehydrogenase 718(1995)35

Lactic acid

Determination of some organic acids in sugar factory products 706(1995)375

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Novel approach to the measurement of enantiomeric purity by high-performance liquid chromatography using a polarized photometric detector equipped with a split cell 727(1996)55

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Lactic acid oligomers

Monitoring of the poly(D,L-lactic acid) degradation by-products by capillary zone electrophoresis 711(1995)323

Lactoglobulins

Towards an electrochemically modulated chromatographic stationary phase 707(1995)29

Free-solution electrophoresis with amplification of small mobility differences by helical flow 707(1995)87

Analysis of protein fractions by micropreparative capillary isoelectric focusing and matrix-assisted laser desorption time-of-flight mass spectrometry 716(1995)157

Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371

Preparative membrane adsorber chromatography for the isolation of cow milk components 729(1996)87

Perfusion liquid chromatography of whey proteins 729(1996)99

Lactones

Determination of monomeric sugar and carboxylic acids by ion-exclusion chromatography 706(1995)361

High-performance liquid chromatographic-particle beam mass spectrometric analysis of sesquiterpene lactones with different carbon skeletons 727(1996)211

Analysis of oligo- and poly-N-acetylneuraminic acids and their lactones by capillary electrophoresis 741(1996)295

Lactoyllactate

Monitoring of the poly(D,L-lactic acid) degradation by-products by capillary zone electrophoresis 711(1995)323

Lactulose

Simple and sensitive multi-sugar-probe gut permeability test by high-performance liquid chromatography with fluorescence labelling 730(1996)99

Lanthanides

Determination of lanthanides and actinides in uranium materials by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection 739(1996)139

Laudanosine

Combined polymerized chiral micelle and γ -cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297

Lauric acid

Simultaneous quantitation of lauric acid and ethyl laureate in Sabal serrulata by capillary gas chromatography and derivatisation with trimethyl sulphoniumhydroxide 719(1996)479

Estimate of gas chromatographic blanks 726(1996)133

Lead

Element-sensitive X-ray detection for capillary electrophoresis 727(1996)301

Leather

Determination of sulfide in the leather industry by capillary electrophoresis 740(1996)125

Lecithins

Analysis of phospholipids in lecithins 738(1996)25

Lectin

Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis-electrospray mass spectrometry 720(1996)409

Leucine

Postcolumn co-immobilized leucine dehydrogenase-NADH oxidase reactor for the determination of branched-chain amino acids by high-performance liquid chromatography with chemiluminescence detection 724(1996)354

Leucine aminopeptidase

Moving boundary electrophoretically mediated microanalysis 726(1996)193

Dynamic modeling of electrophoretically mediated microanalysis 732(1996)119

Leukotrienes

Analytical methods for the measurement of leukotrienes and other eicosanoids in biological samples from asthmatic subjects (Review) 725(1996)29

Levothyroxine

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Application of extraction disks in dissolution tests of clenbuterol and levothyroxine tablets by capillary electrophoresis 730(1996)313

Lidocaine

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Light Green SF Yellow

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Lignans

Isolation of anti-HIV-1 lignans from *Larrea tridentata* by counter-current chromatography 719(1996)353

Analysis of aryltetrahydronaphthalene lignans and their glucoside conjugates in podophyllin resin by high-performance liquid chromatography 722(1996)267

Lignin

High-performance size-exclusion chromatographic characterization of water-soluble polymeric substances produced by *Phanerochaete chrysosporium* from free and wheat cell wall bound 3,4-dichloroaniline 708(1995)273

On-line Curie-point pyrolysis-high-performance liquid chromatographic-mass spectrometric analysis of lignin polymers 736(1996)61

Size-exclusion chromatography of lignin- and carbohydratecontaining samples using alkaline eluents 737(1996)193

Lignin dehydrogenase polymer

Pyrolytic alkylation-gas chromatography-mass spectrometry of model polymers. Further insights into the mechanism and scope of the technique 750(1996)155

Ligstroside

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Limoid glucosides

Micellar electrokinetic capillary chromatography of limonoid glucosides from citrus seeds 718(1995)187

Limonene

Study of aroma compound-natural polymer interactions by dynamic coupled column liquid chromatography 707(1995)181

Limonoids

Identification of nonvolatile components in lemon peel by highperformance liquid chromatography with confirmation by mass spectrometry and diode-array detection 718(1995)89

Linoleic acid

Distinction between enzymic and nonenzymic lipid peroxidation 743(1996)293

Linolenic acids

Stereospecific analysis of the major triacylglycerol species containing γ -linolenic acid in Evening Primrose oil and borage oil 704(1995)99

Distinction between enzymic and nonenzymic lipid peroxidation 743(1996)293

Liothyronine

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Lipase

Hydrophobic interaction chromatography of Chromobacterium viscosum lipase 707(1995)137

Differences in the glycosylation of recombinant and native human milk bile salt-stimulated lipase revealed by peptide mapping 718(1995)53

Hydrophobic interaction chromatography of *Chromobacterium* viscosum lipase on polyethylene glycol immobilized on Sepharose 734(1996)213

Lipid A

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

Lipids

Quantitation of choline glycerophospholipids that contain carboxylate residues by fluorometric high-performance liquid chromatography 724(1996)131

A high-performance liquid chromatographic method for the analysis of lipids from lyophilized formulations 724(1996)343

Identification of the lipids and the ant attractant 1,2-dioleoylglycerol in the arils of *Commiphora guillaumini* Perr. (Burseraceae) by supercritical fluid chromatography-atmospheric pressure chemical ionisation mass spectrometry 727(1996)139

Enrichment of chlorinated fatty acids in fish lipids prior to analysis by capillary gas chromatography with electrolytic conductivity detection and mass spectrometry 731(1996)225

Postcolumn chemiluminescence, ultraviolet and evaporative light-scattering detectors in high-performance liquid chromatographic determination of triacylglycerol oxidation products 734(1996)221

Chromatographic resolution of partially perdeuterated diglucosyldiacylglycerols from *Acholeplasma laidlawii* 736(1996)83

Determination of glycoglycerolipids by Chromarod thin-layer chromatography with Iatroscan flame ionization detection 741(1996)91

Analysis of fatty acid mono- and diacylglycerol positional isomers by silver ion high-performance liquid chromatography 741(1996)135

Fat content for nutritional labeling by supercritical fluid extraction and an on-line lipase catalyzed reaction 750(1996)201

Lipophilicity

Solute effects on reversed-phase thin-layer chromatography 749(1996)201

Lipopolysaccharides

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

Lipoprotein a

Characterization of lipoprotein a by capillary zone electrophoresis 717(1995)33

Lipoproteins

Capillary electrophoresis, a rapid and sensitive method for routine analysis of apolipoprotein A-I in clinical samples 717(1995)25

Elution of lipoprotein fractions containing apolipoproteins E and A-I in size exclusion on Superose 6 columns is sensitive to mobile phase pH and ionic strength 718(1995)59

Screening and identification of familial defective apolipoprotein B-100 in clinical samples by capillary gel electrophoresis 744(1996)187

Litracene

Comparison of separation selectivity in aqueous and non-aqueous capillary electrophoresis 711(1995)313

Lobaplatin

Separation of platinum(II) anti-tumour drugs by micellar electrokinetic capillary chromatography 724(1996)317

Loprazolam

Separation and structural elucidation of the hydrolysis compounds of loprazolam 721(1996)123

Lorazepam

Suppression of chiral recognition of 3-hydroxy-1,4benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238

Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. I. Influence of the degree of fixation on selectivity 728(1996)407

Lormetazepam

Suppression of chiral recognition of 3-hydroxy-1,4benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238

Luminol

Indirect chemiluminescence detection of amino acids separated by capillary electrophoresis 736(1996)247

Luteinizing hormone-releasing hormone

Liquid chromatography studies on the enzymatic degradation of luteinizing hormone-releasing hormone analogues with off-line identification by mass spectrometry 729(1996)137

Luteolin-7-glucoside

Analysis of the components of *Lycopus europaeus* L. in body fluids during metabolism studies. Comparison of capillary electrophoresis and high-performance liquid chromatography 717(1995)261

Lutetium

Ion chromatographic determination of chelating ligands based on the postcolumn formation of ternary fluorescent complexes 739(1996)307

LY231514

Development and validation of a combined potency assay and enantiomeric purity method for a chiral pharmaceutical compound using capillary electrophoresis 745(1996)45

Lysozyme

Antibiotics as low-molecular-mass displacers in ion-exchange displacement chromatography 707(1995)57

Surface modification of microporous polyamide membranes with hydroxyethyl cellulose and their application as affinity membranes 715(1995)49

Simple two-step procedure for the preparation of highly active pure equine milk lysozyme 719(1996)327

Retention behaviour of proteins under conditions of column overload in hydrophobic interaction chromatography 729(1996)43

Solute retention of lysozyme in hydrophobic interaction perfusion chromatography 734(1996)205



Mabuterol

Gas and liquid chromatography coupled to tandem mass spectrometry for the multiresidue analysis of β -agonists in biological matrices 750(1996)43

α,-Macroglobulin

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Madecassic acid

Determination of biologically active constituents in Centella asiatica 742(1996)127

Madecassoside

Determination of biologically active constituents in *Centella* asiatica 742(1996)127

Mafenide acetate

Ion-pair chromatographic method for the analysis of mafenide acetate 708(1995)83

Magnesium

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Cation trace analysis of snow and firm samples from high-alpine sites by ion chromatography 706(1995)249

Migration behaviour of alkali and alkaline-earth metal ion—EDTA complexes and quantitative analysis of magnesium in real samples by capillary electrophoresis with indirect ultraviolet detection 707(1995)343

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Magnesium ascorbyl phosphate

High-performance liquid chromatographic determination of ionic compounds in cosmetic emulsions: application to magnesium ascorbyl phosphate 705(1995)385

Malathion

Design and optimization of a novel type nitrogen-phosphorus detector for capillary gas chromatography 732(1996)51

Maleic acid

Salt effect on size-exclusion chromatography of partially sulfonated alternating copolymers of maleic acid and styrene in a polar solvent 704(1995)149

Simultaneous determination of chlorpheniramine and maleate by high-performance liquid chromatography using tetra-*n*-butylammonium phosphate as an ion-pair reagent 731(1996)346

Maleic anhydride

Determination of cholecalciferol and related substances by calcium phosphate hydroxyapatite and calcium phosphate fluoroapatite high-performance liquid chromatography 731(1996)153

Maleic hydrazide

Extraction of maleic hydrazide residues from potato crisps and their determination using high-performance liquid chromatography with UV and atmospheric pressure chemical ionisation mass spectrometric detection 750(1996)391

Malic acid

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Malonate

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Malondialdehyde

Automated high-performance liquid chromatographic separation with spectrofluorometric detection of a malondialdehyde—thiobarbituric acid adduct in plasma 729(1996)207

Maltodextrin

Chiral analysis of basic drugs by oligosaccharide-mediated capillary electrophoresis 735(1996)283

Maltoheptaose

Analysis of the 9-fluorenylmethoxycarbonyl hydrazide labelling of neutral and sialic acid-containing oligosaccharides by reversed-phase high-performance liquid chromatography 728(1996)343

Maltooligosaccharides

Concentration dependence of the distribution coefficient of maltooligosaccharides on a cation-exchange resin 708(1995)177

Improvement of a method for chain-length distribution analysis of wheat amylopectin 732(1996)255

Maltace

Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

Mandelic acid

Retention behaviour of thorium(IV) and uranyl on a reversedphase column with glycolate and mandelate as eluents 739(1996)151

Investigation of chiral resolution using displacement interactions with polymer networks in capillary affinity zone electrophoresis 745(1996)1

Manganese

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

High-performance liquid chromatography of the coordination isomers of triphenylphosphine-substituted homo- and hetero-bimetallic carbonyl complexes of manganese and rhenium 740(1996)231

Mangiferin

Determination of gentiopicroside, mangiferin, pałmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Mannan

On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165

β-Mannanase

On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165

Mannoses

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165

Maprotiline

Comparison of separation selectivity in aqueous and non-aqueous capillary electrophoresis 711(1995)313

MCM-41

Comparison of an ordered mesoporous aluminosilicate, silica, alumina, titania and zirconia in normal-phase high-performance liquid chromatography 740(1996)1

Mebazepam

Suppression of chiral recognition of 3-hydroxy-1,4-benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238

Meclofenamic acid

Determination of phase II drug metabolites in equine urine by micellar electrokinetic capillary chromatography 745(1996)155

Mefenamin

Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307

Mefloquine

Use of cyclodextrins in the capillary electrophoretic separation of *erythro*- and *threo*-mefloquine enantiomers 745(1996)17

Membrane proteinases

Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247

Membrane proteins

see also Proteins

Characterization of molecular aggregates of $\alpha_1 \beta_1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187

Mobile phase effects on membrane protein elution during immobilized artificial membrane chromatography 721(1996)213

Purification of hydrophobic integral membrane proteins from *Mycoplasma hyopneumoniae* by reversed-phase high-performance liquid chromatography 737(1996)273

Mepenzolate

On-line coupling of micellar electrokinetic chromatography to electrospray mass spectrometry 712(1995)219

Mephobarbital

Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67

Mercaptoethanol

Determination of amino acids using o-phthalaldehyde-2-mercaptoethanol derivatization 724(1996)159

Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol 724(1996)271

Erratum to "Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol" 746(1996)300

Mesityl oxide

Multiple-plug binding assays using affinity capillary electrophoresis 727(1996)291

Metacholine

Quality control of histamine and methacholine in diagnostic solutions with capillary electrophoresis 735(1996)387

Metal cations

see also Cations and Inorganic cations

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. I. Investigations into the reaction mechanism 705(1995)219

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. II. The involvement of metals in commercially available C₁₈ silicas 705(1995)229

Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography 706(1995)115

Separation of Pd(II) and Cu(II) in chloride solutions on a glycol methacrylate gel derivatized with 8-hydroxyquinoline 706(1° 59

Separation of metal cations by electrophoresis in a positively charged coated capillary 706(1995)517

Bidirectional isotachophoretic separation of metal cations using EDTA as a chelating agent 709(1995)171

Separation of chromate and tungstate by reversed-phase highperformance chromatography using rutin as chelating reagent 709(1995)381

Ion-exchange mechanisms of some transition metals on a mixed-bed resin with a complexing eluent 715(1995)105

On-column chelation of metal ions in capillary zone electrophoresis 717(1995)385

Method development and validation for the determination of mineral elements in food and botanical materials by capillary electrophoresis 717(1995)415

Separation of metal-oxalate complexes on an anion-exchange column 719(1996)457

Application of ion interaction chromatography to the determination of metal ions in natural water samples 721(1996)269

Element-sensitive X-ray detection for capillary electrophoresis 727(1996)301

Simultaneous determination of vanadium and molybdenum as N-benzoyl-N-phenylhydroxamate complexes by combining solvent extraction and liquid chromatography 730(1996)241

Silica-bonded calixarenes in chromatography 731(1996)47

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Suppressed ion chromatographic determination of lithium, sodium, ammonium and potassium concentrations in sub-surface brines 733(1996)93

Retention models for the ion chromatographic separations of metals in the presence of complexing agents 737(1996)129

Optimization of indirect ultraviolet detection in highperformance liquid chromatography and capillary electrophoresis 738(1996)11

Methods for concentrating metal ions prior to analysis by ion chromatography or capillary electrophoresis 739(1996)57

Comparison of the chelating ion exchange properties of dye coated cellulose and polystyrene substrates for the separation and determination of trace metals from aqueous media 739(1996)81

Application of thermal lens spectrometric detection to the determination of heavy metals by ion chromatography 739(1996)111

Simultaneous analysis of some transition metals at ultra-trace level by ion-exchange chromatography with on-line preconcentration 739(1996)119

Application of ion chromatography to the analysis of highpurity CdTe 739(1996)131

Retention behaviour of thorium(IV) and uranyl on a reversedphase column with glycolate and mandelate as eluents 739(1996)151

Sources of variability in cation analysis for a quantitative exfoliation corrosion resistance test 739(1996)183

High-performance liquid chromatographic determination of cyanide using a pre-column conversion to a transition metal complex 739(1996)229

Determination of heavy metals in air particulate matter by ion chromatography 739(1996)233

Ion chromatographic cation analysis of effluent waters from scale dissolver treatments 739(1996)265

Study of metal-fulvic acid interactions by capillary electrophoresis 739(1996)421

Application of Derringer's desirability function for the selection of optimum separation conditions in capillary zone electrophoresis 740(1996)109

Direct determination of iron(II), iron(III) and total iron as UV-absorbing complexes by capillary electrophoresis 740(1996)151

Method for the separation of uranium(IV) and (VI) oxidation states in natural waters 743(1996)335

Separation of organic acids by capillary zone electrophoresis in buffers containing divalent metal cations 745(1996)93

Capillary electrophoretic separation of metal ions using complex forming equilibria of different stabilities 745(1996)103

Capillary electrophoretic estimation of sulfate stability constants of metal ions and determination of alkali and alkaline earth metals in waters 745(1996)127

Speciation of chromium in waste waters by coupled column ion chromatography-inductively coupled plasma mass spectrometry 750(1996)89

Metal chelates

Isocratic ion-pair high-performance liquid chromatographic method for the determination of various iron(III) chelates 727(1996)253

Metal complexes

Development of DNA-immobilised chromatographic stationary phases for optical resolution and DNA-affinity comparison of metal complexes 718(1995)436

Ionophoretic technique for the determination of stability constants of metal-nitrilotriacetate-methionine mixed complexes 718(1995)454

Retention model for singly and doubly charged analytes in ioninteraction chromatography 728(1996)55

Capillary zone electrophoretic and micellar electrokinetic capillary chromatographic separations of polyaminopolycarboxylic acids as their copper complexes 736(1996)333

Recent advances in ion chromatography: A perspective (Review) 739(1996)3

Metallochlorophyllins

High-performance liquid chromatographic separation of iron(III) chlorophyllin 721(1996)350

Metallochromic ligands

Separation of some metallochromic ligands by capillary zone electrophoresis and micellar electrokinetic capillary chromatography 706(1995)493

Metalloproteinases

Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247

Metallothioneins

Separation of metallothionein isoforms with capillary zone electrophoresis using an uncoated capillary column. Effects of pH, temperature, voltage, buffer concentration and buffer composition 734(1996)391

Metal oxides

Characterization and separation of inorganic fine particles by capillary electrophoresis with an indifferent electrolyte system 732(1996)377

Metal oxoacids

Analysis of halides, oxyhalides and metal oxoacids by capillary electrophoresis with suppressed electroosmotic flow 718(1995)421

Metals

see also Heavy metals and Transition metals

Ion chromatographic speciation of chromium with diphenylcarbazide-based spectrophotometric detection 736(1996)141

High-performance liquid chromatographic characterization of dissolved organic matter from low-level radioactive waste leachates 739(1996)281

High-performance liquid chromatography of the coordination isomers of triphenylphosphine-substituted homo- and hetero-bimetallic carbonyl complexes of manganese and rhenium 740(1996)231

Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenebis(salicylaldimine) as complexing reagent 740(1996)296

Hyphenation of capillary electrophoresis to inductively coupled plasma mass spectrometry as an element-specific detection method for metal speciation 750(1996)51

Metal salts

Control of the electroosmotic flow by metal-salt-containing buffers 716(1995)97

Metal sulphides

Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits 726(1996)161

Metal-EDTA complexes

Studies on the retention behaviour of metal-EDTA complexes in cation chromatography 706(1995)141

Metaproterenol

Ultra-fast chiral separation of basic drugs by capillary electrophoresis 717(1995)229

Methabenzthiazuron

Liquid chromatographic determination of methabenzthiazuron in soil aqueous solutions with photodiode-array detection 733(1996)367

Methacryloyl phosphoryl choline

Development and application of radio-size-exclusion chromatography 727(1996)61

Methamphetamine

Enantiomeric separation of amphetamine related drugs by capillary zone electrophoresis using native and derivatized β -cyclodextrin as chiral additives 710(1995)339

Headspace sampling and gas chromatographic-mass spectrometric determination of amphetamine and methamphetamine in betel 715(1995)325

Enantiomeric separation of amphetamine and phenylephrine by cyclodextrin-mediated capillary zone electrophoresis 735(1996)295

Methanes, halogenated

Destruction of halogenated methanes by non-electron capture processes within an electron capture detector 742(1996)135

Methanesulfonic acid

Determination of alkyl sulfonic acids in pharmaceuticals by ion chromatography 724(1996)199

Methanol

Capillary zone electrophoresis in organic solvents: separation of anions in methanolic buffer solutions 716(1995)303

On-line monitoring of the catalytic conversion of methyl formate to methanol and carbon monoxide by gas chromatography 740(1996)65

Quantitative thin layer chromatography on cellulose 746(1996)261

Methionine

Ionophoretic technique for the determination of stability constants of metal-nitrilotriacetate-methionine mixed complexes 718(1995)454

Methionine enkephalin

High-sensitivity peptide mapping using packed-capillary liquid chromatography and electrospray ionization mass spectrometry 743(1996)99

Methotrexate

Ion-pair chromatography of methotrexate in a column-switching system using an alkyl-diol silica precolumn for direct injection of plasma 742(1996)113

1-Methoxycarbonylindolizine-3,5-dicarbaldehyde

Determination of amino acids by pre-column fluorescence derivatization with 1-methoxycarbonylindolizine-3,5-dicarbaldehyde 724(1996)169

α -Methoxyl- α -trifluoromethylphenylacetic acid

Buffer effects in the desionoselective/ionoselective/duoselective separation selectivity model-assisted optimization of the capillary electrophoretic separation of enantiomers. I. Low-pH phosphate buffers 716(1995)197

1-(6-Methoxy-2-naphthyl)ethyl isothiocyanate

Chloroformates and isothiocyanates derived from 2-arylpropionic acids as chiral reagents: synthetic routes and chromatographic behaviour of the derivatives 725(1996)323

2-(6-Methoxy-2-naphthyl)-1-propyl chloroformate

Chloroformates and isothiocyanates derived from 2-arylpropionic acids as chiral reagents: synthetic routes and chromatographic behaviour of the derivatives 725(1996)323

Methylamines

Retention behavior of methylamines, ethylenediamine and N-methyl-substituted ethylenediamines on a cation-exchange resin having a polycarboxylic acid as the functional group 739(1996)327

m-Methylbenzoyl cellulose

Supramolecular effects in the chiral discrimination of *meta*-methylbenzoyl cellulose in high-performance liquid chromatography 718(1995)257

Methylbenzylamines

Molecularly imprinted uniform-size polymer-based stationary phase for high-performance liquid chromatography 728(1996)139

Methyl tert.-butyl ether

Complementarity of purge-and-trap and head-space capillary gas chromatographic methods for determination of methyl-*tert*.-butyl ether in water 726(1996)153

Methyl chloropropionates

Preparative gas chromatographic separation of the enantiomers of methyl 2-chloropropionate using a cyclodextrin-based stationary phase 702(1995)251

Determination of the gas-liquid partition isotherms of the enantiomers of methyl 2-chloropropionate on trichloroacetyl pentyl β -cyclodextrin using the elution by characteristic points method 734(1996)155

Use of the equilibrium-dispersive model of nonlinear gas chromatography for the modelling of the elution band profiles in the preparative-scale gas chromatographic separation of enantiomers 734(1996)289

Methylcyclopentadienylmanganese tricarbonyl

Correlation chromatograms from a triple-detector system 737(1996)223

Methyldopa

Determination of α -methyldopa in human plasma by validated high-performance liquid chromatography with fluorescence detection 730(1996)125

Methylene blue

Application of an avalanche photodiode in a near-Geiger operation as a fluorescence detector for capillary electrophoresis 744(1996)31

Methylenedioxyamphetamines

Separation and identification of designer drugs with capillary electrophoresis and on-line connection with ionspray mass spectrometry 735(1996)221

N-Methylformamide

Chiral separation of dansyl-amino acids in a nonaqueous medium by capillary electrophoresis 737(1996)263

Methyl formate

On-line monitoring of the catalytic conversion of methyl formate to methanol and carbon monoxide by gas chromatography 740(1996)65

Methylglucamine

Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99

3-O-Methyl-p-glucose

Simple and sensitive multi-sugar-probe gut permeability test by high-performance liquid chromatography with fluorescence labelling 730(1996)99

α -Methylglucoside

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

Methylmercury

Capillary electrophoresis of methylmercury with injection by sample stacking 730(1996)345

Optimization of supercritical fluid extraction-gas chromatography of methylmercury in marine samples 750(1996)191

3'-O-Methylnordihydroguaiaretic acid

Isolation of anti-HIV-1 lignans from *Larrea tridentata* by counter-current chromatography 719(1996)353

β -Methylphenylalanine isomers

Chromatographic behaviour of opioid peptides containing β -methylphenylalanine isomers 705(1995)267

Methyl red

Colour-indication suppressor for anion chromatography 706(1995)55

Methylthiouracil

Rapid and high-performance analysis of thyreostatic drug residues in urine using gas chromatography-mass spectrometry 750(1996)127

Methyl-p-tolyl sulfide/sulfoxide

Rapid high-performance liquid chromatographic method for the determination of peroxyacetic acid 730(1996)203

Methyl yellow

Colour-indication suppressor for anion chromatography 706(1995)55

Metolachlor

Solid-phase microextraction of the herbicide metolachlor in runoff and tile-drainage water samples 725(1996)129

Metomidate

Comparative capillary electrophoretic and nuclear magnetic resonance studies of the chiral recognition of racemic metomidate with cyclodextrin hosts 732(1996)133

Mexiletine

Mechanistic investigation into the enantioselective separation of mexiletine and related compounds, chromatographed on an amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 741(1996)205

Mianserine

Enantioseparation of mianserine analogues using capillary electrophoresis with neutral and charged cyclodextrin buffer modifiers. ¹³C NMR study of the chiral recognition mechanism 717(1995)245

Microcystins

Mass spectral analyses of microcystins from toxic cyanobacteria using on-line chromatographic and electrophoretic separations 712(1995)253

Laboratory-scale purification of microcystins using flash chromatography and reversed-phase high-performance liquid chromatography 734(1996)163

Automated purification of microcystins 734(1996)175

Separation of toxic peptides (microcystins) in capillary electrophoresis, with the aid of organic mobile phase modifiers 749(1996)271

α_1 -Microglobulin

Spectroscopic characterization by photodiode array detection of human urinary and amniotic protein HC subpopulations fractionated by anion-exchange and size-exclusion high-performance liquid chromatography 719(1996)149

Micropollutants

Trace level analysis of micropollutants in aqueous samples using gas chromatography with on-line sample enrichment and large volume injection 703(1995)277

Mitomycin C

Simultaneous high-performance liquid chromatographic determination of carboplatin, epirubicin hydrochloride and mitomycin C in a Lipiodol emulsion 726(1996)241

MK-462

Quantitation of the 5HT_{1D} agonists MK-462 and sumatriptan in plasma by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 726(1996)115

Molybdenum

Simultaneous determination of vanadium and molybdenum as N-benzoyl-N-phenylhydroxamate complexes by combining solvent extraction and liquid chromatography 730(1996)241

Moniliformin

Determination of the mycotoxin moniliformin in cereals by high-performance liquid chromatography and fluorescence detection 732(1996)291

Monoacylglycerols

Highly sensitive high-performance liquid chromatographic method to discriminate enantiomeric monoacylglycerols based on fluorescent chiral derivatization with (S)-(+)-2-tert.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 709(1995)375

Analysis of fatty acid mono- and diacylglycerol positional isomers by silver ion high-performance liquid chromatography 741(1996)135

Monoclonal antibodies

see also Antibodies

Purification of monoclonal antibodies on dextran-coated silica support grafted by thiophilic ligand 711(1995)151

Quantitation of monoclonal antibodies by perfusion chromatography-immunodetection 715(1995)241

Analysis of monoclonal antibody and immunoconjugate digests by capillary electrophoresis and capillary liquid chromatography 735(1995)357

Rapid purification and monitoring of immunoglobulin M from ascites by perfusion ion-exchange chromatography 743(1996)163

Purification of the monoclonal heparin antibody H-1.18 744(1996)215

Immuno-capillary electrophoresis for the characterization of a monoclonal antibody against DNA 744(1996)285

Capillary isoelectric focusing and sodium dodecyl sulfatecapillary gel electrophoresis of recombinant humanized monoclonal antibody HER2 744(1996)295

Monodesamidoinsulin

Separation of B-3 monodesamidoinsulin from human insulin by high-performance liquid chromatography under alkaline conditions 721(1996)89

Monodeuteriophenol

Studies of hydrogen/deuterium exchange of monodeuteriophenol in fused-silica capillary columns using gas chromatography-mass spectrometry 719(1996)474

Monosaccharides

see also Saccharides

Determination of marine monosaccharides by high-pH anion-exchange chromatography with pulsed amperometric detection 718(1995)283

High-performance liquid chromatographic separation of carbohydrates on graphitized carbon columns 720(1996)119

On-column isomerization of sugars during high-performance liquid chromatography: analysis of the elution profile 720(1996)167

Identification of monosaccharides and related compounds by gas chromatography-Fourier transform infrared spectroscopy of their trimethylsilyl ethers 721(1996)165

Efficient capillary zone electrophoretic separation of woodderived neutral and acidic mono- and oligosaccharides 738(1996)129

Monostearin

Rapid, quantitative determination of polar compounds in fats and oils by solid-phase extraction and size-exclusion chromatography using monostearin as internal standard 749(1996)55

Monoterpenes

Improved method for computing temperature programmed retention indices from isothermal data 725(1996)343

Monoterpenoids

Systematic analysis of glucoiridoids from *Penstemon serrulatus* Menz. by high-performance liquid chromatography with precolumn solid-phase extraction 725(1996)177

Morphine

Determination of morphine and related alkaloids in crude morphine, poppy straw and opium preparations by micellar electrokinetic capillary chromatography 718(1995)217

Determination of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human serum by solid-phase extraction and liquid chromatography-mass spectrometry with electrospray ionisation 729(1996)279

Determination of morphine analogues, caffeine and amphetamine in biological fluids by capillary electrophoresis with the marker technique 735(1996)439

Determination of phase II drug metabolites in equine urine by micellar electrokinetic capillary chromatography 745(1996)155

Morphine analogues

Separation of basic drugs with non-aqueous capillary electrophoresis 738(1996)141

Morphine glucuronide

Determination of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human serum by solid-phase extraction and liquid chromatography-mass spectrometry with electrospray ionisation 729(1996)279

Morpholine

Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257

Muhuterol

Rapid analysis of β -agonists in urine by thermospray tandem mass spectrometry 712(1995)67

Mupirocin

High-performance liquid chromatographic analysis of mupirocin in polyethylene glycols 400 and 3350 using dual ultraviolet and evaporative light scattering detection 732(1996)399

Muramic acid

Recent progress in the analysis of sugar monomers from complex matrices using chromatography in conjunction with mass spectrometry or stand-alone tandem mass spectrometry 720(1996)51

New, stable halogenated derivative suitable for the gas chromatographic determination of muramic acid 726(1996)246

Muricholic acids

Capillary gas-liquid chromatography of 6-hydroxylated bile acids 704(1995)228

Muscarinic ligands

Chiral separation of muscarinic antagonists by capillary zone electrophoresis with cyclodextrin additives 741(1996)287

Mycotoxins

see also Toxins

Micellar electrokinetic capillary chromatography of fungal metabolites. Resolution optimized by experimental design 721(1996)337

Simple and sensitive high-performance liquid chromatography-fluorescence method for the determination of citrinin.

Application to the analysis of fungal cultures and cheese extracts 723(1996)69

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium 727(1996)185

Rapid reversed-phase liquid chromatographic determination of patulin in apple juice 730(1996)53

Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69

Determination of alternariol and alternariol methyl ether in apple juice using solid-phase extraction and high-performance liquid chromatography 731(1996)109

Determination of the mycotoxin moniliformin in cereals by high-performance liquid chromatography and fluorescence detection 732(1996)291

Determination of the *Fusarium* mycotoxin beauvericin at $\mu g/kg$ levels in corn by high-performance liquid chromatography with diode-array detection 746(1996)233

Myoglobin

Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis 715(1995)167

Analysis of protein fractions by micropreparative capillary isoelectric focusing and matrix-assisted laser desorption time-of-flight mass spectrometry 716(1995)157

Multiple-plug binding assays using affinity capillary electrophoresis 727(1996)291

Automated instrumentation for miniaturized displacement electrophoresis with on-column photometric detection 730(1996)261

High-sensitivity peptide mapping using packed-capillary liquid chromatography and electrospray ionization mass spectrometry 743(1996)99

Separation of myoglobin molecular mass markers using non-gel sieving capillary electrophoresis 744(1996)249

Myosmine

Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131

Myo-inositol phosphate

Enantioseparation in the synthesis of myo-inositol phosphates by high-performance liquid chromatography using a β -cyclodextrinbonded column 749(1996)25



Naphthalenes

Double-chain surfactants with two sulfonate groups as micelleforming reagents in micellar electrokinetic chromatography of naphthalene derivatives 715(1995)135

Polymer-supported pseudo-stationary phase for electrokinetic chromatography. Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers 716(1995)57

Determination of critical micelle concentration by capillary electrophoresis. Theoretical approach and validation 718(1995)167

Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis 721(1996)173

Intra-particle sorption rate and liquid chromatographic bandbroadening in porous polymer packings. II. Slow sorption rate on a microparticle packing 726(1996)25

Effects of high-frequency electromagnetic treatment on the solid-phase extraction of aqueous benzene, naphthalene and phenol 731(1996)65

On-line preconcentration and separation of neutral and charged aromatic compounds by ion interaction chromatography 739(1996)63

Determination of critical micelle concentration by capillary electrophoresis 743(1996)307

Coupling of high-performance liquid chromatography with Raman spectrometry 743(1996)323

Naphthalenesulfonic acid, formaldehyde polymer

Capillary electrophoretic analysis of the sodium salt of naphthalenesulfonic acid, formaldehyde polymer in waste water using a polyethylene glycol-coated capillary 717(1995)363

Naphthalenesulphonates

Methods of analysis of polar aromatic sulfonates from aquatic environments 733(1996)473

Naphthols

Peak splitting observed during capillary electrophoresis of α - and β -naphthols in borate buffer 745(1996)225

Naphthoquinones

High-performance liquid chromatographic separation of some naturally occurring naphthoquinones and anthraquinones 723(1996)206

Naphthoquinone sulfonate

Chromatographic determination of amino acids by pre-column derivatization using 1,2-naphthoquinone-4-sulfonate as reagent 740(1996)21

1-Naphthylamine

Micellar electrokinetic chromatography—mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Naproxen

Modification of a tunable UV-visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147

Chloroformates and isothiocyanates derived from 2-arylpropionic acids as chiral reagents: synthetic routes and chromatographic behaviour of the derivatives 725(1996)323

Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. I. Influence of the degree of fixation on selectivity 728(1996)407

Improved chiral stationary phase derived from (S)-naproxen for the liquid chromatographic resolution of enantiomers 732(1996)209

Natural products

Planar chromatography coupled with spectroscopic techniques 703(1995)613

Nebivolol

Location of the hydroxyl functions in hydroxylated metabolites of nebivolol in different animal species and human subjects as determined by on-line high-performance liquid chromatography-diode-array detection 729(1996)341

Neomycin sulfate

Determination of neomycin sulfate by liquid chromatography with pulsed electrochemical detection 741(1996)233

Neu differentiation factor

Detection of neu differentiation factor with a biospecific affinity sensor during chromatography 705(1995)163

Neuraminic acid

Analysis of oligo- and poly-N-acetylneuraminic acids and their lactones by capillary electrophoresis 741(1996)295

Neuraminidase

Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195

Neuraminyllactose

Analysis of the 9-fluorenylmethoxycarbonyl hydrazide labelling of neutral and sialic acid-containing oligosaccharides by reversed-phase high-performance liquid chromatography 728(1996)343

Neuropeptide Y

Investigation of crudes of synthesis of neuropeptide Y by highperformance liquid chromatography-electrospray mass spectrometry 715(1995)227

Neurotransmitters

Reference values of neuroactive amino acids in the cerebrospinal fluid by high-performance liquid chromatography with electrochemical and fluorescence detection 729(1996)181

New Coccine

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Niacin derivatives

Migration behavior of niacin derivatives in capillary electrophoresis 718(1995)233

Nickel

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenebis(salicylaldimine) as complexing reagent 740(1996)296

Nickel chelates

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Niclosamide

Simple, robust and accurate high-performance liquid chromatography method for the analysis of several anthelmintics in veterinary formulations 729(1996)267

Nicotine

Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131

Liquid chromatographic method for the determination of nicotine in pharmaceutical formulations 749(1996)81

Nicotinic acid

High-performance liquid chromatographic and capillary electrophoretic determination of free nicotinic acid in human plasma and separation of its metabolites by capillary electrophoresis 709(1995)203

Migration behavior of niacin derivatives in capillary electrophoresis 718(1995)233

Nimodipine

Enantiospecific determination of nimodipine in human plasma by liquid chromatography-tandem mass spectrometry 712(1995)45

Nisin

Studies of the degradation products of nisin, a peptide antibiotic, using capillary electrophoresis with off-line mass spectrometry 735(1996)375

Nitramines

High-performance liquid chromatographic analysis with electrochemical detection for residues of explosives in water samples around a former ammunition plant 730(1996)161

Analysis of nitramine and nitroaromatic explosives by capillary electrophoresis 745(1996)233

Nitrate

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography 706(1995)115

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Determinations of trace anions in hydrogen peroxide 706(1995)191

Determination of nitrate, phosphate and organically bound phosphorus in coral skeletons by ion chromatography 706(1995)209

Control of errors in anion chromatography applied to environmental research 706(1995)229

Ion chromatographic determination of nutrients in sea water 706(1995)277

Nitric oxide in biological fluids: analysis of nitrite and nitrate by high-performance ion chromatography 706(1995)437

Determination of nitrate and nitrite in vegetables by capillary electrophoresis with indirect detection 706(1995)479

Determination of the petroleum tracers nitrate and thiocyanate in subterranean waters by capillary ion electrophoresis 715(1995)376

Determination of thiocyanate, iodide, nitrate and nitrite in biological samples by micellar electrokinetic capillary chromatography 717(1995)409

Sensitive and selective method for direct determination of nitrite and nitrate by high-performance capillary electrophoresis 719(1996)427

High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311

Influence of the sample matrix composition on the accuracy of the ion chromatographic determination of anions 739(1996)35

Nitric oxide

Nitric oxide in biological fluids: analysis of nitrite and nitrate by high-performance ion chromatography 706(1995)437

Nitriles

Gas chromatography of Titan's atmosphere. VI. Analysis of low-molecular-mass hydrocarbons and nitriles with BPX5 capillary columns 708(1995)283

Chromatographic and related spot tests for the detection of water pollutants 733(1996)5

Gas chromatography of Titan's atmosphere 746(1996)63

Nitrilotriacetate

Ionophoretic technique for the determination of stability constants of metal-nitrilotriacetate-methionine mixed complexes 718(1995)454

Nitrilotriacetic acid

Determination of nitrilotriacetic, ethylenediaminetetraacetic and diethylenetriaminepentaacetic acids in sewage treatment plant and paper mill effluents 738(1996)91

Nitrilotriacetic acid degradation products

Capillary electrophoretic determination of degradation products of nitrilotriacetic acid used as a complexing agent in a desulphuration process 717(1995)351

Nitrito

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Determination of anions in human and animal tear fluid and blood serum by ion chromatography 706(1995)183

Determination of nitrite levels in refrigerated and frozen spinach by ion chromatography 706(1995)221

Nitric oxide in biological fluids: analysis of nitrite and nitrate by high-performance ion chromatography 706(1995)437

Determination of nitrate and nitrite in vegetables by capillary electrophoresis with indirect detection 706(1995)479

Galvanic decoupling of a postcolumn amperometric detector in capillary electrophoresis 709(1995)69

Determination of thiocyanate, iodide, nitrate and nitrite in biological samples by micellar electrokinetic capillary chromatography 717(1995)409

Sensitive and selective method for direct determination of nitrite and nitrate by high-performance capillary electrophoresis 719(1996)427

Influence of the sample matrix composition on the accuracy of the ion chromatographic determination of anions 739(1996)35

Nitroanilines

Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis 721(1996)173

Use of porous polymers in off-line preconcentration of nitrobenzenes and their reduction products from water 733(1996)491

Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71

Nitroaromatic compounds

High-performance liquid chromatographic analysis with electrochemical detection for residues of explosives in water samples around a former ammunition plant 730(1996)161

Comparison of the extraction of phenolic and nitroaromatic pollutants using supercritical and enhanced-fluidity liquid methanol-CO, mixtures 737(1996)233

Nitroaromatics

Analysis of nitramine and nitroaromatic explosives by capillary electrophoresis 745(1996)233

Nitrobenzenes

Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography 706(1995)253

Use of porous polymers in off-line preconcentration of nitrobenzenes and their reduction products from water 733(1996)491

Analysis of chloro- and nitroanilines and -benzenes in soils by headspace solid-phase microextraction 746(1996)71

Nitrobenzoic acids

Oxidative decomposition of organic water pollutants with UV-activated hydrogen peroxide. Determination of anionic products by ion chromatography 706(1995)253

Direct determination of 4-nitrobenzoyl chloride by highperformance liquid chromatography based on silanophilic interaction 710(1995)347

Polyethylene glycol monomethyl ether sulfate-based background electrolytes in capillary electrophoresis 744(1996)75

Nitrobenzo[a]pyrene

Separation of ³²P-labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon *anti*-diol-epoxides and derivatives 710(1995)149

4-Nitrobenzoyl chloride

Direct determination of 4-nitrobenzoyl chloride by highperformance liquid chromatography based on silanophilic interaction 710(1995)347

Nitro compounds

Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123

Nitrofurantoin

Sensitive determination of nitrofurantoin in human plasma and urine by high-performance liquid chromatography 729(1996)251

Nitrogen-containing compounds

Optimization of electron-capture detector when using packedcolumn supercritical fluid chromatography with modified carbon dioxide 723(1996)361

Nitrogen oxides

Ion chromatographic determination of nitrogen monoxide and nitrogen dioxide after collection in absorption bottles 739(1996)301

Nitroglycerin

Analysis of nitramine and nitroaromatic explosives by capillary electrophoresis 745(1996)233

Nitroimidazoles

High-performance thin-layer chromatographic method for the fluorescence detection of three nitroimidazole residues in pork and poultry tissue 737(1996)343

2-Nitro-1-naphthol

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

o-Nitrophenol

Improved reproducibility in capillary electrophoresis through the use of mobility and migration time ratios 735(1996)209

Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis 721(1996)173

High-performance liquid chromatographic analysis with electrochemical detection for residues of explosives in water samples around a former ammunition plant 730(1996)161

Direct on-column derivatisation in gas chromatography 738(1996)43

Direct on-column derivatisation in gas chromatography 738(1996)57

Separation of positional and structural isomers by cyclodextrinmediated capillary zone electrophoresis 745(1996)9

p-Nitrophenyl-α-p-galactopyranoside

Optimization of hapten-protein conjugation by highperformance capillary electrophoresis 717(1995)75

Nitro-polynuclear aromatic hydrocarbons

Application of chromatographic studies of air pollution in China 710(1995)21

Nitrosamines

Selective determination of volatile N-nitrosamines by derivatization with diethyl chlorothiophosphate and gas chromatography with flame photometric detection 723(1996)93

Analysis of N-nitrosamines by high-performance liquid chromatography with post-column photohydrolysis and colorimetric detection 727(1996)83

Derivatization reactions for the determination of amines by gas chromatography and their applications in environmental analysis 733(1996)19

N-Nitrosodiethanolamine

Determination of N-nitrosodiethanolamine as nitrite in ethanolamine derivative raw materials by high-performance liquid chromatography with fluorescence detection after alkaline denitrosation 721(1996)75

N-Nitrosodimethylamine

Determination of N-nitrosodimethylamine in beer by gas chromatography-stable isotope dilution chemical ionization mass spectrometry 708(1995)303

Nitrotoluenes

Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier 716(1995)81

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Feasibility of supercritical fluid chromatographychemiluminescent nitrogen detection with open tubular columns 734(1996)303

Nitroxylenes

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Non-ionic surfactants

Polar organic pollutants in the Elbe river. Liquid chromatographic-mass spectrometric and flow-injection analysis-mass spectrometric analyses demonstrating changes in quality and concentration during the unification process in Germany 712(1995)123

Non-steroidal anti-inflammatory drugs

Detection of non-steroidal anti-inflammatory drugs in equine plasma and urine by gas chromatography-mass spectrometry 719(1996)251

Determination of phase II drug metabolites in equine urine by micellar electrokinetic capillary chromatography 745(1996)155

Nonylphenol

Separation of structural homologues of alkylphenols and isomers of 4-nonylphenol by cyclodextrin-modified micellar electrokinetic chromatography 749(1996)227

Nonyiphenol ethoxylates

Polar organic pollutants in the Elbe river. Liquid chromatographic-mass spectrometric and flow-injection analysis-mass spectrometric analyses demonstrating changes in quality and concentration during the unification process in Germany 712(1995)123

Separation of broadly distributed nonylphenol ethoxylates and determination of ethylene oxide oligomers in textile lubricants and emulsions by high-performance liquid chromatography 731(1996)161

Nonylphenol polyethoxylates

Chromatographic determination of non-ionic aliphatic surfactants of the alcohol polyethoxylate type in the environment (Review) 733(1996)193

Nonylphenylethylene oxide oligomers

Reversed-phase chromatographic study of the interaction of nonionic surfactants with sodium dodecyl sulfate 722(1996)33

Norbixins

High-performance liquid chromatographic separation of carminic acid, α - and β -bixin, and α - and β -norbixin, and the determination of carminic acid in foods 732(1996)394

Norepinephrine

Study of a new solid carbon paste tyrosinase-modified amperometric biosensor for the determination of catecholamines by high-performance liquid chromatography 727(1996)47

Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis 744(1996)17

Norethandrolone

Comparison of the possibilities of gas chromatography-mass spectrometry and tandem mass spectrometry systems for the analysis of anabolics in biological material 750(1996)105

Norethisterone acetate

Quantitative determination of norethisterone acetate in human plasma by capillary gas chromatography with mass-selective detection 750(1996)75

Norharmane

Integrated derivatization–chemiluminescence detection system for the determination of β -carboline alkaloids by high-performance liquid chromatography 749(1996)73

Norleucine

Isocratic high-performance liquid chromatographic determination of tryptophan in infant formulas 721(1996)83

Nornicotine

Evaluation of micellar electrokinetic capillary chromatography for the analysis of selected tobacco alkaloids 746(1996)131

Norpseudoephedrine

Fluorimetric method of analysis for p-norpseudoephedrine hydrochloride, glycine and p-glutamic acid by reversed-phase high-performance liquid chromatography 729(1996)287

Norverapamil

Chiral separation of verapamil and related compounds using micellar electrokinetic capillary chromatography with mixed micelles of bile salt and polyoxyethylene ethers 723(1996)179

Automated determination of verapamil and norverapamil in human plasma with on-line coupling of dialysis to highperformance liquid chromatography and fluorometric detection 750(1996)351

Nuclease

Capillary electrophoresis of S. nuclease mutants 705(1995)135

Nucleic acid bases

Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333

Nucleosides

New stationary phases for the high-performance liquid chromatographic separation of nucleosides and cyclic nucleotides 728(1996)201

Effect of the eluent pH on the thermospray molecular ion intensity of nucleosides 734(1996)271

Nucleotides

see also Special Issue Index

Separation of ³²P-labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon *anti*-diol-epoxides and derivatives 710(1995)149

Determination of cytidine 5'-monophospho-N-acetylneuraminic acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223

Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197

Separation of twenty isomers of ribonucleotides and deoxyribonucleotides by reversed-phase ion-pairing high-performance liquid chromatography 732(1996)271

Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating 741(1996)115

Capillary electrophoresis of oligonucleotides using a replaceable sieving buffer with low viscosity-grade hydroxyethyl cellulose 742(1996)267

Analysis of the reaction products of N-(O,O-diisopropyl)phosphorylthreonine with uridine by capillary zone electrophoresis with diode array detection and capillary electrophoresis—mass spectrometry 745(1996)263

Nucleotides, cyclic

New stationary phases for the high-performance liquid chromatographic separation of nucleosides and cyclic nucleotides 728(1996)201



Ochratoxin A

Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium 727(1996)185

Octadecane

Design and optimization of a novel type nitrogen-phosphorus detector for capillary gas chromatography 732(1996)51

Octaoxyethylenedodecanol

Micellar electrokinetic chromatography-mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Ofloxacin

Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303

Oils, vegetable

Gel permeation chromatographic method for monitoring the transesterification reaction in a two-step chemoenzymatic synthesis of urethane oil based on vegetable oils 718(1995)299

Okadaic acid

Liquid chromatographic determination of okadaic acid and dinophysistoxin-1 in shellfish after derivatization with 9-chloromethylanthracene 721(1996)359

Fluorimetric determination of diarrhetic shellfish toxins in scallops and mussels by high-performance liquid chromatography 729(1996)381

Automatic high-performance liquid chromatographic method for the determination of diarrhetic shellfish poison 729(1996)387

Olefins

Chemically bonded chelates as selective complexing sorbents for gas chromatography. IV. Silica surfaces modified with Co(II) and Ni(II) complexes 723(1996)313

Oleuropeins

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Oligoalanines

Self-consistent framework for standardising mobilities in free solution capillary electrophoresis: applications to oligoglycines and oligoalanines 741(1996)99

Oligodeoxyribonucleotides

Fractals for multicyclic synthesis conditions of biopolymers 739(1996)431

Base composition analysis of phosphorothioate oligomers by capillary gel electrophoresis 744(1996)341

Oligoethylene glycol nonylphenyl ethers

Chromatographic behaviour of oligoethylene glycol nonylphenyl ether anionic surfactants in normal-phase high-performance liquid chromatography 736(1996)131

Oligoglycines

Self-consistent framework for standardising mobilities in free solution capillary electrophoresis: applications to oligoglycines and oligoalanines 741(1996)99

Perfluorinated acid alternatives to trifluoroacetic acid for reversed-phase high-performance liquid chromatography 746(1996)277

Oligomers

 $Two-stage\ resolution\ of\ mixtures\ by\ supercritical\ fluid\ chromatography \qquad 722(1996)317$

Oligonucleotides

Efficiency of chemical oligonucleotide synthesis evaluated by ion-exchange high-performance liquid chromatography 706(1995)405

Stability measurements of antisense oligonucleotides by capillary gel electrophoresis 709(1995)181

Salt-induced immobilizations of DNA oligonucleotides on an epoxide-activated high-performance liquid chromatographic affinity support 726(1996)77

Analysis of ligase chain reaction products amplified in a silicon-glass chip using capillary electrophoresis 732(1996)151

Analysis of modified oligonucleotides by capillary electrophoresis in a polyvinylpyrrolidone matrix coupled with electrospray mass spectrometry 732(1996)159

Capillary gel electrophoresis and antisense therapeutics (Review) 735(1996)191

Fractals for multicyclic synthesis conditions of biopolymers 739(1996)431

Capillary electrophoresis of oligonucleotides using a replaceable sieving buffer with low viscosity-grade hydroxyethyl cellulose 742(1996)267

Oligonucleotide analysis by capillary polymer sieving electrophoresis using acryloylaminoethoxyethanol-coated capillaries 744(1996)347

Oligophosphates

Analysis of isoprenoid phosphates and oligophosphates by capillary zone electrophoresis 737(1996)325

Oligoribonucleotides

Fractals for multicyclic synthesis conditions of biopolymers 739(1996)431

Oligosaccharides

see also Saccharides

Purification of preparative quantities of group B Streptococcus type III oligosaccharides 705(1995)363

Contribution of high-performance liquid chromatographic analysis of carbohydrates to authenticity testing of honey 706(1995)353

Concentration dependence of the distribution coefficient of maltooligosaccharides on a cation-exchange resin 708(1995)177

Separation and detection of 4-hexadecylaniline maltooligosaccharide derivatives with packed capillary liquid chromatography-frit fast atom bombardment-mass spectrometry 712(1995)149

Analysis by capillary electrophoresis-laser-induced fluorescence detection of oligosaccharides produced from enzyme reactions 716(1995)215

Separation of 8-aminonaphthalene-1,3,6-trisulfonic acid-labelled neutral and sialylated N-linked complex oligosaccharides by capillary electrophoresis 716(1995)241

Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195

Determination of β -(1-3),(1-4)-p-glucans in barley by reversed-phase high-performance liquid chromatography 718(1995)291

Improved method for the analysis of α -galactosides in pea seeds by capillary zone electrophoresis. Comparison with high-performance liquid chromatography-triple-pulsed amperometric detection 719(1996)213

Carbohydrate analyses with high-performance anion-exchange chromatography 720(1996)137

Precolumn derivatization for chromatographic and electrophoretic analyses of carbohydrates 720(1996)173

Enzymatic release of oligosaccharides from glycoproteins for chromatographic and electrophoretic analysis 720(1996)201

Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides 720(1996)227

Preparative purification of tyrosinamide N-linked oligosaccharides 720(1996)235

Fractionation of glycoprotein-derived oligosaccharides by affinity chromatography using immobilized lectin columns 720(1996)251

Oligosaccharide sequencing based on exo- and endoglycosidase digestion and liquid chromatographic analysis of the products 720(1996)263

High-performance liquid chromatographic analysis of glycosaminoglycan-derived oligosaccharides 720(1996)275

Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295

Separation of negatively charged carbohydrates by capillary electrophoresis 720(1996)323

Analysis of glycoproteins, glycopeptides and glycoproteinderived oligosaccharides by high-performance capillary electrophoresis 720(1996)377

Multi-dimensional mapping of pyridylamine-labeled N-linked oligosaccharides by capillary electrophoresis 720(1996)395

Matrix-assisted laser desorption/ionisation mass spectrometry of oligosaccharides and glycoconjugates 720(1996)429

On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165

Analysis of the 9-fluorenylmethoxycarbonyl hydrazide labelling of neutral and sialic acid-containing oligosaccharides by reversed-phase high-performance liquid chromatography 728(1996)343

High-performance liquid chromatographic analysis of hexosamines, hexosaminitols, N-acetylhexosamines and N-acetylhexosaminitols by ultraviolet and fluorescence detection at picomole levels 730(1996)107

Efficient capillary zone electrophoretic separation of woodderived neutral and acidic mono- and oligosaccharides 738(1996)129

Reductive amination of N-linked oligosaccharides using organic acid catalysts 745(1996)273

Capillary electrophoretic examination of underivatized oligosaccharide mixtures released from immunoglobulin G antibodies and CTLA4Ig fusion protein 749(1996)237

Oligosaccharides, N-linked

Three-dimensional mapping of N-linked oligosaccharides using anion-exchange, hydrophobic and hydrophilic interaction modes of high-performance liquid chromatography 720(1996)217

Opioid peptides

Capillary zone electrophoresis at subzero temperatures. I. Separation of the *cis* and *trans* conformers of small peptides 716(1995)167

Organic acids

see also Acids, Carboxylic acids and Fatty acids

On-line dialysis with high-performance liquid chromatography for the automated preparation and analysis of sugars and organic acids in foods and beverages 705(1995)195

Simultaneous determination of small organic and inorganic anions in environmental water samples by ion-exchange chromatography 706(1995)259

Determination of some organic acids in sugar factory products 706(1995)375

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Capillary zone electrophoresis of organic acids in serum of critically ill children 716(1995)269

Capillary electrophoretic determination of organic acids with indirect detection 716(1995)291

Capillary zone electrophoresis in organic solvents: separation of anions in methanolic buffer solutions 716(1995)303

Capillary electrophoresis of inorganic anions and organic acids using suppressed conductivity detection. Strategies for selectivity control 717(1995)371

Multifunctional ion-exchange stationary phases for highperformance liquid chromatography 722(1996)87 Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27

Prefractionation of aroma extracts from fat-containing food by high-performance size-exclusion chromatography 729(1996)371

High-performance liquid chromatographic separation of some 2and 4-hydroxy derivatives of 2'-benzoylbenzoic acid on Florisil and silica gel columns 730(1996)195

Simple removal of humic and fulvic acid interferences using polymeric sorbents for the simultaneous solid-phase extraction of polar acidic, neutral and basic pesticides 737(1996)25

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Determination of organic acids in industrial streams by ion chromatography after solid-phase extraction 739(1996)273

High-performance liquid chromatographic characterization of dissolved organic matter from low-level radioactive waste leachates 739(1996)281

Determination of inorganic and organic ions in nickel-plating baths by capillary electrophoresis 739(1996)413

Change of pH in electrophoretic zones as a cause of peak deformation 742(1996)211

Selectivity, differential mobility and resolution as parameters to optimize capillary electrophoretic separation 744(1996)115

Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123

Separation of organic acids by capillary zone electrophoresis in buffers containing divalent metal cations 745(1996)93

Determination of acidity constants of monoprotic and diprotic acids by capillary electrophoresis 745(1996)117

Determination of 2-keto-L-gulonic, 2-keto-D-gluconic and 2,5-diketo-D-gluconic acids by capillary zone electrophoresis 745(1996)249

Reductive amination of N-linked oligosaccharides using organic acid catalysts 745(1996)273

Organic amino compounds

Cation analysis on a new poly(butadiene-maleic acid)-based column 706(1995)99

Organic bases

Multifunctional ion-exchange stationary phases for highperformance liquid chromatography 722(1996)87

Organic cations

Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis 736(1996)265

Organic modifiers

Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography. Enhanced separation of corticosteroids 738(1996)275

Organic pollutants

Carbon sorbents and their utilization for the preconcentration of organic pollutants in environmental samples 707(1995)145

Hyphenated techniques for characterizing coal wastewaters and associated sediments 750(1996)287

Organochlorides

Characterization of organic micropollutants in the River Cinca (Spain) by using granular activated carbon and liquid-liquid extraction 733(1996)159

Organochlorine compounds

see also Halocarbons and Organohalogen compounds

Steam distillation-solvent extraction, a selective sample enrichment technique for the gas chromatographic- electron-capture detection of organochlorine compounds in milk powder and other milk products 712(1995)355

Analysis of organochlorine pesticides using solid-phase microextraction 723(1996)111

Enantioselective analysis of chiral polychlorinated biphenyls in sediment samples by multidimensional gas chromatography-electron-capture detection after steam distillation-solvent extraction and sulfur removal 723(1996)399

Comparison of the performance of solid-phase extraction techniques in recovering organophosphorus and organochlorine compounds from water 725(1996)93

Determination of organochlorine pesticides in water by membranous solid-phase extraction, and in sediment by microwave-assisted solvent extraction with gas chromatography and electron-capture and mass spectrometric detection 736(1996)211

Development of a prototype system for quasi-continuous analysis of organic contaminants in surface or sewage water based on in-line coupling of solid-phase microextraction to gas chromatography 737(1996)59

Simultaneous determination of chlorophenols, chlorobenzenes and chlorobenzoates in microbial solutions using pentafluorobenzylbromide derivatization and analysis by gas chromatography with electron-capture detection 749(1996)165

Organogermanium compounds

Optimization study for the speciation analysis of organotin and organogermanium compounds by on-column capillary gas chromatography with flame photometric detection using quartz surface-induced luminescence 727(1996)119

Organohalogen compounds

Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171

Methods of isolation and determination of volatile organohalogen compounds in natural and treated waters 733(1996)417

Organolead compounds

Improvement of quality control of speciation analysis using hyphenated techniques 750(1996)25

Organomercury compounds

Improvement of quality control of speciation analysis using hyphenated techniques 750(1996)25

Organometallic compounds

Characterization of chromium-carbene complexes by highperformance liquid chromatography-mass spectrometry with particle beam interface 730(1996)231

Capillary electrophoresis of methylmercury with injection by sample stacking 730(1996)345

Organophosphate surfactants

Capillary electrophoresis of phosphate ester surfactants with adenosine monophosphate and indirect photometric detection 737(1996)315

Organophosphorus compounds

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Determination of phosphorus by sample combustion followed by non-suppressed ion chromatography 706(1995)199

Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210

Comparison of the performance of solid-phase extraction techniques in recovering organophosphorus and organochlorine compounds from water 725(1996)93

Analysis of organophosphorus insecticides from environmental samples using solid-phase microextraction 736(1996)219

Automated sample preparation with extraction columns followed by liquid chromatography-ionspray mass spectrometry.

Interferences, determination and degradation of polar organophosphorus pesticides in water samples 737(1996)47

Decay study of pesticide residues in apple samples 740(1996)146

Automated at-line solid-phase extraction—gas chromatographic analysis of micropollutants in water using the PrepStation 750(1996)161

Automated on-line gel permeation chromatography-gas chromatography for the determination of organophosphorus pesticides in olive oil 750(1996)275

Organotin compounds

Determination of triorganotin compounds by ion chromatography and capillary electrophoresis with preconcentration using solid-phase extraction 718(1995)329

Optimization study for the speciation analysis of organotin and organogermanium compounds by on-column capillary gas chromatography with flame photometric detection using quartz surface-induced luminescence 727(1996)119

Capillary electrophoresis of triorganotin compounds with indirect fluorescence detection 746(1996)269

Improvement of quality control of speciation analysis using hyphenated techniques (Review) 750(1996)25

Determination of butyl- and phenyltin compounds in biological material by gas chromatography-flame photometric detection after ethylation with sodium tetraethylborate 750(1996)317

Orphenadrine

Flash chiral chromatography with cellulose tris(3.5-dimethylphenylcarbamate)-coated phases 728(1996)195

Ovalbumin

Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis 715(1995)167

Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis 719(1996)159

Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis-electrospray mass spectrometry 720(1996)409

Countercurrent chromatographic analysis of ovalbumin obtained from various sources using the cross-axis coil planet centrifuge 724(1996)179

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)169

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)185

Ovomucoid

Affinity chromatography of trypsin using chitosan as ligand support 742(1996)107

Oxalate

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Quantitative determination of oxalate in Bayer liquor by capillary zone electrophoresis 739(1996)399

Oxalic acid

Improved statistical analysis of ion chromatography data from acids for aluminum anodizing solutions 739(1996)163

Oxazepam

Suppression of chiral recognition of 3-hydroxy-1,4-benzodiazepines during micellar electrokinetic capillary chromatography with bile salts 704(1995)238

Determination of enantiomerization barriers by computer simulation of experimental elution profiles obtained by high-performance liquid chromatography on a chiral stationary phase 731(1996)315

Oxazine

Application of an avalanche photodiode in a near-Geiger operation as a fluorescence detector for capillary electrophoresis 744(1996)31

Oxazine-1

Simple double-beam absorption detection systems for capillary electrophoresis based on diode lasers and light-emitting diodes 718(1995)177

Oxoacids

Analysis of halides, oxyhalides and metal oxoacids by capillary electrophoresis with suppressed electroosmotic flow 718(1995)421

Oxothioarsenates

Separation of thio- and oxothioarsenates by capillary zone electrophoresis and ion chromatography 736(1996)341

Oxyclozanide

Simple, robust and accurate high-performance liquid chromatography method for the analysis of several anthelmintics in veterinary formulations 729(1996)267

Oxyhalides

Analysis of halides, oxyhalides and metal oxoacids by capillary electrophoresis with suppressed electroosmotic flow 718(1995)421

Oxysterols

Comparison of three methods for the determination of oxysterols in spray-dried egg 705(1995)289

Adsorption of oxysterols on different microtube materials during silanyzation prior to gas chromatographic determination 705(1995)396

Oxytocin antagonists

High-performance, purity-indicating liquid chromatographic method for the oxytocin antagonist, L-368,899 731(1996)331

Ozone

New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6trichlorophenylhydrazine 740(1996)71



Paclitaxel

Supercritical fluid chromatography of paclitaxel 721(1996)315

Determination of paclitaxel in biological fluids by micellar electrokinetic chromatography 745(1996)173

Palladium

Separation of Pd(II) and Cu(II) in chloride solutions on a glycol methacrylate gel derivatized with 8-hydroxyquinoline 706(1995)159

Determination of chloride complex of Au(III) by capillary zone electrophoresis with direct UV detection 718(1995)227

Palladium(II) chloro complex

Determination of palladium(II) as a chloro complex by capillary zone electrophoresis 704(1995)242

Palmatine

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Papain

S-Pegylthiopapain, a versatile intermediate for the preparation of the fully active form of the cysteine proteinase archetype 724(1996)185

Paracetamol

see also Acetaminophen

Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355

Rational experimental design for bioanalytical methods validation. Illustration using an assay method for total captopril in plasma 730(1996)381

Paraffins

Characterization of technical waxes 732(1996)111

Paraguat

Influence of organic matter and surfactants on solid-phase extraction of diquat, paraquat and difenzoquat from waters 727(1996)245

On-line liquid chromatographic trace enrichment and highperformance liquid chromatographic determination of diquat, paraquat and difenzoquat in water 728(1996)325

Paraxon

Toxicological evaluation of harmful substances by in situ enzymatic and biological detection in high-performance thin-layer chromatography 750(1996)403

Particles, inorganic

Characterization and separation of inorganic fine particles by capillary electrophoresis with an indifferent electrolyte system 732(1996)377

Patulin

Rapid reversed-phase liquid chromatographic determination of patulin in apple juice 730(1996)53

Pavine N-oxides

Reversed-phase high-performance liquid chromatographic separation of epimeric alkaloid N-oxides from *Thalictrum simplex* L 730(1996)63

S-Pegylthiopapain

S-Pegylthiopapain, a versatile intermediate for the preparation of the fully active form of the cysteine proteinase archetype 724(1996)185

Peltatins

Analysis of aryltetrahydronaphthalene lignans and their glucoside conjugates in podophyllin resin by high-performance liquid chromatography 722(1996)267

Penicillamine

Endogenous alkaloids in man. XXI. Analysis of glyoxylatederived 1,3-thiazolidines and their precursors after trimethylsilylation by gas chromatography-mass spectrometry 707(1995)267

Penicillins

High-performance liquid chromatographic determination of penicillins by means of automated solid-phase extraction and photochemical degradation with electrochemical detection 729(1996)229

Pentachlorophenol

Determination of pentachlorophenol in leather using supercritical fluid extraction with in situ derivatization 718(1995)131

Determination of pentachlorophenol in water samples by capillary zone electrophoresis 733(1996)395

Pentacosanoic acid methyl ester

Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction-supercritical fluid chromatography-flame ionization detection 734(1996)311

Pentaerythritol

Analysis of nitramine and nitroaromatic explosives by capillary electrophoresis 745(1996)233

Pentafluoroethane

All-metal collection system for preparative-scale gas chromatography. Purification of low-boiling-point compounds 702(1995)243

Pentamidine isethionate

Gel electrophoretic analysis of cellular and secreted proteins from resting and activated rat alveolar macrophages treated with pentamidine isethionate 711(1995)331

Pentane

Computer program for simulating the performance of thick-bed diffusive samplers: predicted and experimental sample loss due to reversible adsorption 709(1995)283

Method development for trace analysis of heteroaromatic compounds in contaminated groundwater 738(1996)295

Pepsin

Separation of enantiomers on a pepsin-bonded column 708(1995)161

Peptide antibiotics

Liquid chromatographic determination of D- and L-amino acids by derivatization with o-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201

Peptide conformers

Isolation and identification of peptide conformers by reversedphase high-performance liquid chromatography and NMR at low temperature 729(1996)155

Peptides

see also Special Issue Index

Separation of peptide derivatives by pH-zone-refining countercurrent chromatography 702(1995)197

Separation and purification of peptides by high-speed countercurrent chromatography 702(1995)207

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Isolation of low-molecular-mass hydrophobic bitter peptides in soybean protein hydrolysates by reversed-phase high-performance liquid chromatography 704(1995)113

High-speed high-performance liquid chromatography of peptides and proteins 705(1995)3

Optimization of a modified electrode for the sensitive and selective detection of α -dipeptides 705(1995)171

Chromatographic behaviour of opioid peptides containing β -methylphenylalanine isomers 705(1995)267

Electrochromatographic separation of proteins 707(1995)69

Peptide chiral purity determination: hydrolysis in deuterated acid, derivatization with Marfey's reagent and analysis using high-performance liquid chromatography-electrospray ionization-mass spectrometry 707(1995)233

Evaluation of solid-phase extraction procedures in peptide analysis 708(1995)209

Heterogeneity of the bovine κ -casein caseinomacropeptide, resolved by liquid chromatography on-line with electrospray ionization mass spectrometry 708(1995)223

Diode laser-induced fluorescence detection in capillary electrophoresis after pre-column derivatization of amino acids and small peptides 708(1995)309

Performance of a physically adsorbed high-molecular-mass polyethyleneimine layer as coating for the separation of basic proteins and peptides by capillary electrophoresis 708(1995)356

Capillary electrophoresis device with double UV detection and its application to the determination of effective mobilities of peptides 709(1995)31

Capillary zone electrophoretic separation of the enantiomers of dipeptides based on host-guest complexation with a chiral crown ether 709(1995)81

Selection of peptides with surface affinity for α -chymotrypsin using a phage display library 711(1995)119

High-performance liquid chromatographic purification of extremely hydrophobic peptides: transmembrane segments 711(1995)181

Application of a new atmospheric pressure ionization source for double focusing sector instruments 712(1995)3

Determination of an endothelin receptor antagonist in human plasma by narrow-bore liquid chromatography and ionspray tandem mass spectrometry 712(1995)75

Liquid chromatographic-mass spectrometric studies on the enzymatic degradation of β -endorphin by endothelial cells 712(1995)169

Optimization of conditions for the analysis of a peptide mixture and a tryptic digest of cytochrome c by capillary electrophoresis-electrospray-ionization mass spectrometry with an improved liquid-sheath probe 712(1995)245

Mass spectral analyses of microcystins from toxic cyanobacteria using on-line chromatographic and electrophoretic separations 712(1995)253

Investigation of crudes of synthesis of neuropeptide Y by highperformance liquid chromatography-electrospray mass spectrometry 715(1995)227

Capillary zone electrophoresis at subzero temperatures. I. Separation of the *cis* and *trans* conformers of small peptides 716(1995)167

Inhibition of dipeptidyl peptidase IV (DP IV) by anti-DP IV antibodies and non-substrate X-X-Pro- oligopeptides ascertained by capillary electrophoresis 716(1995)355

Evaluation of an optically active crown ether for the chiral separation of di- and tripeptides 716(1995)371

Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195

Use of capillary zone electrophoresis in an investigation of peptide uptake by dairy starter bacteria 718(1995)211

Reversed-phase high-performance liquid chromatography coupled with second-order derivative spectroscopy for the quantitation of aromatic amino acids in peptides: application to hemorphins 723(1996)35

Isolation of haemorphin-related peptides from filter membranes collected in connection with haemofiltration of human subjects 723(1996)43

Purification of cysteine-containing synthetic peptides via selective binding of the α -amino group to immobilised Cu²⁺ and Ni²⁺ ions 723(1996)51

Separation of small cationic bioactive peptides by strong ionexchange chromatography 724(1996)137

Electrochemical activity of 6-aminoquinolyl urea derivatives of amino acids and peptides. Application to high-performance liquid chromatography with electrochemical detection 724(1996)147

Hydrophilic interaction chromatography on amino-silica phases complements reversed-phase high-performance liquid chromatography and capillary electrophoresis for peptide analysis 724(1996)378

Solvatochromic parameter values and pH in acetonitrile—water mixtures. Optimization of mobile phase for the separation of peptides by high-performance liquid chromatography 725(1996)249

Chromatographic purification and characterization of synthetic tryptophan-substituted gramicidin A analogues 725(1996)315

Improved peptide mapping using phytic acid as ion-pairing buffer additive in capillary electrophoresis 726(1996)223

Characterization of wide-pore reversed-phase columns for biopolymer separations. I. Single-parametric evaluation 728(1996)179

Reversed-phase liquid chromatography on a microspherical carbon column at high temperature 728(1996)189

Effect of mobile phase additives on peptide retention in reversed-phase chromatography with pellicular and totally porous sorbents 728(1996)225

Separation of enantiomeric β -methyl amino acids and of β -methyl amino acid containing peptides 728(1996)455

Temperature-induced changes in the bandwidth behaviour of proteins separated with cation-exchange adsorbents 729(1996)67

Rapid separation of peptides and proteins on $2-\mu m$ porous microspherical reversed-phase silica material 729(1996)81

Liquid chromatography studies on the enzymatic degradation of luteinizing hormone-releasing hormone analogues with off-line identification by mass spectrometry 729(1996)137

High-performance liquid chromatography of peptides on a microspherical carbon column 729(1996)143

Isolation and identification of peptide conformers by reversedphase high-performance liquid chromatography and NMR at low temperature 729(1996)155

Facile liquid chromatographic enantioresolution of native amino acids and peptides using a teicoplanin chiral stationary phase 731(1996)123

Capillary electrophoresis of Cheddar cheese 731(1996)305

Laboratory-scale purification of microcystins using flash chromatography and reversed-phase high-performance liquid chromatography 734(1996)163

Monitoring of the purification of systemin by capillary electrophoresis 734(1996)410

Micellar electrokinetic chromatography. Perspectives in drug analysis 735(1996)3

Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest 735(1996)165

Effect of 2,2,2-trifluoroethanol on capillary zone electrophoretic peptide separations 735(1996)271

Studies of the degradation products of nisin, a peptide antibiotic, using capillary electrophoresis with off-line mass spectrometry 735(1996)375

Precolumn fluorescence derivatization of the antagonist [Arg⁶,D-Trp^{7,9},MePhe⁸]-Substance P{6-11} with benzoin in high-performance liquid chromatography and selective detection of arginine-containing fragments in its degradation products 736(1996)91

Electrochromatography in chemically modified etched fused-silica capillaries 736(1996)255

Quantitative micellar chromatography analysis of interaction between peptides and sodium dodecyl sulfate micelles 741(1996)49

Self-consistent framework for standardising mobilities in free solution capillary electrophoresis: applications to oligoglycines and oligoalanines 741(1996)99

Peptide content determination of crude synthetic peptides by reversed-phase liquid chromatography and nitrogen-specific detection with a chemiluminescent nitrogen detector 743(1996)85

High-sensitivity peptide mapping using packed-capillary liquid chromatography and electrospray ionization mass spectrometry 743(1996)99

Reversed-phase high-performance liquid chromatographic separation of bovine κ -casein macropeptide and characterization of isolated fractions 743(1996)123

Immunochromatographic analysis of bovine growth hormone releasing factor involving reversed-phase high-performance liquid chromatography-immunodetection 743(1996)181

In vitro metabolism of LVV-hemorphin-7 in human plasma studied by reversed-phase high-performance liquid chromatography and micro-electrospray mass spectrometry 743(1996)207

Reversed-phase high-performance liquid chromatography combined with tandem mass spectrometry in studies of a substance P-converting enzyme from human cerebrospinal fluid 743(1996)213

Specific determination of tyrosine-phosphorylated proteins and peptides by differential iodination 743(1996)273

Preconcentration and microreaction technology on-line with capillary electrophoresis (Review) 744(1996)3

Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis 744(1996)17

Preparative capillary electrophoresis with wide-bore capillaries 744(1996)45

Comparative peptide mapping of a hepatitis C viral recombinant protein by capillary electrophoresis and matrix-assisted laser desorption time-of-flight mass spectrometry 744(1996)177

Peptide stacking by acetonitrile-salt mixtures for capillary zone electrophoresis 744(1996)231

Complete capillary electrophoretic separation of substance P and its metabolites at neutral pH using ionic run buffer additives 744(1996)241

Separation of myoglobin molecular mass markers using non-gel sieving capillary electrophoresis 744(1996)249

Kinetic study on the *cis-trans* isomerization of peptidyl-proline dipeptides 744(1996)259

Strategy for isolating and sequencing biologically derived MHC class I peptides 744(1996)273

Two-step chromatographic procedure for purification of basic fibroblast growth factor from recombinant *Escherichia coli* and characterization of the equilibrium parameters of adsorption 746(1996)17

Perfluorinated acid alternatives to trifluoroacetic acid for reversed-phase high-performance liquid chromatography 746(1996)277

Separation of toxic peptides (microcystins) in capillary electrophoresis, with the aid of organic mobile phase modifiers 749(1996)271

Peptidoglutaminase

High performance liquid chromatography of *Bacillus circulans* peptidoglutaminase for laboratory and industrial uses 702(1995)163

Peptidoglycans

New, stable halogenated derivative suitable for the gas chromatographic determination of muramic acid 726(1996)246

Determination of peptidoglycan-associated protein in Escherichia coli NCIB 8545 by capillary zone electrophoresis 740(1996)273

Peptidyl-proline

Kinetic study on the *cis-trans* isomerization of peptidyl-proline dipeptides 744(1996)259

Perbromate

Quantitative thin-layer chromatography of perbromate 712(1995)382

Perchloric acid

Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333

Perfluorinated acids

Perfluorinated acid alternatives to trifluoroacetic acid for reversed-phase high-performance liquid chromatography 746(1996)277

Permethrin

Determination of permethrin and cyfluthrin in water and sediment by gas chromatography-mass spectrometry operated in the negative chemical ionization mode 707(1995)293

Partial least-squares and principal component regression of multi-analyte high-performance liquid chromatography with diode-array detection 727(1996)27

Determination of cypermethrin, fenvalerate and *cis*- and *trans*-permethrin in soil and groundwater by high-performance liquid chromatography using partial least-squares regression 727(1996)39

Peroxyacetic acid

Rapid high-performance liquid chromatographic method for the determination of peroxyacetic acid 730(1996)203

Posticides

see also Special Issue Index

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Coupled-column reversed-phase liquid chromatography in environmental analysis 703(1995)149

Selected procedures for the monitoring of polar pesticides and related microcontaminants in aquatic samples 703(1995)167

Selected applications of the use of supercritical fluids in coupled systems 703(1995)467

Packed column supercritical fluid chromatography-mass spectrometry with particle beam interface aided with particle forming solvent 703(1995)489

Performance characteristics of a real-time direct deposition supercritical fluid chromatography–Fourier transform infrared spectrophotometry system 703(1995)503

Planar chromatography coupled with spectroscopic techniques 703(1995)613

Optimization of an analytical procedure for the determination of triazine herbicides in environmental samples 704(1995)121

Thermospray ionization liquid chromatography-mass spectrometry and chemical ionization gas chromatography-mass spectrometry of hexazinone metabolites in soil and vegetation extracts 704(1995)131

Solid-phase microextraction of nitrogen-containing herbicides 704(1995)163

Automated determination of s-triazine herbicides using solidphase microextraction 705(1995)305

Determination of azadirachtin by reversed-phase highperformance liquid chromatography using anisole as internal standard 705(1995)374

Carbon sorbents and their utilization for the preconcentration of organic pollutants in environmental samples 707(1995)145

Multi-residue pesticide analysis in environmental water samples using solid-phase extraction discs and gas chromatography with flame thermionic and mass-selective detection 707(1995)283

Determination of permethrin and cyfluthrin in water and sediment by gas chromatography-mass spectrometry operated in the negative chemical ionization mode 707(1995)293

Simultaneous determination of tebufenozide and five of its intact metabolites from forestry matrices by high-performance liquid chromatography 708(1995)71

High-performance size-exclusion chromatographic characterization of water-soluble polymeric substances produced by *Phanerochaete chrysosporium* from free and wheat cell wall bound 3,4-dichloroaniline 708(1995)273

Capillary electrophoretic study of atrazine photolysis 709(1995)215

Determination of organophosphorus pesticides in environmental samples by capillary gas chromatography-mass spectrometry 709(1995)319

Monitoring of pesticides in air by gas chromatography-mass spectrometry and the use of quartz-fibre wool and activated carbon for sampling 710(1995)243

Field comparison of polyurethane foam plugs and mini-tubes containing Tenax-TA resin as trapping media for the aerodynamic gradient measurement of trifluralin vapour fluxes 710(1995)251

Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257

Application of a new atmospheric pressure ionization source for double focusing sector instruments 712(1995)3

Effect of ion source pressure on ion formation of carbamates in particle-beam chemical-ionisation mass spectrometry 712(1995)21

Determination of the pesticide diffubenzuron in mushrooms by high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 712(1995)85

Identification of diffubenzuron by packed-capillary supercritical fluid chromatography-mass spectrometry with electron-capture negative ionization 712(1995)95

Determination of organophosphorus pesticides and their transformation products in river waters by automated on-line solid-phase extraction followed by thermospray liquid chromatography-mass spectrometry 712(1995)103

Trace determination of herbicides in estuarine waters by liquid chromatography-high-flow pneumatically assisted electrospray mass spectrometry 712(1995)113

Industrial applications of capillary zone electrophoresis-mass spectrometry 712(1995)269

Steam distillation-solvent extraction, a selective sample enrichment technique for the gas chromatographic- electron-capture detection of organochlorine compounds in milk powder and other milk products 712(1995)355

Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier 716(1995)81

Trace analysis of fluorescein-derivatized phenoxy acid herbicides by micellar electrokinetic chromatography with laserinduced fluorescence detection 717(1995)299

Separation of phenylurea pesticides by ion-interaction reversedphase high-performance liquid chromatography. Diuron determination in lagoon water 718(1995)81

Determination of pentachlorophenol in leather using supercritical fluid extraction with in situ derivatization 718(1995)131

Optimization of a solid-phase extraction technique for the extraction of pesticides from soil samples 719(1996)69

Matrix solid-phase dispersion extraction procedure for multiresidue pesticide analysis in oranges 719(1996)95

Determination of dinitroaniline herbicides in environmental samples by gas chromatography 719(1996)113

Determination of DDT and related compounds in blood samples from agricultural workers 719(1996)141

Sensitive and selective method for the determination of sodium monofluoroacetate by capillary zone electrophoresis 719(1996)421

Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3

Determination of imidacloprid in vegetables by highperformance liquid chromatography with diode-array detection 721(1996)97

UV detection of triazine herbicides and their hydroxylated and dealkylated degradation products in well water 721(1996)107

Comparative study of three extraction procedures for imazamethabenz-methyl in agricultural soil 721(1996)113

Analysis of organochlorine pesticides using solid-phase microextraction 723(1996)111

Separation of s-triazine herbicides and their metabolites by capillary zone electrophoresis as a function of pH 723(1996)169

Optimization of electron-capture detector when using packed-column supercritical fluid chromatography with modified carbon dioxide 723(1996)361

Prediction from liquid chromatographic data of obligatory backflush desorption from solid-phase extraction cartridges packed with porous graphitic carbon 725(1996)57

Analysis of microcontaminants in aqueous samples by fully automated on-line solid-phase extraction-gas chromatography-mass selective detection 725(1996)67

Improvements in the determination of organophosphorus pesticides in ground- and wastewater samples from interlaboratory studies by automated on-line liquid-solid extraction followed by liquid chromatography-diode array detection 725(1996)85

Comparison of the performance of solid-phase extraction techniques in recovering organophosphorus and organochlorine compounds from water 725(1996)93

Selective trace enrichment on immunosorbents for the multiresidue analysis of phenylurea and triazine pesticides 725(1996)107

Determination of herbicides in surface water by means of a supported liquid membrane technique and high-performance liquid chromatography 725(1996)121

Solid-phase microextraction of the herbicide metolachlor in runoff and tile-drainage water samples 725(1996)129

Development of a semi-automated high-performance liquid chromatographic-diode array detection system for screening pesticides at track levels in aquatic systems of the Axios River basin 726(1996)99

Qualitative analysis of contaminated environmental extracts by multidimensional gas chromatography with infrared and mass spectral detection (MDGC-IR-MS) 726(1996)167

Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection 726(1996)253

Partial least-squares and principal component regression of multi-analyte high-performance liquid chromatography with diode-array detection 727(1996)27

Determination of cypermethrin, fenvalerate and cis- and transpermethrin in soil and groundwater by high-performance liquid chromatography using partial least-squares regression 727(1996)39

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Influence of organic matter and surfactants on solid-phase extraction of diquat, paraquat and difenzoquat from waters 727(1996)245

Large-volume injection in residue analysis with capillary gas chromatography using a conventional autosampler and injection by programmed-temperature vaporization with solvent venting 727(1996)275

Ion-pairing mechanism in the solid-phase extraction and reversed-phase high-performance liquid chromatographic determination of acidic herbicides in water 728(1996)319

On-line liquid chromatographic trace enrichment and highperformance liquid chromatographic determination of diquat, paraquat and difenzoquat in water 728(1996)325

Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387

Application of multivariate self-modeling curve resolution to the quantitation of trace levels of organophosphorus pesticides in natural waters from interlaboratory studies 730(1996)177

Pesticide analysis by micellar electrokinetic capillary chromatography 730(1996)337

Integrated system for on-line gas and liquid chromatography with a single mass spectrometric detector for the automated analysis of environmental samples 730(1996)353

On-line preconcentration, cleanup and high-performance liquid chromatographic determination of chlorophenoxy acid herbicides in water 731(1996)115

Use of immunoaffinity chromatography as a simplified cleanup technique for the liquid chromatographic determination of phenylurea herbicides in plant material 732(1996)277

Chromatographic and related spot tests for the detection of water pollutants 733(1996)5

Evaluation of two new examples of graphitized carbon blacks for use in solid-phase extraction cartridges 733(1996)41

Solid-phase microextraction coupled to gas chromatography: a new method for the analysis of organics in water 733(1996)143

Characterization of organic micropollutants in the River Cinca (Spain) by using granular activated carbon and liquid-liquid extraction 733(1996)159

Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171

Extraction methodology and chromatography for the determination of residual pesticides in water 733(1996)217

Comparison of gas and liquid chromatography for analysing polar pesticides in water samples (Review) 733(1996)235

Pesticide analysis by high-performance liquid chromatography using the direct injection method 733(1996)259

Disks versus columns in the solid-phase extraction of pesticides from water 733(1996)267

Influence of the solid-phase extraction process on calibration and performance parameters for the determination of pesticide residues in water by gas chromatography 733(1996)275

Determination of ten carbamate pesticides in aquatic and sediment samples by liquid chromatography-ionspray and thermospray mass spectrometry 733(1996)283

Determination of triazine herbicides in environmental samples 733(1996)295

Monitoring of herbicide pollution in water by capillary electrophoresis 733(1996)337

Determination of triazine herbicides in water by micellar electrokinetic capillary chromatography 733(1996)349

Gas chromatographic determination of acid herbicides in surface water samples with electron-capture detection and mass spectrometric confirmation 733(1996)361

Liquid chromatographic determination of methabenzthiazuron in soil aqueous solutions with photodiode-array detection 733(1996)367

Capillary electrophoresis with detection by inverse UV spectroscopy and electrospray mass spectrometry for the examination of quaternary ammonium herbicides 734(1996)339

Determination of polar pesticides in ground water using liquid chromatography-mass spectrometry with atmospheric pressure chemical ionization 736(1996)105

Determination of organochlorine pesticides in water by membranous solid-phase extraction, and in sediment by microwave-assisted solvent extraction with gas chromatography and electron-capture and mass spectrometric detection 736(1996)211

Analysis of organophosphorus insecticides from environmental samples using solid-phase microextraction 736(1996)219

Determination of fluoroacetate in aqueous samples by headspace gas chromatography 736(1996)229

Accreditation in the UK for pesticide residue analysis in foods 737(1996)3

Gel permeation chromatography-high-performance liquid chromatography combination as an automated clean-up technique for the multiresidue analysis of fats 737(1996)9

Evaluation of new polymeric sorbents with high specific surface areas using an on-line solid-phase extraction-liquid chromatographic system for the trace-level determination of polar pesticides 737(1996)15

Simple removal of humic and fulvic acid interferences using polymeric sorbents for the simultaneous solid-phase extraction of polar acidic, neutral and basic pesticides 737(1996)25

On-line solid-phase extraction in liquid chromatography using restricted access pre-columns for the analysis of s-triazines in humic-containing waters 737(1996)35

Automated sample preparation with extraction columns followed by liquid chromatography-ionspray mass spectrometry.

Interferences, determination and degradation of polar organophosphorus pesticides in water samples 737(1996)47

Development of a prototype system for quasi-continuous analysis of organic contaminants in surface or sewage water based on in-line coupling of solid-phase microextraction to gas chromatography 737(1996)59

Pesticide monitoring of drinking water with the help of solidphase extraction and high-performance liquid chromatography 737(1996)67

Rapid determination of glufosinate, glyphosate and aminomethylphosphonic acid in environmental water samples using precolumn fluorogenic labeling and coupled-column liquid chromatography 737(1996)75

Determination and stability of pesticides in freeze-dried water samples by automated on-line solid-phase extraction followed by liquid chromatography with diode-array detection 737(1996)93

High-performance liquid chromatographic determination of ¹⁴C-labelled terbuthylazine and principal degradates in percolation water and soil extracts from leaching experiments 737(1996)101

Comparative study of high-performance liquid chromatography and micellar electrokinetic capillary chromatography applied to the analysis of different mixtures of pesticides 737(1996)109

On-line and off-line solid—liquid extraction and liquid chromatographic analysis at trace levels, for monitoring of herbicides and their degradation products in river and fluvioestuarine freshwater—seawater interfaces 737(1996)117

Rapid multiresidue screening method for the determination of pesticides in plant materials 737(1996)215

Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides 738(1996)225

Rapid method for the analysis of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction and gas chromatography-ion trap mass spectrometry 740(1996)83

Decay study of pesticide residues in apple samples 740(1996)146

Gas chromatographic system equipped with a mass detector and a selective nitrogen-phosphorous detector operating simultaneously in the analysis of pesticide residues 740(1996)263

Trace-level determination of pesticide residues using on-line solid-phase extraction-column liquid chromatography with atmospheric pressure ionization mass spectrometric and tandem mass spectrometric detection 741(1996)59

Chlorinated acid herbicides in water by strong anion-exchange disk extraction and in-vial elution and derivatization 741(1996)85

Enhanced detection sensitivity by large volume injection in reversed-phase micro-high-performance liquid chromatography 742(1996)69

Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123

Analysis of glyphosate using capillary electrophoresis with indirect detection 745(1996)189

Herbicide analysis by micellar electrokinetic capillary chromatography 745(1996)201

Analysis of chlorophenoxy acid herbicides by cyclodextrinmodified capillary electrophoresis 745(1996)217

High-performance liquid chromatographic determination of flumetsulam, a newly developed sulfonamide herbicide in soil 746(1996)25

Determination of imidacloprid in water and soil samples by gas chromatography-mass spectrometry 746(1996)289

New method for estimating vapor pressure by the use of gas chromatography 749(1996)123

On-line partial filling micellar electrokinetic chromatographyelectrospray ionization mass spectrometry 749(1996)219

Automated at-line solid-phase extraction—gas chromatographic analysis of micropollutants in water using the PrepStation 750(1996)161

On-line coupled supercritical fluid extraction and chromatography for the determination of thiolcarbamate herbicides in soil matrix 750(1996)175

Solid-phase extraction of polar pesticides from environmental water samples on graphitized carbon and Empore-activated carbon disks and on-line coupling to octadecyl-bonded silica analytical columns 750(1996)227

Automated on-line gel permeation chromatography-gas chromatography for the determination of organophosphorus pesticides in olive oil 750(1996)275

Pesticide residue analysis in foodstuffs applying capillary gas chromatography with atomic emission detection 750(1996)369

Extraction of maleic hydrazide residues from potato crisps and their determination using high-performance liquid chromatography with UV and atmospheric pressure chemical ionisation mass spectrometric detection 750(1996)391

Toxicological evaluation of harmful substances by in situ enzymatic and biological detection in high-performance thin-layer chromatography 750(1996)403

Phenacetin

Determination of thiamine in dried yeast by high-performance liquid chromatography using a clean-up column of CM-cellulose 726(1996)237

Microemulsion electrokinetic chromatographic separation of antipyretic analgesic ingredients 735(1996)353

Phenanthrenes

Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311

On the relevance of face-to-edge π - π interactions to chiral recognition 749(1996)19

1,10-Phenanthroline

Isotachophoretic separation of Fe(II) and Fe(III) by using 1,10-phenanthroline as a complex-forming agent 723(1996)389

More sensitive way to determine iron using an iron(II)-1,10phenanthroline complex and capillary electrophoresis 749(1996)287

Phenazines

Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3

Phenobarbital

Molecular recognition of phenobarbital in plasticizers. Equilibrium investigations on the solubility of the barbiturate artificial receptor and its binding to phenobarbital in plasticizers 722(1996)47

Microemulsion electrokinetic chromatographic separation of antipyretic analgesic ingredients 735(1996)353

Phenol

Control of selectivity in micellar electrokinetic chromatography by modification of sodium dodecyl sulfate micelles with organic hydroxy compounds 705(1995)319

Studies of hydrogen/deuterium exchange of monodeuteriophenol in fused-silica capillary columns using gas chromatography-mass spectrometry 719(1996)474

Optimization of supercritical fluid extraction of phenol and cresols in soil samples 723(1996)123

In situ silylation of silica-based packings using supercritical fluid as reaction medium 724(1996)373

Determination of glutaraldehyde and phenol in germicide products by capillary gas chromatography 724(1996)398

H-Point standard additions method for resolution of overlapping chromatographic peaks with diode array detection by using area measurements 726(1996)57

Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311

Determination of serotonin released from coffee wax by liquid chromatography 730(1996)59

Effects of high-frequency electromagnetic treatment on the solid-phase extraction of aqueous benzene, naphthalene and phenol 731(1996)65

Mobile phase effects on single-component and competitive adsorption isotherms in reversed-phase systems 734(1996)125

End-capping of octadecylsilylated silica gels by hightemperature silylation 737(1996)139

Phenolic acids

Capillary electrophoretic separation of phenolic acids 709(1995)209

Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards 724(1996)117

Solid-phase extraction and high-performance liquid chromatographic determination of polyphenols in apple musts and ciders 727(1996)203

Solid-phase extraction and reversed-phase high-performance liquid chromatography of free phenolic acids in some *Echinacea* species 730(1996)25

Determination of some pharmacologically active phenolic acids in juices by high-performance liquid chromatography 741(1996)223

Phenolic aldehydes

Selectable-power photoreactor for flow-injection analysis systems and high-performance liquid chromatography post-column photochemical derivatization 724(1996)55

Phenolic compounds

Chromatographic and chemometric investigation of the chemical defence mechanism of popular tree genotypes against a bark fungine parasite 715(1995)95

Prediction of chromatographic properties for a group of natural phenolic derivatives by molecular topology 719(1996)45

Determination of phenolic compounds at low $\mu g l^{-1}$ levels by various solid-phase extractions followed by liquid chromatography and diode-array detection 719(1996)105

Preparative separation of phenolic compounds from *Picea abies* by high-speed counter-current chromatography 719(1996)438

High-performance liquid chromatographic separation and identification of phenolic compounds from leaves of *Betula pubescens* and *Betula pendula* 721(1996)59

High-performance liquid chromatographic-electrospray mass spectrometric analysis of phenolic acids and aldehydes 730(1996)31

Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373

Comparison of different sorbent materials for on-line liquidsolid extraction followed by liquid chromatographic determination of priority phenolic compounds in environmental waters 733(1996)371

Separation of plant phenolic compounds by capillary zone electrophoresis 734(1996)375

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Determination of phenolic compounds in natural waters by liquid chromatography with ultraviolet and electrochemical detection after on-line trace enrichment 738(1996)1

High-performance liquid chromatographic determination of phenolic compounds in *Aloe* species 746(1996)225

Automated on-line solid-phase extraction-high-performance liquid chromatography-diode array detection of phenolic compounds in sherry wine 750(1996)209

Phenol-formaldehyde resols

Size-exclusion chromatography on polyhydroxymethacrylate gel with dimethylformamide as eluent 722(1996)123

Phenols

Gas chromatographic determination of 5-chloro-2-(2,4-dichlorophenoxy)-phenol in the waste water of a slaughterhouse 705(1995)313

Separation of priority pollutant phenols on chemically modified poly(styrene-divinylbenzene) resins by high-performance liquid chromatography 715(1995)213

Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography. Comparison of the role of anionic and cationic surfactants 717(1995)167

High-performance liquid chromatographic separation and detection of phenols using 2-(9-anthrylethyl) chloroformate as a fluorophoric derivatizing reagent 718(1995)45

High-performance liquid chromatographic separation of phenols on a fluorocarbon-bonded silica gel column 722(1996)273

Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235

Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387

Resveratrol content of some wines obtained from dried Valpolicella grapes: Recioto and Amarone 730(1996)47

Determination of phenols in environmental waters using liquid chromatography with electrochemical detection 731(1996)95

Evaluation of two new examples of graphitized carbon blacks for use in solid-phase extraction cartridges 733(1996)41

Solid-phase microextraction coupled to gas chromatography: a new method for the analysis of organics in water 733(1996)143

Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171

Trace determination of phenols in natural waters. Extraction by a new graphitized carbon black cartridge followed by liquid chromatography and re-analysis after phenol derivatization 733(1996)383

Nonionic surfactants for improving resolution of the priority pollutant phenols by micelle-modified capillary electrophoresis 734(1996)357

Separation of eleven priority phenols by capillary zone electrophoresis with ultraviolet detection 734(1996)367

New approach to the characterization of pyrolysis coal products by gas chromatography—mass spectrometry 736(1996)185

Comparison of the extraction of phenolic and nitroaromatic pollutants using supercritical and enhanced-fluidity liquid methanol-CO₂ mixtures 737(1996)233

Direct on-column derivatisation in gas chromatography 738(1996)43

Direct on-column derivatisation in gas chromatography 738(1996)57

Sample preparation techniques for determining semi-volatile organic compounds in nuclear defense materials production waste 738(1996)215

Capillary zone electrophoresis/electrospray mass spectrometry of priority phenols 743(1996)315

Capillary electrophoresis methods development and sensitivity enhancement strategies for the separation of industrial and environmental chemicals 744(1996)123

Migration behavior and separation of trichlorophenols by capillary zone electrophoresis 746(1996)295

Novel computational methods for the determination of partition coefficients by planar chromatography 749(1996)211

Quantification of two chromatographic unresolved dichlorophenols using gas chromatography-direct deposition-Fourier transform infrared spectrometry and multivariate calibration 750(1996)341

Phenothiazines

Comparison of softwares used for the detection of analytes present at low levels in liquid chromatographic-mass spectrometric experiments 712(1995)31

Stability-indicating high-performance liquid chromatographic assay for the simultaneous determination of dixyrazine and chlorprothixene in intravenous admixtures 729(1996)201

Determination of structurally related phenothiazines by capillary zone electrophoresis and micellar electrokinetic chromatography 735(1996)395

Phenoxyacetic acids, chlorinated

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Phenoxy acid herbicides

Trace analysis of fluorescein-derivatized phenoxy acid herbicides by micellar electrokinetic chromatography with laser-induced fluorescence detection 717(1995)299

Chlorinated acid herbicides in water by strong anion-exchange disk extraction and in-vial elution and derivatization 741(1996)85

3-Phenoxyl-1,2-propanediols

Influence of the kind of the alcoholic modifier on chiral separation on a Chiralpak AD column 728(1996)249

Phenoxypropionic acids

Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis 721(1996)173

Covalently bonded permethylated cyclodextrins, new selectors for enantiomeric separations by liquid chromatography 728(1996)171

Phenprocoumon

Separation of diastereomers by capillary zone electrophoresis in free solution with polymer additive and organic solvent component. Effect of pH and solvent composition 719(1996)411

Phenylalanine

Evaluation of extended light path capillaries for use in capillary electrophoresis with laser-induced fluorescence detection 736(1996)239

PTH-Phenylalanine

Determination of enantiomerization barriers by computer simulation of experimental elution profiles obtained by high-performance liquid chromatography on a chiral stationary phase 731(1996)315

Phenylalkylamines

Determination of binding constants and the influence of methanol on the separation of drug enantiomers in cyclodextrin modified capillary electrophoresis 745(1996)181

Phenyl butyrates

Separation of positional and structural isomers by cyclodextrinmediated capillary zone electrophoresis 745(1996)9

Phenylenediamines

Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography. Comparison of the role of anionic and cationic surfactants 717(1995)167

Phenylephrine

Enantiomeric separation of amphetamine and phenylephrine by cyclodextrin-mediated capillary zone electrophoresis 735(1996)295

2-Phenylethanol

Application of different isotherm models to the description of single-component and competitive adsorption data 734(1996)83

Phenylethylamine

Systematic modification of the separation selectivity of cyclodextrin-based gas chromatographic stationary phases by varying the size of the 6-O-substituents 738(1996)31

Phenylethylimidazoles

Chromatographic resolution and pharmacological investigation of some imidazole derivatives 729(1996)1

Phenyl glycidyl ether

Development and application of radio-size-exclusion chromatography 727(1996)61

Phenylglycinols

Molecularly imprinted uniform-size polymer-based stationary phase for high-performance liquid chromatography 728(1996)139

Phenylhydantoin

High-performance liquid chromatographic determination of cyclohexylhydantoin and cyclohexylidenehydantoin formed during the synthesis of phenylhydantoin from hydantoin and cyclohexanone 740(1996)284

Phenylisothiocyanate

Determination of amino acids in the foods by reversed-phase high-performance liquid chromatography with a new precolumn derivative, butylthiocarbamyl amino acid, compared to the conventional phenylthiocarbamyl derivatives and ion-exchange chromatography 740(1996)31

Determination of protein amino acids as benzylthiocarbamyl derivatives compared with phenylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography, ultraviolet detection and precolumn derivatization 740(1996)41

Phenylphosphonic acid

Determination of phosphorus by sample combustion followed by non-suppressed ion chromatography 706(1995)199

Phenyl propanoid glycosides

Identification of nonvolatile components in lemon peel by highperformance liquid chromatography with confirmation by mass spectrometry and diode-array detection 718(1995)89

Phenylpropanol

Effect of the packing pressure on the performance of C_{18} reversed-phase liquid chromatographic columns 743(1996)247

3-Phenylpropanol

Application of different isotherm models to the description of single-component and competitive adsorption data 734(1996)83

Phenyltin compounds

Determination of butyl- and phenyltin compounds in biological material by gas chromatography-flame photometric detection after ethylation with sodium tetraethylborate 750(1996)317

Phenyltrimethylammonium chloride

Micellar electrokinetic chromatography-mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Phenyltrimethylammonium salts

Direct on-column derivatisation in gas chromatography 738(1996)43

Phenylureas

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Trace determination of herbicides in estuarine waters by liquid chromatography-high-flow pneumatically assisted electrospray mass spectrometry 712(1995)113

Separation of phenylurea pesticides by ion-interaction reversedphase high-performance liquid chromatography. Diuron determination in lagoon water 718(1995)81

Optimization of electron-capture detector when using packedcolumn supercritical fluid chromatography with modified carbon dioxide 723(1996)361

Selective trace enrichment on immunosorbents for the multiresidue analysis of phenylurea and triazine pesticides 725(1996)107

Determination of herbicides in surface water by means of a supported liquid membrane technique and high-performance liquid chromatography 725(1996)121

Use of immunoaffinity chromatography as a simplified cleanup technique for the liquid chromatographic determination of phenylurea herbicides in plant material 732(1996)277

Phenytoin

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Pheophytins

Preparation of Cu(II) complexes of oxidized chlorophylls and their determination by thin-layer and high-performance liquid chromatography 731(1996)261

Pheromones

Gas chromatographic determination of vapour pressures of pheromone-like compounds. III. Aldehydes 719(1996)391

Phloridzin

High-performance liquid chromatographic quantitation of phloridzin in apple seed, leaf and callus 719(1996)444

Phosphate

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Determination of anions in human and animal tear fluid and blood serum by ion chromatography 706(1995)183

Determinations of trace anions in hydrogen peroxide 706(1995)191

Determination of nitrate, phosphate and organically bound phosphorus in coral skeletons by ion chromatography 706(1995)209

Ion chromatographic determination of nutrients in sea water 706(1995)277

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311

Manipulation of separation selectivity for inorganic anions in capillary zone electrophoresis using control of electrolyte pH 734(1996)416

Determination of phosphate and sulphite in natural waters in the presence of high sulphate concentrations by ion chromatography under isocratic conditions 739(1996)207

Determination of total phosphorus in sediments by means of high-pressure bombs and ion chromatography 739(1996)223

Phosphate esters

Capillary electrophoresis of phosphate ester surfactants with adenosine monophosphate and indirect photometric detection 737(1996)315

Phosphates

Analysis of isoprenoid phosphates and oligophosphates by capillary zone electrophoresis 737(1996)325

Phosphatidic acid

Reversed-phase high-performance liquid chromatography of molecular species of phospholipid derivatives 741(1996)213

Phosphatidylcholines

A high-performance liquid chromatographic method for the analysis of lipids from lyophilized formulations 724(1996)343

Preparative separation of the diastereomers of methyl branchedchain phosphatidylcholines 724(1996)367

Reversed-phase high-performance liquid chromatography of molecular species of phospholipid derivatives 741(1996)213

Phosphatidylethanolamine

Reversed-phase high-performance liquid chromatography of molecular species of phospholipid derivatives 741(1996)213

Phosphocysteine

Identification of phosphocysteine by electrospray mass spectrometry combined with Edman degradation 712(1995)141

2-Phosphoglycolate

2-Phosphoglycolate and glycolate-electrophore detection, including detection of 87 zeptomoles of the latter by gas chromatography-electron-capture mass spectrometry 721(1996)289

Phospholipase A,

Mobile phase effects on membrane protein elution during immobilized artificial membrane chromatography 721(1996)213

Affinity purification of phospholipase A₂ on immobilized artificial membranes containing and lacking the glycerol backbone 731(1996)139

Phospholipids

Quantitation of choline glycerophospholipids that contain carboxylate residues by fluorometric high-performance liquid chromatography 724(1996)131

Preparative separation of the diastereomers of methyl branchedchain phosphatidylcholines 724(1996)367

Affinity purification of phospholipase A₂ on immobilized artificial membranes containing and lacking the glycerol backbone 731(1996)139

Analysis of phospholipids in lecithins 738(1996)25

Reversed-phase high-performance liquid chromatography of molecular species of phospholipid derivatives 741(1996)213

Immobilized liposome chromatography of drugs on capillary continuous beds for model analysis of drug-membrane interactions 749(1996)13

Phosphoric acid

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Phosphorothioate oligomers

Base composition analysis of phosphorothioate oligomers by capillary gel electrophoresis 744(1996)341

Phosphorus

Determination of phosphorus by sample combustion followed by non-suppressed ion chromatography 706(1995)199

Determination of nitrate, phosphate and organically bound phosphorus in coral skeletons by ion chromatography 706(1995)209

Determination of phosphate and sulphite in natural waters in the presence of high sulphate concentrations by ion chromatography under isocratic conditions 739(1996)207

Determination of total phosphorus in sediments by means of high-pressure bombs and ion chromatography 739(1996)223

Phosphorus compounds

Phosphorus speciation in nickel plating baths by ion chromatography 705(1995)390

Phosphotyrosine residues

Specific determination of tyrosine-phosphorylated proteins and peptides by differential iodination 743(1996)273

o-Phthalaldehyde

Post-column reaction system for fluorescence detection in capillary electrophoresis 716(1995)123

Determination of amino acids using o-phthalaldehyde-2-mercaptoethanol derivatization 724(1996)159

Phthalate esters

Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387

Phthalates

Polar organic pollutants in the Elbe river. Liquid chromatographic-mass spectrometric and flow-injection analysis-mass spectrometric analyses demonstrating changes in quality and concentration during the unification process in Germany 712(1995)123

Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography 744(1996)135

Analysis of poly(vinyl chloride) additives by supercritical fluid extraction and gas chromatography 750(1996)183

o-Phthaldialdehyde

Liquid chromatographic determination of D- and L-amino acids by derivatization with o-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201

Phthalides

Efficient high-performance liquid chromatographic enantioseparation of five-membered aryl-substituted lactones and cyclic carbamates on a (R,R)-diaminodihydroethanoanthracenederived chiral stationary phase 740(1996)11

2-(N-Phthalimido)ethyl 2-(dimethylamino)ethanesulfonate

Chemically removable derivatization reagent for liquid chromatography. I. 2-(N-Phthalimido)ethyl 2-(dimethylamino)ethanesulfonate 710(1995)267

Phthalocyanine dyes

Capillary electrophoretic analysis of the reactions of bifunctional reactive dyes under various conditions including a study of the analysis of the traditionally difficult to analyse phthalocyanine dyes 706(1995)555

Phycotoxins

Automatic high-performance liquid chromatographic method for the determination of diarrhetic shellfish poison 729(1996)387

Phytic acid

Improved peptide mapping using phytic acid as ion-pairing buffer additive in capillary electrophoresis 726(1996)223

Phytoalexins

Resveratrol content of some wines obtained from dried Valpolicella grapes: Recioto and Amarone 730(1996)47

Pilocarpine

Improved high-performance liquid chromatographic determination of pilocarpine and its degradation products in ophthalmic solutions 740(1996)289

Pinacidil

Cyclodextrins as buffer additives for the enantiomeric separation of pinacidil in capillary zone electrophoresis 749(1996)300

Pinenes

Glycerol as a new dissolution medium for α -, β - and γ -cyclodextrins for preparing stereoselective stationary phases for gas-liquid chromatography 715(1995)309

Systematic modification of the separation selectivity of cyclodextrin-based gas chromatographic stationary phases by varying the size of the 6-O-substituents 738(1996)31

Pipenzolate

On-line coupling of micellar electrokinetic chromatography to electrospray mass spectrometry 712(1995)219

Piperidine-2,6-dione compounds

Separation of piperidine-2,6-dione drug enantiomers by micellar electrokinetic capillary chromatography using synthetic chiral surfactants 724(1996)307

Plant hormones

Micellar liquid chromatography of plant growth regulators detected by derivative fluorometry 723(1996)227

Liquid chromatography-electrospray ionization mass spectrometry for analysing plant hormone conjugates 728(1996)371

Plasmin

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Plasminogen activator

Application of capillary electrophoresis, high-performance liquid chromatography, on-line electrospray mass spectrometry and matrix-assisted laser desorption ionization—time of flight mass spectrometry to the characterization of single-chain plasminogen activator 717(1995)41

Rapid one-step capillary isoelectric focusing method to monitor charged glycoforms of recombinant human tissue-type plasminogen activator 717(1995)61

Examination of capillary zone electrophoresis, capillary isoelectric focusing and sodium dodecyl sulfate capillary electrophoresis for the analysis of recombinant tissue plasminogen activator 744(1996)155

Application of multidimensional affinity high-performance liquid chromatography and electrospray ionization liquid chromatography-mass spectrometry to the characterization of glycosylation in single-chain plasminogen activator 750(1996)35

Plasticizers

Molecular recognition of phenobarbital in plasticizers. Equilibrium investigations on the solubility of the barbiturate artificial receptor and its binding to phenobarbital in plasticizers 722(1996)47

Determination of plasticisers in food by gas chromatographymass spectrometry with ion-trap mass detection 737(1996)338

Platinun

Determination of chloride complex of Au(III) by capillary zone electrophoresis with direct UV detection 718(1995)227

Quantitative thin layer chromatography on cellulose 746(1996)261

Hyphenation of capillary electrophoresis to inductively coupled plasma mass spectrometry as an element-specific detection method for metal speciation 750(1996)51

Platinum anti-tumour drugs

Separation of platinum(II) anti-tumour drugs by micellar electrokinetic capillary chromatography 724(1996)317

Podophyllotoxin

Analysis of aryltetrahydronaphthalene lignans and their glucoside conjugates in podophyllin resin by high-performance liquid chromatography 722(1996)267

Polar compounds

Retention behaviour of polar compounds using porous graphitic carbon with water-rich mobile phases 712(1995)287

Rapid, quantitative determination of polar compounds in fats and oils by solid-phase extraction and size-exclusion chromatography using monostearin as internal standard 749(1996)55

Polyacetylneuraminic acid

Analysis of oligo- and poly-N-acetylneuraminic acids and their lactones by capillary electrophoresis 741(1996)295

Polyamide

Supercritical fluid extraction coupled directly with Fourier transform infrared spectrometry 703(1995)537

Polyamines

Determination of biogenic amines and their precursor amino acids in wines of the Vallée du Rhône by high-performance liquid chromatography with precolumn derivatization and fluorimetric detection 707(1995)373

Purification of plant polyamines with anion-exchange column clean-up prior to high-performance liquid chromatographic analysis 709(1995)241

Simultaneous determination of amino acids and biogenic amines by reversed-phase high-performance liquid chromatography of the dabsyl derivatives 715(1995)67

Determination of polyamines in serum by high-performance capillary zone electrophoresis with indirect ultraviolet detection 717(1995)345

Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis 719(1996)159

Automated determination of polyamines by high-performance liquid chromatography with simple sample preparation 730(1996)115

Polyaminopolycarboxylic acids

Capillary zone electrophoretic and micellar electrokinetic capillary chromatographic separations of polyaminopolycarboxylic acids as their copper complexes 736(1996)333

Polyanions

Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection 723(1996)197

Polyaromatic hydrocarbons

On-line high-performance liquid chromatography-solvent evaporation-high-performance liquid chromatography-capillary gas chromatography-flame ionisation detection for the analysis of mineral oil polyaromatic hydrocarbons in fatty foods 750(1996)361

Poly(butylene glycol)s

High-performance liquid chromatography and detection of polyethers and their mono(carboxy)alkyl and -arylalkyl substituted derivatives (Review) 742(1996)1

Poly(butylene terephthalate)

Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite 725(1996)367

Polycarbonate

Size-exclusion chromatography on polyhydroxymethacrylate gel with dimethylformamide as eluent 722(1996)123

Polycarboxylates

Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection 723(1996)197

Polycarboxylic acids

Optimization of the separation of polycarboxylic acids by capillary zone electrophoresis 739(1996)389

Polychlorinated biphenyls

Enhanced selectivity in the analysis of chlorobiphenyls on a carborane phenylmethylsiloxane copolymer gas chromatography phase (HT-8) 708(1995)115

Application of experimental design approach to the optimization of supercritical fluid extraction of polychlorinated biphenyls and polycyclic aromatic hydrocarbons 719(1996)77

Extraction and clean-up methods for improvement of the chromatographic determination of polychlorinated biphenyls in sewage sludge-amended soils: elimination of lipids and sulphur 719(1996)121

Capillary gas chromatography combined with atomic emission detection for the analysis of polychlorinated biphenyls 723(1996)337

Enantioselective analysis of chiral polychlorinated biphenyls in sediment samples by multidimensional gas chromatography–electron-capture detection after steam distillation-solvent extraction and sulfur removal 723(1996)399

Enantioselective separation of polychlorinated biphenyl atropisomers using chiral high-performance liquid chromatography 724(1996)219

Retention index system for identification of polychlorinated biphenyl congeners in gas chromatographic analysis 724(1996)392

Current developments in the analysis of water pollution by polychlorinated biphenyls 733(1996)449

Gel permeation chromatography-high-performance liquid chromatography combination as an automated clean-up technique for the multiresidue analysis of fats 737(1996)9

Determination of retention indices of polychlorobiphenyls by using other compounds detectable by electron-capture detection or selected polychlorobiphenyls as the reference series 741(1996)241

A new fast method for field screening of polychlorinated biphenyls in air 750(1996)151

Application of ¹³C-labelled polychlorinated biphenyl congener 153 as internal standard in the gas chromatographic-mass spectrometric analysis of polychlorinated biphenyls 750(1996)245

Polychlorinated dibenzodioxins

Derivation of solubility parameters of chlorinated dibenzofurans and dibenzo[p]dioxins from gas chromatographic retention parameters via SOFA 715(1995)267

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

Polychlorinated dibenzofurans

Derivation of solubility parameters of chlorinated dibenzofurans and dibenzo[p]dioxins from gas chromatographic retention parameters via SOFA 715(1995)267

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

Polychlorinated naphthalenes

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

Polycitraconic acid

Pyrolytic alkylation-gas chromatography-mass spectrometry of model polymers. Further insights into the mechanism and scope of the technique 750(1996)155

Polycyclic aromatic hydrocarbons

see Polynuclear aromatic hydrocarbons

Polycyclic aromatic ketones

Determination of benzanthrone in environmental samples 710(1995)109

Polydimethylaminostyrene

Size-exclusion chromatography on polyhydroxymethacrylate gel with dimethylformamide as eluent 722(1996)123

Polydivinylbenzene

Enhancing the anion separations on a polydivinylbenzene-based anion stationary phase 739(1996)99

Polyelectrolytes

Solution properties of polyelectrolytes. XII. Semi-quantitative approach to mixed electrostatic and hydrophobic polymer-gel interactions 721(1996)203

Polyesters

Supercritical fluid extraction coupled directly with Fourier transform infrared spectrometry 703(1995)537

Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite 725(1996)367

Characterization of low-molar-mass polymers by gradient polymer elution chromatography 746(1996)211

Polyethers

High-performance liquid chromatography and detection of polyethers and their mono(carboxy)alkyl and -arylalkyl substituted derivatives (Review) 742(1996)1

Polyethoxylated alkyl sulfate

Industrial applications of capillary zone electrophoresis-mass spectrometry 712(1995)269

Polyethoxylates

Chromatographic determination of non-ionic aliphatic surfactants of the alcohol polyethoxylate type in the environment (Review) 733(1996)193

Separation of ionic and neutral surfactants by capillary electrophoresis and high-performance liquid chromatography 745(1996)281

Poly(ethylene glycol)

Hydrogen-bonding interaction in capillary electrophoresis using polyether matrices 711(1995)305

Two-stage resolution of mixtures by supercritical fluid chromatography 722(1996)317

Determination of polyethylene glycols in water by reversedphase high-performance liquid chromatography 723(1996)243

High-performance liquid chromatographic analysis of mupirocin in polyethylene glycols 400 and 3350 using dual ultraviolet and evaporative light scattering detection 732(1996)399

Direct comparison of evaporative light-scattering and condensation nucleation light-scattering detection for liquid chromatography 736(1996)11

High-performance liquid chromatography and detection of polyethers and their mono(carboxy)alkyl and -arylalkyl substituted derivatives (Review) 742(1996)1

Separation of alkali and alkaline-earth metal and ammonium cations by capillary electrophoresis using poly(ethylene glycol) and tartaric acid 742(1996)281

Method for obtaining unique selectivities in ion-exchange chromatography by addition of organic polymers to the mobile phase 743(1996)51

Thiol pegylation facilitates purification of chymopapain leading to diffraction studies at 1.4 Å resolution 749(1996)69

Poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate)

Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents. Albumin adsorption/desorption 731(1996)57

[Poly(ethylene glycolmonomethyl ether)] hydrogensulfates Polyethylene glycol monomethyl ether sulfate-based background electrolytes in capillary electrophoresis 744(1996)75

Polyethyleneimine

Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257

Poly(ethylene oxides)

Quantitative trace analysis of surfactant mixtures by reversedphase high-performance liquid chromatography with refractometric detection 730(1996)209

Direct comparison of evaporative light-scattering and condensation nucleation light-scattering detection for liquid chromatography 736(1996)11

Poly(ethylene-propylene glycol)

Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating 741(1996)115

Poly(ethylene terephthalate)

Qualitative liquid chromatographic-atmospheric-pressure chemical-ionisation mass spectrometric analysis of polyethylene terephthalate oligomers 712(1995)191

Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite 725(1996)367

Poly(glycidyl methacrylate-co-ethylene dimethacrylate)

Modified poly(glycidyl methacrylate—co-ethylene dimethacrylate) continuous rod columns for preparative-scale ion-exchange chromatography of proteins 702(1995)89

Poly(lactic acids)

Monitoring of the poly(p,t-lactic acid) degradation by-products by capillary zone electrophoresis 711(1995)323

Polymeric phase-transfer catalyst

Gas chromatographic determination and gas chromatographic—mass spectrometric determination of dialkyl phosphates via extractive pentafluorobenzylation using a polymeric phase-transfer catalyst 718(1995)383

Polymeric samples

Investigation of parameters affecting the on-line combination of supercritical fluid extraction with capillary gas chromatography 750(1996)215

Polymers

Determination of the compositional heterogeneity of polydisperse polymer samples by the coupling of size-exclusion chromatography and thermal field-flow fractionation 703(1995)245

Salt effect on size-exclusion chromatography of partially sulfonated alternating copolymers of maleic acid and styrene in a polar solvent 704(1995)149

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Critical retention behaviour of polymers 727(1996)13

Influence of injected mass and ionic strength on retention of water-soluble polymers and proteins in hollow-fibre flow field-flow fractionation 732(1996)307

Determination of the chemical composition distribution of copolymers of styrene and butadiene by gradient polymer elution chromatography 736(1996)125

Packed-column hydrodynamic chromatography using $1-\mu m$ non-porous silica particles 740(1996)159

Solid-phase extraction and subsequent gas chromatographymass spectrometry analysis for identification of complex mixtures of degradation products in starch-based polymers 741(1996)251

Characterization of low-molar-mass polymers by gradient polymer elution chromatography 746(1996)211

Pyrolytic alkylation-gas chromatography-mass spectrometry of model polymers. Further insights into the mechanism and scope of the technique 750(1996)155

Polymethane

Compound Index

Supercritical fluid extraction coupled directly with Fourier transform infrared spectrometry 703(1995)537

Poly(methyl methacrylate)

Influence of bulk and surface composition on the retention of colloidal particles in thermal field-flow fractionation 715(1995)117

Packed-column hydrodynamic chromatography using $1-\mu m$ non-porous silica particles 740(1996)159

Polymethylphenylsiloxanes

Chemically bonded phenylsilicone stationary phases for the liquid chromatographic separation of polycyclic aromatic hydrocarbons and cyclosiloxanes 722(1996)97

Polynuclear aromatic hydrocarbons

Selected applications of the use of supercritical fluids in coupled systems 703(1995)467

Packed column supercritical fluid chromatography-mass spectrometry with particle beam interface aided with particle forming solvent 703(1995)489

Performance characteristics of a real-time direct deposition supercritical fluid chromatography-Fourier transform infrared spectrophotometry system 703(1995)503

Fractionation by planar chromatography of a coal tar pitch for characterisation by size-exclusion chromatography, UV fluorescence and direct-probe mass spectrometry 708(1995)143

Application of chromatographic studies of air pollution in China 710(1995)21

Recent applications of gas and high-performance liquid chromatographic techniques to the analysis of polycyclic aromatic hydrocarbons in airborne particulates 710(1995)79

Air sampling and analysis of polycyclic aromatic hydrocarbons 710(1995)93

Monitoring polycyclic aromatic hydrocarbons in waste gases 710(1995)129

Pentafluorobenzyl derivatives for the gas chromatographic determination of hydroxy-polycyclic aromatic hydrocarbons in urban aerosols 710(1995)139

Separation of ³²P-labeled 3',5'-bisphosphate nucleotides of polycyclic aromatic hydrocarbon *anti*-diol-epoxides and derivatives 710(1995)149

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection 715(1995)41

Determination of polycyclic aromatic hydrocarbons in soil samples by micellar electrokinetic capillary chromatography with photodiode-array detection 717(1995)309

Separation of planar organic contaminants by pyrenyl-silica high-performance liquid chromatography 718(1995)107

Application of experimental design approach to the optimization of supercritical fluid extraction of polychlorinated biphenyls and polycyclic aromatic hydrocarbons 719(1996)77

Chromatographic evaluation of some selected polycyclic aromatic hydrocarbons of coal tars produced under different coking conditions and pitches derived from them 719(1996)181

Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3

Chemically bonded phenylsilicone stationary phases for the liquid chromatographic separation of polycyclic aromatic hydrocarbons and cyclosiloxanes 722(1996)97

Optimization of microwave-assisted solvent extraction of polycyclic aromatic hydrocarbons in marine sediments using a microwave extraction system with high-performance liquid chromatography-fluorescence detection and gas chromatography-mass spectrometry 723(1996)259

Direct determination of coronene in heavy oil fraction by highperformance liquid chromatography 724(1996)337

Determination of polycyclic aromatic hydrocarbons in precipitation using solid-phase extraction and column liquid chromatography 725(1996)261

Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235

High-performance liquid chromatography with non-aqueous solvents. Relative elution strength on a polystyrene-divinylbenzene column 728(1996)271

Simultaneous identification of different classes of hydrocarbons and determination of nitro-polycyclic aromatic hydrocarbons by means of particle beam liquid chromatography-mass spectrometry 728(1996)359

Portable liquid chromatograph for mobile laboratories. I. Aims 728(1996)387

Preliminary experiments for the analysis of tetrahydrotetrols of benz[a]anthracene and benzo[a]pyrene derived from their hemoglobin adducts using a coupled-column high-performance liquid chromatographic system 730(1996)153

Determination of polycyclic aromatic hydrocarbons in water samples using high-performance liquid chromatography with amperometric detection 730(1996)169

Determination of hydroxy polycyclic aromatic hydrocarbons by liquid chromatography-mass spectrometry 731(1996)75

Solid-phase extraction for the selective isolation of polycyclic aromatic hydrocarbons, azaarenes and heterocyclic aromatic amines in charcoal-grilled meat 731(1996)85

Detectability enhancement by the use of large-volume injections in gas chromatography-cryotrapping-Fourier transform infrared spectrometry 732(1996)75

Analysis of 23 polynuclear aromatic hydrocarbons from natural water at the sub-ng/l level using solid-phase disk extraction and mass-selective detection 732(1996)85

Determination of solute-micelle association constants for a group of benzene derivatives and polycyclic aromatic hydrocarbons with sodium dodecyl sulphate by micellar electrokinetic chromatography 732(1996)345

Solid-phase microextraction coupled to gas chromatography: a new method for the analysis of organics in water 733(1996)143

Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171

New approach to the characterization of pyrolysis coal products by gas chromatography—mass spectrometry 736(1996)185

Application of radio-chromatographic techniques to diesel emissions research 737(1996)181

Optimization of a drying method for filtered suspended solids from natural waters for supercritical fluid extraction analysis of hydrophobic organic compounds 738(1996)253

Optimizing split/splitless injection port parameters for solidphase microextraction 740(1996)139

Correlation between the logarithm of capacity factors for aromatic compounds in micellar electrokinetic chromatography and their octanol-water partition coefficients 742(1996)251

Capillary electrochromatography – a high-efficiency microseparation technique 744(1996)63

Investigation of parameters affecting the on-line combination of supercritical fluid extraction with capillary gas chromatography 750(1996)215

Coupling of thermal desorption in modified closeable sampling columns with wide-bore capillary gas chromatography and mass spectrometric detection 750(1996)239

Determination of polycyclic aromatic hydrocarbons in edible oils and fats by on-line donor-acceptor complex chromatography and high-performance liquid chromatography with fluorescence detection 750(1996)263

Surface ionization detector with a supersonic free jet for gas chromatography. Some applications 750(1996)335

On-line high-performance liquid chromatography-solvent evaporation-high-performance liquid chromatography-capillary gas chromatography-flame ionisation detection for the analysis of mineral oil polyaromatic hydrocarbons in fatty foods 750(1996)361

Polynucleotides

see Special Issue Index

Polvols

Ion-exclusion chromatography of ethanolamines on an anion-exchange resin by elution with polyols and sugars 739(1996)317

Poly(perfluoroalkyl ether)

Thermodynamic consideration of the retention mechanism in a poly(perfluoroalkyl ether) gas chromatographic stationary phase used in packed columns 715(1995)299

Polyphenolic compounds

Automation of sample preparation as a preliminary stage in the high-performance liquid chromatographic determination of polyphenolic compounds in sherry wines 730(1996)39

Polyphenols

Resolution of complex mixtures of non-flavonoid polyphenols by column-switching high-performance liquid chromatography using octadecylsilica and graphitized carbon columns 724(1996)67

Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards 724(1996)117

Solid-phase extraction and high-performance liquid chromatographic determination of polyphenols in apple musts and ciders 727(1996)203

Polyphosphates

Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5'-triphosphate and cetyltrimethylammonium bromide with indirect UV detection 723(1996)197

Comparison of polyphosphate analysis by ion chromatography and by modified end-group titration 739(1996)217

Polypropylenamine dendrimers

Exclusion chromatography of polypropylenamine dendrimers 730(1996)75

Poly(propylene glycol)

Two-stage resolution of mixtures by supercritical fluid chromatography 722(1996)317

High-performance liquid chromatography and detection of polyethers and their mono(carboxy)alkyl and -arylalkyl substituted derivatives (Review) 742(1996)1

Polysaccharides

see also Saccharides

Recent progress in carbohydrate separation by high-performance liquid chromatography based on size exclusion 720(1996)151

Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates 720(1996)295

Separation of negatively charged carbohydrates by capillary electrophoresis 720(1996)323

On-line quantitation of enzymatic mannan hydrolysates in small-volume bioreactors by microdialysis sampling and column liquid chromatography-integrated pulsed electrochemical detection 725(1996)165

Enantiomer separation of basic drugs by capillary electrophoresis using ionic and neutral polysaccharides as chiral selectors 735(1996)345

Purification of the monoclonal heparin antibody H-1.18 744(1996)215

Poly(sodium N-undecyl valinate)

Combined polymerized chiral micelle and γ -cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297

Polystyrene

Influence of bulk and surface composition on the retention of colloidal particles in thermal field-flow fractionation 715(1995)117

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Critical retention behaviour of polymers 727(1996)13

Development and application of radio-size-exclusion chromatography 727(1996)61

Packed-column hydrodynamic chromatography using 1-μm nonporous silica particles 740(1996)159

349

Polystyrene-butadiene

Determination of the chemical composition distribution of copolymers of styrene and butadiene by gradient polymer elution chromatography 736(1996)125

Polystyrene sulfonate

Influence of injected mass and ionic strength on retention of water-soluble polymers and proteins in hollow-fibre flow field-flow fractionation 732(1996)307

Polyunsaturated fatty acids

Counter-current chromatographic separation of polyunsaturated fatty acids 704(1995)211

Distinction between enzymic and nonenzymic lipid peroxidation 743(1996)293

Polyurethanes

Gel permeation chromatographic method for monitoring the transesterification reaction in a two-step chemoenzymatic synthesis of urethane oil based on vegetable oils 718(1995)299

Poly(vinyl alcohol)

Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257

Poly(vinyl chloride)

Analysis of poly(vinyl chloride) additives by supercritical fluid extraction and gas chromatography 750(1996)183

Ponceau 4R

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Porphobilinogen

Determination of 5-aminolaevulinic acid dehydratase activity in erythrocytes and porphobilinogen in urine by micellar electrokinetic capillary chromatography 722(1996)353

Potaccium

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Cation trace analysis of snow and firn samples from high-alpine sites by ion chromatography 706(1995)249

Ion chromatography as potential reference methodology for the determination of total sodium and potassium in human serum 706(1995)443

Controlled changes in selectivity of cation separations by capillary electrophoresis using various crown-ether additives 745(1996)87

Potassium chloride

Compound Index

Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257

Potassium cobalt hexacyanoferrate

Determination of Cs-137 in environmental water by ionexchange chromatography (Review) 733(1996)57

Praziquantel

Preliminary design of a simulated counter-current chromatographic system for the separation of praziquantel enantiomers 734(1996)247

Priority phenols

Capillary zone electrophoresis/electrospray mass spectrometry of priority phenols 743(1996)315

Priority pollutants

Separation of priority pollutant phenols on chemically modified poly(styrene-divinylbenzene) resins by high-performance liquid chromatography 715(1995)213

Probenecid

Capillary electrophoresis of diuretics (Review) 735(1996)151

Procyanidins

Determination of some structural features of procyanidins and related compounds by photodiode-array detection 723(1996)19

Profens

Incremental development of chiral selectors for underivatized profens 736(1996)31

Proline

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Capillary zone electrophoresis at subzero temperatures. I. Separation of the *cis* and *trans* conformers of small peptides 716(1995)167

Kinetic study on the *cis-trans* isomerization of peptidyl-proline dipeptides 744(1996)259

Proline peptides

Isolation and identification of peptide conformers by reversedphase high-performance liquid chromatography and NMR at low temperature 729(1996)155

Promazin

Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307

Promethazine

Preparation and enantioselectivity of (S)-binaphthol-bonded phase for high-performance liquid chromatography 736(1996)39

Prometryne

On-line partial filling micellar electrokinetic chromatographyelectrospray ionization mass spectrometry 749(1996)219

Propafenone

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Propane-based halocarbons

Retention of halocarbons on a hexafluoropropylene epoxidemodified graphitized carbon black. IV. Propane-based compounds 708(1995)293

n-Propanethiol

Calibration of the thermal desorption-gas chromatography-mass spectrometry system using standards generated in the process of thermal decomposition of chemically modified silica gel 742(1996)175

Propazine

On-line partial filling micellar electrokinetic chromatographyelectrospray ionization mass spectrometry 749(1996)219

Propellants

Optimization of electron-capture detector when using packed-column supercritical fluid chromatography with modified carbon dioxide 723(1996)361

Propene

Assessment by gas chromatography and gas chromatographymass spectrometry of volatile hydrocarbons from biomass burning 710(1995)71

Determination of adsorption equilibrium constants by reversed-flow gas chromatography 736(1996)151

Propionic acid, chlorinated

Analysis of chlorinated acetic and propionic acids as their pentafluorobenzyl derivatives. I. Preparation of the derivatives 718(1995)391

Propranolol

Application of modified cyclodextrins in capillary electrophoresis for enantiomeric resolution of propranolol and analogues 705(1995)351

Comparison of softwares used for the detection of analytes present at low levels in liquid chromatographic-mass spectrometric experiments 712(1995)31

Enantiomeric purity determination of propranolol by cyclodextrin-modified capillary electrophoresis 717(1995)203

Preparation and enantioselectivity of (S)-binaphthol-bonded phase for high-performance liquid chromatography 736(1996)39

Propylparaben

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17

Propyphenazone

Application of high-performance liquid chromatography with diode-array detection and on-line post-column photochemical derivatization to the determination of analgesics 729(1996)355

Prostaglandin E,

Method of increasing the sensitivity of liquid chromatographyatmospheric pressure chemical ionization mass spectrometry using a semi-micro column 715(1995)13

Prostaglandins

Enantiomeric enrichment of partially resolved 4-hydroxy-2-carboxymethylcyclopentanone derivatives by achiral phase chromatography 708(1995)231

Protamine

Development of protamine-bonded phase for separation of saccharides in liquid chromatography 737(1996)149

Proteases

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Protein A

Confocal microscopy as a tool for studying protein adsorption to chromatographic matrices 743(1996)75

Proteinases

Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247

Protein HC

Spectroscopic characterization by photodiode array detection of human urinary and amniotic protein HC subpopulations fractionated by anion-exchange and size-exclusion highperformance liquid chromatography 719(1996)149

Protein modifications

Separation of acetylated core histones by hydrophilic-interaction liquid chromatography 743(1996)137

Proteins

see also Antibodies, Enzymes, Monoclonal antibodies and Special Issue Index

Validation studies in the regeneration of ion-exchange celluloses 702(1995)59

Modified poly(glycidyl methacrylate-co-ethylene dimethacrylate) continuous rod columns for preparative-scale ion-exchange chromatography of proteins 702(1995)89

Model for ion-exchange equilibria of macromolecules in preparative chromatography 702(1995)113

Modeling non-linear elution of proteins in ion-exchange chromatography 702(1995)125

Ion-exchange displacement chromatography of proteins. Dendritic polymers as novel displacers 702(1995)143

Effect of stationary phase on preparative protein separation in reversed-phase chromatography 702(1995)157

Separation of biotin labeled proteins from their unlabeled counterparts using immobilized platinum affinity chromatography 702(1995)173

Egg yolk riboflavin binding protein as a new chiral stationary phase in high-performance liquid chromatography 704(1995)55

High-speed high-performance liquid chromatography of peptides and proteins 705(1995)3

Protein mass spectrometry: applications to analytical biotechnology 705(1995)21

Chemical methods of protein sequence analysis 705(1995)47

Isoelectric focusing as a tool for the investigation of posttranslational processing and chemical modifications of proteins 705(1995)67

Host cell contaminant protein assay development for recombinant biopharmaceuticals 705(1995)105

Moisture content in proteins: its effects and measurement 705(1995)115

Processing of C-terminal lysine and arginine residues of proteins isolated from mammalian cell culture 705(1995)129

High-performance capillary electrophoretic separation of human serum albumin using a neutral coated capillary 705(1995)335

Determination of amino acids in biomass and protein samples by microwave hydrolysis and ion-exchange chromatography 706(1995)421

Nuclear magnetic resonance and the design of chromatographic separations 707(1995)45

Antibiotics as low-molecular-mass displacers in ion-exchange displacement chromatography 707(1995)57

Electrochromatographic separation of proteins 707(1995)69

Free-solution electrophoresis of proteins in an improved density gradient column and by capillary electrophoresis 707(1995)77

Purification of antibody Fab fragments by cation-exchange chromatography and pH gradient elution 707(1995)225

Analysis of recombinant human growth hormone and its related impurities by capillary electrophoresis 707(1995)396

Development and monitoring of purification process for nerve growth factor fusion antibody 708(1995)61

Performance of a physically adsorbed high-molecular-mass polyethyleneimine layer as coating for the separation of basic proteins and peptides by capillary electrophoresis 708(1995)356

Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99

Capillary electrophoresis of hair proteins modified by alcohol intake in laboratory rats 709(1995)111

Haemoglobin analysis by capillary zone electrophoresis 709(1995)121

Effects of alkylamines on electroosmotic flow and protein migration behaviour in capillary electrophoresis 709(1995)127

Detection of traces of a trisulphide derivative in the preparation of a recombinant truncated interleukin-6 mutein 709(1995)135

Development of an analytical reversed-phase high-performance liquid chromatography assay for transforming growth factor β 3 709(1995)249

Perfusion immunoassay for acetylcholinesterase: analyte detection based on intrinsic activity 711(1995)23

Studies on the adsorption capacities of proteins with a tentacletype ion exchanger and their relationship to the stoichiometric retention parameter Z_c 711(1995)43

Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. I. Resolution of insulin variants 711(1995)61

Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. II. The role of insulin A and B chains in the chromatographic behaviour of insulin 711(1995)71

Identification of a new genetic variant of bovine β -casein using reversed-phase high-performance liquid chromatography and mass spectrometric analysis 711(1995)141

Purification of unstable proteins from *Halobacterium salinarium* crude cell extracts: combined cell disruption and desalting by a hollow-fiber membrane module as an access to perform ion-exchange chromatography 711(1995)175

Characterization of molecular aggregates of $\alpha_1 \beta_1$ -integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187

Capillary and rotating-tube isoelectric focusing of a transmembrane protein, the human red cell glucose transporter 711(1995)217

Liquid chromatography-time-of-flight mass spectrometry with continuous-flow matrix-assisted laser desorption ionization 711(1995)235

Gel electrophoretic analysis of cellular and secreted proteins from resting and activated rat alveolar macrophages treated with pentamidine isethionate 711(1995)331

Surface modification of microporous polyamide membranes with hydroxyethyl cellulose and their application as affinity membranes 715(1995)49

Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis 715(1995)167

Preparation and stability tests for polyacrylamide-coated capillaries for capillary electrophoresis 716(1995)27

Analysis of protein fractions by micropreparative capillary isoelectric focusing and matrix-assisted laser desorption time-of-flight mass spectrometry 716(1995)157

Capillary zone electrophoretic resolution of recombinant human bone morphogenetic protein 2 glycoforms. An investigation into the separation mechanisms for an exquisite separation 716(1995)401

Capillary electrophoretic separation of proteins using stable, hydrophilic poly(acryloylaminoethoxyethanol)-coated columns 717(1995)1

Use of plate numbers achieved in capillary electrophoretic protein separations for characterization of capillary coatings 717(1995)15

Capillary electrophoresis, a rapid and sensitive method for routine analysis of apolipoprotein A-I in clinical samples 717(1995)25

Optimization of hapten-protein conjugation by highperformance capillary electrophoresis 717(1995)75

Demonstration of a heparin-binding site in serum amyloid P component using affinity capillary electrophoresis as an adjunct technique 717(1995)83

Preparation of a hydrophobic porous membrane containing phenyl groups and its protein adsorption performance 718(1995)27

Differences in the glycosylation of recombinant and native human milk bile salt-stimulated lipase revealed by peptide mapping 718(1995)53 Effects of salts and the surface hydrophobicity of proteins on partitioning in aqueous two-phase systems containing thermoseparating ethylene oxide-propylene oxide copolymers 718(1995)67

Analysis of the glycoforms of human recombinant factor VIIa by capillary electrophoresis and high-performance liquid chromatography 718(1995)195

Spectroscopic characterization by photodiode array detection of human urinary and amniotic protein HC subpopulations fractionated by anion-exchange and size-exclusion high-performance liquid chromatography 719(1996)149

Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis 719(1996)159

Performance of pH elution in high-performance affinity chromatography of proteins using non-porous silica 721(1996)31

Mobile phase effects on membrane protein elution during immobilized artificial membrane chromatography 721(1996)213

Characterization of ewe's milk by capillary zone electrophoresis 721(1996)345

Synthesis and characterization of polymer-coated mixedfunctional stationary phases with several different hydrophobic groups for direct analysis of biological samples by liquid chromatography 722(1996)115

Characterization of a novel stationary phase derived from a hydrophilic polystyrene-based resin for protein cation-exchange high-performance liquid chromatography 723(1996)1

Epoxy resin coatings for capillary zone electrophoretic separation of basic proteins 723(1996)157

Liquid chromatographic and capillary electrophoretic examination of intact and degraded fusion protein CTLA4Ig and kinetics of conformational transition 723(1996)273

Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371

Monitoring of hapten-protein coupling reactions by capillary zone electrophoresis: improvement of abscisic acid-bovine serum albumin coupling and determination of molar coupling ratios 723(1996)381

Countercurrent chromatographic analysis of ovalbumin obtained from various sources using the cross-axis coil planet centrifuge 724(1996)179

Multipoint binding in metal-affinity chromatography 725(1996)225

Optimization of preparative ion-exchange chromatography of proteins: linear gradient separations 725(1996)295

Mechanistic model of retention in protein ion-exchange chromatography 726(1996)45

Multiple-plug binding assays using affinity capillary electrophoresis 727(1996)291

Controlled mixed-mode interaction chromatography on membrane adsorbers 728(1996)129

Characterization of wide-pore reversed-phase columns for biopolymer separations. I. Single-parametric evaluation 728(1996)179

Retention behaviour of proteins under conditions of column overload in hydrophobic interaction chromatography 729(1996)43

Influence of temperature on the retention behaviour of proteins in cation-exchange chromatography 729(1996)49

Temperature-induced changes in the bandwidth behaviour of proteins separated with cation-exchange adsorbents 729(1996)67

Rapid separation of peptides and proteins on $2-\mu m$ porous microspherical reversed-phase silica material 729(1996)81

Preparative membrane adsorber chromatography for the isolation of cow milk components 729(1996)87

Perfusion liquid chromatography of whey proteins 729(1996)99

Analysis of recombinant human interleukin-11 fusion protein derived from *Escherichia coli* lysate by combined size-exclusion and reversed-phase liquid chromatography 729(1996)113

Capillary column high-performance liquid chromatographic – electrospray ionization triple-stage quadrupole mass spectrometric analysis of proteins separated by two-dimensional polyacrylamide gel electrophoresis. Application to cerebellar protein mapping 730(1996)279

Separation of basic proteins by capillary zone electrophoresis with coatings of a copolymer of vinylpyrrolidone and vinylimidazole 730(1996)289

Congo Red and Cu(II) carrying poly(ethylene glycol dimethacrylate-hydroxyethyl methacrylate) microbeads as specific sorbents. Albumin adsorption/desorption 731(1996)57

Non-bonded poly(ethylene oxide) polymer-coated column for protein separation by capillary electrophoresis 731(1996)273

Isolation of calcium-binding proteins on selective adsorbents 732(1996)261

Influence of injected mass and ionic strength on retention of water-soluble polymers and proteins in hollow-fibre flow field-flow fractionation 732(1996)307

Influence of flow-rate on the chromatographic performance of agarose- and cellulose-based anion-exchange media 734(1996)137

Adsorption isotherms in protein chromatography. Combined influence of protein and salt concentration on adsorption isotherm 734(1996)183

Separation and molecular mass distribution of rice proteins by size-exclusion high-performance liquid chromatography in a dissociating buffer 734(1996)195

Solute retention of lysozyme in hydrophobic interaction perfusion chromatography 734(1996)205

Postcolumn reactor in capillary electrophoresis for laser-induced fluorescence detection 734(1996)331

Potential of on-line isotachophoresis—capillary zone electrophoresis with hydrodynamic counterflow in the analysis of various basic proteins and recombinant human interleukin-3 734(1996)381

Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest 735(1996)165

Improved potency assay for recombinant bovine somatotropin by high-performance size-exclusion chromatography 736(1996)97

Isolation by gel-permeation chromatography of a non-covalent complex of Cibacron Blue F3G-A with human serum albumin 736(1996)115

Electrochromatography in chemically modified etched fusedsilica capillaries 736(1996)255

Large-scale amino-acid analysis for proteome studies 736(1996)291

Purification of hydrophobic integral membrane proteins from *Mycoplasma hyopneumoniae* by reversed-phase high-performance liquid chromatography 737(1996)273

Dispersion effects accompanying pressurized zone mobilisation in capillary isoelectric focusing of proteins 738(1996)123

Absolute on-line molecular mass analysis of basic fibroblast growth factor and its multimers by reversed-phase liquid chromatography with multi-angle laser light scattering detection 740(1996)215

Determination of peptidoglycan-associated protein in *Escherichia coli* NCIB 8545 by capillary zone electrophoresis 740(1996)273

Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating 741(1996)115

Capillary electrophoresis of glycosylated proteins performed on a conventional capillary gas chromatographic column 741(1996)139

Mathematical modelling and computer simulation of aqueous two-phase continuous protein extraction 741(1996)151

Fast large-scale purification of tetracycline repressor variants from overproducing *Escherichia coli* strains 742(1996)95

Affinity chromatography of trypsin using chitosan as ligand support 742(1996)107

Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage 742(1996)257

Study of protein binding to a silica support with a polymeric cation-exchange coating 743(1996)15

Lateral interaction between electrostatically adsorbed and covalently immobilized proteins on the surface of cation-exchange sorbents 743(1996)25

Fast, reproducible size-exclusion chromatography of biological macromolecules 743(1996)43

Method for obtaining unique selectivities in ion-exchange chromatography by addition of organic polymers to the mobile phase 743(1996)51

Studies on the expansion characteristics of fluidised beds with silica-based adsorbents used in protein purification 743(1996)57

Confocal microscopy as a tool for studying protein adsorption to chromatographic matrices 743(1996)75

Automated proteolytic mapping of proteins 743(1996)91

Characterisation of silica-based heparin-affinity adsorbents through column chromatography of plasma fractions containing thrombin 743(1996)145

Influence of column type and chromatographic conditions on the ion-exchange chromatography of immunoglobulins 743(1996)171

Perfusion chromatography - characterization of column packings for chromatography of proteins 743(1996)221

Specific determination of tyrosine-phosphorylated proteins and peptides by differential iodination 743(1996)273

Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis 744(1996)17

Examination of capillary zone electrophoresis, capillary isoelectric focusing and sodium dodecyl sulfate capillary electrophoresis for the analysis of recombinant tissue plasminogen activator 744(1996)155

Comparative peptide mapping of a hepatitis C viral recombinant protein by capillary electrophoresis and matrix-assisted laser desorption time-of-flight mass spectrometry 744(1996)177

Screening and identification of familial defective apolipoprotein B-100 in clinical samples by capillary gel electrophoresis 744(1996)187

Rapid capillary electrophoretic analysis of human serum proteins: qualitative comparison with high-throughput agarose gel electrophoresis 744(1996)205

Comparison of ampholytes used for slab gel and capillary isoelectric focusing of recombinant tissue-type plasminogen activator glycoforms 744(1996)279

Fluorescence-based polymerase chain reaction-single-strand conformation polymorphism analysis of p53 gene by capillary electrophoresis 744(1996)311

Argon-laser-induced fluorescence detection in sodium dodecyl sulfate-capillary gel electrophoretic separations of proteins 746(1996)109

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)169

Characterization of protein adsorption by composite silicapolyacrylamide gel anion exchangers 746(1996)185

Capillary electrophoretic examination of underivatized oligosaccharide mixtures released from immunoglobulin G antibodies and CTLA4Ig fusion protein 749(1996)237

Application of multidimensional affinity high-performance liquid chromatography and electrospray ionization liquid chromatography-mass spectrometry to the characterization of glycosylation in single-chain plasminogen activator 750(1996)35

Proteomes

Large-scale amino-acid analysis for proteome studies 736(1996)291

Protocatechualdehyde

Analysis of the components of *Lycopus europaeus* L. in body fluids during metabolism studies. Comparison of capillary electrophoresis and high-performance liquid chromatography 717(1995)261

Provitamin D,

Determination of cholecalciferol and related substances by calcium phosphate hydroxyapatite and calcium phosphate fluoroapatite high-performance liquid chromatography 731(1996)153

Pseudoephedrine

Validation of enantiomeric separations by micellar electrokinetic capillary chromatography using synthetic chiral surfactants 735(1996)303

Pteridines

Identification of pteridines in the firebug, *Pyrrhocoris apterus* (L.) (Heteroptera, Pyrrhocoridae) by high-performance liquid chromatography 724(1996)193

Pullulan

Influence of injected mass and ionic strength on retention of water-soluble polymers and proteins in hollow-fibre flow field-flow fractionation 732(1996)307

Purine nucleotides

Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197

Purines

Use of 3-(1,8-naphthalimido)propyl-modified silyl silica gel as a stationary phase for the high-performance liquid chromatographic separation of purine derivatives 722(1996)107

Comparison of capillary electrophoretic and liquid chromatographic determination of hypoxanthine and xanthine for the diagnosis of xanthinuria 730(1996)329

Dynamically generated stationary liquid phase systems with silica and ternary mobile phases containing ethylene glycol and formamide 732(1996)231

Putrescine

Determination of polyamines in serum by high-performance capillary zone electrophoresis with indirect ultraviolet detection 717(1995)345

4-(1-Pyrenyl)butyroyl chloride

Lipopolysaccharide determination by reversed-phase highperformance liquid chromatography after fluorescence labeling 711(1995)277

Pyrethroids

Automated solid-phase extraction coupled to gas chromatography with electron-capture detection: a combination of extraction and clean-up of pyrethroids in the analysis of surface water 719(1996)59

Partial least-squares and principal component regression of multi-analyte high-performance liquid chromatography with diode-array detection 727(1996)27

Determination of cypermethrin, fenvalerate and cis- and transpermethrin in soil and groundwater by high-performance liquid chromatography using partial least-squares regression 727(1996)39

Pyridinecarboxamides

Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography 740(1996)253

Pyridine carboxylic acids

Retention of pyridinecarboxylic acids on monomeric and polymeric alkylamide phases 728(1996)213

Pyridine-2,6-dicarboxylic acid

Ion-exchange mechanisms of some transition metals on a mixed-bed resin with a complexing eluent 715(1995)105

Pyridines

In situ silylation of silica-based packings using supercritical fluid as reaction medium 724(1996)373

Determination of serotonin released from coffee wax by liquid chromatography 730(1996)59

Optimisation of the separation of the dimethylpyridines by capillary electrophoresis 730(1996)321

Feasibility of supercritical fluid chromatography-chemiluminescent nitrogen detection with open tubular columns 734(1996)303

End-capping of octadecylsilylated silica gels by high-temperature silylation 737(1996)139

Pyridoxal-5-phosphate

Highly sensitive and simple liquid chromatographic determination in plasma of B₆ vitamers, especially pyridoxal 5'-phosphate 722(1996)296

Pyridylazoresorcinol

Application of thermal lens spectrometric detection to the determination of heavy metals by ion chromatography 739(1996)111

Determination of heavy metals in air particulate matter by ion chromatography 739(1996)233

Pyrimidines

Dynamically generated stationary liquid phase systems with silica and ternary mobile phases containing ethylene glycol and formamide 732(1996)231

Pyromellitate

Non-suppressed ion chromatography of inorganic anions, magnesium and calcium ions using a pyromellitate eluent and its application in evaluating environmental water quality 731(1996)179

Pyrrhocoris apterus

Identification of pteridines in the firebug, *Pyrrhocoris apterus* (L.) (Heteroptera, Pyrrhocoridae) by high-performance liquid chromatography 724(1996)193

Pyrrolizidine alkaloids

Preparative separation of pyrrolizidine alkaloids by high-speed counter-current chromatography 732(1996)43

Pyruvic acid

Determination of short-chain aliphatic, oxo- and hydroxy- acids in drinking water at low microgram per liter concentrations 723(1996)27



Quaternary ammonium compounds

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Capillary electrophoresis of cationic surfactants with tetrazolium violet and of anionic surfactants with adenosine monophosphate and indirect photometric detection 739(1996)405

Ion-pair adsorption chromatography for process purposes 741(1996)185

Reversed-phase high-performance liquid chromatography of molecular species of phospholipid derivatives 741(1996)213

Chiral separation of muscarinic antagonists by capillary zone electrophoresis with cyclodextrin additives 741(1996)287

Quaternary ammonium compounds, alkylbenzyl

Separation of alkylbenzyl quaternary ammonium compounds by capillary zone electrophoresis. Effect of organic solvent in sample solution 723(1996)189

Quaternary ammonium drugs

Analysis of quaternary ammonium drugs by thermospray liquid chromatography-mass spectrometry using a resin-based stationary phase 741(1996)75

Ouinidine

Modification of a tunable UV-visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147

Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography 716(1995)49

Quinidine carbamate

Quinine and quinidine derivatives as chiral selectors 741(1996)33

Quinine carbamate

Quinine and quinidine derivatives as chiral selectors 741(1996)33

Quinine sulfate

Micellar electrokinetic chromatography-mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Quinolin-8-ol-5-sulfonic acid

Liquid chromatographic determination of gallium and indium with fluorimetric detection 746(1996)239

Quinolonecarboxylic acids

Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303

Quinolones

Solvatochromic parameter values and pH in aqueous-organic mixtures used in liquid chromatography Prediction of retention of a series of quinolones 719(1996)27

Retention behavior of quinolones in reversed-phase liquid chromatography 722(1996)69



Ranolazine

Estimation of ranolazine and eleven Phase I metabolites in human plasma by liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry with selected-ion monitoring 712(1995)55

Rare earth ions

Application of Derringer's desirability function for the selection of optimum separation conditions in capillary zone electrophoresis 740(1996)109

Rare-earth oxides

Production of rare-earth oxides of high purity 707(1995)131

Recombinant drugs

Host cell contaminant protein assay development for recombinant biopharmaceuticals 705(1995)105

Recombinant proteins

Detection of traces of a trisulphide derivative in the preparation of a recombinant truncated interleukin-6 mutein 709(1995)135

Capillary zone electrophoretic resolution of recombinant human bone morphogenetic protein 2 glycoforms. An investigation into the separation mechanisms for an exquisite separation 716(1995)401

Improved potency assay for recombinant bovine somatotropin by high-performance size-exclusion chromatography 736(1996)97

Red cell glucose transporter

Capillary and rotating-tube isoelectric focusing of a transmembrane protein, the human red cell glucose transporter 711(1995)217

Refrigerants

Retention of halocarbons on a hexafluoropropylene epoxidemodified graphitized carbon black. IV. Propane-based compounds 708(1995)293

Refrigerants, alternative

Retention of halocarbons on a hexafluoropropylene-epoxide modified graphitized carbon black. Part 5: heavier ethane- and ethene-based compounds 723(1996)325

Reserpine

Application of liquid chromatography-atmospheric pressure chemical ionization mass spectrometry to a sector mass spectrometer 712(1995)17

Resin acids

Supercritical fluid chromatography of free resin acids on an ODS-silica gel column 709(1995)345

Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373

Resorcinol

Mobile phase effects on single-component and competitive adsorption isotherms in reversed-phase systems 734(1996)125

Resveratrol

Resveratrol content of some wines obtained from dried Valpolicella grapes: Recioto and Amarone 730(1996)47

Resveratrol glycosides

Assay of resveratrol glucosides and isomers in wine by directinjection high-performance liquid chromatography 708(1995)89

Retinal

High-performance liquid chromatographic analysis of retinal and retinol isomers 721(1996)247

Retinoids

Fully automated determination of selective retinoic acid receptor ligands in mouse plasma and tissue by reversed-phase liquid chromatography coupled on-line with solid-phase extraction 729(1996)125

Retinol

see also Vitamins

High-performance liquid chromatographic analysis of retinal and retinol isomers 721(1996)247

Fully automated determination of selective retinoic acid receptor ligands in mouse plasma and tissue by reversed-phase liquid chromatography coupled on-line with solid-phase extraction 729(1996)125

Rhamnose

Simple and sensitive multi-sugar-probe gut permeability test by high-performance liquid chromatography with fluorescence labelling 730(1996)99

Rhenium

High-performance liquid chromatography of the coordination isomers of triphenylphosphine-substituted homo- and hetero-bimetallic carbonyl complexes of manganese and rhenium 740(1996)231

Rhodamine B

Sensitivity enhancement effect in off-column detection for capillary electrophoresis 726(1996)205

Riboflavin

Egg yolk riboflavin binding protein as a new chiral stationary phase in high-performance liquid chromatography 704(1995)55

Ribonuclease B

Development of electrophoretic conditions for the characterization of protein glycoforms by capillary electrophoresis—electrospray mass spectrometry 720(1996)409

Ribonucleotides

Separation of twenty isomers of ribonucleotides and deoxyribonucleotides by reversed-phase ion-pairing high-performance liquid chromatography 732(1996)271

Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating 741(1996)115

Rifamycins

Enantiomeric resolution using the macrocyclic antibiotics rifamycin B and rifamycin SV as chiral selectors for capillary electrophoresis 715(1995)337

RNA

Preparation of cDNA-silica using reverse transcriptase and its DNA sequence determination 708(1995)13

Low-molecular-mass RNA fingerprinting of bacteria by capillary electrophoresis using entangled polymer solutions 717(1995)91

Capillary gel electrophoresis and antisense therapeutics (Review) 735(1996)191

Ro 47-0203

Determination of an endothelin receptor antagonist in human plasma by narrow-bore liquid chromatography and ionspray tandem mass spectrometry 712(1995)75

Rolipram

Influence of temperature on the enantioseparation of rolipram and structurally related racemates on Chiracel-OD 737(1996)333

Ronidazole

High-performance thin-layer chromatographic method for the fluorescence detection of three nitroimidazole residues in pork and poultry tissue 737(1996)343

Ropinirole

Determination of liquid chromatographic peak purity by electrospray ionization mass spectrometry 721(1996)41

Ropivacaine

Direct injection of large volumes of plasma in a columnswitching system for the analysis of local anaesthetics 725(1996)137

Direct injection of large volumes of plasma in a columnswitching system for the analysis of local anaesthetics. II. Determination of bupivacaine in human plasma with an alkyldiol silica precolumn 725(1996)149

Use of heptakis(2,6-di-O-methyl)- β -cyclodextrin in on-line capillary zone electrophoresis-mass spectrometry for the chiral separation of ropivacaine 742(1996)235

Rosmarinic acid

Analysis of the components of *Lycopus europaeus* L. in body fluids during metabolism studies. Comparison of capillary electrophoresis and high-performance liquid chromatography 717(1995)261

Rubber additives

Wastewater from the manufacture of rubber vulcanization accelerators: characterization, downstream monitoring and chemical treatment 733(1996)511

Ruthenium complexes

Development of DNA-immobilised chromatographic stationary phases for optical resolution and DNA-affinity comparison of metal complexes 718(1995)436

Ruthenocene

Phase-shift-free subtraction chromatograms from a dual-channel detector 719(1996)468

Rutin

Separation of chromate and tungstate by reversed-phase highperformance chromatography using rutin as chelating reagent 709(1995)381



Saccharides

see also Carbohydrates, Monosaccharides, Oligosaccharides, Polysaccharides and Sugars

Sampling and analytical strategies in on-line bioprocess monitoring and control (Review) 725(1996)13

Determination of cytidine 5'-monophospho-N-acetylneuraminic acid pool size in cell culture scale using high-performance anion-exchange chromatography with pulsed amperometric detection 727(1996)223

Simple and sensitive multi-sugar-probe gut permeability test by high-performance liquid chromatography with fluorescence labelling 730(1996)99

Improved rapid method for the isolation, purification and identification of collagen glycosides 732(1996)385

Development of protamine-bonded phase for separation of saccharides in liquid chromatography 737(1996)149

Efficient capillary zone electrophoretic separation of woodderived neutral and acidic mono- and oligosaccharides 738(1996)129

Purification of the monoclonal heparin antibody H-1.18 744(1996)215

Capillary electrophoretic examination of underivatized oligosaccharide mixtures released from immunoglobulin G antibodies and CTLA4Ig fusion protein 749(1996)237

Saccharin

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Saclofen

Preparative resolution of saclofen and hydroxysaclofen with analytical-scale high-performance liquid chromatography 732(1996)239

Safranine O

Sensitivity enhancement effect in off-column detection for capillary electrophoresis 726(1996)205

Salbutamol

Rapid analysis of β -agonists in urine by thermospray tandem mass spectrometry 712(1995)67

Combined liquid-liquid electroextraction-isotachophoresis for loadability enhancement in capillary zone electrophoresis-mass spectrometry 712(1995)227

Electrokinetic behaviour of salbutamol and its decomposition products and determination of salbutamol by micellar electrokinetic capillary chromatography 724(1996)297

Determination of the binding constant of salbutamol to unmodified and ethylated cyclodextrins by affinity capillary electrophoresis 735(1996)321

Gas and liquid chromatography coupled to tandem mass spectrometry for the multiresidue analysis of β -agonists in biological matrices 750(1996)43

Salicylate

Modification of a tunable UV-visible capillary electrophoresis detector for simultaneous absorbance and fluorescence detection: profiling of body fluids for drugs and endogenous compounds 709(1995)147

Salicylic acid

Reversed-phase high-performance liquid chromatographic study of thimerosal stability in Cuban recombinant hepatitis B vaccine 729(1996)219

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Clinical diagnostic application 744(1996)37

Salicyluric acid

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Clinical diagnostic application 744(1996)37

Salts

Peptide stacking by acetonitrile-salt mixtures for capillary zone electrophoresis 744(1996)231

Saponins

Simultaneous determination of twelve constituents of I-tzu-tang, a Chinese herbal preparation, by high-performance liquid chromatography and capillary electrophoresis 704(1995)141

Liquid chromatography combined with thermospray and continuous-flow fast atom bombardment mass spectrometry of glycosides in crude plant extracts 712(1995)155

Optimization of hapten-protein conjugation by high-performance capillary electrophoresis 717(1995)75

High-performance liquid chromatographic analysis of ginseng saponins using evaporative light scattering detection 736(1996)77

Sarcosinates

Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography 744(1996)135

Sarin

Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210

Schiff bases, nickel chelates

Nickel(II) chelates of some tetradentate Schiff bases as stationary phases for gas chromatography 715(1995)366

Sclerin

High-performance liquid chromatography with photodiode array detection for analysis of the fungal metabolite sclerin 741(1996)131

Scopolamine-N-butylbromide

Influence of different types of cyclodextrins on the racemization of scopolamine-N-butylbromide 728(1996)441

Sebaconitrile

Characterization of cyano-functionalized stationary gas chromatographic phases by linear solvation energy relationships 718(1995)357

Secoiridoid

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195

Selenate

Simultaneous analysis of selenate and selenite in bacterial suspensions by capillary electrophoresis 745(1996)111

Ion chromatographic separation of selenite and selenate using a polyanionic eluent 749(1996)115

Optimization of the determination of inorganic and organic selenium species using high-performance liquid chromatography-electrothermal atomic absorption spectrometry 750(1996)327

Selenite

Simultaneous analysis of selenate and selenite in bacterial suspensions by capillary electrophoresis 745(1996)111

Ion chromatographic separation of selenite and selenate using a polyanionic eluent 749(1996)115

Optimization of the determination of inorganic and organic selenium species using high-performance liquid chromatography-electrothermal atomic absorption spectrometry 750(1996)327

Selenium

Hyphenation of capillary electrophoresis to inductively coupled plasma mass spectrometry as an element-specific detection method for metal speciation 750(1996)51

Selenium, inorganic compounds

Capillary electrophoresis applied to the determination of some seleno compounds 732(1996)369

Seleno amino acids

Direct determination of seleno-amino acids in biological tissues by anion-exchange separation and electrochemical detection 706(1995)429

Capillary electrophoretic methods for a clear identification of selenoamino acids in complex matrices such as human milk 716(1995)323

Capillary electrophoresis applied to the determination of some seleno compounds 732(1996)369

Optimization of the determination of inorganic and organic selenium species using high-performance liquid chromatography-electrothermal atomic absorption spectrometry 750(1996)327

Selenocystine

Optimization of the determination of inorganic and organic selenium species using high-performance liquid chromatography-electrothermal atomic absorption spectrometry 750(1996)327

Selenomethionine

Optimization of the determination of inorganic and organic selenium species using high-performance liquid chromatography-electrothermal atomic absorption spectrometry 750(1996)327

Seminal plasma proteins

Effect of glycosylation on the heparin-binding capability of boar and stallion seminal plasma proteins 711(1995)167

L-Serine

Study of the racemization of L-serine by cyclodextrin-modified micellar electrokinetic chromatography and laser-induced fluorescence detection 716(1995)331

Serotonergic compounds

Study of lipophilic character of serotonergic ligands 723(1996)135

Serotonin

Study of lipophilic character of serotonergic ligands 723(1996)135

Determination of serotonin released from coffee wax by liquid chromatography 730(1996)59

In vivo microdialysis determination of collagen-induced serotonin release in rat blood 730(1996)[2]

Improved end-column amperometric detection for capillary electrophoresis 742(1996)229

Serum proteins

Capillary zone electrophoresis of serum proteins: study of separation variables 709(1995)99

Sesquiterpenes

Liquid chromatographic—thermospray mass spectrometric analysis of sesquiterpenes of *Armillaria* (Eumycota: Basidiomycotina) species 710(1995)273

Sideritis

High-performance liquid chromatography of flavonoids from Sideritis species 731(1996)103

Silver

Micellar electrokinetic capillary chromatography with in-situ charged micelles 724(1996)285

Skatole

Capillary electrophoresis of Cheddar cheese 731(1996)305

Sodium

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Cation trace analysis of snow and firm samples from high-alpine sites by ion chromatography 706(1995)249

Ion chromatography as potential reference methodology for the determination of total sodium and potassium in human serum 706(1995)443

Sodium acvl sarcosinates

Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography 744(1996)135

Sodium alkyl sulfate

Industrial applications of capillary zone electrophoresis-mass spectrometry 712(1995)269

Sodium channel blockers

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Sodium cholate

Separation of desulphoglucosinolates by micellar electrokinetic capillary chromatography based on a bile salt 717(1995)325

Sodium chromate

Analyte preconcentration procedure based on parallel-current open-tubular liquid chromatography 728(1996)311

Sodium dodecyl sulphate

Control of selectivity in micellar electrokinetic chromatography by modification of sodium dodecyl sulfate micelles with organic hydroxy compounds 705(1995)319

Microemulsion electrokinetic chromatography with different organic modifiers: separation of water- and lipid-soluble vitamins 709(1995)11

Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier 716(1995)81

Determination of critical micelle concentration by capillary electrophoresis. Theoretical approach and validation 718(1995)167

Quantitative structure-activity relationships studies with micellar electrokinetic chromatography. Influence of surfactant type and mixed micelles on estimation of hydrophobicity and bioavailability 721(1996)323

Separation and determination of amino acids, creatinine, bioactive amines and nucleic acid bases by dual-mode gradient ion-pair chromatography 739(1996)333

Determination of critical micelle concentration by capillary electrophoresis 743(1996)307

Sodium monofluoroacetate

Sensitive and selective method for the determination of sodium monofluoroacetate by capillary zone electrophoresis 719(1996)421

Sodium N-tetradecanoyl-L-glutamate

Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with sodium N-tetradecanoyl-L-glutamate 716(1995)319

Sodium phosphate

Systematic approach to generic matrix elimination via "heart-cut" column-switching techniques 739(1996)43

Sodium tetraethylborate

Determination of butyl- and phenyltin compounds in biological material by gas chromatography-flame photometric detection after ethylation with sodium tetraethylborate 750(1996)317

Solvent Yellow 124

Liquid chromatographic method for analysing the colour marker Solvent Yellow 124, N-ethyl-N-[2-(1-isobutoxyethoxy)ethyl](4-phenylazophenyl)amine, in diesel fuels 723(1996)395

Soman

Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210

Somatotropin

Improved potency assay for recombinant bovine somatotropin by high-performance size-exclusion chromatography 736(1996)97

Sorbic acid

Determination of cyclamate in low joule foods by capillary zone electrophoresis with indirect ultraviolet detection 704(1995)203

Soyasaponin I

Optimization of hapten-protein conjugation by highperformance capillary electrophoresis 717(1995)75

Sparteine

Variation in the alkaloid content of different subspecies of *Chamaecytisus proliferus* from the Canary Islands 719(1996)237

Spermidine

Determination of polyamines in serum by high-performance capillary zone electrophoresis with indirect ultraviolet detection 717(1995)345

Spermine

Determination of polyamines in serum by high-performance capillary zone electrophoresis with indirect ultraviolet detection 717(1995)345

Spermine alkaloids

Separation of *E-Z* isomeric macrocyclic spermine alkaloids of *Verbascum pseudonobile* and *Verbascum phoeniceum* and of their derivatives using thin-layer chromatography 724(1996)416

Starch

Improvement of a method for chain-length distribution analysis of wheat amylopectin 732(1996)255

Solid-phase extraction and subsequent gas chromatographymass spectrometry analysis for identification of complex mixtures of degradation products in starch-based polymers 741(1996)251

Stearic acid

Estimate of gas chromatographic blanks 726(1996)133

Stearic acid methyl ester

Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction-supercritical fluid chromatography-flame ionization detection 734(1996)311

Steranes

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Steroid drugs

Relationship between the retention characteristics and physicochemical parameters of some steroid drugs in reversed-phase high-performance liquid chromatography 728(1996)75

Steroid hormones

see also Hormones

Thermodynamic parameters of the formation of a complex between cyclodextrins and steroid hormones 728(1996)89

Steroid sulphates

Microbore high-performance liquid chromatography-electrospray ionisation mass spectrometry of steroid sulphates 738(1996)191

Steroids

see also Corticosteroids and Ecdysteroids

Application of liquid chromatography-atmospheric pressure chemical ionization mass spectrometry to a sector mass spectrometer 712(1995)17

Modified and convenient preparation of silica impregnated with silver nitrate and its application to the separation of steroids and triterpenes 715(1995)372

Structure-retention relationships of steroid hormones in reversed-phase liquid chromatography and micellar electrokinetic capillary chromatography 728(1996)83

Micellar electrokinetic chromatography. Perspectives in drug analysis 735(1996)3

Trifluoromethanesulfonic acid as a catalyst for the formation of dansylhydrazone derivatives 740(1996)279

Resolution of enantiomeric steroids by high-performance liquid chromatography on chiral stationary phases 749(1996)61

Separation of pharmaceutically important estrogens by micellar electrokinetic chromatography 749(1996)247

Comparison of the possibilities of gas chromatography-mass spectrometry and tandem mass spectrometry systems for the analysis of anabolics in biological material 750(1996)105

Sterols

Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373

Use of capillary gas chromatography for measuring fecalderived sterols. Application to stormwater, the sea-surface microlayer, beach greases, regional studies, and distinguishing algal blooms and human and non-human sources of sewage pollution 733(1996)497

Stilbenes

Preparative separation of phenolic compounds from *Picea abies* by high-speed counter-current chromatography 719(1996)438

Determination of 4,4'-diaminostilbene-2,2'-disulfonic acid by thin-layer chromatography and densitometry 727(1996)324

Styrene

Salt effect on size-exclusion chromatography of partially sulfonated alternating copolymers of maleic acid and styrene in a polar solvent 704(1995)149

Purge-and-trap method for the determination of styrene in urine 719(1996)53

Determination of the chemical composition distribution of copolymers of styrene and butadiene by gradient polymer elution chromatography 736(1996)125

Styrene copolymers

Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography 715(1995)127

Styrene oxide

Determination of styrene oxide adducts in DNA and DNA components 717(1995)117

Suberin

Pyrolytic alkylation-gas chromatography-mass spectrometry of model polymers. Further insights into the mechanism and scope of the technique 750(1996)155

Substance P

Reversed-phase high-performance liquid chromatography combined with tandem mass spectrometry in studies of a substance P-converting enzyme from human cerebrospinal fluid 743(1996)213

Complete capillary electrophoretic separation of substance P and its metabolites at neutral pH using ionic run buffer additives 744(1996)241

Subtilisin

Liquid chromatography studies on the enzymatic degradation of luteinizing hormone-releasing hormone analogues with off-line identification by mass spectrometry 729(1996)137

Succinylcholine chloride

Determination of choline in pharmaceutical formulations by reversed-phase high-performance liquid chromatography and postcolumn suppression conductivity detection 739(1996)351

Sucrose

Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231

Sugar acids

Determination of monomeric sugar and carboxylic acids by ion-exclusion chromatography 706(1995)361

Sugar alcohols

Development of protamine-bonded phase for separation of saccharides in liquid chromatography 737(1996)149

Sugars

see also Carbohydrates and Saccharides

Nanomolar determination of aminated sugars by capillary electrophoresis 716(1995)221

Sensitive determination of sugars by capillary zone electrophoresis with indirect UV detection under highly alkaline conditions 716(1995)231

Chromatographic and related spot tests for the detection of water pollutants 733(1996)5

Ion-exclusion chromatography of ethanolamines on an anionexchange resin by elution with polyols and sugars 739(1996)317

Sulfadiazine

Improved determination of sulfadiazine in human plasma and urine by high-performance liquid chromatography 729(1996)243

Sulfamethazine

Improved determination of sulfadiazine in human plasma and urine by high-performance liquid chromatography 729(1996)243

Sulfamides

Micellar electrokinetic chromatography-mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Sulfate

Precision of ion chromatographic analyses compared with that of other analytical techniques through intercomparison exercises 706(1995)13

Precision and linearity of inorganic analyses by ion chromatography 706(1995)21

Evaluation of 1,2-diaminocyclohexanetetraacetic acid as eluent in the determination of inorganic anions and cations by ion chromatography 706(1995)115

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Determination of anions in human and animal tear fluid and blood serum by ion chromatography 706(1995)183

Determinations of trace anions in hydrogen peroxide 706(1995)191

Determination of nitrate, phosphate and organically bound phosphorus in coral skeletons by ion chromatography 706(1995)209

Control of errors in anion chromatography applied to environmental research 706(1995)229

Determination of anions in oilfield waters by ion chromatography 706(1995)301

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311

Determination of sulphite and sulphate by ion chromatography using a weakly basic phthalate eluent 732(1996)403

Systematic approach to generic matrix elimination via "heart-cut" column-switching techniques 739(1996)43

Approaches to sample preparation for ion chromatography 739(1996)49

Determination of phosphate and sulphite in natural waters in the presence of high sulphate concentrations by ion chromatography under isocratic conditions 739(1996)207

Determination of total phosphorus in sediments by means of high-pressure bombs and ion chromatography 739(1996)223

Capillary electrophoretic estimation of sulfate stability constants of metal ions and determination of alkali and alkaline earth metals in waters 745(1996)127

Sulfides

Compound Index

Ion chromatography of organic-rich natural waters from peatlands. IV. Dissolved free sulfide and acid-volatile sulfur 706(1995)287

Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits 726(1996)161

Determination of sulfide in the leather industry by capillary electrophoresis 740(1996)125

2.2'-Sulfinyldiethanol

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

Sulfite

Determination of sulphite and sulphate by ion chromatography using a weakly basic phthalate eluent 732(1996)403

Systematic approach to generic matrix elimination via "heartcut" column-switching techniques 739(1996)43

Determination of phosphate and sulphite in natural waters in the presence of high sulphate concentrations by ion chromatography under isocratic conditions 739(1996)207

SulfobetainSB-12

Unusual chromatographic behaviour and one-step purification of a novel membrane proteinase from *Bacillus cereus* 715(1995)247

Sulfobutyl ether-\(\beta\)-cyclodextrin

Use of negatively charged sulfobutyl ether- β -cyclodextrin for enantiomeric separation by capillary electrophoresis 716(1995)183

Sulfoisophthalic acid

High-sensitivity conductivity detection in non-suppressed ion chromatography using sulfoisophthalic acid as eluent 727(1996)311

Sulfonamides

Ion-pair chromatographic method for the analysis of mafenide acetate 708(1995)83

Development of an instrumental configuration for pseudoelectrochromatography-electrospray mass spectrometry 712(1995)201

Determination of sulphonamides in foods by liquid chromatography with postcolumn fluorescence derivatization 726(1996)125

Direct on-column derivatisation in gas chromatography 738(1996)43

Influence of the nature of the buffer on chiral separation in capillary electrophoresis 745(1996)61

High-performance liquid chromatographic determination of flumetsulam, a newly developed sulfonamide herbicide in soil 746(1996)25

Sulfonates, aromatic

Methods of analysis of polar aromatic sulfonates from aquatic environments 733(1996)473

Sulfonic acids

Clean-up procedure for the determination of inorganic anions by ion chromatography 706(1995)137

Linear polymers applied as pseudo-phases in capillary zone electrophoresis of azo compounds used as textile dyes 717(1995)157

Separation of aromatic sulphonic acid dye intermediates by high-performance liquid chromatography and capillary zone electrophoresis 738(1996)201

Sulfonic acids, aromatic

On-line preconcentration and separation of neutral and charged aromatic compounds by ion interaction chromatography 739(1996)63

Sulfonylureas

Concentration and separation of hypoglycemic drugs using solid-phase extraction-capillary electrophoresis 717(1995)279

Sulfur

Ion chromatography of organic-rich natural waters from peatlands. IV. Dissolved free sulfide and acid-volatile sulfur 706(1995)287

Enantioselective analysis of chiral polychlorinated biphenyls in sediment samples by multidimensional gas chromatography-electron-capture detection after steam distillation-solvent extraction and sulfur removal 723(1996)399

Determination of elemental sulfur by size-exclusion chromatography 740(1996)237

Sulfur compounds, volatile

What is the true odour of cut Allium? Complementarity of various hyphenated methods: gas chromatography-mass spectrometry and high-performance liquid chromatography-mass spectrometry with particle beam and atmospheric pressure ionization interfaces in sulphenic acids rearrangement components discrimination 750(1996)63

Sulfur-containing compounds

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

Sulfur dioxide

Determination of atmospheric sulfur dioxide by ion chromatography in the city of Cabimas, Venezuela 739(1996)295

Sulfur hexafluoride

Analysis of the possibility of SF₆ detection by a solute switching method with a modulator containing a ⁶³Ni source 743(1996)301

Sulfuric acid

Improved statistical analysis of ion chromatography data from acids for aluminum anodizing solutions 739(1996)163

lon-exclusion chromatography of aliphatic carboxylic acids on an unmodified silica gel column 739(1996)359

Sunset yellow

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Sunset Yellow FCF

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Suprofen

Detection of non-UV-absorbing chiral compounds by highperformance liquid chromatography-mass spectrometry 746(1996)9

Suramin

Precision in capillary electrophoresis with respect to quantitative analysis of suramin 717(1995)191

Surfactant biointermediates

Evaluation of two new examples of graphitized carbon blacks for use in solid-phase extraction cartridges 733(1996)41

Surfactants

see also Detergents

Separation of anionic surfactants on anion exchangers 706(1995)327

Separation of inorganic and organic anionic components of Bayer liquor by capillary zone electrophoresis. I. Optimisation of resolution with electrolyte-containing surfactant mixtures 706(1995)571

Micellar electrokinetic chromatography using high-molecularmass surfactants: comparison between anionic and cationic surfactants and effects of modifiers 709(1995)3

Polar organic pollutants in the Elbe river. Liquid chromatographic-mass spectrometric and flow-injection analysis-mass spectrometric analyses demonstrating changes in quality and concentration during the unification process in Germany 712(1995)123

Double-chain surfactants with two sulfonate groups as micelleforming reagents in micellar electrokinetic chromatography of naphthalene derivatives 715(1995)135

Determination of amphoteric surfactants in cosmetic cleansing products by high-performance liquid chromatography on a cation-exchange column 715(1995)195

Micellar electrokinetic chromatography-mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography. Comparison of the role of anionic and cationic surfactants 717(1995)167

Capillary electrophoretic analysis of the sodium salt of naphthalenesulfonic acid, formaldehyde polymer in waste water using a polyethylene glycol-coated capillary 717(1995)363

Quantitative structure-activity relationships studies with micellar electrokinetic chromatography. Influence of surfactant type and mixed micelles on estimation of hydrophobicity and bioavailability 721(1996)323

Two-stage resolution of mixtures by supercritical fluid chromatography 722(1996)317

Separation of alkylbenzyl quaternary ammonium compounds by capillary zone electrophoresis. Effect of organic solvent in sample solution 723(1996)189

Capillary gas chromatography of higher alkylpolyoxyethylene glycols with an even number of carbon atoms in the alkyl group. Influence of type of derivatizing agent, alcohol chain length and oxyethylene chain length on the retention indices with a linear temperature increase 727(1996)131

Novel additives for the separation of organic compounds by high-performance liquid chromatography 728(1996)235

Chromatographic behaviour in reversed-phase high-performance liquid chromatography with micellar and submicellar mobile phases 728(1996)279

Separation of broadly distributed nonylphenol ethoxylates and determination of ethylene oxide oligomers in textile lubricants and emulsions by high-performance liquid chromatography 731(1996)161

Oligomeric separation of alkylphenol ethoxylate surfactants on silica using aqueous acetonitrile eluents 731(1996)171

Homologue separation of linear alcohol ethoxylates by highperformance liquid chromatography 732(1996)299

Chromatographic tools for analyzing and tracking non-ionic surfactants in the aquatic environment 733(1996)185

Chromatographic determination of non-ionic aliphatic surfactants of the alcohol polyethoxylate type in the environment (Review) 733(1996)193

Determination of surfactants in surface water by solid-phase extraction, liquid chromatography and liquid chromatography-mass spectrometry 733(1996)207

Validation of enantiomeric separations by micellar electrokinetic capillary chromatography using synthetic chiral surfactants 735(1996)303

Chromatographic behaviour of oligoethylene glycol nonylphenyl ether anionic surfactants in normal-phase high-performance liquid chromatography 736(1996)131

Hydrogen-bonding interaction-assisted micellar electrokinetic chromatography using mixed surfactant systems 736(1996)273

Capillary electrophoresis of phosphate ester surfactants with adenosine monophosphate and indirect photometric detection 737(1996)315

Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography. Enhanced separation of corticosteroids 738(1996)275

Capillary electrophoresis of cationic surfactants with tetrazolium violet and of anionic surfactants with adenosine monophosphate and indirect photometric detection 739(1996)405

Determination of critical micelle concentration by capillary electrophoresis 743(1996)307

Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography 744(1996)135

Separation of ionic and neutral surfactants by capillary electrophoresis and high-performance liquid chromatography 745(1996)281

Surfactants, non-ionic

Reversed-phase chromatographic study of the interaction of nonionic surfactants with sodium dodecyl sulfate 722(1996)33 Determination of the retention behaviour of some non-ionic surfactants on reversed-phase high-performance liquid chromatography supports by spectral mapping in combination with cluster analysis or non-linear mapping 722(1996)281

Quantitative trace analysis of surfactant mixtures by reversedphase high-performance liquid chromatography with refractometric detection 730(1996)209

Nonionic surfactants for improving resolution of the priority pollutant phenols by micelle-modified capillary electrophoresis 734(1996)357

Synthetic colours

Determination of synthetic colours in confectionery and cordials by micellar electrokinetic capillary chromatography 704(1995)195

Systemin

Monitoring of the purification of systemin by capillary electrophoresis 734(1996)410

T

Tabun

Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210

Tachysterol

Determination of cholecalciferol and related substances by calcium phosphate hydroxyapatite and calcium phosphate fluoroapatite high-performance liquid chromatography 731(1996)153

Tamoxifen

On-line high-performance liquid chromatographic-electrospray ionization mass spectrometric method for the study of tamoxifen metabolism 722(1996)249

Tanazole

Rapid and high-performance analysis of thyreostatic drug residues in urine using gas chromatography-mass spectrometry 750(1996)127

Tartaric acid

Use of ion chromatography for the measurement of organic acids in fruit juices 706(1995)395

Determination of anionic feed additives by two-dimensional capillary isotachophoresis 737(1996)255

Separation of alkali and alkaline-earth metal and ammonium cations by capillary electrophoresis using poly(ethylene glycol) and tartaric acid 742(1996)281

Tartrazine

Improvement in the determination of food additive dyestuffs by capillary electrophoresis using β -cyclodextrin 715(1995)179

Determination of synthetic colourant food additives by capillary zone electrophoresis 718(1995)448

Taurodeoxycholate

Enantiomeric separation of local anaesthetic drugs by micellar electrokinetic capillary chromatography with taurodeoxycholate as chiral selector 000(1996)000

Taxanes

Supercritical fluid chromatography of paclitaxel 721(1996)315

Taxo

Preparative separation of taxol in normal- and reversed-phase operations 702(1995)233

Analysis of taxol, 10-deacetylbaccatin III and related compounds in *Taxus baccata* 712(1995)303

Supercritical fluid chromatography of paclitaxel 721(1996)315

Determination of paclitaxel in biological fluids by micellar electrokinetic chromatography 745(1996)173

Determination of taxol in *Taxus* species grown in Hungary by high-performance liquid chromatography-diode array detection 750(1996)253

Taxotere

Determination of paclitaxel in biological fluids by micellar electrokinetic chromatography 745(1996)173

Tebufenozide

Simultaneous determination of tebufenozide and five of its intact metabolites from forestry matrices by high-performance liquid chromatography 708(1995)71

Teicoplanin

Facile liquid chromatographic enantioresolution of native amino acids and peptides using a teicoplanin chiral stationary phase 731(1996)123

Terbium

Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium 727(1996)185

Terbutaline

Cationic β -cyclodextrin: a new versatile chiral additive for separation of drug enantiomers by high-performance liquid chromatography 704(1995)67

Rapid analysis of β -agonists in urine by thermospray tandem mass spectrometry 712(1995)67

Combined liquid-liquid electroextraction-isotachophoresis for loadability enhancement in capillary zone electrophoresis-mass spectrometry 712(1995)227

Gas and liquid chromatography coupled to tandem mass spectrometry for the multiresidue analysis of β -agonists in biological matrices 750(1996)43

Terbuthylazine

High-performance liquid chromatographic determination of ¹⁴C-labelled terbuthylazine and principal degradates in percolation water and soil extracts from leaching experiments 737(1996)101

Terfenadine

Investigation of the stereoselective metabolism of the chiral H_1 -antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219

Terpanes

Differentiation of the source of spilled oil and monitoring of the oil weathering process using gas chromatography-mass spectrometry 712(1995)321

Terpene alcohols

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Terpenes

Use of a trio of modified cyclodextrin gas chromatographic phases to provide structural information on some constituents of volatile oils 707(1995)390

Glycerol as a new dissolution medium for α -, β - and γ cyclodextrins for preparing stereoselective stationary phases for
gas-liquid chromatography 715(1995)309

Improved method for computing temperature programmed retention indices from isothermal data 725(1996)343

Applications of thin-layer chromatography to process control in the pulp and paper field 730(1996)373

Determination of stoichiometric coefficients and apparent formation constants for α - and β -CD complexes of terpenes using reversed-phase liquid chromatography 736(1996)1

Determination of biologically active constituents in *Centella asiatica* 742(1996)127

Surface ionization detector with a supersonic free jet for gas chromatography. Some applications 750(1996)335

Terpenetrilactones

Supercritical fluid chromatography of ginkgolides A, B, C and J and bilobalide 738(1996)115

Tetrachlorobenzyltoluenes

Gas chromatographic determination of liquid vapour pressure and heat of vaporization of tetrachlorobenzyltoluenes 727(1996)265

Tetrachloromethane

Solid sorbent method for the collection and analysis of volatile halogenated organic compounds in soil gas 738(1996)73

Tetra(cyanoethoxy)pentaerythritol

Characterization of cyano-functionalized stationary gas chromatographic phases by linear solvation energy relationships 718(1995)357

Tetracyclines

Electrochromatography in chemically modified etched fusedsilica capillaries 736(1996)255

Separation of tetracyclines by high-performance capillary electrophoresis and capillary electrochromatography 736(1996)313

Determination of impurities in tetracycline hydrochloride by non-aqueous capillary electrophoresis 737(1996)291

Fast large-scale purification of tetracycline repressor variants from overproducing Escherichia coli strains 742(1996)95

Tetradecyltrimethylammonium bromide

Quantitative structure-activity relationships studies with micellar electrokinetic chromatography. Influence of surfactant type and mixed micelles on estimation of hydrophobicity and bioavailability 721(1996)323

Tetradifon

Characterization of organic micropollutants in the River Cinca (Spain) by using granular activated carbon and liquid-liquid extraction 733(1996)159

1a,2,7,7a-Tetrahydro-3-methoxynaphtha-(2,3b)-oxirane

Separation of enantiomers of 1a,2,7,7a-tetrahydro-3-methoxynaphtha-(2,3b)-oxirane by liquid chromatography: laboratory-scale elution chromatography and modelling of simulated moving bed 702(1995)223

Tetrahydrotetrols

Preliminary experiments for the analysis of tetrahydrotetrols of benz[a]anthracene and benzo[a]pyrene derived from their hemoglobin adducts using a coupled-column high-performance liquid chromatographic system 730(1996)153

5,19,15,20-Tetra(m-hydroxyphenyl)chlorin

Identification of photochemical oxidation products of 5,10,15,20-tetra(*m*-hydroxyphenyl)chlorin by on-line high-performance liquid chromatography—electrospray ionization tandem mass spectrometry 722(1996)257

Tetraiodothyronine sodium

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Tetraphenylphosphonium chloride

Micellar electrokinetic chromatography—mass spectrometry using a high-molecular-mass surfactant. On-line coupling with an electrospray ionization interface 716(1995)69

Tetrazolium violet

Capillary electrophoresis of cationic surfactants with tetrazolium violet and of anionic surfactants with adenosine monophosphate and indirect photometric detection 739(1996)405

Tet repressor

Fast large-scale purification of tetracycline repressor variants from overproducing *Escherichia coli* strains 742(1996)95

Textile fiber finishes

Supercritical fluid extraction coupled directly with Fourier transform infrared spectrometry 703(1995)537

Thalimonine N-oxides

Reversed-phase high-performance liquid chromatographic separation of epimeric alkaloid N-oxides from *Thalictrum simplex* L 730(1996)63

Thiamine

Determination of thiamine in dried yeast by high-performance liquid chromatography using a clean-up column of CM-cellulose 726(1996)237

Thiazole, [(fluorobiphenylyl)ethyl]methylamino derivative

Enantiomeric separation of a thiazole derivative by highperformance liquid chromatography and micellar electrokinetic chromatography 708(1995)245

Thiazolidines

Endogenous alkaloids in man. XXI. Analysis of glyoxylatederived 1,3-thiazolidines and their precursors after trimethylsilylation by gas chromatography-mass spectrometry 707(1995)267

Thimerosal

Reversed-phase high-performance liquid chromatographic study of thimerosal stability in Cuban recombinant hepatitis B vaccine 729(1996)219

Thioarsenates

Separation of thio- and oxothioarsenates by capillary zone electrophoresis and ion chromatography 736(1996)341

Thiobarbituric acid

Automated high-performance liquid chromatographic separation with spectrofluorometric detection of a malondialdehyde-thiobarbituric acid adduct in plasma 729(1996)207

Thiobutabarbital

Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307

Thiocyanates

Determination of the petroleum tracers nitrate and thiocyanate in subterranean waters by capillary ion electrophoresis 715(1995)376

Determination of thiocyanate, iodide, nitrate and nitrite in biological samples by micellar electrokinetic capillary chromatography 717(1995)409

Feasibility of supercritical fluid chromatographychemiluminescent nitrogen detection with open tubular columns 734(1996)303

Thiodiglycol

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

6-Thioguanosine monophosphate

Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197

6-Thioinosinic acid

Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197

Thiolcarbamates

On-line coupled supercritical fluid extraction and chromatography for the determination of thiolcarbamate herbicides in soil matrix 750(1996)175

Thiols

Determination of thiols by capillary electrophoresis with electrochemical detection using a palladium field-decoupler and chemically modified electrodes 716(1995)347

Thiopental

Stepwise binary gradient high-performance liquid chromatographic system for routine drug monitoring 728(1996)307

Thiopropanal S-oxide

What is the true odour of cut Allium? Complementarity of various hyphenated methods: gas chromatography-mass spectrometry and high-performance liquid chromatography-mass spectrometry with particle beam and atmospheric pressure ionization interfaces in sulphenic acids rearrangement components discrimination 750(1996)63

Thiopurine nucleotides

Sample preparation for the determination of purine nucleotide analogues in tissues 729(1996)197

Thiosalicylic acids

Reversed-phase high-performance liquid chromatographic study of thimerosal stability in Cuban recombinant hepatitis B vaccine 729(1996)219

Thiosulfate

New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6trichlorophenylhydrazine 740(1996)71

Thiosulfinates

What is the true odour of cut Allium? Complementarity of various hyphenated methods: gas chromatography-mass spectrometry and high-performance liquid chromatography-mass spectrometry with particle beam and atmospheric pressure ionization interfaces in sulphenic acids rearrangement components discrimination 750(1996)63

Thiouracil

Rapid and high-performance analysis of thyreostatic drug residues in urine using gas chromatography-mass spectrometry 750(1996)127

1.4-Thioxane

Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347

Thioxanthene

Stability-indicating high-performance liquid chromatographic assay for the simultaneous determination of dixyrazine and chlorprothixene in intravenous admixtures 729(1996)201

Thorium

Determination of thorium and uranium in nitrophosphate fertilizer solution by ion chromatography 706(1995)175

Retention behaviour of thorium(IV) and uranyl on a reversedphase column with glycolate and mandelate as eluents 739(1996)151

Determination of trace levels of thorium(IV) and uranyl by reversed-phase chromatography with on-line preconcentration and ligand exchange 749(1996)103

Thrombin

Characterisation of silica-based heparin-affinity adsorbents through column chromatography of plasma fractions containing thrombin 743(1996)145

Thromboxanes

Analytical methods for the measurement of leukotrienes and other eicosanoids in biological samples from asthmatic subjects (Review) 725(1996)29

Thyreostatic drugs

Rapid and high-performance analysis of thyreostatic drug residues in urine using gas chromatography-mass spectrometry 750(1996)127

Thyronines

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Tiaprofenic acid

Direct high-performance liquid chromatography resolution on chiral columns of tiaprofenic acid and related compounds in bulk powder and pharmaceutical formulations 704(1995)217

Tin

Rapid determination of germanium and tin by ion chromatography 708(1995)99

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Tioconazole

Systematic approach to the treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. III. A binding constant-retention factor relationship and effects of acetonitrile on the chiral separation of tioconazole 745(1996)25

Tipredane ethylsulfoxide

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. II. The involvement of metals in commercially available C₁₈ silicas 705(1995)229

Tipredane sulphoxide

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. I. Investigations into the reaction mechanism 705(1995)219

Tissue plasminogen activator

Processing of C-terminal lysine and arginine residues of proteins isolated from mammalian cell culture 705(1995)129

Non-native capillary isoelectric focusing for the analysis of the microheterogeneity of glycoproteins 737(1996)281

Comparison of ampholytes used for slab gel and capillary isoelectric focusing of recombinant tissue-type plasminogen activator glycoforms 744(1996)279

Titania

Comparison of an ordered mesoporous aluminosilicate, silica, alumina, titania and zirconia in normal-phase high-performance liquid chromatography 740(1996)1

Titanium

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. I. Investigations into the reaction mechanism 705(1995)219

Investigations into the epimerisation of tipredane ethylsulphoxide diastereoisomers during chromatographic analysis on reversed-phase silica. II. The involvement of metals in commercially available C₁₈ silicas 705(1995)229

α-Tocopherol

Gas chromatographic determination of cholesterol and tocopherols in edible oils and fats with automatic removal of interfering triglycerides 719(1996)221

Simultaneous determination of α -tocopherol and α -tocopherolquinone by high-performance liquid chromatography and coulometric detection in the redox mode 722(1996)287

α -Tocopherol acetate

Gas chromatographic determination of cholesterol and tocopherols in edible oils and fats with automatic removal of interfering triglycerides 719(1996)221

α -Tocopherolquinone

Simultaneous determination of α -tocopherol and α -tocopherolquinone by high-performance liquid chromatography and coulometric detection in the redox mode 722(1996)287

Toluene

Computer program for simulating the performance of thick-bed diffusive samplers: predicted and experimental sample loss due to reversible adsorption 709(1995)283

Initial experiments in high-performance liquid chromatographic method development. II. Recommended approach and conditions for isocratic separation 721(1996)15

Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminum oxide porous-layer open-tubular capillary gas chromatography-mass spectrometry using isotopically labeled internal standards 731(1996)217

Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry 734(1996)297

New approach to the characterization of pyrolysis coal products by gas chromatography-mass spectrometry 736(1996)185

Coupling of high-performance liquid chromatography with Raman spectrometry 743(1996)323

Tolylpiperazine derivatives

High-performance, purity-indicating liquid chromatographic method for the oxytocin antagonist, L-368,899 731(1996)331

Toremifene

Liquid chromatography-thermospray mass spectrometry of toremifene and its derivatives 724(1996)358

Toxins

see also Endotoxins, Mycotoxins

Liquid chromatographic determination of D- and L-amino acids by derivatization with o-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201

Applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: pesticide, drug and toxic substance residues 727(1996)153

Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium 727(1996)185

Fluorimetric determination of diarrhetic shellfish toxins in scallops and mussels by high-performance liquid chromatography 729(1996)381

Automatic high-performance liquid chromatographic method for the determination of diarrhetic shellfish poison 729(1996)387

Determination of alternariol and alternariol methyl ether in apple juice using solid-phase extraction and high-performance liquid chromatography 731(1996)109

Automated purification of microcystins 734(1996)175

Studies on the dynamics of the production of destruxins by Metarhizium anisopliae 738(1996)181

Analysis of amatoxins α -amanitin and β -amanitin in toadstool extracts and body fluids by capillary zone electrophoresis with photodiode array detection 744(1996)167

Isolation of dinophysistoxin-2 and the high-performance liquid chromatographic analysis of diarrhetic shellfish toxins using derivatisation with 1-bromoacetylpyrene 749(1996)33

On-line liquid chromatography-electrospray ionization mass spectrometry for determination of the brevetoxin profile in natural "red tide" algae blooms 750(1996)115

Transferrin

Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest 735(1996)165

Transforming growth factor-β3

Development of an analytical reversed-phase high-performance liquid chromatography assay for transforming growth factor β 3 709(1995)249

Transition metals

see also Metals

Ion-exchange mechanisms of some transition metals on a mixed-bed resin with a complexing eluent 715(1995)105

Separation of transition metal cations by capillary electrophoresis. Optimization of complexing agent concentrations (lactic acid and 18-crown-6) 717(1995)393

Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis 736(1996)265

Simultaneous analysis of some transition metals at ultra-trace level by ion-exchange chromatography with on-line preconcentration 739(1996)119

High-performance liquid chromatographic determination of cyanide using a pre-column conversion to a transition metal complex 739(1996)229

Transmembrane peptides

High-performance liquid chromatographic purification of extremely hydrophobic peptides: transmembrane segments 711(1995)181

Transmembrane proteins

Capillary and rotating-tube isoelectric focusing of a transmembrane protein, the human red cell glucose transporter 711(1995)217

Triacylglycerols

Stereospecific analysis of the major triacylglycerol species containing γ-linolenic acid in Evening Primrose oil and borage oil 704(1995)99

Detection of olive oil adulteration by measuring its authenticity factor using reversed-phase high-performance liquid chromatography 708(1995)351

Composition analysis of normal plant triacylglycerols and hydroperoxidized *rac*-1-stearoyl-2-oleoyl-3-linoleoyl-*sn*-glycerols by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 730(1996)1

Postcolumn chemiluminescence, ultraviolet and evaporative light-scattering detectors in high-performance liquid chromatographic determination of triacylglycerol oxidation products 734(1996)221

Analysis of fatty acid mono- and diacylglycerol positional isomers by silver ion high-performance liquid chromatography 741(1996)135

Trianisoyldeoxycytidine

Delayed adsorption on slowly accessible stationary phase surfaces in porous liquid chromatographic column packings 728(1996)97

Triazines

Column liquid chromatography-mass spectrometry: selected techniques in environmental applications for polar pesticides and related compounds 703(1995)81

Performance characteristics of a real-time direct deposition supercritical fluid chromatography-Fourier transform infrared spectrophotometry system 703(1995)503

Optimization of an analytical procedure for the determination of triazine herbicides in environmental samples 704(1995)121

Automated determination of s-triazine herbicides using solidphase microextraction 705(1995)305

Capillary electrophoretic study of atrazine photolysis 709(1995)215

Trace determination of herbicides in estuarine waters by liquid chromatography-high-flow pneumatically assisted electrospray mass spectrometry 712(1995)113

Biomimetic dye affinity chromatography for the purification of bovine heart lactate dehydrogenase 718(1995)35

Initial experiments in high-performance liquid chromatographic method development. I. Use of a starting gradient run 721(1996)3

UV detection of triazine herbicides and their hydroxylated and dealkylated degradation products in well water 721(1996)107

Enantioseparation and recognition mechanisms of dinitrobenzoyl-derivatized amino acids and amino alcohols on chiral stationary phases consisting of cyanuric chloride with (S or R)-phenylalanyl-(S or R)-1-(1-naphthyl)ethylamide substituent 722(1996)199

Enantiomer separation by gas and high-performance liquid chromatography with tripeptide derivatives as chiral stationary phases 722(1996)229

Separation of s-triazine herbicides and their metabolites by capillary zone electrophoresis as a function of pH 723(1996)169

Selective trace enrichment on immunosorbents for the multiresidue analysis of phenylurea and triazine pesticides 725(1996)107

Determination of herbicides in surface water by means of a supported liquid membrane technique and high-performance liquid chromatography 725(1996)121

Liquid chromatographic separation of amino acid enantiomers on a silica-bonded chiral s-triazine column 728(1996)447

Determination of triazine herbicides in environmental samples 733(1996)295

Determination of triazine herbicides in water by micellar electrokinetic capillary chromatography 733(1996)349

On-line solid-phase extraction in liquid chromatography using restricted access pre-columns for the analysis of s-triazines in humic-containing waters 737(1996)35

Development of a prototype system for quasi-continuous analysis of organic contaminants in surface or sewage water based on in-line coupling of solid-phase microextraction to gas chromatography 737(1996)59

High-performance liquid chromatographic determination of ¹⁴C-labelled terbuthylazine and principal degradates in percolation water and soil extracts from leaching experiments 737(1996)101

On-line partial filling micellar electrokinetic chromatographyelectrospray ionization mass spectrometry 749(1996)219

Automated at-line solid-phase extraction—gas chromatographic analysis of micropollutants in water using the PrepStation 750(1996)161

Triazole antimycotics

Separation of the four stereoisomers of Z11556A, intermediate in the synthesis of triazole antimycotics, by capillary electrophoresis 741(1996)123

Triazoles

Migration behavior and separation of aromatic triazole and thiazole compounds by capillary zone electrophoresis 731(1996)299

Triazolophthalazines

Liquid chromatographic separation of chiral triazolophthalazines 729(1996)5

Tributylphenylethylene oxide oligomers

Reversed-phase chromatographic study of the interaction of nonionic surfactants with sodium dodecyl sulfate 722(1996)33

Determination of the retention behaviour of some non-ionic surfactants on reversed-phase high-performance liquid chromatography supports by spectral mapping in combination with cluster analysis or non-linear mapping 722(1996)281

Trichloroacetic acid

Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography 709(1995)313

Determination of polycyclic aromatic hydrocarbons in water samples using high-performance liquid chromatography with amperometric detection 730(1996)169

Trichloroethylene

Analysis of trichloroacetic acid in the urine of workers occupationally exposed to trichloroethylene by capillary gas chromatography 709(1995)313

Trichloromethane

Rapid determination of residual trichloromethane in drugs 731(1996)361

Solid sorbent method for the collection and analysis of volatile halogenated organic compounds in soil gas 738(1996)73

Trichlorophenols

Migration behavior and separation of trichlorophenols by capillary zone electrophoresis 746(1996)295

Tricyclic antidepressants

Retention studies on mixed-mode columns in high-performance liquid chromatography 708(1995)31

Triethanolamine

Determination of aldehydes in basic medium by gas chromatography using O-benzylhydroxylamine derivatization 709(1995)387

Ion chromatographic determination of nitrogen monoxide and nitrogen dioxide after collection in absorption bottles 739(1996)301

Triethylamine

Ion-pairing mechanism in the solid-phase extraction and reversed-phase high-performance liquid chromatographic determination of acidic herbicides in water 728(1996)319

Triethylenetetramine

Galvanic decoupling of a postcolumn amperometric detector in capillary electrophoresis 709(1995)69

Trifluoroacetic acid

Enhanced sensitivity for peptide mapping with electrospray liquid chromatography—mass spectrometry in the presence of signal suppression due to trifluoroacetic acid-containing mobile phases 712(1995)177

2.2.2-Trifluoroethanol

Effect of 2,2,2-trifluoroethanol on capillary zone electrophoretic peptide separations 735(1996)271

Trifluoromethanesulfonic acid

Trifluoromethanesulfonic acid as a catalyst for the formation of dansylhydrazone derivatives 740(1996)279

Trifluoromethylbenzoic acid ester glucuronide

High-performance liquid chromatography directly coupled to ¹⁹F and ¹H NMR for the analysis of mixtures of isomeric ester glucuronide conjugates of trifluoromethylbenzoic acids 728(1996)377

Trifluoromethylbenzoic acids

High-performance liquid chromatography directly coupled to ¹⁹F and ¹H NMR for the analysis of mixtures of isomeric ester glucuronide conjugates of trifluoromethylbenzoic acids 728(1996)377

Trifluralin

Field comparison of polyurethane foam plugs and mini-tubes containing Tenax-TA resin as trapping media for the aerodynamic gradient measurement of trifluralin vapour fluxes 710(1995)251

Triglycerides

Prefractionation of aroma extracts from fat-containing food by high-performance size-exclusion chromatography 729(1996)371

Isolation of cholesterol oxidation products from animal fat using aminopropyl solid-phase extraction 736(1996)205

Rapid, quantitative determination of polar compounds in fats and oils by solid-phase extraction and size-exclusion chromatography using monostearin as internal standard 749(1996)55

Trihalomethanes

Determination of trihalomethanes in aqueous samples by means of a purge-and-trap system with on-sorbent focusing coupled to gas chromatography with electron-capture detection 725(1996)157

Occurrence and determination of organic pollutants in tap and surface waters of the Gdańsk district 733(1996)171

Trijodothyronine sodium

Identification of the thermal degradation products of Gtriiodothyronine sodium (liothyronine sodium) by reversed-phase high-performance liquid chromatography with photodiode-array UV and mass spectrometric detection 725(1996)287

Trilaurin

Stability and purity of low-polarity adsorbents for coupled supercritical fluid extraction-supercritical fluid chromatography-flame ionization detection 734(1996)311

Trimethylsulfonium salts

Direct on-column derivatisation in gas chromatography 738(1996)43

Trimethytetradecylammonium bromide

Microemulsion electrokinetic chromatography with different organic modifiers: separation of water- and lipid-soluble vitamins 709(1995)11

Trinitrobenzenesulfonic acid

Quantification of cyclamate and cyclohexylamine in urine samples using high-performance liquid chromatography with trinitrobenzenesulfonic acid pre-column derivatization 750(1996)397

Trinitrotoluene

Use of porous polymers in off-line preconcentration of nitrobenzenes and their reduction products from water 733(1996)491

Triorganotin compounds

Capillary electrophoresis of triorganotin compounds with indirect fluorescence detection 746(1996)269

Triphenylphosphine compounds

High-performance liquid chromatography of the coordination isomers of triphenylphosphine-substituted homo- and hetero-bimetallic carbonyl complexes of manganese and rhenium 740(1996)231

Triphenyl phosphite

Study of an appropriate procedure for the chromatographic analysis of poly(ethylene terephthalate), after melt processing with triphenyl phosphite 725(1996)367

Triptyline derivatives

Comparison of separation selectivity in aqueous and non-aqueous capillary electrophoresis 711(1995)313

Tris(cyanoethoxy)propane

Characterization of cyano-functionalized stationary gas chromatographic phases by linear solvation energy relationships 718(1995)357

Tris(pentafluorophenyl)phosphine

Dual-channel flame photometric detector for sensitive spectrum acquisition and variable-wavelength operation 734(1996)405

Accurate spectral scans of single chromatographic peaks 746(1996)43

Triterpenes

Modified and convenient preparation of silica impregnated with silver nitrate and its application to the separation of steroids and triterpenes 715(1995)372

Triton X-100

Oligomeric separation of alkylphenol ethoxylate surfactants on silica using aqueous acetonitrile eluents 731(1996)171

Triton X-114

Purification of hydrophobic integral membrane proteins from *Mycoplasma hyopneumoniae* by reversed-phase high-performance liquid chromatography 737(1996)273

Troger's base

Micellar electrokinetic capillary chromatography with in-situ charged micelles 724(1996)285

Tromethamine

Ion chromatographic method for rapid and quantitative determination of tromethamine 718(1995)305

Tropane alkaloids

Lesser alkaloids of cocaine-bearing plants 749(1996)173

Tropic acid

Influence of different types of cyclodextrins on the racemization of scopolamine-N-butylbromide 728(1996)441

Trypsin

Studies of complexes between proteases, substrates and the protease inhibitor α_2 -macroglobulin using capillary electrophoresis with laser-induced fluorescence detection 716(1995)363

Affinity chromatography of trypsin using chitosan as ligand support 742(1996)107

Trypsin inhibitor, soybean

Study of aroma compound-natural polymer interactions by dynamic coupled column liquid chromatography 707(1995)181

Optimization of hapten-protein conjugation by highperformance capillary electrophoresis 717(1995)75

Continuous biospecific affinity purification of enzymes by simulated moving-bed chromatography. Theoretical description and experimental results 719(1996)267

Tryptophan

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Separation of tryptophan and related indoles by micellar electrokinetic chromatography with KrF laser-induced fluorescence detection 718(1995)203

Isocratic high-performance liquid chromatographic determination of tryptophan in infant formulas 721(1996)83

Adsorption chromatography on cellulose. XIV. Some results using aqueous solutions of soluble cyclodextrin polymers as eluents 723(1996)405

Role of binding capacity versus binding strength in the separation of chiral compounds on protein-based high-performance liquid chromatography columns 725(1996)273

High-performance liquid chromatographic profiling of indolylacryloylglycine and its possible precursors in body fluids 730(1996)133

Improved end-column amperometric detection for capillary electrophoresis 742(1996)229

Quantitative thin layer chromatography on cellulose 746(1996)261

Tungstate

Separation of chromate and tungstate by reversed-phase highperformance chromatography using rutin as chelating reagent 709(1995)381

Tyramine

Diode laser-induced fluorescence detection in capillary electrophoresis after pre-column derivatization of amino acids and small peptides 708(1995)309

Tyrosinamide oligosaccharides

Preparative purification of tyrosinamide N-linked oligosaccharides 720(1996)235

Tyrosine

Selective determination of peptides containing specific amino acid residues by high-performance liquid chromatography and capillary electrophoresis 704(1995)27

Tyrosine-phosphorylated proteins

Specific determination of tyrosine-phosphorylated proteins and peptides by differential iodination 743(1996)273

Tyrosol

Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography-chemical ionization mass spectrometry 736(1996)195



Uranium

Determination of thorium and uranium in nitrophosphate fertilizer solution by ion chromatography 706(1995)175

Retention behaviour of thorium(IV) and uranyl on a reversedphase column with glycolate and mandelate as eluents 739(1996)151

Simultaneous solvent extraction and high-performance liquid chromatographic determination of uranium, iron, nickel and copper in mineral ore samples and phosphate rock residues using N,N'-ethylenebis(salicylaldimine) as complexing reagent 740(1996)296

Method for the separation of uranium(IV) and (VI) oxidation states in natural waters 743(1996)335

Uranium materials

Determination of lanthanides and actinides in uranium materials by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection 739(1996)139

Urany

Determination of trace levels of thorium(IV) and uranyl by reversed-phase chromatography with on-line preconcentration and ligand exchange 749(1996)103

Urea

Effect of urea addition on chiral separation of dansylamino acids by capillary zone electrophoresis with cyclodextrins 710(1995)331

Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier 716(1995)81

Non-native capillary isoelectric focusing for the analysis of the microheterogeneity of glycoproteins 737(1996)281

Urethane oil

Gel permeation chromatographic method for monitoring the transesterification reaction in a two-step chemoenzymatic synthesis of urethane oil based on vegetable oils 718(1995)299

Uric acid

Simultaneous determination of uric acid and creatinine in biological fluids by column-switching liquid chromatography with ultraviolet detection 730(1996)139

Comparison of capillary electrophoretic and liquid chromatographic determination of hypoxanthine and xanthine for the diagnosis of xanthinuria 730(1996)329

Uridine

Analysis of the reaction products of N-(O,O-diisopropyl)phosphorylthreonine with uridine by capillary zone electrophoresis with diode array detection and capillary electrophoresis—mass spectrometry 745(1996)263

Uronic acids

Characterization of neutral sugars and uronic acids after methanolysis and trimethylsilylation for recognition of plant gums 720(1996)27

Comparison of separation modes of high-performance liquid chromatography for the analysis of glycoprotein- and proteoglycan-derived oligosaccharides 720(1996)227

Development of protamine-bonded phase for separation of saccharides in liquid chromatography 737(1996)149

Uroporphyrinogen I

Preparation and separation of hydroxy derivatives of uroporphyrinogen I by high-performance liquid chromatography with electrochemical detection 722(1996)245



Valine

High-performance liquid chromatography of amino acids in copper(II) complex form: application to valine fermentation samples 722(1996)311

Postcolumn co-immobilized leucine dehydrogenase–NADH oxidase reactor for the determination of branched-chain amino acids by high-performance liquid chromatography with chemiluminescence detection 724(1996)354

Vanadium

Simultaneous determination of vanadium and molybdenum as N-benzoyl-N-phenylhydroxamate complexes by combining solvent extraction and liquid chromatography 730(1996)241

Vancomycin

High-performance liquid chromatographic determination of vancomycin in rabbit serum, vitreous and aqueous humour after intravitreal injection of the drug 727(1996)231

Multiple-plug binding assays using affinity capillary electrophoresis 727(1996)291

Investigation of enantioselective separation of quinolonecarboxylic acids by capillary zone electrophoresis using vancomycin as a chiral selector 736(1996)303

Vanillin and related compounds

Micellar electrokinetic chromatography as a screening method for the analysis of vanilla flavourings and vanilla extracts 736(1996)321

Vasodilators

Capillary electrophoresis of cardiovascular drugs 735(1996)123

Vasopressin peptides

Determination of chiral reagent purity by capillary electrophoresis 715(1995)151

Verapamil

Combined polymerized chiral micelle and γ -cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297

Development and validation of a bioanalytical method for the quantification of diltiazem and desacetyldiltiazem in plasma by capillary zone electrophoresis 717(1995)235

Chiral separation of verapamil and related compounds using micellar electrokinetic capillary chromatography with mixed micelles of bile salt and polyoxyethylene ethers 723(1996)179

Automated determination of verapamil and norverapamil in human plasma with on-line coupling of dialysis to high-performance liquid chromatography and fluorometric detection 750(1996)351

Visoltricin

Simultaneous high-performance liquid chromatographic determination of visoltricin, acuminatopyrone and chlamydosporols in *Fusarium* cultures on maize 730(1996)69

Vitamins

see also Ascorbic acid and Retinol

Microemulsion electrokinetic chromatography with different organic modifiers: separation of water- and lipid-soluble vitamins 709(1995)11

Application and optimization of capillary zone electrophoresis in vitamin analysis 717(1995)255

High-performance liquid chromatographic analysis of retinal and retinol isomers 721(1996)247

Highly sensitive and simple liquid chromatographic determination in plasma of B₆ vitamers, especially pyridoxal 5'-phosphate 722(1996)296

Determination of thiamine in dried yeast by high-performance liquid chromatography using a clean-up column of CM-cellulose 726(1996)237

Determination of cholecalciferol and related substances by calcium phosphate hydroxyapatite and calcium phosphate fluoroapatite high-performance liquid chromatography 731(1996)153

Micellar electrokinetic chromatography. Perspectives in drug analysis 735(1996)3

Application of on-line capillary high-performance liquid chromatography-nuclear magnetic resonance spectrometry coupling for the analysis of vitamin A derivatives 750(1996)303

Volatile oils

Use of a trio of modified cyclodextrin gas chromatographic phases to provide structural information on some constituents of volatile oils 707(1995)390

Volatile organic compounds

Carbon sorbents and their utilization for the preconcentration of organic pollutants in environmental samples 707(1995)145

Thermal desorption—gas chromatography—mass spectrometry—flame ionization detection—sniffer multi-coupling: A device for the determination of odorous volatile organic compounds in air 708(1995)105

Detection methods for the analysis of biogenic non-methane hydrocarbons in air 710(1995)39

On-site monitoring of volatile organic compounds as hazardous air pollutants by gas chromatography 710(1995)51

Automated gas chromatographic analysis of volatile organic compounds in air 710(1995)61

Sorbent evaluation for diffusive monitoring of environmental contaminants 719(1996)87

Langmuirian behaviour of smelly volatile organic compounds on air sampling with solid adsorbents 723(1996)293

Assessing breakthrough times for denuder samplers with emphasis on volatile organic compounds 723(1996)301

Windowless pulsed-discharge photoionization detector. Application to qualitative analysis of volatile organic compounds 724(1996)235

Characteristics of microtrap-based injection systems for continuous monitoring of volatile organic compounds by gas chromatography 727(1996)111

Quantification of toxic hydrocarbon target compounds in engine exhaust and air by aluminum oxide porous-layer open-tubular capillary gas chromatography-mass spectrometry using isotopically labeled internal standards 731(1996)217

New and efficient microextraction/solid-phase extraction method for the gas chromatographic analysis of wine volatiles 731(1996)247

Artifact-free preparation, storage and analysis of solid adsorbent sampling cartridges used in the analysis of volatile organic compounds in air 732(1996)414

Environmental analysis of volatile organic compounds in water and sediment by gas chromatography 733(1996)119

Methods of isolation and determination of volatile organohalogen compounds in natural and treated waters 733(1996)417

Continuous monitoring of volatile organic compounds in air emissions using an on-line membrane extraction-microtrap-gas chromatographic system 736(1996)165

Solid sorbent method for the collection and analysis of volatile halogenated organic compounds in soil gas 738(1996)73

Application of solid-phase microextraction to the analysis of volatile organic compounds in water 742(1996)181

Development of a whole headspace injection method for the determination of volatile organic compounds in water 746(1996)83

Comparison of two azobenzene liquid crystal stationary phases in open tubular column gas chromatography 746(1996)247

Screening method for the determination of 28 volatile organic compounds in indoor and outdoor air at environmental concentrations using dual-column capillary gas chromatography with tandem electron-capture-flame ionization detection 749(1996)181

A new fast method for field screening of polychlorinated biphenyls in air 750(1996)151

Vulcanization accelerators

Wastewater from the manufacture of rubber vulcanization accelerators: characterization, downstream monitoring and chemical treatment 733(1996)511

VX

Capillary gas chromatographic analysis of nerve agents using large volume injections 723(1996)210



Warfarii

Separation of diastereomers by capillary zone electrophoresis in free solution with polymer additive and organic solvent component. Effect of pH and solvent composition 719(1996)411

Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. I. Influence of the degree of fixation on selectivity 728(1996)407

Water

New approach for controlling the partitioning of analyte ions in ion chromatography with a water mobile phase 723(1996)251

Waxes

Gas chromatography of petroleum-derived waxes and highmolecular-mass linear alcohols and acids 718(1995)119

Two-stage resolution of mixtures by supercritical fluid chromatography 722(1996)317

Characterization of technical waxes 732(1996)111

Weak bases

Calculation of the composition of sample zones in capillary zone electrophoresis 741(1996)265

Whey proteins

Characterization of ewe's milk by capillary zone electrophoresis 721(1996)345

Quantification of the major bovine whey proteins using capillary zone electrophoresis 723(1996)371

Perfusion liquid chromatography of whey proteins 729(1996)99

Wogonin

Determination of gentiopicroside, mangiferin, palmatine, berberine, baicalin, wogonin and glycyrrhizin in the traditional Chinese medicinal preparation Sann-Joong-Kuey-Jian-Tang by high-performance liquid chromatography 730(1996)17



Xanthines

Selected applications of the use of supercritical fluids in coupled systems 703(1995)467

Synthesis and characterization of polymer-coated mixedfunctional stationary phases with several different hydrophobic groups for direct analysis of biological samples by liquid chromatography 722(1996)115

Comparison of capillary electrophoretic and liquid chromatographic determination of hypoxanthine and xanthine for the diagnosis of xanthinuria 730(1996)329

Xvlan

Efficient capillary zone electrophoretic separation of woodderived neutral and acidic mono- and oligosaccharides 738(1996)129

Xvlenes

Repetitive liquid injection system for inverse gas chromatography 715(1995)279

Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry 734(1996)297

Xvlose

Simple and sensitive multi-sugar-probe gut permeability test by high-performance liquid chromatography with fluorescence labelling 730(1996)99



Zidovudine

Rapid and sensitive determination of zidovudine and zidovudine glucuronide in human plasma by ion-pair high-performance liquid chromatography 721(1996)127

Zinc

Determination of Cd, Co, Cu, Fe, Mn, Ni and Zn in coral skeletons by chelation ion chromatography 706(1995)167

Zinc dialkyldithiophosphates

Separation of zinc dialkyldithiophosphates in lubricating oil additives by normal-phase high-performance liquid chromatography 749(1996)87

Zirconia

Comparison of an ordered mesoporous aluminosilicate, silica, alumina, titania and zirconia in normal-phase high-performance liquid chromatography 740(1996)1

Zopiclone

Enantiomeric separation of zopiclone, its metabolites and products of degradation on a β -cyclodextrin bonded phase 729(1996)19

Separation of enantiomers of drugs by capillary electrophoresis 735(1996)333