

Author Index Vol. 767

- Afanas'eva, G.V., see Trubetskoj, O.A. 767(1997)285
- Aguilar, M., Farran, A. and Martí, V.
Determination of metal cyanide complexes in gold processing solutions by capillary electrophoresis 767(1997)319
- Ahumada, M.C., see García, M.D. 767(1997)340
- Aigotti, R., see Gennaro, M.C. 767(1997)87
- Andersson, P., see Macka, M. 767(1997)303
- Angelino, S., see Gennaro, M.C. 767(1997)87
- Apraiz, D., see Valor, I. 767(1997)195
- Ataai, M.M., see Patwardhan, A.V. 767(1997)11
- Bächmann, K., see Mainka, A. 767(1997)241
- Bane, S., see Whynot, D.M. 767(1997)231
- Barták, P. and Čáp, L.
Determination of phenols by solid-phase microextraction 767(1997)171
- Belder, D., see Unger, M. 767(1997)263
- Bertoni, G. and Tappa, R.
Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153
- Bissell, M.G., Okorodudu, A.O., Petersen, J.R. and Mohammad, A.A.
Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Part B: Applications for environmental testing 767(1997)217
- Bleton, J., see Mejanelle, P. 767(1997)177
- Brinkman, U.A.Th., see de Geus, H.-J. 767(1997)137
- Čáp, L., see Barták, P. 767(1997)171
- Carr, P.W., see Park, J.H. 767(1997)1
- Castello, G., see Vezzani, S. 767(1997)115
- Castro, B., see Pugniere, M. 767(1997)69
- Cert, A., see García, M.D. 767(1997)340
- Chen, C.-K., see Sun, S.-W. 767(1997)277
- Chen, D.D.Y., see Peng, X. 767(1997)205
- Chen, L.-Y., see Sun, S.-W. 767(1997)277
- Conti, M., see Righetti, P.G. 767(1997)255
- D'Agostino, P.A., Hancock, J.R. and Provost, L.R.
Analysis of bioactive peptides by liquid chromatography–high-resolution electrospray mass spectrometry 767(1997)77
- De Boer, J., see de Geus, H.-J. 767(1997)137
- De Geus, H.-J., de Boer, J. and Brinkman, U.A.Th.
Development of a thermal desorption modulator for gas chromatography 767(1997)137
- Ericson, C., Liao, J.-L., Nakazato, K. and Hjertén, S.
Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33
- Evans, J.F., see Park, J.H. 767(1997)1
- Farran, A., see Aguilar, M. 767(1997)319
- Font, G., see Valor, I. 767(1997)195
- Frederiksen, R.B., see Tangen, A. 767(1997)311
- Fukuda, E.K., see Zrybko, C.L. 767(1997)43
- Gäb, S., see Schmitz, O. 767(1997)249
- García, M.D., Sáenz, M.T., Ahumada, M.C. and Cert, A.
Isolation of three triterpenes and several aliphatic alcohols from *Crataegus monogyna* Jacq 767(1997)340
- García-Domínguez, J.A., see Quintanilla-López, J.E. 767(1997)127
- Gelfi, C., see Righetti, P.G. 767(1997)255
- Gennaro, M.C., Giannini, E., Angelino, S., Aigotti, R. and Giacosa, D.
Identification and determination of red dyes in confectionery by ion-interaction high-performance liquid chromatography 767(1997)87
- Giacosa, D., see Gennaro, M.C. 767(1997)87
- Giannini, E., see Gennaro, M.C. 767(1997)87
- Gladovič, N., Zupančič-Kralj, L. and Plavec, J.
Determination of primary oxidation products of linoleic acid and triacylglycerols 767(1997)63
- Gmeiner, G., Stehlik, G. and Tausch, H.
The determination of seventeen polycyclic aromatic hydrocarbons in tobacco smoke condensate 767(1997)163
- Goursaud, S., see Mejanelle, P. 767(1997)177
- Gutsche, B. and Herderich, M.
High-performance liquid chromatography–electrospray ionisation–tandem mass spectrometry for the analysis of 1,2,3,4-tetrahydro- β -carboline derivatives 767(1997)101
- Haddad, P.R., see Macka, M. 767(1997)303
- Hagen, S.R., Thompson, J.D., Snyder, D.S. and Myers, K.R.
Analysis of a monophosphoryl lipid A immunostimulant preparation from *Salmonella minnesota* R595 by high-performance liquid chromatography 767(1997)53
- Hancock, J.R., see D'Agostino, P.A. 767(1997)77
- Hartwick, R.A., see Whynot, D.M. 767(1997)231
- Hayashi, Y., see Nishikawa, T. 767(1997)93
- Herderich, M., see Gutsche, B. 767(1997)101
- Hjertén, S., see Ericson, C. 767(1997)33
- Jansson, P.-E., see Lindqvist, L. 767(1997)325
- Kataoka, H. and Kijima, K.
Analysis of heterocyclic amines as their N-dimethylaminomethylene derivatives by gas chromatography with nitrogen–phosphorus selective detection 767(1997)187
- Kijima, K., see Kataoka, H. 767(1997)187
- Klaffenbach, P. and Kronenfeld, D.
Analysis of impurities of isopropyl myristate by gas–liquid chromatography 767(1997)330
- Kronenfeld, D., see Klaffenbach, P. 767(1997)330
- Kubo, H., see Nishikawa, T. 767(1997)93
- Lebrón-Aguilar, R., see Quintanilla-López, J.E. 767(1997)127
- Lee, S.-S., see Sun, S.-W. 767(1997)277
- Lee, Y.K., see Park, J.H. 767(1997)1
- Li, J., see Park, J.H. 767(1997)1
- Li, L., see Park, J.H. 767(1997)1
- Liao, J.-L., see Ericson, C. 767(1997)33
- Lindqvist, L. and Jansson, P.-E.
Separation of acyclic derivatives of sugar enantiomers using gas chromatography on chiral stationary phases of permethylated α -, β - and γ -cyclodextrin 767(1997)325

- Lund, W., see Tangen, A. 767(1997)311
- Määttänen, A., see Sirén, H. 767(1997)293
- Macka, M., Paull, B., Andersson, P. and Haddad, P.R.
Determination of barium and strontium by capillary zone electrophoresis using an electrolyte containing sulfonazo III 767(1997)303
- Mainka, A. and Bächmann, K.
UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241
- Martí, V., see Aguilar, M. 767(1997)319
- Matras, H., see Pugniere, M. 767(1997)69
- Mejanella, P., Bleton, J., Goursaud, S. and Tchaplá, A.
Identification of phenolic acids and inositols in balms and tissues from an Egyptian mummy 767(1997)177
- Meyer, V.R.
Influence of leaks in the liquid chromatographic instrument on analytical results 767(1997)25
- Mohammad, A.A., see Bissell, M.G. 767(1997)217
- Moltó, J.C., see Valor, I. 767(1997)195
- Moretti, P., see Vezzani, S. 767(1997)115
- Myers, K.R., see Hagen, S.R. 767(1997)53
- Naglič, M. and Šmidovnik, A.
Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335
- Nakazato, K., see Ericson, C. 767(1997)33
- Nishikawa, T., Hayashi, Y., Suzuki, S., Kubo, H. and Ohtani, H.
On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection 767(1997)93
- Ohtani, H., see Nishikawa, T. 767(1997)93
- Okorodudu, A.O., see Bissell, M.G. 767(1997)217
- Park, J.H., Lee, Y.K., Weon, Y.C., Tan, L.C., Li, J., Li, L., Evans, J.F. and Carr, P.W.
Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1
- Patwardhan, A.V. and Ataai, M.M.
Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11
- Paull, B., see Macka, M. 767(1997)303
- Peng, X. and Chen, D.D.Y.
Variance contributed by pressure induced injection in capillary electrophoresis 767(1997)205
- Petersen, J.R., see Bissell, M.G. 767(1997)217
- Plavec, J., see Gladovič, N. 767(1997)63
- Previero, A., see Pugniere, M. 767(1997)69
- Provost, L.R., see D'Agostino, P.A. 767(1997)77
- Pugniere, M., Matras, H., Castro, B. and Previero, A.
Adsorption liquid chromatography on silica for the chiral separation of amino acids and asymmetric amines derivatized with optically active N- α -9-Fmoc-amino acid-N-carboxyanhydrides 767(1997)69
- Quintanilla-López, J.E., Lebrón-Aguilar, R. and García-Domínguez, J.A.
The hold-up time in gas chromatography. II. Validation of the estimation based on the concept of a zero carbon atoms alkane 767(1997)127
- Reznikova, O.I., see Trubetskoj, O.A. 767(1997)285
- Riekkola, M.-L., see Sirén, H. 767(1997)293
- Righetti, P.G., Conti, M. and Gelfi, C.
Study of haptoglobin-hemoglobin complexes by titration curves, capillary electrophoresis and capillary isoelectric focusing 767(1997)255
- Rosen, R.T., see Zrybko, C.L. 767(1997)43
- Ross, G.A., see Soga, T. 767(1997)223
- Sáenz, M.T., see García, M.D. 767(1997)340
- Saiz-Jimenez, C., see Trubetskoj, O.A. 767(1997)285
- Schmidt, U., see Svoboda, L. 767(1997)107
- Schmitz, O. and Gäb, S.
Separation of isomeric hydroperoxides of unsaturated fatty acids by capillary electrophoresis 767(1997)249
- Sirén, H., Määttänen, A. and Riekkola, M.-L.
Determination of small anions by capillary electrophoresis using indirect UV detection with sulphonated nitrosonaphthol dyes 767(1997)293
- Šmidovnik, A., see Naglič, M. 767(1997)335
- Snyder, D.S., see Hagen, S.R. 767(1997)53
- Soga, T. and Ross, G.A.
Capillary electrophoretic determination of inorganic and organic anions using 2,6-pyridinedicarboxylic acid: effect of electrolyte's complexing ability 767(1997)223
- Stehlik, G., see Gmeiner, G. 767(1997)163
- Stöckigt, D., see Unger, M. 767(1997)263
- Stöckigt, J., see Unger, M. 767(1997)263
- Sun, S.-W., Lee, S.-S., Chen, L.-Y. and Chen, C.-K.
Separation of aporphine alkaloids by micellar electrokinetic chromatography 767(1997)277
- Suzuki, S., see Nishikawa, T. 767(1997)93
- Svoboda, L. and Schmidt, U.
Single-column ion chromatography of linear polyphosphates 767(1997)107
- Tan, L.C., see Park, J.H. 767(1997)1
- Tangen, A., Lund, W. and Frederiksen, R.B.
Determination of Na⁺, K⁺, Mg²⁺ and Ca²⁺ in mixtures of seawater and formation water by capillary electrophoresis 767(1997)311
- Tappa, R., see Bertoni, G. 767(1997)153
- Tausch, H., see Gmeiner, G. 767(1997)163
- Tchaplá, A., see Mejanella, P. 767(1997)177
- Thompson, J.D., see Hagen, S.R. 767(1997)53
- Trubetskaya, O.E., see Trubetskoj, O.A. 767(1997)285
- Trubetskoj, O.A., Trubetskaya, O.E., Afanas'eva, G.V., Reznikova, O.I. and Saiz-Jimenez, C.
Polyacrylamide gel electrophoresis of soil humic acid fractionated by size-exclusion chromatography and ultrafiltration 767(1997)285
- Unger, M., Stöckigt, D., Belder, D. and Stöckigt, J.
General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis-mass spectrometry 767(1997)263
- Valor, I., Moltó, J.C., Apraiz, D. and Font, G.
Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195
- Vezzani, S., Moretti, P. and Castello, G.
Automatic prediction of retention times in multi-linear programmed temperature analyses 767(1997)115
- Weon, Y.C., see Park, J.H. 767(1997)1
- Whynot, D.M., Hartwick, R.A. and Bane, S.

- Capillary isoelectric focusing with anionic coated capillaries 767(1997)231
- Zrybko, C.L., Fukuda, E.K. and Rosen, R.T.
Determination of glucosinolates in domestic and wild mustard by high-performance liquid chromatography with confirmation by electrospray mass spectrometry and photodiode-array detection 767(1997)43
- Zupančič-Kralj, L., see Gladovič, N. 767(1997)63