

Author Index Vol. 770

- Achilli, M. and Romele, L.
Use of factorial experimental design for the rapid evaluation of main and interactive factors affecting linearity in calibration curves for sulfate analysis by ion chromatography 770(1997)29
- Andersson, P., see Doble, P. 770(1997)291
- Asaf, M., see Schofield, J. 770(1997)345
- Batistoni, D.A., see Gautier, E.A. 770(1997)75
- Bewsher, A., see Manning, D.A.C. 770(1997)203
- Bieniek, D., see Fischer, K. 770(1997)229
- Blackwell, P.A., Cave, M.R., Davis, A.E. and Malik, S.A.
Determination of chlorine and bromine in rocks by alkaline fusion with ion chromatography detection 770(1997)93
- Bonn, G.K., see Klampfl, C.W. 770(1997)23
- Borges, C., Caetano, C., Costa Pessoa, J., Figueiredo, M.O., Lourenço, A., Malhoa Gomes, M., Silva, T.P. and Veiga, J.P.
Monitoring the removal of soluble salts from ancient tiles by ion chromatography 770(1997)195
- Buzzoniti, M.C., Mentasti, E. and Sarzanini, C.
Divalent pairing ion for ion-interaction chromatography of sulphonates and carboxylates 770(1997)51
- Buzzoniti, M.C., Mentasti, E., Sarzanini, C. and Hajós, P.
Ion chromatographic separation of carboxylic acids.
Prediction of retention data 770(1997)13
- Buchberger, W. and Haider, K.
Studies on the combination of ion chromatography–particle-beam mass spectrometry with capillary columns 770(1997)59
- Buchberger, W., see Klampfl, C.W. 770(1997)23
- Buchberger, W., see Kuban, P. 770(1997)329
- Caetano, C., see Borges, C. 770(1997)195
- Campeol, F., see Verhelst, V. 770(1997)337
- Cardelluccio, N., Ragone, P., Cavalli, S. and Riviello, J.
Use of ion chromatography for the determination of transition metals in the control of sewage-treatment-plant and related waters 770(1997)185
- Caruel, H., see Navarro, A. 770(1997)39
- Cavalli, S., see Cardelluccio, N. 770(1997)185
- Cavalli, S., see Trifirò, A. 770(1997)243
- Cave, M.R., see Blackwell, P.A. 770(1997)93
- Chodura, A., see Fischer, K. 770(1997)229
- Co, A.C., Ko, A.N., Ye, L. and Lucy, C.A.
Modification of 4-(2-pyridylazo)-resorcinol postcolumn reagent selectivity through competitive equilibria with chelating ligands 770(1997)69
- Cochrane, R., see Stratford, M.R.L. 770(1997)151
- Coleman, D.E., see Vanatta, L.E. 770(1997)105
- Cook, K., see M. Monaghan, J. 770(1997)143
- Costa Pessoa, J., see Borges, C. 770(1997)195
- Crenshaw, M.D., see Vermillion, W.D. 770(1997)253
- Crowther, D., see M. Monaghan, J. 770(1997)143
- Dabek-Zlotorzynska, E., Piechowski, M., Liu, F., Kennedy, S. and Dlouhy, J.F.
Routine determination of major anions in atmospheric aerosols by capillary electrophoresis 770(1997)349
- Davis, A.E., see Blackwell, P.A. 770(1997)93
- Dennis, M.F., see Everett, S.A. 770(1997)273
- Dennis, M.F., see Stratford, M.R.L. 770(1997)151
- Dlouhy, J.F., see Dabek-Zlotorzynska, E. 770(1997)349
- Doble, P., Andersson, P. and Haddad, P.R.
Determination and prediction of transfer ratios for anions in capillary zone electrophoresis with indirect UV detection 770(1997)291
- Dunne, R., see Fagan, P.A. 770(1997)175
- Everett, S.A., Dennis, M.F., Patel, K.B., Wardman, P. and Stratford, M.R.L.
High-performance ion chromatography applied to free-radical mechanisms in drug design. The problem of ion analysis at high ionic strengths 770(1997)273
- Everett, S.A., see Stratford, M.R.L. 770(1997)151
- Fagan, P.A., Paul, B., Haddad, P.R., Dunne, R. and Kamar, H.
Ion chromatographic analysis of cyanate in gold processing samples containing large concentrations of copper(I) and other metallo-cyanide complexes 770(1997)175
- Fagan, P.A. and Haddad, P.R.
Reversed-phase ion-interaction chromatography of Cu(I)-cyanide complexes 770(1997)165
- Figueiredo, M.O., see Borges, C. 770(1997)195
- Fischer, K., Chodura, A., Kotalik, J., Bieniek, D. and Kettrup, A.
Analysis of aliphatic carboxylic acids and amino acids in effluents of landfills, composting plants and fermentation plants by ion-exclusion and ion-exchange chromatography 770(1997)229
- Fritz, J.S., see Tanaka, K. 770(1997)211
- Fritz, J.S., see Thornton, M.J. 770(1997)301
- Gara, D., see M. Monaghan, J. 770(1997)143
- Gautier, E.A., Gettar, R.T., Servant, R.E. and Batistoni, D.A.
Surfactant-sensitized post-column reaction with xylene orange for the determination of lanthanides by ion chromatography 770(1997)75
- Gettar, R.T., see Gautier, E.A. 770(1997)75
- Gherardi, S., see Trifirò, A. 770(1997)243
- Glennon, J.D., Hutchinson, S., Walker, A., Harris, S.J. and McSweeney, C.C.
New fluorinated hydroxamic acid reagents for the extraction of metal ions with supercritical CO₂ 770(1997)85
- Gorenc, B., see Gros, N. 770(1997)119
- Gros, N. and Gorenc, B.
Performance of ion chromatography in the determination of anions and cations in various natural waters with elevated mineralization 770(1997)119
- Gurdale, K., see Motellier, S. 770(1997)311
- Haddad, P.R.
Comparison of ion chromatography and capillary electrophoresis for the determination of inorganic ions 770(1997)281
- Haddad, P.R., see Doble, P. 770(1997)291
- Haddad, P.R., see Fagan, P.A. 770(1997)165
- Haddad, P.R., see Fagan, P.A. 770(1997)175

- Haddad, P.R., see Huang, Q. 770(1997)3
 Haddad, P.R., see Kuban, P. 770(1997)329
 Haddad, P.R., see Ohta, K. 770(1997)219
 Haider, K., see Buchberger, W. 770(1997)59
 Hajós, P., see Bruzzoniti, M.C. 770(1997)13
 Harris, S.J., see Glennon, J.D. 770(1997)85
 Huang, Q., Paull, B. and Haddad, P.R.
 Optimisation of selectivity in the separation of metallo-cyanide complexes by ion-interaction liquid chromatography 770(1997)3
 Hutchinson, S., see Glennon, J.D. 770(1997)85
 Ivask, J. and Pentchuk, J.
 Analysis of ions in polar ice core samples by use of large injection volumes in ion chromatography 770(1997)125
 Jones, P., see Nesterenko, P.N. 770(1997)129
 Kamar, H., see Fagan, P.A. 770(1997)175
 Kennedy, S., see Dabek-Zlotorzynska, E. 770(1997)349
 Kettstrup, A., see Fischer, K. 770(1997)229
 Klampfl, C.W., Buchberger, W., Rieder, G. and Bonn, G.K.
 Retention behavior of carboxylic acids on highly cross-linked poly(styrene-divinylbenzene)-based and silica-based cation exchangers 770(1997)23
 Ko, A.N., see Co, A.C. 770(1997)69
 Koh, T., see Miura, Y. 770(1997)157
 Kotalik, J., see Fischer, K. 770(1997)229
 Kuban, P., Buchberger, W. and Haddad, P.R.
 Determination of metallo-cyanides by capillary electrophoresis after concentration on supported liquid membranes 770(1997)329
 Liu, F., see Dabek-Zlotorzynska, E. 770(1997)349
 Lourenço, A., see Borges, C. 770(1997)195
 Lucy, C.A., see Co, A.C. 770(1997)69
 Malhoa Gomes, M., see Borges, C. 770(1997)195
 Malik, S.A., see Blackwell, P.A. 770(1997)93
 Manning, D.A.C. and Bewsher, A.
 Determination of anions in landfill leachates by ion chromatography 770(1997)203
 McSweeney, C.C., see Glennon, J.D. 770(1997)85
 Mentasti, E., see Bruzzoniti, M.C. 770(1997)13
 Mentasti, E., see Bruzzoniti, M.C. 770(1997)51
 Miura, Y., Saitoh, A. and Koh, T.
 Determination of sulfur oxyanions by ion chromatography on a silica ODS column with tetrapropylammonium salt as an ion-pairing reagent 770(1997)157
 Mollie, J.-P., see Verhelst, V. 770(1997)337
 Monaghan, J.M., Cook, K., Gara, D. and Crowther, D.
 Determination of nitrite and nitrate in human serum 770(1997)143
 Motellier, S., Gurdale, K. and Pitsch, H.
 Sulfur speciation by capillary electrophoresis with indirect spectrophotometric detection: In search of a suitable carrier electrolyte to maximize sensitivity 770(1997)311
 Navarro, A., Caruel, H., Rigal, L. and Phemius, P.
 Continuous chromatographic separation process: simulated moving bed allowing simultaneous withdrawal of three fractions 770(1997)39
 Ndagijimana, M., see Trifirò, A. 770(1997)243
 Nesterenko, P.N. and Jones, P.
 Single-column method of chelation ion chromatography for the analysis of trace metals in complex samples 770(1997)129
 Ohta, K., Tanaka, K., Paull, B. and Haddad, P.R.
 Retention behavior of alkali, alkaline earth and transition metal cations in ion chromatography with an unmodified silica gel column 770(1997)219
 Ohta, K., see Tanaka, K. 770(1997)211
 Parkins, C.S., see Stratford, M.R.L. 770(1997)151
 Patel, K.B., see Everett, S.A. 770(1997)273
 Paull, B., see Fagan, P.A. 770(1997)175
 Paull, B., see Huang, Q. 770(1997)3
 Paull, B., see Ohta, K. 770(1997)219
 Pentchuk, J., see Ivask, J. 770(1997)125
 Phemius, P., see Navarro, A. 770(1997)39
 Piechowski, M., see Dabek-Zlotorzynska, E. 770(1997)349
 Pitsch, H., see Motellier, S. 770(1997)311
 Previdi, M.P., see Trifirò, A. 770(1997)243
 Ragone, P., see Cardelicchio, N. 770(1997)185
 Reschiotto, C., see Trifirò, A. 770(1997)243
 Rieder, G., see Klampfl, C.W. 770(1997)23
 Rigal, L., see Navarro, A. 770(1997)39
 Riviello, J., see Cardelicchio, N. 770(1997)185
 Romele, L., see Achilli, M. 770(1997)29
 Saccani, G., see Trifirò, A. 770(1997)243
 Saitoh, A., see Miura, Y. 770(1997)157
 Sarzanini, C., see Bruzzoniti, M.C. 770(1997)13
 Sarzanini, C., see Bruzzoniti, M.C. 770(1997)51
 Schofield, J. and Asaf, M.
 Analysis of sulphonated phthalocyanine dyes by capillary electrophoresis 770(1997)345
 Servant, R.E., see Gautier, E.A. 770(1997)75
 Silva, T.P., see Borges, C. 770(1997)195
 Spotti, E., see Trifirò, A. 770(1997)243
 Stöckl, D., see Van Nuwenborg, J.E. 770(1997)137
 Stratford, M.R.L., Dennis, M.F., Cochrane, R., Parkins, C.S. and Everett, S.A.
 The role of nitric oxide in cancer. Improved methods for measurement of nitrite and nitrate by high-performance ion chromatography 770(1997)151
 Stratford, M.R.L., see Everett, S.A. 770(1997)273
 Tanaka, K., Ohta, K. and Fritz, J.S.
 Ion-exclusion chromatography of aliphatic carboxylic acids on a cation-exchange resin by elution with polyvinyl alcohol 770(1997)211
 Tanaka, K., see Ohta, K. 770(1997)219
 Taylor, G.E.
 Determination of impurities in clodronic acid by anion-exchange chromatography 770(1997)261
 Thienpont, L.M., see Van Nuwenborg, J.E. 770(1997)137
 Thornton, M.J. and Fritz, J.S.
 Separation of inorganic anions in acidic solution by capillary electrophoresis 770(1997)301
 Trifirò, A., Saccani, G., Gherardi, S., Vicini, E., Spotti, E., Previdi, M.P., Ndagijimana, M., Cavalli, S. and Reschiotto, C.
 Use of ion chromatography for monitoring microbial spoilage in the fruit juice industry 770(1997)243
 Vanatta, L.E. and Coleman, D.E.
 Calculation of detection limits for a single-laboratory ion-chromatographic method to determine parts-per-trillion ions in ultrapure water 770(1997)105
 Van den Hoop, M.A.G.T. and van Staden, J.J.
 Determination of phosphate in natural waters by capillary electrophoresis. Influence of solution composition on migration time and response 770(1997)321

- Van Nuwenborg, J.E., Stöckl, D. and Thienpont, L.M.
Practical aspects of suppressed ion chromatography for cations in human serum 770(1997)137
- Van Staden, J.J., see van den Hoop, M.A.G.T. 770(1997)321
- Veiga, J.P., see Borges, C. 770(1997)195
- Verhelst, V., Mollie, J.-P. and Campeol, F.
Capillary zone electrophoretic determination of ionic impurities in silicone products used for electronic applications 770(1997)337
- Vermillion, W.D. and Crenshaw, M.D.
In-line respeciation: an ion-exchange ion chromatographic method applied to the separation of degradation products of chemical warfare nerve agents in soil 770(1997)253
- Vicini, E., see Trifirò, A. 770(1997)243
- Walker, A., see Glennon, J.D. 770(1997)85
- Wardman, P., see Everett, S.A. 770(1997)273
- Waterworth, J.P.
Validation of ion chromatographic methods for the trace analysis of ions in pharmacopoeial grades of water 770(1997)99
- Whitehead, P.
Ultra-pure water for ion chromatography 770(1997)115
- Ye, L., see Co, A.C. 770(1997)69