

Author Index Vol. 781

- Altria, K.D., see Kelly, M.A. 781(1997)67
- Araki, T., see Tanaka, N. 781(1997)139
- Arellano, M., El Kaddouri, S., Roques, C., Couderc, F. and Puig, Ph.
Capillary electrophoresis and indirect UV detection as a fast and simple analytical tool for bacterial taxonomy 781(1997)497
- Bairley, D.W., see Nitowski, A.J. 781(1997)541
- Banks, J.F., see Wheat, T.E. 781(1997)99
- Becker, A., see Vogt, C. 781(1997)391
- Beever, R.J., see Le, X.C. 781(1997)515
- Bieber, A.L., see Nedelkov, D. 781(1997)429
- Bissell, M.G., see Valbuena, G.A. 781(1997)467
- Bounéry, J.D., see Zuriguel, V. 781(1997)233
- Britz-McKibbin, P. and Chen, D.D.Y.
Prediction of the migration behavior of analytes in capillary electrophoresis based on three fundamental parameters 781(1997)23
- Brüggemann, O., Freitag, R., Whitcombe, M.J. and Vulfson, E.N.
Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography 781(1997)43
- Carrilho, E., see Piggee, C.A. 781(1997)367
- Caussé, E., see Zuriguel, V. 781(1997)233
- Cefalo, D., see Zaugg, S.E. 781(1997)487
- Chen, D.D.Y., see Britz-McKibbin, P. 781(1997)23
- Chen, F.-T.A., see Rampal, S. 781(1997)357
- Chen, J., Preston, B.P. and Zimmerman, M.J.
Analysis of organic acids in industrial samples. Comparison of capillary electrophoresis and ion chromatography 781(1997)205
- Chiari, M., Riva, S., Gelain, A., Vitale, A. and Turati, E.
Separations of DNA fragments by capillary electrophoresis in N-substituted polyacrylamides 781(1997)347
- Childs, B., see Williams, R.L. 781(1997)107
- Choi, O.-K. and Jo, J.-S.
Determination of L-ascorbic acid in foods by capillary zone electrophoresis 781(1997)435
- Choudhary, G. and Horváth, Cs.
Dynamics of capillary electrochromatography. Experimental study on the electroosmotic flow and conductance in open and packed capillaries 781(1997)161
- Chrumbach, A., see Radko, S.P. 781(1997)277
- Clark, B.J., see Kelly, M.A. 781(1997)67
- Colyer, C.L., Mangru, S.D. and Harrison, D.J.
Microchip-based capillary electrophoresis of human serum proteins 781(1997)271
- Compston, C.A., see Le, X.C. 781(1997)515
- Conradi, S., see Wittrisch, H. 781(1997)407
- Couderc, F., see Arellano, M. 781(1997)497
- Couderc, F., see Zuriguel, V. 781(1997)233
- Danielson, N.D., see Gallagher, P.A. 781(1997)533
- Desiderio, C., Polcaro, C.M., Padiglioni, P. and Fanali, S.
Enantiomeric separation of acidic herbicides by capillary electrophoresis using vancomycin as chiral selector 781(1997)503
- Detle, C., see Kunkel, A. 781(1997)445
- Ding, J., Szeliga, J., Dipple, A. and Vouros, P.
Application of mixed mobile phases and a step gradient method in capillary electrochromatography for the separation of isomeric polycyclic aromatic hydrocarbon-deoxyribonucleoside adduct mixtures prepared in vitro 781(1997)327
- Dipple, A., see Ding, J. 781(1997)327
- Dongowski, G., see Schwarz, M.A. 781(1997)377
- Dose, E.V., see Williams, R.L. 781(1997)107
- Dovich, N.J., see Le, X.C. 781(1997)515
- El Kaddouri, S., see Arellano, M. 781(1997)497
- Estivill, X., see Mansfield, E.S. 781(1997)295
- Fanali, S., see Desiderio, C. 781(1997)503
- Fazio, S.D., see Huang, W.X. 781(1997)129
- Foret, F., see Rashkovetsky, L.G. 781(1997)197
- Fortina, P., see Mansfield, E.S. 781(1997)295
- Freitag, R., see Brüggemann, O. 781(1997)43
- Friedberg, M.A., Hinsdale, M. and Shihabi, Z.K.
Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35
- Friedberg, M.A., Hinsdale, M.E. and Shihabi, Z.K.
Analysis of nitrate in biological fluids by capillary electrophoresis 781(1997)491
- Fugger, L.H., see Heegaard, N.H.H. 781(1997)91
- Gäb, S., see Schmitz, O. 781(1997)215
- Gallagher, P.A. and Danielson, N.D.
Capillary electrophoresis of cationic and anionic surfactants with indirect conductivity detection 781(1997)533
- Gasparini, P., see Mansfield, E.S. 781(1997)295
- Gelain, A., see Chiari, M. 781(1997)347
- Gelencsér, A., see Krivácsy, Z. 781(1997)223
- Guiochon, G., see Williams, R.L. 781(1997)107
- Günter, S., see Kunkel, A. 781(1997)445
- Guttman, A. and Williams Ulfelder, K.
Exoglycosidase matrix-mediated sequencing of a complex glycan pool by capillary electrophoresis 781(1997)547
- Hansen, B.E., see Heegaard, N.H.H. 781(1997)91
- Hansen, D.K. and Lunte, S.M.
Determination of kynurenic acid by capillary electrophoresis with laser-induced fluorescence detection 781(1997)81
- Harris, D.W., see Mansfield, E.S. 781(1997)295
- Harrison, D.J., see Colyer, C.L. 781(1997)271
- Heegaard, N.H.H., Hansen, B.E., Svegaard, A. and Fugger, L.H.
Interactions of the human class II major histocompatibility complex protein HLA-DR4 with a peptide ligand demonstrated by affinity capillary electrophoresis 781(1997)91
- Heinig, K., Vogt, C. and Werner, G.
Determination of cationic surfactants by capillary electrophoresis with indirect photometric detection 781(1997)17

- Heo, Y.J., Kim, S.Y., Kim, E. and Lee, K.-J.
Quaternary structural analysis of nucleoside diphosphate kinases using capillary electrophoresis 781(1997)251
- Higashi, K., see Takeda, S. 781(1997)11
- Hindsgaul, O., see Le, X.C. 781(1997)515
- Hinsdale, M., see Friedberg, M.A. 781(1997)35
- Hinsdale, M.E., see Friedberg, M.A. 781(1997)491
- Hlavay, J., see Krivácsy, Z. 781(1997)223
- Hoogmartens, J., see Zhu, Y. 781(1997)417
- Horváth, Cs., see Choudhary, G. 781(1997)161
- Horváth, Cs., see Rathore, A.S. 781(1997)185
- Hosoya, K., see Tanaka, N. 781(1997)139
- Huang, W.X., Fazio, S.D. and Vivilecchia, R.V.
Achievement of enantioselectivity of non-polar primary amines by a non-chiral crown ether 781(1997)129
- Hughes, D.E., see Rashkovetsky, L.G. 781(1997)197
- Iwasaki, H., see Tanaka, N. 781(1997)139
- Jankowiak, R., see Zamzow, D. 781(1997)73
- Jo, J.-S., see Choi, O.-K. 781(1997)435
- Jumppanen, J.H., see Wiedmer, S.K. 781(1997)239
- Karger, B.L., see Piggee, C.A. 781(1997)367
- Karger, B.L., see Rashkovetsky, L.G. 781(1997)197
- Katsuragi, K., Kitagishi, K., Mizuguchi, T., Nagashima, T., Kinoshita, M. and Kumada, H.
Method for detection of epsilon-secondary structure in the precore region of human hepatitis B virus DNA using a fluorescence-based polymerase chain reaction–single-strand-conformation polymorphism technique with capillary electrophoresis 781(1997)307
- Kaupp, S. and Wätzig, H.
Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55
- Kelly, M.A., Altria, K.D. and Clark, B.J.
Quantitative analysis of sodium dodecyl sulphate by capillary electrophoresis 781(1997)67
- Kiessig, S. and Vogt, C.
Separation of carnitine and acylcarnitines by capillary electrophoresis 781(1997)475
- Kim, E., see Heo, Y.J. 781(1997)251
- Kim, S.Y., see Heo, Y.J. 781(1997)251
- Kim, Y. and Yeung, E.S.
Separation of DNA sequencing fragments up to 1000 bases by using poly(ethylene oxide)-filled capillary electrophoresis 781(1997)315
- Kim, Y.S., see Suh, M.J. 781(1997)263
- Kimata, K., see Tanaka, N. 781(1997)139
- Kinoshita, M., see Katsuragi, K. 781(1997)307
- Kiss, G., see Krivácsy, Z. 781(1997)223
- Kitagishi, K., see Katsuragi, K. 781(1997)307
- Krivácsy, Z., Molnár, Á., Tarjányi, E., Gelencsér, A., Kiss, G. and Hlavay, J.
Investigation of inorganic ions and organic acids in atmospheric aerosol by capillary electrophoresis 781(1997)223
- Kulomaa, A., Sirén, H. and Riekkola, M.-L.
Identification of antioxidative compounds in plant beverages by capillary electrophoresis with the marker index technique 781(1997)523
- Kumada, H., see Katsuragi, K. 781(1997)307
- Kunkel, A., Günter, S., Dette, C. and Wätzig, H.
Quantitation of insulin by capillary electrophoresis and high-performance liquid chromatography. Method comparison and validation 781(1997)445
- Le, X.C., Zhang, Y., Dovichi, N.J., Compston, C.A., Palcic, M.M., Beever, R.J. and Hindsgaul, O.
Study of the enzymatic transformation of fluorescently labeled oligosaccharides in human epidermoid cells using capillary electrophoresis with laser-induced fluorescence detection 781(1997)515
- Lee, C.S., see Tang, Q. 781(1997)113
- Lee, H.K., see Rodriguez, I. 781(1997)287
- Lee, K.-J., see Heo, Y.J. 781(1997)251
- Lent, J.A., see Nitowski, A.J. 781(1997)541
- Li, S.F.Y., see Rodriguez, I. 781(1997)287
- Li, S.F.Y., see Wang, T. 781(1997)457
- Lilley, K.A., see Wheat, T.E. 781(1997)99
- Lin, C.-H., see Zamzow, D. 781(1997)73
- Liu, M.-S., see Rampal, S. 781(1997)357
- Lucy, C.A., see Rae, W.E. 781(1997)3
- Lunte, S.M., see Hansen, D.K. 781(1997)81
- Lyubarskaya, Y.V., see Rashkovetsky, L.G. 781(1997)197
- Mangru, S.D., see Colyer, C.L. 781(1997)271
- Mansfield, E.S., Vainer, M., Harris, D.W., Gasparini, P., Estivill, X., Surrey, S. and Fortina, P.
Rapid sizing of polymorphic microsatellite markers by capillary array electrophoresis 781(1997)295
- Matyska, M.T., see Pesek, J.J. 781(1997)423
- Mizuguchi, T., see Katsuragi, K. 781(1997)307
- Mohammad, A.A., see Valbuena, G.A. 781(1997)467
- Molnár, Á., see Krivácsy, Z. 781(1997)223
- Muth, J., see Piggee, C.A. 781(1997)367
- Nagashima, T., see Katsuragi, K. 781(1997)307
- Nakagawa, K., see Tanaka, N. 781(1997)139
- Nedelkov, D. and Bieber, A.L.
Detection of isoforms and isomers of rattlesnake myotoxins by capillary electrophoresis and matrix-assisted laser desorption time-of-flight mass spectrometry 781(1997)429
- Nertz, M., see Zuriguel, V. 781(1997)233
- Neubert, R.H.H., see Schwarz, M.A. 781(1997)377
- Nitowski, A.A., see Nitowski, A.J. 781(1997)541
- Nitowski, A.J., Nitowski, A.A., Lent, J.A., Bairley, D.W. and Van Valkenburg, D.
Capillary electrophoresis as a routine industrial tool for quantitative analytical testing. Determination of sodium dimethyldithiocarbamate in effluents 781(1997)541
- Nouadje, G., see Zuriguel, V. 781(1997)233
- Okorodudu, A.O., see Valbuena, G.A. 781(1997)467
- Padiglioni, P., see Desiderio, C. 781(1997)503
- Palcic, M.M., see Le, X.C. 781(1997)515
- Patterson Jr., D.G., see Tanaka, N. 781(1997)139
- Pesek, J.J. and Matyska, M.T.
Determination of aspartame by high-performance capillary electrophoresis 781(1997)423
- Petersen, J.R., see Valbuena, G.A. 781(1997)467
- Piggee, C.A., Muth, J., Carrilho, E. and Karger, B.L.
Capillary electrophoresis for the detection of known point mutations by single-nucleotide primer extension and laser-induced fluorescence detection 781(1997)367
- Polcaro, C.M., see Desiderio, C. 781(1997)503
- Preston, B.P., see Chen, J. 781(1997)205
- Puig, Ph., see Arellano, M. 781(1997)497
- Quilliam, M.A., see Zhao, J.-Y. 781(1997)555

- Quirino, J.P. and Terabe, S.
On-line concentration of neutral analytes for micellar electrokinetic chromatography I. Normal stacking mode 781(1997)119
- Radko, S.P., Weiss, G.H. and Chrambach, A.
Protein band spreading in capillary zone electrophoresis. Effects of sample zone length and presence of polymer 781(1997)277
- Rae, W.E., Wong, J.E. and Lucy, C.A.
A simple means of generating pH gradients in capillary zone electrophoresis 781(1997)3
- Raith, K., see Schwarz, M.A. 781(1997)377
- Rampal, S., Liu, M.-S. and Chen, F.-T.A.
Characterization of TO-PRO-3 as an intercalator for double-stranded DNA analysis with red diode laser-induced fluorescence detection 781(1997)357
- Rao, L.V., see Valbuena, G.A. 781(1997)467
- Rashkovetsky, L.G., Lyubarskaya, Y.V., Foret, F., Hughes, D.E. and Karger, B.L.
Automated microanalysis using magnetic beads with commercial capillary electrophoretic instrumentation 781(1997)197
- Rathore, A.S. and Horváth, Cs.
Capillary electrochromatography: theories on electroosmotic flow in porous media 781(1997)185
- Riekkola, M.-L., see Kulomaa, A. 781(1997)523
- Riekkola, M.-L., see Wiedmer, S.K. 781(1997)239
- Riva, S., see Chiari, M. 781(1997)347
- Rodriguez, I., Zhang, Y., Lee, H.K. and Li, S.F.Y.
Conventional capillary electrophoresis in comparison with short-capillary capillary electrophoresis and microfabricated glass chip capillary electrophoresis for the analysis of fluorescein isothiocyanate anti-human immunoglobulin G 781(1997)287
- Roets, E., see Zhu, Y. 781(1997)417
- Rohde, E., see Vogt, C. 781(1997)391
- Rohde, E., see Wittrisch, H. 781(1997)407
- Roques, C., see Arellano, M. 781(1997)497
- Rüttinger, H.H., see Schwarz, M.A. 781(1997)377
- Salvayre, R., see Zuriguel, V. 781(1997)233
- Schmitz, O. and Gäb, S.
Separation of unsaturated fatty acids and related isomeric hydroperoxides by micellar electrokinetic chromatography 781(1997)215
- Schwarz, M.A., Raith, K., Rüttinger, H.H., Dongowski, G. and Neubert, R.H.H.
Investigation of the interactions between drugs and mixed bile salt/lecithin micelles. A characterization by micellar affinity capillary electrophoresis (MACE). Part III 781(1997)377
- Shihabi, Z.K., see Friedberg, M.A. 781(1997)35
- Shihabi, Z.K., see Friedberg, M.A. 781(1997)491
- Siméon, N., see Zuriguel, V. 781(1997)233
- Sirén, H., see Kulomaa, A. 781(1997)523
- Sirén, H., see Wiedmer, S.K. 781(1997)239
- Small, G.J., see Zamzow, D. 781(1997)73
- Suh, M.J., Kim, Y.S. and Yoo, Y.S.
Application of capillary electrophoresis to determination of enzyme activity and other properties of phosphatidylinositol-specific phospholipase C 781(1997)263
- Surrey, S., see Mansfield, E.S. 781(1997)295
- Svejgaard, A., see Heegaard, N.H.H. 781(1997)91
- Szeliga, J., see Ding, J. 781(1997)327
- Takeda, S., Wakida, S.-i., Yamane, M., Higashi, K. and Terabe, S.
Effect of the polar groups of anionic surfactant on migration behavior in micellar electrokinetic chromatography 781(1997)11
- Talmadge, K.W., Tan, A.K. and Zhu, M.
DNA fragment analysis by capillary polymer sieving electrophoresis using poly(acryloylaminoethoxyethanol)-coated capillaries 781(1997)335
- Tan, A.K., see Talmadge, K.W. 781(1997)335
- Tanaka, N., Nakagawa, K., Iwasaki, H., Hosoya, K., Kimata, K., Araki, T. and Patterson Jr., D.G.
Polyallylamine-supported pseudo-stationary phases for electrokinetic chromatography. Effect of alkyl chain length of the pseudo-stationary phase and methanol content of aqueous buffer on the separation of hydrophobic compounds 781(1997)139
- Tanaka, Y. and Terabe, S.
Enantiomer separation of acidic racemates by capillary electrophoresis using cationic and amphoteric β -cyclodextrins as chiral selectors 781(1997)151
- Tang, Q. and Lee, C.S.
Effects of electroosmotic flow on zone mobilization in capillary isoelectric focusing 781(1997)113
- Tarjányi, E., see Krivácsy, Z. 781(1997)223
- Tazawa, T., see Zhao, J.-Y. 781(1997)555
- Terabe, S., see Quirino, J.P. 781(1997)119
- Terabe, S., see Takeda, S. 781(1997)11
- Terabe, S., see Tanaka, Y. 781(1997)151
- Thibault, P., see Zhao, J.-Y. 781(1997)555
- Turati, E., see Chiari, M. 781(1997)347
- Vainer, M., see Mansfield, E.S. 781(1997)295
- Valbuena, G.A., Rao, L.V., Petersen, J.R., Okorodudu, A.O., Bissell, M.G. and Mohammad, A.A.
Anionic-zwitterionic mixed micelles in the micellar electrokinetic separation of clinically relevant steroids on a fused-silica capillary 781(1997)467
- Van Schepdael, A., see Zhu, Y. 781(1997)417
- Van Valkenburg, D., see Nitowski, A.J. 781(1997)541
- Vigh, Gy., see Williams, R.L. 781(1997)107
- Vitale, A., see Chiari, M. 781(1997)347
- Vivilecchia, R.V., see Huang, W.X. 781(1997)129
- Vogt, C., see Heinig, K. 781(1997)17
- Vogt, C., see Kiessig, S. 781(1997)475
- Vogt, C., Vogt, J., Becker, A. and Rohde, E.
Separation, comparison and identification of fountain pen inks by capillary electrophoresis with UV-visible and fluorescence detection and by proton-induced X-ray emission 781(1997)391
- Vogt, C., see Wittrisch, H. 781(1997)407
- Vogt, J., see Vogt, C. 781(1997)391
- Vogt, J., see Wittrisch, H. 781(1997)407
- Vouros, P., see Ding, J. 781(1997)327
- Vulfson, E.N., see Brüggemann, O. 781(1997)43
- Wakida, S.-i., see Takeda, S. 781(1997)11
- Walker, E.B., see Walker, J.C. 781(1997)481
- Walker, E.B., see Zaugg, S.E. 781(1997)487
- Walker, J.C., Zaugg, S.E. and Walker, E.B.
Analysis of beverages by capillary electrophoresis 781(1997)481

- Wang, T. and Li, S.F.Y.
Development of a capillary electrophoresis method with indirect photometric detection for the determination of anions related to anticaries 781(1997)457
- Wätzig, H., see Kaupp, S. 781(1997)55
- Wätzig, H., see Kunzel, A. 781(1997)445
- Weiss, G.H., see Radko, S.P. 781(1997)277
- Werner, G., see Heinig, K. 781(1997)17
- Wheat, T.E., Lilley, K.A. and Banks, J.F.
Capillary electrophoresis with electrospray mass spectrometry detection for low-molecular-mass compounds 781(1997)99
- Whitcombe, M.J., see Brüggemann, O. 781(1997)43
- Wiedmer, S.K., Sirén, H., Riekkola, M.-L. and Jumppanen, J.H.
Comparison of capillary electrophoresis systems for the reliable identification of some carboxylic acids using the marker technique 781(1997)239
- Williams, R.L., Childs, B., Dose, E.V., Guiochon, G. and Vigh, Gy.
Peak shape distortions during capillary electrophoretic separations of multicomponent samples in two co-ion buffers 781(1997)107
- Williams Ulfelder, K., see Guttman, A. 781(1997)547
- Wittrisch, H., Conradi, S., Rohde, E., Vogt, J. and Vogt, C.
Characterization of metal complexes of pharmaceutical interest by capillary electrophoresis with element sensitive detection 781(1997)407
- Wong, J.E., see Rae, W.E. 781(1997)3
- Yamane, M., see Takeda, S. 781(1997)11
- Yeung, E.S., see Kim, Y. 781(1997)315
- Yoo, Y.S., see Suh, M.J. 781(1997)263
- Zamzow, D., Lin, C.-H., Small, G.J. and Jankowiak, R.
Application of capillary electrophoresis–fluorescence line-narrowing spectroscopy for on-line spectral characterization of closely related analytes 781(1997)73
- Zaugg, S.E., Cefalo, D. and Walker, E.B.
Capillary electrophoretic analysis of salicin in *Salix* spp 781(1997)487
- Zaugg, S.E., see Walker, J.C. 781(1997)481
- Zhang, Y., see Le, X.C. 781(1997)515
- Zhang, Y., see Rodriguez, I. 781(1997)287
- Zhao, J.-Y., Thibault, P., Tazawa, T. and Quilliam, M.A.
Analysis of tetramine in sea snails by capillary electrophoresis–tandem mass spectrometry 781(1997)555
- Zhu, M., see Talmadge, K.W. 781(1997)335
- Zhu, Y., Van Schepdael, A., Roets, E. and Hoogmartens, J.
Micellar electrokinetic capillary chromatography for the separation of phenoxymethylpenicillin and related substances 781(1997)417
- Zimmerman, M.J., see Chen, J. 781(1997)205
- Zuriguuel, V., Caussé, E., Bounéry, J.D., Nouadje, G., Siméon, N., Nertz, M., Salvayre, R. and Couderc, F.
Short chain fatty acids analysis by capillary electrophoresis and indirect UV detection or laser-induced fluorescence 781(1997)233