

## SUBJECT INDEX

## J. CHROMATOGR. A VOLS. 752–800

**A****Absorbance diagram**

New methods for spectrometric peak purity analysis in chromatography 800(1998)121

**Absorbance difference quotient diagram**

New methods for spectrometric peak purity analysis in chromatography 800(1998)121

**Accelerated solvent extraction**

Comparison between accelerated solvent extraction and traditional extraction methods for the analysis of the herbicide diflufenican in soil 765(1997)121

Application of accelerated solvent extraction followed by gas chromatography, high-performance liquid chromatography and gas chromatography–mass spectrometry for the determination of polycyclic aromatic hydrocarbons, chlorinated pesticides and polychlorinated dibenzo-*p*-dioxins and dibenzofurans in solid wastes 774(1997)203

Determination of alkylphenols, alkylphenoxyethoxylates and linear alkylbenzenesulfonates in sediments by accelerated solvent extraction and supercritical fluid extraction 775(1997)187

**Activated gels**

Assay for determining the number of reactive groups on gels used in affinity chromatography and its application to the optimisation of the epichlorohydrin and divinylsulfone activation reactions 752(1996)67

**Acylation**

Coupling chemical derivatization reactions with supercritical fluid extraction (Review) 785(1997)239

**Adsorbents**

see also Affinity adsorbents, Sorbents and Stationary phases

Cyanocarbons as ligands for electron donor acceptor chromatography of human serum proteins 753(1996)57

Packings of an unidimensional regular pore structure as model packings in size-exclusion and inverse size-exclusion chromatography 753(1996)177

Elution pattern of planar chlorinated biphenyls and 2,3,7,8-polychlorinated dibenzo-*p*-dioxins/dibenzofurans on chromatographic adsorbents and factors affecting the mechanism of retention. Possibilities of selective separation of both families 759(1997)127

Affinity adsorption of adsorbates into spherical monodisperse and bidisperse porous perfusive and purely diffusive adsorbent particles packed in a column. Parameter estimation in the Laplace transform domain 760(1997)55

Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

Analysis of lindane,  $\alpha$ - and  $\beta$ -endosulfan and endosulfan sulfate in greenhouse air by gas chromatography 765(1997)99

Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153

Fluidization characteristics of and protein adsorption on fluoride-modified porous zirconium oxide particles 776(1997)179

Determination of priority phenolic compounds in water and industrial effluents by polymeric liquid–solid extraction cartridges using automated sample preparation with extraction columns and liquid chromatography. Use of liquid–solid extraction cartridges for stabilization of phenols 778(1997)301

- Intermolecular interactions in adsorbate–carbon systems of various nano- and adsorption textures 786(1997)117
- Ligand structure of the divinylsulfone-based T-gel 787(1997)47
- Comparison of the protein adsorption selectivity of salt-promoted agarose-based adsorbents. Hydrophobic, thiophilic and electron donor–acceptor adsorbents 800(1998)151
- Adsorption**
- Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy 756(1996)233
- Chromatographic behaviour of diastereoisomers. XIII. Adsorptivity of esters of *Z*- and *E*-2,3-diphenylpropenoic acids and similar compounds on silica in terms of the Snyder theory 758(1997)135
- Cibacron Blue F3GA-incorporated macroporous poly(2-hydroxyethyl methacrylate) affinity membranes for heavy metal removal 758(1997)217
- Influence of the heat of adsorption on elution band profiles in nonlinear liquid chromatography 760(1997)3
- Affinity adsorption of adsorbates into spherical monodisperse and bidisperse porous perfusive and purely diffusive adsorbent particles packed in a column. Parameter estimation in the Laplace transform domain 760(1997)55
- Comment on the theory of protein adsorption on a biospecific rigid matrix 764(1997)21
- Polyol-promoted adsorption of serum proteins to amphiphilic agarose-based adsorbents 764(1997)193
- Simplified mathematical model of irreversible sample adsorption in capillary zone electrophoresis 766(1997)171
- Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. II. Partitioning vs. adsorption mechanism in monomeric alkyl bonded phase supports 775(1997)1
- Model discrimination and estimation of the intraparticle mass transfer parameters for the adsorption of bovine serum albumin onto porous adsorbent particles by the use of experimental frontal analysis data 776(1997)3
- Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55
- Application of Kováts retention indices for investigation of adsorption properties of activated carbons 782(1997)87
- Theory of liquid adsorption chromatography of macromolecules applied to polyethylene glycol and fatty alcohol ethoxylates 791(1997)21
- Cibacron Blue F3GA-attached polyvinylbutyral microbeads as novel magnetic sorbents for removal of Cu(II), Cd(II) and Pb(II) ions 793(1998)47
- Diffusion, adsorption and catalytic studies by gas chromatography (Review) 795(1998)133
- Non-linear elution effects in split-peak chromatography. II. Role of ligand heterogeneity in solute binding to columns with adsorption-limited kinetics 795(1998)185
- Frontal chromatography of proteins. Effect of axial dispersion on column performance 796(1998)157
- Influence of the concentration of adsorbate and modifier in the mobile phase on retention in high-performance liquid chromatography 797(1998)3
- Reversed-phase high-performance liquid chromatography of polyethers. Comparison with a theory for flexible-chain macromolecules 798(1998)187
- Comparison of the protein adsorption selectivity of salt-promoted agarose-based adsorbents. Hydrophobic, thiophilic and electron donor–acceptor adsorbents 800(1998)151
- Adsorption equilibria**
- Experimental and numerical studies of the chromatofocusing of dilute proteins using retained pH gradients formed on a strong-base anion-exchange column 769(1997)129
- Adsorption isotherms**
- Scale up in preparative chromatography 752(1996)19
- Combination of the steric mass action and non-ideal surface solution models for overload protein ion-exchange chromatography 760(1997)89
- Ideal model of chromatography applied to charged solutes in reversed-phase liquid chromatography 761(1997)3
- Method for determination of the chromatographic surface area of reversed-phase surfaces 761(1997)13
- Fitting competitive adsorption isotherms to the experimental distribution data in reversed-phase systems 762(1997)3
- Comparative studies on the isothermal characteristics of proteins adsorbed under batch equilibrium conditions to ion-exchange, immobilised metal ion affinity and dye affinity matrices with different ionic strength and temperature conditions 763(1997)71
- Mass transfer limitations in protein separations using ion-exchange membranes 764(1997)3
- Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

Optimal operation of simulated moving bed units for nonlinear chromatographic separations 769(1997)3

Parameter estimation for the simulation of liquid chromatography 769(1997)59

Dynamic simulation of simulated moving-bed chromatographic processes for the optimization of chiral separations 769(1997)81

Deposition parameters of air pollutants on solid surfaces, measured in the presence of surface and gaseous reactions, with a simultaneous determination of the experimental isotherms 775(1997)211

Chromatographic study of the influence of nitrogen dioxide on the reactions between volatile hydrocarbons and inorganic pigments 776(1997)275

Displacement chromatography with on-column isomerization 787(1997)1

Modeling column regeneration effects on ion-exchange chromatography 791(1997)99

Diffusion, adsorption and catalytic studies by gas chromatography (Review) 795(1998)133

Extension of a Jovanovic–Freundlich isotherm model to multicomponent adsorption on heterogeneous surfaces 796(1998)15

Importance of heat of adsorption in modeling protein equilibria for overloaded chromatography 796(1998)141

Preparative gradient elution chromatography of chemotactic peptides 796(1998)195

Influence of the concentration of adsorbate and modifier in the mobile phase on retention in high-performance liquid chromatography 797(1998)3

Chromatographic peak profile of ionogenic analytes upon elution with unbuffered eluents 797(1998)57

Optimization strategy for simulated moving bed systems 800(1998)135

### Adsorption liquid chromatography

Liquid adsorption chromatography of polyethers. Theory and experiment 761(1997)21

### Aerosols

Routine determination of major anions in atmospheric aerosols by capillary electrophoresis 770(1997)349

Occurrence and determination of organic pollutants in aerosol, precipitation, and sediment samples collected at Lake Balaton 774(1997)349

Investigation of inorganic ions and organic acids in atmospheric aerosol by capillary electrophoresis 781(1997)223

Determination of organic molecular markers in marine aerosols and sediments: one-step flash chromatography compound class fractionation and capillary gas chromatographic analysis 799(1998)215

### Affinity adsorbents

see also Immunosorbents

Assay for determining the number of reactive groups on gels used in affinity chromatography and its application to the optimisation of the epichlorohydrin and divinylsulfone activation reactions 752(1996)67

Modification of polystyrenic matrices for the purification of proteins. Effect of the adsorption of poly(vinyl alcohol) on the characteristics of poly(styrene–divinylbenzene) beads for use in affinity chromatography 758(1997)53

Affinity adsorption of adsorbates into spherical monodisperse and bidisperse porous perfusive and purely diffusive adsorbent particles packed in a column. Parameter estimation in the Laplace transform domain 760(1997)55

Characterisation of silica-based heparin affinity sorbents from equilibrium binding studies on plasma fractions containing thrombin 762(1997)113

Comparative studies on the isothermal characteristics of proteins adsorbed under batch equilibrium conditions to ion-exchange, immobilised metal ion affinity and dye affinity matrices with different ionic strength and temperature conditions 763(1997)71

Modification of polystyrenic matrices for the purification of proteins. II. Effect of the degree of glutaraldehyde–poly(vinyl alcohol) crosslinking on various dye ligand chromatography systems 776(1997)55

Modification of polystyrenic matrices for the purification of proteins. III. Effects of poly(vinyl alcohol) modification on the characteristics of protein adsorption on conventional and perfusion polystyrenic matrices 776(1997)65

Superporous agarose as an affinity chromatography support 776(1997)197

Study of correlations between fine structure of bonded layer and affinity properties of silicas with attached cyclic oligopeptides 777(1997)249

Ligand structure of the divinylsulfone-based T-gel 787(1997)47

Preparation of chromatographic matrices by free radical addition ligand attachment to allyl groups 796(1998)273

Dye–ligand and metal chelate poly(2-hydroxyethylmethacrylate) membranes for affinity separation of proteins 799(1998)83

Isolation of starch branching enzyme I from potato using  $\gamma$ -cyclodextrin affinity chromatography 800(1998)382

#### **Affinity-based detection**

Implementation of affinity solid-phases in continuous-flow biochemical detection 776(1997)169

#### **Affinity capillary electrophoresis**

Vacancy affinity capillary electrophoresis, a new method for measuring association constants 775(1997)313

Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

Investigation of the interactions between drugs and mixed bile salt/lecithin micelles. A characterization by micellar affinity capillary electrophoresis (MACE). Part III 781(1997)377

#### **Affinity chromatography**

see also Immunoaffinity chromatography

Use of monoclonal antibodies for weak affinity chromatography 758(1997)199

Comment on the theory of protein adsorption on a biospecific rigid matrix 764(1997)21

D-Glucose, forskolin and cytochalasin B affinities for the glucose transporter Glut1. Study of pH and reconstitution effects by biomembrane affinity chromatography 776(1997)81

Purification of a Streptococcal deoxyribonuclease by affinity chromatography based on a DNA–cellulose matrix 788(1997)75

#### **Affinity constants**

Chromatographic characterization of a molecularly imprinted polymer binding theophylline in aqueous buffers 786(1997)23

#### **Affinity detection**

Post-capillary affinity detection of protein microheterogeneity in capillary zone electrophoresis 759(1997)139

Theoretical concepts of on-line liquid chromatographic-biochemical detection systems. I. Detection systems based on labelled ligands 787(1997)27

On-line post-capillary affinity detection of immunoglobulin G subclasses and monoclonal antibody variants for capillary electrophoresis 790(1997)207

#### **Affinity discs**

Fast isolation of protein receptors from streptococci G by means of macroporous affinity discs 798(1998)65

#### **Affinity ligands**

Selection of a precursor monomer for the introduction of affinity ligands onto a porous membrane by radiation-induced graft polymerization 758(1997)209

Screening of a large number of dyes for the separation of human immunoglobulin G2 from the other immunoglobulin G subclasses. Immunoglobulin G2 enrichment on immobilized Procion Yellow HE-4R 766(1997)49

Purification of monoclonal antibodies by epitope and mimotope affinity chromatography 782(1997)49

#### **Affinity membranes**

Cibacron Blue F3GA-incorporated macroporous poly(2-hydroxyethyl methacrylate) affinity membranes for heavy metal removal 758(1997)217

Dye–ligand and metal chelate poly(2-hydroxyethylmethacrylate) membranes for affinity separation of proteins 799(1998)83

#### **Affinity tags**

Selection of optimum affinity tags from a phage-displayed peptide library. Application to immobilized copper(II) affinity chromatography 787(1997)91

#### **Agarose, superporous**

Superporous agarose as an affinity chromatography support 776(1997)197

#### **Air analysis**

Analysis of individual raindrops by capillary zone electrophoresis 755(1996)121

Analysis of lindane,  $\alpha$ - and  $\beta$ -endosulfan and endosulfan sulfate in greenhouse air by gas chromatography 765(1997)99

Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153

Routine determination of major anions in atmospheric aerosols by capillary electrophoresis 770(1997)349

Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121

Headspace gas chromatographic determination of the plant cuticle–air partition coefficients for monocyclic aromatic hydrocarbons as environmental compartment 774(1997)213

Occurrence and determination of organic pollutants in aerosol, precipitation, and sediment samples collected at Lake Balaton 774(1997)349

Evaluation of a micro gas chromatographic technique for environmental analyses of CO<sub>2</sub> and C<sub>1</sub>–C<sub>6</sub> alkanes 775(1997)243

Simple laboratory-made system for the determination of C<sub>2</sub>–C<sub>7</sub> hydrocarbons relevant to photochemical smog pollution 777(1997)267

Evaluation of styrene in air by thermal desorption–gas chromatography 778(1997)255

Evaluation of environmental levels of aromatic hydrocarbons in gasoline service stations by gas chromatography 778(1997)263

Refrigerated multibed adsorption in sampling and analysis of atmospheric light hydrocarbons at ppb (v/v) and sub-ppb (v/v) concentrations 778(1997)269

Investigation of inorganic ions and organic acids in atmospheric aerosol by capillary electrophoresis 781(1997)223

Improvement in the use of capillary columns for ambient air peroxyacetyl nitrate monitoring 786(1997)361

Analysis of volatile organic compounds in air using retention indices together with a simple thermal desorption and cold trap method 787(1997)205

Applications of anion chromatography in terrestrial environmental research (Review) 789(1997)287

Effect of addition of a graphitized carbon black trap to a glass beads trap on the cryoconcentration of some non-methane hydrocarbons in ambient air 790(1997)117

Systematic approach to the separation of mono- and hydroxycarboxylic acids in environmental samples by ion chromatography and capillary electrophoresis 796(1998)335

#### **Air bubbles**

Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165

#### **Air–fuel ratio**

Multi-channel on-line chromatographic analysis system for quick air–fuel ratio measurement 752(1996)183

#### **Algae**

Determination of E vitamers in microalgae using high-performance liquid chromatography with fluorescence detection 782(1997)63

#### **Alkylamide-bonded stationary phases**

Selectivity of alkylamide bonded-phases with respect to organic acids under reversed-phase conditions 762(1997)147

#### **Alkylation**

Coupling chemical derivatization reactions with supercritical fluid extraction (Review) 785(1997)239

#### **Allyl matrices**

High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39

#### **Alumina stationary phases**

Use of alumina with anchored polymer coating as packing material for reversed-phase high-performance liquid chromatography 790(1997)9

#### **Amine ligands**

High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39

#### **Amino acid condensation**

Identification of hexahydroimidazo[1,2-*a*]pyrazine-3,6-diones and hexahydroimidazo[1,2-*a*]imidazo[1,2-*d*]pyrazine-3,8-diones, unusual products of silica-catalyzed amino acid thermal condensation and products of their thermal decomposition using coupled high-performance liquid chromatography–particle beam mass spectrometry and gas chromatography–Fourier transform infrared spectroscopy–mass spectrometry 776(1997)255

#### **Aminosilica**

Aminosilica chemically modified with dodecamolybdophosphoric acid as stationary phase in high-performance liquid chromatography 796(1998)259

#### ***Ammi visnaga***

Determination of furanochromones and pyranocoumarins in drugs and *Ammi visnaga* fruits by combined solid-phase extraction–high-performance liquid chromatography and thin-layer chromatography–high-performance liquid chromatography 797(1998)305

#### **Ammonia caramel colours**

Gas chromatographic–mass spectrometric determination of 4-(5) methylimidazole in ammonia caramel colour using ion-pair extraction and derivatization with isobutylchloroformate 786(1997)299

#### **Amperometric detection**

see also Electrochemical detection and Pulsed amperometric detection

Capillary electrophoretic separation of chlorophenols using amperometric detection 761(1997)259

Theory concerning the current for an end-column amperometric detector with a disk working electrode in capillary zone electrophoresis 765(1997)307

Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes 766(1997)27

Oxidative and reductive amperometric detection of phenolic and nitroaromatic compounds in packed capillary column supercritical fluid chromatography 785(1997)121

**Amperometric detection, reductive**

Determination of herbicides by reductive amperometric detection in liquid chromatography 763(1997)227

**Ampholytes**

Displacement electrophoresis of ampholytes in a continuous pH gradient moving in a capillary with a non-constant cross-section 768(1997)283

Evaluation of pH gradient formation of carrier ampholytes with synthesized isoelectric point markers in capillary isoelectric focusing 772(1997)137

Fundamental properties of isoelectric buffers for capillary zone electrophoresis 790(1997)169

**Amylose stationary phases**

3-Fluoro-, 3-chloro- and 3-bromo-5-methylphenylcarbamates of cellulose and amylose as chiral stationary phases for high-performance liquid chromatographic enantioseparation 787(1997)67

**Anion exchangers**

see also Ion exchangers

Novel polymeric resins for anion-exchange chromatography 793(1998)231

**Annular chromatography**

Preparative desalting of bovine serum albumin by continuous annular chromatography 763(1997)49

**Apples**

Determination of diflufenuron in apples by gas chromatography 765(1997)85

Supercritical fluid extraction of pesticide residues in fortified apple matrices 782(1997)123

**Aqueous two-phase systems**

Effects of fused tryptophan rich peptides to a recombinant protein A domain on the partitioning in polyethylene glycol-dextran and Ucon-dextran aqueous two-phase systems 756(1996)107

Interaction between tryptophan residues and hydrophobically modified dextran. Effect on partitioning of peptides and proteins in aqueous two-phase systems 766(1997)99

***Arabidopsis thaliana***

Determination of indole-3-pyruvic acid levels in *Arabidopsis thaliana* by gas chromatography-selected ion monitoring-mass spectrometry 800(1998)101

***Arnebia densiflora***

Quantitative determination of naphthaquinones of *Arnebia densiflora* (Nordm.) Ledeb. by an improved high-performance liquid chromatographic method 782(1997)133

**Art analysis**

Study of binding media in works of art by gas chromatographic analysis of amino acids and fatty acids derivatized with ethyl chloroformate 778(1997)373

**Artefacts**

Simulations of liquid chromatography-diode array detector data including instrumental artefacts for the evaluation of mixture analysis techniques 758(1997)1

***Artemisia umbelliformis***

Packed column supercritical fluid chromatography of sesquiterpene lactones with different carbon skeletons 779(1997)315

***Aspergillus spp***

Monitoring of selected metabolites and biotransformation products from fermentation broths by high-performance liquid chromatography 763(1997)165

**Association constants**

Vacancy affinity capillary electrophoresis, a new method for measuring association constants 775(1997)313

Comparison of five methods for the study of drug-protein binding in affinity capillary electrophoresis 777(1997)311

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

Reliability of the capacity factor at zero micellar concentration and the solute-micelle association constant estimates by micellar liquid chromatography 778(1997)67

Evaluation of distribution coefficients in micellar liquid chromatography (Review) 780(1997)103

**Asymmetrical flow field-flow fractionation**

Effects of flow-rates and sample concentration on the molar mass characterisation of modified celluloses using asymmetrical flow field-flow fractionation-multi-angle light scattering 791(1997)135

**Atmospheric pressure chemical ionization**

see also Mass spectrometry

Application of liquid chromatography-atmospheric pressure ionization mass spectrometry in natural product analysis. Evaluation and optimization of electrospray and heated nebulizer interfaces 755(1996)189

Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization ion-trap mass spectrometry 794(1998)201

Development of a method for quantitation of retinol and retinyl palmitate in human serum using high-performance liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry 794(1998)245

Temperature and extraction voltage effect on fragmentation of organophosphorus pesticides in liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 795(1998)13

#### **Atmospheric pressure ionization**

see also Mass spectrometry

Advances in instrumentation in liquid chromatography–mass spectrometry and related liquid-introduction techniques (Review) 794(1998)407

#### **Atomic emission detection**

Determination of volatile organic compounds in water by purge-and-trap gas chromatography coupled to atomic emission detection 768(1997)259

#### **Atomic fluorescence spectrometry**

Interfacing supercritical fluid chromatography with atomic fluorescence spectrometry for the determination of organomercury compounds 786(1997)188

#### **Atomic force microscopy**

Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy 756(1996)233

Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55

#### **Automated multiple development**

Analysis of pesticide residues in drinking water by planar chromatography 754(1996)423

#### **Automation**

Economic approach to robotic sample pretreatment in high-performance liquid chromatography 771(1997)35

Design of automated solid-phase microextraction for trace analysis of organic compounds in aqueous samples 776(1997)293

Monitoring of pesticides in river water using fully automated on-line solid-phase extraction and liquid chromatography with diode array detection with a novel filtration device 795(1998)71

Accelerated recombinant protein purification process development. Automated, robotics-based integration of chromatographic purification and analysis 798(1998)73

#### **Automobile catalytic converters**

Capillary electrophoretic determination of cyanide leaching solutions from automobile catalytic converters 778(1997)397

#### **Axial compression columns**

Liquid chromatography on soft packing material, under axial compression. Size-exclusion chromatography of polypeptides 773(1997)103

Effect of the column length on the characteristics of the packed bed and the column efficiency in a dynamic axial compression column 796(1998)41

#### **Axial dispersion**

Extension of the shock layer theory to the case of a linear dependence of the axial dispersion and the mass transfer coefficients on the concentration 786(1997)195

Frontal chromatography of proteins. Effect of axial dispersion on column performance 796(1998)157

#### ***Azadirachta indica***

Comparison of chromatographic systems for triterpenoids from Neem (*Azadirachta indica*) seeds 761(1997)53

## **B**

#### **Background electrolyte composition**

see also Buffer composition

Isotachophoretic crystallization of ionogenic substances in electrolyte solutions 752(1996)251

Capillary zone electrophoretic separation of  $\beta$ -blockers using citrate buffer at low pH 753(1996)133

Ergot alkaloids as chiral selectors in capillary electrophoresis. Determination of the separation mechanism 755(1996)251

N-(Polyethyleneglycol monomethyl ether)-N-methylmorpholinium-based background electrolytes in capillary electrophoresis 763(1997)253

Calculation of the composition of sample zones in capillary zone electrophoresis. IV. Weak acids and system characteristics 764(1997)111

Method development and validation for the simultaneous determination of organic and inorganic acids by capillary zone electrophoresis 765(1997)321

Effect of organic modifiers on retention and enantiomeric separations by capillary electrophoresis with human serum albumin as a chiral selector in solution 766(1997)237

- Capillary electrophoretic determination of inorganic and organic anions using 2,6-pyridinedicarboxylic acid: effect of electrolyte's complexing ability 767(1997)223
- Determination of small anions by capillary electrophoresis using indirect UV detection with sulphonated nitrosonaphthol dyes 767(1997)293
- Determination of barium and strontium by capillary zone electrophoresis using an electrolyte containing sulfonazo III 767(1997)303
- Migration behavior and separation of sulfonamides in capillary zone electrophoresis. III. Citrate buffer as a background electrolyte 768(1997)105
- Theoretical aspects on the regulation of electroosmotic flow in capillary electrophoresis by adding charged amphiphiles 776(1997)311
- Separation of metal ions and metal-containing species by micellar electrokinetic capillary chromatography, including utilisation of metal ions in separations of other species (Review) 780(1997)329
- Peak shape distortions during capillary electrophoretic separations of multicomponent samples in two co-ion buffers 781(1997)107
- System peaks in capillary zone electrophoresis. What are they and where are they coming from? 787(1997)235
- Band broadening**  
see also Band profiles and Peak shape
- Prediction of the preparative chromatography performance with a very small column 760(1997)41
- Variance contributed by pressure induced injection in capillary electrophoresis 767(1997)205
- Microcolumn liquid chromatography: instrumentation, detection and applications 779(1997)1
- Influence of sample plug width in capillary electrochromatography 779(1997)155
- Band profiles**  
see also Band broadening and Peak shape
- Influence of the heat of adsorption on elution band profiles in nonlinear liquid chromatography 760(1997)3
- Effects of the gradient profile on the production rate in reversed-phase gradient elution overloaded chromatography 760(1997)25
- Ideal model of chromatography applied to charged solutes in reversed-phase liquid chromatography 761(1997)3
- Protein band spreading in capillary zone electrophoresis. Effects of sample zone length and presence of polymer 781(1997)277
- Extension of the shock layer theory to the case of a linear dependence of the axial dispersion and the mass transfer coefficients on the concentration 786(1997)195
- Effects of the composition of the mobile phase on the production rate in reversed-phase overloaded chromatography 787(1997)13
- Comparing the optimum performance of the different modes of preparative liquid chromatography 796(1998)59
- Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115
- Band spacing**  
Maintaining fixed band spacing when changing column dimensions in gradient elution 799(1998)21
- Baseline disturbances**  
Noise and baseline disturbances in indirect UV detection in capillary electrophoresis 786(1997)333
- Basicity**  
Influence of template basicity and hydrophobicity on the molecular recognition properties of molecularly imprinted polymers 753(1996)191
- Bayer process liquor**  
Quantitation of alkyltrimethylammonium bromides in Bayer process liquors by gas chromatography and gas chromatography-mass spectrometry 765(1997)287
- Bead cellulose**  
Bifunctional etherification of a bead cellulose for ligand attachment with allyl bromide and allyl glycidyl ether 775(1997)29
- Beer**  
Analysis of ethereal extracts of wines and other alcoholic beverages by high-performance liquid chromatography with microbore columns 782(1997)219
- Betula pendula***  
High-performance liquid chromatographic determination of flavonoids in *Betula pendula* and *Betula pubescens* leaves 793(1998)370
- Betula pubescens***  
High-performance liquid chromatographic determination of flavonoids in *Betula pendula* and *Betula pubescens* leaves 793(1998)370
- Beverages**  
see also Beer, Brandy, Soft drinks, Vermouth and Wine

Qualitative and quantitative high-performance liquid chromatographic analysis of aldehydes in Brazilian sugar cane spirits and other distilled alcoholic beverages 782(1997)13

Micellar electrokinetic chromatography as an alternative to high-performance liquid chromatography for separation and determination of phenolic compounds in Japanese spirituous liquor 793(1998)409

#### **Binding capacity**

Bovine whey fractionation based on cation-exchange chromatography 795(1998)277

#### **Binding constants**

Systematic approach to links between separations in capillary electrophoresis and liquid chromatography. IV. Application of binding constant–retention factor relationship to the separation of 2-, 3- and 4-methylbenzoate anions using  $\beta$ -cyclodextrin as selector 768(1997)29

#### **Binding media**

Study of binding media in works of art by gas chromatographic analysis of amino acids and fatty acids derivatized with ethyl chloroformate 778(1997)373

#### **Binding sites**

Chromatographic characterization of a molecularly imprinted polymer binding theophylline in aqueous buffers 786(1997)23

#### **Binding studies**

Vacancy affinity capillary electrophoresis, a new method for measuring association constants 775(1997)313

Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

Macromolecules in ordered media VIII. High-performance size-exclusion chromatography as a technique for characterizing the interaction between polyanions and cationic liposomes 778(1997)53

Interactions of the human class II major histocompatibility complex protein HLA-DR4 with a peptide ligand demonstrated by affinity capillary electrophoresis 781(1997)91

#### **Biochemical detection**

Theoretical concepts of on-line liquid chromatographic-biochemical detection systems. I. Detection systems based on labelled ligands 787(1997)27

Theoretical concepts of on-line liquid chromatographic-biochemical detection systems. II. Detection systems based on labelled affinity proteins 787(1997)37

#### **Biosensors**

Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies 776(1997)15

#### **Biota**

Analytical procedures for the determination of organotin compounds in sediment and biota: a critical review (Review) 788(1997)1

#### **Blackcurrant**

Separation of blackcurrant anthocyanins by capillary zone electrophoresis 799(1998)321

#### **Book Reviews**

Chromatographic methods (edited by A. Braithwaite and F.J. Smith) 755(1996)312

Laboratory Techniques in electroanalytical chemistry (edited by P.T. Kissinger and W.R. Heineman) 755(1996)313

Biotechnology and biopharmaceutical manufacturing, processing, and preservation (by K.E. Avis and V.L. Wu) 756(1996)307

Applications of LC–MS in environmental chemistry (by D. Barceló) 756(1996)309

Capillary gas chromatography (by D.W. Grant) 756(1996)311

Chromatographic detectors: Design function, and operation (by R.P.W. Scott) 761(1997)343

Handbook of thin-layer chromatography, Second edition (edited by J. Sherma and B. Fried) 765(1997)361

Silylation agents (by G. Simchen and J. Heberle) 773(1997)383

High-speed counter current chromatography (Chemical analysis: A series of monographs on analytical chemistry and its applications, Vol. 132), (edited by Y. Ito and W.D. Conway) 775(1997)379

Liquid chromatography of oligomers (by V. Uglea) 775(1997)381

Progress in ion exchange – Advances and applications (edited by A. Dyer, M.J. Hudson and P.A. Williams) 776(1997)365

Steroid analysis (edited by H.L.J. Martin, D.B. Gower and D.N. Kirk) 777(1997)385

Mass spectrometry: Principles and Applications (by E. de Hoffmann, J. Charette and V. Stroobant) 777(1997)387

Handbook of food analysis (edited by L.M.L. Nollet) 779(1997)371

- Chemically modified surfaces: Recent developments (edited by J.J. Pesek, M.T. Matyska and R.R. Abuelafiya) 779(1997)372
- Strategies in size exclusion chromatography (M. Potschka and P.L. Dublin) 779(1997)373
- Analysis of sterols (edited by L.J. Goad and T. Akihisa) 782(1997)147
- Chromatographic analysis of pharmaceuticals, 2nd edn. (edited by J.A. Adamovics) 786(1997)385
- Ion exchange and solvent extraction, Vol. 13 (edited by J.A. Marinsky and Y. Marcus) 793(1998)427
- Static headspace – gas chromatography: Theory and practice (edited by A. B. Kolb and L.S. Ettre) 796(1998)401
- Tandem techniques (by R.P.W. Scott) 796(1998)402
- Electrospray ionization mass spectrometry: Fundamentals, instrumentation and applications (edited by Richard B. Cole) 796(1998)404
- Bioavailability and analysis of vitamins in food (by G.F.M. Ball) 796(1998)405
- Borate complexation**  
Chiral resolution of diols by capillary electrophoresis using borate–cyclodextrin complexation 761(1997)269
- Boron clusters**  
High-performance liquid chromatographic separations of boron-cluster compounds (Review) 789(1997)497
- Brandy**  
Analysis of old brandy and oak extracts by capillary electrophoresis 768(1997)143
- Breakthrough volumes**  
Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153
- Bromohydroxypropyl matrices**  
High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39
- Buffer composition**  
see also Background electrolyte composition, Chiral selectors, Modifiers and Organic modifiers
- Migration behavior and separation of sulfonamides in capillary zone electrophoresis. I. Influence of buffer pH and electrolyte modifier 755(1996)261
- Selectivity enhancement for free zone capillary electrophoresis using conventional ion-pairing agents as complexing additives 758(1997)293
- Chiral separation of monoterpenes using mixtures of sulfated  $\beta$ -cyclodextrins and  $\alpha$ -cyclodextrin as chiral additives in the reversed-polarity capillary electrophoresis mode 759(1997)149
- Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized-amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. I. Discussion of optimum separation conditions 759(1997)157
- Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. II. Evaluation of complexation constants 759(1997)167
- Chiral resolution of pantoprazole sodium and related sulfoxides by complex formation with bovine serum albumin in capillary electrophoresis 759(1997)185
- Determination of saikosaponins by micellar electrokinetic capillary chromatography 759(1997)193
- Migration behavior and separation of sulfonamides in capillary zone electrophoresis. II. Positively charged species at low pH 759(1997)203
- Optical resolution of new quinolone drugs by capillary electrophoresis with ligand-exchange and host–guest interactions 760(1997)235
- Micellar electrokinetic chromatography of charged and neutral drugs in acidic running buffers containing a zwitterionic surfactant, sulfonic acids or sodium dodecyl sulphate. Separation of heroin, basic by-products and adulterants 760(1997)245
- Simultaneous determination of bromide and iodide ions by capillary isotachopheresis using quaternary ammonium salts 760(1997)253
- Chiral separation of neutral species by capillary electrophoresis. Evaluation of a theoretical model 761(1997)249
- Analysis of prostaglandins by micellar electrokinetic capillary chromatography 761(1997)277
- Improved separation of six harmaline alkaloids by high-performance capillary electrophoresis 761(1997)297
- Chiral recognition and racemic resolution of drug enantiomers by electrophoresis based on host–guest complexation 763(1997)261
- Migration behaviour of micelle counterions in micellar electrokinetic chromatography: influence on micelle mobility, efficiency and selectivity 764(1997)127

- Separation of free and glucuronidated opioids by capillary electrophoresis in aqueous, binary and micellar media 764(1997)157
- Separation of hydrophobic compounds by electrokinetic chromatography with tetraalkylammonium ions 764(1997)323
- General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis–mass spectrometry 767(1997)263
- Electroosmotic flow mobilities in open and packed capillaries with spermine and other amine flow modifiers 768(1997)3
- Critical conditions for separating the microheterogeneous components of glycoproteins by capillary electrophoresis 768(1997)39
- Approaches used in the reduction of buffer electrolysis effects for routine capillary electrophoresis procedures in pharmaceutical analysis 768(1997)73
- Effect of cationic polymer on the separation of phenols by capillary electrophoresis 768(1997)161
- Evaluation of phytic acid as a buffer additive for the separation of proteins in capillary electrophoresis 768(1997)307
- Separation of inorganic anions in acidic solution by capillary electrophoresis 770(1997)301
- Sulfur speciation by capillary electrophoresis with indirect spectrophotometric detection: In search of a suitable carrier electrolyte to maximize sensitivity 770(1997)311
- Determination of phosphate in natural waters by capillary electrophoresis. Influence of solution composition on migration time and response 770(1997)321
- Determination of long-chained fatty acids using non-aqueous capillary electrophoresis and indirect UV detection 771(1997)301
- Analysis of DNA fragmentation using a dynamic size-sieving polymer solution in capillary electrophoresis 771(1997)319
- Optimization of resolution in micellar electrokinetic chromatography via computer-aided variation of concentrations of sodium dodecyl sulfate and acetonitrile as modifier 772(1997)27
- Modified electroosmotic flow by cationic surfactant additives in capillary electrophoresis. Evaluation of electrolyte systems for anion analysis 772(1997)171
- Enantiomeric resolution study by capillary electrophoresis. Selection of the appropriate chiral selector 772(1997)185
- Training software for chiral separations in capillary electrophoresis 772(1997)195
- Capillary electrophoresis of peptides in isoelectric buffers 772(1997)203
- Determination of nitrophenols by capillary zone electrophoresis in a hydrodynamically closed separation compartment 772(1997)327
- Influence of cationic polymers on separation selectivity in kinetic differentiation mode capillary electrophoresis of metal–4-(2-pyridylazo)resorcinolato chelates 772(1997)339
- Determination of platinum, palladium, osmium, iridium, rhodium and gold as chloro complexes by capillary zone electrophoresis 772(1997)347
- Simultaneous separation of yttrium and lanthanide ions by isotachopheresis 772(1997)357
- Effects of the working electrolyte (cyclodextrin type and pH) on the separation of aromatic sulphonic acids by capillary zone electrophoresis 772(1997)385
- Enantioseparation using selected polysaccharides as chiral buffer additives in capillary electrophoresis 773(1997)331
- Development and validation of a capillary electrophoresis method within a pharmaceutical quality control environment and comparison with high-performance liquid chromatography 773(1997)339
- Capillary electrophoresis in metal analysis. Investigations of multi-elemental separation of metal chelates with aminopolycarboxylic acids 773(1997)351
- Separation of hydroxylated polycyclic aromatic hydrocarbons by micellar electrokinetic capillary chromatography 774(1997)193
- Enhanced capillary zone electrophoretic separation of dinitrophenyl-amino acid derivatives through control of electroosmotic flow by the buffer cation 775(1997)327
- Migration behavior and selectivity of  $\beta$ -blockers in micellar electrokinetic chromatography. Influence of micelle concentration of cationic surfactants 775(1997)349
- Use of cationic polymers for the simultaneous determination of inorganic anions and metal-4-(2-pyridylazo)resorcinolato chelates in kinetic differentiation-mode capillary electrophoresis 776(1997)329
- Micellar electrokinetic capillary chromatographic separation of polychlorinated biphenyl congeners 778(1997)77
- Use of different surfactants (sodium dodecyl sulfate, bile salts and ionic polymers) in micellar electrokinetic capillary chromatography. Application to the separation of organophosphorus pesticides 778(1997)201

- Analysis of gangliosides by capillary zone electrophoresis and capillary zone electrophoresis–electrospray mass spectrometry 779(1997)195
- Separation of ribonucleotides by capillary electrophoresis with multifunctional electrophoretic media of phosphate ammonium salts 779(1997)215
- Control of separation selectivity in micellar electrokinetic chromatography by modification of the micellar phase with solubilized organic compounds (Review) 780(1997)165
- A simple means of generating pH gradients in capillary zone electrophoresis 781(1997)3
- Effect of the polar groups of anionic surfactant on migration behavior in micellar electrokinetic chromatography 781(1997)11
- Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35
- Determination of kynurenic acid by capillary electrophoresis with laser-induced fluorescence detection 781(1997)81
- Achievement of enantioselectivity of non-polar primary amines by a non-chiral crown ether 781(1997)129
- Enantiomer separation of acidic racemates by capillary electrophoresis using cationic and amphoteric  $\beta$ -cyclodextrins as chiral selectors 781(1997)151
- Protein band spreading in capillary zone electrophoresis. Effects of sample zone length and presence of polymer 781(1997)277
- Micellar electrokinetic capillary chromatography for the separation of phenoxymethylpenicillin and related substances 781(1997)417
- Anionic–zwitterionic mixed micelles in the micellar electrokinetic separation of clinically relevant steroids on a fused-silica capillary 781(1997)467
- Systematic approach to cost- and time-effective method development with a starter kit for chiral separations by capillary electrophoresis 782(1997)257
- Separation of quaternary ammonium herbicides by capillary electrophoresis with indirect UV detection 782(1997)289
- Erratum to “General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis–mass–spectrometry”. [J. Chromatogr. A, 767 (1997) 263–276] 786(1997)384
- Fundamental properties of isoelectric buffers for capillary zone electrophoresis 790(1997)169
- Selectivity control in the non-aqueous capillary electrophoretic separation of amino acids 790(1997)185
- Generation of tryptic maps of  $\alpha$ - and  $\beta$ -globin chains by capillary electrophoresis in isoelectric buffers 791(1997)313
- Influence of organic solvents on the separation selectivity in capillary electrophoresis (Review) 792(1997)3
- Selectivity in capillary electrophoresis in the presence of micelles, chiral selectors and non-aqueous media (Review) 792(1997)13
- Modification of capillary electrophoresis selectivity in hydro-organic solutions. Dissociation constants and Stokes radius measurements of peptides in water–2,2,2-trifluoroethanol mixtures 792(1997)57
- Optimization for the separation of ribonucleotides by capillary electrophoresis at high pH 792(1997)67
- Capillary electrophoresis of carboxylated carbohydrates. IV. Adjusting the separation selectivity of derivatized carboxylated carbohydrates by controlling the electrolyte ionic strength at subambient temperature and in the absence of electroosmotic flow 792(1997)75
- Interphase model for retention and selectivity in micellar electrokinetic chromatography (Review) 792(1997)89
- New selectivity in electrokinetic chromatography using a polymeric dye as novel separation carrier 792(1997)151
- Micellar electrokinetic chromatography of long chain saturated and unsaturated free fatty acids with neutral micelles. Considerations regarding selectivity and resolution optimization 792(1997)165
- Separation selectivity in chiral and achiral capillary electrophoresis with mixed cyclodextrins (Review) 792(1997)297
- Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349
- Application of cyclodextrin-modified micellar electrokinetic chromatography to the separations of selected neutral pesticides and their enantiomers 792(1997)419
- Achiral selectivity in cyclodextrin-modified capillary electrophoresis (Review) 792(1997)431
- Hydrophilic selectors for selectivity enhancement in capillary electrophoresis (Review) 792(1997)445
- Separation of neutral substances by non-aqueous capillary electrophoresis through interactions with cationic additives 792(1997)475
- Electroosmotic flow suppressing additives for capillary zone electrophoresis in a hydrodynamically closed separation system 792(1997)483

Mechanism of capillary electrophoresis enantioseparations using a combination of an achiral crown ether plus cyclodextrins 793(1998)115

Dynamic control for the separation of organic acids in capillary electrophoresis 793(1998)145

Separation of profen enantiomers by capillary electrophoresis using cyclodextrins as chiral selectors 793(1998)165

Analysis of difficult samples by capillary zone electrophoresis. I. Simultaneous separation of detrimental anions in concrete digested with concentrated nitric acid 793(1998)187

Chiral separation of racemic mexiletine hydrochloride using cyclodextrins as chiral additive by capillary electrophoresis 795(1998)394

Erratum to "Separation of ribonucleotides by capillary electrophoresis with multifunctional electrophoretic media of phosphate ammonium salts". [J. Chromatogr. A, 779 (1997) 215–225] 795(1998)400

Cyclodextrin aided separation of peptides and proteins by capillary zone electrophoresis 796(1998)367

Effect of charged and uncharged chiral additives on the resolution of amlodipine enantiomers in liquid chromatography and capillary electrophoresis 797(1998)187

Isotachophoretic focusing of strong electrolytes on the background of carrier ampholytes 798(1998)223

Comparative capillary electrophoresis and NMR studies of enantioseparation of dimethindene with cyclodextrins 798(1998)315

Properties of buffer systems with charges immobilized on a gel matrix and their potential use in capillary electrophoresis 799(1998)275

Effects of tetraalkylammonium salts on the micellar electrokinetic chromatography of aniline and substituted anilines 799(1998)289

Chiral capillary electrophoresis–electrospray mass spectrometry coupling with charged cyclodextrin derivatives as chiral selectors 800(1998)77

<sup>2</sup>H<sub>2</sub>O effects on the inclusional complexation of β-cyclodextrin with sodium 2-naphthalenesulfonate in capillary electrophoresis and UV spectrophotometry 800(1998)327

Dynamic control and indirect absorption detection for high-speed capillary electrophoretic separation of organic acids 800(1998)339

Simultaneous separation of inorganic anions and cations by capillary zone electrophoresis 800(1998)369

### Buffer depletion

Approaches used in the reduction of buffer electrolysis effects for routine capillary electrophoresis procedures in pharmaceutical analysis 768(1997)73

### Buffer electrolysis

Approaches used in the reduction of buffer electrolysis effects for routine capillary electrophoresis procedures in pharmaceutical analysis 768(1997)73

### Buffering power

Generation of tryptic maps of α- and β-globin chains by capillary electrophoresis in isoelectric buffers 791(1997)313

### Buffering power/conductivity ratio

Fundamental properties of isoelectric buffers for capillary zone electrophoresis 790(1997)169

### Buffer modelling

Properties of buffer systems with charges immobilized on a gel matrix and their potential use in capillary electrophoresis 799(1998)275

## C

### Calibration

Calibration of a size-exclusion chromatography system using fractions with defined amylopectin unit chains 768(1997)325

Use of factorial experimental design for the rapid evaluation of main and interactive factors affecting linearity in calibration curves for sulfate analysis by ion chromatography 770(1997)29

Quantitative injections or calibrations in gas chromatography. Anomaly associated with syringe type 773(1997)372

Novel calibration technique for headspace analysis of semivolatiles compounds 793(1998)397

### *Candida lipolytica*

Cell lipids of the *Candida lipolytica* yeast grown on methanol 755(1996)75

### *Candida rugosa*

New class of poly(vinyl alcohol) polymers as column-chromatography stationary phases for *Candida rugosa* lipase isoforms separation 753(1996)47

***Candida utilis***

Glucose metabolism and bioreduction of 2-butanone by *Candida utilis* studied by means of ion-exchange chromatography 763(1997)205

**Capillary array electrophoresis**

Rapid sizing of polymorphic microsatellite markers by capillary array electrophoresis 781(1997)295

**Capillary columns**

see also Coated capillaries

Simple method for preparing cross-linked polyacrylamide gel-filled capillaries 755(1996)138

Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175

Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy 756(1996)233

Preparation of linear polyacrylamide gel step gradients for capillary electrophoresis 756(1996)245

Pressure drop effects in packed capillary column supercritical fluid chromatography 758(1997)117

Separation of proteins and peptides by capillary electrochromatography in diol- and octadecyl-modified etched capillaries 763(1997)307

Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33

**Capillary electrophoresis: test of instruments**

Performance of instruments and aspects of methodology and validation in quantitative capillary electrophoresis. An update 768(1997)17

Critical conditions for separating the microheterogeneous components of glycoproteins by capillary electrophoresis 768(1997)39

Capillary zone electrophoresis in a hydrodynamically closed separation system with enhanced sample loadability 772(1997)103

Polyacrylamide gradient gel-filled capillaries with low detection background 772(1997)129

Electrophoretic behaviour of fully sulfonated polystyrenes in capillaries filled with entangled polymer solutions 772(1997)369

Synthesis and characterization of a novel wall coated capillary column for the separation of polycyclic aromatic hydrocarbons 773(1997)199

High speed solvating gas chromatography using packed capillaries containing sub-5  $\mu\text{m}$  particles 778(1997)31

Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography 781(1997)43

Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55

Dynamics of capillary electrochromatography. Experimental study on the electrosmotic flow and conductance in open and packed capillaries 781(1997)161

Separation of DNA sequencing fragments up to 1000 bases by using poly(ethylene oxide)-filled capillary electrophoresis 781(1997)315

DNA fragment analysis by capillary polymer sieving electrophoresis using poly(acryloylaminoethoxyethanol)-coated capillaries 781(1997)335

Separations of DNA fragments by capillary electrophoresis in N-substituted polyacrylamides 781(1997)347

Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary 788(1997)155

Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349

Simplification of capillary electrochromatography procedures 798(1998)243

**Capillary columns, packed**

Comparison of ODS-modified silica gels as stationary phases for electrochromatography in packed capillaries 758(1997)191

**Capillary dimensions**

Influence of the capillary dimensions on the performance of the preconcentration technique based on parallel current chromatography 791(1997)163

**Capillary electrophoresis**

see also Affinity capillary electrophoresis, Electrokinetic chromatography, Electrophoresis, Isoelectric focusing, Isotachopheresis, Micellar electrokinetic chromatography and Special Issue Index

Chiral separation principles in capillary electrophoresis (Review) 792(1997)179

Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349

**Capillary electrophoresis, co-electroosmotic**

High-speed separation of carboxylic acids by co-electroosmotic capillary electrophoresis with direct and indirect UV detection 758(1997)263

**Capillary electrophoresis–mass spectrometry**

see also Mass spectrometry and Special Issue Index

Capillary zone electrophoresis–mass spectrometry as a tool in the stability research of the luteinising hormone-releasing hormone analogue goserelin 776(1997)319

Capillary electrophoresis with electrospray mass spectrometry detection for low-molecular-mass compounds 781(1997)99

Sensitive high-resolution analysis of biological molecules by capillary zone electrophoresis coupled with reflecting time-of-flight mass spectrometry 800(1998)1

Chiral capillary electrophoresis–electrospray mass spectrometry coupling using vancomycin as chiral selector 800(1998)69

Chiral capillary electrophoresis–electrospray mass spectrometry coupling with charged cyclodextrin derivatives as chiral selectors 800(1998)77

**3-(N-Carbazolyl)propylsilyl silica**

Selectivity of electron-donor- and electron-acceptor-bonded silica packing materials for hydrophobic environmental contaminants in polar and non-polar eluents 786(1997)237

**Carbofrit**

Polyimide for deactivating gas chromatography vaporising chambers and fixing packing materials 764(1997)65

**Carbon adsorbents**

Application of Kováts retention indices for investigation of adsorption properties of activated carbons 782(1997)87

Intermolecular interactions in adsorbate–carbon systems of various nano- and adsorption textures 786(1997)117

**Carbon column**

Separation and detection of vanadate, tungstate, molybdate and chromate ions 789(1997)267

**Carbon isotopic fractionation**

Quantitative evaluation of carbon isotopic fractionation during reversed-phase high-performance liquid chromatography 757(1997)307

**Carbon membranes, activated**

Application of activated carbon membranes for on-line cleanup of vegetable and fruit extracts in the determination of pesticide multiresidues by gas chromatography with mass selective detection 788(1997)141

**Carbon molecular sieve**

Gas chromatography of Titan's atmosphere. VIII. Analysis of permanent gases with carbon molecular sieve packed capillary columns 761(1997)195

**Carboxen**

Decomposition of  $\alpha$ -pinene and sabinene on solid sorbents, Tenax TA and Carboxen 786(1997)185

**Cardus benedictus**

Packed column supercritical fluid chromatography of sesquiterpene lactones with different carbon skeletons 779(1997)315

**Carpet**

Comparison of supercritical fluid extraction and Soxhlet extraction of organic compounds from carpet samples 787(1997)171

**Catalysis**

Diffusion, adsorption and catalytic studies by gas chromatography (Review) 795(1998)133

**Catharanthus roseus**

Isocratic high-performance liquid chromatography of coenzyme A esters involved in the metabolism of 3S-hydroxy-3-methylglutaryl-coenzyme A. Detection of related enzyme activities in *Catharanthus roseus* plant cell cultures 752(1996)123

Quantification of vincristine and vinblastine in *Catharanthus roseus* plants by capillary zone electrophoresis 755(1996)281

**Cationization**

Cationization in electrospray microcolumn liquid chromatography–mass spectrometry 794(1998)359

**Cell culture media**

Using quaternary high-performance liquid chromatography eluent systems for separating 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate-derivatized amino acid mixtures 763(1997)11

**Cellulose stationary phases**

3-Fluoro-, 3-chloro- and 3-bromo-5-methylphenylcarbamates of cellulose and amylose as chiral stationary phases for high-performance liquid chromatographic enantioseparation 787(1997)67

Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. III. Effect of the reticulation of the cellulose derivative on performance 791(1997)37

**Central composite design**

Application of a modified central composite design to optimize the capillary electrochromatographic separation of related S-oxidation compounds 769(1997)145

**Centrifugal partition chromatography**

Preparative separation of anthocyanins by gradient elution centrifugal partition chromatography 763(1997)345

Nuclear magnetic resonance monitoring of centrifugal partition chromatography in pH-zone-refining mode 766(1997)255

Preparative separation of bitter acids from hop extracts by centrifugal partition chromatography 771(1997)71

Pressure drop in centrifugal partition chromatography 773(1997)1

Modelling gradient elution in centrifugal partition chromatography 773(1997)13

**Ceramics**

Monitoring the removal of soluble salts from ancient tiles by ion chromatography 770(1997)195

***Cetraria islandica***

Quantitative determination of protolichesterinic- and fumarprotocetraric acids in *Cetraria islandica* by high-performance liquid chromatography 757(1997)303

**Cetyltrimethylammonium coating**

Separation behavior of inorganic anions on an octadecyl-bonded silica column coated with cetyltrimethylammonium by phthalate and salicylate eluents 764(1997)346

***Chamomilla recutita* (L.) Rauschert**

Application of numerical methods to thin-layer chromatographic investigation of the main components of chamomile (*Chamomilla recutita* (L.) Rauschert) essential oil 776(1997)355

**Charged resolving agent migration**

Dry look at the CHARM (charged resolving agent migration) model of enantiomer separations by capillary electrophoresis 777(1997)295

**Charge injection device array detection**

High resolution multichannel fluorescence detection for capillary electrophoresis. Application to multicomponent analysis 788(1997)173

**Charge-transfer chromatography**

Study of the binding of antibiotics to human serum albumin by charge-transfer chromatography 776(1997)31

**Cheese**

Improved ion chromatography-integrated pulsed amperometric detection method for the evaluation of biogenic amines in food of vegetable or animal origin and in fermented foods 798(1998)109

**Chelation ion chromatography**

Single-column method of chelation ion chromatography for the analysis of trace metals in complex samples 770(1997)129

High-performance chelation ion chromatography. A new dimension in the separation and determination of trace metals (Review) 789(1997)413

**Chemical degradation**

Degradative polymer analysis by chromatography (Review) 756(1996)1

**Chemical vapor deposition**

Factors influencing polybutadiene deposition within porous chromatographic zirconia 791(1997)45

**Chemiluminescence detection**

Optimization of post-column chemiluminescent detection for low-molecular-mass conjugates of acridinium esters 765(1997)145

Off-column chemiluminescence detection in capillary electrophoresis 771(1997)379

Sulfur-selective chemiluminescence detection with packed column supercritical fluid chromatography 779(1997)307

Liquid chromatography with luminol-based electrochemiluminescence detection. Determination of histamine 799(1998)57

**Chemiluminescence nitrogen detection**

Chemiluminescence nitrogen detection for packed-column supercritical fluid chromatography with methanol modified carbon dioxide 757(1997)183

Determination of molecular-mass distribution of food-grade protein hydrolyzates by size-exclusion chromatography and chemiluminescent nitrogen detection 763(1997)323

**Chemometrics**

see also specific methods

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175

see also specific methods

Stereospecific analysis of the triacylglycerol fraction and linear discriminant analysis in a climatic differentiation of Umbrian extra-virgin olive oils 758(1997)109

Linearity and the limitations of least squares calibration 762(1997)73

Enantiomeric resolution on Chiral-AGP with the aid of experimental design. Unusual effects of mobile phase pH and column temperature 763(1997)105

Influence of chromatographic descriptors on enantioresolution of a dihydropyridine and structurally related compounds 763(1997)115

- Optimization of capillary electrophoretic separation of quinolone antibacterials using the overlapping resolution mapping scheme 766(1997)215
- Optimization of the capillary electrophoresis separation of ranitidine and related compounds 766(1997)245
- Application of sequential paired covariance to liquid chromatography–mass spectrometry data. Enhancements in both the signal-to-noise ratio and the resolution of analyte peaks in the chromatogram 771(1997)1
- Relationship between the hydrophobicity and specific hydrophobic surface area of pesticides determined by high-performance liquid chromatography compared with reversed-phase thin-layer chromatography 771(1997)105
- Development and validation of a capillary electrophoresis method within a pharmaceutical quality control environment and comparison with high-performance liquid chromatography 773(1997)339
- Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a *Lactobacillus plantarum* bacterial suspension using purge and trap 775(1997)225
- Chromatography pattern recognition of Aroclors using iterative probabilistic neural networks 775(1997)231
- Evaluation of multiwavelength chromatograms for the quantification of mixtures of pesticides by high-performance liquid chromatography–diode array detection with multivariate calibration 778(1997)139
- Resolution of folpet, procymidone and triazophos in high-performance liquid chromatography–diode array detection by using partial least squares calibration to cross-sections of spectrochromatograms 778(1997)183
- Neural networks for optimization of high-performance capillary zone electrophoresis methods. A new method using a combination of experimental design and artificial neural networks 793(1998)317
- Orthogonal array design experiments for optimizing the separation of various pesticides by cyclodextrin-modified micellar electrokinetic chromatography 793(1998)331
- Resolution and quantitative determination of coeluted pesticide mixtures in liquid chromatography–thermospray mass spectrometry by multivariate curve resolution 795(1998)3
- Use of principal component analysis for studying the separation of pesticides on polyethylene-coated silica columns 797(1998)33
- Relationships between the chromatographic hydrophobicity indices and solute descriptors obtained by using several reversed-phase, diol, nitrile, cyclodextrin and immobilised artificial membrane-bonded high-performance liquid chromatography columns 797(1998)41
- Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75
- Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. I. Method development and optimization with fractional factorial design 798(1998)307
- Neural network and experimental design to investigate the effect of five factors in ion-interaction high-performance liquid chromatography 799(1998)47
- Chewing gum**  
Development and validation of a high-performance liquid chromatography method for the determination of cold relief ingredients in chewing gum 775(1997)179
- Chiral crown ethers**  
Enantiomeric separations of primary amino compounds by non-aqueous capillary zone electrophoresis with a chiral crown ether 757(1997)328
- Chiral discrimination**  
Chiral discrimination by high-performance liquid chromatography with joint use of two cyclodextrin additives 782(1997)1
- Chiral recognition**  
Chiral recognition models for the liquid chromatographic resolution of  $\pi$ -acidic racemates on a chiral stationary phase derived from *N*-phenyl-*N*-alkylamide of (*S*)-naprofen 752(1996)77
- Investigation into the chiral recognition mechanism of *N*-arylthiazolin-2(thio)one atropisomers on Chiralcel OJ by factorial design and lipophilicity approaches 761(1997)129
- Enantiodifferentiation of aryl-substituted heterocycles: a mechanistic study using  $\gamma$ -lactones 775(1997)81
- Chiral resolution**  
Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. I. Influences of the pore size of base silica materials and bound protein amounts on chiral resolution 773(1997)85
- Chiral selectors**  
see also Buffer composition and Mobile phase composition
- Optical resolution of phenylthiohydantoin-amino acids by capillary electrophoresis and identification of the phenylthiohydantoin-D-amino acid residue of [D-Ala<sup>2</sup>]-methionine enkephalin 752(1996)279

- Comparison of  $\gamma$ -cyclodextrin sulfobutyl ether and unmodified  $\gamma$ -cyclodextrin as chiral selectors in capillary electrophoresis 755(1996)81
- Ergot alkaloids as chiral selectors in capillary electrophoresis. Determination of the separation mechanism 755(1996)251
- Ruggedness of enantiomeric separation by capillary electrophoresis and high-performance liquid chromatography with methylated cyclodextrins as chiral selectors 763(1997)139
- Enantioseparation in capillary electrophoresis using 2-hydroxypropyltrimethylammonium salt of  $\beta$ -cyclodextrin as a chiral selector 771(1997)259
- Reversed determination of the formation constants of 1-allyl tergride with mandelic acid optical isomers using capillary electrophoresis 772(1997)179
- Enantiomeric resolution study by capillary electrophoresis. Selection of the appropriate chiral selector 772(1997)185
- Enantiomer separation of acidic racemates by capillary electrophoresis using cationic and amphoteric  $\beta$ -cyclodextrins as chiral selectors 781(1997)151
- Chiral discrimination by high-performance liquid chromatography with joint use of two cyclodextrin additives 782(1997)1
- Systematic approach to cost- and time-effective method development with a starter kit for chiral separations by capillary electrophoresis 782(1997)257
- Separation of basic drug enantiomers by capillary zone electrophoresis using ovoglycoprotein as a chiral selector 782(1997)281
- Characterization of modified cyclodextrins applied in capillary electrophoresis and high-performance liquid chromatography as chiral selectors by matrix-assisted laser desorption/ionization curved field reflectron mass spectrometry 791(1997)299
- Controlling enantioselectivity in chiral capillary electrophoresis with inclusion-complexation (Review) 792(1997)227
- Enantioselectivity in capillary electrophoresis using the macrocyclic antibiotics (Review) 792(1997)309
- Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349
- Influence of the degree of substitution of cyclodextrin sulfobutyl ether derivatives on enantioselective separations by electrokinetic chromatography 792(1997)379
- Enantiomeric separation of small chiral peptides by capillary electrophoresis 792(1997)393
- Mechanism of capillary electrophoresis enantioseparations using a combination of an achiral crown ether plus cyclodextrins 793(1998)115
- Chiral resolution of functionalized piperidine enantiomers by capillary electrophoresis with native, alkylated and anionic  $\beta$ -cyclodextrins 796(1998)375
- Effect of charged and uncharged chiral additives on the resolution of amlodipine enantiomers in liquid chromatography and capillary electrophoresis 797(1998)187
- Comparative capillary electrophoresis and NMR studies of enantioseparation of dimethindene with cyclodextrins 798(1998)315
- Diphenylethanediamine derivatives as chiral selectors. VIII. Influence of the second amido function on the high-performance liquid chromatographic enantioseparation characteristics of (*N*-3,5-dinitrobenzoyl)-diphenylethanediamine based chiral stationary phases 799(1998)67
- Chiral capillary electrophoresis-electrospray mass spectrometry coupling using vancomycin as chiral selector 800(1998)69
- Chiral selectors, model**  
Enantiomeric separation of a tetrapeptide with cyclodextrin. Extension of the model for chiral capillary electrophoresis by complex formation of one enantiomer molecule with more than one chiral selector molecules 782(1997)271
- Chiral stationary phases, GC**  
Chiral crown ether-anchored polysiloxanes as capillary gas chromatography stationary phases 753(1996)269
- Enantioselective capillary gas chromatography and capillary supercritical fluid chromatography on an immobilized  $\gamma$ -cyclodextrin derivative 761(1997)181
- Enantiomer separation of selected atropisomeric polychlorinated biphenyls including PCB 144 on *tert*-butyldimethylsilylated  $\beta$ -cyclodextrin 769(1997)247
- Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins 774(1997)143
- High-resolution gas chromatographic test for the characterisation of enantioselective separation of organochlorine compounds. Application to *tert*-butyldimethylsilyl  $\beta$ -cyclodextrin 775(1997)275
- Chiral stationary phases, LC**  
Chiral recognition models for the liquid chromatographic resolution of  $\pi$ -acidic racemates on a chiral stationary phase derived from *N*-phenyl-*N*-alkylamide of (*S*)-naproxen 752(1996)77

- Liquid and subcritical CO<sub>2</sub> separations of enantiomers on a broadly applicable polysiloxane chiral stationary phase 753(1996)109
- Enantiomer separation on a Chirasil-Dex-polymer-coated stationary phase by conventional and micro-packed high-performance liquid chromatography 755(1996)299
- Enantiomeric separations of halogen-substituted 2-aryloxypropionic acids by high-performance liquid chromatography on a terguride-based chiral stationary phase 756(1996)119
- Chiral separations of  $\beta$ -blocking drug substances using the Pirkle-type  $\alpha$ -Burke 1 chiral stationary phase 757(1997)65
- Enantiomeric separation of diols and  $\beta$ -amino alcohols by chiral stationary phase derived from (*R,R*)-tartramide 757(1997)73
- Some recent high-performance liquid chromatography separations of the enantiomers of pharmaceuticals and other compounds using the Whelk-O 1 chiral stationary phase 758(1997)93
- Direct liquid chromatographic enantioseparation of sotalol and other  $\beta$ -blockers using an  $\alpha_1$ -acid glycoprotein-based chiral stationary phase 760(1997)193
- Enantiomeric separation of chiral theophylline derivatives by liquid chromatography on cellulose-based sorbents 760(1997)278
- Predictable chromatographic separations of enantiomers: allylic acids and their derivatives 761(1997)65
- Investigation into the chiral recognition mechanism of N-arylthiazolin-2(thi)one atropisomers on Chiralcel OJ by factorial design and lipophilicity approaches 761(1997)129
- Rapid separation of enantiomers in perfusion chromatography using a protein chiral stationary phase 764(1997)35
- Comparison of the specific productivity of different chiral stationary phases used for simulated moving-bed chromatography 769(1997)93
- Chiral resolution of 4-substituted pyrrolidin-2-ones using high-performance liquid chromatography on cellulose and amylose chiral stationary phases 771(1997)343
- Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. I. Influences of the pore size of base silica materials and bound protein amounts on chiral resolution 773(1997)85
- Molecularly imprinted ligand-exchange adsorbents for the chiral separation of underivatized amino acids 775(1997)51
- Enantiodifferentiation of aryl-substituted heterocycles: a mechanistic study using  $\gamma$ -lactones 775(1997)81
- Enantiomeric properties of human albumin immobilized on porous silica supports coated with polymethacryloyl chloride 776(1997)37
- Enantioselectivity properties of human serum albumin immobilized on anion-exchangers based on polyvinylimidazole-coated silica. Effect of protein loading on separation properties 776(1997)45
- Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. II. Comparison of chiral recognition properties with crude ovomucoid 777(1997)241
- Enantioseparations by electrochromatography with packed capillaries 782(1997)175
- Role of alkyl and aryl substituents in chiral ligand exchange chromatography of amino acids. Study using porous graphitic carbon coated with N-substituted-L-proline selectors 786(1997)249
- New 1,3,5-triazine based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 786(1997)355
- 3-Fluoro-, 3-chloro- and 3-bromo-5-methylphenylcarbamates of cellulose and amylose as chiral stationary phases for high-performance liquid chromatographic enantioseparation 787(1997)67
- Evaluation of quail egg white riboflavin binding protein as a chiral selector in high-performance liquid chromatography and capillary electrophoresis 790(1997)47
- Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. III. Effect of the reticulation of the cellulose derivative on performance 791(1997)37
- Solvent versatility of bonded cellulose-derived chiral stationary phases for high-performance liquid chromatography and its consequences in column loadability 793(1998)239
- High-performance liquid chromatographic enantiomeric resolution in the ten-vertex carborane series. Comparison of acetyl- and native  $\beta$ -cyclodextrin bonded chiral stationary phases 793(1998)249
- High-performance liquid chromatographic separation of enantiomers of unusual amino acids on a teicoplanin chiral stationary phase 793(1998)283
- 3,5-Dimethylphenylcarbamates of amylose, chitosan and cellulose bonded on silica gel. Comparison of their chiral recognition abilities as high-performance liquid chromatography chiral stationary phases 796(1998)265
- Chromatographic resolution of synthetically useful chiral glycine derivatives by high-performance liquid chromatography 796(1998)299

High-performance liquid chromatography study of stereospecific microsomal enzymes catalysing the reduction of a potential cytostatic drug, oracin. Interspecies comparison 797(1998)197

Diphenylethanediamine derivatives as chiral selectors. VIII. Influence of the second amido function on the high-performance liquid chromatographic enantioseparation characteristics of (*N*-3,5-dinitrobenzoyl)-diphenylethanediamine based chiral stationary phases 799(1998)67

Synthesis and evaluation of a copolymeric chiral stationary phase 799(1998)177

#### **Chiral stationary phases, SFC**

Enantioselective capillary gas chromatography and capillary supercritical fluid chromatography on an immobilized  $\gamma$ -cyclodextrin derivative 761(1997)181

Enantiomer separations on chiral stationary phases in supercritical fluid chromatography (Review) 785(1997)149

Chiral packed column subcritical fluid chromatography on polysaccharide and macrocyclic antibiotic chiral stationary phases 785(1997)159

Chiral supercritical fluid chromatography of phenylpropanols and related compounds 785(1997)179

Synthesis and evaluation of a copolymeric chiral stationary phase 799(1998)177

#### **Chondroitin sulfate-modified stationary phases**

Ion chromatography of anions on stationary phases modified with chondroitin sulfate 789(1997)201

#### **Chromatofocusing**

Gradient chromatofocusing high-performance liquid chromatography. II. Theoretical aspects 762(1997)47

Gradient chromatofocusing high-performance liquid chromatography. I. Practical aspects 762(1997)207

Experimental and numerical studies of the chromatofocusing of dilute proteins using retained pH gradients formed on a strong-base anion-exchange column 769(1997)129

#### **Chromatographic exponential function**

Examination of a new chromatographic function, based on an exponential resolution term, for use in optimization strategies: application to capillary gas chromatography separation of phenols 755(1996)235

#### ***Chromobacterium viscosum***

Preliminary study on hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilized on Sepharose 796(1998)177

#### **Cibacron Blue microbeads**

Cibacron Blue F3GA-attached polyvinylbutyral microbeads as novel magnetic sorbents for removal of Cu(II), Cd(II) and Pb(II) ions 793(1998)47

#### **Cigarette smoke**

see also Tobacco

Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121

#### **Circular dichroism**

Conformational transformations of the fusion protein BR96 sFv-PE40 as monitored by micellar electrokinetic capillary chromatography and circular dichroism 766(1997)205

#### ***Cistus ladanifer***

Analysis of secreted flavonoids of *Cistus ladanifer* L. by high-performance liquid chromatography-particle beam mass spectrometry 799(1998)111

#### ***Citrus aurantium* L**

High-performance liquid chromatography-electrospray mass spectrometry in phytochemical analysis of sour orange (*Citrus aurantium* L.) 791(1997)127

#### ***Citrus sinensis***

Changes in chemical composition of catalytically hydrogenated orange oil (*Citrus sinensis*) 752(1996)217

#### **Clean-up methods**

see also Extraction methods, Preconcentration, Sample handling and Sample preparation

Integrating gel permeation chromatography clean-up in the analysis of metabolites of polychlorinated biphenyls, dibenzo-*p*-dioxins and dibenzofurans extracted from a microsomal assay. A comparison of different mobile phases 755(1996)57

Clean-up procedures for the unbiased estimation of C<sub>37</sub> alkenone sea surface temperatures and terrigenous *n*-alkane inputs in paleoceanography 757(1997)145

Improved detection of polycyclic aromatic compounds in complex mixtures by liquid chromatographic fractionation on poly(divinylbenzene) prior to gas chromatography-mass spectrometry. Application to the analysis of diesel particulates 791(1997)203

#### **Closed sorbent layer**

New thin-layer chromatography plate with a closed sorbent layer and details of its application 758(1997)125

#### **Cloudberry**

Supercritical fluid chromatography-gas chromatography of volatiles in cloudberry (*Rubus chamaemorus*) oil extracted with supercritical carbon dioxide 787(1997)276

**Clouddrops**

Development of new methods for the analysis of single cloud-, fog- and raindrops by capillary electrophoresis 775(1997)372

**Cloud point preconcentration**

Determination of the fungicides folpet, captan and captafol by cloud-point preconcentration and high-performance liquid chromatography with electrochemical detection 754(1996)85

**Coal**

N-Methyl-2-pyrrolidinone as a mobile phase in the size-exclusion chromatography of coal derivatives 758(1997)65

Characterization of coal-derived pitches as precursors for advanced carbon materials by chromatographic and related techniques 778(1997)403

Clean-up and analysis of carbazole and acridine type polycyclic aromatic nitrogen heterocyclics in complex sample matrices 790(1997)73

**Coal tar**

Determination of coal tar and creosote constituents in the aquatic environment (Review) 774(1997)79

**Coated capillaries**

see also Capillary columns

Capillary isoelectric focusing with anionic coated capillaries 767(1997)231

Theoretical aspects on the regulation of electroosmotic flow in capillary electrophoresis by adding charged amphiphiles 776(1997)311

DNA fragment analysis by capillary polymer sieving electrophoresis using poly(acryloylaminoethoxyethanol)-coated capillaries 781(1997)335

Electrokinetic chromatography without electroosmotic flow 792(1997)125

**Coating**

Dextran-coated silica and its behavior in high-performance size-exclusion chromatography 755(1996)1

Elution delay of fluoride by chromatography of anions on silica gels coated with crown ether dyes 755(1996)43

Models for polybutadiene pore wall coatings in porous zirconia 760(1997)71

Separation behavior of inorganic anions on an octadecyl-bonded silica column coated with cetyltrimethylammonium by phthalate and salicylate eluents 764(1997)346

Critical conditions for separating the microheterogeneous components of glycoproteins by capillary electrophoresis 768(1997)39

Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography 781(1997)43

Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary 788(1997)155

Use of alumina with anchored polymer coating as packing material for reversed-phase high-performance liquid chromatography 790(1997)9

**Cocoa beans**

Supercritical fluid extraction of pyrazines in roasted cocoa beans. Effect of pod storage period 785(1997)361

**Coherence theory**

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

**Cohn fraction IV-1 paste**

Chromatographic purification of human  $\alpha_1$  proteinase inhibitor from dissolved Cohn fraction IV-1 paste 800(1998)207

**Colloids**

Analysis of colloids. IX. Investigation of the electrical double layer of colloidal inorganic nanometer-particles by size-exclusion chromatography 773(1997)179

**Colophony**

High-performance liquid chromatographic determination of dehydroabietic and abietic acids in traditional Chinese medications 763(1997)221

**Column bleeding**

Triacylglycerol mixture for testing capillary columns for high-temperature gas chromatography 758(1997)235

**Column design**

Improved preparative electrochromatography column design 760(1997)259

**Column diameter**

Choosing sample volume to achieve maximum detection sensitivity and resolution with high-performance liquid chromatography columns of 1.0, 2.1 and 4.6 mm I.D 762(1997)167

**Column dimensions**

Maintaining fixed band spacing when changing column dimensions in gradient elution 799(1998)21

**Column efficiency**

Effect of column efficiency on the internal concentration profiles and the performance of a simulated moving-bed unit in the case of a linear isotherm 758(1997)175

On the reproducibility of column performance in liquid chromatography and the role of the packing density 761(1997)41

Study of retention, efficiency and selectivity in chiral ligand-exchange chromatography with a dynamically coated stationary phase 761(1997)79

In situ analysis of protein chromatography and column efficiency using magnetic resonance imaging 779(1997)73

Capillary electrochromatography: effect of electrolyte concentration on electroosmotic flow and column efficiency 782(1997)181

Use of a thermally insulated column for improved speed, efficiency and resolution in packed-column supercritical fluid chromatography 785(1997)129

Supercritical fluid chromatograph for studies of retention and efficiency with a brief study of *n*-alkanes showing evidence of significant temperature drop with pressure drop 785(1997)135

Effect of the column length on the characteristics of the packed bed and the column efficiency in a dynamic axial compression column 796(1998)41

#### **Column hydrophobicity**

Protein retention in hydrophobic interaction chromatography: modeling variation with buffer ionic strength and column hydrophobicity 766(1997)1

#### **Column length**

Peculiarities of gradient ion-exchange high-performance liquid chromatography of proteins 753(1996)217

Effect of the column length on the characteristics of the packed bed and the column efficiency in a dynamic axial compression column 796(1998)41

#### **Column packing**

Consolidation of particle beds and packing of chromatographic columns (Review) 762(1997)83

#### **Column performance**

Refining the description of protein chromatography 760(1997)139

#### **Column regeneration**

Modeling column regeneration effects on ion-exchange chromatography 791(1997)99

#### **Column selection**

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175

#### **Columns**

Separation of polar solutes by packed column supercritical fluid chromatography (Review) 785(1997)3

Use of a thermally insulated column for improved speed, efficiency and resolution in packed-column supercritical fluid chromatography 785(1997)129

#### **Column switching**

see also Coupled columns

Trace determination of iron in water at the  $\mu\text{g/l}$  level by on-line coupling of capillary isotachopheresis and capillary zone electrophoresis with UV detection of the EDTA-Fe(III) complex 757(1997)297

On-line column-switching high-performance liquid chromatography analysis of cardiovascular drugs in serum with automated sample clean-up and zone-cutting technique to perform chiral separation 762(1997)235

Application of a  $\beta$ -cyclodextrin sulfate-immobilized precolumn to selective on-line enrichment and separation of heparin-binding proteins by column-switching high-performance liquid chromatography 769(1997)209

Determination of low-molecular-mass organic acids in fogwater by ion-exchange chromatography with automatic column switching 773(1997)123

Rapid pharmacokinetic screening of salbutamol in plasma samples by column-switching high-performance liquid chromatography-electrospray mass spectrometry 777(1997)67

New method for the rapid determination of triazine herbicides and some of their main metabolites in water by using coupled-column liquid chromatography and large volume injection 778(1997)171

Column switching for difficult cation separations 789(1997)149

Determination of drugs in biological fluids by high-performance liquid chromatography with on-line sample processing 797(1998)203

Determination of several N-methyl-D-aspartate receptor blockers in plasma and brain by a selective high-performance liquid chromatographic method with column switching 797(1998)211

High-performance liquid chromatographic method with coulometric detection for the determination of buspirone in human plasma by means of a column-switching technique 797(1998)221

Rapid determination of vitamins A and E in serum with surfactant as a diluent by column-switching high-performance liquid chromatography 798(1998)125

#### **Column temperature**

Technetium speciation: non-size effects in size-exclusion chromatography 755(1996)219

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21

Combined use of temperature and solvent strength in reversed-phase gradient elution. II. Comparing selectivity for different samples and systems 756(1996)41

Combined use of temperature and solvent strength in reversed-phase gradient elution. III. Selectivity for ionizable samples as a function of sample type and pH 756(1996)51

Combined use of temperature and solvent strength in reversed-phase gradient elution. IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions 756(1996)63

Temperature dependence of carotenoids on C<sub>18</sub>, C<sub>30</sub> and C<sub>34</sub> bonded stationary phases 757(1997)29

### Column testing

Triacylglycerol mixture for testing capillary columns for high-temperature gas chromatography 758(1997)235

### Combinatorial chemistry

Automated analytical/preparative high-performance liquid chromatography–mass spectrometry system for the rapid characterization and purification of compound libraries 794(1998)3

### Combustion isotope ratio mass spectrometry

Influence of gas chromatographic parameters on measurement of <sup>13</sup>C/<sup>12</sup>C isotope ratios by gas–liquid chromatography–combustion isotope ratio mass spectrometry. I 752(1996)233

### Compact porous tubes

Application of compact porous tubes for preparative isolation of clotting factor VIII from human plasma 760(1997)117

### Complexation

see also Derivatization

Enantiomeric separations of primary amino compounds by non-aqueous capillary zone electrophoresis with a chiral crown ether 757(1997)328

Nonaqueous anion-exchange chromatography. II. Changing anion-exchange selectivity by resin surface complex formation of crown ethers 758(1997)29

Indirect liquid chromatographic determination of malathion in formulations, based on the formation of palladium(II)–dimethyldithiosphate complex 758(1997)159

Selectivity enhancement for free zone capillary electrophoresis using conventional ion-pairing agents as complexing additives 758(1997)293

Reversed-phase high-performance liquid chromatography of pyrrolidinedithiocarbamate complexes of mercuric species using amperometric and coulometric detection 761(1997)139

Chiral recognition and racemic resolution of drug enantiomers by electrophoresis based on host–guest complexation 763(1997)261

Study of haptoglobin–hemoglobin complexes by titration curves, capillary electrophoresis and capillary isoelectric focusing 767(1997)255

Modification of 4-(2-pyridylazo)-resorcinol postcolumn reagent selectivity through competitive equilibria with chelating ligands 770(1997)69

New fluorinated hydroxamic acid reagents for the extraction of metal ions with supercritical CO<sub>2</sub> 770(1997)85

Simultaneous separation of yttrium and lanthanide ions by isotachopheresis 772(1997)357

Determination of phosphonates in natural waters by ion-pair high-performance liquid chromatography 773(1997)139

Determination and speciation of metals by liquid chromatography (Review) 789(1997)301

High-performance chelation ion chromatography for the determination of traces of bismuth in lead by means of a novel hypercrosslinked polystyrene resin 789(1997)389

Role of ligand purity in separations of alkaline earth metals as arsenazo I complexes by capillary zone electrophoresis 793(1998)177

Application of the solvation parameter model to the characterisation of gas chromatographic stationary phases containing tris[3-(trifluoromethylhydroxymethylene)camphorato] derivatives of lanthanides 793(1998)390

Simultaneous analysis of inorganic and organic lead, mercury and selenium by capillary electrophoresis with nitrilotriacetic acid as derivatization agent 796(1998)385

Separation and direct UV detection of sugars by capillary electrophoresis using chelation of copper(II) 799(1998)283

Capillary electrophoretic analysis of cyclodextrins with dynamic fluorescence labeling and detection 800(1998)333

### Complexation constants

Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized amino acids by capillary zone electrophoresis using native and substituted β-cyclodextrins as chiral additives. II. Evaluation of complexation constants 759(1997)167

### Complexation gas chromatography

Chemically bonded chelates as selective complexing sorbents for gas chromatography v. Silica chemically modified by Cu(II) complexes via amino groups 757(1997)137

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VI. Modification of silica with NiCl<sub>2</sub> and CoCl<sub>2</sub> via  $\beta$ -diketonate groups 773(1997)209

### Complex dissociation

Reversed-phase ion-interaction chromatography of Cu(I)-cyanide complexes 770(1997)165

### Composite particles

Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13

### Computer-assisted optimization

Optimization of resolution in micellar electrokinetic chromatography via computer-aided variation of concentrations of sodium dodecyl sulfate and acetonitrile as modifier 772(1997)27

### Computer modelling

Transient modelling of capillary electrophoresis. Isotachopheresis 772(1997)49

### Computer simulation

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21

Characterization and impact of the temporal behavior of the electroosmotic flow in capillary isoelectric focusing with electroosmotic zone displacement 756(1996)219

Simulations of liquid chromatography-diode array detector data including instrumental artefacts for the evaluation of mixture analysis techniques 758(1997)1

Integration of the equation of peak motion in programmed-pressure and -temperature gas chromatography 766(1997)147

Modeling, simulation and operation of a simulated moving bed for continuous chromatographic separation of 1,1'-bi-2-naphthol enantiomers 769(1997)25

Parameter estimation for the simulation of liquid chromatography 769(1997)59

Dynamic simulation of simulated moving-bed chromatographic processes for the optimization of chiral separations 769(1997)81

Bidirectional isotachopheresis in open-tubular, untreated fused-silica capillaries 772(1997)3

Transient modelling of capillary electrophoresis. Isotachopheresis 772(1997)49

Training software for chiral separations in capillary electrophoresis 772(1997)195

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

Reliability of the capacity factor at zero micellar concentration and the solute-micelle association constant estimates by micellar liquid chromatography 778(1997)67

Influence of sample plug width in capillary electrochromatography 779(1997)155

Optimization of separation of some polycyclic aromatic compounds by thin-layer chromatography 779(1997)321

Peak shape distortions during capillary electrophoretic separations of multicomponent samples in two co-ion buffers 781(1997)107

Use of simulated liquid chromatography-diode array detection data for the definition of a guide curve in peak purity assessment by spectral comparison 786(1997)1

Noise and baseline disturbances in indirect UV detection in capillary electrophoresis 786(1997)333

Displacement chromatography with on-column isomerization 787(1997)1

Modeling column regeneration effects on ion-exchange chromatography 791(1997)99

Maintaining fixed band spacing when changing column dimensions in gradient elution 799(1998)21

Unified system for the prediction of retention data in gas-liquid chromatography 799(1998)185

### Concentration profiles

Effect of column efficiency on the internal concentration profiles and the performance of a simulated moving-bed unit in the case of a linear isotherm 758(1997)175

### Concrete

Analysis of difficult samples by capillary zone electrophoresis. I. Simultaneous separation of detrimental anions in concrete digested with concentrated nitric acid 793(1998)187

### Conductivity

Generation of tryptic maps of  $\alpha$ - and  $\beta$ -globin chains by capillary electrophoresis in isoelectric buffers 791(1997)313

Properties of buffer systems with charges immobilized on a gel matrix and their potential use in capillary electrophoresis 799(1998)275

### Conductivity detection

Prediction of zone patterns in capillary zone electrophoresis with conductivity detection. Concept of the zone conductivity diagram 772(1997)63

**Conductivity gradients**

Separation power of isotachopheresis (displacement electrophoresis) with continuous pH and conductivity gradients 764(1997)309

Isotachopheretic focusing of strong electrolytes on the background of carrier ampholytes 798(1998)223

**Conformational effects**

Influence of conformation on the accuracy of quantitative–structure retention relationship calculations in gas chromatography 773(1997)368

**Connectivity indices**

Prediction of migration behaviour of flavonoids in capillary zone electrophoresis by means of topological indices 798(1998)233

**Continuous beds**

Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33

**Continuous-flow electrophoresis**

Continuous-flow electrophoresis in the Taylor regime: a new possibility for preparative electrophoresis 757(1997)193

**Continuously stirred tank reactor model**

Simple model for blending aqueous salt buffers. Application to preparative chromatography 769(1997)37

**Continuous separation processes**

Continuous chromatographic separation process: simulated moving bed allowing simultaneous withdrawal of three fractions 770(1997)39

**Convective fluid velocity**

Direct measurements of convective fluid velocities in superporous agarose beads 795(1998)199

**Coordination interaction**

Liquid chromatographic separation of metal–tetraphenylporphine complexes based on coordination interaction with immobilized neutral ligand in stationary phase 786(1997)269

**Copolymeric chiral stationary phase**

Synthesis and evaluation of a copolymeric chiral stationary phase 799(1998)177

***Coptidis rhizoma***

Liquid chromatographic–electrospray mass spectrometric analysis of *Coptidis Rhizoma* 755(1996)19

Liquid chromatographic separation of the alkaloids in *Coptis–evodia* herb couple 756(1996)137

**Correlation analysis**

Application of correlation analysis for identification of polychlorinated biphenyls 752(1996)197

**Corrosion**

Capillary zone electrophoretic determination of ionic impurities in silicone products used for electronic applications 770(1997)337

**Cosmetics**

Determination of glycolic acid in cosmetic products by solid-phase extraction and reversed-phase ion-pair high-performance liquid chromatography 795(1998)219

**Coulometric detection**

see also Electrochemical detection

Determination of polar priority phenols at parts per trillion levels in water using on-line liquid–solid extraction followed by liquid chromatography with coulometric detection 778(1997)313

**Counter-current chromatography**

see also Centrifugal partition chromatography

pH-Zone-refining countercurrent chromatography (Review) 753(1996)1

Isolation of cardenolides from a Brazilian cultivar of *Digitalis lanata* by rotation locular counter-current chromatography 756(1996)287

Direct purification of lysozyme using continuous counter-current expanded bed adsorption 757(1997)41

Application of high-speed counter-current chromatography to the separation of coumarin and related compounds 759(1997)47

Peptide separation by pH-zone-refining countercurrent chromatography 771(1997)81

Pressure drop in centrifugal partition chromatography 773(1997)1

Modelling gradient elution in centrifugal partition chromatography 773(1997)13

Dual-mode high-speed counter-current chromatography: retention, resolution and examples 790(1997)17

Resolution studies on counter-current chromatography using supercritical fluid carbon dioxide 790(1997)31

Effect of foaming power and foam stability on continuous concentration with foam counter-current chromatography 791(1997)53

**Coupled columns**

see also Column switching

Screening and analysis of polar pesticides in environmental monitoring programmes by coupled-column liquid chromatography and gas chromatography–mass spectrometry 754(1996)49

**Crataegus monogyna Jacq**

Isolation of three triterpenes and several aliphatic alcohols from *Crataegus monogyna* Jacq 767(1997)340

**Creosote**

Determination of coal tar and creosote constituents in the aquatic environment (Review) 774(1997)79

**Critical micelle concentration**

Separation of hydroxylated and methoxylated flavonoids by micellar electrokinetic capillary chromatography. Determination of analyte partition coefficients between aqueous and sodium dodecyl sulfate micellar phases 791(1997)289

**Crown ether-anchored polysiloxanes**

Chiral crown ether-anchored polysiloxanes as capillary gas chromatography stationary phases 753(1996)269

**Crown ether polysiloxanes**

Unusual behaviour of a new kind of side chain crown ether polysiloxanes used in capillary gas chromatography 752(1996)189

**Crown ether stationary phases**

Ion chromatographic separation of metallic ions on a bonded poly- $\beta$ -diketone-type non-cyclic crown ether stationary phase 789(1997)135

**Cryogenic trapping**

Effect of addition of a graphitized carbon black trap to a glass beads trap on the cryoconcentration of some non-methane hydrocarbons in ambient air 790(1997)117

**Crystallization**

Isotachophoretic crystallization of ionogenic substances in electrolyte solutions 752(1996)251

**Curcuma longa**

Gas chromatography-mass spectrometry coupled with pseudo-Sadtler retention indices, for the identification of components in the essential oil of *Curcuma longa* L 760(1997)303

**Cycad seeds**

Identification of nonprotein amino acids from cycad seeds as N-ethoxycarbonyl ethyl ester derivatives by positive chemical-ionization gas chromatography-mass spectrometry 787(1997)288

**Cyclodextrin additives**

Chiral separation of monoterpenes using mixtures of sulfated  $\beta$ -cyclodextrins and  $\alpha$ -cyclodextrin as chiral additives in the reversed-polarity capillary electrophoresis mode 759(1997)149

**Cyclodextrin-based stationary phases**

Enantioselective capillary gas chromatography and capillary supercritical fluid chromatography on an immobilized  $\gamma$ -cyclodextrin derivative 761(1997)181

Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins 774(1997)143

High-resolution gas chromatographic test for the characterisation of enantioselective separation of organochlorine compounds. Application to *tert*-butyldimethylsilyl  $\beta$ -cyclodextrin 775(1997)275

High-performance liquid chromatographic enantiomeric resolution in the ten-vertex carborane series. Comparison of acetyl- and native  $\beta$ -cyclodextrin bonded chiral stationary phases 793(1998)249

**Cyclodextrin modified micellar electrokinetic capillary chromatography**

Separation of hydroxylated polycyclic aromatic hydrocarbons by micellar electrokinetic capillary chromatography 774(1997)193

**D****Densitometry**

Quantitative evaluation of chromatograms from totally illuminated thin-layer chromatographic plates 768(1997)329

Reproducibility of densitometric and image analysing quantitative evaluation of thin-layer chromatograms 779(1997)329

**Dentifrices**

Development of a capillary electrophoresis method with indirect photometric detection for the determination of anions related to anticaries 781(1997)457

**Deposition velocity**

Deposition parameters of air pollutants on solid surfaces, measured in the presence of surface and gaseous reactions, with a simultaneous determination of the experimental isotherms 775(1997)211

**Derivatization**

see also Complexation

Coupling chemical derivatization reactions with supercritical fluid extraction (Review) 785(1997)239

Gas chromatographic determination of organic acids from fruit juices by combined resin mediated methylation and extraction in supercritical carbon dioxide 785(1997)251

**Derivatization, electrophoresis**

Enhanced temporal resolution for the microdialysis monitoring of catecholamines and excitatory amino acids using capillary electrophoresis with laser-induced fluorescence detection. Analytical developments and in vitro validations 755(1996)99

Determination of single-stranded oligodeoxynucleotides by capillary gel electrophoresis with laser induced fluorescence and on column derivatization 755(1996)271

Capillary zone electrophoresis of oligosaccharides derivatized with N-(4-aminobenzoyl)-L-glutamic acid for ultraviolet absorbance detection 757(1997)215

Enantiomeric and diastereomeric separation of di- and tripeptides by capillary electrophoresis 758(1997)303

Analysis of monosaccharide composition by capillary electrophoresis 763(1997)271

UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241

Microemulsion electrokinetic chromatography of diphenylhydrazones of dicarbonyl sugars 772(1997)297

Capillary electrophoresis in metal analysis. Investigations of multi-elemental separation of metal chelates with aminopolycarboxylic acids 773(1997)351

Microchip-based capillary electrophoresis of human serum proteins 781(1997)271

Enantiomeric determination of amino compounds with high sensitivity using the chiral reagents (+)- and (-)-1-(9-anthryl)-2-propyl chloroformate 786(1997)347

Determination of amino acids by high-performance capillary electrophoresis with on-line mode in-capillary derivatization 787(1997)253

Determination of histamine and some other amines by high-performance capillary electrophoresis with on-line mode in-capillary derivatization 790(1997)177

Unusual separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses by capillary zone electrophoresis 791(1997)307

Indirect separation of chiral proteinogenic  $\alpha$ -amino acids using the fluorescence active (1*R*,2*R*)-N-[(2-isothiocyanato)-cyclohexyl]-6-methoxy-4-quinolinylamide) as chiral derivatizing agent. A comparison 795(1998)251

Simultaneous analysis of inorganic and organic lead, mercury and selenium by capillary electrophoresis with nitrilotriacetic acid as derivatization agent 796(1998)385

Analysis of ethoxylated polymers by capillary electrophoresis in UV-transparent polymer networks and by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 800(1998)13

Separation of amino acid and peptide stereoisomers by nonionic micelle-mediated capillary electrophoresis after chiral derivatization 800(1998)345

**Derivatization, GC**

High-resolution gas chromatography–nitrogen–phosphorous detection of saturated volatile aldehydes derivatized with 2-hydrazinobenzothiazole 752(1996)209

Determination of aromatic amines at trace levels by derivatization with heptafluorobutyric anhydride and gas chromatography–electron-capture negative-ion chemical ionization mass spectrometry 753(1996)91

Screening and analysis of polar pesticides in environmental monitoring programmes by coupled-column liquid chromatography and gas chromatography–mass spectrometry 754(1996)49

Analysis of the herbicide clopyralid in cultivated soils 754(1996)265

Determination of cereal herbicide residues in environmental samples by gas chromatography (Review) 754(1996)347

Determination of phenoxy acid herbicides in vegetation, utilising high-resolution gel permeation chromatographic clean-up and methylation with trimethylsilyldiazomethane prior to gas chromatographic analysis with mass-selective detection 755(1996)245

Phenol and methylphenol isomers determination in soils by in-situ microwave-assisted extraction and derivatisation 757(1997)153

Simultaneous determination of soluble sugars and organic acids as their trimethylsilyl derivatives in apricot fruits by gas–liquid chromatography 758(1997)99

Rapid and simultaneous analysis of protein and non-protein amino acids as N(O,S)-isobutoxycarbonyl methyl ester derivatives by capillary gas chromatography 758(1997)167

Quantitative analysis of fluorinated ethylchloroformate derivatives of protein amino acids and hydrolysis products of small peptides using chemical ionization gas chromatography–mass spectrometry 759(1997)111

Gas chromatographic determination of nitrite in water by pre-column formation of 2-phenylphenol with flame ionization detection 760(1997)319

- Procedures for analysing phenolic metabolites of polychlorinated dibenzofurans, -dibenzo-*p*-dioxins and -biphenyls extracted from a microsomal assay: optimising solid-phase adsorption clean-up and derivatisation methods 761(1997)219
- Analytical method development for the simultaneous quantitation of dexmedetomidine and three potential metabolites in plasma 762(1997)281
- Analysis of primary and secondary aliphatic amines in waste water and surface water by gas chromatography–mass spectrometry after derivatization with 2,4-dinitrofluorobenzene or benzenesulfonyl chloride 764(1997)85
- Selective determination of Sb(III) by gas chromatography–quartz furnace atomic absorption spectrometry after derivatization with triphenylmagnesium bromide 764(1997)169
- Determination of diflurbuzon in apples by gas chromatography 765(1997)85
- Gas chromatography–mass spectrometry of *Alternaria* mycotoxins 765(1997)255
- Presence of tetrahydro- $\beta$ -carboline-3-carboxylic acids in foods by gas chromatography–mass spectrometry as their *N*-methoxycarbonyl methyl ester derivatives 765(1997)265
- Capillary gas–liquid chromatography of acetate–methyl esters of bile acids 766(1997)286
- Analysis of heterocyclic amines as their *N*-dimethylaminomethylene derivatives by gas chromatography with nitrogen–phosphorus selective detection 767(1997)187
- Gas–liquid chromatography–mass spectrometry of primary and secondary fatty alcohols and diols as their *tert*-butyldimethylsilyl derivatives 771(1997)191
- Reaction of fatty acid amides and ethanalamides with trimethylsulfonium hydroxide 773(1997)239
- Determination of amines in air and water using derivatization combined with solid-phase microextraction 773(1997)249
- Evaluation of supercritical fluid extraction, microwave-assisted extraction and sonication in the determination of some phenolic compounds from various soil matrices 774(1997)243
- Speciation of organotin compounds released from poly(vinyl chloride) at increased temperature by gas chromatography with atomic emission detection 775(1997)295
- Determination of free fatty acids and their ethyl esters in musts and wines 776(1997)283
- Study of binding media in works of art by gas chromatographic analysis of amino acids and fatty acids derivatized with ethyl chloroformate 778(1997)373
- Gas chromatographic–mass spectrometric determination of 4-(5) methylimidazole in ammonia caramel colour using ion-pair extraction and derivatization with isobutylchloroformate 786(1997)299
- Gas chromatography–chemical ionization mass spectrometry in amino acid analysis of pyoverdins 787(1997)195
- Identification of nonprotein amino acids from cycad seeds as *N*-ethoxycarbonyl ethyl ester derivatives by positive chemical-ionization gas chromatography–mass spectrometry 787(1997)288
- Non-porous silica for ultrafast reversed-phase high-performance liquid chromatographic separation of aldehyde and ketone 2,4-dinitrophenylhydrazones 786(1997)47
- Determination of 1,3-dichloro-2-propanol and 3-chloro-1,2-propanediol in papers treated with polyamidoamine–epichlorohydrin wet-strength resins by gas chromatography–mass spectrometry using selective ion monitoring 788(1997)195
- New derivatization method for determination of 3-chloro-4(dichloromethyl)-5-hydroxy-2(5H)-furanone in water 790(1997)242
- Sodium tetra(*n*-propyl)borate: a novel aqueous in situ derivatization reagent for the simultaneous determination of organomercury, -lead and -tin compounds with capillary gas chromatography–inductively coupled plasma mass spectrometry 793(1998)99
- Improved procedure for *n*-hexyl chloroformate-mediated derivatization of highly hydrophilic substances directly in water: hydroxyaminic compounds 793(1998)307
- Determination of indole-3-pyruvic acid levels in *Arabidopsis thaliana* by gas chromatography–selected ion monitoring-mass spectrometry 800(1998)101
- Derivatization, GC–MS**  
Determination of hydroxylated polychlorinated biphenyls by ion trap gas chromatography–tandem mass spectrometry 790(1997)131
- Derivatization, LC**  
Development of a manganese dioxide solid-phase reactor for oxidation of toxins associated with paralytic shellfish poisoning 755(1996)227
- High-performance liquid chromatographic–fluorescence determination of aliphatic alcohol polyethoxylates and poly(ethylene glycol)s in aqueous samples 756(1996)159
- Determination of biogenic amines in wines by high-performance liquid chromatography with on-column fluorescence derivatization 757(1997)311

- Indirect liquid chromatographic determination of malathion in formulations, based on the formation of palladium(II)–dimethyldithiosphate complex 758(1997)159
- High-performance liquid chromatographic methods for separation of enantiomers of alicyclic  $\beta$ -amino acids 761(1997)103
- Quantitation of an orally available thrombin inhibitor in rat, monkey and human plasma and in human urine by high-performance liquid chromatography and fluorescent post-column derivatization of arginine 762(1997)299
- Determination of peptides by high-performance liquid chromatography with laser-induced fluorescence detection 763(1997)23
- Separation of primary and secondary amines as their sulfonamide derivatives by reversed-phase high-performance liquid chromatography 763(1997)173
- Determination of residual amines used in bulk drug synthesis by pre-column derivatization with 3,5-dinitrobenzoyl chloride and high-performance liquid chromatography 766(1997)77
- Determination of indole-3-acetic acid in the Gulf of Gdańsk by high-performance liquid chromatography of its 4-methyl-7-methoxycoumarin derivative 766(1997)261
- Analysis of a monophosphoryl lipid A immunostimulant preparation from *Salmonella minnesota* R595 by high-performance liquid chromatography 767(1997)53
- Analysis of phenolic compounds in industrial wastewater with high-performance liquid chromatography and post-column reaction detection 769(1997)189
- Chemically removable derivatization reagent for liquid chromatography: 2-(2-naphthoxy)ethyl 2-[1-(4-benzyl)piperazyl]ethanesulfonate 769(1997)201
- Modification of 4-(2-pyridylazo)-resorcinol postcolumn reagent selectivity through competitive equilibria with chelating ligands 770(1997)69
- Surfactant-sensitized post-column reaction with xylenol orange for the determination of lanthanides by ion chromatography 770(1997)75
- Analysis of benzalkonium chloride in the effluent from European hospitals by solid-phase extraction and high-performance liquid chromatography with post-column ion-pairing and fluorescence detection 774(1997)281
- Determination of atropine in pharmaceutical preparations by liquid chromatography with fluorescence detection 775(1997)137
- Process clearance of dithiothreitol monitored by reversed-phase high-performance liquid chromatography with fluorescence detection. Assay development and validation 775(1997)151
- Liquid chromatography with fluorimetric, mass spectrometric and tandem mass spectrometric detection for the investigation of the seafood-toxin-producing phytoplankton, *Dinophysis acuta* 777(1997)213
- Development of a new high-performance liquid chromatography method to analyse N-methylcarbamate insecticides by a simple post-column derivatization system and fluorescence detection 778(1997)103
- Determination of glutathione, cysteine and N-acetylcysteine in rabbit eye tissues using high-performance liquid chromatography and post-column derivatization with 5,5'-dithiobis(2-nitrobenzoic acid) 778(1997)347
- Non-porous silica for ultrafast reversed-phase high-performance liquid chromatographic separation of aldehyde and ketone 2,4-dinitrophenylhydrazones 786(1997)47
- Theoretical concepts of on-line liquid chromatographic–biochemical detection systems. II. Detection systems based on labelled affinity proteins 787(1997)37
- Indirect time-resolved fluorescence detection of both non-fluorescent and fluorescent compounds separated by high-performance liquid chromatography 787(1997)261
- Detection of glycosaminoglycans as a copper(II) complex in high-performance liquid chromatography 787(1997)266
- Multi-element trace analysis by reversed-phase high-performance liquid chromatography followed by on-line column enrichment as 2-(5-nitro-2-pyridylazo)-5-[N-propyl-N-(3-sulphopropyl)amino] phenol chelates 788(1997)113
- Selective fluorometric determination of indium(III) by high-performance liquid chromatography with 2-methyl-8-quinolinol based on a ligand-exchange reaction of silanol groups 789(1997)395
- Ion-pair reversed-phase high-performance liquid chromatographic separation and determination of ruthenium, rhodium, cobalt and copper as chelates with 1-(2-pyridylazo)-2-naphthol-6-sulfonic acid 789(1997)485
- Use of 2-quinolyazo compounds for the reversed-phase high-performance liquid chromatographic separation of metal ions 789(1997)491
- High-performance liquid chromatographic determination of polyamines in milk as their 9-fluorenylmethoxycarbonyl derivatives using a column-switching technique 791(1997)79
- Silver ion high-performance liquid chromatography of isomeric *cis*- and *trans*-octadecenoic acids. Effect of the ester moiety and mobile phase composition 793(1998)275

Selective analysis of the herbicides glyphosate and aminomethylphosphonic acid in water by on-line solid-phase extraction–high-performance liquid chromatography–electrospray ionization mass spectrometry 794(1998)187

Use of 2-chloroethylnitrosourea, a new type of pre-column derivatizing agent for the measurement of biogenic amines, by high-performance liquid chromatography with ultraviolet detection 795(1998)239

Indirect separation of chiral proteinogenic  $\alpha$ -amino acids using the fluorescence active (1*R*,2*R*)-*N*-[(2-isothiocyanato)-cyclohexyl]-6-methoxy-4-quinolinylamide) as chiral derivatizing agent. A comparison 795(1998)251

Chromatographic resolution of synthetically useful chiral glycine derivatives by high-performance liquid chromatography 796(1998)299

Simultaneous determination of chlorine dioxide and hypochlorite in water by high-performance liquid chromatography 796(1998)397

High-performance liquid chromatographic methods for separation of the isomers of  $\beta$ -amino acids possessing bicyclo[2.2.1]heptane or heptene skeletons 797(1998)177

Automated amino acid determination by high-performance liquid chromatography with 2-(9-anthryl)ethyl chloroformate as precolumn reagent 798(1998)1

Fully automated precolumn derivatization, on-line dialysis and high-performance liquid chromatographic analysis of amino acids in food, beverages and feedstuff 798(1998)9

Urinary excretion measurement of cysteine and homocysteine in the form of their *S*-pyridinium derivatives by high-performance liquid chromatography with ultraviolet detection 798(1998)27

Comparison of the stability and UV and fluorescence characteristics of the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents and those of their amino acid derivatives 798(1998)37

Removal of the fluorescent 4-(aminosulfonyl)-2,1,3-benzoxadiazole label from cysteine-containing peptides 798(1998)47

Sensitive determination of anatoxin-a, homoanatoxin-a and their degradation products by liquid chromatography with fluorimetric detection 798(1998)147

Liquid chromatography with luminol-based electrochemiluminescence detection. Determination of histamine 799(1998)57

Trace determination of methanol in water–ethanol solution by derivatization and high-performance liquid chromatography 799(1998)93

#### **Derivatization, LC–APCI**

Identification of fenthion and temephos and their transformation products in water by high-performance liquid chromatography with diode array detection and atmospheric pressure chemical ionization mass spectrometric detection 777(1997)99

#### **Derivatization, LC–DAD**

Identification of fenthion and temephos and their transformation products in water by high-performance liquid chromatography with diode array detection and atmospheric pressure chemical ionization mass spectrometric detection 777(1997)99

#### **Derivatization, LC–GC**

Determination of morphine and its analogues in urine by on-line coupled reversed-phase liquid chromatography–gas chromatography with on-line derivatization 771(1997)360

#### **Desalting methods**

Preparative desalting of bovine serum albumin by continuous annular chromatography 763(1997)49

Determination of sedatives and anesthetics in plasma by liquid chromatography–mass spectrometry with a desalting system 797(1998)227

#### **Detection, electrophoresis**

Detection of electrophoretically separated amylase inhibitors in starch–polyacrylamide gels 752(1996)261

Determination of plant indoles by capillary electrophoresis with amperometric detection 755(1996)289

Determination of chlorophenols by micellar electrokinetic chromatography with electrochemical detection 757(1997)203

High-speed separation of carboxylic acids by co-electroosmotic capillary electrophoresis with direct and indirect UV detection 758(1997)263

Post-capillary affinity detection of protein microheterogeneity in capillary zone electrophoresis 759(1997)139

Simultaneous determination of purine bases, ribonucleosides and ribonucleotides by capillary electrophoresis–electrochemistry with a copper electrode 760(1997)227

Capillary electrophoretic separation of chlorophenols using amperometric detection 761(1997)259

Identification of proteins by capillary electrophoresis–tandem mass spectrometry. Evaluation of an on-line solid-phase extraction device 763(1997)295

Theory concerning the current for an end-column amperometric detector with a disk working electrode in capillary zone electrophoresis 765(1997)307

Highly sensitive detection using laser two-photon excited fluorescence in capillary electrophoresis 765(1997)315

- Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Part B: Applications for environmental testing 767(1997)217
- Determination of cysteine by capillary zone electrophoresis with end-column amperometric detection at a gold/mercury amalgam microelectrode without deoxygenation 769(1997)307
- Determination and prediction of transfer ratios for anions in capillary zone electrophoresis with indirect UV detection 770(1997)291
- Off-column chemiluminescence detection in capillary electrophoresis 771(1997)379
- Prediction of zone patterns in capillary zone electrophoresis with conductivity detection. Concept of the zone conductivity diagram 772(1997)63
- Sensitive absorbance detection method for capillary electrophoresis based on laser wave-mixing 773(1997)291
- Use of microdialysis for the on-line coupling of capillary isoelectric focusing with electrospray mass spectrometry 777(1997)31
- Hydrazide as a ligand moiety in immobilized metal ion affinity chromatography. Separation of BO-IMI and BODIPY-hydrazide 777(1997)261
- Ultrasensitive near-infrared laser-induced fluorescence detection in capillary electrophoresis using a diode laser and avalanche photodiode 779(1997)185
- Analysis of gangliosides by capillary zone electrophoresis and capillary zone electrophoresis-electrospray mass spectrometry 779(1997)195
- Micellar electrokinetic chromatography-mass spectrometry (Review) 780(1997)207
- Application of capillary electrophoresis-fluorescence line-narrowing spectroscopy for on-line spectral characterization of closely related analytes 781(1997)73
- Capillary electrophoresis with electrospray mass spectrometry detection for low-molecular-mass compounds 781(1997)99
- Method for detection of epsilon-secondary structure in the precore region of human hepatitis B virus DNA using a fluorescence-based polymerase chain reaction-single-strand-conformation polymorphism technique with capillary electrophoresis 781(1997)307
- Characterization of TO-PRO-3 as an intercalator for double-stranded DNA analysis with red diode laser-induced fluorescence detection 781(1997)357
- Separation, comparison and identification of fountain pen inks by capillary electrophoresis with UV-visible and fluorescence detection and by proton-induced X-ray emission 781(1997)391
- Characterization of metal complexes of pharmaceutical interest by capillary electrophoresis with element sensitive detection 781(1997)407
- Noise and baseline disturbances in indirect UV detection in capillary electrophoresis 786(1997)333
- High resolution multichannel fluorescence detection for capillary electrophoresis. Application to multicomponent analysis 788(1997)173
- Inductively coupled plasma mass spectrometric detection for chromatography and capillary electrophoresis (Review) 789(1997)85
- On-line post-capillary affinity detection of immunoglobulin G subclasses and monoclonal antibody variants for capillary electrophoresis 790(1997)207
- On-line micellar electrokinetic chromatography-mass spectrometry with a high-molecular-mass surfactant 794(1998)317
- Capillary electrophoresis and electrochemical detection with a conventional detector cell 798(1998)289
- Separation and direct UV detection of sugars by capillary electrophoresis using chelation of copper(II) 799(1998)283
- Sensitive high-resolution analysis of biological molecules by capillary zone electrophoresis coupled with reflecting time-of-flight mass spectrometry 800(1998)1
- Dynamic control and indirect absorption detection for high-speed capillary electrophoretic separation of organic acids 800(1998)339
- Detection, GC**
- Determination of aromatic amines at trace levels by derivatization with heptafluorobutyric anhydride and gas chromatography-electron-capture negative-ion chemical ionization mass spectrometry 753(1996)91
- Possibilities of gas chromatography-atomic emission detection in pesticide multiresidue analysis. Application to herbicide analysis in soils 754(1996)245
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Pesticide residue analysis in fresh produce by gas chromatography-tandem mass spectrometry 754(1996)411
- Helium direct current discharge ionization detector for gas chromatography 761(1997)169

- Selective determination of Sb(III) by gas chromatography–quartz furnace atomic absorption spectrometry after derivatization with triphenylmagnesium bromide 764(1997)169
- Use of gas–liquid chromatography with electron-capture and thermionic-sensitive detection for the quantitation and identification of pesticide residues 765(1997)13
- Optimization of the dwell-time for the quantitative analysis by gas chromatography–mass spectrometry 765(1997)241
- Monitoring of organic micropollutants in surface water by automated on-line trace-enrichment liquid and gas chromatographic systems with ultraviolet diode-array and mass spectrometric detection 768(1997)239
- Determination of volatile organic compounds in water by purge-and-trap gas chromatography coupled to atomic emission detection 768(1997)259
- Chromatographic and hyphenated methods for elemental speciation analysis in environmental media (Review) 774(1997)3
- Negative chromatographic peaks with oxygen doped electron capture detection of polychlorinated biphenyls 775(1997)368
- Sulfur-selective chemiluminescence detection with packed column supercritical fluid chromatography 779(1997)307
- Comparison of extraction methods and detection systems in the gas chromatographic analysis of volatile carbonyl compounds 779(1997)360
- Mechanism of the flame ionization detector. II. Isotope effects and heteroatom effects 782(1997)81
- Gas chromatography–chemical ionization mass spectrometry in amino acid analysis of pyoverdins 787(1997)195
- Inductively coupled plasma mass spectrometric detection for chromatography and capillary electrophoresis (Review) 789(1997)85
- Gas-phase electron diffraction as a detection method in capillary gas chromatography 793(1998)209
- Multiple detector responses for gas chromatography peak identification 795(1998)319
- Characterization of multicapillary gas chromatography–microwave-induced plasma atomic emission spectrometry for the expeditious analysis for organometallic compounds 795(1998)359
- Detection, LC**  
Comparative investigation of UV, electrochemical and particle beam mass spectrometric detection for the high-performance liquid chromatographic determination of benzoic and cinnamic acids and of their corresponding phenolic acids 753(1996)157
- Design of double cell quartz crystal detector for ion chromatography and its applications to determination of organic acids in traditional Chinese herb medicine 753(1996)171
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Applying hollow fibres for separating free and bound label in continuous-flow immunochemical detection 755(1996)179
- Application of liquid chromatography–atmospheric pressure ionization mass spectrometry in natural product analysis. Evaluation and optimization of electrospray and heated nebulizer interfaces 755(1996)189
- Simulations of liquid chromatography–diode array detector data including instrumental artefacts for the evaluation of mixture analysis techniques 758(1997)1
- N-Methyl-2-pyrrolidinone as a mobile phase in the size-exclusion chromatography of coal derivatives 758(1997)65
- Surface plasmon resonance-based detection. An alternative to refractive index detection in high-performance liquid chromatography 759(1997)27
- Chiral bioanalysis by normal phase high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry 759(1997)65
- Application of liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry, and tandem mass spectrometry, to the analysis and identification of degradation products of chemical warfare agents 759(1997)79
- Choosing sample volume to achieve maximum detection sensitivity and resolution with high-performance liquid chromatography columns of 1.0, 2.1 and 4.6 mm I.D 762(1997)167
- Refractive-index detection by interferometric backscatter in packed-capillary high-performance liquid chromatography 762(1997)219
- Complete structure elucidation of a globular protein by particle beam liquid chromatography–Fourier transform infrared spectrometry and electrospray liquid chromatography–mass spectrometry. Sequence and conformation of  $\beta$ -lactoglobulin 763(1997)91
- Determination of herbicides by reductive amperometric detection in liquid chromatography 763(1997)227
- Determination of molecular-mass distribution of food-grade protein hydrolyzates by size-exclusion chromatography and chemiluminescent nitrogen detection 763(1997)323

- Speciation of arsenic compounds by using ion-pair chromatography with atomic spectrometry and mass spectrometry detection 764(1997)55
- Liquid chromatography and mass spectrometry for the speciation of arsenic animal feed additives 764(1997)211
- Optimization of post-column chemiluminescent detection for low-molecular-mass conjugates of acridinium esters 765(1997)145
- Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes 766(1997)27
- Nuclear magnetic resonance monitoring of centrifugal partition chromatography in pH-zone-refining mode 766(1997)255
- Analysis of bioactive peptides by liquid chromatography–high-resolution electrospray mass spectrometry 767(1997)77
- Liquid chromatography of polyethers using universal detectors. V. Quantitative aspects in the analysis of low-molecular-mass poly(ethylene glycol)s and their derivatives by reversed-phase high-performance liquid chromatography with an evaporative light scattering detector 768(1997)223
- Monitoring of organic micropollutants in surface water by automated on-line trace-enrichment liquid and gas chromatographic systems with ultraviolet diode-array and mass spectrometric detection 768(1997)239
- Analysis of phenolic compounds in industrial wastewater with high-performance liquid chromatography and post-column reaction detection 769(1997)189
- New approach to determining each component of a two-component overlapping peak by single-column anion ion chromatography 769(1997)333
- Studies on the combination of ion chromatography–particle-beam mass spectrometry with capillary columns 770(1997)59
- Surfactant-sensitized post-column reaction with xylenol orange for the determination of lanthanides by ion chromatography 770(1997)75
- Separation of cyclic nitroxide free radicals and their redox forms with dual microelectrochemical detection 771(1997)89
- Drug quantitation on a benchtop liquid chromatography–tandem mass spectrometry system 771(1997)119
- Analysis of amine-containing phosphonates in detergent powders by anion-exchange chromatography with pulsed amperometric detection 771(1997)155
- Detection of the oxidative products of 3-hydroxykynurenine using high-performance liquid chromatography–electrochemical detection–ultraviolet absorption detection–electron spin resonance spectrometry and high-performance liquid chromatography–electrochemical detection–ultraviolet absorption detection–mass spectrometry 773(1997)23
- Anion-exchange chromatography with electrochemical detection of alditols and sugars at a  $\text{Cu}_2\text{O}$ –carbon composite electrode 773(1997)115
- Determination of aspartame and phenylalanine in diet soft drinks by high-performance liquid chromatography with direct spectrofluorimetric detection 773(1997)163
- Chromatographic and hyphenated methods for elemental speciation analysis in environmental media (Review) 774(1997)3
- Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies 776(1997)15
- Implementation of affinity solid-phases in continuous-flow biochemical detection 776(1997)169
- Determination of polar priority phenols at parts per trillion levels in water using on-line liquid–solid extraction followed by liquid chromatography with coulometric detection 778(1997)313
- Microcolumn liquid chromatography: instrumentation, detection and applications 779(1997)1
- Use of simulated liquid chromatography–diode array detection data for the definition of a guide curve in peak purity assessment by spectral comparison 786(1997)1
- Quantitation in liquid chromatography of polymers: size-exclusion chromatography with dual detection 786(1997)75
- Theoretical concepts of on-line liquid chromatographic–biochemical detection systems. I. Detection systems based on labelled ligands 787(1997)27
- Theoretical concepts of on-line liquid chromatographic–biochemical detection systems. II. Detection systems based on labelled affinity proteins 787(1997)37
- Characterization of antigen–antibody complexes by size-exclusion chromatography coupled with low-angle light-scattering photometry and viscometry 787(1997)101
- Indirect time-resolved fluorescence detection of both non-fluorescent and fluorescent compounds separated by high-performance liquid chromatography 787(1997)261
- Detection of glycosaminoglycans as a copper(II) complex in high-performance liquid chromatography 787(1997)266

Advances in detection techniques for ion chromatography (Review) 789(1997)67

Inductively coupled plasma mass spectrometric detection for chromatography and capillary electrophoresis (Review) 789(1997)85

Ion-exchange separation of eight arsenic compounds by high-performance liquid chromatography–UV decomposition–hydride generation–atomic fluorescence spectrometry and stability tests for food treatment procedures 789(1997)339

On-line electrochemical detection of carbohydrates coupled with the periodate oxidation 790(1997)1

Analysis of catechol-type glucuronides in urine samples by liquid chromatography–electrospray ionization-tandem mass spectrometry 794(1998)75

On the use of inductively coupled plasma mass spectrometry as an element specific detector for liquid chromatography: optimization of an industrial tellurium removal process 794(1998)219

Liquid chromatography with luminol-based electrochemiluminescence detection. Determination of histamine 799(1998)57

Novel quartz flow-cell as a post-column photochemical reactor for high-performance liquid chromatography 800(1998)377

#### **Detection, SFC**

Chemiluminescence nitrogen detection for packed-column supercritical fluid chromatography with methanol modified carbon dioxide 757(1997)183

Packed column supercritical fluid chromatography–mobile phase elimination Fourier transform infrared spectrometry employing modified fluids 764(1997)295

Supercritical fluid chromatography–proton nuclear magnetic resonance spectroscopy coupling (Review) 785(1997)65

Separation and identification of sulfanilamides by capillary supercritical fluid chromatography–Fourier transform infrared spectroscopy 785(1997)111

Oxidative and reductive amperometric detection of phenolic and nitroaromatic compounds in packed capillary column supercritical fluid chromatography 785(1997)121

Interfacing supercritical fluid chromatography with atomic fluorescence spectrometry for the determination of organomercury compounds 786(1997)188

Inductively coupled plasma mass spectrometric detection for chromatography and capillary electrophoresis (Review) 789(1997)85

Fluorescence detection in packed-column supercritical fluid chromatographic separations 798(1998)203

#### **Detection, SFE**

Determination of total petroleum hydrocarbons in soil by on-line supercritical fluid extraction–infrared spectroscopy using a fiber-optic transmission cell and a simple filter spectrometer 785(1997)269

#### **Detection, TLC**

Quantitative evaluation of chromatograms from totally illuminated thin-layer chromatographic plates 768(1997)329

Application of a colour analyzer in quantitative thin-layer chromatography 771(1997)251

Iodine–azide reagent in detection of thiophosphoryl nucleotides in thin-layer chromatography systems 773(1997)285

#### **Detection limit**

Calculation of detection limits for a single-laboratory ion-chromatographic method to determine parts-per-trillion ions in ultrapure water 770(1997)105

#### **Detector wavelength ruggedness**

Investigation of response factor ruggedness for the determination of drug impurities using high-performance liquid chromatography with ultraviolet detection 762(1997)227

#### **Deuterium isotope effects**

<sup>2</sup>H<sub>2</sub>O effects on the inclusion complexation of β-cyclodextrin with sodium 2-naphthalenesulfonate in capillary electrophoresis and UV spectrophotometry 800(1998)327

#### **Dextran-coated silica**

Dextran-coated silica and its behavior in high-performance size-exclusion chromatography 755(1996)1

#### **Diabetes mellitus**

Distribution of the total unsaturation in lipid components of plasma as a new differential diagnostic method in clinical analysis 777(1997)47

#### **Dialysis**

see also Microdialysis

Fully automated precolumn derivatization, on-line dialysis and high-performance liquid chromatographic analysis of amino acids in food, beverages and feedstuff 798(1998)9

Determination of flumequine and oxolinic acid in fortified chicken tissue using on-line dialysis and high-performance liquid chromatography with fluorescence detection 799(1998)349

#### **Diastereomer separation**

Chromatographic behaviour of diastereoisomers. XIII. Adsorptivity of esters of *Z*- and *E*-2,3-diphenylpropenoic acids and similar compounds on silica in terms of the Snyder theory 758(1997)135

Enantiomeric and diastereomeric separation of di- and tripeptides by capillary electrophoresis 758(1997)303

High-performance liquid chromatographic separation of  $\beta$ -methyl ADC-13 enolphosphate diphenyl ester and its  $\alpha$ -methyl diastereomer 762(1997)327

Separation and analysis of the diastereomers and enantiomers of cypermethrin and related compounds 777(1997)363

Separation of cationic *cis-trans* (*Z-E*) isomers and diastereoisomers using non-aqueous capillary electrophoresis 792(1997)49

Enantiomeric separation of small chiral peptides by capillary electrophoresis 792(1997)393

Indirect separation of chiral proteinogenic  $\alpha$ -amino acids using the fluorescence active (1*R*,2*R*)-*N*-[(2-isothiocyanato)-cyclohexyl]-6-methoxy-4-quinolinylamide) as chiral derivatizing agent. A comparison 795(1998)251

#### **Diatomaceous earth**

Diatomaceous earth-assisted extraction for the multiresidue determination of pesticides 765(1997)23

#### ***Dictyostelium discoideum***

Purification by reflux electrophoresis of whey proteins and of a recombinant protein expressed in *Dictyostelium discoideum* 773(1997)299

#### **Diesel exhaust**

Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121

#### **Diffusion coefficients**

Determination of diffusion coefficients and separation numbers in micellar electrokinetic chromatography 766(1997)187

Systematic approach to links between separations in capillary electrophoresis and liquid chromatography. IV. Application of binding constant-retention factor relationship to the separation of 2-, 3- and 4-methylbenzoate anions using  $\beta$ -cyclodextrin as selector 768(1997)29

Diffusion, adsorption and catalytic studies by gas chromatography (Review) 795(1998)133

#### ***Digitalis lanata***

Isolation of cardenolides from a Brazilian cultivar of *Digitalis lanata* by rotation locular counter-current chromatography 756(1996)287

#### **Digital-signal processing techniques**

Correlation and digital signal processing techniques for the reduction of detection limits of bromate and bromide in model water samples by ion chromatography with direct ultraviolet detection 789(1997)247

#### **Dinonylphthalate phases**

Unified retention concept – statistical treatment of Kováts retention index 764(1997)257

#### ***Dinophysis acuta***

Liquid chromatography with fluorimetric, mass spectrometric and tandem mass spectrometric detection for the investigation of the seafood-toxin-producing phytoplankton, *Dinophysis acuta* 777(1997)213

#### **Diode array detection**

Simulations of liquid chromatography–diode array detector data including instrumental artefacts for the evaluation of mixture analysis techniques 758(1997)1

Use of simulated liquid chromatography–diode array detection data for the definition of a guide curve in peak purity assessment by spectral comparison 786(1997)1

#### **Dipolarity**

Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249

#### **Displacement chromatography**

Comparison of anion-exchange and hydroxyapatite displacement chromatography for the isolation of whey proteins 760(1997)125

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

Productivity and operating regimes in protein chromatography using low-molecular-mass displacers 771(1997)9

Displacement chromatography with on-column isomerization 787(1997)1

Flow-rate dependence of the height equivalent to a theoretical plate in nitrogen isotope separation by displacement chromatography 793(1998)223

#### **Displacement electrophoresis**

Separation power of isotachopheresis (displacement electrophoresis) with continuous pH and conductivity gradients 764(1997)309

Displacement electrophoresis of ampholytes in a continuous pH gradient moving in a capillary with a non-constant cross-section 768(1997)283

#### **Displacers**

Productivity and operating regimes in protein chromatography using low-molecular-mass displacers 771(1997)9

#### **Dissociation constants**

Prediction of  $pK_a$  values of phenolic and nitrogen-containing compounds by computational chemical analysis compared to those measured by liquid chromatography 762(1997)55

General equation for calculating the dissociation constants of polyprotic acids and bases from measured retention factors in high-performance liquid chromatography 762(1997)63

Use of secondary equilibria in reversed-phase high-performance liquid chromatography for the determination of dissociation constants of polyprotic leukotrienes 763(1997)199

Modification of capillary electrophoresis selectivity in hydro-organic solutions. Dissociation constants and Stokes radius measurements of peptides in water–2,2,2-trifluoroethanol mixtures 792(1997)57

#### **Dissolved organic carbon**

Ultrafiltration: a technique for determining the molecular-mass distribution of group parameters of organic pollutants in natural waters 763(1997)315

#### **Distribution coefficients**

Technetium speciation: non-size effects in size-exclusion chromatography 755(1996)219

Evaluation of distribution coefficients in micellar liquid chromatography (Review) 780(1997)103

#### **Distribution constants**

Control of separation selectivity in micellar electrokinetic chromatography by modification of the micellar phase with solubilized organic compounds (Review) 780(1997)165

#### **Divinylsulfone-based T-gel**

Ligand structure of the divinylsulfone-based T-gel 787(1997)47

#### **DNA fragmentation**

Analysis of DNA fragmentation using a dynamic size-sieving polymer solution in capillary electrophoresis 771(1997)319

#### **DNA typing**

Rapid sizing of polymorphic microsatellite markers by capillary array electrophoresis 781(1997)295

#### **Domain size**

Effect of domain size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography 797(1998)121

#### **Double-layered composite particles**

Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13

#### **Drinking water**

Simultaneous quantitation of sixteen organochlorine pesticides in drinking waters using automated solid-phase extraction, high-volume injection, high-resolution gas chromatography 773(1997)271

#### **Drying agent**

Evaluation of a fibrous cellulose drying agent in supercritical fluid extraction and pressurized liquid extraction of diverse pesticides 785(1997)313

#### **Dual detection**

Effect of local polydispersity in size exclusion chromatography with dual detection 793(1997)21

#### **Dwell time**

Optimization of the dwell-time for the quantitative analysis by gas chromatography–mass spectrometry 765(1997)241

#### **Dye ligands**

Modification of polystyrenic matrices for the purification of proteins. II. Effect of the degree of glutaraldehyde–poly(vinyl alcohol) crosslinking on various dye ligand chromatography systems 776(1997)55

#### **Dynamic axial compression**

see Axial compression

#### **Dynamic simulation**

Parameter estimation for the simulation of liquid chromatography 769(1997)59

Dynamic simulation of simulated moving bed chromatographic reactors 769(1997)71

## **E**

#### **Effective size**

Analysis of colloids. IX. Investigation of the electrical double layer of colloidal inorganic nanometer-particles by size-exclusion chromatography 773(1997)179

#### **Efficiency**

Investigation of the separation efficiency of hydrophobic compounds in suspension electrokinetic chromatography 768(1997)320

Some reflections on speed and efficiency of modern chromatographic methods (Review) 778(1997)3

Causes and remediation of reduced efficiency in micellar liquid chromatography (Review) 780(1997)191

Enhancement of the separation efficiency through temperature control in preparative high-performance liquid chromatography columns 796(1998)223

**Eggs**

Determination of nitrofuran residues in avian eggs by liquid chromatography–UV photodiode array detection and confirmation by liquid chromatography–ionspray mass spectrometry 777(1997)201

**Electrical double layer**

Analysis of colloids. IX. Investigation of the electrical double layer of colloidal inorganic nanometer-particles by size-exclusion chromatography 773(1997)179

Electrostatic effects on protein partitioning in size-exclusion chromatography and membrane ultrafiltration 796(1998)229

**Electric double layer overlap**

Capillary electrochromatography: effect of electrolyte concentration on electroosmotic flow and column efficiency 782(1997)181

**Electric field, radial**

Capillary zone electrophoresis with external radial electric field control of electroosmotic flow and its application to the separation of synthetic oligopeptides 772(1997)221

**Electrochemical detection**

see also Amperometric detection, Coulometric detection, Potentiometric detection and Pulsed amperometric detection

Determination of higher fatty acids in oils by high-performance liquid chromatography with electrochemical detection 764(1997)177

Determination of cysteine by capillary zone electrophoresis with end-column amperometric detection at a gold/mercury amalgam microelectrode without deoxygenation 769(1997)307

Separation of cyclic nitroxide free radicals and their redox forms with dual microelectrochemical detection 771(1997)89

Detection of the oxidative products of 3-hydroxykynurenine using high-performance liquid chromatography–electrochemical detection–ultraviolet absorption detection–electron spin resonance spectrometry and high-performance liquid chromatography–electrochemical detection–ultraviolet absorption detection–mass spectrometry 773(1997)23

Anion-exchange chromatography with electrochemical detection of alditols and sugars at a  $\text{Cu}_2\text{O}$ –carbon composite electrode 773(1997)115

On-line electrochemical detection of carbohydrates coupled with the periodate oxidation 790(1997)1

Capillary electrophoresis and electrochemical detection with a conventional detector cell 798(1998)289

**Electrochemically modulated liquid chromatography**

Separations of benzodiazepines using electrochemically modulated liquid chromatography. Efficient separations from changes in the voltage applied to a porous graphitic carbon stationary phase 793(1998)204

**Electrochemiluminescence detection**

Liquid chromatography with luminol-based electrochemiluminescence detection. Determination of histamine 799(1998)57

**Electrochromatography**

Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165

Comparison of ODS-modified silica gels as stationary phases for electrochromatography in packed capillaries 758(1997)191

Improved preparative electrochromatography column design 760(1997)259

Separation of proteins and peptides by capillary electrochromatography in diol- and octadecyl-modified etched capillaries 763(1997)307

Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33

Tapers and restrictors for capillary electrochromatography and capillary electrochromatography–mass spectrometry 768(1997)9

Gradient capillary electrochromatography of drug mixtures with UV and electrospray ionisation mass spectrometric detection 768(1997)89

Application of a modified central composite design to optimize the capillary electrochromatographic separation of related S-oxidation compounds 769(1997)145

Sol–gel-derived fluorinated stationary phase for open tubular electrochromatography 773(1997)65

Some reflections on speed and efficiency of modern chromatographic methods (Review) 778(1997)3

Influence of sample plug width in capillary electrochromatography 779(1997)155

Dynamics of capillary electrochromatography. Experimental study on the electroosmotic flow and conductance in open and packed capillaries 781(1997)161

Capillary electrochromatography: theories on electroosmotic flow in porous media (Review) 781(1997)185

Application of mixed mobile phases and a step gradient method in capillary electrochromatography for the separation of isomeric polycyclic aromatic hydrocarbon–deoxyribonucleoside adduct mixtures prepared in vitro 781(1997)327

Capillary electrochromatography: normal-phase mode using silica gel and cellulose-based packing materials 782(1997)167

Enantioseparations by electrochromatography with packed capillaries 782(1997)175

Capillary electrochromatography: effect of electrolyte concentration on electroosmotic flow and column efficiency 782(1997)181

Chiral separation principles in capillary electrophoresis (Review) 792(1997)179

Separation selectivity in chiral capillary electrophoresis with charged selectors (Review) 792(1997)269

Capillary electrochromatography with molecular imprint-based selectivity for enantiomer separation of local anaesthetics 792(1997)401

Simplification of capillary electrochromatography procedures 798(1998)243

Capillary electrochromatography of steroids. Increased sensitivity by on-line concentration and comparison with high-performance liquid chromatography 798(1998)259

#### **Electrode position**

Influence of the sample volume and the position of the electrode and the capillary-end in the sample vial on the electrokinetic injection in capillary electrophoresis 788(1997)212

#### **Electrodes**

Simultaneous determination of purine bases, ribonucleosides and ribonucleotides by capillary electrophoresis–electrochemistry with a copper electrode 760(1997)227

Improved preparative electrochromatography column design 760(1997)259

Determination of cysteine by capillary zone electrophoresis with end-column amperometric detection at a gold/mercury amalgam microelectrode without deoxygenation 769(1997)307

Anion-exchange chromatography with electrochemical detection of alditols and sugars at a Cu<sub>2</sub>O–carbon composite electrode 773(1997)115

On-line electrochemical detection of carbohydrates coupled with the periodate oxidation 790(1997)1

#### **Electrodes, copper**

Potentiometric detection of aliphatic amines by flow injection analysis and ion-interaction chromatography with a metallic copper electrode 758(1997)227

Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes 766(1997)27

#### **Electrodialysis**

On-line electrodialysis–capillary zone electrophoresis of adenosine triphosphate and inositol phosphates 764(1997)135

On-line electrodialysis–capillary zone electrophoresis–mass spectrometry of inositol phosphates in complex matrices 777(1997)51

Three-compartment electrodialysis device for on-line sample clean-up and enrichment prior to capillary electrophoresis 788(1997)165

#### **Electroelution**

Semipreparative isolation of collagen types I, II, III and V by sodium dodecyl sulfate–polyacrylamide gel electrophoresis and electroelution 758(1997)313

#### **Electro-elution ion chromatography**

Electro-elution ion chromatography: controlling sample retention by electrochemically generating or modifying the mobile phase 782(1997)69

#### **Electroendosmosis**

Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33

#### **Electroinjection analysis**

Electroinjection analysis. Concept, mathematical model and applications 772(1997)115

#### **Electrokinetic chromatography**

see also Micellar electrokinetic chromatography and Microemulsion electrokinetic chromatography

Application of particles as pseudo-stationary phases in electrokinetic chromatography (Review) 780(1997)63

Polyallylamine-supported pseudo-stationary phases for electrokinetic chromatography. Effect of alkyl chain length of the pseudo-stationary phase and methanol content of aqueous buffer on the separation of hydrophobic compounds 781(1997)139

Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349

Separation of neutral compounds by capillary electrokinetic chromatography with a replaceable charged linear polymer as pseudo-stationary phase 798(1998)269

**Electrokinetic chromatography, reversed-flow**

Electrokinetic chromatography without electroosmotic flow  
792(1997)125

**Electrokinetic injection**

On-line concentration of neutral analytes for micellar  
electrokinetic chromatography. IV. Field-enhanced sample  
injection 798(1998)251

**Electromigration dispersion**

N-(Polyethyleneglycol monomethyl ether)-N-  
methylmorpholinium-based background electrolytes in capillary  
electrophoresis 763(1997)253

**Electron capture detection**

Negative chromatographic peaks with oxygen doped electron  
capture detection of polychlorinated biphenyls 775(1997)368

**Electron diffraction detection**

Gas-phase electron diffraction as a detection method in capillary  
gas chromatography 793(1998)209

**Electron donor-acceptor chromatography**

Comparison of the protein adsorption selectivity of salt-  
promoted agarose-based adsorbents. Hydrophobic, thiophilic and  
electron donor-acceptor adsorbents 800(1998)151

**Electron spin resonance**

Novel methods for identification and quantification of the  
mushroom nephrotoxin orellanine. Thin-layer chromatography  
and electrophoresis screening of mushrooms with electron spin  
resonance determination of the toxin 758(1997)145

**Electroosmotic flow**

Characterization and impact of the temporal behavior of the  
electroosmotic flow in capillary isoelectric focusing with  
electroosmotic zone displacement 756(1996)219

Comparison of ODS-modified silica gels as stationary phases  
for electrochromatography in packed capillaries 758(1997)191

Electroosmotic flow mobilities in open and packed capillaries  
with spermine and other amine flow modifiers 768(1997)3

Bidirectional isotachopheresis in open-tubular, untreated fused-  
silica capillaries 772(1997)3

Modified electroosmotic flow by cationic surfactant additives in  
capillary electrophoresis. Evaluation of electrolyte systems for  
anion analysis 772(1997)171

Capillary zone electrophoresis with external radial electric field  
control of electroosmotic flow and its application to the  
separation of synthetic oligopeptides 772(1997)221

Enhanced capillary zone electrophoretic separation of  
dinitrophenyl-amino acid derivatives through control of  
electroosmotic flow by the buffer cation 775(1997)327

Theoretical aspects on the regulation of electroosmotic flow in  
capillary electrophoresis by adding charged amphiphiles  
776(1997)311

Effects of electroosmotic flow on zone mobilization in capillary  
isoelectric focusing 781(1997)113

Dynamics of capillary electrochromatography. Experimental  
study on the electroosmotic flow and conductance in open and  
packed capillaries 781(1997)161

Capillary electrochromatography: theories on electroosmotic  
flow in porous media (Review) 781(1997)185

Comparison of capillary electrophoresis systems for the reliable  
identification of some carboxylic acids using the marker  
technique 781(1997)239

Capillary electrochromatography: normal-phase mode using  
silica gel and cellulose-based packing materials 782(1997)167

Capillary electrochromatography: effect of electrolyte  
concentration on electroosmotic flow and column efficiency  
782(1997)181

Sub-minute separations of organic and inorganic anions with  
co-electroosmotic capillary electrophoresis 787(1997)243

Capillary zone electrophoresis with fluid-impervious polymer  
tubing inside a fused-silica capillary 788(1997)155

Electroosmotic flow suppressing additives for capillary zone  
electrophoresis in a hydrodynamically closed separation system  
792(1997)483

Dynamic control for the separation of organic acids in capillary  
electrophoresis 793(1998)145

**Electroosmotic flow modifiers**

High-speed separation of carboxylic acids by co-electroosmotic  
capillary electrophoresis with direct and indirect UV detection  
758(1997)263

**Electroosmotic zone displacement**

Characterization and impact of the temporal behavior of the  
electroosmotic flow in capillary isoelectric focusing with  
electroosmotic zone displacement 756(1996)219

**Electrophoresis**

see also Capillary array electrophoresis, Capillary  
electrophoresis, Continuous-flow electrophoresis, Displacement  
electrophoresis, Kinetic differentiation electrophoresis,  
Preparative electrophoresis, Recycling electrophoresis and  
Vacancy electrophoresis

Detection of electrophoretically separated amylase inhibitors in  
starch-polyacrylamide gels 752(1996)261

- Determination and prediction of transfer ratios for anions in capillary zone electrophoresis with indirect UV detection 770(1997)291
- Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39
- Unusual separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses by capillary zone electrophoresis 791(1997)307
- Theory of the correlation between capillary and free-flow zone electrophoresis and its use for the conversion of analytical capillary separations to continuous free-flow preparative processes. Application to analysis and preparation of fragments of insulin 796(1998)211
- Analysis of ethoxylated polymers by capillary electrophoresis in UV-transparent polymer networks and by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 800(1998)13
- Dynamic control and indirect absorption detection for high-speed capillary electrophoretic separation of organic acids 800(1998)339
- Electrophoresis, bidirectional**  
Bidirectional isotachopheresis in open-tubular, untreated fused-silica capillaries 772(1997)3
- Electrophoretically mediated microanalysis**  
Electroinjection analysis. Concept, mathematical model and applications 772(1997)115
- Electrophoretic mobility**  
Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127
- General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis-mass spectrometry 767(1997)263
- Mobility measurements on dansylated amino acids 768(1997)153
- Comparisons of the mobilities of salt ions obtained by the moving boundary method and two empirical equations in capillary electrophoresis 771(1997)374
- Training software for chiral separations in capillary electrophoresis 772(1997)195
- Electromigration behaviour of DNA molecules at the free electrolyte-polymer solution interface 772(1997)243
- Salt effects in capillary zone electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius 786(1997)171
- Evaluation of capillary zone electrophoresis equilibrium data using the CELET program 786(1997)321
- Erratum to "General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis-mass-spectrometry". [J. Chromatogr. A, 767 (1997) 263-276] 786(1997)384
- Migration behavior and selectivity of sulfonamides in capillary electrophoresis 792(1997)37
- Dynamic control for the separation of organic acids in capillary electrophoresis 793(1998)145
- Electrophoretic mobility markers**  
Comparison of capillary electrophoresis systems for the reliable identification of some carboxylic acids using the marker technique 781(1997)239
- Electrospray ionization**  
see also Mass spectrometry
- Application of liquid chromatography-atmospheric pressure ionization mass spectrometry in natural product analysis. Evaluation and optimization of electrospray and heated nebulizer interfaces 755(1996)189
- Determination of Staphylococcal Enterotoxin B by on-line (micro) liquid chromatography-electrospray mass spectrometry 757(1997)51
- Tapers and restrictors for capillary electrochromatography and capillary electrochromatography-mass spectrometry 768(1997)9
- Capillary electrophoresis with electrospray mass spectrometry detection for low-molecular-mass compounds 781(1997)99
- Evaluation of an electrospray interface for capillary electrophoresis-time-of-flight mass spectrometry 791(1997)269
- Characterization of surfactants and their biointermediates by liquid chromatography-mass spectrometry (Review) 794(1998)165
- Selective analysis of the herbicides glyphosate and aminomethylphosphonic acid in water by on-line solid-phase extraction-high-performance liquid chromatography-electrospray ionization mass spectrometry 794(1998)187
- Development of a method for quantitation of retinol and retinyl palmitate in human serum using high-performance liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry 794(1998)245
- Mechanistic aspects of electrospray ionization (Review) 794(1998)345
- Cationization in electrospray microcolumn liquid chromatography-mass spectrometry 794(1998)359

Advances in instrumentation in liquid chromatography–mass spectrometry and related liquid-introduction techniques (Review) 794(1998)407

Sensitive high-resolution analysis of biological molecules by capillary zone electrophoresis coupled with reflecting time-of-flight mass spectrometry 800(1998)1

Liquid chromatographic–high-resolution mass spectrometric and tandem mass spectrometric identification of synthetic peptides using electrospray ionization 800(1998)89

#### **Electrostatic interactions**

Nonaqueous anion-exchange chromatography. I. Role of solvation in anion-exchange resin 758(1997)19

Electrostatic effects on protein partitioning in size-exclusion chromatography and membrane ultrafiltration 796(1998)229

#### **Electrotopological indices**

Prediction of migration behaviour of flavonoids in capillary zone electrophoresis by means of topological indices 798(1998)233

#### **Eluotropic strength**

Influence of mobile phase composition on methylene group selectivity and homologous compound retention in near-critical mobile phases 796(1998)355

#### **Elution order**

Aspects of the elution order inversion by pressure changes in programmed-temperature gas chromatography 779(1997)263

#### **Elution profiles**

Influence of differences between sample and mobile phase viscosities on the shape of chromatographic elution profiles 775(1997)73

#### **Embalming mixtures**

Identification of phenolic acids and inositols in balms and tissues from an Egyptian mummy 767(1997)177

#### **Enantiomer separation**

Chiral recognition models for the liquid chromatographic resolution of  $\pi$ -acidic racemates on a chiral stationary phase derived from *N*-phenyl-*N*-alkylamide of (*S*)-naproxen 752(1996)77

Enantioseparation of 3-phenylacetyl-amino-2,6-piperidinedione and related chiral compounds 752(1996)93

Enantioseparation of a protease inhibitor, indinavir, by subcritical fluid chromatography 752(1996)101

Resolution of enantiomers of uridine analogs, potential antiviral agents 752(1996)131

Separation of chiral polychlorinated biphenyls by micellar electrokinetic chromatography using  $\beta$ - and  $\gamma$ -cyclodextrin mixtures in the separation buffer 752(1996)265

Liquid and subcritical CO<sub>2</sub> separations of enantiomers on a broadly applicable polysiloxane chiral stationary phase 753(1996)109

Chiral crown ether-anchored polysiloxanes as capillary gas chromatography stationary phases 753(1996)269

Enantiomeric resolution of pyrethroids by high-performance liquid chromatography with diode-laser polarimetric detection 754(1996)97

Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367

Comparison of  $\gamma$ -cyclodextrin sulfobutyl ether and unmodified  $\gamma$ -cyclodextrin as chiral selectors in capillary electrophoresis 755(1996)81

Ergot alkaloids as chiral selectors in capillary electrophoresis. Determination of the separation mechanism 755(1996)251

Enantiomer separation on a Chirasil-Dex-polymer-coated stationary phase by conventional and micro-packed high-performance liquid chromatography 755(1996)299

Enantiomeric separations of halogen-substituted 2-aryloxypropionic acids by high-performance liquid chromatography on a terguride-based chiral stationary phase 756(1996)119

Chiral separations of  $\beta$ -blocking drug substances using the Pirkle-type  $\alpha$ -Burke 1 chiral stationary phase 757(1997)65

Enantiomeric separation of diols and  $\beta$ -amino alcohols by chiral stationary phase derived from (*R,R*)-tartramide 757(1997)73

Approach to the thermodynamics of enantiomer separation by gas chromatography. Enantioselectivity between the chiral inhalation anesthetics enflurane, isoflurane and desflurane and a diluted  $\gamma$ -cyclodextrin derivative 757(1997)119

Separation of enantiomers and isomers of amino compounds by capillary electrophoresis and high-performance liquid chromatography utilizing crown ethers 757(1997)225

Capillary electrophoresis of herbicides. II. Evaluation of alkylglucoside chiral surfactants in the enantiomeric separation of phenoxy acid herbicides 757(1997)263

Enantiomeric separations of primary amino compounds by non-aqueous capillary zone electrophoresis with a chiral crown ether 757(1997)328

Some recent high-performance liquid chromatography separations of the enantiomers of pharmaceuticals and other compounds using the Whelk-O 1 chiral stationary phase 758(1997)93

- Effect of  $\beta$ -cyclodextrin acetylation on the resolution of phenethylamines with capillary electrophoresis and nuclear magnetic resonance spectroscopy 758(1997)277
- Enantiomeric and diastereomeric separation of di- and tripeptides by capillary electrophoresis 758(1997)303
- Chiral bioanalysis by normal phase high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry 759(1997)65
- Chiral separation of monoterpenes using mixtures of sulfated  $\beta$ -cyclodextrins and  $\alpha$ -cyclodextrin as chiral additives in the reversed-polarity capillary electrophoresis mode 759(1997)149
- Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized-amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. I. Discussion of optimum separation conditions 759(1997)157
- Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. II. Evaluation of complexation constants 759(1997)167
- Chiral resolution of pantoprazole sodium and related sulfoxides by complex formation with bovine serum albumin in capillary electrophoresis 759(1997)185
- Evaluation of simulated moving bed chromatography for pharmaceutical process development 760(1997)159
- Direct liquid chromatographic enantioseparation of sotalol and other  $\beta$ -blockers using an  $\alpha_1$ -acid glycoprotein-based chiral stationary phase 760(1997)193
- Optical resolution of new quinolone drugs by capillary electrophoresis with ligand-exchange and host–guest interactions 760(1997)235
- Enantiomeric separation of chiral theophylline derivatives by liquid chromatography on cellulose-based sorbents 760(1997)278
- Predictable chromatographic separations of enantiomers: aryl allenic acids and their derivatives 761(1997)65
- Study of retention, efficiency and selectivity in chiral ligand-exchange chromatography with a dynamically coated stationary phase 761(1997)79
- High-performance liquid chromatographic methods for separation of enantiomers of alicyclic  $\beta$ -amino acids 761(1997)103
- Investigation into the chiral recognition mechanism of *N*-arylthiazolin-2(thi)one atropisomers on Chiralcel OJ by factorial design and lipophilicity approaches 761(1997)129
- Enantioselective capillary gas chromatography and capillary supercritical fluid chromatography on an immobilized  $\gamma$ -cyclodextrin derivative 761(1997)181
- Chiral separation of neutral species by capillary electrophoresis. Evaluation of a theoretical model 761(1997)249
- Chiral resolution of diols by capillary electrophoresis using borate–cyclodextrin complexation 761(1997)269
- On-line column-switching high-performance liquid chromatography analysis of cardiovascular drugs in serum with automated sample clean-up and zone-cutting technique to perform chiral separation 762(1997)235
- Enantiomeric resolution on Chiral-AGP with the aid of experimental design. Unusual effects of mobile phase pH and column temperature 763(1997)105
- Influence of chromatographic descriptors on enantioresolution of a dihydropyridine and structurally related compounds 763(1997)115
- Enantioseparation of fourteen *O*-ethyl *O*-phenyl *N*-isopropyl phosphoramidothioates by high-performance liquid chromatography on a chiral stationary phase 763(1997)125
- Management of nonmatrix interfering peaks in a chiral high-performance liquid chromatographic assay produced by solid-phase extraction of rat plasma 763(1997)129
- Ruggedness of enantiomeric separation by capillary electrophoresis and high-performance liquid chromatography with methylated cyclodextrins as chiral selectors 763(1997)139
- Chiral recognition and racemic resolution of drug enantiomers by electrophoresis based on host–guest complexation 763(1997)261
- Rapid separation of enantiomers in perfusion chromatography using a protein chiral stationary phase 764(1997)35
- Migration order reversal of enantiomers in capillary electrophoretic separation 764(1997)151
- Chiral chromatography of amino acids on porous graphitic carbon coated with a series of *N*-substituted *L*-phenylalanine selectors. Effect of the anchor molecule on enantioselectivity 765(1997)187
- Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of *D*- and *L*-tryptophan with immobilized human serum albumin 766(1997)15
- Determination of residual amines used in bulk drug synthesis by pre-column derivatization with 3,5-dinitrobenzoyl chloride and high-performance liquid chromatography 766(1997)77

- Effect of organic modifiers on retention and enantiomeric separations by capillary electrophoresis with human serum albumin as a chiral selector in solution 766(1997)237
- Adsorption liquid chromatography on silica for the chiral separation of amino acids and asymmetric amines derivatized with optically active N- $\alpha$ -9-Fmoc-amino acid-N-carboxyanhydrides 767(1997)69
- On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection 767(1997)93
- Separation of acyclic derivatives of sugar enantiomers using gas chromatography on chiral stationary phases of permethylated  $\alpha$ -,  $\beta$ - and  $\gamma$ -cyclodextrin 767(1997)325
- Mobility measurements on dansylated amino acids 768(1997)153
- Modeling, simulation and operation of a simulated moving bed for continuous chromatographic separation of 1,1'-bi-2-naphthol enantiomers 769(1997)25
- Laboratory-developed simulated moving bed for chiral drug separations. Design of the system and separation of Tramadol enantiomers 769(1997)49
- Dynamic simulation of simulated moving-bed chromatographic processes for the optimization of chiral separations 769(1997)81
- Comparison of the specific productivity of different chiral stationary phases used for simulated moving-bed chromatography 769(1997)93
- Applications of simulated moving-bed chromatography to the separation of the enantiomers of chiral drugs 769(1997)101
- Preparative enantiomer separation of the inhalation anesthetics enflurane, isoflurane and desflurane by gas chromatography on a derivatized  $\gamma$ -cyclodextrin stationary phase 769(1997)119
- Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments. II. Characterization of protein fragments and chiral binding sites 769(1997)215
- Liquid chromatographic separation of the enantiomers of beclonazole and its potential impurities 769(1997)231
- Enantiomer separation of selected atropisomeric polychlorinated biphenyls including PCB 144 on *tert*-butyldimethylsilylated  $\beta$ -cyclodextrin 769(1997)247
- Determination of the absolute configuration of sugar residues using gas chromatography. Method with potential for elimination of references 769(1997)253
- Enantioseparation in capillary electrophoresis using 2-hydroxypropyltrimethylammonium salt of  $\beta$ -cyclodextrin as a chiral selector 771(1997)259
- Optical resolution of phenylthiohydantoin-amino acids by capillary electrophoresis for protein sequencing 771(1997)311
- Chiral resolution of 4-substituted pyrrolidin-2-ones using high-performance liquid chromatography on cellulose and amylose chiral stationary phases 771(1997)343
- Reversed determination of the formation constants of 1-allyl terguride with mandelic acid optical isomers using capillary electrophoresis 772(1997)179
- Enantiomeric resolution study by capillary electrophoresis. Selection of the appropriate chiral selector 772(1997)185
- Training software for chiral separations in capillary electrophoresis 772(1997)195
- Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. I. Influences of the pore size of base silica materials and bound protein amounts on chiral resolution 773(1997)85
- Enantiomeric separation of the novel growth hormone secretagogue MK-0677 by capillary zone electrophoresis 773(1997)311
- Improved chiral separation using achiral modifiers in cyclodextrin modified capillary zone electrophoresis 773(1997)321
- Enantioseparation using selected polysaccharides as chiral buffer additives in capillary electrophoresis 773(1997)331
- Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins 774(1997)143
- Molecularly imprinted ligand-exchange adsorbents for the chiral separation of underivatized amino acids 775(1997)51
- High-resolution gas chromatographic test for the characterisation of enantioselective separation of organochlorine compounds. Application to *tert*-butyldimethylsilyl  $\beta$ -cyclodextrin 775(1997)275
- Enantiomeric properties of human albumin immobilized on porous silica supports coated with polymethacryloyl chloride 776(1997)37
- Enantioselectivity properties of human serum albumin immobilized on anion-exchangers based on polyvinylimidazole-coated silica. Effect of protein loading on separation properties 776(1997)45

- Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. II. Comparison of chiral recognition properties with crude ovomucoid 777(1997)241
- Dry look at the CHARM (charged resolving agent migration) model of enantiomer separations by capillary electrophoresis 777(1997)295
- Separation and analysis of the diastereomers and enantiomers of cypermethrin and related compounds 777(1997)363
- Computerized optimization of selectivity for direct capillary gas chromatographic multicomponent separations of enantiomers 779(1997)253
- Micelle polymers, polymer surfactants and dendrimers as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)75
- Molecular recognition with micellar and micelle-like aggregates in aqueous media (Review) 780(1997)179
- Separation of metal ions and metal-containing species by micellar electrokinetic capillary chromatography, including utilisation of metal ions in separations of other species (Review) 780(1997)329
- Achievement of enantioselectivity of non-polar primary amines by a non-chiral crown ether 781(1997)129
- Enantiomer separation of acidic racemates by capillary electrophoresis using cationic and amphoteric  $\beta$ -cyclodextrins as chiral selectors 781(1997)151
- Enantiomeric separation of acidic herbicides by capillary electrophoresis using vancomycin as chiral selector 781(1997)503
- Enantioseparations by electrochromatography with packed capillaries 782(1997)175
- Systematic approach to cost- and time-effective method development with a starter kit for chiral separations by capillary electrophoresis 782(1997)257
- Enantiomeric separation of a tetrapeptide with cyclodextrin. Extension of the model for chiral capillary electrophoresis by complex formation of one enantiomer molecule with more than one chiral selector molecules 782(1997)271
- Separation of basic drug enantiomers by capillary zone electrophoresis using ovoglycoprotein as a chiral selector 782(1997)281
- Erratum to "On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection". [J. Chromatogr. A, 767 (1997) 93–100] 782(1997)296
- Enantiomer separations on chiral stationary phases in supercritical fluid chromatography (Review) 785(1997)149
- Chiral packed column subcritical fluid chromatography on polysaccharide and macrocyclic antibiotic chiral stationary phases 785(1997)159
- Enantioseparations by subcritical fluid chromatography at cryogenic temperatures 785(1997)173
- Chiral supercritical fluid chromatography of phenylpropanols and related compounds 785(1997)179
- Chiral resolution of four optical isomers of diltiazem hydrochloride on Chiralcel columns by packed-column supercritical fluid chromatography 785(1997)185
- Regioselectively carbamoylated polysaccharides for the separation of enantiomers in high-performance liquid chromatography 786(1997)13
- Enantiomeric determination of amino compounds with high sensitivity using the chiral reagents (+)- and (-)-1-(9-anthryl)-2-propyl chloroformate 786(1997)347
- New 1,3,5-triazine based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 786(1997)355
- Molecularly imprinted polymers by suspension polymerisation in perfluorocarbon liquids, with emphasis on the influence of the porogenic solvent 787(1997)55
- 3-Fluoro-, 3-chloro- and 3-bromo-5-methylphenylcarbamates of cellulose and amylose as chiral stationary phases for high-performance liquid chromatographic enantioseparation 787(1997)67
- Thermodynamic study of the retention behaviour of selected macrocycles using reversed-phase high-performance thin-layer chromatography plates and methanol–water mobile phases 787(1997)227
- Non-linear structure–enantioselective retention relationships in a homologous series of 1,4-disubstituted piperazine derivatives 788(1997)81
- High-performance liquid chromatographic separation of enantiomers of 1,1'-binaphthyl-substituted  $\alpha$ -aminoisobutyric acid 790(1997)41
- Evaluation of quail egg white riboflavin binding protein as a chiral selector in high-performance liquid chromatography and capillary electrophoresis 790(1997)47
- Facile and predictable means of separating the enantiomers of 5-arylhydantoins 790(1997)65

- Enantiomeric and isomeric separation of herbicides using cyclodextrin-modified capillary zone electrophoresis 790(1997)225
- Enantiomeric separation of various lipoxygenase derived monohydroxy polyunsaturated fatty acid methyl esters by high-performance liquid chromatography 790(1997)235
- Bonded cellulose-derived high-performance liquid chromatography chiral stationary phases. III. Effect of the reticulation of the cellulose derivative on performance 791(1997)37
- Enantiomer separation of [60]fullerene derivatives by micro-column high-performance liquid chromatography using (*R*)-(-)-2-(2,4,5,7-tetranitro-9-fluorenylideneaminoxy) propionic acid as chiral stationary phase 791(1997)65
- Capillary electrophoretic separation of herbicidal enantiomers applying ergot alkaloids 791(1997)339
- Selectivity in capillary electrophoresis in the presence of micelles, chiral selectors and non-aqueous media (Review) 792(1997)13
- Separation of cationic *cis*-*trans* (*Z*-*E*) isomers and diastereoisomers using non-aqueous capillary electrophoresis 792(1997)49
- Electrokinetic chromatography without electroosmotic flow 792(1997)125
- Chiral separation principles in capillary electrophoresis (Review) 792(1997)179
- Controlling enantioselectivity in chiral capillary electrophoresis with inclusion-complexation (Review) 792(1997)227
- Separation selectivity in chiral capillary electrophoresis with charged selectors (Review) 792(1997)269
- Separation selectivity in chiral and achiral capillary electrophoresis with mixed cyclodextrins (Review) 792(1997)297
- Enantioselectivity in capillary electrophoresis using the macrocyclic antibiotics (Review) 792(1997)309
- Enantioselectivity in chiral capillary electrophoresis with polysaccharides (Review) 792(1997)327
- Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349
- Thermodynamics of chiral selectivity in capillary electrophoresis: separation of ibuprofen enantiomers with  $\beta$ -cyclodextrin 792(1997)371
- Influence of the degree of substitution of cyclodextrin sulfobutyl ether derivatives on enantioselective separations by electrokinetic chromatography 792(1997)379
- Separation of aldose enantiomers by capillary electrophoresis in the presence of optically active *N*-dodecoxycarbonylvalines 792(1997)385
- Enantiomeric separation of small chiral peptides by capillary electrophoresis 792(1997)393
- Capillary electrochromatography with molecular imprint-based selectivity for enantiomer separation of local anaesthetics 792(1997)401
- Application of cyclodextrin-modified micellar electrokinetic chromatography to the separations of selected neutral pesticides and their enantiomers 792(1997)419
- Chiral separation of 3-phenyl-3-(2-pyridyl)propylamines, and analogous guanidines and guanidine-*N*-carboxylic acid esters with high-performance liquid chromatography and capillary zone electrophoresis 793(1998)77
- Mechanism of capillary electrophoresis enantioseparations using a combination of an achiral crown ether plus cyclodextrins 793(1998)115
- Chiral separations of indan, tetralin and benzosuberan derivatives by capillary electrophoresis 793(1998)135
- Separation of enantiomers of drugs by capillary electrophoresis. V. Hydroxypropyl- $\alpha$ -cyclodextrin as chiral solvating agent 793(1998)153
- Separation of profen enantiomers by capillary electrophoresis using cyclodextrins as chiral selectors 793(1998)165
- High-performance liquid chromatographic enantiomeric resolution in the ten-vertex carborane series. Comparison of acetyl- and native  $\beta$ -cyclodextrin bonded chiral stationary phases 793(1998)249
- High-performance liquid chromatographic separation of enantiomers of unusual amino acids on a teicoplanin chiral stationary phase 793(1998)283
- Enantiomeric separation of propranolol and selected metabolites by using capillary electrophoresis with hydroxypropyl- $\beta$ -cyclodextrin as chiral selector 793(1998)357
- Enantiomeric separation of amino acids by capillary electrophoresis with  $\alpha$ -cyclodextrin 793(1998)414
- Enantioselective determination of terazosin in human plasma by normal phase high-performance liquid chromatography-electrospray mass spectrometry 794(1998)45

- Indirect separation of chiral proteinogenic  $\alpha$ -amino acids using the fluorescence active (1*R*,2*R*)-*N*-[(2-isothiocyanato)-cyclohexyl]-6-methoxy-4-quinolinylamide) as chiral derivatizing agent. A comparison 795(1998)251
- Direct enantiomeric resolution of diphosphine and diphosphine oxide ligands by high-performance liquid chromatography 795(1998)289
- Chiral separation of racemic mexiletine hydrochloride using cyclodextrins as chiral additive by capillary electrophoresis 795(1998)394
- Simulated moving bed chromatographic resolution of a chiral antitussive 796(1998)239
- 3,5-Dimethylphenylcarbamates of amylose, chitosan and cellulose bonded on silica gel. Comparison of their chiral recognition abilities as high-performance liquid chromatography chiral stationary phases 796(1998)265
- Chromatographic resolution of synthetically useful chiral glycine derivatives by high-performance liquid chromatography 796(1998)299
- Chiral resolution of functionalized piperidine enantiomers by capillary electrophoresis with native, alkylated and anionic  $\beta$ -cyclodextrins 796(1998)375
- Screening of cyclodextrins by nuclear magnetic resonance for the design of chiral capillary electrophoresis separations 797(1998)149
- Chromatographic methods for monitoring the optical isomers of unusual aromatic amino acids 797(1998)165
- High-performance liquid chromatographic methods for separation of the isomers of  $\beta$ -amino acids possessing bicyclo[2.2.1]heptane or heptene skeletons 797(1998)177
- Effect of charged and uncharged chiral additives on the resolution of amlodipine enantiomers in liquid chromatography and capillary electrophoresis 797(1998)187
- High-performance liquid chromatography study of stereospecific microsomal enzymes catalysing the reduction of a potential cytostatic drug, oracin. Interspecies comparison 797(1998)197
- Determination of sedatives and anesthetics in plasma by liquid chromatography–mass spectrometry with a desalting system 797(1998)227
- Use of cationic cyclodextrin for enantioseparation by capillary electrophoresis 798(1998)275
- Use of chiral and achiral ion-pairing reagents in combination with cyclodextrins in capillary electrophoresis 798(1998)281
- Comparative capillary electrophoresis and NMR studies of enantioseparation of dimethindene with cyclodextrins 798(1998)315
- Diphenylethanediamine derivatives as chiral selectors. VIII. Influence of the second amido function on the high-performance liquid chromatographic enantioseparation characteristics of (*N*-3,5-dinitrobenzoyl)-diphenylethanediamine based chiral stationary phases 799(1998)67
- Separation of indenestrol A and B isomers and enantiomers by high-performance liquid chromatography 799(1998)117
- Synthesis and evaluation of a copolymeric chiral stationary phase 799(1998)177
- Chiral and nonchiral determination of ketoprofen in pharmaceuticals by capillary zone electrophoresis 799(1998)301
- Simultaneous determination and enantiomeric resolution of mecoprop and dichlorprop in soil samples by high-performance liquid chromatography and gas chromatography–mass spectrometry 799(1998)355
- Chiral capillary electrophoresis–electrospray mass spectrometry coupling using vancomycin as chiral selector 800(1998)69
- Chiral capillary electrophoresis–electrospray mass spectrometry coupling with charged cyclodextrin derivatives as chiral selectors 800(1998)77
- Optimization strategy for simulated moving bed systems 800(1998)135
- Separation of amino acid and peptide stereoisomers by nonionic micelle-mediated capillary electrophoresis after chiral derivatization 800(1998)345
- Enantioselectivity**
- Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized-amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. I. Discussion of optimum separation conditions 759(1997)157
- Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. II. Evaluation of complexation constants 759(1997)167
- Chiral chromatography of amino acids on porous graphitic carbon coated with a series of *N*-substituted *L*-phenylalanine selectors. Effect of the anchor molecule on enantioselectivity 765(1997)187
- Chiral discrimination by high-performance liquid chromatography with joint use of two cyclodextrin additives 782(1997)1

- Controlling enantioselectivity in chiral capillary electrophoresis with inclusion-complexation (Review) 792(1997)227
- Enantioselectivity in capillary electrophoresis using the macrocyclic antibiotics (Review) 792(1997)309
- Enantiomeric ratio**  
On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection 767(1997)93
- Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins 774(1997)143
- Erratum to "On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection". [J. Chromatogr. A, 767 (1997) 93-100] 782(1997)296
- End-capping**  
Optimization of end-capping of octadecyl-silylated silica gels by high-temperature silylation 757(1997)21
- Enhanced-fluidity liquid extraction**  
Supercritical fluid and enhanced-fluidity liquid extraction of phenolics from river sediment 764(1997)265
- Enhanced-fluidity liquids**  
Comparison of enhanced-fluidity and elevated temperature mobile phases for high-performance size-exclusion chromatography 785(1997)35
- Entangled polymers**  
Electrophoretic behaviour of fully sulfonated polystyrenes in capillaries filled with entangled polymer solutions 772(1997)369
- Environmental analysis**  
see also Special Issue Index
- Application of correlation analysis for identification of polychlorinated biphenyls 752(1996)197
- Rapid on-line chromatographic determination of trace-level munitions in aqueous samples 753(1996)81
- Microbore liquid chromatographic-mass spectrometric determination of atrazine and its major hydroxylated degradate in water at parts-per-trillion levels using electrospray 753(1996)243
- Recent advances in the residue analysis of N-methylcarbamate pesticides (Review) 754(1996)3
- High-performance separations in the determination of triazine herbicides and their residues (Review) 754(1996)17
- Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33
- Minimization of solvent consumption in pesticide residue analysis (Review) 754(1996)43
- Screening and analysis of polar pesticides in environmental monitoring programmes by coupled-column liquid chromatography and gas chromatography-mass spectrometry 754(1996)49
- Application of liquid chromatography-atmospheric-pressure chemical-ionization mass spectrometry to pesticide analysis 754(1996)61
- On-line and off-line solid-phase extraction with styrene-divinylbenzene-membrane extraction disks for determining pesticides in water by reversed-phase liquid chromatography-diode-array detection 754(1996)77
- Determination of the fungicides folpet, captan and captafol by cloud-point preconcentration and high-performance liquid chromatography with electrochemical detection 754(1996)85
- Occurrence and determination of pesticides in natural and treated waters (Review) 754(1996)103
- Strategies for chromatographic analysis of pesticide residues in water (Review) 754(1996)125
- Analysis of pesticides in environmental water samples by solid-phase micro-extraction-high-performance liquid chromatography 754(1996)137
- On-line solid-phase extraction coupled to supercritical fluid chromatography with diode array detection for the determination of pesticides in water 754(1996)145
- Monitoring of herbicides in river water by gas chromatography-mass spectrometry and solid-phase extraction 754(1996)159
- Spatial and temporal trends of pesticide residues in water and particulates in the Mississippi River plume and the northwestern Gulf of Mexico 754(1996)169
- Comparative degradation kinetics of alachlor in water by photocatalysis with FeCl<sub>3</sub>, TiO<sub>2</sub> and photolysis, studied by solid-phase disk extraction followed by gas chromatographic techniques 754(1996)187
- Supported liquid membranes for sampling and sample preparation of pesticides in water 754(1996)197
- Synthesis and use of deuterated fenamiphos and its metabolites as internal standards for mass spectrometric analysis in water 754(1996)207
- Effect of soil-pesticide interactions on the efficiency of supercritical fluid extraction (Review) 754(1996)221

- Analytical method development for the determination of synthetic pyrethroid insecticides in soil by gas chromatography–mass spectrometry operated in negative-ion chemical-ionization mode 754(1996)235
- Possibilities of gas chromatography–atomic emission detection in pesticide multiresidue analysis. Application to herbicide analysis in soils 754(1996)245
- Extraction of triallate from soil with supercritical carbon dioxide and determination by gas chromatography–atomic emission detection. Comparison with a solvent extraction procedure 754(1996)257
- Analysis of the herbicide clopyralid in cultivated soils 754(1996)265
- Application of instrumental thin-layer chromatography and solid-phase extraction to the analyses of pesticide residues in grossly contaminated samples of soil 754(1996)273
- Study of the effect of exogenous organic matter on the mobility of pesticides in soils using soil thin-layer chromatography 754(1996)279
- Matrix effect on supercritical fluid extraction of organochlorine pesticides from sulfur-containing soils 754(1996)285
- Determination of linuron in aqueous soil extracts by high-performance liquid chromatography 754(1996)295
- Determination of pesticide residues in fruit and vegetables (Review) 754(1996)301
- Determination of cereal herbicide residues in environmental samples by gas chromatography (Review) 754(1996)347
- Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Analysis of pesticide residues in drinking water by planar chromatography 754(1996)423
- Complementation of direct-injection high-performance liquid chromatography and enzyme-linked immunosorbent assay for the analysis of thiabendazole in fruit juices and concentrates 754(1996)431
- Off-line high-performance liquid chromatography and solid-phase extraction clean-up for confirmation of pesticide residues in fresh produce by gas chromatography–mass spectrometry 754(1996)455
- Identification of pesticide poisoning in wildlife (Review) 754(1996)463
- Determination of the fungicide vinclozolin in honey and bee larvae by solid-phase and solvent extraction with gas chromatography and electron-capture and mass spectrometric detection 754(1996)507
- On-line solid-phase extraction coupled to supercritical fluid chromatography to determine phenol and nitrophenols in water 755(1996)67
- Analysis of individual raindrops by capillary zone electrophoresis 755(1996)121
- Determination of phenoxy acid herbicides in vegetation, utilising high-resolution gel permeation chromatographic clean-up and methylation with trimethylsilyldiazomethane prior to gas chromatographic analysis with mass-selective detection 755(1996)245
- Identification of herbicides in river water using on-line trace enrichment combined with column liquid chromatography–Fourier-transform infrared spectrometry 756(1996)145
- Rapid analysis of organic microcontaminants in environmental water samples by trace enrichment and liquid chromatography on a single short column 759(1997)55
- Elution pattern of planar chlorinated biphenyls and 2,3,7,8-polychlorinated dibenzo-*p*-dioxins/dibenzofurans on chromatographic adsorbents and factors affecting the mechanism of retention. Possibilities of selective separation of both families 759(1997)127
- Solid-phase microextraction of organophosphorus pesticides from water 759(1997)225
- Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179
- High-performance liquid chromatographic analysis of a linear alkylbenzenesulfonate and its environmental biodegradation metabolites 760(1997)285
- Preconcentration of triazine herbicides from water by an ion chromatography column and determination by gas chromatography–mass spectrometry 760(1997)314
- Determination of anions in rainwater by capillary electrophoresis with conductivity detection 760(1997)326
- Reversed-phase high-performance liquid chromatography of pyrrolidinedithiocarbamate complexes of mercuric species using amperometric and coulometric detection 761(1997)139
- Direct determination of bromacil and diuron residues in environmental water samples by coupled-column liquid chromatography and large-volume injection 761(1997)322
- Simplified multiresidue method for the determination of organophosphorus insecticides in olive oil 761(1997)327

- Erratum to "Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides". [J. Chromatogr. A, 738 (1996) 225–231] 761(1997)341
- Impinger sampling coupled to high-performance liquid chromatography by a modified autoinjector interface 762(1997)187
- Determination of herbicides by reductive amperometric detection in liquid chromatography 763(1997)227
- Adaptation and application of a multi-residue method for the determination of a range of pesticides, including phenoxy acid herbicides in vegetation, used on high-resolution gel permeation chromatographic clean-up and gas chromatographic analysis with mass-selective detection 765(1997)3
- Determination of diflufenican in apples by gas chromatography 765(1997)85
- Adaptation of the internal standard method to a pesticide residues study in/on plants 765(1997)115
- Comparison between accelerated solvent extraction and traditional extraction methods for the analysis of the herbicide diflufenican in soil 765(1997)121
- Ultra-trace-level determination of the antifouling agent Irgarol 1051 by gas chromatography with tandem mass spectrometric detection 766(1997)153
- Analysis of primisulfuron and triasulfuron in water and soil samples by micellar electrokinetic capillary chromatography 766(1997)225
- Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153
- Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195
- UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241
- Monitoring of organic micropollutants in surface water by automated on-line trace-enrichment liquid and gas chromatographic systems with ultraviolet diode-array and mass spectrometric detection 768(1997)239
- Analysis of phenolic compounds in industrial wastewater with high-performance liquid chromatography and post-column reaction detection 769(1997)189
- Determination of haloethers in water by solid-phase microextraction 769(1997)239
- Simultaneous quantification of insecticides including carbaryl in drinking water by gas chromatography using dual electron-capture and nitrogen–phosphorus detection 769(1997)285
- Determination of anions in landfill leachates by ion chromatography 770(1997)203
- In-line respeciation: an ion-exchange ion chromatographic method applied to the separation of degradation products of chemical warfare nerve agents in soil 770(1997)253
- Determination of phosphate in natural waters by capillary electrophoresis. Influence of solution composition on migration time and response 770(1997)321
- Routine determination of major anions in atmospheric aerosols by capillary electrophoresis 770(1997)349
- Separation of extracts from biological tissues into polycyclic aromatic hydrocarbon, polychlorinated biphenyl and polychlorinated dibenzo-*p*-dioxin/polychlorinated dibenzofuran fractions prior to analysis 771(1997)169
- Determination of pesticides in environmental waters by solid-phase extraction and gas chromatography with electron-capture and mass spectrometry detection 771(1997)221
- Wavelength-resolved laser-induced fluorescence detection in capillary electrophoresis: naphthalenesulphonates in river water 771(1997)331
- Determination of nitrophenols by capillary zone electrophoresis in a hydrodynamically closed separation compartment 772(1997)327
- Determination of low-molecular-mass organic acids in fogwater by ion-exchange chromatography with automatic column switching 773(1997)123
- Determination of phosphonates in natural waters by ion-pair high-performance liquid chromatography 773(1997)139
- Chromatographic and hyphenated methods for elemental speciation analysis in environmental media (Review) 774(1997)3
- Developments in the analysis of petroleum hydrocarbons in oils, petroleum products and oil-spill-related environmental samples by gas chromatography (Review) 774(1997)51
- Determination of coal tar and creosote constituents in the aquatic environment (Review) 774(1997)79
- Gas chromatographic analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 774(1997)97
- Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121

- Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins 774(1997)143
- Application of accelerated solvent extraction followed by gas chromatography, high-performance liquid chromatography and gas chromatography–mass spectrometry for the determination of polycyclic aromatic hydrocarbons, chlorinated pesticides and polychlorinated dibenzo-*p*-dioxins and dibenzofurans in solid wastes 774(1997)203
- Supercritical fluid extraction with solid-phase trapping of chlorinated and brominated pollutants from sediment samples 774(1997)229
- Separation and quantitative determination of non-ionic surfactants used as pesticide additives (Review) 774(1997)265
- Analysis of toxic wastes in tissues from aquatic species. Applications of matrix solid-phase dispersion 774(1997)287
- Broad-spectrum analysis of a contaminated sediment: exemplification of a protocol 774(1997)311
- Analytical methods for the determination of organochlorine compounds. Application to environmental samples in the Slovak Republic 774(1997)333
- Occurrence and determination of organic pollutants in aerosol, precipitation, and sediment samples collected at Lake Balaton 774(1997)349
- Speciation of chromium from industrial wastes and incinerated sludges 774(1997)363
- Thin-layer chromatographic separation, colorimetric determination and recovery of thiocyanate from photogenic waste, river and sea waters 774(1997)373
- Trace analysis of military high explosives (2,4,6-trinitrotoluene and hexahydro-1,3,5-trinitro-1,3,5-triazine) in agricultural crops 775(1997)117
- Determination of alkylphenols, alkylphenoxyethoxylates and linear alkylbenzenesulfonates in sediments by accelerated solvent extraction and supercritical fluid extraction 775(1997)187
- Evaluation of a micro gas chromatographic technique for environmental analyses of CO<sub>2</sub> and C<sub>1</sub>–C<sub>6</sub> alkanes 775(1997)243
- Using systematic and comparative analytical data to identify the source of an unknown oil on contaminated birds 775(1997)251
- Purge-and-trap gas chromatography–mass spectrometry in the analysis of volatile organochlorine compounds in water 775(1997)267
- Gas chromatographic determination of airborne residues of azinphosmethyl and azinphosmethyl-oxon by cool on-column injection 775(1997)307
- Extraction of polycyclic aromatic hydrocarbons from polluted soils with binary and ternary supercritical phases 776(1997)233
- Solid-phase extraction disks for determining pesticides from soil leachates 776(1997)348
- Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization tandem mass spectrometry 777(1997)81
- Determination of traces of pesticides in water by solid-phase extraction and liquid chromatography–ionspray mass spectrometry 777(1997)115
- Analysis of polar organic pollutants in the Elbe river by flow injection analysis and high-performance liquid chromatography with tandem mass spectrometry 777(1997)127
- Simple laboratory-made system for the determination of C<sub>2</sub>–C<sub>7</sub> hydrocarbons relevant to photochemical smog pollution 777(1997)267
- Supercritical CO<sub>2</sub>-assisted liquid extraction of polycyclic aromatic hydrocarbons and polychlorinated dibenzo-*p*-dioxins and -furans from solid matrices 777(1997)289
- Simplified reversed-phase conditions for the determination of benzimidazole fungicides in fruits by high-performance liquid chromatography with UV detection 778(1997)95
- Determination of chlorsulfuron and tribenuron-methyl residues in agricultural soils 778(1997)119
- Comparison of octadecylsilica and graphitized carbon black as materials for solid-phase extraction of fungicide and insecticide residues from fruit and vegetables 778(1997)127
- Evaluation of multiwavelength chromatograms for the quantification of mixtures of pesticides by high-performance liquid chromatography–diode array detection with multivariate calibration 778(1997)139
- Automated sample clean-up and fractionation of chlorpyrifos, chlorpyrifos-methyl and metabolites in mussels using normal-phase liquid chromatography 778(1997)151
- Determination of thiazopyr residues in soil and plants by gas chromatography with nitrogen–phosphorus detection and confirmation by gas chromatography–mass spectrometry 778(1997)193
- Evaluation of styrene in air by thermal desorption–gas chromatography 778(1997)255

- Determination of pesticide residues in waters from small loughs by solid-phase extraction and combined use of gas chromatography with electron-capture and nitrogen-phosphorus detection and high-performance liquid chromatography with diode array detection 778(1997)289
- Determination of priority phenolic compounds in water and industrial effluents by polymeric liquid-solid extraction cartridges using automated sample preparation with extraction columns and liquid chromatography. Use of liquid-solid extraction cartridges for stabilization of phenols 778(1997)301
- Determination of polycyclic aromatic hydrocarbons in waters by use of supercritical fluid chromatography coupled on-line to solid-phase extraction with disks 778(1997)321
- Quantitation of volatile sulphur compounds in polluted waters 778(1997)329
- Application of solid-phase extraction discs with a glass fiber matrix to fast determination of polycyclic aromatic hydrocarbons in water 778(1997)337
- Simultaneous determination of toxic arsenic and chromium species in water samples by ion chromatography-inductively coupled plasma mass spectrometry 779(1997)139
- Speciation of trimethyllead in rainwater by gas chromatography-mass spectrometry after ethylation with sodium tetraethylborate. Comparison with other alkylation methods 779(1997)299
- Multiresidue analysis of pesticides in fruits and vegetables by gel permeation chromatography followed by gas chromatography with electron-capture and mass spectrometric detection 782(1997)105
- Effects of modifiers, adsorbents and eluents in supercritical fluid extraction of selected pesticides in soil 786(1997)155
- Evaluation of two solid-phase extraction procedures for the preconcentration of chlorophenols in drinking water 786(1997)285
- Improvement in the use of capillary columns for ambient air peroxyacetyl nitrate monitoring 786(1997)361
- Liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of chloro- and nitrophenolic compounds in tap water and sea water 787(1997)79
- Analysis of volatile organic compounds in air using retention indices together with a simple thermal desorption and cold trap method 787(1997)205
- Determination of the insecticide imidacloprid in water and soil using high-performance liquid chromatography 787(1997)271
- Applications of anion chromatography in terrestrial environmental research (Review) 789(1997)287
- Effect of addition of a graphitized carbon black trap to a glass beads trap on the cryoconcentration of some non-methane hydrocarbons in ambient air 790(1997)117
- Supercritical fluid extraction and clean-up of organochlorine pesticides and polychlorinated biphenyls in mussels 790(1997)153
- Optimizing recoveries of two chlorotriazine herbicide metabolites and 11 pesticides from aqueous samples using solid-phase extraction and gas chromatography-mass spectrometry 790(1997)161
- Problems with the determination of environmental sulphur compounds by gas chromatography (Review) 793(1998)1
- Determination of hexazinone and its metabolites in groundwater by capillary electrophoresis 793(1998)349
- Effect of the various parameters governing solid-phase microextraction for the trace-determination of pesticides in water 795(1998)27
- Monitoring of pesticides in river water using fully automated on-line solid-phase extraction and liquid chromatography with diode array detection with a novel filtration device 795(1998)71
- Multiresidue analysis of pesticides using new laminar extraction disks and liquid chromatography and application to the French priority list 795(1998)83
- Application of C<sub>18</sub> disks followed by gas chromatography techniques to degradation kinetics, stability and monitoring of endosulfan in water 795(1998)93
- Solid-phase microextraction and gas chromatography with mass spectrometric detection for the determination of pesticides in aqueous samples 795(1998)105
- Dissipation of some citrus selective residual herbicides in an irrigation well 795(1998)125
- Determination of aryloxyphenoxypropionic acid herbicides in water using different solid-phase extraction procedures and liquid chromatography-diode array detection 796(1998)309
- Systematic approach to the separation of mono- and hydroxycarboxylic acids in environmental samples by ion chromatography and capillary electrophoresis 796(1998)335
- Microwave-assisted solvent extraction and reversed-phase liquid chromatography-UV detection for screening soils for sulfonyleurea herbicides 798(1998)179
- Determination of organic molecular markers in marine aerosols and sediments: one-step flash chromatography compound class fractionation and capillary gas chromatographic analysis 799(1998)215

Determination of volatile organic compounds in marine biota  
799(1998)233

Elution order of the 209 polychlorinated biphenyls on a high-temperature capillary column 799(1998)249

Simultaneous determination and enantiomeric resolution of mecoprop and dichlorprop in soil samples by high-performance liquid chromatography and gas chromatography–mass spectrometry 799(1998)355

Solid-phase microextraction of polychlorinated biphenyls  
800(1998)257

#### **Enzymatic analysis**

Automated microanalysis using magnetic beads with commercial capillary electrophoretic instrumentation 781(1997)197

#### **Epitope affinity chromatography**

Purification of monoclonal antibodies by epitope and mimotope affinity chromatography 782(1997)49

#### **Equilibrium absorption**

Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. I. Principles and theoretical aspects 791(1997)177

Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. II. Coupling to a portable micro gas chromatograph 791(1997)187

#### **Equilibrium analysis**

Evaluation of capillary zone electrophoresis equilibrium data using the CELET program 786(1997)321

#### **Equilibrium constants**

Retention models in ion chromatography: the role of side equilibria in ion-exchange chromatography of inorganic cations and anions (Review) 789(1997)3

#### **Equilibrium-dispersive model**

Optimizing preparative separations at high recovery yield  
752(1996)31

Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography  
756(1996)73

#### ***Erythroxylum coca***

Lesser alkaloids of cocaine-bearing plants. III. 2-Carbomethoxy-3-oxo substituted tropane esters: detection and gas chromatographic–mass spectrometric characterization of new minor alkaloids found in South American *Erythroxylum coca* var. *coca* 756(1996)185

#### **Essential oils**

see also Oils

Changes in chemical composition of catalytically hydrogenated orange oil (*Citrus sinensis*) 752(1996)217

Gas chromatography–mass spectrometry coupled with pseudo-Sadtler retention indices, for the identification of components in the essential oil of *Curcuma longa* L 760(1997)303

Retention of some components in supercritical fluid chromatography and application to bergamot peel oil fractionation 771(1997)241

#### **Etherification**

Bifunctional etherification of a bead cellulose for ligand attachment with allyl bromide and allyl glycidyl ether  
775(1997)29

#### ***Eucommia ulmoides***

Identification of antioxidative compounds in plant beverages by capillary electrophoresis with the marker index technique  
781(1997)523

#### **Evaporative light scattering detection**

High-performance liquid chromatographic analysis of polydisperse ethoxylated non-ionic surfactants in aqueous samples 752(1996)155

Liquid chromatography of polyethers using universal detectors. V. Quantitative aspects in the analysis of low-molecular-mass poly(ethylene glycol)s and their derivatives by reversed-phase high-performance liquid chromatography with an evaporative light scattering detector 768(1997)223

Subcritical fluid chromatography of monosaccharides and polyols using silica and trimethylsilyl columns 785(1997)195

#### ***Evodiae fructus***

Determination of the alkaloids in *Evodiae fructus* by capillary electrophoresis 755(1996)113

Liquid chromatographic separation of the alkaloids in coptis–evodia herb couple 756(1996)137

#### **Expanded bed adsorption**

Isolation of monoclonal antibodies from cell containing hybridoma broth using a protein A coated adsorbent in expanded beds 752(1996)111

#### **Experimental design**

Enantiomeric resolution on Chiral-AGP with the aid of experimental design. Unusual effects of mobile phase pH and column temperature 763(1997)105

Influence of chromatographic descriptors on enantioresolution of a dihydropyridine and structurally related compounds  
763(1997)115

- Optimization of sample cleanup procedure for determination of diarrhetic shellfish poisoning toxins by use of experimental design 764(1997)223
- Optimization of the capillary electrophoresis separation of ranitidine and related compounds 766(1997)245
- Optimising the determination of nitrate and phosphate in sea water with ion chromatography using experimental design 771(1997)163
- Neural networks for optimization of high-performance capillary zone electrophoresis methods. A new method using a combination of experimental design and artificial neural networks 793(1998)317
- Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75
- Neural network and experimental design to investigate the effect of five factors in ion-interaction high-performance liquid chromatography 799(1998)47
- Extra-column effects**  
Prediction of the preparative chromatography performance with a very small column 760(1997)41
- Extraction methods**  
see also Clean-up methods, Sample handling, Sample preparation, Solid-phase extraction and Solid-phase microextraction
- Volatile secondary metabolites from *Spilanthes americana* obtained by simultaneous steam distillation–solvent extraction and supercritical fluid extraction 752(1996)223
- Fiber optic-based interface for on-line selective photometric determinations in solid samples by supercritical fluid extraction 753(1996)299
- High-performance separations in the determination of triazine herbicides and their residues (Review) 754(1996)17
- Strategies for chromatographic analysis of pesticide residues in water (Review) 754(1996)125
- Analysis of pesticides in environmental water samples by solid-phase micro-extraction–high-performance liquid chromatography 754(1996)137
- Spatial and temporal trends of pesticide residues in water and particulates in the Mississippi River plume and the northwestern Gulf of Mexico 754(1996)169
- Effect of soil–pesticide interactions on the efficiency of supercritical fluid extraction (Review) 754(1996)221
- Extraction of triallate from soil with supercritical carbon dioxide and determination by gas chromatography–atomic emission detection. Comparison with a solvent extraction procedure 754(1996)257
- Matrix effect on supercritical fluid extraction of organochlorine pesticides from sulfur-containing soils 754(1996)285
- Determination of pesticide residues in fruit and vegetables (Review) 754(1996)301
- Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Selective, solid-matrix dispersion extraction of organophosphate pesticide residues from milk 754(1996)497
- Application of solid-phase microextraction to the headspace gas chromatographic analysis of semi-volatile organochlorine contaminants in aqueous matrices 757(1997)173
- Solid-phase microextraction of organophosphorus pesticides from water 759(1997)225
- Solid-phase microextraction of volatile organic compounds. Estimation of the sorption equilibrium from the Kováts index, effect of salinity and humic acids and the study of the kinetics by the development of an “agitated/static layer” model 761(1997)205
- Screening and identification of drugs in human hair by high-performance liquid chromatography–photodiode-array UV detection and gas chromatography–mass spectrometry after solid-phase extraction. A powerful tool in forensic medicine 762(1997)251
- Management of nonmatrix interfering peaks in a chiral high-performance liquid chromatographic assay produced by solid-phase extraction of rat plasma 763(1997)129
- Identification of proteins by capillary electrophoresis–tandem mass spectrometry. Evaluation of an on-line solid-phase extraction device 763(1997)295
- Supercritical fluid and enhanced-fluidity liquid extraction of phenolics from river sediment 764(1997)265
- Diatomaceous earth-assisted extraction for the multiresidue determination of pesticides 765(1997)23
- Clean-up of aqueous acetone vegetable extracts by solid-matrix partition for pyrethroid residue determination by gas chromatography–electron-capture detection 765(1997)39

- Selective extraction of pyrethroid pesticide residues from milk by solid-matrix dispersion 765(1997)51
- Single-step separation of organochlorine pesticide residues from fatty materials by combined use of solid-matrix partition and C<sub>18</sub> cartridges 765(1997)61
- Comparison between accelerated solvent extraction and traditional extraction methods for the analysis of the herbicide diflufenican in soil 765(1997)121
- Application of solid-phase extraction to the preconcentration of metallothionein and metals from physiological fluids 766(1997)121
- Determination of phenols by solid-phase microextraction 767(1997)171
- Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195
- Monitoring of organic micropollutants in surface water by automated on-line trace-enrichment liquid and gas chromatographic systems with ultraviolet diode-array and mass spectrometric detection 768(1997)239
- Determination of haloethers in water by solid-phase microextraction 769(1997)239
- New fluorinated hydroxamic acid reagents for the extraction of metal ions with supercritical CO<sub>2</sub> 770(1997)85
- Chemically modified polymeric resin used as sorbent in a solid-phase extraction process to determine phenolic compounds in water 771(1997)55
- Application of accelerated solvent extraction followed by gas chromatography, high-performance liquid chromatography and gas chromatography–mass spectrometry for the determination of polycyclic aromatic hydrocarbons, chlorinated pesticides and polychlorinated dibenzo-*p*-dioxins and dibenzofurans in solid wastes 774(1997)203
- Supercritical fluid extraction with solid-phase trapping of chlorinated and brominated pollutants from sediment samples 774(1997)229
- Evaluation of supercritical fluid extraction, microwave-assisted extraction and sonication in the determination of some phenolic compounds from various soil matrices 774(1997)243
- Analysis of toxic wastes in tissues from aquatic species. Applications of matrix solid-phase dispersion 774(1997)287
- Speciation of organotin compounds in marine biomaterials after basic leaching in a non-focused microwave extractor equipped with pressurized vessels 774(1997)379
- Determination of alkylphenols, alkylphenoxyethoxylates and linear alkylbenzenesulfonates in sediments by accelerated solvent extraction and supercritical fluid extraction 775(1997)187
- Extraction of polycyclic aromatic hydrocarbons from polluted soils with binary and ternary supercritical phases 776(1997)233
- Design of automated solid-phase microextraction for trace analysis of organic compounds in aqueous samples 776(1997)293
- Solid-phase extraction disks for determining pesticides from soil leachates 776(1997)348
- Determination of barbiturates by solid-phase microextraction (SPME) and ion trap gas chromatography–mass spectrometry 777(1997)275
- Supercritical CO<sub>2</sub>-assisted liquid extraction of polycyclic aromatic hydrocarbons and polychlorinated dibenzo-*p*-dioxins and -furans from solid matrices 777(1997)289
- Comparison of extraction methods and detection systems in the gas chromatographic analysis of volatile carbonyl compounds 779(1997)360
- Micelle-mediated extraction (Review) 780(1997)229
- Supercritical fluid extraction of pesticide residues in fortified apple matrices 782(1997)123
- Validation studies for a new supercritical fluid extraction method for the isolation of hydrophobic organic compounds from filtered suspended solids 782(1997)247
- Development of a supercritical fluid extraction method for determination of lipid classes and total fat in meats and its comparison with conventional methods 785(1997)345
- Effects of modifiers, adsorbents and eluents in supercritical fluid extraction of selected pesticides in soil 786(1997)155
- Comparison of supercritical fluid extraction and Soxhlet extraction of organic compounds from carpet samples 787(1997)171
- Rapid semi-quantitative estimation of N-nitrosodibutylamine and N-nitrosodibenzylamine in smoked hams by solid-phase microextraction followed by gas chromatography–thermal energy analysis 788(1997)131
- Extraction of polycyclic aromatic hydrocarbons from contaminated soil using Soxhlet extraction, pressurized and atmospheric microwave-assisted extraction, supercritical fluid extraction and accelerated solvent extraction 791(1997)361
- Effect of the various parameters governing solid-phase microextraction for the trace-determination of pesticides in water 795(1998)27

Stability of polar pesticides on disposable solid-phase extraction precolumns 795(1998)61

Multiresidue analysis of pesticides using new laminar extraction disks and liquid chromatography and application to the French priority list 795(1998)83

Solid-phase microextraction and gas chromatography with mass spectrometric detection for the determination of pesticides in aqueous samples 795(1998)105

Determination of pesticides in high-water-content samples by off-line supercritical fluid extraction–gas chromatography–electron-capture detection 795(1998)117

Direct injection of large volumes of plasma/serum on a new biocompatible extraction column for the determination of atenolol, propranolol and ibuprofen. Mechanisms for the improvement of chromatographic performance 797(1998)251

Microwave-assisted solvent extraction and reversed-phase liquid chromatography–UV detection for screening soils for sulfonylurea herbicides 798(1998)179

Solid-phase microextraction of polychlorinated biphenyls 800(1998)257

### Extrography

Characterization of coal-derived pitches as precursors for advanced carbon materials by chromatographic and related techniques 778(1997)403

## F

### Factorial design

Ruggedness testing of a size-exclusion chromatographic assay for low-molecular-mass polymers 756(1996)89

Investigation into the chiral recognition mechanism of N-arylthiazolin-2(thi)one atropisomers on Chiralcel OJ by factorial design and lipophilicity approaches 761(1997)129

Optimization of the capillary electrophoresis separation of ranitidine and related compounds 766(1997)245

Optimisation of a simultaneous separation of sulphonamides, dihydrofolate reductase inhibitors and  $\beta$ -lactam antibiotics by capillary electrophoresis 768(1997)97

Use of factorial experimental design for the rapid evaluation of main and interactive factors affecting linearity in calibration curves for sulfate analysis by ion chromatography 770(1997)29

Quantitative aspects of triglyceride analysis by gas–liquid chromatography using a short metal capillary column 773(1997)233

Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a *Lactobacillus plantarum* bacterial suspension using purge and trap 775(1997)225

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. I. Method development and optimization with fractional factorial design 798(1998)307

Neural network and experimental design to investigate the effect of five factors in ion-interaction high-performance liquid chromatography 799(1998)47

### Fast-scanning fluorescence detection

Development of fast-scanning fluorescence spectra as a detection system for high-performance liquid chromatography. Determination of polycyclic aromatic hydrocarbons in water samples 779(1997)123

### Fats

Single-step separation of organochlorine pesticide residues from fatty materials by combined use of solid-matrix partition and C<sub>18</sub> cartridges 765(1997)61

Determination of some inorganic species in edible vegetable oils and fats by ion chromatography 789(1997)549

### Ferguson plot

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39

### Fermentation broth

Monitoring of selected metabolites and biotransformation products from fermentation broths by high-performance liquid chromatography 763(1997)165

### Fermentation processes

Role of high-performance liquid chromatographic protein analysis in developing fermentation processes for recombinant human growth hormone, relaxin, antibody fragments and lymphotoxin 763(1997)31

### Fertilizers

Chromatographic determination of commercial Fe(III) chelates of ethylenediaminetetraacetic acid, ethylenediaminedi(*o*-hydroxyphenylacetic) acid and ethylenediaminedi(*o*-hydroxy-*p*-methylphenylacetic) acid 789(1997)453

**Fiber radius**

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39

**Fibre optic transmission cell**

Determination of total petroleum hydrocarbons in soil by on-line supercritical fluid extraction–infrared spectroscopy using a fiber-optic transmission cell and a simple filter spectrometer 785(1997)269

**Field-amplified injection**

Sample stacking using field-amplified sample injection in capillary zone electrophoresis in the analysis of phenolic compounds 788(1997)185

Improved detection of alkaloids in crude extracts applying capillary electrophoresis with field amplified sample injection 791(1997)323

On-line concentration of neutral analytes for micellar electrokinetic chromatography. IV. Field-enhanced sample injection 798(1998)251

**Field extraction method**

Field-portable determination of polychlorinated biphenyls and polynuclear aromatic hydrocarbons in soil using supercritical fluid extraction 785(1997)205

**Field-flow fractionation**

Fast molecular mass and size characterization of polysaccharides using asymmetrical flow field-flow fractionation–multiangle light scattering 760(1997)205

Polymer characterization using on-line coupling of thermal field flow fractionation and hydrodynamic chromatography 765(1997)135

Interpretation of thermal field-flow fractionation experiments in a tilted channel 788(1997)121

Effects of flow-rates and sample concentration on the molar mass characterisation of modified celluloses using asymmetrical flow field-flow fractionation–multi-angle light scattering 791(1997)135

**Filters**

Evaluation of selected filters for collection and subsequent supercritical fluid extraction of suspended solids for trace organic analysis 753(1996)279

**Fischer-Tropsch products**

Automatic gas chromatographic retention time matching applied to synthetic petroleum (Fischer-Tropsch) products, using HP Chemstation software 791(1997)197

**Fish**

Capillary electrophoresis determination of methylmercury in fish and crab meat after extraction as the dithizone sulphonate complex 791(1997)333

Improved ion chromatography–integrated pulsed amperometric detection method for the evaluation of biogenic amines in food of vegetable or animal origin and in fermented foods 798(1998)109

Determination of volatile organic compounds in marine biota 799(1998)233

**Fission products**

Use of ion chromatography for the determination of fission products and actinides in nuclear applications (Review) 789(1997)369

**Flame ionization detection**

Mechanism of the flame ionization detector. II. Isotope effects and heteroatom effects 782(1997)81

Multiple detector responses for gas chromatography peak identification 795(1998)319

**Flow cell**

UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241

**Flow control**

Theoretical and practical aspects of flow control in programmed-temperature gas chromatography 757(1997)97

**Flow control systems**

Retention in multistep programmed-temperature gas chromatography and flow control. Linear head pressure programs 757(1997)109

**Flow distribution**

Refining the scale-up of chromatographic separations 796(1998)3

**Flow immunoassay**

High sample throughput flow immunoassay utilising restricted access columns for the separation of bound and free label 800(1998)219

**Flow injection analysis**

Potentiometric detection of aliphatic amines by flow injection analysis and ion-interaction chromatography with a metallic copper electrode 758(1997)227

**Flow injection–capillary electrophoresis coupling**

Flow injection–capillary electrophoresis coupling to automate on-line sample treatment for the determination of inorganic ions in waters 791(1997)279

**Flow pores**

Superporous agarose as an affinity chromatography support 776(1997)197

**Flow-rate**

Flow-rate dependence of the height equivalent to a theoretical plate in nitrogen isotope separation by displacement chromatography 793(1998)223

**Fluid-impervious polymer inner tubes**

Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary 788(1997)155

**Fluidized bed adsorption**

Isolation of monoclonal antibodies from cell containing hybridoma broth using a protein A coated adsorbent in expanded beds 752(1996)111

**Fluorescence detection**

see also Laser-induced fluorescence detection

Micelles for signal enhancement and novel selectivity of dansyl amino acids (Review) 780(1997)219

Fluorescence detection in packed-column supercritical fluid chromatographic separations 798(1998)203

**Fluorescence detection, two-photon**

Highly sensitive detection using laser two-photon excited fluorescence in capillary electrophoresis 765(1997)315

**Fluorescence labelling**

Analysis of benzalkonium chloride in the effluent from European hospitals by solid-phase extraction and high-performance liquid chromatography with post-column ion-pairing and fluorescence detection 774(1997)281

**Fluorescence line-narrowing spectroscopy**

Application of capillary electrophoresis-fluorescence line-narrowing spectroscopy for on-line spectral characterization of closely related analytes 781(1997)73

**Fluoride-modified zirconia**

Fluidization characteristics of and protein adsorption on fluoride-modified porous zirconium oxide particles 776(1997)179

**Fluorinated stationary phases**

Sol-gel-derived fluorinated stationary phase for open tubular electrochromatography 773(1997)65

**Fluorine-containing stationary phases**

Use of fluorine-containing stationary phases for the separation of an alkyl bromide from its hydrocarbon analog by high-performance liquid chromatography 762(1997)159

**Foaming power**

Effect of foaming power and foam stability on continuous concentration with foam counter-current chromatography 791(1997)53

**Foam stability**

Effect of foaming power and foam stability on continuous concentration with foam counter-current chromatography 791(1997)53

**Fogdrops**

Development of new methods for the analysis of single cloud-, fog- and raindrops by capillary electrophoresis 775(1997)372

**Food analysis**

Enrichment of benzo[a]pyrene in smoked food products and determination by high-performance liquid chromatography-fluorescence detection 753(1996)207

Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33

Determination of pesticide residues in fruit and vegetables (Review) 754(1996)301

Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367

Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397

Pesticide residue analysis in fresh produce by gas chromatography-tandem mass spectrometry 754(1996)411

Complementation of direct-injection high-performance liquid chromatography and enzyme-linked immunosorbent assay for the analysis of thiabendazole in fruit juices and concentrates 754(1996)431

Optimization of a matrix solid-phase dispersion method for the analysis of pesticide residues in vegetables 754(1996)437

Application of porous carbon for solid-phase extraction of dicarboxyimide fungicide residues from wines in combination with high-resolution capillary gas chromatography and gas chromatography-mass spectrometry 754(1996)445

Determination of organochlorine compounds in fatty matrices. Application of rapid off-line normal-phase liquid chromatographic clean-up 754(1996)487

Selective, solid-matrix dispersion extraction of organophosphate pesticide residues from milk 754(1996)497

Rapid separation of soybean globulins by reversed-phase high-performance liquid chromatography 758(1997)75

Simultaneous determination of qualitatively important components in green tea infusions using capillary electrophoresis 758(1997)332

- Migration behavior and separation of sulfonamides in capillary zone electrophoresis. II. Positively charged species at low pH 759(1997)203
- Determination of free calcium in vegetables by capillary zone electrophoresis 759(1997)211
- Large-scale high-performance liquid chromatography of enzymes for food applications (Review) 760(1997)81
- Simplified multiresidue method for the determination of organophosphorus insecticides in olive oil 761(1997)327
- Analysis of foods for heterocyclic aromatic amine carcinogens by solid-phase extraction and high-performance liquid chromatography 763(1997)179
- Determination of nitrofurantoin, furazolidone and furaldione in milk by high-performance liquid chromatography with electrochemical detection 764(1997)243
- Procedure for the determination of eight cholesterol oxides in poultry meat using on-column and solvent venting capillary gas chromatography 764(1997)279
- Simultaneous determination of organic acids and inorganic anions in tea by ion chromatography 764(1997)341
- Diatomaceous earth-assisted extraction for the multiresidue determination of pesticides 765(1997)23
- Determination of ethylenethiourea in food commodities by a two-step derivatization method and gas chromatography with electron-capture and nitrogen-phosphorus detection 765(1997)31
- Clean-up of aqueous acetone vegetable extracts by solid-matrix partition for pyrethroid residue determination by gas chromatography-electron-capture detection 765(1997)39
- Selective extraction of pyrethroid pesticide residues from milk by solid-matrix dispersion 765(1997)51
- Single-step separation of organochlorine pesticide residues from fatty materials by combined use of solid-matrix partition and C<sub>18</sub> cartridges 765(1997)61
- Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69
- Determination of diflubenzuron in apples by gas chromatography 765(1997)85
- Chromatographic analysis of imazalil and carbendazim in fruits. Method validation and residue monitoring program 1995 765(1997)91
- Simplified determination of combined residues of prochloraz and its metabolites in vegetable, fruit and wheat samples by gas chromatography 765(1997)127
- Determination of vitamin A palmitate in cereal products using supercritical fluid extraction and liquid chromatography with electrochemical detection 765(1997)215
- Presence of tetrahydro- $\beta$ -carboline-3-carboxylic acids in foods by gas chromatography-mass spectrometry as their *N*-methoxycarbonyl methyl ester derivatives 765(1997)265
- Determination of heterocyclic aromatic amines by micellar electrokinetic chromatography with amperometric detection 765(1997)329
- Determination of primary oxidation products of linoleic acid and triacylglycerols 767(1997)63
- High-performance liquid chromatography-electrospray ionisation-tandem mass spectrometry for the analysis of 1,2,3,4-tetrahydro- $\beta$ -carboline derivatives 767(1997)101
- Optimisation of a simultaneous separation of sulphonamides, dihydrofolate reductase inhibitors and  $\beta$ -lactam antibiotics by capillary electrophoresis 768(1997)97
- Analysis of old brandy and oak extracts by capillary electrophoresis 768(1997)143
- Determination of preservatives in food products by cyclodextrin-modified capillary electrophoresis with multiwavelength detection 768(1997)334
- Determination of heterocyclic aromatic amines by capillary zone electrophoresis in a meat extract 769(1997)293
- Divalent pairing ion for ion-interaction chromatography of sulphonates and carboxylates 770(1997)51
- Use of ion chromatography for monitoring microbial spoilage in the fruit juice industry 770(1997)243
- Determination of cyanocobalamin in foods by high-performance liquid chromatography with visible detection after solid-phase extraction and membrane filtration for the precolumn separation of lipophilic species 771(1997)127
- Separation and determination of four artificial sweeteners and citric acid by high-performance anion-exchange chromatography 771(1997)135
- Determination of oxalate in parenteral nutrition solutions by capillary electrophoresis 771(1997)285
- Identification of potential migrants from a vinylic organosol varnish by gas chromatography-mass spectrometry and liquid chromatography-mass spectrometry 771(1997)366

- Assessment of heat-induced denaturation of whey proteins 772(1997)231
- Determination of ascorbic acid in vegetables by capillary zone electrophoresis 772(1997)313
- Determination of aspartame and phenylalanine in diet soft drinks by high-performance liquid chromatography with direct spectrofluorimetric detection 773(1997)163
- Analytical methods for the determination of organochlorine compounds. Application to environmental samples in the Slovak Republic 774(1997)333
- Characterisation of aldehydic acids in used and unused frying oils 776(1997)245
- Determination of free fatty acids and their ethyl esters in musts and wines 776(1997)283
- Determination of nitrofuran residues in avian eggs by liquid chromatography–UV photodiode array detection and confirmation by liquid chromatography–ionspray mass spectrometry 777(1997)201
- Simplified reversed-phase conditions for the determination of benzimidazole fungicides in fruits by high-performance liquid chromatography with UV detection 778(1997)95
- Comparison of octadecylsilica and graphitized carbon black as materials for solid-phase extraction of fungicide and insecticide residues from fruit and vegetables 778(1997)127
- Liquid chromatography–atmospheric-pressure chemical ionization mass spectrometry as a routine method for the analysis of mutagenic amines in beef extracts 778(1997)207
- Fractionation of glycoside precursors of aroma in grapes and wine 778(1997)219
- Determination of volatile compounds in Txakoli wine from Biscay by gas chromatography–mass spectrometry 778(1997)225
- Determination of available lysine in infant milk formulae by high-performance liquid chromatography 778(1997)235
- Determination of vitamins A and E in infant milk formulae by high-performance liquid chromatography 778(1997)243
- Determination of water-soluble vitamins in infant milk by high-performance liquid chromatography 778(1997)247
- Determination of mycotoxins produced by *Fusarium* isolates from banana fruits by capillary gas chromatography and high-performance liquid chromatography 778(1997)363
- Determination of aspartame by high-performance capillary electrophoresis 781(1997)423
- Determination of L-ascorbic acid in foods by capillary zone electrophoresis 781(1997)435
- Analysis of beverages by capillary electrophoresis 781(1997)481
- Multiresidue analysis of pesticides in fruits and vegetables by gel permeation chromatography followed by gas chromatography with electron-capture and mass spectrometric detection 782(1997)105
- Supercritical fluid extraction of pesticide residues in fortified apple matrices 782(1997)123
- Optimized method for the determination of organophosphorus pesticides in meat and fatty matrices 786(1997)145
- Analysis of 2,4,6-trichloroanisole in wines using solid-phase microextraction coupled to gas chromatography–mass spectrometry 786(1997)293
- Study of the feasibility of the use of activated carbon membranes for the on-line cleanup of vegetable extracts in the determination of N-methylcarbamate pesticides by liquid chromatography 788(1997)87
- Rapid semi-quantitative estimation of N-nitrosodibutylamine and N-nitrosodibenzylamine in smoked hams by solid-phase microextraction followed by gas chromatography–thermal energy analysis 788(1997)131
- Ion-exchange separation of eight arsenic compounds by high-performance liquid chromatography–UV decomposition–hydride generation–atomic fluorescence spectrometry and stability tests for food treatment procedures 789(1997)339
- Separation and determination of inorganic germanium and  $\beta$ -carboxyethylgermanium sesquioxide by high-performance ion-exclusion chromatography 789(1997)403
- State-of-the-art ion chromatographic determination of inorganic ions in food (Review) 789(1997)529
- Determination of histamine and some other amines by high-performance capillary electrophoresis with on-line mode in-capillary derivatization 790(1997)177
- Capillary electrophoresis determination of methylmercury in fish and crab meat after extraction as the dithione sulphonate complex 791(1997)333
- Separation of alditols of interest in food products by high-performance anion-exchange chromatography with pulsed amperometric detection 791(1997)343
- Improvement on sample clean-up for high-performance liquid chromatographic–fluorimetric determination of diarrhetic shellfish toxins using 1-bromoacetylpyrene 793(1998)63

Quantification of carvone, cineole, perillaldehyde, perillyl alcohol and sobrerol by isocratic high-performance liquid chromatography 793(1998)71

Comparison of different clean-up procedures for the determination of N-methylcarbamate insecticides in vegetable matrices by high-performance liquid chromatography with UV detection 795(1998)43

Determination of pesticides in high-water-content samples by off-line supercritical fluid extraction–gas chromatography–electron-capture detection 795(1998)117

Development and validation of an isocratic high-performance liquid chromatographic method for quantitative determination of phytoestrogens in soya bean 795(1998)377

Determination of vitamin B<sub>6</sub> (pyridoxamine, pyridoxal and pyridoxine) in pork meat and pork meat products by liquid chromatography 795(1998)383

Fully automated precolumn derivatization, on-line dialysis and high-performance liquid chromatographic analysis of amino acids in food, beverages and feedstuff 798(1998)9

Improved ion chromatography–integrated pulsed amperometric detection method for the evaluation of biogenic amines in food of vegetable or animal origin and in fermented foods 798(1998)109

Solid-phase extraction and high-performance liquid chromatography procedures for the analysis of paralytic shellfish toxins 798(1998)131

Isolation of a new okadaic acid analogue from phytoplankton implicated in diarrhetic shellfish poisoning 798(1998)137

Liquid chromatographic determination of  $\beta$ -naphthoxyacetic acid in tomatoes 798(1998)167

Quantitative analysis of flavonols, flavones, and flavanones in fruits, vegetables and beverages by high-performance liquid chromatography with photo-diode array and mass spectrometric detection 799(1998)101

Separation of tea polyphenols using micellar electrokinetic chromatography with diode array detection 799(1998)309

Separation of blackcurrant anthocyanins by capillary zone electrophoresis 799(1998)321

Simultaneous separation of flavanone glycosides and polymethoxylated flavones in citrus juices using liquid chromatography 800(1998)171

Matrix-induced effects: a critical point in the gas chromatographic analysis of pesticide residues 800(1998)283

Stability of pesticides in plant extracts used as calibrants in the gas chromatographic analysis of residues 800(1998)297

### Forensic analysis

Rapid determination of amphetamines by high-performance liquid chromatography with UV detection 761(1997)71

Screening and identification of drugs in human hair by high-performance liquid chromatography–photodiode-array UV detection and gas chromatography–mass spectrometry after solid-phase extraction. A powerful tool in forensic medicine 762(1997)251

Use of high-performance liquid chromatography with photodiode-array UV detection for the creation of a 600-compound library. Application to forensic toxicology 763(1997)149

Application of micellar electrokinetic capillary chromatography to the analysis of illicit drug seizures (Review) 780(1997)265

Separation, comparison and identification of fountain pen inks by capillary electrophoresis with UV–visible and fluorescence detection and by proton-induced X-ray emission 781(1997)391

### Fourier-transform infrared spectrometry

Packed column supercritical fluid chromatography–mobile phase elimination Fourier transform infrared spectrometry employing modified fluids 764(1997)295

Separation and identification of sulfanilamides by capillary supercritical fluid chromatography–Fourier transform infrared spectroscopy 785(1997)111

### Free energy of transfer

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1

### Free-flow zone electrophoresis

Theory of the correlation between capillary and free-flow zone electrophoresis and its use for the conversion of analytical capillary separations to continuous free-flow preparative processes. Application to analysis and preparation of fragments of insulin 796(1998)211

### Free radical initiation

Synthesis and characterization of alkyl bonded phases from a silica hydride via hydrosilation with free radical initiation 786(1997)219

### Frits

Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165

### Frontal analysis

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

- Model discrimination and estimation of the intraparticle mass transfer parameters for the adsorption of bovine serum albumin onto porous adsorbent particles by the use of experimental frontal analysis data 776(1997)3
- Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311
- Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329
- Frontal chromatography**  
Frontal chromatography of proteins. Effect of axial dispersion on column performance 796(1998)157
- Fronting**  
Calculation of the composition of sample zones in capillary zone electrophoresis. IV. Weak acids and system characteristics 764(1997)111
- Fruit juices**  
Complementation of direct-injection high-performance liquid chromatography and enzyme-linked immunosorbent assay for the analysis of thiabendazole in fruit juices and concentrates 754(1996)431
- Gas chromatography–mass spectrometry of *Alternaria* mycotoxins 765(1997)255
- Divalent pairing ion for ion–interaction chromatography of sulphonates and carboxylates 770(1997)51
- Use of ion chromatography for monitoring microbial spoilage in the fruit juice industry 770(1997)243
- Determination of free fatty acids and their ethyl esters in musts and wines 776(1997)283
- Fully automated precolumn derivatization, on-line dialysis and high-performance liquid chromatographic analysis of amino acids in food, beverages and feedstuff 798(1998)9
- Separation of blackcurrant anthocyanins by capillary zone electrophoresis 799(1998)321
- Simultaneous separation of flavanone glycosides and polymethoxylated flavones in citrus juices using liquid chromatography 800(1998)171
- Fruits**  
Changes in chemical composition of catalytically hydrogenated orange oil (*Citrus sinensis*) 752(1996)217
- Determination of pesticide residues in fruit and vegetables (Review) 754(1996)301
- Official multiresidue methods of pesticide analysis in vegetables, fruits and soil (Review) 754(1996)333
- Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Pesticide residue analysis in fresh produce by gas chromatography–tandem mass spectrometry 754(1996)411
- Simultaneous determination of soluble sugars and organic acids as their trimethylsilyl derivatives in apricot fruits by gas–liquid chromatography 758(1997)99
- Determination of ethylenethiourea in food commodities by a two-step derivatization method and gas chromatography with electron-capture and nitrogen–phosphorus detection 765(1997)31
- Clean-up of aqueous acetone vegetable extracts by solid-matrix partition for pyrethroid residue determination by gas chromatography–electron-capture detection 765(1997)39
- Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69
- Determination of diflubenzuron in apples by gas chromatography 765(1997)85
- Chromatographic analysis of imazalil and carbendazim in fruits. Method validation and residue monitoring program 1995 765(1997)91
- Simplified determination of combined residues of prochloraz and its metabolites in vegetable, fruit and wheat samples by gas chromatography 765(1997)127
- Multiresidue analysis of pesticides in fruits and vegetables by gel permeation chromatography followed by gas chromatography with electron-capture and mass spectrometric detection 782(1997)105
- Supercritical fluid extraction of pesticide residues in fortified apple matrices 782(1997)123
- Application of activated carbon membranes for on-line cleanup of vegetable and fruit extracts in the determination of pesticide multiresidues by gas chromatography with mass selective detection 788(1997)141
- Determination of furanochromones and pyranocoumarins in drugs and *Ammi visnaga* fruits by combined solid-phase extraction–high-performance liquid chromatography and thin-layer chromatography–high-performance liquid chromatography 797(1998)305

Liquid chromatographic determination of  $\beta$ -naphthoxyacetic acid in tomatoes 798(1998)167

Matrix-induced effects: a critical point in the gas chromatographic analysis of pesticide residues 800(1998)283

Stability of pesticides in plant extracts used as calibrants in the gas chromatographic analysis of residues 800(1998)297

#### **Fungal metabolites**

Micro-scale extraction procedure for standardized screening of fungal metabolite production in cultures 760(1997)264

## **G**

#### **Gardenia yellow**

Effect of foaming power and foam stability on continuous concentration with foam counter-current chromatography 791(1997)53

#### **Gas**

Gas chromatographic-mass spectrometric analysis of mercaptan odorants in liquefied petroleum gas and liquefied natural gas 791(1997)367

#### **Gas chromatography, multicapillary**

Characterization of multicapillary gas chromatography-microwave-induced plasma atomic emission spectrometry for the expeditious analysis for organometallic compounds 795(1998)359

#### **Gasoline**

Evaluation of environmental levels of aromatic hydrocarbons in gasoline service stations by gas chromatography 778(1997)263

Characterization of multicapillary gas chromatography-microwave-induced plasma atomic emission spectrometry for the expeditious analysis for organometallic compounds 795(1998)359

#### **Gaussian curves**

Enhancing the quality of information obtained by a comparison between experimental and deconvolved peak parameters in ion chromatography 789(1997)51

#### **Gel-filled capillaries**

Simple method for preparing cross-linked polyacrylamide gel-filled capillaries 755(1996)138

#### **Gene mapping**

Rapid sizing of polymorphic microsatellite markers by capillary array electrophoresis 781(1997)295

#### **Gentianaceae**

Liquid chromatography coupled to mass spectrometry and nuclear magnetic resonance spectroscopy for the screening of plant constituents 794(1998)299

#### **Geological samples**

Programmed-temperature vaporiser injector as a new analytical tool for combined thermal desorption-pyrolysis of solid samples. Application to geochemical analysis 764(1997)73

#### **Geometrical isomers**

Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335

Systematic approach to links between separations in capillary electrophoresis and liquid chromatography. IV. Application of binding constant-retention factor relationship to the separation of 2-, 3- and 4-methylbenzoate anions using  $\beta$ -cyclodextrin as selector 768(1997)29

Separation and quantification of geometric isomers in a leukotriene antagonist using cyclodextrins in capillary electrophoresis. Comparison to high-performance liquid chromatographic methods 768(1997)81

Separation of cationic *cis-trans* (*Z-E*) isomers and diastereoisomers using non-aqueous capillary electrophoresis 792(1997)49

Silver ion high-performance liquid chromatography of isomeric *cis-* and *trans*-octadecenoic acids. Effect of the ester moiety and mobile phase composition 793(1998)275

Cyclodextrin aided separation of peptides and proteins by capillary zone electrophoresis 796(1998)367

#### **Ginger**

High-performance liquid chromatography-electrospray mass spectrometric analysis of pungent constituents of ginger 796(1998)327

#### **Glass beads**

Effect of addition of a graphitized carbon black trap to a glass beads trap on the cryoconcentration of some non-methane hydrocarbons in ambient air 790(1997)117

#### **Glow-discharge reactor**

New sorbents for removal of heavy metal ions: diamine-glow-discharge treated polyhydroxyethylmethacrylate microspheres 773(1997)169

#### **Glucose transporters**

D-Glucose, forskolin and cytochalasin B affinities for the glucose transporter Glut1. Study of pH and reconstitution effects by biomembrane affinity chromatography 776(1997)81

**Glycosylation**

Use of capillary electrophoresis and high-performance liquid chromatography for monitoring of glycosylation of the peptides dalargin and desmopressin 761(1997)285

**Gold processing solutions**

Determination of metal cyanide complexes in gold processing solutions by capillary electrophoresis 767(1997)319

***Gracilaria asiatica***

Identification of eicosanoids in the red algae, *Gracilaria asiatica*, using high-performance liquid chromatography and electrospray ionization mass spectrometry 795(1998)227

**Gradient elution**

Peculiarities of gradient ion-exchange high-performance liquid chromatography of proteins 753(1996)217

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21

Combined use of temperature and solvent strength in reversed-phase gradient elution. II. Comparing selectivity for different samples and systems 756(1996)41

Combined use of temperature and solvent strength in reversed-phase gradient elution. III. Selectivity for ionizable samples as a function of sample type and pH 756(1996)51

Combined use of temperature and solvent strength in reversed-phase gradient elution. IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions 756(1996)63

Prediction of retention in gradient-elution normal-phase high-performance liquid chromatography with binary solvent gradients 759(1997)13

Effects of the gradient profile on the production rate in reversed-phase gradient elution overloaded chromatography 760(1997)25

Characterization of low-molar-mass polymers by gradient polymer elution chromatography. II. Solubility effects in the analysis of polyester resins under reversed-phase conditions 761(1997)147

Gradient chromatofocusing high-performance liquid chromatography. II. Theoretical aspects 762(1997)47

Gradient chromatofocusing high-performance liquid chromatography. I. Practical aspects 762(1997)207

Gradient capillary electrochromatography of drug mixtures with UV and electrospray ionisation mass spectrometric detection 768(1997)89

Example of gradient elution in normal-phase liquid chromatography 768(1997)315

Simple model for blending aqueous salt buffers. Application to preparative chromatography 769(1997)37

Modelling gradient elution in centrifugal partition chromatography 773(1997)13

Characterization of low-molar-mass polymers by gradient polymer elution chromatography. III. Behaviour of crystalline polyesters under reversed-phase conditions 775(1997)157

Separation of polyester oligomers by gradient high-performance liquid chromatography 786(1997)85

Temperature programming and gradient elution in reversed-phase chromatography with packed capillary columns 788(1997)51

Characterisation and prediction of retention in isocratic and gradient-elution normal-phase high-performance liquid chromatography on polar bonded stationary phases with binary and ternary solvent systems 791(1997)1

Selection of column and gradient elution system for the separation of catechins in green tea using high-performance liquid chromatography 793(1998)265

Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115

Preparative gradient elution chromatography of chemotactic peptides 796(1998)195

Optimisation of gradient elution in normal-phase high-performance liquid chromatography 797(1998)11

Maintaining fixed band spacing when changing column dimensions in gradient elution 799(1998)21

**Gradient gel-filled capillaries**

Polyacrylamide gradient gel-filled capillaries with low detection background 772(1997)129

**Gradient steepness**

Combined use of temperature and solvent strength in reversed-phase gradient elution. II. Comparing selectivity for different samples and systems 756(1996)41

Combined use of temperature and solvent strength in reversed-phase gradient elution. III. Selectivity for ionizable samples as a function of sample type and pH 756(1996)51

Combined use of temperature and solvent strength in reversed-phase gradient elution. IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions 756(1996)63

**Graft polymerization**

Selection of a precursor monomer for the introduction of affinity ligands onto a porous membrane by radiation-induced graft polymerization 758(1997)209

**Graphitized carbon**

Studies on elution conditions for the determination of anions by suppressed ion-interaction chromatography using a graphitized carbon column 800(1998)239

**Graphitized carbon black**

Effect of addition of a graphitized carbon black trap to a glass beads trap on the cryoconcentration of some non-methane hydrocarbons in ambient air 790(1997)117

**Groundwater**

Polychlorinated naphthalenes in groundwater samples from the Llobregat aquifer (Spain) 786(1997)135

**Group retention factors**

Predictive strategies for determining retention indices of some allylic alcohols and their esters by gas chromatography 766(1997)141

**Growth factors**

Purification of insulin-like growth factor-I and related proteins using underivatized silica 753(1996)73

**Growth hormone secretagogue**

Enantiomeric separation of the novel growth hormone secretagogue MK-0677 by capillary zone electrophoresis 773(1997)311

**H****Hair**

Screening and identification of drugs in human hair by high-performance liquid chromatography–photodiode-array UV detection and gas chromatography–mass spectrometry after solid-phase extraction. A powerful tool in forensic medicine 762(1997)251

**Hair dyes**

High-performance liquid chromatography determination of direct and temporary dyes in natural hair colourings 796(1998)319

**Hammett's equation**

Prediction of  $pK_a$  values of phenolic and nitrogen-containing compounds by computational chemical analysis compared to those measured by liquid chromatography 762(1997)55

**Head pressure**

Retention in multistep programmed-temperature gas chromatography and flow control. Linear head pressure programs 757(1997)109

**Headspace analysis**

Application of solid-phase microextraction to the headspace gas chromatographic analysis of semi-volatile organochlorine contaminants in aqueous matrices 757(1997)173

Chromatographic analysis of volatile sulphur compounds in wines using the static headspace technique with flame photometric detection 773(1997)261

Novel calibration technique for headspace analysis of semivolatile compounds 793(1998)397

Indirect headspace gas chromatographic method for vapor–liquid phase equilibrium study 799(1998)207

Residual solvents determination in the antibiotic L-749,345 by static headspace gas chromatography 800(1998)275

**Heat of adsorption**

Influence of the heat of adsorption on elution band profiles in nonlinear liquid chromatography 760(1997)3

Combination of the steric mass action and non-ideal surface solution models for overload protein ion-exchange chromatography 760(1997)89

**Height equivalent to a theoretical plate**

Flow-rate dependence of the height equivalent to a theoretical plate in nitrogen isotope separation by displacement chromatography 793(1998)223

***Heliothis virescens***

Determination of organic and inorganic anions in insect haemolymph and midgut contents by ion chromatography 789(1997)279

**Helium d.c. discharge ionization detection**

Helium direct current discharge ionization detector for gas chromatography 761(1997)169

**Hemofiltrate**

Peptide bank generated by large-scale preparation of circulating human peptides 776(1997)125

**Heparin–silicas**

Characterisation of silica-based heparin affinity sorbents from equilibrium binding studies on plasma fractions containing thrombin 762(1997)113

**Hepatitis B virus**

Method for detection of epsilon-secondary structure in the precore region of human hepatitis B virus DNA using a fluorescence-based polymerase chain reaction–single-strand-conformation polymorphism technique with capillary electrophoresis 781(1997)307

**Heteroatom effects**

Mechanism of the flame ionization detector. II. Isotope effects and heteroatom effects 782(1997)81

**Heteroconjugation**

Non-aqueous capillary electrophoretic separation of Brønsted acids as heteroconjugated anions 771(1997)275

**Heterogeneous lattice model**

Effects of fused tryptophan rich peptides to a recombinant protein A domain on the partitioning in polyethylene glycol–dextran and Ucon–dextran aqueous two-phase systems 756(1996)107

**Hibar LiChrosorb RP-8**

Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75

**High-density polyethylene granules**

Analysis of odour and taste problems in high-density polyethylene 791(1997)213

**High-temperature SEC**

Comparison of enhanced-fluidity and elevated temperature mobile phases for high-performance size-exclusion chromatography 785(1997)35

**High-temperature silylation**

Optimization of end-capping of octadecyl-silylated silica gels by high-temperature silylation 757(1997)21

**Hoke design**

Neural network and experimental design to investigate the effect of five factors in ion-interaction high-performance liquid chromatography 799(1998)47

**Hold-up time**

Homologous series methods for determining hold-up parameters in isothermal gas chromatography 752(1996)173

Theoretical and practical aspects of flow control in programmed-temperature gas chromatography 757(1997)97

Hold-up time in gas chromatography. I. New approach to its estimation 760(1997)219

The hold-up time in gas chromatography. II. Validation of the estimation based on the concept of a zero carbon atoms alkane 767(1997)127

**Hold-up volume**

Homologous series methods for determining hold-up parameters in isothermal gas chromatography 752(1996)173

**Hollow-fibre membranes**

Module performance of anion-exchange porous hollow-fiber membranes for high-speed protein recovery 782(1997)159

**Hollow fibres**

Applying hollow fibres for separating free and bound label in continuous-flow immunochemical detection 755(1996)179

Selection of a precursor monomer for the introduction of affinity ligands onto a porous membrane by radiation-induced graft polymerization 758(1997)209

**Honey**

Determination of the fungicide vinclozolin in honey and bee larvae by solid-phase and solvent extraction with gas chromatography and electron-capture and mass spectrometric detection 754(1996)507

**Hop extracts**

Preparative separation of bitter acids from hop extracts by centrifugal partition chromatography 771(1997)71

**Hospital effluent**

Analysis of benzalkonium chloride in the effluent from European hospitals by solid-phase extraction and high-performance liquid chromatography with post-column ion-pairing and fluorescence detection 774(1997)281

**Human immunodeficiency virus**

Determination of an in vivo metabolite of a human immunodeficiency virus protease inhibitor in human plasma by high-performance liquid chromatography with tandem mass spectrometry 762(1997)311

**Hummel–Dreyer method**

Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

***Humulus lupulus***

Preparative separation of bitter acids from hop extracts by centrifugal partition chromatography 771(1997)71

**Hydride generation–atomic fluorescence spectroscopy**

High-performance liquid chromatography–hydride generation–atomic fluorescence spectroscopic determination of arsenic species in water 756(1996)292

**Hydrodynamically closed separation system**

Capillary zone electrophoresis in a hydrodynamically closed separation system with enhanced sample loadability 772(1997)103

Determination of nitrophenols by capillary zone electrophoresis in a hydrodynamically closed separation compartment 772(1997)327

Electroosmotic flow suppressing additives for capillary zone electrophoresis in a hydrodynamically closed separation system 792(1997)483

**Hydrodynamic chromatography**

Polymer characterization using on-line coupling of thermal field flow fractionation and hydrodynamic chromatography 765(1997)135

**Hydrodynamic radius**

Salt effects in capillary zone electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius 786(1997)171

**Hydrodynamic volume**

Studies of the hydrodynamic volume changes that occur during refolding of lysozyme using size-exclusion chromatography 766(1997)109

**Hydrogen bond acceptor basicity**

Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249

**Hydrogen bond donor acidity**

Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249

**Hydrogen bonding**

Hydrophilic selectors for selectivity enhancement in capillary electrophoresis (Review) 792(1997)445

**Hydrogen reduction**

Measurement of trace phosphorus in dichlorosilane by high-temperature hydrogen reduction gas chromatography 757(1997)319

**Hydrolysis**

Effect of the hydrolysis method on the determination of the amino acid composition of proteins 795(1998)263

**Hydrophilic coating**

Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary 788(1997)155

**Hydrophilic-interaction liquid chromatography**

Application of hydrophilic-interaction liquid chromatography to the separation of phosphorylated H1 histones 782(1997)55

**Hydrophilic selectors**

Hydrophilic selectors for selectivity enhancement in capillary electrophoresis (Review) 792(1997)445

**Hydrophobic interaction chromatography**

Hydrophobic-interaction chromatography of proteins on continuous beds derivatized with isopropyl groups 753(1996)227

Multiple peaks in high-performance liquid chromatography of proteins.  $\beta$ -Lactoglobulins eluted in a hydrophobic interaction chromatography system 778(1997)43

Comparison of the protein adsorption selectivity of salt-promoted agarose-based adsorbents. Hydrophobic, thiophilic and electron donor-acceptor adsorbents 800(1998)151

**Hydrophobic interactions**

Interaction between tryptophan residues and hydrophobically modified dextran. Effect on partitioning of peptides and proteins in aqueous two-phase systems 766(1997)99

**Hydrophobicity**

see also Lipophilicity

Influence of template basicity and hydrophobicity on the molecular recognition properties of molecularly imprinted polymers 753(1996)191

Relationship between the hydrophobicity and specific hydrophobic surface area of pesticides determined by high-performance liquid chromatography compared with reversed-phase thin-layer chromatography 771(1997)105

Reliability of the capacity factor at zero micellar concentration and the solute-micelle association constant estimates by micellar liquid chromatography 778(1997)67

**Hydrophobicity index**

Relationships between the chromatographic hydrophobicity indices and solute descriptors obtained by using several reversed-phase, diol, nitrile, cyclodextrin and immobilised artificial membrane-bonded high-performance liquid chromatography columns 797(1998)41

**Hydrophobic solutes**

Electrokinetic chromatography without electroosmotic flow 792(1997)125

**Hydrosilation**

Synthesis and characterization of alkyl bonded phases from a silica hydride via hydrosilation with free radical initiation 786(1997)219

**Hydroxyapatite**

Comparison of anion-exchange and hydroxyapatite displacement chromatography for the isolation of whey proteins 760(1997)125

Development of a downstream process for the isolation and separation of monoclonal immunoglobulin A monomers, dimers and polymers from cell culture supernatant 796(1998)165

**Hypercarb**

Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75

**Hyphenated techniques**

see also Special Issue Index

Chromatographic and hyphenated methods for elemental speciation analysis in environmental media (Review) 774(1997)3

**I****Image analysis**

Reproducibility of densitometric and image analysing quantitative evaluation of thin-layer chromatograms 779(1997)329

**Iminodiacetic acid-silica**

Single-column method of chelation ion chromatography for the analysis of trace metals in complex samples 770(1997)129

**Immobilization**

Enantioselective capillary gas chromatography and capillary supercritical fluid chromatography on an immobilized  $\gamma$ -cyclodextrin derivative 761(1997)181

Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies 776(1997)15

**Immobilized allyl groups**

Preparation of chromatographic matrices by free radical addition ligand attachment to allyl groups 796(1998)273

**Immobilized antibodies**

Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies 776(1997)15

**Immobilized artificial membranes**

Determination of solute lipophilicity, as log *P*(octanol) and log *P*(alkane) using poly(styrene-divinylbenzene) and immobilized artificial membrane stationary phases in reversed-phase high-performance liquid chromatography 766(1997)35

Relationships between the chromatographic hydrophobicity indices and solute descriptors obtained by using several reversed-phase, diol, nitrile, cyclodextrin and immobilized artificial membrane-bonded high-performance liquid chromatography columns 797(1998)41

Evaluation of the immobilized artificial membrane phosphatidylcholine. Drug discovery column for high-performance liquid chromatographic screening of drug-membrane interactions 800(1998)161

**Immobilized dyes**

Screening of a large number of dyes for the separation of human immunoglobulin G2 from the other immunoglobulin G subclasses. Immunoglobulin G2 enrichment on immobilized Procion Yellow HE-4R 766(1997)49

**Immobilized immunoglobulins**

Fast isolation of protein receptors from streptococci G by means of macroporous affinity discs 798(1998)65

**Immobilized metal affinity chromatography**

Immobilized metal affinity chromatography of human growth hormone. Effect of ligand density 764(1997)27

Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11

Selection of optimum affinity tags from a phage-displayed peptide library. Application to immobilized copper(II) affinity chromatography 787(1997)91

Preparation of magnetic immobilized metal affinity separation media and its use in the isolation of proteins 795(1998)211

**Immobilized proteins**

Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of D- and L-tryptophan with immobilized human serum albumin 766(1997)15

Enantioselectivity properties of human serum albumin immobilized on anion-exchangers based on polyvinylimidazole-coated silica. Effect of protein loading on separation properties 776(1997)45

**Immunoabsorbents**

see also Affinity adsorbents

Isolation of monoclonal antibodies from cell containing hybridoma broth using a protein A coated adsorbent in expanded beds 752(1996)111

Automated sample preparation with extraction columns by means of anti-isoproturon immunosorbents for the determination of phenylurea herbicides in water followed by liquid chromatography-diode array detection and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 777(1997)91

**Immunoaffinity chromatography**

see also Affinity chromatography

Evaluation of immunoaffinity chromatography as a replacement for organic solvent clean-up of plant extracts for the determination of triazine herbicides by liquid chromatography 752(1996)147

Immunoaffinity chromatography combined on-line with high-performance liquid chromatography–mass spectrometry for the determination of corticosteroids 794(1998)37

Substance P and related peptides in porcine cortex: whole tissue and nuclear localization 800(1998)21

**Immunoassays**

Automated microanalysis using magnetic beads with commercial capillary electrophoretic instrumentation 781(1997)197

**Immunochemical detection**

Applying hollow fibres for separating free and bound label in continuous-flow immunochemical detection 755(1996)179

**Immunostimulants**

Analysis of a monophosphoryl lipid A immunostimulant preparation from *Salmonella minnesota* R595 by high-performance liquid chromatography 767(1997)53

**Inclusion complexes**

<sup>2</sup>H<sub>2</sub>O effects on the inclusion complexation of β-cyclodextrin with sodium 2-naphthalenesulfonate in capillary electrophoresis and UV spectrophotometry 800(1998)327

**Inclusion–complexation**

Controlling enantioselectivity in chiral capillary electrophoresis with inclusion–complexation (Review) 792(1997)227

**Indirect detection**

Determination and prediction of transfer ratios for anions in capillary zone electrophoresis with indirect UV detection 770(1997)291

Noise and baseline disturbances in indirect UV detection in capillary electrophoresis 786(1997)333

**Indirect time-resolved fluorescence detection**

Indirect time-resolved fluorescence detection of both non-fluorescent and fluorescent compounds separated by high-performance liquid chromatography 787(1997)261

**Inductively coupled plasma mass spectrometry**

see also Mass spectrometry

Determination of bromate in drinking waters by ion chromatography with inductively coupled plasma mass spectrometric detection 753(1996)261

Inductively coupled plasma mass spectrometric detection for chromatography and capillary electrophoresis (Review) 789(1997)85

On the use of inductively coupled plasma mass spectrometry as an element specific detector for liquid chromatography: optimization of an industrial tellurium removal process 794(1998)219

**Industrial chemicals**

Capillary electrophoresis as a routine industrial tool for quantitative analytical testing. Determination of sodium dimethyldithiocarbamate in effluents 781(1997)541

**Infant formulas**

Determination of available lysine in infant milk formulae by high-performance liquid chromatography 778(1997)235

Determination of vitamins A and E in infant milk formulae by high-performance liquid chromatography 778(1997)243

Determination of water-soluble vitamins in infant milk by high-performance liquid chromatography 778(1997)247

**Infrared spectroscopy**

Determination of total petroleum hydrocarbons in soil by on-line supercritical fluid extraction–infrared spectroscopy using a fiber-optic transmission cell and a simple filter spectrometer 785(1997)269

***Inga punctata***

Pipecolic acid methyl esters as artefacts from the ion-exchange chromatography of *Inga punctata* foliar extracts 766(1997)267

**Injection methods**

see also Large-volume injections

Choosing sample volume to achieve maximum detection sensitivity and resolution with high-performance liquid chromatography columns of 1.0, 2.1 and 4.6 mm I.D 762(1997)167

Impinger sampling coupled to high-performance liquid chromatography by a modified autoinjector interface 762(1997)187

Polyimide for deactivating gas chromatography vaporising chambers and fixing packing materials 764(1997)65

Programmed-temperature vaporiser injector as a new analytical tool for combined thermal desorption–pyrolysis of solid samples. Application to geochemical analysis 764(1997)73

Procedure for the determination of eight cholesterol oxides in poultry meat using on-column and solvent venting capillary gas chromatography 764(1997)279

Variance contributed by pressure induced injection in capillary electrophoresis 767(1997)205

Quantitation of acetaminophen and salicylic acid in plasma using capillary electrophoresis without sample pretreatment. Improvement of precision 768(1997)125

Quantitative injections or calibrations in gas chromatography. Anomaly associated with syringe type 773(1997)372

Gas chromatographic determination of airborne residues of azinphosmethyl and azinphosmethyl-oxon by cool on-column injection 775(1997)307

High-resolution pyrolysis–gas chromatography with a movable reaction zone 776(1997)337

Retention time repeatability as a function of the injection automatism in the analysis of trace organochlorinated compounds with high-resolution gas chromatography 778(1997)23

Sample stacking using field-amplified sample injection in capillary zone electrophoresis in the analysis of phenolic compounds 788(1997)185

Influence of the sample volume and the position of the electrode and the capillary-end in the sample vial on the electrokinetic injection in capillary electrophoresis 788(1997)212

On-line concentration of neutral analytes for micellar electrokinetic chromatography. II. Reversed electrode polarity stacking mode 791(1997)255

Improved detection of alkaloids in crude extracts applying capillary electrophoresis with field amplified sample injection 791(1997)323

Closed-loop recycling with periodic intra-profile injection: a new binary preparative chromatographic technique 796(1998)101

Simultaneous analysis of inorganic and organic lead, mercury and selenium by capillary electrophoresis with nitrilotriacetic acid as derivatization agent 796(1998)385

On-line concentration of neutral analytes for micellar electrokinetic chromatography. IV. Field-enhanced sample injection 798(1998)251

#### **Injection parameters**

Influence of sample plug width in capillary electrochromatography 779(1997)155

#### **Injection volume**

Assessment of injection volume limits when using on-column focusing with microbore liquid chromatography 759(1997)1

#### **Ink**

Separation, comparison and identification of fountain pen inks by capillary electrophoresis with UV–visible and fluorescence detection and by proton-induced X-ray emission 781(1997)391

#### **Inorganic oxide packing materials**

Comparative studies of structural and surface properties of porous inorganic oxides used in liquid chromatography 797(1998)93

#### **Inorganic particles**

Analysis of colloids. IX. Investigation of the electrical double layer of colloidal inorganic nanometer-particles by size-exclusion chromatography 773(1997)179

#### **Instrumentation**

Improved preparative electrochromatography column design 760(1997)259

Impinger sampling coupled to high-performance liquid chromatography by a modified autoinjector interface 762(1997)187

Development of a thermal desorption modulator for gas chromatography 767(1997)137

Performance of instruments and aspects of methodology and validation in quantitative capillary electrophoresis. An update 768(1997)17

High-resolution pyrolysis–gas chromatography with a movable reaction zone 776(1997)337

Microcolumn liquid chromatography: instrumentation, detection and applications 779(1997)1

Microchip-based capillary electrophoresis of human serum proteins 781(1997)271

Conventional capillary electrophoresis in comparison with short-capillary capillary electrophoresis and microfabricated glass chip capillary electrophoresis for the analysis of fluorescein isothiocyanate anti-human immunoglobulin G 781(1997)287

Electrochemically regenerated ion suppressors, new suppressors for ion chromatography 782(1997)75

Interface between pyrolyzer and gas chromatograph. A different configuration of pyrolysis–gas chromatography 786(1997)107

Three-compartment electro dialysis device for on-line sample clean-up and enrichment prior to capillary electrophoresis 788(1997)165

Accelerated recombinant protein purification process development. Automated, robotics-based integration of chromatographic purification and analysis 798(1998)73

Optimization of a supercritical fluid chromatograph–atmospheric pressure chemical ionization mass spectrometer interface using an ion trap and two quadrupole mass spectrometers 800(1998)39

**Instrumentation, LC-MS**

Advances in instrumentation in liquid chromatography-mass spectrometry and related liquid-introduction techniques 794(1998)407

**Interfaces**

see also Mass spectrometry

Fiber optic-based interface for on-line selective photometric determinations in solid samples by supercritical fluid extraction 753(1996)299

Identification of an anti-bacterial agent in toothpaste via liquid chromatography-Fourier transform infrared spectrometry mobile phase elimination 755(1996)211

High-performance liquid chromatography-hydride generation-atomic fluorescence spectroscopic determination of arsenic species in water 756(1996)292

Interface between pyrolyzer and gas chromatograph. A different configuration of pyrolysis-gas chromatography 786(1997)107

Interfacing supercritical fluid chromatography with atomic fluorescence spectrometry for the determination of organomercury compounds 786(1997)188

On-line analysis by capillary separations interfaced to an ion trap storage/reflectron time-of-flight mass spectrometer (Review) 794(1998)377

Use of microdialysis for the on-line coupling of capillary isoelectric focusing with electrospray mass spectrometry 777(1997)31

Capillary electrophoresis with electrospray mass spectrometry detection for low-molecular-mass compounds 781(1997)99

**Interfaces, CE-MS**

Evaluation of an electrospray interface for capillary electrophoresis-time-of-flight mass spectrometry 791(1997)269

Sensitive high-resolution analysis of biological molecules by capillary zone electrophoresis coupled with reflecting time-of-flight mass spectrometry 800(1998)1

**Interfaces, electrolyte-polymer solution**

Electromigration behaviour of DNA molecules at the free electrolyte-polymer solution interface 772(1997)243

**Interfaces, LC-MS**

High-temperature open tubular liquid chromatography coupled to atmospheric pressure chemical ionisation mass spectrometry 755(1996)153

Application of liquid chromatography-atmospheric pressure ionization mass spectrometry in natural product analysis. Evaluation and optimization of electrospray and heated nebulizer interfaces 755(1996)189

Studies on the combination of ion chromatography-particle-beam mass spectrometry with capillary columns 770(1997)59

Liquid chromatography-mass spectrometry in nucleoside, nucleotide and modified nucleotide characterization (Review) 794(1998)109

Comparison of automated on-line solid-phase extraction followed by liquid chromatography-mass spectrometry with atmospheric pressure chemical ionization and particle beam mass spectrometry for the determination of a priority group of pesticides in environmental waters 794(1998)147

Characterization of surfactants and their biointermediates by liquid chromatography-mass spectrometry (Review) 794(1998)165

Evaluation of particle beam high-performance liquid chromatography-mass spectrometry for analysis of cholesterol oxides 794(1998)253

Overview of the applications of liquid chromatography-mass spectrometry interfacing systems in food analysis: naturally occurring substances in food (Review) 794(1998)263

Multi-atmospheric pressure ionisation interface for liquid chromatography-mass spectrometry 794(1998)391

Advances in instrumentation in liquid chromatography-mass spectrometry and related liquid-introduction techniques 794(1998)407

Temperature and extraction voltage effect on fragmentation of organophosphorus pesticides in liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 795(1998)13

Analysis of secreted flavonoids of *Cistus ladanifer* L. by high-performance liquid chromatography-particle beam mass spectrometry 799(1998)111

**Interfaces, SFC-FT-IR**

Packed column supercritical fluid chromatography-mobile phase elimination Fourier transform infrared spectrometry employing modified fluids 764(1997)295

Separation and identification of sulfanilamides by capillary supercritical fluid chromatography-Fourier transform infrared spectroscopy 785(1997)111

**Interfaces, SFC-MS**

Packed column supercritical fluid chromatography-mass spectrometry: A review (Review) 785(1997)85

New supercritical fluid chromatography interface probe for electrospray and atmospheric pressure chemical ionization mass spectrometry 785(1997)101

Optimization of a supercritical fluid chromatograph–atmospheric pressure chemical ionization mass spectrometer interface using an ion trap and two quadrupole mass spectrometers 800(1998)39

#### **Interfering peaks**

Management of nonmatrix interfering peaks in a chiral high-performance liquid chromatographic assay produced by solid-phase extraction of rat plasma 763(1997)129

#### **Interferometric backscatter**

Refractive-index detection by interferometric backscatter in packed-capillary high-performance liquid chromatography 762(1997)219

#### **Inter-laboratory study**

Inter-laboratory validation of solid-phase microextraction for the determination of triazine herbicides and their degradation products at ng/l level in water samples 795(1998)371

#### **Internal standards**

Absolute quantitation of lignin pyrolysis products using an internal standard 773(1997)227

#### **Intraparticle fluid flow**

Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

#### **Intraparticle mass transfer**

Model discrimination and estimation of the intraparticle mass transfer parameters for the adsorption of bovine serum albumin onto porous adsorbent particles by the use of experimental frontal analysis data 776(1997)3

#### **Inverse gas chromatography**

Application of Kováts retention indices for investigation of adsorption properties of activated carbons 782(1997)87

Inverse gas chromatography in the examination of organic compounds. Polarity and solubility parameters of isoquinoline derivatives 795(1998)349

#### **Ion chromatography**

see also Special Issue Index

Factors controlling ion-exchange selectivity in suppressed ion chromatography (Review) 789(1997)29

Ion chromatography of anions on stationary phases modified with chondroitin sulfate 789(1997)201

Applications of anion chromatography in terrestrial environmental research (Review) 789(1997)287

#### **Ion-exchange chromatography**

Modeling column regeneration effects on ion-exchange chromatography 791(1997)99

#### **Ion-exchange chromatography, theory**

Comments on a general theory of ion-exchange chromatographic separation processes 755(1996)308

#### **Ion-exchange membrane**

Mass transfer limitations in protein separations using ion-exchange membranes 764(1997)3

#### **Ion-exchange selectivity**

Nonaqueous anion-exchange chromatography. I. Role of solvation in anion-exchange resin 758(1997)19

Nonaqueous anion-exchange chromatography. II. Changing anion-exchange selectivity by resin surface complex formation of crown ethers 758(1997)29

Ultrasonic effects on ion-exchange chromatographic retention 793(1998)365

#### **Ion exchangers**

see also Anion exchangers and Stationary phases

Preparation and use of ion-exchange chromatographic supports based on perfluoropolymers 773(1997)73

Sulfoacylated macroporous polystyrene–divinylbenzene: a new type of cation exchanger for the analysis of multivalent metal cations 782(1997)149

Some examples of the use of amphoteric ion-exchange resins for inorganic separations 789(1997)157

#### **Ion-interaction chromatography**

Potentiometric detection of aliphatic amines by flow injection analysis and ion-interaction chromatography with a metallic copper electrode 758(1997)227

Separation and determination of inorganic anions by reversed-phase high-performance liquid chromatography (Review) 789(1997)181

Development of system suitability tests for ion-interaction chromatography of colorants on reversed-phase packing materials 797(1998)65

Comparison of prediction power between theoretical and neural-network models in ion-interaction chromatography 799(1998)35

#### **Ionic strength**

Capillary zone electrophoretic separation of  $\beta$ -blockers using citrate buffer at low pH 776(1997)361

Reply to “Capillary zone electrophoretic separation of  $\beta$ -blockers using citrate buffer at low pH” 776(1997)362

Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35

**Ion-ion interactions**

Chromatographic ion-exchange and charge-partner reactions. New mechanisms concerning ion-ion interactions of inorganic compounds in Sephadex G-15 columns (Review) 789(1997)21

**Ionization constants**

Fingerprint of anions involving  $pK_a$ , mobility and concentration established by using capillary isotachopheresis 772(1997)19

Determination of the thermodynamic equilibrium constants of water-insoluble (sparingly soluble) compounds by capillary electrophoresis 772(1997)91

**Ionization detection**

Helium direct current discharge ionization detector for gas chromatography 761(1997)169

**Ionization methods**

Comparison of dynamic fast atom bombardment/liquid secondary ion mass spectrometry and electrospray mass spectrometry coupled to reversed-phase liquid chromatography for the determination of oligosaccharides in seawater 777(1997)141

**Ion-pair chromatography**

Separation and detection of vanadate, tungstate, molybdate and chromate ions 789(1997)267

**Ion-paired organic-bound sulfur**

Ultrafiltration: a technique for determining the molecular-mass distribution of group parameters of organic pollutants in natural waters 763(1997)315

**Ion-pair formation constants**

Nonaqueous anion-exchange chromatography. I. Role of solvation in anion-exchange resin 758(1997)19

**Ion-pairing reagents**

On-line solid-phase extraction coupled to supercritical fluid chromatography to determine phenol and nitrophenols in water 755(1996)67

Selectivity enhancement for free zone capillary electrophoresis using conventional ion-pairing agents as complexing additives 758(1997)293

Reversed-phase liquid chromatographic separation of platinum(II) complexes of methionine- and histidine-containing peptides using perfluorinated carboxylic acids as ion-pairing reagents 761(1997)115

Speciation of arsenic compounds by using ion-pair chromatography with atomic spectrometry and mass spectrometry detection 764(1997)55

Size-exclusion chromatography of lignin as ion-pair complex 764(1997)183

Determination of glucosinolates in domestic and wild mustard by high-performance liquid chromatography with confirmation by electrospray mass spectrometry and photodiode-array detection 767(1997)43

Divalent pairing ion for ion-interaction chromatography of sulphonates and carboxylates 770(1997)51

Determination of sulfur oxyanions by ion chromatography on a silica ODS column with tetrapropylammonium salt as an ion-pairing reagent 770(1997)157

Use of sodium perchlorate at low pH for peptide separations by reversed-phase liquid chromatography. Influence of perchlorate ion on apparent hydrophilicity of positively charged amino acid side-chains 776(1997)153

Enhanced selectivity for capillary zone electrophoresis using ion-pair agents (Review) 792(1997)455

Direct injection of large volumes of plasma/serum on a new biocompatible extraction column for the determination of atenolol, propranolol and ibuprofen. Mechanisms for the improvement of chromatographic performance 797(1998)251

Use of chiral and achiral ion-pairing reagents in combination with cyclodextrins in capillary electrophoresis 798(1998)281

**Ion suppressors**

Electrochemically regenerated ion suppressors, new suppressors for ion chromatography 782(1997)75

**Ion-trap mass spectrometry**

Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization ion-trap mass spectrometry 794(1998)201

**Ion trap storage/reflectron time-of-flight mass spectrometer**

On-line analysis by capillary separations interfaced to an ion trap storage/reflectron time-of-flight mass spectrometer (Review) 794(1998)377

**Isoelectric buffers**

Fundamental properties of isoelectric buffers for capillary zone electrophoresis 790(1997)169

Generation of tryptic maps of  $\alpha$ - and  $\beta$ -globin chains by capillary electrophoresis in isoelectric buffers 791(1997)313

Properties of buffer systems with charges immobilized on a gel matrix and their potential use in capillary electrophoresis 799(1998)275

**Isoelectric focusing**

Characterization and impact of the temporal behavior of the electroosmotic flow in capillary isoelectric focusing with electroosmotic zone displacement 756(1996)219

- Capillary isoelectric focusing: the problem of protein solubility 757(1997)237
- Capillary isoelectric focusing with anionic coated capillaries 767(1997)231
- Study of haptoglobin–hemoglobin complexes by titration curves, capillary electrophoresis and capillary isoelectric focusing 767(1997)255
- Strategies to improve performance of capillary isoelectric focusing 772(1997)145
- Recycling electrophoretic separations: modeling of isotachopheresis and isoelectric focusing 779(1997)165
- Effects of electroosmotic flow on zone mobilization in capillary isoelectric focusing 781(1997)113
- Rapid high-performance isoelectric focusing of monoclonal antibodies in uncoated fused-silica capillaries 790(1997)215
- Validation of a capillary isoelectric focusing method for the recombinant monoclonal antibody C2B8 800(1998)355
- Isoelectric focusing–mass spectrometry**  
Use of microdialysis for the on-line coupling of capillary isoelectric focusing with electrospray mass spectrometry 777(1997)31
- Isoelectric point markers**  
Evaluation of pH gradient formation of carrier ampholytes with synthesized isoelectric point markers in capillary isoelectric focusing 772(1997)137
- Isomerization**  
Displacement chromatography with on-column isomerization 787(1997)1
- Isotachopheresis**  
see also Special Issue Index
- Isotachopheretic crystallization of ionogenic substances in electrolyte solutions 752(1996)251
- Simultaneous determination of bromide and iodide ions by capillary isotachopheresis using quaternary ammonium salts 760(1997)253
- Separation power of isotachopheresis (displacement electrophoresis) with continuous pH and conductivity gradients 764(1997)309
- Bidirectional isotachopheresis in open-tubular, untreated fused-silica capillaries 772(1997)3
- Fingerprint of anions involving  $pK_a$ , mobility and concentration established by using capillary isotachopheresis 772(1997)19
- Transient modelling of capillary electrophoresis. Isotachopheresis 772(1997)49
- Separation and determination of pharmaceutically important polyols in dosage forms by capillary isotachopheresis 772(1997)277
- Recycling electrophoretic separations: modeling of isotachopheresis and isoelectric focusing 779(1997)165
- New method to determine stability constants of lanthanide–EDTA complexes by isotachopheresis 786(1997)377
- Isotachopheresis–capillary zone electrophoresis**  
On-line isotachopheresis–capillary zone electrophoresis versus sample self stacking capillary zone electrophoresis. Analysis of hippurate in serum 772(1997)283
- Isotachopheretic focusing**  
Separation power of isotachopheresis (displacement electrophoresis) with continuous pH and conductivity gradients 764(1997)309
- Isotachopheretic focusing of strong electrolytes on the background of carrier ampholytes 798(1998)223
- Isotope effects**  
Influence of gas chromatographic parameters on measurement of  $^{13}\text{C}/^{12}\text{C}$  isotope ratios by gas–liquid chromatography–combustion isotope ratio mass spectrometry. I 752(1996)233
- Mechanism of the flame ionization detector. II. Isotope effects and heteroatom effects 782(1997)81
- Isotope ratios**  
Quantitative evaluation of carbon isotopic fractionation during reversed-phase high-performance liquid chromatography 757(1997)307
- Isotopes**  
Flow-rate dependence of the height equivalent to a theoretical plate in nitrogen isotope separation by displacement chromatography 793(1998)223
- Isotopic fractionation**  
 $^{13}\text{C}$  Isotopic analysis of an acetaminophen and diacetylmorphine mixture 756(1996)203

# K

## Ketone electrophores

Ketone electrophores and an olefin-release group electrophore-labeled DNA oligomer. Detection via electron capture 764(1997)95

**Kinetic differentiation electrophoresis**

Use of cationic polymers for the simultaneous determination of inorganic anions and metal-4-(2-pyridylazo)resorcinolato chelates in kinetic differentiation-mode capillary electrophoresis 776(1997)329

**Kinetic differentiation liquid chromatography**

Fluorometric determination of serum and urinary aluminium with 8-quinolinol by kinetic-differentiation-mode micellar chromatography 789(1997)361

**Kinetic studies**

Comparative degradation kinetics of alachlor in water by photocatalysis with FeCl<sub>3</sub>, TiO<sub>2</sub> and photolysis, studied by solid-phase disk extraction followed by gas chromatographic techniques 754(1996)187

Solid-phase microextraction of volatile organic compounds. Estimation of the sorption equilibrium from the Kováts index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model 761(1997)205

Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of D- and L-tryptophan with immobilized human serum albumin 766(1997)15

Dynamic simulation of simulated moving bed chromatographic reactors 769(1997)71

Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies 776(1997)15

Chromatographic study of the influence of nitrogen dioxide on the reactions between volatile hydrocarbons and inorganic pigments 776(1997)275

Chromatographic separation and characterization of the photoproduct of tris(L-cysteinesulfonato-N,S)cobaltate(III) 789(1997)273

Modeling column regeneration effects on ion-exchange chromatography 791(1997)99

Gel permeation chromatography of polymers degrading randomly in the column. Theoretical treatment and practical aspects 786(1997)209

Application of C<sub>18</sub> disks followed by gas chromatography techniques to degradation kinetics, stability and monitoring of endosulfan in water 795(1998)93

Diffusion, adsorption and catalytic studies by gas chromatography (Review) 795(1998)133

Non-linear elution effects in split-peak chromatography. II. Role of ligand heterogeneity in solute binding to columns with adsorption-limited kinetics 795(1998)185

**Kuei-chih-tang**

Determination of cinnamaldehyde, cinnamic acid, paeoniflorin, glycyrrhizin and [6]-gingerol in the traditional Chinese medicinal preparation Kuei-chih-tang by cyclodextrin-modified micellar electrokinetic chromatography 771(1997)267

**L*****Lactobacillus plantarum***

Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a *Lactobacillus plantarum* bacterial suspension using purge and trap 775(1997)225

**Langmuir and Langmuir-like systems**

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

***Lantana camara***

Reversed-phase high-performance liquid chromatographic separation and quantification of lantadenes using isocratic systems 786(1997)181

**Laplace transform domain**

Affinity adsorption of adsorbates into spherical monodisperse and bidisperse porous perfusive and purely diffusive adsorbent particles packed in a column. Parameter estimation in the Laplace transform domain 760(1997)55

**Large-volume injections**

see also Injection methods

Direct determination of bromacil and diuron residues in environmental water samples by coupled-column liquid chromatography and large-volume injection 761(1997)322

Polyimide for deactivating gas chromatography vaporising chambers and fixing packing materials 764(1997)65

Development of a thermal desorption modulator for gas chromatography 767(1997)137

Large volume injection of acidic pesticides by reversed-phase micro high-performance liquid chromatography 768(1997)215

New method for the rapid determination of triazine herbicides and some of their main metabolites in water by using coupled-column liquid chromatography and large volume injection 778(1997)171

#### **Large-volume stacking**

Large-volume stacking for quantitative analysis of anions in capillary electrophoresis. I. Large-volume stacking with polarity switching 757(1997)281

Large-volume stacking for quantitative analysis of anions in capillary electrophoresis. II. Large-volume stacking without polarity switching 757(1997)291

#### **Laser-induced fluorescence detection**

Enhanced temporal resolution for the microdialysis monitoring of catecholamines and excitatory amino acids using capillary electrophoresis with laser-induced fluorescence detection. Analytical developments and in vitro validations 755(1996)99

Determination of twenty eight biogenic amines and amino acids during wine aging by micellar electrokinetic chromatography and laser-induced fluorescence detection 765(1997)337

Ultrasensitive near-infrared laser-induced fluorescence detection in capillary electrophoresis using a diode laser and avalanche photodiode 779(1997)185

#### **Laser-induced fluorescence, two-photon**

Highly sensitive detection using laser two-photon excited fluorescence in capillary electrophoresis 765(1997)315

#### **Laser-induced resonance energy transfer**

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Part B: Applications for environmental testing 767(1997)217

#### **Laser wave-mixing**

Sensitive absorbance detection method for capillary electrophoresis based on laser wave-mixing 773(1997)291

#### **Leaks**

Influence of leaks in the liquid chromatographic instrument on analytical results 767(1997)25

#### **Least-squares analysis**

Evaluation of multiwavelength chromatograms for the quantification of mixtures of pesticides by high-performance liquid chromatography–diode array detection with multivariate calibration 778(1997)139

Resolution of folpet, procymidone and triazophos in high-performance liquid chromatography–diode array detection by using partial least squares calibration to cross-sections of spectrochromatograms 778(1997)183

#### **Least-squares calibration**

Linearity and the limitations of least squares calibration 762(1997)73

#### **Leguminosae**

Liquid chromatography coupled to mass spectrometry and nuclear magnetic resonance spectroscopy for the screening of plant constituents 794(1998)299

#### **Ligand density**

Immobilized metal affinity chromatography of human growth hormone. Effect of ligand density 764(1997)27

#### **Ligand-exchange chromatography**

Synthesis and characterization of a novel wall coated capillary column for the separation of polycyclic aromatic hydrocarbons 773(1997)199

Molecularly imprinted ligand-exchange adsorbents for the chiral separation of underivatized amino acids 775(1997)51

#### **Ligand heterogeneity**

Non-linear elution effects in split-peak chromatography. II. Role of ligand heterogeneity in solute binding to columns with adsorption-limited kinetics 795(1998)185

#### **Ligand orientation**

Characterization of liquid chromatographic stationary phases by Raman spectroscopy. Effect of ligand type 779(1997)91

#### **Ligand purity**

Role of ligand purity in separations of alkaline earth metals as arsenazo I complexes by capillary zone electrophoresis 793(1998)177

#### **Ligand–protein binding**

Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349

#### **Light-harvesting complex**

Rapid resolution by reversed-phase high-performance liquid chromatography of the thylakoid membrane proteins of the photosystem II light-harvesting complex 779(1997)131

#### **Linear discriminant analysis**

Stereospecific analysis of the triacylglycerol fraction and linear discriminant analysis in a climatic differentiation of Umbrian extra-virgin olive oils 758(1997)109

#### **Linear free energy relationships**

Linear free energy relationship analysis of microemulsion electrokinetic chromatographic determination of lipophilicity 752(1996)243

#### **Linearity**

Linearity and the limitations of least squares calibration 762(1997)73

#### **Linear solvation energy relationships**

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. I. The stationary phase 752(1996)1

Addition of methanol to the mobile phase in packed capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 753(1996)291

Application of the solvation parameter model to the characterisation of gas chromatographic stationary phases containing tris[3-(trifluoromethylhydroxymethylene)camphorato] derivatives of lanthanides 793(1998)390

Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249

Modifier effects in open tubular capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 796(1998)347

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. The mobile phase 799(1998)1

#### **Linear velocity**

High speed solvating gas chromatography using packed capillaries containing sub-5  $\mu\text{m}$  particles 778(1997)31

#### **Linkage isomers**

Chromatographic separation and characterization of the photoproduct of tris(L-cysteinesulfinate-N,S)cobaltate(III) 789(1997)273

#### **Lipid peroxidation**

High-resolution gas chromatography–nitrogen–phosphorous detection of saturated volatile aldehydes derivatized with 2-hydrazinobenzothiazole 752(1996)209

Comparison of extraction methods and detection systems in the gas chromatographic analysis of volatile carbonyl compounds 779(1997)360

High-performance liquid chromatographic peak identification of 2,4-dinitrophenylhydrazine derivatives of lipid peroxidation aldehydes by photodiode array detection 798(1998)117

#### **Lipid vesicles**

Two-dimensional electrophoretic analysis of vesicular and micellar proteins of gallbladder bile 776(1997)109

#### **Lipophilicity**

see also Hydrophobicity

Linear free energy relationship analysis of microemulsion electrokinetic chromatographic determination of lipophilicity 752(1996)243

Investigation into the chiral recognition mechanism of N-arylthiazolin-2(thione) atropisomers on Chiralcel OJ by factorial design and lipophilicity approaches 761(1997)129

Determination of solute lipophilicity, as log  $P$ (octanol) and log  $P$ (alkane) using poly(styrene–divinylbenzene) and immobilised artificial membrane stationary phases in reversed-phase high-performance liquid chromatography 766(1997)35

Relationship between structure and reversed-phase thin-layer chromatographic lipophilicity parameters in a group of piperazine derivatives 766(1997)165

Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249

#### **Liposomes**

Macromolecules in ordered media VIII. High-performance size-exclusion chromatography as a technique for characterizing the interaction between polyanions and cationic liposomes 778(1997)53

#### **Liquid chromatography–mass spectrometry**

see also Mass spectrometry and Special Issue Index

Drug quantitation on a benchtop liquid chromatography–tandem mass spectrometry system 771(1997)119

Liquid chromatography–electrospray mass spectrometry with in-source fragmentation for the identification and quantification of fourteen mutagenic amines in beef extracts 775(1997)125

Liquid chromatography–mass spectrometry in nucleoside, nucleotide and modified nucleotide characterization (Review) 794(1998)109

Investigation of photochemical behavior of pesticides in a photolysis reactor coupled on-line with a liquid chromatography–electrospray ionization tandem mass spectrometry system. Application to trace and confirmatory analyses in food samples 794(1998)129

Liquid chromatographic–high-resolution mass spectrometric and tandem mass spectrometric identification of synthetic peptides using electrospray ionization 800(1998)89

#### **Liquid-introduction techniques**

Advances in instrumentation in liquid chromatography–mass spectrometry and related liquid-introduction techniques 794(1998)407

#### **Liquors, commercial**

Trace determination of methanol in water–ethanol solution by derivatization and high-performance liquid chromatography 799(1998)93

#### **Liver**

Supercritical fluid extraction and reversed-phase liquid chromatography methods for vitamin A and  $\beta$ -carotene. Heterogeneous distribution of vitamin A in the liver 762(1997)201

**Local polydispersity**

Effect of local polydispersity in size exclusion chromatography with dual detection 793(1997)21

**Logistic growth**

Simple model for blending aqueous salt buffers. Application to preparative chromatography 769(1997)37

**Lumped pore diffusion model**

Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography 756(1996)73

**M****Macrocyclic antibiotic chiral stationary phases**

Chiral packed column subcritical fluid chromatography on polysaccharide and macrocyclic antibiotic chiral stationary phases 785(1997)159

**Magnetic beads**

Automated microanalysis using magnetic beads with commercial capillary electrophoretic instrumentation 781(1997)197

**Magnetic media**

Preparation of magnetic immobilized metal affinity separation media and its use in the isolation of proteins 795(1998)211

**Magnetic resonance imaging**

In situ analysis of protein chromatography and column efficiency using magnetic resonance imaging 779(1997)73

**Magnetic sorbents**

Cibacron Blue F3GA-attached polyvinylbutyral microbeads as novel magnetic sorbents for removal of Cu(II), Cd(II) and Pb(II) ions 793(1998)47

**Magnoliae Cortex**

Determination of magnolol and honokiol in Magnoliae Cortex using supercritical fluid chromatography on-line coupled with supercritical fluid extraction by on-column trapping 786(1997)366

**Manduca sexta**

Determination of organic and inorganic anions in insect haemolymph and midgut contents by ion chromatography 789(1997)279

**Marine sediments**

see also Sediments

Determination of terrestrial markers in marine environments by gas chromatography–mass-selective detection compared to high-performance liquid chromatography–fluorescence detection 758(1997)243

Determination of indole-3-acetic acid in the Gulf of Gdańsk by high-performance liquid chromatography of its 4-methyl-7-methoxycoumarin derivative 766(1997)261

Determination of organic molecular markers in marine aerosols and sediments: one-step flash chromatography compound class fractionation and capillary gas chromatographic analysis 799(1998)215

**Marine zooplankton**

Rapid procedure for the isolation and analysis of fatty acid and fatty alcohol fractions from wax esters of marine zooplankton 760(1997)309

**Marker technique**

Comparison of capillary electrophoresis systems for the reliable identification of some carboxylic acids using the marker technique 781(1997)239

**Mass spectrometry**

see also Capillary electrophoresis–mass spectrometry, Combustion isotope ratio mass spectrometry, Gas, Inductively coupled plasma mass spectrometry, Interfaces, Isoelectric focusing–mass spectrometry, Liquid chromatography–mass spectrometry, Matrix-assisted laser desorption ionization mass spectrometry, Supercritical fluid chromatography–mass spectrometry, Tandem mass spectrometry and Thermospray interface, Special Issue Index and specific ionization techniques

Analysis of basic pharmaceuticals by capillary electrophoresis in coated capillaries and on-line mass spectrometric detection 752(1996)271

Determination of Staphylococcal Enterotoxin B by on-line (micro) liquid chromatography–electrospray mass spectrometry 757(1997)51

Analysis of lignan constituents from *Schisandra chinensis* by liquid chromatography–electrospray mass spectrometry 757(1997)81

Reversed-phase ion-pair chromatography with inductively coupled plasma–mass spectrometry detection for the determination of organo-tin compounds in waters 758(1997)85

Ketone electrophores and an olefin-release group electrophore-labeled DNA oligomer. Detection via electron capture 764(1997)95

Optimization of the dwell-time for the quantitative analysis by gas chromatography–mass spectrometry 765(1997)241

- Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55
- Packed column supercritical fluid chromatography–mass spectroscopy: A review (Review) 785(1997)85
- New supercritical fluid chromatography interface probe for electrospray and atmospheric pressure chemical ionization mass spectrometry 785(1997)101
- Protein analysis by packed capillary liquid chromatography with electrospray ionization and time-of-flight mass spectrometry detection 786(1997)67
- Gas chromatography–chemical ionization mass spectrometry in amino acid analysis of pyoverdins 787(1997)195
- Evaluation of an electrospray interface for capillary electrophoresis-time-of-flight mass spectrometry 791(1997)269
- Automated analytical/preparative high-performance liquid chromatography–mass spectrometry system for the rapid characterization and purification of compound libraries 794(1998)3
- Application of liquid chromatography–mass spectrometry<sup>n</sup> analyses to the characterization of novel glyburide metabolites formed in vitro 794(1998)15
- Quantitative determination of ceftiofur in milk by liquid chromatography–electrospray mass spectrometry 794(1998)57
- Analysis of catechins in tea extracts by liquid chromatography–electrospray ionization mass spectrometry 794(1998)63
- Analysis of catechol-type glucuronides in urine samples by liquid chromatography–electrospray ionization-tandem mass spectrometry 794(1998)75
- Analysis of DNA adducts by capillary methods coupled to mass spectrometry: a perspective (Review) 794(1998)97
- Comparison of automated on-line solid-phase extraction followed by liquid chromatography–mass spectrometry with atmospheric pressure chemical ionization and particle beam mass spectrometry for the determination of a priority group of pesticides in environmental waters 794(1998)147
- Selective analysis of the herbicides glyphosate and aminomethylphosphonic acid in water by on-line solid-phase extraction–high-performance liquid chromatography–electrospray ionization mass spectrometry 794(1998)187
- Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization ion-trap mass spectrometry 794(1998)201
- On the use of inductively coupled plasma mass spectrometry as an element specific detector for liquid chromatography: optimization of an industrial tellurium removal process 794(1998)219
- Development of a method for quantitation of retinol and retinyl palmitate in human serum using high-performance liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry 794(1998)245
- Liquid chromatography coupled to mass spectrometry and nuclear magnetic resonance spectroscopy for the screening of plant constituents 794(1998)299
- Characterization of protein glycoforms by capillary-zone electrophoresis–nanoelectrospray mass spectrometry 794(1998)327
- Mechanistic aspects of electrospray ionization (Review) 794(1998)345
- Cationization in electrospray microcolumn liquid chromatography–mass spectrometry 794(1998)359
- Development of liquid chromatography–mass spectrometry using continuous-flow matrix-assisted laser desorption ionization time-of-flight mass spectrometry 794(1998)367
- Multi-atmospheric pressure ionisation interface for liquid chromatography–mass spectrometry 794(1998)391
- Electrospray ionization mass spectrometric and liquid chromatographic–mass spectrometric studies on the metabolism of synthetic dynorphin A peptides in brain tissue in vitro and in vivo 800(1998)59
- Mass transfer**  
Parameter estimation for the simulation of liquid chromatography 769(1997)59
- Extension of the shock layer theory to the case of a linear dependence of the axial dispersion and the mass transfer coefficients on the concentration 786(1997)195
- Mass transfer resistance**  
Mass transfer limitations in protein separations using ion-exchange membranes 764(1997)3
- Mastic gum**  
Gas chromatographic–mass spectroscopic analysis of the acidic triterpenic fraction of mastic gum 769(1997)263
- Mathematical modelling**  
Affinity adsorption of adsorbates into spherical monodisperse and bidisperse porous perfusive and purely diffusive adsorbent particles packed in a column. Parameter estimation in the Laplace transform domain 760(1997)55
- Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

Calculation of the composition of sample zones in capillary zone electrophoresis. IV. Weak acids and system characteristics 764(1997)111

Simplified mathematical model of irreversible sample adsorption in capillary zone electrophoresis 766(1997)171

Electroinjection analysis. Concept, mathematical model and applications 772(1997)115

Modelling gradient elution in centrifugal partition chromatography 773(1997)13

Model discrimination and estimation of the intraparticle mass transfer parameters for the adsorption of bovine serum albumin onto porous adsorbent particles by the use of experimental frontal analysis data 776(1997)3

Displacement chromatography with on-column isomerization 787(1997)1

Effect of radial gradient of temperature on the performance of large-diameter high-performance liquid chromatography columns. I. Analytical conditions 796(1998)81

Frontal chromatography of proteins. Effect of axial dispersion on column performance 796(1998)157

#### **Matrix-assisted laser desorption ionization mass spectrometry**

see also Mass spectrometry

Analysis of phosphopeptides by capillary electrophoresis and matrix-assisted laser-desorption ionization–time-of-flight mass spectrometry 763(1997)285

Matrix-assisted laser desorption/ionisation mass spectrometry guided purification of human guanylin from blood ultrafiltrate 776(1997)139

Characterization of modified cyclodextrins applied in capillary electrophoresis and high-performance liquid chromatography as chiral selectors by matrix-assisted laser desorption ionization curved field reflectron mass spectrometry 791(1997)299

Development of liquid chromatography–mass spectrometry using continuous-flow matrix-assisted laser desorption ionization time-of-flight mass spectrometry 794(1998)367

Nanogram scale separations of proteins using capillary high-performance liquid chromatography with fully-automated on-line microfraction collection followed by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry, protein sequencing and Western blot analysis 800(1998)83

#### **Matrix effects**

Matrix effect on supercritical fluid extraction of organochlorine pesticides from sulfur-containing soils 754(1996)285

Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195

Matrix effects in the determination of acaricides and fungicides in must by gas chromatography with electron-capture and nitrogen–phosphorus detection 778(1997)111

Matrix-induced effects: a critical point in the gas chromatographic analysis of pesticide residues 800(1998)283

#### **Matrix solid-phase dispersion**

Optimization of a matrix solid-phase dispersion method for the analysis of pesticide residues in vegetables 754(1996)437

Analysis of toxic wastes in tissues from aquatic species. Applications of matrix solid-phase dispersion 774(1997)287

#### **Membrane chromatography**

Effect of porous structure of macroporous polymer supports on resolution in high-performance membrane chromatography of proteins 798(1998)55

#### **Membrane extraction disks**

On-line and off-line solid-phase extraction with styrene–divinylbenzene-membrane extraction disks for determining pesticides in water by reversed-phase liquid chromatography–diode-array detection 754(1996)77

#### **Membranes**

Packings of an unidimensional regular pore structure as model packings in size-exclusion and inverse size-exclusion chromatography 753(1996)177

Applying hollow fibres for separating free and bound label in continuous-flow immunochemical detection 755(1996)179

Selection of a precursor monomer for the introduction of affinity ligands onto a porous membrane by radiation-induced graft polymerization 758(1997)209

Application of compact porous tubes for preparative isolation of clotting factor VIII from human plasma 760(1997)117

Improved preparative electrochromatography column design 760(1997)259

Mass transfer limitations in protein separations using ion-exchange membranes 764(1997)3

Concentrating protein samples for sodium dodecyl sulphate–polyacrylamide gel electrophoresis and isoelectric focusing using protein-blotting membranes 764(1997)143

Continuous membrane extraction of phenols from crude oils followed by high-performance liquid chromatographic determination with electrochemical detection 766(1997)61

Determination of metallo-cyanides by capillary electrophoresis after concentration on supported liquid membranes 770(1997)329

Hyphenated pervaporation–solid-phase preconcentration–gas chromatography for the determination of volatile organic compounds in solid samples 779(1997)352

Study of the feasibility of the use of activated carbon membranes for the on-line cleanup of vegetable extracts in the determination of N-methylcarbamate pesticides by liquid chromatography 788(1997)87

Dye–ligand and metal chelate poly(2-hydroxyethylmethacrylate) membranes for affinity separation of proteins 799(1998)83

#### **Membranes, supported liquid**

Supported liquid membranes for sampling and sample preparation of pesticides in water 754(1996)197

#### **Membrane ultrafiltration**

Electrostatic effects on protein partitioning in size-exclusion chromatography and membrane ultrafiltration 796(1998)229

#### **Metal chelate affinity chromatography**

Dye–ligand and metal chelate poly(2-hydroxyethylmethacrylate) membranes for affinity separation of proteins 799(1998)83

Molecular characterization of metal-binding polypeptide domains by electrospray ionization mass spectrometry and metal chelate affinity chromatography 800(1998)29

#### **Metal complexation**

Use of metal complexation in non-aqueous capillary electrophoresis systems for the separation and improved detection of tetracyclines 779(1997)235

#### **Metallomesogen stationary phases**

Synthesis and characterization of a novel wall coated capillary column for the separation of polycyclic aromatic hydrocarbons 773(1997)199

#### **Metal speciation**

Chromatographic and hyphenated methods for elemental speciation analysis in environmental media (Review) 774(1997)3

Simultaneous determination of toxic arsenic and chromium species in water samples by ion chromatography–inductively coupled plasma mass spectrometry 779(1997)139

#### **Method development**

Systematic approach to cost- and time-effective method development with a starter kit for chiral separations by capillary electrophoresis 782(1997)257

Interphase model for retention and selectivity in micellar electrokinetic chromatography (Review) 792(1997)89

Systematic approach to the separation of mono- and hydroxycarboxylic acids in environmental samples by ion chromatography and capillary electrophoresis 796(1998)335

Accelerated recombinant protein purification process development. Automated, robotics-based integration of chromatographic purification and analysis 798(1998)73

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. I. Method development and optimization with fractional factorial design 798(1998)307

#### **Methylation**

Gas chromatographic determination of organic acids from fruit juices by combined resin mediated methylation and extraction in supercritical carbon dioxide 785(1997)251

#### **Methylene group selectivity**

Influence of mobile phase composition on methylene group selectivity and homologous compound retention in near-critical mobile phases 796(1998)355

#### **Methylsilicone phases**

Unified retention concept – statistical treatment of Kováts retention index 764(1997)257

#### **Micellar diffusion**

Determination of diffusion coefficients and separation numbers in micellar electrokinetic chromatography 766(1997)187

#### **Micellar electrokinetic chromatography**

see also Electrokinetic chromatography

Migration behaviour of monovalent weak acids in micellar electrokinetic chromatography. Mobility model versus retention model 765(1997)295

Determination of twenty eight biogenic amines and amino acids during wine aging by micellar electrokinetic chromatography and laser-induced fluorescence detection 765(1997)337

Some reflections on speed and efficiency of modern chromatographic methods (Review) 778(1997)3

Micellar electrokinetic capillary chromatographic separation of polychlorinated biphenyl congeners 778(1997)77

Micelles as separation media in high-performance liquid chromatography and high-performance capillary electrophoresis: overview and perspective (Review) 780(1997)3

Micelles as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)41

Retention indices in micellar electrokinetic chromatography (Review) 780(1997)117

Effect of the polar groups of anionic surfactant on migration behavior in micellar electrokinetic chromatography 781(1997)11

On-line concentration of neutral analytes for micellar electrokinetic chromatography I. Normal stacking mode 781(1997)119

On-line concentration of neutral analytes for micellar electrokinetic chromatography. IV. Field-enhanced sample injection 798(1998)251

**Micellar electrokinetic chromatography–mass spectrometry**  
Micellar electrokinetic chromatography–mass spectrometry (Review) 780(1997)207

On-line micellar electrokinetic chromatography–mass spectrometry with a high-molecular-mass surfactant 794(1998)317

#### **Micellar interaction**

Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127

#### **Micellar liquid chromatography**

Reliability of the capacity factor at zero micellar concentration and the solute–micelle association constant estimates by micellar liquid chromatography 778(1997)67

Micelles as separation media in high-performance liquid chromatography and high-performance capillary electrophoresis: overview and perspective (Review) 780(1997)3

Evaluation of distribution coefficients in micellar liquid chromatography (Review) 780(1997)103

Modelling of retention behaviour of solutes in micellar liquid chromatography (Review) 780(1997)129

Retention modeling in micellar liquid chromatography (Review) 780(1997)149

Causes and remediation of reduced efficiency in micellar liquid chromatography (Review) 780(1997)191

Micellar chromatography of inorganic compounds (Review) 780(1997)343

Fluorometric determination of serum and urinary aluminium with 8-quinolinol by kinetic-differentiation-mode micellar chromatography 789(1997)361

#### **Micelle counterions**

Migration behaviour of micelle counterions in micellar electrokinetic chromatography: influence on micelle mobility, efficiency and selectivity 764(1997)127

#### **Micelles**

see also Special Issue Index

Description of the retention behaviour in micellar liquid chromatography as a function of pH, surfactant and modifier concentration 769(1997)155

Micelles as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)41

Selectivity in capillary electrophoresis in the presence of micelles, chiral selectors and non-aqueous media (Review) 792(1997)13

Selectivity of polymeric and polymer-supported pseudo-stationary phases in micellar electrokinetic chromatography (Review) 792(1997)105

Separation of amino acid and peptide stereoisomers by nonionic micelle-mediated capillary electrophoresis after chiral derivatization 800(1998)345

#### **Micelles, mixed**

Investigation of the interactions between drugs and mixed bile salt/lecithin micelles. A characterization by micellar affinity capillary electrophoresis (MACE). Part III 781(1997)377

#### **Microcolumn techniques**

Microcolumn liquid chromatography: instrumentation, detection and applications 779(1997)1

#### **Microdialysis**

Enhanced temporal resolution for the microdialysis monitoring of catecholamines and excitatory amino acids using capillary electrophoresis with laser-induced fluorescence detection. Analytical developments and in vitro validations 755(1996)99

Measurement and pharmacokinetic analysis of buspirone by means of brain microdialysis coupled to high-performance liquid chromatography with electrochemical detection 762(1997)269

Use of microdialysis for the on-line coupling of capillary isoelectric focusing with electrospray mass spectrometry 777(1997)31

Determination of kynurenic acid by capillary electrophoresis with laser-induced fluorescence detection 781(1997)81

#### **Microemulsion electrokinetic chromatography**

Linear free energy relationship analysis of microemulsion electrokinetic chromatographic determination of lipophilicity 752(1996)243

Microemulsion electrokinetic chromatography of diphenylhydrazones of dicarbonyl sugars 772(1997)297

#### **Microemulsions**

Microemulsions in separation sciences (Review) 780(1997)93

#### **Microsatellite typing**

Rapid sizing of polymorphic microsatellite markers by capillary array electrophoresis 781(1997)295

#### **Microscopic partition**

Microemulsions in separation sciences (Review) 780(1997)93

**Microsomal assay**

Procedures for analysing phenolic metabolites of polychlorinated dibenzofurans, -dibenzo-*p*-dioxins and -biphenyls extracted from a microsomal assay: optimising solid-phase adsorption clean-up and derivatisation methods 761(1997)219

**Microwave-assisted extraction-derivatisation**

Phenol and methylphenol isomers determination in soils by in-situ microwave-assisted extraction and derivatisation 757(1997)153

**Microwave-assisted solvent extraction**

Microwave-assisted solvent extraction and reversed-phase liquid chromatography-UV detection for screening soils for sulfonylurea herbicides 798(1998)179

**Microwave extraction**

Speciation of organotin compounds in marine biomaterials after basic leaching in a non-focused microwave extractor equipped with pressurized vessels 774(1997)379

**Microwave-induced plasma atomic emission spectrometry**

Speciation of organotin compounds in marine biomaterials after basic leaching in a non-focused microwave extractor equipped with pressurized vessels 774(1997)379

Characterization of multicapillary gas chromatography-microwave-induced plasma atomic emission spectrometry for the expeditious analysis for organometallic compounds 795(1998)359

**Migration behaviour**

Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127

Prediction of the migration behavior of analytes in capillary electrophoresis based on three fundamental parameters 781(1997)23

Migration behavior and selectivity of sulfonamides in capillary electrophoresis 792(1997)37

Simultaneous analysis of inorganic and organic lead, mercury and selenium by capillary electrophoresis with nitrilotriacetic acid as derivatization agent 796(1998)385

**Migration time prediction**

Prediction of the migration behavior of analytes in capillary electrophoresis based on three fundamental parameters 781(1997)23

**Milk**

Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33

Determination of organochlorine compounds in fatty matrices. Application of rapid off-line normal-phase liquid chromatographic clean-up 754(1996)487

Selective, solid-matrix dispersion extraction of organophosphate pesticide residues from milk 754(1996)497

Determination of nitrofurantoin, furazolidone and furaldalone in milk by high-performance liquid chromatography with electrochemical detection 764(1997)243

Selective extraction of pyrethroid pesticide residues from milk by solid-matrix dispersion 765(1997)51

Capillary electrophoretic analysis of genetic variants of milk proteins from different species 768(1997)47

Assessment of heat-induced denaturation of whey proteins 772(1997)231

Quantitative aspects of triglyceride analysis by gas-liquid chromatography using a short metal capillary column 773(1997)233

Zn<sup>2+</sup>-selective purification of recombinant proteins from the milk of transgenic animals 799(1998)125

**Mineral water**

Carbonate interferences by ion chromatographic determination of anions in mineral waters 764(1997)249

**“Mixture analysis” techniques**

Simulations of liquid chromatography-diode array detector data including instrumental artefacts for the evaluation of mixture analysis techniques 758(1997)1

**Mobile phase composition**

see also Chiral selectors, Modifiers and Organic modifiers

Enantioseparation of 3-phenylacetyl-amino-2,6-piperidinedione and related chiral compounds 752(1996)93

Addition of methanol to the mobile phase in packed capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 753(1996)291

Methyl cyclohexane as a new eluting solvent for the size-exclusion chromatography of polyethylene and polypropylene at 90°C 755(1996)27

Indirect photometric detection of inorganic anions in microcolumn ion chromatography using octadecylsilica immobilized with bovine serum albumin as stationary phase 755(1996)37

Integrating gel permeation chromatography clean-up in the analysis of metabolites of polychlorinated biphenyls, dibenzo-*p*-dioxins and dibenzofurans extracted from a microsomal assay. A comparison of different mobile phases 755(1996)57

Technetium speciation: non-size effects in size-exclusion chromatography 755(1996)219

- Nonaqueous anion-exchange chromatography. I. Role of solvation in anion-exchange resin 758(1997)19
- Interactions of basic compounds in reversed-phase high-performance liquid chromatography. Influence of sorbent character, mobile phase composition, and pH on retention of basic compounds 758(1997)37
- N-Methyl-2-pyrrolidinone as a mobile phase in the size-exclusion chromatography of coal derivatives 758(1997)65
- Chromatographic behaviour of diastereoisomers. XIII. Adsorptivity of esters of *Z*- and *E*-2,3-diphenylpropenoic acids and similar compounds on silica in terms of the Snyder theory 758(1997)135
- Prediction of retention in gradient-elution normal-phase high-performance liquid chromatography with binary solvent gradients 759(1997)13
- Direct liquid chromatographic enantioseparation of sotalol and other  $\beta$ -blockers using an  $\alpha_1$ -acid glycoprotein-based chiral stationary phase 760(1997)193
- Reversed-phase liquid chromatographic separation of platinum(II) complexes of methionine- and histidine-containing peptides using perfluorinated carboxylic acids as ion-pairing reagents 761(1997)115
- Fitting competitive adsorption isotherms to the experimental distribution data in reversed-phase systems 762(1997)3
- Description and prediction of retention in normal-phase high-performance liquid chromatography with binary and ternary mobile phases 762(1997)15
- Relationship between stationary and mobile phase composition and its influence on retention factors of aromatic hydrocarbons in reversed-phase high-performance liquid chromatography 762(1997)27
- Gradient chromatofocusing high-performance liquid chromatography. II. Theoretical aspects 762(1997)47
- Stability of silica-based, endcapped columns with pH 7 and 11 mobile phases for reversed-phase high-performance liquid chromatography 762(1997)97
- Gradient chromatofocusing high-performance liquid chromatography. I. Practical aspects 762(1997)207
- High-performance liquid chromatographic separation of  $\beta$ -methyl ADC-13 enolphosphate diphenyl ester and its  $\alpha$ -methyl diastereomer 762(1997)327
- Enantiomeric resolution on Chiral-AGP with the aid of experimental design. Unusual effects of mobile phase pH and column temperature 763(1997)105
- Use of secondary equilibria in reversed-phase high-performance liquid chromatography for the determination of dissociation constants of polyprotic leukotrienes 763(1997)199
- Normal- and bonded-phase liquid chromatography with photodiode array detection of maytansinoids 763(1997)213
- Ethanol-sodium chloride-phosphate mobile phase for size-exclusion chromatography of poly(ethylene glycol) modified proteins 763(1997)337
- Liquid chromatography of spiramycin on poly(styrene-divinylbenzene) 764(1997)43
- Liquid chromatographic procedure for the evaluation of  $\beta$ -blockers in pharmaceuticals using hybrid micellar mobile phases 765(1997)221
- Protein retention in hydrophobic interaction chromatography: modeling variation with buffer ionic strength and column hydrophobicity 766(1997)1
- Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of *D*- and *L*-tryptophan with immobilized human serum albumin 766(1997)15
- Simple model for blending aqueous salt buffers. Application to preparative chromatography 769(1997)37
- Experimental and numerical studies of the chromatofocusing of dilute proteins using retained pH gradients formed on a strong-base anion-exchange column 769(1997)129
- Description of the retention behaviour in micellar liquid chromatography as a function of pH, surfactant and modifier concentration 769(1997)155
- Comparative evaluation of bonded-silica reversed-phase columns for high-performance liquid chromatography using strongly basic compounds and alternative organic modifiers buffered at acid pH 769(1997)169
- Ion-exchange properties of glutamic acid-bonded silica 769(1997)179
- Practical aspects of suppressed ion chromatography for cations in human serum 770(1997)137
- Determination of sulfur oxyanions by ion chromatography on a silica ODS column with tetrapropylammonium salt as an ion-pairing reagent 770(1997)157
- Ion-exclusion chromatography of aliphatic carboxylic acids on a cation-exchange resin by elution with polyvinyl alcohol 770(1997)211
- Retention behavior of alkali, alkaline earth and transition metal cations in ion chromatography with an unmodified silica gel column 770(1997)219

- Alkanesulfonate homologous series as eluent components in anion chromatography. Novel eluent selection system for monovalent analytes 771(1997)23
- Chiral resolution of 4-substituted pyrrolidin-2-ones using high-performance liquid chromatography on cellulose and amylose chiral stationary phases 771(1997)343
- Influence of differences between sample and mobile phase viscosities on the shape of chromatographic elution profiles 775(1997)73
- Study of the binding of antibiotics to human serum albumin by charge-transfer chromatography 776(1997)31
- Enantiomeric properties of human albumin immobilized on porous silica supports coated with polymethacryloyl chloride 776(1997)37
- Use of sodium perchlorate at low pH for peptide separations by reversed-phase liquid chromatography. Influence of perchlorate ion on apparent hydrophilicity of positively charged amino acid side-chains 776(1997)153
- New procedure for the use of high-performance liquid chromatography–electrospray ionization mass spectrometry for the analysis of nucleotides and oligonucleotides 777(1997)3
- Multiple peaks in high-performance liquid chromatography of proteins.  $\beta$ -Lactoglobulins eluted in a hydrophobic interaction chromatography system 778(1997)43
- Macromolecules in ordered media VIII. High-performance size-exclusion chromatography as a technique for characterizing the interaction between polyanions and cationic liposomes 778(1997)53
- Optimization of separation of some polycyclic aromatic compounds by thin-layer chromatography 779(1997)321
- Microemulsions in separation sciences (Review) 780(1997)93
- Modelling of retention behaviour of solutes in micellar liquid chromatography (Review) 780(1997)129
- Retention modeling in micellar liquid chromatography (Review) 780(1997)149
- Application of mixed mobile phases and a step gradient method in capillary electrochromatography for the separation of isomeric polycyclic aromatic hydrocarbon–deoxyribonucleoside adduct mixtures prepared in vitro 781(1997)327
- Reversed-phase high-performance liquid chromatographic separations of tocopherols 782(1997)25
- Electro-elution ion chromatography: controlling sample retention by electrochemically generating or modifying the mobile phase 782(1997)69
- Capillary electrochromatography: effect of electrolyte concentration on electroosmotic flow and column efficiency 782(1997)181
- Comparison of 1,1,1,2-tetrafluoroethane and carbon dioxide-based mobile phases for packed column supercritical fluid chromatography 782(1997)237
- Separation of polar solutes by packed column supercritical fluid chromatography (Review) 785(1997)3
- Comparison of enhanced-fluidity and elevated temperature mobile phases for high-performance size-exclusion chromatography 785(1997)35
- Superheated water as an eluent for reversed-phase high-performance liquid chromatography 785(1997)49
- Chiral resolution of four optical isomers of diltiazem hydrochloride on Chiralcel columns by packed-column supercritical fluid chromatography 785(1997)185
- Optimization of the high-performance liquid chromatographic separation of fullerenes using 1-methylnaphthalene as the mobile phase on a tetraphenylporphyrin-silica stationary phase 786(1997)31
- Effects of the composition of the mobile phase on the production rate in reversed-phase overloaded chromatography 787(1997)13
- Thermodynamic study of the retention behaviour of selected macrocycles using reversed-phase high-performance thin-layer chromatography plates and methanol–water mobile phases 787(1997)227
- Factors controlling ion-exchange selectivity in suppressed ion chromatography (Review) 789(1997)29
- Theoretical study of the elution profile of a high-concentration sample anion in non-suppressed ion chromatography 789(1997)43
- Histidine as a dipolar eluent component in cation chromatography 789(1997)141
- Anion separation by high-performance ion chromatography coupled with indirect photometric detection and 1,2-dihydroxybenzene-3,5-disulfonate or sodium sulfosalicylate as the eluent 789(1997)195
- Retention behavior of nitrite on a reversed-phase column with an acidic aqueous eluent containing alcohol as a modifier 789(1997)207
- Determination of calcium and magnesium in water samples by high-performance liquid chromatography on a graphitic stationary phase with a mobile phase containing *o*-cresolphthalein complexone 789(1997)329

- Resolution studies on counter-current chromatography using supercritical fluid carbon dioxide 790(1997)31
- Characterisation and prediction of retention in isocratic and gradient-elution normal-phase high-performance liquid chromatography on polar bonded stationary phases with binary and ternary solvent systems 791(1997)1
- Effect of mobile phase on the oligomerization state of  $\alpha$ -helical coiled-coil peptides during high-performance size-exclusion chromatography 791(1997)85
- Influence of modifier and molecular structure of some dihydroxythiobenzanilides on retention in reversed-phase high-performance thin-layer chromatography 791(1997)237
- Liquid chromatography of polyisoprenes: determination of critical composition using non protic binary and acidic ternary solvent mixtures 791(1997)350
- Separation of enantiomers of drugs by capillary electrophoresis. V. Hydroxypropyl- $\alpha$ -cyclodextrin as chiral solvating agent 793(1998)153
- Solvent versatility of bonded cellulose-derived chiral stationary phases for high-performance liquid chromatography and its consequences in column loadability 793(1998)239
- Silver ion high-performance liquid chromatography of isomeric *cis*- and *trans*-octadecenoic acids. Effect of the ester moiety and mobile phase composition 793(1998)275
- Cationization in electrospray microcolumn liquid chromatography–mass spectrometry 794(1998)359
- Preliminary study on hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilized on Sepharose 796(1998)177
- Preparative gradient elution chromatography of chemotactic peptides 796(1998)195
- Modifier effects in open tubular capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 796(1998)347
- Influence of mobile phase composition on methylene group selectivity and homologous compound retention in near-critical mobile phases 796(1998)355
- Influence of the concentration of adsorbate and modifier in the mobile phase on retention in high-performance liquid chromatography 797(1998)3
- Comparison of retention models for the dependence of retention factors on mobile phase composition in reversed-phase high-performance liquid chromatography 797(1998)23
- Development of system suitability tests for ion-interaction chromatography of colorants on reversed-phase packing materials 797(1998)65
- Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75
- Comparison of the retention behavior of polyethoxylated alcohols on porous graphitic carbon and polar as well as apolar bonded-silica phases 797(1998)83
- Reversed-phase high-performance liquid chromatography of basic compounds at pH 11 with silica-based column packings 797(1998)111
- High-performance liquid chromatographic methods for separation of the isomers of  $\beta$ -amino acids possessing bicyclo[2.2.1]heptane or heptene skeletons 797(1998)177
- Effect of charged and uncharged chiral additives on the resolution of amlodipine enantiomers in liquid chromatography and capillary electrophoresis 797(1998)187
- High-performance liquid chromatography methods for the separation and quantitation of spironolactone and its degradation products in aqueous formulations and of its metabolites in rat serum 797(1998)271
- Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. The mobile phase 799(1998)1
- Evaluation of the immobilized artificial membrane phosphatidylcholine. Drug discovery column for high-performance liquid chromatographic screening of drug–membrane interactions 800(1998)161
- Studies on elution conditions for the determination of anions by suppressed ion-interaction chromatography using a graphitized carbon column 800(1998)239
- Mobile phase elimination interface**  
Packed column supercritical fluid chromatography–mobile phase elimination Fourier transform infrared spectrometry employing modified fluids 764(1997)295
- Mobility model**  
Migration behaviour of monovalent weak acids in micellar electrokinetic chromatography. Mobility model versus retention model 765(1997)295
- Modifier effects**  
Modifier effects in open tubular capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 796(1998)347

**Modifiers**

see also Background electrolyte composition, Buffer composition, Chiral selectors, Mobile phase composition and Organic modifiers

Use of modifier as trapping fluid in preparative supercritical fluid chromatography 753(1996)306

Description of the retention behaviour in micellar liquid chromatography as a function of pH, surfactant and modifier concentration 769(1997)155

**Modifiers, achiral**

Improved chiral separation using achiral modifiers in cyclodextrin modified capillary zone electrophoresis 773(1997)321

**Module performance**

Module performance of anion-exchange porous hollow-fiber membranes for high-speed protein recovery 782(1997)159

**Molecular descriptors**

Prediction of the gas chromatographic relative retention times of flavonoids from molecular structure 771(1997)213

**Molecular imprinting**

Influence of template basicity and hydrophobicity on the molecular recognition properties of molecularly imprinted polymers 753(1996)191

Molecularly imprinted ligand-exchange adsorbents for the chiral separation of underivatized amino acids 775(1997)51

Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography 781(1997)43

Chromatographic characterization of a molecularly imprinted polymer binding theophylline in aqueous buffers 786(1997)23

Molecularly imprinted polymers by suspension polymerisation in perfluorocarbon liquids, with emphasis on the influence of the porogenic solvent 787(1997)55

Capillary electrochromatography with molecular imprint-based selectivity for enantiomer separation of local anaesthetics 792(1997)401

**Molecular mass characterization**

Effects of flow-rates and sample concentration on the molar mass characterisation of modified celluloses using asymmetrical flow field-flow fractionation–multi-angle light scattering 791(1997)135

**Molecular mass determination**

Fast molecular mass and size characterization of polysaccharides using asymmetrical flow field-flow fractionation–multiangle light scattering 760(1997)205

Analysis of bioactive peptides by liquid chromatography–high-resolution electrospray mass spectrometry 767(1997)77

Quantitation in liquid chromatography of polymers: size-exclusion chromatography with dual detection 786(1997)75

Characterization of antigen–antibody complexes by size-exclusion chromatography coupled with low-angle light-scattering photometry and viscometry 787(1997)101

**Molecular mass distribution**

Fast molecular mass and size characterization of polysaccharides using asymmetrical flow field-flow fractionation–multiangle light scattering 760(1997)205

Calibration of a size-exclusion chromatography system using fractions with defined amylopectin unit chains 768(1997)325

Effect of local polydispersity in size exclusion chromatography with dual detection 793(1997)21

**Molecular recognition**

Influence of template basicity and hydrophobicity on the molecular recognition properties of molecularly imprinted polymers 753(1996)191

Molecular recognition with micellar and micelle-like aggregates in aqueous media (Review) 780(1997)179

Chromatographic characterization of a molecularly imprinted polymer binding theophylline in aqueous buffers 786(1997)23

**Molecular structural coefficients**

Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145

**Monolithic columns**

Molded continuous poly(styrene–*co*-divinylbenzene) rod as a separation medium for the very fast separation of polymers. Comparison of the chromatographic properties of the monolithic rod with columns packed with porous and non-porous beads in high-performance liquid chromatography of polystyrenes 752(1996)59

Rigid porous polyacrylamide-based monolithic columns containing butyl methacrylate as a separation medium for the rapid hydrophobic interaction chromatography of proteins 775(1997)65

**Mordenite**

Use of mordenite columns in ion-exclusion chromatography 760(1997)292

**Moving boundary method**

Comparisons of the mobilities of salt ions obtained by the moving boundary method and two empirical equations in capillary electrophoresis 771(1997)374

**Multi-angle light scattering**

Fast molecular mass and size characterization of polysaccharides using asymmetrical flow field-flow fractionation–multiangle light scattering 760(1997)205

Effects of flow-rates and sample concentration on the molar mass characterisation of modified celluloses using asymmetrical flow field-flow fractionation–multi-angle light scattering 791(1997)135

**Multi-atmospheric pressure ionisation interface**

Multi-atmospheric pressure ionisation interface for liquid chromatography–mass spectrometry 794(1998)391

**Multicomponent systems**

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

**Multidimensional gas chromatography**

Development of a thermal desorption modulator for gas chromatography 767(1997)137

**Multilayer coiled column**

Enrichment separation of rare earth elements by high-speed countercurrent chromatography in a multilayer coiled column 789(1997)381

**Multimodal complexation**

Comparative capillary electrophoresis and NMR studies of enantioseparation of dimethindene with cyclodextrins 798(1998)315

**Multiple linear regression**

Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a *Lactobacillus plantarum* bacterial suspension using purge and trap 775(1997)225

**Multiresidue analysis**

Official multiresidue methods of pesticide analysis in vegetables, fruits and soil (Review) 754(1996)333

Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69

Resolution of folpet, procymidone and triazophos in high-performance liquid chromatography–diode array detection by using partial least squares calibration to cross-sections of spectrochromatograms 778(1997)183

Supercritical fluid extraction of pesticides in foods (Review) 785(1997)289

**Multivariate calibration**

Evaluation of multiwavelength chromatograms for the quantification of mixtures of pesticides by high-performance liquid chromatography–diode array detection with multivariate calibration 778(1997)139

**Multivariate curve resolution**

Resolution and quantitative determination of coeluted pesticide mixtures in liquid chromatography–thermospray mass spectrometry by multivariate curve resolution 795(1998)3

**Mustard**

Determination of glucosinolates in domestic and wild mustard by high-performance liquid chromatography with confirmation by electrospray mass spectrometry and photodiode-array detection 767(1997)43

**N****Near-infrared diode laser**

Ultrasensitive near-infrared laser-induced fluorescence detection in capillary electrophoresis using a diode laser and avalanche photodiode 779(1997)185

**Nebulizing interface**

Application of liquid chromatography–atmospheric pressure ionization mass spectrometry in natural product analysis. Evaluation and optimization of electrospray and heated nebulizer interfaces 755(1996)189

**Neem**

Comparison of chromatographic systems for triterpenoids from Neem (*Azadirachta indica*) seeds 761(1997)53

**Neptunea spp**

Analysis of tetramine in sea snails by capillary electrophoresis–tandem mass spectrometry 781(1997)555

**Neural networks**

Chromatography pattern recognition of Aroclors using iterative probabilistic neural networks 775(1997)231

Comparison of prediction power between theoretical and neural-network models in ion-interaction chromatography 799(1998)35

**Neural networks, artificial**

Retention modeling in micellar liquid chromatography (Review) 780(1997)149

Neural networks for optimization of high-performance capillary zone electrophoresis methods. A new method using a combination of experimental design and artificial neural networks 793(1998)317

Neural network and experimental design to investigate the effect of five factors in ion-interaction high-performance liquid chromatography 799(1998)47

### **3-(*p*-Nitrophenoxy)propylsilyl silica**

Selectivity of electron-donor- and electron-acceptor-bonded silica packing materials for hydrophobic environmental contaminants in polar and non-polar eluents 786(1997)237

### **2-(Nitrophenyl)ethylsilyl silica**

Selectivity of electron-donor- and electron-acceptor-bonded silica packing materials for hydrophobic environmental contaminants in polar and non-polar eluents 786(1997)237

### **Noise**

Noise and baseline disturbances in indirect UV detection in capillary electrophoresis 786(1997)333

### **Non-aqueous capillary electrophoresis**

Separation of neutral substances by non-aqueous capillary electrophoresis through interactions with cationic additives 792(1997)475

### **Nonideal solution model**

Importance of heat of adsorption in modeling protein equilibria for overloaded chromatography 796(1998)141

### **Non-ideal surface solution model**

Combination of the steric mass action and non-ideal surface solution models for overload protein ion-exchange chromatography 760(1997)89

### **Non-linear chromatography**

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

Optimal operation of simulated moving bed units for nonlinear chromatographic separations 769(1997)3

Extension of the shock layer theory to the case of a linear dependence of the axial dispersion and the mass transfer coefficients on the concentration 786(1997)195

### **Nonprotein amino acids**

Identification of nonprotein amino acids from cycad seeds as N-ethoxycarbonyl ethyl ester derivatives by positive chemical-ionization gas chromatography-mass spectrometry 787(1997)288

### **Non-size effects**

Technetium speciation: non-size effects in size-exclusion chromatography 755(1996)219

### **Nozzle-skimmer dissociation**

Analysis of basic pharmaceuticals by capillary electrophoresis in coated capillaries and on-line mass spectrometric detection 752(1996)271

### **Nuclear applications**

Use of ion chromatography for the determination of fission products and actinides in nuclear applications (Review) 789(1997)369

### **Nuclear magnetic resonance spectrometry**

Chromatographic activity of residual silanols of alkylsilane derivatized silica surfaces 759(1997)37

Separation and identification of vitamin A acetate isomers by supercritical fluid chromatography-<sup>1</sup>H NMR coupling 761(1997)336

Comparison of the separation of *cis/trans* isomers of tretinoin with different stationary phases by liquid chromatography-nuclear magnetic resonance coupling 765(1997)207

Nuclear magnetic resonance monitoring of centrifugal partition chromatography in pH-zone-refining mode 766(1997)255

Supercritical fluid chromatography-proton nuclear magnetic resonance spectroscopy coupling (Review) 785(1997)65

Liquid chromatography coupled to mass spectrometry and nuclear magnetic resonance spectroscopy for the screening of plant constituents 794(1998)299

Screening of cyclodextrins by nuclear magnetic resonance for the design of chiral capillary electrophoresis separations 797(1998)149

Comparative capillary electrophoresis and NMR studies of enantioseparation of dimethindene with cyclodextrins 798(1998)315

High-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy. Application to the ecdysteroids of *Silene otites* 799(1998)333

### **Numerical simulations**

Experimental and numerical studies of the chromatofocusing of dilute proteins using retained pH gradients formed on a strong-base anion-exchange column 769(1997)129

## **O**

### **Octadecanoyl poly(vinyl alcohol) stationary phase**

Reversed-phase separations of nitrogenous phospholipids on an octadecanoyl poly(vinyl alcohol) phase 773(1997)93

**Octadecylsilica**

Development of a novel octadecyl-bonded silica column and evaluation of its reliability in chromatographic analysis 762(1997)89

**Octanol–water partition coefficient**

see also Partition coefficients

Linear free energy relationship analysis of microemulsion electrokinetic chromatographic determination of lipophilicity 752(1996)243

**Odour**

Analysis of odour and taste problems in high-density polyethylene 791(1997)213

**Ogston model**

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39

**Oil additives**

Lability of zinc dialkyldithiophosphates under reversed-phase hplc conditions 765(1997)181

**Oil field waters**

Determination of inorganic ions in oil field waters by single-column ion chromatography 789(1997)569

**Oils**

see also Essential oils, Olive oil, Orange oil, Petroleum and Vegetable oils

Molecular analysis of the sulphur components in a light cycle oil of a catalytic cracking unit by gas chromatography with mass spectrometric and atomic emission detection 761(1997)231

Programmed-temperature vaporiser injector as a new analytical tool for combined thermal desorption–pyrolysis of solid samples. Application to geochemical analysis 764(1997)73

Continuous membrane extraction of phenols from crude oils followed by high-performance liquid chromatographic determination with electrochemical detection 766(1997)61

Inverse gas chromatography for the examination of fractions separated from oil vacuum distillation residues 768(1997)271

Developments in the analysis of petroleum hydrocarbons in oils, petroleum products and oil-spill-related environmental samples by gas chromatography (Review) 774(1997)51

Using systematic and comparative analytical data to identify the source of an unknown oil on contaminated birds 775(1997)251

Application of numerical methods to thin-layer chromatographic investigation of the main components of chamomile (*Chamomilla recutita* (L.) Rauschert) essential oil 776(1997)355

Microcolumn liquid chromatography: instrumentation, detection and applications 779(1997)1

Analysis of cyanolipids and triacylglycerols from sapindaceae seed oils with high-temperature gas chromatography and high-temperature gas chromatography–chemical ionization mass spectrometry 787(1997)181

Supercritical fluid chromatography–gas chromatography of volatiles in cloudberry (*Rubus chamaemorus*) oil extracted with supercritical carbon dioxide 787(1997)276

Fast monitoring of C<sub>20</sub>–C<sub>160</sub> crude oil alkanes by size-exclusion chromatography–evaporative light scattering detection performed with silica columns 788(1997)63

Determination of some inorganic species in edible vegetable oils and fats by ion chromatography 789(1997)549

**Oils, frying**

Characterisation of aldehydic acids in used and unused frying oils 776(1997)245

**Oligomerization state**

Effect of mobile phase on the oligomerization state of  $\alpha$ -helical coiled-coil peptides during high-performance size-exclusion chromatography 791(1997)85

**Olive oil**

Stereospecific analysis of the triacylglycerol fraction and linear discriminant analysis in a climatic differentiation of Umbrian extra-virgin olive oils 758(1997)109

Simplified multiresidue method for the determination of organophosphorus insecticides in olive oil 761(1997)327

Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335

Phenolic compounds in virgin olive oils. I. Low-wavelength quantitative determination of complex phenols by high-performance liquid chromatography under isocratic elution 768(1997)207

**On-column focusing**

Assessment of injection volume limits when using on-column focusing with microbore liquid chromatography 759(1997)1

**On-line extraction**

Direct injection of large volumes of plasma/serum on a new biocompatible extraction column for the determination of atenolol, propranolol and ibuprofen. Mechanisms for the improvement of chromatographic performance 797(1998)251

**On-line solid-phase extraction**

Monitoring of pesticides in river water using fully automated on-line solid-phase extraction and liquid chromatography with diode array detection with a novel filtration device 795(1998)71

**Open tubular columns**

Modifier effects in open tubular capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 796(1998)347

**Open-tubular liquid chromatography**

Some reflections on speed and efficiency of modern chromatographic methods (Review) 778(1997)3

**Opium**

Application of micellar electrokinetic capillary chromatography to the analysis of illicit drug seizures (Review) 780(1997)265

**Optical pathlength**

Determination of total petroleum hydrocarbons in soil by on-line supercritical fluid extraction–infrared spectroscopy using a fiber-optic transmission cell and a simple filter spectrometer 785(1997)269

**Optical rotation detection**

On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection 767(1997)93

Erratum to “On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection”. [J. Chromatogr. A, 767 (1997) 93–100] 782(1997)296

**Optimization**

see also Simplex optimization and Special Issue Index

Optimizing preparative separations at high recovery yield 752(1996)31

Separation of benzo[a]pyrene sulfate isomers by reversed-phase liquid chromatography 753(1996)201

Examination of a new chromatographic function, based on an exponential resolution term, for use in optimization strategies: application to capillary gas chromatography separation of phenols 755(1996)235

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175

Chemiluminescence nitrogen detection for packed-column supercritical fluid chromatography with methanol modified carbon dioxide 757(1997)183

Preconcentration determination of inorganic anions and organic acids in power plant waters. Separation optimization through control of column capacity and selectivity 761(1997)163

Using quaternary high-performance liquid chromatography eluent systems for separating 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate-derivatized amino acid mixtures 763(1997)11

Nonequilibrium thermodynamic separation model in capillary electrophoresis 763(1997)237

Optimization of the capillary electrophoresis separation of ranitidine and related compounds 766(1997)245

Optimisation of a simultaneous separation of sulphonamides, dihydrofolate reductase inhibitors and  $\beta$ -lactam antibiotics by capillary electrophoresis 768(1997)97

Dynamic simulation of simulated moving-bed chromatographic processes for the optimization of chiral separations 769(1997)81

Application of a modified central composite design to optimize the capillary electrochromatographic separation of related S-oxidation compounds 769(1997)145

Optimisation of selectivity in the separation of metallo–cyanide complexes by ion-interaction liquid chromatography 770(1997)3

Optimization of resolution in micellar electrokinetic chromatography via computer-aided variation of concentrations of sodium dodecyl sulfate and acetonitrile as modifier 772(1997)27

Strategies to improve performance of capillary isoelectric focusing 772(1997)145

Retention behavior of synthetic corticosteroids in packed-column supercritical fluid chromatography 773(1997)277

Optimization of separation of some polycyclic aromatic compounds by thin-layer chromatography 779(1997)321

Simultaneous use of urea and acetonitrile as organic modifiers for optimization of resolution in micellar electrokinetic chromatography 792(1997)157

Neural networks for optimization of high-performance capillary zone electrophoresis methods. A new method using a combination of experimental design and artificial neural networks 793(1998)317

Orthogonal array design experiments for optimizing the separation of various pesticides by cyclodextrin-modified micellar electrokinetic chromatography 793(1998)331

Comparing the optimum performance of the different modes of preparative liquid chromatography 796(1998)59

Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115

Systematic approach to the separation of mono- and hydroxycarboxylic acids in environmental samples by ion chromatography and capillary electrophoresis 796(1998)335

Optimisation of gradient elution in normal-phase high-performance liquid chromatography 797(1998)11

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. I. Method development and optimization with fractional factorial design 798(1998)307

Neural network and experimental design to investigate the effect of five factors in ion-interaction high-performance liquid chromatography 799(1998)47

#### **Orange fruit**

High-performance liquid chromatography–electrospray mass spectrometry in phytochemical analysis of sour orange (*Citrus aurantium* L.) 791(1997)127

#### **Orange oil**

Changes in chemical composition of catalytically hydrogenated orange oil (*Citrus sinensis*) 752(1996)217

#### **Organic modifiers**

see also Modifiers

Addition of methanol to the mobile phase in packed capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 753(1996)291

Capillary zone electrophoretic separation of biogenic amines: influence of organic modifier 755(1996)142

Influence of chromatographic descriptors on enantioresolution of a dihydropyridine and structurally related compounds 763(1997)115

Effect of organic modifiers on retention and enantiomeric separations by capillary electrophoresis with human serum albumin as a chiral selector in solution 766(1997)237

Comparative evaluation of bonded-silica reversed-phase columns for high-performance liquid chromatography using strongly basic compounds and alternative organic modifiers buffered at acid pH 769(1997)169

Ion-exchange properties of glutamic acid-bonded silica 769(1997)179

Influence of modifier and molecular structure of some dihydroxythiobenzanilides on retention in reversed-phase high-performance thin-layer chromatography 791(1997)237

#### **Organic solvents**

Influence of organic solvents on the separation selectivity in capillary electrophoresis (Review) 792(1997)3

#### **Organo-silica beads**

Application of 0.5- $\mu\text{m}$  porous silanized silica beads in electrochromatography 786(1997)229

#### **Orthogonal array design**

Orthogonal array design experiments for optimizing the separation of various pesticides by cyclodextrin-modified micellar electrokinetic chromatography 793(1998)331

#### **Osmotic shock fluids**

Analysis of recombinant human growth hormone directly in osmotic shock fluids 782(1997)199

#### **Overlapping resolution mapping**

Optimization of capillary electrophoretic separation of quinolone antibacterials using the overlapping resolution mapping scheme 766(1997)215

#### **Overloading**

Effects of the gradient profile on the production rate in reversed-phase gradient elution overloaded chromatography 760(1997)25

Effects of the composition of the mobile phase on the production rate in reversed-phase overloaded chromatography 787(1997)13

Influence of sample mass on the performance of reversed-phase columns in the analysis of strongly basic compounds by high-performance liquid chromatography 793(1998)31

Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115

#### **Ovoglobulin-based stationary phases**

Separation of enantiomers on a chiral stationary phase based on ovoglobulin. I. Influences of the pore size of base silica materials and bound protein amounts on chiral resolution 773(1997)85

#### **Oxidation**

Identification of fenthion and temephos and their transformation products in water by high-performance liquid chromatography with diode array detection and atmospheric pressure chemical ionization mass spectrometric detection 777(1997)99

#### **Oxygen doping**

Negative chromatographic peaks with oxygen doped electron capture detection of polychlorinated biphenyls 775(1997)368

# P

## Packed beds

Visualization of the heterogeneity of column beds  
760(1997)17

## Packed capillary columns

Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165

Pressure drop effects in packed capillary column supercritical fluid chromatography 758(1997)117

## Packed-column liquid chromatography

Some reflections on speed and efficiency of modern chromatographic methods (Review) 778(1997)3

## Packed columns

Separation of polar solutes by packed column supercritical fluid chromatography (Review) 785(1997)3

Packed column supercritical fluid chromatography–mass spectroscopy: A review (Review) 785(1997)85

## Packing density

On the reproducibility of column performance in liquid chromatography and the role of the packing density  
761(1997)41

Effect of the column length on the characteristics of the packed bed and the column efficiency in a dynamic axial compression column 796(1998)41

## Packing materials

Preparation of monodisperse agglomerated pellicular anion-exchange resins compatible with high-performance liquid chromatography solvents for ion chromatography  
793(1998)193

Comparative studies of structural and surface properties of porous inorganic oxides used in liquid chromatography  
797(1998)93

## Packing methods

Consolidation of particle beds and packing of chromatographic columns (Review) 762(1997)83

Liquid chromatography on soft packing material, under axial compression. Size-exclusion chromatography of polypeptides  
773(1997)103

Separation of positional isomers of nitrobenzoic acid by reversed-phase liquid chromatography with 2-propanol–water–acetic acid as eluent 773(1997)365

A novel technology for packing and unpacking pilot and production scale columns 796(1998)75

Simplification of capillary electrochromatography procedures  
798(1998)243

## Packing retainers

Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165

## Packing uniformity

Refining the scale-up of chromatographic separations  
796(1998)3

## *Paeoniae Radix*

Capillary electrophoretic determination of the constituents of *Paeoniae Radix* 753(1996)139

## Palladium decoupler

Determination of chlorophenols by micellar electrokinetic chromatography with electrochemical detection 757(1997)203

## *Panax quinquefolium*

Reversed-phase high-performance liquid chromatographic determination of ginsenosides of *Panax quinquefolium*  
755(1996)11

## Paper

Determination of 1,3-dichloro-2-propanol and 3-chloro-1,2-propanediol in papers treated with polyamidoamine–epichlorohydrin wet-strength resins by gas chromatography–mass spectrometry using selective ion monitoring  
788(1997)195

## Parallel current chromatography

Influence of the capillary dimensions on the performance of the preconcentration technique based on parallel current chromatography 791(1997)163

## Parallel synthesis

Automated analytical/preparative high-performance liquid chromatography–mass spectrometry system for the rapid characterization and purification of compound libraries  
794(1998)3

## Parameter estimation

Parameter estimation for the simulation of liquid chromatography 769(1997)59

## Parenteral nutrition

Determination of oxalate in parenteral nutrition solutions by capillary electrophoresis 771(1997)285

## Parsley

Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179

**Partial filling micellar electrokinetic chromatography**

On-line micellar electrokinetic chromatography–mass spectrometry with a high-molecular-mass surfactant 794(1998)317

**Particle beam interface**

Characterization of surfactants and their biointermediates by liquid chromatography–mass spectrometry (Review) 794(1998)165

Analysis of secreted flavonoids of *Cistus ladanifer L.* by high-performance liquid chromatography–particle beam mass spectrometry 799(1998)111

**Particle velocities**

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

**Particulate matter**

Application of planar chromatography to the analysis of polycyclic aromatic hydrocarbons and their derivatives in environmental samples 774(1997)111

**Partition coefficients**

see also Octanol–water partition coefficient

Solid-phase microextraction of volatile organic compounds. Estimation of the sorption equilibrium from the Kováts index, effect of salinity and humic acids and the study of the kinetics by the development of an “agitated/static layer” model 761(1997)205

Determination of partition coefficients of monocyclic aromatic hydrocarbons between leaf essential oil and air by headspace gas chromatography 765(1997)247

Determination of solute lipophilicity, as log  $P$ (octanol) and log  $P$ (alkane) using poly(styrene–divinylbenzene) and immobilised artificial membrane stationary phases in reversed-phase high-performance liquid chromatography 766(1997)35

Headspace gas chromatographic determination of the plant cuticle–air partition coefficients for monocyclic aromatic hydrocarbons as environmental compartment 774(1997)213

Separation of hydroxylated and methoxylated flavonoids by micellar electrokinetic capillary chromatography. Determination of analyte partition coefficients between aqueous and sodium dodecyl sulfate micellar phases 791(1997)289

Electrokinetic chromatography without electroosmotic flow 792(1997)125

Effect of the various parameters governing solid-phase microextraction for the trace-determination of pesticides in water 795(1998)27

Indirect headspace gas chromatographic method for vapor–liquid phase equilibrium study 799(1998)207

**Partitioning**

Effects of fused tryptophan rich peptides to a recombinant protein A domain on the partitioning in polyethylene glycol–dextran and Ucon–dextran aqueous two-phase systems 756(1996)107

Partitioning of hydrophobic amino acids and oligopeptides in aqueous two-phase system containing self-aggregating block copolymer. Effects of temperature, salts and surfactants 761(1997)91

Interaction between tryptophan residues and hydrophobically modified dextran. Effect on partitioning of peptides and proteins in aqueous two-phase systems 766(1997)99

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. II. Partitioning vs. adsorption mechanism in monomeric alkyl bonded phase supports 775(1997)1

***Passiflora incarnata***

Mass spectrometric characterization of flavonoids in extracts from *Passiflora incarnata* 777(1997)223

**Pattern fitting**

Analysis of plant oils by subcritical fluid chromatography using pattern fitting 800(1998)317

**Peak broadening**

Variance contributed by pressure induced injection in capillary electrophoresis 767(1997)205

**Peak overlap**

New approach to determining each component of a two-component overlapping peak by single-column anion ion chromatography 769(1997)333

**Peak parameters**

Enhancing the quality of information obtained by a comparison between experimental and deconvolved peak parameters in ion chromatography 789(1997)51

**Peak purity**

Use of simulated liquid chromatography–diode array detection data for the definition of a guide curve in peak purity assessment by spectral comparison 786(1997)1

New methods for spectrometric peak purity analysis in chromatography 800(1998)121

**Peak shape**

see also Band broadening and Band profiles

Prediction of the preparative chromatography performance with a very small column 760(1997)41

Variance contributed by pressure induced injection in capillary electrophoresis 767(1997)205

Peak shape distortions during capillary electrophoretic separations of multicomponent samples in two co-ion buffers 781(1997)107

Theoretical study of the elution profile of a high-concentration sample anion in non-suppressed ion chromatography 789(1997)43

Chromatographic peak profile of ionogenic analytes upon elution with unbuffered eluents 797(1998)57

#### **Peak shape analysis**

Enhancing the quality of information obtained by a comparison between experimental and deconvolved peak parameters in ion chromatography 789(1997)51

#### ***Penicillium* species**

Micro-scale extraction procedure for standardized screening of fungal metabolite production in cultures 760(1997)264

#### **Peony constituents**

Capillary electrophoretic determination of the constituents of *Paeoniae Radix* 753(1996)139

#### **Peptide conformers**

Cyclodextrin aided separation of peptides and proteins by capillary zone electrophoresis 796(1998)367

#### **Peptide sequencing**

Mapping of peptides and protein fragments in human urine using liquid chromatography–mass spectrometry 776(1997)117

#### **Percolation**

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39

#### **Perfusion chromatography**

Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

#### **Permanent coating**

Separation and detection of vanadate, tungstate, molybdate and chromate ions 789(1997)267

#### **Pervaporation**

Hyphenated pervaporation–solid-phase preconcentration–gas chromatography for the determination of volatile organic compounds in solid samples 779(1997)352

#### **Pesticide mobility**

Study of the effect of exogenous organic matter on the mobility of pesticides in soils using soil thin-layer chromatography 754(1996)279

#### **Petroleum**

see also Oils

Capillary gas chromatographic determination of vanadium in crude petroleum oil using fluorinated ketoamines as derivatizing reagents 766(1997)159

Inverse gas chromatography for the examination of fractions separated from oil vacuum distillation residues 768(1997)271

Developments in the analysis of petroleum hydrocarbons in oils, petroleum products and oil-spill-related environmental samples by gas chromatography (Review) 774(1997)51

Using systematic and comparative analytical data to identify the source of an unknown oil on contaminated birds 775(1997)251

Sulfur-selective chemiluminescence detection with packed column supercritical fluid chromatography 779(1997)307

Determination of total petroleum hydrocarbons in soil by on-line supercritical fluid extraction–infrared spectroscopy using a fiber-optic transmission cell and a simple filter spectrometer 785(1997)269

#### **Petroleum products**

Automatic gas chromatographic retention time matching applied to synthetic petroleum (Fischer-Tropsch) products, using HP Chemstation software 791(1997)197

#### **Phage display library**

Selection of optimum affinity tags from a phage-displayed peptide library. Application to immobilized copper(II) affinity chromatography 787(1997)91

#### **Pharmaceutical analysis**

see also Special Issue Index

Capillary zone electrophoretic separation of  $\beta$ -blockers using citrate buffer at low pH 753(1996)133

Liquid chromatographic separation of the alkaloids in coptis–evodia herb couple 756(1996)137

Some recent high-performance liquid chromatography separations of the enantiomers of pharmaceuticals and other compounds using the Whelk-O 1 chiral stationary phase 758(1997)93

Analysis of recombinant human erythropoietin in drug formulations by high-performance capillary electrophoresis 759(1997)177

Chiral resolution of pantoprazole sodium and related sulfoxides by complex formation with bovine serum albumin in capillary electrophoresis 759(1997)185

Determination of saikosaponins by micellar electrokinetic capillary chromatography 759(1997)193

- High-performance liquid chromatographic analysis of cyclosporin A and its oral solutions 759(1997)217
- Evaluation of simulated moving bed chromatography for pharmaceutical process development 760(1997)159
- Optical resolution of new quinolone drugs by capillary electrophoresis with ligand-exchange and host-guest interactions 760(1997)235
- Quantitation of an orally available thrombin inhibitor in rat, monkey and human plasma and in human urine by high-performance liquid chromatography and fluorescent post-column derivatization of arginine 762(1997)299
- High-performance liquid chromatographic determination of dehydroabietic and abietic acids in traditional Chinese medications 763(1997)221
- Liquid chromatography of spiramycin on poly(styrene-divinylbenzene) 764(1997)43
- Assay and purity evaluation of CP-93,393-1 by reversed-phase liquid chromatography. A snapshot of current practices for liquid chromatography methods development and validation 764(1997)233
- Determination of residual amines used in bulk drug synthesis by pre-column derivatization with 3,5-dinitrobenzoyl chloride and high-performance liquid chromatography 766(1997)77
- Analysis of kanamycin sulfate by liquid chromatography with pulsed electrochemical detection 766(1997)133
- Optimization of capillary electrophoretic separation of quinolone antibacterials using the overlapping resolution mapping scheme 766(1997)215
- Optimization of the capillary electrophoresis separation of ranitidine and related compounds 766(1997)245
- Analysis of impurities of isopropyl myristate by gas-liquid chromatography 767(1997)330
- Approaches used in the reduction of buffer electrolysis effects for routine capillary electrophoresis procedures in pharmaceutical analysis 768(1997)73
- Separation and quantification of geometric isomers in a leukotriene antagonist using cyclodextrins in capillary electrophoresis. Comparison to high-performance liquid chromatographic methods 768(1997)81
- Purity control of carbamazepine by micellar electrokinetic chromatography 768(1997)113
- Applications of simulated moving-bed chromatography to the separation of the enantiomers of chiral drugs 769(1997)101
- Validation of ion chromatographic methods for the trace analysis of ions in pharmacopoeial grades of water 770(1997)99
- Determination of impurities in clodronic acid by anion-exchange chromatography 770(1997)261
- High-performance ion chromatography applied to free-radical mechanisms in drug design. The problem of ion analysis at high ionic strengths 770(1997)273
- Determination of cinnamaldehyde, cinnamic acid, paeoniflorin, glycyrrhizin and [6]-gingerol in the traditional Chinese medicinal preparation Kuei-chih-tang by cyclodextrin-modified micellar electrokinetic chromatography 771(1997)267
- Characterisation of human serum albumin heterogeneity by capillary zone electrophoresis and electrospray ionization mass spectrometry 772(1997)235
- Validation of a capillary electrophoresis procedure for the determination of calcium in calcium acamprostate 772(1997)265
- Direct determination of procainamide and N-acetylprocainamide by capillary zone electrophoresis in pharmaceutical formulations and urine 772(1997)271
- Separation and determination of pharmaceutically important polyols in dosage forms by capillary isotachopheresis 772(1997)277
- Development and validation of a capillary electrophoresis method within a pharmaceutical quality control environment and comparison with high-performance liquid chromatography 773(1997)339
- Determination of atropine in pharmaceutical preparations by liquid chromatography with fluorescence detection 775(1997)137
- Process clearance of dithiothreitol monitored by reversed-phase high-performance liquid chromatography with fluorescence detection. Assay development and validation 775(1997)151
- Development and validation of a high-performance liquid chromatography method for the determination of cold relief ingredients in chewing gum 775(1997)179
- Pharmacokinetic screening for the selection of new drug discovery candidates is greatly enhanced through the use of liquid chromatography-atmospheric pressure ionization tandem mass spectrometry 777(1997)61
- Rapid pharmacokinetic screening of salbutamol in plasma samples by column-switching high-performance liquid chromatography-electrospray mass spectrometry 777(1997)67

- Determination of barbiturates by solid-phase microextraction (SPME) and ion trap gas chromatography–mass spectrometry 777(1997)275
- Pharmaceutical applications of micelles in chromatography and electrophoresis (Review) 780(1997)243
- Quantitative analysis of sodium dodecyl sulphate by capillary electrophoresis 781(1997)67
- Investigation of the interactions between drugs and mixed bile salt/lecithin micelles. A characterization by micellar affinity capillary electrophoresis (MACE). Part III 781(1997)377
- Characterization of metal complexes of pharmaceutical interest by capillary electrophoresis with element sensitive detection 781(1997)407
- Micellar electrokinetic capillary chromatography for the separation of phenoxymethylpenicillin and related substances 781(1997)417
- Quantitation of insulin by capillary electrophoresis and high-performance liquid chromatography. Method comparison and validation 781(1997)445
- Chiral resolution of four optical isomers of diltiazem hydrochloride on Chiralcel columns by packed-column supercritical fluid chromatography 785(1997)185
- Determination of magnolol and honokiol in Magnoliae Cortex using supercritical fluid chromatography on-line coupled with supercritical fluid extraction by on-column trapping 786(1997)366
- Determination of berberine and palmatine in Phellodendri Cortex using ion-pair supercritical fluid chromatography on-line coupled with ion-pair supercritical fluid extraction by on-column trapping 786(1997)371
- Separation of cationic *cis*–*trans* (*Z*–*E*) isomers and diastereoisomers using non-aqueous capillary electrophoresis 792(1997)49
- Analysis of benzylpenicillin by capillary electrophoresis 792(1997)83
- Separation of neutral substances by non-aqueous capillary electrophoresis through interactions with cationic additives 792(1997)475
- Separation of profen enantiomers by capillary electrophoresis using cyclodextrins as chiral selectors 793(1998)165
- Enantiomeric separation of propranolol and selected metabolites by using capillary electrophoresis with hydroxypropyl- $\beta$ -cyclodextrin as chiral selector 793(1998)357
- Application of liquid chromatography–mass spectrometry<sup>n</sup> analyses to the characterization of novel glyburide metabolites formed in vitro 794(1998)15
- Chiral separation of racemic mexiletine hydrochloride using cyclodextrins as chiral additive by capillary electrophoresis 795(1998)394
- Determination of furanochromones and pyranocoumarins in drugs and *Ammi visnaga* fruits by combined solid-phase extraction–high-performance liquid chromatography and thin-layer chromatography–high-performance liquid chromatography 797(1998)305
- Development of a simple liquid chromatographic method with UV and mass spectrometric detection for the separation of substances related to amoxicillin sodium 797(1998)311
- High-performance liquid chromatographic assay of 8-hydroxyquinoline sulfate and its stability in immunobiological preparations 798(1998)173
- Optimisation, validation and application of a capillary electrophoresis method for the determination of ranitidine hydrochloride and related substances 798(1998)297
- Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. I. Method development and optimization with fractional factorial design 798(1998)307
- Determination of antibacterial quaternary ammonium compounds in lozenges by capillary electrophoresis 798(1998)335
- Chiral and nonchiral determination of ketoprofen in pharmaceuticals by capillary zone electrophoresis 799(1998)301
- Phase separation**  
Micelle-mediated extraction (Review) 780(1997)229
- Phase transitions**  
Effect of temperature upon the chromatography of proteins on porous glass, chemically coated with N-isopropylacrylamide copolymer 776(1997)75
- pH effects**  
pH-Dependent elution behaviour of meleme in high-performance cation-exchange chromatography 752(1996)287
- Migration behavior and separation of sulfonamides in capillary zone electrophoresis. I. Influence of buffer pH and electrolyte modifier 755(1996)261
- Interactions of basic compounds in reversed-phase high-performance liquid chromatography. Influence of sorbent character, mobile phase composition, and pH on retention of basic compounds 758(1997)37

General equation for calculating the dissociation constants of polyprotic acids and bases from measured retention factors in high-performance liquid chromatography 762(1997)63

Enantiomeric resolution on Chiral-AGP with the aid of experimental design. Unusual effects of mobile phase pH and column temperature 763(1997)105

Use of secondary equilibria in reversed-phase high-performance liquid chromatography for the determination of dissociation constants of polyprotic leukotrienes 763(1997)199

Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11

D-Glucose, forskolin and cytochalasin B affinities for the glucose transporter Glut1. Study of pH and reconstitution effects by biomembrane affinity chromatography 776(1997)81

Capillary zone electrophoretic separation of  $\beta$ -blockers using citrate buffer at low pH 776(1997)361

Reply to "Capillary zone electrophoretic separation of  $\beta$ -blockers using citrate buffer at low pH" 776(1997)362

Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35

Optimization for the separation of ribonucleotides by capillary electrophoresis at high pH 792(1997)67

Reversed-phase high-performance liquid chromatography of basic compounds at pH 11 with silica-based column packings 797(1998)111

#### **Phellodendri Cortex**

Determination of berberine and palmatine in Phellodendri Cortex using ion-pair supercritical fluid chromatography on-line coupled with ion-pair supercritical fluid extraction by on-column trapping 786(1997)371

#### **Phenotype**

Separation and quantitation of debrisoquine and 4-hydroxydebrisoquine in human urine by capillary electrophoresis and high-performance liquid chromatography 778(1997)389

#### **Phenylcarbamate polysaccharide stationary phases**

3-Fluoro-, 3-chloro- and 3-bromo-5-methylphenylcarbamates of cellulose and amylose as chiral stationary phases for high-performance liquid chromatographic enantioseparation 787(1997)67

#### **Phenylpentoxyresorcurene stationary phases**

Resorcurene derivative used as a new stationary phase for capillary gas chromatography 787(1997)161

#### **pH gradients**

Gradient chromatofocusing high-performance liquid chromatography. II. Theoretical aspects 762(1997)47

Gradient chromatofocusing high-performance liquid chromatography. I. Practical aspects 762(1997)207

Separation power of isotachopheresis (displacement electrophoresis) with continuous pH and conductivity gradients 764(1997)309

Displacement electrophoresis of ampholytes in a continuous pH gradient moving in a capillary with a non-constant cross-section 768(1997)283

Experimental and numerical studies of the chromatofocusing of dilute proteins using retained pH gradients formed on a strong-base anion-exchange column 769(1997)129

Evaluation of pH gradient formation of carrier ampholytes with synthesized isoelectric point markers in capillary isoelectric focusing 772(1997)137

A simple means of generating pH gradients in capillary zone electrophoresis 781(1997)3

#### **Phospholipid stationary phase**

Evaluation of the immobilized artificial membrane phosphatidylcholine. Drug discovery column for high-performance liquid chromatographic screening of drug-membrane interactions 800(1998)161

#### **Phosphorylation**

High sample throughput phosphoamino acid analysis of proteins separated by one- and two-dimensional gel electrophoresis 764(1997)201

#### **Photoacoustic spectroscopy**

Photothermal characterization of thin-layer chromatography plates 786(1997)163

#### **Photodegradation**

Erratum to "Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides". [J. Chromatogr. A, 738 (1996) 225-231] 761(1997)341

#### **Photoionization detection**

Multiple detector responses for gas chromatography peak identification 795(1998)319

#### **Photolysis reactor**

Investigation of photochemical behavior of pesticides in a photolysis reactor coupled on-line with a liquid chromatography-electrospray ionization tandem mass spectrometry system. Application to trace and confirmatory analyses in food samples 794(1998)129

**Photosystem II**

Rapid resolution by reversed-phase high-performance liquid chromatography of the thylakoid membrane proteins of the photosystem II light-harvesting complex 779(1997)131

**Photothermal beam deflection spectrometry**

Photothermal characterization of thin-layer chromatography plates 786(1997)163

**Photothermal characterization**

Photothermal characterization of thin-layer chromatography plates 786(1997)163

**Photothermal radiometry**

Photothermal characterization of thin-layer chromatography plates 786(1997)163

**Physicochemical parameters**

Determination of some physicochemical parameters of microcystins (cyanobacterial toxins) and trace level analysis in environmental samples using liquid chromatography 799(1998)155

**Phytochemical analysis**

High-performance liquid chromatography–electrospray mass spectrometry in phytochemical analysis of sour orange (*Citrus aurantium* L.) 791(1997)127

**Phytosol solvent extraction**

Extraction of Tanshinone IIA from *Salvia miltiorrhiza bunge* using supercritical fluid extraction and a new extraction technique, phytosol solvent extraction 799(1998)343

**pH-Zone-refining counter-current chromatography**

pH-Zone-refining countercurrent chromatography (Review) 753(1996)1

Peptide separation by pH-zone-refining countercurrent chromatography 771(1997)81

***Pinus sylvestris***

Analysis of ascorbate and dehydroascorbate in plant extracts by high-resolution selected ion monitoring gas chromatography–mass spectrometry 782(1997)95

***Pistacia lentiscus* L. var. *Chia***

Gas chromatographic–mass spectroscopic analysis of the acidic triterpenic fraction of mastic gum 769(1997)263

**Plant materials**

Quantitative analysis of flavonoids by reversed-phase high-performance liquid chromatography 761(1997)315

**Plant uptake**

Determination of partition coefficients of monocyclic aromatic hydrocarbons between leaf essential oil and air by headspace gas chromatography 765(1997)247

Headspace gas chromatographic determination of the plant cuticle–air partition coefficients for monocyclic aromatic hydrocarbons as environmental compartment 774(1997)213

Trace analysis of military high explosives (2,4,6-trinitrotoluene and hexahydro-1,3,5-trinitro-1,3,5-triazine) in agricultural crops 775(1997)117

**Plasma/serum injection**

Direct injection of large volumes of plasma/serum on a new biocompatible extraction column for the determination of atenolol, propranolol and ibuprofen. Mechanisms for the improvement of chromatographic performance 797(1998)251

**Point mutation**

Capillary electrophoresis for the detection of known point mutations by single-nucleotide primer extension and laser-induced fluorescence detection 781(1997)367

**Polarity**

Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145

**Polarity parameters**

Effect of temperature on the polarity of some stationary phases for gas chromatography 779(1997)275

Inverse gas chromatography in the examination of organic compounds. Polarity and solubility parameters of isoquinoline derivatives 795(1998)349

**Polarizability**

Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249

Modification of polystyrenic matrices for the purification of proteins. III. Effects of poly(vinyl alcohol) modification on the characteristics of protein adsorption on conventional and perfusion polystyrenic matrices 776(1997)65

**Polyacrylamide-derived gels**

Separations of DNA fragments by capillary electrophoresis in N-substituted polyacrylamides 781(1997)347

**Polyacrylamide gel columns**

Simple method for preparing cross-linked polyacrylamide gel-filled capillaries 755(1996)138

**Polyacrylamide gradients**

Preparation of linear polyacrylamide gel step gradients for capillary electrophoresis 756(1996)245

**Polyallylamine supports**

Polyallylamine-supported pseudo-stationary phases for electrokinetic chromatography. Effect of alkyl chain length of the pseudo-stationary phase and methanol content of aqueous buffer on the separation of hydrophobic compounds 781(1997)139

**Polyamidoamine–epichlorohydrin resins**

Determination of 1,3-dichloro-2-propanol and 3-chloro-1,2-propanediol in papers treated with polyamidoamine–epichlorohydrin wet-strength resins by gas chromatography–mass spectrometry using selective ion monitoring 788(1997)195

**Polybutadiene coatings**

Models for polybutadiene pore wall coatings in porous zirconia 760(1997)71

**Polydisperse ethoxylated non-ionic surfactants**

High-performance liquid chromatographic analysis of polydisperse ethoxylated non-ionic surfactants in aqueous samples 752(1996)155

**Polyethylene beads**

Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13

**Polyethylene-coated silica**

Use of principal component analysis for studying the separation of pesticides on polyethylene-coated silica columns 797(1998)33

**Poly(ethylene oxide) gels**

Separation of DNA sequencing fragments up to 1000 bases by using poly(ethylene oxide)-filled capillary electrophoresis 781(1997)315

**Poly(glycidyl methacrylate–ethylene dimethacrylate) discs**

Effect of porous structure of macroporous polymer supports on resolution in high-performance membrane chromatography of proteins 798(1998)55

**Poly(2-hydroxyethyl methacrylate) membranes**

Dye–ligand and metal chelate poly(2-hydroxyethylmethacrylate) membranes for affinity separation of proteins 799(1998)83

**Polyisopropylacrylamide sorbents**

Effect of temperature upon the chromatography of proteins on porous glass, chemically coated with N-isopropylacrylamide copolymer 776(1997)75

**Polymerase chain reaction**

Comparison of resolution of double-stranded and single-stranded DNA in capillary electrophoresis 772(1997)255

**Polymer coatings**

Synthesis and characterization of a strong cation exchanger based on polymer-coated silica for high-performance liquid chromatography 779(1997)113

Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography 781(1997)43

Use of alumina with anchored polymer coating as packing material for reversed-phase high-performance liquid chromatography 790(1997)9

**Polymeric extraction analysis**

Stability of pesticides stored on polymeric solid-phase extraction cartridges 778(1997)161

**Polymerization**

Synthesis and characterization of alkyl bonded phases from a silica hydride via hydrosilylation with free radical initiation 786(1997)219

**Polymer joint, porous**

Off-column chemiluminescence detection in capillary electrophoresis 771(1997)379

**Polymer phases**

Application of spherical and other polymers in capillary zone electrophoresis: separation of antiviral drugs and deoxyribonucleoside phosphates by different principles 756(1996)263

**Polymer pseudo-stationary phases**

Micelle polymers, polymer surfactants and dendrimers as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)75

**Polymer supports**

Effect of porous structure of macroporous polymer supports on resolution in high-performance membrane chromatography of proteins 798(1998)55

**Polymethacryloyl chloride stationary phases**

Enantiomeric properties of human albumin immobilized on porous silica supports coated with polymethacryloyl chloride 776(1997)37

**Poly(propylene glycol) phases**

Unified retention concept – statistical treatment of Kováts retention index 764(1997)257

**Polysaccharide chiral stationary phases**

Chiral packed column subcritical fluid chromatography on polysaccharide and macrocyclic antibiotic chiral stationary phases 785(1997)159

**Polysiloxanes**

Unusual behaviour of a new kind of side chain crown ether polysiloxanes used in capillary gas chromatography 752(1996)189

Liquid and subcritical CO<sub>2</sub> separations of enantiomers on a broadly applicable polysiloxane chiral stationary phase 753(1996)109

Chiral crown ether-anchored polysiloxanes as capillary gas chromatography stationary phases 753(1996)269

**Polystyrene resins**

High-performance chelation ion chromatography for the determination of traces of bismuth in lead by means of a novel hypercrosslinked polystyrene resin 789(1997)389

**Poly(styrene–divinylbenzene) adsorbents**

Modification of polystyrenic matrices for the purification of proteins. II. Effect of the degree of glutaraldehyde–poly(vinyl alcohol) crosslinking on various dye ligand chromatography systems 776(1997)55

Modification of polystyrenic matrices for the purification of proteins. III. Effects of poly(vinyl alcohol) modification on the characteristics of protein adsorption on conventional and perfusion polystyrenic matrices 776(1997)65

**Poly(styrene–divinylbenzene) capillaries**

Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary 788(1997)155

**Poly(styrene–divinylbenzene) matrix**

Modification of polystyrenic matrices for the purification of proteins. Effect of the adsorption of poly(vinyl alcohol) on the characteristics of poly(styrene–divinylbenzene) beads for use in affinity chromatography 758(1997)53

**Poly(styrene–divinylbenzene) resins**

Effect of polystyrene–divinylbenzene resin sulfonation on solute retention in high-performance liquid chromatography 797(1998)139

**Polyurethane foam**

Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179

**Poly(vinyl alcohol) coating**

Modification of polystyrenic matrices for the purification of proteins. II. Effect of the degree of glutaraldehyde–poly(vinyl alcohol) crosslinking on various dye ligand chromatography systems 776(1997)55

Modification of polystyrenic matrices for the purification of proteins. III. Effects of poly(vinyl alcohol) modification on the characteristics of protein adsorption on conventional and perfusion polystyrenic matrices 776(1997)65

**Poly(vinyl alcohol)–fatty acids**

New class of poly(vinyl alcohol) polymers as column-chromatography stationary phases for *Candida rugosa* lipase isoforms separation 753(1996)47

**Polyvinylbutyral microbeads**

Cibacron Blue F3GA-attached polyvinylbutyral microbeads as novel magnetic sorbents for removal of Cu(II), Cd(II) and Pb(II) ions 793(1998)47

**Pore size**

Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. I. Influences of the pore size of base silica materials and bound protein amounts on chiral resolution 773(1997)85

Effect of domain size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography 797(1998)121

**Pore size distribution**

Study of the physico-chemical properties of some packing materials. III. Pore size and surface area distribution 773(1997)33

**Pore structure**

Packings of an unidimensional regular pore structure as model packings in size-exclusion and inverse size-exclusion chromatography 753(1996)177

Designing monolithic double-pore silica for high-speed liquid chromatography 797(1998)133

**Porogenic solvents**

Molecularly imprinted polymers by suspension polymerisation in perfluorocarbon liquids, with emphasis on the influence of the porogenic solvent 787(1997)55

**Porosity**

Effect of the column length on the characteristics of the packed bed and the column efficiency in a dynamic axial compression column 796(1998)41

**Porous adsorbent particles**

Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

**Porous graphitic carbon**

Chiral chromatography of amino acids on porous graphitic carbon coated with a series of N-substituted L-phenylalanine selectors. Effect of the anchor molecule on enantioselectivity 765(1997)187

Porous graphitized carbon and octadecyl-silica columns in the separation of some alkylglycoside detergents 782(1997)191

Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75

Comparison of the retention behavior of polyethoxylated alcohols on porous graphitic carbon and polar as well as apolar bonded-silica phases 797(1998)83

**Positional isomers**

Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335

Separation of positional isomers of nitrobenzoic acid by reversed-phase liquid chromatography with 2-propanol–water–acetic acid as eluent 773(1997)365

Electrokinetic chromatography without electroosmotic flow 792(1997)125

Silver ion high-performance liquid chromatography of isomeric *cis*- and *trans*-octadecenoic acids. Effect of the ester moiety and mobile phase composition 793(1998)275

**Post-column reactors**

Novel quartz flow-cell as a post-column photochemical reactor for high-performance liquid chromatography 800(1998)377

**Potato**

Isolation of starch branching enzyme I from potato using  $\gamma$ -cyclodextrin affinity chromatography 800(1998)382

**Potentiometric detection**

see also Electrochemical detection

Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes 766(1997)27

**Precipitation analysis**

Occurrence and determination of organic pollutants in aerosol, precipitation, and sediment samples collected at Lake Balaton 774(1997)349

**Precolumn**

Reversed-phase high-performance liquid chromatography of basic compounds at pH 11 with silica-based column packings 797(1998)111

**Preconcentration**

see also Clean-up methods, Extraction methods, Sample handling and Sample preparation

New design for the on-line solid-phase extraction of pesticides using membrane extraction disk material and liquid chromatography in environmental waters 752(1996)291

Trace enrichment of phenols by on-line solid-phase extraction and gas chromatographic determination 757(1997)165

Influence of the capillary dimensions on the performance of the preconcentration technique based on parallel current chromatography 791(1997)163

Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. I. Principles and theoretical aspects 791(1997)177

Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. II. Coupling to a portable micro gas chromatograph 791(1997)187

**Preferential interaction model**

Protein retention in hydrophobic interaction chromatography: modeling variation with buffer ionic strength and column hydrophobicity 766(1997)1

**Preparative chromatography**

see also Special Issue Index

Scale up in preparative chromatography 752(1996)19

Optimizing preparative separations at high recovery yield 752(1996)31

Use of modifier as trapping fluid in preparative supercritical fluid chromatography 753(1996)306

Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography 756(1996)73

Effects of the gradient profile on the production rate in reversed-phase gradient elution overloaded chromatography 760(1997)25

Prediction of the preparative chromatography performance with a very small column 760(1997)41

Application of compact porous tubes for preparative isolation of clotting factor VIII from human plasma 760(1997)117

Evaluation of simulated moving bed chromatography for pharmaceutical process development 760(1997)159

Improved preparative electrochromatography column design 760(1997)259

On the reproducibility of column performance in liquid chromatography and the role of the packing density 761(1997)41

Preparative desalting of bovine serum albumin by continuous annular chromatography 763(1997)49

Preparative separation of anthocyanins by gradient elution centrifugal partition chromatography 763(1997)345

Screening of a large number of dyes for the separation of human immunoglobulin G2 from the other immunoglobulin G subclasses. Immunoglobulin G2 enrichment on immobilized Procion Yellow HE-4R 766(1997)79

Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169

- Optimal operation of simulated moving bed units for nonlinear chromatographic separations 769(1997)3
- Simple model for blending aqueous salt buffers. Application to preparative chromatography 769(1997)37
- Laboratory-developed simulated moving bed for chiral drug separations. Design of the system and separation of Tramadol enantiomers 769(1997)49
- Parameter estimation for the simulation of liquid chromatography 769(1997)59
- Dynamic simulation of simulated moving bed chromatographic reactors 769(1997)71
- Dynamic simulation of simulated moving-bed chromatographic processes for the optimization of chiral separations 769(1997)81
- Comparison of the specific productivity of different chiral stationary phases used for simulated moving-bed chromatography 769(1997)93
- Applications of simulated moving-bed chromatography to the separation of the enantiomers of chiral drugs 769(1997)101
- Temperature gradients in preparative high-performance liquid chromatography columns 769(1997)109
- Preparative enantiomer separation of the inhalation anesthetics enflurane, isoflurane and desflurane by gas chromatography on a derivatized  $\gamma$ -cyclodextrin stationary phase 769(1997)119
- Experimental and numerical studies of the chromatofocusing of dilute proteins using retained pH gradients formed on a strong-base anion-exchange column 769(1997)129
- Continuous chromatographic separation process: simulated moving bed allowing simultaneous withdrawal of three fractions 770(1997)39
- Productivity and operating regimes in protein chromatography using low-molecular-mass displacers 771(1997)9
- Purification of *p*-nitrobenzyl C-functionalized diethylenetriamine pentaacetic acids for clinical applications using anion-exchange chromatography 771(1997)63
- Preparative separation of bitter acids from hop extracts by centrifugal partition chromatography 771(1997)71
- Peptide bank generated by large-scale preparation of circulating human peptides 776(1997)125
- Preparative isolation of nine indispensable amino acids from a single sample 778(1997)383
- Optimization of the high-performance liquid chromatographic separation of fullerenes using 1-methylnaphthalene as the mobile phase on a tetraphenylporphyrin-silica stationary phase 786(1997)31
- Effects of the composition of the mobile phase on the production rate in reversed-phase overloaded chromatography 787(1997)13
- Automated analytical/preparative high-performance liquid chromatography–mass spectrometry system for the rapid characterization and purification of compound libraries 794(1998)3
- Bovine whey fractionation based on cation-exchange chromatography 795(1998)277
- Refining the scale-up of chromatographic separations 796(1998)3
- Effect of the column length on the characteristics of the packed bed and the column efficiency in a dynamic axial compression column 796(1998)41
- Comparing the optimum performance of the different modes of preparative liquid chromatography 796(1998)59
- A novel technology for packing and unpacking pilot and production scale columns 796(1998)75
- Effect of radial gradient of temperature on the performance of large-diameter high-performance liquid chromatography columns. I. Analytical conditions 796(1998)81
- Closed-loop recycling with periodic intra-profile injection: a new binary preparative chromatographic technique 796(1998)101
- Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115
- Development of a downstream process for the isolation and separation of monoclonal immunoglobulin A monomers, dimers and polymers from cell culture supernatant 796(1998)165
- Preparative gradient elution chromatography of chemotactic peptides 796(1998)195
- Enhancement of the separation efficiency through temperature control in preparative high-performance liquid chromatography columns 796(1998)223
- Simulated moving bed chromatographic resolution of a chiral antitussive 796(1998)239
- Size-exclusion chromatography of plasma proteins with high molecular masses 796(1998)289

Chromatographic resolution of synthetically useful chiral glycine derivatives by high-performance liquid chromatography 796(1998)299

Chromatographic purification of human  $\alpha_1$  proteinase inhibitor from dissolved Cohn fraction IV-1 paste 800(1998)207

#### **Preparative electrophoresis**

Continuous-flow electrophoresis in the Taylor regime: a new possibility for preparative electrophoresis 757(1997)193

Theory of the correlation between capillary and free-flow zone electrophoresis and its use for the conversion of analytical capillary separations to continuous free-flow preparative processes. Application to analysis and preparation of fragments of insulin 796(1998)211

#### **Pressure drop**

Pressure drop effects in packed capillary column supercritical fluid chromatography 758(1997)117

Pressure drop in centrifugal partition chromatography 773(1997)1

Supercritical fluid chromatograph for studies of retention and efficiency with a brief study of *n*-alkanes showing evidence of significant temperature drop with pressure drop 785(1997)135

#### **Pressure gradients**

Supercritical fluid simulated moving bed chromatography 786(1997)309

Capillary supercritical fluid chromatography of pyrethrins and pyrethroids with positive pressure and negative temperature gradients 799(1998)265

#### **Pressure programming**

Aspects of the elution order inversion by pressure changes in programmed-temperature gas chromatography 779(1997)263

#### **Pressurized liquid extraction**

Evaluation of a fibrous cellulose drying agent in supercritical fluid extraction and pressurized liquid extraction of diverse pesticides 785(1997)313

#### **Principal component analysis**

Monitoring of new silica-based reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals using principal components analysis 765(1997)157

Study of the binding of antibiotics to human serum albumin by charge-transfer chromatography 776(1997)31

Anomalous retention behaviour of peptides on porous graphitized carbon column 776(1997)147

Use of principal component analysis for studying the separation of pesticides on polyethylene-coated silica columns 797(1998)33

Relationships between the chromatographic hydrophobicity indices and solute descriptors obtained by using several reversed-phase, diol, nitrile, cyclodextrin and immobilised artificial membrane-bonded high-performance liquid chromatography columns 797(1998)41

#### **Principal component regression**

Evaluation of multiwavelength chromatograms for the quantification of mixtures of pesticides by high-performance liquid chromatography–diode array detection with multivariate calibration 778(1997)139

#### **Probabilistic neural networks**

Chromatography pattern recognition of Aroclors using iterative probabilistic neural networks 775(1997)231

#### **Process monitoring**

Accelerated recombinant protein purification process development. Automated, robotics-based integration of chromatographic purification and analysis 798(1998)73

#### **Production rate**

Optimizing preparative separations at high recovery yield 752(1996)31

Effects of the composition of the mobile phase on the production rate in reversed-phase overloaded chromatography 787(1997)13

Comparing the optimum performance of the different modes of preparative liquid chromatography 796(1998)59

Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115

#### **Programmed-pressure and -temperature gas chromatography**

Integration of the equation of peak motion in programmed-pressure and -temperature gas chromatography 766(1997)147

#### **Programmed-temperature gas chromatography**

Automatic prediction of retention times in multi-linear programmed temperature analyses 767(1997)115

#### **Programmed-temperature retention indices**

Programmed temperature gas chromatographic data from isothermal retention indices 753(1996)147

#### **Programmed-temperature vaporizer**

Programmed-temperature vaporiser injector as a new analytical tool for combined thermal desorption–pyrolysis of solid samples. Application to geochemical analysis 764(1997)73

Ultra-trace-level determination of the antifouling agent Irgarol 1051 by gas chromatography with tandem mass spectrometric detection 766(1997)153

**Protein denaturation**

Assessment of heat-induced denaturation of whey proteins  
772(1997)231

**Protein folding**

Studies of the hydrodynamic volume changes that occur during refolding of lysozyme using size-exclusion chromatography  
766(1997)109

**Protein heterogeneity**

On-line post-capillary affinity detection of immunoglobulin G subclasses and monoclonal antibody variants for capillary electrophoresis 790(1997)207

**Protein-immobilized chiral stationary phases**

Enantiomeric properties of human albumin immobilized on porous silica supports coated with polymethacryloyl chloride  
776(1997)37

**Protein microheterogeneity**

Post-capillary affinity detection of protein microheterogeneity in capillary zone electrophoresis 759(1997)139

Module performance of anion-exchange porous hollow-fiber membranes for high-speed protein recovery 782(1997)159

**Protein sequencing**

Optical resolution of phenylthiohydantoin-amino acids by capillary electrophoresis for protein sequencing 771(1997)311

**Protein solubilizers**

Capillary isoelectric focusing: the problem of protein solubility  
757(1997)237

**Protein-stationary phase binding**

Multiple peaks induced by domain-specific binding of fibrinogen in anion-exchange high-performance liquid chromatography  
753(1996)63

**Proteolytic mapping**

Probing protein structure using biochemical and biophysical methods. Proteolysis, matrix-assisted laser desorption/ionization mass spectrometry, high-performance liquid chromatography and size-exclusion chromatography of p21<sup>Waf1/Cip1/Sdi1</sup> 777(1997)23

**Proteome**

High sample throughput phosphoamino acid analysis of proteins separated by one- and two-dimensional gel electrophoresis  
764(1997)201

**Proton-induced X-ray emission detection**

Separation, comparison and identification of fountain pen inks by capillary electrophoresis with UV-visible and fluorescence detection and by proton-induced X-ray emission 781(1997)391

Characterization of metal complexes of pharmaceutical interest by capillary electrophoresis with element sensitive detection  
781(1997)407

**Pseudo-conjugated system surface**

Quantitative structure-retention relationship studies for predicting the gas chromatography retention indices of polycyclic aromatic hydrocarbons. Quasi-length of carbon chain and pseudo-conjugated system surface 799(1998)361

***Pseudomonas aeruginosa***

High-performance liquid chromatographic analysis of *Pseudomonas aeruginosa* phenazines 771(1997)99

Capillary electrophoresis in the assay of the hydrolysis of glycine-containing peptides by a protease from *Pseudomonas aeruginosa* 776(1997)133

**Pseudo phases**

Application of spherical and other polymers in capillary zone electrophoresis: separation of antiviral drugs and deoxyribonucleoside phosphates by different principles  
756(1996)263

**Pseudo-stationary phases**

Micelles as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)41

Application of particles as pseudo-stationary phases in electrokinetic chromatography (Review) 780(1997)63

Micelle polymers, polymer surfactants and dendrimers as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)75

Polyallylamine-supported pseudo-stationary phases for electrokinetic chromatography. Effect of alkyl chain length of the pseudo-stationary phase and methanol content of aqueous buffer on the separation of hydrophobic compounds  
781(1997)139

Selectivity of polymeric and polymer-supported pseudo-stationary phases in micellar electrokinetic chromatography (Review) 792(1997)105

Electrokinetic chromatography without electroosmotic flow  
792(1997)125

Highly efficient separation of amines by electrokinetic chromatography using resorcinene-octacarboxylic acids as pseudostationary phases (Review) 792(1997)143

Separation of neutral compounds by capillary electrokinetic chromatography with a replaceable charged linear polymer as pseudo-stationary phase 798(1998)269

**Pulsed amperometric detection**

see also Electrochemical detection

Analysis of amine-containing phosphonates in detergent powders by anion-exchange chromatography with pulsed amperometric detection 771(1997)155

**Purge-and-trap methods**

Determination of volatile organic compounds in water by purge-and-trap gas chromatography coupled to atomic emission detection 768(1997)259

Purge-and-trap gas chromatography–mass spectrometry in the analysis of volatile organochlorine compounds in water 775(1997)267

**Pyrolysis**

Degradative polymer analysis by chromatography (Review) 756(1996)1

Composition and structure analysis of styrene–maleic anhydride copolymer by pyrolysis–gas chromatography 765(1997)279

Absolute quantitation of lignin pyrolysis products using an internal standard 773(1997)227

High-resolution pyrolysis–gas chromatography with a movable reaction zone 776(1997)337

Modification of a commercial pyrolysis probe to improve its temporal and spatial temperature profiles. Performance evaluation using model polymers 791(1997)151

**Pyrolysis–gas chromatography**

Interface between pyrolyzer and gas chromatograph. A different configuration of pyrolysis–gas chromatography 786(1997)107

**Pyrolytic methylation**

Degradative polymer analysis by chromatography (Review) 756(1996)1

**Pyroprobe**

Modification of a commercial pyrolysis probe to improve its temporal and spatial temperature profiles. Performance evaluation using model polymers 791(1997)151

**Q****Quantitative analysis**

Influence of leaks in the liquid chromatographic instrument on analytical results 767(1997)25

**Quantitative structure–retention relationships**

see Structure–retention relationships

**Quantum chemical indices**

Influence of conformation on the accuracy of quantitative–structure retention relationship calculations in gas chromatography 773(1997)368

**Quartz crystal detection**

Design of double cell quartz crystal detector for ion chromatography and its applications to determination of organic acids in traditional Chinese herb medicine 753(1996)171

**Quartz flow cell**

Novel quartz flow-cell as a post-column photochemical reactor for high-performance liquid chromatography 800(1998)377

**Quasi-length of carbon chain**

Quantitative structure–retention relationship studies for predicting the gas chromatography retention indices of polycyclic aromatic hydrocarbons. Quasi-length of carbon chain and pseudo-conjugated system surface 799(1998)361

**R** **$\gamma$ -Radiation**

Determination of  $\gamma$ -radiation induced products in aqueous solutions of tryptophan and synthesis of 4-, 6- and 7-hydroxytryptophan 786(1997)57

**Radiation chemistry**

High-performance ion chromatography applied to free-radical mechanisms in drug design. The problem of ion analysis at high ionic strengths 770(1997)273

**Radiation-induced grafting**

Module performance of anion-exchange porous hollow-fiber membranes for high-speed protein recovery 782(1997)159

**Radical adducts**

Quantitative detection of reduced, radical and oxidized forms of  $\alpha$ -(4-pyridyl-1-oxide)-*N*-*tert*.-butylnitron radical adduct using high-performance liquid chromatography with electrochemical detection 753(1996)235

**Radicals**

High-performance ion chromatography applied to free-radical mechanisms in drug design. The problem of ion analysis at high ionic strengths 770(1997)273

**Radioligands**

Purification of *p*-nitrobenzyl C-functionalized diethylenetriamine pentaacetic acids for clinical applications using anion-exchange chromatography 771(1997)63

**Raindrops**

Development of new methods for the analysis of single cloud-, fog- and raindrops by capillary electrophoresis 775(1997)372

**Rain water**

Analysis of individual raindrops by capillary zone electrophoresis 755(1996)121

UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241

**Raman spectroscopy**

Characterization of liquid chromatographic stationary phases by Raman spectroscopy. Effect of ligand type 779(1997)91

**Rate constants**

Gel permeation chromatography of polymers degrading randomly in the column. Theoretical treatment and practical aspects 786(1997)209

**Reaction probability**

Deposition parameters of air pollutants on solid surfaces, measured in the presence of surface and gaseous reactions, with a simultaneous determination of the experimental isotherms 775(1997)211

**Receptor affinity detection**

Theoretical concepts of on-line liquid chromatographic-biochemical detection systems. I. Detection systems based on labelled ligands 787(1997)27

**Recovery yield**

Optimizing preparative separations at high recovery yield 752(1996)31

Optimization of the recovery yield and of the production rate in overloaded gradient-elution reversed-phase chromatography 796(1998)115

**Recycling, closed-loop**

Closed-loop recycling with periodic intra-profile injection: a new binary preparative chromatographic technique 796(1998)101

**Recycling electrophoresis**

Recycling electrophoretic separations: modeling of isotachopheresis and isoelectric focusing 779(1997)165

**Reference methods**

Ion chromatography as reference method for serum cations (Review) 789(1997)557

**Reflux electrophoresis**

Purification by reflux electrophoresis of whey proteins and of a recombinant protein expressed in *Dictyostelium discoideum* 773(1997)299

**Refractive index detection**

Surface plasmon resonance-based detection. An alternative to refractive index detection in high-performance liquid chromatography 759(1997)27

Refractive-index detection by interferometric backscatter in packed-capillary high-performance liquid chromatography 762(1997)219

**Regression analysis**

Linearity and the limitations of least squares calibration 762(1997)73

Reliability of the capacity factor at zero micellar concentration and the solute-micelle association constant estimates by micellar liquid chromatography 778(1997)67

**Relative retention**

Letter to the editor 771(1997)385

**Relative retention data**

Capillary gas chromatography-mass spectrometry of lower oxyethylenated aliphatic alcohols 773(1997)219

**Relative retention times**

Multiple detector responses for gas chromatography peak identification 795(1998)319

**Residual silanols**

Chromatographic activity of residual silanols of alkylsilane derivatized silica surfaces 759(1997)37

**Resolution**

Choosing sample volume to achieve maximum detection sensitivity and resolution with high-performance liquid chromatography columns of 1.0, 2.1 and 4.6 mm I.D 762(1997)167

Application of sequential paired covariance to liquid chromatography-mass spectrometry data. Enhancements in both the signal-to-noise ratio and the resolution of analyte peaks in the chromatogram 771(1997)1

Dual-mode high-speed counter-current chromatography: retention, resolution and examples 790(1997)17

Resolution studies on counter-current chromatography using supercritical fluid carbon dioxide 790(1997)31

Simultaneous use of urea and acetonitrile as organic modifiers for optimization of resolution in micellar electrokinetic chromatography 792(1997)157

Micellar electrokinetic chromatography of long chain saturated and unsaturated free fatty acids with neutral micelles. Considerations regarding selectivity and resolution optimization 792(1997)165

**Resolution equation**

Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127

**Resonance energy transfer**

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Part B: Applications for environmental testing 767(1997)217

**Resorcurene stationary phases**

Resorcurene derivative used as a new stationary phase for capillary gas chromatography 787(1997)161

**Respeciation**

In-line respeciation: an ion-exchange ion chromatographic method applied to the separation of degradation products of chemical warfare nerve agents in soil 770(1997)253

**Response enhancement**

Negative chromatographic peaks with oxygen doped electron capture detection of polychlorinated biphenyls 775(1997)368

**Response factors**

Investigation of response factor ruggedness for the determination of drug impurities using high-performance liquid chromatography with ultraviolet detection 762(1997)227

**Restricted access column**

Liquid chromatography–mass spectrometry with on-line solid-phase extraction by a restricted-access C<sub>18</sub> precolumn for direct plasma and urine injection 762(1997)193

High sample throughput flow immunoassay utilising restricted access columns for the separation of bound and free label 800(1998)219

**Restrictors**

Tapers and restrictors for capillary electrochromatography and capillary electrochromatography–mass spectrometry 768(1997)9

**Retention**

Interactions of basic compounds in reversed-phase high-performance liquid chromatography. Influence of sorbent character, mobile phase composition, and pH on retention of basic compounds 758(1997)37

Study of retention, efficiency and selectivity in chiral ligand-exchange chromatography with a dynamically coated stationary phase 761(1997)79

**Retention behaviour**

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. I. The stationary phase 752(1996)1

Description of the retention behaviour in micellar liquid chromatography as a function of pH, surfactant and modifier concentration 769(1997)155

Retention behavior of synthetic corticosteroids in packed-column supercritical fluid chromatography 773(1997)277

Temperature and pressure effects on solubility in supercritical carbon dioxide and retention in supercritical fluid chromatography 785(1997)57

Supercritical fluid chromatograph for studies of retention and efficiency with a brief study of *n*-alkanes showing evidence of significant temperature drop with pressure drop 785(1997)135

Retention behavior of nitrite on a reversed-phase column with an acidic aqueous eluent containing alcohol as a modifier 789(1997)207

Study on the retention behaviour of low-molar-mass polystyrenes and polyesters in reversed-phase liquid chromatography by evaluation of thermodynamic parameters 790(1997)101

**Retention factors**

On the reproducibility of column performance in liquid chromatography and the role of the packing density 761(1997)41

Relationship between stationary and mobile phase composition and its influence on retention factors of aromatic hydrocarbons in reversed-phase high-performance liquid chromatography 762(1997)27

General equation for calculating the dissociation constants of polyprotic acids and bases from measured retention factors in high-performance liquid chromatography 762(1997)63

Use of secondary equilibria in reversed-phase high-performance liquid chromatography for the determination of dissociation constants of polyprotic leukotrienes 763(1997)199

Systematic approach to links between separations in capillary electrophoresis and liquid chromatography. IV. Application of binding constant–retention factor relationship to the separation of 2-, 3- and 4-methylbenzoate anions using  $\beta$ -cyclodextrin as selector 768(1997)29

Capacity ratios in supercritical fluid chromatography. Effect of mobile and stationary phases on hexasubstituted benzenes 776(1997)305

Reliability of the capacity factor at zero micellar concentration and the solute–micelle association constant estimates by micellar liquid chromatography 778(1997)67

Comparison of retention models for the dependence of retention factors on mobile phase composition in reversed-phase high-performance liquid chromatography 797(1998)23

**Retention factors, micellar electrokinetic capillary chromatography**

Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography 753(1996)127

**Retention indices**

Programmed temperature gas chromatographic data from isothermal retention indices 753(1996)147

Evaluation of theoretical models of non electrolyte solutions in the prediction of Kováts retention indices of branched alkanes in alkane stationary phases 755(1996)49

Database of structures and their gas chromatography retention indices, tagged with individual search windows 758(1997)319

Solid-phase microextraction of volatile organic compounds. Estimation of the sorption equilibrium from the Kováts index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model 761(1997)205

Unified retention concept – statistical treatment of Kováts retention index 764(1997)257

Predictive strategies for determining retention indices of some allylic alcohols and their esters by gas chromatography 766(1997)141

Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. I. Linear equations 779(1997)287

Retention indices in micellar electrokinetic chromatography (Review) 780(1997)117

Application of Kováts retention indices for investigation of adsorption properties of activated carbons 782(1997)87

Analysis of volatile organic compounds in air using retention indices together with a simple thermal desorption and cold trap method 787(1997)205

Gas chromatographic retention index system for polychlorinated biphenyls: possibilities and limitations 787(1997)215

Unified system for the prediction of retention data in gas-liquid chromatography 799(1998)185

Capillary gas chromatography of *n*-butyl and isobutyl-, *n*-amyl and isoamyl polyethylene glycol ethers and their derivatives 800(1998)305

**Retention mechanisms**

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. I. The stationary phase 752(1996)1

Addition of methanol to the mobile phase in packed capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 753(1996)291

Liquid adsorption chromatography of polyethers. Theory and experiment 761(1997)21

Molar enthalpy and molar volume of methylene and benzene homologues in reversed-phase liquid chromatography 762(1997)35

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. II. Partitioning vs. adsorption mechanism in monomeric alkyl bonded phase supports 775(1997)1

Simultaneous separation of metal ions and neutral organics by reversed-phase ion-pair liquid chromatography 776(1997)221

Evaluation of distribution coefficients in micellar liquid chromatography (Review) 780(1997)103

Modifier effects in open tubular capillary column supercritical fluid chromatography. Retention mechanisms from linear solvation energy relationships 796(1998)347

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. The mobile phase 799(1998)1

**Retention models**

Multiple peaks induced by domain-specific binding of fibrinogen in anion-exchange high-performance liquid chromatography 753(1996)63

Description and prediction of retention in normal-phase high-performance liquid chromatography with binary and ternary mobile phases 762(1997)15

Migration behaviour of monovalent weak acids in micellar electrokinetic chromatography. Mobility model versus retention model 765(1997)295

Protein retention in hydrophobic interaction chromatography: modeling variation with buffer ionic strength and column hydrophobicity 766(1997)1

Integration of the equation of peak motion in programmed-pressure and -temperature gas chromatography 766(1997)147

Modelling of retention behaviour of solutes in micellar liquid chromatography (Review) 780(1997)129

Retention modeling in micellar liquid chromatography (Review) 780(1997)149

Retention models in ion chromatography: the role of side equilibria in ion-exchange chromatography of inorganic cations and anions (Review) 789(1997)3

Interphase model for retention and selectivity in micellar electrokinetic chromatography (Review) 792(1997)89

Comparison of retention models for the dependence of retention factors on mobile phase composition in reversed-phase high-performance liquid chromatography 797(1998)23

Comparison of prediction power between theoretical and neural-network models in ion-interaction chromatography 799(1998)35

### **Retention prediction**

Evaluation of theoretical models of non electrolyte solutions in the prediction of Kováts retention indices of branched alkanes in alkane stationary phases 755(1996)49

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21

Prediction of retention in gradient-elution normal-phase high-performance liquid chromatography with binary solvent gradients 759(1997)13

Description and prediction of retention in normal-phase high-performance liquid chromatography with binary and ternary mobile phases 762(1997)15

Ion chromatographic separation of carboxylic acids. Prediction of retention data 770(1997)13

Alkanesulfonate homologous series as eluent components in anion chromatography. Novel eluent selection system for monovalent analytes 771(1997)23

Prediction of the gas chromatographic relative retention times of flavonoids from molecular structure 771(1997)213

Empirical equation for the accurate prediction of retention in planar chromatography 788(1997)207

Dual-mode high-speed counter-current chromatography: retention, resolution and examples 790(1997)17

Characterisation and prediction of retention in isocratic and gradient-elution normal-phase high-performance liquid chromatography on polar bonded stationary phases with binary and ternary solvent systems 791(1997)1

Novel approach for the prediction of retention times in operating parameter programmed gas-liquid chromatography with capillary columns 795(1998)305

Comparison of prediction power between theoretical and neural-network models in ion-interaction chromatography 799(1998)35

Unified system for the prediction of retention data in gas-liquid chromatography 799(1998)185

### **Retention temperatures**

Programmed temperature gas chromatographic data from isothermal retention indices 753(1996)147

### **Retention times**

Homologous series methods for determining hold-up parameters in isothermal gas chromatography 752(1996)173

Hold-up time in gas chromatography. I. New approach to its estimation 760(1997)219

Use of high-performance liquid chromatography with photodiode-array UV detection for the creation of a 600-compound library. Application to forensic toxicology 763(1997)149

Automatic prediction of retention times in multi-linear programmed temperature analyses 767(1997)115

The hold-up time in gas chromatography. II. Validation of the estimation based on the concept of a zero carbon atoms alkane 767(1997)127

Prediction of the gas chromatographic relative retention times of flavonoids from molecular structure 771(1997)213

Retention time repeatability as a function of the injection automatism in the analysis of trace organochlorinated compounds with high-resolution gas chromatography 778(1997)23

Automatic gas chromatographic retention time matching applied to synthetic petroleum (Fischer-Tropsch) products, using HP Chemstation software 791(1997)197

### **Retention volume**

Homologous series methods for determining hold-up parameters in isothermal gas chromatography 752(1996)173

Observation of Ficoll charge using size-exclusion chromatography 800(1998)181

### **Retention volume, specific**

Specific retention volumes in gas chromatography from low-quality capillary columns 793(1998)383

### **Reversed-phase scale**

Introduction of a new scale into reversed-phase high-performance liquid chromatography of pyridylamino sugar chains for structural assignment 800(1998)187

**Reviews**

- pH-Zone-refining countercurrent chromatography (Review) 753(1996)1
- Recent advances in the residue analysis of N-methylcarbamate pesticides (Review) 754(1996)3
- High-performance separations in the determination of triazine herbicides and their residues (Review) 754(1996)17
- Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33
- Minimization of solvent consumption in pesticide residue analysis (Review) 754(1996)43
- Occurrence and determination of pesticides in natural and treated waters (Review) 754(1996)103
- Strategies for chromatographic analysis of pesticide residues in water (Review) 754(1996)125
- Effect of soil–pesticide interactions on the efficiency of supercritical fluid extraction (Review) 754(1996)221
- Determination of pesticide residues in fruit and vegetables (Review) 754(1996)301
- Official multiresidue methods of pesticide analysis in vegetables, fruits and soil (Review) 754(1996)333
- Determination of cereal herbicide residues in environmental samples by gas chromatography (Review) 754(1996)347
- Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Identification of pesticide poisoning in wildlife (Review) 754(1996)463
- Degradative polymer analysis by chromatography (Review) 756(1996)1
- Large-scale high-performance liquid chromatography of enzymes for food applications (Review) 760(1997)81
- Consolidation of particle beds and packing of chromatographic columns (Review) 762(1997)83
- Tryptophan analysis in peptides and proteins, mainly by liquid chromatography (Review) 763(1997)1
- Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169
- Comparison of ion chromatography and capillary electrophoresis for the determination of inorganic ions (Review) 770(1997)281
- Chromatographic and hyphenated methods for elemental speciation analysis in environmental media (Review) 774(1997)3
- Ion chromatographic characterization of toxic solutions: analysis and ion chemistry of biological liquids (Review) 774(1997)21
- Supercritical fluid extraction of metal ions and metal chelates from different environments (Review) 774(1997)37
- Developments in the analysis of petroleum hydrocarbons in oils, petroleum products and oil-spill-related environmental samples by gas chromatography (Review) 774(1997)51
- Determination of coal tar and creosote constituents in the aquatic environment (Review) 774(1997)79
- Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121
- Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins (Review) 774(1997)143
- Separation and quantitative determination of non-ionic surfactants used as pesticide additives (Review) 774(1997)265
- Analysis of toxic wastes in tissues from aquatic species. Applications of matrix solid-phase dispersion (Review) 774(1997)287
- Some reflections on speed and efficiency of modern chromatographic methods (Review) 778(1997)3
- Microcolumn liquid chromatography: instrumentation, detection and applications (Review) 779(1997)1
- The silanol group and its role in liquid chromatography (Review) 779(1997)29
- Micelles as separation media in high-performance liquid chromatography and high-performance capillary electrophoresis: overview and perspective (Review) 780(1997)3
- Micelles as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)41
- Application of particles as pseudo-stationary phases in electrokinetic chromatography (Review) 780(1997)63
- Micelle polymers, polymer surfactants and dendrimers as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)75
- Microemulsions in separation sciences (Review) 780(1997)93

- Evaluation of distribution coefficients in micellar liquid chromatography (Review) 780(1997)103
- Retention indices in micellar electrokinetic chromatography (Review) 780(1997)117
- Modelling of retention behaviour of solutes in micellar liquid chromatography (Review) 780(1997)129
- Retention modeling in micellar liquid chromatography (Review) 780(1997)149
- Control of separation selectivity in micellar electrokinetic chromatography by modification of the micellar phase with solubilized organic compounds (Review) 780(1997)165
- Molecular recognition with micellar and micelle-like aggregates in aqueous media (Review) 780(1997)179
- Causes and remediation of reduced efficiency in micellar liquid chromatography (Review) 780(1997)191
- Micellar electrokinetic chromatography–mass spectrometry (Review) 780(1997)207
- Micelles for signal enhancement and novel selectivity of dansyl amino acids (Review) 780(1997)219
- Micelle-mediated extraction (Review) 780(1997)229
- Pharmaceutical applications of micelles in chromatography and electrophoresis (Review) 780(1997)243
- Application of micellar electrokinetic capillary chromatography to the analysis of illicit drug seizures (Review) 780(1997)265
- Micellar electrokinetic chromatography of proteins (Review) 780(1997)285
- Separation of metal ions and metal-containing species by micellar electrokinetic capillary chromatography, including utilisation of metal ions in separations of other species (Review) 780(1997)329
- Micellar chromatography of inorganic compounds (Review) 780(1997)343
- Capillary electrochromatography: theories on electroosmotic flow in porous media (Review) 781(1997)185
- Separation of polar solutes by packed column supercritical fluid chromatography (Review) 785(1997)3
- Supercritical fluid chromatography–proton nuclear magnetic resonance spectroscopy coupling (Review) 785(1997)65
- Packed column supercritical fluid chromatography–mass spectroscopy: A review (Review) 785(1997)85
- Enantiomer separations on chiral stationary phases in supercritical fluid chromatography (Review) 785(1997)149
- Coupling chemical derivatization reactions with supercritical fluid extraction (Review) 785(1997)239
- Supercritical fluid extraction: metals as complexes (Review) 785(1997)369
- Analytical procedures for the determination of organotin compounds in sediment and biota: a critical review (Review) 788(1997)1
- Retention models in ion chromatography: the role of side equilibria in ion-exchange chromatography of inorganic cations and anions (Review) 789(1997)3
- Chromatographic ion-exchange and charge-partner reactions. New mechanisms concerning ion–ion interactions of inorganic compounds in Sephadex G-15 columns (Review) 789(1997)21
- Factors controlling ion-exchange selectivity in suppressed ion chromatography (Review) 789(1997)29
- Advances in detection techniques for ion chromatography (Review) 789(1997)67
- Inductively coupled plasma mass spectrometric detection for chromatography and capillary electrophoresis (Review) 789(1997)85
- Capillary electrophoresis of inorganic anions and its comparison with ion chromatography (Review) 789(1997)169
- Separation and determination of inorganic anions by reversed-phase high-performance liquid chromatography (Review) 789(1997)181
- Methods for the determination of nitrite by high-performance liquid chromatography with electrochemical detection 789(1997)213
- Quantitation of sulfate and thiosulfate in clinical samples by ion chromatography (Review) 789(1997)221
- Applications of anion chromatography in terrestrial environmental research (Review) 789(1997)287
- Determination and speciation of metals by liquid chromatography (Review) 789(1997)301
- Use of ion chromatography for the determination of fission products and actinides in nuclear applications (Review) 789(1997)369
- High-performance chelation ion chromatography. A new dimension in the separation and determination of trace metals (Review) 789(1997)413

- Recent applications of high-performance liquid chromatography to the analysis of metal complexes (Review) 789(1997)437
- High-performance liquid chromatographic separations of boron-cluster compounds (Review) 789(1997)497
- Applications of column liquid chromatography to inorganic analysis in agricultural research (Review) 789(1997)519
- State-of-the-art ion chromatographic determination of inorganic ions in food (Review) 789(1997)529
- Ion chromatography as reference method for serum cations (Review) 789(1997)557
- Influence of organic solvents on the separation selectivity in capillary electrophoresis (Review) 792(1997)3
- Selectivity in capillary electrophoresis in the presence of micelles, chiral selectors and non-aqueous media (Review) 792(1997)13
- Interphase model for retention and selectivity in micellar electrokinetic chromatography (Review) 792(1997)89
- Selectivity of polymeric and polymer-supported pseudo-stationary phases in micellar electrokinetic chromatography (Review) 792(1997)105
- Electrokinetic chromatography without electroosmotic flow 792(1997)125
- Chiral separation principles in capillary electrophoresis (Review) 792(1997)179
- Controlling enantioselectivity in chiral capillary electrophoresis with inclusion-complexation (Review) 792(1997)227
- Separation selectivity in chiral capillary electrophoresis with charged selectors (Review) 792(1997)269
- Separation selectivity in chiral and achiral capillary electrophoresis with mixed cyclodextrins (Review) 792(1997)297
- Enantioselectivity in capillary electrophoresis using the macrocyclic antibiotics (Review) 792(1997)309
- Enantioselectivity in chiral capillary electrophoresis with polysaccharides (Review) 792(1997)327
- Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349
- Achiral selectivity in cyclodextrin-modified capillary electrophoresis (Review) 792(1997)431
- Hydrophilic selectors for selectivity enhancement in capillary electrophoresis (Review) 792(1997)445
- Enhanced selectivity for capillary zone electrophoresis using ion-pair agents (Review) 792(1997)455
- Strategies for selectivity control in capillary electrophoresis of metal species (Review) 792(1997)495
- Problems with the determination of environmental sulphur compounds by gas chromatography (Review) 793(1998)1
- Quantitative analysis of methionine enkephalin and  $\beta$ -endorphin in the pituitary by liquid secondary ion mass spectrometry and tandem mass spectrometry (Review) 794(1998)85
- Analysis of DNA adducts by capillary methods coupled to mass spectrometry: a perspective (Review) 794(1998)97
- Liquid chromatography-mass spectrometry in nucleoside, nucleotide and modified nucleotide characterization (Review) 794(1998)109
- Characterization of surfactants and their biointermediates by liquid chromatography-mass spectrometry (Review) 794(1998)165
- Mechanistic aspects of electrospray ionization (Review) 794(1998)345
- On-line analysis by capillary separations interfaced to an ion trap storage/reflectron time-of-flight mass spectrometer (Review) 794(1998)377
- Advances in instrumentation in liquid chromatography-mass spectrometry and related liquid-introduction techniques (Review) 794(1998)407
- Diffusion, adsorption and catalytic studies by gas chromatography (Review) 795(1998)133
- Riemann problems**  
Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169
- Rinsing procedures**  
Quantitation of acetaminophen and salicylic acid in plasma using capillary electrophoresis without sample pretreatment. Improvement of precision 768(1997)125
- Rouchon algorithm**  
Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography 756(1996)73
- Rubus chamaemorus**  
Supercritical fluid chromatography-gas chromatography of volatiles in cloudberry (*Rubus chamaemorus*) oil extracted with supercritical carbon dioxide 787(1997)276
- Ruggedness**  
Ruggedness testing of a size-exclusion chromatographic assay for low-molecular-mass polymers 756(1996)89

**Ryegrass**

Rapid determination of the mycotoxin lolitrem B in endophyte-infected perennial ryegrass by high-performance thin-layer chromatography. A validated assay 769(1997)343

**S****Salix spp**

Capillary electrophoretic analysis of salicin in *Salix* spp 781(1997)487

**Salmonella minnesota**

Analysis of a monophosphoryl lipid A immunostimulant preparation from *Salmonella minnesota* R595 by high-performance liquid chromatography 767(1997)53

**Salt effects**

Salt effects in capillary zone electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius 786(1997)171

**Salt gradients**

Simple model for blending aqueous salt buffers. Application to preparative chromatography 769(1997)37

**Salvia miltiorrhiza**

Extraction of Tanshinone IIA from *Salvia miltiorrhiza bunge* using supercritical fluid extraction and a new extraction technique, phytosol solvent extraction 799(1998)343

**Sample handling**

see also Clean-up methods, Extraction methods, Preconcentration, Sample preparation and Special Issue Index

Rapid analysis of organic microcontaminants in environmental water samples by trace enrichment and liquid chromatography on a single short column 759(1997)55

Micro-scale extraction procedure for standardized screening of fungal metabolite production in cultures 760(1997)264

Measurement and pharmacokinetic analysis of buspirone by means of brain microdialysis coupled to high-performance liquid chromatography with electrochemical detection 762(1997)269

Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153

Economic approach to robotic sample pretreatment in high-performance liquid chromatography 771(1997)35

Determination of cyanocobalamin in foods by high-performance liquid chromatography with visible detection after solid-phase extraction and membrane filtration for the precolumn separation of lipophilic species 771(1997)127

Determination of amines in air and water using derivatization combined with solid-phase microextraction 773(1997)249

Determination of coal tar and creosote constituents in the aquatic environment (Review) 774(1997)79

Gas chromatographic analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans (Review) 774(1997)97

Occurrence and determination of organic pollutants in aerosol, precipitation, and sediment samples collected at Lake Balaton 774(1997)349

Factors affecting the ion chromatographic preconcentration behaviour of inorganic anions and organic acids 775(1997)109

Determination of alkylphenols, alkylphenolethoxylates and linear alkylbenzenesulfonates in sediments by accelerated solvent extraction and supercritical fluid extraction 775(1997)187

Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a *Lactobacillus plantarum* bacterial suspension using purge and trap 775(1997)225

Purge-and-trap gas chromatography–mass spectrometry in the analysis of volatile organochlorine compounds in water 775(1997)267

Speciation of organotin compounds released from poly(vinyl chloride) at increased temperature by gas chromatography with atomic emission detection 775(1997)295

On-line electro dialysis–capillary zone electrophoresis–mass spectrometry of inositol phosphates in complex matrices 777(1997)51

Automated sample preparation with extraction columns by means of anti-isoproturon immunosorbents for the determination of phenylurea herbicides in water followed by liquid chromatography–diode array detection and liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 777(1997)91

Matrix effects in the determination of acaricides and fungicides in must by gas chromatography with electron-capture and nitrogen–phosphorus detection 778(1997)111

Stability of pesticides stored on polymeric solid-phase extraction cartridges 778(1997)161

Evaluation of styrene in air by thermal desorption–gas chromatography 778(1997)255

- Refrigerated multibed adsorption in sampling and analysis of atmospheric light hydrocarbons at ppb (v/v) and sub-ppb (v/v) concentrations 778(1997)269
- Determination of priority phenolic compounds in water and industrial effluents by polymeric liquid–solid extraction cartridges using automated sample preparation with extraction columns and liquid chromatography. Use of liquid–solid extraction cartridges for stabilization of phenols 778(1997)301
- Separation and quantitation of debrisoquine and 4-hydroxydebrisoquine in human urine by capillary electrophoresis and high-performance liquid chromatography 778(1997)389
- Hyphenated pervaporation–solid-phase preconcentration–gas chromatography for the determination of volatile organic compounds in solid samples 779(1997)352
- Micelle-mediated extraction (Review) 780(1997)229
- Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35
- On-line concentration of neutral analytes for micellar electrokinetic chromatography I. Normal stacking mode 781(1997)119
- Identification of antioxidative compounds in plant beverages by capillary electrophoresis with the marker index technique 781(1997)523
- Optimized method for the determination of organophosphorus pesticides in meat and fatty matrices 786(1997)145
- Evaluation of two solid-phase extraction procedures for the preconcentration of chlorophenols in drinking water 786(1997)285
- Study of the feasibility of the use of activated carbon membranes for the on-line cleanup of vegetable extracts in the determination of N-methylcarbamate pesticides by liquid chromatography 788(1997)87
- Three-compartment electro dialysis device for on-line sample clean-up and enrichment prior to capillary electrophoresis 788(1997)165
- Determination of some inorganic species in edible vegetable oils and fats by ion chromatography 789(1997)549
- Effect of addition of a graphitized carbon black trap to a glass beads trap on the cryoconcentration of some non-methane hydrocarbons in ambient air 790(1997)117
- Supercritical fluid extraction and clean-up of organochlorine pesticides and polychlorinated biphenyls in mussels 790(1997)153
- Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. I. Principles and theoretical aspects 791(1997)177
- Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. II. Coupling to a portable micro gas chromatograph 791(1997)187
- On-line concentration of neutral analytes for micellar electrokinetic chromatography. II. Reversed electrode polarity stacking mode 791(1997)255
- Capillary electrophoresis determination of methylmercury in fish and crab meat after extraction as the dithizone sulphionate complex 791(1997)333
- Problems with the determination of environmental sulphur compounds by gas chromatography (Review) 793(1998)1
- Determination of drugs in biological fluids by high-performance liquid chromatography with on-line sample processing 797(1998)203
- On-line concentration of neutral analytes for micellar electrokinetic chromatography. IV. Field-enhanced sample injection 798(1998)251
- Determination of flumequine and oxolinic acid in fortified chicken tissue using on-line dialysis and high-performance liquid chromatography with fluorescence detection 799(1998)349
- Sample loadability**  
Capillary zone electrophoresis in a hydrodynamically closed separation system with enhanced sample loadability 772(1997)103
- Sample mass**  
Influence of sample mass on the performance of reversed-phase columns in the analysis of strongly basic compounds by high-performance liquid chromatography 793(1998)31
- Sample preparation**  
see also Sample handling
- Enrichment of benzo[*a*]pyrene in smoked food products and determination by high-performance liquid chromatography–fluorescence detection 753(1996)207
- Determination of bromate in drinking waters by ion chromatography with inductively coupled plasma mass spectrometric detection 753(1996)261
- Evaluation of selected filters for collection and subsequent supercritical fluid extraction of suspended solids for trace organic analysis 753(1996)279

- Recent advances in the residue analysis of N-methylcarbamate pesticides (Review) 754(1996)3
- Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33
- On-line and off-line solid-phase extraction with styrene-divinylbenzene-membrane extraction disks for determining pesticides in water by reversed-phase liquid chromatography-diode-array detection 754(1996)77
- Determination of the fungicides folpet, captan and captafol by cloud-point preconcentration and high-performance liquid chromatography with electrochemical detection 754(1996)85
- Analysis of pesticides in environmental water samples by solid-phase micro-extraction-high-performance liquid chromatography 754(1996)137
- On-line solid-phase extraction coupled to supercritical fluid chromatography with diode array detection for the determination of pesticides in water 754(1996)145
- Monitoring of herbicides in river water by gas chromatography-mass spectrometry and solid-phase extraction 754(1996)159
- Supported liquid membranes for sampling and sample preparation of pesticides in water 754(1996)197
- Analytical method development for the determination of synthetic pyrethroid insecticides in soil by gas chromatography-mass spectrometry operated in negative-ion chemical-ionization mode 754(1996)235
- Analysis of the herbicide clopyralid in cultivated soils 754(1996)265
- Determination of cereal herbicide residues in environmental samples by gas chromatography (Review) 754(1996)347
- Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397
- Optimization of a matrix solid-phase dispersion method for the analysis of pesticide residues in vegetables 754(1996)437
- Application of porous carbon for solid-phase extraction of dicarboximide fungicide residues from wines in combination with high-resolution capillary gas chromatography and gas chromatography-mass spectrometry 754(1996)445
- Off-line high-performance liquid chromatography and solid-phase extraction clean-up for confirmation of pesticide residues in fresh produce by gas chromatography-mass spectrometry 754(1996)455
- Determination of polychlorinated biphenyls and chlorinated pesticides in human body fluids and tissues 754(1996)479
- Determination of organochlorine compounds in fatty matrices. Application of rapid off-line normal-phase liquid chromatographic clean-up 754(1996)487
- On-line preconcentration and high-performance liquid chromatographic determination of polycyclic aromatic hydrocarbon-DNA adducts using copper phthalocyanine trisulfonic acid as a group-specific adsorbent 755(1996)205
- Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179
- Preconcentration of triazine herbicides from water by an ion chromatography column and determination by gas chromatography-mass spectrometry 760(1997)314
- Preconcentration determination of inorganic anions and organic acids in power plant waters. Separation optimization through control of column capacity and selectivity 761(1997)163
- Procedures for analysing phenolic metabolites of polychlorinated dibenzofurans, -dibenzo-*p*-dioxins and -biphenyls extracted from a microsomal assay: optimising solid-phase adsorption clean-up and derivatisation methods 761(1997)219
- Impinger sampling coupled to high-performance liquid chromatography by a modified autoinjector interface 762(1997)187
- Liquid chromatography-mass spectrometry with on-line solid-phase extraction by a restricted-access C<sub>18</sub> precolumn for direct plasma and urine injection 762(1997)193
- Supercritical fluid extraction and reversed-phase liquid chromatography methods for vitamin A and  $\beta$ -carotene. Heterogeneous distribution of vitamin A in the liver 762(1997)201
- Analytical method development for the simultaneous quantitation of dexmedetomidine and three potential metabolites in plasma 762(1997)281
- Programmed-temperature vaporiser injector as a new analytical tool for combined thermal desorption-pyrolysis of solid samples. Application to geochemical analysis 764(1997)73
- Concentrating protein samples for sodium dodecyl sulphate-polyacrylamide gel electrophoresis and isoelectric focusing using protein-blotting membranes 764(1997)143
- Optimization of sample cleanup procedure for determination of diarrhetic shellfish poisoning toxins by use of experimental design 764(1997)223
- Supercritical fluid and enhanced-fluidity liquid extraction of phenolics from river sediment 764(1997)265

Adaptation and application of a multi-residue method for the determination of a range of pesticides, including phenoxy acid herbicides in vegetation, used on high-resolution gel permeation chromatographic clean-up and gas chromatographic analysis with mass-selective detection 765(1997)3

Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69

Determination of diflufenuron in apples by gas chromatography 765(1997)85

Analysis of lindane,  $\alpha$ - and  $\beta$ -endosulfan and endosulfan sulfate in greenhouse air by gas chromatography 765(1997)99

Presence of tetrahydro- $\beta$ -carboline-3-carboxylic acids in foods by gas chromatography-mass spectrometry as their *N*-methoxycarbonyl methyl ester derivatives 765(1997)265

Continuous membrane extraction of phenols from crude oils followed by high-performance liquid chromatographic determination with electrochemical detection 766(1997)61

Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195

Application of a  $\beta$ -cyclodextrin sulfate-immobilized precolumn to selective on-line enrichment and separation of heparin-binding proteins by column-switching high-performance liquid chromatography 769(1997)209

Determination of metallo-cyanides by capillary electrophoresis after concentration on supported liquid membranes 770(1997)329

Determination of chlorsulfuron and tribenuron-methyl residues in agricultural soils 778(1997)119

Automated sample clean-up and fractionation of chlorpyrifos, chlorpyrifos-methyl and metabolites in mussels using normal-phase liquid chromatography 778(1997)151

Supercritical fluid chromatography-gas chromatography of volatiles in cloudberry (*Rubus chamaemorus*) oil extracted with supercritical carbon dioxide 787(1997)276

Comparison of different clean-up procedures for the determination of *N*-methylcarbamate insecticides in vegetable matrices by high-performance liquid chromatography with UV detection 795(1998)43

Solid-phase extraction and high-performance liquid chromatography procedures for the analysis of paralytic shellfish toxins 798(1998)131

Automated on-line solid-phase extraction and high-performance liquid chromatographic analysis of total and free pyridinium crosslinks in serum 798(1998)159

### Sample stacking

Effect of on-capillary large volume sample stacking on limits of detection in the capillary zone electrophoretic determination of selected drugs, dyes and metal chelates 772(1997)161

On-line isotachopheresis-capillary zone electrophoresis versus sample self stacking capillary zone electrophoresis. Analysis of hippurate in serum 772(1997)283

Determination of phenolic pollutants in drinking water by capillary electrophoresis in the sample stacking mode 778(1997)279

On-line concentration of neutral analytes for micellar electrokinetic chromatography I. Normal stacking mode 781(1997)119

On-line concentration of neutral analytes for micellar electrokinetic chromatography. II. Reversed electrode polarity stacking mode 791(1997)255

On-line concentration of neutral analytes for micellar electrokinetic chromatography. IV. Field-enhanced sample injection 798(1998)251

### Sample volume

Choosing sample volume to achieve maximum detection sensitivity and resolution with high-performance liquid chromatography columns of 1.0, 2.1 and 4.6 mm I.D 762(1997)167

Influence of the sample volume and the position of the electrode and the capillary-end in the sample vial on the electrokinetic injection in capillary electrophoresis 788(1997)212

### Sample zone composition

Calculation of the composition of sample zones in capillary zone electrophoresis. IV. Weak acids and system characteristics 764(1997)111

### Sapindaceae spp

Analysis of cyanolipids and triacylglycerols from sapindaceae seed oils with high-temperature gas chromatography and high-temperature gas chromatography-chemical ionization mass spectrometry 787(1997)181

### Saturation capacity

Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11

### Scanning electron microscopy

Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55

**Schisandra chinensis Bail**

Analysis of lignan constituents from *Schisandra chinensis* by liquid chromatography–electrospray mass spectrometry 757(1997)81

**Sea surface temperature**

Clean-up procedures for the unbiased estimation of C<sub>37</sub> alkenone sea surface temperatures and terrigenous *n*-alkane inputs in paleoceanography 757(1997)145

**Seawater**

Determination of Na<sup>+</sup>, K<sup>+</sup>, Mg<sup>2+</sup> and Ca<sup>2+</sup> in mixtures of seawater and formation water by capillary electrophoresis 767(1997)311

**Sediments**

see also Marine sediments

Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33

Determination of terrestrial markers in marine environments by gas chromatography–mass-selective detection compared to high-performance liquid chromatography–fluorescence detection 758(1997)243

Supercritical fluid and enhanced-fluidity liquid extraction of phenolics from river sediment 764(1997)265

Supercritical fluid extraction with solid-phase trapping of chlorinated and brominated pollutants from sediment samples 774(1997)229

Broad-spectrum analysis of a contaminated sediment: exemplification of a protocol 774(1997)311

Occurrence and determination of organic pollutants in aerosol, precipitation, and sediment samples collected at Lake Balaton 774(1997)349

Determination of alkylphenols, alkylphenoethoxylates and linear alkylbenzenesulfonates in sediments by accelerated solvent extraction and supercritical fluid extraction 775(1997)187

Analytical procedures for the determination of organotin compounds in sediment and biota: a critical review (Review) 788(1997)1

Characterization of multicapillary gas chromatography–microwave-induced plasma atomic emission spectrometry for the expeditious analysis for organometallic compounds 795(1998)359

Determination of organic molecular markers in marine aerosols and sediments: one-step flash chromatography compound class fractionation and capillary gas chromatographic analysis 799(1998)215

**Selectivity**

see also Special Issue Index

Combined use of temperature and solvent strength in reversed-phase gradient elution. II. Comparing selectivity for different samples and systems 756(1996)41

Combined use of temperature and solvent strength in reversed-phase gradient elution. III. Selectivity for ionizable samples as a function of sample type and pH 756(1996)51

Combined use of temperature and solvent strength in reversed-phase gradient elution. IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions 756(1996)63

Selectivity enhancement for free zone capillary electrophoresis using conventional ion-pairing agents as complexing additives 758(1997)293

Study of retention, efficiency and selectivity in chiral ligand-exchange chromatography with a dynamically coated stationary phase 761(1997)79

Selectivity of alkylamide bonded-phases with respect to organic acids under reversed-phase conditions 762(1997)147

Optimisation of selectivity in the separation of metallo–cyanide complexes by ion-interaction liquid chromatography 770(1997)3

Control of separation selectivity in micellar electrokinetic chromatography by modification of the micellar phase with solubilized organic compounds (Review) 780(1997)165

Factors controlling ion-exchange selectivity in suppressed ion chromatography (Review) 789(1997)29

Selectivity control in the non-aqueous capillary electrophoretic separation of amino acids 790(1997)185

Influence of organic solvents on the separation selectivity in capillary electrophoresis (Review) 792(1997)3

Selectivity in capillary electrophoresis in the presence of micelles, chiral selectors and non-aqueous media (Review) 792(1997)13

Migration behavior and selectivity of sulfonamides in capillary electrophoresis 792(1997)37

Modification of capillary electrophoresis selectivity in hydro-organic solutions. Dissociation constants and Stokes radius measurements of peptides in water–2,2,2-trifluoroethanol mixtures 792(1997)57

Capillary electrophoresis of carboxylated carbohydrates. IV. Adjusting the separation selectivity of derivatized carboxylated carbohydrates by controlling the electrolyte ionic strength at subambient temperature and in the absence of electroosmotic flow 792(1997)75

Interphase model for retention and selectivity in micellar electrokinetic chromatography (Review) 792(1997)89

Selectivity of polymeric and polymer-supported pseudo-stationary phases in micellar electrokinetic chromatography (Review) 792(1997)105

New selectivity in electrokinetic chromatography using a polymeric dye as novel separation carrier 792(1997)151

Micellar electrokinetic chromatography of long chain saturated and unsaturated free fatty acids with neutral micelles. Considerations regarding selectivity and resolution optimization 792(1997)165

Separation selectivity in chiral capillary electrophoresis with charged selectors (Review) 792(1997)269

Separation selectivity in chiral and achiral capillary electrophoresis with mixed cyclodextrins (Review) 792(1997)297

Selectivity in capillary electrophoresis: the use of proteins (Review) 792(1997)349

Thermodynamics of chiral selectivity in capillary electrophoresis: separation of ibuprofen enantiomers with  $\beta$ -cyclodextrin 792(1997)371

Capillary electrochromatography with molecular imprint-based selectivity for enantiomer separation of local anaesthetics 792(1997)401

Enhancement of the separation selectivity of a group of polycyclic aromatic hydrocarbons using mixed cyclodextrin-modified micellar electrokinetic chromatography 792(1997)411

Achiral selectivity in cyclodextrin-modified capillary electrophoresis (Review) 792(1997)431

Hydrophilic selectors for selectivity enhancement in capillary electrophoresis (Review) 792(1997)445

Enhanced selectivity for capillary zone electrophoresis using ion-pair agents (Review) 792(1997)455

On-line solid-phase extraction–capillary electrophoresis for enhanced detection sensitivity and selectivity: application to the analysis of metallothionein isoforms in sheep fetal liver 792(1997)463

Strategies for selectivity control in capillary electrophoresis of metal species (Review) 792(1997)495

Cyclodextrin aided separation of peptides and proteins by capillary zone electrophoresis 796(1998)367

Recommendations for the determination of selectivity in micellar electrokinetic chromatography 798(1998)207

Maintaining fixed band spacing when changing column dimensions in gradient elution 799(1998)21

#### **Selectivity optimization**

Computerized optimization of selectivity for direct capillary gas chromatographic multicomponent separations of enantiomers 779(1997)253

#### **Sensitivity enhancement**

Capillary electrochromatography of steroids. Increased sensitivity by on-line concentration and comparison with high-performance liquid chromatography 798(1998)259

#### **Separation number**

Determination of diffusion coefficients and separation numbers in micellar electrokinetic chromatography 766(1997)187

#### **Sequential paired covariance**

Application of sequential paired covariance to liquid chromatography–mass spectrometry data. Enhancements in both the signal-to-noise ratio and the resolution of analyte peaks in the chromatogram 771(1997)1

#### **Serum cations**

Ion chromatography as reference method for serum cations (Review) 789(1997)557

#### **Sewage sludge**

Application of planar chromatography to the analysis of polycyclic aromatic hydrocarbons and their derivatives in environmental samples 774(1997)111

Determination of  $\beta$ -hydroxy fatty acids in sewage sludge by using selected ion monitoring 775(1997)287

#### **Shannon–Weaver entropy**

Temperature and extraction voltage effect on fragmentation of organophosphorus pesticides in liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 795(1998)13

#### **Shellfish poisoning**

Development of a manganese dioxide solid-phase reactor for oxidation of toxins associated with paralytic shellfish poisoning 755(1996)227

Optimization of sample cleanup procedure for determination of diarrhetic shellfish poisoning toxins by use of experimental design 764(1997)223

Liquid chromatography with fluorimetric, mass spectrometric and tandem mass spectrometric detection for the investigation of the seafood-toxin-producing phytoplankton, *Dinophysis acuta* 777(1997)213

Improvement on sample clean-up for high-performance liquid chromatographic–fluorimetric determination of diarrhetic shellfish toxins using 1-bromoacetylpyrene 793(1998)63

Solid-phase extraction and high-performance liquid chromatography procedures for the analysis of paralytic shellfish toxins 798(1998)131

Isolation of a new okadaic acid analogue from phytoplankton implicated in diarrhetic shellfish poisoning 798(1998)137

#### **Shock layer**

Extension of the shock layer theory to the case of a linear dependence of the axial dispersion and the mass transfer coefficients on the concentration 786(1997)195

#### **Sideritis**

Analysis of diterpenoids from *Sideritis* species by reversed-phase high-performance liquid chromatography 778(1997)421

#### **Sieving matrices**

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels 772(1997)39

#### **Signal processing**

Correlation and digital signal processing techniques for the reduction of detection limits of bromate and bromide in model water samples by ion chromatography with direct ultraviolet detection 789(1997)247

#### **Signal-to-noise ratio**

Optimization of the dwell-time for the quantitative analysis by gas chromatography–mass spectrometry 765(1997)241

Application of sequential paired covariance to liquid chromatography–mass spectrometry data. Enhancements in both the signal-to-noise ratio and the resolution of analyte peaks in the chromatogram 771(1997)1

#### **Silanol groups**

Investigation of the behaviour of water on the surface of modified silica using differential scanning calorimetry 752(1996)41

Chromatographic activity of residual silanols of alkylsilane derivatized silica surfaces 759(1997)37

Selective fluorometric determination of indium(III) by high-performance liquid chromatography with 2-methyl-8-quinolinol based on a ligand-exchange reaction of silanol groups 789(1997)395

#### **Silene otitis**

High-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy. Application to the ecdysteroids of *Silene otitis* 799(1998)333

#### **Silica**

Investigation of the behaviour of water on the surface of modified silica using differential scanning calorimetry 752(1996)41

Simultaneous determination of common mono- and divalent cations by ion chromatography with an unmodified silica gel column 752(1996)167

Example of gradient elution in normal-phase liquid chromatography 768(1997)315

Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13

Study of correlations between fine structure of bonded layer and affinity properties of silicas with attached cyclic oligopeptides 777(1997)249

Capillary electrochromatography: normal-phase mode using silica gel and cellulose-based packing materials 782(1997)167

Effect of domain size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography 797(1998)121

#### **Silica, bonded**

Comparison of ODS-modified silica gels as stationary phases for electrochromatography in packed capillaries 758(1997)191

Development of a novel octadecyl-bonded silica column and evaluation of its reliability in chromatographic analysis 762(1997)89

Stability of silica-based, endcapped columns with pH 7 and 11 mobile phases for reversed-phase high-performance liquid chromatography 762(1997)97

#### **Silicalite**

Silicalite as a sorbent for solid-phase extraction 771(1997)45

#### **Silica rods**

Effect of skeleton size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography 762(1997)135

Designing monolithic double-pore silica for high-speed liquid chromatography 797(1998)133

#### **Silica surface**

Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy 756(1996)233

#### **Silicone products**

Capillary zone electrophoretic determination of ionic impurities in silicone products used for electronic applications 770(1997)337

**Silver ion liquid chromatography**

Normal-phase separation effects with lipids on a silver ion high-performance liquid chromatography column 764(1997)337

Silver ion high-performance liquid chromatography of isomeric *cis*- and *trans*-octadecenoic acids. Effect of the ester moiety and mobile phase composition 793(1998)275

**Silylation**

Optimization of end-capping of octadecyl-silylated silica gels by high-temperature silylation 757(1997)21

Coupling chemical derivatization reactions with supercritical fluid extraction (Review) 785(1997)239

**Simplex optimization**

see also Optimization

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175

**Simulated electrophoresis**

Recycling electrophoretic separations: modeling of isotachopheresis and isoelectric focusing 779(1997)165

**Simulated moving bed chromatography**

Effect of column efficiency on the internal concentration profiles and the performance of a simulated moving-bed unit in the case of a linear isotherm 758(1997)175

Evaluation of simulated moving bed chromatography for pharmaceutical process development 760(1997)159

Purification of monoclonal antibodies by simulated moving-bed chromatography 765(1997)201

Optimal operation of simulated moving bed units for nonlinear chromatographic separations 769(1997)3

Modeling, simulation and operation of a simulated moving bed for continuous chromatographic separation of 1,1'-bi-2-naphthol enantiomers 769(1997)25

Laboratory-developed simulated moving bed for chiral drug separations. Design of the system and separation of Tramadol enantiomers 769(1997)49

Dynamic simulation of simulated moving bed chromatographic reactors 769(1997)71

Dynamic simulation of simulated moving-bed chromatographic processes for the optimization of chiral separations 769(1997)81

Comparison of the specific productivity of different chiral stationary phases used for simulated moving-bed chromatography 769(1997)93

Applications of simulated moving-bed chromatography to the separation of the enantiomers of chiral drugs 769(1997)101

Continuous chromatographic separation process: simulated moving bed allowing simultaneous withdrawal of three fractions 770(1997)39

Supercritical fluid simulated moving bed chromatography 786(1997)309

Simulated moving bed chromatographic resolution of a chiral antitussive 796(1998)239

Optimization strategy for simulated moving bed systems 800(1998)135

**Simulation**

Simulations of liquid chromatography–diode array detector data including instrumental artefacts for the evaluation of mixture analysis techniques 758(1997)1

Prediction of the preparative chromatography performance with a very small column 760(1997)41

Affinity adsorption of adsorbates into spherical monodisperse and bidisperse porous perfusive and purely diffusive adsorbent particles packed in a column. Parameter estimation in the Laplace transform domain 760(1997)55

Preparative gradient elution chromatography of chemotactic peptides 796(1998)195

**Single-nucleotide primer extension**

Capillary electrophoresis for the detection of known point mutations by single-nucleotide primer extension and laser-induced fluorescence detection 781(1997)367

**Single-photon avalanche diode**

Ultrasensitive near-infrared laser-induced fluorescence detection in capillary electrophoresis using a diode laser and avalanche photodiode 779(1997)185

**Single-strand conformation polymorphism**

Method for detection of epsilon-secondary structure in the precore region of human hepatitis B virus DNA using a fluorescence-based polymerase chain reaction–single-strand-conformation polymorphism technique with capillary electrophoresis 781(1997)307

**Size-exclusion chromatography**

Comparison of enhanced-fluidity and elevated temperature mobile phases for high-performance size-exclusion chromatography 785(1997)35

Gel permeation chromatography of polymers degrading randomly in the column. Theoretical treatment and practical aspects 786(1997)209

#### Soft drinks

Determination of aspartame and phenylalanine in diet soft drinks by high-performance liquid chromatography with direct spectrofluorimetric detection 773(1997)163

Analysis of beverages by capillary electrophoresis 781(1997)481

#### Soil

Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33

Effect of soil-pesticide interactions on the efficiency of supercritical fluid extraction (Review) 754(1996)221

Analytical method development for the determination of synthetic pyrethroid insecticides in soil by gas chromatography-mass spectrometry operated in negative-ion chemical-ionization mode 754(1996)235

Possibilities of gas chromatography-atomic emission detection in pesticide multiresidue analysis. Application to herbicide analysis in soils 754(1996)245

Extraction of triallate from soil with supercritical carbon dioxide and determination by gas chromatography-atomic emission detection. Comparison with a solvent extraction procedure 754(1996)257

Analysis of the herbicide clopyralid in cultivated soils 754(1996)265

Application of instrumental thin-layer chromatography and solid-phase extraction to the analyses of pesticide residues in grossly contaminated samples of soil 754(1996)273

Study of the effect of exogenous organic matter on the mobility of pesticides in soils using soil thin-layer chromatography 754(1996)279

Matrix effect on supercritical fluid extraction of organochlorine pesticides from sulfur-containing soils 754(1996)285

Determination of linuron in aqueous soil extracts by high-performance liquid chromatography 754(1996)295

Official multiresidue methods of pesticide analysis in vegetables, fruits and soil (Review) 754(1996)333

Comparison between accelerated solvent extraction and traditional extraction methods for the analysis of the herbicide diflufenican in soil 765(1997)121

Analysis of primisulfuron and triasulfuron in water and soil samples by micellar electrokinetic capillary chromatography 766(1997)225

Polyacrylamide gel electrophoresis of soil humic acid fractionated by size-exclusion chromatography and ultrafiltration 767(1997)285

In-line respeciation: an ion-exchange ion chromatographic method applied to the separation of degradation products of chemical warfare nerve agents in soil 770(1997)253

Analysis of chlorobenzenes in soils by headspace solid-phase microextraction and gas chromatography-ion trap mass spectrometry 771(1997)181

Chromatographic and hyphenated methods for elemental speciation analysis in environmental media 774(1997)3

Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121

Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins (Review) 774(1997)143

Application of accelerated solvent extraction followed by gas chromatography, high-performance liquid chromatography and gas chromatography-mass spectrometry for the determination of polycyclic aromatic hydrocarbons, chlorinated pesticides and polychlorinated dibenzo-*p*-dioxins and dibenzofurans in solid wastes 774(1997)203

Evaluation of supercritical fluid extraction, microwave-assisted extraction and sonication in the determination of some phenolic compounds from various soil matrices 774(1997)243

Analytical methods for the determination of organochlorine compounds. Application to environmental samples in the Slovak Republic 774(1997)333

Extraction of polycyclic aromatic hydrocarbons from polluted soils with binary and ternary supercritical phases 776(1997)233

Solid-phase extraction disks for determining pesticides from soil leachates 776(1997)348

Supercritical CO<sub>2</sub>-assisted liquid extraction of polycyclic aromatic hydrocarbons and polychlorinated dibenzo-*p*-dioxins and -furans from solid matrices 777(1997)289

Determination of chlorsulfuron and tribenuron-methyl residues in agricultural soils 778(1997)119

Determination of thiazopyr residues in soil and plants by gas chromatography with nitrogen-phosphorus detection and confirmation by gas chromatography-mass spectrometry 778(1997)193

Hyphenated pervaporation-solid-phase preconcentration-gas chromatography for the determination of volatile organic compounds in solid samples 779(1997)352

Enantiomeric separation of acidic herbicides by capillary electrophoresis using vancomycin as chiral selector 781(1997)503

Supercritical CO<sub>2</sub> assisted liquid extraction of nitroaromatic and polycyclic aromatic compounds in soil 785(1997)227

Effects of modifiers, adsorbents and eluents in supercritical fluid extraction of selected pesticides in soil 786(1997)155

Determination of the insecticide imidacloprid in water and soil using high-performance liquid chromatography 787(1997)271

Applications of anion chromatography in terrestrial environmental research (Review) 789(1997)287

Recovery of diesel fuel from soil by supercritical fluid extraction–gas chromatography 790(1997)125

Determination of carbendazim in soil and lake water by immunoaffinity extraction and coupled-column liquid chromatography–tandem mass spectrometry 791(1997)119

Extraction of polycyclic aromatic hydrocarbons from contaminated soil using Soxhlet extraction, pressurised and atmospheric microwave-assisted extraction, supercritical fluid extraction and accelerated solvent extraction 791(1997)361

Microwave-assisted solvent extraction and reversed-phase liquid chromatography–UV detection for screening soils for sulfonylurea herbicides 798(1998)179

Simultaneous determination and enantiomeric resolution of mecoprop and dichlorprop in soil samples by high-performance liquid chromatography and gas chromatography–mass spectrometry 799(1998)355

#### Soil–pesticide interactions

Effect of soil–pesticide interactions on the efficiency of supercritical fluid extraction (Review) 754(1996)221

#### *Solidago gigantea*

Determination of the content and the composition of the main saponins from *Solidago gigantea* AIT. using high-performance liquid chromatography 755(1996)133

#### Solid-matrix dispersion

Selective, solid-matrix dispersion extraction of organophosphate pesticide residues from milk 754(1996)497

#### Solid-phase extraction

see also Extraction methods

Trace enrichment of phenols by on-line solid-phase extraction and gas chromatographic determination 757(1997)165

Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69

Silicalite as a sorbent for solid-phase extraction 771(1997)45

New, high-capacity carboxylic acid functionalized resins for solid-phase extraction of a broad range of organic compounds 786(1997)259

On-line solid-phase extraction–capillary electrophoresis for enhanced detection sensitivity and selectivity: application to the analysis of metallothionein isoforms in sheep fetal liver 792(1997)463

Effect of the various parameters governing solid-phase microextraction for the trace-determination of pesticides in water 795(1998)27

Stability of polar pesticides on disposable solid-phase extraction precolumns 795(1998)61

#### Solid-phase microextraction

see also Extraction methods

Analysis of chlorobenzenes in soils by headspace solid-phase microextraction and gas chromatography–ion trap mass spectrometry 771(1997)181

Semi-micro solid-phase extraction of organic compounds from aqueous and biological samples 773(1997)189

Determination of amines in air and water using derivatization combined with solid-phase microextraction 773(1997)249

Design of automated solid-phase microextraction for trace analysis of organic compounds in aqueous samples 776(1997)293

Determination of barbiturates by solid-phase microextraction (SPME) and ion trap gas chromatography–mass spectrometry 777(1997)275

Effect of the various parameters governing solid-phase microextraction for the trace-determination of pesticides in water 795(1998)27

Inter-laboratory validation of solid-phase microextraction for the determination of triazine herbicides and their degradation products at ng/l level in water samples 795(1998)371

Solid-phase microextraction of polychlorinated biphenyls 800(1998)257

#### Solid-phase reactors

Development of a manganese dioxide solid-phase reactor for oxidation of toxins associated with paralytic shellfish poisoning 755(1996)227

#### Solid state nuclear magnetic resonance spectroscopy

Stationary phases with chemically bonded fluorene ligands: A new approach for environmental analysis of  $\pi$ -electron containing solutes 757(1997)3

**Solubility**

Description of the solubilities of solids in supercritical fluids 777(1997)283

**Solubility parameters**

Temperature and pressure effects on solubility in supercritical carbon dioxide and retention in supercritical fluid chromatography 785(1997)57

Inverse gas chromatography in the examination of organic compounds. Polarity and solubility parameters of isoquinoline derivatives 795(1998)349

Preparative gradient elution chromatography of chemotactic peptides 796(1998)195

**Solubilization**

Size-exclusion chromatographic reconstitution of the bovine brain benzodiazepine receptor. Effects of lipid environment on the binding characteristics 776(1997)101

**Solute descriptors**

Relationships between the chromatographic hydrophobicity indices and solute descriptors obtained by using several reversed-phase, diol, nitrile, cyclodextrin and immobilised artificial membrane-bonded high-performance liquid chromatography columns 797(1998)41

**Solute-micelle association constants**

Reliability of the capacity factor at zero micellar concentration and the solute-micelle association constant estimates by micellar liquid chromatography 778(1997)67

**Solute-stationary phase interactions**

Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145

**Solution properties**

Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145

**Solvating gas chromatography**

High speed solvating gas chromatography using packed capillaries containing sub-5  $\mu\text{m}$  particles 778(1997)31

**Solvation**

Nonaqueous anion-exchange chromatography. I. Role of solvation in anion-exchange resin 758(1997)19

Nonaqueous anion-exchange chromatography. II. Changing anion-exchange selectivity by resin surface complex formation of crown ethers 758(1997)29

**Solvation parameter model**

Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145

Application of the solvation parameter model to the characterisation of gas chromatographic stationary phases containing tris[3-(trifluoromethylhydroxymethylene)camphorato] derivatives of lanthanides 793(1998)390

Recommendations for the determination of selectivity in micellar electrokinetic chromatography 798(1998)207

**Solvent consumption**

Minimization of solvent consumption in pesticide residue analysis (Review) 754(1996)43

**Solvent effects**

Elution pattern of planar chlorinated biphenyls and 2,3,7,8-polychlorinated dibenzo-*p*-dioxins/dibenzofurans on chromatographic adsorbents and factors affecting the mechanism of retention. Possibilities of selective separation of both families 759(1997)127

**Solvents, residual**

Residual solvents determination in the antibiotic L-749,345 by static headspace gas chromatography 800(1998)275

**Solvent strength**

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21

**Solvophobic driving forces**

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1

**Solvophobic theory**

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. II. Partitioning vs. adsorption mechanism in monomeric alkyl bonded phase supports 775(1997)1

**Sorbent character**

Interactions of basic compounds in reversed-phase high-performance liquid chromatography. Influence of sorbent character, mobile phase composition, and pH on retention of basic compounds 758(1997)37

**Sorbents**

see also Adsorbents

Chemically modified polymeric resin used as sorbent in a solid-phase extraction process to determine phenolic compounds in water 771(1997)55

New sorbents for removal of heavy metal ions: diamine-glow-discharge treated polyhydroxyethylmethacrylate microspheres 773(1997)169

New, high-capacity carboxylic acid functionalized resins for solid-phase extraction of a broad range of organic compounds 786(1997)259

Cibacron Blue F3GA-attached polyvinylbutyral microbeads as novel magnetic sorbents for removal of Cu(II), Cd(II) and Pb(II) ions 793(1998)47

### Sorption

Synergistic effects in the processes of protein multicomponent sorption 760(1997)105

### Sorption equilibrium

Solid-phase microextraction of volatile organic compounds. Estimation of the sorption equilibrium from the Kováts index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model 761(1997)205

### Soybean

Rapid separation of soybean globulins by reversed-phase high-performance liquid chromatography 758(1997)75

Quantitative evaluation of chromatograms from totally illuminated thin-layer chromatographic plates 768(1997)329

Identification of soyasaponins by liquid chromatography–thermospray mass spectrometry 777(1997)233

Determination of amino acids by high-performance capillary electrophoresis with on-line mode in-capillary derivatization 787(1997)253

Development and validation of an isocratic high-performance liquid chromatographic method for quantitative determination of phytoestrogens in soya bean 795(1998)377

### Soybean oil

Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335

### Speciation

Sulfur speciation by capillary electrophoresis with indirect spectrophotometric detection: In search of a suitable carrier electrolyte to maximize sensitivity 770(1997)311

Speciation of platinum–chloro complexes and their hydrolysis products by ion chromatography. Determination of platinum oxidation states 775(1997)197

### Specific retention volume

Application of Kováts retention indices for investigation of adsorption properties of activated carbons 782(1997)87

### *Spilanthes americana*

Volatile secondary metabolites from *Spilanthes americana* obtained by simultaneous steam distillation–solvent extraction and supercritical fluid extraction 752(1996)223

### *Spirulina platensis*

Chromatographic purification of biliproteins from *Spirulina platensis*. High-performance liquid chromatographic separation of their  $\alpha$  and  $\beta$  subunits 778(1997)441

### Split-peak effect

Non-linear elution effects in split-peak chromatography. II. Role of ligand heterogeneity in solute binding to columns with adsorption-limited kinetics 795(1998)185

### Spray-and-trap methods

Purge-and-trap gas chromatography–mass spectrometry in the analysis of volatile organochlorine compounds in water 775(1997)267

### Squalane phases

Unified retention concept – statistical treatment of Kováts retention index 764(1997)257

### Stability constants

New method to determine stability constants of lanthanide–EDTA complexes by isotachopheresis 786(1997)377

Retention models in ion chromatography: the role of side equilibria in ion-exchange chromatography of inorganic cations and anions (Review) 789(1997)3

Enhancing the quality of information obtained by a comparison between experimental and deconvolved peak parameters in ion chromatography 789(1997)51

### Stability studies

Influence of solvent and storage conditions on the stability of acaricide standard stock solutions 765(1997)109

Capillary zone electrophoresis–mass spectrometry as a tool in the stability research of the luteinising hormone-releasing hormone analogue goserelin 776(1997)319

Stability of pesticides stored on polymeric solid-phase extraction cartridges 778(1997)161

Determination of priority phenolic compounds in water and industrial effluents by polymeric liquid–solid extraction cartridges using automated sample preparation with extraction columns and liquid chromatography. Use of liquid–solid extraction cartridges for stabilization of phenols 778(1997)301

High-performance liquid chromatography methods for the separation and quantitation of spironolactone and its degradation products in aqueous formulations and of its metabolites in rat serum 797(1998)271

Comparison of the stability and UV and fluorescence characteristics of the *o*-phthalaldehyde/3-mercaptopropionic acid and *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents and those of their amino acid derivatives 798(1998)37

High-performance liquid chromatographic assay of 8-hydroxyquinoline sulfate and its stability in immunobiological preparations 798(1998)173

Stability of pesticides in plant extracts used as calibrants in the gas chromatographic analysis of residues 800(1998)297

**Stacking**

Large-volume stacking for quantitative analysis of anions in capillary electrophoresis. I. Large-volume stacking with polarity switching 757(1997)281

Large-volume stacking for quantitative analysis of anions in capillary electrophoresis. II. Large-volume stacking without polarity switching 757(1997)291

UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241

Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35

**Starter kits**

Systematic approach to cost- and time-effective method development with a starter kit for chiral separations by capillary electrophoresis 782(1997)257

**Stationary phases**

see also Chiral stationary phases and Ion exchangers

**Stationary phases, electrochromatography**

Capillary electrochromatography: normal-phase mode using silica gel and cellulose-based packing materials 782(1997)167

Application of 0.5- $\mu\text{m}$  porous silanized silica beads in electrochromatography 786(1997)229

**Stationary phases, GC**

Unusual behaviour of a new kind of side chain crown ether polysiloxanes used in capillary gas chromatography 752(1996)189

Gas chromatography of Titan's atmosphere. VIII. Analysis of permanent gases with carbon molecular sieve packed capillary columns 761(1997)195

Chemically bonded chelates as selective complexing sorbents for gas chromatography v. Silica chemically modified by Cu(II) complexes via amino groups 757(1997)137

Letter to the editor 771(1997)385

Synthesis and characterization of a novel wall coated capillary column for the separation of polycyclic aromatic hydrocarbons 773(1997)199

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VI. Modification of silica with  $\text{NiCl}_2$  and  $\text{CoCl}_2$  via  $\beta$ -diketonate groups 773(1997)209

Effect of temperature on the polarity of some stationary phases for gas chromatography 779(1997)275

Intermolecular interactions in adsorbate-carbon systems of various nano- and adsorption textures 786(1997)117

Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145

Resorcarene derivative used as a new stationary phase for capillary gas chromatography 787(1997)161

Gas chromatographic retention index system for polychlorinated biphenyls: possibilities and limitations 787(1997)215

Specific retention volumes in gas chromatography from low-quality capillary columns 793(1998)383

Application of the solvation parameter model to the characterisation of gas chromatographic stationary phases containing tris[3-(trifluoromethylhydroxymethylene)camphorato] derivatives of lanthanides 793(1998)390

Elution order of the 209 polychlorinated biphenyls on a high-temperature capillary column 799(1998)249

**Stationary phases, LC**

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. I. The stationary phase 752(1996)1

Investigation of the behaviour of water on the surface of modified silica using differential scanning calorimetry 752(1996)41

Synthesis and characterization of extended length alkyl stationary phases for liquid chromatography with application to the separation of carotenoid isomers 753(1996)37

New class of poly(vinyl alcohol) polymers as column-chromatography stationary phases for *Candida rugosa* lipase isoforms separation 753(1996)47

Packings of an unidimensional regular pore structure as model packings in size-exclusion and inverse size-exclusion chromatography 753(1996)177

Hydrophobic-interaction chromatography of proteins on continuous beds derivatized with isopropyl groups 753(1996)227

Dextran-coated silica and its behavior in high-performance size-exclusion chromatography 755(1996)1

Indirect photometric detection of inorganic anions in microcolumn ion chromatography using octadecylsilica immobilized with bovine serum albumin as stationary phase 755(1996)37

Elution delay of fluoride by chromatography of anions on silica gels coated with crown ether dyes 755(1996)43

Stationary phases with chemically bonded fluorene ligands: A new approach for environmental analysis of  $\pi$ -electron containing solutes 757(1997)3

- Optimization of end-capping of octadecyl-silylated silica gels by high-temperature silylation 757(1997)21
- Temperature dependence of carotenoids on C<sub>18</sub>, C<sub>30</sub> and C<sub>34</sub> bonded stationary phases 757(1997)29
- Nonaqueous anion-exchange chromatography. I. Role of solvation in anion-exchange resin 758(1997)19
- Nonaqueous anion-exchange chromatography. II. Changing anion-exchange selectivity by resin surface complex formation of crown ethers 758(1997)29
- Modification of polystyrenic matrices for the purification of proteins. Effect of the adsorption of poly(vinyl alcohol) on the characteristics of poly(styrene-divinylbenzene) beads for use in affinity chromatography 758(1997)53
- Comparison of ODS-modified silica gels as stationary phases for electrochromatography in packed capillaries 758(1997)191
- Use of monoclonal antibodies for weak affinity chromatography 758(1997)199
- Selection of a precursor monomer for the introduction of affinity ligands onto a porous membrane by radiation-induced graft polymerization 758(1997)209
- Determination of the diol content of chromatographic supports by capillary electrophoresis 758(1997)255
- Chromatographic activity of residual silanols of alkylsilane derivatized silica surfaces 759(1997)37
- Visualization of the heterogeneity of column beds 760(1997)17
- Models for polybutadiene pore wall coatings in porous zirconia 760(1997)71
- Refining the description of protein chromatography 760(1997)139
- Performance comparison of low-pressure ion-exchange chromatography media for protein separation 760(1997)151
- Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179
- Method for determination of the chromatographic surface area of reversed-phase surfaces 761(1997)13
- On the reproducibility of column performance in liquid chromatography and the role of the packing density 761(1997)41
- Preconcentration determination of inorganic anions and organic acids in power plant waters. Separation optimization through control of column capacity and selectivity 761(1997)163
- Relationship between stationary and mobile phase composition and its influence on retention factors of aromatic hydrocarbons in reversed-phase high-performance liquid chromatography 762(1997)27
- Molar enthalpy and molar volume of methylene and benzene homologues in reversed-phase liquid chromatography 762(1997)35
- Consolidation of particle beds and packing of chromatographic columns (Review) 762(1997)83
- Development of a novel octadecyl-bonded silica column and evaluation of its reliability in chromatographic analysis 762(1997)89
- Stability of silica-based, endcapped columns with pH 7 and 11 mobile phases for reversed-phase high-performance liquid chromatography 762(1997)97
- Characterisation of silica-based heparin affinity sorbents from equilibrium binding studies on plasma fractions containing thrombin 762(1997)113
- Effect of skeleton size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography 762(1997)135
- Selectivity of alkylamide bonded-phases with respect to organic acids under reversed-phase conditions 762(1997)147
- Use of fluorine-containing stationary phases for the separation of an alkyl bromide from its hydrocarbon analog by high-performance liquid chromatography 762(1997)159
- High-performance liquid chromatographic separation of  $\beta$ -methyl ADC-13 enolphosphate diphenyl ester and its  $\alpha$ -methyl diastereomer 762(1997)327
- Ion-exchange high-performance liquid chromatographic separation of protein variants and isoforms on MCI GEL ProtEx stationary phases 763(1997)57
- Use of reversed-phase high-performance liquid chromatography on polystyrene-divinylbenzene columns for the rapid separation and purification of acid-soluble nuclear proteins 763(1997)65
- Comparative studies on the isothermal characteristics of proteins adsorbed under batch equilibrium conditions to ion-exchange, immobilised metal ion affinity and dye affinity matrices with different ionic strength and temperature conditions 763(1997)71
- Normal- and bonded-phase liquid chromatography with photodiode array detection of maytansinoids 763(1997)213
- Liquid chromatography of spiramycin on poly(styrene-divinylbenzene) 764(1997)43

- Polyol-promoted adsorption of serum proteins to amphiphilic agarose-based adsorbents 764(1997)193
- Separation behavior of inorganic anions on an octadecyl-bonded silica column coated with cetyltrimethylammonium by phthalate and salicylate eluents 764(1997)346
- Monitoring of new silica-based reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals using principal components analysis 765(1997)157
- Chiral chromatography of amino acids on porous graphitic carbon coated with a series of N-substituted L-phenylalanine selectors. Effect of the anchor molecule on enantioselectivity 765(1997)187
- Comparison of the separation of *cis/trans* isomers of tretinoin with different stationary phases by liquid chromatography–nuclear magnetic resonance coupling 765(1997)207
- Determination of solute lipophilicity, as log *P*(octanol) and log *P*(alkane) using poly(styrene–divinylbenzene) and immobilised artificial membrane stationary phases in reversed-phase high-performance liquid chromatography 766(1997)35
- Screening of a large number of dyes for the separation of human immunoglobulin G2 from the other immunoglobulin G subclasses. Immunoglobulin G2 enrichment on immobilized Procion Yellow HE-4R 766(1997)49
- Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1
- Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11
- Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33
- Comparative evaluation of bonded-silica reversed-phase columns for high-performance liquid chromatography using strongly basic compounds and alternative organic modifiers buffered at acid pH 769(1997)169
- Ion-exchange properties of glutamic acid-bonded silica 769(1997)179
- Application of a  $\beta$ -cyclodextrin sulfate-immobilized precolumn to selective on-line enrichment and separation of heparin-binding proteins by column-switching high-performance liquid chromatography 769(1997)209
- Retention behavior of carboxylic acids on highly cross-linked poly(styrene–divinylbenzene)-based and silica-based cation exchangers 770(1997)23
- Silicalite as a sorbent for solid-phase extraction 771(1997)45
- Study of the physico-chemical properties of some packing materials. III. Pore size and surface area distribution 773(1997)33
- Retention characteristics and selected applications of cyclic siloxane-based octadecylsilyl bonded phases in reversed-phase high-performance liquid chromatography 773(1997)53
- Sol–gel-derived fluorinated stationary phase for open tubular electrochromatography 773(1997)65
- Preparation and use of ion-exchange chromatographic supports based on perfluoropolymers 773(1997)73
- Reversed-phase separations of nitrogenous phospholipids on an octadecanoyl poly(vinyl alcohol) phase 773(1997)93
- Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. II. Partitioning vs. adsorption mechanism in monomeric alkyl bonded phase supports 775(1997)1
- Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13
- Bifunctional etherification of a bead cellulose for ligand attachment with allyl bromide and allyl glycidyl ether 775(1997)29
- High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39
- Rigid porous polyacrylamide-based monolithic columns containing butyl methacrylate as a separation medium for the rapid hydrophobic interaction chromatography of proteins 775(1997)65
- Modification of polystyrenic matrices for the purification of proteins. II. Effect of the degree of glutaraldehyde–poly(vinyl alcohol) crosslinking on various dye ligand chromatography systems 776(1997)55
- Modification of polystyrenic matrices for the purification of proteins. III. Effects of poly(vinyl alcohol) modification on the characteristics of protein adsorption on conventional and perfusion polystyrenic matrices 776(1997)65
- Effect of temperature upon the chromatography of proteins on porous glass, chemically coated with N-isopropylacrylamide copolymer 776(1997)75
- Fluidization characteristics of and protein adsorption on fluoride-modified porous zirconium oxide particles 776(1997)179

- Superporous agarose as an affinity chromatography support 776(1997)197
- Study of correlations between fine structure of bonded layer and affinity properties of silicas with attached cyclic oligopeptides 777(1997)249
- Characterization of liquid chromatographic stationary phases by Raman spectroscopy. Effect of ligand type 779(1997)91
- Synthesis and characterization of a strong cation exchanger based on polymer-coated silica for high-performance liquid chromatography 779(1997)113
- Reversed-phase high-performance liquid chromatographic separations of tocopherols 782(1997)25
- Sulfoacylated macroporous polystyrene-divinylbenzene: a new type of cation exchanger for the analysis of multivalent metal cations 782(1997)149
- Porous graphitized carbon and octadecyl-silica columns in the separation of some alkylglycoside detergents 782(1997)191
- Regioselectively carbamoylated polysaccharides for the separation of enantiomers in high-performance liquid chromatography 786(1997)13
- Chromatographic characterization of a molecularly imprinted polymer binding theophylline in aqueous buffers 786(1997)23
- Optimization of the high-performance liquid chromatographic separation of fullerenes using 1-methylnaphthalene as the mobile phase on a tetraphenylporphyrin-silica stationary phase 786(1997)31
- Synthesis and characterization of alkyl bonded phases from a silica hydride via hydrosilation with free radical initiation 786(1997)219
- Selectivity of electron-donor- and electron-acceptor-bonded silica packing materials for hydrophobic environmental contaminants in polar and non-polar eluents 786(1997)237
- Molecularly imprinted polymers by suspension polymerisation in perfluorocarbon liquids, with emphasis on the influence of the porogenic solvent 787(1997)55
- Factors controlling ion-exchange selectivity in suppressed ion chromatography (Review) 789(1997)29
- Applications of a new methacrylate-based anion stationary phase for the separation of inorganic anions 789(1997)127
- Ion chromatographic separation of metallic ions on a bonded poly- $\beta$ -diketone-type non-cyclic crown ether stationary phase 789(1997)135
- Some examples of the use of amphoteric ion-exchange resins for inorganic separations 789(1997)157
- Use of alumina with anchored polymer coating as packing material for reversed-phase high-performance liquid chromatography 790(1997)9
- Factors influencing polybutadiene deposition within porous chromatographic zirconia 791(1997)45
- Capillary electrochromatography with molecular imprint-based selectivity for enantiomer separation of local anaesthetics 792(1997)401
- Influence of sample mass on the performance of reversed-phase columns in the analysis of strongly basic compounds by high-performance liquid chromatography 793(1998)31
- Preparation of monodisperse agglomerated pellicular anion-exchange resins compatible with high-performance liquid chromatography solvents for ion chromatography 793(1998)193
- Separations of benzodiazepines using electrochemically modulated liquid chromatography. Efficient separations from changes in the voltage applied to a porous graphitic carbon stationary phase 793(1998)204
- Novel polymeric resins for anion-exchange chromatography 793(1998)231
- Selection of column and gradient elution system for the separation of catechins in green tea using high-performance liquid chromatography 793(1998)265
- Non-linear elution effects in split-peak chromatography. II. Role of ligand heterogeneity in solute binding to columns with adsorption-limited kinetics 795(1998)185
- Direct measurements of convective fluid velocities in superporous agarose beads 795(1998)199
- Preparation of magnetic immobilized metal affinity separation media and its use in the isolation of proteins 795(1998)211
- Characterisation of ANX Sepharose 4 Fast Flow media 796(1998)129
- Development of a downstream process for the isolation and separation of monoclonal immunoglobulin A monomers, dimers and polymers from cell culture supernatant 796(1998)165
- Characterization of some normal-phase liquid chromatographic stationary phases based on linear solvation energy relationships 796(1998)249
- Aminosilica chemically modified with dodecamolybdophosphoric acid as stationary phase in high-performance liquid chromatography 796(1998)259
- Preparation of chromatographic matrices by free radical addition ligand attachment to allyl groups 796(1998)273

Size-exclusion chromatography of plasma proteins with high molecular masses 796(1998)289

Use of principal component analysis for studying the separation of pesticides on polyethylene-coated silica columns 797(1998)33

Relationships between the chromatographic hydrophobicity indices and solute descriptors obtained by using several reversed-phase, diol, nitrile, cyclodextrin and immobilised artificial membrane-bonded high-performance liquid chromatography columns 797(1998)41

Robustness of the chromatographic separation of alprenolol and related substances using a silica-based stationary phase and selective retention of metoprolol and related substances on a porous graphitic carbon stationary phase 797(1998)75

Comparison of the retention behavior of polyethoxylated alcohols on porous graphitic carbon and polar as well as apolar bonded-silica phases 797(1998)83

Comparative studies of structural and surface properties of porous inorganic oxides used in liquid chromatography 797(1998)93

Comparative studies of chromatographic properties of silica-based amide-bonded phases under hydro-organic conditions 797(1998)103

Reversed-phase high-performance liquid chromatography of basic compounds at pH 11 with silica-based column packings 797(1998)111

Effect of domain size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography 797(1998)121

Designing monolithic double-pore silica for high-speed liquid chromatography 797(1998)133

Effect of polystyrene-divinylbenzene resin sulfonation on solute retention in high-performance liquid chromatography 797(1998)139

Effect of porous structure of macroporous polymer supports on resolution in high-performance membrane chromatography of proteins 798(1998)55

Study of retention in reversed-phase liquid chromatography using linear solvation energy relationships. The mobile phase 799(1998)1

Comparison of the protein adsorption selectivity of salt-promoted agarose-based adsorbents. Hydrophobic, thiophilic and electron donor-acceptor adsorbents 800(1998)151

Evaluation of the immobilized artificial membrane phosphatidylcholine. Drug discovery column for high-performance liquid chromatographic screening of drug-membrane interactions 800(1998)161

Studies on elution conditions for the determination of anions by suppressed ion-interaction chromatography using a graphitized carbon column 800(1998)239

#### **Stationary phases, SFC**

Separation of polar solutes by packed column supercritical fluid chromatography (Review) 785(1997)3

Chiral resolution of four optical isomers of diltiazem hydrochloride on Chiralcel columns by packed-column supercritical fluid chromatography 785(1997)185

#### **Stationary phases, TLC**

New thin-layer chromatography plate with a closed sorbent layer and details of its application 758(1997)125

Thin-layer chromatographic separation of selected polyaromatic hydrocarbons on copper phthalocyanine dye impregnated plates 793(1998)403

#### **Step gradients**

Preparation of linear polyacrylamide gel step gradients for capillary electrophoresis 756(1996)245

#### **Steric mass action model**

Combination of the steric mass action and non-ideal surface solution models for overload protein ion-exchange chromatography 760(1997)89

Productivity and operating regimes in protein chromatography using low-molecular-mass displacers 771(1997)9

#### **Stokes radius**

Modification of capillary electrophoresis selectivity in hydro-organic solutions. Dissociation constants and Stokes radius measurements of peptides in water-2,2,2-trifluoroethanol mixtures 792(1997)57

#### **Storage conditions**

Influence of solvent and storage conditions on the stability of acaricide standard stock solutions 765(1997)109

#### **Structure analysis**

Complete structure elucidation of a globular protein by particle beam liquid chromatography-Fourier transform infrared spectrometry and electrospray liquid chromatography-mass spectrometry. Sequence and conformation of  $\beta$ -lactoglobulin 763(1997)91

Introduction of a new scale into reversed-phase high-performance liquid chromatography of pyridylamino sugar chains for structural assignment 800(1998)187

**Structure–enantioselective retention relationship**

Non-linear structure–enantioselective retention relationships in a homologous series of 1,4-disubstituted piperazine derivatives 788(1997)81

**Structure–enantioselectivity relationships**

Enantioseparation of 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate-derivatized amino acids by capillary zone electrophoresis using native and substituted  $\beta$ -cyclodextrins as chiral additives. II. Evaluation of complexation constants 759(1997)167

**Structure–mobility correlation**

Prediction of migration behaviour of flavonoids in capillary zone electrophoresis by means of topological indices 798(1998)233

**Structure–retention relationships**

Predictive strategies for determining retention indices of some allylic alcohols and their esters by gas chromatography 766(1997)141

Prediction of the gas chromatographic relative retention times of flavonoids from molecular structure 771(1997)213

Influence of conformation on the accuracy of quantitative–structure retention relationship calculations in gas chromatography 773(1997)368

Quantitative structure–retention relationship studies for predicting the gas chromatography retention indices of polycyclic aromatic hydrocarbons. Quasi-length of carbon chain and pseudo-conjugated system surface 799(1998)361

**Subcritical fluid chromatography**

Enantioseparation of a protease inhibitor, indinavir, by subcritical fluid chromatography 752(1996)101

Chiral packed column subcritical fluid chromatography on polysaccharide and macrocyclic antibiotic chiral stationary phases 785(1997)159

Subcritical fluid chromatography of monosaccharides and polyols using silica and trimethylsilyl columns 785(1997)195

Analysis of plant oils by subcritical fluid chromatography using pattern fitting 800(1998)317

**Subcritical fluid extraction**

Determination of polycyclic aromatic compounds and heavy metals in sludges from biological sewage treatment plants 774(1997)177

Extraction of polychlorinated biphenyls with water under subcritical conditions 785(1997)219

**Sugar cane spirits**

Qualitative and quantitative high-performance liquid chromatographic analysis of aldehydes in Brazilian sugar cane spirits and other distilled alcoholic beverages 782(1997)13

**Sulfur-selective chemiluminescence detection**

Sulfur-selective chemiluminescence detection with packed column supercritical fluid chromatography 779(1997)307

**Sulphite ligands**

High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39

**Supercritical fluid-assisted liquid extraction**

Supercritical CO<sub>2</sub>-assisted liquid extraction of polycyclic aromatic hydrocarbons and polychlorinated dibenzo-*p*-dioxins and -furans from solid matrices 777(1997)289

**Supercritical fluid chromatography**

Separation of polar solutes by packed column supercritical fluid chromatography (Review) 785(1997)3

Supercritical fluid chromatograph for studies of retention and efficiency with a brief study of *n*-alkanes showing evidence of significant temperature drop with pressure drop 785(1997)135

Chiral supercritical fluid chromatography of phenylpropanols and related compounds 785(1997)179

Supercritical fluid simulated moving bed chromatography 786(1997)309

**Supercritical fluid chromatography interface probe**

New supercritical fluid chromatography interface probe for electrospray and atmospheric pressure chemical ionization mass spectrometry 785(1997)101

**Supercritical fluid chromatography–mass spectrometry**

see also Mass spectrometry and Special Issue Index

Supercritical fluid chromatography–mass spectrometry of thyme extracts (*Thymus vulgaris* L.) 773(1997)377

Supercritical fluid chromatography–atmospheric pressure chemical ionisation mass spectrometry for the analysis of hydroxy polycyclic aromatic hydrocarbons 777(1997)167

Optimization of a supercritical fluid chromatograph–atmospheric pressure chemical ionization mass spectrometer interface using an ion trap and two quadrupole mass spectrometers 800(1998)39

**Supercritical fluid extraction**

see also Extraction methods

Evaluation of selected filters for collection and subsequent supercritical fluid extraction of suspended solids for trace organic analysis 753(1996)279

Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69

Supercritical fluid extraction with solid-phase trapping of chlorinated and brominated pollutants from sediment samples 774(1997)229

Field-portable determination of polychlorinated biphenyls and polynuclear aromatic hydrocarbons in soil using supercritical fluid extraction 785(1997)205

Coupling chemical derivatization reactions with supercritical fluid extraction (Review) 785(1997)239

Interlaboratory evaluation of an off-line supercritical fluid extraction and gas chromatography with atomic emission detection method for the determination of organotin compounds in soil and sediments 785(1997)279

Evaluation of a fibrous cellulose drying agent in supercritical fluid extraction and pressurized liquid extraction of diverse pesticides 785(1997)313

Semi-continuous extraction/purification of lipids by means of supercritical fluids 785(1997)337

Supercritical fluid extraction: metals as complexes (Review) 785(1997)369

Fractionation of polymers using supercritical fluid extraction 785(1997)395

Determination of trichothecene mycotoxins in wheat by use of supercritical fluid extraction and high-performance liquid chromatography with diode array detection or gas chromatography with electron capture detection 795(1998)297

Extraction of Tanshinone IIA from *Salvia miltiorrhiza bunge* using supercritical fluid extraction and a new extraction technique, phytosol solvent extraction 799(1998)343

#### **Supercritical fluid extraction–supercritical fluid chromatography**

Determination of magnolol and honokiol in Magnoliae Cortex using supercritical fluid chromatography on-line coupled with supercritical fluid extraction by on-column trapping 786(1997)366

Determination of berberine and palmatine in Phellodendri Cortex using ion-pair supercritical fluid chromatography on-line coupled with ion-pair supercritical fluid extraction by on-column trapping 786(1997)371

#### **Supercritical fluids**

New fluorinated hydroxamic acid reagents for the extraction of metal ions with supercritical CO<sub>2</sub> 770(1997)85

Temperature and pressure effects on solubility in supercritical carbon dioxide and retention in supercritical fluid chromatography 785(1997)57

#### **Superheated water**

Superheated water as an eluent for reversed-phase high-performance liquid chromatography 785(1997)49

#### **Superporous agarose beads**

Direct measurements of convective fluid velocities in superporous agarose beads 795(1998)199

#### **Surface area**

Method for determination of the chromatographic surface area of reversed-phase surfaces 761(1997)13

Relationship between the hydrophobicity and specific hydrophobic surface area of pesticides determined by high-performance liquid chromatography compared with reversed-phase thin-layer chromatography 771(1997)105

#### **Surface area distribution**

Study of the physico-chemical properties of some packing materials. III. Pore size and surface area distribution 773(1997)33

#### **Surface modification**

Nonaqueous anion-exchange chromatography. II. Changing anion-exchange selectivity by resin surface complex formation of crown ethers 758(1997)29

#### **Surface plasmon resonance detection**

Surface plasmon resonance-based detection. An alternative to refractive index detection in high-performance liquid chromatography 759(1997)27

#### **Surface–water interaction**

Investigation of the behaviour of water on the surface of modified silica using differential scanning calorimetry 752(1996)41

#### **Surfactants**

see also Compound Index

High-performance liquid chromatographic analysis of polydisperse ethoxylated non-ionic surfactants in aqueous samples 752(1996)155

Description of the retention behaviour in micellar liquid chromatography as a function of pH, surfactant and modifier concentration 769(1997)155

Analysis of polar organic pollutants in the Elbe river by flow injection analysis and high-performance liquid chromatography with tandem mass spectrometry 777(1997)127

Micelles as pseudo-stationary phases in micellar electrokinetic chromatography (Review) 780(1997)41

#### **Suspended particles**

Evaluation of selected filters for collection and subsequent supercritical fluid extraction of suspended solids for trace organic analysis 753(1996)279

**Suspended solids**

Validation studies for a new supercritical fluid extraction method for the isolation of hydrophobic organic compounds from filtered suspended solids 782(1997)247

**Suspension electrokinetic chromatography**

Investigation of the separation efficiency of hydrophobic compounds in suspension electrokinetic chromatography 768(1997)320

**Synergistic effect**

Deposition parameters of air pollutants on solid surfaces, measured in the presence of surface and gaseous reactions, with a simultaneous determination of the experimental isotherms 775(1997)211

**Syringe**

Quantitative injections or calibrations in gas chromatography. Anomaly associated with syringe type 773(1997)372

**System peaks**

System peaks in capillary zone electrophoresis. I. Simple model of vacancy electrophoresis 772(1997)73

System peaks in capillary zone electrophoresis. II. Experimental study of vacancy peaks 772(1997)81

System peaks in capillary zone electrophoresis. What are they and where are they coming from? 787(1997)235

**System suitability tests**

Development of system suitability tests for ion-interaction chromatography of colorants on reversed-phase packing materials 797(1998)65

**T*****Tabernaemontana hilariana***

Gas chromatographic analysis of indole alkaloids from *Tabernaemontana hilariana* 788(1997)204

**Tailing**

Calculation of the composition of sample zones in capillary zone electrophoresis. IV. Weak acids and system characteristics 764(1997)111

**Tandem mass spectrometry**

see also Mass spectrometry and Special Issue Index

Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization tandem mass spectrometry 777(1997)81

Use of liquid chromatography–tandem mass spectrometry for the quantitative and qualitative analysis of an antipsychotic agent and its metabolites in human plasma and urine 794(1998)27

**Tapers**

Tapers and restrictors for capillary electrochromatography and capillary electrochromatography–mass spectrometry 768(1997)9

**Tars**

Characterization of coal-derived pitches as precursors for advanced carbon materials by chromatographic and related techniques 778(1997)403

**Taylor dispersion**

Continuous-flow electrophoresis in the Taylor regime: a new possibility for preparative electrophoresis 757(1997)193

**Tea**

Simultaneous determination of qualitatively important components in green tea infusions using capillary electrophoresis 758(1997)332

Simultaneous determination of organic acids and inorganic anions in tea by ion chromatography 764(1997)341

Selection of column and gradient elution system for the separation of catechins in green tea using high-performance liquid chromatography 793(1998)265

Analysis of catechins in tea extracts by liquid chromatography–electrospray ionization mass spectrometry 794(1998)63

Separation of tea polyphenols using micellar electrokinetic chromatography with diode array detection 799(1998)309

**Temperature control**

Enhancement of the separation efficiency through temperature control in preparative high-performance liquid chromatography columns 796(1998)223

**Temperature effects**

Temperature dependence of carotenoids on C<sub>18</sub>, C<sub>30</sub> and C<sub>34</sub> bonded stationary phases 757(1997)29

Partitioning of hydrophobic amino acids and oligopeptides in aqueous two-phase system containing self-aggregating block copolymer. Effects of temperature, salts and surfactants 761(1997)91

Enantiomeric resolution on Chiral-AGP with the aid of experimental design. Unusual effects of mobile phase pH and column temperature 763(1997)105

Temperature gradients in preparative high-performance liquid chromatography columns 769(1997)109

Ion-exchange properties of glutamic acid-bonded silica 769(1997)179

Effect of temperature upon the chromatography of proteins on porous glass, chemically coated with N-isopropylacrylamide copolymer 776(1997)75

Glucose affinity for the glucose transporter Glut1 in native or reconstituted lipid bilayers. Temperature-dependence study by biomembrane affinity chromatography 776(1997)87

Temperature and pressure effects on solubility in supercritical carbon dioxide and retention in supercritical fluid chromatography 785(1997)57

Thermodynamic study of the retention behaviour of selected macrocycles using reversed-phase high-performance thin-layer chromatography plates and methanol–water mobile phases 787(1997)227

#### **Temperature gradients**

High-temperature open tubular liquid chromatography coupled to atmospheric pressure chemical ionisation mass spectrometry 755(1996)153

Temperature gradients in preparative high-performance liquid chromatography columns 769(1997)109

Effect of radial gradient of temperature on the performance of large-diameter high-performance liquid chromatography columns. I. Analytical conditions 796(1998)81

Capillary supercritical fluid chromatography of pyrethrins and pyrethroids with positive pressure and negative temperature gradients 799(1998)265

#### **Temperature-programmed retention indices**

Database of structures and their gas chromatography retention indices, tagged with individual search windows 758(1997)319

#### **Temperature programming**

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175

Theoretical and practical aspects of flow control in programmed-temperature gas chromatography 757(1997)97

Retention in multistep programmed-temperature gas chromatography and flow control. Linear head pressure programs 757(1997)109

Aspects of the elution order inversion by pressure changes in programmed-temperature gas chromatography 779(1997)263

Temperature programming and gradient elution in reversed-phase chromatography with packed capillary columns 788(1997)51

#### **Tenax TA**

Decomposition of  $\alpha$ -pinene and sabinene on solid sorbents, Tenax TA and Carboxen 786(1997)185

#### **Terguride**

Enantiomeric separations of halogen-substituted 2-aryloxypropionic acids by high-performance liquid chromatography on a terguride-based chiral stationary phase 756(1996)119

#### **Textile lubricants**

Separation and determination of oligomers and homologues of aliphatic alcohol ethoxylates in textile lubricants and lubricant emulsion by high-performance liquid chromatography 771(1997)145

#### **Thermal desorption**

Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153

Evaluation of styrene in air by thermal desorption–gas chromatography 778(1997)255

Analysis of volatile organic compounds in air using retention indices together with a simple thermal desorption and cold trap method 787(1997)205

#### **Thermal desorption modulators**

Development of a thermal desorption modulator for gas chromatography 767(1997)137

#### **Thermal diffusivity**

Photothermal characterization of thin-layer chromatography plates 786(1997)163

#### **Thermal effects**

Capillary electrochromatography: effect of electrolyte concentration on electroosmotic flow and column efficiency 782(1997)181

#### **Thermal field-flow fractionation**

Polymer characterization using on-line coupling of thermal field flow fractionation and hydrodynamic chromatography 765(1997)135

#### **Thermally insulated column**

Use of a thermally insulated column for improved speed, efficiency and resolution in packed-column supercritical fluid chromatography 785(1997)129

#### **Thermocap A**

Elution order of the 209 polychlorinated biphenyls on a high-temperature capillary column 799(1998)249

#### **Thermodynamic parameters**

Scale up in preparative chromatography 752(1996)19

Approach to the thermodynamics of enantiomer separation by gas chromatography. Enantioselectivity between the chiral inhalation anesthetics enflurane, isoflurane and desflurane and a diluted  $\gamma$ -cyclodextrin derivative 757(1997)119

- Gas chromatographic determination of vapour pressures of pheromone-like compounds. IV. Acetates, a reinvestigation 759(1997)93
- Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179
- Liquid adsorption chromatography of polyethers. Theory and experiment 761(1997)21
- Comparative studies on the isothermal characteristics of proteins adsorbed under batch equilibrium conditions to ion-exchange, immobilised metal ion affinity and dye affinity matrices with different ionic strength and temperature conditions 763(1997)71
- Nonequilibrium thermodynamic separation model in capillary electrophoresis 763(1997)237
- Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of D- and L-tryptophan with immobilized human serum albumin 766(1997)15
- Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1
- Causes and remediation of reduced efficiency in micellar liquid chromatography (Review) 780(1997)191
- Application of Kováts retention indices for investigation of adsorption properties of activated carbons 782(1997)87
- Gibbs energy of solution and molecular structural coefficients of 85 solutes on 20 gas chromatographic stationary phases 787(1997)145
- Thermodynamic study of the retention behaviour of selected macrocycles using reversed-phase high-performance thin-layer chromatography plates and methanol–water mobile phases 787(1997)227
- Study on the retention behaviour of low-molar-mass polystyrenes and polyesters in reversed-phase liquid chromatography by evaluation of thermodynamic parameters 790(1997)101
- Theory of liquid adsorption chromatography of macromolecules applied to polyethylene glycol and fatty alcohol ethoxylates 791(1997)21
- Thermodynamics of chiral selectivity in capillary electrophoresis: separation of ibuprofen enantiomers with  $\beta$ -cyclodextrin 792(1997)371
- Reversed-phase high-performance liquid chromatography of polyethers. Comparison with a theory for flexible-chain macromolecules 798(1998)187
- Indirect headspace gas chromatographic method for vapor–liquid phase equilibrium study 799(1998)207
- Thermoseparating polymer**  
Effects of fused tryptophan rich peptides to a recombinant protein A domain on the partitioning in polyethylene glycol–dextran and Ucon–dextran aqueous two-phase systems 756(1996)107
- Thermospray interface**  
Characterization of surfactants and their biointermediates by liquid chromatography–mass spectrometry (Review) 794(1998)165
- Thin-layer chromatography**  
Reproducibility of densitometric and image analysing quantitative evaluation of thin-layer chromatograms 779(1997)329
- Photothermal characterization of thin-layer chromatography plates 786(1997)163
- Thin-layer chromatography, forced-flow**  
New thin-layer chromatography plate with a closed sorbent layer and details of its application 758(1997)125
- Thin-layer plates**  
New thin-layer chromatography plate with a closed sorbent layer and details of its application 758(1997)125
- Thiol ligands**  
High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39
- Thylakoid membrane**  
Rapid resolution by reversed-phase high-performance liquid chromatography of the thylakoid membrane proteins of the photosystem II light-harvesting complex 779(1997)131
- Thymus vulgaris***  
Supercritical fluid chromatography–mass spectrometry of thyme extracts (*Thymus vulgaris* L.) 773(1997)377
- Tiles**  
Monitoring the removal of soluble salts from ancient tiles by ion chromatography 770(1997)195
- Time-of-flight mass spectrometry**  
Protein analysis by packed capillary liquid chromatography with electrospray ionization and time-of-flight mass spectrometry detection 786(1997)67

**Titania**

Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13

**Titan's atmosphere**

Gas chromatography of Titan's atmosphere. VIII. Analysis of permanent gases with carbon molecular sieve packed capillary columns 761(1997)195

**Tobacco**

see also Cigarette smoke

The determination of seventeen polycyclic aromatic hydrocarbons in tobacco smoke condensate 767(1997)163

Analysis of selected alkaloids and sugars in tobacco extract 775(1997)101

**Tomatoes**

Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179

Adaptation of the internal standard method to a pesticide residues study in/on plants 765(1997)115

Liquid chromatographic determination of  $\beta$ -naphthoxyacetic acid in tomatoes 798(1998)167

**Toothpaste**

Identification of an anti-bacterial agent in toothpaste via liquid chromatography–Fourier transform infrared spectrometry mobile phase elimination 755(1996)211

Simultaneous determination of monofluorophosphate and fluoride in toothpaste by capillary electrophoresis 765(1997)353

**Topological indices**

Prediction of migration behaviour of flavonoids in capillary zone electrophoresis by means of topological indices 798(1998)233

**Toxicological screening**

Screening and identification of drugs in human hair by high-performance liquid chromatography–photodiode-array UV detection and gas chromatography–mass spectrometry after solid-phase extraction. A powerful tool in forensic medicine 762(1997)251

Use of high-performance liquid chromatography with photodiode-array UV detection for the creation of a 600-compound library. Application to forensic toxicology 763(1997)149

**Trace analysis**

Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. I. Principles and theoretical aspects 791(1997)177

Novel preconcentration technique for on-line coupling to high-speed narrow-bore capillary gas chromatography: sample enrichment by equilibrium (ab)sorption. II. Coupling to a portable micro gas chromatograph 791(1997)187

Problems with the determination of environmental sulphur compounds by gas chromatography (Review) 793(1998)1

Determination of some physicochemical parameters of microcystins (cyanobacterial toxins) and trace level analysis in environmental samples using liquid chromatography 799(1998)155

**Trace enrichment**

Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization ion-trap mass spectrometry 794(1998)201

**Transfer ratio**

Determination and prediction of transfer ratios for anions in capillary zone electrophoresis with indirect UV detection 770(1997)291

**Transformation products**

Identification of fenthion and temephos and their transformation products in water by high-performance liquid chromatography with diode array detection and atmospheric pressure chemical ionization mass spectrometric detection 777(1997)99

**Trapping**

Analysis of volatile organic compounds in air using retention indices together with a simple thermal desorption and cold trap method 787(1997)205

**Trapping methods**

Use of modifier as trapping fluid in preparative supercritical fluid chromatography 753(1996)306

**Tree bark**

Evidence for the adsorption of nitrated polycyclic aromatic hydrocarbons by tree bark 786(1997)275

**Triazine-based stationary phases**

New 1,3,5-triazine based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 786(1997)355

**Tricyanoaminopropene ligand**

Cyanocarbons as ligands for electron donor acceptor chromatography of human serum proteins 753(1996)57

***Trifolium pratense***

Analysis of flavonoids from red clover by liquid chromatography–electrospray mass spectrometry 755(1996)127

**Tube-in-the-tube capillaries**

Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary 788(1997)155

**U****Ultrafiltration**

Ultrafiltration: a technique for determining the molecular-mass distribution of group parameters of organic pollutants in natural waters 763(1997)315

**Ultrasonic effects**

Ultrasonic effects on ion-exchange chromatographic retention 793(1998)365

**Unified retention index**

Unified retention concept – statistical treatment of Kováts retention index 764(1997)257

**Unified separation theory**

Systematic approach to links between separations in capillary electrophoresis and liquid chromatography. IV. Application of binding constant–retention factor relationship to the separation of 2-, 3- and 4-methylbenzoate anions using  $\beta$ -cyclodextrin as selector 768(1997)29

**UV detection**

Noise and baseline disturbances in indirect UV detection in capillary electrophoresis 786(1997)333

**V****Vacancy affinity capillary electrophoresis**

Vacancy affinity capillary electrophoresis, a new method for measuring association constants 775(1997)313

Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

**Vacancy electrophoresis**

System peaks in capillary zone electrophoresis. I. Simple model of vacancy electrophoresis 772(1997)73

System peaks in capillary zone electrophoresis. II. Experimental study of vacancy peaks 772(1997)81

**Vacancy peak method**

Comparison of five methods for the study of drug–protein binding in affinity capillary electrophoresis 777(1997)311

Principles and limitations of methods available for the determination of binding constants with affinity capillary electrophoresis 777(1997)329

**Validation**

Validation of a capillary electrophoresis procedure for the determination of calcium in calcium acamprostate 772(1997)265

Development and validation of a capillary electrophoresis method within a pharmaceutical quality control environment and comparison with high-performance liquid chromatography 773(1997)339

Process clearance of dithiothreitol monitored by reversed-phase high-performance liquid chromatography with fluorescence detection. Assay development and validation 775(1997)151

Quantitation of insulin by capillary electrophoresis and high-performance liquid chromatography. Method comparison and validation 781(1997)445

Validation studies for a new supercritical fluid extraction method for the isolation of hydrophobic organic compounds from filtered suspended solids 782(1997)247

Ion chromatography as reference method for serum cations (Review) 789(1997)557

Development of a capillary zone electrophoresis method for caseinoglycomacropetide determination 790(1997)195

Optimisation, validation and application of a capillary electrophoresis method for the determination of ranitidine hydrochloride and related substances 798(1998)297

Validation of a capillary isoelectric focusing method for the recombinant monoclonal antibody C2B8 800(1998)355

**Vaporising chambers**

Polyimide for deactivating gas chromatography vaporising chambers and fixing packing materials 764(1997)65

**Vapor pressure**

Gas chromatographic determination of vapour pressures of pheromone-like compounds. IV. Acetates, a reinvestigation 759(1997)93

Temperature and pressure effects on solubility in supercritical carbon dioxide and retention in supercritical fluid chromatography 785(1997)57

**Vapor-liquid phase equilibrium**

Indirect headspace gas chromatographic method for vapor-liquid phase equilibrium study 799(1998)207

**Vegetable oils**

see also Oils

Single-step separation of organochlorine pesticide residues from fatty materials by combined use of solid-matrix partition and C<sub>18</sub> cartridges 765(1997)61

Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335

Comparison of extraction methods and detection systems in the gas chromatographic analysis of volatile carbonyl compounds 779(1997)360

**Vegetables**

Determination of pesticide residues in fruit and vegetables (Review) 754(1996)301

Official multiresidue methods of pesticide analysis in vegetables, fruits and soil (Review) 754(1996)333

Chromatographic methods for the determination of pyrethrin and pyrethroid pesticide residues in crops, foods and environmental samples (Review) 754(1996)367

Pesticide residue analyses in plant material by chromatographic methods: clean-up procedures and selective detectors (Review) 754(1996)397

Pesticide residue analysis in fresh produce by gas chromatography-tandem mass spectrometry 754(1996)411

Optimization of a matrix solid-phase dispersion method for the analysis of pesticide residues in vegetables 754(1996)437

Determination of free calcium in vegetables by capillary zone electrophoresis 759(1997)211

Determination of ethylenethiourea in food commodities by a two-step derivatization method and gas chromatography with electron-capture and nitrogen-phosphorus detection 765(1997)31

Clean-up of aqueous acetone vegetable extracts by solid-matrix partition for pyrethroid residue determination by gas chromatography-electron-capture detection 765(1997)39

Evaluation of different solid-phase traps for automated collection and clean-up in the analysis of multiple pesticides in fruits and vegetables after supercritical fluid extraction 765(1997)69

Simplified determination of combined residues of prochloraz and its metabolites in vegetable, fruit and wheat samples by gas chromatography 765(1997)127

Determination of ascorbic acid in vegetables by capillary zone electrophoresis 772(1997)313

Analytical methods for the determination of organochlorine compounds. Application to environmental samples in the Slovak Republic 774(1997)333

Comparison of octadecylsilica and graphitized carbon black as materials for solid-phase extraction of fungicide and insecticide residues from fruit and vegetables 778(1997)127

Multiresidue analysis of pesticides in fruits and vegetables by gel permeation chromatography followed by gas chromatography with electron-capture and mass spectrometric detection 782(1997)105

Study of the feasibility of the use of activated carbon membranes for the on-line cleanup of vegetable extracts in the determination of N-methylcarbamate pesticides by liquid chromatography 788(1997)87

Application of activated carbon membranes for on-line cleanup of vegetable and fruit extracts in the determination of pesticide multiresidues by gas chromatography with mass selective detection 788(1997)141

Comparison of different clean-up procedures for the determination of N-methylcarbamate insecticides in vegetable matrices by high-performance liquid chromatography with UV detection 795(1998)43

Improved ion chromatography-integrated pulsed amperometric detection method for the evaluation of biogenic amines in food of vegetable or animal origin and in fermented foods 798(1998)109

Matrix-induced effects: a critical point in the gas chromatographic analysis of pesticide residues 800(1998)283

Stability of pesticides in plant extracts used as calibrants in the gas chromatographic analysis of residues 800(1998)297

**Venoms**

Detection of isoforms and isomers of rattlesnake myotoxins by capillary electrophoresis and matrix-assisted laser desorption time-of-flight mass spectrometry 781(1997)429

**Vermouth**

Analysis of ethereal extracts of wines and other alcoholic beverages by high-performance liquid chromatography with microbore columns 782(1997)219

**Viscosity**

Training software for chiral separations in capillary electrophoresis 772(1997)195

Influence of differences between sample and mobile phase viscosities on the shape of chromatographic elution profiles 775(1997)73

**Viscous heating**

Temperature gradients in preparative high-performance liquid chromatography columns 769(1997)109

**W****Wall adsorption**

Capillary electrophoretic separation of acidic and basic proteins in the presence of cationic and anionic fluorosurfactants 757(1997)255

Simplified mathematical model of irreversible sample adsorption in capillary zone electrophoresis 766(1997)171

**Warfare agents**

Application of liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry, and tandem mass spectrometry, to the analysis and identification of degradation products of chemical warfare agents 759(1997)79

In-line respeciation: an ion-exchange ion chromatographic method applied to the separation of degradation products of chemical warfare nerve agents in soil 770(1997)253

Identification of chemical-weapons-related compounds in decontamination solutions and other matrices by multiple chromatographic techniques 774(1997)253

Analysis of methylphosphonic acid, ethyl methylphosphonic acid and isopropyl methylphosphonic acid at low microgram per liter levels in groundwater 790(1997)143

Analysis of degradation products of organophosphorus chemical warfare agents and related compounds by liquid chromatography-mass spectrometry using electrospray and atmospheric pressure chemical ionisation 794(1998)233

**Waste leachates**

Analysis of aliphatic carboxylic acids and amino acids in effluents of landfills, composting plants and fermentation plants by ion-exclusion and ion-exchange chromatography 770(1997)229

Determination of organic components in leachates from hazardous waste disposal sites in Japan by gas chromatography-mass spectrometry 774(1997)321

**Water, superheated**

Superheated water as an eluent for reversed-phase high-performance liquid chromatography 785(1997)49

**Water analysis**

Simultaneous determination of common mono- and divalent cations by ion chromatography with an unmodified silica gel column 752(1996)167

Rapid on-line chromatographic determination of trace-level munitions in aqueous samples 753(1996)81

Microbore liquid chromatographic-mass spectrometric determination of atrazine and its major hydroxylated degradate in water at parts-per-trillion levels using electrospray 753(1996)243

Determination of bromate in drinking waters by ion chromatography with inductively coupled plasma mass spectrometric detection 753(1996)261

Chromatographic techniques in the analysis of organochlorine pesticide residues (Review) 754(1996)33

Screening and analysis of polar pesticides in environmental monitoring programmes by coupled-column liquid chromatography and gas chromatography-mass spectrometry 754(1996)49

On-line and off-line solid-phase extraction with styrene-divinylbenzene-membrane extraction disks for determining pesticides in water by reversed-phase liquid chromatography-diode-array detection 754(1996)77

Determination of the fungicides folpet, captan and captafol by cloud-point preconcentration and high-performance liquid chromatography with electrochemical detection 754(1996)85

Occurrence and determination of pesticides in natural and treated waters (Review) 754(1996)103

Strategies for chromatographic analysis of pesticide residues in water (Review) 754(1996)125

Analysis of pesticides in environmental water samples by solid-phase micro-extraction-high-performance liquid chromatography 754(1996)137

On-line solid-phase extraction coupled to supercritical fluid chromatography with diode array detection for the determination of pesticides in water 754(1996)145

Monitoring of herbicides in river water by gas chromatography-mass spectrometry and solid-phase extraction 754(1996)159

- Spatial and temporal trends of pesticide residues in water and particulates in the Mississippi River plume and the northwestern Gulf of Mexico 754(1996)169
- Comparative degradation kinetics of alachlor in water by photocatalysis with  $\text{FeCl}_3$ ,  $\text{TiO}_2$  and photolysis, studied by solid-phase disk extraction followed by gas chromatographic techniques 754(1996)187
- Supported liquid membranes for sampling and sample preparation of pesticides in water 754(1996)197
- Synthesis and use of deuterated fenamiphos and its metabolites as internal standards for mass spectrometric analysis in water 754(1996)207
- Analysis of pesticide residues in drinking water by planar chromatography 754(1996)423
- On-line solid-phase extraction coupled to supercritical fluid chromatography to determine phenol and nitrophenols in water 755(1996)67
- Analysis of individual raindrops by capillary zone electrophoresis 755(1996)121
- Identification of herbicides in river water using on-line trace enrichment combined with column liquid chromatography–Fourier-transform infrared spectrometry 756(1996)145
- Application of solid-phase microextraction to the headspace gas chromatographic analysis of semi-volatile organochlorine contaminants in aqueous matrices 757(1997)173
- Trace determination of iron in water at the  $\mu\text{g}/\text{l}$  level by on-line coupling of capillary isotachopheresis and capillary zone electrophoresis with UV detection of the  $\text{EDTA}\text{-Fe(III)}$  complex 757(1997)297
- Rapid analysis of organic microcontaminants in environmental water samples by trace enrichment and liquid chromatography on a single short column 759(1997)55
- Direct determination of trimethylgermanium in water by on-column capillary gas chromatography with flame photometric detection using quartz surface-induced germanium emission 759(1997)119
- Solid-phase microextraction of organophosphorus pesticides from water 759(1997)225
- Retention profiles of some commercial pesticides, pyrethroid and acaricide residues and their application to tomato and parsley plants 760(1997)179
- Use of mordenite columns in ion-exclusion chromatography 760(1997)292
- Preconcentration of triazine herbicides from water by an ion chromatography column and determination by gas chromatography–mass spectrometry 760(1997)314
- Gas chromatographic determination of nitrite in water by pre-column formation of 2-phenylphenol with flame ionization detection 760(1997)319
- Determination of anions in rainwater by capillary electrophoresis with conductivity detection 760(1997)326
- Reversed-phase high-performance liquid chromatography of pyrrolidinedithiocarbamate complexes of mercuric species using amperometric and coulometric detection 761(1997)139
- Preconcentration determination of inorganic anions and organic acids in power plant waters. Separation optimization through control of column capacity and selectivity 761(1997)163
- Direct determination of bromacil and diuron residues in environmental water samples by coupled-column liquid chromatography and large-volume injection 761(1997)322
- Ultrafiltration: a technique for determining the molecular-mass distribution of group parameters of organic pollutants in natural waters 763(1997)315
- Analysis of primary and secondary aliphatic amines in waste water and surface water by gas chromatography–mass spectrometry after derivatization with 2,4-dinitrofluorobenzene or benzenesulfonyl chloride 764(1997)85
- Carbonate interferences by ion chromatographic determination of anions in mineral waters 764(1997)249
- Separation behavior of inorganic anions on an octadecyl-bonded silica column coated with cetyltrimethylammonium by phthalate and salicylate eluents 764(1997)346
- Ultra-trace-level determination of the antifouling agent Irgarol 1051 by gas chromatography with tandem mass spectrometric detection 766(1997)153
- Analysis of primisulfuron and triasulfuron in water and soil samples by micellar electrokinetic capillary chromatography 766(1997)225
- Determination of indole-3-acetic acid in the Gulf of Gdańsk by high-performance liquid chromatography of its 4-methyl-7-methoxycoumarin derivative 766(1997)261
- Determination of phenols by solid-phase microextraction 767(1997)171
- Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195
- UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241

- Determination of  $\text{Na}^+$ ,  $\text{K}^+$ ,  $\text{Mg}^{2+}$  and  $\text{Ca}^{2+}$  in mixtures of seawater and formation water by capillary electrophoresis 767(1997)311
- Monitoring of organic micropollutants in surface water by automated on-line trace-enrichment liquid and gas chromatographic systems with ultraviolet diode-array and mass spectrometric detection 768(1997)239
- Determination of volatile organic compounds in water by purge-and-trap gas chromatography coupled to atomic emission detection 768(1997)259
- Analysis of phenolic compounds in industrial wastewater with high-performance liquid chromatography and post-column reaction detection 769(1997)189
- Determination of haloethers in water by solid-phase microextraction 769(1997)239
- Simultaneous quantification of insecticides including carbaryl in drinking water by gas chromatography using dual electron-capture and nitrogen-phosphorus detection 769(1997)285
- Validation of ion chromatographic methods for the trace analysis of ions in pharmacopoeial grades of water 770(1997)99
- Calculation of detection limits for a single-laboratory ion-chromatographic method to determine parts-per-trillion ions in ultrapure water 770(1997)105
- Performance of ion chromatography in the determination of anions and cations in various natural waters with elevated mineralization 770(1997)119
- Use of ion chromatography for the determination of transition metals in the control of sewage-treatment-plant and related waters 770(1997)185
- Analysis of aliphatic carboxylic acids and amino acids in effluents of landfills, composting plants and fermentation plants by ion-exclusion and ion-exchange chromatography 770(1997)229
- Determination of phosphate in natural waters by capillary electrophoresis. Influence of solution composition on migration time and response 770(1997)321
- Chemically modified polymeric resin used as sorbent in a solid-phase extraction process to determine phenolic compounds in water 771(1997)55
- Optimising the determination of nitrate and phosphate in sea water with ion chromatography using experimental design 771(1997)163
- Determination of pesticides in environmental waters by solid-phase extraction and gas chromatography with electron-capture and mass spectrometry detection 771(1997)221
- Wavelength-resolved laser-induced fluorescence detection in capillary electrophoresis: naphthalenesulphonates in river water 771(1997)331
- Determination of nitrophenols by capillary zone electrophoresis in a hydrodynamically closed separation compartment 772(1997)327
- Determination of low-molecular-mass organic acids in fogwater by ion-exchange chromatography with automatic column switching 773(1997)123
- Determination of phosphonates in natural waters by ion-pair high-performance liquid chromatography 773(1997)139
- Chromatographic and hyphenated methods for elemental speciation analysis in environmental media 774(1997)3
- Determination of coal tar and creosote constituents in the aquatic environment 774(1997)79
- Methods for the determination of mutagenic heterocyclic amines and their applications in environmental analysis 774(1997)121
- Enantioselective determination of chiral organochlorine compounds in biota by gas chromatography on modified cyclodextrins (Review) 774(1997)143
- Analytical methods for the determination of organochlorine compounds. Application to environmental samples in the Slovak Republic 774(1997)333
- Thin-layer chromatographic separation, colorimetric determination and recovery of thiocyanate from photogenic waste, river and sea waters 774(1997)373
- Evaluation of a micro gas chromatographic technique for environmental analyses of  $\text{CO}_2$  and  $\text{C}_1$ - $\text{C}_6$  alkanes 775(1997)243
- Purge-and-trap gas chromatography-mass spectrometry in the analysis of volatile organochlorine compounds in water 775(1997)267
- Rapid target analysis of microcontaminants in water by on-line single-short-column liquid chromatography combined with atmospheric pressure chemical ionization tandem mass spectrometry 777(1997)81
- Automated sample preparation with extraction columns by means of anti-isoproturon immunosorbents for the determination of phenylurea herbicides in water followed by liquid chromatography-diode array detection and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 777(1997)91
- Determination of traces of pesticides in water by solid-phase extraction and liquid chromatography-ionspray mass spectrometry 777(1997)115

- Analysis of polar organic pollutants in the Elbe river by flow injection analysis and high-performance liquid chromatography with tandem mass spectrometry 777(1997)127
- Comparison of dynamic fast atom bombardment/liquid secondary ion mass spectrometry and electrospray mass spectrometry coupled to reversed-phase liquid chromatography for the determination of oligosaccharides in seawater 777(1997)141
- New method for the rapid determination of triazine herbicides and some of their main metabolites in water by using coupled-column liquid chromatography and large volume injection 778(1997)171
- Determination of phenolic pollutants in drinking water by capillary electrophoresis in the sample stacking mode 778(1997)279
- Determination of pesticide residues in waters from small loughs by solid-phase extraction and combined use of gas chromatography with electron-capture and nitrogen-phosphorus detection and high-performance liquid chromatography with diode array detection 778(1997)289
- Determination of priority phenolic compounds in water and industrial effluents by polymeric liquid-solid extraction cartridges using automated sample preparation with extraction columns and liquid chromatography. Use of liquid-solid extraction cartridges for stabilization of phenols 778(1997)301
- Determination of polar priority phenols at parts per trillion levels in water using on-line liquid-solid extraction followed by liquid chromatography with coulometric detection 778(1997)313
- Determination of polycyclic aromatic hydrocarbons in waters by use of supercritical fluid chromatography coupled on-line to solid-phase extraction with disks 778(1997)321
- Quantitation of volatile sulphur compounds in polluted waters 778(1997)329
- Application of solid-phase extraction discs with a glass fiber matrix to fast determination of polycyclic aromatic hydrocarbons in water 778(1997)337
- Simultaneous determination of toxic arsenic and chromium species in water samples by ion chromatography-inductively coupled plasma mass spectrometry 779(1997)139
- Speciation of trimethyllead in rainwater by gas chromatography-mass spectrometry after ethylation with sodium tetraethylborate. Comparison with other alkylation methods 779(1997)299
- Prevention of peak overlap in the capillary electrophoretic separation of inorganic cations by use of a positively charged coated capillary 779(1997)347
- Separation of quaternary ammonium herbicides by capillary electrophoresis with indirect UV detection 782(1997)289
- Polychlorinated naphthalenes in groundwater samples from the Llobregat aquifer (Spain) 786(1997)135
- Evaluation of two solid-phase extraction procedures for the preconcentration of chlorophenols in drinking water 786(1997)285
- Liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of chloro- and nitrophenolic compounds in tap water and sea water 787(1997)79
- Determination of the insecticide imidacloprid in water and soil using high-performance liquid chromatography 787(1997)271
- Rapid determination of 1,4-dioxane in water by solid-phase extraction and gas chromatography-mass spectrometry 787(1997)283
- Multi-element trace analysis by reversed-phase high-performance liquid chromatography followed by on-line column enrichment as 2-(5-nitro-2-pyridylazo)-5-[N-propyl-N-(3-sulphopropyl)amino] phenol chelates 788(1997)113
- Advances in detection techniques for ion chromatography (Review) 789(1997)67
- Specific determination of bromate and iodate in ozonized water by ion chromatography with postcolumn derivatization and inductively-coupled plasma mass spectrometry 789(1997)259
- Applications of anion chromatography in terrestrial environmental research (Review) 789(1997)287
- Determination of calcium and magnesium in water samples by high-performance liquid chromatography on a graphitic stationary phase with a mobile phase containing *o*-cresolphthalein complexone 789(1997)329
- Optimizing recoveries of two chlorotriazine herbicide metabolites and 11 pesticides from aqueous samples using solid-phase extraction and gas chromatography-mass spectrometry 790(1997)161
- New derivatization method for determination of 3-chloro-4(dichloromethyl)-5-hydroxy-2(5H)-furanone in water 790(1997)242
- Determination of carbendazim in soil and lake water by immunoaffinity extraction and coupled-column liquid chromatography-tandem mass spectrometry 791(1997)119
- Quantitative determination of oxalate and other organic acids in drinking water at low  $\mu\text{g/l}$  concentrations 793(1998)198

- Ultra-trace determination of fluorinated aromatic carboxylic acids in aqueous reservoir fluids using solid-phase extraction in combination with gas chromatography–mass spectrometry 793(1998)297
- Determination of hexazinone and its metabolites in groundwater by capillary electrophoresis 793(1998)349
- Simultaneous determination of seven sulfonamide residues in swine wastewater by high-performance liquid chromatography 793(1998)378
- Selective analysis of the herbicides glyphosate and aminomethylphosphonic acid in water by on-line solid-phase extraction–high-performance liquid chromatography–electrospray ionization mass spectrometry 794(1998)187
- Temperature and extraction voltage effect on fragmentation of organophosphorus pesticides in liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 795(1998)13
- Effect of the various parameters governing solid-phase microextraction for the trace-determination of pesticides in water 795(1998)27
- Monitoring of pesticides in river water using fully automated on-line solid-phase extraction and liquid chromatography with diode array detection with a novel filtration device 795(1998)71
- Multiresidue analysis of pesticides using new laminar extraction disks and liquid chromatography and application to the French priority list 795(1998)83
- Application of C<sub>18</sub> disks followed by gas chromatography techniques to degradation kinetics, stability and monitoring of endosulfan in water 795(1998)93
- Solid-phase microextraction and gas chromatography with mass spectrometric detection for the determination of pesticides in aqueous samples 795(1998)105
- Dissipation of some citrus selective residual herbicides in an irrigation well 795(1998)125
- Determination of aryloxyphenoxypropionic acid herbicides in water using different solid-phase extraction procedures and liquid chromatography–diode array detection 796(1998)309
- Simultaneous determination of chlorine dioxide and hypochlorite in water by high-performance liquid chromatography 796(1998)397
- Sensitive determination of anatoxin-a, homoanatoxin-a and their degradation products by liquid chromatography with fluorimetric detection 798(1998)147
- On-line pretreatment and determination of Pb, Cu and Cd at the  $\mu\text{g l}^{-1}$  level in drinking water by chelation ion chromatography 800(1998)247
- Solid-phase microextraction of polychlorinated biphenyls 800(1998)257
- Trace analysis of tributyltin and triphenyltin compounds in sea water by gas chromatography–negative ion chemical ionization mass spectrometry 800(1998)267
- Water clusters**  
Water clusters studied by electrospray mass spectrometry 777(1997)155
- Water–surface interaction**  
Investigation of the behaviour of water on the surface of modified silica using differential scanning calorimetry 752(1996)41
- Wave theory**  
Non-linear waves in chromatography. III. Multicomponent Langmuir and Langmuir-like systems (Review) 768(1997)169
- Wheat grain**  
Simplified determination of combined residues of prochloraz and its metabolites in vegetable, fruit and wheat samples by gas chromatography 765(1997)127
- Whey**  
Comparison of anion-exchange and hydroxyapatite displacement chromatography for the isolation of whey proteins 760(1997)125
- Assessment of heat-induced denaturation of whey proteins 772(1997)231
- Bovine whey fractionation based on cation-exchange chromatography 795(1998)277
- Wildlife poisoning**  
Identification of pesticide poisoning in wildlife (Review) 754(1996)463
- Wine**  
Comparative investigation of UV, electrochemical and particle beam mass spectrometric detection for the high-performance liquid chromatographic determination of benzoic and cinnamic acids and of their corresponding phenolic acids 753(1996)157
- Application of porous carbon for solid-phase extraction of dicarboxyimide fungicide residues from wines in combination with high-resolution capillary gas chromatography and gas chromatography–mass spectrometry 754(1996)445
- Determination of biogenic amines in wines by high-performance liquid chromatography with on-column fluorescence derivatization 757(1997)311

Determination of twenty eight biogenic amines and amino acids during wine aging by micellar electrokinetic chromatography and laser-induced fluorescence detection 765(1997)337

Chromatographic analysis of volatile sulphur compounds in wines using the static headspace technique with flame photometric detection 773(1997)261

Determination of free fatty acids and their ethyl esters in musts and wines 776(1997)283

Fractionation of glycoside precursors of aroma in grapes and wine 778(1997)219

Determination of volatile compounds in Txakoli wine from Biscay by gas chromatography–mass spectrometry 778(1997)225

Analysis of volatile components of oak wood by solvent extraction and direct thermal desorption–gas chromatography–mass spectrometry 778(1997)427

Identification of antioxidative compounds in plant beverages by capillary electrophoresis with the marker index technique 781(1997)523

Analysis of ethereal extracts of wines and other alcoholic beverages by high-performance liquid chromatography with microbore columns 782(1997)219

Analysis of 2,4,6-trichloroanisole in wines using solid-phase microextraction coupled to gas chromatography–mass spectrometry 786(1997)293

Analysis of heterocyclic aromatic amines in wine by high-performance liquid chromatography–electrospray tandem mass spectrometry 791(1997)71

Fully automated precolumn derivatization, on-line dialysis and high-performance liquid chromatographic analysis of amino acids in food, beverages and feedstuff 798(1998)9

#### **Wood**

Gas chromatographic separation of volatile furans from birchwood smoke 753(1996)151

Analysis of old brandy and oak extracts by capillary electrophoresis 768(1997)143

Analysis of volatile components of oak wood by solvent extraction and direct thermal desorption–gas chromatography–mass spectrometry 778(1997)427

## **Y**

#### **Yeast**

Cell lipids of the *Candida lipolytica* yeast grown on methanol 755(1996)75

## **Z**

#### **Zeolites**

Use of mordenite columns in ion-exclusion chromatography 760(1997)292

#### ***Zingiber officinale***

High-performance liquid chromatography–electrospray mass spectrometric analysis of pungent constituents of ginger 796(1998)327

#### **Zirconia**

Models for polybutadiene pore wall coatings in porous zirconia 760(1997)71

Fluidization characteristics of and protein adsorption on fluoride-modified porous zirconium oxide particles 776(1997)179

#### **Zone patterns**

Prediction of zone patterns in capillary zone electrophoresis with conductivity detection. Concept of the zone conductivity diagram 772(1997)63