



ELSEVIER

Journal of Chromatography A, 844 (1999) 447

JOURNAL OF
CHROMATOGRAPHY A

Erratum

Erratum to: “Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution”

[J. Chromatogr. A, 838 (1999) 303–311][☆]

Keiichi Fukushi^{a,*}, Koji Tada^a, Sahori Takeda^b, Shin-ichi Wakida^b, Masataka Yamane^b,
Kunishige Higashi^b, Kazuo Hiroy^c

^a*Research Institute for Marine Cargo Transportation, Kobe University of Mercantile Marine, 5-1-1 Fukaeminami-machi, Higashinada-ku, Kobe 658-0022, Japan*

^b*Osaka National Research Institute, AIST, 1-8-31 Midorigaoka, Osaka 563-8577, Japan*

^c*Kobe Women's Junior College, 4-7-2 Minatojimanaka-machi, Chuo-ku, Kobe 650-0046, Japan*

Keywords: Water analysis; Environmental analysis; Background electrolyte composition; Nitrate; Nitrite; Inorganic anions

On page 305, in Section 2.2, the fourth and third line from the bottom of this section should read: “The preparation procedure and the composition of the artificial seawater are described in our previous paper [22].”

[☆]PII of original article: S0021-9673(99)00214-9

*Corresponding author.