

JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 844 (1999) 453-460

Subject Index Vol. 844

Adsorption

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Air analysis

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Trace analysis of carbonyl compounds by liquid chromatography-mass spectrometry after collection as 2,4dinitrophenylhydrazine derivatives 844(1999)403

Alkanes

Influence of temperature and n-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Amino acids

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Aminobutylethylisoluminol

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Amphetamines

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Anions

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Antibiotics

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Antioxidants

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Aroma compounds

Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry 844(1999)295

Artifacts

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Automation

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Background electrolyte composition

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Barium peroxide

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Basic compounds

Comparison of the performance of conventional C18 phases with others of alternative functionality for the analysis of basic compounds by reversed-phase high-performance liquid chromatography 844(1999)23

Benzene

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flowthrough reaction cell 844(1999)217

0021-9673/99/\$ - see front matter © 1999 Elsevier Science B.V. All right reserved

PII: S0021-9673(99)00607-X

Biogenic amines

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Biosensors

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Buffer composition

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Bis (trimethyl silyl) acetamide

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Bis(trimethylsilyl)trifluoroacetamide

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Butter

Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry 844(1999)295

Calibration

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Capillary columns

Influence of temperature and *n*-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Capillary electrophoresis

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Caramel

Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

Carbohydrate

Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

Carbonyl compounds

Trace analysis of carbonyl compounds by liquid chromatography-mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

β-Carotenes

Separation of cis/trans isomers of β -carotene by supercritical fluid chromatography 844(1999)307

Carotenoids

Determination of the geographical origin of valencia orange juice using carotenoid liquid chromatographic profiles 844(1999)149

Catecholamines

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Chemiluminescence detection

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Chemometrics

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Chiral stationary phases, LC

Optimization and validation of chiral high-performance liquid chromatographic method for analysis of a fibrinogen (gpIIb/IIIa) receptor antagonist 844(1999)171

Chloride

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Chlorofluorocarbons

Empirical formulae studies of chlorofluorocarbons using gas chromatography coupled to atomic emission detection 844(1999)271

Clays

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Codeine

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Column performance

Comparison of the performance of conventional C_{18} phases with others of alternative functionality for the analysis of basic compounds by reversed-phase high-performance liquid chromatography 844(1999)23

Complexation

Comparison of the liquid and gas chromatography of five classes of metal complexes 844(1999)181

Condensation nucleation light scattering detection

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Conductivity detection

Contactless conductivity detection in capillary zone electrophoresis 844(1999)349

Confocal scanning laser microscopy

Direct visualisation of plasmid DNA in individual chromatography adsorbent particles by confocal scanning laser microscopy 844(1999)129

Correlation chromatography

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Derivatization, GC

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Derivatization, LC

Trace analysis of carbonyl compounds by liquid chromatography-mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

Detection, electrophoresis

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Contactless conductivity detection in capillary zone electrophoresis 844(1999)349

Post-capillary laser-induced fluorescence detection without sheath-flow 844(1999)433

Detection, GC

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Detection, LC

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Difructose dianhydrides

Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

Diglycerides

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Dihydroxy benzenes

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

2,4-Dinitrophenylhydrazine

Trace analysis of carbonyl compounds by liquid chromatography-mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

Dinophysis

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

DNA

Direct visualisation of plasmid DNA in individual chromatography adsorbent particles by confocal scanning laser microscopy 844(1999)129

Doehlert design

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Electrochromatography

Electroosmotically driven thin-layer electrochromatography on silica media 844(1999)333

Electrokinetic chromatography

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Electroosmotic flow

Electroosmotically driven thin-layer electrochromatography on silica media 844(1999)333

Enantiomer separation

Analytical study of penicillamine in pharmaceuticals by capillary zone electrophoresis 844(1999)361

Environmental analysis

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Determination of explosives in soil and ground water by liquid chromatography-amperometric detection 844(1999)97

Ethanolamine

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Explosives

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Determination of explosives in soil and ground water by liquid chromatography-amperometric detection 844(1999)97

Extraction methods

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Factor IX

Production of highly purified clotting factor IX by a combination of different chromatographic methods 844(1999)119

Fats

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Fibrinogen receptor antagonist

Optimization and validation of chiral high-performance liquid chromatographic method for analysis of a fibrinogen (gpIIb/IIIa) receptor antagonist 844(1999)171

Fish

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Food analysis

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Determination of the geographical origin of valencia orange juice using carotenoid liquid chromatographic profiles 844(1999)149

Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry 844(1999)295

Formalin

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Fruit juices

Determination of the geographical origin of valencia orange juice using carotenoid liquid chromatographic profiles 844(1999)149

Gasoline

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Geometrical isomers

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Glycoproteins

Production of highly purified clotting factor IX by a combination of different chromatographic methods 844(1999)119

Halocarbons

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Empirical formulae studies of chlorofluorocarbons using gas chromatography coupled to atomic emission detection 844(1999)271

Hanford waste

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Heats of adsorption

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Histidina

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Hydrocarbons

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VII. *N*-[3-(Trimethoxysilyl)propyl]diethylenetriamine complexes with CuCl₂ and CrCl₃ 844(1999)239

IAsys calibration

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Imidazole

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Inductively coupled mass spectrometry

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Injection methods

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Inorganic anions

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Contactless conductivity detection in capillary zone electrophoresis 844(1999)349

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Inorganic cations

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Inorganic ions

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)39

Instrumentation

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Post-capillary laser-induced fluorescence detection without sheath-flow 844(1999)433

Inter-laboratory study

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Ion exchangers

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)39

Laponite-RD clay

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Laser-induced fluorescence detection

Post-capillary laser-induced fluorescence detection without sheath-flow 844(1999)433

Ligate depletion

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Lipids

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Lucigenin

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Luminol

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Lysergic acid diethylamide

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Marine algae

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Mass spectrometry

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Mathematical modelling

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Metal complexes

Comparison of the liquid and gas chromatography of five classes of metal complexes 844(1999)181

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VII. *N*-[3-(Trimethoxysilyl)propyl]-diethylenetriamine complexes with CuCl₂ and CrCl₃ 844(1999)239

Methylene chloride

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Methylenedioxymethamphetamine

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Methylene increments

Influence of temperature and *n*-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Microemulsion electrokinetic chromatography

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Monoacetylmorphine

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Morphine-6-glucuronide

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Mytilus galloprovincialis

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Neutral organic compounds

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)39

Nitramines

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Nitrate

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Nitrite

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Nitroaromatics

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Nitrobenzenes

Determination of explosives in soil and ground water by liquid chromatography—amperometric detection 844(1999)97

Nitrophenols

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Nitrotoluenes

Determination of explosives in soil and ground water by liquid chromatography-amperometric detection 844(1999)97

Optimization

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Organic acids

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Organobromine compounds

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Organochlorine compounds

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Empirical formulae studies of chlorofluorocarbons using gas chromatography coupled to atomic emission detection 844(1999)271

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Pectenotoxin-2

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Penicillamine

Analytical study of penicillamine in pharmaceuticals by capillary zone electrophoresis 844(1999)361

Pesticides

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Pharmaceutical analysis

Analytical study of penicillamine in pharmaceuticals by capillary zone electrophoresis 844(1999)361

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Pirimicarb

Electroosmotically driven thin-layer electrochromatography on silica media 844(1999)333

Polar ice core

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Polynuclear aromatic compounds

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)39

Proteins

Production of highly purified clotting factor IX by a combination of different chromatographic methods 844(1999)119

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Radioactive waste

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

RDX

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Reverse-polarity capillary zone electrophoresis

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Reviews

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them (Review) 844(1999)1

Roxifiban

Optimization and validation of chiral high-performance liquid chromatographic method for analysis of a fibrinogen (gpIIb/IIIa) receptor antagonist 844(1999)171

Sample handling

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Seafood toxins

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Self-elution

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Signal suppression

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Silica, bonded

Gas chromatography study of retention of organic compounds on silica with an attached layer of hydrophobic groups 844(1999)225

Silvl derivatives

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Simulant waste material

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Soil

Determination of explosives in soil and ground water by liquid chromatography—amperometric detection 844(1999)97

Stationary phases, GC

Gas chromatography study of retention of organic compounds on silica with an attached layer of hydrophobic groups 844(1999)225

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VII. *N*-[3-(Trimethoxysilyl)propyl]-diethylenetriamine complexes with CuCl₂ and CrCl₃ 844(1999)239

Stationary phases, LC

Comparison of the performance of conventional C_{18} phases with others of alternative functionality for the analysis of basic compounds by reversed-phase high-performance liquid chromatography 844(1999)23

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)39

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Stationary phases, SFC

Separation of *cis/trans* isomers of β -carotene by supercritical fluid chromatography 844(1999)307

Steroids

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Sulfate

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Sulfide

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Sulfite

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Sulfur-containing anions

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Sulphate

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Tetraazacyclotridecanedione

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Thermodynamic parameters

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Influence of temperature and n-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Gas chromatography study of retention of organic compounds on silica with an attached layer of hydrophobic groups 844(1999)225

Thiosulfate

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Tocotrienols

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Toxins

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Transfer ratio

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Triglycerides

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Trimethylsilyl derivatives

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

1,3,5-Trinitro-1,3,5-triazacyclohexane

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Vegetable oils

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Vitamins

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Volatile organic compounds

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Water analysis

Determination of explosives in soil and ground water by liquid chromatography—amperometric detection 844(1999)97

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425