



ELSEVIER

Journal of Chromatography A, 847 (1999) 387–409

JOURNAL OF
CHROMATOGRAPHY A

Subject Index Vols. 845–847

Acetone

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

Acetonitrile

Ion chromatography of impurities in organic solvents 847(1999)345

Adsorbents

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Effect of the chelate ring size of diamine–Co(III) complexes on their hR_F values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Adsorption

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Adsorption energy

Measurement of adsorption energies on heterogeneous surfaces by inverse gas chromatography 845(1999)103

Adsorption isotherms

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Affinity electrokinetic chromatography

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Air analysis

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_y) in remote atmospheres 846(1999)265

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a β-cyclodextrin capillary column 846(1999)287

Gas chromatographic determination of synthetic musk compounds in Norwegian air samples 846(1999)295

Ajmaline

Sensitive method for the determination of the antiarrhythmic drug detajmium in serum by solid-phase extraction and high-performance liquid chromatography with fluorimetric detection 846(1999)217

Alcohols

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Ion chromatography of impurities in organic solvents 847(1999)345

Aldehydes

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Alkanes

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Analysis of alkane, alkene, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Alkenes

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Analysis of alkane, alkene, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Alkylbenzenes

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Alkylbenzothiazolesulfenamide

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

Alkyl dinitrobenzoates

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

Amines

Static headspace analysis of aliphatic amines in aqueous samples 846(1999)331

Amino acids

Preparation and enantiomer separation behavior of selectively methylated γ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455

Separation of phenylthiohydantoin–amino acids by temperature-controlled reversed-phase high-performance liquid chromatography 846(1999)73

High-performance liquid chromatographic separation of novel atropic α,α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography–mass spectrometry of proteinaceous binders in paintings 846(1999)101

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Quantitation of *N*^ε-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Amino acids, PTH derivatives

Separation of phenylthiohydantoin–amino acids by temperature-controlled reversed-phase high-performance liquid chromatography 846(1999)73

Aminophenols

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Aminophosphonic acids

Enantiomeric resolution of derivatives of α -aminophosphonic and α -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

Anthocyanins

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

Antibiotics

Microcolumn high-performance liquid chromatographic assay for doxycycline in isolated alveolar macrophages 846(1999)181

Determination of ramoplanin in human urine by high-performance liquid chromatography with automated column switching 846(1999)185

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

Antigens

Physico-chemical characterization of recombinant hepatitis B surface antigen by a multidimensional approach 845(1999)171

Antioxidants

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Apricots

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Aromatic compounds

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

Art analysis

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography–mass spectrometry of proteinaceous binders in paintings 846(1999)101

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113

Artificial sweeteners

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Azo dyes

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Baclofen

Sensitive method for the determination of baclofen in plasma by means of solid-phase extraction and liquid chromatography–tandem mass spectrometry 846(1999)169

Bacopa monniera

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst. 847(1999)109

Bacopasaponins

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst. 847(1999)109

Bacosides

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst. 847(1999)109

Basic drugs

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Bentazon

Determination of bentazon residues in water by high-performance liquid chromatography. Validation of the method 846(1999)369

Benzene

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Benzidines

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Benzodiazepines

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

Determination of 2,3-benzodiazepine derivatives in rat plasma by high-performance liquid chromatography 846(1999)165

Benzoic acids

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

1-(2'-Benzothiazolethio)-2-morpholinoprop-1-ene

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

2'-(Benzothiazolythio)propan-2-one

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

Binding media

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113

1,1-Bis-(2'-benzothiazolethio)-2-alkylaminoprop-1-ene

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

Boiling points

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Brij 3

Solute-solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate-Brij 35 micellar systems for quantitative structure-activity relationship modelling 845(1999)217

Bromate

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Buffer composition

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

CACMM2 adsorbent

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Calcion

Sulphonated azoligand for metal ion determination in ion interaction chromatography 847(1999)233

Capillary columns

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Deactivation of metal capillaries for gas chromatography 845(1999)33

Open tubular capillary electrochromatography in etched, chemically modified 20 μm I.D. capillaries 845(1999)237

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Carbohydrates

High-performance liquid chromatographic separation of carbohydrates on stationary phases prepared from polystyrene-based resin and tertiary amines. Effect of chemical structure of anion-exchange sorbents 845(1999)401

Double purification of radiolabelled *D*-fructose by high-performance liquid chromatography for tracing its metabolism 847(1999)53

Carbon dioxide

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Carbon monoxide

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Carboxylic acids

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography-mass spectrometry 847(1999)91

Ion chromatography of impurities in organic solvents 847(1999)345

Carrier gas

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Catalysts

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Cathepsins

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Central composite design

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Cheese

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Flavour characterisation and classification of cheeses by gas chromatographic-mass spectrometric profiling 847(1999)203

Chemometrics

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Chemosensors

Chemosensory system for rapid automated quality control 845(1999)85

Chiral selectors

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Chiral stationary phases, GC

Use of 6-*O*-*tert*-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Chiral stationary phases, LC

High-performance liquid chromatographic separation of novel atropic α, α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Chloroethenes

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

Cholesterol-silica stationary phases

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Chlorophenols

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Chlorophenoxy acids

Quantitation of chlorophenoxy acid herbicides by high-performance liquid chromatography with coulometric detection 846(1999)349

Chondroitins

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Chromium complexes

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Closantel

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

CMPF

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

Cobalt complexes

Effect of the chelate ring size of diamine–Co(III) complexes on their hR_f values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Cocoa butter equivalents

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

Column switching

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Determination of ramoplanin in human urine by high-performance liquid chromatography with automated column switching 846(1999)185

Complexation

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Computer simulation

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Simulation of chromatographic processes applied to separation of proteins 846(1999)1

Convection

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Cooled injection system

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

Cosmetics

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Cucurbitic acid

Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbitic acid isomers 847(1999)103

Cyclodextrin-based stationary phases

Preparation and enantiomer separation behavior of selectively methylated γ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455

Cyclodextrins

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Cyclohexane

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Cysteine

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

Deactivation

Deactivation of metal capillaries for gas chromatography 845(1999)33

Densitometry

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Denuders

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO_2 and NO_y) in remote atmospheres 846(1999)265

Derivatization, GC

Quantitation of N^{ϵ} -(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Example of a switching valve used for the protection of the capillary column 847(1999)47

Derivatization, LC

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Detajmium

Sensitive method for the determination of the antiarrhythmic drug detajmium in serum by solid-phase extraction and high-performance liquid chromatography with fluorimetric detection 846(1999)217

Dialkyl phthalates

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Diamine complexes

Effect of the chelate ring size of diamine–Co(III) complexes on their hR_f values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Dichloroacetyl lysine

Quantitation of N^{ϵ} -(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Diethylhexyl phthalate

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

Diesel fuel

Analysis of alkane, alkene, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Diethyltoluamide

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Diffusion

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Diffusion coefficients

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Diffusion denuders

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO_2 and NO_y) in remote atmospheres 846(1999)265

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Dimethylformamide

High-performance liquid chromatographic determination of *n*-methylformamide, a biological index for occupational exposure to dimethylformamide 847(1999)19

Dimethyl phthalate

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Dimethyl sulfoxide

Ion chromatography of impurities in organic solvents 847(1999)345

Distribution constants

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

DNA

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

Doxycycline

Microcolumn high-performance liquid chromatographic assay for doxycycline in isolated alveolar macrophages 846(1999)181

Drug protein binding

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

Drugs, steroidal

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

Efficiency

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Elastases

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Electrochromatography

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

Open tubular capillary electrochromatography in etched, chemically modified 20 μm I.D. capillaries 845(1999)237

Electroinjection analysis

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Electrokinetic chromatography

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Electrophoretically mediated microanalysis

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Electrospray ionization

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

High-performance liquid chromatography–mass spectrometry of an osteocalcin derivative 846(1999)49

Eledoisin

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Eluent precooling

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Enantiomer separation

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Enantiomeric resolution of derivatives of α -aminophosphonic and α -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

Preparation and enantiomer separation behavior of selectively methylated γ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455

High-performance liquid chromatographic separation of novel atropic α,α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Simultaneous stereoselective analysis by capillary electrophoresis of tramadol enantiomers and their main phase I metabolites in urine 846(1999)227

Trace analysis of haloperidol and its chiral metabolite in plasma by capillary electrophoresis 846(1999)239

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Use of 6-*O-tert.*-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbitic acid isomers 847(1999)103

Endomorphins

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

Environmental analysis

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_x) in remote atmospheres 846(1999)265

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a β -cyclodextrin capillary column 846(1999)287

Gas chromatographic determination of synthetic musk compounds in Norwegian air samples 846(1999)295

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Quantitation of chlorophenoxy acid herbicides by high-performance liquid chromatography with coulometric detection 846(1999)349

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Enzymes

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Estrogens

Studies on neurosteroids. IX. Characterization of estrogens in rat brains using gas chromatography–tandem mass spectrometry 847(1999)171

Ethers

Ion chromatography of impurities in organic solvents 847(1999)345

Ethyl acetate

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Ethyl decadienoate

Determination of the geometrical isomers of ethyl 2,4-decadienoate 847(1999)359

Ethylhexyl acrylate

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Extraction methods

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

Famotidine

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

Fatty acids

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113

Fats

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

Field-flow fractionation

Different elution modes and field programming in gravitational field-flow fractionation. I. A theoretical approach 845(1999)285

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Study of hydroxyapatite aggregation in the presence of potassium phosphate by centrifugal sedimentation field-flow fractionation 845(1999)293

Fisetin

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Flavan-3-ols

Various applications of liquid chromatography–mass spectrometry to the analysis of phenolic compounds 847(1999)75

Flow-gradient chromatography

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Food analysis

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

Example of a switching valve used for the protection of the capillary column 847(1999)47

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Various applications of liquid chromatography–mass spectrometry to the analysis of phenolic compounds 847(1999)75

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Determination of sorbic acid in urine by gas chromatography–mass spectrometry 847(1999)127

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Capillary electrophoresis with diode array detection as an alternative analytical method for paralytic and amnesic shellfish toxins 847(1999)223

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Formamides

Ion chromatography of impurities in organic solvents 847(1999)345

Foscarnet sodium

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Freons

Gas chromatographic analysis of freons and chlorinated solvents in aviation breathing oxygen 846(1999)283

Fructose

Double purification of radiolabelled D-fructose by high-performance liquid chromatography for tracing its metabolism 847(1999)53

Fruit juices

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Fruits

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Heat dissipation

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Heparin

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Hepatitis B surface antigen

Physico-chemical characterization of recombinant hepatitis B surface antigen by a multidimensional approach 845(1999)171

Heptakis (6-*O*-*tert*-butyldimethylsilyl)-2,3-di-*O*-methyl)- β -cyclodextrin stationary phases

Use of 6-*O*-*tert*-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Hippuric acid

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

Homocysteine

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

Human plasma

Simultaneous determination of prostaglandin E₁, prostaglandin E₀ and 15-keto-prostaglandin E₀ in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Humic substances

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Hydrocarbons

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Hydrophobic selectivity

Evaluation and modulation of selectivity in reversed-phase high-performance liquid chromatography 845(1999)113

Hydroxyapatite

Study of hydroxyapatite aggregation in the presence of potassium phosphate by centrifugal sedimentation field-flow fractionation 845(1999)293

Hydroxymethylfurfural

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Hydroxymethylmethylformamide

High-performance liquid chromatographic determination of *n*-methylformamide, a biological index for occupational exposure to dimethylformamide 847(1999)19

Hydroxyproline

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Immunoaffinity chromatography

Quantitation of *N*^ε-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Immunsorbents

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Injection methods

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

Analysis of volatile organic compounds in human urine by headspace gas chromatography–mass spectrometry with a multipurpose sampler 847(1999)117

Inorganic anions

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

Inorganic cations

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

FT-Raman spectrometry

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

Fuchsin

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Fullerenes

Chromatographic separation and evaluation of the lipophilicity by reversed-phase high-performance liquid chromatography of fullerene-C₆₀ derivatives 847(1999)339

Furosine

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

Galactosaminoglycans

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Galactose

Example of a switching valve used for the protection of the capillary column 847(1999)47

Gasoline

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Analysis of alkane, alkene, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Geometrical isomers

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Determination of the geometrical isomers of ethyl 2,4-decadienoate 847(1999)359

Ginsenosides

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Glucose

Double purification of radiolabelled D-fructose by high-performance liquid chromatography for tracing its metabolism 847(1999)53

Glutathione

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

Glycation

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

Glycosylation

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor–interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Gradient elution

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Separation of phenylthiohydantoin–amino acids by temperature-controlled reversed-phase high-performance liquid chromatography 846(1999)73

Grapes

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Graphitized carbon black

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Halogenated compounds

Quantitative determination of several simple perhalogenated compounds by high-performance liquid chromatography 846(1999)395

Haloperidol

Trace analysis of haloperidol and its chiral metabolite in plasma by capillary electrophoresis 846(1999)239

Headspace analysis

Chemosensory system for rapid automated quality control 845(1999)85

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Static headspace analysis of aliphatic amines in aqueous samples 846(1999)331

Analysis of volatile organic compounds in human urine by headspace gas chromatography–mass spectrometry with a multipurpose sampler 847(1999)117

Separation and determination of various elements by cation-exchange chromatography with sodium trimetaphosphate as the eluent 847(1999)245

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Inorganic ions

Ion chromatography of impurities in organic solvents 847(1999)345

Insect repellents

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Inverse gas chromatography

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Measurement of adsorption energies on heterogeneous surfaces by inverse gas chromatography 845(1999)103

Irradiation

Development of C_8 stationary phases immobilized by γ radiation on zirconized silica for high-performance liquid chromatographic applications 845(1999)423

Isotachopheresis

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Isoxicam

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Jasmonic acid

Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbitic acid isomers 847(1999)103

Jet fuel

Determination of organophosphate contaminants in jet fuel 847(1999)331

Ketones

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Ion chromatography of impurities in organic solvents 847(1999)345

Kinematic focusing

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Lactams

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

Lactones

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Large-volume injections

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

Ligand-exchange capillary electrophoresis

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Linear solvation energy relationships

Fractionation and characterization of a crude peptide mixture from the synthesis of eldoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Lipids

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Lipophilicity

Chromatographic separation and evaluation of the lipophilicity by reversed-phase high-performance liquid chromatography of fullerene- C_{60} derivatives 847(1999)339

Maltenes

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Mannose

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor–interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Marine sediments

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Mercapturic acids

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

Mathematical modelling

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Simulation of chromatographic processes applied to separation of proteins 846(1999)1

Matrix effects

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Metal capillary

Deactivation of metal capillaries for gas chromatography 845(1999)33

Metal cations

Sulphonated azoligand for metal ion determination in ion interaction chromatography 847(1999)233

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Metal complexes

Effect of the chelate ring size of diamine–Co(III) complexes on their hR_F values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Thin-layer chromatography of mixed tris- β -diketonato metal complexes on polyacrylonitrile sorbent 847(1999)303

Methionine

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

Micellar electrokinetic chromatography

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Micelles

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Milk

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

Example of a switching valve used for the protection of the capillary column 847(1999)47

Mobile phase composition

Evaluation and modulation of selectivity in reversed-phase high-performance liquid chromatography 845(1999)113

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

High-performance liquid chromatographic separation of novel atropic α,α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Separation and determination of various elements by cation-exchange chromatography with sodium trimetaphosphate as the eluent 847(1999)245

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Muconic acid

Determination of sorbic acid in urine by gas chromatography–mass spectrometry 847(1999)127

Multiresidue analysis

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Musk compounds

Gas chromatographic determination of synthetic musk compounds in Norwegian air samples 846(1999)295

Mycotoxins

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Mytilus edulis

New approach to the direct detection of known and new diarrhoeic shellfish toxins in mussels and phytoplankton by liquid chromatography–mass spectrometry 847(1999)213

Naphthalenes

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

Naphthalenesulfonic acids

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

 α -Naphthol

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

 β -Naphthol

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

 α -Naphthylglucuronide

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

 β -Naphthylglucuronide

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

 β -Naphthyl sulphate

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

Natural adsorbents

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Negative-ion chemical ionization

Simultaneous determination of prostaglandin E₁, prostaglandin E₀ and 15-keto-prostaglandin E₀ in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Neurosteroids

Studies on neurosteroids. IX. Characterization of estrogens in rat brains using gas chromatography–tandem mass spectrometry 847(1999)171

Nitrate

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_y) in remote atmospheres 846(1999)265

Nitriles

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Nitrobenzenes

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Nitro compounds

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Nitrogen

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

Nitrogen dioxide

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_y) in remote atmospheres 846(1999)265

Nitrophenols

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277

Nitrotoluenes

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Non-aqueous capillary electrophoresis

Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols 846(1999)401

Octadecyl acrylate-modified silica

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Oils

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Olefins

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

Oligostyrenes

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

On-column focusing

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

Optimization

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Organic acids

Simultaneous quantitation of acids and sugars by chromatography: gas or high-performance liquid chromatography? 845(1999)181

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Organochlorine compounds

Gas chromatographic analysis of freons and chlorinated solvents in aviation breathing oxygen 846(1999)283

Use of 6-*O*-*tert*-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Organophosphate compounds

Determination of organophosphate contaminants in jet fuel 847(1999)331

Organotin compounds

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Osteocalcin

High-performance liquid chromatography–mass spectrometry of an osteocalcin derivative 846(1999)49

Oxygen

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Partition coefficients

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Patulin

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Peak overlap

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Pentafluorobenzoyloxime acetate

Example of a switching valve used for the protection of the capillary column 847(1999)47

Pentosidine

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

Peptides

Super-high-speed liquid chromatography of proteins and peptides on non-porous Micra NPS-RP packings 846(1999)13

Fractionation and characterization of a crude peptide mixture from the synthesis of eldoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

High-performance liquid chromatography–mass spectrometry of an osteocalcin derivative 846(1999)49

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Perhydropolysilazane

Deactivation of metal capillaries for gas chromatography 845(1999)33

Peroxyacetyl nitrate

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_x) in remote atmospheres 846(1999)265

Pesticides

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Quantitation of chlorophenoxy acid herbicides by high-performance liquid chromatography with coulometric detection 846(1999)349

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Determination of bentazon residues in water by high-performance liquid chromatography. Validation of the method 846(1999)369

Use of 6-*O*-*tert*-butyldimethylsilylated β-cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Petrochemical analysis

Analysis of alkane, alkene, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Determination of organophosphate contaminants in jet fuel 847(1999)331

Petroleum

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Pharmaceutical analysis

Determination of system suitability limits with a robustness test 845(1999)145

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Interaction of some steroid drugs with β-cyclodextrin polymer 845(1999)447

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

Sensitive method for the determination of baclofen in plasma by means of solid-phase extraction and liquid chromatography–tandem mass spectrometry 846(1999)169

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Phenolic compounds

Various applications of liquid chromatography–mass spectrometry to the analysis of phenolic compounds 847(1999)75

Phenols

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277

Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols 846(1999)401

Phenoxy acids

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Phenyl-bonded silica

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

Phosphate

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Phosphinic acids

Enantiomeric resolution of derivatives of α-aminophosphonic and α-aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

Phosphite

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Phosphonic acids

Enantiomeric resolution of derivatives of α -aminophosphonic and α -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

Phosphorus

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

Photodegradation

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Phthalates

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry 847(1999)1

Pigments

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography-mass spectrometry of proteinaceous binders in paintings 846(1999)101

Piperacillin

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

Piroxicam

Piroxicam quantitation in human plasma by high-performance liquid chromatography with on- and off-line solid-phase extraction 846(1999)199

PIXY321

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor-interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Plant materials

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Plasma

Simultaneous determination of prostaglandin E_1 , prostaglandin E_0 and 15-keto-prostaglandin E_0 in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Plasticizers

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry 847(1999)1

Platinum-rhodium catalysts

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Polar selectivity

Evaluation and modulation of selectivity in reversed-phase high-performance liquid chromatography 845(1999)113

Polyacrylate

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate-solvent systems 845(1999)93

Polyacrylonitrile sorbents

Thin-layer chromatography of mixed tris- β -diketonato metal complexes on polyacrylonitrile sorbent 847(1999)303

Polychlorinated biphenyls

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Use of 6-*O*-*tert*-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup-cryo-trap-gas chromatography-mass spectrometry 846(1999)387

Polymers

Chemosensory system for rapid automated quality control 845(1999)85

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate-solvent systems 845(1999)93

Poly(methyloctylsiloxane) stationary phases

Chromatographic evaluation of radiation-immobilized poly(methyloctylsiloxane) on titanium-grafted silica 845(1999)417

Polynuclear aromatic hydrocarbons

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup-cryo-trap-gas chromatography-mass spectrometry 846(1999)387

Polysaccharides

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Determination of the molecular size distribution of *Haemophilus influenzae* type b-tetanus toxoid conjugate vaccines by size-exclusion chromatography 847(1999)209

Polystyrene resins

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Poly(vinyl chloride)

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry 847(1999)1

Potassium phosphate

Study of hydroxyapatite aggregation in the presence of potassium phosphate by centrifugal sedimentation field-flow fractionation 845(1999)293

Preparative chromatography

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Preparative electrophoresis

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor-interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Principal component analysis

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography-mass spectrometry of proteinaceous binders in paintings 846(1999)101

Flavour characterisation and classification of cheeses by gas chromatographic-mass spectrometric profiling 847(1999)203

Prostaglandins

Simultaneous determination of prostaglandin E_1 , prostaglandin E_0 and 15-keto-prostaglandin E_0 in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Proteins

Physico-chemical characterization of recombinant hepatitis B surface antigen by a multidimensional approach 845(1999)171

Open tubular capillary electrochromatography in etched, chemically modified 20 μm I.D. capillaries 845(1999)237

Simulation of chromatographic processes applied to separation of proteins 846(1999)1

Super-high-speed liquid chromatography of proteins and peptides on non-porous Micra NPS-RP packings 846(1999)13

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor-interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Quantitation of N^ϵ -(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography-mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Gas chromatography-negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

Determination of the molecular size distribution of *Haemophilus influenzae* type b-tetanus toxoid conjugate vaccines by size-exclusion chromatography 847(1999)209

Pseudomonas aeruginosa

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Pseudo-stationary phases

Solute-solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate-Brij 35 micellar systems for quantitative structure-activity relationship modelling 845(1999)217

Pyrolysis

Deactivation of metal capillaries for gas chromatography 845(1999)33

Quantitative structure-activity relationships

Solute-solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate-Brij 35 micellar systems for quantitative structure-activity relationship modelling 845(1999)217

Quantitative structure-retention relationships

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Raman microscopy

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

Ramoplanin

Determination of ramoplanin in human urine by high-performance liquid chromatography with automated column switching 846(1999)185

Ranitidine

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

Rare earth ions

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Regioisomer separation

Chromatographic separation and evaluation of the lipophilicity by reversed-phase high-performance liquid chromatography of fullerene-C₆₀ derivatives 847(1999)339

Retention factors

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Retention indices

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Retinoic acid

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

Retinoids

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

Reversed-flow gas chromatography

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Reviews

Simultaneous quantitation of acids and sugars by chromatography: gas or high-performance liquid chromatography? (Review) 845(1999)181

Rhodium–platinum catalysts

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Ridogrel

Determination of system suitability limits with a robustness test 845(1999)145

Robustness test

Determination of system suitability limits with a robustness test 845(1999)145

Ruggedness

Determination of system suitability limits with a robustness test 845(1999)145

Sample handling

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_x) in remote atmospheres 846(1999)265

Static headspace analysis of aliphatic amines in aqueous samples 846(1999)331

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Analysis of volatile organic compounds in human urine by headspace gas chromatography–mass spectrometry with a multipurpose sampler 847(1999)117

Sample stacking

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols 846(1999)401

Saponins

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst. 847(1999)109

Sediments

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Selectivity

Evaluation and modulation of selectivity in reversed-phase high-performance liquid chromatography 845(1999)113

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Sewage sludge

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Shellfish poisoning

New approach to the direct detection of known and new diarrhoeic shellfish toxins in mussels and phytoplankton by liquid chromatography–mass spectrometry 847(1999)213

Capillary electrophoresis with diode array detection as an alternative analytical method for paralytic and amnesic shellfish toxins 847(1999)223

Silica, bonded

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Silica, titanium-grafted

Chromatographic evaluation of radiation-immobilized poly(methyloctylsiloxane) on titanium-grafted silica 845(1999)417

Silica, zirconized

Development of C_8 stationary phases immobilized by γ radiation on zirconized silica for high-performance liquid chromatographic applications 845(1999)423

Skydrol

Determination of organophosphate contaminants in jet fuel 847(1999)331

Sodium dodecyl sulfate

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Sodium trimetaphosphate

Separation and determination of various elements by cation-exchange chromatography with sodium trimetaphosphate as the eluent 847(1999)245

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Soil

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Solid-phase extraction

Piroxicam quantitation in human plasma by high-performance liquid chromatography with on- and off-line solid-phase extraction 846(1999)199

Solid phase microextraction

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Solid-phase peptide synthesis

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Solute descriptors

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Solvation parameter model

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Sorbic acid

Determination of sorbic acid in urine by gas chromatography–mass spectrometry 847(1999)127

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Split flow-thin cell fractionation

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Stability studies

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Starch

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Stationary phases, GC

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Stationary phases, LC

Evaluation and modulation of selectivity in reversed-phase high-performance liquid chromatography 845(1999)113

High-performance liquid chromatographic separation of carbohydrates on stationary phases prepared from polystyrene-based resin and tertiary amines. Effect of chemical structure of anion-exchange sorbents 845(1999)401

Chromatographic evaluation of radiation-immobilized poly(methyloctylsiloxane) on titanium-grafted silica 845(1999)417

Development of C₈ stationary phases immobilized by γ radiation on zirconized silica for high-performance liquid chromatographic applications 845(1999)423

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Preparation and enantiomer separation behavior of selectively methylated γ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455

Super-high-speed liquid chromatography of proteins and peptides on non-porous Micra NPS-RP packings 846(1999)13

Steradienes

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

Steroids

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

Studies on neurosteroids. IX. Characterization of estrogens in rat brains using gas chromatography–tandem mass spectrometry 847(1999)171

Sterols

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

Sugar alcohols

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Sugars

Simultaneous quantitation of acids and sugars by chromatography: gas or high-performance liquid chromatography? 845(1999)181

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Sulfonic acids

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

Sulphur

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

Supercritical fluid extraction

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Surface enhancement

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

Surfactants

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

System suitability test

Determination of system suitability limits with a robustness test 845(1999)145

Tandem mass spectrometry

Simultaneous determination of prostaglandin E₁, prostaglandin E₀ and 15-keto-prostaglandin E₀ in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Temperature effects

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Tetrachloroethene

Quantitation of *N*^ε-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Tetracyclines

Microcolumn high-performance liquid chromatographic assay for doxycycline in isolated alveolar macrophages 846(1999)181

Theophylline

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

Thermodesorption

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

Thermodynamic parameters

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Thin-layer chromatography

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

Thiodiglycolic acid

Determination of thiodiglycolic acid in urine by capillary electrophoresis 847(1999)135

Thiols

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

Thorium

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Titan's atmosphere

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Toxaphene

Use of 6-*O*-*tert*-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Toxins

New approach to the direct detection of known and new diarrhoeic shellfish toxins in mussels and phytoplankton by liquid chromatography–mass spectrometry 847(1999)213

Capillary electrophoresis with diode array detection as an alternative analytical method for paralytic and amnesic shellfish toxins 847(1999)223

Tramadol

Simultaneous stereoselective analysis by capillary electrophoresis of tramadol enantiomers and their main phase I metabolites in urine 846(1999)227

Tribenzylamine

Determination of organophosphate contaminants in jet fuel 847(1999)331

Tributyltin

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Triethyl phosphate

Determination of organophosphate contaminants in jet fuel 847(1999)331

Triphenyltin

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Trisdiketonato metal complexes

Thin-layer chromatography of mixed tris- β -diketonato metal complexes on polyacrylonitrile sorbent 847(1999)303

Trouton's rule

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Trovafloxacin

Determination of trovafloxacin in human body fluids by high-performance liquid chromatography 846(1999)175

Uremic retention solutes

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

Vaccines

Determination of the molecular size distribution of *Haemophilus influenzae* type b–tetanus toxoid conjugate vaccines by size-exclusion chromatography 847(1999)209

Validation

Determination of system suitability limits with a robustness test 845(1999)145

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Determination of bentazon residues in water by high-performance liquid chromatography. Validation of the method 846(1999)369

Vinyl chloride

Determination of thiodiglycolic acid in urine by capillary electrophoresis 847(1999)135

Viscous heat dissipation

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Vitamins

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

Vitis vinifera

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Volatile organic compounds

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a β -cyclodextrin capillary column 846(1999)287

Analysis of volatile organic compounds in human urine by headspace gas chromatography–mass spectrometry with a multipurpose sampler 847(1999)117

Water analysis

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Quantitation of chlorophenoxy acid herbicides by high-performance liquid chromatography with coulometric detection 846(1999)349

Determination of bentazon residues in water by high-performance liquid chromatography. Validation of the method 846(1999)369

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Sulphonated azoligand for metal ion determination in ion interaction chromatography 847(1999)233

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Whey

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Wine

Various applications of liquid chromatography–mass spectrometry to the analysis of phenolic compounds 847(1999)75

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

XAD resins

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Xylenes

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a β -cyclodextrin capillary column 846(1999)287