



ELSEVIER

Journal of Chromatography A, 848 (1999) 553–556

JOURNAL OF
CHROMATOGRAPHY A

Author Index Vol. 848

- Allahverdiev, A.I., Irandoust, S. and Andersson, M.
Chromatographic separation of α -pinene isomerization products 848(1999)297
- Andersson, H.S., Karlsson, J.G., Piletsky, S.A., Koch-Schmidt, A.-C., Mosbach, K. and Nicholls, I.A.
Study of the nature of recognition in molecularly imprinted polymers, II [1] Influence of monomer-template ratio and sample load on retention and selectivity 848(1999)39
- Andersson, M., see Allahverdiev, A.I. 848(1999)297
- Aoe, K., see Yaku, K. 848(1999)337
- Armisén, P., Mateo, C., Cortés, E., Barredo, J.L., Salto, F., Diez, B., Rodés, L., García, J.L., Fernández-Lafuente, R. and Guisán, J.M.
Selective adsorption of poly-His tagged glutaryl acylase on tailor-made metal chelate supports 848(1999)61
- Barredo, J.L., see Armisén, P. 848(1999)61
- Barut, M., see Podgornik, A. 848(1999)51
- Battaglia, C., see Mangano, M.F. 848(1999)435
- Baumes, R.L., see Kotseridis, Y. 848(1999)317
- Bernardi, L.R., see Mangano, M.F. 848(1999)435
- Bertrand, A., see Kotseridis, Y. 848(1999)317
- Bonn, G.K., see Seeber, G. 848(1999)193
- Brunner, P., see Seeber, G. 848(1999)193
- Buchmeiser, M.R., see Seeber, G. 848(1999)193
- Campa, C., see Cataldi, T.R.I. 848(1999)71
- Careri, M., Mori, G., Musci, M. and Viaroli, P.
Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327
- Carr, P.W., see Wang, A. 848(1999)21
- Carter-Finch, A.S. and Smith, N.W.
Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375
- Casella, I.G., see Cataldi, T.R.I. 848(1999)71
- Castello, G., see Vezzani, S. 848(1999)229
- Castells, R.C., Romero, L.M. and Nardillo, A.M.
Alkanol gas-liquid partition coefficients in squalane measured with packed columns. A revision of measurement methods 848(1999)203
- Cataldi, T.R.I., Campa, C. and Casella, I.G.
Study of sugar acids separation by high-performance anion-exchange chromatography-pulsed amperometric detection using alkaline eluents spiked with Ba^{2+} , Sr^{2+} , or Ca^{2+} as acetate or nitrate salts 848(1999)71
- Cerne, K., see Correa, R.A. 848(1999)83
- Chang, Y.-S., see Ku, Y.-R. 848(1999)537
- Chen, W.-H. and Liu, C.-Y.
Macrocyclic polyamine as a selective modifier in a bonded-phase capillary column for the electrophoretic separation of aromatic acids 848(1999)401
- Cheng, J.-K., see Liu, B.-F. 848(1999)473
- Cheong, W.J., see Lee, C.S. 848(1999)9
- Choi, S.J., see Lee, H.S. 848(1999)179
- Chrambach, A., see Radko, S.P. 848(1999)443
- Cobo, M. and Silva, M.
Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105
- Correa, R.A., Ferraz, V., Medvedovici, A., Sandra, P., Cerne, K. and David, F.
Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag^+ -containing mobile phase 848(1999)83
- Cortés, E., see Armisén, P. 848(1999)61
- Culbertson, J.A., see Engen, M.A. 848(1999)261
- Dahlén, J. and Karlsson, S.
Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491
- David, F., see Correa, R.A. 848(1999)83
- De Bellis, G., see Mangano, M.F. 848(1999)435
- Diez, B., see Armisén, P. 848(1999)61
- Do, K.S., see Lee, H.S. 848(1999)179
- Dworschak, A. and Pyell, U.
Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387
- Edwards, C., see Lawton, L.A. 848(1999)515
- Engen, M.A., Culbertson, J.A. and Grimsrud, E.P.
Analysis of brominated compounds in background air by gas chromatography-high-resolution mass spectrometry 848(1999)261
- Farková, M., Peña-Méndez, E.M. and Havel, J.
Use of artificial neural networks in capillary zone electrophoresis 848(1999)365
- Fernández-Lafuente, R., see Armisén, P. 848(1999)61

- Ferraz, V., see Correa, R.A. 848(1999)83
- Gadgil, H. and Jarrett, H.W.
Heparin elution of transcription factors from DNA-Sephadex columns 848(1999)131
- Gallego, M., see González, M. 848(1999)529
- García, J.L., see Armisén, P. 848(1999)61
- Gautrois, M. and Koppmann, R.
Diffusion technique for the production of gas standards for atmospheric measurements 848(1999)239
- Gole, A.M., Sathivel, C., Lachke, A. and Sastry, M.
Size separation of colloidal nanoparticles using a miniscale isoelectric focusing technique 848(1999)485
- González, M., Gallego, M. and Valcárce, M.
Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods 848(1999)529
- Grasserbauer, M., see Haberhauer-Troyer, C. 848(1999)305
- Grimsrud, E.P., see Engen, M.A. 848(1999)261
- Guisán, J.M., see Armisén, P. 848(1999)61
- Haberhauer-Troyer, C., Rosenberg, E. and Grasserbauer, M.
Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection 848(1999)305
- Havel, J., see Farková, M. 848(1999)365
- Havenga, W.J. and Rohwer, E.R.
Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279
- Heinig, K., see Hissner, F. 848(1999)503
- Héron, S. and Tchapla, A.
Comparison of the responses of triacylglycerols with an evaporative visible light scattering detector used in conventional, micro and capillary liquid chromatography^{*} 848(1999)95
- Hisamatu, Y., see Tahara, S.-i. 848(1999)465
- Hissner, F., Mattusch, J. and Heinig, K.
Quantitative determination of sulfur-containing anions in complex matrices with capillary electrophoresis and conductivity detection 848(1999)503
- Ho, L.-K., see Ku, Y.-R. 848(1999)537
- Horie, H., see Nakakuki, H. 848(1999)523
- Irandoost, S., see Allahverdiev, A.I. 848(1999)297
- Isobe, K., see Itoh, S. 848(1999)169
- Issaq, H.J., see Janini, G.M. 848(1999)417
- Itoh, S., Isobe, K. and Onishi, S.
Accurate and sensitive high-performance liquid chromatographic method for geometrical and structural photoisomers of bilirubin IXα using the relative molar absorptivity values 848(1999)169
- Jančar, J., see Podgorník, A. 848(1999)51
- Janini, G.M., Metral, C.J., Issaq, H.J. and Muschik, G.M.
Peptide mobility and peptide mapping in capillary zone electrophoresis. Experimental determination and theoretical simulation 848(1999)417
- Jarrett, H.W., see Gadgil, H. 848(1999)131
- Jeong, C.K., see Lee, H.S. 848(1999)179
- Kählig, H., see Mayer, B.X. 848(1999)251
- Kakehi, K., see Tahara, S.-i. 848(1999)465
- Karlsson, J.G., see Andersson, H.S. 848(1999)39
- Karlsson, S., see Dahlén, J. 848(1999)491
- Kim, K., see Lee, H.S. 848(1999)179
- Kim, Y.H., see Lee, H.S. 848(1999)179
- Kitada, Y., see Tahara, S.-i. 848(1999)465
- Koch-Schmidt, A.-C., see Andersson, H.S. 848(1999)39
- Kohata, K., see Nakakuki, H. 848(1999)523
- Kohlenberg, F.-J., see Lechtenberg, M. 848(1999)457
- Koppmann, R., see Gautrois, M. 848(1999)239
- Kotseridis, Y., Baumes, R.L., Bertrand, A. and Skouroumounis, G.K.
Quantitative determination of β-ionone in red wines and grapes of Bordeaux using a stable isotope dilution assay 848(1999)317
- Ku, Y.-R., Chang, Y.-S., Wen, K.-C. and Ho, L.-K.
Analysis and confirmation of synthetic anorexics in adulterated traditional Chinese medicines by high-performance capillary electrophoresis 848(1999)537
- Kubáň, P., see Kubáň, P. 848(1999)545
- Kubáň, P., Kubáň, P. and Kubáň, V.
Capillary electrophoretic determination of inorganic anions in the drainage and surface water samples 848(1999)545
- Kubáň, V., see Kubáň, P. 848(1999)545
- Kunori, S.-i., see Sasagawa, N. 848(1999)161
- Lachke, A., see Gole, A.M. 848(1999)485
- Lao, W., see You, J. 848(1999)117
- Lawton, L.A., McElhiney, J. and Edwards, C.
Purification of closely eluting hydrophobic microcystins (peptide cyanotoxins) by normal-phase and reversed-phase flash chromatography 848(1999)515
- Lechtenberg, M., Quandt, B., Kohlenberg, F.-J. and Nahrstedt, A.
Qualitative and quantitative micellar electrokinetic chromatography of kavalactones from dry extracts of *Piper methysticum* Forst. and commercial drugs^{*} 848(1999)457
- Lee, C.S. and Cheong, W.J.
Thermodynamic properties for the solute transfer from the mobile to the stationary phase in reversed phase liquid chromatography obtained by squalane-impregnated C₁₈ bonded phase 848(1999)9
- Lee, H.M., see Lee, H.S. 848(1999)179
- Lee, H.S., Jeong, C.K., Lee, H.M., Choi, S.J., Do, K.S., Kim, K. and Kim, Y.H.
On-line trace enrichment for the simultaneous determination of microcystins in aqueous samples using high-performance liquid chromatography with diode-array detection 848(1999)179
- Leinweber, F.C. and Otto, M.
Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347
- Liu, B.-F., Liu, L.-B. and Cheng, J.-K.
Analysis of metal complexes in the presence of mixed ion pairing additives in capillary electrophoresis 848(1999)473
- Liu, C.-Y., see Chen, W.-H. 848(1999)401
- Liu, L.-B., see Liu, B.-F. 848(1999)473
- Luo, G., see Wang, Q. 848(1999)139
- Mangano, M.F., Battaglia, C., Salani, G., Bernardi, L.R. and De Bellis, G.

- Composition dependent separation of oligonucleotides by capillary electrophoresis in acidic buffers with application to the quality control of synthetic oligonucleotides 848(1999)435
- Marasas, W.F.O., see Sewram, V. 848(1999)185
- Mateo, C., see Armisen, P. 848(1999)61
- Mattusch, J., see Hissner, F. 848(1999)503
- Mayer, B.X., Zöllner, P. and Kählig, H.
Characterization of stationary phases for gas chromatography by ^{29}Si NMR spectroscopy 848(1999)251
- McElhinney, J., see Lawton, L.A. 848(1999)515
- Medvedovici, A., see Correa, R.A. 848(1999)83
- Metral, C.J., see Janini, G.M. 848(1999)417
- Meyer, V.R., see Palamarev, C.E. 848(1999)1
- Moldovan, D., see Tudor, E. 848(1999)215
- Moretti, P., see Vezzani, S. 848(1999)229
- Mori, G., see Careri, M. 848(1999)327
- Morishita, F., see Yaku, K. 848(1999)337
- Mosbach, K., see Andersson, H.S. 848(1999)39
- Muschik, G.M., see Janini, G.M. 848(1999)417
- Musci, M., see Careri, M. 848(1999)327
- Nahrstedt, A., see Lechtenberg, M. 848(1999)457
- Nakakuki, H., Horie, H., Yamauchi, Y. and Kohata, K.
Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpolypyrrolidone pre-column 848(1999)523
- Nakazawa, H., see Tahara, S.-i. 848(1999)465
- Nardillo, A.M., see Castells, R.C. 848(1999)203
- Nicholls, I.A., see Andersson, H.S. 848(1999)39
- Nieuwoudt, T.W., see Sewram, V. 848(1999)185
- Nishimura, N., see Yaku, K. 848(1999)337
- Okayama, A., see Tahara, S.-i. 848(1999)465
- Onishi, S., see Itoh, S. 848(1999)169
- Otto, M., see Leinweber, F.C. 848(1999)347
- Ou, J., see Wang, Q. 848(1999)139
- Ou, Q., see You, J. 848(1999)117
- Palamarev, C.E., Meyer, V.R. and Palamareva, M.D.
New approach to the computer-assisted selection of mobile phases for high-performance liquid chromatography on the basis of the Snyder theory* 848(1999)1
- Palamareva, M.D., see Palamarev, C.E. 848(1999)1
- Peña-Méndez, E.M., see Farková, M. 848(1999)365
- Pierani, D., see Vezzani, S. 848(1999)229
- Piletsky, S.A., see Andersson, H.S. 848(1999)39
- Podgornik, A., Barut, M., Jančar, J. and Štrancar, A.
Isocratic separations on thin glycidyl methacrylate–ethylenedimethacrylate monoliths 848(1999)51
- Pyell, U., see Dworschak, A. 848(1999)387
- Quandt, B., see Lechtenberg, M. 848(1999)457
- Radko, S.P. and Chrambach, A.
Capillary zone electrophoresis of rigid submicron-sized particles in polyacrylamide solution. Selectivity, peak spreading and resolution 848(1999)443
- Ritieni, A., see Sewram, V. 848(1999)185
- Rodés, L., see Armisen, P. 848(1999)61
- Rohwer, E.R., see Havenga, W.J. 848(1999)279
- Romero, L.M., see Castells, R.C. 848(1999)203
- Rosenberg, E., see Haberhauer-Troyer, C. 848(1999)305
- Saito, K., see Sasagawa, N. 848(1999)161
- Salani, G., see Mangano, M.F. 848(1999)435
- Salto, F., see Armisen, P. 848(1999)61
- Sandra, P., see Correa, R.A. 848(1999)83
- Sasagawa, N., Saito, K., Sugita, K., Kunori, S.-i. and Sugo, T.
Ionic crosslinking of SO_3H -group-containing graft chains helps to capture lysozyme in a permeation mode 848(1999)161
- Sastray, M., see Gole, A.M. 848(1999)485
- Sathivel, C., see Gole, A.M. 848(1999)485
- Schmid, R.D., see Schwaneberg, U. 848(1999)149
- Schmidt-Dannert, C., see Schwaneberg, U. 848(1999)149
- Schwaneberg, U., Sprauer, A., Schmidt-Dannert, C. and Schmid, R.D.
P450 monooxygenase in biotechnology. I. Single-step, large-scale purification method for cytochrome P450 BM-3 by anion-exchange chromatography 848(1999)149
- Seeger, G., Brunner, P., Buchmeiser, M.R. and Bonn, G.K.
Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193
- Sewram, V., Nieuwoudt, T.W., Marasas, W.F.O., Shephard, G.S. and Ritieni, A.
Determination of the mycotoxin moniliformin in cultures of *Fusarium subglutinans* and in naturally contaminated maize by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 848(1999)185
- Shephard, G.S., see Sewram, V. 848(1999)185
- Silva, M., see Cobo, M. 848(1999)105
- Skouroumounis, G.K., see Kotseridis, Y. 848(1999)317
- Smith, N.W., see Carter-Finch, A.S. 848(1999)375
- Sprauer, A., see Schwaneberg, U. 848(1999)149
- Štrancar, A., see Podgornik, A. 848(1999)51
- Sugita, K., see Sasagawa, N. 848(1999)161
- Sugo, T., see Sasagawa, N. 848(1999)161
- Sun, X., see You, J. 848(1999)117
- Tahara, S.-i., Okayama, A., Kitada, Y., Watanabe, T., Nakazawa, H., Kakehi, K. and Hisamatu, Y.
Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465
- Tan, L.C., see Wang, A. 848(1999)21
- Tchapla, A., see Héron, S. 848(1999)95
- Tudor, E. and Moldovan, D.
Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. II. The hyperbolic equation 848(1999)215
- Valcárcel, M., see González, M. 848(1999)529
- Vezzani, S., Pierani, D., Moretti, P. and Castello, G.
Automatic prediction of retention times in programmed-pressure isothermal gas chromatography 848(1999)229
- Viaroli, P., see Careri, M. 848(1999)327
- Wang, A., Tan, L.C. and Carr, P.W.
Global linear solvation energy relationships for retention prediction in reversed-phase liquid chromatography 848(1999)21

- Wang, Q., Luo, G., Ou, J. and Yeung, W.S.B.
Noncompetitive immunoassays using protein G affinity
capillary chromatography and capillary electrophoresis with
laser-induced fluorescence detection 848(1999)139
- Watanabe, T., see Tahara, S.-i. 848(1999)465
- Wen, K.-C., see Ku, Y.-R. 848(1999)537
- Yaku, K., Aoe, K., Nishimura, N. and Morishita, F.
Thermodynamic study and separation mechanism of
diltiazem optical isomers in packed-column supercritical
fluid chromatography 848(1999)337
- Yamauchi, Y., see Nakakuki, H. 848(1999)523
- Yeung, W.S.B., see Wang, Q. 848(1999)139
- You, J., Lao, W., Ou, Q. and Sun, X.
Fluorescence properties of carbazole-*N*-(2-methyl)acetyl
chloride and determination of amino compounds via high-
performance liquid chromatography with pre-column
fluorescence derivatization 848(1999)117
- Zöllner, P., see Mayer, B.X. 848(1999)251