



ELSEVIER

Journal of Chromatography A, 849 (1999) 641–644

JOURNAL OF
CHROMATOGRAPHY A

Author Index Vol. 849

- Abe, Y., see Nishizawa, H. 849(1999)61
- Alden, B.A., see Neue, U.D. 849(1999)87
- Alden, B.A., see Neue, U.D. 849(1999)101
- Anazawa, T.A., see Jardim, I.C.S.F. 849(1999)299
- Andlauer, W., Martena, M.J. and Fürst, P.
Determination of selected phytochemicals by reversed-phase high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 849(1999)341
- Apffel, A., see Fleming, C.M. 849(1999)71
- Barwick, V.J.
Sources of uncertainty in gas chromatography and high-performance liquid chromatography 849(1999)13
- Baumes, R.L., see Kotseridis, Y. 849(1999)245
- Bermejo, J., Fernández, A.L., Prada, V., Granda, M. and Menéndez, R.
Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507
- Bienert, M., see Krause, E. 849(1999)125
- Blank, G.S., see Fahrner, R.L. 849(1999)191
- Blomberg, J., de Groot, P.C., Brandt, H.C.A., van der Does, J.J.B. and Schoenmakers, P.J.
Development of an on-line coupling of liquid–liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483
- Bouvette, P., see Luong, J.H.T. 849(1999)255
- Brandt, H.C.A., see Blomberg, J. 849(1999)483
- Brede, C., Pedersen-Bjergaard, S., Lundanes, E. and Greibrokk, T.
Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553
- Brinkman, U.A.Th., see Hooijsschuur, E.W.J. 849(1999)433
- Burns, S.E., see Lang, M.J. 849(1999)381
- Busto, O., see Mestres, M. 849(1999)293
- Cabanis, J.C., see Carando, S. 849(1999)617
- Cabral, J.M.S., see Diogo, M.M. 849(1999)413
- Cao, J., see Cross, R.F. 849(1999)575
- Cao, Q.-e., see Zhao, Y. 849(1999)277
- Carando, S., Teissedre, P.L., Waffo-Téguo, P., Cabanis, J.C., Deffieux, G. and Mérial, J.M.
High-performance liquid chromatography coupled with fluorescence detection for the determination of *trans*-astrigentin in wine 849(1999)617
- Cárdenas, S., see Columé, A. 849(1999)235
- Che, F.-Y., Song, J.-F., Shao, X.-X., Wang, K.-Y. and Xia, Q.-C.
Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599
- Chelicante, R.L., see Stuff, J.R. 849(1999)529
- Chen, K.-C., see Chen, S.-H. 849(1999)357
- Chen, S.-H., Chen, K.-C. and Lien, H.-M.
Determination of fatty acids in vegetable oil by reversed-phase liquid chromatography with fluorescence detection 849(1999)357
- Cheng, C.F. and Tsang, C.W.
Separation of *N*-nitrosoamino acids by C_{18} reversed-phase ion-pair high-performance liquid chromatography and compatible detection by electrospray ionization mass spectrometry 849(1999)389
- Cicciarelli, R., see Mardones, C. 849(1999)609
- Collins, K.E., see Jardim, I.C.S.F. 849(1999)299
- Columé, A., Cárdenas, S., Gallego, M. and Valcárcel, M.
Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235
- Cramer, S.M., see Sane, S.U. 849(1999)149
- Cross, R.F. and Cao, J.
Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575
- Dapremont, O., see Miller, L. 849(1999)309
- Dathe, M., see Krause, E. 849(1999)125
- De Carmejane, O., Schwinefus, J.J., Wang, S.-C. and Morris, M.D.
Electrophoretic separation of linear and supercoiled DNA in uncoated capillaries 849(1999)267
- Deffieux, G., see Carando, S. 849(1999)617
- De Groot, P.C., see Blomberg, J. 849(1999)483
- Ding, M., Yang, H. and Xiao, S.
Rapid, direct determination of polyphenols in tea by reversed-phase column liquid chromatography 849(1999)637
- Diogo, M.M., Silva, S., Cabral, J.M.S. and Queiroz, J.A.
Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

- Dreux, M., see Mercier, J.-P. 849(1999)197
- Durst, H.D., see Stuff, J.R. 849(1999)529
- Eddy, C.L., see Maeno, S. 849(1999)217
- Etchebarria, N., see Zuloaga, O. 849(1999)225
- Fahrner, R.L. and Blank, G.S.
Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191
- Farkas, T., Zhong, G. and Guiuchon, G.
Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35
- Fernández, A.L., see Bermejo, J. 849(1999)507
- Fernandez, E.J., see McNay, J.L. 849(1999)135
- Fernández, L.A., see Zuloaga, O. 849(1999)225
- Fleming, C.M., Kowalski, B.R., Apfel, A. and Hancock, W.S.
Windowed mass selection method: a new data processing algorithm for liquid chromatography–mass spectrometry data 849(1999)71
- Fronek, R., see Miller, L. 849(1999)309
- Fürst, P., see Andlauer, W. 849(1999)341
- Gadgil, H., see Robinson, F.D. 849(1999)403
- Gallego, M., see Columé, A. 849(1999)235
- Gee, A.J., Groen, L.A. and Johnson, M.E.
Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541
- Goutx, M., see Striby, L. 849(1999)371
- Granda, M., see Bermejo, J. 849(1999)507
- Greibrokk, T., see Brede, C. 849(1999)553
- Groen, L.A., see Gee, A.J. 849(1999)541
- Guasch, J., see Mestres, M. 849(1999)293
- Guillaume, Y.C., see Peyrin, E. 849(1999)563
- Guiuchon, G., see Farkas, T. 849(1999)35
- Guiuchon, G., see Miyabe, K. 849(1999)445
- Guiuchon, G., see Quiñones, I. 849(1999)45
- Guo, W., Koropchak, J.A. and Yan, C.
Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587
- Haginaka, J., Takehira, H., Hosoya, K. and Tanaka, N.
Uniform-sized molecularly imprinted polymer for (*S*)-naproxen selectively modified with hydrophilic external layer 849(1999)331
- Hancock, W.S., see Fleming, C.M. 849(1999)71
- Hassett, A.J. and Rohwer, E.R.
Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521
- Heinzen, V.E.F., Soares, M.F. and Yunes, R.A.
Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495
- Honda, D., see Miller, L. 849(1999)309
- Hooijsscher, E.W.J., Kientz, C.E. and Brinkman, U.A.Th.
Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433
- Hosoya, K., see Haginaka, J. 849(1999)331
- Hu, Z., see Zhao, Y. 849(1999)277
- Huber, C.G. and Premstaller, A.
Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161
Huber, C.G., Premstaller, A. and Kleindienst, G.
Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175
- Ikonomou, M.G., see Shang, D.Y. 849(1999)467
- Iraneta, P., see Neue, U.D. 849(1999)87
- Jardim, I.C.S.F., Collins, K.E. and Anazawa, T.A.
Radiation immobilization of poly(methoxyethylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299
- Jarrett, H.W., see Robinson, F.D. 849(1999)403
- Johnson, M.E., see Gee, A.J. 849(1999)541
- Joshi, V.P., Kulkarni, M.G. and Mashelkar, R.A.
Molecularly imprinted adsorbents for positional isomer separation 849(1999)319
- Kannan, K., see Olivero, J. 849(1999)621
- Kientz, C.E., see Hooijsscher, E.W.J. 849(1999)433
- Kleindienst, G., see Huber, C.G. 849(1999)175
- Koropchak, J.A., see Guo, W. 849(1999)587
- Kotseridis, Y., Baumes, R.L. and Skouroumounis, G.K.
Quantitative determination of free and hydrolytically liberated β-damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245
- Kowalski, B.R., see Fleming, C.M. 849(1999)71
- Krause, E., Dathe, M., Wieprecht, T. and Bienert, M.
Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125
- Kulkarni, M.G., see Joshi, V.P. 849(1999)319
- Kwan, Y.-W., see Li, N. 849(1999)349
- Lafont, R., see Striby, L. 849(1999)371
- Lang, M.J. and Burns, S.E.
Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381
- Lankmayr, E.P., see Strassnig, S. 849(1999)629
- Le Crouëz, G., see Renault, J.-H. 849(1999)421
- Le Men-Olivier, L., see Renault, J.-H. 849(1999)421
- Li, N., Lin, G., Kwan, Y.-W. and Min, Z.-D.
Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349
- Lien, H.-M., see Chen, S.-H. 849(1999)357
- Lin, G., see Li, N. 849(1999)349
- Lundanes, E., see Brede, C. 849(1999)553
- Luong, J.H.T., Rigby, T., Male, K.B. and Bouvrette, P.
Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255
- Macdonald, R.W., see Shang, D.Y. 849(1999)467
- Madariaga, J.M., see Zuloaga, O. 849(1999)225

- Maeno, S., Eddy, C.L. and Rodriguez, P.A.
Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217
- Male, K.B., see Luong, J.H.T. 849(1999)255
- Mardones, C., Ríos, A., Valcárcel, M. and Cicciarelli, R.
Enantiomeric separation of D- and L-carnitine by integrating on-line derivatization with capillary zone electrophoresis 849(1999)609
- Martena, M.J., see Andlauer, W. 849(1999)341
- Martí, M.P., see Mestres, M. 849(1999)293
- Mashelkar, R.A., see Joshi, V.P. 849(1999)319
- McNay, J.L. and Fernandez, E.J.
How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135
- Menéndez, R., see Bermejo, J. 849(1999)507
- Mercier, J.-P., Morin, Ph., Dreux, M. and Tambuté, A.
Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197
- Mérimont, J.M., see Carando, S. 849(1999)617
- Mestres, M., Martí, M.P., Bustó, O. and Guasch, J.
Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction-gas chromatography 849(1999)293
- Miller, L., Orihuela, C., Fronek, R., Honda, D. and Dapremont, O.
Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309
- Min, Z.-D., see Li, N. 849(1999)349
- Miyabe, K. and Guiochon, G.
Kinetic study of the mass transfer of S-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445
- Miyamori, S., see Nishizawa, H. 849(1999)61
- Morin, Ph., see Mercier, J.-P. 849(1999)197
- Morris, M.D., see de Carmejane, O. 849(1999)267
- Motegi, Y., see Nishizawa, H. 849(1999)61
- Mu, H., Wesén, C., Odenbrand, I. and Wahlund, K.-G.
Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285
- Neue, U.D., Alden, B.A. and Walter, T.H.
Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. II. Classification of reversed-phase packings 849(1999)101
- Neue, U.D., Serowik, E., Iraneta, P., Alden, B.A. and Walter, T.H.
Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. I. Assessment of the reproducibility of reversed-phase packings 849(1999)87
- Nishizawa, H., Tahara, K., Miyamori, S., Motegi, Y., Shoji, T. and Abe, Y.
True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61
- Nowack, B. and von Gunten, U.
Determination of chlorate at low µg/l levels by ion-chromatography with postcolumn reaction 849(1999)209
- Nuzillard, J.-M., see Renault, J.-H. 849(1999)421
- Odenbrand, I., see Mu, H. 849(1999)285
- Olivero, J. and Kannan, K.
Quantitative structure-retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621
- Orihuela, C., see Miller, L. 849(1999)309
- Palma, M. and Taylor, L.T.
Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117
- Pedersen-Bjergaard, S., see Brede, C. 849(1999)553
- Peyrin, E. and Guillaume, Y.C.
Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563
- Prada, V., see Bermejo, J. 849(1999)507
- Premstaller, A., see Huber, C.G. 849(1999)161
- Premstaller, A., see Huber, C.G. 849(1999)175
- Przybycien, T.M., see Sane, S.U. 849(1999)149
- Queiroz, J.A., see Diogo, M.M. 849(1999)413
- Quiñones, I., Stanley, B. and Guiochon, G.
Estimation of the adsorption energy distributions for the Jovanovic-Freundlich isotherm model with Jovanovic local behavior 849(1999)45
- Renault, J.-H., Nuzillard, J.-M., Le Crouérou, G., Thépenier, P., Zèches-Hanrot, M. and Le Men-Olivier, L.
Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421
- Rigby, T., see Luong, J.H.T. 849(1999)255
- Ríos, A., see Mardones, C. 849(1999)609
- Robinson, F.D., Gadgil, H. and Jarrett, H.W.
Comparative studies on chemically and enzymatically coupled DNA-Sepharose columns for purification of a lac repressor chimeric fusion protein 849(1999)403
- Rodriguez, P.A., see Maeno, S. 849(1999)217
- Rohwer, E.R., see Hassett, A.J. 849(1999)521
- Ruth, J.L., see Stuff, J.R. 849(1999)529
- Sane, S.U., Cramer, S.M. and Przybycien, T.M.
Protein structure perturbations on chromatographic surfaces 849(1999)149
- Schmidt Jr, D.E., see Wheatley, J.B. 849(1999)1
- Schoenmakers, P.J., see Blomberg, J. 849(1999)483
- Schwinefus, J.J., see de Carmejane, O. 849(1999)267
- Serowik, E., see Neue, U.D. 849(1999)87
- Shang, D.Y., Ikonomou, M.G. and Macdonald, R.W.
Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography-electrospray mass spectrometry 849(1999)467
- Shao, X.-X., see Che, F.-Y. 849(1999)599
- Shoji, T., see Nishizawa, H. 849(1999)61
- Silva, S., see Diogo, M.M. 849(1999)413
- Skouroumounis, G.K., see Kotseridis, Y. 849(1999)245
- Soares, M.F., see Heinzen, V.E.F. 849(1999)495
- Song, J.-F., see Che, F.-Y. 849(1999)599
- Stanley, B., see Quiñones, I. 849(1999)45
- Strassnig, S. and Lankmayr, E.P.
Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

- Striby, L., Lafont, R. and Goutx, M.
Improvement in the Iatroscan thin-layer chromatographic-flame ionisation detection analysis of marine lipids.
- Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples
849(1999)371
- Stuff, J.R., Cheicante, R.L., Durst, H.D. and Ruth, J.L.
Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air
849(1999)529
- Tahara, K., see Nishizawa, H. 849(1999)61
- Takehira, H., see Haginaka, J. 849(1999)331
- Tambuté, A., see Mercier, J.-P. 849(1999)197
- Tanaka, N., see Haginaka, J. 849(1999)331
- Taylor, L.T., see Palma, M. 849(1999)117
- Teissedre, P.L., see Carando, S. 849(1999)617
- Thépenier, P., see Renault, J.-H. 849(1999)421
- Tsang, C.W., see Cheng, C.F. 849(1999)389
- Valcárcel, M., see Columé, A. 849(1999)235
- Valcárcel, M., see Mardones, C. 849(1999)609
- Van der Does, J.J.B., see Blomberg, J. 849(1999)483
- Von Gunten, U., see Nowack, B. 849(1999)209
- Waffo-Tégou, P., see Carando, S. 849(1999)617
- Wahlund, K.-G., see Mu, H. 849(1999)285
- Walter, T.H., see Neue, U.D. 849(1999)87
- Walter, T.H., see Neue, U.D. 849(1999)101
- Wang, K.-Y., see Che, F.-Y. 849(1999)599
- Wang, S.-C., see de Carmejane, O. 849(1999)267
- Wesén, C., see Mu, H. 849(1999)285
- Wheatley, J.B. and Schmidt Jr, D.E.
Salt-induced immobilization of affinity ligands onto epoxide-activated supports
849(1999)1
- Wieprecht, T., see Krause, E. 849(1999)125
- Xia, Q.-C., see Che, F.-Y. 849(1999)599
- Xiang, Y., see Zhao, Y. 849(1999)277
- Xiao, S., see Ding, M. 849(1999)637
- Yan, C., see Guo, W. 849(1999)587
- Yang, H., see Ding, M. 849(1999)637
- Yunes, R.A., see Heinzen, V.E.F. 849(1999)495
- Zèches-Hanrot, M., see Renault, J.-H. 849(1999)421
- Zhao, Y., Cao, Q.-e., Xiang, Y. and Hu, Z.
Identification and determination of active components in *Gastrodia elata Bl.* by capillary electrophoresis
849(1999)277
- Zhong, G., see Farkas, T. 849(1999)35
- Zuloaga, O., Etxebarria, N., Fernández, L.A. and Madariaga, J.M.
MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples
849(1999)225