



ELSEVIER

Journal of Chromatography A, 849 (1999) 645–655

JOURNAL OF  
CHROMATOGRAPHY A

## Subject Index Vol. 849

### Adsorbents

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

### Adsorption energy distributions

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

### Adsorption isotherms

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

### Affinity adsorbents

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

Comparative studies on chemically and enzymatically coupled DNA–Sepharose columns for purification of a lac repressor chimeric fusion protein 849(1999)403

### Air analysis

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

### Albumin

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

### Alcohols

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

### Aldehydes

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

### Alkaloids

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

### Alkanes

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

### Alkenes

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

### Amides

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

### Amines

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

### Anthracene oil

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

### Antibodies

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

### Astringin

High-performance liquid chromatography coupled with fluorescence detection for the determination of *trans*-astringin in wine 849(1999)617

### Background electrolyte composition

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

### Benzodiazepines

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

**Biogenic amides**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Bitumen**

Development of an on-line coupling of liquid-liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

**Bromomethylmethoxycoumarin**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Buffer composition**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

**Capillary columns**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

**Capillary electrophoresis-mass spectrometry**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

**Carbohydrates**

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

**Carboxamides**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Carnitine**

Enantiomeric separation of D- and L-carnitine by integrating on-line derivatization with capillary zone electrophoresis 849(1999)609

**Catechin**

Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117

**Catharanthus roseus**

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

**Cellulose triacetate**

Kinetic study of the mass transfer of S-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

**Centrifugal partition chromatography**

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

**Chemometrics**

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

**Chlorate**

Determination of chlorate at low  $\mu\text{g/l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209

**Chloroethylamines**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Chromobacterium viscosum**

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

**Coal tar**

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

**Coating**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

**Condensation nucleation light scattering detection**

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

**Counter-current chromatography**

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

**Counter-current extraction**

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61

**Crocetin**

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

**Crocins**

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

***Crocus sativus***

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

**Damascenone**

Quantitative determination of free and hydrolytically liberated  $\beta$ -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

**Darcy's law**

Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35

**Data processing algorithm**

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

**Derivatization**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Derivatization, electrophoresis**

Enantiomeric separation of D- and L-carnitine by integrating on-line derivatization with capillary zone electrophoresis 849(1999)609

**Derivatization, GC**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Detection, electrophoresis**

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

**Detection, GC**

Sources of uncertainty in gas chromatography and high-performance liquid chromatography 849(1999)13

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

**Detection, LC**

Sources of uncertainty in gas chromatography and high-performance liquid chromatography 849(1999)13

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

**Diacylglycerols**

Improvement in the Iatroscan thin-layer chromatographic-flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples 849(1999)371

**Disinfection**

Determination of chlorate at low  $\mu\text{g/l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209

**Displacement chromatography**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**DNA**

Electrophoretic separation of linear and supercoiled DNA in uncoated capillaries 849(1999)267

**Drinking water**

Determination of chlorate at low  $\mu\text{g/l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209

**Electrolytic conductivity detection**

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

**Electrophoresis**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Electrophoretic separation**

Electrophoretic separation of linear and supercoiled DNA in uncoated capillaries 849(1999)267

**Electrospray ionization**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography–electrospray mass spectrometry 849(1999)467

#### **Enantiomer separation**

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

Uniform-sized molecularly imprinted polymer for (*S*)-naproxen selectively modified with hydrophilic external layer 849(1999)331

Kinetic study of the mass transfer of *S*-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

Enantiomeric separation of D- and L-carnitine by integrating on-line derivatization with capillary zone electrophoresis 849(1999)609

#### **Environmental analysis**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

#### **Enzymes**

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

#### **EPA method 8330**

Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381

#### **Epoxy-activated stationary phases**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

#### **Ethanol**

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

#### **Ethylene glycol**

Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35

#### **Extraction methods**

True moving bed chromatography: solid–liquid multi-stage counter-current extraction 849(1999)61

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction–gas chromatography 849(1999)293

#### **Fatty acid amides**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

#### **Fatty acids**

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

Determination of fatty acids in vegetable oil by reversed-phase liquid chromatography with fluorescence detection 849(1999)357

#### **Flame photometric detection, sulfur mode**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

#### **Flow-rate**

Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35

#### **Food analysis**

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

Quantitative determination of free and hydrolytically liberated  $\beta$ -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction–gas chromatography 849(1999)293

#### **Formic acid**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

#### **Fruits**

Quantitative determination of free and hydrolytically liberated  $\beta$ -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

#### **Gardenia jasminoides**

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

#### **Gastrodia elata**

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

**Gastrodin**

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

**Geosmin**

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521

**Glycerolipids**

Improvement in the Iatroskan thin-layer chromatographic–flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples 849(1999)371

**Glycoproteins**

Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599

**Grapes**

Quantitative determination of free and hydrolytically liberated  $\beta$ -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

**Grape seed**

Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117

**Headspace analysis**

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction–gas chromatography 849(1999)293

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**HN-1**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**HN-3**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Hormones**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Hydrophobic interaction chromatography**

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

**Hydroxybenzoate**

True moving bed chromatography: solid–liquid multi-stage counter-current extraction 849(1999)61

**Hydroxybenzophenone**

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

**Hyphenated techniques**

Development of an on-line coupling of liquid–liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

**Immobilization**

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

**Immobilized artificial membrane chromatography**

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

**Immobilized proteins**

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

**Indole alkaloids**

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

**Injection methods**

Sources of uncertainty in gas chromatography and high-performance liquid chromatography 849(1999)13

**Inorganic anions**

Determination of chlorate at low  $\mu\text{g/l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209

**Instrumentation**

True moving bed chromatography: solid–liquid multi-stage counter-current extraction 849(1999)61

Development of an on-line coupling of liquid–liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

**Ion-pairing reagents**

Separation of *N*-nitrosoamino acids by  $\text{C}_{18}$  reversed-phase ion-pair high-performance liquid chromatography and compatible detection by electrospray ionization mass spectrometry 849(1999)389

**Isobutyl vinyl ketone**

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

**Isomer separation**

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

**Isotope exchange**

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

**Jovanovic–Freundlich isotherms**

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

**Lactalbumin**

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Large-volume injections**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**Lipases**

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

**Lipids**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Liquid chromatography–gas chromatography**

Development of an on-line coupling of liquid–liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

**Liquid chromatography–mass spectrometry**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

**Lysozyme**

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Magainin-2-amide**

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

**Mass spectrometry**

Windowed mass selection method: a new data processing algorithm for liquid chromatography–mass spectrometry data 849(1999)71

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography–electrospray mass spectrometry 849(1999)467

Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553

**Mass transfer**

Kinetic study of the mass transfer of *S*-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

**Matrix effects**

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**Measurement uncertainty**

Sources of uncertainty in gas chromatography and high-performance liquid chromatography 849(1999)13

**Membranes**

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

**Method development**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Methylhexenone**

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

**Methylisoborneol**

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521

**Microplasma mass spectrometry**

Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553

**Mobile phase composition**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

**Molecular descriptors**

Quantitative structure–retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

**Molecular imprinting**

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

Uniform-sized molecularly imprinted polymer for (*S*)-naproxen selectively modified with hydrophilic external layer 849(1999)331

**Monoacylglycerols**

Improvement in the Iatroskan thin-layer chromatographic–flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples 849(1999)371

**Naproxen**

Uniform-sized molecularly imprinted polymer for (*S*)-naproxen selectively modified with hydrophilic external layer 849(1999)331

**Nitramines**

Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381

**Nitroaromatics**

Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381

**Nitrosamino acids**

Separation of *N*-nitrosoamino acids by  $C_{18}$  reversed-phase ion-pair high-performance liquid chromatography and compatible detection by electrospray ionization mass spectrometry 849(1999)389

**Noise reduction**

Windowed mass selection method: a new data processing algorithm for liquid chromatography–mass spectrometry data 849(1999)71

**Nonylphenyl polyethoxylates**

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography–electrospray mass spectrometry 849(1999)467

**Nuclear magnetic resonance spectrometry**

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

**Oils**

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

**Oligonucleotides**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

**Optimization**

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

**Organic acids**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Organochlorine compounds**

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

**Organotin compounds**

Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553

**Ovalbumin**

Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599

**Peak compression**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**Peak shape**

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

**Peptides**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

Windowed mass selection method: a new data processing algorithm for liquid chromatography–mass spectrometry data 849(1999)71

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

#### **Pesticides**

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

#### **Pharmaceutical analysis**

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

Enantiomeric separation of D- and L-carnitine by integrating on-line derivatization with capillary zone electrophoresis 849(1999)609

#### **Pharmaceutical intermediate**

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

#### **pH-Zone-refining counter-current chromatography**

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

#### **Phenolic compounds**

Determination of selected phytochemicals by reversed-phase high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 849(1999)341

#### **Phenols**

MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples 849(1999)225

#### **Phospholipids**

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

#### **Phosphonic acids**

Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197

#### **Phytochemicals**

Determination of selected phytochemicals by reversed-phase high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 849(1999)341

#### **Plant materials**

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

#### **Polyacrylate**

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

#### **Polychlorinated naphthalenes**

Quantitative structure–retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

#### **Polymers**

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

#### **Polymethyloctylsiloxanes**

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

#### **Polynuclear aromatic hydrocarbons**

Development of an on-line coupling of liquid–liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

#### **Polyphenolic compounds**

Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117

#### **Polyphenols**

Rapid, direct determination of polyphenols in tea by reversed-phase column liquid chromatography 849(1999)637

#### **Polystyrene coating**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

#### **Poly(styrene–divinylbenzene) stationary phases**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

#### **Porous graphitic carbon**

Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197

#### **Preparative chromatography**

True moving bed chromatography: solid–liquid multi-stage counter-current extraction 849(1999)61

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309



**Process control**

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

**Protein folding**

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Proteins**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

Comparative studies on chemically and enzymatically coupled DNA–Sephacryl columns for purification of a lac repressor chimeric fusion protein 849(1999)403

Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**Purge-and-trap methods**

MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples 849(1999)225

**Quantitative structure–retention relationships**

Quantitative structure–retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

**Radiation immobilization**

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

**Raman spectrometry**

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Regression analysis**

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**Resolution**

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

**Resin acids**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Retention indices**

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

Quantitative structure–retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

**Retention prediction**

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

**Reviews**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports (Review) 849(1999)1

Sources of uncertainty in gas chromatography and high-performance liquid chromatography (Review) 849(1999)13

**Ribonuclease**

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Ruggedness**

Sources of uncertainty in gas chromatography and high-performance liquid chromatography 849(1999)13

**Saffron**

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

**Salt effects**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

**Sample handling**

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521

**Selective adsorbents**

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

**Silica**

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. I. Assessment of the reproducibility of reversed-phase packings 849(1999)87

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. II. Classification of reversed-phase packings 849(1999)101

**Simplex optimisation**

MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples 849(1999)225

**Simulated moving bed chromatography**

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

**Soil**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**Stationary phases, LC**

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. I. Assessment of the reproducibility of reversed-phase packings 849(1999)87

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. II. Classification of reversed-phase packings 849(1999)101

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

Uniform-sized molecularly imprinted polymer for (*S*)-naproxen selectively modified with hydrophilic external layer 849(1999)331

**Structure–retention relationships**

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

**Sulfur compounds**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**Sulphonamides**

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

**Sulphur compounds**

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction–gas chromatography 849(1999)293

**Surfactants**

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography–electrospray mass spectrometry 849(1999)467

**Tars**

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

**Tea**

Rapid, direct determination of polyphenols in tea by reversed-phase column liquid chromatography 849(1999)637

**Terpenoids**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Thermodynamic parameters**

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

**Thiodiglycol**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**Topological indices**

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

**Tröger's base**

Kinetic study of the mass transfer of *S*-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

**True moving bed chromatography**

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61

**Uncoated capillaries**

Electrophoretic separation of linear and supercoiled DNA in uncoated capillaries 849(1999)267

**Validation**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Vanillin**

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

**Vegetable oil**

Determination of fatty acids in vegetable oil by reversed-phase liquid chromatography with fluorescence detection 849(1999)357

**Vegetables**

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

**Warfare agents**

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Water analysis**

Determination of chlorate at low  $\mu\text{g/l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography-mass spectrometry 849(1999)521

**Windowed mass selection method**

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

**Wine**

Quantitative determination of free and hydrolytically liberated  $\beta$ -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction-gas chromatography 849(1999)293

High-performance liquid chromatography coupled with fluorescence detection for the determination of *trans*-astringin in wine 849(1999)617