



ELSEVIER

Journal of Chromatography A, 850 (1999) 391–393

---

---

JOURNAL OF  
CHROMATOGRAPHY A

---

---

## Author Index Vol. 850

- Adamov, A.V., see Kroklin, O.V. 850(1999)269  
Ahrer, W., see Buchberger, W. 850(1999)99  
Al-Shawi, A.W. and Dahl, R.  
    Determination of total chromium in phosphate rocks by ion chromatography 850(1999)137  
Breadmore, M., see Havel, J. 850(1999)345  
Bruzoniti, M.C., see Sarzanini, C. 850(1999)197  
Buchberger, W. and Ahrer, W.  
    Combination of suppressed and non-suppressed ion chromatography with atmospheric pressure ionization mass spectrometry for the determination of anions 850(1999)99  
Buchberger, W., see Katzmayer, M.U. 850(1999)355  
Caliamanis, A., McCormick, M.J. and Carpenter, P.D.  
    Enhancement of conductometric detection of weak acids in ion chromatography 850(1999)85  
Carpenter, P.D., see Caliamanis, A. 850(1999)85  
Chikara, H., see Tanaka, K. 850(1999)187  
Cho, D.-H., see Kim, Y.-O. 850(1999)369  
Chung, H.-J., see Kim, Y.-O. 850(1999)369  
Chung, S.-T., see Kim, Y.-O. 850(1999)369  
Coleman, D.E. and Vanatta, L.E.  
    Lack-of-fit testing of ion chromatographic calibration curves with inexact replicates 850(1999)43  
Coleman, D.E., see Vanatta, L.E. 850(1999)107  
Cooper, K.R. and Kelly, R.G.  
    Using capillary electrophoresis to study the chemical conditions within cracks in aluminum alloys 850(1999)381  
Dahl, R., see Al-Shawi, A.W. 850(1999)137  
Fritz, J.S., see Tanaka, K. 850(1999)311  
Haddad, P.R., see Havel, J. 850(1999)345  
Haddad, P.R., see Hu, W. 850(1999)161  
Haddad, P.R., see Madden, J.E. 850(1999)29  
Haddad, P.R., see Ng, K.L. 850(1999)17  
Haddad, P.R., see Tanaka, K. 850(1999)311  
Haddad, P.R., see Vachirapatama, N. 850(1999)257  
Hamada, H., see Miura, Y. 850(1999)153  
Han, S.-Y., see Kim, Y.-O. 850(1999)369  
Hasebe, K., see Hu, W. 850(1999)161  
Hasebe, K., see Tanaka, K. 850(1999)187  
Hasebe, K., see Tanaka, K. 850(1999)311  
Hashimoto, Y., see Safni, 850(1999)65  
Hautman, D.P., see Wagner, H.P. 850(1999)119  
Havel, J., Breadmore, M., Macka, M. and Haddad, P.R.  
    Artificial neural networks for computer-aided modelling and optimisation in micellar electrokinetic chromatography 850(1999)345  
Hoshino, H., see Kroklin, O.V. 850(1999)269  
Hu, W., Hasebe, K., Tanaka, K. and Haddad, P.R.  
    Electrostatic ion chromatography of polarizable anions in saline waters with *N*-{2-[acetyl(3-sulfopropyl)amino]ethyl}-*N,N*-dimethyldodecanaminium hydroxide (ammonium sulfobetaine-1) as the stationary phase and a dilute electrolytic solution as the mobile phase 850(1999)161  
Hu, W., see Tanaka, K. 850(1999)187  
Huang, C., see Lue, S.J. 850(1999)283  
Ieiji, A., see Tanaka, K. 850(1999)311  
Inoue, Y., see Yamamoto, A. 850(1999)73  
Ito, K. and Kumamaru, T.  
    Separation and detection of common mono- and divalent cations by ion chromatography with an ODS column and conductivity/UV detection 850(1999)247  
Jackson, P.E., Laikhman, M. and Rohrer, J.S.  
    Determination of trace level perchlorate in drinking water and ground water by ion chromatography 850(1999)131  
Jensen, D., see Pohl, C. 850(1999)239  
Kadnar, R.  
    Determination of amines used in the oil and gas industry (upstream section) by ion chromatography 850(1999)289  
Kaiser, E., Rohrer, J.S. and Watanabe, K.  
    Determination of trace anions in concentrated weak acids by ion chromatography 850(1999)167  
Karmarkar, S.V.  
    Analysis of wastewater for anionic and cationic nutrients by ion chromatography in a single run with sequential flow injection analysis 850(1999)303  
Katzmayr, M.U., Klampfl, C.W. and Buchberger, W.  
    Optimization of conductivity detection of low-molecular-mass anions in capillary zone electrophoresis 850(1999)355  
Kelly, R.G., see Cooper, K.R. 850(1999)381  
Kelly, R.G., see Lewis, K.S. 850(1999)375  
Kerth, J., see Pohl, C. 850(1999)239  
Kil, K.-S., see Kim, Y.-O. 850(1999)369  
Kim, J.-H., see Kim, Y.-O. 850(1999)369  
Kim, Y.-O., Chung, H.-J., Chung, S.-T., Kim, J.-H., Park, J.-H., Han, S.-Y., Kil, K.-S. and Cho, D.-H.  
    Determination of melatonin in biological samples by capillary electrophoresis 850(1999)369  
Klampfl, C.W., see Katzmayer, M.U. 850(1999)355  
Kodama, S., see Yamamoto, A. 850(1999)73  
Kroklin, O.V., Adamov, A.V., Hoshino, H., Shpigun, O.A. and Yotsuyanagi, T.  
    Separation selectivity of some ethylenediaminetetraacetic

- acid and cyclohexane-1,2-diaminetetraacetic acid complexes in column and ion electrokinetic chromatography 850(1999)269
- Kumamaru, T., see Ito, K. 850(1999)247
- Kwon, S.-M., Lee, K.-P., Tanaka, K. and Ohta, K. Simultaneous determination of anions and cations by ion-exclusion chromatography–cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79
- Laikhtman, M., see Jackson, P.E. 850(1999)131
- Lee, K.-P., see Kwon, S.-M. 850(1999)79
- Lee, K.-P., see Tanaka, K. 850(1999)311
- Lewis, K.S., Yuan, J. and Kelly, R.G. Chemical conditions inside occluded regions on corroding aircraft aluminum alloys 850(1999)375
- Liu, K.-N., see Qu, F. 850(1999)277
- Liu, W., see Zhu, Y. 850(1999)297
- Lovdahl, M.J. and Pietrzyk, D.J. Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143
- Lucy, C.A. Factors affecting selectivity of inorganic anions in capillary electrophoresis 850(1999)319
- Lue, S.J. and Huang, C. Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283
- Macka, M., see Havel, J. 850(1999)345
- Macka, M., see Vachirapatama, N. 850(1999)257
- Madden, J.E. and Haddad, P.R. Critical comparison of retention models for the optimisation of the separation of anions in ion chromatography. II. Suppressed anion chromatography using carbonate eluents 850(1999)29
- Matsunaga, A., see Yamamoto, A. 850(1999)73
- McCormick, M.J., see Caliamanis, A. 850(1999)85
- Mentasti, E., see Sarzanini, C. 850(1999)197
- Miura, Y. and Hamada, H. Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153
- Miwa, T., see Safni, 850(1999)65
- Miyanaga, A., see Tanaka, K. 850(1999)311
- Morikawa, H., see Ohta, K. 850(1999)229
- Moriyama, H., see Safni, 850(1999)65
- Mou, S.-F., see Qu, F. 850(1999)277
- Munch, D.J., see Wagner, H.P. 850(1999)119
- Münker, C., see Vachirapatama, N. 850(1999)257
- Ng, K.L., Paull, B., Haddad, P.R. and Tanaka, K. Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography 850(1999)17
- Ohta, K., see Kwon, S.-M. 850(1999)79
- Ohta, K., Morikawa, H. and Tanaka, K. Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid–15-crown-5 as eluent 850(1999)229
- Ohta, K. and Tanaka, K. Ion-exclusion chromatography of carboxylic acids on silica gel modified with aluminium 850(1999)177
- Ohta, K., see Tanaka, K. 850(1999)311
- Okada, T. Interpretation of chromatographic behavior of ions based on the electric double-layer theory 850(1999)3
- Okada, T., see Oszwaldowski, S. 850(1999)9
- Oszwaldowski, S. and Okada, T. Acoustic effects in chromatography 850(1999)9
- Park, J.-H., see Kim, Y.-O. 850(1999)369
- Paull, B., see Ng, K.L. 850(1999)17
- Paull, B., see Vachirapatama, N. 850(1999)257
- Pepich, B.V., see Wagner, H.P. 850(1999)119
- Pietrzyk, D.J., see Lovdahl, M.J. 850(1999)143
- Pirogov, A.V., Platonov, M.M. and Shpigun, O.A. Polyelectrolyte sorbents based on aliphatic ionenes for ion chromatography 850(1999)53
- Platonov, M.M., see Pirogov, A.V. 850(1999)53
- Pohl, C., Rey, M., Jensen, D. and Kerth, J. Determination of sodium and ammonium ions in disproportionate concentration ratios by ion chromatography 850(1999)239
- Qi, Z.-H., see Qu, F. 850(1999)277
- Qu, F., Qi, Z.-H., Liu, K.-N. and Mou, S.-F. Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277
- Quirino, J.P. and Terabe, S. Sample stacking of fast-moving anions in capillary zone electrophoresis with pH-suppressed electroosmotic flow 850(1999)339
- Rey, M., see Pohl, C. 850(1999)239
- Rohrer, J.S., see Jackson, P.E. 850(1999)131
- Rohrer, J.S., see Kaiser, E. 850(1999)167
- Safni, Takeuchi, T., Miwa, T., Hashimoto, Y. and Moriyama, H. Effect of eluent composition on retention behavior of anions in ion chromatography on anion-exchangers modified with heparin 850(1999)65
- Sarzanini, C. Liquid chromatography: a tool for the analysis of metal species 850(1999)213
- Sarzanini, C., Bruzzoniti, M.C. and Mentasti, E. Preconcentration and separation of haloacetic acids by ion chromatography 850(1999)197
- Shpigun, O.A., see Krokhin, O.V. 850(1999)269
- Shpigun, O.A., see Pirogov, A.V. 850(1999)53
- Slingsby, R.W., see Vanatta, L.E. 850(1999)107
- Takaya, M. Development of an analytical method for beryllium in airborne dust by micellar electrokinetic chromatography 850(1999)363
- Takeuchi, T., see Safni, 850(1999)65
- Tanaka, K., Chikara, H., Hu, W. and Hasebe, K. Separation of carboxylic acids on a weakly acidic cation-exchange resin by ion-exclusion chromatography 850(1999)187
- Tanaka, K., see Hu, W. 850(1999)161
- Tanaka, K., see Kwon, S.-M. 850(1999)79

- Tanaka, K., see Ng, K.L. 850(1999)17  
Tanaka, K., see Ohta, K. 850(1999)177  
Tanaka, K., see Ohta, K. 850(1999)229  
Tanaka, K., Ohta, K., Haddad, P.R., Fritz, J.S., Lee, K.-P.,  
Hasebe, K., Ieuji, A. and Miyanaga, A.  
Acid-rain monitoring in East Asia with a portable-type ion-exclusion–cation-exchange chromatographic analyzer  
850(1999)311  
Terabe, S., see Quirino, J.P. 850(1999)339  
Tong, C., see Zhu, Y. 850(1999)297  
Vachirapatama, N., Macka, M., Paull, B., Müunker, C. and  
Haddad, P.R.  
Determination of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol–citrate ternary complexes in geological materials by ion-interaction reversed-phase high-performance liquid chromatography 850(1999)257  
Vanatta, L.E., see Coleman, D.E. 850(1999)43  
Vanatta, L.E., Coleman, D.E. and Slingsby, R.W.  
Low-level calibration study for a new ion chromatographic column to determine borate in deionized water  
850(1999)107  
Wagner, H.P., Pepich, B.V., Hautman, D.P. and Munch, D.J.  
Analysis of 500-nug/l levels of bromate in drinking water by direct-injection suppressed ion chromatography coupled with a single, pneumatically delivered post-column reagent  
850(1999)119  
Watanabe, K., see Kaiser, E. 850(1999)167  
Yamamoto, A., Inoue, Y., Kodama, S. and Matsunaga, A.  
Capacity gradient anion chromatography with a borate complex as eluent 850(1999)73  
Yotsuyanagi, T., see Krokkin, O.V. 850(1999)269  
Yuan, J., see Lewis, K.S. 850(1999)375  
Zhang, F., see Zhu, Y. 850(1999)297  
Zhu, Y., Zhang, F., Tong, C. and Liu, W.  
Determination of glyphosate by ion chromatography  
850(1999)297