



ELSEVIER

Journal of Chromatography A, 851 (1999) 233–360

---

---

JOURNAL OF  
CHROMATOGRAPHY A

---

---

www.elsevier.com/locate/chroma

## CUMULATIVE COMPOUND INDEX

### J. CHROMATOGR. A VOLS. 802–850

**For all compound groups: see also sub-groups and individual compounds**  
**For all compound sub-groups: see also main groups and individual compounds**  
**For all individual compound: see also compound groups and sub-groups**

## A

### **Abamectin**

Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13

### **Acetate**

Ion-chromatographic quantitation of fluoride and acetate. Statistical comparison of calibration curves from two similar eluents 804(1998)123

### **Acetic acid**

Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153

### **Acetogenins**

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

### **Acetone**

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

### **Acetonitrile**

Stacking of weakly cationic compounds by acetonitrile for capillary electrophoresis 817(1998)25

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245

Ion chromatography of impurities in organic solvents 847(1999)345

### **Acetylamino acid amides**

Selective fluorescence derivatization and capillary electrophoretic separation of amidated amino acids 832(1999)211

### **Acetylcysteine**

High-performance liquid chromatographic determination of total plasma homocysteine with or without internal standards 828(1998)397

Stability and characteristics of the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents and their amino acid derivatives measured by high-performance liquid chromatography 835(1999)73

**Acetylglucosamides**

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

**Acetylmercaptosuccinoylaminofluorescein**

Derivatization approaches for a fermentation derived, cyclic peptide analog 824(1998)25

**N-Acetylproline anilides**

Structural optimization of a chiral selector for use in preparative enantioselective chromatography 840(1999)151

**Acids**

see also Carboxylic acids, Fatty acids, Organic acids, and Weak acids

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Ion-chromatographic study of interactions in HF–H<sub>3</sub>PO<sub>4</sub>–HNO<sub>3</sub> semiconductor etchants. Systematic use of statistically designed mixture experiments 804(1998)161

Application of ion chromatography to the semiconductor industry. I. Measurement of acidic airborne contaminants in cleanrooms 804(1998)273

Determination by ion chromatography of selected organic and inorganic acids in rainwater at Maracaibo, Venezuela 804(1998)289

**Acids, aliphatic**

Indirect photometric detection of aliphatic acids separated by ion-exclusion chromatography using aromatic acidic eluents 818(1998)61

**Acids, aromatic**

Indirect photometric detection of aliphatic acids separated by ion-exclusion chromatography using aromatic acidic eluents 818(1998)61

Macrocyclic polyamine as a selective modifier in a bonded-phase capillary column for the electrophoretic separation of aromatic acids 848(1999)401

**Acrylate monomers**

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

**Adatanserin**

Rapid drug metabolite profiling using fast liquid chromatography, automated multiple-stage mass spectrometry and receptor-binding 831(1999)227

**Adenine**

Capillary electrophoretic separation of mono- and dinucleotides of adenosine using cyclodextrin solutions with MgCl<sub>2</sub> additive 802(1998)167

Study of cytokinin separation using capillary electrophoresis with cyclodextrin additives 818(1998)231

**Adenosine**

Capillary electrophoretic separation of mono- and dinucleotides of adenosine using cyclodextrin solutions with MgCl<sub>2</sub> additive 802(1998)167

**Adenosine kinase**

Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173

**Adenylyladosine monophosphate**

Capillary electrophoretic separation of mono- and dinucleotides of adenosine using cyclodextrin solutions with MgCl<sub>2</sub> additive 802(1998)167

**Aflatoxins**

see also Toxins

Interaction between cyclodextrins and aflatoxins Q<sub>1</sub>, M<sub>1</sub> and P<sub>1</sub>. Fluorescence and chromatographic studies 815(1998)21

Stability and determination of aflatoxins by high-performance liquid chromatography with amperometric detection 828(1998)439

**Aglycones**

Multidimensional counter-current chromatographic system and its application 803(1998)298

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

**Agmatine**

High-performance liquid chromatographic determination and standardization of agmatine 824(1998)175

**Ajmaline**

Sensitive method for the determination of the antiarrhythmic drug detajmium in serum by solid-phase extraction and high-performance liquid chromatography with fluorimetric detection 846(1999)217

**Alachlor**

Gas chromatographic–mass spectrometric determination of alachlor and its degradation products by direct aqueous injection 822(1998)253

**Alanine betaine**

Improved analytical methods for determination of nitrogenous stress metabolites occurring in *Limonium* species 836(1999)209

**Alanine- $\beta$ -naphthylamide**

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

**Albumins**

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

High-performance ion-exchange chromatography and adsorption of plasma proteins 816(1998)89

Thin-layer ion-exchange chromatography of proteins 816(1998)97

Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

Erratum to “High-performance ion-exchange chromatography and adsorption of plasma proteins”. [J. Chromatogr. A, 816 (1998) 89–96] 824(1998)135

Application of the two-film theory to the determination of mass transfer coefficients for bovine serum albumin on anion-exchange columns 827(1998)259

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**Alcohol dehydrogenase**

Immobilised metal ion affinity chromatography purification of alcohol dehydrogenase from baker's yeast using an expanded bed adsorption system 840(1999)195

**Alcohol ethoxylates**

Investigation of chromatographic behaviour of ethoxylated alcohol surfactants in normal-phase and reversed-phase systems using high-performance liquid chromatography–mass spectrometry 813(1998)299

Determination of a non-ionic surfactant by solid-phase microextraction coupled with high-performance liquid chromatography and on-line derivatization 829(1998)401

Extraction and isolation of linear alcohol ethoxylates from fish 839(1999)109

**Alcohols**

Comments on predictive strategies for determining retention indexes 808(1998)277

Reply to “Comments on predictive strategies for determining retention indexes” 808(1998)279

Reply to “Reply to “Comments on predictive strategies for determining retention indexes”” 808(1998)281

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

High-performance liquid chromatography with real-time Fourier-transform infrared detection for the determination of carbohydrates, alcohols and organic acids in wines 824(1998)159

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Interactions between native cyclodextrins and *n*-alcohols studied using thermostated thin-layer chromatography 839(1999)149

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Ion chromatography of impurities in organic solvents 847(1999)345

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**Aldehydes**

see also Carbonyl compounds

Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195

Packed capillary column solvating gas chromatography of aldehydes 818(1998)265

Investigation of aldehydic lipid peroxidation products by gas chromatography–mass spectrometry 843(1999)29

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

#### Alditols

Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography 814(1998)63

#### Aldoses

Enhancement of the zone electrophoretic separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses as borate complexes by concerted ion-interaction electrokinetic chromatography with Polybrene 805(1998)277

#### Algal pigments

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

#### Alizarin

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

#### Alkali metals

Determination of alkali and alkaline earth metals in oilfield waters by ion chromatography 804(1998)217

Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Separation and detection of common mono- and divalent cations by ion chromatography with an ODS column and conductivity/UV detection 850(1999)247

#### Alkaline-earth metals

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

Determination of alkali and alkaline earth metals in oilfield waters by ion chromatography 804(1998)217

Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Study of sugar acids separation by high-performance anion-exchange chromatography–pulsed amperometric detection using alkaline eluents spiked with  $\text{Ba}^{2+}$ ,  $\text{Sr}^{2+}$ , or  $\text{Ca}^{2+}$  as acetate or nitrate salts 848(1999)71

Separation and detection of common mono- and divalent cations by ion chromatography with an ODS column and conductivity/UV detection 850(1999)247

#### Alkaloids

Micellar electrokinetic chromatography of scopolamine-related anticholinergics 802 (1998)107

Capillary zone electrophoresis of alkaloids. Influence of structure on electrophoretic mobility 807(1998)81

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

Separation of ergot alkaloids and their epimers and determination in sclerotia by capillary electrophoresis 808(1998)247

Qualitative determination of indole alkaloids, triterpenoids and steroids of *Tabernaemontana hiliariana* 808(1998)264

Acetogenic isoquinoline alkaloids. CXII. Separation and identification of dimeric naphthylisoquinoline alkaloids by liquid chromatography coupled to electrospray ionization mass spectrometry 810(1998)231

Analysis of tetrandrine and fangchinoline in traditional Chinese medicines by capillary electrophoresis 811(1998)274

Sample purification for the analysis of caffeine in tobacco by gas chromatography–mass spectrometry 814(1998)171

Optimization of the capillary electrophoretic separation of bisbenzylisoquinoline alkaloids by an overlapping resolution mapping scheme 814(1998)223

Identification of alkaloids and polyketides in an *Actinomyces* by high-performance liquid chromatography with mass spectrometric and UV–visible detection 818(1998)187

Capillary zone electrophoretic separation of epimeric *N*-oxides of morphinane alkaloids 818(1998)251

Separation of ergot alkaloids by micellar electrokinetic capillary chromatography using cationic Gemini surfactants 822(1998)281

Preparative separation of alkaloids from the root of *Sophora flavescens* Ait by pH-zone-refining counter-current chromatography 822(1998)316

Determination of alkaloids from the colchicine family by reversed-phase high-performance liquid chromatography 825(1998)96

Application of analytical and preparative high-speed counter-current chromatography for separation of alkaloids from *Coptis chinensis* Franch 829(1998)137

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

High-performance liquid chromatography–diode array detection–tandem mass spectrometry analyses of the alkaloid extracts of Amazon *Psychotria* species 841(1999)165

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

#### Alkamides

Analysis of alkamides in roots and achenes of *Echinacea purpurea* by liquid chromatography–electrospray mass spectrometry 815(1998)205

#### Alkanes

The hold-up time in gas chromatography. III. Linearity of the plot of  $\ln t_R$  of the *n*-alkanes vs. carbon number questioned 803(1998)197

Hold-up time in gas chromatography. IV. Improved determination of Kováts' retention indices 805(1998)161

Considerations on the dependence of gas–liquid chromatographic retention of *n*-alkanes with the carbon number 810(1998)105

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

Monitoring the actual carrier gas flow during large-volume on-column injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Compound retention dependence of the response in a gas chromatography–atomic emission detection system 819(1998)85

Consistency of gas hold-up determinations 832(1999)165

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Retention index in temperature-programmed gas chromatography 842(1999)29

Retention index systems: alternatives to the *n*-alkanes as calibration standards 842(1999)51

Influence of temperature and *n*-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Analysis of alkane, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

#### Alkanesulfonates

Recent developments in surfactant analysis by ion chromatography 804(1998)233

#### Alkanesulfonic acids

Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327

#### Alkanols

Alkanol gas–liquid partition coefficients in squalane measured with packed columns. A revision of measurement methods 848(1999)203

#### Alkanones

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

**Alkenes**

Gas-phase reagents for carbon–carbon double bond location: new applications. II. Use of vinyl methyl ether chemical ionization mass spectrometry to characterize C<sub>23</sub> to C<sub>33</sub> insect cuticular alkenes 803(1998)203

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Analysis of alkane, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

**Alkyl amine ketones**

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

**Alkylbenzenes**

Simultaneous gas chromatographic–mass spectrometric quantitation of the alkylbenzene inert components, pesticide manufacturing by-products and active ingredient in two malathion formulations 814(1998)181

Comparative study on the column performance of microparticulate 5- $\mu$ m C<sub>18</sub>-bonded and monolithic C<sub>18</sub>-bonded reversed-phase columns in high-performance liquid chromatography 832(1999)11

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

**Alkyl benzenesulfonates, linear**

Recent developments in surfactant analysis by ion chromatography 804(1998)233

Determination of linear alkylbenzenesulfonates and their degradation products in water samples by gas chromatography with ion-trap mass spectrometry 818(1998)270

**Alkylbenzoic acids**

Mixed capillary electrophoretic and reversed-phase electrochromatographic separation of 4-*n*-alkylbenzoic acids 805(1998)327

**Alkylbenzothiazolesulfenamide**

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

**Alkyl dinitrobenzoates**

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

**Alkyl methylphosphonic acids**

Detection of alkyl methylphosphonic acids in complex matrices by gas chromatography–tandem mass spectrometry 809(1998)141

On-line solid-phase extraction liquid chromatography-continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

**Alkylphenol ethoxylates**

Optimization of a matrix solid-phase dispersion method with sequential clean-up for the determination of alkylphenol ethoxylates in biological tissues 837(1999)129

**Alkylphosphonic acids**

Effect of cation-exchange pretreatment of aqueous soil extracts on the gas chromatographic–mass spectrometric determination of nerve agent hydrolysis products after *tert*-butyldimethylsilylation 824(1998)211

Identification of phosphonic acids by capillary electrophoresis–ionspray mass spectrometry 825(1998)71

**Alkylpyridines**

Polyethylene glycol as a separation medium for capillary zone electrophoretic analysis of pyridine derivatives 838(1999)89

**Alkyl sulfates**

Recent developments in surfactant analysis by ion chromatography 804(1998)233

**Alkynes**

Synthesis and characterization of bonded phases made via hydrosilation of alkynes on silica hydride surfaces 818(1998)145

**Allantoin**

Determination of allantoin in biofluids using micellar electrokinetic capillary chromatography 817(1998)345

**Alprenolol**

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an  $\alpha_1$ -acid glycoprotein column 818(1998)43

**Alternariol**

Natural occurrence of alternariol and alternariol methyl ether in Spanish apple juice concentrates 815(1998)93

**Alumina**

Consolidation and column performance of several packing materials for liquid chromatography in a dynamic axial compression column 813(1998)223

**Aluminium phthalocyanine, sulfonated**

Dynamic analysis of capillary electrophoresis data using real-time neural networks 833(1999)231

**Aluminum alloys**

Using capillary electrophoresis to study the chemical conditions within cracks in aluminum alloys 850(1999)381

**Amides**

Determination of capsaicin and dihydrocapsaicin by micellar electrokinetic capillary chromatography and its application to various species of *Capsicum*, Solanaceae 838(1999)293

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Amifostine**

Isotachophoretic determination of phosphate splitting from Amifostine and *p*-nitrophenyl phosphate in serum and neuroblastoma cells 838(1999)251

**Amikacin**

Analysis of amikacin by liquid chromatography with pulsed electrochemical detection 819(1998)93

**Amines**

see also Biogenic amines and Catecholamines

What are the unanswered (and unasked) questions in ion analysis? 804(1998)3

Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295

Enantiomer separation of amino compounds by a novel chiral stationary phase derived from crown ether 805(1998)85

Solvating gas chromatography using ammonia as mobile phase 806(1998)345

Derivatization in capillary electrophoresis (Review) 807(1998)3

Determination of airborne, volatile amines from polyurethane foams by sorption onto a high-capacity cation-exchange resin based on poly(succinic acid) 809(1998)121

Nuclear magnetic resonance studies for the chiral recognition of the novel chiral stationary phase derived from 18-crown-6 tetracarboxylic acid 810(1998)33

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

Preparation and chiral recognition of (*S*)-binaphthol derivative-bonded phase for high-performance liquid chromatography 813(1998)35

New, sensitive high-performance liquid chromatography method for the determination of slaframine in plasma and milk 815(1998)141

Noncovalent linking of a chiral selector to unmodified silica gel through amine functional groups 822(1998)11

Separation of tosylated polyamines by high-performance capillary zone electrophoresis 823(1998)511

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography. II. Role of the stationary phase 827(1998)295

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

Improved analytical methods for determination of nitrogenous stress metabolites occurring in *Limonium* species 836(1999)209

Liquid chromatographic resolution of racemic amines and amino alcohols on a chiral stationary phase derived from crown ether 837(1999)75

Characterization of jeffamines by capillary isotachophoresis and zone electrophoresis 838(1999)149

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

Size-exclusion chromatography method for characterizing low-molecular-mass antioxidant lubricant additives 841(1999)45

Static headspace analysis of aliphatic amines in aqueous samples 846(1999)331

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

Determination of amines used in the oil and gas industry (upstream section) by ion chromatography 850(1999)289

#### **Amines, aromatic**

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. I. Derivatization 810(1998)161

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. II. Enrichment 810(1998)173

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

Liquid chromatography of aromatic amines with photochemical derivatization and tris(bipyridine)ruthenium(III) chemiluminescence detection 828(1998)421

#### **Amines, heterocyclic**

Analysis of nonpolar heterocyclic amines in cooked foods and meat extracts using gas chromatography–mass spectrometry 803(1998)227

Evaluation of different clean-up procedures for the analysis of heterocyclic aromatic amines in a lyophilized meat extract 836(1999)223

#### **Amines, heterocyclic aromatic**

Determination of ionization constants of heterocyclic aromatic amines using capillary zone electrophoresis 841(1999)239

#### **Amino acids**

Novel applications for organic polymer capillaries 802(1998)17

Optical resolution of phenylthiohydantoin-amino acids and identification of phenylthiohydantoin-D-amino acid residue of [D-Ala<sup>2</sup>]-methionine enkephalin by capillary electrophoresis 802(1998)129

Derivatization of amino acids in a moving zone of *o*-phthalaldehyde in the middle of a capillary for amino acid analysis by capillary electrophoresis 802(1998)243

Discrimination properties of tetraamidic branched selectors 802(1998)315

Determination of underivatized amino acids in beverage samples by capillary electrophoresis 804(1998)349

Absorbance detection of amino acids by laser wave mixing in microbore liquid chromatography 805(1998)63

Enantiomer separation of amino compounds by a novel chiral stationary phase derived from crown ether 805(1998)85

Determination of cyanine-labeled amino acid enantiomers by cyclodextrin-modified capillary gel electrophoresis combined with diode laser fluorescence detection 805(1998)295

Protein phosphorylation: technologies for the identification of phosphoamino acids 808(1998)23

Toroidal coil counter-current chromatography. Achievement of high resolution by optimizing flow-rate, rotation speed, sample volume and tube length 808(1998)95

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

Nanomolar derivatizations with 5-carboxyfluorescein succinimidyl ester for fluorescence detection in capillary electrophoresis 809(1998)203

Identification and quantitation of cysteine in proteins separated by gel electrophoresis 813(1998)187

Amino acid sequence and D/L-configuration determination of peptides utilizing liberated N-terminus phenylthiohydantoin amino acids 813(1998)267

Simultaneous separation of *o*-, *m*-, *p*-fluoro-DL-phenylalanine and *o*-, *m*-, *p*-DL-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography 814(1998)63

Postcolumn derivatization of peptides with fluorescamine in capillary electrophoresis 814(1998)213

Micromachined heated chemical reactor for pre-column derivatisation 815(1998)265

Determination of the chirality of cysteines in somatostatin analogs 816(1998)59

Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium  $\beta$ -cyclodextrin 817(1998)121

Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139



- Quantitation of homocysteine in human plasma by capillary electrophoresis and laser-induced fluorescence detection 817(1998)181
- Coupling on-line brain microdialysis, precolumn derivatization and capillary electrophoresis for routine minute sampling of *O*-phosphoethanolamine and excitatory amino acids 817(1998)195
- Fiber optic modified thermal lens detector system for the determination of amino acids 817(1998)223
- Analysis of solutes and metabolites in single plant cell vacuoles by capillary electrophoresis 817(1998)337
- Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53
- Liquid chromatographic resolution of racemic amino acids and their derivatives on a new chiral stationary phase based on crown ether 822(1998)155
- Total resolution of 17 DL-amino acids labelled with a fluorescent chiral reagent, *R*(-)-4-(3-isothiocyanatopyrrolidin-1-yl)-7-(*N,N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole, by high-performance liquid chromatography 822(1998)215
- Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography–turboionspray tandem mass spectrometry 822(1998)310
- Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549
- Dynamic ligand-exchange chiral stationary phases derived from *N*-substituted (*S*)-phenylglycinol selectors 824(1998)7
- Fast chiral separation of amino acid derivatives and acidic drugs by co-electroosmotic flow capillary electrophoresis with vancomycin as chiral selector 825(1998)81
- Hydrolysis and amino acid composition analysis of proteins 826(1998)109
- Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149
- Effect of temperature on retention of enantiomers of  $\beta$ -methyl amino acids on a teicoplanin chiral stationary phase 828(1998)177
- Determination of submicromolar concentrations of neurotransmitter amino acids by fluorescence detection using a modification of the 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate method for amino acid analysis 828(1998)383
- Determination of plasma and serum homocysteine by high-performance liquid chromatography with fluorescence detection 828(1998)401
- Liquid chromatography of aromatic amines with photochemical derivatization and tris(bipyridine)ruthenium(III) chemiluminescence detection 828(1998)421
- Capillary electrochromatography of biomolecules with on-line electrospray ionization and time-of-flight mass spectrometry 828(1998)469
- Chiral discrimination of Dns- and unmodified DL-amino acids by copper(II) complexes of terdentate ligands in high-performance liquid chromatography 829(1998)101
- High-efficiency chiral separations of *N*-derivatized amino acids by packed-capillary electrochromatography with a quinine-based chiral anion-exchange type stationary phase 829(1998)115
- Effect of additives on chiral selectivities by  $\beta$ -cyclodextrin in capillary electrophoresis based on the phenomenon of solvatochromism 829(1998)301
- Fluorescence detection of proteins and amino acids in capillary electrophoresis using a post-column sheath flow reactor 829(1998)309
- Temperature, eluent flow-rate and column effects on the retention and quantitation properties of phenylthiocarbamyl derivatives of amino acids in reversed-phase high-performance liquid chromatography 832(1999)109
- Determination of enantiomeric amino acids with high-performance liquid chromatography and pre-column derivatization with *o*-phthalaldehyde and *N*-isobutyrylcysteine in seawater and fossil samples (mollusks) 832(1999)123
- Application of capillary electrochromatography to the separation of phenylthiohydantoin-amino acids 832(1999)133
- Selective fluorescence derivatization and capillary electrophoretic separation of amidated amino acids 832(1999)211
- Use of micellar partition in capillary isotachopheretic focusing 832(1999)265
- Simultaneous determination of cysteine, cystine and 18 other amino acids in various matrices by high-performance liquid chromatography 833(1999)137
- Ion-pair reversed-phase liquid chromatography for determination of polar underivatized amino acids using perfluorinated carboxylic acids as ion pairing agent 833(1999)147

- Stability and characteristics of the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents and their amino acid derivatives measured by high-performance liquid chromatography 835(1999)73
- Micellar electrokinetic capillary chromatography of thiocarbamoyl derivatives produced in reactions between isothiocyanates and amino acids 836(1999)115
- Chiral separation of aromatic amino acids by capillary electrophoresis 836(1999)137
- Improved analytical methods for determination of nitrogenous stress metabolites occurring in *Limonium* species 836(1999)209
- Simultaneous determination of inorganic anions, organic acids, amino acids and carbohydrates by capillary electrophoresis 837(1999)231
- Capillary zone electrophoresis separations of enantiomers present in complex ionic matrices with on-line isotachopheric sample pretreatment 838(1999)31
- Comparison of enantioselective separation of *N*-*tert*-butyloxycarbonyl amino acids and their non-blocked analogues on teicoplanin-based chiral stationary phase 838(1999)121
- Isotachopheric determination of 3-methylhistidine 838(1999)191
- High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167
- Enantiomer separation of amino acid derivatives on a new polymeric chiral resorc[4]arene stationary phase by capillary gas chromatography 840(1999)145
- On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341
- Preparation and enantiomer separation behavior of selectively methylated  $\gamma$ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455
- Separation of phenylthiohydantoin–amino acids by temperature-controlled reversed-phase high-performance liquid chromatography 846(1999)73
- High-performance liquid chromatographic separation of novel atropic  $\alpha,\alpha$ -disubstituted- $\beta$ -amino acids, either on different  $\beta$ -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83
- Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93
- Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography–mass spectrometry of proteinaceous binders in paintings 846(1999)101
- Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113
- Enantioseparation of  $\alpha$ -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157
- Quantitation of *N*<sup>ε</sup>-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25
- Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91
- Fluorescence properties of carbazole-*N*-(2-methyl)acetyl chloride and determination of amino compounds via high-performance liquid chromatography with pre-column fluorescence derivatization 848(1999)117
- Amino acids, butyloxycarbonyl derivatives**  
Comparison of enantioselective separation of *N*-*tert*-butyloxycarbonyl amino acids and their non-blocked analogues on teicoplanin-based chiral stationary phase 838(1999)121
- Amino acids, DNP derivatives**  
Chiral separation of 2,4-dinitrophenyl amino acids using 3-*O*-methyl- $\beta$ -cyclodextrin-bonded stationary phase in reversed-phase liquid chromatography 814(1998)247
- Amino acids, OPA derivatives**  
Characteristic features of the throughout-capillary technique of in-capillary derivatization in capillary electrophoresis 822(1998)271
- Amino acids, PTH derivatives**  
Optical resolution of phenylthiohydantoin-amino acids and identification of phenylthiohydantoin-D-amino acid residue of [D-Ala<sup>2</sup>]-methionine enkephalin by capillary electrophoresis 802(1998)129
- Application of capillary electrochromatography to the separation of phenylthiohydantoin-amino acids 832(1999)133
- Separation of phenylthiohydantoin–amino acids by temperature-controlled reversed-phase high-performance liquid chromatography 846(1999)73
- Amino acids, thiocarbamoyl derivatives**  
Micellar electrokinetic capillary chromatography of thiocarbamoyl derivatives produced in reactions between isothiocyanates and amino acids 836(1999)115

**Amino adipic acid**

Coupling on-line brain microdialysis, precolumn derivatization and capillary electrophoresis for routine minute sampling of *O*-phosphoethanolamine and excitatory amino acids 817(1998)195

**Amino alcohols**

Enantiomer separation of amino compounds by a novel chiral stationary phase derived from crown ether 805(1998)85

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

High-performance liquid chromatographic separation of enantiomers of cyclic 1,3-amino alcohol derivatives 816(1998)123

Liquid chromatographic resolution of racemic amines and amino alcohols on a chiral stationary phase derived from crown ether 837(1999)75

Direct high-performance liquid chromatographic separations of metoprolol analogues on a Chiralcel OD column using chemometrics 839(1999)23

**5'-Aminoalkyl DNA oligomers**

*N*-Hydroxysuccinimide ester labeling 5'-aminoalkyl DNA oligomers: reaction conditions and purification 806(1998)93

**Aminoanthraquinones**

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

**Aminobiphenyl**

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

**Aminobutylethylsoluminol**

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

 **$\gamma$ -Aminobutyric acid**

Determination of submicromolar concentrations of neurotransmitter amino acids by fluorescence detection using a modification of the 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate method for amino acid analysis 828(1998)383

**Amino compounds, hydrophobic**

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

**Aminocyclitols**

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Quantitation of spectinomycin residues in bovine tissues by ion-exchange high-performance liquid chromatography with post-column derivatization and confirmation by reversed-phase high-performance liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 812(1998)123

**2-Aminocyclohexane-1-methanol**

High-performance liquid chromatographic separation of enantiomers of cyclic 1,3-amino alcohol derivatives 816(1998)123

**2-Amino-4-cyclohexene-1-methanol**

High-performance liquid chromatographic separation of enantiomers of cyclic 1,3-amino alcohol derivatives 816(1998)123

**Aminoethylphosphonic acid**

Analysis of polar organic micropollutants in water with ion chromatography–electrospray mass spectrometry 837(1999)117

**Aminofluorescein**

New derivatization method for carboxylic acids in aqueous solution for analysis by capillary electrophoresis and laser-induced fluorescence detection 836(1999)325

**Aminoglycosides**

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Quantitation of spectinomycin residues in bovine tissues by ion-exchange high-performance liquid chromatography with post-column derivatization and confirmation by reversed-phase high-performance liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 812(1998)123

High-performance liquid chromatographic analysis of aminoglycoside antibiotics (Review) 812(1998)141

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

Development of a gas chromatography–mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95

Development and optimisation of a new derivatisation procedure for gas chromatographic–mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-by-step optimisation procedures 840(1999)81

**Aminohydrazinomercaptotriazole**

Post-column oxidation of purpald–aldehyde adducts at nickel electrodes 813(1998)213

**Aminomethylphosphonic acid**

Analysis and degradation study of glyphosate and of aminomethylphosphonic acid in natural waters by means of polymeric and ion-exchange solid-phase extraction columns followed by ion chromatography–post-column derivatization with fluorescence detection 823(1998)129

**Aminophenols**

Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

***m*-Aminophenylboronic acid**

Boronate affinity adsorption of RNA: possible role of conformational changes 840(1999)205

**Aminophosphinic acids**

Enantiomeric resolution of derivatives of  $\alpha$ -aminophosphonic and  $\alpha$ -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

**Aminophosphonic acids**

Synthesis and ion-exchange properties of silica chemically modified with aminophosphonic acid 813(1998)47

Enantiomeric resolution of derivatives of  $\alpha$ -aminophosphonic and  $\alpha$ -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

**Aminopyrene-1,3,6-trisulfonate**

Separation of high-molecular-mass carrageenan polysaccharides by capillary electrophoresis with laser-induced fluorescence detection 817(1998)353

**Aminopyridine**

Characterization of carbohydrates using a combination of derivatization, high-performance liquid chromatography and mass spectrometry 811(1998)47

**Aminoquinolyl-*N*-hydroxysuccinimidyl carbamate**

Determination of biogenic amines by capillary electrophoresis 836(1999)305

**Amlodipine**

Isocratic, simultaneous reversed-phase high-performance liquid chromatographic estimation of six drugs for combined hypertension therapy 828(1998)283

**Ammelide**

Determination of melamine derivatives, melame, meleme, ammeline and ammelide by high-performance cation-exchange chromatography 815(1998)197

**Ammeline**

Determination of melamine derivatives, melame, meleme, ammeline and ammelide by high-performance cation-exchange chromatography 815(1998)197

**Ammonia**

Solvating gas chromatography using ammonia as mobile phase 806(1998)345

**Ammonium**

A new approach to dealing with high-to-low concentration ratios of sodium and ammonium ions in ion chromatography 804(1998)201

Determination of sodium and ammonium ions in disproportionation concentration ratios by ion chromatography 850(1999)239

Separation and detection of common mono- and divalent cations by ion chromatography with an ODS column and conductivity/UV detection 850(1999)247

**Amoxicillin**

Determination of amoxicillin in human serum and plasma by high-performance liquid chromatography and on-line postcolumn derivatisation 812(1998)221

Development and validation of amoxicillin determination by micellar electrokinetic capillary chromatography 812(1998)227

**Amphetamine-like compounds**

Analysis and confirmation of synthetic anorexics in adulterated traditional Chinese medicines by high-performance capillary electrophoresis 848(1999)537

**Amphetamines**

Application of gas chromatography–Fourier transform infrared spectrometry to the analysis of amphetamine analogues 819(1998)155

Investigation of stereoselective metabolism of amphetamine in rat liver microsomes by microdialysis and liquid chromatography with precolumn chiral derivatization 828(1998)95

Analysis of urinary drugs of abuse by a multianalyte capillary electrophoretic immunoassay 838(1999)197

Recent advances in non-silylation derivatization techniques for gas chromatography 843(1999)1

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

**Amphotericins**

Amphotericin B determination in respiratory secretions by reversed-phase liquid chromatography 812(1998)135

High-performance liquid chromatographic determination of amphotericin B in plasma and tissue. Application to pharmacokinetic and tissue distribution studies in rats 819(1998)171

#### **Amylopectin**

Determination of the molecular mass of amylose 828(1998)515

#### **Amylose**

Determination of the molecular mass of amylose 828(1998)515

#### **Anaesthetics**

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

#### **Angiotensin**

Thin-layer chromatography–mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

#### **Anhydrides**

Degradation study of unsaturated anhydrides by reversed-phase high-performance liquid chromatography 805(1998)109

#### **Anilides**

Reversed-phase high-performance liquid chromatography in quantitative structure–activity relationship studies of new fungicides 828(1998)431

#### **Anilines**

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Enhancements in micellar electrokinetic chromatographic separations with decanonyl-N-methylalkanamide micelles through the addition of alkyl sulfates 808(1998)237

Use of several anionic surfactants for the separation of aniline derivatives in micellar electrokinetic chromatography 817(1998)59

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

Separation of anilines by capillary electrophoresis with small ionic compounds as buffer additives 840(1999)269

#### **Anions**

see also Inorganic anions

Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211

Permanent coated capillaries with reversed electroosmotic flow for anion analysis 822(1998)101

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. I. Non-suppressed anion chromatography using phthalate eluents and three different stationary phases 829(1998)65

Conductimetric detection of anions of very weak acids by incomplete suppressed ion chromatography 832(1999)141

Indirect photometric detection of anions in capillary electrophoresis 834(1999)189

Chromatographic determination of anions in industrial salt and sodium chloride brines used in chlor-alkali industry 841(1999)55

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

#### **Anions, aromatic**

Capillary electrophoretic separation of  $\alpha$ -,  $\beta$ -,  $\gamma$ - and  $\delta$ -cyclodextrins using a dual electrolyte system 811(1998)193

#### **Anthocyanins**

Combination of chromatographic techniques for the preparative isolation of anthocyanins — applied on blackcurrant (*Ribes nigrum*) fruits 825(1998)89

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

#### **Anthracene**

Hydrogen donor and acceptor abilities of pitches from coal and petroleum evaluated by gas chromatography 830(1999)155

#### **Anthraquinones**

Some aspects of the purification of anthraquinone antibiotics by preparative reversed-phase liquid chromatography 812(1998)117

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

**Anthryldiazomethane**

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

**2-Anthrylurethanes**

Highly sensitive method for the separation of enantiomeric and regioisomeric diacylglycerols as 2-anthrylurethanes by chiral-phase high-performance liquid chromatography with fluorescence detection 829(1998)81

**Antibacterial agents**

Two ion-exchange chromatographic methods for the isolation of antibacterial peptides from lactoferrin. In situ enzymatic hydrolysis on an ion-exchange membrane 831(1999)191

**Antibiotics**

see also Special Issue Index

Characterization of interaction between cephalosporins and charged surfactants using capillary zone electrophoresis 802(1998)89

Migration behavior and separation of tetracycline antibiotics by micellar electrokinetic chromatography 802(1998)95

Determination of dissociation constants of cephalosporins by capillary zone electrophoresis 803(1998)273

Use of ion chromatography as an alternative method for the analysis of calcium in calcium mupirocin 804(1998)211

Chiral analysis by capillary electrophoresis using antibiotics as chiral selector (Review) 807(1998)37

Theory and methodology of antibiotic extraction from biomatrices (Review) 812(1998)3

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Separation of antibiotics by counter-current chromatography (Review) 812(1998)35

Analysis of antibiotics by liquid chromatography–mass spectrometry (Review) 812(1998)53

Use of liquid chromatography–mass spectrometry in the analysis of residues of antibiotics in meat and milk (Review) 812(1998)77

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Is the direct quantitation of antibiotics in agar by high-performance liquid chromatography useful? 812(1998)111

Some aspects of the purification of anthraquinone antibiotics by preparative reversed-phase liquid chromatography 812(1998)117

Quantitation of spectinomycin residues in bovine tissues by ion-exchange high-performance liquid chromatography with post-column derivatization and confirmation by reversed-phase high-performance liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 812(1998)123

Amphotericin B determination in respiratory secretions by reversed-phase liquid chromatography 812(1998)135

High-performance liquid chromatographic analysis of aminoglycoside antibiotics (Review) 812(1998)141

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

Determination of third-generation cephalosporins by high-performance liquid chromatography in connection with pharmacokinetic studies (Review) 812(1998)159

Monitoring of the concentration of  $\beta$ -lactam antibiotics and their precursors in complex cultivation media by high-performance liquid chromatography (Review) 812(1998)179

On-line solid-phase extraction of cephalosporins 812(1998)191

Quantitative determination of semisynthetic cephamycins in human serum and urine by ion-exchange, reversed-phase and ion-pair chromatography 812(1998)197

Simultaneous determination of  $\beta$ -lactam antibiotics in milk by ion-pair liquid chromatography 812(1998)205

Determination of piperacillin and mezlocillin in human serum and urine by high-performance liquid chromatography after derivatisation with 1,2,4-triazole 812(1998)213

Determination of amoxicillin in human serum and plasma by high-performance liquid chromatography and on-line postcolumn derivatisation 812(1998)221

Development and validation of amoxicillin determination by micellar electrokinetic capillary chromatography 812(1998)227

Multiresidue determination of  $\beta$ -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

Determination of meropenem in serum by high-performance liquid chromatography with column switching 812(1998)249

Analysis of macrolide antibiotics (Review) 812(1998)255

Determination of macrolides in biological matrices by high-performance liquid chromatography with electrochemical detection 812(1998)287

- Simultaneous determination of five macrolide antibiotics in meat by high-performance liquid chromatography 812(1998)295
- Liquid chromatography of josamycin propionate on poly(styrene–divinylbenzene) 812(1998)303
- Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309
- Improved method for the on-line metal chelate affinity chromatography–high-performance liquid chromatographic determination of tetracycline antibiotics in animal products 812(1998)321
- Iso- and epi-iso-chlortetracycline are the principal metabolites of chlortetracycline in the hen's egg 812(1998)327
- Determination of minocycline in human plasma by high-performance liquid chromatography with UV detection after liquid–liquid extraction 812(1998)339
- Reversed-phase high-performance liquid chromatographic determination of enoxacin and 4-oxo-enoxacin in human plasma and prostatic tissue. Application to a pharmacokinetic study 812(1998)369
- Determination of norfloxacin in human plasma and urine by high-performance liquid chromatography and fluorescence detection 812(1998)381
- Analysis of recent antimicrobial agents in human biological fluids by high-performance liquid chromatography 815(1998)163
- Determination of antibiotics in different water compartments via liquid chromatography–electrospray tandem mass spectrometry 815(1998)213
- Hydrophilic interaction/cation-exchange chromatography for separation of cyclic peptides 816(1998)79
- Development of a gas chromatography–mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95
- Identification of alkaloids and polyketides in an *Actinomycete* by high-performance liquid chromatography with mass spectrometric and UV–visible detection 818(1998)187
- Analysis of amikacin by liquid chromatography with pulsed electrochemical detection 819(1998)93
- Investigation of potential degradation products of a newly synthesised  $\beta$ -lactam antibiotic by multi-stage liquid chromatography–electrospray mass spectrometry 819(1998)133
- High-performance liquid chromatographic determination of amphotericin B in plasma and tissue. Application to pharmacokinetic and tissue distribution studies in rats 819(1998)171
- Retention behaviour of quinolone derivatives in high-performance liquid chromatography. Effect of pH and evaluation of ionization constants 823(1998)411
- Stability studies of tetracycline in methanol solution 827(1998)45
- Simultaneous determination of five antibiotics by ion-pair high-performance liquid chromatography 828(1998)287
- Liquid chromatographic method for separation of lincomycin from its related substances 829(1998)161
- Determination of streptomycin residues in food by solid-phase extraction and liquid chromatography with post-column derivatization and fluorometric detection 830(1999)345
- Preparative purification of antibiotics for comparing hydrostatic and hydrodynamic mode counter-current chromatography and preparative high-performance liquid chromatography 831(1999)203
- Purification of pneumocandins by preparative silica-gel high-performance liquid chromatography 831(1999)217
- On-line deconjugation of chloramphenicol- $\beta$ -D-glucuronide on an immobilized  $\beta$ -glucuronidase column. Application to the direct analysis of urine samples 828(1998)135
- Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of  $\alpha$ -hydroxy acids 838(1999)223
- Capillary electrophoresis of some tetracycline antibiotics coupled with reductive fast cyclic voltammetric detection 839(1999)193
- Rapid liquid chromatographic determination of oxytetracycline in milk 839(1999)247
- Development and optimisation of a new derivatisation procedure for gas chromatographic–mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-by-step optimisation procedures 840(1999)81
- Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261
- Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371
- Microcolumn high-performance liquid chromatographic assay for doxycycline in isolated alveolar macrophages 846(1999)181

Determination of ramoplanin in human urine by high-performance liquid chromatography with automated column switching 846(1999)185

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

#### **Antibodies**

see also Monoclonal antibodies

Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121

Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

#### **Antiestrogens**

Validated high-performance liquid chromatographic methods for quantitation of a novel nonsteroidal antiestrogen 828(1998)247

#### **Antifungal agents**

Purification of pneumocandins by preparative silica-gel high-performance liquid chromatography 831(1999)217

#### **Antigens**

Physico-chemical characterization of recombinant hepatitis B surface antigen by a multidimensional approach 845(1999)171

#### **Antihistamines**

Enantiomeric enrichment of non-racemic antihistamines by achiral high-performance liquid chromatography 813(1998)79

#### **Anti-inflammatory drugs**

Determination of naproxen in liver and kidney tissues by electrokinetic capillary chromatography with laser-induced fluorescence detection 802(1998)115

#### **Antimicrobial agents**

Analysis of recent antimicrobial agents in human biological fluids by high-performance liquid chromatography 815(1998)163

#### **Antimony**

Antimony speciation in environmental samples by interfacing capillary electrophoresis on-line to an inductively coupled plasma mass spectrometer 834(1999)341

#### **Antioxidants**

Evolution of a method for quantitative supercritical fluid extraction of Ethanox 330 antioxidant from high-density polyethylene 811(1998)163

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

Size-exclusion chromatography method for characterizing low-molecular-mass antioxidant lubricant additives 841(1999)45

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods 848(1999)529

#### **Antithrombin**

High-performance capillary electrophoresis for in-process control in the production of antithrombin III and human clotting factor IX 802(1998)355

#### **Apolipoproteins**

Fast  $C_{18}$  solid-phase desalting/delipidation of the human serum apolipoproteins for matrix-assisted laser desorption/ionization and electrospray ionization mass spectrometric analysis 840(1999)183

#### **Arbidol**

Sensitive high-performance liquid chromatographic determination of arbidol, a new antiviral compound, in human plasma 810(1998)63

#### **Arenes**

Compound retention dependence of the response in a gas chromatography–atomic emission detection system 819(1998)85

#### **Arginine**

Thin-layer chromatography–mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

#### **Aroclors**

Recent developments in the high-resolution gas chromatography of polychlorinated biphenyls 843(1999)323

#### **Aroma compounds**

Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography–mass spectrometry 844(1999)295

#### **Aromatic compounds**

see also Hydrocarbons, aromatic and Polynuclear aromatic compounds

Some aspects of chromatographic behavior in capillary electrochromatography 802(1998)59



Separation properties of bis( $\beta$ -diketonato)-copper(II) complexes in capillary gas chromatography 809(1998)65

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Evaluation of musk contamination of freshwater fish in Italy by accelerated solvent extraction and gas chromatography with mass spectrometric detection 814(1998)187

Separation and determination of aromatic acids in natural water with preconcentration by capillary zone electrophoresis 817(1998)145

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245

Characterisation of  $\pi$ – $\pi$  interactions which determine retention of aromatic compounds in reversed-phase liquid chromatography 841(1999)147

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

### **Arsenazo III**

Separation of uranium(VI) and lanthanides by capillary electrophoresis using on-capillary complexation with arsenazo III 803(1998)279

### **Arsenic**

Determination of organoarsenicals in the environment by solid-phase microextraction–gas chromatography–mass spectrometry 807(1998)253

### **Arsenous acid**

Conductimetric detection of anions of very weak acids by incomplete suppressed ion chromatography 832(1999)141

### **Artificial sweeteners**

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277

### **Arylphenoxypropionic acids**

Determination of arylphenoxypropionic herbicides in water by liquid chromatography–electrospray mass spectrometry 813(1998)285

### **Ascorbic acid**

see also Vitamins

Application of capillary electrophoresis to tea quality estimation 802(1998)219

Ascorbic acid possesses labile oxygen atoms in aqueous solution 802(1998)385

Determination of ascorbic acid in food by column liquid chromatography with electrochemical detection using eluent for pre-run sample stabilization 806(1998)361

Simultaneous determination of vitamin C and its carbamylated derivatives by high-performance liquid chromatography with post-column derivatization 806(1998)340

Determination of ascorbic acid in isolated pea plant cells by capillary electrophoresis and amperometric detection 826(1998)227

### **L-Ascorbic acid 2-monophosphate**

Assay of L-ascorbic 2-monophosphate in aquaculture feeds by high-performance anion-exchange chromatography with conductivity detection 803(1998)141

### **Aspartame**

Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277

### **Astringin**

High-performance liquid chromatography coupled with fluorescence detection for the determination of *trans*-astringin in wine 849(1999)617

### **Atenolol**

Isocratic, simultaneous reversed-phase high-performance liquid chromatographic estimation of six drugs for combined hypertension therapy 828(1998)283

### **Atractylon**

Determination of atractylon in *Atractylodes* rhizome using supercritical fluid chromatography on-line coupled with supercritical fluid extraction by the direct induction method 810(1998)252

### **Atrazine**

Erratum to “New and simple method for the analysis of the glutathione adduct of atrazine”. [J. Chromatogr. A, 795 (1998) 53–60] 806(1998)366

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography–fluorescence detection with pre-column derivatization reaction 827(1998)57

**Atropine**

Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465

**Auxins**

Micro and capillary liquid chromatography–tandem mass spectrometry: a new dimension in phytohormone research 826(1998)25

**Avenins**

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

**Avermectins**

Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13

**Avidin**

Separation of acidic enantiomers by capillary electrophoresis–mass spectrometry employing a partial filling technique 802(1998)83

**6-Azamianserin**

Direct enantiomeric separation of mianserin and 6-azamianserin derivatives using chiral stationary phases 803(1998)169

**Azelastine hydrochloride**

Quantitation of counter ion of a water-insoluble drug by nonaqueous capillary electrophoresis with indirect UV detection 829(1998)411

**Azide**

Unusual induction in the iodine–azide induced reaction exhibited by organophosphorus compounds on thin-layer chromatography plates 831(1999)321

**Azo dyes**

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Purification and identification of several sulphonated azo dyes using reversed-phase preparative high-performance liquid chromatography 825(1998)37

Adsorption studies of azo dyes as resonance Raman spectroscopic probes at solid–liquid interfaces 828(1998)121

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

**B****Baclofen**

Sensitive method for the determination of baclofen in plasma by means of solid-phase extraction and liquid chromatography–tandem mass spectrometry 846(1999)169

**Bacopasaponins**

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst 847(1999)109

**Bacosides**

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst 847(1999)109

**Baicalein**

Supercritical fluid extraction of flavonoids from *Scutellariae Radix* 830(1999)387

**Baicalin**

Supercritical fluid extraction of flavonoids from *Scutellariae Radix* 830(1999)387

**Barbiturates**

Separation of barbiturates with micellar liquid chromatography and optimization by a second order mathematical design 805(1998)45

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Quantitative retention–structure and retention–activity relationships of barbiturates by micellar liquid chromatography 814(1998)121

Enantiomer separation by pressure-supported electrochromatography using capillaries packed with a permethyl- $\beta$ -cyclodextrin stationary phase 815(1998)183

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral  $\beta$ -cyclodextrin derivatives 817(1998)113

Characterization of the stereoselective metabolism of thiopental and its metabolite pentobarbital via analysis of their enantiomers in human plasma by capillary electrophoresis 838(1999)237

Evaluation of capillary electrophoretic techniques towards systematic toxicological analysis 838(1999)259

**Barium peroxide**

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

**Basic compounds**

Capillary electrochromatographic separation of basic compounds with bare silica as stationary phase 817(1998)65

High-performance liquid chromatography of basic compounds. Problems, possible solutions and tests of reversed-phase columns 828(1998)407

Comparison of the performance of conventional C<sub>18</sub> phases with others of alternative functionality for the analysis of basic compounds by reversed-phase high-performance liquid chromatography 844(1999)23

Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283

**Basic drugs**

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

**Beclomethasone dipropionate**

Quantitation of active ingredients and excipients in nasal sprays by high-performance liquid chromatography, capillary electrophoresis and UV spectroscopy 823(1998)423

Use of detergents and high contents of organic solvents for simultaneous quantitation of ionic and nonionic drugs by electrokinetic chromatography 824(1998)99

**Benazepril**

Stereoselective analysis of benazepril and its stereoisomers by reversed-phase high-performance liquid chromatography on a chiral AGP column 818(1998)53

**Benfuracarb**

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

**Benomyl**

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

**Bentazon**

Determination of bentazon residues in water by high-performance liquid chromatography. Validation of the method 846(1999)369

**Benzaldehydes**

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid–liquid reactor for catalytic reactions 828(1998)523

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

**Benzalkonium chloride**

Improved application of ion chromatographic determination of carboxylic acids in ozonated drinking water 804(1998)265

Quantitation of active ingredients and excipients in nasal sprays by high-performance liquid chromatography, capillary electrophoresis and UV spectroscopy 823(1998)423

Use of detergents and high contents of organic solvents for simultaneous quantitation of ionic and nonionic drugs by electrokinetic chromatography 824(1998)99

**Benzenecarboxylates**

What are the unanswered (and unasked) questions in ion analysis? 804(1998)3

**Benzenecarboxylic acids**

Ion-exclusion chromatography of carboxylic acids on silica gel modified with aluminium 850(1999)177

**Benzenediamines**

Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241

**Benzenediols**

Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241

**Benzenes**

Gas chromatographic determination of binary adsorption isotherms 806(1998)293

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography–flame ionization detection 826(1998)191

Methodology for gas chromatographic–mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

**Benzenesulfonic acids**

Capillary zone electrophoresis at subzero temperatures. III. Operating conditions and separation efficiency 825(1998)55

**Benzidines**

Determination of chlorobenzidines in industrial effluent by solid-phase extraction and liquid chromatography with electrochemical and mass spectrometric detection 833(1999)181

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

**Benzodiazepines**

Comparison of quadrupole and (quadrupole) ion-trap mass spectrometers for the analysis of benzodiazepines 819(1998)125

Gas chromatographic–mass spectrometric confirmation of selected benzophenones from benzodiazepines in human urine following automatic screening 823(1998)389

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electropray ionisation mass spectrometry 838(1999)273

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

Determination of 2,3-benzodiazepine derivatives in rat plasma by high-performance liquid chromatography 846(1999)165

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

**Benzodioxanes**

Capillary electrophoretic and high-performance liquid chromatographic studies of the enantioselective separation of  $\alpha_1$ -adrenoreceptor antagonists 803(1998)189

Reversed-phase liquid chromatography of 1,3-benzodioxanes in *Piper mullesua* 841(1999)123

**Benzoic acids**

Simple technique for joining of capillaries in capillary separation methods 802(1998)381

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Analysis of aromatic plant acids by capillary zone electrophoresis 803(1998)311

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211

Use of quasi-equimolar, closely-spaced, poly-co-ion background electrolytes in capillary electrophoresis for the reduction of electromigration dispersion over a wide mobility range 814(1998)199

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

Non-aqueous capillary zone electrophoresis using polyethylene glycol as a matrix agent 822(1998)107

Simultaneous gas chromatographic determination of food preservatives following solid-phase extraction 823(1998)321

Retention of ionizable compounds on high-performance liquid chromatography. III. Variation of p*K* values of acids and p*H* values of buffers in acetonitrile–water mobile phases 824(1998)137

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245

Isotachophoretic focusing of strong and weak electrolytes in combined p*H* and conductivity gradients 838(1999)71

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of p*H* and addition of organic modifiers or inorganic metal salts 848(1999)387

**Benzoin**

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent in methanol–water background electrolytes 827(1998)121

**Benzophenones**

Gas chromatographic–mass spectrometric confirmation of selected benzophenones from benzodiazepines in human urine following automatic screening 823(1998)389

Fitting competitive adsorption isotherms to the distribution data in normal phase systems with binary mobile phases 831(1999)131

#### **1-(2'-Benzothiazolethio)-2-morpholinoprop-1-ene**

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

#### **2'-(Benzothiazolythio)propan-2-one**

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

#### **Benzothiophenes**

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[*b*]thiophenes, benzo[*b*]naphthothiophenes and alkyl-substituted derivatives) on stationary phases of different selectivity 841(1999)207

#### **Benzotriazolyloxytris(dimethylamino)phosphonium hexafluorophosphate**

Optical resolution of racemic carboxylic acids by gas chromatography 803(1998)307

#### **Benzoxazolinone**

Estimation of chlorzoxazone hydroxylase activity in liver microsomes and of the plasma pharmacokinetics of chlorzoxazone by the same high-performance liquid chromatographic method 828(1998)291

#### **Benzoylcegonine**

Analysis of urinary drugs of abuse by a multianalyte capillary electrophoretic immunoassay 838(1999)197

#### **Benzoylpolylysines**

High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255

#### **Benzoylureas**

Simultaneous quantitative determination of thirteen urea pesticides at sub-ppb levels on a Zorbax SB-C<sub>18</sub> column 825(1998)200

High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113

#### **Benzyl alcohols**

Use of quasi-equimolar, closely-spaced, poly-co-ion background electrolytes in capillary electrophoresis for the reduction of electromigration dispersion over a wide mobility range 814(1998)199

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid-liquid reactor for catalytic reactions 828(1998)523

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

#### **Beryllium**

Development of an analytical method for beryllium in airborne dust by micellar electrokinetic chromatography 850(1999)363

#### **β-Agonists**

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

#### **β-Blockers**

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Comparison of the retention behavior of β-blockers using immobilized artificial membrane chromatography and lysophospholipid micellar electrokinetic chromatography 810(1998)95

Comparison of native, alkylated and charged cyclodextrins for the chiral separation of labetalol stereoisomers by capillary electrophoresis 829(1998)341

Potential of packed column supercritical fluid chromatography for the separation of metoprolol from closely related compounds 839(1999)141

#### **Betaines**

Improved analytical methods for determination of nitrogenous stress metabolites occurring in *Limonium* species 836(1999)209

#### **Bile acids**

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and *N*-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

Method for the separation of the unconjugates and conjugates of chenodeoxycholic acid and deoxycholic acid by two-dimensional reversed-phase thin-layer chromatography with methyl β-cyclodextrin 811(1998)171

#### **Bile salts**

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219

Capillary electrophoretic separation of polynuclear aromatic hydrocarbons using sodium cholate in mixed aqueous-organic buffers 817(1998)307

**Bilirubins**

Accurate and sensitive high-performance liquid chromatographic method for geometrical and structural photoisomers of bilirubin IX $\alpha$  using the relative molar absorptivity values 848(1999)169

**(S)-Binaphthol derivative**

Preparation and chiral recognition of (S)-binaphthol derivative-bonded phase for high-performance liquid chromatography 813(1998)35

**Binaphthylidyl hydrogenphosphate**

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium  $\beta$ -cyclodextrin 817(1998)121

**Biochanin A**

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

**Biogenic amides**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Biogenic amines**

see also Amines and Catecholamines

Direct determination of biogenic amines in wine by integrating continuous flow clean-up and capillary electrophoresis with indirect UV detection 803(1998)249

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

Determination of seven biogenic amines in foods by micellar electrokinetic capillary chromatography 815(1998)243

Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243

Determination of biogenic amines by capillary electrophoresis 836(1999)305

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Fluorescence properties of carbazole-*N*-(2-methyl)acetyl chloride and determination of amino compounds via high-performance liquid chromatography with pre-column fluorescence derivatization 848(1999)117

**1,1-Bis-(2'-benzothiazolethio)-2-alkylaminoprop-1-ene**

Determination of the products of the reaction of *N*-alkyl-2-benzothiazolesulfenamide by high-performance liquid chromatography with acetone 847(1999)351

**Bisbenzylisoquinolines**

Optimization of the capillary electrophoretic separation of bisbenzylisoquinoline alkaloids by an overlapping resolution mapping scheme 814(1998)223

**Bisphosphonates**

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

**Bis(polyethoxy)aminobenzoic acid polyethoxyethyl ester**

High-performance liquid chromatographic method for the comparison of the photostability of five sunscreen agents 832(1999)273

**Bis(trimethylsilyl)acetamide**

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

**Bis(trimethylsilyl)trifluoroacetamide**

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

**Bitter acids**

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

**BO-IMI**

Phosphate-specific fluorescence labeling with BO-IMI: reaction details 809(1998)211

**Booster biocides**

Determination of selected antifouling booster biocides by high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

**Borate**

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

**Borate complexes**

Enhancement of the zone electrophoretic separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses as borate complexes by concerted ion-interaction electrokinetic chromatography with Polybrene 805(1998)277

**Boric acid**

Conductimetric detection of anions of very weak acids by incomplete suppressed ion chromatography 832(1999)141

Enhancement of conductometric detection of weak acids in ion chromatography 850(1999)85

**Bradykinin**

Peptide purity and counter ion determination of bradykinin by high-performance liquid chromatography and capillary electrophoresis 817(1998)215

Thin-layer chromatography–mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

**Brij 3**

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

**Bromate**

Analysis of oxyhalides in water by ion chromatography–ionspray mass spectrometry 804(1998)105

New, sensitive and selective method for determining sub- $\mu\text{g/l}$  levels of bromate in drinking water 804(1998)137

Determination of trace level bromate in drinking water by direct injection ion chromatography 829(1998)187

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Analysis of 500-ng/l levels of bromate in drinking water by direct-injection suppressed ion chromatography coupled with a single, pneumatically delivered post-column reagent 850(1999)119

**Bromide**

Determination of bromide ions in seawater by capillary zone electrophoresis using diluted artificial seawater as the buffer solution 802(1998)211

Determination of bromide ion in raw and drinking waters by capillary zone electrophoresis 839(1999)217

**Brominated flame retardants**

Identification of brominated flame retardants in polymeric materials by reversed-phase liquid chromatography with ultraviolet detection 827(1998)65

**Bromine**

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

**Bromoacetic acids**

Evaluation of different electrolyte systems and on-line preconcentrations for the analysis of haloacetic acids by capillary zone electrophoresis 835(1999)187

**Bromocresol green**

Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327

**Bromomethylmethoxycoumarin**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Budesonide**

Automated sample preparation for the determination of budesonide in plasma samples by liquid chromatography and tandem mass spectrometry 823(1998)401

**Buserelin acetate**

Characterisation of buserelin acetate by capillary electrophoresis 817(1998)239

**Butyl acetate**

Cation analysis in electronics-grade organic solvents by ion chromatography 804(1998)193

**Butylated hydroxyanisole**

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

**Butylated hydroxytoluene**

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

**Butylcarbamoylquinine**

High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167

**Butyl methoxydibenzoylmethane**

High-performance liquid chromatographic method for the comparison of the photostability of five sunscreen agents 832(1999)273

# C

**Cadaverine**

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

Separation of tosylated polyamines by high-performance capillary zone electrophoresis 823(1998)511

**Caffeine**

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Application of capillary electrophoresis to tea quality estimation 802(1998)219

Sample purification for the analysis of caffeine in tobacco by gas chromatography–mass spectrometry 814(1998)171

Rapid analysis of methylated xanthes in teas by an improved high-performance liquid chromatographic method using a polyvinylpyrrolidone pre-column 848(1999)523

#### **Calcion**

Sulphonated azoligand for metal ion determination in ion interaction chromatography 847(1999)233

#### **Calcium**

Use of ion chromatography as an alternative method for the analysis of calcium in calcium mupirocin 804(1998)211

Determination of magnesium and calcium in 30% sodium chloride by ion chromatography with on-line matrix elimination 816(1998)282

#### **Calcium antagonists**

Micellar electrokinetic chromatography as a fast screening method for the determination of 1,4-dihydropyridine calcium antagonists 836(1999)189

#### **Calcium mupirocin**

Use of ion chromatography as an alternative method for the analysis of calcium in calcium mupirocin 804(1998)211

#### **Calixarenes**

Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243

#### **Camphor**

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

#### **Camphorsulfonic acid**

Separation of acidic enantiomers by capillary electrophoresis–mass spectrometry employing a partial filling technique 802(1998)83

#### **Cannabinoids**

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

#### **Capsaicin**

Determination of capsaicin and dihydrocapsaicin by micellar electrokinetic capillary chromatography and its application to various species of *Capsicum*, Solanaceae 838(1999)293

#### **Carbamates**

Comparison of different sorbents for on-line liquid–solid extraction followed by high-performance liquid chromatographic determination of nitrogen-containing pesticides 822(1998)67

Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen–phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection 823(1998)49

Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3

Study of photodegradation of the pesticide ethiofencarb in aqueous and non-aqueous media, by gas chromatography–mass spectrometry 840(1999)235

#### **Carbamyl**

Validation of an immunoassay method for the determination of traces of carbaryl in vegetable and fruit extracts by liquid chromatography with photodiode array and mass spectrometric detection 823(1998)109

#### **Carbamyl ascorbate**

Simultaneous determination of vitamin C and its carbamylated derivatives by high-performance liquid chromatography with post-column derivatization 806(1998)340

#### **Carbazolemethylacetyl chloride**

Fluorescence properties of carbazole-*N*-(2-methyl)acetyl chloride and determination of amino compounds via high-performance liquid chromatography with pre-column fluorescence derivatization 848(1999)117

#### **Carbendazim**

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61

#### **Carbetocin**

Investigation of crudes of synthesis of carbetocin by liquid chromatography coupled to electrospray ionization mass spectrometry 833(1999)267

#### **Carbidopa**

Systematic approach to methods development for the capillary electrophoretic analysis of a minor enantiomer using a single-isomer sulfated cyclodextrin. A case study of L-carbidopa analysis 817(1998)105

#### **Carbohydrates**

see also Cyclodextrins, Disaccharides, Monosaccharides, Oligosaccharides, Polysaccharides, Saccharides and Sugars



- Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61
- Fractionation of maltodextrins by ethanol 803(1998)103
- Analysis of phosphorylated carbohydrates by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry utilising a  $\beta$ -cyclodextrin bonded stationary phase 803(1998)111
- Separation of a fructo-oligosaccharide mixture by hydrophilic interaction chromatography using silica-based micropellicular sorbents 803(1998)302
- High-performance anion-exchange chromatographic separations of carbohydrates on a macrocycle-based stationary phase with eluents of relatively low pH and concentration 804(1998)69
- Detection of counterfeit and relabeled infant formulas by high-pH anion-exchange chromatography–pulsed amperometric detection for the determination of sugar profiles 804(1998)279
- Ion chromatographic analysis of nutrients in seed exudate for microbial colonisation 804(1998)311
- Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1
- Enhancement of the zone electrophoretic separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses as borate complexes by concerted ion-interaction electrokinetic chromatography with Polybrene 805(1998)277
- Optimal membrane choice for microdialysis sampling of oligosaccharides 806(1998)265
- Capillary electrophoresis for the simultaneous separation of selected carboxylated carbohydrates and their related 1,4-lactones 807(1998)89
- Characterization of carbohydrates using a combination of derivatization, high-performance liquid chromatography and mass spectrometry 811(1998)47
- Synthesis of L-xylo-hexos-2-ulose (L-sorbosone) and its characterisation by chromatographic and spectroscopic techniques 811(1998)261
- Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography 814(1998)63
- Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185
- Detection of carbohydrates by electrospray ionization–ion mobility spectrometry following microbore high-performance liquid chromatography 822(1998)1
- High-performance liquid chromatography with real-time Fourier-transform infrared detection for the determination of carbohydrates, alcohols and organic acids in wines 824(1998)159
- Separation of low-molecular-mass acetylated glucuronans on L-histidine immobilized onto poly(ethylene–vinyl alcohol) hollow-fiber membranes 826(1998)157
- Determination of the molecular mass of amylose 828(1998)515
- Rapid and sensitive analysis of disaccharide composition in heparin and heparan sulfate by reversed-phase ion-pair chromatography on a 2  $\mu$ m porous silica gel column 830(1999)197
- Nickel content dependence of electrochemical behavior of carbohydrates on a titanium–nickel alloy electrode and its application to a liquid chromatography detector 837(1999)17
- Simultaneous determination of inorganic anions, organic acids, amino acids and carbohydrates by capillary electrophoresis 837(1999)231
- Investigation of molecular masses and aggregation of  $\beta$ -D-glucan from *Poria cocos* sclerotium by size-exclusion chromatography 839(1999)49
- Capillary electrophoretic determination of the association constant of a protein and a neutral carbohydrate by introducing mercaptoethanesulfonate tags to the carbohydrate 839(1999)157
- Selective affinity of L-histidine immobilized onto poly(ethylene–vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1
- Carbohydrate profiling of bacteria by gas chromatography–mass spectrometry and their trace detection in complex matrices by gas chromatography–tandem mass spectrometry 843(1999)287
- Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas–liquid chromatography–mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283
- High-performance liquid chromatographic separation of carbohydrates on stationary phases prepared from polystyrene-based resin and tertiary amines. Effect of chemical structure of anion-exchange sorbents 845(1999)401

Double purification of radiolabelled D-fructose by high-performance liquid chromatography for tracing its metabolism 847(1999)53

Study of sugar acids separation by high-performance anion-exchange chromatography–pulsed amperometric detection using alkaline eluents spiked with Ba<sup>2+</sup>, Sr<sup>2+</sup>, or Ca<sup>2+</sup> as acetate or nitrate salts 848(1999)71

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

#### **Carbonate**

Simple procedure to eliminate concentrated sodium bicarbonate and carbonate with reusable strong cation-exchange cartridges for ion chromatographic analysis of formate and oxalate 829(1998)407

#### **Carbonate apatite**

Thermochromatography for evolved gas analysis of apatite materials 819(1998)75

#### **Carbon dioxide**

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

#### **Carbon disulfide**

Determination of multiple electron affinities of carbon disulfide using electron-capture detection 811(1998)250

#### **Carbonic anhydrase**

Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261

#### **Carbon monoxide**

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

#### **Carbonyl compounds**

see also Aldehydes and Ketones

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

Determination of carbonyl compounds in water by derivatization–solid-phase microextraction and gas chromatographic analysis 809(1998)75

Trace analysis of carbonyl compounds by liquid chromatography–mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

#### **Carboplatin**

Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321

#### **Carboxamides**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

#### **Carboxyarabinitol**

Separation of the branch chain hexose, hamamelose, by high-performance liquid chromatography, and amperometric detection of hamamelose and related compounds 814(1998)105

#### **Carboxyfluorescein succinimidyl ester**

Nanomolar derivatizations with 5-carboxyfluorescein succinimidyl ester for fluorescence detection in capillary electrophoresis 809(1998)203

#### **Carboxy-1-(1H-imadazol-4-yl)ethyl derivatives**

Determination of chiral catabolites from S-[2-carboxy-1-(1H-imidazol-4-yl)ethyl]glutathione, a proposed metabolite of L-histidine, by capillary electrophoresis 802(1998)73

#### **Carboxylic acids**

see also Acids, Fatty acids and Organic acids

Optical resolution of racemic carboxylic acids by gas chromatography 803(1998)307

Improved application of ion chromatographic determination of carboxylic acids in ozonated drinking water 804(1998)265

Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

Analysis and characterization of naphthenic acids by gas chromatography–electron impact mass spectrometry of *tert*-butyldimethylsilyl derivatives 807(1998)241

Capillary zone electrophoresis with indirect UV detection of haloacetic acids in water 808(1998)229

(S)-(+)-1-Methyl-2-(6,7-dimethoxy-2,3-naphthalimido)ethyl trifluoromethanesulfonate as a fluorescence chiral derivatizing reagent for carboxylic acid enantiomers in high-performance liquid chromatography 810(1998)221

Methylation of carboxylic acids in supercritical carbon dioxide modified with methanol using a flow-through system 815(1998)225

4-(5,6-Dimethoxy-2-phthalimidinyl)phenylsulfonyl semipiperazide as a fluorescent labelling reagent for determination of carboxylic acids in precolumn high-performance liquid chromatography 816(1998)137

Sampling techniques for gas chromatographic–mass spectrometric analysis of long-chain free fatty acids from insect exocrine glands 816(1998)169

Analysis of solutes and metabolites in single plant cell vacuoles by capillary electrophoresis 817(1998)337

Determination of low-molecular-mass anionic compounds in beverage samples using capillary zone electrophoresis with simultaneous indirect ultraviolet and conductivity detection 822(1998)117

Analysis of carboxylic and related acids in the environment by capillary electrophoretic techniques 827(1998)1

Determination of inorganic anions on porous graphitic carbon using evaporative light scattering detection. Use of carboxylic acids as electronic competitors 829(1998)193

Determination of polar terpene oxidation products in aerosols by liquid chromatography–ion trap mass spectrometry 833(1999)121

$\beta$ -Hydroxynaphthoic acid synthesis monitoring by capillary zone electrophoresis and high-performance liquid chromatography. Determination of polynaphthyl derivatives 836(1999)67

New derivatization method for carboxylic acids in aqueous solution for analysis by capillary electrophoresis and laser-induced fluorescence detection 836(1999)325

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

Ion chromatography of impurities in organic solvents 847(1999)345

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography 850(1999)17

Ion-exclusion chromatography of carboxylic acids on silica gel modified with aluminium 850(1999)177

Separation of carboxylic acids on a weakly acidic cation-exchange resin by ion-exclusion chromatography 850(1999)187

#### **Carboxylic acids, perfluorinated**

Ion-pair reversed-phase liquid chromatography for determination of polar underivatized amino acids using perfluorinated carboxylic acids as ion pairing agent 833(1999)147

#### **Carboxymethylpropylfuranpropanoic acid**

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

#### **Cardenolides**

Effect of *Digitalis lanata* matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency 822(1998)37

#### **Carnitine**

Enantiomeric separation of D- and L-carnitine by integrating on-line derivatization with capillary zone electrophoresis 849(1999)609

#### **Carotenes**

Separation of *cis/trans* isomers of  $\beta$ -carotene by supercritical fluid chromatography 844(1999)307

#### **Carotenoids**

Separation of carotenoids by subcritical fluid chromatography with coated, packed capillary columns and neat carbon dioxide 823(1998)313

Separation and identification of chlorophylls and carotenoids from *Caulerpa prolifera*, *Jania rubens* and *Padina pavonica* by reversed-phase high-performance liquid chromatography 829(1998)153

Semi-quantification of carotenoids by high-performance liquid chromatography: saponification-induced losses in fatty foods 829(1998)393

Determination of the geographical origin of valencia orange juice using carotenoid liquid chromatographic profiles 844(1999)149

#### **Carrageenan**

Separation of high-molecular-mass carrageenan polysaccharides by capillary electrophoresis with laser-induced fluorescence detection 817(1998)353

#### **Casein**

Validation of capillary electrophoresis in the analysis of ewe's milk casein 832(1999)239

#### **Catechins**

Application of capillary electrophoresis to tea quality estimation 802(1998)219

Method for determining the content of catechins in tea infusions by high-performance liquid chromatography 805(1998)137

Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid 822(1998)167

Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system 827(1998)113

Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117

#### **Catecholamines**

see also Amines and Biogenic amines

Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549

Using an electrochemical detector with a carbon interdigitated-array microelectrode for capillary-column liquid chromatography 828(1998)113

Study of single cells by using capillary electrophoresis and native fluorescence detection 830(1999)243

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

#### **Catecholmethyltransferase inhibitors**

Micellar electrokinetic capillary chromatography method for direct determination of glucuronides of entacapone and its (Z)-isomer in human urine 836(1999)173

#### **Cathepsins**

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

#### **Ceftazidime**

Is the direct quantitation of antibiotics in agar by high-performance liquid chromatography useful? 812(1998)111

#### **Cellobiohydrolases**

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Ion-exchange chromatographic purification and quantitative analysis of *Trichoderma reesei* cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography 808(1998)153

#### **Cellulases**

Ion-exchange chromatographic purification and quantitative analysis of *Trichoderma reesei* cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography 808(1998)153

#### **Cellulose**

Analysis of cellulose degradation products by capillary electrophoresis 804(1998)363

Evaluation of size-exclusion chromatography and viscometry for the determination of molecular masses of oxidised cellulose 805(1998)93

#### **Cellulose triacetate**

Kinetic study of the mass transfer of *S*-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

#### **Cephalomannine**

Determination of paclitaxel and related diterpenoids in plant extracts by high-performance liquid chromatography with UV detection in high-performance liquid chromatography–mass spectrometry 802(1998)297

#### **Cephalosporins**

Characterization of interaction between cephalosporins and charged surfactants using capillary zone electrophoresis 802(1998)89

Determination of dissociation constants of cephalosporins by capillary zone electrophoresis 803(1998)273

Determination of third-generation cephalosporins by high-performance liquid chromatography in connection with pharmacokinetic studies (Review) 812(1998)159

Monitoring of the concentration of  $\beta$ -lactam antibiotics and their precursors in complex cultivation media by high-performance liquid chromatography (Review) 812(1998)179

On-line solid-phase extraction of cephalosporins 812(1998)191

Multiresidue determination of  $\beta$ -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

#### **Cephameycins**

Quantitative determination of semisynthetic cephamycins in human serum and urine by ion-exchange, reversed-phase and ion-pair chromatography 812(1998)197

#### **Cetyltrimethylammonium bromide**

Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis 817(1998)15

#### **Chenodeoxycholic acid**

Method for the separation of the unconjugates and conjugates of chenodeoxycholic acid and deoxycholic acid by two-dimensional reversed-phase thin-layer chromatography with methyl  $\beta$ -cyclodextrin 811(1998)171

#### **Chitosan**

Chitosan derivatives as chiral selectors bonded on allyl silica gel: preparation, characterisation and study of the resulting high-performance liquid chromatography chiral stationary phases 839(1999)15

#### **Chloramphenicol-glucuronide**

On-line deconjugation of chloramphenicol- $\beta$ -D-glucuronide on an immobilized  $\beta$ -glucuronidase column. Application to the direct analysis of urine samples 828(1998)135

**Chlorate**

Analysis of oxyhalides in water by ion chromatography–ionspray mass spectrometry 804(1998)105

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

Chromatographic determination of anions in industrial salt and sodium chloride brines used in chlor–alkali industry 841(1999)55

Determination of chlorate at low  $\mu\text{g}/\text{l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209

**Chlordane**

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

**Chlordiazepoxide**

Analysis of impurities by high-performance thin-layer chromatography with Fourier transform infrared spectroscopy and UV absorbance detection in situ measurement: chlordiazepoxide in bulk powder and in tablets 813(1998)145

**Chloride**

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

Quantitation of counter ion of a water-insoluble drug by nonaqueous capillary electrophoresis with indirect UV detection 829(1998)411

Improved selectivity of anions with methanol as additive. Determination of  $\text{Cl}^-$ ,  $\text{NO}_3^-$  and  $\text{SO}_4^{2-}$  in river water by capillary electrophoresis 834(1999)393

New leading electrolyte for the direct determination of chloride and other anions in analytical isotachopheresis 838(1999)81

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

**Chlorine dioxide**

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

**Chlorite**

Analysis of oxyhalides in water by ion chromatography–ionspray mass spectrometry 804(1998)105

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

**Chlormezanone**

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral  $\beta$ -cyclodextrin derivatives 817(1998)113

**Chloroacetic acids**

Evaluation of different electrolyte systems and on-line preconcentrations for the analysis of haloacetic acids by capillary zone electrophoresis 835(1999)187

**Chloroanilines**

Determination of chlorobenzidines in industrial effluent by solid-phase extraction and liquid chromatography with electrochemical and mass spectrometric detection 833(1999)181

**Chlorobenzenes**

Prediction of the gas chromatographic retention values of chlorobenzenes on different stationary phases by using structure–retention correlations 803(1998)211

Determination of chlorobenzenes in water by solid-phase extraction and gas chromatography–mass spectrometry 803(1998)219

Strategies for the analysis of chlorobenzenes in soils using solid-phase microextraction coupled with gas chromatography–ion trap mass spectrometry 819(1998)197

Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19

**Chlorocatechols**

Determination of chlorophenolics in waters by membrane solid-phase extraction: comparison between  $\text{C}_{18}$  and activated carbon membranes and between modes of extraction and elution 840(1999)21

**Chloroethenes**

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

**Chloroethylamines**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Chloroethylenes**

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

**Chlorofluorocarbons**

see also Freons

Separation of mixed halocarbons of environmental interest on a new type of silica-based porous-layer open tubular capillary gas chromatographic column 810(1998)119

Separation of hydrohalocarbons and chlorofluorocarbons using a cyclodextrin gas solid chromatography capillary column 832(1999)253

Empirical formulae studies of chlorofluorocarbons using gas chromatography coupled to atomic emission detection 844(1999)271

#### **Chlorogenic acid**

Identification by high-performance liquid chromatography–diode array detection–mass spectrometry and quantification by high-performance liquid chromatography–UV absorbance detection of active constituents of *Hypericum perforatum* 825(1998)9

#### **Chloroguaiacols**

Determination of chlorophenolics in waters by membrane solid-phase extraction: comparison between C<sub>18</sub> and activated carbon membranes and between modes of extraction and elution 840(1999)21

#### **4-Chloro-3-methylphenol**

Solid-phase microextraction of the antifouling Irgarol 1051 and the fungicides dichlofluanid and 4-chloro-3-methylphenol in water samples 839(1999)253

#### **Chloromethylphenoxyacetic acid**

Three different approaches for the separation of MCPA and 2,4-D by capillary electrophoresis 835(1999)209

#### **Chlorophenols**

Solid-phase microextraction and gas chromatography–mass spectrometry for determining chlorophenols from landfill leaches and soil 806(1998)317

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 823(1998)231

Liquid chromatography–atmospheric pressure chemical ionization mass spectrometry for chlorinated phenolic compounds. Application to the analysis of polluted soils 823(1998)241

Experimental design approach for the optimization of supercritical fluid extraction of chlorophenols from polluted soils 823(1998)249

Discrimination of structural isomers of chlorinated phenols in waters using gas chromatography–mass spectrometry in the negative chemical ionization mode 830(1999)165

Determination of chlorophenolics in waters by membrane solid-phase extraction: comparison between C<sub>18</sub> and activated carbon membranes and between modes of extraction and elution 840(1999)21

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

#### **Chlorophenoxy acids**

Quantitation of chlorophenoxy acid herbicides by high-performance liquid chromatography with coulometric detection 846(1999)349

#### **Chlorophylls**

Separation and identification of chlorophylls and carotenoids from *Caulerpa prolifera*, *Jania rubens* and *Padina pavonica* by reversed-phase high-performance liquid chromatography 829(1998)153

Liquid chromatographic separation and mass spectrometric identification of chlorophyll *b* allomers 837(1999)107

Determination of chemical oxidation products of chlorophyll and porphyrin by high-performance liquid chromatography 839(1999)85

#### **Chloropropanediols**

Sensitive method for the determination of 3-chloropropane-1,2-diol and 2-chloropropane-1,3-diol by capillary gas chromatography with mass spectrometric detection 802(1998)325

#### **Chlorothalonil**

Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81

#### **Chlorotoluidine**

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

#### **Chlorovinylarsonous acid**

Determination of organoarsenicals in the environment by solid-phase microextraction–gas chromatography–mass spectrometry 807(1998)253

#### **Chlorpheniramine**

Enantiomeric enrichment of non-racemic antihistamines by achiral high-performance liquid chromatography 813(1998)79

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an  $\alpha_1$ -acid glycoprotein column 818(1998)43

#### **Chlorpyrifos**

Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen–phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91

#### **Chlortetracycline**

Iso- and epi-iso-chlortetracycline are the principal metabolites of chlortetracycline in the hen's egg 812(1998)327

**Chlorthalidone**

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral  $\beta$ -cyclodextrin derivatives 817(1998)113

**Chlorzoxazone**

Estimation of chlorzoxazone hydroxylase activity in liver microsomes and of the plasma pharmacokinetics of chlorzoxazone by the same high-performance liquid chromatographic method 828(1998)291

**Cholesterol**

Separation of dipalmitoyl phosphatidyl choline, cholesterol and their degradation products by high-performance liquid chromatography on a perfluorinated stationary bonded phase 840(1999)31

**Chondroitins**

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

**Chromium**

On-line preconcentration and determination of chromium(VI) in waters by high-performance liquid chromatography using pre-column complexation with 1,5-diphenylcarbazine 808(1998)193

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Determination of total chromium in phosphate rocks by ion chromatography 850(1999)137

**Chromium complexes**

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

**Chymotrypsin**

Protein separation by hydrophobic interaction chromatography using methacrylic block copolymers as displacers 824(1998)35

**Cimetidine**

Separation of cimetidine and related materials by aqueous and non-aqueous capillary electrophoresis 808(1998)269

Erratum to "Separation of cimetidine and related materials by aqueous and non-aqueous capillary electrophoresis" [J. Chromatogr. A, 808 (1998) 269–275] 829(1998)419

**Cinnamic acids**

Analysis of aromatic plant acids by capillary zone electrophoresis 803(1998)311

Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid 822(1998)167

**Ciprofibrate**

Nonaqueous capillary electrophoretic separation of enantiomers using the single-isomer heptakis(2,3-diacetyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent 816(1998)233

**Ciprofloxacin**

Preconcentration of quinolones by dialysis on-line coupled to high-performance liquid chromatography 840(1999)11

**Cisplatin**

Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321

**Citric acid**

Determination of organic acids in *Garcinia cambogia* (Desr.) by high-performance liquid chromatography 806(1998)337

**Clavin**

Single-step purification of immunotoxins containing a high ionic charge ribosome inactivating protein clavin by carboxymethyl high-performance membrane chromatography 830(1999)329

**Clobetasol propionate**

Detection of clobetasol propionate as an undeclared steroid in zinc pyrithione formulations by high-performance liquid chromatography with rapid-scanning ultraviolet spectroscopy and mass spectrometry 828(1998)239

**Closantel**

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

**Cobalt**

Association between cobalt(III) coordination compounds and anions measured by capillary electrophoresis 836(1999)93

**Cobalt complexes**

Effect of the chelate ring size of diamine-Co(III) complexes on their  $hR_f$  values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

**Coco amidopropylhydroxydimethylsulfobetaine**

Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants 804(1998)319

**Codeine**

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

**Codeine phosphate**

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. II. Validation 826(1998)95

**Collagen**

Direct fractionation of proteins in particle-containing feedstocks by a filter paper pieces-based DEAE-cellulose column chromatography. Rapid, robust and low-cost capturing procedure for protein 811(1998)69

Characterization of peptides from *Aplysia* using microbore liquid chromatography with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry guided purification 830(1999)105

Multicomponent analysis by off-line combination of synchronous fluorescence spectroscopy and capillary electrophoresis of collagen glycation adducts 836(1999)161

**Condensed phosphates**

Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233

**Coniferyl ferulate**

Liquid chromatographic–electrospray mass spectrometric study of the phthalides of *Angelica sinensis* and chemical changes of Z-ligustilide 810(1998)71

**Copper**

Ion exchange on resins with temperature-responsive selectivity. II. Thermo-induced concentration waves in ion-exchange column 802(1998)251

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Analysis of metal species by using electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 819(1998)231

**Copper chelate**

Determination of the antifouling agent zinc pyrithione in water samples by copper chelate formation and high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 833(1999)105

**Copper–cyanide complexes**

Monitoring the cyanidation of gold–copper ores with ion-interaction chromatography. Determination of the  $\text{CN}^-:\text{Cu}(\text{I})$  molar ratio 804(1998)249

**Copper–tryptophan complexes**

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

**Corticosteroids**

Identification of main corticosteroids as illegal feed additives in milk replacers by liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 807(1998)219

Automated sample preparation for the determination of budesonide in plasma samples by liquid chromatography and tandem mass spectrometry 823(1998)401

**p-Coumaric acid**

Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, p-coumaric acid, ferulic acid and tannic acid 822(1998)167

**Coumarin**

Fitting competitive adsorption isotherms to the distribution data in normal phase systems with binary mobile phases 831(1999)131

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

**Creatinine**

Isotachophoretic determination of 3-methylhistidine 838(1999)191

**Cresol**

On-line gas chromatography–mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

**Cresolphthalein complexone**

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

**Crocetin**

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

**Crocins**

Quantitative high-performance liquid chromatographic method to analyse commercial saffron (*Crocus sativus* L.) products 830(1999)477

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

**Crown ethers**

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Enantiomer separation of amino compounds by a novel chiral stationary phase derived from crown ether 805(1998)85



Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

Polyethers in inorganic capillary electrophoresis 834(1999)73

Simultaneous determination of anions and cations by ion-exclusion chromatography–cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79

Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid–15-crown-5 as eluent 850(1999)229

#### 18-Crown-6 tetracarboxylic acid

Nuclear magnetic resonance studies for the chiral recognition of the novel chiral stationary phase derived from 18-crown-6 tetracarboxylic acid 810(1998)33

#### Cryptand *n*-decyl-[2.2.2]

High-performance anion-exchange chromatographic separations of carbohydrates on a macrocycle-based stationary phase with eluents of relatively low pH and concentration 804(1998)69

#### Cucurbitic acid

Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbitic acid isomers 847(1999)103

#### Curcuminoids

Liquid chromatography–electrospray mass spectrometric analysis of curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa*) 818(1998)127

#### Cyanide

Monitoring the cyanidation of gold–copper ores with ion-interaction chromatography. Determination of the  $CN^-:Cu(I)$  molar ratio 804(1998)249

#### Cyclodextrins

Cationic  $\beta$ -cyclodextrin derivative for chiral separations 803(1998)261

Peculiarities of an imidazole derivative retention mechanism in reversed-phase liquid chromatography:  $\beta$ -cyclodextrin concentration and temperature considerations 808(1998)51

New derivatives of cyclodextrins as chiral selectors for the capillary electrophoretic separation of dichlorprop enantiomers 810(1998)193

Capillary electrophoretic separation of  $\alpha$ -,  $\beta$ -,  $\gamma$ - and  $\delta$ -cyclodextrins using a dual electrolyte system 811(1998)193

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

Chiral separation of 2,4-dinitrophenyl amino acids using 3-*O*-methyl- $\beta$ -cyclodextrin-bonded stationary phase in reversed-phase liquid chromatography 814(1998)247

Interaction between cyclodextrins and aflatoxins  $Q_1$ ,  $M_1$  and  $P_1$ . Fluorescence and chromatographic studies 815(1998)21

Nonaqueous capillary electrophoretic separation of enantiomers using the single-isomer heptakis(2,3-diacetyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent 816(1998)233

Systematic approach to methods development for the capillary electrophoretic analysis of a minor enantiomer using a single-isomer sulfated cyclodextrin. A case study of L-carbidopa analysis 817(1998)105

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral  $\beta$ -cyclodextrin derivatives 817(1998)113

Effect of various cyclodextrin derivatives on the resolution of fencamfamine isomers with capillary electrophoresis and nuclear magnetic resonance 818(1998)239

Capillary zone electrophoretic separation of epimeric *N*-oxides of morphinane alkaloids 818(1998)251

Electrophoretic stereoisomer separation of aspartyl dipeptides and tripeptides in untreated fused-silica and polyacrylamide-coated capillaries using charged cyclodextrins 822(1998)137

Evaluation of the enantioselective possibilities of sulfated cyclodextrins for the separation of aspartyl di- and tripeptides in capillary electrophoresis 824(1998)91

Retention behavior of positional isomers of disubstituted cyclomalto-oligosaccharide (cyclodextrin) derivatives on an ODS column 825(1998)195

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent in methanol–water background electrolytes 827(1998)121

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

Comparison of native, alkylated and charged cyclodextrins for the chiral separation of labetalol stereoisomers by capillary electrophoresis 829(1998)341

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

pH-Dependent reversal of the chiral recognition of tripeptide enantiomers by carboxymethyl- $\beta$ -cyclodextrin 833(1999)261

Separations of inorganic anions based on their complexations with  $\alpha$ -cyclodextrin by capillary zone electrophoresis with contactless conductivity detection 834(1999)179

Analysis and characterisation of cyclodextrins and their inclusion complexes by affinity capillary electrophoresis 836(1999)3

Comparative effects of sodium dodecyl sulfate and sulfobutyl ether- $\beta$ -cyclodextrin as pseudostationary phases in the electrokinetic chromatographic separation of hydrophobic compounds 836(1999)53

Usefulness of methylated- $\beta$ -cyclodextrin-based buffers for the separation of highly hydrophobic solutes in non-aqueous capillary electrophoresis. Application to the separation of derivatized phytosterols 837(1999)281

Interactions between native cyclodextrins and *n*-alcohols studied using thermostated thin-layer chromatography 839(1999)149

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

Cyclodextrin derivatives as chiral selectors for direct gas chromatographic separation of enantiomers in the essential oil, aroma and flavour fields 843(1999)99

Interaction of some steroid drugs with  $\beta$ -cyclodextrin polymer 845(1999)447

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465

#### **Cyclofructan**

Use of cyclofructan as a potential complexing agent in capillary electrophoresis 838(1999)111

#### **Cyclohexane**

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

#### **Cyclohexanediarninetetraacetic acid**

Improved photometric detection of metal ions by capillary zone electrophoresis after precapillary complexation 811(1998)233

#### **Cysteines**

Identification and quantitation of cysteine in proteins separated by gel electrophoresis 813(1998)187

Determination of the chirality of cysteines in somatostatin analogs 816(1998)59

Simultaneous determination of cysteine, cystine and 18 other amino acids in various matrices by high-performance liquid chromatography 833(1999)137

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

#### **Cystine**

Simultaneous determination of cysteine, cystine and 18 other amino acids in various matrices by high-performance liquid chromatography 833(1999)137

#### **Cytochromes**

Protein folding observed by capillary electrophoresis in isoelectric buffers 838(1999)131

P450 monooxygenase in biotechnology. I. Single-step, large-scale purification method for cytochrome P450 BM-3 by anion-exchange chromatography 848(1999)149

#### **Cytokinins**

Comparison of oriented and random antibody immobilization in immunoaffinity chromatography of cytokinins 811(1998)77

Derivatives of cytokinins for negative ion mass spectrometry 811(1998)246

Study of cytokinin separation using capillary electrophoresis with cyclodextrin additives 818(1998)231

Micro and capillary liquid chromatography–tandem mass spectrometry: a new dimension in phytohormone research 826(1998)25

## **D**

#### **2,4-D**

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

Three different approaches for the separation of MCPA and 2,4-D by capillary electrophoresis 835(1999)209

#### **Daidzein**

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

**Daidzin**

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

 **$\beta$ -Damascenone**

Synthesis of labelled [ $^2\text{H}_4$ ] $\beta$ -damascenone, [ $^2\text{H}_4$ ]2-methoxy-3-isobutylpyrazine, [ $^2\text{H}_3$ ] $\alpha$ -ionone, and [ $^2\text{H}_3$ ] $\beta$ -ionone, for quantification in grapes, juices and wines 824(1998)71

Quantitative determination of free and hydrolytically liberated  $\beta$ -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

**Daminozide**

Determination of daminozide in apples and apple leaves by liquid chromatography–mass spectrometry 833(1999)53

**DDE**

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

**DDT**

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

**Deacetylbaecatin**

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

Separation and purification of 10-deacetylbaecatin III by high-speed counter-current chromatography 813(1998)397

**Decanonymethylalkanamides**

Enhancements in micellar electrokinetic chromatographic separations with decanonyl-N-methylalkanamide micelles through the addition of alkyl sulfates 808(1998)237

**Dehydroascorbate**

Simultaneous determination of vitamin C and its carbamylated derivatives by high-performance liquid chromatography with post-column derivatization 806(1998)340

**4-Demethoxydaunomycinone**

Enantioselective high-performance liquid chromatography of chiral intermediates in the total synthesis of 4-demethoxydaunomycinone 830(1999)191

**Demethoxyyangonin**

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

**Dendrimers**

Slab-gel and capillary electrophoretic characterization of polyamidoamine dendrimers 814(1998)233

Protein profiling employing capillary electrophoresis with dendrimers as pseudostationary phase media 817(1998)233

Novel sulfonic acid-modified Starburst dendrimer used as a pseudostationary phase in electrokinetic chromatography 824(1998)119

Compositional analysis of nitrile terminated poly(propylene imine) dendrimers by high-performance liquid chromatography combined with electrospray mass spectrometry 825(1998)135

**Deoxycholic acid**

Method for the separation of the unconjugates and conjugates of chenodeoxycholic acid and deoxycholic acid by two-dimensional reversed-phase thin-layer chromatography with methyl  $\beta$ -cyclodextrin 811(1998)171

**2-Deoxymugineic acid**

Column chromatography and verification of phytosiderophores by phenylisothiocyanate derivatization and UV detection 841(1999)155

**Deoxynivalenol**

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Instrumental methods for determination of nonmacrocytic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Determination of trichothecenes in cereals 830(1999)219

**Deoxynucleoside monophosphates**

Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287

**Deoxyribonucleosides**

Optimum solvent selectivity and gradient mode for deoxyribonucleosides in reversed-phase high-performance liquid chromatography 828(1998)337

**D-1-Deoxyxylulose-5-phosphate**

Analysis of phosphorylated carbohydrates by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry utilising a  $\beta$ -cyclodextrin bonded stationary phase 803(1998)111

**Dermatan sulfate**

Dermatan sulfate as useful chiral selector in capillary electrophoresis 814(1998)205

**Desmethyldiazepam**

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry 838(1999)273

**Destruxins**

Purification and quantification of destruxins A and B from *Metarhizium anisopliae* 830(1999)115

**Detajmium**

Sensitive method for the determination of the antiarrhythmic drug detajmium in serum by solid-phase extraction and high-performance liquid chromatography with fluorimetric detection 846(1999)217

**Deuterium**

Gas–solid chromatographic separation of hydrogen isotopes: a comparison between two palladium bearing materials – alumina and Kieselguhr 822(1998)326

**Diacetoxyscirpenol**

Determination of trichothecenes in cereals 830(1999)219

**Diacylglycerols**

Highly sensitive method for the separation of enantiomeric and regioisomeric diacylglycerols as 2-anthrylurethanes by chiral-phase high-performance liquid chromatography with fluorescence detection 829(1998)81

Improvement in the Iatroscan thin-layer chromatographic–flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples 849(1999)371

**Dialkyl phthalates**

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

**Diamine complexes**

Effect of the chelate ring size of diamine–Co(III) complexes on their  $hR_F$  values obtained under salting-out thin-layer chromatography conditions 847(1999)291

**Dianisidine**

Analysis of 500-ng/l levels of bromate in drinking water by direct-injection suppressed ion chromatography coupled with a single, pneumatically delivered post-column reagent 850(1999)119

**Diazepam**

Determination of diazepam in cold drinks by high-performance thin-layer chromatography 822(1998)332

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry 838(1999)273

**Diazomethane**

Diazomethane preparation for gas chromatographic analysis 827(1998)133

**Dibenzothiophene**

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

**Dibromooctafluorobiphenyl**

Determination of organochlorine pesticides in skins and leather by gas chromatography 811(1998)256

**Dichlofluanid**

Solid-phase microextraction of the antifouling Irgarol 1051 and the fungicides dichlofluanid and 4-chloro-3-methylphenol in water samples 839(1999)253

**Dichloroacetyl lysine**

Quantitation of *N*-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

**Dichlorprop**

New derivatives of cyclodextrins as chiral selectors for the capillary electrophoretic separation of dichlorprop enantiomers 810(1998)193

**Dicyclohexylcarbodiimide**

New derivatization method for carboxylic acids in aqueous solution for analysis by capillary electrophoresis and laser-induced fluorescence detection 836(1999)325

**Diethylhexyl phthalate**

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

**Diethyl phthalate**

Trace determination of diethylphthalate in aqueous media by solid-phase microextraction–liquid chromatography 841(1999)177

**Diethyltoluamide**

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

**Difenzoquat**

Improving the solid-phase extraction of “quat” pesticides from water samples. Removal of interferences 823(1998)137

**Diflubenzuron**

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

**Difructose dianhydrides**

Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

**Diglycerides**

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

**Dihydroanthracene**

Hydrogen donor and acceptor abilities of pitches from coal and petroleum evaluated by gas chromatography 830(1999)155

**Dihydrocapsaicin**

Determination of capsaicin and dihydrocapsaicin by micellar electrokinetic capillary chromatography and its application to various species of *Capsicum*, Solanaceae 838(1999)293

**Dihydrodiol metabolites**

Direct optical resolution of *trans*-dihydrodiol enantiomers of fjord-region polycyclic aromatic hydrocarbons by high-performance liquid chromatography on a modified cellulose phase 822(1998)29

**Dihydroisohumulones**

Investigation of hop and beer bitter acids by coupling of high-performance liquid chromatography to nuclear magnetic resonance spectroscopy 836(1999)245

**Dihydrokavain**

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

**Dihydromethysticin**

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

**Dihydropyridines**

Micellar electrokinetic chromatography as a fast screening method for the determination of 1,4-dihydropyridine calcium antagonists 836(1999)189

**Dihydrostreptomycin**

Development and optimisation of a new derivatisation procedure for gas chromatographic-mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-by-step optimisation procedures 840(1999)81

**Dihydroxybenzenes**

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

**Dihydroxythiobenzanilides**

Reversed-phase high-performance liquid chromatography in quantitative structure-activity relationship studies of new fungicides 828(1998)431

Structure and retention of 2,4-dihydroxythiobenzanilides in a reversed-phase system 830(1999)491

**Diisopyramide**

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an  $\alpha_1$ -acid glycoprotein column 818(1998)43

**2,3-Diketogulonate**

Simultaneous determination of vitamin C and its carbamylated derivatives by high-performance liquid chromatography with post-column derivatization 806(1998)340

**Diltiazem**

Thermodynamic study and separation mechanism of diltiazem optical isomers in packed-column supercritical fluid chromatography 848(1999)337

**4-(5,6-Dimethoxy-2-phthalimidinyl)phenylsulfonyl semipiperazide**

4-(5,6-Dimethoxy-2-phthalimidinyl)phenylsulfonyl semipiperazide as a fluorescent labelling reagent for determination of carboxylic acids in precolumn high-performance liquid chromatography 816(1998)137

**Dimethylaminobenzoic acid ethyl hexyl ester**

High-performance liquid chromatographic method for the comparison of the photostability of five sunscreen agents 832(1999)273

**Dimethylarsinic acid**

Speciation of dimethylarsinic acid and monomethylarsonic acid by gas chromatography-mass spectrometry 832(1999)183

**Dimethyl disulfide**

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

**Dimethylformamide**

High-performance liquid chromatographic determination of *n*-methylformamide, a biological index for occupational exposure to dimethylformamide 847(1999)19

**Dimethyl phthalate**

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

**Dimethyl sulfide**

Trace chromatographic analysis of dimethyl sulfoxide and related methylated sulfur compounds in natural waters 807(1998)151

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

#### **Dimethyl sulfoxide**

Trace chromatographic analysis of dimethyl sulfoxide and related methylated sulfur compounds in natural waters 807(1998)151

Ion chromatography of impurities in organic solvents 847(1999)345

#### **Dinitrobenzoyl leucine**

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

#### **2,4-Dinitrophenylhydrazine**

Trace analysis of carbonyl compounds by liquid chromatography–mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

#### **Dinitropyrenes**

High-performance liquid chromatography–fluorescence determination of dinitropyrenes in soil after column chromatographic clean-up and on-line reduction 839(1999)41

#### **2,4-Dinitrotoluene**

Liquid chromatographic separation of intermediates of the catalytic hydrogenation of 2,4-dinitrotoluene 818(1998)123

#### **Dinoseb**

Study of nitrophenols preconcentration using quinolin-8-ol immobilized on controlled-pore glass in the presence of iron(III). Chromatographic determination of dinoseb in lemon juice 839(1999)227

#### **Dioncophyllines**

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

#### **Dipalmitoylphosphatidylcholine**

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

#### **Dipalmitoylphosphatidylserine**

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

#### **Diphenylborinic acid**

Development of high-performance liquid chromatographic methods for measuring tetraphenylborate decomposition products in radioactive alkaline solutions 828(1998)461

#### **Diphenylcarbazide**

On-line preconcentration and determination of chromium(VI) in waters by high-performance liquid chromatography using pre-column complexation with 1,5-diphenylcarbazide 808(1998)193

Determination of total chromium in phosphate rocks by ion chromatography 850(1999)137

#### **Diquat**

Improving the solid-phase extraction of “quat” pesticides from water samples. Removal of interferences 823(1998)137

#### **Disaccharides**

see also Saccharides

Use of reversed polarity and a pressure gradient in the analysis of disaccharide composition of heparin by capillary electrophoresis 828(1998)497

Rapid and sensitive analysis of disaccharide composition in heparin and heparan sulfate by reversed-phase ion-pair chromatography on a 2  $\mu\text{m}$  porous silica gel column 830(1999)197

#### **Disulfides**

Headspace solid-phase microextraction of sulphides and disulphides using Carboxen–polydimethylsiloxane fibers in the analysis of wine aroma 835(1999)137

#### **Diterpenoids**

Determination of paclitaxel and related diterpenoids in plant extracts by high-performance liquid chromatography with UV detection in high-performance liquid chromatography–mass spectrometry 802(1998)297

#### **Diuretics**

Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549

#### **Diuron**

Determination of selected antifouling booster biocides by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

#### **DNA**

see also Nucleic acids and Special Issue Index

Enhanced separation of DNA sequencing products by capillary electrophoresis using a stepwise gradient of electric field strength 802(1998)179

Transcription factor–green fluorescent protein chimeric fusion proteins and their use in studies of DNA affinity chromatography 803(1998)131

Micropellicular stationary phases for high-performance liquid chromatography of double-stranded DNA 806(1998)3

- Analysis of clinically relevant, diagnostic DNA by capillary zone and double-gradient gel slab electrophoresis 806(1998)97
- Free-solution electrophoresis of DNA 806(1998)113
- Kinetic properties of DNA migration under clamped homogeneous electric field conditions. DNA size, migration velocities and reorientation time determined in a single clamped homogeneous electric field run 806(1998)123
- Fast DNA separations using poly(ethylene oxide) in non-denaturing medium with temperature programming 806(1998)157
- Detecting single base substitutions, mismatches and bulges in DNA by temperature gradient gel electrophoresis and related methods 806(1998)169
- Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187
- High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219
- Recent developments of magnetic beads for use in nucleic acid purification 816(1998)107
- Capillary electrophoretic study of the complex formation between DNA and cationic surfactants 817(1998)263
- Evaluation of three commercially available capillary (gel)electrophoresis kits for single stranded DNA oligonucleotide analysis 817(1998)273
- Simultaneous analysis of various mutations on the 21-hydroxylase gene by multi-allele specific amplification and capillary gel electrophoresis 817(1998)281
- Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287
- New approaches to the isolation of DNA by ion-exchange chromatography 827(1998)337
- Real-time detection of allele-specific polymerase chain reaction products by automated ultra-thin-layer agarose gel electrophoresis 828(1998)481
- Preparation of linear polyacrylamide-coated capillaries. Study of the polymerization process and its effect on capillary electrophoresis performance 830(1999)423
- Ultra-thin-layer agarose gel electrophoresis. I. Effect of the gel concentration and temperature on the separation of DNA fragments 830(1999)465
- Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15
- Peak dispersion due to geometration motion in the gel electrophoresis of macromolecules 838(1999)45
- DNA–histidine complex formation in isoelectric histidine buffers 838(1999)179
- Separation of G structures formed by a 27-mer guanosine-rich oligodeoxyribonucleotide by dye–ligand affinity chromatography 840(1999)51
- Effects of gel material on fluorescence lifetime detection of dyes and dye-labeled DNA primers in capillary electrophoresis 841(1999)95
- Direct visualisation of plasmid DNA in individual chromatography adsorbent particles by confocal scanning laser microscopy 844(1999)129
- Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35
- Heparin elution of transcription factors from DNA-Sepharose columns 848(1999)131
- Electrophoretic separation of linear and supercoiled DNA in uncoated capillaries 849(1999)267
- DNA fragments**  
Separation of oligonucleosomal DNA fragments from apoptotic animal cells using a triad of Sephacryl columns 806(1998)61
- Dodecyl gallate**  
Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305
- Doxycycline**  
Microcolumn high-performance liquid chromatographic assay for doxycycline in isolated alveolar macrophages 846(1999)181
- Drugs**  
see also Basic drugs
- Therapeutic drug monitoring by capillary electrophoresis (Review) 807(1998)27
- Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219
- Dermatan sulfate as useful chiral selector in capillary electrophoresis 814(1998)205

Chiral separations by capillary zone electrophoresis with the use of cyanoethylated- $\beta$ -cyclodextrin as chiral selector 817(1998)91

#### Drugs, steroidal

Interaction of some steroid drugs with  $\beta$ -cyclodextrin polymer 845(1999)447

#### Dyes

see also Azo dyes

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327

Separation of lac dye components by high-speed counter-current chromatography 813(1998)71

New set-up for capillary isoelectric focusing in uncoated capillaries 813(1998)349

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

Purification and identification of several sulphonated azo dyes using reversed-phase preparative high-performance liquid chromatography 825(1998)37

Adsorption studies of azo dyes as resonance Raman spectroscopic probes at solid–liquid interfaces 828(1998)121

Preparation of an IMI dye (imidazole functional group) containing a 4-(*N,N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole fluorophore for labeling of phosphomonoesters 831(1999)325

Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241

Effects of gel material on fluorescence lifetime detection of dyes and dye-labeled DNA primers in capillary electrophoresis 841(1999)95

## E

#### Echinocandins

Preparative high-performance liquid chromatography of echinocandins 827(1998)373

#### Eicosanoids

On-line coupling of microdialysis sampling with liquid chromatography for the determination of peptide and non-peptide leukotrienes 823(1998)489

#### Elastases

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

#### Eledoisin

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

#### Elloramycin

Some aspects of the purification of anthraquinone antibiotics by preparative reversed-phase liquid chromatography 812(1998)117

#### Emeraldine

Study of some pyrolysis–gas chromatography indexes for the differentiation among oxidation states of polyaniline 837(1999)273

#### EM-800

Validated high-performance liquid chromatographic methods for quantitation of a novel nonsteroidal antiestrogen 828(1998)247

#### Endoglucanases

Ion-exchange chromatographic purification and quantitative analysis of *Trichoderma reesei* cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography 808(1998)153

#### Endomorphins

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

#### Endotoxins

see also Toxins

Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13



**Enflurane**

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

**Enkephalins**

Optical resolution of phenylthiohydantoin-amino acids and identification of phenylthiohydantoin-D-amino acid residue of [D-Ala<sup>2</sup>]-methionine enkephalin by capillary electrophoresis 802(1998)129

General considerations for optimizing a capillary electrophoresis–electrospray ionization time-of-flight mass spectrometry system 829(1998)279

Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography 831(1999)293

**Enoxacin**

Reversed-phase high-performance liquid chromatographic determination of enoxacin and 4-oxo-enoxacin in human plasma and prostatic tissue. Application to a pharmacokinetic study 812(1998)369

**Entacapone**

Micellar electrokinetic capillary chromatography method for direct determination of glucuronides of entacapone and its (Z)-isomer in human urine 836(1999)173

**Enzyme inhibitors**

Use of ion chromatography as an alternative method for the analysis of calcium in calcium mupirocin 804(1998)211

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

**Enzymes**

see also Proteins

Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61

Hybrid affinity chromatography of  $\alpha$ -galactosidase from *Verbascum thapsus* L. 808(1998)133

Ion-exchange chromatographic purification and quantitative analysis of *Trichoderma reesei* cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography 808(1998)153

Separation of acidic protein tyrosine kinase substrates by strong anion-exchange chromatography 813(1998)277

Separation of the branch chain hexose, hamamelose, by high-performance liquid chromatography, and amperometric detection of hamamelose and related compounds 814(1998)105

Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173

Purification of TaqI endonuclease from *Thermus aquaticus* 828(1998)373

Chiral separation of aromatic amino acids by capillary electrophoresis 836(1999)137

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

Immobilised metal ion affinity chromatography purification of alcohol dehydrogenase from baker's yeast using an expanded bed adsorption system 840(1999)195

Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Selective adsorption of poly-His tagged glutaryl acylase on tailor-made metal chelate supports 848(1999)61

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

**Eosin Y**

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

**Epicatechin**

Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid 822(1998)167

Quantitative reversed-phase high-performance liquid chromatography of procyanidins in *Crataegus* leaves and flowers 835(1999)59

**Epoxides**

Separation of enantiomers of a chiral epoxide by simulated moving bed chromatography 827(1998)215

**Ergot alkaloids**

Separation of ergot alkaloids by micellar electrokinetic capillary chromatography using cationic Gemini surfactants 822(1998)281

**Ergotamine**

Rapid analysis of ergovaline in ovine plasma using high-performance liquid chromatography with fluorimetric detection 815(1998)147

**Ergovaline**

Rapid analysis of ergovaline in ovine plasma using high-performance liquid chromatography with fluorimetric detection 815(1998)147

**Erythromycins**

Analysis of macrolide antibiotics (Review) 812(1998)255

**Erythropoietin**

Capillary isoelectric focusing of erythropoietin glycoforms and its comparison with flat-bed isoelectric focusing and capillary zone electrophoresis 830(1999)453

**Esters**

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

**Estradiol**

Chiral resolution of enantiomeric steroids by high-performance liquid chromatography on amylose tris(3,5-dimethylphenylcarbamate) under reversed-phase conditions 825(1998)107

**Estrogens**

Studies on neurosteroids. IX. Characterization of estrogens in rat brains using gas chromatography–tandem mass spectrometry 847(1999)171

**Ethanol**

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

**Ethanolamines**

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Determination of amines used in the oil and gas industry (upstream section) by ion chromatography 850(1999)289

**Ethanox 330**

Evolution of a method for quantitative supercritical fluid extraction of Ethanox 330 antioxidant from high-density polyethylene 811(1998)163

**Ethenzmid**

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

**Ethers**

Ion chromatography of impurities in organic solvents 847(1999)345

**Ethiofencarb**

Study of photodegradation of the pesticide ethiofencarb in aqueous and non-aqueous media, by gas chromatography–mass spectrometry 840(1999)235

**Ethoxylates**

Investigation of chromatographic behaviour of ethoxylated alcohol surfactants in normal-phase and reversed-phase systems using high-performance liquid chromatography–mass spectrometry 813(1998)299

**Ethyl acetate**

Monitoring the actual carrier gas flow during large-volume on-column injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

**Ethylbenzene**

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography–flame ionization detection 826(1998)191

**Ethyl decadienoate**

Determination of the geometrical isomers of ethyl 2,4-decadienoate 847(1999)359

**Ethylenediaminetetraacetate**

Analysis of polar organic micropollutants in water with ion chromatography–electrospray mass spectrometry 837(1999)117

**Ethylene glycol**

Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35

**Ethyl esters**

Evaluation of a transfer technique for direct coupling of reversed-phase liquid chromatography with gas chromatography 818(1998)77

**Ethylgaramine**

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

**Ethylhexyl acrylate**

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

**Ethyl methylphosphonic acid**

Capillary ion electrophoresis screening of nerve agent degradation products in environmental samples using conductivity detection 824(1998)125

**Ethylnetilmicins**

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

**Ethyl vinyl ether**

New blocking method for the hydroxyl group on carbohydrate. Determination of the O-acylated position of the modified glycolipid 813(1998)325

**Europium**

Isotope effects of europium in ligand exchange system and electron exchange system using ion-exchange displacement chromatography 808(1998)185

Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193

**Explosives**

Mixed-mode capillary electrokinetic separation of positional explosive isomers using sodium dodecyl sulfate and negative- $\beta$ -cyclodextrin derivatives 811(1998)225

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Determination of explosives in soil and ground water by liquid chromatography–amperometric detection 844(1999)97

**F****Factor VIII**

Faster isolation of recombinant factor VIII SQ, with a superporous agarose matrix 840(1999)39

**Factor IX**

High-performance capillary electrophoresis for in-process control in the production of antithrombin III and human clotting factor IX 802(1998)355

Production of highly purified clotting factor IX by a combination of different chromatographic methods 844(1999)119

**Famotidine**

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

**Fangchinoline**

Analysis of tetrandrine and fangchinoline in traditional Chinese medicines by capillary electrophoresis 811(1998)274

**Fatty acid amides**

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Fatty acid hydroperoxides**

Postcolumn derivatisation for selective laser-induced fluorescence detection in micellar electrokinetic chromatography of fatty acid hydroperoxides 814(1998)261

**Fatty acid methyl esters**

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Microwave induced rapid transmethylation of fatty acids for analysis of food oil 818(1998)133

**Fatty acids**

see also Acids, Carboxylic acids and Organic acids

$\delta^{13}\text{C}$  analyses of vegetable oil fatty acid components, determined by gas chromatography–combustion–isotope ratio mass spectrometry, after saponification or regiospecific hydrolysis 805(1998)249

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Microemulsion electrokinetic chromatography of fatty acids as phenacyl esters 807(1998)111

Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219

Silver-phase high-performance liquid chromatography–electrospray mass spectrometry of triacylglycerols 810(1998)53

Determination of poly(ethylene glycol) 300 in long chain free fatty acid mixtures by reversed-phase high-performance liquid chromatography 810(1998)241

Gas chromatographic analysis of free fatty acids and fatty acid salts extracted with neutral and acidified dichloromethane from office floor dust 814(1998)161

4-(5,6-Dimethoxy-2-phthalimidinyl)phenylsulfonyl semipiperazide as a fluorescent labelling reagent for determination of carboxylic acids in precolumn high-performance liquid chromatography 816(1998)137

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

Characterization of model triacylglycerol (triolein, trilinolein and trilinolenin) autoxidation products via high-performance liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometry 818(1998)169

Tentative analysis of virgin olive oil aroma by supercritical fluid extraction–high-resolution gas chromatography–mass spectrometry 819(1998)267

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

Separation of synthetic phosphatidylcholine molecular species by high-performance liquid chromatography on a C<sub>8</sub> column 824(1998)169

Determination of total fatty acids (C<sub>8</sub>–C<sub>22</sub>) in sludges by gas chromatography–mass spectrometry 826(1998)49

Quantitative determination of fatty and resin acids in Kraft black liquors as their trimethylsilyl derivatives by gas chromatography 829(1998)235

New chromatographic, mass spectrometric and stable isotope approaches to the classification of degraded animal fats preserved in archaeological pottery 833(1999)209

Identification and occurrence of a novel *cis*-4,7,10,*trans*-13-docosatetraenoic fatty acid in the scallop *Pecten maximus* (L.) 839(1999)119

Instrumentation and applications of fast high-resolution capillary gas chromatography 842(1999)309

Investigation of aldehydic lipid peroxidation products by gas chromatography–mass spectrometry 843(1999)29

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography–mass spectrometry 846(1999)113

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag<sup>+</sup>-containing mobile phase 848(1999)83

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

Determination of fatty acids in vegetable oil by reversed-phase liquid chromatography with fluorescence detection 849(1999)357

#### **Fatty acid salts**

Gas chromatographic analysis of free fatty acids and fatty acid salts extracted with neutral and acidified dichloromethane from office floor dust 814(1998)161

#### **Felodipine**

Isocratic, simultaneous reversed-phase high-performance liquid chromatographic estimation of six drugs for combined hypertension therapy 828(1998)283

Microwave-assisted extraction of felodipine tablets 840(1999)59

#### **Fencamfamine**

Effect of various cyclodextrin derivatives on the resolution of fencamfamine isomers with capillary electrophoresis and nuclear magnetic resonance 818(1998)239

#### **Fenoprofen**

Nonaqueous capillary electrophoretic separation of enantiomers using the single-isomer heptakis(2,3-diacetyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent 816(1998)233

#### **Fenpropfen**

On-line trace enrichment in hyphenated liquid chromatography–nuclear magnetic resonance spectroscopy 813(1998)55

#### **Ferrioxamines**

Separation of siderophores by capillary electrophoresis 830(1999)183

#### **Ferrocene**

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

Photometric response of a very small, stoichiometric hydrogen–air flame to compounds of the iron group 806(1998)305

#### **(Ferrocenylmethyl)trimethylammonium perchlorate**

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

#### **Ferulic acid**

Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid 822(1998)167

Simultaneous analysis of tyrosol, tryptophol and ferulic acid in commercial sake samples by micellar electrokinetic chromatography 825(1998)102

#### **Fibrinogen**

High-performance ion-exchange chromatography and adsorption of plasma proteins 816(1998)89

Erratum to "High-performance ion-exchange chromatography and adsorption of plasma proteins". [J. Chromatogr. A, 816 (1998) 89–96] 824(1998)135

#### **Fibrinogen receptor antagonist**

Optimization and validation of chiral high-performance liquid chromatographic method for analysis of a fibrinogen (gpIIb/IIIa) receptor antagonist 844(1999)171

#### **Fisetin**

Liquid chromatography with fluorimetric detection of triorganotin compounds in marine biological materials 809(1998)39

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

#### **Flavanols**

Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system 827(1998)113

Quantitative reversed-phase high-performance liquid chromatography of procyanidins in *Crataegus* leaves and flowers 835(1999)59

Various applications of liquid chromatography–mass spectrometry to the analysis of phenolic compounds 847(1999)75

#### **Flavanones**

Comparison of methods for extraction of flavanones and xanthones from the root bark of the osage orange tree using liquid chromatography 831(1999)167

#### **Flavin–adenine dinucleotide**

Determination of riboflavin, flavin mononucleotide and flavin–adenine dinucleotide in wine and other beverages by high-performance liquid chromatography with fluorescence detection 823(1998)355

#### **Flavin mononucleotide**

Determination of riboflavin, flavin mononucleotide and flavin–adenine dinucleotide in wine and other beverages by high-performance liquid chromatography with fluorescence detection 823(1998)355

Flavin mononucleotide for indirect laser-induced fluorescence detection of anions separated by capillary electrophoresis 835(1999)159

#### **Flavin nucleotides**

Chromatographic determination of flavin derivatives in baker's yeast 822(1998)59

#### **Flavone aglycones**

Multidimensional counter-current chromatographic system and its application 803(1998)298

#### **Flavonoids**

Method for determining the content of catechins in tea infusions by high-performance liquid chromatography 805(1998)137

High-performance liquid chromatography with diode-array detection for the determination of phenolic compounds in peel and pulp from different apple varieties 823(1998)331

Identification by high-performance liquid chromatography–diode array detection–mass spectrometry and quantification by high-performance liquid chromatography–UV absorbance detection of active constituents of *Hypericum perforatum* 825(1998)9

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

Supercritical fluid extraction of flavonoids from *Scutellariae Radix* 830(1999)387

#### **Flavonols**

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

#### **Flophemesyl chloride**

Application of pentafluorophenyldimethylsilyl derivatization for gas chromatography–electron-capture detection of supercritically extracted sterols 809(1998)109

#### **Flufenoxuron**

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

#### **Fluorenylethyl chloroformate**

Separation of enantiomers of  $\alpha$ -hydroxy acids by reversed-phase liquid chromatography after derivatization with 1-(9-fluorenyl)ethyl chloroformate 827(1998)31

#### **Fluorescamine**

Postcolumn derivatization of peptides with fluorescamine in capillary electrophoresis 814(1998)213

#### **Fluorescein isothiocyanate**

Quantitation of homocysteine in human plasma by capillary electrophoresis and laser-induced fluorescence detection 817(1998)181

**Fluoride**

Ion-chromatographic quantitation of fluoride and acetate. Statistical comparison of calibration curves from two similar eluents 804(1998)123

**4-Fluoro-7-nitrobenzofuran**

Micromachined heated chemical reactor for pre-column derivatisation 815(1998)265

**Fluorophenylalanine**

Simultaneous separation of *o*-, *m*-, *p*-fluoro-DL-phenylalanine and *o*-, *m*-, *p*-DL-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

**Fluoroquinolones**

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Analysis of fluoroquinolones in biological fluids by high-performance liquid chromatography (Review) 812(1998)343

Reversed-phase high-performance liquid chromatographic determination of enoxacin and 4-oxo-enoxacin in human plasma and prostatic tissue. Application to a pharmacokinetic study 812(1998)369

Development of capillary electrophoresis methods for the analysis of fluoroquinolones and application to the study of the influence of humic substances on their photodegradation in aqueous phase 837(1999)253

**Fluspirilene**

Determination of fluspirilene in human plasma by liquid chromatography–tandem mass spectrometry with electrospray ionisation 828(1998)219

**Fluticasone dipropionate**

Quantitation of active ingredients and excipients in nasal sprays by high-performance liquid chromatography, capillary electrophoresis and UV spectroscopy 823(1998)423

**Folic acid**

Liquid chromatographic method for determining added folic acid in fortified cereal products 826(1998)235

**Formalin**

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

**Formamides**

Ion chromatography of impurities in organic solvents 847(1999)345

**Formate**

Simple procedure to eliminate concentrated sodium bicarbonate and carbonate with reusable strong cation-exchange cartridges for ion chromatographic analysis of formate and oxalate 829(1998)407

Determination of organic anions in waste liquid of sodium hydrosulfite production by ion chromatography 839(1999)233

**Formic acid**

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

**Formylmethylflavin**

Chromatographic determination of flavin derivatives in baker's yeast 822(1998)59

**Foscarnet sodium**

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

**Freons**

see also Chlorofluorocarbons

Gas chromatographic analysis of freons and chlorinated solvents in aviation breathing oxygen 846(1999)283

**Friabilins**

Analysis of wheat flour proteins related to grain hardness using capillary electrophoresis 836(1999)147

**Fructose**

Double purification of radiolabelled D-fructose by high-performance liquid chromatography for tracing its metabolism 847(1999)53

**Fructose-nystose**

Separation of a fructo-oligosaccharide mixture by hydrophilic interaction chromatography using silica-based micropellicular sorbents 803(1998)302

**Fuchsin**

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

**Fullerenes**

Selective separation of fullerenes on hydroxyphenyl-triphenylporphyrin–silica stationary phases 824(1998)147

Chromatographic separation and evaluation of the lipophilicity by reversed-phase high-performance liquid chromatography of fullerene-C<sub>60</sub> derivatives 847(1999)339

**Fulvic acids**

Capillary electrophoresis in the analysis of humic substances. Facts and artifacts 807(1998)101

Characterization of hematite and its interaction with humic material using flow field-flow fractionation 816(1998)145

**Fumonisin**

Chromatographic determination of the fumonisin mycotoxins 815(1998)31

Improved fluorometric and chromatographic methods for the quantification of fumonisins B<sub>1</sub>, B<sub>2</sub> and B<sub>3</sub> 815(1998)41

**Furosine**

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

**Fusarenon-X**

Determination of trichothecenes in cereals 830(1999)219

**G****Galactosaminoglycans**

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

**Galactose**

Gas chromatographic determination of galactose in milk. Example of a switching valve used for the protection of the capillary column 847(1999)47

**Galactosidase**

Hybrid affinity chromatography of  $\alpha$ -galactosidase from *Verbascum thapsus* L 808(1998)133

**Galactosides**

Anti-nutritional constituents of six underutilized legumes grown in Nigeria 823(1998)307

**Galanthamine**

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

**Gangliosides**

New blocking method for the hydroxyl group on carbohydrate. Determination of the O-acylated position of the modified glycolipid 813(1998)325

**Gases**

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115

**Gasoline**

Continuous membrane extraction coupled with chromatographic analysis for the determination of phenols in fuels 823(1998)537

**Gastrodin**

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

**Gemini surfactants**

Separation of ergot alkaloids by micellar electrokinetic capillary chromatography using cationic Gemini surfactants 822(1998)281

**Genistein**

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

**Gentamicin**

Development of a gas chromatography–mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95

**Gentisic acid**

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

**Geosmin**

Microwave mediated distillation with solid-phase microextraction: determination of off-flavors, geosmin and methylisoborneol, in catfish tissue 833(1999)223

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521

**Ginsenosides**

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

**Gliadins**

High-performance capillary electrophoresis of cereal proteins 814(1998)25

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

**Globins**

Detection of neutral and charged mutations in  $\alpha$ - and  $\beta$ -human globin chains by capillary zone electrophoresis in isoelectric, acidic buffers 832(1999)225

**Glucan**

Investigation of molecular masses and aggregation of  $\beta$ -D-glucan from *Poria cocos* sclerotium by size-exclusion chromatography 839(1999)49

**Glucose**

Double purification of radiolabelled D-fructose by high-performance liquid chromatography for tracing its metabolism 847(1999)53

**Glucose phosphate**

Analysis of starch-bound glucose 3-phosphate and glucose 6-phosphate using controlled acid treatment combined with high-performance anion-exchange chromatography 829(1998)385

**Glucosides**

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

**Glucuronans**

Separation of low-molecular-mass acetylated glucuronans on L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes 826(1998)157

**Glucuronides**

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

Micellar electrokinetic capillary chromatography method for direct determination of glucuronides of entacapone and its (Z)-isomer in human urine 836(1999)173

**Glutamate**

Determination of submicromolar concentrations of neurotransmitter amino acids by fluorescence detection using a modification of the 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate method for amino acid analysis 828(1998)383

**Glutamic acid**

Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139

Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153

**Glutamylcysteine**

Separation of respective species of phytochelatins and their desglycyl peptides (class III metallothioneins) and the precursors glutathione and  $\gamma$ -glutamylcysteine with capillary zone electrophoresis 803(1998)315

**Glutaraldehyde**

Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

**Glutaryl acylase**

Selective adsorption of poly-His tagged glutaryl acylase on tailor-made metal chelate supports 848(1999)61

**Glutathione**

Separation of respective species of phytochelatins and their desglycyl peptides (class III metallothioneins) and the precursors glutathione and  $\gamma$ -glutamylcysteine with capillary zone electrophoresis 803(1998)315

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

**Glutathione conjugates**

Determination of chiral catabolites from S-[2-carboxy-1-(1H-imidazol-4-yl)ethyl]glutathione, a proposed metabolite of L-histidine, by capillary electrophoresis 802(1998)73

Erratum to "New and simple method for the analysis of the glutathione adduct of atrazine". [J. Chromatogr. A, 795 (1998) 53–60] 806(1998)366

**Glutelins**

High-performance capillary electrophoresis of cereal proteins 814(1998)25

**Gluten**

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

**Glycerides**

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

**Glycerol**

Determination of anionic trace impurities in glycerol by capillary isotachopheresis with enlarged sample load 810(1998)201

**Glycerolipids**

Improvement in the Iatroscan thin-layer chromatographic-flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples 849(1999)371

**Glycidoxypropyltrimethoxysilane**

Capillary electrophoresis using diol-bonded fused-silica capillaries 830(1999)415

**Glycine**

Postcolumn derivatization of peptides with fluorescamine in capillary electrophoresis 814(1998)213

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis-chemiluminescence detection 832(1999)191

**Glycolic acid**

Determination of trace anions in concentrated weak acids by ion chromatography 850(1999)167



**Glycoproteins**

Detergent extraction of herpes simplex virus type 1 glycoprotein D by zwitterionic and non-ionic detergents and purification by ion-exchange high-performance liquid chromatography 816(1998)29

Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163

Production of highly purified clotting factor IX by a combination of different chromatographic methods 844(1999)119

Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599

**Glycosides**

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

**Glycosidic bile acids**

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

**Glycosphingolipids**

New blocking method for the hydroxyl group on carbohydrate. Determination of the O-acylated position of the modified glycolipid 813(1998)325

**Glycylglycine**

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis–chemiluminescence detection 832(1999)191

**Glycyrrhetic acid**

Determination of glycyrrhizic acid and 18- $\beta$ -glycyrrhetic acid in biological fluids by micellar electrokinetic chromatography 811(1998)219

**Glycyrrhizic acid**

Determination of glycyrrhizic acid and 18- $\beta$ -glycyrrhetic acid in biological fluids by micellar electrokinetic chromatography 811(1998)219

**Glyphosate**

Analysis and degradation study of glyphosate and of aminomethylphosphonic acid in natural waters by means of polymeric and ion-exchange solid-phase extraction columns followed by ion chromatography–post-column derivatization with fluorescence detection 823(1998)129

Rapid determination of glyphosate in cereal samples by means of pre-column derivatisation with 9-fluorenylmethyl chloroformate and coupled-column liquid chromatography with fluorescence detection 833(1999)67

Analysis of polar organic micropollutants in water with ion chromatography–electrospray mass spectrometry 837(1999)117

Determination of glyphosate by ion chromatography 850(1999)297

**Gold**

Size separation of colloidal nanoparticles using a miniscale isoelectric focusing technique 848(1999)485

**Gold particles**

Separation of nanometer gold particles by size exclusion chromatography 836(1999)253

**Gramicidins**

Hydrophilic interaction/cation-exchange chromatography for separation of cyclic peptides 816(1998)79

General considerations for optimizing a capillary electrophoresis–electrospray ionization time-of-flight mass spectrometry system 829(1998)279

**Green fluorescent protein**

Transcription factor–green fluorescent protein chimeric fusion proteins and their use in studies of DNA affinity chromatography 803(1998)131

**Growth hormones**

see also Hormones

Rapid verification of disulfide linkages in recombinant human growth hormone by tandem column tryptic mapping 808(1998)121

Quantifying biosynthetic human growth hormone in *Escherichia coli* with capillary electrophoresis under hydrophobic conditions 817(1998)205

**Guanylate cyclase**

Development of guanine analyzer to measure activity of guanylate cyclase 806(1998)231

# H

**H152/37**

Microwave-assisted extraction of felodipine tablets  
840(1999)59

**Haloacetic acids**

Capillary zone electrophoresis with indirect UV detection of haloacetic acids in water 808(1998)229

Comparative study of a solid-phase extraction system coupled to capillary electrophoresis in the determination of haloacetic compounds in tap water 827(1998)105

Preconcentration and separation of haloacetic acids by ion chromatography 850(1999)197

**Haloarenes**

Compound retention dependence of the response in a gas chromatography–atomic emission detection system  
819(1998)85

**Halocarbons**

see also Halogenated compounds

Separation of mixed halocarbons of environmental interest on a new type of silica-based porous-layer open tubular capillary gas chromatographic column 810(1998)119

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Empirical formulae studies of chlorofluorocarbons using gas chromatography coupled to atomic emission detection  
844(1999)271

Analysis of brominated compounds in background air by gas chromatography–high-resolution mass spectrometry  
848(1999)261

**Halogenated compounds**

see also Organochlorine compounds, Organohalogen compounds, Polychlorinated biphenyls, Polychlorinated dibenzodioxins, Polychlorinated dibenzofurans, and Polychlorinated naphthalenes

Separation properties of bis( $\beta$ -diketonato)–copper(II) complexes in capillary gas chromatography 809(1998)65

Thermal conductivity detection relative molar response factors for halogenated compounds 841(1999)187

Solid-phase microextraction for the determination of iodinated trihalomethanes in drinking water 841(1999)197

Quantitative determination of several simple perhalogenated compounds by high-performance liquid chromatography  
846(1999)395

**Haloperidol**

Trace analysis of haloperidol and its chiral metabolite in plasma by capillary electrophoresis 846(1999)239

**Hamamelose**

Separation of the branch chain hexose, hamamelose, by high-performance liquid chromatography, and amperometric detection of hamamelose and related compounds 814(1998)105

**Haptens**

High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255

**Hematite**

Characterization of hematite and its interaction with humic material using flow field-flow fractionation 816(1998)145

**Heme oxygenase**

Detection of gene expression in single neurons by patch-clamp and single-cell reverse transcriptase polymerase chain reaction  
806(1998)209

**Hemoglobins**

Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13

New set-up for capillary isoelectric focusing in uncoated capillaries 813(1998)349

Protein variant separations by cation-exchange chromatography on tentacle-type polymeric stationary phases 828(1998)365

Detection of neutral and charged mutations in  $\alpha$ - and  $\beta$ -human globin chains by capillary zone electrophoresis in isoelectric, acidic buffers 832(1999)225

**Heparan sulfate**

Rapid and sensitive analysis of disaccharide composition in heparin and heparan sulfate by reversed-phase ion-pair chromatography on a 2  $\mu$ m porous silica gel column  
830(1999)197

**Heparin**

Use of reversed polarity and a pressure gradient in the analysis of disaccharide composition of heparin by capillary electrophoresis 828(1998)497

Analysis of biopolymers by size-exclusion chromatography–mass spectrometry 828(1998)509

Rapid and sensitive analysis of disaccharide composition in heparin and heparan sulfate by reversed-phase ion-pair chromatography on a 2  $\mu\text{m}$  porous silica gel column 830(1999)197

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Heparin elution of transcription factors from DNA-Sepharose columns 848(1999)131

#### **Hepatotoxins**

Electrochemical detection of microcystins, cyanobacterial peptide hepatotoxins, following high-performance liquid chromatography 810(1998)226

Separation, purity testing and identification of cyanobacterial hepatotoxins with capillary electrophoresis and electrospray mass spectrometry 839(1999)203

#### **Heptafluorobutyric acid**

The use of heptafluorobutyric acid as a volatile ion-pair reagent in the high-performance liquid chromatographic isolation of SB-223070 828(1998)297

#### **Heptakis(2,3-diacetyl-6-sulfato)- $\beta$ -cyclodextrin**

Systematic approach to methods development for the capillary electrophoretic analysis of a minor enantiomer using a single-isomer sulfated cyclodextrin. A case study of L-carbidopa analysis 817(1998)105

#### **Heptakis(3-O-methyl)- $\beta$ -cyclodextrin**

Chiral separation of 2,4-dinitrophenyl amino acids using 3-O-methyl- $\beta$ -cyclodextrin-bonded stationary phase in reversed-phase liquid chromatography 814(1998)247

#### **Heptanone**

Cation analysis in electronics-grade organic solvents by ion chromatography 804(1998)193

#### **Hepta-Tyr**

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of  $\alpha$ -hydroxy acids 838(1999)223

#### **Hexachlorobenzene**

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

#### **Hexachlorocyclohexanes**

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

#### **Hexadeca-9-enoic acid**

High-performance liquid chromatography with postcolumn derivatization for simultaneous determination of organic peroxides and hydrogen peroxide 822(1998)207

#### **Hexadimethrine bromide**

Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211

#### **Hexaflumuron**

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

#### **Hexylene glycol**

Non-flammable preparative reversed-phase liquid chromatography of recombinant human insulin-like growth factor-I 830(1999)127

#### **Hexythiazox**

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

#### **Hinokitiol**

Synthesis and characterization of a polymer-coated  $\text{C}_{18}$  stationary phase with high carbon content for liquid chromatography 828(1998)75

#### **Hippuric acid**

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

#### **Histamine**

Histamine and histidine determination in tuna fish samples using high-performance liquid chromatography. Derivatization with *o*-phthalaldehyde and fluorescence detection or UV detection of "free" species 809(1998)241

Determination of biogenic amines by capillary electrophoresis 836(1999)305

**Histidine**

Histamine and histidine determination in tuna fish samples using high-performance liquid chromatography. Derivatization with *o*-phthalaldehyde and fluorescence detection or UV detection of "free" species 809(1998)241

DNA–histidine complex formation in isoelectric histidine buffers 838(1999)179

Isotachophoretic determination of 3-methylhistidine 838(1999)191

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

**HN-1**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**HN-3**

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

**Homocysteine**

Quantitation of homocysteine in human plasma by capillary electrophoresis and laser-induced fluorescence detection 817(1998)181

High-performance liquid chromatographic determination of total plasma homocysteine with or without internal standards 828(1998)397

Determination of plasma and serum homocysteine by high-performance liquid chromatography with fluorescence detection 828(1998)401

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

**Hop bitter acids**

On-line trace enrichment in hyphenated liquid chromatography–nuclear magnetic resonance spectroscopy 813(1998)55

Investigation of hop and beer bitter acids by coupling of high-performance liquid chromatography to nuclear magnetic resonance spectroscopy 836(1999)245

**Hordeins**

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

**Hormones**

see also Growth hormones and Plant hormones

Capillary electrophoresis in biochemical and clinical laboratories. Selected attractive examples 807(1998)135

Peptide purity and counter ion determination of bradykinin by high-performance liquid chromatography and capillary electrophoresis 817(1998)215

Selective fluorescence derivatization and capillary electrophoretic separation of amidated amino acids 832(1999)211

Clinical applications of gas chromatography and gas chromatography–mass spectrometry of steroids 843(1999)247

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

Determination of melatonin in biological samples by capillary electrophoresis 850(1999)369

**Humic acids**

Capillary zone electrophoresis for the separation and characterization of humic acids 802(1998)189

Capillary electrophoresis in the analysis of humic substances. Facts and artifacts 807(1998)101

Ultrafiltration–capillary zone electrophoresis for the determination of humic acid fractions 807(1998)275

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Characterization of hematite and its interaction with humic material using flow field-flow fractionation 816(1998)145

Capillary zone electrophoresis study of aggregation of humic substances 817(1998)313

Development of capillary electrophoresis methods for the analysis of fluoroquinolones and application to the study of the influence of humic substances on their photodegradation in aqueous phase 837(1999)253

**Humic substances**

Capillary electrophoresis in the analysis of humic substances. Facts and artifacts 807(1998)101

Structural characterization of bio- and geo-macromolecules by off-line thermochemolysis with tetramethylammonium hydroxide 823(1998)433

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

**Humulones**

Investigation of hop and beer bitter acids by coupling of high-performance liquid chromatography to nuclear magnetic resonance spectroscopy 836(1999)245

**Hydrocarbons**

see also Volatile organic compounds

Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195

Detailed analysis of hydrocarbon groups in diesel range petroleum fractions with on-line coupled supercritical fluid chromatography–gas chromatography–mass spectrometry 819(1998)249

Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115

Gas chromatography in space 843(1999)147

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas–solid chromatography using a wall coated open tubular column approach 844(1999)191

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VII. *N*-[3-(Trimethoxysilyl)propyl]-diethylenetriamine complexes with  $\text{CuCl}_2$  and  $\text{CrCl}_3$  844(1999)239

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

**Hydrocarbons, aromatic**

see also Polynuclear aromatic hydrocarbons

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

Modified kinetic model of the electron-capture detector. Molecular electron affinities and electron collection modes 827(1998)91

**Hydrocarbons, chlorinated**

Solid-phase microextraction as a source of data for the design of stripping aeration towers 823(1998)523

**Hydrochlorothiazide**

Thin-layer chromatography–mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

**Hydrofluoric acid**

Ion-chromatographic study of interactions in  $\text{HF}$ – $\text{H}_3\text{PO}_4$ – $\text{HNO}_3$  semiconductor etchants. Systematic use of statistically designed mixture experiments 804(1998)161

Determination of fluorochemical surfactants in acid etch baths by ion chromatography with on-line matrix elimination 822(1998)321

Determination of trace anions in concentrated weak acids by ion chromatography 850(1999)167

**Hydrogen**

Gas–solid chromatographic separation of hydrogen isotopes: a comparison between two palladium bearing materials – alumina and kieselguhr 822(1998)326

**Hydrogen-bond acids**

Synthesis and gas chromatographic evaluation of a high-temperature hydrogen-bond acid stationary phase 805(1998)217

**Hydrogencarbonate**

Simple procedure to eliminate concentrated sodium bicarbonate and carbonate with reusable strong cation-exchange cartridges for ion chromatographic analysis of formate and oxalate 829(1998)407

**Hydrogen chloride**

Simultaneous determination of sulphur oxides, nitrogen oxides and hydrogen chloride in flue gas by means of an automated ion chromatographic system 804(1998)151

**Hydrogen peroxide**

On-column chemiluminescence detection of rare earth ions with capillary electrophoresis 813(1998)361

High-performance liquid chromatography with postcolumn derivatization for simultaneous determination of organic peroxides and hydrogen peroxide 822(1998)207

Capillary zone electrophoresis and ion chromatography in the low  $\mu\text{g}/\text{l}$  range applied to the determination of anions in hydrogen peroxide 829(1998)351

**Hydrogen sulfide**

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

**Hydrohalocarbons**

Separation of hydrohalocarbons and chlorofluorocarbons using a cyclodextrin gas solid chromatography capillary column 832(1999)253

**Hydroperoxides**

Investigation of aldehydic lipid peroxidation products by gas chromatography–mass spectrometry 843(1999)29

**Hydroxide**

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. III. Anion chromatography using hydroxide eluents on a Dionex AS11 stationary phase 837(1999)65

**Hydroxy acids**

Separation of enantiomers of  $\alpha$ -hydroxy acids by reversed-phase liquid chromatography after derivatization with 1-(9-fluorenyl)ethyl chloroformate 827(1998)31

**Hydroxyamphetamine**

Investigation of stereoselective metabolism of amphetamine in rat liver microsomes by microdialysis and liquid chromatography with precolumn chiral derivatization 828(1998)95

**Hydroxyapatite**

Properties of cattle bone powder-coated composite particles as high-performance and open column liquid chromatographic column packings 813(1998)21

Study of hydroxyapatite aggregation in the presence of potassium phosphate by centrifugal sedimentation field-flow fractionation 845(1999)293

**Hydroxyaromatic compounds**

Determination of hydroxyaromatic compounds in water by solid-phase microextraction coupled to high-performance liquid chromatography 835(1999)127

**Hydroxybenzoate**

True moving bed chromatography: solid–liquid multi-stage counter-current extraction 849(1999)61

**Hydroxybenzoic acids**

Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

**Hydroxybenzophenone**

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

**Hydroxycarboxylic acids**

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

**Hydroxychlorzoxazone**

Estimation of chlorzoxazone hydroxylase activity in liver microsomes and of the plasma pharmacokinetics of chlorzoxazone by the same high-performance liquid chromatographic method 828(1998)291

**Hydroxycitric acid**

Determination of organic acids in *Garcinia cambogia* (Desr.) by high-performance liquid chromatography 806(1998)337

***trans*-10-Hydroxy-2-decenoic acid**

Determination of *trans*-10-hydroxy-2-decenoic acid content in pure royal jelly and royal jelly products by column liquid chromatography 839(1999)265

**Hydroxyethyl sulfonate**

Determination of organic anions in waste liquid of sodium hydrosulfite production by ion chromatography 839(1999)233

**Hydroxyethyl thiosulfate**

Determination of organic anions in waste liquid of sodium hydrosulfite production by ion chromatography 839(1999)233

 **$\alpha$ -Hydroxyglycine derivatives**

Determination of the absolute configuration of  $\alpha$ -hydroxyglycine derivatives by enzymatic conversion and chiral high-performance liquid chromatography 828(1998)191

**Hydroxyisobutyric acid**

Separation of rare-earth ions by isotachopheresis and capillary zone electrophoresis 802(1998)203

**4-Hydroxyisophthalic acid**

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

**Hydroxymandelic acids**

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of  $\alpha$ -hydroxy acids 838(1999)223

**2-Hydroxy-4-methoxybenzophenone**

High-performance liquid chromatographic method for the comparison of the photostability of five sunscreen agents 832(1999)273

**Hydroxymethylfurfural**

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

**Hydroxymethylmethylformamide**

High-performance liquid chromatographic determination of *n*-methylformamide, a biological index for occupational exposure to dimethylformamide 847(1999)19

**3-*epi*-Hydroxymugineic acid**

Column chromatography and verification of phytosiderophores by phenylisothiocyanate derivatization and UV detection 841(1999)155

**Hydroxynaphthoic acids**

$\beta$ -Hydroxynaphthoic acid synthesis monitoring by capillary zone electrophoresis and high-performance liquid chromatography. Determination of polynaphthyl derivatives 836(1999)67

**Hydroxyomeprazole**

Simultaneous determination of omeprazole and 5'-hydroxyomeprazole in human plasma by liquid chromatography–tandem mass spectrometry 828(1998)229

**Hydroxyphenylacetic acid**

Postcolumn derivatisation for selective laser-induced fluorescence detection in micellar electrokinetic chromatography of fatty acid hydroperoxides 814(1998)261

**Hydroxyphenyl-triphenylporphyrin**

Selective separation of fullerenes on hydroxyphenyl-triphenylporphyrin–silica stationary phases 824(1998)147

**Hydroxyproline**

Enantioseparation of  $\alpha$ -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

***N*-Hydroxysuccinimide esters**

*N*-Hydroxysuccinimide ester labeling 5'-aminoalkyl DNA oligomers: reaction conditions and purification 806(1998)93

***N*-Hydroxysulfosuccinimide**

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. V. Influence of immobilization method on chiral resolution 840(1999)171

**Hyoscyamine**

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465

**Hypophosphite**

Capillary electrophoresis of phosphorus oxo anions 834(1999)243

**I****Ibuprofen**

On-line trace enrichment in hyphenated liquid chromatography–nuclear magnetic resonance spectroscopy 813(1998)55

Nonaqueous capillary electrophoretic separation of enantiomers using the single-isomer heptakis(2,3-diacetyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent 816(1998)233

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. II. Validation 826(1998)95

**Ibutilide**

Sensitive determination of a new antiarrhythmic agent, trectilide, in plasma by high-performance liquid chromatography with fluorescence detection 828(1998)259

**Illudins**

Identification of illudins in *Omphalotus nidiformis* and *Omphalotus olivascens* var. *indigo* by column liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 832(1999)247

**Imazalil**

Application of ion-exchange cartridge clean-up in food analysis. I. Simultaneous determination of thiabendazole and imazalil in citrus fruit and banana using high-performance liquid chromatography with ultraviolet detection 810(1998)81

**Imidazoles**

Determination of chiral catabolites from *S*-[2-carboxy-1-(1*H*-imidazol-4-yl)ethyl]glutathione, a proposed metabolite of L-histidine, by capillary electrophoresis 802(1998)73

Peculiarities of an imidazole derivative retention mechanism in reversed-phase liquid chromatography:  $\beta$ -cyclodextrin concentration and temperature considerations 808(1998)51

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

**Immunoglobulins**

Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61

Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121

Characterization of the F(ab')<sub>2</sub> fragment of a murine monoclonal antibody using capillary isoelectric focusing and electrospray ionization mass spectrometry 816(1998)49

High-performance ion-exchange chromatography and adsorption of plasma proteins 816(1998)89

Erratum to "High-performance ion-exchange chromatography and adsorption of plasma proteins". [J. Chromatogr. A, 816 (1998) 89–96] 824(1998)135

Purification of monoclonal antibodies from ascitic fluid using preparative electrophoresis 827(1998)329

#### **Immunotoxins**

Single-step purification of immunotoxins containing a high ionic charge ribosome inactivating protein clavin by carboxymethyl high-performance membrane chromatography 830(1999)329

#### **Indigo-tetrasulfonate**

Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327

#### **Indoleacetic acid**

Determination of indole-3-acetic acid and indole-3-acetylaspatic acid in pea plant with capillary electrophoresis and fluorescence detection 824(1998)231

#### **Indoleacetylaspatic acid**

Determination of indole-3-acetic acid and indole-3-acetylaspatic acid in pea plant with capillary electrophoresis and fluorescence detection 824(1998)231

#### **Indole alkaloids**

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

#### **Indoles**

Analysis of nonpolar heterocyclic amines in cooked foods and meat extracts using gas chromatography–mass spectrometry 803(1998)227

Qualitative determination of indole alkaloids, triterpenoids and steroids of *Tabernaemontana hilariana* 808(1998)264

Rapid determination of skatole and indole in pig back fat by normal-phase liquid chromatography 809(1998)246

On-line gas chromatography–mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

Micro and capillary liquid chromatography–tandem mass spectrometry: a new dimension in phytohormone research 826(1998)25

#### **Inorganic anions**

see also Anions, Inorganic ions and Special Issue Index

Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection 802(1998)159

Determination of bromide ions in seawater by capillary zone electrophoresis using diluted artificial seawater as the buffer solution 802(1998)211

What are the unanswered (and unasked) questions in ion analysis? 804(1998)3

Compact, field-portable capillary ion chromatograph 804(1998)45

On-line sample preparation techniques for ion chromatography 804(1998)55

Ion chromatography on anion exchangers modified with mucopolysaccharides 804(1998)79

Suppressed ion chromatography of inorganic anions and divalent metal cations with pyromellitic acid as eluent 804(1998)87

Analysis of oxyhalides in water by ion chromatography–ionspray mass spectrometry 804(1998)105

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

Ion-chromatographic quantitation of fluoride and acetate. Statistical comparison of calibration curves from two similar eluents 804(1998)123

New, sensitive and selective method for determining sub- $\mu\text{g}/\text{l}$  levels of bromate in drinking water 804(1998)137

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Simultaneous determination of sulphur oxides, nitrogen oxides and hydrogen chloride in flue gas by means of an automated ion chromatographic system 804(1998)151

Ion chromatographic determination of nitrate and nitrite in meat products 804(1998)157

Monitoring the cyanidation of gold–copper ores with ion-interaction chromatography. Determination of the  $\text{CN}^-:\text{Cu(I)}$  molar ratio 804(1998)249

Application of ion chromatography to the semiconductor industry. I. Measurement of acidic airborne contaminants in cleanrooms 804(1998)273

Determination by ion chromatography of selected organic and inorganic acids in rainwater at Maracaibo, Venezuela 804(1998)289



- Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295
- Ion chromatographic analysis of nutrients in seed exudate for microbial colonisation 804(1998)311
- Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants 804(1998)319
- Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327
- Determination of low-molecular-mass ionic compounds in electrodeposition coatings by capillary electrophoresis with conductivity detection 804(1998)357
- Calibration principles for flow injection analysis–capillary electrophoresis systems with electrokinetic injection 808(1998)219
- Determination of inorganic cations and anions in single plant cells by capillary zone electrophoresis 809(1998)231
- Determination of anionic trace impurities in glycerol by capillary isotachopheresis with enlarged sample load 810(1998)201
- Determination of anions in certified reference materials by ion chromatography 813(1998)85
- Electrophoretic separation of inorganic anions with an anion complexone-modified capillary column 815(1998)251
- Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243
- Capillary preconditioning for analysis of anions using indirect UV detection in capillary zone electrophoresis. Systematic investigation of alkaline and acid prerinsing techniques by designed experiments 816(1998)261
- Spliced capillaries for use in capillary electrophoresis with conductivity detection 817(1998)31
- Analysis of solutes and metabolites in single plant cell vacuoles by capillary electrophoresis 817(1998)337
- Determination of low-molecular-mass anionic compounds in beverage samples using capillary zone electrophoresis with simultaneous indirect ultraviolet and conductivity detection 822(1998)117
- Speciation of volatile forms of selenium and inorganic selenium in sediments by gas chromatography–mass spectrometry 823(1998)259
- Analysis of inorganic anions in drainage water and soil solution by single-column ion chromatography 823(1998)285
- On-column processes in ion chromatographic determination of nitrite and nitrate in heavy mineralised samples 827(1998)83
- Determination of inorganic anions on porous graphitic carbon using evaporative light scattering detection. Use of carboxylic acids as electronic competitors 829(1998)193
- Capillary zone electrophoresis and ion chromatography in the low  $\mu\text{g}/\text{l}$  range applied to the determination of anions in hydrogen peroxide 829(1998)351
- Simultaneous determination of inorganic anions and cations in waters by capillary electrophoresis 829(1998)359
- Simple procedure to eliminate concentrated sodium bicarbonate and carbonate with reusable strong cation-exchange cartridges for ion chromatographic analysis of formate and oxalate 829(1998)407
- Quantitation of counter ion of a water-insoluble drug by nonaqueous capillary electrophoresis with indirect UV detection 829(1998)411
- Low-molecular-mass anion screening for forensic environmental analyses by capillary zone electrophoresis with indirect UV detection 830(1999)439
- Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3
- Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds 834(1999)21
- Simultaneous determination of inorganic anions, organic acids and metal cations by capillary electrophoresis 834(1999)65
- Polyethers in inorganic capillary electrophoresis 834(1999)73
- Electrochemical detection methods in capillary electrophoresis and applications to inorganic species 834(1999)89
- Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103
- Prospects for detection and sensitivity enhancement of inorganic ions in capillary electrophoresis 834(1999)117
- Capillary electrophoresis of inorganic anions 834(1999)133
- Separations of inorganic anions based on their complexations with  $\alpha$ -cyclodextrin by capillary zone electrophoresis with contactless conductivity detection 834(1999)179
- Control of separation selectivity in capillary zone electrophoresis of inorganic anions 834(1999)213

- Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233
- Capillary electrophoresis of phosphorus oxo anions 834(1999)243
- Application of capillary electrophoresis to the analysis of inorganic ions in environmental samples 834(1999)349
- Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363
- Determination of trace level anions in snow samples by capillary electrophoresis with sample stacking 834(1999)387
- Improved selectivity of anions with methanol as additive. Determination of  $\text{Cl}^-$ ,  $\text{NO}_3^-$  and  $\text{SO}_4^{2-}$  in river water by capillary electrophoresis 834(1999)393
- Determination of inorganic ions in food and beverages by capillary electrophoresis 834(1999)401
- Application of capillary isotachopheresis and capillary zone electrophoresis to the determination of inorganic ions in food and feed samples 834(1999)419
- Applications of capillary electrophoresis in corrosion science and engineering 834(1999)433
- Flavin mononucleotide for indirect laser-induced fluorescence detection of anions separated by capillary electrophoresis 835(1999)159
- Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis 835(1999)169
- Simultaneous capillary electrophoretic separation of small anions and cations after complexation with ethylenediaminetetraacetic acid 836(1999)75
- Association between cobalt(III) coordination compounds and anions measured by capillary electrophoresis 836(1999)93
- Isotachopheretic analysis of inorganic ions 836(1999)201
- Simultaneous determination of inorganic anions, organic acids, amino acids and carbohydrates by capillary electrophoresis 837(1999)231
- New leading electrolyte for the direct determination of chloride and other anions in analytical isotachopheresis 838(1999)81
- Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution 838(1999)303
- Determination of bromide ion in raw and drinking waters by capillary zone electrophoresis 839(1999)217
- Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161
- Contactless conductivity detection in capillary zone electrophoresis 844(1999)349
- Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387
- Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165
- Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269
- Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271
- Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279
- Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285
- Quantitative determination of sulfur-containing anions in complex matrices with capillary electrophoresis and conductivity detection 848(1999)503
- Capillary electrophoretic determination of inorganic anions in the drainage and surface water samples 848(1999)545
- Determination of chlorate at low  $\mu\text{g/l}$  levels by ion-chromatography with postcolumn reaction 849(1999)209
- Interpretation of chromatographic behavior of ions based on the electric double-layer theory 850(1999)3
- Critical comparison of retention models for the optimisation of the separation of anions in ion chromatography. II. Suppressed anion chromatography using carbonate eluents 850(1999)29
- Lack-of-fit testing of ion chromatographic calibration curves with inexact replicates 850(1999)43
- Polyelectrolyte sorbents based on aliphatic ionenes for ion chromatography 850(1999)53
- Effect of eluent composition on retention behavior of anions in ion chromatography on anion-exchangers modified with heparin 850(1999)65
- Simultaneous determination of anions and cations by ion-exclusion chromatography-cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79
- Combination of suppressed and non-suppressed ion chromatography with atmospheric pressure ionization mass spectrometry for the determination of anions 850(1999)99

- Analysis of 500-ng/l levels of bromate in drinking water by direct-injection suppressed ion chromatography coupled with a single, pneumatically delivered post-column reagent 850(1999)119
- Determination of trace level perchlorate in drinking water and ground water by ion chromatography 850(1999)131
- Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153
- Electrostatic ion chromatography of polarizable anions in saline waters with *N*-{2-[acetyl(3-sulfopropyl)amino]ethyl}-*N,N*-dimethyldodecanaminium hydroxide (ammonium sulfobetaine-1) as the stationary phase and a dilute electrolytic solution as the mobile phase 850(1999)161
- Determination of trace anions in concentrated weak acids by ion chromatography 850(1999)167
- Analysis of wastewater for anionic and cationic nutrients by ion chromatography in a single run with sequential flow injection analysis 850(1999)303
- Acid-rain monitoring in East Asia with a portable-type ion-exclusion–cation-exchange chromatographic analyzer 850(1999)311
- Factors affecting selectivity of inorganic anions in capillary electrophoresis 850(1999)319
- Sample stacking of fast-moving anions in capillary zone electrophoresis with pH-suppressed electroosmotic flow 850(1999)339
- Optimization of conductivity detection of low-molecular-mass anions in capillary zone electrophoresis 850(1999)355
- Chemical conditions inside occluded regions on corroding aircraft aluminum alloys 850(1999)375
- Inorganic cations**  
see also Inorganic ions, Metal cations and Special Issue Index
- Separation of rare-earth ions by isotachopheresis and capillary zone electrophoresis 802(1998)203
- What are the unanswered (and unasked) questions in ion analysis? 804(1998)3
- On-line sample preparation techniques for ion chromatography 804(1998)55
- Ion-exchange chromatography of mono- and divalent cations in natural waters on a weak-acid anion-exclusion column 804(1998)179
- A new approach to dealing with high-to-low concentration ratios of sodium and ammonium ions in ion chromatography 804(1998)201
- Use of ion chromatography as an alternative method for the analysis of calcium in calcium mupirocin 804(1998)211
- Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295
- Determination of inorganic cations and anions in single plant cells by capillary zone electrophoresis 809(1998)231
- Quantitative determination of inorganic minor cations in sodium-, calcium-, magnesium-matrix simulated samples by capillary electrophoresis 810(1998)209
- Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243
- Spliced capillaries for use in capillary electrophoresis with conductivity detection 817(1998)31
- Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125
- Analysis of cations in drainage water and soil solution by single-column ion chromatography 823(1998)279
- Simultaneous determination of inorganic anions and cations in waters by capillary electrophoresis 829(1998)359
- Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3
- Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds 834(1999)21
- Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103
- Capillary electrophoresis of inorganic cations 834(1999)257
- Analysis of inorganic cations as their complexes by capillary electrophoresis (Review) 834(1999)277
- Application of capillary electrophoresis to the analysis of inorganic ions in environmental samples 834(1999)349
- Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363
- Determination of inorganic ions in food and beverages by capillary electrophoresis 834(1999)401

Application of capillary isotachopheresis and capillary zone electrophoresis to the determination of inorganic ions in food and feed samples 834(1999)419

Applications of capillary electrophoresis in corrosion science and engineering 834(1999)433

Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis 835(1999)169

Simultaneous capillary electrophoretic separation of small anions and cations after complexation with ethylenediaminetetraacetic acid 836(1999)75

Association between cobalt(III) coordination compounds and anions measured by capillary electrophoresis 836(1999)93

Isotachopheretic analysis of inorganic ions 836(1999)201

Boronate affinity adsorption of RNA: possible role of conformational changes 840(1999)205

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Separation and determination of various elements by cation-exchange chromatography with sodium trimetaphosphate as the eluent 847(1999)245

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Simultaneous determination of anions and cations by ion-exclusion chromatography–cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79

Liquid chromatography: a tool for the analysis of metal species 850(1999)213

Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid–15-crown-5 as eluent 850(1999)229

Determination of sodium and ammonium ions in disproportionate concentration ratios by ion chromatography 850(1999)239

Separation and detection of common mono- and divalent cations by ion chromatography with an ODS column and conductivity/UV detection 850(1999)247

Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283

Determination of amines used in the oil and gas industry (upstream section) by ion chromatography 850(1999)289

Analysis of wastewater for anionic and cationic nutrients by ion chromatography in a single run with sequential flow injection analysis 850(1999)303

Acid-rain monitoring in East Asia with a portable-type ion-exclusion–cation-exchange chromatographic analyzer 850(1999)311

Chemical conditions inside occluded regions on corroding aircraft aluminum alloys 850(1999)375

Using capillary electrophoresis to study the chemical conditions within cracks in aluminum alloys 850(1999)381

### **Inorganic ions**

see also Inorganic anions, Inorganic cations and Special Issue Index

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)1

Ion chromatography of impurities in organic solvents 847(1999)345

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

### **Inorganic oxides**

Gas chromatographic determination of binary adsorption isotherms 806(1998)293

### **Inorganic salts**

Thermochromatography for evolved gas analysis of apatite materials 819(1998)75

### **Inositol phosphates**

Anti-nutritional constituents of six underutilized legumes grown in Nigeria 823(1998)307

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

### **Insulin**

Insulin stacking for capillary electrophoresis 807(1998)129

Study of single cells by using capillary electrophoresis and native fluorescence detection 830(1999)243

**Interleukins**

Utility of isotachopheresis–capillary zone electrophoresis, mass spectrometry and high-performance size-exclusion chromatography for monitoring of interleukin-6 dimer formation 841(1999)63

**Iodate**

Analysis of oxyhalides in water by ion chromatography–ionspray mass spectrometry 804(1998)105

**Iodide**

Determination of iodide in ground water and soil by ion chromatography 804(1998)131

Semi-micro ion chromatography of iodide in seawater 830(1999)211

**Iodine**

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. I. Derivatization 810(1998)161

Unusual induction in the iodine–azide induced reaction exhibited by organophosphorus compounds on thin-layer chromatography plates 831(1999)321

Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153

**Ionizable solutes**

Retention of ionizable compounds on high-performance liquid chromatography. III. Variation of p*K* values of acids and pH values of buffers in acetonitrile–water mobile phases 824(1998)137

**Ionones**

Synthesis of labelled [<sup>2</sup>H<sub>4</sub>]β-damascenone, [<sup>2</sup>H<sub>4</sub>]2-methoxy-3-isobutylpyrazine, [<sup>2</sup>H<sub>3</sub>]α-ionone, and [<sup>2</sup>H<sub>3</sub>]β-ionone, for quantification in grapes, juices and wines 824(1998)71

Quantitative determination of β-ionone in red wines and grapes of Bordeaux using a stable isotope dilution assay 848(1999)317

**Iprodione**

On-line coupling of liquid chromatography with thin-layer chromatography 819(1998)35

Comparison of different sorbents for on-line liquid–solid extraction followed by high-performance liquid chromatographic determination of nitrogen-containing pesticides 822(1998)67

**Irgarol**

Solid-phase microextraction of the antifouling Irgarol 1051 and the fungicides dichlofluanid and 4-chloro-3-methylphenol in water samples 839(1999)253

**Iridium**

Speciation of iridium(IV) in hydrochloric acid medium by means of capillary zone electrophoresis and spectrophotometry 834(1999)329

**Iridoids**

Separation of nine iridoids by capillary electrophoresis and high-performance liquid chromatography 803(1998)179

**Iron**

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Photometric response of a very small, stoichiometric hydrogen–air flame to compounds of the iron group 806(1998)305

Determination of iron in complex matrices by ion chromatography with UV–Vis, thermal lens and amperometric detection using post-column reagents 829(1998)167

Separation of siderophores by capillary electrophoresis 830(1999)183

Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491

**Isobutyl vinyl ketone**

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

**Isoflavones**

Reversed-phase high-performance liquid chromatographic determination of isoflavones in plant materials after isolation by solid-phase extraction 839(1999)261

**Isohumulones**

Investigation of hop and beer bitter acids by coupling of high-performance liquid chromatography to nuclear magnetic resonance spectroscopy 836(1999)245

**Isoluminol isothiocyanate**

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis–chemiluminescence detection 832(1999)191

**Isopropyl 2,3-epoxybutanoate**

Analytical separation of the four stereoisomers of isopropyl 2,3-epoxybutanoate by gas chromatography 832(1999)259

**Isopropyl methylphosphonic acid**

Capillary ion electrophoresis screening of nerve agent degradation products in environmental samples using conductivity detection 824(1998)125

**Isoquinolines**

Optimisation and routine use of generic ultra-high flow-rate liquid chromatography with mass spectrometric detection for the direct on-line analysis of pharmaceuticals in plasma 828(1998)199

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

**Isorhamnetin**

Multidimensional counter-current chromatographic system and its application 803(1998)298

**Isosaccharinic acid**

Capillary electrophoresis for the simultaneous separation of selected carboxylated carbohydrates and their related 1,4-lactones 807(1998)89

**Isoshinanolone**

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

**Isothiocyanates**

Micellar electrokinetic capillary chromatography of thiocarbamoyl derivatives produced in reactions between isothiocyanates and amino acids 836(1999)115

**4-(3-Isothiocyanatopyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole**

Total resolution of 17 DL-amino acids labelled with a fluorescent chiral reagent, *R*(–)-4-(3-isothiocyanatopyrrolidin-1-yl)-7-(*N,N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole, by high-performance liquid chromatography 822(1998)215

**Isoxicam**

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

**J****Jasmonic acid**

Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography–turboionspray tandem mass spectrometry 822(1998)310

Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbitic acid isomers 847(1999)103

**Jeffamines**

Characterization of jeffamines by capillary isotachopheresis and zone electrophoresis 838(1999)149

**Josamycin propionate**

Liquid chromatography of josamycin propionate on poly(styrene–divinylbenzene) 812(1998)303

**Juglone**

High-performance liquid chromatographic method for the determination of juglone in fresh walnut leaves 805(1998)315

**K****Kaempferol**

Multidimensional counter-current chromatographic system and its application 803(1998)298

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

**Kanamycin**

Development of a gas chromatography–mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95

**Kathon 5287**

Determination of selected antifouling booster biocides by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

**Kavain**

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

**Kavalactones**

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

Qualitative and quantitative micellar electrokinetic chromatography of kavalactones from dry extracts of *Piper methysticum* Forst. and commercial drugs 848(1999)457

**1-Kestose**

Separation of a fructo-oligosaccharide mixture by hydrophilic interaction chromatography using silica-based micropellicular sorbents 803(1998)302

**Ketones**

see also Carbonyl compounds

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Ion chromatography of impurities in organic solvents 847(1999)345

**Ketoprofen**

Fast chiral separation of amino acid derivatives and acidic drugs by co-electroosmotic flow capillary electrophoresis with vancomycin as chiral selector 825(1998)81

**Korupensamines**

Acetogenic isoquinoline alkaloids. CXII. Separation and identification of dimeric naphthylisoquinoline alkaloids by liquid chromatography coupled to electrospray ionization mass spectrometry 810(1998)231

**L****Labetalol**

Comparison of native, alkylated and charged cyclodextrins for the chiral separation of labetalol stereoisomers by capillary electrophoresis 829(1998)341

**Laccaic acids**

Separation of lac dye components by high-speed counter-current chromatography 813(1998)71

**Lac dye**

Separation of lac dye components by high-speed counter-current chromatography 813(1998)71

**Lactalbumin**

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Lactams**

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Analysis of antibiotics by liquid chromatography–mass spectrometry (Review) 812(1998)53

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Determination of third-generation cephalosporins by high-performance liquid chromatography in connection with pharmacokinetic studies (Review) 812(1998)159

Monitoring of the concentration of  $\beta$ -lactam antibiotics and their precursors in complex cultivation media by high-performance liquid chromatography (Review) 812(1998)179

On-line solid-phase extraction of cephalosporins 812(1998)191

Quantitative determination of semisynthetic cephamycins in human serum and urine by ion-exchange, reversed-phase and ion-pair chromatography 812(1998)197

Determination of amoxicillin in human serum and plasma by high-performance liquid chromatography and on-line postcolumn derivatisation 812(1998)221

Multiresidue determination of  $\beta$ -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

Investigation of potential degradation products of a newly synthesised  $\beta$ -lactam antibiotic by multi-stage liquid chromatography–electrospray mass spectrometry 819(1998)133

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

**Lactic acid**

Comparative study of lactic acid and polylactides using static headspace, gas chromatography and high-performance liquid chromatography 833(1999)195

**Lactoferrin**

Thin-layer ion-exchange chromatography of proteins 816(1998)97

Determination of the minor whey protein bovine lactoferrin in cheese whey concentrates with capillary electrophoresis 817(1998)187

Two ion-exchange chromatographic methods for the isolation of antibacterial peptides from lactoferrin. In situ enzymatic hydrolysis on an ion-exchange membrane 831(1999)191

**Lactoglobulins**

Analysis of the Maillard reaction products of  $\beta$ -lactoglobulin and lactose in skimmed milk powder by capillary electrophoresis and electrospray mass spectrometry 822(1998)147

Displacement chromatography of proteins using a self-sharpening pH front formed by adsorbed buffering species as the displacer 825(1998)115

Measuring conformational stability of proteins using an optimized temperature-controlled capillary electrophoresis approach 838(1999)157

**Lactones**

Capillary electrophoresis for the simultaneous separation of selected carboxylated carbohydrates and their related 1,4-lactones 807(1998)89

Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

**Lactose**

Analysis of the Maillard reaction products of  $\beta$ -lactoglobulin and lactose in skimmed milk powder by capillary electrophoresis and electrospray mass spectrometry 822(1998)147

**Lanatosides**

Effect of *Digitalis lanata* matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency 822(1998)37

**Lanthanides**

Separation of uranium(VI) and lanthanides by capillary electrophoresis using on-capillary complexation with arsenazo III 803(1998)279

Isocratic separation of lanthanides and yttrium by high-performance chelation ion chromatography on iminodiacetic acid bonded to silica 804(1998)223

Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193

**Lasalocid**

Liquid chromatography with ultraviolet detection of lasalocid, monensin, salinomycin and narasin in poultry feeds using pre-column derivatization 835(1999)243

**Lectins**

Expanded bed chromatography for one-step purification of mannose binding lectin from tulip bulbs using mannose immobilized on DEAE Streamline 822(1998)19

Simultaneous determination of the association constants of oligosaccharides to a lectin by capillary electrophoresis 837(1999)221

Capillary electrophoretic determination of the association constant of a protein and a neutral carbohydrate by introducing mercaptoethanesulfonate tags to the carbohydrate 839(1999)157

**Leptomycin**

Identification of alkaloids and polyketides in an *Actinomycete* by high-performance liquid chromatography with mass spectrometric and UV–visible detection 818(1998)187

**Leukotoxin**

High-performance liquid chromatography of *Pasteurella haemolytica* leukotoxin using anion-exchange perfusion columns 808(1998)167

**Leukotrienes**

On-line coupling of microdialysis sampling with liquid chromatography for the determination of peptide and non-peptide leukotrienes 823(1998)489

**Lignans**

Lignans from *Torreya jackii* identified by stopped-flow high-performance liquid chromatography–nuclear magnetic resonance spectroscopy 837(1999)83

**Lignin**

Structural characterization of bio- and geo-macromolecules by off-line thermochemolysis with tetramethylammonium hydroxide 823(1998)433

Gas chromatographic and mass spectrometric analysis of 36 lignin-related methoxyphenols from uncontrolled combustion of wood 824(1998)205

**Ligustilide**

Liquid chromatographic–electrospray mass spectrometric study of the phthalides of *Angelica sinensis* and chemical changes of Z-ligustilide 810(1998)71

**Lincomycins**

Liquid chromatographic method for separation of lincomycin from its related substances 829(1998)161

**Lindane**

Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75

**Lipases**

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

**Lipid hydroperoxides**

Investigation of aldehydic lipid peroxidation products by gas chromatography–mass spectrometry 843(1999)29



**Lipids**

Separation of phospholipids by nonaqueous capillary electrophoresis with electrospray ionisation mass spectrometry 802(1998)185

New blocking method for the hydroxyl group on carbohydrate. Determination of the O-acylated position of the modified glycolipid 813(1998)325

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

Analysis of human milk triacylglycerols by high-performance liquid chromatography with light-scattering detection 823(1998)475

Simple and rapid extraction method of total egg lipids for determining organochlorine pesticides in the egg 830(1999)473

New chromatographic, mass spectrometric and stable isotope approaches to the classification of degraded animal fats preserved in archaeological pottery 833(1999)209

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

**Lipopeptides**

General approach for the development of high-performance liquid chromatography methods for biosurfactant analysis and purification 825(1998)149

Preparative high-performance liquid chromatography of echinocandins 827(1998)373

**Lipopolysaccharides**

Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13

Development of an on-line preconcentration method for the analysis of pathogenic lipopolysaccharides using capillary electrophoresis–electrospray mass spectrometry. Application to small colony isolates 817(1998)325

**Lipoproteins**

Fast C<sub>18</sub> solid-phase desalting/delipidation of the human serum apolipoproteins for matrix-assisted laser desorption ionization and electrospray ionization mass spectrometric analysis 840(1999)183

**Liposomes**

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

**Liquid crystalline polymers**

Thermotropic laterally attached liquid crystalline polymers. I. New stationary phases for high-performance liquid chromatography 810(1998)19

**Lorazepam**

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

**Lucidin**

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

**Lucidin primeveroside**

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

**Lucigenin**

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

**Luminol**

On-column chemiluminescence detection of rare earth ions with capillary electrophoresis 813(1998)361

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

**LY300164**

Capillary electrochromatography as an alternative separation technique to high-performance liquid chromatography and capillary zone electrophoresis for the determination of drug related impurities in Lilly compound LY300164 829(1998)175

**Lysergic acid diethylamide**

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

**Lysine acetylcysteinate**

Determination of L-lysine N-acetylcysteinate and its mono- and dimeric related compounds by liquid chromatography–mass spectrometry 819(1998)161

**Lysophospholipids**

Comparison of the retention behavior of  $\beta$ -blockers using immobilized artificial membrane chromatography and lysophospholipid micellar electrokinetic chromatography 810(1998)95

**Lysozyme**

Thin-layer ion-exchange chromatography of proteins 816(1998)97

Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Ionic crosslinking of  $\text{SO}_3\text{H}$ -group-containing graft chains helps to capture lysozyme in a permeation mode 848(1999)161

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

**M****Macrocyclic antibiotics**

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

**Macrolide antibiotics**

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Analysis of macrolide antibiotics (Review) 812(1998)255

Determination of macrolides in biological matrices by high-performance liquid chromatography with electrochemical detection 812(1998)287

Simultaneous determination of five macrolide antibiotics in meat by high-performance liquid chromatography 812(1998)295

Determination of antibiotics in different water compartments via liquid chromatography–electrospray tandem mass spectrometry 815(1998)213

**Magainin-2-amide**

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

**Magnesium**

Determination of magnesium and calcium in 30% sodium chloride by ion chromatography with on-line matrix elimination 816(1998)282

**Malathion**

Simultaneous gas chromatographic–mass spectrometric quantitation of the alkylbenzene inert components, pesticide manufacturing by-products and active ingredient in two malathion formulations 814(1998)181

**Malic acid**

Determination of organic acids in *Garcinia cambogia* (Desr.) by high-performance liquid chromatography 806(1998)337

**Malonic acid**

Separation of rare-earth ions by isotachopheresis and capillary zone electrophoresis 802(1998)203

**Maltenes**

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

**Maltodextrins**

Fractionation of maltodextrins by ethanol 803(1998)103

**Maltooligosaccharides**

High-performance anion-exchange chromatographic separations of carbohydrates on a macrocycle-based stationary phase with eluents of relatively low pH and concentration 804(1998)69

**Mandelic acids**

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of  $\alpha$ -hydroxy acids 838(1999)223

**Mannitol**

Selective determination of D-sorbitol and D-mannitol in foodstuffs by ion chromatography with polarized photometric detection 804(1998)305

**Mannopine**

Separation, detection, and quantification of imine-linked opines by high-performance liquid chromatography 813(1998)247

**Mannose**

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor–interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

**Marfey's reagent**

Determination of the chirality of cysteines in somatostatin analogs 816(1998)59

**Matrine**

Preparative separation of alkaloids from the root of *Sophora flavescens* Ait by pH-zone-refining counter-current chromatography 822(1998)316

**MDL 63 246**

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of  $\alpha$ -hydroxy acids 838(1999)223

**Melame**

Determination of melamine derivatives, melame, meleme, ammeline and ammeline by high-performance cation-exchange chromatography 815(1998)197

**Melamine**

Determination of melamine derivatives, melame, meleme, ammeline and ammeline by high-performance cation-exchange chromatography 815(1998)197

**Melatonin**

Chiral resolution of the enantiomers of tetrahydronaphthalenic derivatives, new agonist and antagonist ligands for melatonin receptors, using high-performance liquid chromatography on cellulose chiral stationary phases 824(1998)15

Sensitive determination of melatonin by precolumn derivatization and reversed-phase high-performance liquid chromatography 835(1999)67

Determination of melatonin in biological samples by capillary electrophoresis 850(1999)369

**Meleme**

Determination of melamine derivatives, melame, meleme, ammeline and ammeline by high-performance cation-exchange chromatography 815(1998)197

**Membrane proteins**

see also Proteins

Detergent extraction of herpes simplex virus type 1 glycoprotein D by zwitterionic and non-ionic detergents and purification by ion-exchange high-performance liquid chromatography 816(1998)29

**Menthol**

Determination of menthol and menthone in food and pharmaceutical products by solid-phase microextraction–gas chromatography 847(1999)161

**Menthone**

Determination of menthol and menthone in food and pharmaceutical products by solid-phase microextraction–gas chromatography 847(1999)161

**Mephenytoin**

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral  $\beta$ -cyclodextrin derivatives 817(1998)113

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

**Mercaptoethanesulfonate**

Capillary electrophoretic determination of the association constant of a protein and a neutral carbohydrate by introducing mercaptoethanesulfonate tags to the carbohydrate 839(1999)157

**2-Mercaptoethylamine**

High-performance liquid chromatographic determination of total plasma homocysteine with or without internal standards 828(1998)397

**Mercaptopropionic acid**

Stability and characteristics of the *o*-phthalaldehyde/3-mercaptopropionic acid and *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents and their amino acid derivatives measured by high-performance liquid chromatography 835(1999)73

 **$\alpha$ -Mercaptopropionylglycine**

High-performance liquid chromatographic determination of total plasma homocysteine with or without internal standards 828(1998)397

**Mercapturic acids**

Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35

**Meropenem**

Determination of meropenem in serum by high-performance liquid chromatography with column switching 812(1998)249

**Mesityl oxide**

Fiber-optic-based UV–visible absorbance detector for capillary electrophoresis, utilizing focusing optical elements 809(1998)181

**Metal cations**

see also Inorganic cations

Sulfoacylated polystyrene–divinylbenzene copolymers as resins for cation chromatography Influence of capacity on resin selectivity. Influence of capacity on resin selectivity 804(1998)63

Suppressed ion chromatography of inorganic anions and divalent metal cations with pyromellitic acid as eluent 804(1998)87

Non-suppressed ion chromatography of cations on silica gel modified with aluminium 804(1998)171

- Selective ion chromatography of metals on porous graphitic carbon 804(1998)187
- Cation analysis in electronics-grade organic solvents by ion chromatography 804(1998)193
- Determination of alkali and alkaline earth metals in oilfield waters by ion chromatography 804(1998)217
- Isocratic separation of lanthanides and yttrium by high-performance chelation ion chromatography on iminodiacetic acid bonded to silica 804(1998)223
- Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1
- Isotope effects of europium in ligand exchange system and electron exchange system using ion-exchange displacement chromatography 808(1998)185
- On-line preconcentration and determination of chromium(VI) in waters by high-performance liquid chromatography using pre-column complexation with 1,5-diphenylcarbazine 808(1998)193
- Experimental factors in pulsed electrochemical detection in capillary electrophoresis 811(1998)181
- Improved photometric detection of metal ions by capillary zone electrophoresis after precapillary complexation 811(1998)233
- Synthesis and ion-exchange properties of silica chemically modified with aminophosphonic acid 813(1998)47
- Electrically floating conductivity detection system for capillary electrophoresis 813(1998)205
- On-column chemiluminescence detection of rare earth ions with capillary electrophoresis 813(1998)361
- Determination of magnesium and calcium in 30% sodium chloride by ion chromatography with on-line matrix elimination 816(1998)282
- Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15
- Determination of trace metal ions by ion-pair chromatography after enrichment using supported liquid membrane 826(1998)103
- Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography 834(1999)45
- Simultaneous determination of inorganic anions, organic acids and metal cations by capillary electrophoresis 834(1999)65
- Polyethers in inorganic capillary electrophoresis 834(1999)73
- Electrochemical detection methods in capillary electrophoresis and applications to inorganic species 834(1999)89
- Prospects for detection and sensitivity enhancement of inorganic ions in capillary electrophoresis 834(1999)117
- Construction and investigation of a post-capillary reactor for trace metal analysis by capillary electrophoresis 834(1999)309
- Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321
- Single electrode conductivity detection for electrophoretic separation systems 836(1999)59
- Electromigration behavior of metal ions in the presence of complexing polymer 838(1999)101
- Use of cyclofructan as a potential complexing agent in capillary electrophoresis 838(1999)111
- Separation of G structures formed by a 27-mer guanosine-rich oligodeoxyribonucleotide by dye–ligand affinity chromatography 840(1999)51
- Retention behaviour of metal ions on tri-*n*-butyl phosphate- and tri-*n*-butyl amine-impregnated silica gel-G layers in oxalic acid–oxalate mobile phases 841(1999)263
- Sulphonated azoligand for metal ion determination in ion interaction chromatography 847(1999)233
- New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251
- Analysis of metal complexes in the presence of mixed ion pairing additives in capillary electrophoresis 848(1999)473
- Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491
- Determination of total chromium in phosphate rocks by ion chromatography 850(1999)137
- Separation selectivity of some ethylenediaminetetraacetic acid and cyclohexane-1,2-diaminetetraacetic acid complexes in column and ion electrokinetic chromatography 850(1999)269
- Metal chelates**  
Conjunction of thermal lens spectrometry and high-performance liquid chromatography. Approach to data treatment 827(1998)13

Simultaneous capillary electrophoretic separation of small anions and cations after complexation with ethylenediaminetetraacetic acid 836(1999)75

Separation selectivity of some ethylenediaminetetraacetic acid and cyclohexane-1,2-diaminetetraacetic acid complexes in column and ion electrokinetic chromatography 850(1999)269

### Metal complexes

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Improved photometric detection of metal ions by capillary zone electrophoresis after precapillary complexation 811(1998)233

Chiral discrimination of Dns- and unmodified D,L-amino acids by copper(II) complexes of terdentate ligands in high-performance liquid chromatography 829(1998)101

Determination of dissociation constants of <sup>99m</sup>Tcchnetium radiopharmaceuticals by capillary electrophoresis 833(1999)83

Prospects for detection and sensitivity enhancement of inorganic ions in capillary electrophoresis 834(1999)117

Capillary electrophoresis of inorganic cations 834(1999)257

Analysis of inorganic cations as their complexes by capillary electrophoresis (Review) 834(1999)277

Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321

Speciation of iridium(IV) in hydrochloric acid medium by means of capillary zone electrophoresis and spectrophotometry 834(1999)329

Electromigration behavior of metal ions in the presence of complexing polymer 838(1999)101

Use of cyclodextran as a potential complexing agent in capillary electrophoresis 838(1999)111

Non-radioactive electron-capture detector 842(1999)229

Comparison of the liquid and gas chromatography of five classes of metal complexes 844(1999)181

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VII. *N*-[3-(Trimethoxysilyl)propyl]-diethylenetriamine complexes with CuCl<sub>2</sub> and CrCl<sub>3</sub> 844(1999)239

Effect of the chelate ring size of diamine–Co(III) complexes on their *hR<sub>F</sub>* values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Thin-layer chromatography of mixed tris-β-diketonato metal complexes on polyacrylonitrile sorbent 847(1999)303

Analysis of metal complexes in the presence of mixed ion pairing additives in capillary electrophoresis 848(1999)473

Determination of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol–citrate ternary complexes in geological materials by ion-interaction reversed-phase high-performance liquid chromatography 850(1999)257

Artificial neural networks for computer-aided modelling and optimisation in micellar electrokinetic chromatography 850(1999)345

### Metallocyanides

Monitoring the cyanidation of gold–copper ores with ion-interaction chromatography. Determination of the CN<sup>-</sup>:Cu(I) molar ratio 804(1998)249

Electrophoretic separation of inorganic anions with an anion complexone-modified capillary column 815(1998)251

### Metalloporphyrins

Capillary electrophoretic separation of cationic porphyrins 802(1998)367

### Metallothioneins

Separation of respective species of phytochelatins and their desglycyl peptides (class III metallothioneins) and the precursors glutathione and γ-glutamylcysteine with capillary zone electrophoresis 803(1998)315

Characterization of metallothionein isoforms by reversed-phase high-performance liquid chromatography with on-line post-column acidification and electrospray mass spectrometric detection 829(1998)127

### Metal oxides

Separation of micrometer-size oxide particles by capillary zone electrophoresis 834(1999)445

### Metals

see also Transition metals

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Organic and inorganic selenium speciation using high-performance liquid chromatography with UV irradiation and hydride generation-quartz cell atomic absorption spectrometric detection 819(1998)211

Analysis of metal species by using electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 819(1998)231

Platinum-selective capillary gas chromatographic determination with microwave-induced plasma atomic emission detection 824(1998)223

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363

Size separation of colloidal nanoparticles using a miniscale isoelectric focusing technique 848(1999)485

Liquid chromatography: a tool for the analysis of metal species 850(1999)213

Development of an analytical method for beryllium in airborne dust by micellar electrokinetic chromatography 850(1999)363

#### **Metamidophos**

Levels of metamidophos in air and vegetables after greenhouse applications by gas chromatography 829(1998)251

#### **Methacrylic block polymers**

Protein separation by hydrophobic interaction chromatography using methacrylic block copolymers as displacers 824(1998)35

#### **Methadone**

Analysis of urinary drugs of abuse by a multianalyte capillary electrophoretic immunoassay 838(1999)197

#### **Methanol**

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. I. Methanol 806(1998)325

Stability studies of tetracycline in methanol solution 827(1998)45

#### **Methionine**

Automated high-performance liquid chromatographic method for the determination of homocysteine in plasma samples 846(1999)93

#### **Methotrexate**

Validation of a shielded-hydrophobic-phase high-performance liquid chromatography method for the determination of residual methotrexate in recombinant protein biopharmaceuticals 828(1998)303

#### **Methoxyisobutylpyrazine**

Synthesis of labelled [<sup>2</sup>H<sub>4</sub>]β-damascenone, [<sup>2</sup>H<sub>4</sub>]2-methoxy-3-isobutylpyrazine, [<sup>2</sup>H<sub>3</sub>]α-ionone, and [<sup>2</sup>H<sub>3</sub>]β-ionone, for quantification in grapes, juices and wines 824(1998)71

Quantitative determination of 2-methoxy-3-isobutylpyrazine in red wines and grapes of Bordeaux using a stable isotope dilution assay 841(1999)229

#### **Methoxyphenols**

Gas chromatographic and mass spectrometric analysis of 36 lignin-related methoxyphenols from uncontrolled combustion of wood 824(1998)205

#### **Methoxytacrine**

Capillary zone electrophoretic determination of some drugs against Alzheimer's disease 802(1998)121

#### **Methoxy-s-triazines**

Supported liquid membrane extraction for sample work-up and preconcentration of methoxy-s-triazine herbicides in a flow system 830(1999)203

#### **Methylamino acids**

Effect of temperature on retention of enantiomers of β-methyl amino acids on a teicoplanin chiral stationary phase 828(1998)177

#### **4-Methylbenzylidene camphor**

High-performance liquid chromatographic method for the comparison of the photostability of five sunscreen agents 832(1999)273

#### **Methylcarbamates**

Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3

#### **Methyl β-cyclodextrin**

Method for the separation of the unconjugates and conjugates of chenodeoxycholic acid and deoxycholic acid by two-dimensional reversed-phase thin-layer chromatography with methyl β-cyclodextrin 811(1998)171

#### **(S)-(+)-1-Methyl-2-(6,7,-dimethoxy-2,3-naphthalimido)ethyl trifluoromethanesulfonate**

(S)-(+)-1-Methyl-2-(6,7,-dimethoxy-2,3-naphthalimido)ethyl trifluoromethanesulfonate as a fluorescence chiral derivatizing reagent for carboxylic acid enantiomers in high-performance liquid chromatography 810(1998)221

#### **Methylene chloride**

Methodology for gas chromatographic–mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

**Methylenedioxyamphetamine**

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

**Methylhexenone**

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

**Methylhistidines**

Isotachophoretic determination of 3-methylhistidine 838(1999)191

**Methylisoborneol**

Microwave mediated distillation with solid-phase microextraction: determination of off-flavors, geosmin and methylisoborneol, in catfish tissue 833(1999)223

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521

**Methyl lactate**

Comparison of two methods for the gas chromatographic determination of thermodynamic parameters of enantioselectivity 843(1999)123

**Methylmercaptopan**

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

**Methylphenobarbital**

Simultaneous determination of methylphenobarbital enantiomers and phenobarbital in human plasma by on-line coupling of an achiral precolumn to a chiral liquid chromatographic column 819(1998)143

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

**Methylphosphonic acids**

Capillary ion electrophoresis screening of nerve agent degradation products in environmental samples using conductivity detection 824(1998)125

Effect of cation-exchange pretreatment of aqueous soil extracts on the gas chromatographic–mass spectrometric determination of nerve agent hydrolysis products after *tert*-butyldimethylsilylation 824(1998)211

**Methylphosphonothiolate**

Analysis of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products by packed capillary liquid chromatography–electrospray mass spectrometry 837(1999)93

**Methylsiloxanes**

Analysis of monomethyl- and dimethylsiloxane polymers and copolymers (functionalized or nonfunctionalized) by supercritical-fluid chromatography 813(1998)121

**Methyltestosterone**

Determination of glycyrrhizic acid and 18- $\beta$ -glycyrrhetic acid in biological fluids by micellar electrokinetic chromatography 811(1998)219

**Methysticin**

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

**Metoprolol**

Direct high-performance liquid chromatographic separations of metoprolol analogues on a Chiralcel OD column using chemometrics 839(1999)23

Potential of packed column supercritical fluid chromatography for the separation of metoprolol from closely related compounds 839(1999)141

**Mezlocillin**

Determination of piperacillin and mezlocillin in human serum and urine by high-performance liquid chromatography after derivatisation with 1,2,4-triazole 812(1998)213

**Mianserin**

Direct enantiomeric separation of mianserin and 6-azamianserin derivatives using chiral stationary phases 803(1998)169

**Michellamines**

Acetogenic isoquinoline alkaloids. CXII. Separation and identification of dimeric naphthylisoquinoline alkaloids by liquid chromatography coupled to electrospray ionization mass spectrometry 810(1998)231

**Microcystins**

Electrochemical detection of microcystins, cyanobacterial peptide hepatotoxins, following high-performance liquid chromatography 810(1998)226

Separation, purity testing and identification of cyanobacterial hepatotoxins with capillary electrophoresis and electrospray mass spectrometry 839(1999)203

On-line trace enrichment for the simultaneous determination of microcystins in aqueous samples using high-performance liquid chromatography with diode-array detection 848(1999)179

Purification of closely eluting hydrophobic microcystins (peptide cyanotoxins) by normal-phase and reversed-phase flash chromatography 848(1999)515

**Minocycline**

Determination of minocycline in human plasma by high-performance liquid chromatography with UV detection after liquid–liquid extraction 812(1998)339

**Molsidomine**

Determination of molsidomine and its active metabolite in human plasma using liquid chromatography with tandem mass spectrometric detection 819(1998)113

**Monensin**

Liquid chromatography with ultraviolet detection of lasalocid, monensin, salinomycin and narasin in poultry feeds using pre-column derivatization 835(1999)243

**Moniliformin**

Determination of the mycotoxin moniliformin in cultures of *Fusarium subglutinans* and in naturally contaminated maize by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 848(1999)185

**Monoacetylmorphine**

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

**Monoacylglycerols**

Improvement in the Iatroskan thin-layer chromatographic–flame ionisation detection analysis of marine lipids. Separation and quantitation of monoacylglycerols and diacylglycerols in standards and natural samples 849(1999)371

**Monoclonal antibodies**

see also Antibodies

Real-time isoform analysis by two-dimensional chromatography of a monoclonal antibody during bioreactor fermentations 816(1998)39

Characterization of the F(ab')<sub>2</sub> fragment of a murine monoclonal antibody using capillary isoelectric focusing and electrospray ionization mass spectrometry 816(1998)49

Purification of monoclonal antibodies from ascitic fluid using preparative electrophoresis 827(1998)329

Protein variant separations by cation-exchange chromatography on tentacle-type polymeric stationary phases 828(1998)365

Single-step purification of immunotoxins containing a high ionic charge ribosome inactivating protein clavin by carboxymethyl high-performance membrane chromatography 830(1999)329

Purification of monoclonal antibodies from cell culture supernatants using a modified zirconia based cation-exchange support 831(1999)63

**Monomethylarsonic acid**

Speciation of dimethylarsinic acid and monomethylarsonic acid by gas chromatography–mass spectrometry 832(1999)183

**Monosaccharides**

see also Saccharides

Analysis of polysaccharides and monosaccharides in the root mucilage of maize (*Zea mays* L.) by gas chromatography 831(1999)267

Characterization of totally chlorine-free effluents from Kraft pulp bleaching. II. Analysis of carbohydrate-derived constituents after acid hydrolysis by capillary zone electrophoresis 832(1999)203

**Monoterpenes**

Chromatographic separation of  $\alpha$ -pinene isomerization products 848(1999)297

**Morphinane N-oxides**

Capillary zone electrophoretic separation of epimeric *N*-oxides of morphinane alkaloids 818(1998)251

**Morphine-6-glucuronide**

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

**Morpholinosydnonimine**

Determination of molsidomine and its active metabolite in human plasma using liquid chromatography with tandem mass spectrometric detection 819(1998)113

**Morsuximide**

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

**Muonic acid**

Determination of sorbic acid in urine by gas chromatography–mass spectrometry 847(1999)127

**Mugineic acid**

Column chromatography and verification of phytosiderophores by phenylisothiocyanate derivatization and UV detection 841(1999)155

**Musk compounds**

Evaluation of musk contamination of freshwater fish in Italy by accelerated solvent extraction and gas chromatography with mass spectrometric detection 814(1998)187

Gas chromatographic determination of synthetic musk compounds in Norwegian air samples 846(1999)295

**Musk ketone**

Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75

**Musk xylene**

Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75



**Mycotoxins**

see also Toxins and Special Issue Index

Thin-layer chromatography of mycotoxins and comparison with other chromatographic methods 815(1998)3

Chromatographic determination of the fumonisin mycotoxins 815(1998)31

Improved fluorometric and chromatographic methods for the quantification of fumonisins B<sub>1</sub>, B<sub>2</sub> and B<sub>3</sub> 815(1998)41

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Direct analysis of several *Fusarium* mycotoxins in cereals by capillary gas chromatography–mass spectrometry 815(1998)59

Use of various clean-up procedures for the analysis of ochratoxin A in cereals 815(1998)67

Chromatographic methods for the determination of ochratoxin A in animal and human tissues and fluids 815(1998)75

Incidence of patulin in apple juice concentrates produced in Turkey 815(1998)99

Instrumental methods for determination of nonmacrocylic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Determination of eight trichothecenes by gas chromatography–mass spectrometry after sample clean-up by a two-stage solid-phase extraction 815(1998)123

Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133

New, sensitive high-performance liquid chromatography method for the determination of slaframine in plasma and milk 815(1998)141

Rapid analysis of ergovaline in ovine plasma using high-performance liquid chromatography with fluorimetric detection 815(1998)147

Column liquid chromatography–electrospray ionisation–tandem mass spectrometry for the analysis of ochratoxin 818(1998)260

High-performance liquid chromatography–atmospheric-pressure chemical ionization mass spectrometry as a new tool for the determination of the mycotoxin zearalenone in food and feed 819(1998)277

Purification and quantification of destruxins A and B from *Metarhizium anisopliae* 830(1999)115

Determination of trichothecenes in cereals 830(1999)219

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Determination of the mycotoxin moniliformin in cultures of *Fusarium subglutinans* and in naturally contaminated maize by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 848(1999)185

**Myricetin**

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

**N****Naphthalenes**

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

Preparation of a cyclophane-bonded stationary phase and its application to separation of naphthalene derivatives 803(1998)95

On-line gas chromatography–mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

**Naphthalene sulfonates**

Generation of 275.4-nm UV output from a large-frame argon-ion laser for fluorescence detection in capillary electrophoresis 806(1998)355

**Naphthalenesulfonic acids**

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

**Naphthenic acids**

Analysis and characterization of naphthenic acids by gas chromatography–electron impact mass spectrometry of *tert.*-butyldimethylsilyl derivatives 807(1998)241

**Naphthodianthrones**

Identification by high-performance liquid chromatography–diode array detection–mass spectrometry and quantification by high-performance liquid chromatography–UV absorbance detection of active constituents of *Hypericum perforatum* 825(1998)9

 **$\alpha$ -Naphthol**

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

 **$\beta$ -Naphthol**

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

**Naphthoquinones**

High-performance liquid chromatographic method for the determination of juglone in fresh walnut leaves 805(1998)315

**Naphthothiophenes**

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[*b*]thiophenes, benzo[*b*]naphthothiophenes and alkyl-substituted derivatives) on stationary phases of different selectivity 841(1999)207

**Naphthylamine**

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

**1-(1-Naphthyl)ethylamide**

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

**Naphthylethylphthalamic acid**

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium  $\beta$ -cyclodextrin 817(1998)121

 **$\alpha$ -Naphthylglucuronide**

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

 **$\beta$ -Naphthylglucuronide**

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

**Naphthylisoquinolines**

Acetogenic isoquinoline alkaloids. CXII. Separation and identification of dimeric naphthylisoquinoline alkaloids by liquid chromatography coupled to electrospray ionization mass spectrometry 810(1998)231

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

 **$\beta$ -Naphthyl sulfate**

Determination of naphthalene metabolites in human urine by liquid chromatography–mass spectrometry with electrospray ionization 847(1999)9

**1-Naphthylurethane derivatives**

High-performance liquid chromatography of polyethylene glycols as their  $\alpha,\omega$ -bis(1-naphthylurethane) derivatives and signal monitoring by fluorescence detection 822(1998)189

**Naproxen**

Determination of naproxen in liver and kidney tissues by electrokinetic capillary chromatography with laser-induced fluorescence detection 802(1998)115

On-line trace enrichment in hyphenated liquid chromatography–nuclear magnetic resonance spectroscopy 813(1998)55

Molecularly imprinted uniform-sized polymer-based stationary phase for naproxen. Comparison of molecular recognition ability of the molecularly imprinted polymers prepared by thermal and redox polymerization techniques 816(1998)113

Chiral separations by capillary zone electrophoresis with the use of cyanoethylated- $\beta$ -cyclodextrin as chiral selector 817(1998)91

Uniform-sized molecularly imprinted polymer for (*S*)-naproxen selectively modified with hydrophilic external layer 849(1999)331

**Narasin**

Liquid chromatography with ultraviolet detection of lasalocid, monensin, salinomycin and narasin in poultry feeds using pre-column derivatization 835(1999)243

**Netilmicin sulfate**

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

**Neuraminic acids**

Development of a new direct reversed-phase ion-pair high-performance liquid chromatographic method for the separation and determination of sialic acids 831(1999)179

**Neuropeptides**

Characterization of peptides from *Aplysia* using microbore liquid chromatography with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry guided purification 830(1999)105

**Neurosteroids**

Studies on neurosteroids. IX. Characterization of estrogens in rat brains using gas chromatography–tandem mass spectrometry 847(1999)171

**Neurotransmitter amino acids**

Determination of submicromolar concentrations of neurotransmitter amino acids by fluorescence detection using a modification of the 6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate method for amino acid analysis 828(1998)383

**Neurotransmitters**

Coupling on-line brain microdialysis, precolumn derivatization and capillary electrophoresis for routine minute sampling of *O*-phosphoethanolamine and excitatory amino acids 817(1998)195

**Neutral organic compounds**

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)1

**Nicotine**

Analytical determination of nicotine in tobacco by supercritical fluid chromatography–ion mobility detection 811(1998)157

Determination of nicotine in water by gradient ion chromatography 824(1998)241

Rapid method for analysis of nicotine and nicotine-related substances in chewing gum formulations 829(1998)143

Development of a simple sample preparation technique for gas chromatographic–mass spectrometric determination of nicotine in edible nightshades (Solanaceae) 840(1999)249

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer–template ratio and sample load on retention and selectivity 848(1999)39

**Nifedipine**

Isocratic, simultaneous reversed-phase high-performance liquid chromatographic estimation of six drugs for combined hypertension therapy 828(1998)283

**Nimodipine**

Isocratic, simultaneous reversed-phase high-performance liquid chromatographic estimation of six drugs for combined hypertension therapy 828(1998)283

**Niobium**

Determination of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol–citrate ternary complexes in geological materials by ion-interaction reversed-phase high-performance liquid chromatography 850(1999)257

**Nitramines**

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381

**Nitrate**

Ion chromatographic determination of nitrate and nitrite in meat products 804(1998)157

On-column processes in ion chromatographic determination of nitrite and nitrate in heavy mineralised samples 827(1998)83

Improved selectivity of anions with methanol as additive. Determination of  $\text{Cl}^-$ ,  $\text{NO}_3^-$  and  $\text{SO}_4^{2-}$  in river water by capillary electrophoresis 834(1999)393

Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution 838(1999)303

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species ( $\text{NO}_2$  and  $\text{NO}_y$ ) in remote atmospheres 846(1999)265

**Nitrendipine**

Isocratic, simultaneous reversed-phase high-performance liquid chromatographic estimation of six drugs for combined hypertension therapy 828(1998)283

**Nitric acid**

Ion-chromatographic study of interactions in  $\text{HF-H}_3\text{PO}_4\text{-HNO}_3$  semiconductor etchants. Systematic use of statistically designed mixture experiments 804(1998)161

**Nitric oxide synthase**

Detection of gene expression in single neurons by patch-clamp and single-cell reverse transcriptase polymerase chain reaction 806(1998)209

**Nitriles**

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

**Nitrite**

Ion chromatographic determination of nitrate and nitrite in meat products 804(1998)157

On-column processes in ion chromatographic determination of nitrite and nitrate in heavy mineralised samples 827(1998)83

Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution 838(1999)303

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153

#### **Nitroaromatic compounds**

Application of surfactants to the supercritical fluid extraction of nitroaromatic compounds from sediments 816(1998)221

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 844(1999)87

Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381

#### **Nitrobenzenes**

Mixed-mode capillary electrokinetic separation of positional explosive isomers using sodium dodecyl sulfate and negative- $\beta$ -cyclodextrin derivatives 811(1998)225

Determination of explosives in soil and ground water by liquid chromatography–amperometric detection 844(1999)97

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

#### **Nitro compounds**

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

#### **Nitrogen**

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Use of column-switching ion chromatography for the simultaneous determination of total nitrogen and phosphorus after microwave assisted persulphate digestion 822(1998)162

Detection by ozone-induced chemiluminescence in chromatography 842(1999)267

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

#### **Nitrogen oxides**

Simultaneous determination of sulphur oxides, nitrogen oxides and hydrogen chloride in flue gas by means of an automated ion chromatographic system 804(1998)151

Gas chromatographic determination of binary adsorption isotherms 806(1998)293

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species ( $\text{NO}_2$  and  $\text{NO}_3$ ) in remote atmospheres 846(1999)265

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

#### **2,4-Nitrohydroxyaminotoluenes**

Liquid chromatographic separation of intermediates of the catalytic hydrogenation of 2,4-dinitrotoluene 818(1998)123

#### **Nitrophenols**

Simple technique for joining of capillaries in capillary separation methods 802(1998)381

New set-up for capillary isoelectric focusing in uncoated capillaries 813(1998)349

Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 823(1998)231

Use of micellar partition in capillary isotachophoretic focusing 832(1999)265

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

Study of nitrophenols preconcentration using quinolin-8-ol immobilized on controlled-pore glass in the presence of iron(III). Chromatographic determination of dinoseb in lemon juice 839(1999)227

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277

#### **Nitrophenyl phosphate**

Isotachophoretic determination of phosphate splitting from Amifostine and *p*-nitrophenyl phosphate in serum and neuroblastoma cells 838(1999)251

#### **1-Nitropyrene**

Determination of 1-nitropyrene with enzyme-linked immunosorbent assay versus high-performance column switching technique 807(1998)209

#### **Nitrosamino acids**

Separation of *N*-nitrosoamino acids by  $\text{C}_{18}$  reversed-phase ion-pair high-performance liquid chromatography and compatible detection by electrospray ionization mass spectrometry 849(1999)389

**Nitrotoluenes**

Mixed-mode capillary electrokinetic separation of positional explosive isomers using sodium dodecyl sulfate and negative- $\beta$ -cyclodextrin derivatives 811(1998)225

Determination of explosives in soil and ground water by liquid chromatography–amperometric detection 844(1999)97

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

**Nitrotyrosine**

Optimization of post-column photolysis and electrochemical detection for the liquid chromatographic determination of 3-nitro-L-tyrosine 818(1998)69

**Nitroux**

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

**Nivalenol**

Determination of trichothecenes in cereals 830(1999)219

**Noble gases**

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

**Non-ionic organic compounds**

New approach to the computer-assisted selection of mobile phases for high-performance liquid chromatography on the basis of the Snyder theory 848(1999)1

**Nonsteroidal anti-inflammatory drugs**

see also Profens

Cationic  $\beta$ -cyclodextrin derivative for chiral separations 803(1998)261

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral  $\beta$ -cyclodextrin derivatives 817(1998)113

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium  $\beta$ -cyclodextrin 817(1998)121

Determination of lipophilicity of some non-steroidal anti-inflammatory agents and their relationships by using principal component analysis based on thin-layer chromatographic retention data 822(1998)263

**Nonylphenol**

Optimization of a matrix solid-phase dispersion method with sequential clean-up for the determination of alkylphenol ethoxylates in biological tissues 837(1999)129

Efficiency of supercritical fluid extraction for determining 4-nonylphenol in municipal sewage sludge 840(1999)71

**Nonylphenol polyethoxylates**

Analysis of nonylphenol polyethoxylates and their degradation products in river water and sewage effluent by gas chromatography–ion trap (tandem) mass spectrometry with electron impact and chemical ionization 824(1998)79

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography–electrospray mass spectrometry 849(1999)467

**Nonylphenylethylene oxide oligomers**

Separation and identification of nonylphenylethylene oxide oligomers by high-performance liquid chromatography with UV and mass spectrometric detection 819(1998)297

**Norfloxacin**

Determination of norfloxacin in human plasma and urine by high-performance liquid chromatography and fluorescence detection 812(1998)381

**Norvaline**

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

**Norverapamil**

Straightforward solid-phase extraction method for the determination of verapamil and its metabolite in plasma in a 96-well extraction plate 828(1998)273

**Nucleic acids**

see also DNA, RNA and Special Issue Index

Application of sample displacement techniques to the purification of synthetic oligonucleotides and nucleic acids: a mini-review with experimental results 806(1998)77

Contamination-free and automated composition of a reaction mixture for nucleic acid amplification using a capillary electrophoresis apparatus 806(1998)141

Prediction of retention times of peptide nucleic acids during reversed-phase high-performance liquid chromatography 814(1998)111

Buffer properties of biopolymer solutions, as related to their behaviour in electrokinetic methodologies 838(1999)11

**Nucleosides**

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Artificial neural network classification based on capillary electrophoresis of urinary nucleosides for the clinical diagnosis of tumors 828(1998)489

Separation of nucleosides using capillary electrochromatography 836(1999)315

### Nucleotides

see also Oligonucleotides and Special Issue Index

Capillary electrophoretic separation of mono- and dinucleotides of adenosine using cyclodextrin solutions with  $MgCl_2$  additive 802(1998)167

Capillary isotachopheresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides 805(1998)269

Immobilized thymine chromatography–mass spectrometry of oligonucleotides 806(1998)67

Comparison of slab gel electrophoresis and capillary electrophoresis for the detection of the fluorescently labeled polymerase chain reaction products of short tandem repeat fragments 806(1998)159

Separation of nucleotides using micellar electrokinetic capillary chromatography 806(1998)199

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Phosphate-specific fluorescence labeling with BO-IMI: reaction details 809(1998)211

Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287

Determination of riboflavin, flavin mononucleotide and flavin–adenine dinucleotide in wine and other beverages by high-performance liquid chromatography with fluorescence detection 823(1998)355

Analysis of nucleotides by capillary electrophoresis 828(1998)317

Preparation of an IMI dye (imidazole functional group) containing a 4-(*N,N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole fluorophore for labeling of phosphomonoesters 831(1999)325

Separation of G structures formed by a 27-mer guanosine-rich oligodeoxyribonucleotide by dye–ligand affinity chromatography 840(1999)51

### Nybomycin

Identification of alkaloids and polyketides in an *Actinomyces* by high-performance liquid chromatography with mass spectrometric and UV–visible detection 818(1998)187

### Nystose

Separation of a fructo-oligosaccharide mixture by hydrophilic interaction chromatography using silica-based micropellicular sorbents 803(1998)302

## O

### Ochratoxins

High-performance liquid chromatographic determination of ochratoxin A in artificially contaminated cocoa beans using automated sample clean-up 810(1998)89

Use of various clean-up procedures for the analysis of ochratoxin A in cereals 815(1998)67

Chromatographic methods for the determination of ochratoxin A in animal and human tissues and fluids 815(1998)75

Column liquid chromatography–electrospray ionisation–tandem mass spectrometry for the analysis of ochratoxin 818(1998)260

### Octanoic acid

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

### Octyl gallate

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

### Octylphenoxypoly(ethoxy)ethanol

Microcolumn size-exclusion chromatography coupled with electrospray ionization mass spectrometry 835(1999)121

### Okadaic acid

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

### Oleuropein

Determination of phenolic compounds in olives by reversed-phase chromatography and mass spectrometry 832(1999)87

### Oligoglucuronans

Selective affinity of L-histidine immobilized onto poly(ethylene–vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1

### Oligonucleotides

see also Nucleotides

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1

Immobilized thymine chromatography–mass spectrometry of oligonucleotides 806(1998)67

Application of sample displacement techniques to the purification of synthetic oligonucleotides and nucleic acids: a mini-review with experimental results 806(1998)77

Separation of pd(GC)<sub>12</sub> from pd(AT)<sub>12</sub> by free solution capillary electrophoresis 806(1998)165

Evaluation of three commercially available capillary (gel)electrophoresis kits for single stranded DNA oligonucleotide analysis 817(1998)273

Optimizing capillary gel electrophoretic separations of oligonucleotides in liquid crystalline Pluronic F127 817(1998)367

Isocratic separations on thin glycidyl methacrylate–ethylenedimethacrylate monoliths 848(1999)51

Composition dependent separation of oligonucleotides by capillary electrophoresis in acidic buffers with application to the quality control of synthetic oligonucleotides 848(1999)435

Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1

#### **Oligosaccharides**

see also Saccharides

Optimal membrane choice for microdialysis sampling of oligosaccharides 806(1998)265

Capillary electrophoretic separation of  $\alpha$ -,  $\beta$ -,  $\gamma$ - and  $\delta$ -cyclodextrins using a dual electrolyte system 811(1998)193

Temperature effects in high-performance anion-exchange chromatography of oligosaccharides 814(1998)97

Retention behavior of positional isomers of disubstituted cyclomalto-oligosaccharide (cyclodextrin) derivatives on an ODS column 825(1998)195

Characterization of totally chlorine-free effluents from Kraft pulp bleaching. II. Analysis of carbohydrate-derived constituents after acid hydrolysis by capillary zone electrophoresis 832(1999)203

Simultaneous determination of the association constants of oligosaccharides to a lectin by capillary electrophoresis 837(1999)221

Capillary electrophoretic determination of the association constant of a protein and a neutral carbohydrate by introducing mercaptoethanesulfonate tags to the carbohydrate 839(1999)157

#### **Oligostyrenes**

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

#### **Omeprazole**

Simultaneous determination of omeprazole and 5'-hydroxyomeprazole in human plasma by liquid chromatography–tandem mass spectrometry 828(1998)229

#### **Opiates**

Analysis of urinary drugs of abuse by a multianalyte capillary electrophoretic immunoassay 838(1999)197

#### **Opines**

Separation, detection, and quantification of imine-linked opines by high-performance liquid chromatography 813(1998)247

#### **Opioid peptides**

Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153

#### **Organic acids**

see also Acids, Carboxylic acids, Fatty acids and Weak acids

Analysis of aromatic plant acids by capillary zone electrophoresis 803(1998)311

Compact, field-portable capillary ion chromatograph 804(1998)45

Suppressed ion chromatography of inorganic anions and divalent metal cations with pyromellitic acid as eluent 804(1998)87

Ion chromatographic analysis of nutrients in seed exudate for microbial colonisation 804(1998)311

Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Determination of low-molecular-mass ionic compounds in electrodeposition coatings by capillary electrophoresis with conductivity detection 804(1998)357

Analysis of cellulose degradation products by capillary electrophoresis 804(1998)363

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation 805(1998)1

Analysis and quantification of organic acids in simulated Hanford tank waste and Hanford tank waste 805(1998)101

- Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. I. Methanol 806(1998)325
- Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201
- Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211
- Capillary preconditioning for analysis of anions using indirect UV detection in capillary zone electrophoresis. Systematic investigation of alkaline and acid prewashing techniques by designed experiments 816(1998)261
- Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis 817(1998)15
- Dynamic control for ultra-fast separations of organic acids in capillary zone electrophoresis. A new direction to improve resolution 817(1998)129
- Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139
- Separation and determination of aromatic acids in natural water with preconcentration by capillary zone electrophoresis 817(1998)145
- Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209
- Ion-exclusion chromatographic determination of organic acids in vinegars 822(1998)45
- Non-aqueous capillary zone electrophoresis using polyethylene glycol as a matrix agent 822(1998)107
- Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125
- Determination of acids and volatile compounds in red Txakoli wine by high-performance liquid chromatography and gas chromatography 823(1998)349
- High-performance liquid chromatography with real-time Fourier-transform infrared detection for the determination of carbohydrates, alcohols and organic acids in wines 824(1998)159
- Determination of indole-3-acetic acid and indole-3-acetylaspatic acid in pea plant with capillary electrophoresis and fluorescence detection 824(1998)231
- Separation of enantiomers of  $\alpha$ -hydroxy acids by reversed-phase liquid chromatography after derivatization with 1-(9-fluorenyl)ethyl chloroformate 827(1998)31
- Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149
- Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223
- Simple procedure to eliminate concentrated sodium bicarbonate and carbonate with reusable strong cation-exchange cartridges for ion chromatographic analysis of formate and oxalate 829(1998)407
- Low-molecular-mass anion screening for forensic environmental analyses by capillary zone electrophoresis with indirect UV detection 830(1999)439
- Erratum to “Ion-exclusion chromatographic determination of organic acids in vinegars”. [J. Chromatogr. A 822 (1998) 45–51] 831(1999)331
- Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245
- Simultaneous determination of inorganic anions, organic acids and metal cations by capillary electrophoresis 834(1999)65
- Applications of capillary electrophoresis in corrosion science and engineering 834(1999)433
- Flavin mononucleotide for indirect laser-induced fluorescence detection of anions separated by capillary electrophoresis 835(1999)159
- Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis 835(1999)169
- Simultaneous capillary electrophoretic separation of small anions and cations after complexation with ethylenediaminetetraacetic acid 836(1999)75
- Poly(vinylamine)-coated capillaries with reversed electroosmotic flow for the separation of organic anions 836(1999)81
- Simultaneous determination of inorganic anions, organic acids, amino acids and carbohydrates by capillary electrophoresis 837(1999)231
- New leading electrolyte for the direct determination of chloride and other anions in analytical isotachopheresis 838(1999)81



Profiling of organic acids by capillary gas chromatography–mass spectrometry after direct methylation in urine using trimethylxonium tetrafluoroborate 843(1999)237

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Simultaneous quantitation of acids and sugars by chromatography: gas or high-performance liquid chromatography? 845(1999)181

Flavour characterisation and classification of cheeses by gas chromatographic–mass spectrometric profiling 847(1999)203

Study of sugar acids separation by high-performance anion-exchange chromatography–pulsed amperometric detection using alkaline eluents spiked with  $\text{Ba}^{2+}$ ,  $\text{Sr}^{2+}$ , or  $\text{Ca}^{2+}$  as acetate or nitrate salts 848(1999)71

Macrocyclic polyamine as a selective modifier in a bonded-phase capillary column for the electrophoretic separation of aromatic acids 848(1999)401

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

Interpretation of chromatographic behavior of ions based on the electric double-layer theory 850(1999)3

Preconcentration and separation of haloacetic acids by ion chromatography 850(1999)197

Optimization of conductivity detection of low-molecular-mass anions in capillary zone electrophoresis 850(1999)355

#### **Organic bases**

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

#### **Organoarsenic compounds**

Determination of organoarsenicals in the environment by solid-phase microextraction–gas chromatography–mass spectrometry 807(1998)253

Speciation of dimethylarsinic acid and monomethylarsonic acid by gas chromatography–mass spectrometry 832(1999)183

#### **Organobromine compounds**

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Analysis of brominated compounds in background air by gas chromatography–high-resolution mass spectrometry 848(1999)261

#### **Organochlorine compounds**

Determination of organochlorine pesticides in skins and leather by gas chromatography 811(1998)256

Supercritical fluid extraction and off-line clean-up for the analysis of organochlorine pesticide residues in garlic 818(1998)138

Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen–phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection 823(1998)49

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81

Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

Liquid chromatography–atmospheric pressure chemical ionization mass spectrometry for chlorinated phenolic compounds. Application to the analysis of polluted soils 823(1998)241

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

Solid-phase microextraction as a source of data for the design of stripping aeration towers 823(1998)523

Pyrolysis–gas chromatography of chloroorganic compounds in precipitation 826(1998)201

Comparative study of a solid-phase extraction system coupled to capillary electrophoresis in the determination of haloacetic compounds in tap water 827(1998)105

Determination of chlorinated acid herbicides and related compounds in water by capillary electrophoresis–electrospray negative ion mass spectrometry 829(1998)327

Simple and rapid extraction method of total egg lipids for determining organochlorine pesticides in the egg 830(1999)473

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

Supercritical fluid extraction and clean-up of organochlorine pesticides in Chinese herbal medicine 835(1999)145

Gas chromatographic separation of semivolatiles organohalogen compounds on the new stationary phase Optima  $\delta$ -3 836(1999)271

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Empirical formulae studies of chlorofluorocarbons using gas chromatography coupled to atomic emission detection 844(1999)271

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Gas chromatographic analysis of freons and chlorinated solvents in aviation breathing oxygen 846(1999)283

Use of 6-*O*-*tert*-butyldimethylsilylated  $\beta$ -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

#### **Organohalogen compounds**

see also Halogenated compounds, Organochlorine compounds, Polychlorinated biphenyls, Polychlorinated dibenzodioxins, Polychlorinated dibenzofurans and Polychlorinated naphthalenes

Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171

Gas chromatographic separation of semivolatiles organohalogen compounds on the new stationary phase Optima  $\delta$ -3 836(1999)271

#### **Organolead compounds**

Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography 834(1999)45

Packed capillary high-temperature liquid chromatography coupled to inductively coupled plasma mass spectrometry 835(1999)105

#### **Organomercuric compounds**

Synergistic approaches based on nonchromatographic continuous separation techniques (solid-phase extraction and pervaporation) and chromatography couplings 819(1998)25

#### **Organometallic compounds**

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography 834(1999)45

#### **Organophosphate compounds**

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Determination of organophosphate contaminants in jet fuel 847(1999)331

#### **Organophosphorus compounds**

Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environmental water samples 808(1998)257

Detection of alkyl methylphosphonic acids in complex matrices by gas chromatography–tandem mass spectrometry 809(1998)141

Simultaneous gas chromatographic–mass spectrometric quantitation of the alkylbenzene inert components, pesticide manufacturing by-products and active ingredient in two malathion formulations 814(1998)181

Deuterated internal standards for gas chromatographic–mass spectrometric analysis of polar organophosphorus pesticides in water samples 822(1998)91

Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25

Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen–phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91

Application of gas and liquid chromatography–mass spectrometry to the evaluation of pirimiphos methyl degradation products in industrial water under ozone treatment 823(1998)97

Determination of organophosphorus pesticides in wheat flour by supercritical fluid extraction and gas chromatography with nitrogen–phosphorus detection 824(1998)63

Unusual induction in the iodine–azide induced reaction exhibited by organophosphorus compounds on thin-layer chromatography plates 831(1999)321

Validation of a solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice 833(1999)35

Packed capillary liquid chromatography–electrospray mass spectrometry analysis of organophosphorus chemical warfare agents 840(1999)289

#### **Organoselenium compounds**

Application of capillary zone electrophoresis–inductively coupled plasma mass spectrometry and capillary isoelectric focusing–inductively coupled plasma mass spectrometry for selenium speciation 807(1998)71

Organic and inorganic selenium speciation using high-performance liquid chromatography with UV irradiation and hydride generation–quartz cell atomic absorption spectrometric detection 819(1998)211

Analysis of metal species by using electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 819(1998)231

Speciation of volatile forms of selenium and inorganic selenium in sediments by gas chromatography–mass spectrometry 823(1998)259

#### **Organosulfur compounds**

Evaluation of desulfurization procedures for the elimination of sulfur interferences in the organotin analysis of sediments 810(1998)245

Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection 848(1999)305

#### **Organotin compounds**

In situ ethylation–purge and programmed-temperature-vaporizer cold trapping–gas chromatography–mass spectrometry as an automated technique for the determination of methyl- and butyltin compounds in aqueous samples 809(1998)151

Evaluation of desulfurization procedures for the elimination of sulfur interferences in the organotin analysis of sediments 810(1998)245

Matrix effects and selectivity of the detector in the determination of butyl- and phenyltins by gas chromatography–flame photometric detection 819(1998)221

Optimization of solid-phase microextraction for the speciation of butyl- and phenyltins using experimental designs 826(1998)57

Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography 834(1999)45

Packed capillary high-temperature liquid chromatography coupled to inductively coupled plasma mass spectrometry 835(1999)105

Development of chromatographic methods to monitor the synthesis of (tributylstannyl)methanol through unstable lithiated intermediates 840(1999)215

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553

#### **Orotic acid**

Analysis of orotic acid in human urine by on-line combination of capillary isotachopheresis and zone electrophoresis 838(1999)213

#### **Orphanin FQ**

Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153

#### **Osmocene**

Photometric response of a very small, stoichiometric hydrogen–air flame to compounds of the iron group 806(1998)305

#### **Osteocalcin**

High-performance liquid chromatography–mass spectrometry of an osteocalcin derivative 846(1999)49

#### **Ovalbumin**

Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599

#### **Ovoglycoprotein**

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. III. Effect of aggregation of ovoglycoprotein on chiral resolution 830(1999)81

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. V. Influence of immobilization method on chiral resolution 840(1999)171

#### **Oxalate**

Simple procedure to eliminate concentrated sodium bicarbonate and carbonate with reusable strong cation-exchange cartridges for ion chromatographic analysis of formate and oxalate 829(1998)407

#### **Oxalic acid**

Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139

Liquid chromatography with electrocatalytic detection of oxalic acid by a palladium-based glassy carbon electrode 833(1999)75

#### **Oxazepam**

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry 838(1999)273

#### **Oxazine 750**

Indirect detection of amino-substituted polycyclic aromatic hydrocarbons in cyclodextrin-modified micellar electrokinetic chromatography combined with diode laser-induced fluorometry 831(1999)285

#### **Oxibendazole**

Recent advances in non-silylation derivatization techniques for gas chromatography 843(1999)1

#### **Oximes**

The use of heptafluorobutyric acid as a volatile ion-pair reagent in the high-performance liquid chromatographic isolation of SB-223070 828(1998)297

#### **Oxo-enoxacin**

Reversed-phase high-performance liquid chromatographic determination of enoxacin and 4-oxo-enoxacin in human plasma and prostatic tissue. Application to a pharmacokinetic study 812(1998)369

#### **Oxprenolol**

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

#### **Oxygen**

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum–rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

#### **Oxyhalides**

Analysis of oxyhalides in water by ion chromatography–ionspray mass spectrometry 804(1998)105

Combination of suppressed and non-suppressed ion chromatography with atmospheric pressure ionization mass spectrometry for the determination of anions 850(1999)99

#### **Oxytetracycline**

Rapid liquid chromatographic determination of oxytetracycline in milk 839(1999)247

## **P**

#### **Paclitaxel**

Determination of paclitaxel and related diterpenoids in plant extracts by high-performance liquid chromatography with UV detection in high-performance liquid chromatography–mass spectrometry 802(1998)297

#### **Palladium**

Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321

#### **Pantothenic acid**

Direct chiral resolution of pantothenic acid using 2-hydroxypropyl- $\beta$ -cyclodextrin in capillary electrophoresis 811(1998)269

#### **Paraquat**

Improving the solid-phase extraction of “quat” pesticides from water samples. Removal of interferences 823(1998)137

General considerations for optimizing a capillary electrophoresis–electrospray ionization time-of-flight mass spectrometry system 829(1998)279

#### **Parishins**

Determination of parishin, parishin B and parishin C in traditional Chinese medicinal formulas by micellar electrokinetic capillary chromatography 805(1998)301

Analysis of parishin, parishin B and parishin C in Gastrodiae Rhizoma by micellar electrokinetic capillary chromatography 805(1998)330

#### **Patulin**

Incidence of patulin in apple juice concentrates produced in Turkey 815(1998)99

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

#### **Pectenotoxins**

Determination of pectenotoxin-2 after solid-phase extraction from seawater and from the dinoflagellate *Dinophysis fortii* by liquid chromatography with electrospray mass spectrometry and ultraviolet detection. Evidence of oxidation of pectenotoxin-2 to pectenotoxin-6 in scallops 815(1998)155

#### **Pectenotoxin-2**

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

**Pefloxacin**

Reversed-phase high-performance liquid chromatographic determination of enoxacin and 4-oxo-enoxacin in human plasma and prostatic tissue. Application to a pharmacokinetic study 812(1998)369

**Penicillamine**

Analytical study of penicillamine in pharmaceuticals by capillary zone electrophoresis 844(1999)361

**Penicillins**

Monitoring of the concentration of  $\beta$ -lactam antibiotics and their precursors in complex cultivation media by high-performance liquid chromatography (Review) 812(1998)179

Simultaneous determination of  $\beta$ -lactam antibiotics in milk by ion-pair liquid chromatography 812(1998)205

Determination of piperacillin and mezlocillin in human serum and urine by high-performance liquid chromatography after derivatisation with 1,2,4-triazole 812(1998)213

Determination of amoxicillin in human serum and plasma by high-performance liquid chromatography and on-line postcolumn derivatisation 812(1998)221

Development and validation of amoxicillin determination by micellar electrokinetic capillary chromatography 812(1998)227

Multiresidue determination of  $\beta$ -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

Determination of antibiotics in different water compartments via liquid chromatography–electrospray tandem mass spectrometry 815(1998)213

**Pentachlorophenol**

Solid-phase microextraction and gas chromatography–mass spectrometry for determining chlorophenols from landfill leaches and soil 806(1998)317

**Pentafluorobenzoyloxime acetate**

Gas chromatographic determination of galactose in milk. Example of a switching valve used for the protection of the capillary column 847(1999)47

**Pentobarbital**

Characterization of the stereoselective metabolism of thiopental and its metabolite pentobarbital via analysis of their enantiomers in human plasma by capillary electrophoresis 838(1999)237

**Pentosane polysulfate**

Quality control of pentosane polysulfate by capillary zone electrophoresis using indirect detection 817(1998)297

**Pentosidine**

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

**Peptide analogue**

Derivatization approaches for a fermentation derived, cyclic peptide analog 824(1998)25

**Peptide nucleic acids**

Prediction of retention times of peptide nucleic acids during reversed-phase high-performance liquid chromatography 814(1998)111

**Peptides**

see also Special Issue Index

Novel applications for organic polymer capillaries 802(1998)17

Determination of solute descriptors of tripeptide derivatives based on high-throughput gradient high-performance liquid chromatography retention data 803(1998)51

Separation of respective species of phytochelatins and their desglycyl peptides (class III metallothioneins) and the precursors glutathione and  $\gamma$ -glutamylcysteine with capillary zone electrophoresis 803(1998)315

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1

Improved capillary electrophoretic separation of glycosylated oligopeptides through addition of poly(vinyl alcohol), and analysis by electrospray mass spectrometry 805(1998)285

Erratum to “Salt effects in capillary electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius”. [J. Chromatogr. A, 786 (1997) 171–180] 806(1998)365

Capillary electrophoresis in biochemical and clinical laboratories. Selected attractive examples 807(1998)135

Calculation of peptide retention coefficients in normal-phase liquid chromatography 808(1998)105

Liquid chromatography–electrospray mass spectrometry method to separate and detect *N-tert*-butoxycarbonyl peptides 808(1998)253

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Chemometric evaluation of the band broadening in micellar electrokinetic chromatography of peptides 809(1998)191

Prediction of peptide retention time in normal-phase liquid chromatography 811(1998)61

High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255

- Separation of acidic protein tyrosine kinase substrates by strong anion-exchange chromatography 813(1998)277
- Postcolumn derivatization of peptides with fluoescamine in capillary electrophoresis 814(1998)213
- Synthesis and purification of hydrophobic peptides for use in biomimetic ion channels 816(1998)11
- Hydrophilic interaction/cation-exchange chromatography for separation of amphipathic  $\alpha$ -helical peptides 816(1998)65
- Hydrophilic interaction/cation-exchange chromatography for separation of cyclic peptides 816(1998)79
- Simultaneous multiple analyte detection using fluorescent peptides and capillary isoelectric focusing 817(1998)41
- Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153
- Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163
- Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173
- Peptide purity and counter ion determination of bradykinin by high-performance liquid chromatography and capillary electrophoresis 817(1998)215
- Characterisation of busserelin acetate by capillary electrophoresis 817(1998)239
- Development of an on-line preconcentration method for the analysis of pathogenic lipopolysaccharides using capillary electrophoresis–electrospray mass spectrometry. Application to small colony isolates 817(1998)325
- Electrophoretic stereoisomer separation of aspartyl dipeptides and tripeptides in untreated fused-silica and polyacrylamide-coated capillaries using charged cyclodextrins 822(1998)137
- Secondary chemical equilibria in high-performance liquid chromatography: influence of ionic strength and pH on retention of peptides 823(1998)497
- Evaluation of the enantioselective possibilities of sulfated cyclodextrins for the separation of aspartyl di- and tripeptides in capillary electrophoresis 824(1998)91
- Capillary zone electrophoresis at subzero temperatures. III. Operating conditions and separation efficiency 825(1998)55
- Examination of micro-tip reversed-phase liquid chromatographic extraction of peptide pools for mass spectrometric analysis 826(1998)167
- Comparison of loading capacities of various proteins and peptides in culture medium and in pure state 827(1998)311
- Preparative separation of value-added peptides from rice bran proteins by high-performance liquid chromatography 827(1998)319
- Preparative high-performance liquid chromatography of echinocandins 827(1998)373
- Displacement chromatography of chemotactic peptides 830(1999)91
- Characterization of peptides from *Aplysia* using microbore liquid chromatography with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry guided purification 830(1999)105
- Purification and quantification of destruxins A and B from *Metarhizium anisopliae* 830(1999)115
- Capillary electrophoresis using diol-bonded fused-silica capillaries 830(1999)415
- Two ion-exchange chromatographic methods for the isolation of antibacterial peptides from lactoferrin. In situ enzymatic hydrolysis on an ion-exchange membrane 831(1999)191
- Purification of pneumocandins by preparative silica-gel high-performance liquid chromatography 831(1999)217
- Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography 831(1999)293
- Effect of electric field on liquid chromatographic separation of peptide digests. Combining capillary separation techniques 832(1999)149
- Selective fluorescence derivatization and capillary electrophoretic separation of amidated amino acids 832(1999)211
- pH-Dependent reversal of the chiral recognition of tripeptide enantiomers by carboxymethyl- $\beta$ -cyclodextrin 833(1999)261
- Investigation of crudes of synthesis of carbetocin by liquid chromatography coupled to electrospray ionization mass spectrometry 833(1999)267
- Dynamic computer simulations of the influence of injection conditions on capillary zone electrophoretic stacking of preparative free-flow zone electrophoresis fractions of peptides 836(1999)129
- Multicomponent analysis by off-line combination of synchronous fluorescence spectroscopy and capillary electrophoresis of collagen glycation adducts 836(1999)161

- Binding of proline- and hydroxyproline-containing peptides and proteins to the capillary wall 838(1999)167
- Alternate pooling for optimizing high-performance liquid chromatographic fractionation of complex peptide mixtures 839(1999)57
- Aqueous two-phase systems containing self-associating block copolymers. Partitioning of hydrophilic and hydrophobic biomolecules 839(1999)71
- Peptide separation in normal-phase liquid chromatography. Study of selectivity and mobile phase effects on various columns 840(1999)1
- Separation of peptides in isoelectric cysteine acid buffer and hydro-organic solvents (hexafluoro-2-propanol-urea) 840(1999)117
- Prediction of peptide retention times in normal-phase liquid chromatography with only a single gradient run 841(1999)19
- Super-high-speed liquid chromatography of proteins and peptides on non-porous Micra NPS-RP packings 846(1999)13
- Fractionation and characterization of a crude peptide mixture from the synthesis of eldoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25
- Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39
- High-performance liquid chromatography–mass spectrometry of an osteocalcin derivative 846(1999)49
- Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59
- Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65
- Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125
- Enantioseparation of  $\alpha$ -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157
- Peptide mobility and peptide mapping in capillary zone electrophoresis. Experimental determination and theoretical simulation 848(1999)417
- Purification of closely eluting hydrophobic microcystins (peptide cyanotoxins) by normal-phase and reversed-phase flash chromatography 848(1999)515
- Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1
- Windowed mass selection method: a new data processing algorithm for liquid chromatography–mass spectrometry data 849(1999)71
- Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125
- Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175
- Peptidylamidoglycolate lyase**  
Determination of the absolute configuration of  $\alpha$ -hydroxyglycine derivatives by enzymatic conversion and chiral high-performance liquid chromatography 828(1998)191
- Perchlorate**  
Determination of trace level perchlorate in drinking water and ground water by ion chromatography 850(1999)131
- Perfluoroalkylsulfonates**  
Determination of fluorochemical surfactants in acid etch baths by ion chromatography with on-line matrix elimination 822(1998)321
- Perfumery compounds**  
Erratum to “Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. I. Linear equations” [J. Chromatogr. A, 779 (1997) 287–297] 830(1999)497
- Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. II. The hyperbolic equation 848(1999)215
- Perhydropolysilazane**  
Deactivation of metal capillaries for gas chromatography 845(1999)33
- Perillyl alcohol**  
Extraction and purification of perillyl alcohol from Korean orange peel by reversed-phase high-performance liquid chromatography 828(1998)445
- Pernigraniline**  
Study of some pyrolysis–gas chromatography indexes for the differentiation among oxidation states of polyaniline 837(1999)273
- Peroxide**  
High-performance liquid chromatography with postcolumn derivatization for simultaneous determination of organic peroxides and hydrogen peroxide 822(1998)207

**Peroxyacetyl nitrate**

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO<sub>2</sub> and NO<sub>y</sub>) in remote atmospheres 846(1999)265

**Pesticides**

Determination of phenylurea herbicides in water samples using on-line sorptive preconcentration and high-performance liquid chromatography with UV or electrospray mass spectrometric detection 802(1998)285

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

New chemically modified polymeric resin for solid-phase extraction of pesticides and phenolic compounds from water 803(1998)147

Determination of acidic herbicides using liquid chromatography with pneumatically assisted electrospray ionization mass spectrometric and tandem mass spectrometric detection 803(1998)157

Cationic  $\beta$ -cyclodextrin derivative for chiral separations 803(1998)261

High-performance liquid chromatographic measurement of the 1-octanol–water partition coefficient of *s*-triazine herbicides and some of their degradation products 805(1998)119

Identification of pesticides by liquid chromatography–particle beam mass spectrometry using electron ionization and chemical ionization 805(1998)127

Retention model for sorptive extraction–thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples 805(1998)237

Multiresidue determination of pesticides in apples and pears by gas chromatography–mass spectrometry 805(1998)319

Erratum to “New and simple method for the analysis of the glutathione adduct of atrazine”. [J. Chromatogr. A, 795 (1998) 53–60] 806(1998)366

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environmental water samples 808(1998)257

Quantitative analysis of thuringiensin by micellar electrokinetic capillary chromatography 809(1998)258

New derivatives of cyclodextrins as chiral selectors for the capillary electrophoretic separation of dichlorprop enantiomers 810(1998)193

New naphthalene containing side-chain liquid crystalline polysiloxane stationary phases for high-resolution gas chromatography 811(1998)97

Determination of organochlorine pesticides in skins and leather by gas chromatography 811(1998)256

Application of an on-line liquid chromatographic system for the determination of polar herbicides in drinking water within a routine laboratory 813(1998)63

Analysis of pesticides in red wines by on-line coupled reversed-phase liquid chromatography–gas chromatography with vaporiser/precolumn solvent split/gas discharge interface 813(1998)113

Determination of arylphenoxypropionic herbicides in water by liquid chromatography–electrospray mass spectrometry 813(1998)285

Analysis of triazines by reversed electroosmotic flow capillary electrophoresis–electrospray mass spectrometry 813(1998)379

Simultaneous pulsed flame photometric and mass spectrometric detection for enhanced pesticide analysis capabilities 814(1998)133

Simultaneous gas chromatographic–mass spectrometric quantitation of the alkylbenzene inert components, pesticide manufacturing by-products and active ingredient in two malathion formulations 814(1998)181

Stereoselective separation and detection of phenoxy acid herbicide enantiomers by cyclodextrin-modified capillary zone electrophoresis–electrospray ionization mass spectrometry 817(1998)75

On-line coupling of solid-phase extraction to gas chromatography with mass spectrometric detection to determine pesticides in water 818(1998)85

Supercritical fluid extraction and off-line clean-up for the analysis of organochlorine pesticide residues in garlic 818(1998)138

Determination of organonitrogen pesticides in large volumes of surface water by liquid–liquid and solid-phase extraction using gas chromatography with nitrogen–phosphorus detection and liquid chromatography with atmospheric pressure chemical ionization mass spectrometry 818(1998)197

On-line coupling of liquid chromatography with thin-layer chromatography 819(1998)35



- Comparison of different sorbents for on-line liquid–solid extraction followed by high-performance liquid chromatographic determination of nitrogen-containing pesticides 822(1998)67
- Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75
- Deuterated internal standards for gas chromatographic–mass spectrometric analysis of polar organophosphorus pesticides in water samples 822(1998)91
- Gas chromatographic–mass spectrometric determination of alachlor and its degradation products by direct aqueous injection 822(1998)253
- Ultrasonic solvent extraction of pesticides from soil 823(1998)3
- Multiresidue determination of pesticides in plants by high-performance liquid chromatography following gel permeation chromatographic clean-up 823(1998)11
- Multiresidue herbicide analysis in soil samples by means of extraction in small columns and gas chromatography with nitrogen–phosphorus and mass spectrometric detection 823(1998)17
- Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25
- Comparison of various sample handling and analytical procedures for the monitoring of pesticides and metabolites in ground waters 823(1998)35
- Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen–phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection 823(1998)49
- Monitoring of pesticide residues and their metabolites in surface and underground waters of Imathia (N. Greece) by means of solid-phase extraction disks and gas chromatography 823(1998)59
- Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73
- Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81
- Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen–phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91
- Application of gas and liquid chromatography–mass spectrometry to the evaluation of pirimiphos methyl degradation products in industrial water under ozone treatment 823(1998)97
- Validation of an immunoassay method for the determination of traces of carbaryl in vegetable and fruit extracts by liquid chromatography with photodiode array and mass spectrometric detection 823(1998)109
- Automated determination of phenylcarbamate herbicides in environmental waters by on-line trace enrichment and reversed-phase liquid chromatography–diode array detection 823(1998)121
- Analysis and degradation study of glyphosate and of aminomethylphosphonic acid in natural waters by means of polymeric and ion-exchange solid-phase extraction columns followed by ion chromatography–post-column derivatization with fluorescence detection 823(1998)129
- Improving the solid-phase extraction of “quat” pesticides from water samples. Removal of interferences 823(1998)137
- Trace analysis of polar organic pollutants in aqueous samples. Tools for the rapid prediction and optimisation of the solid-phase extraction parameters 823(1998)147
- Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water 823(1998)163
- Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189
- Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373
- Gas chromatography with electron-capture and nitrogen–phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Influence of the honey matrix on the quantitative results 823(1998)381
- Detector cell based on plastic liquid-core waveguides suitable for aqueous solutions: one-to-two decades improved detection limits in conventional-size column liquid chromatography with absorption detection 824(1998)1
- Determination of organophosphorus pesticides in wheat flour by supercritical fluid extraction and gas chromatography with nitrogen–phosphorus detection 824(1998)63
- Determination of selected antifouling booster biocides by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

- Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45
- Simultaneous quantitative determination of thirteen urea pesticides at sub-ppb levels on a Zorbax SB-C<sub>18</sub> column 825(1998)200
- Derivatisation/solid-phase microextraction followed by gas chromatography–mass spectrometry for the analysis of phenoxy acid herbicides in aqueous samples 826(1998)211
- Analysis of trace atrazine and simazine in environmental samples by liquid chromatography–fluorescence detection with pre-column derivatization reaction 827(1998)57
- Reversed-phase high-performance liquid chromatography in quantitative structure–activity relationship studies of new fungicides 828(1998)431
- Levels of metamidophos in air and vegetables after greenhouse applications by gas chromatography 829(1998)251
- Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection 829(1998)269
- Determination of chlorinated acid herbicides and related compounds in water by capillary electrophoresis–electrospray negative ion mass spectrometry 829(1998)327
- Liquid chromatography–electrospray mass spectrometry multi-residue determination of pesticides in apples and pears 830(1999)135
- Ion-pair liquid chromatography–atmospheric pressure ionization mass spectrometry for the determination of quaternary ammonium herbicides 830(1999)145
- Supported liquid membrane extraction for sample work-up and preconcentration of methoxy-*s*-triazine herbicides in a flow system 830(1999)203
- On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377
- Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277
- Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3
- Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13
- Determination of pyrethroid pesticide residues in fatty materials by solid-matrix dispersion partition, followed by mini-column size-exclusion chromatography 833(1999)19
- Validation of a solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice 833(1999)35
- Determination of chlorpyrifos, penconazole, fenarimol, vinclozolin and metalaxyl in grapes, must and wine by on-line microextraction and gas chromatography 833(1999)43
- Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61
- Rapid determination of glyphosate in cereal samples by means of pre-column derivatisation with 9-fluorenylmethyl chloroformate and coupled-column liquid chromatography with fluorescence detection 833(1999)67
- Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19
- High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113
- Supercritical fluid extraction and clean-up of organochlorine pesticides in Chinese herbal medicine 835(1999)145
- Migration behavior and separation of *s*-triazines in micellar electrokinetic capillary chromatography using a cationic surfactant 835(1999)197
- Three different approaches for the separation of MCPA and 2,4-D by capillary electrophoresis 835(1999)209
- Analysis of atrazine, terbutylazine and their *N*-dealkylated chloro and hydroxy metabolites by solid-phase extraction and gas chromatography–mass spectrometry and capillary electrophoresis–ultraviolet detection 835(1999)217
- Gas chromatographic separation of semivolatiles organohalogen compounds on the new stationary phase Optima  $\delta$ -3 836(1999)271
- Optimization of tandem columns for the isomer and enantiomer selective separation of toxaphenes 837(1999)201
- Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated  $\beta$ -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Study of photodegradation of the pesticide ethiofencarb in aqueous and non-aqueous media, by gas chromatography–mass spectrometry 840(1999)235

On-line solid-phase extraction–short-column liquid chromatography combined with various tandem mass spectrometric scanning strategies for the rapid study of transformation of pesticides in surface water 841(1999)33

Non-radioactive electron-capture detector 842(1999)229

On-line combination of aqueous-sample preparation and capillary gas chromatography 842(1999)391

Trace analysis of pesticides by gas chromatography 843(1999)301

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Quantitation of chlorophenoxy acid herbicides by high-performance liquid chromatography with coulometric detection 846(1999)425

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Determination of bentazon residues in water by high-performance liquid chromatography. Validation of the method 846(1999)369

Use of 6-*O*-*tert*-butyldimethylsilylated  $\beta$ -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

Determination of glyphosate by ion chromatography 850(1999)297

#### **Petroporphyrin biomarkers**

Isolation of nine petroporphyrin biomarkers by reversed-phase high-performance liquid chromatography with coupled columns 839(1999)239

#### **1,10-Phenanthroline**

Determination of iron in complex matrices by ion chromatography with UV–Vis, thermal lens and amperometric detection using post-column reagents 829(1998)167

#### **Phenathridine**

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

#### **Phenobarbital**

Simultaneous determination of methylphenobarbital enantiomers and phenobarbital in human plasma by on-line coupling of an achiral precolumn to a chiral liquid chromatographic column 819(1998)143

#### **Phenolic compounds**

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

High-performance liquid chromatography with diode-array detection for the determination of phenolic compounds in peel and pulp from different apple varieties 823(1998)331

Determination of phenolic compounds in olives by reversed-phase chromatography and mass spectrometry 832(1999)87

Size-exclusion chromatography method for characterizing low-molecular-mass antioxidant lubricant additives 841(1999)45

Various applications of liquid chromatography–mass spectrometry to the analysis of phenolic compounds 847(1999)75

Determination of selected phytochemicals by reversed-phase high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 849(1999)341

#### **Phenols**

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

New chemically modified polymeric resin for solid-phase extraction of pesticides and phenolic compounds from water 803(1998)147

Determination of acidic herbicides using liquid chromatography with pneumatically assisted electrospray ionization mass spectrometric and tandem mass spectrometric detection 803(1998)157

- Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17
- Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337
- New cation-exchange resins with high reversed-phase character for solid-phase extraction of phenols 810(1998)43
- On-line gas chromatography–mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51
- Determination of phenol in polymeric materials by supercritical fluid extraction combined with gas chromatography–mass spectrometry 819(1998)289
- Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid 822(1998)167
- Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water 823(1998)163
- Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 823(1998)231
- Liquid chromatography–atmospheric pressure chemical ionization mass spectrometry for chlorinated phenolic compounds. Application to the analysis of polluted soils 823(1998)241
- Continuous membrane extraction coupled with chromatographic analysis for the determination of phenols in fuels 823(1998)537
- Novel sulfonic acid-modified Starburst dendrimer used as a pseudostationary phase in electrokinetic chromatography 824(1998)119
- Gas chromatographic and mass spectrometric analysis of 36 lignin-related methoxyphenols from uncontrolled combustion of wood 824(1998)205
- Synthesis and characterization of a polymer-coated C<sub>18</sub> stationary phase with high carbon content for liquid chromatography 828(1998)75
- Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267
- Comparison of solute descriptors for predicting retention of ionic compounds (phenols) in reversed-phase liquid chromatography using the solvation parameter model 829(1998)29
- Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223
- Determination of chlorinated acid herbicides and related compounds in water by capillary electrophoresis–electrospray negative ion mass spectrometry 829(1998)327
- Discrimination of structural isomers of chlorinated phenols in waters using gas chromatography–mass spectrometry in the negative chemical ionization mode 830(1999)165
- Fast separation of (poly)phenolic compounds from apples and pears by high-performance liquid chromatography with diode-array detection 830(1999)301
- Use of micellar partition in capillary isotachophoretic focusing 832(1999)265
- Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19
- Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15
- Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241
- Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated  $\beta$ -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3
- Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71
- Efficiency of supercritical fluid extraction for determining 4-nonylphenol in municipal sewage sludge 840(1999)71
- Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19
- Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463
- Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277
- Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols 846(1999)401
- MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples 849(1999)225

**Phenones**

Comparative effects of sodium dodecyl sulfate and sulfobutyl ether- $\beta$ -cyclodextrin as pseudostationary phases in the electrokinetic chromatographic separation of hydrophobic compounds 836(1999)53

**Phenoxyacetic acids**

Methylation of carboxylic acids in supercritical carbon dioxide modified with methanol using a flow-through system 815(1998)225

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

**Phenoxy acids**

Determination of acidic herbicides using liquid chromatography with pneumatically assisted electrospray ionization mass spectrometric and tandem mass spectrometric detection 803(1998)157

Stereoselective separation and detection of phenoxy acid herbicide enantiomers by cyclodextrin-modified capillary zone electrophoresis–electrospray ionization mass spectrometry 817(1998)75

Derivatisation/solid-phase microextraction followed by gas chromatography–mass spectrometry for the analysis of phenoxy acid herbicides in aqueous samples 826(1998)211

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

**Phenoxypropanol**

Design of the simulated moving bed process based on adsorption isotherm measurements using a perturbation method 827(1998)175

**Phenoxypropionic acids**

Cationic  $\beta$ -cyclodextrin derivative for chiral separations 803(1998)261

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

**Phenylalanine**

Simultaneous separation of *o*-, *m*-, *p*-fluoro-DL-phenylalanine and *o*-, *m*-, *p*-DL-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

**Phenylalanine anilide**

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

**Phenylboronic acid**

Development of high-performance liquid chromatographic methods for measuring tetraphenylborate decomposition products in radioactive alkaline solutions 828(1998)461

**Phenylbutyric acid**

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent in methanol–water background electrolytes 827(1998)121

**Phenylcarbamates**

Automated determination of phenylcarbamate herbicides in environmental waters by on-line trace enrichment and reversed-phase liquid chromatography–diode array detection 823(1998)121

**Phenyldodecane**

Determination of  $\alpha$ -tocopherol and  $\alpha$ -tocopheryl acetate in diets of experimental animals Study of stability in the diets 839(1999)93

**2-Phenylethanol**

Use of detergents and high contents of organic solvents for simultaneous quantitation of ionic and nonionic drugs by electrokinetic chromatography 824(1998)99

**(S)-Phenylglycinol**

Dynamic ligand-exchange chiral stationary phases derived from N-substituted (S)-phenylglycinol selectors 824(1998)7

**Phenylglyoxal**

Development of guanine analyzer to measure activity of guanylate cyclase 806(1998)231

**Phenylisothiocyanate**

Column chromatography and verification of phytosiderophores by phenylisothiocyanate derivatization and UV detection 841(1999)155

**Phenyllactic acids**

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of  $\alpha$ -hydroxy acids 838(1999)223

**Phenylmethylpyrazolone**

Enhancement of the zone electrophoretic separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses as borate complexes by concerted ion–interaction electrokinetic chromatography with Polybrene 805(1998)277

Characterization of carbohydrates using a combination of derivatization, high-performance liquid chromatography and mass spectrometry 811(1998)47

**Phenylpentanols**

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent in methanol–water background electrolytes 827(1998)121

**Phenylureas**

Determination of phenylurea herbicides in water samples using on-line sorptive preconcentration and high-performance liquid chromatography with UV or electrospray mass spectrometric detection 802(1998)285

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Application of an on-line liquid chromatographic system for the determination of polar herbicides in drinking water within a routine laboratory 813(1998)63

**Pheromones**

Solid-phase microextraction–gas chromatography–direct deposition infrared spectrometry as a convenient method for the determination of volatile compounds from living organisms 819(1998)45

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

**Phloroglucinols**

Identification by high-performance liquid chromatography–diode array detection–mass spectrometry and quantification by high-performance liquid chromatography–UV absorbance detection of active constituents of *Hypericum perforatum* 825(1998)9

**Phosphates**

Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection 802(1998)159

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Analysis of starch-bound glucose 3-phosphate and glucose 6-phosphate using controlled acid treatment combined with high-performance anion-exchange chromatography 829(1998)385

Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233

Capillary electrophoresis of phosphorus oxo anions 834(1999)243

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Capacity gradient anion chromatography with a borate complex as eluent 850(1999)73

**Phosphatidylcholines**

Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219

Separation of synthetic phosphatidylcholine molecular species by high-performance liquid chromatography on a C<sub>8</sub> column 824(1998)169

**Phosphinic acids**

Enantiomeric resolution of derivatives of  $\alpha$ -aminophosphonic and  $\alpha$ -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

**Phosphite**

Capillary electrophoresis of phosphorus oxo anions 834(1999)243

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

**Phosphoamino acids**

Protein phosphorylation: technologies for the identification of phosphoamino acids 808(1998)23

**Phosphoethanolamine**

Coupling on-line brain microdialysis, precolumn derivatization and capillary electrophoresis for routine minute sampling of *O*-phosphoethanolamine and excitatory amino acids 817(1998)195

**Phospholipids**

Separation of phospholipids by nonaqueous capillary electrophoresis with electrospray ionisation mass spectrometry 802(1998)185

Comparison of the retention behavior of  $\beta$ -blockers using immobilized artificial membrane chromatography and lysophospholipid micellar electrokinetic chromatography 810(1998)95

Aqueous two-phase affinity partitioning of biotinylated liposomes using neutral avidin as affinity ligand 815(1998)189

Method development for the separation of phospholipids by subcritical fluid chromatography 826(1998)241

Separation of dipalmitoyl phosphatidyl choline, cholesterol and their degradation products by high-performance liquid chromatography on a perfluorinated stationary bonded phase 840(1999)31

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide–lipid bilayer interactions 849(1999)125

**Phosphonates**

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

**Phosphonic acids**

Identification of phosphonic acids by capillary electrophoresis–ionspray mass spectrometry 825(1998)71

Analysis of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products by packed capillary liquid chromatography–electrospray mass spectrometry 837(1999)93

Enantiomeric resolution of derivatives of  $\alpha$ -aminophosphonic and  $\alpha$ -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197

#### Phosphoric acid

Ion-chromatographic study of interactions in  $\text{HF-H}_3\text{PO}_4\text{-HNO}_3$  semiconductor etchants. Systematic use of statistically designed mixture experiments 804(1998)161

Determination of trace anions in concentrated weak acids by ion chromatography 850(1999)167

#### Phosphorothioates

Iodine–azide reagent for the detection of biologically oriented thiophosphoryl compounds in thin-layer chromatography systems 813(1998)135

#### Phosphorus

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Use of column-switching ion chromatography for the simultaneous determination of total nitrogen and phosphorus after microwave assisted persulphate digestion 822(1998)162

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

#### Phosphorus-containing anions

Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233

#### Phosphorus oxo anions

Capillary electrophoresis of phosphorus oxo anions 834(1999)243

#### Phthalates

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. I. Non-suppressed anion chromatography using phthalate eluents and three different stationary phases 829(1998)65

Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

#### Phthaldehyde

Derivatization of amino acids in a moving zone of *o*-phthalaldehyde in the middle of a capillary for amino acid analysis by capillary electrophoresis 802(1998)243

#### Phthaldialdehyde

Postcolumn derivatization of peptides with fluorescamine in capillary electrophoresis 814(1998)213

Stability and characteristics of the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents and their amino acid derivatives measured by high-performance liquid chromatography 835(1999)73

#### Phthalic acid

Indirect photometric detection of aliphatic acids separated by ion-exclusion chromatography using aromatic acidic eluents 818(1998)61

#### Phthalides

Liquid chromatographic–electrospray mass spectrometric study of the phthalides of *Angelica sinensis* and chemical changes of *Z*-ligustilide 810(1998)71

#### Phthalimidylbenzoyl chloride

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography–fluorescence detection with pre-column derivatization reaction 827(1998)57

#### Phytic acid

Rapid and sensitive liquid chromatographic method using a conductivity detector for the determination of phytic acid in food 805(1998)143

#### Phytochelatins

Separation of respective species of phytochelatins and their desglycyl peptides (class III metallothioneins) and the precursors glutathione and  $\gamma$ -glutamylcysteine with capillary zone electrophoresis 803(1998)315

#### Phytochemicals

Determination of selected phytochemicals by reversed-phase high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 849(1999)341

#### Phytosiderophores

Column chromatography and verification of phytosiderophores by phenylisothiocyanate derivatization and UV detection 841(1999)155

#### Phytosterols

Capillary column gas–liquid chromatographic separation of  $\Delta^5$ -unsaturated and saturated phytosterols 816(1998)177

Usefulness of methylated- $\beta$ -cyclodextrin-based buffers for the separation of highly hydrophobic solutes in non-aqueous capillary electrophoresis. Application to the separation of derivatized phytosterols 837(1999)281

**Picrocrocin**

Quantitative high-performance liquid chromatographic method to analyse commercial saffron (*Crocus sativus* L.) products 830(1999)477

**Pigments**

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography–mass spectrometry of proteinaceous binders in paintings 846(1999)101

**Pinacolyl methylphosphonic acid**

Capillary ion electrophoresis screening of nerve agent degradation products in environmental samples using conductivity detection 824(1998)125

**Pinenes**

Determination of polar terpene oxidation products in aerosols by liquid chromatography–ion trap mass spectrometry 833(1999)121

Chromatographic separation of  $\alpha$ -pinene isomerization products 848(1999)297

**Piperacillin**

Determination of piperacillin and mezlocillin in human serum and urine by high-performance liquid chromatography after derivatisation with 1,2,4-triazole 812(1998)213

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

**Piperonal**

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

**Pirimicarb**

Electroosmotically driven thin-layer electrochromatography on silica media 844(1999)333

**Pirimiphos methyl**

Application of gas and liquid chromatography–mass spectrometry to the evaluation of pirimiphos methyl degradation products in industrial water under ozone treatment 823(1998)97

**Piroxicam**

High-performance liquid chromatographic determination of amphotericin B in plasma and tissue. Application to pharmacokinetic and tissue distribution studies in rats 819(1998)171

Piroxicam quantitation in human plasma by high-performance liquid chromatography with on- and off-line solid-phase extraction 846(1999)199

**PIXY321**

Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor–interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

**Plant hormones**

Comparison of oriented and random antibody immobilization in immunoaffinity chromatography of cytokinins 811(1998)77

Study of cytokinin separation using capillary electrophoresis with cyclodextrin additives 818(1998)231

Determination of indole-3-acetic acid and indole-3-acetylaspatic acid in pea plant with capillary electrophoresis and fluorescence detection 824(1998)231

Micro and capillary liquid chromatography–tandem mass spectrometry: a new dimension in phytohormone research 826(1998)25

**Plasmid DNA**

Preparative purification of supercoiled plasmid DNA using anion-exchange chromatography 806(1998)31

**Plasticizers**

Determination of phenol in polymeric materials by supercritical fluid extraction combined with gas chromatography–mass spectrometry 819(1998)289

Identification of plasticizers in medical products by a combined direct thermodesorption–cooled injection system and gas chromatography–mass spectrometry 847(1999)1

**Platinum**

Platinum-selective capillary gas chromatographic determination with microwave-induced plasma atomic emission detection 824(1998)223

Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321

**Pneumocandins**

Preparative high-performance liquid chromatography of echinocandins 827(1998)373

Purification of pneumocandins by preparative silica-gel high-performance liquid chromatography 831(1999)217

**Polar organic micropollutants**

Analysis of polar organic micropollutants in water with ion chromatography–electrospray mass spectrometry 837(1999)117

**Polyacrylamide**

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139



Capillary zone electrophoresis of rigid submicron-sized particles in polyacrylamide solution. Selectivity, peak spreading and resolution 848(1999)443

#### **Polyacrylamide derivatives**

Enantioseparations in normal- and reversed-phase nano-high-performance liquid chromatography and capillary electrochromatography using polyacrylamide and polysaccharide derivatives as chiral stationary phases 837(1999)51

#### **Polyacrylate**

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

#### **Polyalcohols**

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

#### **Polyamines**

Separation of tosylated polyamines by high-performance capillary zone electrophoresis 823(1998)511

High-performance liquid chromatographic determination and standardization of agmatine 824(1998)175

Improved analytical methods for determination of nitrogenous stress metabolites occurring in *Limonium* species 836(1999)209

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

Macrocyclic polyamine as a selective modifier in a bonded-phase capillary column for the electrophoretic separation of aromatic acids 848(1999)401

#### **Polyaniline**

Study of some pyrolysis–gas chromatography indexes for the differentiation among oxidation states of polyaniline 837(1999)273

#### **Polybrene**

Enhancement of the zone electrophoretic separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses as borate complexes by concerted ion-interaction electrokinetic chromatography with Polybrene 805(1998)277

#### **Polybrominated biphenyls**

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polybrominated diphenyl ethers**

Gas chromatographic identification and quantification of polybrominated diphenyl ethers in a commercial product, Bromkal 70-5DE 822(1998)83

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polychlorinated alkanes**

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polychlorinated biphenyls**

Retention behaviour of polychlorinated biphenyls on polysiloxane-anchored  $C_{60}$  in gas chromatography 809(1998)252

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Simple method for estimating polychlorinated biphenyl concentrations on soils and sediments using subcritical water extraction coupled with solid-phase microextraction 814(1998)151

Gas chromatography determination of polychlorinated biphenyls in powdered and liquid soybean milks 815(1998)272

Comparison of supercritical fluid extraction and Soxhlet extraction for the determination of polychlorinated biphenyls in environmental matrix standard reference materials 816(1998)213

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

Determination of polychlorinated biphenyls in soybean infant formulas by gas chromatography 823(1998)365

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

Molecular recognition towards coplanar polychlorinated biphenyls based on the porogen imprinting effects of xylenes 828(1998)91

Pressurized fluid extraction of polychlorinated biphenyls in solid environmental samples 836(1999)285

Gas chromatographic separation of semivolatiles organohalogen compounds on the new stationary phase Optima  $\delta$ -3 836(1999)271

Non-radioactive electron-capture detector 842(1999)229

Instrumentation and applications of fast high-resolution capillary gas chromatography 842(1999)309

Recent developments in the high-resolution gas chromatography of polychlorinated biphenyls 843(1999)323

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Use of 6-*O*-*tert*-butyldimethylsilylated  $\beta$ -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

#### **Polychlorinated dibenzodioxins**

New naphthalene containing side-chain liquid crystalline polysiloxane stationary phases for high-resolution gas chromatography 811(1998)97

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Supercritical fluid extraction of polychlorinated dibenzo-*p*-dioxins from fly ash: the importance of fly ash origin and composition on extraction efficiency 819(1998)187

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polychlorinated dibenzofurans**

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polychlorinated diphenyl ethers**

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polychlorinated naphthalenes**

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

Quantitative structure–retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

#### **Polychlorinated terphenyls**

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

#### **Polycyclic aromatic compounds**

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[*b*]thiophenes, benzo[*b*]naphthothiophenes and alkyl-substituted derivatives) on stationary phases of different selectivity 841(1999)207

#### **Polycyclic aromatic hydrocarbons**

see also Polynuclear aromatic hydrocarbons

#### **Polycyclic aromatic sulfur heterocyclic compounds**

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[*b*]thiophenes, benzo[*b*]naphthothiophenes and alkyl-substituted derivatives) on stationary phases of different selectivity 841(1999)207

#### **Poly(dimethylacrylamide)**

Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis 817(1998)15

#### **Polyelectrolytes**

Separations of anionic and cationic synthetic polyelectrolytes by capillary gel electrophoresis 802(1998)149

#### **Polyesters**

Structural characterization of bio- and geo-macromolecules by off-line thermochemolysis with tetramethylammonium hydroxide 823(1998)433

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

#### **Polyether antibiotics**

Liquid chromatography with ultraviolet detection of lasalocid, monensin, salinomycin and narasin in poultry feeds using pre-column derivatization 835(1999)243

#### **Polyethers**

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Polyethers in inorganic capillary electrophoresis 834(1999)73

Acoustic effects in chromatography 850(1999)9

#### **Polyethoxylates**

Analysis of nonylphenol polyethoxylates and their degradation products in river water and sewage effluent by gas chromatography–ion trap (tandem) mass spectrometry with electron impact and chemical ionization 824(1998)79

Efficiency of supercritical fluid extraction for determining 4-nonylphenol in municipal sewage sludge 840(1999)71

#### **Polyethylene**

Evolution of a method for quantitative supercritical fluid extraction of Ethanox 330 antioxidant from high-density polyethylene 811(1998)163

#### **Poly(ethylene glycol)**

Determination of poly(ethylene glycol) 300 in long chain free fatty acid mixtures by reversed-phase high-performance liquid chromatography 810(1998)241

Non-aqueous capillary zone electrophoresis using polyethylene glycol as a matrix agent 822(1998)107

High-performance liquid chromatography of polyethylene glycols as their  $\alpha,\omega$ -bis(1-naphthylurethane) derivatives and signal monitoring by fluorescence detection 822(1998)189

Polyethers in inorganic capillary electrophoresis 834(1999)73

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

Polyethylene glycol as a separation medium for capillary zone electrophoretic analysis of pyridine derivatives 838(1999)89

Electromigration behavior of metal ions in the presence of complexing polymer 838(1999)101

#### **Poly(ethylene oxide)**

Fast DNA separations using poly(ethylene oxide) in non-denaturing medium with temperature programming 806(1998)157

#### **Polygalacturonic acids**

High-performance anion-exchange chromatographic separations of carbohydrates on a macrocycle-based stationary phase with eluents of relatively low pH and concentration 804(1998)69

#### **Polyisoprene rubber**

Analysis of impurities occurring in a totally chlorine free-bleached Kraft pulp 830(1999)227

#### **Polyketides**

Identification of alkaloids and polyketides in an *Actinomyces* by high-performance liquid chromatography with mass spectrometric and UV-visible detection 818(1998)187

#### **Poly lactides**

Comparative study of lactic acid and poly lactides using static headspace, gas chromatography and high-performance liquid chromatography 833(1999)195

#### **Polymers**

Separations of anionic and cationic synthetic polyelectrolytes by capillary gel electrophoresis 802(1998)149

Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection 802(1998)159

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Analysis of monomethyl- and dimethylsiloxane polymers and copolymers (functionalized or nonfunctionalized) by supercritical-fluid chromatography 813(1998)121

Slab-gel and capillary electrophoretic characterization of polyamidoamine dendrimers 814(1998)233

Application of on-line thermal desorption-gas chromatography-Fourier-transform infrared spectroscopy-mass spectrometry for the characterisation of polymers 819(1998)243

Determination of phenol in polymeric materials by supercritical fluid extraction combined with gas chromatography-mass spectrometry 819(1998)289

Compositional analysis of nitrile terminated poly(propylene imine) dendrimers by high-performance liquid chromatography combined with electrospray mass spectrometry 825(1998)135

Pyrolysis gas chromatography of synthetic polymers – a bibliography 825(1998)171

Identification of brominated flame retardants in polymeric materials by reversed-phase liquid chromatography with ultraviolet detection 827(1998)65

The development of pyrolysis-fast gas chromatography for analysis of synthetic polymers 833(1999)111

Microcolumn size-exclusion chromatography coupled with electrospray ionization mass spectrometry 835(1999)121

Pore flow effects in electrically driven size-exclusion chromatography 837(1999)3

Study of some pyrolysis-gas chromatography indexes for the differentiation among oxidation states of polyaniline 837(1999)273

Size-exclusion chromatography method for characterizing low-molecular-mass antioxidant lubricant additives 841(1999)45

Introduction to pyrolysis-capillary gas chromatography 842(1999)207

Polymer analysis by pyrolysis gas chromatography 843(1999)413

Chemosensory system for rapid automated quality control 845(1999)85

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Identification of compounds responsible for an off-odor in wet polyacrylate superabsorbent polymers 849(1999)217

#### **Polymethylcyclsiloxanes**

Use of persistent trace gas chromatography artifacts for the calculation of pseudo-Sadler retention indices 811(1998)241

#### **Poly(methyl methacrylate–butyl acrylate)**

Quantitative analysis of poly(methyl methacrylate–butyl acrylate) copolymer composition by liquid chromatography–particle beam mass spectrometry 824(1998)181

#### **Polymethyloctylsiloxanes**

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

#### **Polynuclear aromatic compounds**

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)1

#### **Polynuclear aromatic hydrocarbons**

see also Hydrocarbons, aromatic

Control of migration time window and selectivity in electrokinetic chromatography with mixed polymeric pseudostationary phases 802(1998)23

Parallel factor analysis of partially resolved chromatographic data. Determination of polycyclic aromatic hydrocarbons in water samples 802(1998)263

Separation of polycyclic aromatic hydrocarbon metabolites by  $\gamma$ -cyclodextrin-modified micellar electrokinetic chromatography with laser-induced fluorescence detection 803(1998)241

*n*-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Retention model for sorptive extraction–thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples 805(1998)237

Trace analysis by combined use of off-line solid-phase extraction, on-column sample focusing and U-shape flow cell in capillary liquid chromatography 808(1998)79

Terminally carboxyl oligo(ethylene oxide) monomethyl ethers–substituted side chain liquid crystalline polysiloxane polymer as stationary phase in capillary gas chromatography for the separation of polynuclear aromatic hydrocarbons 808(1998)201

Comparison of oil composition changes due to biodegradation and physical weathering in different oils 809(1998)89

Thermotropic laterally attached liquid crystalline polymers. I. New stationary phases for high-performance liquid chromatography 810(1998)19

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

New naphthalene containing side-chain liquid crystalline polysiloxane stationary phases for high-resolution gas chromatography 811(1998)97

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Effects of various binary and ternary supercritical phases on the extraction of polycyclic aromatic hydrocarbons from contaminated soils 816(1998)201

Capillary electrophoretic separation of polynuclear aromatic hydrocarbons using sodium cholate in mixed aqueous–organic buffers 817(1998)307

Direct optical resolution of *trans*-dihydrodiol enantiomers of fjord-region polycyclic aromatic hydrocarbons by high-performance liquid chromatography on a modified cellulose phase 822(1998)29

Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water 823(1998)163

Solving coelution problems on a smectic-liquid crystalline polysiloxane capillary column for the determination of priority polycyclic aromatic hydrocarbons in environmental samples 823(1998)179

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

On-line coupling of immunosorbent and liquid chromatographic analysis for the selective extraction and determination of polycyclic aromatic hydrocarbons in water samples at the ng l<sup>-1</sup> level 823(1998)197

Solvent-free method for the determination of polynuclear aromatic hydrocarbons in waste water by solid-phase microextraction–high-performance liquid chromatography with photodiode-array detection 823(1998)211

Optimization and validation of solvent and supercritical-fluid extractions for the trace-determination of polycyclic aromatic hydrocarbons in sewage sludges by liquid chromatography coupled to diode-array and fluorescence detection 823(1998)219

Gas chromatographic study for the evaluation of the suitability of bituminous waste material as an additive for coke production 823(1998)527

Determination of polycyclic aromatic sulfur heterocyclic compounds in airborne particulate by gas chromatography with atomic emission and mass spectrometric detection 826(1998)57

Microwave-assisted solvent extraction — a new method for isolation of polynuclear aromatic hydrocarbons from plants 827(1998)21

Modified kinetic model of the electron-capture detector. Molecular electron affinities and electron collection modes 827(1998)91

Gradient elution electrochromatography with a flow-injection analysis interface 828(1998)105

Influence of organic solvents in the capillary zone electrophoresis of polycyclic aromatic hydrocarbon metabolites 829(1998)289

Indirect detection of amino-substituted polycyclic aromatic hydrocarbons in cyclodextrin-modified micellar electrokinetic chromatography combined with diode laser-induced fluorometry 831(1999)285

Optimisation of the microwave-assisted extraction in open cell of polycyclic aromatic hydrocarbons from soils and sediments. Study of moisture effect 837(1999)187

Oil spill identification 843(1999)369

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Analysis of priority pollutants in environmental samples by on-line supercritical fluid chromatography cleanup–cryo-trap–gas chromatography–mass spectrometry 846(1999)387

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Development of an on-line coupling of liquid–liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

### **Polypeptides**

Performance of an octadecylsilylated continuous porous silica column in polypeptide separations 828(1998)83

Size exclusion chromatography of polypeptides on Bio-Gel P2 in the dynamic axial compression mode 840(1999)281

### **Polyphenolic compounds**

Fast separation of (poly)phenolic compounds from apples and pears by high-performance liquid chromatography with diode-array detection 830(1999)301

Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117

### **Polyphenols**

Method for determining the content of catechins in tea infusions by high-performance liquid chromatography 805(1998)137

Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system 827(1998)113

Quantitative reversed-phase high-performance liquid chromatography of procyanidins in *Crataegus* leaves and flowers 835(1999)59

Rapid, direct determination of polyphenols in tea by reversed-phase column liquid chromatography 849(1999)637

### **Polyphosphates**

Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection 802(1998)159

Flavin mononucleotide for indirect laser-induced fluorescence detection of anions separated by capillary electrophoresis 835(1999)159

### **Poly(propylene imine)**

Compositional analysis of nitrile terminated poly(propylene imine) dendrimers by high-performance liquid chromatography combined with electrospray mass spectrometry 825(1998)135

### **Poly(propylene terephthalate)**

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

### **Polysaccharides**

see also Saccharides

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13

Preparative fractionation of polysaccharides by columns packed with regenerated cellulose gels 816(1998)131

Quality control of pentosane polysulfate by capillary zone electrophoresis using indirect detection 817(1998)297

Separation of high-molecular-mass carrageenan polysaccharides by capillary electrophoresis with laser-induced fluorescence detection 817(1998)353

Improved size-exclusion high-performance liquid chromatographic method for the simple analysis of grape juice and wine polysaccharides 823(1998)339

Analysis of polysaccharides and monosaccharides in the root mucilage of maize (*Zea mays* L.) by gas chromatography 831(1999)267

Enantioseparations in normal- and reversed-phase nano-high-performance liquid chromatography and capillary electrochromatography using polyacrylamide and polysaccharide derivatives as chiral stationary phases 837(1999)51

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Determination of the molecular size distribution of *Haemophilus influenzae* type b–tetanus toxoid conjugate vaccines by size-exclusion chromatography 847(1999)209

#### **Polysiloxanes**

Analysis of monomethyl- and dimethylsiloxane polymers and copolymers (functionalized or nonfunctionalized) by supercritical-fluid chromatography 813(1998)121

#### **Polystyrene**

Pore flow effects in electrically driven size-exclusion chromatography 837(1999)3

Capillary zone electrophoresis of rigid submicron-sized particles in polyacrylamide solution. Selectivity, peak spreading and resolution 848(1999)443

#### **Poly(styrene sulfonate)**

Separations of anionic and cationic synthetic polyelectrolytes by capillary gel electrophoresis 802(1998)149

#### **Poly(tetrahydrofuran)**

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

#### **Poly(trimethylene terephthalate)**

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

#### **Poly(vinyl alcohol)**

Improved capillary electrophoretic separation of glycosylated oligopeptides through addition of poly(vinyl alcohol), and analysis by electrospray mass spectrometry 805(1998)285

Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis 817(1998)15

#### **Poly(vinyl chloride)**

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography–mass spectrometry 847(1999)1

#### **Poly(vinyl pyridine)**

Separations of anionic and cationic synthetic polyelectrolytes by capillary gel electrophoresis 802(1998)149

#### **Poly(vinylpyrrolidone)**

Determination of cyanine-labeled amino acid enantiomers by cyclodextrin-modified capillary gel electrophoresis combined with diode laser fluorescence detection 805(1998)295

#### **Pop corn inhibitor**

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

#### **Porphyrins**

Capillary electrophoretic separation of cationic porphyrins 802(1998)367

Determination of chemical oxidation products of chlorophyll and porphyrin by high-performance liquid chromatography 839(1999)85

#### **Potassium**

Single electrode conductivity detection for electrophoretic separation systems 836(1999)59

#### **Potassium phosphate**

Study of hydroxyapatite aggregation in the presence of potassium phosphate by centrifugal sedimentation field-flow fractionation 845(1999)293

#### **Prenylflavonoids**

Quantitative analysis of xanthohumol and related prenylflavonoids in hops and beer by liquid chromatography–tandem mass spectrometry 832(1999)97

#### **Preservatives**

Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods 848(1999)529

#### **Prion proteins**

Capillary isoelectric focusing of the scrapie prion protein 802(1998)135

**Procyanidins**

Quantitative reversed-phase high-performance liquid chromatography of procyanidins in *Crataegus* leaves and flowers 835(1999)59

Isolation and purification of dimeric and trimeric procyanidins from grape seeds 841(1999)115

**Profens**

see also Nonsteroidal anti-inflammatory drugs

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium  $\beta$ -cyclodextrin 817(1998)121

**Prolamines**

High-performance capillary electrophoresis of cereal proteins 814(1998)25

**Promethazine**

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an  $\alpha_1$ -acid glycoprotein column 818(1998)43

**Promethium**

Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193

**Prometryn**

Thin-layer chromatography–mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

**Propanol**

Capillary zone electrophoresis in mixed aqueous–organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

**Propranolol**

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Determination of trace enantiomeric impurities in chiral compounds by capillary electrophoresis with uncoated, cationic, anionic and neutral surface modified capillaries 817(1998)83

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an  $\alpha_1$ -acid glycoprotein column 818(1998)43

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent in methanol–water background electrolytes 827(1998)121

Effect of additives on chiral selectivities by  $\beta$ -cyclodextrin in capillary electrophoresis based on the phenomenon of solvatochromism 829(1998)301

Comparison of native, alkylated and charged cyclodextrins for the chiral separation of labetalol stereoisomers by capillary electrophoresis 829(1998)341

**Propylene glycol monomethyl ether acetate**

Cation analysis in electronics-grade organic solvents by ion chromatography 804(1998)193

**Propyl gallate**

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

**Prostaglandins**

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

Simultaneous determination of prostaglandin E<sub>1</sub>, prostaglandin E<sub>0</sub> and 15-keto-prostaglandin E<sub>0</sub> in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

**Protease**

Affinity precipitation – an alternative to fluidized bed adsorption? 827(1998)269

**Proteinase inhibitors**

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

**Protein–lipopoly–saccharide complex**

Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13

**Proteins**

see also Antibodies, Enzymes, Immunoglobulins, Monoclonal Antibodies and Special Issue Index

Capillary isoelectric focusing of the scrapie prion protein 802(1998)135

Sodium dodecyl sulfate–capillary gel electrophoretic analysis of molecular mass microheterogeneity of  $\beta$ -trace protein in cerebrospinal fluid from patients with central nervous system diseases 802(1998)143

Toroidal coil counter-current chromatography study of the mass transfer rate of proteins in aqueous–aqueous polymer phase system 802(1998)277

High-performance capillary electrophoresis for in-process control in the production of antithrombin III and human clotting factor IX 802(1998)355

- Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61
- Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73
- Salt-promoted adsorption of proteins onto amphiphilic agarose-based adsorbents. II. Effects of salt and salt concentration 803(1998)83
- Transcription factor–green fluorescent protein chimeric fusion proteins and their use in studies of DNA affinity chromatography 803(1998)131
- Separation of respective species of phytochelatins and their desglycyl peptides (class III metallothioneins) and the precursors glutathione and  $\gamma$ -glutamylcysteine with capillary zone electrophoresis 803(1998)315
- Separation of alcohol-soluble proteins from tobacco seeds by capillary zone electrophoresis 803(1998)321
- Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239
- Enrichment and purification of proteins of *Haemophilus influenzae* by chromatofocusing 806(1998)279
- Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121
- Insulin stacking for capillary electrophoresis 807(1998)129
- Capillary electrophoresis in biochemical and clinical laboratories. Selected attractive examples 807(1998)135
- Characterization of large-pore polymeric supports for use in perfusion biochromatography 807(1998)165
- Comparison of diffusion and diffusion–convection matrices for use in ion-exchange separations of proteins 807(1998)185
- Protein binding on polyelectrolyte-treated glass. Effect of structure of adsorbed polyelectrolyte 808(1998)61
- Rapid verification of disulfide linkages in recombinant human growth hormone by tandem column tryptic mapping 808(1998)121
- Preparative ion-exchange chromatography of proteins from dairy whey 808(1998)141
- High-performance liquid chromatography of *Pasteurella haemolytica* leukotoxin using anion-exchange perfusion columns 808(1998)167
- Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13
- Direct fractionation of proteins in particle-containing feedstocks by a filter paper pieces-based DEAE-cellulose column chromatography. Rapid, robust and low-cost capturing procedure for protein 811(1998)69
- Properties of cattle bone powder-coated composite particles as high-performance and open column liquid chromatographic column packings 813(1998)21
- Identification and quantitation of cysteine in proteins separated by gel electrophoresis 813(1998)187
- High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255
- Visualising intraparticle protein transport in porous adsorbents by confocal microscopy 813(1998)387
- High-performance capillary electrophoresis of cereal proteins 814(1998)25
- Quasi-linear pH gradients for chromatofocusing using simple buffer mixtures: local equilibrium theory and experimental verification 814(1998)43
- Hydrophobic charge induction chromatography: salt independent protein adsorption and facile elution with aqueous buffers 814(1998)71
- Postcolumn derivatization of peptides with fluorescamine in capillary electrophoresis 814(1998)213
- Biochemical separations by continuous-bed chromatography 816(1998)3
- Reversed-phase high-performance liquid chromatography of virus-like particles 816(1998)21
- Detergent extraction of herpes simplex virus type 1 glycoprotein D by zwitterionic and non-ionic detergents and purification by ion-exchange high-performance liquid chromatography 816(1998)29
- Real-time isoform analysis by two-dimensional chromatography of a monoclonal antibody during bioreactor fermentations 816(1998)39
- High-performance ion-exchange chromatography and adsorption of plasma proteins 816(1998)89
- Thin-layer ion-exchange chromatography of proteins 816(1998)97
- Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163



- Determination of the minor whey protein bovine lactoferrin in cheese whey concentrates with capillary electrophoresis 817(1998)187
- Cationic and anionic polymeric additives for wall deactivation and selectivity control in the capillary electrophoretic separation of proteins in food samples 817(1998)227
- Protein profiling employing capillary electrophoresis with dendrimers as pseudostationary phase media 817(1998)233
- Asymmetry of protein peaks in capillary zone electrophoresis: effect of starting zone length and presence of polymer 817(1998)253
- Immobilized metal affinity chromatography. Self-sharpening of protein–modulator interfaces in frontal chromatography 818(1998)31
- Ultrarapid detection of bovine whey proteins in powdered soybean milk by perfusion reversed-phase high-performance liquid chromatography 822(1998)225
- Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299
- Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating 823(1998)561
- Protein separation by hydrophobic interaction chromatography using methacrylic block copolymers as displacers 824(1998)35
- Erratum to “High-performance ion-exchange chromatography and adsorption of plasma proteins”. [J. Chromatogr. A, 816 (1998) 89–96] 824(1998)135
- Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17
- Capillary zone electrophoresis at subzero temperatures. III. Operating conditions and separation efficiency 825(1998)55
- Displacement chromatography of proteins using a self-sharpening pH front formed by adsorbed buffering species as the displacer 825(1998)115
- Hydrolysis and amino acid composition analysis of proteins 826(1998)109
- Real-time control of purified product collection during chromatography of recombinant human insulin-like growth factor-I using an on-line assay 827(1998)37
- Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281
- Comparison of loading capacities of various proteins and peptides in culture medium and in pure state 827(1998)311
- Validation of a shielded-hydrophobic-phase high-performance liquid chromatography method for the determination of residual methotrexate in recombinant protein biopharmaceuticals 828(1998)303
- Frontal chromatography of proteins: The effect on column performance of the restricted diffusion of molecules in porous chromatographic adsorbents 828(1998)345
- Protein–protein interactions on weak-cation-exchange sorbent surfaces during chromatographic separations 828(1998)357
- Protein variant separations by cation-exchange chromatography on tentacle-type polymeric stationary phases 828(1998)365
- Characterization of metallothionein isoforms by reversed-phase high-performance liquid chromatography with on-line post-column acidification and electrospray mass spectrometric detection 829(1998)127
- Fluorescence detection of proteins and amino acids in capillary electrophoresis using a post-column sheath flow reactor 829(1998)309
- Study of single cells by using capillary electrophoresis and native fluorescence detection 830(1999)243
- Single-step purification of immunotoxins containing a high ionic charge ribosome inactivating protein clavin by carboxymethyl high-performance membrane chromatography 830(1999)329
- Capillary electrophoresis using diol-bonded fused-silica capillaries 830(1999)415
- Capillary isoelectric focusing of erythropoietin glycoforms and its comparison with flat-bed isoelectric focusing and capillary zone electrophoresis 830(1999)453
- Use of the steric mass action model in ion-exchange chromatographic process development 832(1999)1
- Detection of neutral and charged mutations in  $\alpha$ - and  $\beta$ -human globin chains by capillary zone electrophoresis in isoelectric, acidic buffers 832(1999)225
- Validation of capillary electrophoresis in the analysis of ewe’s milk casein 832(1999)239
- Enrichment of low-copy-number gene products by hydrophobic interaction chromatography 833(1999)157
- Direct coupling of ionic high-performance liquid chromatography with electrospray ionization mass spectrometry utilizing a microdialysis junction interface 835(1999)93
- Analysis of wheat flour proteins related to grain hardness using capillary electrophoresis 836(1999)147

- Detection of the presence of soya protein in milk powder by sodium dodecyl sulfate capillary electrophoresis 836(1999)153
- Multicomponent analysis by off-line combination of synchronous fluorescence spectroscopy and capillary electrophoresis of collagen glycation adducts 836(1999)161
- Buffer properties of biopolymer solutions, as related to their behaviour in electrokinetic methodologies 838(1999)11
- Protein folding observed by capillary electrophoresis in isoelectric buffers 838(1999)131
- Measuring conformational stability of proteins using an optimized temperature-controlled capillary electrophoresis approach 838(1999)157
- Binding of proline- and hydroxyproline-containing peptides and proteins to the capillary wall 838(1999)167
- Aqueous two-phase systems containing self-associating block copolymers. Partitioning of hydrophilic and hydrophobic biomolecules 839(1999)71
- Capillary electrophoretic determination of the association constant of a protein and a neutral carbohydrate by introducing mercaptoethanesulfonate tags to the carbohydrate 839(1999)157
- Faster isolation of recombinant factor VIII SQ, with a superporous agarose matrix 840(1999)39
- Characterization of protein mixtures by ion-exchange chromatography coupled on-line to nuclear magnetic resonance spectroscopy 840(1999)131
- Fast C<sub>18</sub> solid-phase desalting/delipidation of the human serum apolipoproteins for matrix-assisted laser desorption ionization and electrospray ionization mass spectrometric analysis 840(1999)183
- Utility of isotachopheresis–capillary zone electrophoresis, mass spectrometry and high-performance size-exclusion chromatography for monitoring of interleukin-6 dimer formation 841(1999)63
- Detection of bovine whey proteins by on-column derivatization capillary electrophoresis with laser-induced fluorescence monitoring 841(1999)105
- Production of highly purified clotting factor IX by a combination of different chromatographic methods 844(1999)119
- Reassessment of the calibration constant for the IAsys biosensor 844(1999)395
- Physico-chemical characterization of recombinant hepatitis B surface antigen by a multidimensional approach 845(1999)171
- Open tubular capillary electrochromatography in etched, chemically modified 20 µm I.D. capillaries 845(1999)237
- Simulation of chromatographic processes applied to separation of proteins 846(1999)1
- Super-high-speed liquid chromatography of proteins and peptides on non-porous Micra NPS-RP packings 846(1999)13
- Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65
- Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135
- Characterization of the isoforms of PIXY321, a granulocyte-macrophage-colony stimulating factor–interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143
- Quantitation of N<sup>ε</sup>-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25
- Gas chromatography–negative ion chemical ionization mass spectrometry as a powerful tool for the detection of mercapturic acids and DNA and protein adducts as biomarkers of exposure to halogenated olefins 847(1999)35
- Determination of the molecular size distribution of *Haemophilus influenzae* type b–tetanus toxoid conjugate vaccines by size-exclusion chromatography 847(1999)209
- Heparin elution of transcription factors from DNA-Sepharose columns 848(1999)131
- Noncompetitive immunoassays using protein G affinity capillary chromatography and capillary electrophoresis with laser-induced fluorescence detection 848(1999)139
- P450 monooxygenase in biotechnology. I. Single-step, large-scale purification method for cytochrome P450 BM-3 by anion-exchange chromatography 848(1999)149
- Ionic crosslinking of SO<sub>3</sub>H-group-containing graft chains helps to capture lysozyme in a permeation mode 848(1999)161
- Salt-induced immobilization of affinity ligands onto epoxide-activated supports 849(1999)1
- How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135
- Protein structure perturbations on chromatographic surfaces 849(1999)149

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Evaluation of volatile eluents and electrolytes for high-performance liquid chromatography–electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

Comparative studies on chemically and enzymatically coupled DNA–Sepharose columns for purification of a lac repressor chimeric fusion protein 849(1999)403

Comparative study on the distribution of ovalbumin glycoforms by capillary electrophoresis 849(1999)599

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

#### **Protein tyrosine kinases**

Separation of acidic protein tyrosine kinase substrates by strong anion-exchange chromatography 813(1998)277

#### **Puerarin**

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

#### **Purines**

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Study of cytokinin separation using capillary electrophoresis with cyclodextrin additives 818(1998)231

Separation of purine and pyrimidine bases by capillary zone electrophoresis with carbonate buffers 831(1999)123

High-performance liquid chromatography of some purine and pyrimidine derivatives on silica in hexane–isopropanol–ethylene glycol mobile phases 836(1999)235

#### **Puroindolines**

Analysis of wheat flour proteins related to grain hardness using capillary electrophoresis 836(1999)147

#### **Purpurin**

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

#### **Putrescine**

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

Separation of tosylated polyamines by high-performance capillary zone electrophoresis 823(1998)511

#### **Pyrazines**

Quantitative determination of 2-methoxy-3-isobutylpyrazine in red wines and grapes of Bordeaux using a stable isotope dilution assay 841(1999)229

#### **Pyrethroids**

Determination of pyrethroid pesticide residues in fatty materials by solid-matrix dispersion partition, followed by mini-column size-exclusion chromatography 833(1999)19

#### **Pyridinedicarboxylic acid**

Simultaneous determination of inorganic anions, organic acids and metal cations by capillary electrophoresis 834(1999)65

#### **Pyridines**

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Synthesis and characterization of a polymer-coated C<sub>18</sub> stationary phase with high carbon content for liquid chromatography 828(1998)75

Polyethylene glycol as a separation medium for capillary zone electrophoretic analysis of pyridine derivatives 838(1999)89

#### **Pyridylazoresorcinol**

Determination of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol–citrate ternary complexes in geological materials by ion-interaction reversed-phase high-performance liquid chromatography 850(1999)257

#### **Pyrimidines**

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Separation of purine and pyrimidine bases by capillary zone electrophoresis with carbonate buffers 831(1999)123

High-performance liquid chromatography of some purine and pyrimidine derivatives on silica in hexane–isopropanol–ethylene glycol mobile phases 836(1999)235

#### **Pyromellitic acids**

Suppressed ion chromatography of inorganic anions and divalent metal cations with pyromellitic acid as eluent 804(1998)87

# Q

## Quaternary ammonium compounds

Noncovalent linking of a chiral selector to unmodified silica gel through amine functional groups 822(1998)11

Ion-pair liquid chromatography–atmospheric pressure ionization mass spectrometry for the determination of quaternary ammonium herbicides 830(1999)145

Separation and determination of quaternary ammonium compounds by high-performance liquid chromatography with a hydrophilic polymer column and conductometric detection 830(1999)321

## Quercetin

Multidimensional counter-current chromatographic system and its application 803(1998)298

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

## Quinic acid

Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139

## Quinizarin

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

## Quinoline

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

## Quinolin-8-ol

Study of nitrophenols preconcentration using quinolin-8-ol immobilized on controlled-pore glass in the presence of iron(III). Chromatographic determination of dinoseb in lemon juice 839(1999)227

## Quinolones

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Analysis of antibiotics by liquid chromatography–mass spectrometry (Review) 812(1998)53

Retention behaviour of quinolone derivatives in high-performance liquid chromatography. Effect of pH and evaluation of ionization constants 823(1998)411

Development of capillary electrophoresis methods for the analysis of fluoroquinolones and application to the study of the influence of humic substances on their photodegradation in aqueous phase 837(1999)253

Electrophoretic behaviour of quinolones in capillary electrophoresis. Effect of pH and evaluation of ionization constants 839(1999)183

Preconcentration of quinolones by dialysis on-line coupled to high-performance liquid chromatography 840(1999)11

# R

## Raloxifene

Rapid drug metabolite profiling using fast liquid chromatography, automated multiple-stage mass spectrometry and receptor-binding 831(1999)227

## Ramoplanin

Determination of ramoplanin in human urine by high-performance liquid chromatography with automated column switching 846(1999)185

## Ranitidine

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

## Rare earth ions

Separation of rare-earth ions by isotachopheresis and capillary zone electrophoresis 802(1998)203

Isocratic separation of lanthanides and yttrium by high-performance chelation ion chromatography on iminodiacetic acid bonded to silica 804(1998)223

On-column chemiluminescence detection of rare earth ions with capillary electrophoresis 813(1998)361

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

**RDX**

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 844(1999)87

**Reboxetine**

Improved enantioselective method for the determination of the enantiomers of reboxetine in plasma by solid-phase extraction, chiral derivatization, and column-switching high-performance liquid chromatography with fluorescence detection 828(1998)167

**Resin acids**

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Retinoic acids**

Quantitative determination of endogenous retinoids in mouse embryos by high-performance liquid chromatography with on-line solid-phase extraction, column switching and electrochemical detection 828(1998)451

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

**Retinoids**

Single-run analysis of retinal isomers, retinol and photooxidation products by high-performance liquid chromatography 810(1998)237

Quantitative determination of endogenous retinoids in mouse embryos by high-performance liquid chromatography with on-line solid-phase extraction, column switching and electrochemical detection 828(1998)451

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

**Retinol**

see also Vitamins

Single-run analysis of retinal isomers, retinol and photooxidation products by high-performance liquid chromatography 810(1998)237

Procedure for the determination of retinol and  $\alpha$ -tocopherol in poultry tissues using capillary gas chromatography with solvent venting injection 818(1998)109

**Rhodamine B**

Migration behavior of dyestuff-containing liposomes in capillary electrophoresis with chemiluminescence detection 813(1998)402

**Rhodanese**

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

**Rhodanine**

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

**Riboflavin**

Chromatographic determination of flavin derivatives in baker's yeast 822(1998)59

Determination of riboflavin, flavin mononucleotide and flavin–adenine dinucleotide in wine and other beverages by high-performance liquid chromatography with fluorescence detection 823(1998)355

**Ribonucleases**

Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Protein structure perturbations on chromatographic surfaces 849(1999)149

**Ribonucleotides**

Capillary isotachopheresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides 805(1998)269

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Capillary electrophoresis using diol-bonded fused-silica capillaries 830(1999)415

**Ribose**

Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173

**Ridogrel**

Determination of system suitability limits with a robustness test 845(1999)145

**RNA**

see also Nucleic acids and Special Issue Index

Quantitative analysis of gene expression by ion-pair high-performance liquid chromatography 806(1998)47

Recent developments of magnetic beads for use in nucleic acid purification 816(1998)107

Boronate affinity adsorption of RNA: possible role of conformational changes 840(1999)205

**Roxifiban**

Optimization and validation of chiral high-performance liquid chromatographic method for analysis of a fibrinogen (gpIIb/IIIa) receptor antagonist 844(1999)171

**Ruberythric acid**

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

**Rubisco**

Separation of the branch chain hexose, hamamelose, by high-performance liquid chromatography, and amperometric detection of hamamelose and related compounds 814(1998)105

**Ruthenium**

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid-liquid reactor for catalytic reactions 828(1998)523

**Ruthenocene**

Photometric response of a very small, stoichiometric hydrogen-air flame to compounds of the iron group 806(1998)305

**Rutin**

Identification by high-performance liquid chromatography-diode array detection-mass spectrometry and quantification by high-performance liquid chromatography-UV absorbance detection of active constituents of *Hypericum perforatum* 825(1998)9

**S****Saccharides**

see also Carbohydrates, Disaccharides, Monosaccharides, Oligosaccharides, Polysaccharides and Sugars

Development of an on-line preconcentration method for the analysis of pathogenic lipopolysaccharides using capillary electrophoresis-electrospray mass spectrometry. Application to small colony isolates 817(1998)325

**Safranal**

Quantitative high-performance liquid chromatographic method to analyse commercial saffron (*Crocus sativus* L.) products 830(1999)477

**Salicylglycine**

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

**Salicylic acid**

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

**Salinomycin**

Liquid chromatography with ultraviolet detection of lasalocid, monensin, salinomycin and narasin in poultry feeds using pre-column derivatization 835(1999)243

**Sapogenols**

Anti-nutritional constituents of six underutilized legumes grown in Nigeria 823(1998)307

**Saponins**

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst 847(1999)109

**Sarin**

On-line solid-phase extraction liquid chromatography-continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

**SB-223070**

The use of heptafluorobutyric acid as a volatile ion-pair reagent in the high-performance liquid chromatographic isolation of SB-223070 828(1998)297

**Scopolamine**

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465

**Scopolamine-related drugs**

Micellar electrokinetic chromatography of scopolamine-related anticholinergics 802(1998)107

**Secalins**

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

**Selenate**

Organic and inorganic selenium speciation using high-performance liquid chromatography with UV irradiation and hydride generation-quartz cell atomic absorption spectrometric detection 819(1998)211

**Selenite**

Organic and inorganic selenium speciation using high-performance liquid chromatography with UV irradiation and hydride generation-quartz cell atomic absorption spectrometric detection 819(1998)211

**Selenium**

Application of capillary zone electrophoresis–inductively coupled plasma mass spectrometry and capillary isoelectric focusing–inductively coupled plasma mass spectrometry for selenium speciation 807(1998)71

Organic and inorganic selenium speciation using high-performance liquid chromatography with UV irradiation and hydride generation–quartz cell atomic absorption spectrometric detection 819(1998)211

Analysis of metal species by using electrospray ionization mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 819(1998)231

Speciation of volatile forms of selenium and inorganic selenium in sediments by gas chromatography–mass spectrometry 823(1998)259

**Selenium compounds**

Determination of trimethylselenonium iodide, selenomethionine, selenious acid, and selenic acid using high-performance liquid chromatography with on-line detection by inductively coupled plasma mass spectrometry or flame atomic absorption spectrometry 830(1999)337

**Seleno amino acids**

Organic and inorganic selenium speciation using high-performance liquid chromatography with UV irradiation and hydride generation–quartz cell atomic absorption spectrometric detection 819(1998)211

**Serine**

Protein phosphorylation: technologies for the identification of phosphoamino acids 808(1998)23

**Serotonin**

Capillary electrophoretic study of individual exocytotic events in single mast cells 817(1998)377

Study of single cells by using capillary electrophoresis and native fluorescence detection 830(1999)243

**Sesquiterpenoids**

Instrumental methods for determination of nonmacrocyclic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Liquid chromatography–electrospray mass spectrometric analysis of curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa*) 818(1998)127

**Sialic acids**

Development of a new direct reversed-phase ion-pair high-performance liquid chromatographic method for the separation and determination of sialic acids 831(1999)179

**Silyl derivatives**

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

**Simazine**

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography–fluorescence detection with pre-column derivatization reaction 827(1998)57

**Sisomicin**

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

**Sitosterol**

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

**Skatole**

Rapid determination of skatole and indole in pig back fat by normal-phase liquid chromatography 809(1998)246

**Skydrol**

Determination of organophosphate contaminants in jet fuel 847(1999)331

**Slaframine**

New, sensitive high-performance liquid chromatography method for the determination of slaframine in plasma and milk 815(1998)141

**Sodium**

A new approach to dealing with high-to-low concentration ratios of sodium and ammonium ions in ion chromatography 804(1998)201

Single electrode conductivity detection for electrophoretic separation systems 836(1999)59

Determination of sodium and ammonium ions in disproportionate concentration ratios by ion chromatography 850(1999)239

**Sodium azide**

Micromachined heated chemical reactor for pre-column derivatization 815(1998)265

**Sodium cholate**

Capillary electrophoretic separation of polynuclear aromatic hydrocarbons using sodium cholate in mixed aqueous–organic buffers 817(1998)307

**Sodium dodecylsulfate**

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Separation of nanometer gold particles by size exclusion chromatography 836(1999)253

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

**Sodium hydrosulfite**

Determination of organic anions in waste liquid of sodium hydrosulfite production by ion chromatography 839(1999)233

**Sodium lactate**

Comparative study of lactic acid and polylactides using static headspace, gas chromatography and high-performance liquid chromatography 833(1999)195

**Sodium methoxide**

Microwave induced rapid transmethylation of fatty acids for analysis of food oil 818(1998)133

**Sodium tetraphenylborate**

Development of high-performance liquid chromatographic methods for measuring tetraphenylborate decomposition products in radioactive alkaline solutions 828(1998)461

**Sodium trimetaphosphate**

Separation and determination of various elements by cation-exchange chromatography with sodium trimetaphosphate as the eluent 847(1999)245

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

**Soman**

On-line solid-phase extraction liquid chromatography-continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

**Somatostatin**

Determination of the chirality of cysteines in somatostatin analogs 816(1998)59

**Sophocarpine**

Preparative separation of alkaloids from the root of *Sophora flavescens* Ait by pH-zone-refining counter-current chromatography 822(1998)316

**Sorbic acid**

Simultaneous gas chromatographic determination of food preservatives following solid-phase extraction 823(1998)321

Identification of phosphonic acids by capillary electrophoresis-ionspray mass spectrometry 825(1998)71

Determination of sorbic acid in urine by gas chromatography-mass spectrometry 847(1999)127

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

**Sorbitol**

Selective determination of D-sorbitol and D-mannitol in foodstuffs by ion chromatography with polarized photometric detection 804(1998)305

**Sorbose**

Synthesis of L-xylo-hexos-2-ulose (L-sorbose) and its characterisation by chromatographic and spectroscopic techniques 811(1998)261

**Sparteine**

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an  $\alpha_1$ -acid glycoprotein column 818(1998)43

**Spectinomycin**

Quantitation of spectinomycin residues in bovine tissues by ion-exchange high-performance liquid chromatography with post-column derivatization and confirmation by reversed-phase high-performance liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry 812(1998)123

**Spermidine**

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

Separation of tosylated polyamines by high-performance capillary zone electrophoresis 823(1998)511

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

**Spermine**

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

Separation of tosylated polyamines by high-performance capillary zone electrophoresis 823(1998)511

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

**Sphingolipids**

Chromatographic determination of the fumonisin mycotoxins 815(1998)31

**Squalane**

Thermodynamic properties for the solute transfer from the mobile to the stationary phase in reversed phase liquid chromatography obtained by squalane-impregnated  $C_{18}$  bonded phase 848(1999)9

Alkanol gas-liquid partition coefficients in squalane measured with packed columns. A revision of measurement methods 848(1999)203



**Stanols**

Capillary column gas–liquid chromatographic separation of  $\Delta^5$ -unsaturated and saturated phytosterols 816(1998)177

**Starburst dendrimers**

Novel sulfonic acid-modified Starburst dendrimer used as a pseudostationary phase in electrokinetic chromatography 824(1998)119

**Starch**

Determination of the molecular mass of amylose 828(1998)515

Analysis of starch-bound glucose 3-phosphate and glucose 6-phosphate using controlled acid treatment combined with high-performance anion-exchange chromatography 829(1998)385

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Characterization of silica-based octyl phases of different bonding density. Part II. Studies of surface properties and chromatographic selectivity 828(1998)59

**Steradienes**

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

**Steroids**

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Qualitative determination of indole alkaloids, triterpenoids and steroids of *Tabernaemontana hilariana* 808(1998)264

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Chiral resolution of enantiomeric steroids by high-performance liquid chromatography on amylose tris(3,5-dimethylphenylcarbamate) under reversed-phase conditions 825(1998)107

Detection of clobetasol propionate as an undeclared steroid in zinc pyrithione formulations by high-performance liquid chromatography with rapid-scanning ultraviolet spectroscopy and mass spectrometry 828(1998)239

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated  $\beta$ -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Clinical applications of gas chromatography and gas chromatography–mass spectrometry of steroids 843(1999)247

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Interaction of some steroid drugs with  $\beta$ -cyclodextrin polymer 845(1999)447

Studies on neurosteroids. IX. Characterization of estrogens in rat brains using gas chromatography–tandem mass spectrometry 847(1999)171

**Sterol esters**

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

**Sterols**

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Application of pentafluorophenyldimethylsilyl derivatization for gas chromatography–electron-capture detection of supercritically extracted sterols 809(1998)109

Capillary column gas–liquid chromatographic separation of  $\Delta^5$ -unsaturated and saturated phytosterols 816(1998)177

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography–mass spectrometry 847(1999)179

**Streptomycin**

Determination of streptomycin residues in food by solid-phase extraction and liquid chromatography with post-column derivatization and fluorometric detection 830(1999)345

Development and optimisation of a new derivatisation procedure for gas chromatographic–mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-by-step optimisation procedures 840(1999)81

**Styrylpyrones**

Qualitative and quantitative micellar electrokinetic chromatography of kavalactones from dry extracts of *Piper methysticum* Forst. and commercial drugs 848(1999)457

**Sucrose**

Separation of a fructo-oligosaccharide mixture by hydrophilic interaction chromatography using silica-based micropellicular sorbents 803(1998)302

**Sugar acids**

Capillary electrophoresis for the simultaneous separation of selected carboxylated carbohydrates and their related 1,4-lactones 807(1998)89

Study of sugar acids separation by high-performance anion-exchange chromatography–pulsed amperometric detection using alkaline eluents spiked with  $\text{Ba}^{2+}$ ,  $\text{Sr}^{2+}$ , or  $\text{Ca}^{2+}$  as acetate or nitrate salts 848(1999)71

**Sugar alcohols**

Selective determination of D-sorbitol and D-mannitol in foodstuffs by ion chromatography with polarized photometric detection 804(1998)305

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

**Sugar phosphates**

Analysis of phosphorylated carbohydrates by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry utilising a  $\beta$ -cyclodextrin bonded stationary phase 803(1998)111

Analysis of sugar phosphates and related compounds using capillary zone electrophoresis with indirect UV detection 816(1998)251

**Sugar phosphorothioates**

Iodine–azide reagent for the detection of biologically oriented thiophosphoryl compounds in thin-layer chromatography systems 813(1998)135

**Sugars**

see also Carbohydrates and Saccharides

Novel applications for organic polymer capillaries 802(1998)17

Separation of the branch chain hexose, hamamelose, by high-performance liquid chromatography, and amperometric detection of hamamelose and related compounds 814(1998)105

Analysis of solutes and metabolites in single plant cell vacuoles by capillary electrophoresis 817(1998)337

Development of a new direct reversed-phase ion-pair high-performance liquid chromatographic method for the separation and determination of sialic acids 831(1999)179

Simultaneous quantitation of acids and sugars by chromatography: gas or high-performance liquid chromatography? 845(1999)181

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography–mass spectrometry 847(1999)91

**Sulfadimidine**

Recent advances in non-silylation derivatization techniques for gas chromatography 843(1999)1

**Sulfates**

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

Improved selectivity of anions with methanol as additive. Determination of  $\text{Cl}^-$ ,  $\text{NO}_3^-$  and  $\text{SO}_4^{2-}$  in river water by capillary electrophoresis 834(1999)393

Chromatographic determination of anions in industrial salt and sodium chloride brines used in chlor–alkali industry 841(1999)55

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP–MS as element-specific detector 844(1999)161

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

**Sulfides**

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Headspace solid-phase microextraction of sulphides and disulphides using Carboxen–polydimethylsiloxane fibers in the analysis of wine aroma 835(1999)137

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP–MS as element-specific detector 844(1999)161

**Sulfite**

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP–MS as element-specific detector 844(1999)161

**Sulfonamides**

Erratum to “Salt effects in capillary electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius”. [J. Chromatogr. A, 786 (1997) 171–180] 806(1998)365

Salt effects in capillary zone electrophoresis. II. Mechanisms of electrophoretic mobility modification due to Joule heating at high buffer concentrations 809(1998)159

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Analysis of antibiotics by liquid chromatography–mass spectrometry (Review) 812(1998)53

Salt effects in capillary zone electrophoresis. III. Systematic and selective factors in the high ionic strength separation of sulphonamides in sodium phosphate buffers 818(1998)217

Determination of antibiotics in different water compartments via liquid chromatography–electrospray tandem mass spectrometry 815(1998)213

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

#### **Sulfonates**

Interpretation of chromatographic behavior of ions based on the electric double-layer theory 850(1999)3

#### **Sulfonates, aromatic**

Generation of 275.4-nm UV output from a large-frame argon-ion laser for fluorescence detection in capillary electrophoresis 806(1998)355

Analysis of aromatic sulfonates in water by solid-phase extraction and capillary electrophoresis 822(1998)291

#### **Sulfonic acids**

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

#### **Sulfonium ions**

Capillary zone electrophoretic separation of sulfonium and thiophenium ions 802(1998)395

#### **Sulfonylureas**

Determination of acidic herbicides using liquid chromatography with pneumatically assisted electrospray ionization mass spectrometric and tandem mass spectrometric detection 803(1998)157

#### **Sulfophenylcarboxylic acids**

Determination of linear alkylbenzenesulfonates and their degradation products in water samples by gas chromatography with ion-trap mass spectrometry 818(1998)270

#### **Sulfosalicylic acid**

Low-molecular-mass anion screening for forensic environmental analyses by capillary zone electrophoresis with indirect UV detection 830(1999)439

#### **Sulfur**

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Evaluation of desulfurization procedures for the elimination of sulfur interferences in the organotin analysis of sediments 810(1998)245

Detection by ozone-induced chemiluminescence in chromatography 842(1999)267

Simultaneous determination of total nitrogen, phosphorus and sulphur by means of microwave digestion and ion chromatography 847(1999)285

#### **Sulfur compounds**

Capillary zone electrophoretic separation of sulfonium and thiophenium ions 802(1998)395

Detailed analysis of sulfur compounds in gasoline range petroleum products with high-resolution gas chromatography–atomic emission detection using group-selective chemical treatment 819(1998)67

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

Determination of polycyclic aromatic sulfur heterocyclic compounds in airborne particulate by gas chromatography with atomic emission and mass spectrometric detection 826(1998)57

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

Quantitative determination of sulfur-containing anions in complex matrices with capillary electrophoresis and conductivity detection 848(1999)503

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction–gas chromatography 849(1999)293

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

#### **Sulfur compounds, methylated**

Trace chromatographic analysis of dimethyl sulfoxide and related methylated sulfur compounds in natural waters 807(1998)151

#### **Sulfur compounds, volatile**

Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma 808(1998)211

**Sulfur-containing anions**

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP–MS as element-specific detector 844(1999)161

**Sulfur dioxide**

Simultaneous determination of sulphur oxides, nitrogen oxides and hydrogen chloride in flue gas by means of an automated ion chromatographic system 804(1998)151

Determination of gaseous sulphur dioxide by capillary isotachopheresis 836(1999)107

**Sulfurtransferases**

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

**Sulfur vesicants**

Analysis of mustard hydrolysis products by packed capillary liquid chromatography–electrospray mass spectrometry 808(1998)177

**Surface-adsorbed water**

Role of surface-adsorbed water in the horizontal polymerization of trichlorosilanes 830(1999)2485

**Surfactants**

see also Subject Index

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Characterization of interaction between cephalosporins and charged surfactants using capillary zone electrophoresis 802(1998)89

Recent developments in surfactant analysis by ion chromatography 804(1998)233

Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants 804(1998)319

Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239

Investigation of chromatographic behaviour of ethoxylated alcohol surfactants in normal-phase and reversed-phase systems using high-performance liquid chromatography–mass spectrometry 813(1998)299

Detergent extraction of herpes simplex virus type 1 glycoprotein D by zwitterionic and non-ionic detergents and purification by ion-exchange high-performance liquid chromatography 816(1998)29

Application of surfactants to the supercritical fluid extraction of nitroaromatic compounds from sediments 816(1998)221

Spliced capillaries for use in capillary electrophoresis with conductivity detection 817(1998)31

Use of several anionic surfactants for the separation of aniline derivatives in micellar electrokinetic chromatography 817(1998)59

Capillary electrophoretic study of the complex formation between DNA and cationic surfactants 817(1998)263

Separation of ergot alkaloids by micellar electrokinetic capillary chromatography using cationic Gemini surfactants 822(1998)281

Determination of fluorochemical surfactants in acid etch baths by ion chromatography with on-line matrix elimination 822(1998)321

Analysis of nonylphenol polyethoxylates and their degradation products in river water and sewage effluent by gas chromatography–ion trap (tandem) mass spectrometry with electron impact and chemical ionization 824(1998)79

General approach for the development of high-performance liquid chromatography methods for biosurfactant analysis and purification 825(1998)149

Determination of a non-ionic surfactant by solid-phase microextraction coupled with high-performance liquid chromatography and on-line derivatization 829(1998)401

Carbamate chiral surfactants for capillary electrophoresis 831(1999)311

Flavin mononucleotide for indirect laser-induced fluorescence detection of anions separated by capillary electrophoresis 835(1999)159

Migration behavior and separation of *s*-triazines in micellar electrokinetic capillary chromatography using a cationic surfactant 835(1999)197

Optimization of a matrix solid-phase dispersion method with sequential clean-up for the determination of alkylphenol ethoxylates in biological tissues 837(1999)129

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography–electrospray mass spectrometry 849(1999)467

**Surfactants, non-ionic**

Separation and identification of nonylphenylethylene oxide oligomers by high-performance liquid chromatography with UV and mass spectrometric detection 819(1998)297

**Surfactin**

General approach for the development of high-performance liquid chromatography methods for biosurfactant analysis and purification 825(1998)149

**Sydnonimines**

Determination of molsidomine and its active metabolite in human plasma using liquid chromatography with tandem mass spectrometric detection 819(1998)113

**T****Tacrine**

Capillary zone electrophoretic determination of some drugs against Alzheimer's disease 802(1998)121

**Tamoxifen**

Rapid drug metabolite profiling using fast liquid chromatography, automated multiple-stage mass spectrometry and receptor-binding 831(1999)227

**Tannic acid**

Thin-layer chromatography of gallic acid, methyl gallate, pyrogallol, phloroglucinol, catechol, resorcinol, hydroquinone, catechin, epicatechin, cinnamic acid, *p*-coumaric acid, ferulic acid and tannic acid 822(1998)167

**Tannins**

Anti-nutritional constituents of six underutilized legumes grown in Nigeria 823(1998)307

**Tantalum**

Determination of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol–citrate ternary complexes in geological materials by ion-interaction reversed-phase high-performance liquid chromatography 850(1999)257

**TaqI endonuclease**

Purification of TaqI endonuclease from *Thermus aquaticus* 828(1998)373

**Tartaric acid**

Simultaneous determination of anions and cations by ion-exclusion chromatography–cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79

**Taxanes**

Determination of paclitaxel and related diterpenoids in plant extracts by high-performance liquid chromatography with UV detection in high-performance liquid chromatography–mass spectrometry 802(1998)297

**Taxol**

Purification of taxol by industrial preparative liquid chromatography 813(1998)201

**Technetium**

Determination of dissociation constants of <sup>99m</sup>Tc radiopharmaceuticals by capillary electrophoresis 833(1999)83

**Temazepam**

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry 838(1999)273

**Terbutaline**

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

**Terpenes**

Group identification of essential oils components using partition coefficients in a hexane–acetonitrile system 814(1998)253

Polarity changes during capillary gas chromatographic and gas chromatographic–mass spectrometric analysis using serially coupled columns of different natures and temperature programming. Application to the identification of constituents of essential oils 819(1998)61

Determination of polar terpene oxidation products in aerosols by liquid chromatography–ion trap mass spectrometry 833(1999)121

Chromatographic separation of  $\alpha$ -pinene isomerization products 848(1999)297

**Terpenoids**

Analysis of fresh triterpenoid resins and aged triterpenoid varnishes by high-performance liquid chromatography–atmospheric pressure chemical ionisation (tandem) mass spectrometry 809(1998)21

Extraction and purification of perillyl alcohol from Korean orange peel by reversed-phase high-performance liquid chromatography 828(1998)445

Corrigendum to “Gas chromatographic-mass spectroscopic analysis of the acidic triterpenic fraction of mastic gum” [J. Chromatogr. A, 769 (1997) 263–273] 831(1999)333

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

**Tetraalkylammonium bromide**

Characterization of interaction between cephalosporins and charged surfactants using capillary zone electrophoresis 802(1998)89

**Tetraazacyclotridecanedione**

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

**Tetrachloroethene**

Quantitation of *N*<sup>ε</sup>-(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography–mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

**(2,3,5,6-Tetrachloro-4-methylsulphonyl)pyridine**

Determination of selected antifouling booster biocides by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

**Tetracyclines**

Migration behavior and separation of tetracycline antibiotics by micellar electrokinetic chromatography 802(1998)95

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Improved method for the on-line metal chelate affinity chromatography–high-performance liquid chromatographic determination of tetracycline antibiotics in animal products 812(1998)321

Iso- and epi-iso-chlortetracycline are the principal metabolites of chlortetracycline in the hen's egg 812(1998)327

Determination of antibiotics in different water compartments via liquid chromatography–electrospray tandem mass spectrometry 815(1998)213

Stability studies of tetracycline in methanol solution 827(1998)45

Purity assessment and resolution of tetracycline hydrochloride samples analysed using high-performance liquid chromatography with diode array detection 832(1999)67

Capillary electrophoresis of some tetracycline antibiotics coupled with reductive fast cyclic voltammetric detection 839(1999)193

Microcolumn high-performance liquid chromatographic assay for doxycycline in isolated alveolar macrophages 846(1999)181

**Tetradecylammonium ions**

Separation of fat-soluble vitamins by hydrophobic interaction electrokinetic chromatography with tetradecylammonium ions as pseudostationary phase 807(1998)285

**Tetradecyltrimethylammonium bromide**

Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants 804(1998)319

**Tetrafluoroethane**

Feasibility study of using refrigerant 1,1,1,2-tetrafluoroethane as the mobile phase in high-speed counter-current chromatography 835(1999)237

**Tetrahydroanthracene**

Hydrogen donor and acceptor abilities of pitches from coal and petroleum evaluated by gas chromatography 830(1999)155

**Tetrahydrocannabinol**

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

**Tetrahydrofuran**

Influence of solvent uptake and swelling by poly(styrene–divinylbenzene) column packings on sample sorption rate and band broadening in reversed-phase liquid chromatography 835(1999)3

**Tetrahydroisohumulones**

Investigation of hop and beer bitter acids by coupling of high-performance liquid chromatography to nuclear magnetic resonance spectroscopy 836(1999)245

**Tetrahydronaphthalenic derivatives**

Chiral resolution of the enantiomers of tetrahydronaphthalenic derivatives, new agonist and antagonist ligands for melatonin receptors, using high-performance liquid chromatography on cellulose chiral stationary phases 824(1998)15

**Tetrakis(methylpyridiniumyl)porphyrins**

Capillary electrophoretic separation of cationic porphyrins 802(1998)367

**Tetralones**

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography–nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

**Tetramethylammonium hydroxide**

Structural characterization of bio- and geo-macromolecules by off-line thermochemolysis with tetramethylammonium hydroxide 823(1998)433

**Tetrandrine**

Analysis of tetrandrine and fangchinoline in traditional Chinese medicines by capillary electrophoresis 811(1998)274

**T-2 Tetraol**

Determination of trichothecenes in cereals 830(1999)219

**Theanine**

Application of capillary electrophoresis to tea quality estimation 802(1998)219

**Theobromine**

Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpyrrolidone pre-column 848(1999)523

**Theophylline**

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

**Thiaarenes**

Determination of polycyclic aromatic sulfur heterocyclic compounds in airborne particulate by gas chromatography with atomic emission and mass spectrometric detection 826(1998)57

**Thiabendazole**

Application of ion-exchange cartridge clean-up in food analysis. I. Simultaneous determination of thiabendazole and imazalil in citrus fruit and banana using high-performance liquid chromatography with ultraviolet detection 810(1998)81

**Thianthrene**

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

**Thioanisole**

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

**Thiobendazole**

Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61

**Thiocolchicine**

Determination of alkaloids from the colchicine family by reversed-phase high-performance liquid chromatography 825(1998)96

**Thiocolchicoside**

Determination of alkaloids from the colchicine family by reversed-phase high-performance liquid chromatography 825(1998)96

**Thiocyanates**

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Monitoring the cyanidation of gold–copper ores with ion–interaction chromatography. Determination of the  $CN^-:Cu(I)$  molar ratio 804(1998)249

Determination of platinum(II,IV) and palladium(II) as thiocyanate complexes by capillary zone electrophoresis. Analysis of carboplatin and similar drugs 834(1999)321

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

**(2-Thiocyanomethylthio) benzothiazole**

Determination of selected antifouling booster biocides by high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

**Thiodiglycol**

Analysis of mustard hydrolysis products by packed capillary liquid chromatography–electrospray mass spectrometry 808(1998)177

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled on-line with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

**Thiodiglycolic acid**

Determination of thiodiglycolic acid in urine by capillary electrophoresis 847(1999)135

**Thioglycol methylate**

Speciation of dimethylarsinic acid and monomethylarsonic acid by gas chromatography–mass spectrometry 832(1999)183

**Thiols**

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

**Thiopental**

Characterization of the stereoselective metabolism of thiopental and its metabolite pentobarbital via analysis of their enantiomers in human plasma by capillary electrophoresis 838(1999)237

**Thiophanate methyl**

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

**Thiophenes**

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[*b*]thiophenes, benzo[*b*]naphthothiophenes and alkyl-substituted derivatives) on stationary phases of different selectivity 841(1999)207

**Thiophenium ions**

Capillary zone electrophoretic separation of sulfonium and thiophenium ions 802(1998)395

**Thiosulfate**

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP–MS as element-specific detector 844(1999)161

**Thorium**

Comparison of the retention behaviour of uranium and thorium on high-efficiency resin substrates impregnated or dynamically coated with metal chelating compounds 816(1998)286

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

**Threonine**

Protein phosphorylation: technologies for the identification of phosphoamino acids 808(1998)23

**Thuringiensin**

Quantitative analysis of thuringiensin by micellar electrokinetic capillary chromatography 809(1998)258

**TIPP[ψ]**

Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153

**Tocopherols**

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Procedure for the determination of retinol and  $\alpha$ -tocopherol in poultry tissues using capillary gas chromatography with solvent venting injection 818(1998)109

Simplified method for vitamin E determination in rat adipose tissue and mammary glands by high-performance liquid chromatography 823(1998)483

Determination of  $\alpha$ -tocopherol and  $\alpha$ -tocopheryl acetate in diets of experimental animals Study of stability in the diets 839(1999)93

**Tocopheryl acetate**

Determination of  $\alpha$ -tocopherol and  $\alpha$ -tocopheryl acetate in diets of experimental animals Study of stability in the diets 839(1999)93

**Tocotrienols**

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

**Tolterodine**

Column switching in capillary liquid chromatography–tandem mass spectrometry for the quantitation of pg/ml concentrations of the free basic drug tolterodine and its active 5-hydroxymethyl metabolite in microliter volumes of plasma 828(1998)209

**Toluene**

Gas chromatographic determination of binary adsorption isotherms 806(1998)293

On-line gas chromatography–mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography–flame ionization detection 826(1998)191

Comparative study on the column performance of microparticulate 5- $\mu$ m C<sub>18</sub>-bonded and monolithic C<sub>18</sub>-bonded reversed-phase columns in high-performance liquid chromatography 832(1999)11

**Toxaphenes**

Optimization of tandem columns for the isomer and enantiomer selective separation of toxaphenes 837(1999)201

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

Use of 6-*O*-*tert*-butyldimethylsilylated  $\beta$ -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

**Toxins**

see also Aflatoxins, Endotoxins and Mycotoxins

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

High-performance liquid chromatography of *Pasteurella haemolytica* leukotoxin using anion-exchange perfusion columns 808(1998)167

Chromatographic removal of endotoxin from hemoglobin preparations. Effects of solution conditions on endotoxin removal efficiency and protein recovery 809(1998)13

Quantitative analysis of thuringiensin by micellar electrokinetic capillary chromatography 809(1998)258



- High-performance liquid chromatographic determination of ochratoxin A in artificially contaminated cocoa beans using automated sample clean-up 810(1998)89
- Electrochemical detection of microcystins, cyanobacterial peptide hepatotoxins, following high-performance liquid chromatography 810(1998)226
- Chromatography and mass spectrometry of chemical warfare agents, toxins and related compounds: state of the art and future prospects 814(1998)1
- Thin-layer chromatography of mycotoxins and comparison with other chromatographic methods 815(1998)3
- Chromatographic determination of the fumonisin mycotoxins 815(1998)31
- Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49
- Direct analysis of several *Fusarium* mycotoxins in cereals by capillary gas chromatography–mass spectrometry 815(1998)59
- Use of various clean-up procedures for the analysis of ochratoxin A in cereals 815(1998)67
- Chromatographic methods for the determination of ochratoxin A in animal and human tissues and fluids 815(1998)75
- Natural occurrence of alternariol and alternariol methyl ether in Spanish apple juice concentrates 815(1998)93
- Instrumental methods for determination of nonmacrocytic trichothecenes in cereals, foodstuffs and cultures 815(1998)103
- Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133
- New, sensitive high-performance liquid chromatography method for the determination of slaframine in plasma and milk 815(1998)141
- Rapid analysis of ergovaline in ovine plasma using high-performance liquid chromatography with fluorimetric detection 815(1998)147
- Determination of pectenotoxin-2 after solid-phase extraction from seawater and from the dinoflagellate *Dinophysis fortii* by liquid chromatography with electrospray mass spectrometry and ultraviolet detection. Evidence of oxidation of pectenotoxin-2 to pectenotoxin-6 in scallops 815(1998)155
- Comparison of two clean-up principles for determination of trichothecenes in grain extract 829(1998)259
- Purification and quantification of destruxins A and B from *Metarhizium anisopliae* 830(1999)115
- Determination of trichothecenes in cereals 830(1999)219
- Single-step purification of immunotoxins containing a high ionic charge ribosome inactivating protein clavin by carboxymethyl high-performance membrane chromatography 830(1999)329
- Identification of illudins in *Omphalotus nidiformis* and *Omphalotus olivascens* var. *indigo* by column liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 832(1999)247
- Alternate pooling for optimizing high-performance liquid chromatographic fractionation of complex peptide mixtures 839(1999)57
- Separation, purity testing and identification of cyanobacterial hepatotoxins with capillary electrophoresis and electrospray mass spectrometry 839(1999)203
- Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53
- New approach to the direct detection of known and new diarrhoeic shellfish toxins in mussels and phytoplankton by liquid chromatography–mass spectrometry 847(1999)213
- Capillary electrophoresis with diode array detection as an alternative analytical method for paralytic and amnesic shellfish toxins 847(1999)223
- On-line trace enrichment for the simultaneous determination of microcystins in aqueous samples using high-performance liquid chromatography with diode-array detection 848(1999)179
- Purification of closely eluting hydrophobic microcystins (peptide cyanotoxins) by normal-phase and reversed-phase flash chromatography 848(1999)515
- β-Trace proteins**  
Sodium dodecyl sulfate–capillary gel electrophoretic analysis of molecular mass microheterogeneity of β-trace protein in cerebrospinal fluid from patients with central nervous system diseases 802(1998)143
- Tramadol**  
Simultaneous stereoselective analysis by capillary electrophoresis of tramadol enantiomers and their main phase I metabolites in urine 846(1999)227
- Transferrin**  
Thin-layer ion-exchange chromatography of proteins 816(1998)97
- Transition metals**  
Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103

**Trecetilide**

Sensitive determination of a new antiarrhythmic agent, trecetilide, in plasma by high-performance liquid chromatography with fluorescence detection 828(1998)259

**Triacylglycerol oxidation products**

Characterization of model triacylglycerol (triolein, trilinolein and trilinolenin) autoxidation products via high-performance liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometry 818(1998)169

**Triacylglycerols**

$\delta^{13}\text{C}$  analyses of vegetable oil fatty acid components, determined by gas chromatography–combustion–isotope ratio mass spectrometry, after saponification or regiospecific hydrolysis 805(1998)249

Prediction of relative retention times of triacylglycerols in non-aqueous reversed-phase high-performance liquid chromatography 808(1998)43

Silver-phase high-performance liquid chromatography–electrospray mass spectrometry of triacylglycerols 810(1998)53

Analysis of human milk triacylglycerols by high-performance liquid chromatography with light-scattering detection 823(1998)475

Comparison of the responses of triacylglycerols with an evaporative visible light scattering detector used in conventional, micro and capillary liquid chromatography 848(1999)95

**Triazines**

High-performance liquid chromatographic measurement of the 1-octanol–water partition coefficient of *s*-triazine herbicides and some of their degradation products 805(1998)119

Retention model for sorptive extraction–thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples 805(1998)237

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Application of an on-line liquid chromatographic system for the determination of polar herbicides in drinking water within a routine laboratory 813(1998)63

Analysis of triazines by reversed electroosmotic flow capillary electrophoresis–electrospray mass spectrometry 813(1998)379

Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen–phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection 823(1998)49

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377

Migration behavior and separation of *s*-triazines in micellar electrokinetic capillary chromatography using a cationic surfactant 835(1999)197

Analysis of atrazine, terbutylazine and their *N*-dealkylated chloro and hydroxy metabolites by solid-phase extraction and gas chromatography–mass spectrometry and capillary electrophoresis–ultraviolet detection 835(1999)217

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

**Triazole**

Determination of piperacillin and mezlocillin in human serum and urine by high-performance liquid chromatography after derivatisation with 1,2,4-triazole 812(1998)213

**Tribenzylamine**

Determination of organophosphate contaminants in jet fuel 847(1999)331

**(Tributylstannyl)methanol**

Development of chromatographic methods to monitor the synthesis of (tributylstannyl)methanol through unstable lithiated intermediates 840(1999)215

**Tributyltin**

Liquid chromatography with fluorimetric detection of triorganotin compounds in marine biological materials 809(1998)39

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

**Trichlorosilane**

Role of surface-adsorbed water in the horizontal polymerization of trichlorosilanes 830(1999)2485

**Trichothecenes**

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Instrumental methods for determination of nonmacrocytic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Determination of eight trichothecenes by gas chromatography–mass spectrometry after sample clean-up by a two-stage solid-phase extraction 815(1998)123

Comparison of two clean-up principles for determination of trichothecenes in grain extract 829(1998)259

Determination of trichothecenes in cereals 830(1999)219

**Triethyl phosphate**

Determination of organophosphate contaminants in jet fuel 847(1999)331

**Trifluoroacetic acid**

Capillary electrophoretic determination of acetic acid and trifluoroacetic acid in synthetic peptide samples 817(1998)153

**Trifluralin**

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

**Triglycerides**

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

**Trihalomethanes**

Solid-phase microextraction for the determination of iodinated trihalomethanes in drinking water 841(1999)197

**Trilinolein**

Characterization of model triacylglycerol (triolein, trilinolein and trilinolenin) autoxidation products via high-performance liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometry 818(1998)169

**Trilinolenin**

Characterization of model triacylglycerol (triolein, trilinolein and trilinolenin) autoxidation products via high-performance liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometry 818(1998)169

**Trimethyloxonium tetrafluoroborate**

Profiling of organic acids by capillary gas chromatography–mass spectrometry after direct methylation in urine using trimethyloxonium tetrafluoroborate 843(1999)237

**Trimethylsilyl derivatives**

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

**Trimethylthionophosphates**

Simultaneous gas chromatographic–mass spectrometric quantitation of the alkylbenzene inert components, pesticide manufacturing by-products and active ingredient in two malathion formulations 814(1998)181

**1,3,5-Trinitro-1,3,5-triazacyclohexane**

Sensitive determination of RDX, nitroso-RDX metabolites, and other munitions in ground water by solid-phase extraction and isotope dilution liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 844(1999)87

**Triolein**

Characterization of model triacylglycerol (triolein, trilinolein and trilinolenin) autoxidation products via high-performance liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometry 818(1998)169

**Triphenylborane**

Development of high-performance liquid chromatographic methods for measuring tetraphenylborate decomposition products in radioactive alkaline solutions 828(1998)461

**Triphenyltin**

Liquid chromatography with fluorimetric detection of triorganotin compounds in marine biological materials 809(1998)39

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

**Tripyridyltriazine**

Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491

**Tris(bipyridine)ruthenium(III)**

Liquid chromatography of aromatic amines with photochemical derivatization and tris(bipyridine)ruthenium(III) chemiluminescence detection 828(1998)421

**Trisdiketonato metal complexes**

Thin-layer chromatography of mixed tris- $\beta$ -diketonato metal complexes on polyacrylonitrile sorbent 847(1999)303

**Triterpenoic acids**

Corrigendum to “Gas chromatographic-mass spectroscopic analysis of the acidic triterpenic fraction of mastic gum” [J. Chromatogr. A, 769 (1997) 263–273] 831(1999)333

**Triterpenoids**

Qualitative determination of indole alkaloids, triterpenoids and steroids of *Tabernaemontana hilariana* 808(1998)264

Analysis of fresh triterpenoid resins and aged triterpenoid varnishes by high-performance liquid chromatography–atmospheric pressure chemical ionisation (tandem) mass spectrometry 809(1998)21

**Tritium**

Gas–solid chromatographic separation of hydrogen isotopes: a comparison between two palladium bearing materials – alumina and kieselguhr 822(1998)326

**Tröger's base**

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1

Kinetic study of the mass transfer of *S*-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

**Trovafloxacin**

Determination of trovafloxacin in human body fluids by high-performance liquid chromatography 846(1999)175

**Trypsin**

Protein separation by hydrophobic interaction chromatography using methacrylic block copolymers as displacers 824(1998)35

**Tryptophan**

Retention behavior of *D,L*-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

Quantitative analysis of thuringiensin by micellar electrokinetic capillary chromatography 809(1998)258

Determination of trace enantiomeric impurities in chiral compounds by capillary electrophoresis with uncoated, cationic, anionic and neutral surface modified capillaries 817(1998)83

Chiral separation of *DL*-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- $\beta$ -cyclodextrin as chiral resolving agent in methanol–water background electrolytes 827(1998)121

Capillary zone electrophoresis separations of enantiomers present in complex ionic matrices with on-line isotachophoretic sample pretreatment 838(1999)31

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

**Tryptophol**

Simultaneous analysis of tyrosol, tryptophol and ferulic acid in commercial sake samples by micellar electrokinetic chromatography 825(1998)102

**Tylosin**

Interlaboratory studies on two high-performance liquid chromatographic assays for tylosin (tartrate) 830(1999)3

**Tyramine**

Determination of biogenic amines by capillary electrophoresis 836(1999)305

**Tyrosine**

Protein phosphorylation: technologies for the identification of phosphoamino acids 808(1998)23

Simultaneous separation of *o*-, *m*-, *p*-fluoro-*DL*-phenylalanine and *o*-, *m*-, *p*-*DL*-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

**Tyrosol**

Simultaneous analysis of tyrosol, tryptophol and ferulic acid in commercial sake samples by micellar electrokinetic chromatography 825(1998)102

**U****Uranium**

Separation of uranium(VI) and lanthanides by capillary electrophoresis using on-capillary complexation with arsenazo III 803(1998)279

Comparison of the retention behaviour of uranium and thorium on high-efficiency resin substrates impregnated or dynamically coated with metal chelating compounds 816(1998)286

**Urea**

Simultaneous quantitative determination of thirteen urea pesticides at sub-ppb levels on a Zorbax SB-C<sub>18</sub> column 825(1998)200

**Uric acid**

Determination of allantoin in biofluids using micellar electrokinetic capillary chromatography 817(1998)345

**Uronic acid**

Characterization of totally chlorine-free effluents from Kraft pulp bleaching. II. Analysis of carbohydrate-derived constituents after acid hydrolysis by capillary zone electrophoresis 832(1999)203

**V****Vancomycin**

Fast chiral separation of amino acid derivatives and acidic drugs by co-electroosmotic flow capillary electrophoresis with vancomycin as chiral selector 825(1998)81

Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261

**Vanillic acid**

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

**Vanillin**

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

Identification and determination of active components in *Gastrodia elata* Bl. by capillary electrophoresis 849(1999)277

**Verapamil**

Straightforward solid-phase extraction method for the determination of verapamil and its metabolite in plasma in a 96-well extraction plate 828(1998)273

**Vinyl chloride**

Determination of thiodiglycolic acid in urine by capillary electrophoresis 847(1999)135

**Vinyl methyl ether**

Gas-phase reagents for carbon–carbon double bond location: new applications. II. Use of vinyl methyl ether chemical ionization mass spectrometry to characterize C<sub>23</sub> to C<sub>33</sub> insect cuticular alkenes 803(1998)203

**Vitamins**

see also Ascorbic acid and Retinol

Determination of vitamins in food based on supercritical fluid extraction prior to micellar electrokinetic capillary chromatographic analyses of individual vitamins 802(1998)233

Ascorbic acid possesses labile oxygen atoms in aqueous solution 802(1998)385

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Simultaneous determination of vitamin C and its carbamylated derivatives by high-performance liquid chromatography with post-column derivatization 806(1998)340

Determination of ascorbic acid in food by column liquid chromatography with electrochemical detection using eluent for pre-run sample stabilization 806(1998)361

Separation of fat-soluble vitamins by hydrophobic interaction electrokinetic chromatography with tetradecylammonium ions as pseudostationary phase 807(1998)285

Direct chiral resolution of pantothenic acid using 2-hydroxypropyl- $\beta$ -cyclodextrin in capillary electrophoresis 811(1998)269

Procedure for the determination of retinol and  $\alpha$ -tocopherol in poultry tissues using capillary gas chromatography with solvent venting injection 818(1998)109

Synergistic approaches based on nonchromatographic continuous separation techniques (solid-phase extraction and pervaporation) and chromatography couplings 819(1998)25

Chromatographic determination of flavin derivatives in baker's yeast 822(1998)59

Determination of riboflavin, flavin mononucleotide and flavin–adenine dinucleotide in wine and other beverages by high-performance liquid chromatography with fluorescence detection 823(1998)355

Simplified method for vitamin E determination in rat adipose tissue and mammary glands by high-performance liquid chromatography 823(1998)483

Simultaneous determination of fat-soluble vitamins A, D and E and pro-vitamin D<sub>2</sub> in animal feeds by one-step extraction and high-performance liquid chromatography analysis 825(1998)127

Column liquid chromatography determination of vitamins A and E in powdered milk and local flour: a validation procedure 826(1998)183

Determination of  $\alpha$ -tocopherol and  $\alpha$ -tocopheryl acetate in diets of experimental animals Study of stability in the diets 829(1999)93

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

**Volatile organic compounds**

see also Hydrocarbons

Evaluation of a small prototype passive sampler for airborne volatile organic compounds 802(1998)307

Two-stage microtrap as an injection device for continuous on-line gas chromatographic monitoring 805(1998)169

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

Evaluation of a new graphitized carbon black employed in sampling volatile organic compounds 810(1998)131

Determination of very volatile organic compounds in environmental water by injection of a large amount of headspace gas into a gas chromatograph 810(1998)141

- Use of a presolvent to include volatile organic analytes in the application range of on-line solid-phase extraction–gas chromatography–mass spectrometry 811(1998)117
- Measurement of volatile organic compounds by the US Environmental Protection Agency Compendium Method TO-17. Evaluation of performance criteria 813(1998)101
- Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195
- Synergistic approaches based on nonchromatographic continuous separation techniques (solid-phase extraction and pervaporation) and chromatography couplings 819(1998)25
- On-line gas chromatography–mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51
- Continuous determination of volatile organic compounds in the atmosphere by an automated gas chromatographic system 819(1998)177
- Tentative analysis of virgin olive oil aroma by supercritical fluid extraction–high-resolution gas chromatography–mass spectrometry 819(1998)267
- Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171
- Determination of acids and volatile compounds in red Txakoli wine by high-performance liquid chromatography and gas chromatography 823(1998)349
- Solid-phase microextraction as a source of data for the design of stripping aeration towers 823(1998)523
- Headspace solid-phase microextraction for the determination of volatile and semi-volatile pollutants in water and air 824(1998)53
- Concentration of small volumes of nonpolar solutions containing trace volatile compounds 824(1998)195
- Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39
- Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography–flame ionization detection 826(1998)191
- Evaluation of natural crab shell as an adsorbent for preconcentrating airborne volatile organic compounds collected in a canister 829(1998)215
- Study on volatile components in salami by reverse carrier gas headspace gas chromatography–mass spectrometry 830(1999)175
- Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques 830(1999)353
- Experimental study on solvent-less sample preparation methods. Membrane extraction with a sorbent interface, thermal membrane desorption application and purge-and-trap 830(1999)365
- Anthropogenic volatile organic compounds in ambient air and natural waters: a review on recent developments of analytical methodology, performance and interpretation of field measurements 843(1999)163
- Methodology for gas chromatographic–mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217
- Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317
- Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a  $\beta$ -cyclodextrin capillary column 846(1999)287
- Analysis of volatile organic compounds in human urine by headspace gas chromatography–mass spectrometry with a multipurpose sampler 847(1999)117
- Diffusion technique for the production of gas standards for atmospheric measurements 848(1999)239
- Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection 848(1999)305
- Volatile solvents**  
Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115
- Volatile sulfur compounds**  
Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection 848(1999)305
- VX**  
Characterization of equimolar VX–water reaction product by gas chromatography–mass spectrometry 809(1998)131
- On-line solid-phase extraction liquid chromatography–continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

# W

## Warfarin

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Determination of trace enantiomeric impurities in chiral compounds by capillary electrophoresis with uncoated, cationic, anionic and neutral surface modified capillaries 817(1998)83

## Water, subcritical

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

## Waxes

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

## Weak acids

Conductimetric detection of anions of very weak acids by incomplete suppressed ion chromatography 832(1999)141

## Whey proteins

Ultrarapid detection of bovine whey proteins in powdered soybean milk by perfusion reversed-phase high-performance liquid chromatography 822(1998)225

## Wogonin

Supercritical fluid extraction of flavonoids from *Scutellariae Radix* 830(1999)387

# X

## Xanthines

Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpyrrolidone pre-column 848(1999)523

## Xanthohumol

Quantitative analysis of xanthohumol and related prenylflavonoids in hops and beer by liquid chromatography–tandem mass spectrometry 832(1999)97

## Xanthonenes

Comparison of methods for extraction of flavanones and xanthonenes from the root bark of the osage orange tree using liquid chromatography 831(1999)167

## Xylenes

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography–flame ionization detection 826(1998)191

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a  $\beta$ -cyclodextrin capillary column 846(1999)287

## Xylo-hexosulose

Synthesis of L-xylo-hexos-2-ulose (L-sorbosone) and its characterisation by chromatographic and spectroscopic techniques 811(1998)261

# Y

## Yangonin

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

## Yttrium

Isocratic separation of lanthanides and yttrium by high-performance chelation ion chromatography on iminodiacetic acid bonded to silica 804(1998)223

# Z

## Zearalenone

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133

High-performance liquid chromatography–atmospheric-pressure chemical ionization mass spectrometry as a new tool for the determination of the mycotoxin zearalenone in food and feed 819(1998)277

#### **Zinc**

Ion exchange on resins with temperature-responsive selectivity. II. Thermo-induced concentration waves in ion-exchange column 802(1998)251

#### **Zinc complexes**

Thin-layer chromatography of mixed-ligand zinc complexes coupled with atomic absorption spectrometric analysis of zinc 825(1998)189

#### **Zinc pyrithione**

Detection of clobetasol propionate as an undeclared steroid in zinc pyrithione formulations by high-performance liquid chromatography with rapid-scanning ultraviolet spectroscopy and mass spectrometry 828(1998)239

Determination of the antifouling agent zinc pyrithione in water samples by copper chelate formation and high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 833(1999)105