

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

CUMULATIVE SUBJECT INDEX

Journal of Chromatography A, 851 (1999) 95-232

J. CHROMATOGR. A VOLS. 802–850



Absorbance detection

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Absorption

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Accelerated Solvent Extraction

see Pressurized liquid extraction 814(1998)187

Acid-base equilibria

Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3

α₁-Acid glycoprotein

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an α₁-acid glycoprotein column 818(1998)43

Acoustic effects

Acoustic effects in chromatography 850(1999)9

Actinomycetes

Identification of alkaloids and polyketides in an Actinomycete by high-performance liquid chromatography with mass spectrometric and UV-visible detection 818(1998)187

Activity coefficients

Association between cobalt(III) coordination compounds and anions measured by capillary electrophoresis 836(1999)93

Adsorbents

see also Affinity adsorbents, Sorbents and Stationary phases

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

Evaluation of a new graphitized carbon black employed in sampling volatile organic compounds 810(1998)131

Measurement of volatile organic compounds by the US Environmental Protection Agency Compendium Method TO-17. Evaluation of performance criteria 813(1998)101

Recent developments of magnetic beads for use in nucleic acid purification 816(1998)107

Frontal chromatography of proteins: The effect on column performance of the restricted diffusion of molecules in porous chromatographic adsorbents 828(1998)345

Evaluation of natural crab shell as an adsorbent for preconcentrating airborne volatile organic compounds collected in a canister 829(1998)215

Study of nitrophenols preconcentration using quinolin-8-ol immobilized on controlled-pore glass in the presence of iron(III). Chromatographic determination of dinoseb in lemon juice 839(1999)227

0021-9673/99/\$ - see front matter © 1999 Elsevier Science B.V. All right reserved PII: S0021-9673(99)01055-9

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Effect of the chelate ring size of diamine–Co(III) complexes on their hR_F values obtained under salting-out thin-layer chromatography conditions 847(1999)291

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

Adsorption

Salt-promoted adsorption of proteins onto amphiphilic agarosebased adsorbents. II. Effects of salt and salt concentration 803(1998)83

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Visualising intraparticle protein transport in porous adsorbents by confocal microscopy 813(1998)387

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Adsorption chromatography

(Normal-phase) capillary chromatography using acrylic polymerbased continuous beds 837(1999)25

Adsorption energy

Measurement of adsorption energies on heterogeneous surfaces by inverse gas chromatography 845(1999)103

Adsorption energy distributions

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45

Adsorption isotherms

Optimal operation of simulated moving-bed units for non-linear chromatographic separations. II. Bi-Langmuir isotherm 805(1998)37

Gas chromatographic determination of binary adsorption isotherms 806(1998)293

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

Thin-layer ion-exchange chromatography of proteins 816(1998)97

Characterization of hematite and its interaction with humic material using flow field-flow fractionation 816(1998)145

Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195

Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171

Design of the simulated moving bed process based on adsorption isotherm measurements using a perturbation method 827(1998)175

Overall mass-transfer coefficients in non-linear chromatography 827(1998)235

Application of the two-film theory to the determination of mass transfer coefficients for bovine serum albumin on anion-exchange columns 827(1998)259

Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281

Fitting competitive adsorption isotherms to the distribution data in normal phase systems with binary mobile phases 831(1999)131

Influence of solvent uptake and swelling by poly(styrene–divinylbenzene) column packings on sample sorption rate and band broadening in reversed-phase liquid chromatography 835(1999)3

Boronate affinity adsorption of RNA: possible role of conformational changes 840(1999)205

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Estimation of the adsorption energy distributions for the Jovanovic-Freundlich isotherm model with Jovanovic local behavior 849(1999)45

Adsorption model

Retention in reversed-phase chromatography: partition or adsorption? 829(1998)1

Aerosols

Determination of polar terpene oxidation products in aerosols by liquid chromatography—ion trap mass spectrometry 833(1999)121

Affinity absorbents

see also Immunoadsorbents

Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73

Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61

Hybrid affinity chromatography of α -galactosidase from *Verbascum thapsus* L. 808(1998)133

Improved fluorometric and chromatographic methods for the quantification of fumonisins B_1 , B_2 and B_3 815(1998)41

Expanded bed chromatography for one-step purification of mannose binding lectin from tulip bulbs using mannose immobilized on DEAE Streamline 822(1998)19

Selective adsorption of poly-His tagged glutaryl acylase on tailor-made metal chelate supports 848(1999)61

Salt-induced immobilization of affinity ligands onto epoxideactivated supports 849(1999)1

Comparative studies on chemically and enzymatically coupled DNA–Sepharose columns for purification of a lac repressor chimeric fusion protein 849(1999)403

Affinity capillary electrophoresis

Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219

Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173

Determination of the minor whey protein bovine lactoferrin in cheese whey concentrates with capillary electrophoresis 817(1998)187

Analysis and characterisation of cyclodextrins and their inclusion complexes by affinity capillary electrophoresis 836(1999)3

Development of capillary electrophoresis methods for the analysis of fluoroquinolones and application to the study of the influence of humic substances on their photodegradation in aqueous phase 837(1999)253

Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261

Affinity chromatography

see also Immobilized metal affinity chromatography and Immunoaffinity chromatography

Biphasic thermodynamic characterization of interactions by quantitative affinity chromatography and biosensor technology 803(1998)291

Affinity electrokinetic chromatography

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Affinity macroligand

Affinity precipitation – an alternative to fluidized bed adsorption? 827(1998)269

Affinity partitioning

Aqueous two-phase affinity partitioning of biotinylated liposomes using neutral avidin as affinity ligand 815(1998)189

Affinity precipitation

Affinity precipitation – an alternative to fluidized bed adsorption? 827(1998)269

Agar plates

Is the direct quantitation of antibiotics in agar by highperformance liquid chromatography useful? 812(1998)111

Agarose-based adsorbents

Salt-promoted adsorption of proteins onto amphiphilic agarosebased adsorbents. II. Effects of salt and salt concentration 803(1998)83

Agarose beads

Recent developments of magnetic beads for use in nucleic acid purification 816(1998)107

Agarose gel electrophoresis

Ultra-thin-layer agarose gel electrophoresis. I. Effect of the gel concentration and temperature on the separation of DNA fragments 830(1999)465

Agarose, superporous

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Faster isolation of recombinant factor VIII SQ, with a superporous agarose matrix 840(1999)39

Agglomerates

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139

Aggregation

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. III. Effect of aggregation of ovoglycoprotein on chiral resolution 830(1999)81

Air analysis

Evaluation of natural crab shell as an adsorbent for preconcentrating airborne volatile organic compounds collected in a canister 829(1998)215

Evaluation of a small prototype passive sampler for airborne volatile organic compounds 802(1998)307

Application of ion chromatography to the semiconductor industry. I. Measurement of acidic airborne contaminants in cleanrooms 804(1998)273

Two-stage microtrap as an injection device for continuous online gas chromatographic monitoring 805(1998)169

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

Determination of airborne, volatile amines from polyurethane foams by sorption onto a high-capacity cation-exchange resin based on poly(succinic acid) 809(1998)121

Separation of mixed halocarbons of environmental interest on a new type of silica-based porous-layer open tubular capillary gas chromatographic column 810(1998)119

Measurement of volatile organic compounds by the US Environmental Protection Agency Compendium Method TO-17. Evaluation of performance criteria 813(1998)101

Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195

Continuous determination of volatile organic compounds in the atmosphere by an automated gas chromatographic system 819(1998)177

Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen-phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91

Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171

Determination of polycyclic aromatic sulfur heterocyclic compounds in airborne particulate by gas chromatography with atomic emission and mass spectrometric detection 826(1998)57

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography—flame ionization detection 826(1998)191

Levels of metamidophos in air and vegetables after greenhouse applications by gas chromatography 829(1998)251

Determination of gaseous sulphur dioxide by capillary isotachophoresis 836(1999)107

New derivatization method for carboxylic acids in aqueous solution for analysis by capillary electrophoresis and laser-induced fluorescence detection 836(1999)325

Air analysis by gas chromatography 843(1999)129

Anthropogenic volatile organic compounds in ambient air and natural waters: a review on recent developments of analytical methodology, performance and interpretation of field measurements 843(1999)163

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Trace analysis of carbonyl compounds by liquid chromatography-mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO₂) in remote atmospheres 846(1999)265

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Determination of toxic nitrophenols in the atmosphere by high-performance liquid chromatography 846(1999)277

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a β -cyclodextrin capillary column 846(1999)287

Gas chromatographic determination of synthetic musk compounds in Norwegian air samples 846(1999)295

Diffusion technique for the production of gas standards for atmospheric measurements 848(1999)239

Analysis of brominated compounds in background air by gas chromatography-high-resolution mass spectrometry 848(1999)261

Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection 848(1999)305

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283

Development of an analytical method for beryllium in airborne dust by micellar electrokinetic chromatography 850(1999)363

Alkane stationary phases

Wetting transition in alkane liquids on silanised diatomaceous gas chromatographic supports 829(1998)201

Alkylglutathione ligands

Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73

Allomers

Liquid chromatographic separation and mass spectrometric identification of chlorophyll *b* allomers 837(1999)107

Aluminium-modified silica

Non-suppressed ion chromatography of cations on silica gel modified with aluminium 804(1998)171

Ammonium sulfobetaine stationary phases

Electrostatic ion chromatography of polarizable anions in saline waters with N-{2-[acetyl(3-sulfopropyl)amino]ethyl}-N,N-dimethyldodecanaminium hydroxide (ammonium sulfobetaine-1) as the stationary phase and a dilute electrolytic solution as the mobile phase 850(1999)161

Amperometric detection

see also Electrochemical detecton

Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography 814(1998)63

Determination of iron in complex matrices by ion chromatography with UV-Vis, thermal lens and amperometric detection using post-column reagents 829(1998)167

Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277

Amylose tris(3,5-dimethylphenylcarbamate) stationary phases

Chiral resolution of enantiomeric steroids by high-performance liquid chromatography on amylose tris(3,5-dimethylphenylcarbamate) under reversed-phase conditions 825(1998)107

Analysis of variance

Methodology for transfer of liquid chromatography methods based on statistical considerations 815(1998)173

Analyte focusing, on-column

Semi-micro ion chromatography of iodide in seawater 830(1999)211

Angelica sinenesis

Liquid chromatographic–electrospray mass spectrometric study of the phthalides of *Angelica sinensis* and chemical changes of *Z*-ligustilide 810(1998)71

Anion exchangers

see also Ion exchangers

Permanent coated capillaries with reversed electroosmotic flow for anion analysis 822(1998)101

Anthracene oil

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

Aplysia californica

Characterization of peptides from *Aplysia* using microbore liquid chromatography with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry guided purification 830(1999)105

Apoptosis

Separation of oligonucleosomal DNA fragments from apoptotic animal cells using a triad of Sephacryl columns 806(1998)61

Apparent polydispersity

Advances in the theory of particle size distributions by field-flow fractionation. Outlet and apparent polydispersity at constant field 831(1999)89

Apple juice

Natural occurrence of alternariol and alternariol methyl ether in Spanish apple juice concentrates 815(1998)93

Incidence of patulin in apple juice concentrates produced in Turkey 815(1998)99

Apples

Multiresidue determination of pesticides in apples and pears by gas chromatography-mass spectrometry 805(1998)319

High-performance liquid chromatography with diode-array detection for the determination of phenolic compounds in peel and pulp from different apple varieties 823(1998)331

Fast separation of (poly)phenolic compounds from apples and pears by high-performance liquid chromatography with diodearray detection 830(1999)301

Temperature, eluent flow-rate and column effects on the retention and quantitation properties of phenylthiocarbamyl derivatives of amino acids in reversed-phase high-performance liquid chromatography 832(1999)109

Determination of daminozide in apples and apple leaves by liquid chromatography-mass spectrometry 833(1999)53

Apricots

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography-mass spectrometry 847(1999)91

Aquaculture feed

Assay of L-ascorbic 2-monophosphate in aquaculture feeds by high-performance anion-exchange chromatography with conductivity detection 803(1998)141

Aqueous two-phase systems

Aqueous two-phase systems containing self-associating block copolymers. Partitioning of hydrophilic and hydrophobic biomolecules 839(1999)71

Archeology

New chromatographic, mass spectrometric and stable isotope approaches to the classification of degraded animal fats preserved in archaeological pottery 833(1999)209

Argentation chromatography

Silver-phase high-performance liquid chromatography– electrospray mass spectrometry of triacylglycerols 810(1998)53

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag⁺containing mobile phase 848(1999)83

Aroma compounds

Quantitative determination of trace and ultratrace flavour active compounds in red wines through gas chromatographic—ion trap mass spectrometric analysis of microextracts 806(1998)349

Aromatic adsorption

(Normal-phase) capillary chromatography using acrylic polymerbased continuous beds 837(1999)25

Art analysis

Analysis of fresh triterpenoid resins and aged triterpenoid varnishes by high-performance liquid chromatography—atmospheric pressure chemical ionisation (tandem) mass spectrometry 809(1998)21

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography-mass spectrometry of proteinaceous binders in paintings 846(1999)101

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography-mass spectrometry 846(1999)113

Artifacts

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Artificial intelligence

Towards an expert system in ion-exclusion chromatography by means of multiple classification ripple-down rules 804(1998)29

Association constants

Characterization of interaction between cephalosporins and charged surfactants using capillary zone electrophoresis 802(1998)89

Association between cobalt(III) coordination compounds and anions measured by capillary electrophoresis 836(1999)93

Simultaneous determination of the association constants of oligosaccharides to a lectin by capillary electrophoresis 837(1999)221

Capillary electrophoretic determination of the association constant of a protein and a neutral carbohydrate by introducing mercaptoethanesulfonate tags to the carbohydrate 839(1999)157

Atractylodes rhizome

Determination of atractylon in Atractylodes rhizome using supercritical fluid chromatography on-line coupled with supercritical fluid extraction by the direct induction method 810(1998)252

Atropisomers

Recent developments in the high-resolution gas chromatography of polychlorinated biphenyls 843(1999)323

Automation

Monitoring the actual carrier gas flow during large-volume oncolumn injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Use of a presolvent to include volatile organic analytes in the application range of on-line solid-phase extraction-gas chromatography-mass spectrometry 811(1998)117

Continuous determination of volatile organic compounds in the atmosphere by an automated gas chromatographic system 819(1998)177

Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75

Automated sample preparation for the determination of budesonide in plasma samples by liquid chromatography and tandem mass spectrometry 823(1998)401

Analytical supercritical fluid chromatography using fully automated column and modifier selection valves for the rapid development of chiral separations 826(1998)217

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Optimization of large-volume on-column injection conditions in gas chromatography by monitoring the actual carrier gas flow 841(1999)75

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Auto-resolution

Enantiomeric enrichment of non-racemic antihistamines by achiral high-performance liquid chromatography 813(1998)79

Avidin-dextran ligands

Aqueous two-phase affinity partitioning of biotinylated liposomes using neutral avidin as affinity ligand 815(1998)189

Axial compression

see also Dynamic axial compression

Consolidation and column performance of several packing materials for liquid chromatography in a dynamic axial compression column 813(1998)223

Axial dispersion

see also Dispersion

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1



Background electrolyte composition

see also Buffer composition

Separation of uranium(VI) and lanthanides by capillary electrophoresis using on-capillary complexation with arsenazo III 803(1998)279

Capillary zone electrophoresis in mixed aqueous-organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211

Capillary electrophoresis with wide-bore capillaries and non-aqueous media 813(1998)179

Use of quasi-equimolar, closely-spaced, poly-co-ion background electrolytes in capillary electrophoresis for the reduction of electromigration dispersion over a wide mobility range 814(1998)199

Nonaqueous capillary electrophoretic separation of enantiomers using the single-isomer heptakis(2,3-diacetyl-6-sulfato)-β-cyclodextrin as chiral resolving agent 816(1998)233

Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis 817(1998)15

Systematic approach to methods development for the capillary electrophoretic analysis of a minor enantiomer using a single-isomer sulfated cyclodextrin. A case study of L-carbidopa analysis 817(1998)105

Capillary zone electrophoresis study of aggregation of humic substances 817(1998)313

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

Study of cytokinin separation using capillary electrophoresis with cyclodextrin additives 818(1998)231

Non-aqueous capillary zone electrophoresis using polyethylene glycol as a matrix agent 822(1998)107

Determination of low-molecular-mass anionic compounds in beverage samples using capillary zone electrophoresis with simultaneous indirect ultraviolet and conductivity detection 822(1998)117

Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)-\(\beta\)-cyclodextrin as chiral resolving agent in methanol-water background electrolytes 827(1998)121

Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography 831(1999)293

Capillary zone electrophoresis in mixed aqueous-organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245

Simultaneous determination of inorganic anions, organic acids and metal cations by capillary electrophoresis 834(1999)65

Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis 835(1999)169

Simultaneous determination of inorganic anions, organic acids, amino acids and carbohydrates by capillary electrophoresis 837(1999)231

Polyethylene glycol as a separation medium for capillary zone electrophoretic analysis of pyridine derivatives 838(1999)89

Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution 838(1999)303

Separation of anilines by capillary electrophoresis with small ionic compounds as buffer additives 840(1999)269

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

Optimization of conductivity detection of low-molecular-mass anions in capillary zone electrophoresis 850(1999)355

Bacopa monniera

Application of high-performance liquid chromatography coupled to nuclear magnetic resonance spectrometry, mass spectrometry and bioassay for the determination of active saponins from *Bacopa monniera* Wettst. 847(1999)109

Bacteria

Carbohydrate profiling of bacteria by gas chromatography-mass spectrometry and their trace detection in complex matrices by gas chromatography-tandem mass spectrometry 843(1999)287

Bananas

Application of ion-exchange cartridge clean-up in food analysis. I. Simultaneous determination of thiabendazole and imazalil in citrus fruit and banana using high-performance liquid chromatography with ultraviolet detection 810(1998)81

Band broadening

see also Band profiles and Peak shape

Numerical simulation of band-broadening during hydrodynamic relaxation in frit-inlet field-flow fractionation channels 805(1998)149

Effect of interdetector peak broadening and volume in size-exclusion chromatography with dual viscometric-concentration detection 809(1998)1

Chemometric evaluation of the band broadening in micellar electrokinetic chromatography of peptides 809(1998)191

Influence of solvent uptake and swelling by poly(styrene—divinylbenzene) column packings on sample sorption rate and band broadening in reversed-phase liquid chromatography 835(1999)3

Bandpass filter function

Advances in the theory of particle size distributions by field-flow fractionation. Outlet and apparent polydispersity at constant field 831(1999)89

Band profiles

see also Band broadening and Peak shape

Asymmetry of protein peaks in capillary zone electrophoresis: effect of starting zone length and presence of polymer 817(1998)253

Theoretical analysis of the behavior of an heterogeneously packed chromatographic column 827(1998)241

Theoretical analysis of the behavior of a centrally injected band in a homogeneous chromatographic column 828(1998)19

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. I. Experimental protocol 830(1999)41

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatographic columns. II. Results obtained with Symmetry C₁₈ columns 830(1999)55

Band dispersion in chromatography – a new view of A-term dispersion 831(1999)3

Baseline noise

Routine check of baseline noise in ion chromatography 833(1999)97

Basidomycetes

Identification of illudins in *Omphalotus nidiformis* and *Omphalotus olivascens* var. *indigo* by column liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry 832(1999)247

Beer

Determination of underivatized amino acids in beverage samples by capillary electrophoresis 804(1998)349

Determination of low-molecular-mass anionic compounds in beverage samples using capillary zone electrophoresis with simultaneous indirect ultraviolet and conductivity detection 822(1998)117 Determination of riboflavin, flavin mononucleotide and flavin– adenine dinucleotide in wine and other beverages by highperformance liquid chromatography with fluorescence detection 823(1998)355

Quantitative analysis of xanthohumol and related prenylflavonoids in hops and beer by liquid chromatography tandem mass spectrometry 832(1999)97

Beverages

see also Beer, Soft drinks, Tea and Wine

Simultaneous analysis of tyrosol, tryptophol and ferulic acid in commercial sake samples by micellar electrokinetic chromatography 825(1998)102

Determination of inorganic ions in food and beverages by capillary electrophoresis 834(1999)401

Binding constants

Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261

Binding media

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography-mass spectrometry 846(1999)113

Bio-Gel P2

Size exclusion chromatography of polypeptides on Bio-Gel P2 in the dynamic axial compression mode 840(1999)281

Biosensors

Biphasic thermodynamic characterization of interactions by quantitative affinity chromatography and biosensor technology 803(1998)291

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

$Bis(\beta\text{-}diketonato)\text{-}copper\ stationary\ phases$

Separation properties of bis(β -diketonato)-copper(II) complexes in capillary gas chromatography 809(1998)65

Bitumen

Development of an on-line coupling of liquid-liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

Bituminous waste

Gas chromatographic study for the evaluation of the suitability of bituminous waste material as an additive for coke production 823(1998)527

Blackcurrant

Combination of chromatographic techniques for the preparative isolation of anthocyanins — applied on blackcurrant (*Ribes nigrum*) fruits 825(1998)89

Boiling points

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Book Reviews

Basic gas chromatography (by H.M. McNair and J.M. Miller) 816(1998)293

Practical HPLC method development, 2nd edition (by L.R. Snyder, J.J. Kirkland and J.L. Glajch) 816(1998)295

Solid-phase microextraction – Theory and practice (by J. Pawliszyn) 824(1998)247

Handbook of capillary electrophoresis, 2nd edition (edited by J.P. Landers) 825(1998)205

Handbook of HPLC (edited by E. Katz, R. Eksteen, P. Schoenmakers and N. Miller) 835(1999)249

Breakthrough volumes

Evaluation of a new graphitized carbon black employed in sampling volatile organic compounds 810(1998)131

Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds 816(1998)195

Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171

Brine

Determination of magnesium and calcium in 30% sodium chloride by ion chromatography with on-line matrix elimination 816(1998)282

Buffer composition

see also Background electrolyte composition, Chiral selectors and Organic modifiers

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Migration behavior and separation of tetracycline antibiotics by micellar electrokinetic chromatography 802(1998)95

Separations of anionic and cationic synthetic polyelectrolytes by capillary gel electrophoresis 802(1998)149

Capillary electrophoretic separation of mono- and dinucleotides of adenosine using cyclodextrin solutions with MgCl₂ additive 802(1998)167

Capillary zone electrophoresis for the separation and characterization of humic acids 802(1998)189

Separation of rare-earth ions by isotachophoresis and capillary zone electrophoresis 802(1998)203

Determination of bromide ions in seawater by capillary zone electrophoresis using diluted artificial seawater as the buffer solution 802(1998)211

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

Separation of nine iridoids by capillary electrophoresis and high-performance liquid chromatography 803(1998)179

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants 804(1998)319

Use of dyes as indirect detection probes for the high-sensitivity determination of anions by capillary electrophoresis 804(1998)327

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Analysis of cellulose degradation products by capillary electrophoresis 804(1998)363

Enhancement of the zone electrophoretic separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of aldoses as borate complexes by concerted ion-interaction electrokinetic chromatography with Polybrene 805(1998)277

Improved capillary electrophoretic separation of glycosylated oligopeptides through addition of poly(vinyl alcohol), and analysis by electrospray mass spectrometry 805(1998)285

Capillary zone electrophoresis in mixed aqueous-organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. I. Methanol 806(1998)325

Chiral analysis by capillary electrophoresis using antibiotics as chiral selector (Review) 807(1998)37

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Capillary electrophoresis in biochemical and clinical laboratories. Selected attractive examples 807(1998)135

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Enhancements in micellar electrokinetic chromatographic separations with decanonyl-N-methylalkanamide micelles through the addition of alkyl sulfates 808(1998)237

Separation of cimetidine and related materials by aqueous and non-aqueous capillary electrophoresis 808(1998)269

Salt effects in capillary zone electrophoresis. II. Mechanisms of electrophoretic mobility modification due to Joule heating at high buffer concentrations 809(1998)159

Capillary electrophoretic separation of α -, β -, γ - and δ cyclodextrins using a dual electrolyte system 811(1998)193

Mixed-mode capillary electrokinetic separation of positional explosive isomers using sodium dodecyl sulfate and negative-β-cyclodextrin derivatives 811(1998)225

Optimization of the capillary electrophoretic separation of bisbenzylisoquinoline alkaloids by an overlapping resolution mapping scheme 814(1998)223

Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243

Analysis of sugar phosphates and related compounds using capillary zone electrophoresis with indirect UV detection 816(1998)251

Stacking of weakly cationic compounds by acetonitrile for capillary electrophoresis 817(1998)25

Strategy for selecting separation solutions in capillary electrophoresis—mass spectrometry 817(1998)49

Use of several anionic surfactants for the separation of aniline derivatives in micellar electrokinetic chromatography 817(1998)59

Capillary electrochromatographic separation of basic compounds with bare silica as stationary phase 817(1998)65

Chiral separations by capillary zone electrophoresis with the use of cyanoethylated- β -cyclodextrin as chiral selector 817(1998)91

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium β -cyclodextrin 817(1998)121

Protein profiling employing capillary electrophoresis with dendrimers as pseudostationary phase media 817(1998)233

Asymmetry of protein peaks in capillary zone electrophoresis: effect of starting zone length and presence of polymer 817(1998)253

Quality control of pentosane polysulfate by capillary zone electrophoresis using indirect detection 817(1998)297

Capillary electrophoretic separation of polynuclear aromatic hydrocarbons using sodium cholate in mixed aqueous-organic buffers 817(1998)307

Salt effects in capillary zone electrophoresis. III. Systematic and selective factors in the high ionic strength separation of sulphonamides in sodium phosphate buffers 818(1998)217

Effect of various cyclodextrin derivatives on the resolution of fencamfamine isomers with capillary electrophoresis and nuclear magnetic resonance 818(1998)239

Electrophoretic stereoisomer separation of aspartyl dipeptides and tripeptides in untreated fused-silica and polyacrylamidecoated capillaries using charged cyclodextrins 822(1998)137

Fast chiral separation of amino acid derivatives and acidic drugs by co-electroosmotic flow capillary electrophoresis with vancomycin as chiral selector 825(1998)81

Influence of organic solvents in the capillary zone electrophoresis of polycyclic aromatic hydrocarbon metabolites 829(1998)289

Effect of additives on chiral selectivities by β -cyclodextrin in capillary electrophoresis based on the phenomenon of solvatochromism 829(1998)301

Comparison of native, alkylated and charged cyclodextrins for the chiral separation of labetalol stereoisomers by capillary electrophoresis 829(1998)341

Simultaneous determination of inorganic anions and cations in waters by capillary electrophoresis 829(1998)359

Quantitation of counter ion of a water-insoluble drug by nonaqueous capillary electrophoresis with indirect UV detection 829(1998)411

Erratum to "Separation of cimetidine and related materials by aqueous and non-aqueous capillary electrophoresis" [J. Chromatogr. A, 808 (1998) 269–275] 829(1998)419

Low-molecular-mass anion screening for forensic environmental analyses by capillary zone electrophoresis with indirect UV detection 830(1999)439

Separation of purine and pyrimidine bases by capillary zone electrophoresis with carbonate buffers 831(1999)123

Carbamate chiral surfactants for capillary electrophoresis 831(1999)311

Use of micellar partition in capillary isotachophoretic focusing 832(1999)265

Control of separation selectivity in capillary zone electrophoresis of inorganic anions 834(1999)213

Separation of micrometer-size oxide particles by capillary zone electrophoresis 834(1999)445

Evaluation of different electrolyte systems and on-line preconcentrations for the analysis of haloacetic acids by capillary zone electrophoresis 835(1999)187

Migration behavior and separation of *s*-triazines in micellar electrokinetic capillary chromatography using a cationic surfactant 835(1999)197

Determination of biogenic amines by capillary electrophoresis 836(1999)305

Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241

Usefulness of methylated-β-cyclodextrin-based buffers for the separation of highly hydrophobic solutes in non-aqueous capillary electrophoresis. Application to the separation of derivatized phytosterols 837(1999)281

Buffer properties of biopolymer solutions, as related to their behaviour in electrokinetic methodologies 838(1999)11

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

New leading electrolyte for the direct determination of chloride and other anions in analytical isotachophoresis 838(1999)81

Protein folding observed by capillary electrophoresis in isoelectric buffers 838(1999)131

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

DNA-histidine complex formation in isoelectric histidine buffers 838(1999)179

Separation of peptides in isoelectric cysteic acid buffer and hydro-organic solvents (hexafluoro-2-propanol-urea) 840(1999)117

Capillary electrophoretic separation enhanced by a macrocyclic dioxopolyamine additive 844(1999)439

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

Macrocyclic polyamine as a selective modifier in a bondedphase capillary column for the electrophoretic separation of aromatic acids 848(1999)401

Capillary zone electrophoresis of rigid submicron-sized particles in polyacrylamide solution. Selectivity, peak spreading and resolution 848(1999)443

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

Factors affecting selectivity of inorganic anions in capillary electrophoresis 850(1999)319

Buffering capacity

Buffer properties of biopolymer solutions, as related to their behaviour in electrokinetic methodologies 838(1999)11

Butter

Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry 844(1999)295

Butyldimethylsilylation

Derivatives of cytokinins for negative ion mass spectrometry 811(1998)246



CACMM2 adsorbent

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Calcium signaling

Detection of gene expression in single neurons by patch-clamp and single-cell reverse transcriptase polymerase chain reaction 806(1998)209

Calibration

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Calibration principles for flow injection analysis-capillary electrophoresis systems with electrokinetic injection 808(1998)219

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Lack-of-fit testing of ion chromatographic calibration curves with inexact replicates 850(1999)43

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

Calibration curves

Ion-chromatographic quantitation of fluoride and acetate. Statistical comparison of calibration curves from two similar eluents 804(1998)123

Calibration standards

Retention index systems: alternatives to the n-alkanes as calibration standards 842(1999)51

Calixarene stationary phases

Enantiomer separation of amino acid derivatives on a new polymeric chiral resorc[4]arene stationary phase by capillary gas chromatography 840(1999)145

Preparation and study of two polysiloxanes with pendant handbasket type calixarene stationary phases for capillary gas chromatography 840(1999)225

Canonical discriminant analysis

Artificial neural network classification based on capillary electrophoresis of urinary nucleosides for the clinical diagnosis of tumors 828(1998)489

Capacity gradients

High-performance anion-exchange chromatographic separations of carbohydrates on a macrocycle-based stationary phase with eluents of relatively low pH and concentration 804(1998)69

Capacity gradient anion chromatography with a borate complex as eluent 850(1999)73

Capillary chromatography

(Normal-phase) capillary chromatography using acrylic polymer-based continuous beds 837(1999)25

Capillary columns

see also Coated capillaries

Novel applications for organic polymer capillaries 802(1998)17

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

Simple technique for joining of capillaries in capillary separation methods 802(1998)381

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Measurement and prediction of dead times and column diameter in capillary gas chromatography by using air, methane and some solvents 811(1998)85

Electrophoretic separation of inorganic anions with an anion complexone-modified capillary column 815(1998)251

Capillary preconditioning for analysis of anions using indirect UV detection in capillary zone electrophoresis. Systematic investigation of alkaline and acid prerinsing techniques by designed experiments 816(1998)261

Spliced capillaries for use in capillary electrophoresis with conductivity detection 817(1998)31

Deactivation of frits for use in capillary high-performance liquid chromatography and capillary electrochromatography with characterization by imaging with laser-induced fluorescence 818(1998)257

Polarity changes during capillary gas chromatographic and gas chromatographic—mass spectrometric analysis using serially coupled columns of different natures and temperature programming. Application to the identification of constituents of essential oils 819(1998)61

Separation of carotenoids by subcritical fluid chromatography with coated, packed capillary columns and neat carbon dioxide 823(1998)313

Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating 823(1998)561

Capillary electrophoresis using diol-bonded fused-silica capillaries 830(1999)415

Preparation of linear polyacrylamide-coated capillaries. Study of the polymerization process and its effect on capillary electrophoresis performance 830(1999)423

Separation of hydrohalocarbons and chlorofluorocarbons using a cyclodextrin gas solid chromatography capillary column 832(1999)253

Attempt to define the role of the length of the packed section in capillary electrochromatography 836(1999)25

Strategies for speed optimisation in gas chromatography: an overview 842(1999)3

Influence of temperature and *n*-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Open tubular capillary electrochromatography in etched, chemically modified 20 µm I.D. capillaries 845(1999)237

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Deactivation of metal capillaries for gas chromatography 845(1999)33

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography—electrospray ionization mass spectrometry and capillary electrophoresis—electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Electrophoretic separation of linear and supercoiled DNA in uncoated capillaries 849(1999)267

Capillary electrochromatography

Effect of electric field on liquid chromatographic separation of peptide digests. Combining capillary separation techniques 832(1999)149

Monolithic columns containing sol-gel bonded octadecylsilica for capillary electrochromatography 837(1999)35

Capillary electrophoresis

see also Affinity capillary electrophoresis, Electrokinetic chromatography, Electrophoresis, Isoelectric focusing, Isotachophoresis, Micellar electrokinetic chromatography, Nonaqueous capillary electrophoresis and Special Issue Index

Comparison of the reproducibility in migration times between a constant-current and a constant-voltage mode of operation in capillary zone electrophoresis 802(1998)391

What are the unanswered (and unasked) questions in ion analysis? 804(1998)3

Dynamic control for ultra-fast separations of organic acids in capillary zone electrophoresis. A new direction to improve resolution 817(1998)129

Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287

Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating 823(1998)561

Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds 834(1999)21

Indirect photometric detection of anions in capillary electrophoresis 834(1999)189

Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233

Analysis of inorganic cations as their complexes by capillary electrophoresis 834(1999)277

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Capillary electrophoresis-mass spectrometry

see also Mass spectrometry

Separation of acidic enantiomers by capillary electrophoresis—mass spectrometry employing a partial filling technique 802(1998)83

Application of capillary zone electrophoresis-inductively coupled plasma mass spectrometry and capillary isoelectric focusing-inductively coupled plasma mass spectrometry for selenium speciation 807(1998)71

Strategy for selecting separation solutions in capillary electrophoresis-mass spectrometry 817(1998)49

Analysis of metal species by using electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry 819(1998)231

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

General considerations for optimizing a capillary electrophoresis-electrospray ionization time-of-flight mass spectrometry system 829(1998)279

Determination of chlorinated acid herbicides and related compounds in water by capillary electrophoresis-electrospray negative ion mass spectrometry 829(1998)327

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Capillary zone electrophoresis

Capillary zone electrophoresis and ion chromatography in the low $\mu g/l$ range applied to the determination of anions in hydrogen peroxide 829(1998)351

Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233

Application of capillary isotachophoresis and capillary zone electrophoresis to the determination of inorganic ions in food and feed samples 834(1999)419

Isotachophoresis in zone electrophoresis 838(1999)55

Caramel

Qualitative and quantitative evaluation of mono- and disaccharides in D-fructose, D-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-D-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

Carbohydrate-protein interactions

Simultaneous determination of the association constants of oligosaccharides to a lectin by capillary electrophoresis 837(1999)221

Carbon isotope ratio analysis

Oil spill identification 843(1999)369

Carrier gas

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Carrier gas flow

Monitoring the actual carrier gas flow during large-volume oncolumn injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Catalysis

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid–liquid reactor for catalytic reactions 828(1998)523

Catalysts

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Catfish

Microwave mediated distillation with solid-phase microextraction: determination of off-flavors, geosmin and methylisoborneol, in catfish tissue 833(1999)223

Catharanthus roseus

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

Cation-exchange displacers

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography 814(1998)83

Cattle bone powder

Properties of cattle bone powder-coated composite particles as high-performance and open column liquid chromatographic column packings 813(1998)21

Caulerpa prolifera

Separation and identification of chlorophylls and carotenoids from *Caulerpa prolifera*, *Jania rubens* and *Padina pavonica* by reversed-phase high-performance liquid chromatography 829(1998)153

Cells

Study of single cells by using capillary electrophoresis and native fluorescence detection 830(1999)243

Cellulose packings

Preparative fractionation of polysaccharides by columns packed with regenerated cellulose gels 816(1998)131

Cellulose triacetate stationary phase

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1

Central composite design

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Centrifugal partition chromatography

Capillary electrophoretic separation of cationic porphyrins 802(1998)367

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

Ceramics

New chromatographic, mass spectrometric and stable isotope approaches to the classification of degraded animal fats preserved in archaeological pottery 833(1999)209

Cereals

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

Liquid chromatographic method for determining added folic acid in fortified cereal products 826(1998)235

Cerebrospinal fluid

Sodium dodecyl sulfate–capillary gel electrophoretic analysis of molecular mass microheterogeneity of β -trace protein in cerebrospinal fluid from patients with central nervous system diseases 802(1998)143

Charge coupled device detection

Dynamic analysis of capillary electrophoresis data using realtime neural networks 833(1999)231

Charge transfer interaction

Determination of inorganic anions on porous graphitic carbon using evaporative light scattering detection. Use of carboxylic acids as electronic competitors 829(1998)193

Cheese

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Flavour characterisation and classification of cheeses by gas chromatographic-mass spectrometric profiling 847(1999)203

Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods 848(1999)529

Chemical reaction interface mass spectrometry

Analysis of biopolymers by size-exclusion chromatographymass spectrometry 828(1998)509

Chemiluminescence

Detection by ozone-induced chemiluminescence in chromatography 842(1999)267

Chemiluminescence detection

On-column chemiluminescence detection of rare earth ions with capillary electrophoresis 813(1998)361

Liquid chromatography of aromatic amines with photochemical derivatization and tris(bipyridine)ruthenium(III) chemiluminescence detection 828(1998)421

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis-chemiluminescence detection 832(1999)191

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

Chemometrics

see also specific methods

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Aligning of single and multiple wavelength chromatographic profiles for chemometric data analysis using correlation optimised warping 805(1998)17

Calibration principles for flow injection analysis-capillary electrophoresis systems with electrokinetic injection 808(1998)219

Chemometric evaluation of the band broadening in micellar electrokinetic chromatography of peptides 809(1998)191

High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255

Capillary preconditioning for analysis of anions using indirect UV detection in capillary zone electrophoresis. Systematic investigation of alkaline and acid prerinsing techniques by designed experiments 816(1998)261

Development of a gas chromatography-mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95

High-performance liquid chromatography of basic compounds. Problems, possible solutions and tests of reversed-phase columns 828(1998)407

Artificial neural network classification based on capillary electrophoresis of urinary nucleosides for the clinical diagnosis of tumors 828(1998)489

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Direct high-performance liquid chromatographic separations of metoprolol analogues on a Chiralcel OD column using chemometrics 839(1999)23

Development and optimisation of a new derivatisation procedure for gas chromatographic—mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-bystep optimisation procedures 840(1999)81

Classification of stationary phases and other materials by gas chromatography 842(1999)79

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

Chemosensors

Chemosensory system for rapid automated quality control 845(1999)85

Chewing gum

Rapid method for analysis of nicotine and nicotine-related substances in chewing gum formulations 829(1998)143

Chip technology

Micromachined heated chemical reactor for pre-column derivatisation 815(1998)265

Chiralpak AD

Direct chiral separation with Chiralpak AD converted to the reversed-phase mode 805(1998)309

Chiral selectors

see also Buffer composition and Mobile phase composition

Discrimination properties of tetraamidic branched selectors 802(1998)315

Cationic β -cyclodextrin derivative for chiral separations 803(1998)261

Chiral analysis by capillary electrophoresis using antibiotics as chiral selector (Review) 807(1998)37

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

New derivatives of cyclodextrins as chiral selectors for the capillary electrophoretic separation of dichlorprop enantiomers 810(1998)193

Dermatan sulfate as useful chiral selector in capillary electrophoresis 814(1998)205

Noncovalent linking of a chiral selector to unmodified silica gel through amine functional groups 822(1998)11

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of α -hydroxy acids 838(1999)223

High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167

Cyclodextrin derivatives as chiral selectors for direct gas chromatographic separation of enantiomers in the essential oil, aroma and flavour fields 843(1999)99 Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Chiral stationary phases, electrochromatography

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

Chiral stationary phases, GC

Enantiomer separation of amino acid derivatives on a new polymeric chiral resorc[4]arene stationary phase by capillary gas chromatography 840(1999)145

Use of 6-*O-tert.*-butyldimethylsilylated \(\beta\)-cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Chiral stationary phases, LC

Direct enantiomeric separation of mianserin and 6-azamianserin derivatives using chiral stationary phases 803(1998)169

Capillary electrophoretic and high-performance liquid chromatographic studies of the enantioselective separation of α_1 -adrenoreceptor antagonists 803(1998)189

Direct chiral separation with Chiralpak AD converted to the reversed-phase mode 805(1998)309

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

Liquid chromatography-electrospray mass spectrometry method to separate and detect N-*tert*.-butoxycarbonyl peptides 808(1998)253

Nuclear magnetic resonance studies for the chiral recognition of the novel chiral stationary phase derived from 18-crown-6 tetracarboxylic acid 810(1998)33

Preparation and chiral recognition of (S)-binaphthol derivativebonded phase for high-performance liquid chromatography 813(1998)35

Enantiomeric enrichment of non-racemic antihistamines by achiral high-performance liquid chromatography 813(1998)79

Chiral separation of 2,4-dinitrophenyl amino acids using 3-O-methyl-β-cyclodextrin-bonded stationary phase in reversed-phase liquid chromatography 814(1998)247

Enantiomer separation by pressure-supported electrochromatography using capillaries packed with a permethyl-β-cyclodextrin stationary phase 815(1998)183

Stereoselective analysis of benazepril and its stereoisomers by reversed-phase high-performance liquid chromatography on a chiral AGP column 818(1998)53

Noncovalent linking of a chiral selector to unmodified silica gel through amine functional groups 822(1998)11

Direct optical resolution of *trans*-dihydrodiol enantiomers of fjord-region polycyclic aromatic hydrocarbons by high-performance liquid chromatography on a modified cellulose phase 822(1998)29

Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

Liquid chromatographic resolution of racemic amino acids and their derivatives on a new chiral stationary phase based on crown ether 822(1998)155

Dynamic ligand-exchange chiral stationary phases derived from N-substituted (S)-phenylglycinol selectors 824(1998)7

Chiral resolution of enantiomeric steroids by high-performance liquid chromatography on amylose tris(3,5-dimethyl-phenylcarbamate) under reversed-phase conditions 825(1998)107

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Highly sensitive method for the separation of enantiomeric and regioisomeric diacylglycerols as 2-anthrylurethanes by chiral-phase high-performance liquid chromatography with fluorescence detection 829(1998)81

High-efficiency chiral separations of *N*-derivatized amino acids by packed-capillary electrochromatography with a quinine-based chiral anion-exchange type stationary phase 829(1998)115

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. III. Effect of aggregation of ovoglycoprotein on chiral resolution 830(1999)81

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

Enantioseparations in normal- and reversed-phase nano-highperformance liquid chromatography and capillary electrochromatography using polyacrylamide and polysaccharide derivatives as chiral stationary phases 837(1999)51

Liquid chromatographic resolution of racemic amines and amino alcohols on a chiral stationary phase derived from crown ether 837(1999)75

Comparison of enantioselective separation of *N-tert.*-butyloxycarbonyl amino acids and their non-blocked analogues on teicoplanin-based chiral stationary phase 838(1999)121

Chitosan derivatives as chiral selectors bonded on allyl silica gel: preparation, characterisation and study of the resulting highperformance liquid chromatography chiral stationary phases 839(1999)15

Structural optimization of a chiral selector for use in preparative enantioselective chromatography 840(1999)151

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. V. Influence of immobilization method on chiral resolution 840(1999)171

Optimization and validation of chiral high-performance liquid chromatographic method for analysis of a fibrinogen (gpIIb/IIIa) receptor antagonist 844(1999)171

High-performance liquid chromatographic separation of novel atropic α , α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Chiral stationary phases, SFC

Thermodynamic study and separation mechanism of diltiazem optical isomers in packed-column supercritical fluid chromatography 848(1999)337

Cholesterol-silica stationary phases

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Chromatin fibers

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

Chromatofocusing

Enrichment and purification of proteins of *Haemophilus* influenzae by chromatofocusing 806(1998)279

Quasi-linear pH gradients for chromatofocusing using simple buffer mixtures: local equilibrium theory and experimental verification 814(1998)43

Displacement chromatography of proteins using a selfsharpening pH front formed by adsorbed buffering species as the displacer 825(1998)115

Chromobacterium viscosum

Hydrophobic interaction chromatography of *Chromobacterium viscosum* lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

Chromosomes

Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

Circular dichroism

Direct optical resolution of *trans*-dihydrodiol enantiomers of fjord-region polycyclic aromatic hydrocarbons by high-performance liquid chromatography on a modified cellulose phase 822(1998)29

Clamped homogeneous electric field

Kinetic properties of DNA migration under clamped homogeneous electric field conditions. DNA size, migration velocities and reorientation time determined in a single clamped homogeneous electric field run 806(1998)123

Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187

Clay

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Cleanroom

Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283

Clean-up methods

see also Extraction methods, Preconcentration, Sample handling and Sample preparation

Application of ion-exchange cartridge clean-up in food analysis. I. Simultaneous determination of thiabendazole and imazalil in citrus fruit and banana using high-performance liquid chromatography with ultraviolet detection 810(1998)81

Evaluation of different clean-up procedures for the analysis of heterocyclic aromatic amines in a lyophilized meat extract 836(1999)223

Closed-loop steady state recycling

Separation of a racemic pharmaceutical intermediate using closed-loop steady state recycling 827(1998)359

Coal

Gas chromatographic study for the evaluation of the suitability of bituminous waste material as an additive for coke production 823(1998)527

Coal-derived liquids

Planar chromatographic separation of petroleum residues and coal-derived liquids 830(1999)397

Coal tar

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

Coal-tar pitch

Hydrogen donor and acceptor abilities of pitches from coal and petroleum evaluated by gas chromatography 830(1999)155

Coated capillaries

see also Capillary columns

Separation of weak organic acids and bases by capillary zone electrophoresis in a sulfonated-polymer wall-modified open tubular fused-silica capillary 804(1998)337

Determination of trace enantiomeric impurities in chiral compounds by capillary electrophoresis with uncoated, cationic, anionic and neutral surface modified capillaries 817(1998)83

Permanent coated capillaries with reversed electroosmotic flow for anion analysis 822(1998)101

Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating 823(1998)561

Preparation of linear polyacrylamide-coated capillaries. Study of the polymerization process and its effect on capillary electrophoresis performance 830(1999)423

Poly(vinylamine)-coated capillaries with reversed electroosmotic flow for the separation of organic anions 836(1999)81

Coated columns

Separation properties of bis(β -diketonato)-copper(II) complexes in capillary gas chromatography 809(1998)65

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Coating

Cationic and anionic polymeric additives for wall deactivation and selectivity control in the capillary electrophoretic separation of proteins in food samples 817(1998)227

Capillary electrophoresis using diol-bonded fused-silica capillaries 830(1999)415

Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Cocoa

High-performance liquid chromatographic determination of ochratoxin A in artificially contaminated cocoa beans using automated sample clean-up 810(1998)89

Cocoa butter equivalents

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography-mass spectrometry 847(1999)179

Colloids

Size separation of colloidal nanoparticles using a miniscale isoelectric focusing technique 848(1999)485

Colorants

Determination of eight synthetic food colorants in drinks by high-performance ion chromatography 827(1998)73

Column characterization

Characterization of various reversed-phase columns using the linear free energy relationship. I. Evaluation based on retention factors 818(1998)1

Characterization of various reversed-phase columns using the linear free energy relationship. II. Evaluation of selectivity 818(1998)19

Column classification

Comparative study of test methods for reversed-phase columns for high-performance liquid chromatography 826(1998)135

Column diameter

Measurement and prediction of dead times and column diameter in capillary gas chromatography by using air, methane and some solvents 811(1998)85

Column efficiency

Some aspects of chromatographic behavior in capillary electrochromatography 802(1998)59

Estimation of the column radial heterogeneity from an analysis of the characteristics of tailing peaks in linear chromatography 830(1999)29

Peak tailing and column radial heterogeneity in linear chromatography 830(1999)263

Column length

Peak tailing and mass transfer kinetics in linear chromatography. Dependence on the column length and the linear velocity of the mobile phase 831(1999)17

Column loading capacity

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Column overloading

High-performance liquid chromatography of basic compounds. Problems, possible solutions and tests of reversed-phase columns 828(1998)407

Column packings

Unique dynamic axial compression packing system 827(1998)193

Theoretical analysis of the behavior of an heterogeneously packed chromatographic column 827(1998)241

Estimation of the column radial heterogeneity from an analysis of the characteristics of tailing peaks in linear chromatography 830(1999)29

Flow distribution in chromatographic columns 831(1999)149

Column performance

Evaluation of column performance in constant pressure and constant flow capillary gas chromatography 842(1999)15

Comparison of the performance of conventional C_{18} phases with others of alternative functionality for the analysis of basic compounds by reversed-phase high-performance liquid chromatography 844(1999)23

Column preconditioning

Capillary preconditioning for analysis of anions using indirect UV detection in capillary zone electrophoresis. Systematic investigation of alkaline and acid prerinsing techniques by designed experiments 816(1998)261

Column radial heterogeneity

Estimation of the column radial heterogeneity from an analysis of the characteristics of tailing peaks in linear chromatography 830(1999)29

Peak tailing and column radial heterogeneity in linear chromatography 830(1999)263

Columns

Column preparation for reversed-phase high-temperature open tubular column liquid chromatography 813(1998)11

Column-switching

see also Coupled columns

Determination of meropenem in serum by high-performance liquid chromatography with column switching 812(1998)249

Micro and capillary liquid chromatography-tandem mass spectrometry: a new dimension in phytohormone research 826(1998)25

On-line deconjugation of chloramphenicol- β -p-glucuronide on an immobilized β -glucuronidase column. Application to the direct analysis of urine samples 828(1998)135

Column switching in high-performance liquid chromatography with tandem mass spectrometric detection for high-throughput preclinical pharmacokinetic studies 828(1998)141

Improved enantioselective method for the determination of the enantiomers of reboxetine in plasma by solid-phase extraction, chiral derivatization, and column-switching high-performance liquid chromatography with fluorescence detection 828(1998)167

Column switching in capillary liquid chromatography-tandem mass spectrometry for the quantitation of pg/ml concentrations of the free basic drug tolterodine and its active 5-hydroxymethyl metabolite in microliter volumes of plasma 828(1998)209

Quantitative determination of endogenous retinoids in mouse embryos by high-performance liquid chromatography with online solid-phase extraction, column switching and electrochemical detection 828(1998)451

Rapid determination of glyphosate in cereal samples by means of pre-column derivatisation with 9-fluorenylmethyl chloroformate and coupled-column liquid chromatography with fluorescence detection 833(1999)67

Coupling of a microbore column with a column packed with non-porous particles for fast comprehensive two-dimensional high-performance liquid chromatography 845(1999)463

Determination of ramoplanin in human urine by highperformance liquid chromatography with automated column switching 846(1999)185

On-line trace enrichment for the simultaneous determination of microcystins in aqueous samples using high-performance liquid chromatography with diode-array detection 848(1999)179

Column technology

Monolithic columns containing sol-gel bonded octadecylsilica for capillary electrochromatography 837(1999)35

Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115

Combustion

 δ^{13} C analyses of vegetable oil fatty acid components, determined by gas chromatography-combustion-isotope ratio mass spectrometry, after saponification or regiospecific hydrolysis 805(1998)249

Complexation

see also Derivatization

Separation of rare-earth ions by isotachophoresis and capillary zone electrophoresis 802(1998)203

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

Separation of uranium(VI) and lanthanides by capillary electrophoresis using on-capillary complexation with arsenazo III 803(1998)279

Suppressed ion chromatography of inorganic anions and divalent metal cations with pyromellitic acid as eluent 804(1998)87

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1

Separation properties of bis(β -diketonato)-copper(II) complexes in capillary gas chromatography 809(1998)65

Interaction between cyclodextrins and aflatoxins Q_1 , M_1 and P_1 . Fluorescence and chromatographic studies 815(1998)21

Capillary electrophoretic study of the complex formation between DNA and cationic surfactants 817(1998)263

Separations of inorganic anions based on their complexations with α-cyclodextrin by capillary zone electrophoresis with contactless conductivity detection 834(1999)179

Analysis and characterisation of cyclodextrins and their inclusion complexes by affinity capillary electrophoresis 836(1999)3

Use of cyclofructan as a potential complexing agent in capillary electrophoresis 838(1999)111

DNA-histidine complex formation in isoelectric histidine buffers 838(1999)179

Comparison of the liquid and gas chromatography of five classes of metal complexes 844(1999)181

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Analysis of metal complexes in the presence of mixed ion pairing additives in capillary electrophoresis 848(1999)473

Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491

Capacity gradient anion chromatography with a borate complex as eluent 850(1999)73

Factors affecting selectivity of inorganic anions in capillary electrophoresis 850(1999)319

Complexation constants

pH-Dependent reversal of the chiral recognition of tripeptide enantiomers by carboxymethyl-β-cyclodextrin 833(1999)261

Complex-forming equilibria

Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3

Computer-assisted chromatography

On-line coupling of liquid chromatography with thin-layer chromatography 819(1998)35

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. III. Anion chromatography using hydroxide eluents on a Dionex AS11 stationary phase 837(1999)65

Computer-assisted selection of mobile phases

New approach to the computer-assisted selection of mobile phases for high-performance liquid chromatography on the basis of the Snyder theory 848(1999)1

Computer modelling

Artificial neural networks for computer-aided modelling and optimisation in micellar electrokinetic chromatography 850(1999)345

Computer simulation

Numerical simulation for capillary electrophoresis. I. Development of a simulation program with high numerical stability 802(1998)49

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Use of quasi-equimolar, closely-spaced, poly-co-ion background electrolytes in capillary electrophoresis for the reduction of electromigration dispersion over a wide mobility range 814(1998)199

Separation of enantiomers of a chiral epoxide by simulated moving bed chromatography 827(1998)215

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Computer simulation of particle separation based on non-equilibrium swelling 831(1999)51

Dynamic computer simulations of the influence of injection conditions on capillary zone electrophoretic stacking of preparative free-flow zone electrophoresis fractions of peptides 836(1999)129

Numerical simulation for capillary electrophoresis. II. Relaxation effect of potential gradient in capillary zone electrophoresis 838(1999)19

Application of statistical-overlap theory to gas chromatograms simulated on nonpolar stationary phases with commercial software 842(1999)65

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Simulation of chromatographic processes applied to separation of proteins 846(1999)1

Automatic prediction of retention times in programmed-pressure isothermal gas chromatography 848(1999)229

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Concentration distribution

Moving chemical reaction boundary and isoelectric focusing. I. Conditional equations for Svensson–Tiselius' differential equation of solute concentration distribution in idealized isoelectric focusing at steady state 813(1998)153

Concentration waves, thermo-induced

Ion exchange on resins with temperature-responsive selectivity. II. Thermo-induced concentration waves in ion-exchange column 802(1998)251

Condensation nucleation light scattering detection

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

Conductivity detection

Determination of low-molecular-mass ionic compounds in electrodeposition coatings by capillary electrophoresis with conductivity detection 804(1998)357

Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103

Single electrode conductivity detection for electrophoretic separation systems 836(1999)59

Contactless conductivity detection in capillary zone electrophoresis 844(1999)349

Optimization of conductivity detection of low-molecular-mass anions in capillary zone electrophoresis 850(1999)355

Conductivity gradients

Use of micellar partition in capillary isotachophoretic focusing 832(1999)265

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

Conductometric detection

Enhancement of conductometric detection of weak acids in ion chromatography 850(1999)85

Configuration, absolute

Determination of the absolute configuration of α -hydroxyglycine derivatives by enzymatic conversion and chiral high-performance liquid chromatography 828(1998)191

Configurational isomers

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag⁺containing mobile phase 848(1999)83

Confocal scanning microscopy

Visualising intraparticle protein transport in porous adsorbents by confocal microscopy 813(1998)387

Direct visualisation of plasmid DNA in individual chromatography adsorbent particles by confocal scanning laser microscopy 844(1999)129

Congeneric lipophilicity chart

Determination of lipophilicity of some non-steroidal antiinflammatory agents and their relationships by using principal component analysis based on thin-layer chromatographic retention data 822(1998)263

Constant flow

Evaluation of column performance in constant pressure and constant flow capillary gas chromatography 842(1999)15

Constant pressure

Evaluation of column performance in constant pressure and constant flow capillary gas chromatography 842(1999)15

Continuous beds

Biochemical separations by continuous-bed chromatography 816(1998)3

(Normal-phase) capillary chromatography using acrylic polymer-based continuous beds 837(1999)25

Continuous monitoring

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Continuous reactor

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid–liquid reactor for catalytic reactions 828(1998)523

Convection

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Coordination compounds

Association between cobalt(III) coordination compounds and anions measured by capillary electrophoresis 836(1999)93

Copolymer composition

Quantitative analysis of poly(methyl methacrylate-butyl acrylate) copolymer composition by liquid chromatography-particle beam mass spectrometry 824(1998)181

Copper-modified gold electrodes

Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography 814(1998)63

Coptis chinensis Franch

Application of analytical and preparative high-speed countercurrent chromatography for separation of alkaloids from *Coptis chinensis* Franch 829(1998)137

Correlation chromatography

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Correlation optimised warping

Aligning of single and multiple wavelength chromatographic profiles for chemometric data analysis using correlation optimised warping 805(1998)17

Corrosion

Applications of capillary electrophoresis in corrosion science and engineering 834(1999)433

Chemical conditions inside occluded regions on corroding aircraft aluminum alloys 850(1999)375

Using capillary electrophoresis to study the chemical conditions within cracks in aluminum alloys 850(1999)381

Corylus avellana

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Cosmetics

Single-run analysis of retinal isomers, retinol and photooxidation products by high-performance liquid chromatography 810(1998)237

Detection of clobetasol propionate as an undeclared steroid in zinc pyrithione formulations by high-performance liquid chromatography with rapid-scanning ultraviolet spectroscopy and mass spectrometry 828(1998)239

Identification of UV filters in sunscreen products by highperformance liquid chromatography-diode-array detection 828(1998)311

Erratum to "Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. I. Linear equations" [J. Chromatogr. A, 779 (1997) 287–297] 830(1999)497

Capillary electrophoresis of inorganic anions 834(1999)133

Separation of benzenediamines, benzenediols and aminophenols in oxidative hair dyes by micellar electrokinetic chromatography using cationic surfactants 837(1999)241

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. II. The hyperbolic equation 848(1999)215

Counter-current chromatography

see also Centrifugal partition chromatography

Toroidal coil counter-current chromatography study of the mass transfer rate of proteins in aqueous-aqueous polymer phase system 802(1998)277

 $\begin{tabular}{ll} Multidimensional counter-current chromatographic system and its application & 803 (1998) 298 \end{tabular}$

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

Toroidal coil counter-current chromatography. Achievement of high resolution by optimizing flow-rate, rotation speed, sample volume and tube length 808(1998)95

Separation of antibiotics by counter-current chromatography (Review) 812(1998)35

Separation and purification of 10-deacetylbaccatin III by highspeed counter-current chromatography 813(1998)397

Separation of lac dye components by high-speed counter-current chromatography 813(1998)71

Preparative separation of alkaloids from the root of *Sophora flavescens* Ait by pH-zone-refining counter-current chromatography 822(1998)316

Effect of *Digitalis lanata* matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency 822(1998)37

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid–liquid reactor for catalytic reactions 828(1998)523

Application of analytical and preparative high-speed countercurrent chromatography for separation of alkaloids from *Coptis chinensis* Franch 829(1998)137

Preparative purification of antibiotics for comparing hydrostatic and hydrodynamic mode counter-current chromatography and preparative high-performance liquid chromatography 831(1999)203

Relationship between the flow-rate of the mobile phase and retention of the stationary phase in counter-current chromatography 835(1999)231

Feasibility study of using refrigerant 1,1,1,2-tetrafluoroethane as the mobile phase in high-speed counter-current chromatography 835(1999)237

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

Counter-current extraction

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61

Coupled columns

see also Column switching

Polarity changes during capillary gas chromatographic and gas chromatographic—mass spectrometric analysis using serially coupled columns of different natures and temperature programming. Application to the identification of constituents of essential oils 819(1998)61

Optimization of tandem columns for the isomer and enantiomer selective separation of toxaphenes 837(1999)201

Coupling, LC-GC

Evaluation of a transfer technique for direct coupling of reversed-phase liquid chromatography with gas chromatography 818(1998)77

Crack chemistry

Using capillary electrophoresis to study the chemical conditions within cracks in aluminum alloys 850(1999)381

Crataegus

Quantitative reversed-phase high-performance liquid chromatography of procyanidins in *Crataegus* leaves and flowers 835(1999)59

Crocus sativus

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

Cryogenic separation

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Cryogenic trapping

Headspace sampling with capillary columns 842(1999)163

Curcuma longa

Use of persistent trace gas chromatography artifacts for the calculation of pseudo-Sadtler retention indices 811(1998)241

Liquid chromatography—electrospray mass spectrometric analysis of curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa*) 818(1998)127

Cyanine labelling

Determination of cyanine-labeled amino acid enantiomers by cyclodextrin-modified capillary gel electrophoresis combined with diode laser fluorescence detection 805(1998)295

Cvanobacteria

Electrochemical detection of microcystins, cyanobacterial peptide hepatotoxins, following high-performance liquid chromatography 810(1998)226

Cyclic voltammetry

Experimental factors in pulsed electrochemical detection in capillary electrophoresis 811(1998)181

Capillary electrophoresis of some tetracycline antibiotics coupled with reductive fast cyclic voltammetric detection 839(1999)193

Cyclodextrin-based stationary phases

Preparation and enantiomer separation behavior of selectively methylated γ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455

Cyclophane-bonded stationary phases

Preparation of a cyclophane-bonded stationary phase and its application to separation of naphthalene derivatives 803(1998)95

Cytosol

Quantifying biosynthetic human growth hormone in *Escherichia coli* with capillary electrophoresis under hydrophobic conditions 817(1998)205



Dammai

Analysis of fresh triterpenoid resins and aged triterpenoid varnishes by high-performance liquid chromatography—atmospheric pressure chemical ionisation (tandem) mass spectrometry 809(1998)21

Danggui

Liquid chromatographic–electrospray mass spectrometric study of the phthalides of *Angelica sinensis* and chemical changes of Z-ligustilide 810(1998)71

Darcy's law

Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35

Data processing

Peak distortion, data sampling errors and the integrator in the measurement of very narrow chromatographic peaks 842(1999)321

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

Data sampling error

Peak distortion, data sampling errors and the integrator in the measurement of very narrow chromatographic peaks 842(1999)321

Deactivation

Deactivation of metal capillaries for gas chromatography 845(1999)33

Deans' switching

Practical and theoretical aspects of designing a flame-ionization detector/mass spectrometer Deans' switch. Pressure-flow relations in gas chromatograph-detector interfaces using vacuum-outlet conditions 831(1999)257

Defection

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Degenerate four-wave mixing detection

Absorbance detection of amino acids by laser wave mixing in microbore liquid chromatography 805(1998)63

Delipidation methods

Fast C_{18} solid-phase desalting/delipidation of the human serum apolipoproteins for matrix-assisted laser desorption ionization and electrospray ionization mass spectrometric analysis 840(1999)183

Densitometry

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Denuders

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO₂) in remote atmospheres 846(1999)265

Derivatization

see also Complexation

Derivatization, electrophoresis

Novel applications for organic polymer capillaries 802(1998)17

Derivatization of amino acids in a moving zone of *o*-phthalaldehyde in the middle of a capillary for amino acid analysis by capillary electrophoresis 802(1998)243

Determination of cyanine-labeled amino acid enantiomers by cyclodextrin-modified capillary gel electrophoresis combined with diode laser fluorescence detection 805(1998)295

Derivatization in capillary electrophoresis (Review) 807(1998)3

Nanomolar derivatizations with 5-carboxyfluorescein succinimidyl ester for fluorescence detection in capillary electrophoresis 809(1998)203

Phosphate-specific fluorescence labeling with BO-IMI: reaction details 809(1998)211

Postcolumn derivatization of peptides with fluorescamine in capillary electrophoresis 814(1998)213

Postcolumn derivatisation for selective laser-induced fluorescence detection in micellar electrokinetic chromatography of fatty acid hydroperoxides 814(1998)261

Simultaneous multiple analyte detection using fluorescent peptides and capillary isoelectric focusing 817(1998)41

Characteristic features of the throughout-capillary technique of in-capillary derivatization in capillary electrophoresis 822(1998)271

Preparation of an IMI dye (imidazole functional group) containing a 4-(*N*,*N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole fluorophore for labeling of phosphomonoesters 831(1999)325

Selective fluorescence derivatization and capillary electrophoretic separation of amidated amino acids 832(1999)211

Analysis of inorganic cations as their complexes by capillary electrophoresis (Review) 834(1999)277

Micellar electrokinetic capillary chromatography of thiocarbamoyl derivatives produced in reactions between isothiocyanates and amino acids 836(1999)115

New derivatization method for carboxylic acids in aqueous solution for analysis by capillary electrophoresis and laser-induced fluorescence detection 836(1999)325

Simultaneous determination of the association constants of oligosaccharides to a lectin by capillary electrophoresis 837(1999)221

Detection of bovine whey proteins by on-column derivatization capillary electrophoresis with laser-induced fluorescence monitoring 841(1999)105

Size separation of colloidal nanoparticles using a miniscale isoelectric focusing technique 848(1999)485

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

Enantiomeric separation of D- and L-carnitine by integrating online derivatization with capillary zone electrophoresis 849(1999)609

Derivatization, GC

Optical resolution of racemic carboxylic acids by gas chromatography 803(1998)307

Application of pentafluorophenyldimethylsilyl derivatization for gas chromatography-electron-capture detection of supercritically extracted sterols 809(1998)109

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. I. Derivatization 810(1998)161

New blocking method for the hydroxyl group on carbohydrate. Determination of the O-acylated position of the modified glycolipid 813(1998)325

Development and optimisation of a new derivatisation procedure for gas chromatographic—mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-by-step optimisation procedures 840(1999)81

Development of chromatographic methods to monitor the synthesis of (tributylstannyl)methanol through unstable lithiated intermediates 840(1999)215

Recent advances in non-silylation derivatization techniques for gas chromatography 843(1999)1

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

Profiling of organic acids by capillary gas chromatography—mass spectrometry after direct methylation in urine using trimethyloxonium tetrafluoroborate 843(1999)237

Polymer analysis by pyrolysis gas chromatography 843(1999)413

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them 844(1999)1

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Quantitation of N^{ϵ} -(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography—mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Gas chromatographic determination of galactose in milk. Example of a switching valve used for the protection of the capillary column 847(1999)47

Determination of fatty acid amides as trimethylsilyl derivatives by gas chromatography with mass spectrometric detection 849(1999)541

Derivatization, GC-MS

Derivatives of cytokinins for negative ion mass spectrometry 811(1998)246

Derivatization, LC

Development of guanine analyzer to measure activity of guanylate cyclase 806(1998)231

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

(S)-(+)-1-Methyl-2-(6,7,-dimethoxy-2,3-naphthalimido)ethyl trifluoromethanesulfonate as a fluorescence chiral derivatizing reagent for carboxylic acid enantiomers in high-performance liquid chromatography 810(1998)221

Characterization of carbohydrates using a combination of derivatization, high-performance liquid chromatography and mass spectrometry 811(1998)47

High-performance liquid chromatographic analysis of aminoglycoside antibiotics (Review) 812(1998)141

Determination of piperacillin and mezlocillin in human serum and urine by high-performance liquid chromatography after derivatisation with 1,2,4-triazole 812(1998)213

Post-column oxidation of purpald-aldehyde adducts at nickel electrodes 813(1998)213

Separation, detection, and quantification of imine-linked opines by high-performance liquid chromatography 813(1998)247

Micromachined heated chemical reactor for pre-column derivatisation 815(1998)265

4-(5,6-Dimethoxy-2-phthalimidinyl)phenylsulfonyl semipiperazide as a fluorescent labelling reagent for determination of carboxylic acids in precolumn high-performance liquid chromatography 816(1998)137

Determination of the chirality of cysteines in somatostatin analogs 816(1998)59

High-performance liquid chromatography of polyethylene glycols as their α, ω -bis(1-naphthylurethane) derivatives and signal monitoring by fluorescence detection 822(1998)189

High-performance liquid chromatography with postcolumn derivatization for simultaneous determination of organic peroxides and hydrogen peroxide 822(1998)207

Total resolution of 17 pL-amino acids labelled with a fluorescent chiral reagent, R(-)-4-(3-isothiocyanatopyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole, by high-performance liquid chromatography 822(1998)215

Derivatization approaches for a fermentation derived, cyclic peptide analog 824(1998)25

Separation of enantiomers of α -hydroxy acids by reversed-phase liquid chromatography after derivatization with 1-(9-fluorenyl)ethyl chloroformate 827(1998)31

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography-fluorescence detection with pre-column derivatization reaction 827(1998)57

Determination of plasma and serum homocysteine by highperformance liquid chromatography with fluorescence detection 828(1998)401

Liquid chromatography of aromatic amines with photochemical derivatization and tris(bipyridine)ruthenium(III) chemiluminescence detection 828(1998)421

Characterization of metallothionein isoforms by reversed-phase high-performance liquid chromatography with on-line post-column acidification and electrospray mass spectrometric detection 829(1998)127

Determination of a non-ionic surfactant by solid-phase microextraction coupled with high-performance liquid chromatography and on-line derivatization 829(1998)401

Determination of enantiomeric amino acids with highperformance liquid chromatography and pre-column derivatisation with *o*-phthaldialdehyde and *N*-isobutyrylcysteine in seawater and fossil samples (mollusks) 832(1999)123

In-situ derivatisation of degradation products of chemical warfare agents in water by solid-phase microextraction and gas chromatographic-mass spectrometric analysis 832(1999)173

On-line solid-phase extraction liquid chromatography-continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

Sensitive determination of melatonin by precolumn derivatization and reversed-phase high-performance liquid chromatography 835(1999)67

Stability and characteristics of the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents and their amino acid derivatives measured by high-performance liquid chromatography 835(1999)73

Development of chromatographic methods to monitor the synthesis of (tributylstannyl)methanol through unstable lithiated intermediates 840(1999)215

Column chromatography and verification of phytosiderophores by phenylisothiocyanate derivatization and UV detection 841(1999)155

Trace analysis of carbonyl compounds by liquid chromatography—mass spectrometry after collection as 2,4-dinitrophenylhydrazine derivatives 844(1999)403

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

Fluorescence properties of carbazole-*N*-(2-methyl)acetyl chloride and determination of amino compounds via high-performance liquid chromatography with pre-column fluorescence derivatization 848(1999)117

Analysis of 500-ng/l levels of bromate in drinking water by direct-injection suppressed ion chromatography coupled with a single, pneumatically delivered post-column reagent 850(1999)119

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

Derivatization, SFE

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Desalting method

Fast C_{18} solid-phase desalting/delipidation of the human serum apolipoproteins for matrix-assisted laser desorption ionization and electrospray ionization mass spectrometric analysis 840(1999)183

Desulfurization

Evaluation of desulfurization procedures for the elimination of sulfur interferences in the organotin analysis of sediments 810(1998)245

Detection

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

Silicon microtechnology and microstructures in separation science 819(1998)3

Detection, electrophoresis

Novel applications for organic polymer capillaries 802(1998)17

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

Capillary isotachophoresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides 805(1998)269

Generation of 275.4-nm UV output from a large-frame argonion laser for fluorescence detection in capillary electrophoresis 806(1998)355

Fiber-optic-based UV-visible absorbance detector for capillary electrophoresis, utilizing focusing optical elements 809(1998)181

Experimental factors in pulsed electrochemical detection in capillary electrophoresis 811(1998)181

Improved photometric detection of metal ions by capillary zone electrophoresis after precapillary complexation 811(1998)233

Electrically floating conductivity detection system for capillary electrophoresis 813(1998)205

On-column chemiluminescence detection of rare earth ions with capillary electrophoresis 813(1998)361

Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163

Fiber optic modified thermal lens detector system for the determination of amino acids 817(1998)223

Determination of low-molecular-mass anionic compounds in beverage samples using capillary zone electrophoresis with simultaneous indirect ultraviolet and conductivity detection 822(1998)117

Identification of phosphonic acids by capillary electrophoresisionspray mass spectrometry 825(1998)71

Fluorescence detection of proteins and amino acids in capillary electrophoresis using a post-column sheath flow reactor 829(1998)309

Indirect detection of amino-substituted polycyclic aromatic hydrocarbons in cyclodextrin-modified micellar electrokinetic chromatography combined with diode laser-induced fluorometry 831(1999)285

Preparation of an IMI dye (imidazole functional group) containing a 4-(*N*,*N*-dimethylaminosulfonyl)-2,1,3-benzoxadiazole fluorophore for labeling of phosphomonoesters 831(1999)325

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis—chemiluminescence detection 832(1999)191

Dynamic analysis of capillary electrophoresis data using realtime neural networks 833(1999)231

Electrochemical detection methods in capillary electrophoresis and applications to inorganic species 834(1999)89

Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103

Prospects for detection and sensitivity enhancement of inorganic ions in capillary electrophoresis 834(1999)117

Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis 835(1999)169

Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15

Single electrode conductivity detection for electrophoretic separation systems 836(1999)59

Multicomponent analysis by off-line combination of synchronous fluorescence spectroscopy and capillary electrophoresis of collagen glycation adducts 836(1999)161

Capillary electrophoresis of some tetracycline antibiotics coupled with reductive fast cyclic voltammetric detection 839(1999)193

Effects of gel material on fluorescence lifetime detection of dyes and dye-labeled DNA primers in capillary electrophoresis 841(1999)95

On-line chemiluminescence detection for capillary electrophoresis based on the reaction of barium peroxide with luminescence reagents 844(1999)341

Contactless conductivity detection in capillary zone electrophoresis 844(1999)349

Post-capillary laser-induced fluorescence detection without sheath-flow 844(1999)433

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

Optimization of conductivity detection of low-molecular-mass anions in capillary zone electrophoresis 850(1999)355

Detection, GC

Gas-phase reagents for carbon–carbon double bond location: new applications. II. Use of vinyl methyl ether chemical ionization mass spectrometry to characterize C_{23} to C_{33} insect cuticular alkenes 803(1998)203

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Photometric response of a very small, stoichiometric hydrogenair flame to compounds of the iron group 806(1998)305

Analysis and characterization of naphthenic acids by gas chromatography-electron impact mass spectrometry of *tert.*-butyldimethylsilyl derivatives 807(1998)241

Simultaneous pulsed flame photometric and mass spectrometric detection for enhanced pesticide analysis capabilities 814(1998)133

Compound retention dependence of the response in a gas chromatography-atomic emission detection system 819(1998)85

Application of gas chromatography–Fourier transform infrared spectrometry to the analysis of amphetamine analogues 819(1998)155

Platinum-selective capillary gas chromatographic determination with microwave-induced plasma atomic emission detection 824(1998)223

Prediction of flame ionization detector response factors using an artificial neural network 825(1998)161

Modified kinetic model of the electron-capture detector. Molecular electron affinities and electron collection modes 827(1998)91

Thermal conductivity detection relative molar response factors for halogenated compounds 841(1999)187

Aspects of the mechanism of the flame ionization detector 842(1999)221

Non-radioactive electron-capture detector 842(1999)229

Detection by ozone-induced chemiluminescence in chromatography 842(1999)267

Gas chromatography with Fourier transform infrared and mass spectral detection 842(1999)341

Applied gas chromatography coupled to isotope ratio mass spectrometry 842(1999)351

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

Detection, LC

Parallel factor analysis of partially resolved chromatographic data. Determination of polycyclic aromatic hydrocarbons in water samples 802(1998)263

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Selective determination of p-sorbitol and p-mannitol in foodstuffs by ion chromatography with polarized photometric detection 804(1998)305

Modified laser light-scattering detector for use in high temperature micro liquid chromatography 814(1998)55

Absorbance detection of amino acids by laser wave mixing in microbore liquid chromatography 805(1998)63

Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239

Electrochemical detection of microcystins, cyanobacterial peptide hepatotoxins, following high-performance liquid chromatography 810(1998)226

Coupling of column liquid chromatography and Fourier transform infrared spectrometry 811(1998)1

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Post-column oxidation of purpald-aldehyde adducts at nickel electrodes 813(1998)213

Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography 814(1998)63

4-(5,6-Dimethoxy-2-phthalimidinyl)phenylsulfonyl semipiperazide as a fluorescent labelling reagent for determination of carboxylic acids in precolumn high-performance liquid chromatography 816(1998)137

Indirect photometric detection of aliphatic acids separated by ion-exclusion chromatography using aromatic acidic eluents 818(1998)61

Optimization of post-column photolysis and electrochemical detection for the liquid chromatographic determination of 3-nitro-L-tyrosine 818(1998)69

Analysis of amikacin by liquid chromatography with pulsed electrochemical detection 819(1998)93

Detection of carbohydrates by electrospray ionization—ion mobility spectrometry following microbore high-performance liquid chromatography 822(1998)1

Detector cell based on plastic liquid-core waveguides suitable for aqueous solutions: one-to-two decades improved detection limits in conventional-size column liquid chromatography with absorption detection 824(1998)1

High-performance liquid chromatography with real-time Fourier-transform infrared detection for the determination of carbohydrates, alcohols and organic acids in wines 824(1998)159

Visualization of solute migration in liquid chromatography columns 826(1998)1

Conjunction of thermal lens spectrometry and high-performance liquid chromatography. Approach to data treatment 827(1998)13

Using an electrochemical detector with a carbon interdigitedarray microelectrode for capillary-column liquid chromatography 828(1998)113

Liquid chromatography of aromatic amines with photochemical derivatization and tris(bipyridine)ruthenium(III) chemiluminescence detection 828(1998)421

Capillary electrochromatography of biomolecules with on-line electrospray ionization and time-of-flight mass spectrometry 828(1998)469

Analysis of biopolymers by size-exclusion chromatographymass spectrometry 828(1998)509

Liquid chromatography with electrocatalytic detection of oxalic acid by a palladium-based glassy carbon electrode 833(1999)75

High-throughput flow injection analysis—mass spectrometry with networked delivery of colour rendered results: the characterisation of liquid chromatography fractions 835(1999)29 Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15

Nickel content dependence of electrochemical behavior of carbohydrates on a titanium-nickel alloy electrode and its application to a liquid chromatography detector 837(1999)17

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

Non-radioactive electron-capture detector 842(1999)229

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Comparison of the responses of triacylglycerols with an evaporative visible light scattering detector used in conventional, micro and capillary liquid chromatography 848(1999)95

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

Enhancement of conductometric detection of weak acids in ion chromatography 850(1999)85

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153

Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277

Detection limit

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

Detection, SFC

Pressure-regulating fluid interface and phase behavior considerations in the coupling of packed-column supercritical fluid chromatography with low-pressure detectors 807(1998)265

Detection, TLC

Iodine–azide reagent for the detection of biologically oriented thiophosphoryl compounds in thin-layer chromatography systems 813(1998)135

Analysis of impurities by high-performance thin-layer chromatography with Fourier transform infrared spectroscopy and UV absorbance detection in situ measurement: chlordiazepoxide in bulk powder and in tablets 813(1998)145

Unusual induction in the iodine-azide induced reaction exhibited by organophosphorus compounds on thin-layer chromatography plates 831(1999)321

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

Dialysis

see also Microdialysis

Preconcentration of quinolones by dialysis on-line coupled to high-performance liquid chromatography 840(1999)11

Diastereomer separation

Determination of chiral catabolites from S-[2-carboxy-1-(1*H*-imidazol-4-yl)ethyl]glutathione, a proposed metabolite of L-histidine, by capillary electrophoresis 802(1998)73

Optical resolution of racemic carboxylic acids by gas chromatography 803(1998)307

Capillary zone electrophoretic separation of epimeric *N*-oxides of morphinane alkaloids 818(1998)251

Electrophoretic stereoisomer separation of aspartyl dipeptides and tripeptides in untreated fused-silica and polyacrylamidecoated capillaries using charged cyclodextrins 822(1998)137

Total resolution of 17 pL-amino acids labelled with a fluorescent chiral reagent, R(-)-4-(3-isothiocyanatopyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole, by high-performance liquid chromatography 822(1998)215

Diesel fuel

Statistical determination of the proper sample size in multicomponent separations 839(1999)129

Instrumentation and applications of fast high-resolution capillary gas chromatography 842(1999)309

Analysis of alkane, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Diesel soot

Determination of 1-nitropyrene with enzyme-linked immunosorbent assay versus high-performance column switching technique 807(1998)209

Diffusion

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Diffusion coefficients

Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate–solvent systems 845(1999)93

Diffusion-convection matrices

Comparison of diffusion and diffusion–convection matrices for use in ion-exchange separations of proteins 807(1998)185

Diffusion denuders

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO_2 and NO_y) in remote atmospheres 846(1999)265

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Diffusion matrices

Comparison of diffusion and diffusion–convection matrices for use in ion-exchange separations of proteins 807(1998)185

Digitalis lanata

Effect of *Digitalis lanata* matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency 822(1998)37

Dinophysis

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Dinophysis fortii

Determination of pectenotoxin-2 after solid-phase extraction from seawater and from the dinoflagellate *Dinophysis fortii* by liquid chromatography with electrospray mass spectrometry and ultraviolet detection. Evidence of oxidation of pectenotoxin-2 to pectenotoxin-6 in scallops 815(1998)155

Dioncophyllum thollonii

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography-nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

Disinfection

Determination of chlorate at low μ g/1 levels by ion-chromatography with postcolumn reaction 849(1999)209

Disks

Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61

Dispersion

see also Axial dispersion, Electromigration dispersion and Matrix solid-phase dispersion

Band dispersion in chromatography – a new view of A-term dispersion 831(1999)3

Peak dispersion due to geometration motion in the gel electrophoresis of macromolecules 838(1999)45

Displacement

Protein separation by hydrophobic interaction chromatography using methacrylic block copolymers as displacers 824(1998)35

Displacement chromatography

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography 814(1998)83

Displacement chromatography of proteins using a selfsharpening pH front formed by adsorbed buffering species as the displacer 825(1998)115

Displacement chromatography of chemotactic peptides 830(1999)91

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Displacement techniques

Application of sample displacement techniques to the purification of synthetic oligonucleotides and nucleic acids: a mini-review with experimental results 806(1998)77

Displacers

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography 814(1998)83

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography. II. Role of the stationary phase 827(1998)295

Dissociation constants

Determination of dissociation constants of cephalosporins by capillary zone electrophoresis 803(1998)273

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. I. Methanol 806(1998)325

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

Secondary chemical equilibria in high-performance liquid chromatography: influence of ionic strength and pH on retention of peptides 823(1998)497

Retention of ionizable compounds on high-performance liquid chromatography. III. Variation of pK values of acids and pH values of buffers in acetonitrile—water mobile phases 824(1998)137

Determination of dissociation constants of ^{99m}Technetium radiopharmaceuticals by capillary electrophoresis 833(1999)83

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245

Electrophoretic behaviour of quinolones in capillary electrophoresis. Effect of pH and evaluation of ionization constants 839(1999)183

Distillation device

Microwave mediated distillation with solid-phase microextraction: determination of off-flavors, geosmin and methylisoborneol, in catfish tissue 833(1999)223

Distribution constants

Relationship between liquid-liquid distribution and liquid-micelle distribution systems 807(1998)307

Reply to "Relationship between liquid-liquid distribution and liquid-micelle distribution systems": the solvation environment in micelles evaluated by the linear solvation energy relationship method 807(1998)311

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Disulfide linkage analysis

Rapid verification of disulfide linkages in recombinant human growth hormone by tandem column tryptic mapping 808(1998)121

DNA reorientation time

Kinetic properties of DNA migration under clamped homogeneous electric field conditions. DNA size, migration velocities and reorientation time determined in a single clamped homogeneous electric field run 806(1998)123

Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187

Doehlert design

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Doping control

Introduction to the application of capillary gas chromatography to the analysis of performance-enhancing drugs in doping control 843(1999)275

Double bond location

Gas-phase reagents for carbon–carbon double bond location: new applications. II. Use of vinyl methyl ether chemical ionization mass spectrometry to characterize C_{23} to C_{33} insect cuticular alkenes 803(1998)203

Doublet peaks

Prediction of numbers of singlets, doublets, and triplets in poorly resolved separations by statistical-overlap theory 831(1999)37

Drug-protein binding

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

Drug targeting

Determination of naproxen in liver and kidney tissues by electrokinetic capillary chromatography with laser-induced fluorescence detection 802(1998)115

Dual detection

Effect of interdetector peak broadening and volume in size-exclusion chromatography with dual viscometric-concentration detection 809(1998)1

Dust

Gas chromatographic analysis of free fatty acids and fatty acid salts extracted with neutral and acidified dichloromethane from office floor dust 814(1998)161

Dve ligands

Separation of G structures formed by a 27-mer guanosine-rich oligodeoxyribonucleotide by dye-ligand affinity chromatography 840(1999)51

Dynamic adsorption

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Dynamic axial compression

see also Axial compression

Size exclusion chromatography of polypeptides on Bio-Gel P2 in the dynamic axial compression mode 840(1999)281

Dynamic axial compression column packing

Unique dynamic axial compression packing system 827(1998)193

Dynamic flow

Dynamic control for ultra-fast separations of organic acids in capillary zone electrophoresis. A new direction to improve resolution 817(1998)129

Dynamic high-pressure solvent extraction

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Dynamic light scattering

Effects of electrokinetic chromatography conditions on the structure and properties of polyallylamine-supported pseudo-stationary phase. A study by dynamic light scattering 836(1999)295

Dynamics

Frameworks of separation theories from two separate worlds: dynamics and thermodynamics 828(1998)3

Dynamic surface tension detection

Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239



ECF

Characterization of organic deposits produced in the kraft pulping of *Eucalyptus globulus* wood 823(1998)457

Echinacea spp

Analysis of alkamides in roots and achenes of *Echinacea* purpurea by liquid chromatography–electrospray mass spectrometry 815(1998)205

Efficiency

Capillary zone electrophoresis at subzero temperatures. III.

Operating conditions and separation efficiency 825(1998)55

Integral optimizing functional of separation efficiency 841(1999)133

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Eggs

Iso- and epi-iso-chlortetracycline are the principal metabolites of chlortetracycline in the hen's egg 812(1998)327

Electrically driven chromatography

Evaporation-induced solvent migration in electrically-driven thin layer chromatography 841(1999)127

Electric charge

Electropherograms in capillary zone electrophoresis plotted as a function of the quantity of electric charge 810(1998)183

Electric double layer theory

Interpretation of chromatographic behavior of ions based on the electric double-layer theory 850(1999)3

Electric field

Effect of electric field on liquid chromatographic separation of peptide digests. Combining capillary separation techniques 832(1999)149

Electric field strength gradients

Enhanced separation of DNA sequencing products by capillary electrophoresis using a stepwise gradient of electric field strength 802(1998)179

Electroantennography

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

Electrochemical detection

see also Amperometric detection

Non-aqueous capillary electrophoresis with electrochemical detection 802(1998)349

Experimental factors in pulsed electrochemical detection in capillary electrophoresis 811(1998)181

Electrically floating conductivity detection system for capillary electrophoresis 813(1998)205

Optimization of post-column photolysis and electrochemical detection for the liquid chromatographic determination of 3-nitro-L-tyrosine 818(1998)69

Using an electrochemical detector with a carbon interdigitedarray microelectrode for capillary-column liquid chromatography 828(1998)113

Stability and determination of aflatoxins by high-performance liquid chromatography with amperometric detection 828(1998)439

Liquid chromatography with electrocatalytic detection of oxalic acid by a palladium-based glassy carbon electrode 833(1999)75

Electrochemical detection methods in capillary electrophoresis and applications to inorganic species 834(1999)89

Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103

Nickel content dependence of electrochemical behavior of carbohydrates on a titanium-nickel alloy electrode and its application to a liquid chromatography detector 837(1999)17

Capillary electrophoresis of some tetracycline antibiotics coupled with reductive fast cyclic voltammetric detection 839(1999)193

Study of sugar acids separation by high-performance anion-exchange chromatography-pulsed amperometric detection using alkaline eluents spiked with Ba²⁺, Sr²⁺, or Ca²⁺ as acetate or nitrate salts 848(1999)71

Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277

Electrochemically modulated liquid chromatography

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Electrochromatography

see also Special Issue Index

Some aspects of chromatographic behavior in capillary electrochromatography 802(1998)59

Sintered octadecylsilica as monolithic column packing in capillary electrochromatography and micro high-performance liquid chromatography 806(1998)251

Capillary electrochromatography with 1.8- μ m ODS-modified porous silica particles 808(1998)71

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Enantiomer separation by pressure-supported electrochromatography using capillaries packed with a permethyl-β-cyclodextrin stationary phase 815(1998)183

Capillary electrochromatographic separation of basic compounds with bare silica as stationary phase 817(1998)65

Gradient elution electrochromatography with a flow-injection analysis interface 828(1998)105

High-efficiency chiral separations of *N*-derivatized amino acids by packed-capillary electrochromatography with a quinine-based chiral anion-exchange type stationary phase 829(1998)115

Comparison of the electroosmotic flow profiles and selectivity of stationary phases used in capillary electrochromatography 832(1999)41

Application of capillary electrochromatography to the separation of phenylthiohydantoin-amino acids 832(1999)133

Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15

Attempt to define the role of the length of the packed section in capillary electrochromatography 836(1999)25

Influence of the electrical double-layer on electroosmotic flow in capillary electrochromatography 836(1999)35

Separation of nucleosides using capillary electrochromatography 836(1999)315

Pore flow effects in electrically driven size-exclusion chromatography 837(1999)3

Enantioseparations in normal- and reversed-phase nano-highperformance liquid chromatography and capillary electrochromatography using polyacrylamide and polysaccharide derivatives as chiral stationary phases 837(1999)51

High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167

Evaporation-induced solvent migration in electrically-driven thin layer chromatography 841(1999)127

Peak distortion, data sampling errors and the integrator in the measurement of very narrow chromatographic peaks 842(1999)321

Electroosmotically driven thin-layer electrochromatography on silica media 844(1999)333

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

Open tubular capillary electrochromatography in etched, chemically modified 20 µm I.D. capillaries 845(1999)237

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

Electrochromatography-mass spectrometry

Capillary electrochromatography of biomolecules with on-line electrospray ionization and time-of-flight mass spectrometry 828(1998)469

Electrodes

Electrically floating conductivity detection system for capillary electrophoresis 813(1998)205

Nickel content dependence of electrochemical behavior of carbohydrates on a titanium-nickel alloy electrode and its application to a liquid chromatography detector 837(1999)17

Electroinjection analysis

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Electrokinetic chromatography

see also Micellar electrokinetic chromatography and Microemulsion electrokinetic chromatography

Separation of fat-soluble vitamins by hydrophobic interaction electrokinetic chromatography with tetradecylammonium ions as pseudostationary phase 807(1998)285

Effects of electrokinetic chromatography conditions on the structure and properties of polyallylamine-supported pseudo-stationary phase. A study by dynamic light scattering 836(1999)295

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated β -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Separation selectivity of some ethylenediaminetetraacetic acid and cyclohexane-1,2-diaminetetraacetic acid complexes in column and ion electrokinetic chromatography 850(1999)269

Electrokinetic injection

Calibration principles for flow injection analysis-capillary electrophoresis systems with electrokinetic injection 808(1998)219

Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds 834(1999)21

Electrolytic conductivity detection

Response factors of organochlorine compounds in the electrolytic conductivity detector 849(1999)285

Electromigration

Moving chemical reaction boundary and isoelectric focusing. II. Existence of quasi/equal fluxes (or transference numbers) of hydrogen and hydroxyl ions in stationary electrolysis and Svensson's isoelectric focusing 813(1998)173

Electromigration dispersion

Use of quasi-equimolar, closely-spaced, poly-co-ion background electrolytes in capillary electrophoresis for the reduction of electromigration dispersion over a wide mobility range 814(1998)199

Electron affinities

Determination of multiple electron affinities of carbon disulfide using electron-capture detection 811(1998)250

Modified kinetic model of the electron-capture detector. Molecular electron affinities and electron collection modes 827(1998)91

Electron-capture detection

Determination of multiple electron affinities of carbon disulfide using electron-capture detection 811(1998)250

Modified kinetic model of the electron-capture detector. Molecular electron affinities and electron collection modes 827(1998)91

Non-radioactive electron-capture detector 842(1999)229

Electron impact fragmentation

Quantitative analysis of poly(methyl methacrylate-butyl acrylate) copolymer composition by liquid chromatography-particle beam mass spectrometry 824(1998)181

Electroosmotic flow

Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants 804(1998)319

Electrochromatographic contributions in capillary electrophoresis of biomolecules 809(1998)173

Coelectroosmotic separations of anions in non-aqueous capillary electrophoresis 811(1998)211

Analysis of triazines by reversed electroosmotic flow capillary electrophoresis-electrospray mass spectrometry 813(1998)379

Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis 817(1998)15

Dynamic control for ultra-fast separations of organic acids in capillary zone electrophoresis. A new direction to improve resolution 817(1998)129

Permanent coated capillaries with reversed electroosmotic flow for anion analysis 822(1998)101

Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating 823(1998)561

Gradient elution electrochromatography with a flow-injection analysis interface 828(1998)105

Capillary electrochromatography of biomolecules with on-line electrospray ionization and time-of-flight mass spectrometry 828(1998)469

Comparison of the electroosmotic flow profiles and selectivity of stationary phases used in capillary electrochromatography 832(1999)41

Attempt to define the role of the length of the packed section in capillary electrochromatography 836(1999)25

Influence of the electrical double-layer on electroosmotic flow in capillary electrochromatography 836(1999)35

Evaporation-induced solvent migration in electrically-driven thin layer chromatography 841(1999)127

Electroosmotically driven thin-layer electrochromatography on silica media 844(1999)333

Electrophoresis

see also Capillary electrophoresis and Preparative electrophoresis

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Derivatization of resin acids with a fluorescent label for cyclodextrin-modified electrophoretic separation 849(1999)255

Electrophoretically mediated microanalysis

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Electrophoretic kits

Evaluation of three commercially available capillary (gel)electrophoresis kits for single stranded DNA oligonucleotide analysis 817(1998)273

Electrophoretic mobility

Capillary zone electrophoresis in mixed aqueous-organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. I. Methanol 806(1998)325

Erratum to "Salt effects in capillary electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius". [J. Chromatogr. A, 786 (1997) 171–180] 806(1998)365

Capillary zone electrophoresis of alkaloids. Influence of structure on electrophoretic mobility 807(1998)81

Salt effects in capillary zone electrophoresis. II. Mechanisms of electrophoretic mobility modification due to Joule heating at high buffer concentrations 809(1998)159

Capillary zone electrophoresis in mixed aqueous-organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Dynamic control for ultra-fast separations of organic acids in capillary zone electrophoresis. A new direction to improve resolution 817(1998)129

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. IV. Acetonitrile 833(1999)245

Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3

Electrospray ionization

see also Mass spectrometry

Determination of phenylurea herbicides in water samples using on-line sorptive preconcentration and high-performance liquid chromatography with UV or electrospray mass spectrometric detection 802(1998)285

Acetogenic isoquinoline alkaloids. CXII. Separation and identification of dimeric naphthylisoquinoline alkaloids by liquid chromatography coupled to electrospray ionization mass spectrometry 810(1998)231

Development of an on-line preconcentration method for the analysis of pathogenic lipopolysaccharides using capillary electrophoresis-electrospray mass spectrometry. Application to small colony isolates 817(1998)325

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Liquid chromatographic study of the enzymatic degradation of endomorphins, with identification by electrospray ionization mass spectrometry 846(1999)39

High-performance liquid chromatography-mass spectrometry of an osteocalcin derivative 846(1999)49

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography-electrospray mass spectrometry 849(1999)467

Electrostatic ion chromatography

Electrostatic ion chromatography of polarizable anions in saline waters with N-{2-[acetyl(3-sulfopropyl)amino]ethyl}-N,N-dimethyldodecanaminium hydroxide (ammonium sulfobetaine-1) as the stationary phase and a dilute electrolytic solution as the mobile phase 850(1999)161

Eluent generation, electrodialytic

Compact, field-portable capillary ion chromatograph 804(1998)45

Eluent precooling

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Elution window

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

Enantiomer separation

Optical resolution of phenylthiohydantoin-amino acids and identification of phenylthiohydantoin-p-amino acid residue of [p-Ala²]-methionine enkephalin by capillary electrophoresis 802(1998)129

Discrimination properties of tetraamidic branched selectors 802(1998)315

Separation of acidic enantiomers by capillary electrophoresis—mass spectrometry employing a partial filling technique 802(1998)83

Direct enantiomeric separation of mianserin and 6-azamianserin derivatives using chiral stationary phases 803(1998)169

Capillary electrophoretic and high-performance liquid chromatographic studies of the enantioselective separation of α_1 -adrenoreceptor antagonists 803(1998)189

Cationic β -cyclodextrin derivative for chiral separations 803(1998)261

Optical resolution of racemic carboxylic acids by gas chromatography 803(1998)307

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1

Enantiomer separation of amino compounds by a novel chiral stationary phase derived from crown ether 805(1998)85

Determination of cyanine-labeled amino acid enantiomers by cyclodextrin-modified capillary gel electrophoresis combined with diode laser fluorescence detection 805(1998)295

Direct chiral separation with Chiralpak AD converted to the reversed-phase mode 805(1998)309

Chiral analysis by capillary electrophoresis using antibiotics as chiral selector (Review) 807(1998)37

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Nuclear magnetic resonance studies for the chiral recognition of the novel chiral stationary phase derived from 18-crown-6 tetracarboxylic acid 810(1998)33

New derivatives of cyclodextrins as chiral selectors for the capillary electrophoretic separation of dichlorprop enantiomers 810(1998)193

(S)-(+)-1-Methyl-2-(6,7,-dimethoxy-2,3-naphthalimido)ethyl trifluoromethanesulfonate as a fluorescence chiral derivatizing reagent for carboxylic acid enantiomers in high-performance liquid chromatography 810(1998)221

Direct chiral resolution of pantothenic acid using 2-hydroxypropyl-β-cyclodextrin in capillary electrophoresis 811(1998)269

Enantiomeric enrichment of non-racemic antihistamines by achiral high-performance liquid chromatography 813(1998)79

Amino acid sequence and D/L-configuration determination of peptides utilizing liberated N-terminus phenylthiohydantoin amino acids 813(1998)267

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

Simultaneous separation of *o-*, *m-*, *p-*fluoro-DL-phenylalanine and *o-*, *m-*, *p-*DL-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

Dermatan sulfate as useful chiral selector in capillary electrophoresis 814(1998)205

Chiral separation of 2,4-dinitrophenyl amino acids using 3-O-methyl-β-cyclodextrin-bonded stationary phase in reversed-phase liquid chromatography 814(1998)247

Enantiomer separation by pressure-supported electrochromatography using capillaries packed with a permethyl-β-cyclodextrin stationary phase 815(1998)183

Determination of the chirality of cysteines in somatostatin analogs 816(1998)59

Molecularly imprinted uniform-sized polymer-based stationary phase for naproxen. Comparison of molecular recognition ability of the molecularly imprinted polymers prepared by thermal and redox polymerization techniques 816(1998)113

High-performance liquid chromatographic separation of enantiomers of cyclic 1,3-amino alcohol derivatives 816(1998)123

Nonaqueous capillary electrophoretic separation of enantiomers using the single-isomer heptakis(2,3-diacetyl-6-sulfato)-β-cyclodextrin as chiral resolving agent 816(1998)233

Stereoselective separation and detection of phenoxy acid herbicide enantiomers by cyclodextrin-modified capillary zone electrophoresis-electrospray ionization mass spectrometry 817(1998)75

Determination of trace enantiomeric impurities in chiral compounds by capillary electrophoresis with uncoated, cationic, anionic and neutral surface modified capillaries 817(1998)83

Chiral separations by capillary zone electrophoresis with the use of cyanoethylated- β -cyclodextrin as chiral selector 817(1998)91

Systematic approach to methods development for the capillary electrophoretic analysis of a minor enantiomer using a single-isomer sulfated cyclodextrin. A case study of L-carbidopa analysis 817(1998)105

Enantioseparation of uncharged compounds by capillary electrophoresis using mixtures of anionic and neutral β -cyclodextrin derivatives 817(1998)113

Nonaqueous capillary electrophoresis chiral separations with quaternary ammonium β -cyclodextrin 817(1998)121

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an α_1 -acid glycoprotein column 818(1998)43

Stereoselective analysis of benazepril and its stereoisomers by reversed-phase high-performance liquid chromatography on a chiral AGP column 818(1998)53

Effect of various cyclodextrin derivatives on the resolution of fencamfamine isomers with capillary electrophoresis and nuclear magnetic resonance 818(1998)239

Simultaneous determination of methylphenobarbital enantiomers and phenobarbital in human plasma by on-line coupling of an achiral precolumn to a chiral liquid chromatographic column 819(1998)143

Direct optical resolution of *trans*-dihydrodiol enantiomers of fjord-region polycyclic aromatic hydrocarbons by high-performance liquid chromatography on a modified cellulose phase 822(1998)29

Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

Electrophoretic stereoisomer separation of aspartyl dipeptides and tripeptides in untreated fused-silica and polyacrylamidecoated capillaries using charged cyclodextrins 822(1998)137

Liquid chromatographic resolution of racemic amino acids and their derivatives on a new chiral stationary phase based on crown ether 822(1998)155

Dynamic ligand-exchange chiral stationary phases derived from N-substituted (S)-phenylglycinol selectors 824(1998)7

Chiral resolution of the enantiomers of tetrahydronaphthalenic derivatives, new agonist and antagonist ligands for melatonin receptors, using high-performance liquid chromatography on cellulose chiral stationary phases 824(1998)15

Evaluation of the enantioselective possibilities of sulfated cyclodextrins for the separation of aspartyl di- and tripeptides in capillary electrophoresis 824(1998)91

Fast chiral separation of amino acid derivatives and acidic drugs by co-electroosmotic flow capillary electrophoresis with vancomycin as chiral selector 825(1998)81

Chiral resolution of enantiomeric steroids by high-performance liquid chromatography on amylose tris(3,5-dimethylphenylcarbamate) under reversed-phase conditions 825(1998)107

Analytical supercritical fluid chromatography using fully automated column and modifier selection valves for the rapid development of chiral separations 826(1998)217

Separation of enantiomers of α -hydroxy acids by reversed-phase liquid chromatography after derivatization with 1-(9-fluorenyl)ethyl chloroformate 827(1998)31

Capillary electrophoretic separation of enantiomers using the single isomer heptakis-(2,3-dimethyl-6-sulfato)- β -cyclodextrin as chiral resolving agent in methanol—water background electrolytes 827(1998)121

Design of the simulated moving bed process based on adsorption isotherm measurements using a perturbation method 827(1998)175

Separation of enantiomers of a chiral epoxide by simulated moving bed chromatography 827(1998)215

Separation of a racemic pharmaceutical intermediate using closed-loop steady state recycling 827(1998)359

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Improved enantioselective method for the determination of the enantiomers of reboxetine in plasma by solid-phase extraction, chiral derivatization, and column-switching high-performance liquid chromatography with fluorescence detection 828(1998)167

Effect of temperature on retention of enantiomers of β -methyl amino acids on a teicoplanin chiral stationary phase 828(1998)177

Determination of the absolute configuration of α -hydroxyglycine derivatives by enzymatic conversion and chiral high-performance liquid chromatography 828(1998)191

Validated high-performance liquid chromatographic methods for quantitation of a novel nonsteroidal antiestrogen 828(1998)247

Investigation of stereoselective metabolism of amphetamine in rat liver microsomes by microdialysis and liquid chromatography with precolumn chiral derivatization 828(1998)95

Highly sensitive method for the separation of enantiomeric and regioisomeric diacylglycerols as 2-anthrylurethanes by chiral-phase high-performance liquid chromatography with fluorescence detection 829(1998)81

Chiral discrimination of Dns- and unmodified p,L-amino acids by copper(II) complexes of terdentate ligands in highperformance liquid chromatography 829(1998)101

High-efficiency chiral separations of *N*-derivatized amino acids by packed-capillary electrochromatography with a quinine-based chiral anion-exchange type stationary phase 829(1998)115

Effect of additives on chiral selectivities by β -cyclodextrin in capillary electrophoresis based on the phenomenon of solvatochromism 829(1998)301

Comparison of native, alkylated and charged cyclodextrins for the chiral separation of labetalol stereoisomers by capillary electrophoresis 829(1998)341

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. III. Effect of aggregation of ovoglycoprotein on chiral resolution 830(1999)81

Enantioselective high-performance liquid chromatography of chiral intermediates in the total synthesis of 4-demethoxydaunomycinone 830(1999)191

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

Carbamate chiral surfactants for capillary electrophoresis 831(1999)311

Chiral separation of a pharmaceutical intermediate by a simulated moving bed process 832(1999)55

Determination of enantiomeric amino acids with highperformance liquid chromatography and pre-column derivatisation with *o*-phthaldialdehyde and *N*-isobutyrylcysteine in seawater and fossil samples (mollusks) 832(1999)123

Analytical separation of the four stereoisomers of isopropyl 2,3-epoxybutanoate by gas chromatography 832(1999)259

pH-Dependent reversal of the chiral recognition of tripeptide enantiomers by carboxymethyl- β -cyclodextrin 833(1999)261

Chiral separation of aromatic amino acids by capillary electrophoresis 836(1999)137

Enantioseparations in normal- and reversed-phase nano-highperformance liquid chromatography and capillary electrochromatography using polyacrylamide and polysaccharide derivatives as chiral stationary phases 837(1999)51 Liquid chromatographic resolution of racemic amines and amino alcohols on a chiral stationary phase derived from crown ether 837(1999)75

Optimization of tandem columns for the isomer and enantiomer selective separation of toxaphenes 837(1999)201

Capillary zone electrophoresis separations of enantiomers present in complex ionic matrices with on-line isotachophoretic sample pretreatment 838(1999)31

Comparison of enantioselective separation of *N-tert.*-butyloxycarbonyl amino acids and their non-blocked analogues on teicoplanin-based chiral stationary phase 838(1999)121

Use of MDL 63 246 (Hepta-Tyr) antibiotic in capillary zone electrophoresis. II. Chiral resolution of α -hydroxy acids 838(1999)223

Characterization of the stereoselective metabolism of thiopental and its metabolite pentobarbital via analysis of their enantiomers in human plasma by capillary electrophoresis 838(1999)237

Chitosan derivatives as chiral selectors bonded on allyl silica gel: preparation, characterisation and study of the resulting highperformance liquid chromatography chiral stationary phases 839(1999)15

Direct high-performance liquid chromatographic separations of metoprolol analogues on a Chiralcel OD column using chemometrics 839(1999)23

High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167

Enantiomer separation of amino acid derivatives on a new polymeric chiral resorc[4]arene stationary phase by capillary gas chromatography 840(1999)145

Structural optimization of a chiral selector for use in preparative enantioselective chromatography 840(1999)151

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. V. Influence of immobilization method on chiral resolution 840(1999)171

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Recent advances in non-silylation derivatization techniques for gas chromatography 843(1999)1

Cyclodextrin derivatives as chiral selectors for direct gas chromatographic separation of enantiomers in the essential oil, aroma and flavour fields 843(1999)99

Comparison of two methods for the gas chromatographic determination of thermodynamic parameters of enantioselectivity 843(1999)123

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

Analytical study of penicillamine in pharmaceuticals by capillary zone electrophoresis 844(1999)361

Semisynthetic chondroitins as chiral buffer additives in capillary electrophoresis 845(1999)247

Enantiomeric resolution of derivatives of α -aminophosphonic and α -aminophosphinic acids by high-performance liquid chromatography and capillary electrophoresis 845(1999)273

Preparation and enantiomer separation behavior of selectively methylated γ-cyclodextrin-bonded stationary phases for highperformance liquid chromatography 845(1999)455

High-performance liquid chromatographic separation of novel atropic α,α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Enantioseparation of α -amino acids and dipeptides by ligand-exchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Simultaneous stereoselective analysis by capillary electrophoresis of tramadol enantiomers and their main phase I metabolites in urine 846(1999)227

Trace analysis of haloperidol and its chiral metabolite in plasma by capillary electrophoresis 846(1999)239

Separation of phenoxy acid herbicides and their enantiomers in the presence of selectively methylated cyclodextrin derivatives by capillary zone electrophoresis 846(1999)359

Use of 6-0-tert.-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbic acid isomers 847(1999)103

Chromatographic separation of α -pinene isomerization products 848(1999)297

Thermodynamic study and separation mechanism of diltiazem optical isomers in packed-column supercritical fluid chromatography 848(1999)337

Enantiomeric separations by capillary electrochromatography using a macrocyclic antibiotic chiral stationary phase 848(1999)375

Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

Uniform-sized molecularly imprinted polymer for (S)-naproxen selectively modified with hydrophilic external layer 849(1999)331

Kinetic study of the mass transfer of S-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

Enantiomeric separation of D- and L-carnitine by integrating online derivatization with capillary zone electrophoresis 849(1999)609

Enantioselectivity

Chiral analysis by capillary electrophoresis using antibiotics as chiral selector (Review) 807(1998)37

Comparison of two methods for the gas chromatographic determination of thermodynamic parameters of enantioselectivity 843(1999)123

End-capping

Characteristics of octadecylsilylated silica gels end-capped by high-temperature silylation 813(1998)239

Environmental analysis

see also Special Issue Index

Evaluation of a small prototype passive sampler for airborne volatile organic compounds 802(1998)307

Determination of chlorobenzenes in water by solid-phase extraction and gas chromatography-mass spectrometry 803(1998)219

Compact, field-portable capillary ion chromatograph 804(1998)45

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

Determination of iodide in ground water and soil by ion chromatography 804(1998)131

Ion-exchange chromatography of mono- and divalent cations in natural waters on a weak-acid anion-exclusion column 804(1998)179

Determination by ion chromatography of selected organic and inorganic acids in rainwater at Maracaibo, Venezuela 804(1998)289

Identification of pesticides by liquid chromatography—particle beam mass spectrometry using electron ionization and chemical ionization 805(1998)127

Solid-phase microextraction and gas chromatography-mass spectrometry for determining chlorophenols from landfill leaches and soil 806(1998)317

Trace chromatographic analysis of dimethyl sulfoxide and related methylated sulfur compounds in natural waters (Review) 807(1998)151

Application of pentafluorophenyldimethylsilyl derivatization for gas chromatography-electron-capture detection of supercritically extracted sterols 809(1998)109

Detection of alkyl methylphosphonic acids in complex matrices by gas chromatography-tandem mass spectrometry 809(1998)141

Determination of very volatile organic compounds in environmental water by injection of a large amount of headspace gas into a gas chromatograph 810(1998)141

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. I. Derivatization 810(1998)161

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. II. Enrichment 810(1998)173

Use of a presolvent to include volatile organic analytes in the application range of on-line solid-phase extraction-gas chromatography-mass spectrometry 811(1998)117

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Measurement of volatile organic compounds by the US Environmental Protection Agency Compendium Method TO-17. Evaluation of performance criteria 813(1998)101

Simple method for estimating polychlorinated biphenyl concentrations on soils and sediments using subcritical water extraction coupled with solid-phase microextraction 814(1998)151

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Solid-phase microextraction for determining the binding state of organic pollutants in contaminated water rich in humic organic matter 816(1998)159

Effects of various binary and ternary supercritical phases on the extraction of polycyclic aromatic hydrocarbons from contaminated soils 816(1998)201

On-line coupling of solid-phase extraction to gas chromatography with mass spectrometric detection to determine pesticides in water 818(1998)85

Determination of organonitrogen pesticides in large volumes of surface water by liquid-liquid and solid-phase extraction using gas chromatography with nitrogen-phosphorus detection and liquid chromatography with atmospheric pressure chemical ionization mass spectrometry 818(1998)197

Continuous determination of volatile organic compounds in the atmosphere by an automated gas chromatographic system 819(1998)177

Strategies for the analysis of chlorobenzenes in soils using solid-phase microextraction coupled with gas chromatography—ion trap mass spectrometry 819(1998)197

Matrix effects and selectivity of the detector in the determination of butyl- and phenyltins by gas chromatography–flame photometric detection 819(1998)221

Ultrasonic solvent extraction of pesticides from soil 823(1998)3

Multiresidue herbicide analysis in soil samples by means of extraction in small columns and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 823(1998)17

Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25

Comparison of various sample handling and analytical procedures for the monitoring of pesticides and metabolites in ground waters 823(1998)35

Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen-phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection 823(1998)49

Monitoring of pesticide residues and their metabolites in surface and underground waters of Imathia (N. Greece) by means of solid-phase extraction disks and gas chromatography 823(1998)59

Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81

Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen-phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91

Automated determination of phenylcarbamate herbicides in environmental waters by on-line trace enrichment and reversedphase liquid chromatography-diode array detection 823(1998)121

Analysis and degradation study of glyphosate and of aminomethylphosphonic acid in natural waters by means of polymeric and ion-exchange solid-phase extraction columns followed by ion chromatography-post-column derivatization with fluorescence detection 823(1998)129

Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water 823(1998)163

Solving coelution problems on a smectic-liquid crystalline polysiloxane capillary column for the determination of priority polycyclic aromatic hydrocarbons in environmental samples 823(1998)179

On-line coupling of immunosorbent and liquid chromatographic analysis for the selective extraction and determination of polycyclic aromatic hydrocarbons in water samples at the ng l⁻¹ level 823(1998)197

Solvent-free method for the determination of polynuclear aromatic hydrocarbons in waste water by solid-phase microextraction-high-performance liquid chromatography with photodiode-array detection 823(1998)211

Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography—atmospheric pressure chemical ionisation mass spectrometry 823(1998)231

Liquid chromatography-atmospheric pressure chemical ionization mass spectrometry for chlorinated phenolic compounds. Application to the analysis of polluted soils 823(1998)241

Speciation of volatile forms of selenium and inorganic selenium in sediments by gas chromatography-mass spectrometry 823(1998)259

Analysis of cations in drainage water and soil solution by single-column ion chromatography 823(1998)279

Analysis of inorganic anions in drainage water and soil solution by single-column ion chromatography 823(1998)285

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

Headspace solid-phase microextraction for the determination of volatile and semi-volatile pollutants in water and air 824(1998)53

Analysis of nonylphenol polyethoxylates and their degradation products in river water and sewage effluent by gas chromatography-ion trap (tandem) mass spectrometry with electron impact and chemical ionization 824(1998)79

Determination of selected antifouling booster biocides by highperformance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 825(1998)29

Determination of polycyclic aromatic sulfur heterocyclic compounds in airborne particulate by gas chromatography with atomic emission and mass spectrometric detection 826(1998)57

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography—flame ionization detection 826(1998)191

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography-fluorescence detection with pre-column derivatization reaction 827(1998)57

Evaluation of natural crab shell as an adsorbent for preconcentrating airborne volatile organic compounds collected in a canister 829(1998)215

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

Determination of chlorinated acid herbicides and related compounds in water by capillary electrophoresis-electrospray negative ion mass spectrometry 829(1998)327

Simultaneous determination of inorganic anions and cations in waters by capillary electrophoresis 829(1998)359

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of s-triazines in aqueous samples 830(1999)377

Comparative studies of the leachate of an industrial landfill by gas chromatography—mass spectrometry, liquid chromatography—nuclear magnetic resonance and liquid chromatography—mass spectrometry 831(1999)243

Capillary electrophoresis of inorganic anions 834(1999)133

Application of capillary electrophoresis to the analysis of inorganic ions in environmental samples 834(1999)349

Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363

Improved selectivity of anions with methanol as additive. Determination of Cl^- , NO_3^- and $SO_4^{2^-}$ in river water by capillary electrophoresis 834(1999)393

High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113

Analysis of atrazine, terbutylazine and their *N*-dealkylated chloro and hydroxy metabolites by solid-phase extraction and gas chromatography—mass spectrometry and capillary electrophoresis—ultraviolet detection 835(1999)217

Pressurized fluid extraction of polychlorinated biphenyls in solid environmental samples 836(1999)285

New derivatization method for carboxylic acids in aqueous solution for analysis by capillary electrophoresis and laser-induced fluorescence detection 836(1999)325

Optimisation of the microwave-assisted extraction in open cell of polycyclic aromatic hydrocarbons from soils and sediments. Study of moisture effect 837(1999)187

New leading electrolyte for the direct determination of chloride and other anions in analytical isotachophoresis 838(1999)81

Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution 838(1999)303

Efficiency of supercritical fluid extraction for determining 4nonylphenol in municipal sewage sludge 840(1999)71

On-line solid-phase extraction–short-column liquid chromatography combined with various tandem mass spectrometric scanning strategies for the rapid study of transformation of pesticides in surface water 841(1999)33

Applied gas chromatography coupled to isotope ratio mass spectrometry 842(1999)351

On-line combination of aqueous-sample preparation and capillary gas chromatography 842(1999)391

Oil spill identification 843(1999)369

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Determination of explosives in soil and ground water by liquid chromatography-amperometric detection 844(1999)97

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Distribution of *n*-alkanes, polynuclear aromatic hydrocarbons and nitrated polynuclear aromatic hydrocarbons between the fine and coarse fractions of inhalable atmospheric particulates 846(1999)255

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO_2 and NO_y) in remote atmospheres 846(1999)265

Use of ion chromatography for monitoring atmospheric pollution in background networks 846(1999)269

Determination of toxic nitrophenols in the atmosphere by highperformance liquid chromatography 846(1999)277

Analysis of volatile organic compounds in the ambient air of Algiers by gas chromatography with a β -cyclodextrin capillary column 846(1999)287

Gas chromatographic determination of synthetic musk compounds in Norwegian air samples 846(1999)295

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Quantitation of chlorophenoxy acid herbicides by highperformance liquid chromatography with coulometric detection 846(1999)349

Analysis of priority pollutants in environmental samples by online supercritical fluid chromatography cleanup-cryo-trap-gas chromatography-mass spectrometry 846(1999)387

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

Diffusion technique for the production of gas standards for atmospheric measurements 848(1999)239

Analysis of brominated compounds in background air by gas chromatography-high-resolution mass spectrometry 848(1999)261

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491

Quantitative determination of sulfur-containing anions in complex matrices with capillary electrophoresis and conductivity detection 848(1999)503

Capillary electrophoretic determination of inorganic anions in the drainage and surface water samples 848(1999)545

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Simultaneous determination of anions and cations by ionexclusion chromatography-cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79

Determination of trace level perchlorate in drinking water and ground water by ion chromatography 850(1999)131

Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153

Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid—15-crown-5 as eluent 850(1999)229

Determination of glyphosate by ion chromatography 850(1999)297

Analysis of wastewater for anionic and cationic nutrients by ion chromatography in a single run with sequential flow injection analysis 850(1999)303

Acid-rain monitoring in East Asia with a portable-type ionexclusion-cation-exchange chromatographic analyzer 850(1999)311

Development of an analytical method for beryllium in airborne dust by micellar electrokinetic chromatography 850(1999)363

Environment-assisted cracking

Using capillary electrophoresis to study the chemical conditions within cracks in aluminum alloys 850(1999)381

EPA method 8330

Improvement of EPA method 8330: complete separation using a two-phase approach 849(1999)381

Epoxy-activated stationary phases

Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73

Salt-induced immobilization of affinity ligands onto epoxideactivated supports 849(1999)1

Equilibrium-dispersive model

Theoretical analysis of the behavior of a centrally injected band in a homogeneous chromatographic column 828(1998)19

Equilibrium partitioning in closed systems

Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques 830(1999)353

Escherichia coli

Quantifying biosynthetic human growth hormone in *Escherichia coli* with capillary electrophoresis under hydrophobic conditions 817(1998)205

Essential oils

see also Oils

Polarity changes during capillary gas chromatographic and gas chromatographic—mass spectrometric analysis using serially coupled columns of different natures and temperature programming. Application to the identification of constituents of essential oils 819(1998)61

Cyclodextrin derivatives as chiral selectors for direct gas chromatographic separation of enantiomers in the essential oil, aroma and flavour fields 843(1999)99

Etchants

Ion-chromatographic study of interactions in HF-H₃PO₄-HNO₃ semiconductor etchants. Systematic use of statistically designed mixture experiments 804(1998)161

Ethanol precipitation

Fractionation of maltodextrins by ethanol 803(1998)103

Eucalyptus globulus

Characterization of organic deposits produced in the kraft pulping of *Eucalyptus globulus* wood 823(1998)457

Analysis of impurities occurring in a totally chlorine freebleached Kraft pulp 830(1999)227

Evaporation

Monitoring the actual carrier gas flow during large-volume oncolumn injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Evaporation loss

Concentration of small volumes of nonpolar solutions containing trace volatile compounds 824(1998)195

Evaporation rate

Optimization of large-volume on-column injection conditions in gas chromatography by monitoring the actual carrier gas flow 841(1999)75

Evaporative light scattering detection

Comparison of the responses of triacylglycerols with an evaporative visible light scattering detector used in conventional, micro and capillary liquid chromatography 848(1999)95

Evolved gas analysis

Thermochromatography for evolved gas analysis of apatite materials 819(1998)75

Expanded bed adsorption

Immobilised metal ion affinity chromatography purification of alcohol dehydrogenase from baker's yeast using an expanded bed adsorption system 840(1999)195

Expanded bed chromatography

Expanded bed chromatography for one-step purification of mannose binding lectin from tulip bulbs using mannose immobilized on DEAE Streamline 822(1998)19

Experimental design

Ion-chromatographic study of interactions in HF-H₃PO₄-HNO₃ semiconductor etchants. Systematic use of statistically designed mixture experiments 804(1998)161

Separation of barbiturates with micellar liquid chromatography and optimization by a second order mathematical design 805(1998)45

Development of a gas chromatography-mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95

Experimental design approach for the optimization of supercritical fluid extraction of chlorophenols from polluted soils 823(1998)249

Optimization of solid-phase microextraction for the speciation of butyl- and phenyltins using experimental designs 826(1998)57

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Development and optimisation of a new derivatisation procedure for gas chromatographic–mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-bystep optimisation procedures 840(1999)81

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Artificial neural networks for computer-aided modelling and optimisation in micellar electrokinetic chromatography 850(1999)345

Expert systems

Towards an expert system in ion-exclusion chromatography by means of multiple classification ripple-down rules 804(1998)29

Extraction methods

see also Clean-up methods, Sample handling, Sample preparation, Solid-phase extraction and Solid-phase microextraction

Sensitive method for the determination of 3-chloropropane-1,2-diol and 2-chloropropane-1,3-diol by capillary gas chromatography with mass spectrometric detection 802(1998)325

Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma 808(1998)211

Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environmental water samples 808(1998)257

Determination of carbonyl compounds in water by derivatization–solid-phase microextraction and gas chromatographic analysis 809(1998)75

Determination of airborne, volatile amines from polyurethane foams by sorption onto a high-capacity cation-exchange resin based on poly(succinic acid) 809(1998)121

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Theory and methodology of antibiotic extraction from biomatrices 812(1998)3

Simple method for estimating polychlorinated biphenyl concentrations on soils and sediments using subcritical water extraction coupled with solid-phase microextraction 814(1998)151

Evaluation of musk contamination of freshwater fish in italy by accelerated solvent extraction and gas chromatography with mass spectrometric detection 814(1998)187

Thin-layer chromatography of mycotoxins and comparison with other chromatographic methods 815(1998)3

Interaction between cyclodextrins and aflatoxins Q_1 , M_1 and P_1 . Fluorescence and chromatographic studies 815(1998)21

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Solid-phase microextraction for determining the binding state of organic pollutants in contaminated water rich in humic organic matter 816(1998)159

Effects of various binary and ternary supercritical phases on the extraction of polycyclic aromatic hydrocarbons from contaminated soils 816(1998)201

Comparison of supercritical fluid extraction and Soxhlet extraction for the determination of polychlorinated biphenyls in environmental matrix standard reference materials 816(1998)213

Determination of organonitrogen pesticides in large volumes of surface water by liquid-liquid and solid-phase extraction using gas chromatography with nitrogen-phosphorus detection and liquid chromatography with atmospheric pressure chemical ionization mass spectrometry 818(1998)197

Supercritical fluid extraction of polychlorinated dibenzo-pdioxins from fly ash: the importance of fly ash origin and composition on extraction efficiency 819(1998)187

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

Determination of phenol in polymeric materials by supercritical fluid extraction combined with gas chromatography-mass spectrometry 819(1998)289

Liquid chromatographic determination of phenolic antioxidants in bakery products 822(1998)305

Comparison of different sorbents for on-line liquid–solid extraction followed by high-performance liquid chromatographic determination of nitrogen-containing pesticides 822(1998)67

Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75

Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25

Improving the solid-phase extraction of "quat" pesticides from water samples. Removal of interferences 823(1998)137

On-line coupling of immunosorbent and liquid chromatographic analysis for the selective extraction and determination of polycyclic aromatic hydrocarbons in water samples at the ng l^{-1} level 823(1998)197

Optimization and validation of solvent and supercritical-fluid extractions for the trace-determination of polycyclic aromatic hydrocarbons in sewage sludges by liquid chromatography coupled to diode-array and fluorescence detection 823(1998)219

Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography—atmospheric pressure chemical ionisation mass spectrometry 823(1998)231

Simultaneous gas chromatographic determination of food preservatives following solid-phase extraction 823(1998)321

Continuous membrane extraction coupled with chromatographic analysis for the determination of phenols in fuels 823(1998)537

Determination of organophosphorus pesticides in wheat flour by supercritical fluid extraction and gas chromatography with nitrogen-phosphorus detection 824(1998)63

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Optimization of solid-phase microextraction for the speciation of butyl- and phenyltins using experimental designs 826(1998)57

Comparative study of a solid-phase extraction system coupled to capillary electrophoresis in the determination of haloacetic compounds in tap water 827(1998)105

Straightforward solid-phase extraction method for the determination of verapamil and its metabolite in plasma in a 96-well extraction plate 828(1998)273

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection 829(1998)269

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques 830(1999)353

Supercritical fluid extraction of flavonoids from Scutellariae Radix 830(1999)387

In-situ derivatisation of degradation products of chemical warfare agents in water by solid-phase microextraction and gas chromatographic-mass spectrometric analysis 832(1999)173

Headspace solid-phase microextraction of sulphides and disulphides using Carboxen-polydimethylsiloxane fibers in the analysis of wine aroma 835(1999)137

Supercritical fluid extraction and clean-up of organochlorine pesticides in Chinese herbal medicine 835(1999)145

Analysis of atrazine, terbutylazine and their *N*-dealkylated chloro and hydroxy metabolites by solid-phase extraction and gas chromatography—mass spectrometry and capillary electrophoresis—ultraviolet detection 835(1999)217

Pressurized fluid extraction of polychlorinated biphenyls in solid environmental samples 836(1999)285

Optimisation of the microwave-assisted extraction in open cell of polycyclic aromatic hydrocarbons from soils and sediments. Study of moisture effect 837(1999)187

Pressurized liquid extraction of medicinal plants 837(1999)211

Determination of chlorophenolics in waters by membrane solid-phase extraction: comparison between C_{18} and activated carbon membranes and between modes of extraction and elution 840(1999)21

Microwave-assisted extraction of felodipine tablets 840(1999)59

Integral optimizing functional of separation efficiency 841(1999)133

Efficiency of supercritical fluid extraction for determining 4nonylphenol in municipal sewage sludge 840(1999)71

Solid-phase microextraction for the determination of iodinated trihalomethanes in drinking water 841(1999)197

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection 848(1999)305

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction—gas chromatography 849(1999)293

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61



Factor analysis

Parallel factor analysis of partially resolved chromatographic data. Determination of polycyclic aromatic hydrocarbons in water samples 802(1998)263

Factorial design

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

Determination of phenol in polymeric materials by supercritical fluid extraction combined with gas chromatography-mass spectrometry 819(1998)289

Fast atom bombardment

Liquid chromatographic separation and mass spectrometric identification of chlorophyll *b* allomers 837(1999)107

Fast chromatography

Peak distortion, data sampling errors and the integrator in the measurement of very narrow chromatographic peaks 842(1999)321

Fats

Rapid determination of skatole and indole in pig back fat by normal-phase liquid chromatography 809(1998)246

Analysis of human milk triacylglycerols by high-performance liquid chromatography with light-scattering detection 823(1998)475

New chromatographic, mass spectrometric and stable isotope approaches to the classification of degraded animal fats preserved in archaeological pottery 833(1999)209

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography-mass spectrometry 847(1999)179

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag⁺containing mobile phase 848(1999)83

Feed additives

Identification of main corticosteroids as illegal feed additives in milk replacers by liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 807(1998)219

Feeds

Simultaneous determination of fat-soluble vitamins A, D and E and pro-vitamin D_2 in animal feeds by one-step extraction and high-performance liquid chromatography analysis 825(1998)127

Fertilizers

Determination of total chromium in phosphate rocks by ion chromatography 850(1999)137

Fiber-optic-based UV-visible absorbance detection

Fiber-optic-based UV-visible absorbance detector for capillary electrophoresis, utilizing focusing optical elements 809(1998)181

Fiber optics thermal lens detection

Fiber optic modified thermal lens detector system for the determination of amino acids 817(1998)223

Field-amplified sample injection

Characterisation of buserelin acetate by capillary electrophoresis 817(1998)239

Field enhanced sample injection

Sample stacking of fast-moving anions in capillary zone electrophoresis with pH-suppressed electroosmotic flow 850(1999)339

Field-flow fractionation

Numerical simulation of band-broadening during hydrodynamic relaxation in frit-inlet field-flow fractionation channels 805(1998)149

Size characterization of liposomes by flow field-flow fractionation and photon correlation spectroscopy. Effect of ionic strength and pH of carrier solutions 813(1998)91

Magnetic split-flow thin fractionation: new technique for separation of magnetically susceptible particles 813(1998)313

Characterization of hematite and its interaction with humic material using flow field-flow fractionation 816(1998)145

Computer simulation of particle separation based on non-equilibrium swelling 831(1999)51

Deviations to classical retention theory of field-flow fractionation 831(1999)73

Advances in the theory of particle size distributions by field-flow fractionation. Outlet and apparent polydispersity at constant field 831(1999)89

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139

Different elution modes and field programming in gravitational field-flow fractionation. I. A theoretical approach 845(1999)285

Study of hydroxyapatite aggregation in the presence of potassium phosphate by centrifugal sedimentation field-flow fractionation 845(1999)293

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Filter paper pieces-based DEAE-cellulose

Direct fractionation of proteins in particle-containing feedstocks by a filter paper pieces-based DEAE-cellulose column chromatography. Rapid, robust and low-cost capturing procedure for protein 811(1998)69

Finite bath adsorption

Visualising intraparticle protein transport in porous adsorbents by confocal microscopy 813(1998)387

Fish

Histamine and histidine determination in tuna fish samples using high-performance liquid chromatography. Derivatization with *o*-phthalaldehyde and fluorescence detection or UV detection of "free" species 809(1998)241

Evaluation of musk contamination of freshwater fish in italy by accelerated solvent extraction and gas chromatography with mass spectrometric detection 814(1998)187

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Fixed size moving window evolving factor analysis approach

Purity assessment and resolution of tetracycline hydrochloride samples analysed using high-performance liquid chromatography with diode array detection 832(1999)67

Flame ionization detection

Prediction of flame ionization detector response factors using an artificial neural network 825(1998)161

Aspects of the mechanism of the flame ionization detector 842(1999)221

Flame photometric detection

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Photometric response of a very small, stoichiometric hydrogenair flame to compounds of the iron group 806(1998)305

Flame photometric detection, sulfur mode

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Flash chromatography

Purification of closely eluting hydrophobic microcystins (peptide cyanotoxins) by normal-phase and reversed-phase flash chromatography 848(1999)515

Flavor enhancers

Preparative separation of value-added peptides from rice bran proteins by high-performance liquid chromatography 827(1998)319

Flow distribution

Flow distribution in chromatographic columns 831(1999)149

Flow field-flow fractionation

Size characterization of liposomes by flow field-flow fractionation and photon correlation spectroscopy. Effect of ionic strength and pH of carrier solutions 813(1998)91

Characterization of hematite and its interaction with humic material using flow field-flow fractionation 816(1998)145

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139

Flow-gradient chromatography

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Flow injection analysis

Calibration principles for flow injection analysis-capillary electrophoresis systems with electrokinetic injection 808(1998)219

Gradient elution electrochromatography with a flow-injection analysis interface 828(1998)105

High-throughput flow injection analysis—mass spectrometry with networked delivery of colour rendered results: the characterisation of liquid chromatography fractions 835(1999)29

Flow injection-capillary electrophoresis coupling

Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system 827(1998)113

Flow pores

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Flow-rate

Optimisation and routine use of generic ultra-high flow-rate liquid chromatography with mass spectrometric detection for the direct on-line analysis of pharmaceuticals in plasma 828(1998)199

Relationship between the flow-rate of the mobile phase and retention of the stationary phase in counter-current chromatography 835(1999)231

Validity of Darcy's law at low flow-rates in liquid chromatography 849(1999)35

Fluorenyl alkyl silanes

n-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Fluorescence detection

see also Laser-induced fluorescence detection

Parallel factor analysis of partially resolved chromatographic data. Determination of polycyclic aromatic hydrocarbons in water samples 802(1998)263

Chromatographic determination of the fumonisin mycotoxins 815(1998)31

Improved fluorometric and chromatographic methods for the quantification of fumonisins $B_1,\,B_2$ and B_3 815(1998)41

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Direct analysis of several *Fusarium* mycotoxins in cereals by capillary gas chromatography–mass spectrometry 815(1998)59

Use of various clean-up procedures for the analysis of ochratoxin A in cereals 815(1998)67

Natural occurrence of alternariol and alternariol methyl ether in Spanish apple juice concentrates 815(1998)93

Incidence of patulin in apple juice concentrates produced in Turkey 815(1998)99

Quantitation of homocysteine in human plasma by capillary electrophoresis and laser-induced fluorescence detection 817(1998)181

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

Fluorescence detection of proteins and amino acids in capillary electrophoresis using a post-column sheath flow reactor 829(1998)309

Multicomponent analysis by off-line combination of synchronous fluorescence spectroscopy and capillary electrophoresis of collagen glycation adducts 836(1999)161

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

Effects of gel material on fluorescence lifetime detection of dyes and dye-labeled DNA primers in capillary electrophoresis 841(1999)95

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

Fluorescent in situ hybridization (FISH)

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

Fluoride ion chemical ionization mass spectrometry

Analysis and characterization of naphthenic acids by gas chromatography–electron impact mass spectrometry of *tert.*-butyldimethylsilyl derivatives 807(1998)241

Fluorinated stationary phase

Separation of dipalmitoy phosphatidyl choline, cholesterol and their degradation products by high-performance liquid chromatography on a perfluorinated stationary bonded phase 840(1999)31

Fly ash

Supercritical fluid extraction of polychlorinated dibenzo-pdioxins from fly ash: the importance of fly ash origin and composition on extraction efficiency 819(1998)187

Food analysis

Application of capillary electrophoresis to tea quality estimation 802(1998)219

Determination of vitamins in food based on supercritical fluid extraction prior to micellar electrokinetic capillary chromatographic analyses of individual vitamins 802(1998)233

Sensitive method for the determination of 3-chloropropane-1,2-diol and 2-chloropropane-1,3-diol by capillary gas chromatography with mass spectrometric detection 802(1998)325

Analysis of nonpolar heterocyclic amines in cooked foods and meat extracts using gas chromatography-mass spectrometry 803(1998)227

Direct determination of biogenic amines in wine by integrating continuous flow clean-up and capillary electrophoresis with indirect UV detection 803(1998)249

Ion chromatographic determination of nitrate and nitrite in meat products 804(1998)157

Detection of counterfeit and relabeled infant formulas by highpH anion-exchange chromatography-pulsed amperometric detection for the determination of sugar profiles 804(1998)279

Selective determination of p-sorbitol and p-mannitol in foodstuffs by ion chromatography with polarized photometric detection 804(1998)305

Determination of underivatized amino acids in beverage samples by capillary electrophoresis 804(1998)349

Method for determining the content of catechins in tea infusions by high-performance liquid chromatography 805(1998)137

Rapid and sensitive liquid chromatographic method using a conductivity detector for the determination of phytic acid in food 805(1998)143

 δ^{13} C analyses of vegetable oil fatty acid components, determined by gas chromatography–combustion–isotope ratio mass spectrometry, after saponification or regiospecific hydrolysis 805(1998)249

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Multiresidue determination of pesticides in apples and pears by gas chromatography-mass spectrometry 805(1998)319

Quantitative determination of trace and ultratrace flavour active compounds in red wines through gas chromatographic-ion trap mass spectrometric analysis of microextracts 806(1998)349

Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma 808(1998)211

Histamine and histidine determination in tuna fish samples using high-performance liquid chromatography. Derivatization with *o*-phthalaldehyde and fluorescence detection or UV detection of "free" species 809(1998)241

Rapid determination of skatole and indole in pig back fat by normal-phase liquid chromatography 809(1998)246

High-performance liquid chromatographic determination of ochratoxin A in artificially contaminated cocoa beans using automated sample clean-up 810(1998)89

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Direct chiral resolution of pantothenic acid using 2-hydroxypropyl-β-cyclodextrin in capillary electrophoresis 811(1998)269

Simultaneous determination of β -lactam antibiotics in milk by ion-pair liquid chromatography 812(1998)205

Multiresidue determination of β -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

Simultaneous determination of five macrolide antibiotics in meat by high-performance liquid chromatography 812(1998)295

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Improved method for the on-line metal chelate affinity chromatography-high-performance liquid chromatographic determination of tetracycline antibiotics in animal products 812(1998)321

Iso- and epi-iso-chlortetracycline are the principal metabolites of chlortetracycline in the hen's egg 812(1998)327

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Separation of lac dye components by high-speed counter-current chromatography 813(1998)71

High-performance capillary electrophoresis of cereal proteins 814(1998)25

Simultaneous pulsed flame photometric and mass spectrometric detection for enhanced pesticide analysis capabilities 814(1998)133

Evaluation of musk contamination of freshwater fish in italy by accelerated solvent extraction and gas chromatography with mass spectrometric detection 814(1998)187

Instrumental methods for determination of nonmacrocyclic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Determination of eight trichothecenes by gas chromatography—mass spectrometry after sample clean-up by a two-stage solid-phase extraction 815(1998)123

Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133

Determination of seven biogenic amines in foods by micellar electrokinetic capillary chromatography 815(1998)243

Gas chromatography determination of polychlorinated biphenyls in powdered and liquid soybean milks 815(1998)272

Capillary column gas-liquid chromatographic separation of $\Delta 5$ -unsaturated and saturated phytosterols 816(1998)177

Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139

Cationic and anionic polymeric additives for wall deactivation and selectivity control in the capillary electrophoretic separation of proteins in food samples 817(1998)227

Separation of high-molecular-mass carrageenan polysaccharides by capillary electrophoresis with laser-induced fluorescence detection 817(1998)353

Supercritical fluid extraction and off-line clean-up for the analysis of organochlorine pesticide residues in garlic 818(1998)138

Tentative analysis of virgin olive oil aroma by supercritical fluid extraction-high-resolution gas chromatography-mass spectrometry 819(1998)267

High-performance liquid chromatography-atmospheric-pressure chemical ionization mass spectrometry as a new tool for the determination of the mycotoxin zearalenone in food and feed 819(1998)277

Ion-exclusion chromatographic determination of organic acids in vinegars 822(1998)45

Determination of low-molecular-mass anionic compounds in beverage samples using capillary zone electrophoresis with simultaneous indirect ultraviolet and conductivity detection 822(1998)117

Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125

Multiresidue determination of pesticides in plants by highperformance liquid chromatography following gel permeation chromatographic clean-up 823(1998)11

Validation of an immunoassay method for the determination of traces of carbaryl in vegetable and fruit extracts by liquid chromatography with photodiode array and mass spectrometric detection 823(1998)109

Selective identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of different types of gluten in foods made with cereal mixtures 823(1998)299

Anti-nutritional constituents of six underutilized legumes grown in Nigeria 823(1998)307

Simultaneous gas chromatographic determination of food preservatives following solid-phase extraction 823(1998)321

High-performance liquid chromatography with diode-array detection for the determination of phenolic compounds in peel and pulp from different apple varieties 823(1998)331

Improved size-exclusion high-performance liquid chromatographic method for the simple analysis of grape juice and wine polysaccharides 823(1998)339

Determination of acids and volatile compounds in red Txakoli wine by high-performance liquid chromatography and gas chromatography 823(1998)349

Determination of riboflavin, flavin mononucleotide and flavinadenine dinucleotide in wine and other beverages by highperformance liquid chromatography with fluorescence detection 823(1998)355

Determination of polychlorinated biphenyls in soybean infant formulas by gas chromatography 823(1998)365

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

Gas chromatography with electron-capture and nitrogen—phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Influence of the honey matrix on the quantitative results 823(1998)381

Evaluation by high-performance liquid chromatography of the hydrolysis of human milk triacylglycerides during storage at low temperatures 823(1998)467

Analysis of human milk triacylglycerols by high-performance liquid chromatography with light-scattering detection 823(1998)475

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

Simultaneous analysis of tyrosol, tryptophol and ferulic acid in commercial sake samples by micellar electrokinetic chromatography 825(1998)102

Column liquid chromatography determination of vitamins A and E in powdered milk and local flour: a validation procedure 826(1998)183

Determination of eight synthetic food colorants in drinks by high-performance ion chromatography 827(1998)73

Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system 827(1998)113

High-performance liquid chromatography with electrospray ionization mass spectrometry and diode array ultraviolet detection in the identification of flavonol aglycones and glycosides in berries 829(1998)91

Levels of metamidophos in air and vegetables after greenhouse applications by gas chromatography 829(1998)251

Comparison of two clean-up principles for determination of trichothecenes in grain extract 829(1998)259

Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection 829(1998)269

Study on volatile components in salami by reverse carrier gas headspace gas chromatography-mass spectrometry 830(1999)175

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377

Erratum to "Ion-exclusion chromatographic determination of organic acids in vinegars". [J. Chromatogr. A 822 (1998) 45–51] 831(1999)331

Quantitative analysis of xanthohumol and related prenylflavonoids in hops and beer by liquid chromatography tandem mass spectrometry 832(1999)97

Temperature, eluent flow-rate and column effects on the retention and quantitation properties of phenylthiocarbamyl derivatives of amino acids in reversed-phase high-performance liquid chromatography 832(1999)109

Validation of capillary electrophoresis in the analysis of ewe's milk casein 832(1999)239

Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3

Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13

Validation of a solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice 833(1999)35

Determination of chlorpyrifos, penconazole, fenarimol, vinclozolin and metalaxyl in grapes, must and wine by on-line microextraction and gas chromatography 833(1999)43

Determination of daminozide in apples and apple leaves by liquid chromatography-mass spectrometry 833(1999)53

Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61

Rapid determination of glyphosate in cereal samples by means of pre-column derivatisation with 9-fluorenylmethyl chloroformate and coupled-column liquid chromatography with fluorescence detection 833(1999)67

Capillary electrophoresis of inorganic anions 834(1999)133

Determination of inorganic ions in food and beverages by capillary electrophoresis 834(1999)401

Application of capillary isotachophoresis and capillary zone electrophoresis to the determination of inorganic ions in food and feed samples 834(1999)419

High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113

Headspace solid-phase microextraction of sulphides and disulphides using Carboxen-polydimethylsiloxane fibers in the analysis of wine aroma 835(1999)137

Detection of the presence of soya protein in milk powder by sodium dodecyl sulfate capillary electrophoresis 836(1999)153

Determination of biogenic amines by capillary electrophoresis 836(1999)305

Isotachophoretic determination of 3-methylhistidine 838(1999)191

Determination of capsaicin and dihydrocapsaicin by micellar electrokinetic capillary chromatography and its application to various species of *Capsicum*, Solanaceae 838(1999)293

Determination of α -tocopherol and α -tocopheryl acetate in diets of experimental animals Study of stability in the diets 839(1999)93

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Development of a simple sample preparation technique for gas chromatographic—mass spectrometric determination of nicotine in edible nightshades (Solanaceae) 840(1999)249

Quantitative determination of 2-methoxy-3-isobutylpyrazine in red wines and grapes of Bordeaux using a stable isotope dilution assay 841(1999)229

Applied gas chromatography coupled to isotope ratio mass spectrometry 842(1999)351

Cyclodextrin derivatives as chiral selectors for direct gas chromatographic separation of enantiomers in the essential oil, aroma and flavour fields 843(1999)99

Trace analysis of pesticides by gas chromatography 843(1999)301

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Condensation nucleation light scattering detection for biogenic amines separated by ion-exchange chromatography 844(1999)111

Determination of the geographical origin of valencia orange juice using carotenoid liquid chromatographic profiles 844(1999)149

Qualitative and quantitative evaluation of mono- and disaccharides in p-fructose, p-glucose and sucrose caramels by gas-liquid chromatography-mass spectrometry. Di-p-fructose dianhydrides as tracers of caramel authenticity 844(1999)283

Trace-level determination of polar flavour compounds in butter by solid-phase extraction and gas chromatography-mass spectrometry 844(1999)295

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

Gas chromatographic determination of galactose in milk. Example of a switching valve used for the protection of the capillary column 847(1999)47

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Various applications of liquid chromatography—mass spectrometry to the analysis of phenolic compounds 847(1999)75

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography-mass spectrometry 847(1999)91

Determination of sorbic acid in urine by gas chromatographymass spectrometry 847(1999)127

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Determination of menthol and menthone in food and pharmaceutical products by solid-phase microextraction-gas chromatography 847(1999)161

Identification of steroidal hydrocarbons in refined confectionery fats by gas chromatography-mass spectrometry 847(1999)179

Flavour characterisation and classification of cheeses by gas chromatographic-mass spectrometric profiling 847(1999)203

Capillary electrophoresis with diode array detection as an alternative analytical method for paralytic and amnesic shellfish toxins 847(1999)223

Simultaneous determination of antioxidants, preservatives and sweeteners permitted as additives in food by mixed micellar electrokinetic chromatography 847(1999)369

Determination of the mycotoxin moniliformin in cultures of *Fusarium subglutinans* and in naturally contaminated maize by high-performance liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 848(1999)185

Quantitative determination of β -ionone in red wines and grapes of Bordeaux using a stable isotope dilution assay 848(1999)317

Macrocyclic polyamine as a selective modifier in a bondedphase capillary column for the electrophoretic separation of aromatic acids 848(1999)401

Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpolypyrroridone pre-column 848(1999)523

Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods 848(1999)529

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

Quantitative determination of free and hydrolytically liberated β -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction—gas chromatography 849(1999)293

Capacity gradient anion chromatography with a borate complex as eluent 850(1999)73

Determination of aspartame by ion chromatography with electrochemical integrated amperometric detection 850(1999)277

Forward-scattering degenerate four-wave mixing

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Fourier analysis

Statistical determination of the proper sample size in multicomponent separations 839(1999)129

Fourier-transform infrared spectrometry

Coupling of column liquid chromatography and Fourier transform infrared spectrometry 811(1998)1

High-performance liquid chromatography with real-time Fourier-transform infrared detection for the determination of carbohydrates, alcohols and organic acids in wines 824(1998)159

Four-wave mixing

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Free solution capillary electrophoresis

Free-solution electrophoresis of DNA 806(1998)113

Free radicals

Liquid chromatographic separation and mass spectrometric identification of chlorophyll *b* allomers 837(1999)107

Friction

Measurement of the degree of internal friction of two native silica packing materials 818(1998)155

Frit-inlet technique

Numerical simulation of band-broadening during hydrodynamic relaxation in frit-inlet field-flow fractionation channels 805(1998)149

Frits

Deactivation of frits for use in capillary high-performance liquid chromatography and capillary electrochromatography with characterization by imaging with laser-induced fluorescence 818(1998)257

Frontal chromatography

Immobilized metal affinity chromatography. Self-sharpening of protein-modulator interfaces in frontal chromatography 818(1998)31

Frontal chromatography of proteins: The effect on column performance of the restricted diffusion of molecules in porous chromatographic adsorbents 828(1998)345

Fruit juices

Determination of underivatized amino acids in beverage samples by capillary electrophoresis 804(1998)349

Natural occurrence of alternariol and alternariol methyl ether in Spanish apple juice concentrates 815(1998)93

Incidence of patulin in apple juice concentrates produced in Turkey 815(1998)99

Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125 Improved size-exclusion high-performance liquid chromatographic method for the simple analysis of grape juice and wine polysaccharides 823(1998)339

Determination of riboflavin, flavin mononucleotide and flavinadenine dinucleotide in wine and other beverages by highperformance liquid chromatography with fluorescence detection 823(1998)355

Synthesis of labelled $[^2H_4]\beta$ -damascenone, $[^2H_4]2$ -methoxy-3-isobutylpyrazine, $[^2H_3]\alpha$ -ionone, and $[^2H_3]\beta$ -ionone, for quantification in grapes, juices and wines 824(1998)71

Determination of eight synthetic food colorants in drinks by high-performance ion chromatography 827(1998)73

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377

Validation of a solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice 833(1999)35

Determination of the geographical origin of valencia orange juice using carotenoid liquid chromatographic profiles 844(1999)149

Simultaneous determination of 5-hydroxymethylfurfural and patulin in apple juice by reversed-phase liquid chromatography 847(1999)69

Fruits

see also Grapes

Multiresidue determination of pesticides in apples and pears by gas chromatography-mass spectrometry 805(1998)319

Application of ion-exchange cartridge clean-up in food analysis. I. Simultaneous determination of thiabendazole and imazalil in citrus fruit and banana using high-performance liquid chromatography with ultraviolet detection 810(1998)81

Direct fractionation of proteins in particle-containing feedstocks by a filter paper pieces-based DEAE-cellulose column chromatography. Rapid, robust and low-cost capturing procedure for protein 811(1998)69

Multiresidue determination of pesticides in plants by highperformance liquid chromatography following gel permeation chromatographic clean-up 823(1998)11

Validation of an immunoassay method for the determination of traces of carbaryl in vegetable and fruit extracts by liquid chromatography with photodiode array and mass spectrometric detection 823(1998)109

High-performance liquid chromatography with diode-array detection for the determination of phenolic compounds in peel and pulp from different apple varieties 823(1998)331

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

Extraction and purification of perillyl alcohol from Korean orange peel by reversed-phase high-performance liquid chromatography 828(1998)445

Fast separation of (poly)phenolic compounds from apples and pears by high-performance liquid chromatography with diodearray detection 830(1999)301

Determination of phenolic compounds in olives by reversedphase chromatography and mass spectrometry 832(1999)87

Temperature, eluent flow-rate and column effects on the retention and quantitation properties of phenylthiocarbamyl derivatives of amino acids in reversed-phase high-performance liquid chromatography 832(1999)109

Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3

Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13

Validation of a solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice 833(1999)35

Determination of daminozide in apples and apple leaves by liquid chromatography-mass spectrometry 833(1999)53

Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61

Determination of capsaicin and dihydrocapsaicin by micellar electrokinetic capillary chromatography and its application to various species of *Capsicum*, Solanaceae 838(1999)293

Matrix solid-phase dispersion microextraction and determination by high-performance liquid chromatography with UV detection of pesticide residues in citrus fruit 839(1999)101

Development of a simple sample preparation technique for gas chromatographic—mass spectrometric determination of nicotine in edible nightshades (Solanaceae) 840(1999)249

Quantitative determination of β -ionone in red wines and grapes of Bordeaux using a stable isotope dilution assay 848(1999)317

Quantitative determination of 2-methoxy-3-isobutylpyrazine in red wines and grapes of Bordeaux using a stable isotope dilution assay 841(1999)229

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

Simultaneous determination of sugars, sugar alcohols, acids and amino acids in apricots by gas chromatography-mass spectrometry 847(1999)91

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Quantitative determination of free and hydrolytically liberated β -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

Fullerene stationary phases

Retention behaviour of polychlorinated biphenyls on polysiloxane-anchored C_{60} in gas chromatography 809(1998)252

Fungi

Identification of illudins in *Omphalotus nidiformis* and *Omphalotus olivascens* var. *indigo* by column liquid chromatography—atmospheric pressure chemical ionization tandem mass spectrometry 832(1999)247

Fusarium

Chromatographic determination of the fumonisin mycotoxins 815(1998)31

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Direct analysis of several *Fusarium* mycotoxins in cereals by capillary gas chromatography–mass spectrometry 815(1998)59

Instrumental methods for determination of nonmacrocyclic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133

Comparison of two clean-up principles for determination of trichothecenes in grain extract 829(1998)259

Fusarium subglutinans

Determination of the mycotoxin moniliformin in cultures of *Fusarium subglutinans* and in naturally contaminated maize by high-performance liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 848(1999)185



Galanthus nivalis

Expanded bed chromatography for one-step purification of mannose binding lectin from tulip bulbs using mannose immobilized on DEAE Streamline 822(1998)19

Garcinia cambogia

Determination of organic acids in *Garcinia cambogia* (Desr.) by high-performance liquid chromatography 806(1998)337

Gardenia jasminoides

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

Gas analysis

Simultaneous determination of sulphur oxides, nitrogen oxides and hydrogen chloride in flue gas by means of an automated ion chromatographic system 804(1998)151

Gas chromatography

see also Special Issue Index

Retention simulation in gas chromatography 840(1999)137

Strategies for speed optimisation in gas chromatography: an overview 842(1999)3

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Gas chromatography, fast

The development of pyrolysis-fast gas chromatography for analysis of synthetic polymers 833(1999)111

Instrumentation and applications of fast high-resolution capillary gas chromatography 842(1999)309

Gas chromatography-mass spectrometry

Investigation of aldehydic lipid peroxidation products by gas chromatography—mass spectrometry 843(1999)29

Gasoline

Detailed analysis of sulfur compounds in gasoline range petroleum products with high-resolution gas chromatography—atomic emission detection using group-selective chemical treatment 819(1998)67

Alkene determination by bromination and gas chromatography with element-selective atomic plasma spectroscopic detection 844(1999)249

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Analysis of alkane, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Gas standards

Diffusion technique for the production of gas standards for atmospheric measurements 848(1999)239

Gastrodia elata

Identification and determination of active components in *Gastrodia elata Bl.* by capillary electrophoresis 849(1999)277

Gel preparation

Fast DNA separations using poly(ethylene oxide) in nondenaturing medium with temperature programming 806(1998)157

Gene expression

Quantitative analysis of gene expression by ion-pair highperformance liquid chromatography 806(1998)47

Gene mapping

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

Gene therapy

Preparative purification of supercoiled plasmid DNA using anion-exchange chromatography 806(1998)31

Genes

Simultaneous analysis of various mutations on the 21hydroxylase gene by multi-allele specific amplification and capillary gel electrophoresis 817(1998)281

Genetic disorders

Analysis of clinically relevant, diagnostic DNA by capillary zone and double-gradient gel slab electrophoresis 806(1998)97

Genome analysis

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

Geochemistry

Structural characterization of bio- and geo-macromolecules by off-line thermochemolysis with tetramethylammonium hydroxide 823(1998)433

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Applied gas chromatography coupled to isotope ratio mass spectrometry 842(1999)351

Geochronology

Determination of enantiomeric amino acids with highperformance liquid chromatography and pre-column derivatisation with *o*-phthaldialdehyde and *N*-isobutyrylcysteine in seawater and fossil samples (mollusks) 832(1999)123

Geological samples

Determination of niobium(V) and tantalum(V) as 4-(2-pyridylazo)resorcinol-citrate ternary complexes in geological materials by ion-interaction reversed-phase high-performance liquid chromatography 850(1999)257

Geometration motion

Peak dispersion due to geometration motion in the gel electrophoresis of macromolecules 838(1999)45

Geometrical isomers

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Thin-layer chromatography of *facial* and *meridional* isomers of Co(III) and Cr(III) complexes on polyacrylonitrile sorbent 847(1999)297

Determination of the geometrical isomers of ethyl 2,4-decadienoate 847(1999)359

Accurate and sensitive high-performance liquid chromatographic method for geometrical and structural photoisomers of bilirubin $IX\alpha$ using the relative molar absorptivity values 848(1999)169

Ginkgo biloba

Multidimensional counter-current chromatographic system and its application 803(1998)298

Glass fibers

Influence of time and temperature of hydrothermal treatment on glass fibers surface 829(1998)367

Glycation

Analytical strategy for the assessment of the protein glycation status in uremic patients by high-performance liquid chromatography 846(1999)65

Glycidyl methacrylate–ethylenedimethacrylate monolithsIsocratic separations on thin glycidyl methacrylate–
ethylenedimethacrylate monoliths 848(1999)51

Glycosylation

Characterization of the isoforms of PIXY321, a granulocytemacrophage-colony stimulating factor-interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Gradient elution

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Quasi-linear pH gradients for chromatofocusing using simple buffer mixtures: local equilibrium theory and experimental verification 814(1998)43

Gradient elution electrochromatography with a flow-injection analysis interface 828(1998)105

Optimum solvent selectivity and gradient mode for deoxyribonucleosides in reversed-phase high-performance liquid chromatography 828(1998)337

Capillary electrochromatography of biomolecules with on-line electrospray ionization and time-of-flight mass spectrometry 828(1998)469

Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19

Prediction of peptide retention times in normal-phase liquid chromatography with only a single gradient run 841(1999)19

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

Simultaneous separation of anions and cations by flow-gradient ion chromatography 845(1999)165

Separation of phenylthiohydantoin—amino acids by temperaturecontrolled reversed-phase high-performance liquid chromatography 846(1999)73

Grapes

see also Fruits

Determination of chlorpyrifos, penconazole, fenarimol, vinclozolin and metalaxyl in grapes, must and wine by on-line microextraction and gas chromatography 833(1999)43

High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113

Quantitative determination of 2-methoxy-3-isobutylpyrazine in red wines and grapes of Bordeaux using a stable isotope dilution assay 841(1999)229

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Quantitative determination of β -ionone in red wines and grapes of Bordeaux using a stable isotope dilution assay 848(1999)317

Quantitative determination of free and hydrolytically liberated β -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

Grape seed

Isolation and purification of dimeric and trimeric procyanidins from grape seeds 841(1999)115

Extraction of polyphenolic compounds from grape seeds with near critical carbon dioxide 849(1999)117

Graphitized carbon black

see also Porous graphitized carbon

Evaluation of a new graphitized carbon black employed in sampling volatile organic compounds 810(1998)131

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Group retention factors

Comments on predictive strategies for determining retention indexes 808(1998)277

Reply to "Comments on predictive strategies for determining retention indices" 808(1998)279

Growth factors

Real-time control of purified product collection during chromatography of recombinant human insulin-like growth factor-I using an on-line assay 827(1998)37

Non-flammable preparative reversed-phase liquid chromatography of recombinant human insulin-like growth factor-I 830(1999)127

Guanine analyzer

Development of guanine analyzer to measure activity of guanylate cyclase 806(1998)231



Haemophilus influenzae

Enrichment and purification of proteins of *Haemophilus influenzae* by chromatofocusing 806(1998)279

Development of an on-line preconcentration method for the analysis of pathogenic lipopolysaccharides using capillary electrophoresis-electrospray mass spectrometry. Application to small colony isolates 817(1998)325

Enrichment of low-copy-number gene products by hydrophobic interaction chromatography 833(1999)157

Hair

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry 838(1999)273

Hanford tank waste

Analysis and quantification of organic acids in simulated Hanford tank waste and Hanford tank waste 805(1998)101

Hanford waste

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Hazelnu

Fatty acid, tocopherol and sterol content of some hazelnut varieties (*Corylus avellana* L.) harvested in Oregon (USA) 805(1998)259

Headspace analysis

Determination of very volatile organic compounds in environmental water by injection of a large amount of headspace gas into a gas chromatograph 810(1998)141

Strategies for the analysis of chlorobenzenes in soils using solid-phase microextraction coupled with gas chromatography-ion trap mass spectrometry 819(1998)197

Headspace solid-phase microextraction for the determination of volatile and semi-volatile pollutants in water and air 824(1998)53

Study on volatile components in salami by reverse carrier gas headspace gas chromatography-mass spectrometry 830(1999)175

Comparative study of lactic acid and polylactides using static headspace, gas chromatography and high-performance liquid chromatography 833(1999)195

Solid-phase microextraction for the determination of iodinated trihalomethanes in drinking water 841(1999)197

Headspace sampling with capillary columns 842(1999)163

Chemosensory system for rapid automated quality control 845(1999)85

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Static headspace analysis of aliphatic amines in aqueous samples 846(1999)331

Analysis of volatile organic compounds in human urine by headspace gas chromatography—mass spectrometry with a multipurpose sampler 847(1999)117

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction—gas chromatography 849(1999)293

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

Headspace solid-phase microextraction

Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma 808(1998)211

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography—flame ionization detection 826(1998)191

Heat dissipation

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Heating

Evaporation-induced solvent migration in electrically-driven thin layer chromatography 841(1999)127

Heats of adsorption

Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Henry's law coefficients

Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques 830(1999)353

Hepatitis B surface antigen

Physico-chemical characterization of recombinant hepatitis B surface antigen by a multidimensional approach 845(1999)171

Heptakis (6-O-tert.-butyldimethylsilyl-2,3-di-O-methyl)- β -cyclodextrin stationary phases

Use of 6-0-tert.-butyldimethylsilylated β -cyclodextrins for the enantioseparation of chiral organochlorine compounds 846(1999)375

Heteroatom-selective detection

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

High-performance liquid chromatography-thin-layer chromatography coupling

On-line coupling of liquid chromatography with thin-layer chromatography 819(1998)35

High-performance thin-layer chromatography

Confirmation of residues of thyreostatic drugs in thyroid glands by multiple mass spectrometry after thin-layer chromatographic screening 819(1998)99

High-temperature liquid chromatography

Modified laser light-scattering detector for use in high temperature micro liquid chromatography 814(1998)55

Packed capillary high-temperature liquid chromatography coupled to inductively coupled plasma mass spectrometry 835(1999)105

High-temperature silylation

Characteristics of octadecylsilylated silica gels end-capped by high-temperature silylation 813(1998)239

Hippophae rhamnoides

Multidimensional counter-current chromatographic system and its application 803(1998)298

Histidine-poly(ethylene-vinyl alcohol) membranes

Separation of low-molecular-mass acetylated glucuronans on L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes 826(1998)157

Hold-up times

The hold-up time in gas chromatography. III. Linearity of the plot of $\ln t_R'$ of the *n*-alkanes vs. carbon number questioned 803(1998)197

Measurement and prediction of dead times and column diameter in capillary gas chromatography by using air, methane and some solvents 811(1998)85

Consistency of gas hold-up determinations 832(1999)165

Hollow-fiber membranes

Selective affinity of L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1

Ionic crosslinking of SO₃H-group-containing graft chains helps to capture lysozyme in a permeation mode 848(1999)161

Homochiral

On the meaning and use of homochiral 829(1998)417

Honey

Gas chromatography with electron-capture and nitrogen—phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Influence of the honey matrix on the quantitative results 823(1998)381

Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection 829(1998)269

Hop extract

On-line trace enrichment in hyphenated liquid chromatography–nuclear magnetic resonance spectroscopy 813(1998)55

Horizontal polymerization

Role of surface-adsorbed water in the horizontal polymerization of trichlorosilanes 830(1999)285

Host-guest complexation

Separations of inorganic anions based on their complexations with α-cyclodextrin by capillary zone electrophoresis with contactless conductivity detection 834(1999)179

Hotelling's T^2 value

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Hybrid affinity chromatography

Hybrid affinity chromatography of α -galactosidase from Verbascum thapsus L. 808(1998)133

Hydrodynamic injection

Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds 834(1999)21

Hydrodynamic radius

Erratum to "Salt effects in capillary electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius". [J. Chromatogr. A, 786 (1997) 171–180] 806(1998)365

Hydrodynamic relaxation

Numerical simulation of band-broadening during hydrodynamic relaxation in frit-inlet field-flow fractionation channels 805(1998)149

Hydrogen-air flame

Photometric response of a very small, stoichiometric hydrogenair flame to compounds of the iron group 806(1998)305

Hydrogenation

Liquid chromatographic separation of intermediates of the catalytic hydrogenation of 2,4-dinitrotoluene 818(1998)123

Hydrolysis

Hydrolysis and amino acid composition analysis of proteins 826(1998)109

Hydrophilic interaction chromatography

Hydrophilic interaction/cation-exchange chromatography for separation of amphipathic α-helical peptides 816(1998)65

Hydrophilic interaction/cation-exchange chromatography for separation of cyclic peptides 816(1998)79

Hydrophilic polymer gel packings

Liquid chromatography and differential scanning calorimetry studies on the states of water in hydrophilic polymer gel packings in relation to retention selectivity 832(1999)17

Hydrophobic charge induction chromatography

Hydrophobic charge induction chromatography: salt independent protein adsorption and facile elution with aqueous buffers 814(1998)71

Hydrophobic effect

Retention in reversed-phase chromatography: partition or adsorption? 829(1998)1

Hydrophobic interaction chromatography

Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239

Enrichment of low-copy-number gene products by hydrophobic interaction chromatography 833(1999)157

Hydrophobic interaction chromatography of *Chromobacterium* viscosum lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

Hydrophobic interaction electrokinetic chromatography

Separation of fat-soluble vitamins by hydrophobic interaction electrokinetic chromatography with tetradecylammonium ions as pseudostationary phase 807(1998)285

Hydrophobic interaction electrophoresis

Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287

Hydrophobicity

see also Lipophilicity

Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549

Reversed-phase high-performance liquid chromatography in quantitative structure–activity relationship studies of new fungicides 828(1998)431

Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19

Hydrophobicity indices

Determination of solute descriptors of tripeptide derivatives based on high-throughput gradient high-performance liquid chromatography retention data 803(1998)51

Hydrophobicity parameters

Structure and retention of 2,4-dihydroxythiobenzanilides in a reversed-phase system 830(1999)491

Hydrophobic selectivity

Evaluation and modulation of selectivity in reversed-phase highperformance liquid chromatography 845(1999)113

Hydrosilation

Synthesis and characterization of bonded phases made via hydrosilation of alkynes on silica hydride surfaces 818(1998)145

Hypericum perforatum

Identification by high-performance liquid chromatography—diode array detection—mass spectrometry and quantification by high-performance liquid chromatography—UV absorbance detection of active constituents of *Hypericum perforatum* 825(1998)9

Hyphenated techniques

see also Special Issue Index

Development of an on-line coupling of liquid-liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

I

IAsys calibration

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Identification power

Evaluation of capillary electrophoretic techniques towards systematic toxicological analysis 838(1999)259

Immobilization

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

Immobilization, salt-induced

Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73

Immobilized artificial membrane chromatography

Comparison of the retention behavior of β -blockers using immobilized artificial membrane chromatography and lysophospholipid micellar electrokinetic chromatography 810(1998)95

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide-lipid bilayer interactions 849(1999)125

Immobilized enzymes

Rapid verification of disulfide linkages in recombinant human growth hormone by tandem column tryptic mapping 808(1998)121

Immobilized histidine

Selective affinity of L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1

Immobilized mannose

Expanded bed chromatography for one-step purification of mannose binding lectin from tulip bulbs using mannose immobilized on DEAE Streamline 822(1998)19

Immobilized metal affinity chromatography

Immobilized metal affinity chromatography. Self-sharpening of protein-modulator interfaces in frontal chromatography 818(1998)31

Immobilised metal ion affinity chromatography purification of alcohol dehydrogenase from baker's yeast using an expanded bed adsorption system 840(1999)195

Selective adsorption of poly-His tagged glutaryl acylase on tailor-made metal chelate supports 848(1999)61

Immobilized proteins

Use of compact, porous units with immobilized ligands with high molecular masses in affinity chromatography and enzymatic conversion of substrates with high and low molecular masses 803(1998)61

Capillary electrophoretic and high-performance liquid chromatographic studies of the enantioselective separation of α_1 -adrenoreceptor antagonists 803(1998)189

Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

Immobilized thymine

Immobilized thymine chromatography-mass spectrometry of oligonucleotides 806(1998)67

Immunoadsorbents

see also Affinity adsorbents

On-line coupling of immunosorbent and liquid chromatographic analysis for the selective extraction and determination of polycyclic aromatic hydrocarbons in water samples at the ng l⁻¹ level 823(1998)197

Immunoaffinity chromatography

see also Affinity chromatography

Comparison of oriented and random antibody immobilization in immunoaffinity chromatography of cytokinins 811(1998)77

Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133

Faster isolation of recombinant factor VIII SQ, with a superporous agarose matrix 840(1999)39

Quantitation of N^{ϵ} -(dichloroacetyl)-L-lysine in proteins after perchloroethene exposure by gas chromatography—mass spectrometry using chemical ionization and negative ion detection following immunoaffinity chromatography 847(1999)25

Immunoaffinity precolumns

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377

Immunoassays

Determination of the minor whey protein bovine lactoferrin in cheese whey concentrates with capillary electrophoresis 817(1998)187

Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3

Analysis of urinary drugs of abuse by a multianalyte capillary electrophoretic immunoassay 838(1999)197

Noncompetitive immunoassays using protein G affinity capillary chromatography and capillary electrophoresis with laser-induced fluorescence detection 848(1999)139

Immunosorbents

Comparison of oriented and random antibody immobilization in immunoaffinity chromatography of cytokinins 811(1998)77

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Impurities

Determination of anionic trace impurities in glycerol by capillary isotachophoresis with enlarged sample load 810(1998)201

In-capillary derivatization

Derivatization of amino acids in a moving zone of *o*-phthalaldehyde in the middle of a capillary for amino acid analysis by capillary electrophoresis 802(1998)243

Characteristic features of the throughout-capillary technique of in-capillary derivatization in capillary electrophoresis 822(1998)271

Inclusion complexes

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

Analysis and characterisation of cyclodextrins and their inclusion complexes by affinity capillary electrophoresis 836(1999)3

Indirect detection

Quality control of pentosane polysulfate by capillary zone electrophoresis using indirect detection 817(1998)297

Indirect photometric detection of anions in capillary electrophoresis 834(1999)189

Indirect fluorescence detection of aliphatic biogenic polyamines and diamines following chromatographic separation 841(1999)9

Anion-exchange separation and determination of bisphosphonates and related analytes by post-column indirect fluorescence detection 850(1999)143

Induction factors

Iodine-azide reagent for the detection of biologically oriented thiophosphoryl compounds in thin-layer chromatography systems 813(1998)135

Inductively coupled plasma mass spectrometry see also Mass spectrometry

Antimony speciation in environmental samples by interfacing capillary electrophoresis on-line to an inductively coupled plasma mass spectrometer 834(1999)341

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Industrial chemicals

Comparative studies of the leachate of an industrial landfill by gas chromatography—mass spectrometry, liquid chromatography—nuclear magnetic resonance and liquid chromatography—mass spectrometry 831(1999)243

Industrial effluents

Determination of chlorobenzidines in industrial effluent by solid-phase extraction and liquid chromatography with electrochemical and mass spectrometric detection 833(1999)181

Industrial salt

Chromatographic determination of anions in industrial salt and sodium chloride brines used in chlor-alkali industry 841(1999)55

Infant formulas

Detection of counterfeit and relabeled infant formulas by highpH anion-exchange chromatography-pulsed amperometric detection for the determination of sugar profiles 804(1998)279

Determination of polychlorinated biphenyls in soybean infant formulas by gas chromatography 823(1998)365

Infrared detection

Coupling of column liquid chromatography and Fourier transform infrared spectrometry 811(1998)1

Application of gas chromatography–Fourier transform infrared spectrometry to the analysis of amphetamine analogues 819(1998)155

Analysis of impurities by high-performance thin-layer chromatography with Fourier transform infrared spectroscopy and UV absorbance detection in situ measurement: chlordiazepoxide in bulk powder and in tablets 813(1998)145

Gas chromatography with Fourier transform infrared and mass spectral detection 842(1999)341

Injection methods

see also Large-volume injections

Calibration principles for flow injection analysis—capillary electrophoresis systems with electrokinetic injection 808(1998)219

Monitoring the actual carrier gas flow during large-volume oncolumn injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

New set-up for capillary isoelectric focusing in uncoated capillaries 813(1998)349

Direct analysis of several *Fusarium* mycotoxins in cereals by capillary gas chromatography–mass spectrometry 815(1998)59

Gas chromatographic-mass spectrometric determination of alachlor and its degradation products by direct aqueous injection 822(1998)253

Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry 847(1999)1

Analysis of volatile organic compounds in human urine by headspace gas chromatography—mass spectrometry with a multipurpose sampler 847(1999)117

Injection parameters

Theoretical analysis of the behavior of a centrally injected band in a homogeneous chromatographic column 828(1998)19

Sampling techniques for gas chromatographic-mass spectrometric analysis of long-chain free fatty acids from insect exocrine glands 816(1998)169

Characterisation of buserelin acetate by capillary electrophoresis 817(1998)239

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds 834(1999)21

Dynamic computer simulations of the influence of injection conditions on capillary zone electrophoretic stacking of preparative free-flow zone electrophoresis fractions of peptides 836(1999)129

Determination of rhodanese enzyme activity by capillary zone electrophoresis 838(1999)139

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry 847(1999)1

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Sample stacking of fast-moving anions in capillary zone electrophoresis with pH-suppressed electroosmotic flow 850(1999)339

Insect repellents

Determination of some insect repellents in cosmetic products by high-performance thin-layer chromatography 847(1999)365

Insects

Gas-phase reagents for carbon–carbon double bond location: new applications. II. Use of vinyl methyl ether chemical ionization mass spectrometry to characterize C_{23} to C_{33} insect cuticular alkenes 803(1998)203

Instrumentation

Evaluation of a small prototype passive sampler for airborne volatile organic compounds 802(1998)307

Simple technique for joining of capillaries in capillary separation methods 802(1998)381

Compact, field-portable capillary ion chromatograph 804(1998)45

Capillary isotachophoresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides 805(1998)269

Fiber-optic-based UV-visible absorbance detector for capillary electrophoresis, utilizing focusing optical elements 809(1998)181

Coupling of column liquid chromatography and Fourier transform infrared spectrometry 811(1998)1

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Fiber optic modified thermal lens detector system for the determination of amino acids 817(1998)223

Silicon microtechnology and microstructures in separation science 819(1998)3

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Diazomethane preparation for gas chromatographic analysis 827(1998)133

General considerations for optimizing a capillary electrophoresis-electrospray ionization time-of-flight mass spectrometry system 829(1998)279

Practical and theoretical aspects of designing a flame-ionization detector/mass spectrometer Deans' switch. Pressure-flow relations in gas chromatograph-detector interfaces using vacuum-outlet conditions 831(1999)257

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis—chemiluminescence detection 832(1999)191

Thermal degradation of novolac resins by pyrolysis-gas chromatography with a movable reaction zone 833(1999)277

Construction and investigation of a post-capillary reactor for trace metal analysis by capillary electrophoresis 834(1999)309

Single electrode conductivity detection for electrophoretic separation systems 836(1999)59

Instrumentation and applications of fast high-resolution capillary gas chromatography 842(1999)309

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Construction and evaluation of automated gas chromatography for the measurement of anthropogenic halocarbons in the atmosphere 844(1999)259

Post-capillary laser-induced fluorescence detection without sheath-flow 844(1999)433

Diffusion technique for the production of gas standards for atmospheric measurements 848(1999)239

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61

Development of an on-line coupling of liquid-liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

Sensitive, universal detection for capillary electrochromatography using condensation nucleation light scattering detection 849(1999)587

Acid-rain monitoring in East Asia with a portable-type ionexclusion-cation-exchange chromatographic analyzer 850(1999)311

Integral optimizing functional

Integral optimizing functional of separation efficiency 841(1999)133

Interdigited-array microelectrode

Using an electrochemical detector with a carbon interdigitedarray microelectrode for capillary-column liquid chromatography 828(1998)113

Interfaces

see also Mass spectrometry

Interfaces, CE-MS

Analysis of metal species by using electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry 819(1998)231

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Interfaces, FID-MS

Practical and theoretical aspects of designing a flame-ionization detector/mass spectrometer Deans' switch. Pressure-flow relations in gas chromatograph-detector interfaces using vacuum-outlet conditions 831(1999)257

Interfaces, GC-IR

Solid-phase microextraction—gas chromatography—direct deposition infrared spectrometry as a convenient method for the determination of volatile compounds from living organisms 819(1998)45

Interfaces, HPLC-TLC

On-line coupling of liquid chromatography with thin-layer chromatography 819(1998)35

Interfaces, LC-FT-IR

Coupling of column liquid chromatography and Fourier transform infrared spectrometry 811(1998)1

Interfaces, LC-GC

Analysis of pesticides in red wines by on-line coupled reversedphase liquid chromatography-gas chromatography with vaporiser/precolumn solvent split/gas discharge interface 813(1998)113

Direct coupling of reversed-phase liquid chromatography to gas chromatography 819(1998)13

Interfaces, LC-MS

Identification of pesticides by liquid chromatography-particle beam mass spectrometry using electron ionization and chemical ionization 805(1998)127

Characterization of carbohydrates using a combination of derivatization, high-performance liquid chromatography and mass spectrometry 811(1998)47

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography—turboionspray tandem mass spectrometry 822(1998)310

Quantitative analysis of poly(methyl methacrylate-butyl acrylate) copolymer composition by liquid chromatography-particle beam mass spectrometry 824(1998)181

Ion-pair liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of quaternary ammonium herbicides 830(1999)145

Direct coupling of ionic high-performance liquid chromatography with electrospray ionization mass spectrometry utilizing a microdialysis junction interface 835(1999)93

Packed capillary high-temperature liquid chromatography coupled to inductively coupled plasma mass spectrometry 835(1999)105

Interfaces, SFC-GC

Detailed analysis of hydrocarbon groups in diesel range petroleum fractions with on-line coupled supercritical fluid chromatography—gas chromatography—mass spectrometry 819(1998)249

Interfaces, TLC-MS

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Interferometry

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Inter-laboratory study

Interlaboratory studies on two high-performance liquid chromatographic assays for tylosin (tartrate) 830(1999)3

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Internal standards

Deuterated internal standards for gas chromatographic-mass spectrometric analysis of polar organophosphorus pesticides in water samples 822(1998)91

High-performance liquid chromatographic determination of total plasma homocysteine with or without internal standards 828(1998)397

Interphases

n-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Intraparticle convection

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Intraparticle diffusion

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Inverse gas chromatography

Measurement of adsorption energies on heterogeneous surfaces by inverse gas chromatography 845(1999)103

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate-solvent systems 845(1999)93

Iodine-azide reagent

Iodine-azide reagent for the detection of biologically oriented thiophosphoryl compounds in thin-layer chromatography systems 813(1998)135

Ion chromatography

see also Special Issue Index

What are the unanswered (and unasked) questions in ion analysis? 804(1998)3

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Compact, field-portable capillary ion chromatograph 804(1998)45

Capillary zone electrophoresis and ion chromatography in the low $\mu g/l$ range applied to the determination of anions in hydrogen peroxide 829(1998)351

Ionene sorbents

Polyelectrolyte sorbents based on aliphatic ionenes for ion chromatography 850(1999)53

Ion-exchange capacity

Comparison of loading capacities of various proteins and peptides in culture medium and in pure state 827(1998)311

Ion-exchange chromatography

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Hydrophilic interaction/cation-exchange chromatography for separation of amphipathic α -helical peptides 816(1998)65

Hydrophilic interaction/cation-exchange chromatography for separation of cyclic peptides 816(1998)79

Characterization of protein mixtures by ion-exchange chromatography coupled on-line to nuclear magnetic resonance spectroscopy 840(1999)131

Ion-exchange dynamics

Ion exchange on resins with temperature-responsive selectivity. II. Thermo-induced concentration waves in ion-exchange column 802(1998)251

Ion exchangers

see also Anion exchangers and Stationary phases

Synthesis and ion-exchange properties of silica chemically modified with aminophosphonic acid 813(1998)47

Protein–protein interactions on weak-cation-exchange sorbent surfaces during chromatographic separations 828(1998)357

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)1

Ion-exclusion chromatography

Towards an expert system in ion-exclusion chromatography by means of multiple classification ripple-down rules 804(1998)29

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography 850(1999)17

Ionic strength

Size characterization of liposomes by flow field-flow fractionation and photon correlation spectroscopy. Effect of ionic strength and pH of carrier solutions 813(1998)91

Ionization constants

Determination of ionization constants of heterocyclic aromatic amines using capillary zone electrophoresis 841(1999)239

Ion mobility, spectrometry

Analytical determination of nicotine in tobacco by supercritical fluid chromatography-ion mobility detection 811(1998)157

Detection of carbohydrates by electrospray ionization—ion mobility spectrometry following microbore high-performance liquid chromatography 822(1998)1

Ion-pairing reagents

Distribution of cationic ion-pairing reagents on thin-layers after continuous overpressured layer chromatography 803(1998)235

Simultaneous determination of β -lactam antibiotics in milk by ion-pair liquid chromatography 812(1998)205

The use of heptafluorobutyric acid as a volatile ion-pair reagent in the high-performance liquid chromatographic isolation of SB-223070 828(1998)297

Development of a new direct reversed-phase ion-pair highperformance liquid chromatographic method for the separation and determination of sialic acids 831(1999)179

Ion-pair reversed-phase liquid chromatography for determination of polar underivatized amino acids using perfluorinated carboxylic acids as ion pairing agent 833(1999)147

High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167

Separation of N-nitrosoamino acids by C_{18} reversed-phase ionpair high-performance liquid chromatography and compatible detection by electrospray ionization mass spectrometry 849(1999)389

Ionspray ionization

Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography—turboionspray tandem mass spectrometry 822(1998)310

Identification of phosphonic acids by capillary electrophoresisionspray mass spectrometry 825(1998)71

Ion suppressor, electrochemically regenerated

On-line sample preparation techniques for ion chromatography 804(1998)55

Irradiation

Development of C_8 stationary phases immobilized by γ radiation on zirconized silica for high-performance liquid chromatographic applications 845(1999)423

Isoelectric focusing

Capillary isoelectric focusing of the scrapie prion protein 802(1998)135

Application of capillary zone electrophoresis-inductively coupled plasma mass spectrometry and capillary isoelectric focusing-inductively coupled plasma mass spectrometry for selenium speciation 807(1998)71

Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121

Moving chemical reaction boundary and isoelectric focusing. I. Conditional equations for Svensson–Tiselius' differential equation of solute concentration distribution in idealized isoelectric focusing at steady state 813(1998)153

Moving chemical reaction boundary and isoelectric focusing. II. Existence of quasi/equal fluxes (or transference numbers) of hydrogen and hydroxyl ions in stationary electrolysis and Svensson's isoelectric focusing 813(1998)173

New set-up for capillary isoelectric focusing in uncoated capillaries 813(1998)349

Characterization of the F(ab')₂ fragment of a murine monoclonal antibody using capillary isoelectric focusing and electrospray ionization mass spectrometry 816(1998)49

Simultaneous multiple analyte detection using fluorescent peptides and capillary isoelectric focusing 817(1998)41

Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163

Capillary isoelectric focusing of erythropoietin glycoforms and its comparison with flat-bed isoelectric focusing and capillary zone electrophoresis 830(1999)453

Size separation of colloidal nanoparticles using a miniscale isoelectric focusing technique 848(1999)485

ISO guidelines

Interlaboratory studies on two high-performance liquid chromatographic assays for tylosin (tartrate) 830(1999)3

Isotachophoresis

Separation of rare-earth ions by isotachophoresis and capillary zone electrophoresis 802(1998)203

Capillary isotachophoresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides 805(1998)269

Insulin stacking for capillary electrophoresis 807(1998)129

Determination of anionic trace impurities in glycerol by capillary isotachophoresis with enlarged sample load 810(1998)201

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

Use of micellar partition in capillary isotachophoretic focusing 832(1999)265

Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3

Capillary electrophoresis of inorganic anions 834(1999)133

Separation of inorganic phosphorus-containing anions by capillary electrophoresis 834(1999)233

Application of capillary isotachophoresis and capillary zone electrophoresis to the determination of inorganic ions in food and feed samples 834(1999)419

Single electrode conductivity detection for electrophoretic separation systems 836(1999)59

Determination of gaseous sulphur dioxide by capillary isotachophoresis 836(1999)107

Isotachophoretic analysis of inorganic ions 836(1999)201

Capillary zone electrophoresis separations of enantiomers present in complex ionic matrices with on-line isotachophoretic sample pretreatment 838(1999)31

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

New leading electrolyte for the direct determination of chloride and other anions in analytical isotachophoresis 838(1999)81

Characterization of jeffamines by capillary isotachophoresis and zone electrophoresis 838(1999)149

Isotachophoretic determination of 3-methylhistidine 838(1999)191

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Isotachophoresis-capillary zone electrophoresis

Isotachophoresis in zone electrophoresis 838(1999)55

Analysis of orotic acid in human urine by on-line combination of capillary isotachophoresis and zone electrophoresis 838(1999)213

Utility of isotachophoresis—capillary zone electrophoresis, mass spectrometry and high-performance size-exclusion chromatography for monitoring of interleukin-6 dimer formation 841(1999)63

Isotachophoresis, transient

Isotachophoresis in zone electrophoresis 838(1999)55

Isotope analysis

Applied gas chromatography coupled to isotope ratio mass spectrometry 842(1999)351

Isotope effects

Isotope effects of europium in ligand exchange system and electron exchange system using ion-exchange displacement chromatography 808(1998)185

Isotope exchange

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Isotope ratio mass spectrometry

 δ^{13} C analyses of vegetable oil fatty acid components, determined by gas chromatography–combustion–isotope ratio mass spectrometry, after saponification or regiospecific hydrolysis 805(1998)249

J

Jania rubens

Separation and identification of chlorophylls and carotenoids from *Caulerpa prolifera*, *Jania rubens* and *Padina pavonica* by reversed-phase high-performance liquid chromatography 829(1998)153

Jet fuel

Determination of organophosphate contaminants in jet fuel 847(1999)331

Joule heating

Salt effects in capillary zone electrophoresis. II. Mechanisms of electrophoretic mobility modification due to Joule heating at high buffer concentrations 809(1998)159

Jovanovic-Freundlich isotherms

Estimation of the adsorption energy distributions for the Jovanovic–Freundlich isotherm model with Jovanovic local behavior 849(1999)45



Kava

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

Kerosen

Continuous membrane extraction coupled with chromatographic analysis for the determination of phenols in fuels 823(1998)537

Kinematic focusing

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Kinetic coating

Noncovalent linking of a chiral selector to unmodified silica gel through amine functional groups 822(1998)11

Kinetic studies

Degradation study of unsaturated anhydrides by reversed-phase high-performance liquid chromatography 805(1998)109

Kinetic properties of DNA migration under clamped homogeneous electric field conditions. DNA size, migration velocities and reorientation time determined in a single clamped homogeneous electric field run 806(1998)123

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1

Determination of molsidomine and its active metabolite in human plasma using liquid chromatography with tandem mass spectrometric detection 819(1998)113

Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81

Modified kinetic model of the electron-capture detector. Molecular electron affinities and electron collection modes 827(1998)91

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Computer simulation of particle separation based on non-equilibrium swelling 831(1999)51

Study of photodegradation of the pesticide ethiofencarb in aqueous and non-aqueous media, by gas chromatography-mass spectrometry 840(1999)235

Kraft black liquors

Quantitative determination of fatty and resin acids in Kraft black liquors as their trimethylsilyl derivatives by gas chromatography 829(1998)235

Kraft mill effluents

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

Kraft pulp

Characterization of organic deposits produced in the kraft pulping of *Eucalyptus globulus* wood 823(1998)457

Analysis of impurities occurring in a totally chlorine freebleached Kraft pulp 830(1999)227

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

Characterization of totally chlorine-free effluents from Kraft pulp bleaching. II. Analysis of carbohydrate-derived constituents after acid hydrolysis by capillary zone electrophoresis 832(1999)203



Lack-of-fit testing

Lack-of-fit testing of ion chromatographic calibration curves with inexact replicates 850(1999)43

Laponite-RD clay

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Large-volume injections

see also Injection methods

Determination of very volatile organic compounds in environmental water by injection of a large amount of headspace gas into a gas chromatograph 810(1998)141

Monitoring the actual carrier gas flow during large-volume oncolumn injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377

Optimization of large-volume on-column injection conditions in gas chromatography by monitoring the actual carrier gas flow 841(1999)75

Programmed temperature vaporisers-based large volume injection in capillary gas chromatography 842(1999)143

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Large volume transfer

Evaluation of a transfer technique for direct coupling of reversed-phase liquid chromatography with gas chromatography 818(1998)77

Lasalocid chiral selector

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Laser-induced fluorescence detection

Generation of 275.4-nm UV output from a large-frame argonion laser for fluorescence detection in capillary electrophoresis 806(1998)355

Dynamic analysis of capillary electrophoresis data using realtime neural networks 833(1999)231

Flavin mononucleotide for indirect laser-induced fluorescence detection of anions separated by capillary electrophoresis 835(1999)159

Post-capillary laser-induced fluorescence detection without sheath-flow 844(1999)433

Laser light-scattering detector

Modified laser light-scattering detector for use in high temperature micro liquid chromatography 814(1998)55

Laser wave mixing detection

Absorbance detection of amino acids by laser wave mixing in microbore liquid chromatography 805(1998)63

Leather

Determination of organochlorine pesticides in skins and leather by gas chromatography 811(1998)256

Ligand distribution

Faster isolation of recombinant factor VIII SQ, with a superporous agarose matrix 840(1999)39

Ligand-exchange capillary electrophoresis

Enantioseparation of α-amino acids and dipeptides by ligandexchange capillary electrophoresis of various L-4-hydroxyproline derivatives 846(1999)157

Ligand-exchange chromatography

Chiral discrimination of Dns- and unmodified p,L-amino acids by copper(II) complexes of terdentate ligands in high-performance liquid chromatography 829(1998)101

Ligand-exchange micellar electrokinetic capillary chromatography

Simultaneous separation of *o-*, *m-*, *p-*fluoro-DL-phenylalanine and *o-*, *m-*, *p-*DL-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

Ligate depletion

Reassessment of the calibration constant for the IAsys biosensor 844(1999)395

Limonium

Improved analytical methods for determination of nitrogenous stress metabolites occurring in *Limonium* species 836(1999)209

Linear free energy relationships

Characterization of various reversed-phase columns using the linear free energy relationship. I. Evaluation based on retention factors 818(1998)1

Characterization of various reversed-phase columns using the linear free energy relationship. II. Evaluation of selectivity 818(1998)19

Linear solvation energy relationships

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Some aspects of chromatographic behavior in capillary electrochromatography 802(1998)59

Reply to "Relationship between liquid-liquid distribution and liquid-micelle distribution systems": the solvation environment in micelles evaluated by the linear solvation energy relationship method 807(1998)311

Characterization of olefinic gas chromatographic stationary phases by linear solvation energy relationships 836(1999)261

Characterization of amine functionalized stationary phases using linear solvation energy relationships 837(1999)171

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Global linear solvation energy relationships for retention prediction in reversed-phase liquid chromatography 848(1999)21

Linear solvent strength theory

Global linear solvation energy relationships for retention prediction in reversed-phase liquid chromatography 848(1999)21

Linear velocity

Peak tailing and mass transfer kinetics in linear chromatography. Dependence on the column length and the linear velocity of the mobile phase 831(1999)17

Lipophilicity

see also Hydrophobicity

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Determination of lipophilicity of some non-steroidal antiinflammatory agents and their relationships by using principal component analysis based on thin-layer chromatographic retention data 822(1998)263

Chromatographic separation and evaluation of the lipophilicity by reversed-phase high-performance liquid chromatography of fullerene- C_{60} derivatives 847(1999)339

Liposomes

Size characterization of liposomes by flow field-flow fractionation and photon correlation spectroscopy. Effect of ionic strength and pH of carrier solutions 813(1998)91

Aqueous two-phase affinity partitioning of biotinylated liposomes using neutral avidin as affinity ligand 815(1998)189

Liquid chromatography

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Liquid chromatography, electrochemically modulated

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Liquid chromatography-Fourier transform infrared spectrometry

Coupling of column liquid chromatography and Fourier transform infrared spectrometry 811(1998)1

Liquid chromatography-gas chromatography

Analysis of pesticides in red wines by on-line coupled reversedphase liquid chromatography-gas chromatography with vaporiser/precolumn solvent split/gas discharge interface 813(1998)113

Direct coupling of reversed-phase liquid chromatography to gas chromatography 819(1998)13

Practical and theoretical aspects of designing a flame-ionization detector/mass spectrometer Deans' switch. Pressure-flow relations in gas chromatograph-detector interfaces using vacuum-outlet conditions 831(1999)257

On-line combination of aqueous-sample preparation and capillary gas chromatography 842(1999)391

Development of an on-line coupling of liquid-liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes 849(1999)483

Liquid chromatography-high resolution gas chromatography

High-performance liquid chromatography coupled on-line with high resolution gas chromatography State of the art 842(1999)373

Liquid chromatography-mass spectrometry

see also Mass spectrometry

Analysis of antibiotics by liquid chromatography-mass spectrometry (Review) 812(1998)53

Micro and capillary liquid chromatography-tandem mass spectrometry: a new dimension in phytohormone research 826(1998)25

Analysis of biopolymers by size-exclusion chromatographymass spectrometry 828(1998)509

Characterization of peptides from *Aplysia* using microbore liquid chromatography with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry guided purification 830(1999)105

Ion-pair liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of quaternary ammonium herbicides 830(1999)145

Direct coupling of ionic high-performance liquid chromatography with electrospray ionization mass spectrometry utilizing a microdialysis junction interface 835(1999)93

Packed capillary high-temperature liquid chromatography coupled to inductively coupled plasma mass spectrometry 835(1999)105

Microcolumn size-exclusion chromatography coupled with electrospray ionization mass spectrometry 835(1999)121

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography—electrospray ionization mass spectrometry and capillary electrophoresis—electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Liquid-core waveguide detection

Detector cell based on plastic liquid-core waveguides suitable for aqueous solutions: one-to-two decades improved detection limits in conventional-size column liquid chromatography with absorption detection 824(1998)1

Liquid crystalline sieving media

Optimizing capillary gel electrophoretic separations of oligonucleotides in liquid crystalline Pluronic F127 817(1998)367

Liquid crystalline stationary phases

Solving coelution problems on a smectic-liquid crystalline polysiloxane capillary column for the determination of priority polycyclic aromatic hydrocarbons in environmental samples 823(1998)179

Liquid crystals

Separation properties of bis(β -diketonato)-copper(II) complexes in capillary gas chromatography 809(1998)65

Thermotropic laterally attached liquid crystalline polymers. I. New stationary phases for high-performance liquid chromatography 810(1998)19

New naphthalene containing side-chain liquid crystalline polysiloxane stationary phases for high-resolution gas chromatography 811(1998)97

Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287

Liquid surface adsorption

Wetting transition in alkane liquids on silanised diatomaceous gas chromatographic supports 829(1998)201

Lubricants

Size-exclusion chromatography method for characterizing low-molecular-mass antioxidant lubricant additives 841(1999)45

Lysophospholipid micellar electrokinetic capillary

Comparison of the retention behavior of β -blockers using immobilized artificial membrane chromatography and lysophospholipid micellar electrokinetic chromatography 810(1998)95



Magnetic resonance imaging

Flow distribution in chromatographic columns 831(1999)149

Magnetic separation

Magnetic split-flow thin fractionation: new technique for separation of magnetically susceptible particles 813(1998)313

Magnetic sorbents

Recent developments of magnetic beads for use in nucleic acid purification 816(1998)107

New approaches to the isolation of DNA by ion-exchange chromatography 827(1998)337

Margarines

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag⁺containing mobile phase 848(1999)83

Marine algae

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

Marine organisms

Liquid chromatography with fluorimetric detection of triorganotin compounds in marine biological materials 809(1998)39

Marine sediments

see also Sediments

Matrix effects and selectivity of the detector in the determination of butyl- and phenyltins by gas chromatography–flame photometric detection 819(1998)221

New strategies for determination of transition metals by complexation ion-exchange chromatography and post column reaction 847(1999)251

Mass-analysed ion kinetic energy spectrometry

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Mass spectrometry

see also Capillary electrophoresis—mass spectrometry, Gas chromatography—mass spectrometry, Inductively coupled plasma mass spectrometry, Interfaces, Liquid chromatography—mass spectrometry, Matrix-assisted laser desorption mass spectrometry, Micellar electrokinetic chromatography—mass spectrometry, Supercritical fluid chromatography—mass spectrometry, Tandem mass spectrometry and specific ionization techniques

Determination of phenylurea herbicides in water samples using on-line sorptive preconcentration and high-performance liquid chromatography with UV or electrospray mass spectrometric detection 802(1998)285

Determination of acidic herbicides using liquid chromatography with pneumatically assisted electrospray ionization mass spectrometric and tandem mass spectrometric detection 803(1998)157

Gas-phase reagents for carbon–carbon double bond location: new applications. II. Use of vinyl methyl ether chemical ionization mass spectrometry to characterize C_{23} to C_{33} insect cuticular alkenes 803(1998)203

Analysis and characterization of naphthenic acids by gas chromatography-electron impact mass spectrometry of *tert.*-butyldimethylsilyl derivatives 807(1998)241

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Chromatography and mass spectrometry of chemical warfare agents, toxins and related compounds: state of the art and future prospects 814(1998)1

Determination of antibiotics in different water compartments via liquid chromatography-electrospray tandem mass spectrometry 815(1998)213

Column liquid chromatography-electrospray ionisation-tandem mass spectrometry for the analysis of ochratoxin 818(1998)260

Confirmation of residues of thyreostatic drugs in thyroid glands by multiple mass spectrometry after thin-layer chromatographic screening 819(1998)99

Comparison of quadrupole and (quadrupole) ion-trap mass spectrometers for the analysis of benzodiazepines 819(1998)125

High-performance liquid chromatography of polyethylene glycols as their α, ω -bis(1-naphthylurethane) derivatives and signal monitoring by fluorescence detection 822(1998)189

Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography—turboionspray tandem mass spectrometry 822(1998)310

Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas 823(1998)73

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Quantitative analysis of poly(methyl methacrylate-butyl acrylate) copolymer composition by liquid chromatography-particle beam mass spectrometry 824(1998)181

Thin-layer chromatography—mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

Examination of micro-tip reversed-phase liquid chromatographic extraction of peptide pools for mass spectrometric analysis 826(1998)167

Stability studies of tetracycline in methanol solution 827(1998)45

Determination of fluspirilene in human plasma by liquid chromatography-tandem mass spectrometry with electrospray ionisation 828(1998)219

Capillary electrochromatography of biomolecules with on-line electrospray ionization and time-of-flight mass spectrometry 828(1998)469

Determination of polar terpene oxidation products in aerosols by liquid chromatography—ion trap mass spectrometry 833(1999)121

On-line solid-phase extraction liquid chromatography-continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

High-throughput flow injection analysis—mass spectrometry with networked delivery of colour rendered results: the characterisation of liquid chromatography fractions 835(1999)29

Liquid chromatographic separation and mass spectrometric identification of chlorophyll *b* allomers 837(1999)107

Analysis of polar organic micropollutants in water with ion chromatography-electrospray mass spectrometry 837(1999)117

Gas chromatography with Fourier transform infrared and mass spectral detection 842(1999)341

Applied gas chromatography coupled to isotope ratio mass spectrometry 842(1999)351

Poor reproducibility of in-source collisional atmospheric pressure ionization mass spectra of toxicologically relevant drugs 844(1999)409

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

Quantitative determination of nonylphenol polyethoxylate surfactants in marine sediment using normal-phase liquid chromatography-electrospray mass spectrometry 849(1999)467

Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553

Mass transfer

Toroidal coil counter-current chromatography study of the mass transfer rate of proteins in aqueous-aqueous polymer phase system 802(1998)277

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1

Overall mass-transfer coefficients in non-linear chromatography 827(1998)235

Application of the two-film theory to the determination of mass transfer coefficients for bovine serum albumin on anion-exchange columns 827(1998)259

Kinetic study of the mass transfer of S-Tröger's base in the system cellulose triacetate and ethanol 849(1999)445

Mass transfer kinetics

Peak tailing and mass transfer kinetics in linear chromatography. Dependence on the column length and the linear velocity of the mobile phase 831(1999)17

Mastic

Analysis of fresh triterpenoid resins and aged triterpenoid varnishes by high-performance liquid chromatography—atmospheric pressure chemical ionisation (tandem) mass spectrometry 809(1998)21

Mastic gum

Corrigendum to "Gas chromatographic-mass spectroscopic analysis of the acidic triterpenic fraction of mastic gum" [J. Chromatogr. A, 769 (1997) 263–273] 831(1999)333

Mathematical modelling

Numerical simulation for capillary electrophoresis. I. Development of a simulation program with high numerical stability 802(1998)49

Use of the steric mass action model in ion-exchange chromatographic process development 832(1999)1

Peak dispersion due to geometration motion in the gel electrophoresis of macromolecules 838(1999)45

Retention simulation in gas chromatography 840(1999)137

Optimization of large-volume on-column injection conditions in gas chromatography by monitoring the actual carrier gas flow 841(1999)75

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Computer simulation of electroinjection analysis and electrophoretically mediated microanalysis. Commensurable concentrations of sample and reagent 845(1999)227

Simulation of chromatographic processes applied to separation of proteins 846(1999)1

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Peptide mobility and peptide mapping in capillary zone electrophoresis. Experimental determination and theoretical simulation 848(1999)417

Matrix-assisted laser desorption/ionization mass spectrometry

see also Mass spectrometry

Characterization of peptides from *Aplysia* using microbore liquid chromatography with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry guided purification 830(1999)105

Matrix effects

Matrix effects and selectivity of the detector in the determination of butyl- and phenyltins by gas chromatography–flame photometric detection 819(1998)221

Effect of *Digitalis lanata* matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency 822(1998)37

Gas chromatography with electron-capture and nitrogen—phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Influence of the honey matrix on the quantitative results 823(1998)381

On-column processes in ion chromatographic determination of nitrite and nitrate in heavy mineralised samples 827(1998)83

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

Matrix elimination, on-column

Semi-micro ion chromatography of iodide in seawater 830(1999)211

Matrix solid-phase dispersion

Optimization of a matrix solid-phase dispersion method with sequential clean-up for the determination of alkylphenol ethoxylates in biological tissues 837(1999)129

Maximum residue limits

Liquid chromatography-electrospray mass spectrometry multiresidue determination of pesticides in apples and pears 830(1999)135

Measurement uncertainty

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Meat

Evaluation of different clean-up procedures for the analysis of heterocyclic aromatic amines in a lyophilized meat extract 836(1999)223

Isotachophoretic determination of 3-methylhistidine 838(1999)191

Membrane extraction

Continuous membrane extraction coupled with chromatographic analysis for the determination of phenols in fuels 823(1998)537

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Experimental study on solvent-less sample preparation methods. Membrane extraction with a sorbent interface, thermal membrane desorption application and purge-and-trap 830(1999)365

Membranes

see also Hollow-fiber membranes

Optimal membrane choice for microdialysis sampling of oligosaccharides 806(1998)265

Chiral separation of DL-tryptophan using porous membranes containing multilayered bovine serum albumin crosslinked with glutaraldehyde 822(1998)53

Separation of low-molecular-mass acetylated glucuronans on L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes 826(1998)157

Optimal design of affinity membrane chromatographic columns 830(1999)293

Single-step purification of immunotoxins containing a high ionic charge ribosome inactivating protein clavin by carboxymethyl high-performance membrane chromatography 830(1999)329

Determination of gaseous sulphur dioxide by capillary isotachophoresis 836(1999)107

Selective affinity of L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1

Ionic crosslinking of SO₃H-group-containing graft chains helps to capture lysozyme in a permeation mode 848(1999)161

Isocratic separations on thin glycidyl methacrylateethylenedimethacrylate monoliths 848(1999)51

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide-lipid bilayer interactions 849(1999)125

Metal capillary

Deactivation of metal capillaries for gas chromatography 845(1999)33

Metarhizium anisopliae

Purification and quantification of destruxins A and B from Metarhizium anisopliae 830(1999)115

Method development

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Systematic approach to methods development for the capillary electrophoretic analysis of a minor enantiomer using a single-isomer sulfated cyclodextrin. A case study of L-carbidopa analysis 817(1998)105

Trace analysis of polar organic pollutants in aqueous samples. Tools for the rapid prediction and optimisation of the solid-phase extraction parameters 823(1998)147

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

Method transfer

Methodology for transfer of liquid chromatography methods based on statistical considerations 815(1998)173

Methylation

Methylation of carboxylic acids in supercritical carbon dioxide modified with methanol using a flow-through system 815(1998)225

Profiling of organic acids by capillary gas chromatography—mass spectrometry after direct methylation in urine using trimethyloxonium tetrafluoroborate 843(1999)237

Methylene increments

Influence of temperature and n-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Micellar electrokinetic chromatography

see also Electrokinetic chromatography

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Chemometric evaluation of the band broadening in micellar electrokinetic chromatography of peptides 809(1998)191

Development and validation of amoxicillin determination by micellar electrokinetic capillary chromatography 812(1998)227

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. I. Selection of surfactant, variation of pH and addition of organic modifiers or inorganic metal salts 848(1999)387

Micellar electrokinetic chromatography–mass spectrometry
On-line coupling of partial-filling micellar electrokinetic
chromatography with mass spectrometry 802(1998)3

Strategy for selecting separation solutions in capillary electrophoresis—mass spectrometry 817(1998)49

Micellar liquid chromatography

Separation of barbiturates with micellar liquid chromatography and optimization by a second order mathematical design 805(1998)45

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549

Micelles

Enhancements in micellar electrokinetic chromatographic separations with decanonyl-N-methylalkanamide micelles through the addition of alkyl sulfates 808(1998)237

Optimizing capillary gel electrophoretic separations of oligonucleotides in liquid crystalline Pluronic F127 817(1998)367

Solute-solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate-Brij 35 micellar systems for quantitative structure-activity relationship modelling 845(1999)217

Micelles, mixed

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219

Michael addition

Derivatization approaches for a fermentation derived, cyclic peptide analog 824(1998)25

Microchannels

Silicon microtechnology and microstructures in separation science 819(1998)3

Microchromatography

(Normal-phase) capillary chromatography using acrylic polymerbased continuous beds 837(1999)25

Microdialysis

Optimal membrane choice for microdialysis sampling of oligosaccharides 806(1998)265

Coupling on-line brain microdialysis, precolumn derivatization and capillary electrophoresis for routine minute sampling of *O*-phosphoethanolamine and excitatory amino acids 817(1998)195

On-line coupling of microdialysis sampling with liquid chromatography for the determination of peptide and non-peptide leukotrienes 823(1998)489

Investigation of stereoselective metabolism of amphetamine in rat liver microsomes by microdialysis and liquid chromatography with precolumn chiral derivatization 828(1998)95

Direct coupling of ionic high-performance liquid chromatography with electrospray ionization mass spectrometry utilizing a microdialysis junction interface 835(1999)93

Microemulsion electrokinetic chromatography

Microemulsion electrokinetic chromatography of fatty acids as phenacyl esters 807(1998)111

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Microfabrication

Silicon microtechnology and microstructures in separation science 819(1998)3

Microheterogeneity

Sodium dodecyl sulfate–capillary gel electrophoretic analysis of molecular mass microheterogeneity of β -trace protein in cerebrospinal fluid from patients with central nervous system diseases 802(1998)143

Microplasma mass spectrometry

Capillary gas chromatography coupled with microplasma mass spectrometry for organotin speciation 849(1999)553

Microreactor

Micromachined heated chemical reactor for pre-column derivatisation 815(1998)265

MicroTAS

Silicon microtechnology and microstructures in separation science 819(1998)3

Micro liquid chromatography

Forward-scattering degenerate four-wave mixing for sensitive absorption detection in microseparation systems. Coupling to micro-column liquid chromatography 811(1998)35

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Micro-tip liquid chromatography

Examination of micro-tip reversed-phase liquid chromatographic extraction of peptide pools for mass spectrometric analysis 826(1998)167

Micro-total analysis system

Micromachined heated chemical reactor for pre-column derivatisation 815(1998)265

Microtraps

Two-stage microtrap as an injection device for continuous online gas chromatographic monitoring 805(1998)169

Microwave-assisted dansylation

Rapid microwave-assisted dansylation of biogenic amines. Analysis by high-performance liquid chromatography 808(1998)87

Microwave-assisted extraction

Microwave-assisted solvent extraction — a new method for isolation of polynuclear aromatic hydrocarbons from plants 827(1998)21

Optimisation of the microwave-assisted extraction in open cell of polycyclic aromatic hydrocarbons from soils and sediments. Study of moisture effect 837(1999)187

Microwave-assisted extraction of felodipine tablets 840(1999)59

Microwave-assisted methods

Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 823(1998)231

Microwave-induced helium plasma atomic emission detection

Compound retention dependence of the response in a gas chromatography-atomic emission detection system 819(1998)85

Microwave-induced plasma atomic emission spectrometry

Platinum-selective capillary gas chromatographic determination with microwave-induced plasma atomic emission detection 824(1998)223

Migration times

Control of migration time window and selectivity in electrokinetic chromatography with mixed polymeric pseudostationary phases 802(1998)23

Comparison of the reproducibility in migration times between a constant-current and a constant-voltage mode of operation in capillary zone electrophoresis 802(1998)391

Electropherograms in capillary zone electrophoresis plotted as a function of the quantity of electric charge 810(1998)183

Migration velocities

Kinetic properties of DNA migration under clamped homogeneous electric field conditions. DNA size, migration velocities and reorientation time determined in a single clamped homogeneous electric field run 806(1998)123

Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187

Milk

Application of capillary zone electrophoresis-inductively coupled plasma mass spectrometry and capillary isoelectric focusing-inductively coupled plasma mass spectrometry for selenium speciation 807(1998)71

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

Simultaneous determination of β -lactam antibiotics in milk by ion-pair liquid chromatography 812(1998)205

Multiresidue determination of β -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

New, sensitive high-performance liquid chromatography method for the determination of slaframine in plasma and milk 815(1998)141

Evaluation by high-performance liquid chromatography of the hydrolysis of human milk triacylglycerides during storage at low temperatures 823(1998)467

Analysis of human milk triacylglycerols by high-performance liquid chromatography with light-scattering detection 823(1998)475

Validation of capillary electrophoresis in the analysis of ewe's milk casein 832(1999)239

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Quantitative determination of Closantel residues in milk by high-performance liquid chromatography with fluorescence detection 846(1999)383

Gas chromatographic determination of galactose in milk. Example of a switching valve used for the protection of the capillary column 847(1999)47

Milk powder

Analysis of the Maillard reaction products of β -lactoglobulin and lactose in skimmed milk powder by capillary electrophoresis and electrospray mass spectrometry 822(1998)147

Detection of the presence of soya protein in milk powder by sodium dodecyl sulfate capillary electrophoresis 836(1999)153

Milk, soybean

Gas chromatography determination of polychlorinated biphenyls in powdered and liquid soybean milks 815(1998)272

Mir Space Station

Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295

Mixed entropy change

Integral optimizing functional of separation efficiency 841(1999)133

Mixed-mode chromatography

Hydrophilic interaction/cation-exchange chromatography for separation of amphipathic α -helical peptides 816(1998)65

Hydrophilic interaction/cation-exchange chromatography for separation of cyclic peptides 816(1998)79

Mobile phase composition

see also Chiral selectors and Organic modifiers

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Simultaneous analysis and retention behavior of the glucuronide, glucoside, and N-acetylglucosaminide conjugates of bile acids in conventional and inclusion high-performance liquid chromatographic methods 803(1998)121

Separation of nine iridoids by capillary electrophoresis and high-performance liquid chromatography 803(1998)179

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Ion-exchange chromatography of mono- and divalent cations in natural waters on a weak-acid anion-exclusion column 804(1998)179

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

A new approach to dealing with high-to-low concentration ratios of sodium and ammonium ions in ion chromatography 804(1998)201

Isocratic separation of lanthanides and yttrium by highperformance chelation ion chromatography on iminodiacetic acid bonded to silica 804(1998)223

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Peak distortion in reversed-phase liquid chromatography as a consequence of viscosity differences between sample solvent and mobile phase 805(1998)55

High-performance liquid chromatographic measurement of the 1-octanol—water partition coefficient of *s*-triazine herbicides and some of their degradation products 805(1998)119

Solvating gas chromatography using ammonia as mobile phase 806(1998)345

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography 807(1998)297

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

Quasi-linear pH gradients for chromatofocusing using simple buffer mixtures: local equilibrium theory and experimental verification 814(1998)43

Detergent extraction of herpes simplex virus type 1 glycoprotein D by zwitterionic and non-ionic detergents and purification by ion-exchange high-performance liquid chromatography 816(1998)29

Immobilized metal affinity chromatography. Self-sharpening of protein-modulator interfaces in frontal chromatography 818(1998)31

Sparteine as mobile phase modifier in the chiral separation of hydrophobic basic drugs on an α_1 -acid glycoprotein column 818(1998)43

Indirect photometric detection of aliphatic acids separated by ion-exclusion chromatography using aromatic acidic eluents 818(1998)61

Retention behaviour of quinolone derivatives in highperformance liquid chromatography. Effect of pH and evaluation of ionization constants 823(1998)411

Secondary chemical equilibria in high-performance liquid chromatography: influence of ionic strength and pH on retention of peptides 823(1998)497

Retention of ionizable compounds on high-performance liquid chromatography. III. Variation of pK values of acids and pH values of buffers in acetonitrile—water mobile phases 824(1998)137

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

Displacement chromatography of proteins using a selfsharpening pH front formed by adsorbed buffering species as the displacer 825(1998)115

Compositional analysis of nitrile terminated poly(propylene imine) dendrimers by high-performance liquid chromatography combined with electrospray mass spectrometry 825(1998)135

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

Reversed-phase high-performance liquid chromatography in quantitative structure–activity relationship studies of new fungicides 828(1998)431

Non-flammable preparative reversed-phase liquid chromatography of recombinant human insulin-like growth factor-I 830(1999)127

Fitting competitive adsorption isotherms to the distribution data in normal phase systems with binary mobile phases 831(1999)131

Application of capillary electrochromatography to the separation of phenylthiohydantoin-amino acids 832(1999)133

Feasibility study of using refrigerant 1,1,1,2-tetrafluoroethane as the mobile phase in high-speed counter-current chromatography 835(1999)237

High-performance liquid chromatography of some purine and pyrimidine derivatives on silica in hexane–isopropanol–ethylene glycol mobile phases 836(1999)235

Separation of nanometer gold particles by size exclusion chromatography 836(1999)253

Separation of nucleosides using capillary electrochromatography 836(1999)315

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. III. Anion chromatography using hydroxide eluents on a Dionex AS11 stationary phase 837(1999)65

Comparison of enantioselective separation of *N-tert.*-butyloxycarbonyl amino acids and their non-blocked analogues on teicoplanin-based chiral stationary phase 838(1999)121

High-efficiency enantioseparations of *N*-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent 839(1999)167

Peptide separation in normal-phase liquid chromatography. Study of selectivity and mobile phase effects on various columns 840(1999)1

Evaluation and modulation of selectivity in reversed-phase high-performance liquid chromatography 845(1999)113

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

High-performance liquid chromatographic separation of novel atropic α , α -disubstituted- β -amino acids, either on different β -cyclodextrin-bonded phases or as their 1-fluoro-2,4-dinitrophenyl-5-L-alanine amide derivatives 846(1999)83

Separation and determination of various elements by cation-exchange chromatography with sodium trimetaphosphate as the eluent 847(1999)245

New elution agent, sodium trimetaphosphate, for the separation and determination of rare earths by anion-exchange chromatography 847(1999)261

Study of sugar acids separation by high-performance anion-exchange chromatography-pulsed amperometric detection using alkaline eluents spiked with Ba²⁺, Sr²⁺, or Ca²⁺ as acetate or nitrate salts 848(1999)71

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Hydrophobic interaction chromatography of *Chromobacterium* viscosum lipase on polypropylene glycol immobilised on Sepharose 849(1999)413

Effect of eluent composition on retention behavior of anions in ion chromatography on anion-exchangers modified with heparin 850(1999)65

Capacity gradient anion chromatography with a borate complex as eluent 850(1999)73

Simultaneous determination of anions and cations by ion-exclusion chromatography-cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79

Enhancement of conductometric detection of weak acids in ion chromatography 850(1999)85

Separation of carboxylic acids on a weakly acidic cationexchange resin by ion-exclusion chromatography 850(1999)187

Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid—15-crown-5 as eluent 850(1999)229

Separation and detection of common mono- and divalent cations by ion chromatography with an ODS column and conductivity/ UV detection 850(1999)247

Mobile phase modulators

Immobilized metal affinity chromatography. Self-sharpening of protein-modulator interfaces in frontal chromatography 818(1998)31

Mobile phase selection

New approach to the computer-assisted selection of mobile phases for high-performance liquid chromatography on the basis of the Snyder theory 848(1999)1

Mobile phase velocity

Peak tailing and mass transfer kinetics in linear chromatography. Dependence on the column length and the linear velocity of the mobile phase 831(1999)17

Molecular descriptors

Determination of solute descriptors of tripeptide derivatives based on high-throughput gradient high-performance liquid chromatography retention data 803(1998)51

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[b]thiophenes, benzo[b]naphthothiophenes and alkylsubstituted derivatives) on stationary phases of different selectivity 841(1999)207

Quantitative structure-retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

Molecular dynamics simulation

High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255

Molecular imprinting

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Molecularly imprinted uniform-sized polymer-based stationary phase for naproxen. Comparison of molecular recognition ability of the molecularly imprinted polymers prepared by thermal and redox polymerization techniques 816(1998)113

Molecular imprint-based stationary phases for capillary electrochromatography 817(1998)5

Molecular recognition towards coplanar polychlorinated biphenyls based on the porogen imprinting effects of xylenes 828(1998)91

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

Uniform-sized molecularly imprinted polymer for (S)-naproxen selectively modified with hydrophilic external layer 849(1999)331

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer–template ratio and sample load on retention and selectivity 848(1999)39

Molecular mass

Determination of the molecular mass of amylose 828(1998)515

Molecular mass determination

Evaluation of size-exclusion chromatography and viscometry for the determination of molecular masses of oxidised cellulose 805(1998)93

Characterization of jeffamines by capillary isotachophoresis and zone electrophoresis 838(1999)149

Molecular mass distribution

Effect of interdetector peak broadening and volume in size-exclusion chromatography with dual viscometric-concentration detection 809(1998)1

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

Molecular recognition

Molecular recognition towards coplanar polychlorinated biphenyls based on the porogen imprinting effects of xylenes 828(1998)91

Molecular shape recognition

Thermotropic laterally attached liquid crystalline polymers. I. New stationary phases for high-performance liquid chromatography 810(1998)19

Monitoring, continuous

Two-stage microtrap as an injection device for continuous online gas chromatographic monitoring 805(1998)169

Monolithic columns

Comparative study on the column performance of microparticulate 5- μ m C $_{18}$ -bonded and monolithic C $_{18}$ -bonded reversed-phase columns in high-performance liquid chromatography 832(1999)11

Monolithic columns containing sol-gel bonded octadecylsilica for capillary electrochromatography 837(1999)35

Monoliths

Isocratic separations on thin glycidyl methacrylateethylenedimethacrylate monoliths 848(1999)51

Monomer-template ratio

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer-template ratio and sample load on retention and selectivity 848(1999)39

Moving chemical reaction boundary

Moving chemical reaction boundary and isoelectric focusing. I. Conditional equations for Svensson–Tiselius' differential equation of solute concentration distribution in idealized isoelectric focusing at steady state 813(1998)153

Moving chemical reaction boundary and isoelectric focusing. II. Existence of quasi/equal fluxes (or transference numbers) of hydrogen and hydroxyl ions in stationary electrolysis and Svensson's isoelectric focusing 813(1998)173

Mucopolysaccharide-modified ion exchangers

Ion chromatography on anion exchangers modified with mucopolysaccharides 804(1998)79

Mueller-Hinton agar plates

Is the direct quantitation of antibiotics in agar by highperformance liquid chromatography useful? 812(1998)111

Multi-allele specific amplification

Simultaneous analysis of various mutations on the 21-hydroxylase gene by multi-allele specific amplification and capillary gel electrophoresis 817(1998)281

Multi-angle laser light scattering

Flow field-flow fractionation of high-molecular-mass polyacrylamide 837(1999)139

Multidimensional separation

Multidimensional counter-current chromatographic system and its application 803(1998)298

MultiPacker column packing system

Unique dynamic axial compression packing system 827(1998)193

Multiple-stage mass spectrometry

Rapid drug metabolite profiling using fast liquid chromatography, automated multiple-stage mass spectrometry and receptor-binding 831(1999)227

Multiresidue analysis

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Multiresidue methods

Multiresidue determination of β -lactam antibiotics in milk and tissues with the aid of high-performance liquid chromatographic fractionation for clean up 812(1998)237

Multivariate curve resolution alternating least-squares approach

Purity assessment and resolution of tetracycline hydrochloride samples analysed using high-performance liquid chromatography with diode array detection 832(1999)67

Multivariate methods

Development and optimisation of a new derivatisation procedure for gas chromatographic-mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-bystep optimisation procedures 840(1999)81

Must

Determination of chlorpyrifos, penconazole, fenarimol, vinclozolin and metalaxyl in grapes, must and wine by on-line microextraction and gas chromatography 833(1999)43

MycoSep 225

Comparison of two clean-up principles for determination of trichothecenes in grain extract 829(1998)259

Mytilus edulis

New approach to the direct detection of known and new diarrhoeic shellfish toxins in mussels and phytoplankton by liquid chromatography-mass spectrometry 847(1999)213

Mytilus galloprovincialis

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53



Nano-high-performance liquid chromatography

Enantioseparations in normal- and reversed-phase nano-highperformance liquid chromatography and capillary electrochromatography using polyacrylamide and polysaccharide derivatives as chiral stationary phases 837(1999)51

Nasal sprays

Quantitation of active ingredients and excipients in nasal sprays by high-performance liquid chromatography, capillary electrophoresis and UV spectroscopy 823(1998)423

Natural adsorbents

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Nebulizing interface

Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry 826(1998)87

Negative-ion chemical ionization

Simultaneous determination of prostaglandin E_1 , prostaglandin E_0 and 15-keto-prostaglandin E_0 in human plasma by gas chromatography—negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Negative-ion mass spectrometry

Derivatives of cytokinins for negative ion mass spectrometry 811(1998)246

Network model

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Neural networks

Dynamic analysis of capillary electrophoresis data using realtime neural networks 833(1999)231

Neural networks, artificial

Prediction of flame ionization detector response factors using an artificial neural network 825(1998)161

Artificial neural network classification based on capillary electrophoresis of urinary nucleosides for the clinical diagnosis of tumors 828(1998)489

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Artificial neural networks for computer-aided modelling and optimisation in micellar electrokinetic chromatography 850(1999)345

Neuron

Detection of gene expression in single neurons by patch-clamp and single-cell reverse transcriptase polymerase chain reaction 806(1998)209

Nickel-titanium electrode

Nickel content dependence of electrochemical behavior of carbohydrates on a titanium-nickel alloy electrode and its application to a liquid chromatography detector 837(1999)17

Nitrilotriacetic acid ligand

Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73

Noise

Routine check of baseline noise in ion chromatography 833(1999)97

Noise reduction

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

Non-aqueous capillary electrophoresis

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Capillary electrophoresis with wide-bore capillaries and non-aqueous media 813(1998)179

Usefulness of methylated-β-cyclodextrin-based buffers for the separation of highly hydrophobic solutes in non-aqueous capillary electrophoresis. Application to the separation of derivatized phytosterols 837(1999)281

Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols 846(1999)401

Factors affecting selectivity of inorganic anions in capillary electrophoresis 850(1999)319

Non-aqueous ion-exchange chromatography

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation 804(1998)17

Non-aqueous mobile phases

Modified laser light-scattering detector for use in high temperature micro liquid chromatography 814(1998)55

Noncovalent linking

Noncovalent linking of a chiral selector to unmodified silica gel through amine functional groups 822(1998)11

Non-equilibrium

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Non-linear chromatography

Overall mass-transfer coefficients in non-linear chromatography 827(1998)235

Non-linearity

System peaks and non-linearity in capillary electrophoresis and high-performance liquid chromatography 831(1999)105

Normal-phase chromatography

(Normal-phase) capillary chromatography using acrylic polymerbased continuous beds 837(1999)25

Novolac resins

Thermal degradation of novolac resins by pyrolysis-gas chromatography with a movable reaction zone 833(1999)277

Nuclear magnetic resonance spectrometry

n-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Nuclear magnetic resonance studies for the chiral recognition of the novel chiral stationary phase derived from 18-crown-6 tetracarboxylic acid 810(1998)33

On-line trace enrichment in hyphenated liquid chromatographynuclear magnetic resonance spectroscopy 813(1998)55

Investigation of hop and beer bitter acids by coupling of highperformance liquid chromatography to nuclear magnetic resonance spectroscopy 836(1999)245 Lignans from *Torreya jackii* identified by stopped-flow highperformance liquid chromatography–nuclear magnetic resonance spectroscopy 837(1999)83

Acetogenic isoquinoline alkaloids. CXXI. Use of on-line high-performance liquid chromatography-nuclear magnetic resonance spectrometry coupling in phytochemical screening studies: rapid identification of metabolites in *Dioncophyllum thollonii* 837(1999)267

Characterization of protein mixtures by ion-exchange chromatography coupled on-line to nuclear magnetic resonance spectroscopy 840(1999)131

Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy 848(1999)251

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135



Octadecyl acrylate-modified silica

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Octadecylsilica

Monolithic columns containing sol-gel bonded octadecylsilica for capillary electrochromatography 837(1999)35

Octanol-water partition coefficients

see also Partition coefficients

High-performance liquid chromatographic measurement of the 1-octanol-water partition coefficient of s-triazine herbicides and some of their degradation products 805(1998)119

Octyl stationary phases

Characterization of silica-based octyl phases of different bonding density. Part I. Thermal stability studies 828(1998)51

Characterization of silica-based octyl phases of different bonding density. Part II. Studies of surface properties and chromatographic selectivity 828(1998)59

Off-flavour compounds

Microwave mediated distillation with solid-phase microextraction: determination of off-flavors, geosmin and methylisoborneol, in catfish tissue 833(1999)223

Oil spill identification

Oil spill identification 843(1999)369

Oils

see also Essential oils, Olive oil, Petroleum and Vegetable oils

 δ^{13} C analyses of vegetable oil fatty acid components, determined by gas chromatography–combustion–isotope ratio mass spectrometry, after saponification or regiospecific hydrolysis 805(1998)249

Comparison of oil composition changes due to biodegradation and physical weathering in different oils 809(1998)89

Group identification of essential oils components using partition coefficients in a hexane–acetonitrile system 814(1998)253

Tentative analysis of virgin olive oil aroma by supercritical fluid extraction-high-resolution gas chromatography-mass spectrometry 819(1998)267

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Determination of α -tocopherol and α -tocopheryl acetate in diets of experimental animals Study of stability in the diets 839(1999)93

Isolation of nine petroporphyrin biomarkers by reversed-phase high-performance liquid chromatography with coupled columns 839(1999)239

Instrumentation and applications of fast high-resolution capillary gas chromatography 842(1999)309

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Characterisation of proteinaceous binders and drying oils in wall painting samples by gas chromatography-mass spectrometry 846(1999)113

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods 848(1999)529

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

Olefinic stationary phases

Characterization of olefinic gas chromatographic stationary phases by linear solvation energy relationships 836(1999)261

Olive oil

Tentative analysis of virgin olive oil aroma by supercritical fluid extraction–high-resolution gas chromatography–mass spectrometry 819(1998)267

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Olives

Determination of phenolic compounds in olives by reversedphase chromatography and mass spectrometry 832(1999)87

Omphalotus

Identification of illudins in *Omphalotus nidiformis* and *Omphalotus olivascens* var. *indigo* by column liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 832(1999)247

On-capillary derivatization

Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491

On-column focusing

Determination of retinoids by packed-capillary liquid chromatography with large-volume on-column focusing and temperature optimization 847(1999)59

On-line reduction

High-performance liquid chromatography-fluorescence determination of dinitropyrenes in soil after column chromatographic clean-up and on-line reduction 839(1999)41

Open tubular columns

Column preparation for reversed-phase high-temperature open tubular column liquid chromatography 813(1998)11

Optical fibres

Application of on-line thermal desorption—gas chromatography—Fourier-transform infrared spectroscopy—mass spectrometry for the characterisation of polymers 819(1998)243

Compact detection cell using optical fiber for sensitization and simplification of capillary electrophoresis-chemiluminescence detection 832(1999)191

Optimization

see also Simplex optimization

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Separation of barbiturates with micellar liquid chromatography and optimization by a second order mathematical design 805(1998)45

Toroidal coil counter-current chromatography. Achievement of high resolution by optimizing flow-rate, rotation speed, sample volume and tube length 808(1998)95

Optimization of the capillary electrophoretic separation of bisbenzylisoquinoline alkaloids by an overlapping resolution mapping scheme 814(1998)223

Determination of some aromatic amines in finger-paints for children's use by supercritical fluid extraction combined with gas chromatography 819(1998)259

Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125

Separation of enantiomers of a chiral epoxide by simulated moving bed chromatography 827(1998)215

Optimum solvent selectivity and gradient mode for deoxyribonucleosides in reversed-phase high-performance liquid chromatography 828(1998)337

General considerations for optimizing a capillary electrophoresis-electrospray ionization time-of-flight mass spectrometry system 829(1998)279

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Use of the steric mass action model in ion-exchange chromatographic process development 832(1999)1

Alternate pooling for optimizing high-performance liquid chromatographic fractionation of complex peptide mixtures 839(1999)57

Development and optimisation of a new derivatisation procedure for gas chromatographic–mass spectrometric analysis of dihydrostreptomycin. Comparison of multivariate and step-bystep optimisation procedures 840(1999)81

Strategies for speed optimisation in gas chromatography: an overview 842(1999)3

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Simultaneous optimisation of gradient time, gradient shape and initial composition of the mobile phase in the high-performance liquid chromatography of homologous and oligomeric series 845(1999)133

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography 850(1999)17

Critical comparison of retention models for the optimisation of the separation of anions in ion chromatography. II. Suppressed anion chromatography using carbonate eluents 850(1999)29

Artificial neural networks for computer-aided modelling and optimisation in micellar electrokinetic chromatography 850(1999)345

Organic modifiers

Reversed-phase high-performance liquid chromatography in quantitative structure–activity relationship studies of new fungicides 828(1998)431

Organic solvents

Use of detergents and high contents of organic solvents for simultaneous quantitation of ionic and nonionic drugs by electrokinetic chromatography 824(1998)99

Orthogonal projection approach

Purity assessment and resolution of tetracycline hydrochloride samples analysed using high-performance liquid chromatography with diode array detection 832(1999)67

Outlet response

Advances in the theory of particle size distributions by field-flow fractionation. Outlet and apparent polydispersity at constant field 831(1999)89

Overlapping resolution mapping

Optimization of the capillary electrophoretic separation of bisbenzylisoquinoline alkaloids by an overlapping resolution mapping scheme 814(1998)223

Overpressured layer chromatography

Distribution of cationic ion-pairing reagents on thin-layers after continuous overpressured layer chromatography 803(1998)235

Oxidation

Post-column oxidation of purpald-aldehyde adducts at nickel electrodes 813(1998)213

Ozonation

Application of gas and liquid chromatography-mass spectrometry to the evaluation of pirimiphos methyl degradation products in industrial water under ozone treatment 823(1998)97



Packed capillary columns

Modified laser light-scattering detector for use in high temperature micro liquid chromatography 814(1998)55

Packed columns

Strategies for speed optimisation in gas chromatography: an overview 842(1999)3

Packed column supercritical fluid chromatography

Potential of packed column supercritical fluid chromatography for the separation of metoprolol from closely related compounds 839(1999)141

Packed length

Attempt to define the role of the length of the packed section in capillary electrochromatography 836(1999)25

Packing materials

Measurement of the degree of internal friction of two native silica packing materials 818(1998)155

Evidence of a wall friction effect in the consolidation of beds of packing materials in chromatographic columns 835(1999)41

Packing uniformity

Flow distribution in chromatographic columns 831(1999)149

Padina pavonica

Separation and identification of chlorophylls and carotenoids from *Caulerpa prolifera*, *Jania rubens* and *Padina pavonica* by reversed-phase high-performance liquid chromatography 829(1998)153

Palladium support materials

Gas-solid chromatographic separation of hydrogen isotopes: a comparison between two palladium bearing materials – alumina and kieselguhr 822(1998)326

Palm oil

Silver-phase high-performance liquid chromatography electrospray mass spectrometry of triacylglycerols 810(1998)53

Panax ginseng

Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173

Paper

Determination of inorganic chlorine species in kraft mill bleach effluents by ion chromatography 804(1998)113

Papillomavirus

Reversed-phase high-performance liquid chromatography of virus-like particles 816(1998)21

Parafilm

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

Partial-filling affinity capillary electrophoresis

Use of a partial-filling technique in affinity capillary electrophoresis for determining binding constants of ligands to receptors 840(1999)261

Partial-filling capillary electrophoresis

Separation of acidic enantiomers by capillary electrophoresis—mass spectrometry employing a partial filling technique 802(1998)83

Partial-filling micellar electrokinetic chromatography

On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry 802(1998)3

Particle beam interface

Quantitative analysis of poly(methyl methacrylate-butyl acrylate) copolymer composition by liquid chromatography-particle beam mass spectrometry 824(1998)181

Particle separation

Computer simulation of particle separation based on non-equilibrium swelling 831(1999)51

Particle size

Effects of various binary and ternary supercritical phases on the extraction of polycyclic aromatic hydrocarbons from contaminated soils 816(1998)201

Particle size distribution

Advances in the theory of particle size distributions by field-flow fractionation. Outlet and apparent polydispersity at constant field 831(1999)89

Particles, submicron-sized

Capillary zone electrophoresis of rigid submicron-sized particles in polyacrylamide solution. Selectivity, peak spreading and resolution 848(1999)443

Partition-adsorption systems

High-performance liquid chromatography of some purine and pyrimidine derivatives on silica in hexane–isopropanol–ethylene glycol mobile phases 836(1999)235

Partition coefficients

see also Octanol-water partition coefficients

Group identification of essential oils components using partition coefficients in a hexane-acetonitrile system 814(1998)253

Effect of *Digitalis lanata* matrix composition on the lanatoside C partition coefficient and its consequence on rotation locular counter-current chromatography efficiency 822(1998)37

Universal model for the calculation of all organic solvent-water partition coefficients 827(1998)345

Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters 835(1999)19

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate-solvent systems 845(1999)93

Alkanol gas-liquid partition coefficients in squalane measured with packed columns. A revision of measurement methods 848(1999)203

Partitioning

Aqueous two-phase affinity partitioning of biotinylated liposomes using neutral avidin as affinity ligand 815(1998)189

Aqueous two-phase systems containing self-associating block copolymers. Partitioning of hydrophilic and hydrophobic biomolecules 839(1999)71

Partition mechanism

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Partition model

Retention in reversed-phase chromatography: partition or adsorption? 829(1998)1

Passive sampler

Evaluation of a small prototype passive sampler for airborne volatile organic compounds 802(1998)307

Pasteurella haemolytica

High-performance liquid chromatography of *Pasteurella haemolytica* leukotoxin using anion-exchange perfusion columns 808(1998)167

Peak capacity

Prediction of comprehensive two-dimensional gas chromatographic separations. A theoretical and practical exercise 822(1998)233

Evaluation of column performance in constant pressure and constant flow capillary gas chromatography 842(1999)15

Peak compression

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Peak overlap

Prediction of numbers of singlets, doublets, and triplets in poorly resolved separations by statistical-overlap theory 831(1999)37

Application of statistical-overlap theory to gas chromatograms simulated on nonpolar stationary phases with commercial software 842(1999)65

Influence of capillary column efficiency on the reliability of the identification of complex mixtures by gas chromatography 845(1999)3

Peak-referenced integral method

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

Peak shape

see also Band broadening and Band profiles

Peak distortion in reversed-phase liquid chromatography as a consequence of viscosity differences between sample solvent and mobile phase 805(1998)55

Estimation of the column radial heterogeneity from an analysis of the characteristics of tailing peaks in linear chromatography 830(1999)29

Peak tailing and column radial heterogeneity in linear chromatography 830(1999)263

Peak tailing and mass transfer kinetics in linear chromatography. Dependence on the column length and the linear velocity of the mobile phase 831(1999)17

Peak dispersion due to geometration motion in the gel electrophoresis of macromolecules 838(1999)45

Peak distortion, data sampling errors and the integrator in the measurement of very narrow chromatographic peaks 842(1999)321

Use of artificial neural networks in capillary zone electrophoresis 848(1999)365

Chemometric approach to the treatment of benzodiazepine separation and peak broadening in capillary electrophoresis 849(1999)563

Pears

Multiresidue determination of pesticides in apples and pears by gas chromatography-mass spectrometry 805(1998)319

Fast separation of (poly)phenolic compounds from apples and pears by high-performance liquid chromatography with diodearray detection 830(1999)301

Pecten maximus

Identification and occurrence of a novel *cis*-4,7,10,*trans*-13-docosatetraenoic fatty acid in the scallop *Pecten maximus* (L.) 839(1999)119

Pentafluorobenzylation

Derivatives of cytokinins for negative ion mass spectrometry 811(1998)246

Percolation threshold

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Perfusion chromatography

Characterization of large-pore polymeric supports for use in perfusion biochromatography 807(1998)165

High-performance liquid chromatography of *Pasteurella haemolytica* leukotoxin using anion-exchange perfusion columns 808(1998)167

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Permanent magnets

Magnetic split-flow thin fractionation: new technique for separation of magnetically susceptible particles 813(1998)313

Persulphate digestion, microwave-assisted

Use of column-switching ion chromatography for the simultaneous determination of total nitrogen and phosphorus after microwave assisted persulphate digestion 822(1998)162

Pervaporation

Synergistic approaches based on nonchromatographic continuous separation techniques (solid-phase extraction and pervaporation) and chromatography couplings 819(1998)25

Petrochemical analysis

Analysis of alkane, alkene, aromatic and oxygenated groups in petrochemical mixtures by supercritical fluid chromatography on silica gel 847(1999)309

Determination of organophosphate contaminants in jet fuel 847(1999)331

Petroleum

see also Oils

Detailed analysis of sulfur compounds in gasoline range petroleum products with high-resolution gas chromatography—atomic emission detection using group-selective chemical treatment 819(1998)67

Detailed analysis of hydrocarbon groups in diesel range petroleum fractions with on-line coupled supercritical fluid chromatography—gas chromatography—mass spectrometry 819(1998)249

Bacterial sulfate production by biodesulfurization of aromatic hydrocarbons, determined by ion chromatography 824(1998)45

Separation of noble gas mixtures from petroleum and their isotopic analysis by mass spectrometry 824(1998)109

Hydrogen donor and acceptor abilities of pitches from coal and petroleum evaluated by gas chromatography 830(1999)155

Application of statistical-overlap theory to gas chromatograms simulated on nonpolar stationary phases with commercial software 842(1999)65

Oil spill identification 843(1999)369

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

Petroleum products

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Petroleum residues

Planar chromatographic separation of petroleum residues and coal-derived liquids 830(1999)397

Pharmaceutical analysis

Micellar electrokinetic chromatography of scopolamine-related anticholinergics 802(1998)107

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

Determination of dissociation constants of cephalosporins by capillary zone electrophoresis 803(1998)273

Determination of parishin, parishin B and parishin C in traditional Chinese medicinal formulas by micellar electrokinetic capillary chromatography 805(1998)301

Analysis of parishin, parishin B and parishin C in Gastrodiae Rhizoma by micellar electrokinetic capillary chromatography 805(1998)330

Separation of cimetidine and related materials by aqueous and non-aqueous capillary electrophoresis 808(1998)269

Effect on the partition equilibrium of various drugs by the formation of mixed bile salt/phosphatidylcholine/fatty acid micelles. A characterization by micellar affinity capillary electrophoresis. Part IV 809(1998)219

Comparison of the retention behavior of β -blockers using immobilized artificial membrane chromatography and lysophospholipid micellar electrokinetic chromatography 810(1998)95

Analysis of residual solvents by fast gas chromatography 811(1998)145

Analysis of tetrandrine and fangehinoline in traditional Chinese medicines by capillary electrophoresis 811(1998)274

Is the direct quantitation of antibiotics in agar by highperformance liquid chromatography useful? 812(1998)111

Some aspects of the purification of anthraquinone antibiotics by preparative reversed-phase liquid chromatography 812(1998)117

Determination of netilmicin sulfate by liquid chromatography with pulsed electrochemical detection 812(1998)151

Development and validation of amoxicillin determination by micellar electrokinetic capillary chromatography 812(1998)227

Analysis of macrolide antibiotics (Review) 812(1998)255

Liquid chromatography of josamycin propionate on poly(styrene–divinylbenzene) 812(1998)303

Analysis of impurities by high-performance thin-layer chromatography with Fourier transform infrared spectroscopy and UV absorbance detection in situ measurement: chlordiazepoxide in bulk powder and in tablets 813(1998)145

Analysis of recent antimicrobial agents in human biological fluids by high-performance liquid chromatography 815(1998)163

Methodology for transfer of liquid chromatography methods based on statistical considerations 815(1998)173

Determination of trace enantiomeric impurities in chiral compounds by capillary electrophoresis with uncoated, cationic, anionic and neutral surface modified capillaries 817(1998)83

Development of a gas chromatography-mass spectrometry method for the analysis of aminoglycoside antibiotics using experimental design for the optimisation of the derivatisation reactions 818(1998)95

Determination of molsidomine and its active metabolite in human plasma using liquid chromatography with tandem mass spectrometric detection 819(1998)113

Investigation of potential degradation products of a newly synthesised β -lactam antibiotic by multi-stage liquid chromatography-electrospray mass spectrometry 819(1998)133

Determination of L-lysine *N*-acetylcysteinate and its mono- and dimeric related compounds by liquid chromatography-mass spectrometry 819(1998)161

High-performance liquid chromatographic determination of amphotericin B in plasma and tissue. Application to pharmacokinetic and tissue distribution studies in rats 819(1998)171

Quantitation of active ingredients and excipients in nasal sprays by high-performance liquid chromatography, capillary electrophoresis and UV spectroscopy 823(1998)423

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. II. Validation 826(1998)95

Analytical supercritical fluid chromatography using fully automated column and modifier selection valves for the rapid development of chiral separations 826(1998)217

Separation of a racemic pharmaceutical intermediate using closed-loop steady state recycling 827(1998)359

Column switching in high-performance liquid chromatography with tandem mass spectrometric detection for high-throughput preclinical pharmacokinetic studies 828(1998)141

Optimisation and routine use of generic ultra-high flow-rate liquid chromatography with mass spectrometric detection for the direct on-line analysis of pharmaceuticals in plasma 828(1998)199

Detection of clobetasol propionate as an undeclared steroid in zinc pyrithione formulations by high-performance liquid chromatography with rapid-scanning ultraviolet spectroscopy and mass spectrometry 828(1998)239

Validated high-performance liquid chromatographic methods for quantitation of a novel nonsteroidal antiestrogen 828(1998)247

Simultaneous determination of five antibiotics by ion-pair highperformance liquid chromatography 828(1998)287 Validation of a shielded-hydrophobic-phase high-performance liquid chromatography method for the determination of residual methotrexate in recombinant protein biopharmaceuticals 828(1998)303

Identification of UV filters in sunscreen products by highperformance liquid chromatography-diode-array detection 828(1998)311

High-performance liquid chromatography of basic compounds. Problems, possible solutions and tests of reversed-phase columns 828(1998)407

Rapid method for analysis of nicotine and nicotine-related substances in chewing gum formulations 829(1998)143

Liquid chromatographic method for separation of lincomycin from its related substances 829(1998)161

Capillary electrochromatography as an alternative separation technique to high-performance liquid chromatography and capillary zone electrophoresis for the determination of drug related impurities in Lilly compound LY300164 829(1998)175

Erratum to "Separation of cimetidine and related materials by aqueous and non-aqueous capillary electrophoresis" [J. Chromatogr. A, 808 (1998) 269–275] 829(1998)419

Chiral separation of a pharmaceutical intermediate by a simulated moving bed process 832(1999)55

Determination of dissociation constants of ^{99m}Technetium radiopharmaceuticals by capillary electrophoresis 833(1999)83

Investigation of crudes of synthesis of carbetocin by liquid chromatography coupled to electrospray ionization mass spectrometry 833(1999)267

Capillary electrophoresis of inorganic anions 834(1999)133

Supercritical fluid extraction and clean-up of organochlorine pesticides in Chinese herbal medicine 835(1999)145

Micellar electrokinetic capillary chromatography method for direct determination of glucuronides of entacapone and its (*Z*)-isomer in human urine 836(1999)173

Micellar electrokinetic chromatography as a fast screening method for the determination of 1,4-dihydropyridine calcium antagonists 836(1999)189

Characterization of the stereoselective metabolism of thiopental and its metabolite pentobarbital via analysis of their enantiomers in human plasma by capillary electrophoresis 838(1999)237

Isotachophoretic determination of phosphate splitting from Amifostine and *p*-nitrophenyl phosphate in serum and neuroblastoma cells 838(1999)251

Electrophoretic behaviour of quinolones in capillary electrophoresis. Effect of pH and evaluation of ionization constants 839(1999)183

Capillary electrophoresis of some tetracycline antibiotics coupled with reductive fast cyclic voltammetric detection 839(1999)193

Microwave-assisted extraction of felodipine tablets 840(1999)59

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Analytical study of penicillamine in pharmaceuticals by capillary zone electrophoresis 844(1999)361

Application of microemulsion electrokinetic chromatography to the analysis of a wide range of pharmaceuticals and excipients 844(1999)371

Determination of system suitability limits with a robustness test 845(1999)145

Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

Sensitive method for the determination of baclofen in plasma by means of solid-phase extraction and liquid chromatography—tandem mass spectrometry 846(1999)169

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Adaptation of capillary electrophoresis to piperacillin drug analysis 846(1999)223

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Determination of oxidized and reduced glutathione in pharmaceuticals by reversed-phase high-performance liquid chromatography with dual electrochemical detection 846(1999)59

Macrocyclic polyamine as a selective modifier in a bondedphase capillary column for the electrophoretic separation of aromatic acids 848(1999)401 Qualitative and quantitative micellar electrokinetic chromatography of kavalactones from dry extracts of *Piper methysticum* Forst. and commercial drugs 848(1999)457

Enantiomeric separation of atropine in *Scopolia* extract and *Scopolia Rhizome* by capillary electrophoresis using cyclodextrins as chiral selectors 848(1999)465

Analysis and confirmation of synthetic anorexics in adulterated traditional Chinese medicines by high-performance capillary electrophoresis 848(1999)537

Identification and determination of active components in *Gastrodia elata Bl.* by capillary electrophoresis 849(1999)277

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

Enantiomeric separation of D- and L-carnitine by integrating online derivatization with capillary zone electrophoresis 849(1999)609

Pharmacokinetics

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

pH effects

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Size characterization of liposomes by flow field-flow fractionation and photon correlation spectroscopy. Effect of ionic strength and pH of carrier solutions 813(1998)91

Retention behaviour of quinolone derivatives in highperformance liquid chromatography. Effect of pH and evaluation of ionization constants 823(1998)411

Secondary chemical equilibria in high-performance liquid chromatography: influence of ionic strength and pH on retention of peptides 823(1998)497

Retention of ionizable compounds on high-performance liquid chromatography. III. Variation of pK values of acids and pH values of buffers in acetonitrile—water mobile phases 824(1998)137

Comparison of the electroosmotic flow profiles and selectivity of stationary phases used in capillary electrochromatography 832(1999)41

pH-Dependent reversal of the chiral recognition of tripeptide enantiomers by carboxymethyl-β-cyclodextrin 833(1999)261

Phenol-formaldehyde resins

Thermal degradation of novolac resins by pyrolysis-gas chromatography with a movable reaction zone 833(1999)277

Phenomenological model

Application of the phenomenological model to retention in reversed-phase high-performance liquid chromatography 829(1998)41

Phenyl-bonded silica

Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase 845(1999)203

Phenyl column

Improved liquid chromatography of salicylic acid and some related compounds on a phenyl column 828(1998)267

pH gradients

Quasi-linear pH gradients for chromatofocusing using simple buffer mixtures: local equilibrium theory and experimental verification 814(1998)43

Use of micellar partition in capillary isotachophoretic focusing 832(1999)265

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

Phosphate rocks

Determination of total chromium in phosphate rocks by ion chromatography 850(1999)137

Photodegradation

Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81

Development of capillary electrophoresis methods for the analysis of fluoroquinolones and application to the study of the influence of humic substances on their photodegradation in aqueous phase 837(1999)253

Study of photodegradation of the pesticide ethiofencarb in aqueous and non-aqueous media, by gas chromatography-mass spectrometry 840(1999)235

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Photolysis

Optimization of post-column photolysis and electrochemical detection for the liquid chromatographic determination of 3-nitro-L-tyrosine 818(1998)69

Photometric detection

Design of background electrolytes for indirect photometric detections based on a model of sample zone absorption in capillary electrophoresis 835(1999)169

Physical mapping

High resolution free chromatin/DNA fiber fluorescent in situ hybridization 806(1998)219

pH-Zone-refining counter-current chromatography

Isolation of indole alkaloids from *Catharanthus roseus* by centrifugal partition chromatography in the pH-zone refining mode 849(1999)421

Pineal gland

Sensitive determination of melatonin by precolumn derivatization and reversed-phase high-performance liquid chromatography 835(1999)67

Piper methysticum

Reversed-phase high-performance liquid chromatographic method for quantitative analysis of the six major kavalactones in *Piper methysticum* 825(1998)1

Qualitative and quantitative micellar electrokinetic chromatography of kavalactones from dry extracts of *Piper methysticum* Forst. and commercial drugs 848(1999)457

Piper mullesua

Reversed-phase liquid chromatography of 1,3-benzodioxanes in *Piper mullesua* 841(1999)123

π - π Interactions

n-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Selective separation of fullerenes on hydroxyphenyltriphenylporphyrin–silica stationary phases 824(1998)147

Characterisation of π - π interactions which determine retention of aromatic compounds in reversed-phase liquid chromatography 841(1999)147

Pistacia lentiscus L. var. Chia

Corrigendum to "Gas chromatographic-mass spectroscopic analysis of the acidic triterpenic fraction of mastic gum" [J. Chromatogr. A, 769 (1997) 263–273] 831(1999)333

Pitcl

Characterization of organic deposits produced in the kraft pulping of *Eucalyptus globulus* wood 823(1998)457

Plant materials

Ion chromatographic analysis of nutrients in seed exudate for microbial colonisation 804(1998)311

High-performance liquid chromatographic method for the determination of juglone in fresh walnut leaves 805(1998)315

Qualitative determination of indole alkaloids, triterpenoids and steroids of *Tabernaemontana hilariana* 808(1998)264

Determination of inorganic cations and anions in single plant cells by capillary zone electrophoresis 809(1998)231

Separation of the branch chain hexose, hamamelose, by highperformance liquid chromatography, and amperometric detection of hamamelose and related compounds 814(1998)105

Analysis of solutes and metabolites in single plant cell vacuoles by capillary electrophoresis 817(1998)337

Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography—turboionspray tandem mass spectrometry 822(1998)310

Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen-phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91

Pressurized liquid extraction of medicinal plants 837(1999)211

High-performance liquid chromatography-diode array detection—tandem mass spectrometry analyses of the alkaloid extracts of Amazon *Psychotria* species 841(1999)165

Multiresidue screening methods for the determination of pesticides in plant materials 846(1999)341

Qualitative and quantitative micellar electrokinetic chromatography of kavalactones from dry extracts of *Piper methysticum* Forst. and commercial drugs 848(1999)457

Identification and determination of active components in Gastrodia elata Bl. by capillary electrophoresis 849(1999)277

Platinum-rhodium catalysts

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Platyparea poeciloptera

Solid-phase microextraction—gas chromatography—direct deposition infrared spectrometry as a convenient method for the determination of volatile compounds from living organisms 819(1998)45

Pluronic F127

Pluronic copolymer liquid crystals: unique, replaceable media for capillary gel electrophoresis 817(1998)287

Optimizing capillary gel electrophoretic separations of oligonucleotides in liquid crystalline Pluronic F127 817(1998)367

Polar ice core

Reduction of the detection limits of anions in polar ice core analysis using correlation ion chromatography with detector signal processing 844(1999)419

Polarity

Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices 807(1998)57

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Polarized photometric detection

Selective determination of p-sorbitol and p-mannitol in foodstuffs by ion chromatography with polarized photometric detection 804(1998)305

Polar selectivity

Evaluation and modulation of selectivity in reversed-phase highperformance liquid chromatography 845(1999)113

Pollen

Microwave-assisted solvent extraction — a new method for isolation of polynuclear aromatic hydrocarbons from plants 827(1998)21

Polyacrylonitrile sorbents

Thin-layer chromatography of mixed tris-β-diketonato metal complexes on polyacrylonitrile sorbent 847(1999)303

Polyallylamine pseudo-stationary phases

Effects of electrokinetic chromatography conditions on the structure and properties of polyallylamine-supported pseudo-stationary phase. A study by dynamic light scattering 836(1999)295

Polyamine-bound fused-silica columns

Electrophoretic separation of inorganic anions with an anion complexone-modified capillary column 815(1998)251

Poly(dimethylsiloxane) film

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

Polydispersity

Advances in the theory of particle size distributions by field-flow fractionation. Outlet and apparent polydispersity at constant field 831(1999)89

Polyelectrolyte sorbents

Polyelectrolyte sorbents based on aliphatic ionenes for ion chromatography 850(1999)53

Polyether ether ketone capillaries

Novel applications for organic polymer capillaries 802(1998)17

Poly(ethylene oxide)-poly(propylene oxide)-poly(ethylene oxide) sieving media

Optimizing capillary gel electrophoretic separations of oligonucleotides in liquid crystalline Pluronic F127 817(1998)367

Poly(ethylene-vinyl alcohol) membranes

Separation of low-molecular-mass acetylated glucuronans on L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes 826(1998)157

Selective affinity of L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1

Polymerase chain reaction

Contamination-free and automated composition of a reaction mixture for nucleic acid amplification using a capillary electrophoresis apparatus 806(1998)141

Comparison of slab gel electrophoresis and capillary electrophoresis for the detection of the fluorescently labeled polymerase chain reaction products of short tandem repeat fragments 806(1998)159

Real-time detection of allele-specific polymerase chain reaction products by automated ultra-thin-layer agarose gel electrophoresis 828(1998)481

Polymer capillaries

Novel applications for organic polymer capillaries 802(1998)17

Polymer coatings

Synthesis and characterization of a polymer-coated $\rm C_{18}$ stationary phase with high carbon content for liquid chromatography 828(1998)75

Polymer phases

New chemically modified polymeric resin for solid-phase extraction of pesticides and phenolic compounds from water 803(1998)147

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Poly(methyl methacrylate) capillaries

Novel applications for organic polymer capillaries 802(1998)17

Poly(methyloctylsiloxane) stationary phases

Chromatographic evaluation of radiation-immobilized poly(methyloctylsiloxane) on titanium-grafted silica 845(1999)417

Poly(methylsiloxane) stationary phases

Synthesis and gas chromatographic evaluation of a hightemperature hydrogen-bond acid stationary phase 805(1998)217

Polysiloxane stationary phases

Terminally carboxyl oligo(ethylene oxide) monomethyl etherssubstituted side chain liquid crystalline polysiloxane polymer as stationary phase in capillary gas chromatography for the separation of polynuclear aromatic hydrocarbons 808(1998)201

Preparation and study of two polysiloxanes with pendant handbasket type calixarene stationary phases for capillary gas chromatography 840(1999)225 Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy 848(1999)251

Polystyrene coating

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography-electrospray ionization mass spectrometry and capillary electrophoresis-electrospray ionization mass spectrometry of proteins. II. Capillary electrophoresis 849(1999)175

Poly(styrene-divinylbenzene) stationary phases

Sulfoacylated polystyrene-divinylbenzene copolymers as resins for cation chromatography. Influence of capacity on resin selectivity 804(1998)63

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Evaluation of volatile eluents and electrolytes for highperformance liquid chromatography—electrospray ionization mass spectrometry and capillary electrophoresis—electrospray ionization mass spectrometry of proteins. I. Liquid chromatography 849(1999)161

Poly(succinic acid)-based sorbents

Determination of airborne, volatile amines from polyurethane foams by sorption onto a high-capacity cation-exchange resin based on poly(succinic acid) 809(1998)121

Polyvinylpolypyrroridone columns

Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpolypyrroridone pre-column 848(1999)523

Pore connectivity

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Pore diffusion

Frontal chromatography of proteins: The effect on column performance of the restricted diffusion of molecules in porous chromatographic adsorbents 828(1998)345

Pore flow effects

Pore flow effects in electrically driven size-exclusion chromatography 837(1999)3

Pore size distribution

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Pore structure

Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281

Poria cocos

Investigation of molecular masses and aggregation of β -D-glucan from *Poria cocos* sclerotium by size-exclusion chromatography 839(1999)49

Porous graphitized carbon

see also Graphitized carbon black

Selective ion chromatography of metals on porous graphitic carbon 804(1998)187

Loading capacity and chromatographic behavior of a porous graphitic carbon column for polychlorinated biphenyls 811(1998)135

Lasalocid adsorbed on porous graphitic carbon as a chiral selector, in capillary liquid chromatography 828(1998)149

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Determination of inorganic anions on porous graphitic carbon using evaporative light scattering detection. Use of carboxylic acids as electronic competitors 829(1998)193

Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197

Porous layer open-tubular columns

Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115

Porous particles

Network modeling of the intraparticle convection and diffusion of molecules in porous particles packed in a chromatographic column 827(1998)197

Positional isomers

Mixed-mode capillary electrokinetic separation of positional explosive isomers using sodium dodecyl sulfate and negative-β-cyclodextrin derivatives 811(1998)225

Simultaneous separation of o-, m-, p-fluoro-DL-phenylalanine and o-, m-, p-DL-tyrosine by ligand-exchange micellar electrokinetic capillary chromatography 813(1998)369

Retention behavior of positional isomers of disubstituted cyclomalto-oligosaccharide (cyclodextrin) derivatives on an ODS column 825(1998)195

Discrimination of structural isomers of chlorinated phenols in waters using gas chromatography-mass spectrometry in the negative chemical ionization mode 830(1999)165

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag⁺containing mobile phase 848(1999)83 Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

Post-capillary reactor

Construction and investigation of a post-capillary reactor for trace metal analysis by capillary electrophoresis 834(1999)309

Potential gradients

Numerical simulation for capillary electrophoresis. II. Relaxation effect of potential gradient in capillary zone electrophoresis 838(1999)19

Precision

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Preconcentration

see also Clean-up methods, Extraction methods, Sample handling and Sample preparation

Determination of phenylurea herbicides in water samples using on-line sorptive preconcentration and high-performance liquid chromatography with UV or electrospray mass spectrometric detection 802(1998)285

On-line preconcentration and determination of chromium(VI) in waters by high-performance liquid chromatography using precolumn complexation with 1,5-diphenylcarbazide 808(1998)193

Preconcentration of quinolones by dialysis on-line coupled to high-performance liquid chromatography 840(1999)11

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Preparative chromatography

see also Special Issue Index

Capillary electrophoretic separation of cationic porphyrins 802(1998)367

Preparative purification of supercoiled plasmid DNA using anion-exchange chromatography 806(1998)31

Application of sample displacement techniques to the purification of synthetic oligonucleotides and nucleic acids: a mini-review with experimental results 806(1998)77

Preparative ion-exchange chromatography of proteins from dairy whey 808(1998)141

Some aspects of the purification of anthraquinone antibiotics by preparative reversed-phase liquid chromatography 812(1998)117

Purification of taxol by industrial preparative liquid chromatography 813(1998)201

Consolidation and column performance of several packing materials for liquid chromatography in a dynamic axial compression column 813(1998)223

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

Preparative fractionation of polysaccharides by columns packed with regenerated cellulose gels 816(1998)131

Visualization of viscous fingering in chromatographic columns 822(1998)173

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

Purification and identification of several sulphonated azo dyes using reversed-phase preparative high-performance liquid chromatography 825(1998)37

Combination of chromatographic techniques for the preparative isolation of anthocyanins — applied on blackcurrant (*Ribes nigrum*) fruits 825(1998)89

Displacement chromatography of proteins using a self-sharpening pH front formed by adsorbed buffering species as the displacer 825(1998)115

Real-time control of purified product collection during chromatography of recombinant human insulin-like growth factor-I using an on-line assay 827(1998)37

Simulated moving bed processing: escape from the high-cost box 827(1998)143

Continuous chromatographic separation through simulated moving beds under linear and nonlinear conditions 827(1998)161

Unique dynamic axial compression packing system 827(1998)193

Separation of enantiomers of a chiral epoxide by simulated moving bed chromatography 827(1998)215

Theoretical analysis of the behavior of an heterogeneously packed chromatographic column 827(1998)241

Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281

Preparative separation of value-added peptides from rice bran proteins by high-performance liquid chromatography 827(1998)319

Purification of monoclonal antibodies from ascitic fluid using preparative electrophoresis 827(1998)329

Separation of a racemic pharmaceutical intermediate using closed-loop steady state recycling 827(1998)359

Preparative high-performance liquid chromatography of echinocandins 827(1998)373

Theoretical analysis of the behavior of a centrally injected band in a homogeneous chromatographic column 828(1998)19

Displacement chromatography of chemotactic peptides 830(1999)91

Preparative purification of antibiotics for comparing hydrostatic and hydrodynamic mode counter-current chromatography and preparative high-performance liquid chromatography 831(1999)203

Chiral separation of a pharmaceutical intermediate by a simulated moving bed process 832(1999)55

Erratum to "Continuous chromatographic separation through simulated moving beds under linear and nonlinear conditions" [J. Chromatogr. A 827 (1998) 161–173] 835(1999)247

Investigation of molecular masses and aggregation of β -D-glucan from *Poria cocos* sclerotium by size-exclusion chromatography 839(1999)49

Structural optimization of a chiral selector for use in preparative enantioselective chromatography 840(1999)151

Optimization of the preparative separation of petroleum maltenes by liquid adsorption chromatography 847(1999)323

P450 monooxygenase in biotechnology. I. Single-step, large-scale purification method for cytochrome P450 BM-3 by anion-exchange chromatography 848(1999)149

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61

Preparative electrophoresis

Capillary electrophoresis with wide-bore capillaries and non-aqueous media 813(1998)179

Characterization of the isoforms of PIXY321, a granulocytemacrophage-colony stimulating factor-interleukin-3 fusion protein, separated by preparative isoelectric focusing on immobilized pH gradients 846(1999)143

Presolvents

Use of a presolvent to include volatile organic analytes in the application range of on-line solid-phase extraction—gas chromatography—mass spectrometry 811(1998)117

Pressure-flow relationships

Practical and theoretical aspects of designing a flame-ionization detector/mass spectrometer Deans' switch. Pressure-flow relations in gas chromatograph-detector interfaces using vacuum-outlet conditions 831(1999)257

Pressure program

Retention simulation in gas chromatography 840(1999)137

Pressure-regulating fluid interface

Pressure-regulating fluid interface and phase behavior considerations in the coupling of packed-column supercritical fluid chromatography with low-pressure detectors 807(1998)265

Pressurized liquid extraction

Evaluation of musk contamination of freshwater fish in italy by accelerated solvent extraction and gas chromatography with mass spectrometric detection 814(1998)187

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Pressurized fluid extraction of polychlorinated biphenyls in solid environmental samples 836(1999)285

Pressurized liquid extraction of medicinal plants 837(1999)211

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Principal component analysis

Salt-promoted adsorption of proteins onto amphiphilic agarosebased adsorbents. II. Effects of salt and salt concentration 803(1998)83

Statistical quality control applied to ion chromatography calibrations 804(1998)37

High-performance size-exclusion chromatographic behaviour of substituted benzoylpoly-L-lysines by principal component analysis and molecular dynamics simulation 813(1998)255

Characterization of various reversed-phase columns using the linear free energy relationship. I. Evaluation based on retention factors 818(1998)1

Determination of lipophilicity of some non-steroidal antiinflammatory agents and their relationships by using principal component analysis based on thin-layer chromatographic retention data 822(1998)263 High-performance liquid chromatography of basic compounds. Problems, possible solutions and tests of reversed-phase columns 828(1998)407

Artificial neural network classification based on capillary electrophoresis of urinary nucleosides for the clinical diagnosis of tumors 828(1998)489

Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography 831(1999)293

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Interaction of some steroid drugs with β -cyclodextrin polymer 845(1999)447

Two procedures for suppressing interference from inorganic pigments in the analysis by gas chromatography-mass spectrometry of proteinaceous binders in paintings 846(1999)101

Flavour characterisation and classification of cheeses by gas chromatographic—mass spectrometric profiling 847(1999)203

Probes

Indirect photometric detection of anions in capillary electrophoresis 834(1999)189

Process chromatography

Simulated moving bed processing: escape from the high-cost box 827(1998)143

Process control

Determination of anionic trace impurities in glycerol by capillary isotachophoresis with enlarged sample load 810(1998)201

Real-time control of antibody loading during protein A affinity chromatography using an on-line assay 849(1999)191

Process monitoring

High-performance capillary electrophoresis for in-process control in the production of antithrombin III and human clotting factor IX 802(1998)355

Monitoring the cyanidation of gold-copper ores with ion-interaction chromatography. Determination of the CN⁻:Cu(I) molar ratio 804(1998)249

Monitoring of the concentration of β -lactam antibiotics and their precursors in complex cultivation media by high-performance liquid chromatography (Review) 812(1998)179

On-line gas chromatography-mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

Real-time control of purified product collection during chromatography of recombinant human insulin-like growth factor-I using an on-line assay 827(1998)37

Quantitative determination of fatty and resin acids in Kraft black liquors as their trimethylsilyl derivatives by gas chromatography 829(1998)235

β-Hydroxynaphthoic acid synthesis monitoring by capillary zone electrophoresis and high-performance liquid chromatography.

Determination of polynaphthyl derivatives 836(1999)67

Programmed-pressure gas chromatography

Automatic prediction of retention times in programmed-pressure isothermal gas chromatography 848(1999)229

Programmed temperature vaporiser

Programmed temperature vaporisers-based large volume injection in capillary gas chromatography 842(1999)143

Protein adsorption

Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating 823(1998)561

Protein diffusion

Visualising intraparticle protein transport in porous adsorbents by confocal microscopy 813(1998)387

Protein folding

Protein folding observed by capillary electrophoresis in isoelectric buffers 838(1999)131

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

Protein-ligand interactions

Biphasic thermodynamic characterization of interactions by quantitative affinity chromatography and biosensor technology 803(1998)291

Protein-modulator interface

Immobilized metal affinity chromatography. Self-sharpening of protein-modulator interfaces in frontal chromatography 818(1998)31

Protein-protein interactions

Protein–protein interactions on weak-cation-exchange sorbent surfaces during chromatographic separations 828(1998)357

Protein sequencing

Optical resolution of phenylthiohydantoin-amino acids and identification of phenylthiohydantoin-p-amino acid residue of [p-Ala²]-methionine enkephalin by capillary electrophoresis 802(1998)129

Pseudomonas aeruginosa

Simultaneous determination of *Pseudomonas aeruginosa* elastase, human leukocyte elastase and cathepsin G activities by micellar electrokinetic chromatography 846(1999)125

Pseudo-stationary phases

Control of migration time window and selectivity in electrokinetic chromatography with mixed polymeric pseudostationary phases 802(1998)23

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Separation of fat-soluble vitamins by hydrophobic interaction electrokinetic chromatography with tetradecylammonium ions as pseudostationary phase 807(1998)285

Novel sulfonic acid-modified Starburst dendrimer used as a pseudostationary phase in electrokinetic chromatography 824(1998)119

Comparative effects of sodium dodecyl sulfate and sulfobutyl ether- β -cyclodextrin as pseudostationary phases in the electrokinetic chromatographic separation of hydrophobic compounds 836(1999)53

Effects of electrokinetic chromatography conditions on the structure and properties of polyallylamine-supported pseudo-stationary phase. A study by dynamic light scattering 836(1999)295

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated β -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Psychotria

High-performance liquid chromatography-diode array detectiontandem mass spectrometry analyses of the alkaloid extracts of Amazon *Psychotria* species 841(1999)165

Puerariae radix

Analysis of *Puerariae radix* and its medicinal preparations by capillary electrophoresis 802(1998)225

Pulsed electrochemical detection

Analysis of amikacin by liquid chromatography with pulsed electrochemical detection 819(1998)93

Pulsed flame photometric detection

Pulsed flame photometric detector – a step forward towards universal heteroatom selective detection 805(1998)177

Pulse introduction membrane extraction

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Pulse parameters

Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187

Purge-and-trap methods

In situ ethylation-purge and programmed-temperature-vaporizer cold trapping-gas chromatography-mass spectrometry as an automated technique for the determination of methyl- and butyltin compounds in aqueous samples 809(1998)151

Development of pulse introduction membrane extraction for analysis of volatile organic compounds in individual aqueous samples, and for continuous on-line monitoring 826(1998)39

Experimental study on solvent-less sample preparation methods. Membrane extraction with a sorbent interface, thermal membrane desorption application and purge-and-trap 830(1999)365

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples 849(1999)225

Purity assessment

Purity assessment and resolution of tetracycline hydrochloride samples analysed using high-performance liquid chromatography with diode array detection 832(1999)67

Pvrolvsis

Pyrolysis—gas chromatography of chloroorganic compounds in precipitation 826(1998)201

The development of pyrolysis-fast gas chromatography for analysis of synthetic polymers 833(1999)111

Thermal degradation of novolac resins by pyrolysis-gas chromatography with a movable reaction zone 833(1999)277

Study of some pyrolysis-gas chromatography indexes for the differentiation among oxidation states of polyaniline 837(1999)273

Introduction to pyrolysis-capillary gas chromatography 842(1999)207

Polymer analysis by pyrolysis gas chromatography 843(1999)413

Deactivation of metal capillaries for gas chromatography 845(1999)33

Pyrolysis-gas chromatography

Pyrolysis gas chromatography of synthetic polymers – a bibliography 825(1998)171



Quality control

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Quality control of pentosane polysulfate by capillary zone electrophoresis using indirect detection 817(1998)297

Quantitation

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

Quantitative structure-activity relationships

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Quantitative structure-retention relationships

see Structure-retention relationships

Reversed-phase high-performance liquid chromatography in quantitative structure–activity relationship studies of new fungicides 828(1998)431

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Quantitative structure-retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

Subject Index Vols. 802-850



Radiation immobilization

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

Radioactive waste

Analysis and quantification of organic acids in simulated Hanford tank waste and Hanford tank waste 805(1998)101

Development of high-performance liquid chromatographic methods for measuring tetraphenylborate decomposition products in radioactive alkaline solutions 828(1998)461

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Raman spectrometry

Capillary isotachophoresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides 805(1998)269

Adsorption studies of azo dyes as resonance Raman spectroscopic probes at solid-liquid interfaces 828(1998)121

Effect of the preparation conditions on the surface-enhanced Raman-spectrometric identification of thin-layer-chromatographic spots 845(1999)197

Protein structure perturbations on chromatographic surfaces 849(1999)149

Rapid metabolite profiling

Rapid drug metabolite profiling using fast liquid chromatography, automated multiple-stage mass spectrometry and receptor-binding 831(1999)227

Rate constants

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Regioisomer separation

Chromatographic separation and evaluation of the lipophilicity by reversed-phase high-performance liquid chromatography of fullerene- C_{60} derivatives 847(1999)339

Regio-specific isomers

Silver-phase high-performance liquid chromatography– electrospray mass spectrometry of triacylglycerols 810(1998)53

Regression analysis

Elimination of matrix effects for static headspace analysis of ethanol 849(1999)629

Regression models

Prediction of flame ionization detector response factors using an artificial neural network 825(1998)161

Relative molar response factors

Thermal conductivity detection relative molar response factors for halogenated compounds 841(1999)187

Relative retention times

Prediction of relative retention times of triacylglycerols in non-aqueous reversed-phase high-performance liquid chromatography 808(1998)43

Relative velocity

Deviations to classical retention theory of field-flow fractionation 831(1999)73

Reproducibility

Comparison of the reproducibility in migration times between a constant-current and a constant-voltage mode of operation in capillary zone electrophoresis 802(1998)391

Electropherograms in capillary zone electrophoresis plotted as a function of the quantity of electric charge 810(1998)183

Resedaceae

Chiral separation of aromatic amino acids by capillary electrophoresis 836(1999)137

Resin acids

Quantitative determination of fatty and resin acids in Kraft black liquors as their trimethylsilyl derivatives by gas chromatography 829(1998)235

Resolution

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

Response factors

Prediction of flame ionization detector response factors using an artificial neural network 825(1998)161

Response surface modelling

Chemometric evaluation of the band broadening in micellar electrokinetic chromatography of peptides 809(1998)191

Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography 831(1999)293

Systematic optimization of peak capacity for pesticide separation in micellar electrokinetic chromatography 848(1999)347

Response surfaces

Use of a Doehlert design in optimizing the analysis of selected tropane alkaloids by micellar electrokinetic capillary chromatography 829(1998)317

Restricted-access media

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Retention

Comparison of solute descriptors for predicting retention of ionic compounds (phenols) in reversed-phase liquid chromatography using the solvation parameter model 829(1998)29

Retention behaviour

Some aspects of chromatographic behavior in capillary electrochromatography 802(1998)59

Retention behavior of D,L-dansyl-amino acids on a human serum albumin chiral stationary phase: effect of a mobile phase modifier 808(1998)113

Investigation of chromatographic behaviour of ethoxylated alcohol surfactants in normal-phase and reversed-phase systems using high-performance liquid chromatography-mass spectrometry 813(1998)299

Comparison of the retention behaviour of uranium and thorium on high-efficiency resin substrates impregnated or dynamically coated with metal chelating compounds 816(1998)286

Characterization of various reversed-phase columns using the linear free energy relationship. I. Evaluation based on retention factors 818(1998)1

Retention behaviour of quinolone derivatives in highperformance liquid chromatography. Effect of pH and evaluation of ionization constants 823(1998)411

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[b]thiophenes, benzo[b]naphthothiophenes and alkylsubstituted derivatives) on stationary phases of different selectivity 841(1999)207

Retention behaviour of metal ions on tri-*n*-butyl phosphate- and tri-*n*-butyl amine-impregnated silica gel-G layers in oxalic acid-oxalate mobile phases 841(1999)263

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer-template ratio and sample load on retention and selectivity 848(1999)39

Effect of eluent composition on retention behavior of anions in ion chromatography on anion-exchangers modified with heparin 850(1999)65

Retention coefficients

Calculation of peptide retention coefficients in normal-phase liquid chromatography 808(1998)105

Retention data

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. I. Experimental protocol 830(1999)41

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatographic columns. II. Results obtained with Symmetry C_{18} columns 830(1999)55

Retention-detection response relationships

Compound retention dependence of the response in a gas chromatography-atomic emission detection system 819(1998)85

Retention factors

Prediction of the gas chromatographic retention values of chlorobenzenes on different stationary phases by using structure–retention correlations 803(1998)211

Characterization of various reversed-phase columns using the linear free energy relationship. I. Evaluation based on retention factors 818(1998)1

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Retention indices

Prediction of the gas chromatographic retention values of chlorobenzenes on different stationary phases by using structure–retention correlations 803(1998)211

Hold-up time in gas chromatography. IV. Improved determination of Kováts' retention indices 805(1998)161

Comments on predictive strategies for determining retention indexes 808(1998)277

Reply to "Comments on predictive strategies for determining retention indices" 808(1998)279

Reply to "Reply to "Comments on predictive strategies for determining retention indices" 808(1998)281

Use of persistent trace gas chromatography artifacts for the calculation of pseudo-Sadtler retention indices 811(1998)241

Simultaneous gas chromatographic-mass spectrometric quantitation of the alkylbenzene inert components, pesticide manufacturing by-products and active ingredient in two malathion formulations 814(1998)181

Group identification of essential oils components using partition coefficients in a hexane–acetonitrile system 814(1998)253

Prediction of comprehensive two-dimensional gas chromatographic separations. A theoretical and practical exercise 822(1998)233

Erratum to "Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. I. Linear equations" [J. Chromatogr. A, 779 (1997) 287–297] 830(1999)497

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[b]thiophenes, benzo[b]naphthothiophenes and alkylsubstituted derivatives) on stationary phases of different selectivity 841(1999)207

Retention index in temperature-programmed gas chromatography 842(1999)29

Retention index systems: alternatives to the n-alkanes as calibration standards 842(1999)51

Application of statistical-overlap theory to gas chromatograms simulated on nonpolar stationary phases with commercial software 842(1999)65

Classification of stationary phases and other materials by gas chromatography 842(1999)79

Recent developments in the high-resolution gas chromatography of polychlorinated biphenyls 843(1999)323

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. II. The hyperbolic equation 848(1999)215

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

Quantitative structure-retention relationships of polychlorinated naphthalenes in gas chromatography 849(1999)621

Retention mechanisms

Mixed capillary electrophoretic and reversed-phase electrochromatographic separation of 4-*n*-alkylbenzoic acids 805(1998)327

Peculiarities of an imidazole derivative retention mechanism in reversed-phase liquid chromatography: β-cyclodextrin concentration and temperature considerations 808(1998)51

Capillary electrochromatographic separation of basic compounds with bare silica as stationary phase 817(1998)65

Retention in reversed-phase chromatography: partition or adsorption? 829(1998)1

Interactions between native cyclodextrins and *n*-alcohols studied using thermostated thin-layer chromatography 839(1999)149

Thermodynamic study and separation mechanism of diltiazem optical isomers in packed-column supercritical fluid chromatography 848(1999)337

Retention models

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

Retention model for sorptive extraction—thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples 805(1998)237

Chromatographic quantitation of the hydrophobicity of ionic compounds by the use of micellar mobile phases 823(1998)549

Application of the phenomenological model to retention in reversed-phase high-performance liquid chromatography 829(1998)41

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. I. Non-suppressed anion chromatography using phthalate eluents and three different stationary phases 829(1998)65

Critical comparison of retention models for optimisation of the separation of anions in ion chromatography. III. Anion chromatography using hydroxide eluents on a Dionex AS11 stationary phase 837(1999)65

Global linear solvation energy relationships for retention prediction in reversed-phase liquid chromatography 848(1999)21

Interpretation of chromatographic behavior of ions based on the electric double-layer theory 850(1999)3

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography 850(1999)17

Critical comparison of retention models for the optimisation of the separation of anions in ion chromatography. II. Suppressed anion chromatography using carbonate eluents 850(1999)29

Retention of stationary phase

Relationship between the flow-rate of the mobile phase and retention of the stationary phase in counter-current chromatography 835(1999)231

Retention parameters

Prediction of peptide retention times in normal-phase liquid chromatography with only a single gradient run 841(1999)19

Retention prediction

Prediction of the gas chromatographic retention values of chlorobenzenes on different stationary phases by using structure–retention correlations 803(1998)211

Prediction of relative retention times of triacylglycerols in non-aqueous reversed-phase high-performance liquid chromatography 808(1998)43

Reply to "Reply to "Comments on predictive strategies for determining retention indices" 808(1998)281

Considerations on the dependence of gas—liquid chromatographic retention of n-alkanes with the carbon number 810(1998)105

Prediction of peptide retention time in normal-phase liquid chromatography 811(1998)61

Prediction of retention times of peptide nucleic acids during reversed-phase high-performance liquid chromatography 814(1998)111

Secondary chemical equilibria in high-performance liquid chromatography: influence of ionic strength and pH on retention of peptides 823(1998)497

New approach to the computer-assisted selection of mobile phases for high-performance liquid chromatography on the basis of the Snyder theory 848(1999)1

Global linear solvation energy relationships for retention prediction in reversed-phase liquid chromatography 848(1999)21

Automatic prediction of retention times in programmed-pressure isothermal gas chromatography 848(1999)229

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

Retention selectivity

Liquid chromatography and differential scanning calorimetry studies on the states of water in hydrophilic polymer gel packings in relation to retention selectivity 832(1999)17

Retention simulation

Retention simulation in gas chromatography 840(1999)137

Retention-structure relationships

Group identification of essential oils components using partition coefficients in a hexane–acetonitrile system 814(1998)253

Retention times

The hold-up time in gas chromatography. III. Linearity of the plot of $\ln t'_{\rm k}$ of the *n*-alkanes vs. carbon number questioned 803(1998)197

Hold-up time in gas chromatography. IV. Improved determination of Kováts' retention indices 805(1998)161

Deviations to classical retention theory of field-flow fractionation 831(1999)73

Automatic prediction of retention times in programmed-pressure isothermal gas chromatography 848(1999)229

Reversed electroosmotic flow

Permanent coated capillaries with reversed electroosmotic flow for anion analysis 822(1998)101

Reversed-flow gas chromatography

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Reversed-phase chromatography

Retention in reversed-phase chromatography: partition or adsorption? 829(1998)1

Reversed-phase columns

Comparative study of test methods for reversed-phase columns for high-performance liquid chromatography 826(1998)135

Reversed-phase eluents

Evaluation of a transfer technique for direct coupling of reversed-phase liquid chromatography with gas chromatography 818(1998)77

Reverse-polarity capillary zone electrophoresis

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Reviews

What are the unanswered (and unasked) questions in ion analysis? (Review) 804(1998)3

Nonaqueous ion-exchange chromatography and electrophoresis. Approaches to nonaqueous solution chemistry and design of novel separation (Review) 804(1998)17

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1

Micropellicular stationary phases for high-performance liquid chromatography of double-stranded DNA (Review) 806(1998)3

Application of sample displacement techniques to the purification of synthetic oligonucleotides and nucleic acids: a mini-review with experimental results (Review) 806(1998)77

Analysis of clinically relevant, diagnostic DNA by capillary zone and double-gradient gel slab electrophoresis (Review) 806(1998)97

Detecting single base substitutions, mismatches and bulges in DNA by temperature gradient gel electrophoresis and related methods (Review) 806(1998)169

High resolution free chromatin/DNA fiber fluorescent in situ hybridization (Review) 806(1998)219

Derivatization in capillary electrophoresis (Review) 807(1998)3

Therapeutic drug monitoring by capillary electrophoresis (Review) 807(1998)27

Chiral analysis by capillary electrophoresis using antibiotics as chiral selector (Review) 807(1998)37

Trace chromatographic analysis of dimethyl sulfoxide and related methylated sulfur compounds in natural waters (Review) 807(1998)151

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification (Review) 808(1998)3

Protein phosphorylation: technologies for the identification of phosphoamino acids (Review) 808(1998)23

Coupling of column liquid chromatography and Fourier transform infrared spectrometry (Review) 811(1998)1

Theory and methodology of antibiotic extraction from biomatrices (Review) 812(1998)3

Chromatography as an analytical tool for selected antibiotic classes: a reappraisal addressed to pharmacokinetic applications (Review) 812(1998)17

Separation of antibiotics by counter-current chromatography (Review) 812(1998)35

Analysis of antibiotics by liquid chromatography-mass spectrometry (Review) 812(1998)53

Use of liquid chromatography-mass spectrometry in the analysis of residues of antibiotics in meat and milk (Review) 812(1998)77

Chromatographic methods of analysis of antibiotics in milk (Review) 812(1998)99

High-performance liquid chromatographic analysis of aminoglycoside antibiotics (Review) 812(1998)141

Determination of third-generation cephalosporins by highperformance liquid chromatography in connection with pharmacokinetic studies (Review) 812(1998)159

Monitoring of the concentration of β -lactam antibiotics and their precursors in complex cultivation media by high-performance liquid chromatography (Review) 812(1998)179

Analysis of macrolide antibiotics (Review) 812(1998)255

Mass spectrometric analysis of tetracycline antibiotics in foods (Review) 812(1998)309

Analysis of fluoroquinolones in biological fluids by highperformance liquid chromatography (Review) 812(1998)343

Chromatography and mass spectrometry of chemical warfare agents, toxins and related compounds: state of the art and future prospects (Review) 814(1998)1

High-performance capillary electrophoresis of cereal proteins (Review) 814(1998)25

Thin-layer chromatography of mycotoxins and comparison with other chromatographic methods (Review) 815(1998)3

Chromatographic determination of the fumonisin mycotoxins (Review) 815(1998)31

Chromatographic methods for the determination of ochratoxin A in animal and human tissues and fluids (Review) 815(1998)75

Instrumental methods for determination of nonmacrocyclic trichothecenes in cereals, foodstuffs and cultures (Review) 815(1998)103

Analysis of recent antimicrobial agents in human biological fluids by high-performance liquid chromatography (Review) 815(1998)163

Molecular imprint-based stationary phases for capillary electrochromatography 817(1998)5

Silicon microtechnology and microstructures in separation science (Review) 819(1998)3

Direct coupling of reversed-phase liquid chromatography to gas chromatography (Review) 819(1998)13

Hydrolysis and amino acid composition analysis of proteins (Review) 826(1998)109

Simulated moving bed processing: escape from the high-cost box 827(1998)143

Frameworks of separation theories from two separate worlds: dynamics and thermodynamics (Review) 828(1998)3

Analysis of nucleotides by capillary electrophoresis (Review) 828(1998)317

Retention in reversed-phase chromatography: partition or adsorption? (Review) 829(1998)1

Study of single cells by using capillary electrophoresis and native fluorescence detection (Review) 830(1999)243

Role of chemical equilibria in the capillary electrophoresis of inorganic substances (Review) 834(1999)3

Electrokinetic injection in capillary electrophoresis and its application to the analysis of inorganic compounds (Review) 834(1999)21

Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography 834(1999)45

Polyethers in inorganic capillary electrophoresis 834(1999)73

Electrochemical detection methods in capillary electrophoresis and applications to inorganic species 834(1999)89

Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds (Review) 834(1999)103

Prospects for detection and sensitivity enhancement of inorganic ions in capillary electrophoresis (Review) 834(1999)117

Capillary electrophoresis of inorganic anions (Review) 834(1999)133

Control of separation selectivity in capillary zone electrophoresis of inorganic anions (Review) 834(1999)213

Separation of inorganic phosphorus-containing anions by capillary electrophoresis (Review) 834(1999)233

Capillary electrophoresis of phosphorus oxo anions (Review) 834(1999)243

Capillary electrophoresis of inorganic cations (Review) 834(1999)257

Analysis of inorganic cations as their complexes by capillary electrophoresis (Review) 834(1999)277

Application of capillary electrophoresis to the analysis of inorganic ions in environmental samples (Review) 834(1999)349

Analysis of inorganic species in environmental samples by capillary electrophoresis (Review) 834(1999)363

Determination of inorganic ions in food and beverages by capillary electrophoresis (Review) 834(1999)401

Application of capillary isotachophoresis and capillary zone electrophoresis to the determination of inorganic ions in food and feed samples (Review) 834(1999)419

Analysis and characterisation of cyclodextrins and their inclusion complexes by affinity capillary electrophoresis (Review) 836(1999)3

Isotachophoretic analysis of inorganic ions (Review) 836(1999)201

Strategies for speed optimisation in gas chromatography: an overview (Review) 842(1999)3

Retention index in temperature-programmed gas chromatography (Review) 842(1999)29

Retention index systems: alternatives to the n-alkanes as calibration standards (Review) 842(1999)51

Classification of stationary phases and other materials by gas chromatography (Review) 842(1999)79

Porous layer open-tubular capillary columns: preparations, applications and future directions (Review) 842(1999)115

Programmed temperature vaporisers-based large volume injection in capillary gas chromatography (Review) 842(1999)143

Headspace sampling with capillary columns (Review) 842(1999)163

Introduction to pyrolysis-capillary gas chromatography (Review) 842(1999)207

Aspects of the mechanism of the flame ionization detector (Review) 842(1999)221

Non-radioactive electron-capture detector (Review) 842(1999)229

Detection by ozone-induced chemiluminescence in chromatography (Review) 842(1999)267

Gas chromatography with Fourier transform infrared and mass spectral detection (Review) 842(1999)341

Applied gas chromatography coupled to isotope ratio mass spectrometry (Review) 842(1999)351

High-performance liquid chromatography coupled on-line with high resolution gas chromatography State of the art (Review) 842(1999)373

On-line combination of aqueous-sample preparation and capillary gas chromatography (Review) 842(1999)391

Recent advances in non-silylation derivatization techniques for gas chromatography (Review) 843(1999)1

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis (Review) 843(1999)19

Investigation of aldehydic lipid peroxidation products by gas chromatography-mass spectrometry (Review) 843(1999)29

Cyclodextrin derivatives as chiral selectors for direct gas chromatographic separation of enantiomers in the essential oil, aroma and flavour fields (Review) 843(1999)99

Air analysis by gas chromatography (Review) 843(1999)129

Gas chromatography in space (Review) 843(1999)147

Anthropogenic volatile organic compounds in ambient air and natural waters: a review on recent developments of analytical methodology, performance and interpretation of field measurements (Review) 843(1999)163

Capillary gas chromatography for the determination of halogenated micro-contaminants (Review) 843(1999)179

Pheromone analysis using capillary gas chromatographic techniques (Review) 843(1999)199

Clinical applications of gas chromatography and gas chromatography-mass spectrometry of steroids 843(1999)247

Introduction to the application of capillary gas chromatography to the analysis of performance-enhancing drugs in doping control (Review) 843(1999)275

Carbohydrate profiling of bacteria by gas chromatography-mass spectrometry and their trace detection in complex matrices by gas chromatography-tandem mass spectrometry (Review) 843(1999)287

Trace analysis of pesticides by gas chromatography (Review) 843(1999)301

Recent developments in the high-resolution gas chromatography of polychlorinated biphenyls (Review) 843(1999)323

Oil spill identification (Review) 843(1999)369

Artifacts in trimethylsilyl derivatization reactions and ways to avoid them (Review) 844(1999)1

Simultaneous quantitation of acids and sugars by chromatography: gas or high-performance liquid chromatography? (Review) 845(1999)181

Salt-induced immobilization of affinity ligands onto epoxideactivated supports (Review) 849(1999)1

Sources of uncertainty in gas chromatography and highperformance liquid chromatography (Review) 849(1999)13

Liquid chromatography: a tool for the analysis of metal species (Review) 850(1999)213

Factors affecting selectivity of inorganic anions in capillary electrophoresis (Review) 850(1999)319

Rhodium-platinum catalysts

Study of the sorption of carbon monoxide, oxygen and carbon dioxide on platinum-rhodium alloy catalysts by a new gas chromatographic methodology 845(1999)67

Rice bran

Preparative separation of value-added peptides from rice bran proteins by high-performance liquid chromatography 827(1998)319

Ring-opening metathesis polymerization

New cation-exchange resins with high reversed-phase character for solid-phase extraction of phenols 810(1998)43

Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193

Robustness test

Determination of system suitability limits with a robustness test 845(1999)145

Royal jelly

Determination of *trans*-10-hydroxy-2-decenoic acid content in pure royal jelly and royal jelly products by column liquid chromatography 839(1999)265

Rubia tinctorum L

High-performance liquid chromatographic method for the analysis of anthraquinone glycosides and aglycones in madder root (*Rubia tinctorum* L.) 816(1998)277

Ruggedness

Determination of system suitability limits with a robustness test 845(1999)145

Sources of uncertainty in gas chromatography and highperformance liquid chromatography 849(1999)13

Rye

Separation of ergot alkaloids and their epimers and determination in sclerotia by capillary electrophoresis 808(1998)247



Saffron

Quantitative high-performance liquid chromatographic method to analyse commercial saffron (*Crocus sativus* L.) products 830(1999)477

Simultaneous quantification of five major biologically active ingredients of saffron by high-performance liquid chromatography 849(1999)349

Salt effects

Erratum to "Salt effects in capillary electrophoresis. I. Dependence of electrophoretic mobilities upon the hydrodynamic radius". [J. Chromatogr. A, 786 (1997) 171–180] 806(1998)365

Salt effects in capillary zone electrophoresis. II. Mechanisms of electrophoretic mobility modification due to Joule heating at high buffer concentrations 809(1998)159

Salt effects in capillary zone electrophoresis. III. Systematic and selective factors in the high ionic strength separation of sulphonamides in sodium phosphate buffers 818(1998)217

Salt-induced immobilization of affinity ligands onto epoxideactivated supports 849(1999)1

Salt effects in capillary zone electrophoresis. IV. Resolution versus time and the effect of potassium phosphate and its concentration in the high ionic strength separation of sulphonamides 849(1999)575

Salt-promoted adsorption

Salt-promoted adsorption of proteins onto amphiphilic agarosebased adsorbents. II. Effects of salt and salt concentration 803(1998)83

Sample displacement techniques

Application of sample displacement techniques to the purification of synthetic oligonucleotides and nucleic acids: a mini-review with experimental results 806(1998)77

Sample handling

see also Clean-up methods, Extraction methods, Preconcentration, Sample preparation and Special Issue Index

In situ ethylation-purge and programmed-temperature-vaporizer cold trapping-gas chromatography-mass spectrometry as an automated technique for the determination of methyl- and butyltin compounds in aqueous samples 809(1998)151

Improved fluorometric and chromatographic methods for the quantification of fumonisins B_1 , B_2 and B_3 815(1998)41

Determination of eight trichothecenes by gas chromatography—mass spectrometry after sample clean-up by a two-stage solid-phase extraction 815(1998)123

Supercritical fluid extraction and off-line clean-up for the analysis of organochlorine pesticide residues in garlic 818(1998)138

Synergistic approaches based on nonchromatographic continuous separation techniques (solid-phase extraction and pervaporation) and chromatography couplings 819(1998)25

Strategies for the analysis of chlorobenzenes in soils using solid-phase microextraction coupled with gas chromatography—ion trap mass spectrometry 819(1998)197

Multiresidue determination of pesticides in plants by highperformance liquid chromatography following gel permeation chromatographic clean-up 823(1998)11

Comparison of various sample handling and analytical procedures for the monitoring of pesticides and metabolites in ground waters 823(1998)35

Automated determination of phenylcarbamate herbicides in environmental waters by on-line trace enrichment and reversedphase liquid chromatography-diode array detection 823(1998)121

Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds 823(1998)171

Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples 823(1998)373

On-line coupling of microdialysis sampling with liquid chromatography for the determination of peptide and non-peptide leukotrienes 823(1998)489

Concentration of small volumes of nonpolar solutions containing trace volatile compounds 824(1998)195

Effect of cation-exchange pretreatment of aqueous soil extracts on the gas chromatographic-mass spectrometric determination of nerve agent hydrolysis products after *tert*.-butyldimethylsilylation 824(1998)211

Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high-resolution gas chromatography—flame ionization detection 826(1998)191

Derivatisation/solid-phase microextraction followed by gas chromatography—mass spectrometry for the analysis of phenoxy acid herbicides in aqueous samples 826(1998)211

Evaluation of natural crab shell as an adsorbent for preconcentrating airborne volatile organic compounds collected in a canister 829(1998)215

Comparison of two clean-up principles for determination of trichothecenes in grain extract 829(1998)259

Study on volatile components in salami by reverse carrier gas headspace gas chromatography-mass spectrometry 830(1999)175

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of *s*-triazines in aqueous samples 830(1999)377

Determination of pyrethroid pesticide residues in fatty materials by solid-matrix dispersion partition, followed by mini-column size-exclusion chromatography 833(1999)19

Validation of a solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice 833(1999)35

Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61

Capillary electrophoresis of inorganic anions 834(1999)133

Determination of gaseous sulphur dioxide by capillary isotachophoresis 836(1999)107

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated β -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Capillary zone electrophoresis separations of enantiomers present in complex ionic matrices with on-line isotachophoretic sample pretreatment 838(1999)31

Automated one-step supercritical fluid extraction and clean-up system for the analysis of pesticide residues in fatty matrices 840(1999)93

Development of a simple sample preparation technique for gas chromatographic—mass spectrometric determination of nicotine in edible nightshades (Solanaceae) 840(1999)249

Headspace sampling with capillary columns 842(1999)163

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

Methodology for gas chromatographic-mass spectral analysis of volatile organic compounds emerging from a low-pressure, flow-through reaction cell 844(1999)217

Novel family of multi-layer cartridges filled with a new carbon adsorbent for the quantitative determination of volatile organic compounds in the atmosphere 845(1999)317

Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO₂) in remote atmospheres 846(1999)265

Static headspace analysis of aliphatic amines in aqueous samples 846(1999)331

Analysis of priority pollutants in environmental samples by online supercritical fluid chromatography cleanup-cryo-trap-gas chromatography-mass spectrometry 846(1999)387

Analysis of volatile organic compounds in human urine by headspace gas chromatography—mass spectrometry with a multipurpose sampler 847(1999)117

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography–mass spectrometry 849(1999)521

Determination of trace anions in concentrated weak acids by ion chromatography 850(1999)167

Preconcentration and separation of haloacetic acids by ion chromatography 850(1999)197

Sample heating

Sampling techniques for gas chromatographic-mass spectrometric analysis of long-chain free fatty acids from insect exocrine glands 816(1998)169

Sample load

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer-template ratio and sample load on retention and selectivity 848(1999)39

Sample preparation

see also Sample handling

Evaluation of a small prototype passive sampler for airborne volatile organic compounds 802(1998)307

Direct determination of biogenic amines in wine by integrating continuous flow clean-up and capillary electrophoresis with indirect UV detection 803(1998)249

On-line sample preparation techniques for ion chromatography 804(1998)55

Application of ion chromatography to the semiconductor industry. I. Measurement of acidic airborne contaminants in cleanrooms 804(1998)273

Two-stage microtrap as an injection device for continuous online gas chromatographic monitoring 805(1998)169

Solid-phase microextraction and gas chromatography-mass spectrometry for determining chlorophenols from landfill leaches and soil 806(1998)317

Quantitative determination of trace and ultratrace flavour active compounds in red wines through gas chromatographic-ion trap mass spectrometric analysis of microextracts 806(1998)349

Therapeutic drug monitoring by capillary electrophoresis (Review) 807(1998)27

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

Application of pentafluorophenyldimethylsilyl derivatization for gas chromatography-electron-capture detection of supercritically extracted sterols 809(1998)109

High-performance liquid chromatographic determination of ochratoxin A in artificially contaminated cocoa beans using automated sample clean-up 810(1998)89

Evaluation of a new graphitized carbon black employed in sampling volatile organic compounds 810(1998)131

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. II. Enrichment 810(1998)173

On-line solid-phase extraction of cephalosporins 812(1998)191

Determination of meropenem in serum by high-performance liquid chromatography with column switching 812(1998)249

Improved method for the on-line metal chelate affinity chromatography-high-performance liquid chromatographic determination of tetracycline antibiotics in animal products 812(1998)321

Analysis of fluoroquinolones in biological fluids by highperformance liquid chromatography (Review) 812(1998)343

Performance of modern sample preparation techniques in the analysis of *Fusarium* mycotoxins in cereals 815(1998)49

Use of various clean-up procedures for the analysis of ochratoxin A in cereals 815(1998)67

Chromatographic methods for the determination of ochratoxin A in animal and human tissues and fluids 815(1998)75

Instrumental methods for determination of nonmacrocyclic trichothecenes in cereals, foodstuffs and cultures 815(1998)103

Determination of zearalenone in corn by means of immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 815(1998)133

Development of an on-line preconcentration method for the analysis of pathogenic lipopolysaccharides using capillary electrophoresis-electrospray mass spectrometry. Application to small colony isolates 817(1998)325

On-line gas chromatography—mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

Solvent-free method for the determination of polynuclear aromatic hydrocarbons in waste water by solid-phase microextraction-high-performance liquid chromatography with photodiode-array detection 823(1998)211

Gas chromatography with electron-capture and nitrogen—phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Influence of the honey matrix on the quantitative results 823(1998)381

Automated sample preparation for the determination of budesonide in plasma samples by liquid chromatography and tandem mass spectrometry 823(1998)401

Examination of micro-tip reversed-phase liquid chromatographic extraction of peptide pools for mass spectrometric analysis 826(1998)167

Experimental study on solvent-less sample preparation methods. Membrane extraction with a sorbent interface, thermal membrane desorption application and purge-and-trap 830(1999)365

High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113

On-line combination of aqueous-sample preparation and capillary gas chromatography 842(1999)391

Capillary gas chromatography for the determination of halogenated micro-contaminants 843(1999)179

Trace analysis of pesticides by gas chromatography 843(1999)301

Determination of menthol and menthone in food and pharmaceutical products by solid-phase microextraction—gas chromatography 847(1999)161

Sample size

Statistical determination of the proper sample size in multicomponent separations 839(1999)129

Sample stacking

Therapeutic drug monitoring by capillary electrophoresis (Review) 807(1998)27

Insulin stacking for capillary electrophoresis 807(1998)129

Antimony speciation in environmental samples by interfacing capillary electrophoresis on-line to an inductively coupled plasma mass spectrometer 834(1999)341

Determination of trace level anions in snow samples by capillary electrophoresis with sample stacking 834(1999)387

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated β -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry 838(1999)273

Impurities at a level of 0.01% in foscarnet sodium determined by capillary zone electrophoresis with indirect UV detection and sample self-stacking 846(1999)245

Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols 846(1999)401

Sample stacking of fast-moving anions in capillary zone electrophoresis with pH-suppressed electroosmotic flow 850(1999)339

Sample thickness

Comparison of DNA migrations in two clamped homogeneous electric field chambers of different sizes. Relation between sample thickness and electrophoresis time 806(1998)187

Sandwich injection

New set-up for capillary isoelectric focusing in uncoated capillaries 813(1998)349

Saponification

Semi-quantification of carotenoids by high-performance liquid chromatography: saponification-induced losses in fatty foods 829(1998)393

Scallops

Identification and occurrence of a novel *cis*-4,7,10,*trans*-13-docosatetraenoic fatty acid in the scallop *Pecten maximus* (L.) 839(1999)119

Scutellaria baicalensis

Supercritical fluid extraction of flavonoids from Scutellariae Radix 830(1999)387

Seaweed

Separation and identification of chlorophylls and carotenoids from *Caulerpa prolifera*, *Jania rubens* and *Padina pavonica* by reversed-phase high-performance liquid chromatography 829(1998)153

Second order design

Separation of barbiturates with micellar liquid chromatography and optimization by a second order mathematical design 805(1998)45

Sediments

see also Marine sediments

Simple method for estimating polychlorinated biphenyl concentrations on soils and sediments using subcritical water extraction coupled with solid-phase microextraction 814(1998)151

Application of surfactants to the supercritical fluid extraction of nitroaromatic compounds from sediments 816(1998)221

Speciation of volatile forms of selenium and inorganic selenium in sediments by gas chromatography-mass spectrometry 823(1998)259

Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363

Optimisation of the microwave-assisted extraction in open cell of polycyclic aromatic hydrocarbons from soils and sediments. Study of moisture effect 837(1999)187

Analysis of priority pollutants in environmental samples by online supercritical fluid chromatography cleanup-cryo-trap-gas chromatography-mass spectrometry 846(1999)387

Determination of tributyltin and triphenyltin in sediments by liquid chromatography with fluorimetric detection. Assessment of spiking procedures 846(1999)413

Seepage water

Analysis of aromatic sulfonates in water by solid-phase extraction and capillary electrophoresis 822(1998)291

Selective adsorbents

Molecularly imprinted adsorbents for positional isomer separation 849(1999)319

Selectivity

Control of migration time window and selectivity in electrokinetic chromatography with mixed polymeric pseudostationary phases 802(1998)23

Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships 802(1998)35

Enhancement of selectivity in capillary electrophoretic separations of metals and ligands through complex formation (Review) 805(1998)1

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. I. Methanol 806(1998)325

Capillary zone electrophoresis in mixed aqueous—organic media: effect of organic solvents on actual ionic mobilities, acidity constants and separation selectivity of substituted aromatic acids. II. Ethanol 811(1998)201

Characterization of various reversed-phase columns using the linear free energy relationship. II. Evaluation of selectivity 818(1998)19

Capillary zone electrophoresis in mixed aqueous-organic media: effect of organic solvents on actual ionic mobilities and acidity constants of substituted aromatic acids. III. 1-Propanol 818(1998)209

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

Characterization of silica-based octyl phases of different bonding density. Part II. Studies of surface properties and chromatographic selectivity 828(1998)59

Comparison of the electroosmotic flow profiles and selectivity of stationary phases used in capillary electrochromatography 832(1999)41

Control of separation selectivity in capillary zone electrophoresis of inorganic anions 834(1999)213

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

Evaluation and modulation of selectivity in reversed-phase highperformance liquid chromatography 845(1999)113

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer–template ratio and sample load on retention and selectivity 848(1999)39

Separation selectivity of some ethylenediaminetetraacetic acid and cyclohexane-1,2-diaminetetraacetic acid complexes in column and ion electrokinetic chromatography 850(1999)269

Factors affecting selectivity of inorganic anions in capillary electrophoresis 850(1999)319

Selectivity modifiers

Use of calixarene compounds as selectivity modifiers in capillary electrophoresis separations 816(1998)243

Self-elution

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Self-sharpening protein-modulator interface

Immobilized metal affinity chromatography. Self-sharpening of protein-modulator interfaces in frontal chromatography 818(1998)31

Semiconductors

Application of ion chromatography to the semiconductor industry. I. Measurement of acidic airborne contaminants in cleanrooms 804(1998)273

Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283

Sensitivity

Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15

Sensitivity enhancement

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

Separation theory

Frameworks of separation theories from two separate worlds: dynamics and thermodynamics 828(1998)3

Sequencing methods

Amino acid sequence and D/L-configuration determination of peptides utilizing liberated N-terminus phenylthiohydantoin amino acids 813(1998)267

Sewage effluent

Analysis of nonylphenol polyethoxylates and their degradation products in river water and sewage effluent by gas chromatography-ion trap (tandem) mass spectrometry with electron impact and chemical ionization 824(1998)79

Sewage sludge

Matrix effects and selectivity of the detector in the determination of butyl- and phenyltins by gas chromatography–flame photometric detection 819(1998)221

Optimization and validation of solvent and supercritical-fluid extractions for the trace-determination of polycyclic aromatic hydrocarbons in sewage sludges by liquid chromatography coupled to diode-array and fluorescence detection 823(1998)219

Antimony speciation in environmental samples by interfacing capillary electrophoresis on-line to an inductively coupled plasma mass spectrometer 834(1999)341

Efficiency of supercritical fluid extraction for determining 4nonylphenol in municipal sewage sludge 840(1999)71

Comparison of the efficiency of extraction methods for polychlorinated biphenyls from environmental wastes 845(1999)349

Shellfish poisoning

Improved method for preparation and use of 9-anthryldiazomethane for derivatization of hydroxycarboxylic acids. Application to diarrhetic shellfish poisoning toxins 807(1998)229

Determination of pectenotoxin-2 after solid-phase extraction from seawater and from the dinoflagellate *Dinophysis fortii* by liquid chromatography with electrospray mass spectrometry and ultraviolet detection. Evidence of oxidation of pectenotoxin-2 to pectenotoxin-6 in scallops 815(1998)155

Liquid chromatographic methods for the isolation and identification of new pectenotoxin-2 analogues from marine phytoplankton and shellfish 844(1999)53

New approach to the direct detection of known and new diarrhoeic shellfish toxins in mussels and phytoplankton by liquid chromatography-mass spectrometry 847(1999)213

Capillary electrophoresis with diode array detection as an alternative analytical method for paralytic and amnesic shellfish toxins 847(1999)223

Shielded-hydrophobic-phase high-performance liquid chromatography

Validation of a shielded-hydrophobic-phase high-performance liquid chromatography method for the determination of residual methotrexate in recombinant protein biopharmaceuticals 828(1998)303

Short tandem repeat fragments

Comparison of slab gel electrophoresis and capillary electrophoresis for the detection of the fluorescently labeled polymerase chain reaction products of short tandem repeat fragments 806(1998)159

Siderophores

Separation of siderophores by capillary electrophoresis 830(1999)183

Signal enhancement

Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15

Signal processing

Dynamic analysis of capillary electrophoresis data using realtime neural networks 833(1999)231

Signal suppression

Ion chromatographic separation of sulfur-containing inorganic anions with an ICP-MS as element-specific detector 844(1999)161

Silanization

Synthesis and characterization of bonded phases made via hydrosilation of alkynes on silica hydride surfaces 818(1998)145

Silica

Non-suppressed ion chromatography of cations on silica gel modified with aluminium 804(1998)171

Synthesis and ion-exchange properties of silica chemically modified with aminophosphonic acid 813(1998)47

Consolidation and column performance of several packing materials for liquid chromatography in a dynamic axial compression column 813(1998)223

Capillary electrochromatographic separation of basic compounds with bare silica as stationary phase 817(1998)65

Measurement of the degree of internal friction of two native silica packing materials 818(1998)155

Selective separation of fullerenes on hydroxyphenyltriphenylporphyrin–silica stationary phases 824(1998)147

Characterization of silica-based octyl phases of different bonding density. Part I. Thermal stability studies 828(1998)51

Characterization of silica-based octyl phases of different bonding density. Part II. Studies of surface properties and chromatographic selectivity 828(1998)59

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. I. Assessment of the reproducibility of reversed-phase packings 849(1999)87

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. II. Classification of reversed-phase packings 849(1999)101

Silica, aluminium-modified

Ion-exclusion chromatography of carboxylic acids on silica gel modified with aluminium 850(1999)177

Silica, bonded

Gas chromatography study of retention of organic compounds on silica with an attached layer of hydrophobic groups 844(1999)225 Retention behaviour of products extracted from oriental medicine formulations in high-performance liquid chromatography on octadecyl acrylate-modified silicas 845(1999)409

Silica, coating

Poly(7-oxanorborn-2-ene-5,6-dicarboxylate)-coated silica prepared by ring-opening metathesis polymerization for the selective enrichment of radioactive lanthanides 848(1999)193

Silica, titanium-grafted

Chromatographic evaluation of radiation-immobilized poly(methyloctylsiloxane) on titanium-grafted silica 845(1999)417

Silica, zirconized

Development of C_8 stationary phases immobilized by γ radiation on zirconized silica for high-performance liquid chromatographic applications 845(1999)423

Silica frits

Deactivation of frits for use in capillary high-performance liquid chromatography and capillary electrochromatography with characterization by imaging with laser-induced fluorescence 818(1998)257

Silica gel, octadecylsilylated

Characteristics of octadecylsilylated silica gels end-capped by high-temperature silylation 813(1998)239

Silica gel, silver nitrate loaded

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Silica hydride

Synthesis and characterization of bonded phases made via hydrosilation of alkynes on silica hydride surfaces 818(1998)145

Silica-iminodiacetic acid

Isocratic separation of lanthanides and yttrium by highperformance chelation ion chromatography on iminodiacetic acid bonded to silica 804(1998)223

Silica rod column

Performance of an octadecylsilylated continuous porous silica column in polypeptide separations 828(1998)83

Silicon

Silicon microtechnology and microstructures in separation science 819(1998)3

Silicon microtechnology

Silicon microtechnology and microstructures in separation science 819(1998)3

Silver ion complexation

Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag⁺containing mobile phase 848(1999)83

Silver ion liquid chromatography

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Silvlation

Characteristics of octadecylsilylated silica gels end-capped by high-temperature silylation 813(1998)239

Simplex optimization

see also Optimization

MultiSimplex optimisation of purge-and-trap extraction of phenols in soil samples 849(1999)225

Simulant waste material

Analysis and quantification of organic acids in simulated Hanford tank waste and Hanford tank waste 805(1998)101

Determination of nitrate and nitrite in Hanford defense waste by reverse-polarity capillary zone electrophoresis 844(1999)387

Simulated moving bed chromatography

Optimal operation of simulated moving-bed units for non-linear chromatographic separations. II. Bi-Langmuir isotherm 805(1998)37

Continuous enantiomer separation of the volatile inhalation anesthetic enflurane with a gas chromatographic simulated moving bed unit 813(1998)333

Simulated moving bed processing: escape from the high-cost box 827(1998)143

Continuous chromatographic separation through simulated moving beds under linear and nonlinear conditions 827(1998)161

Design of the simulated moving bed process based on adsorption isotherm measurements using a perturbation method 827(1998)175

Separation of enantiomers of a chiral epoxide by simulated moving bed chromatography 827(1998)215

Chiral separation of a pharmaceutical intermediate by a simulated moving bed process 832(1999)55

Erratum to "Continuous chromatographic separation through simulated moving beds under linear and nonlinear conditions" [J. Chromatogr. A 827 (1998) 161–173] 835(1999)247

Chromatographic resolution of the enantiomers of a pharmaceutical intermediate from the milligram to the kilogram scale 849(1999)309

Single cell

Capillary electrophoretic study of individual exocytotic events in single mast cells 817(1998)377

Single-cell recording

Pheromone analysis using capillary gas chromatographic techniques 843(1999)199

Singlet peaks

Prediction of numbers of singlets, doublets, and triplets in poorly resolved separations by statistical-overlap theory 831(1999)37

Sinorhizobium meliloti

Selective affinity of L-histidine immobilized onto poly(ethylene-vinyl alcohol) hollow-fiber membranes for various oligoglucuronans. Influence of the degree of polymerization and the degree of substitution by acetate 841(1999)1

Sintered octadecylsilica

Sintered octadecylsilica as monolithic column packing in capillary electrochromatography and micro high-performance liquid chromatography 806(1998)251

Size-exclusion chromatography

Microcolumn size-exclusion chromatography coupled with electrospray ionization mass spectrometry 835(1999)121

Peak-referenced integral method for size exclusion chromatography and its application to aromatic polyesters 839(1999)1

Size-exclusion chromatography, electrically driven

Pore flow effects in electrically driven size-exclusion chromatography 837(1999)3

Skins

Determination of organochlorine pesticides in skins and leather by gas chromatography 811(1998)256

Sludge analysis

Determination of total fatty acids (C_8 – C_{22}) in sludges by gas chromatography–mass spectrometry 826(1998)49

Snow

Determination of trace level anions in snow samples by capillary electrophoresis with sample stacking 834(1999)387

Snyder theory

New approach to the computer-assisted selection of mobile phases for high-performance liquid chromatography on the basis of the Snyder theory 848(1999)1

Soapstock

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

Sodium chloride brine

Chromatographic determination of anions in industrial salt and sodium chloride brines used in chlor-alkali industry 841(1999)55

Soft drinks

Direct chiral resolution of pantothenic acid using 2-hydroxypropyl-β-cyclodextrin in capillary electrophoresis 811(1998)269

Selection and optimization of background electrolytes for simultaneous detection of small cations and organic acids by capillary electrophoresis with indirect photometry 822(1998)125

Determination of diazepam in cold drinks by high-performance thin-layer chromatography 822(1998)332

Determination of eight synthetic food colorants in drinks by high-performance ion chromatography 827(1998)73

Soil

Determination of iodide in ground water and soil by ion chromatography 804(1998)131

Solid-phase microextraction and gas chromatography-mass spectrometry for determining chlorophenols from landfill leaches and soil 806(1998)317

Capillary electrophoresis in the analysis of humic substances. Facts and artifacts 807(1998)101

Determination of organoarsenicals in the environment by solidphase microextraction—gas chromatography—mass spectrometry 807(1998)253

Ultrafiltration-capillary zone electrophoresis for the determination of humic acid fractions 807(1998)275

Detection of alkyl methylphosphonic acids in complex matrices by gas chromatography-tandem mass spectrometry 809(1998)141

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Simple method for estimating polychlorinated biphenyl concentrations on soils and sediments using subcritical water extraction coupled with solid-phase microextraction 814(1998)151

Comparison of pressurised liquid extraction with Soxhlet extraction for the analysis of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from fly ash and environmental matrices 815(1998)231

Effects of various binary and ternary supercritical phases on the extraction of polycyclic aromatic hydrocarbons from contaminated soils 816(1998)201

Strategies for the analysis of chlorobenzenes in soils using solid-phase microextraction coupled with gas chromatography—ion trap mass spectrometry 819(1998)197

Ultrasonic solvent extraction of pesticides from soil 823(1998)3

Multiresidue herbicide analysis in soil samples by means of extraction in small columns and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 823(1998)17

Determination of chlorpyrifos in air, leaves and soil from a greenhouse by gas-chromatography with nitrogen-phosphorus detection, high-performance liquid chromatography and capillary electrophoresis 823(1998)91

Solving coelution problems on a smectic-liquid crystalline polysiloxane capillary column for the determination of priority polycyclic aromatic hydrocarbons in environmental samples 823(1998)179

Determination of priority phenolic compounds in soil samples by various extraction methods followed by liquid chromatography—atmospheric pressure chemical ionisation mass spectrometry 823(1998)231

Liquid chromatography-atmospheric pressure chemical ionization mass spectrometry for chlorinated phenolic compounds. Application to the analysis of polluted soils 823(1998)241

Experimental design approach for the optimization of supercritical fluid extraction of chlorophenols from polluted soils 823(1998)249

Analysis of cations in drainage water and soil solution by single-column ion chromatography 823(1998)279

Analysis of inorganic anions in drainage water and soil solution by single-column ion chromatography 823(1998)285

Effect of cation-exchange pretreatment of aqueous soil extracts on the gas chromatographic-mass spectrometric determination of nerve agent hydrolysis products after *tert.*-butyldimethylsilylation 824(1998)211

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography-fluorescence detection with pre-column derivatization reaction 827(1998)57

Capillary electrophoresis of inorganic anions 834(1999)133

Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363

Optimisation of the microwave-assisted extraction in open cell of polycyclic aromatic hydrocarbons from soils and sediments. Study of moisture effect 837(1999)187

Determination of explosives in soil and ground water by liquid chromatography-amperometric detection 844(1999)97

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Supercritical-carbon-dioxide extraction of lipids from a contaminated soil 845(1999)365

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Sol-gel

Monolithic columns containing sol-gel bonded octadecylsilica for capillary electrochromatography 837(1999)35

Solid-liquid interfaces

Adsorption studies of azo dyes as resonance Raman spectroscopic probes at solid–liquid interfaces 828(1998)121

Solid-matrix dispersion partition

Determination of pyrethroid pesticide residues in fatty materials by solid-matrix dispersion partition, followed by mini-column size-exclusion chromatography 833(1999)19

Solid-phase analytical derivatization

Solid-phase analytical derivatization: enhancement of sensitivity and selectivity of analysis 843(1999)19

Solid-phase extraction

see also Extraction methods

New chemically modified polymeric resin for solid-phase extraction of pesticides and phenolic compounds from water 803(1998)147

New cation-exchange resins with high reversed-phase character for solid-phase extraction of phenols 810(1998)43

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. II. Enrichment 810(1998)173

On-line trace enrichment in hyphenated liquid chromatographynuclear magnetic resonance spectroscopy 813(1998)55

Strategies for the analysis of chlorobenzenes in soils using solid-phase microextraction coupled with gas chromatography—ion trap mass spectrometry 819(1998)197

Analysis of aromatic sulfonates in water by solid-phase extraction and capillary electrophoresis 822(1998)291

Trace analysis of polar organic pollutants in aqueous samples. Tools for the rapid prediction and optimisation of the solid-phase extraction parameters 823(1998)147

Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water 823(1998)163

Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction 823(1998)189

Comparative study of a solid-phase extraction system coupled to capillary electrophoresis in the determination of haloacetic compounds in tap water 827(1998)105

Straightforward solid-phase extraction method for the determination of verapamil and its metabolite in plasma in a 96-well extraction plate 828(1998)273

Determination of chlorobenzidines in industrial effluent by solid-phase extraction and liquid chromatography with electrochemical and mass spectrometric detection 833(1999)181

Evaluation of different clean-up procedures for the analysis of heterocyclic aromatic amines in a lyophilized meat extract 836(1999)223

Reversed-phase high-performance liquid chromatographic determination of isoflavones in plant materials after isolation by solid-phase extraction 839(1999)261

Miniaturised on-line solid-phase extraction for enhancement of concentration sensitivity in capillary electrophoresis 841(1999)249

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Piroxicam quantitation in human plasma by high-performance liquid chromatography with on- and off-line solid-phase extraction 846(1999)199

Solid-phase microextraction

see also Extraction methods

Solvent-free method for the determination of polynuclear aromatic hydrocarbons in waste water by solid-phase microextraction—high-performance liquid chromatography with photodiode-array detection 823(1998)211

Solid-phase microextraction as a source of data for the design of stripping aeration towers 823(1998)523

Headspace solid-phase microextraction for the determination of volatile and semi-volatile pollutants in water and air 824(1998)53

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection 829(1998)269

Poly(dimethylsiloxane) films as sorbents for solid-phase microextraction coupled with infrared spectroscopy 829(1998)377

Determination of a non-ionic surfactant by solid-phase microextraction coupled with high-performance liquid chromatography and on-line derivatization 829(1998)401

Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques 830(1999)353

Determination of hydroxyaromatic compounds in water by solid-phase microextraction coupled to high-performance liquid chromatography 835(1999)127

Trace determination of diethylphthalate in aqueous media by solid-phase microextraction-liquid chromatography 841(1999)177

Solid-phase microextraction for the determination of iodinated trihalomethanes in drinking water 841(1999)197

Influence of extraction parameters and medium on efficiency of solid-phase microextraction sampling in analysis of aliphatic aldehydes 845(1999)337

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Solid-phase peptide synthesis

Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography–electrospray ionization mass spectrometry 846(1999)25

Solid-state NMR spectroscopy

n-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Solubility parameters

Some aspects of the purification of anthraquinone antibiotics by preparative reversed-phase liquid chromatography 812(1998)117

Solubilization in micelles

Reply to "Relationship between liquid-liquid distribution and liquid-micelle distribution systems": the solvation environment in micelles evaluated by the linear solvation energy relationship method 807(1998)311

Solute descriptors

Classification of stationary phases and other materials by gas chromatography 842(1999)79

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Solute migration

Visualization of solute migration in liquid chromatography columns 826(1998)1

Solute transfer

Thermodynamic properties for the solute transfer from the mobile to the stationary phase in reversed phase liquid chromatography obtained by squalane-impregnated C_{18} bonded phase 848(1999)9

Solvating gas chromatography

Solvating gas chromatography using ammonia as mobile phase 806(1998)345

Packed capillary column solvating gas chromatography of aldehydes 818(1998)265

Solvation parameter model

Structure-driven retention model for solvent selection and optimization in reversed-phase thin-layer chromatography 802(1998)335

Relationship between liquid-liquid distribution and liquid-micelle distribution systems 807(1998)307

Universal model for the calculation of all organic solvent-water partition coefficients 827(1998)345

Comparison of solute descriptors for predicting retention of ionic compounds (phenols) in reversed-phase liquid chromatography using the solvation parameter model 829(1998)29

Classification of stationary phases and other materials by gas chromatography 842(1999)79

Solute–solvent interactions in micellar electrokinetic chromatography. Characterization of sodium dodecyl sulfate–Brij 35 micellar systems for quantitative structure–activity relationship modelling 845(1999)217

Chromatographic models for the sorption of neutral organic compounds by soil from water and air 845(1999)381

Solvatochromism

Effect of additives on chiral selectivities by β -cyclodextrin in capillary electrophoresis based on the phenomenon of solvatochromism 829(1998)301

Solvent selectivity

Optimum solvent selectivity and gradient mode for deoxyribonucleosides in reversed-phase high-performance liquid chromatography 828(1998)337

Solvents, residual

Analysis of residual solvents by fast gas chromatography 811(1998)145

Solvent systems

Counter-current chromatography: instrumentation, solvent selection and some recent applications to natural product purification 808(1998)3

Separation of antibiotics by counter-current chromatography (Review) 812(1998)35

Solvent uptake

Influence of solvent uptake and swelling by poly(styrene–divinylbenzene) column packings on sample sorption rate and band broadening in reversed-phase liquid chromatography 835(1999)3

Solvent vapour exit

Optimization of large-volume on-column injection conditions in gas chromatography by monitoring the actual carrier gas flow 841(1999)75

Solvent vapour exit closure

Monitoring the actual carrier gas flow during large-volume oncolumn injections in gas chromatography as a means to automate closure of the solvent vapour exit 811(1998)105

Solvophobic theory

Retention in reversed-phase chromatography: partition or adsorption? 829(1998)1

Sophora flavescens

Preparative separation of alkaloids from the root of *Sophora flavescens* Ait by pH-zone-refining counter-current chromatography 822(1998)316

Sorbents

see also Adsorbents

Determination of airborne, volatile amines from polyurethane foams by sorption onto a high-capacity cation-exchange resin based on poly(succinic acid) 809(1998)121

Comparison of different sorbents for on-line liquid-solid extraction followed by high-performance liquid chromatographic determination of nitrogen-containing pesticides 822(1998)67

Trace analysis of polar organic pollutants in aqueous samples. Tools for the rapid prediction and optimisation of the solid-phase extraction parameters 823(1998)147

Sorption rate

Influence of solvent uptake and swelling by poly(styrene—divinylbenzene) column packings on sample sorption rate and band broadening in reversed-phase liquid chromatography 835(1999)3

Sorptive extraction

Retention model for sorptive extraction—thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples 805(1998)237

Soya oil

Determination of pyrethroid pesticide residues in fatty materials by solid-matrix dispersion partition, followed by mini-column size-exclusion chromatography 833(1999)19

Soybean

Gas chromatography determination of polychlorinated biphenyls in powdered and liquid soybean milks 815(1998)272

Determination of polychlorinated biphenyls in soybean infant formulas by gas chromatography 823(1998)365

Space research

Gas chromatography in space 843(1999)147

Space Shuttle

Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295

Speciation

Speciation of dimethylarsinic acid and monomethylarsonic acid by gas chromatography-mass spectrometry 832(1999)183

Antimony speciation in environmental samples by interfacing capillary electrophoresis on-line to an inductively coupled plasma mass spectrometer 834(1999)341

Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography 834(1999)45

Liquid chromatography: a tool for the analysis of metal species 850(1999)213

Split-flow thin-cell fractionation

Continuous split flow-thin cell fractionation of starch particles 845(1999)303

Split-flow thin fractionation

Magnetic split-flow thin fractionation: new technique for separation of magnetically susceptible particles 813(1998)313

Spruce needles

Microwave-assisted solvent extraction — a new method for isolation of polynuclear aromatic hydrocarbons from plants 827(1998)21

Stability constants

Chiral discrimination of Dns- and unmodified p,L-amino acids by copper(II) complexes of terdentate ligands in highperformance liquid chromatography 829(1998)101

Role of chemical equilibria in the capillary electrophoresis of inorganic substances 834(1999)3

Electromigration behavior of metal ions in the presence of complexing polymer 838(1999)101

Stability studies

Degradation study of unsaturated anhydrides by reversed-phase high-performance liquid chromatography 805(1998)109

Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121

Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques 823(1998)81

Analysis and degradation study of glyphosate and of aminomethylphosphonic acid in natural waters by means of polymeric and ion-exchange solid-phase extraction columns followed by ion chromatography-post-column derivatization with fluorescence detection 823(1998)129

Stability studies of tetracycline in methanol solution 827(1998)45

Measuring conformational stability of proteins using an optimized temperature-controlled capillary electrophoresis approach 838(1999)157

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Stable isotope dilution

Synthesis of labelled $[^2H_4]\beta$ -damascenone, $[^2H_4]2$ -methoxy-3-isobutylpyrazine, $[^2H_3]\alpha$ -ionone, and $[^2H_3]\beta$ -ionone, for quantification in grapes, juices and wines 824(1998)71

Stacking

Stacking of weakly cationic compounds by acetonitrile for capillary electrophoresis 817(1998)25

Dynamic computer simulations of the influence of injection conditions on capillary zone electrophoretic stacking of preparative free-flow zone electrophoresis fractions of peptides 836(1999)129

Isotachophoretic focusing of strong and weak electrolytes in combined pH and conductivity gradients 838(1999)71

Stacking effects

Isotachophoresis in zone electrophoresis 838(1999)55

Stationary phases

see also Chiral stationary phases and Ion exchangers

A new approach to dealing with high-to-low concentration ratios of sodium and ammonium ions in ion chromatography 804(1998)201

Original use of the liquid nature of the stationary phase in counter-current chromatography. II. A liquid–liquid reactor for catalytic reactions 828(1998)523

Stationary phases, GC

Synthesis and gas chromatographic evaluation of a hightemperature hydrogen-bond acid stationary phase 805(1998)217

Terminally carboxyl oligo(ethylene oxide) monomethyl etherssubstituted side chain liquid crystalline polysiloxane polymer as stationary phase in capillary gas chromatography for the separation of polynuclear aromatic hydrocarbons 808(1998)201

Retention behaviour of polychlorinated biphenyls on polysiloxane-anchored C_{60} in gas chromatography 809(1998)252

Separation properties of bis(β-diketonato)-copper(II) complexes in capillary gas chromatography 809(1998)65

New naphthalene containing side-chain liquid crystalline polysiloxane stationary phases for high-resolution gas chromatography 811(1998)97

Gas-solid chromatographic separation of hydrogen isotopes: a comparison between two palladium bearing materials – alumina and kieselguhr 822(1998)326

Solving coelution problems on a smectic-liquid crystalline polysiloxane capillary column for the determination of priority polycyclic aromatic hydrocarbons in environmental samples 823(1998)179

Wetting transition in alkane liquids on silanised diatomaceous gas chromatographic supports 829(1998)201

Characterization of olefinic gas chromatographic stationary phases by linear solvation energy relationships 836(1999)261

Gas chromatographic separation of semivolatile organohalogen compounds on the new stationary phase Optima δ -3 836(1999)271

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Characterization of amine functionalized stationary phases using linear solvation energy relationships 837(1999)171

Preparation and study of two polysiloxanes with pendant handbasket type calixarene stationary phases for capillary gas chromatography 840(1999)225

Gas chromatographic retention behavior of polycyclic aromatic sulfur heterocyclic compounds, (dibenzothiophene, naphtho[b]thiophenes, benzo[b]naphthothiophenes and alkylsubstituted derivatives) on stationary phases of different selectivity 841(1999)207

Porous layer open-tubular capillary columns: preparations, applications and future directions 842(1999)115

Classification of stationary phases and other materials by gas chromatography 842(1999)79

Gas chromatography study of retention of organic compounds on silica with an attached layer of hydrophobic groups 844(1999)225

Chemically bonded chelates as selective complexing sorbents for gas chromatography. VII. *N*-[3-(Trimethoxysilyl)propyl]-diethylenetriamine complexes with CuCl₂ and CrCl₃ 844(1999)239

Principal component analysis of Kováts indices for carbonyl compounds in capillary gas chromatography 845(1999)21

Dynamic modification of the stationary phase in capillary gas chromatography. II. Continuous introduction of water vapour 845(1999)43

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 $\,\,$ 845(1999)373

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy 848(1999)251

Stationary phases, LC

Salt-induced immobilization of small affinity ligands on an epoxide-activated affinity support 803(1998)73

Salt-promoted adsorption of proteins onto amphiphilic agarosebased adsorbents. II. Effects of salt and salt concentration 803(1998)83

Preparation of a cyclophane-bonded stationary phase and its application to separation of naphthalene derivatives 803(1998)95

Separation of a fructo-oligosaccharide mixture by hydrophilic interaction chromatography using silica-based micropellicular sorbents 803(1998)302

Sulfoacylated polystyrene-divinylbenzene copolymers as resins for cation chromatography. Influence of capacity on resin selectivity 804(1998)63

Ion chromatography on anion exchangers modified with mucopolysaccharides 804(1998)79

Non-suppressed ion chromatography of cations on silica gel modified with aluminium 804(1998)171

Selective ion chromatography of metals on porous graphitic carbon 804(1998)187

n-Alkyl fluorenyl phases in chromatography. I. Synthesis and characterization 805(1998)71

Enantiomer separation of amino compounds by a novel chiral stationary phase derived from crown ether 805(1998)85

Micropellicular stationary phases for high-performance liquid chromatography of double-stranded DNA 806(1998)3

Immobilized thymine chromatography-mass spectrometry of oligonucleotides 806(1998)67

Sintered octadecylsilica as monolithic column packing in capillary electrochromatography and micro high-performance liquid chromatography 806(1998)251

Characterization of large-pore polymeric supports for use in perfusion biochromatography 807(1998)165

Comparison of diffusion and diffusion-convection matrices for use in ion-exchange separations of proteins 807(1998)185

Protein binding on polyelectrolyte-treated glass. Effect of structure of adsorbed polyelectrolyte 808(1998)61

Capillary electrochromatography with 1.8-µm ODS-modified porous silica particles 808(1998)71

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Thermotropic laterally attached liquid crystalline polymers. I. New stationary phases for high-performance liquid chromatography 810(1998)19

New cation-exchange resins with high reversed-phase character for solid-phase extraction of phenols 810(1998)43

Direct fractionation of proteins in particle-containing feedstocks by a filter paper pieces-based DEAE-cellulose column chromatography. Rapid, robust and low-cost capturing procedure for protein 811(1998)69

Detailed study of the mass transfer kinetics of Tröger's base on cellulose triacetate 813(1998)1

Column preparation for reversed-phase high-temperature open tubular column liquid chromatography 813(1998)11

Properties of cattle bone powder-coated composite particles as high-performance and open column liquid chromatographic column packings 813(1998)21

Synthesis and ion-exchange properties of silica chemically modified with aminophosphonic acid 813(1998)47

Consolidation and column performance of several packing materials for liquid chromatography in a dynamic axial compression column 813(1998)223

Characteristics of octadecylsilylated silica gels end-capped by high-temperature silylation 813(1998)239

Hydrophobic charge induction chromatography: salt independent protein adsorption and facile elution with aqueous buffers 814(1998)71

Biochemical separations by continuous-bed chromatography 816(1998)3

Molecularly imprinted uniform-sized polymer-based stationary phase for naproxen. Comparison of molecular recognition ability of the molecularly imprinted polymers prepared by thermal and redox polymerization techniques 816(1998)113

Comparison of the retention behaviour of uranium and thorium on high-efficiency resin substrates impregnated or dynamically coated with metal chelating compounds 816(1998)286

Molecular imprint-based stationary phases for capillary electrochromatography 817(1998)5

Characterization of various reversed-phase columns using the linear free energy relationship. I. Evaluation based on retention factors 818(1998)1

Characterization of various reversed-phase columns using the linear free energy relationship. II. Evaluation of selectivity 818(1998)19

Synthesis and characterization of bonded phases made via hydrosilation of alkynes on silica hydride surfaces 818(1998)145

Expanded bed chromatography for one-step purification of mannose binding lectin from tulip bulbs using mannose immobilized on DEAE Streamline 822(1998)19

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Selective separation of fullerenes on hydroxyphenyltriphenylporphyrin-silica stationary phases 824(1998)147 Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15

Comparative study of test methods for reversed-phase columns for high-performance liquid chromatography 826(1998)135

Unique dynamic axial compression packing system 827(1998)193

Comparison of protein adsorption isotherms and uptake rates in preparative cation-exchange materials 827(1998)281

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography. II. Role of the stationary phase 827(1998)295

Comparison of loading capacities of various proteins and peptides in culture medium and in pure state 827(1998)311

Characterization of silica-based octyl phases of different bonding density. Part II. Studies of surface properties and chromatographic selectivity 828(1998)59

On-line deconjugation of chloramphenicol- β -D-glucuronide on an immobilized β -glucuronidase column. Application to the direct analysis of urine samples 828(1998)135

Enantiomeric separations of benzodiazepines by electrochemically modulated liquid chromatography 828(1998)157

Validation of a shielded-hydrophobic-phase high-performance liquid chromatography method for the determination of residual methotrexate in recombinant protein biopharmaceuticals 828(1998)303

Protein–protein interactions on weak-cation-exchange sorbent surfaces during chromatographic separations 828(1998)357

Protein variant separations by cation-exchange chromatography on tentacle-type polymeric stationary phases 828(1998)365

High-performance liquid chromatography of basic compounds. Problems, possible solutions and tests of reversed-phase columns 828(1998)407

Characterization of silica-based octyl phases of different bonding density. Part I. Thermal stability studies 828(1998)51

Synthesis and characterization of a polymer-coated C_{18} stationary phase with high carbon content for liquid chromatography 828(1998)75

Performance of an octadecylsilylated continuous porous silica column in polypeptide separations 828(1998)83

Molecular recognition towards coplanar polychlorinated biphenyls based on the porogen imprinting effects of xylenes 828(1998)91 Determination of inorganic anions on porous graphitic carbon using evaporative light scattering detection. Use of carboxylic acids as electronic competitors 829(1998)193

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. I. Experimental protocol 830(1999)41

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatographic columns. II. Results obtained with Symmetry C_{18} columns 830(1999)55

Superporous agarose beads as a hydrophobic interaction chromatography support 830(1999)275

Role of surface-adsorbed water in the horizontal polymerization of trichlorosilanes 830(1999)285

Optimal design of affinity membrane chromatographic columns 830(1999)293

Comparative study on the column performance of microparticulate 5- μ m C₁₈-bonded and monolithic C₁₈-bonded reversed-phase columns in high-performance liquid chromatography 832(1999)11

Continuous superporous agarose beds for chromatography and electrophoresis 832(1999)29

Comparison of the electroosmotic flow profiles and selectivity of stationary phases used in capillary electrochromatography 832(1999)41

Evidence of a wall friction effect in the consolidation of beds of packing materials in chromatographic columns 835(1999)41

Peptide separation in normal-phase liquid chromatography. Study of selectivity and mobile phase effects on various columns 840(1999)1

Separation of dipalmitoyl phosphatidyl choline, cholesterol and their degradation products by high-performance liquid chromatography on a perfluorinated stationary bonded phase 840(1999)31

Size exclusion chromatography of polypeptides on Bio-Gel P2 in the dynamic axial compression mode 840(1999)281

Characterisation of π - π interactions which determine retention of aromatic compounds in reversed-phase liquid chromatography 841(1999)147

Simultaneous separation of inorganic ions and neutral organics on ion-exchange stationary phases 844(1999)1

Comparison of the performance of conventional C_{18} phases with others of alternative functionality for the analysis of basic compounds by reversed-phase high-performance liquid chromatography 844(1999)23

Reversed-phase retention characteristics of tocotrienol antioxidants 844(1999)67

Evaluation and modulation of selectivity in reversed-phase highperformance liquid chromatography 845(1999)113

High-performance liquid chromatographic separation of carbohydrates on stationary phases prepared from polystyrene-based resin and tertiary amines. Effect of chemical structure of anion-exchange sorbents 845(1999)401

Chromatographic evaluation of radiation-immobilized poly(methyloctylsiloxane) on titanium-grafted silica 845(1999)417

Development of C_8 stationary phases immobilized by γ radiation on zirconized silica for high-performance liquid chromatographic applications 845(1999)423

Cholesteryl-silica stationary phase for liquid chromatography. Comparative study of retention behavior and selectivity 845(1999)433

Preparation and enantiomer separation behavior of selectively methylated γ -cyclodextrin-bonded stationary phases for high-performance liquid chromatography 845(1999)455

Super-high-speed liquid chromatography of proteins and peptides on non-porous Micra NPS-RP packings 846(1999)13

Thermodynamic properties for the solute transfer from the mobile to the stationary phase in reversed phase liquid chromatography obtained by squalane-impregnated C_{18} bonded phase 848(1999)9

Study of the nature of recognition in molecularly imprinted polymers. II. Influence of monomer-template ratio and sample load on retention and selectivity 848(1999)39

Isocratic separations on thin glycidyl methacrylateethylenedimethacrylate monoliths 848(1999)51

Ionic crosslinking of SO₃H-group-containing graft chains helps to capture lysozyme in a permeation mode 848(1999)161

Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpolypyrroridone pre-column 848(1999)523

Salt-induced immobilization of affinity ligands onto epoxideactivated supports 849(1999)1

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. I. Assessment of the reproducibility of reversed-phase packings 849(1999)87

Universal procedure for the assessment of the reproducibility and the classification of silica-based reversed-phase packings. II. Classification of reversed-phase packings 849(1999)101

Noncovalent immobilized artificial membrane chromatography, an improved method for describing peptide-lipid bilayer interactions 849(1999)125

How does a protein unfold on a reversed-phase liquid chromatography surface? 849(1999)135

Protein structure perturbations on chromatographic surfaces 849(1999)149

Liquid chromatography analysis of phosphonic acids on porous graphitic carbon stationary phase with evaporative light-scattering and mass spectrometry detection 849(1999)197

Radiation immobilization of poly(methyloctylsiloxane) on silica for use in HPLC: a uniform layer model 849(1999)299

Uniform-sized molecularly imprinted polymer for (S)-naproxen selectively modified with hydrophilic external layer 849(1999)331

Polyelectrolyte sorbents based on aliphatic ionenes for ion chromatography 850(1999)53

Effect of eluent composition on retention behavior of anions in ion chromatography on anion-exchangers modified with heparin 850(1999)65

Electrostatic ion chromatography of polarizable anions in saline waters with N-{2-[acetyl(3-sulfopropyl)amino]ethyl}-N,N-dimethyldodecanaminium hydroxide (ammonium sulfobetaine-1) as the stationary phase and a dilute electrolytic solution as the mobile phase 850(1999)161

Ion-exclusion chromatography of carboxylic acids on silica gel modified with aluminium 850(1999)177

Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid—15-crown-5 as eluent 850(1999)229

Stationary phases, SFC

Elution of organic solutes from different polarity sorbents using subcritical water 810(1998)149

Separation of cis/trans isomers of β -carotene by supercritical fluid chromatography 844(1999)307

Statistical analysis

Ion-chromatographic quantitation of fluoride and acetate. Statistical comparison of calibration curves from two similar eluents 804(1998)123

Methodology for transfer of liquid chromatography methods based on statistical considerations 815(1998)173

Lack-of-fit testing of ion chromatographic calibration curves with inexact replicates 850(1999)43

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

Statistical-overlap theory

Prediction of numbers of singlets, doublets, and triplets in poorly resolved separations by statistical-overlap theory 831(1999)37

Statistical quality control

Statistical quality control applied to ion chromatography calibrations 804(1998)37

Stephaniae tetrandrae

Analysis of tetrandrine and fangehinoline in traditional Chinese medicines by capillary electrophoresis 811(1998)274

Stereochemistry, absolute

Direct optical resolution of *trans*-dihydrodiol enantiomers of fjord-region polycyclic aromatic hydrocarbons by high-performance liquid chromatography on a modified cellulose phase 822(1998)29

Stochastic simulation

Stochastic simulation of the partition mechanism under diffusion-limited conditions in chromatography and electrochromatography 828(1998)37

Steric mass action model

Structural characteristics of low-molecular-mass displacers for cation-exchange chromatography. II. Role of the stationary phase 827(1998)295

Use of the steric mass action model in ion-exchange chromatographic process development 832(1999)1

Stoichiometric coefficients

Characterization of interaction between cephalosporins and charged surfactants using capillary zone electrophoresis 802(1998)89

Stripping aeration towers

Solid-phase microextraction as a source of data for the design of stripping aeration towers 823(1998)523

Structural isomers

Accurate and sensitive high-performance liquid chromatographic method for geometrical and structural photoisomers of bilirubin $IX\alpha$ using the relative molar absorptivity values 848(1999)169

Structure-activity relationships

Quantitative retention-structure and retention-activity relationships of barbiturates by micellar liquid chromatography 814(1998)121

Structure-retention relationships

Prediction of the gas chromatographic retention values of chlorobenzenes on different stationary phases by using structure–retention correlations 803(1998)211

Calculation of peptide retention coefficients in normal-phase liquid chromatography 808(1998)105

Comments on predictive strategies for determining retention indexes 808(1998)277

Reply to "Comments on predictive strategies for determining retention indices" 808(1998)279

Considerations on the dependence of gas-liquid chromatographic retention of n-alkanes with the carbon number 810(1998)105

Quantitative retention-structure and retention-activity relationships of barbiturates by micellar liquid chromatography 814(1998)121

Structure and retention of 2,4-dihydroxythiobenzanilides in a reversed-phase system 830(1999)491

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

Subcritical fluid chromatography

Method development for the separation of phospholipids by subcritical fluid chromatography 826(1998)241

Subcritical fluid extraction

Simple method for estimating polychlorinated biphenyl concentrations on soils and sediments using subcritical water extraction coupled with solid-phase microextraction 814(1998)151

Enantiomer separation of hydrophobic amino compounds by high-performance liquid chromatography using crown ether dynamically coated chiral stationary phase 830(1999)311

Sugar beet

Ion chromatographic analysis of nutrients in seed exudate for microbial colonisation 804(1998)311

Sunscreen agents

High-performance liquid chromatographic method for the comparison of the photostability of five sunscreen agents 832(1999)273

Sunscreen products

Identification of UV filters in sunscreen products by highperformance liquid chromatography-diode-array detection 828(1998)311

Supercritical fluid chromatography

Analytical supercritical fluid chromatography using fully automated column and modifier selection valves for the rapid development of chiral separations 826(1998)217

Supercritical fluid chromatography-mass spectrometry see also Mass spectrometry

Supercritical fluid extraction

see also Extraction methods

Combined modifier/in situ derivatization effects on supercritical fluid extraction of polycyclic aromatic hydrocarbons from soil 811(1998)151

Methylation of carboxylic acids in supercritical carbon dioxide modified with methanol using a flow-through system 815(1998)225

Effects of various binary and ternary supercritical phases on the extraction of polycyclic aromatic hydrocarbons from contaminated soils 816(1998)201

Application of surfactants to the supercritical fluid extraction of nitroaromatic compounds from sediments 816(1998)221

Experimental design approach for the optimization of supercritical fluid extraction of chlorophenols from polluted soils 823(1998)249

Determination of organophosphorus pesticides in wheat flour by supercritical fluid extraction and gas chromatography with nitrogen-phosphorus detection 824(1998)63

Supercritical fluid extraction for the determination of petroleum hydrocarbons in soil 845(1999)357

Superporous agarose beds

Continuous superporous agarose beds for chromatography and electrophoresis 832(1999)29

Supported liquid membrane

Determination of trace metal ions by ion-pair chromatography after enrichment using supported liquid membrane 826(1998)103

Supported liquid membrane extraction for sample work-up and preconcentration of methoxy-s-triazine herbicides in a flow system 830(1999)203

Supports

Characterization of large-pore polymeric supports for use in perfusion biochromatography 807(1998)165

Wetting transition in alkane liquids on silanised diatomaceous gas chromatographic supports 829(1998)201

Surface-assisted laser desorption ionization

Thin-layer chromatography-mass spectrometry using activated carbon, surface-assisted laser desorption/ionization 826(1998)77

Surface composition

Characterization of silica-based octyl phases of different bonding density. Part II. Studies of surface properties and chromatographic selectivity 828(1998)59

Surface plasmon resonance

Motif 2 in adenosine kinase homologous ginseng polypeptide showed affinity to D-ribose by capillary zone electrophoresis and surface plasmon resonance 817(1998)173

Surface tension detection

Hydrophobic interaction chromatography coupled with dynamic surface tension detection for the determination of surface active species in protein formulations 806(1998)239

Surface treatment

Influence of time and temperature of hydrothermal treatment on glass fibers surface 829(1998)367

Surfactants

see also Compound Index

Optimizing capillary gel electrophoretic separations of oligonucleotides in liquid crystalline Pluronic F127 817(1998)367

Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds 845(1999)257

Sweeping

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated β -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

Swelling

Influence of solvent uptake and swelling by poly(styrene–divinylbenzene) column packings on sample sorption rate and band broadening in reversed-phase liquid chromatography 835(1999)3

Swelling kinetics

Computer simulation of particle separation based on non-equilibrium swelling 831(1999)51

Symmetry C₁₈ columns

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatographic columns. II. Results obtained with Symmetry C_{18} columns 830(1999)55

Synaptic plasticity

Detection of gene expression in single neurons by patch-clamp and single-cell reverse transcriptase polymerase chain reaction 806(1998)209

Synthetic polymers

Analysis of impurities occurring in a totally chlorine free-bleached Kraft pulp 830(1999)227

System peaks

System peaks and non-linearity in capillary electrophoresis and high-performance liquid chromatography 831(1999)105

System suitability test

Determination of system suitability limits with a robustness test 845(1999)145

T

Tabernaemontana hilariana

Qualitative determination of indole alkaloids, triterpenoids and steroids of *Tabernaemontana hilariana* 808(1998)264

Tall oil soap

Quantitative determination of fatty and resin acids in Kraft black liquors as their trimethylsilyl derivatives by gas chromatography 829(1998)235

Tandem mass spectrometry

see also Mass spectrometry

Identification of illudins in *Omphalotus nidiformis* and *Omphalotus olivascens* var. *indigo* by column liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry 832(1999)247

Simultaneous determination of prostaglandin E_1 , prostaglandin E_0 and 15-keto-prostaglandin E_0 in human plasma by gas chromatography/negative-ion chemical-ionization tandem mass spectrometry 847(1999)187

Tars

Fractionation of a wood tar pitch by planar chromatography for the characterisation of large molecular mass materials 840(1999)107

Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction 848(1999)279

Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques 849(1999)507

Taurodeoxycholate micelles

Chemometric evaluation of the band broadening in micellar electrokinetic chromatography of peptides 809(1998)191

Taxus chinesis

Separation and purification of 10-deacetylbaccatin III by highspeed counter-current chromatography 813(1998)397

TCF bleaching

Analysis of impurities occurring in a totally chlorine freebleached Kraft pulp 830(1999)227

Tes

Application of capillary electrophoresis to tea quality estimation 802(1998)219

Method for determining the content of catechins in tea infusions by high-performance liquid chromatography 805(1998)137

Analysis of organic anions in tea infusions using capillary electrophoresis 817(1998)139

Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system 827(1998)113

Rapid analysis of methylated xanthines in teas by an improved high-performance liquid chromatographic method using a polyvinylpolypyrroridone pre-column 848(1999)523

Rapid, direct determination of polyphenols in tea by reversedphase column liquid chromatography 849(1999)637

Teicoplanin stationary phases

Comparison of enantioselective separation of *N-tert*.butyloxycarbonyl amino acids and their non-blocked analogues on teicoplanin-based chiral stationary phase 838(1999)121

Temperature effects

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. I. Application to 14 different samples using computer simulation 803(1998)1

Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development. II. The use of further changes in conditions 803(1998)33

Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121

Temperature effects in high-performance anion-exchange chromatography of oligosaccharides 814(1998)97

Capillary zone electrophoresis at subzero temperatures. III.

Operating conditions and separation efficiency 825(1998)55

Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15

Effect of temperature on retention of enantiomers of β -methyl amino acids on a teicoplanin chiral stationary phase 828(1998)177

Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography 831(1999)293

Influence of temperature on the polarity of porous polymer beads stationary phases for gas chromatography 837(1999)153

Aqueous two-phase systems containing self-associating block copolymers. Partitioning of hydrophilic and hydrophobic biomolecules 839(1999)71

Joint use of cyclodextrin additives in chiral discrimination by reversed-phase high-performance liquid chromatography: temperature effects 840(1999)159

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Acoustic effects in chromatography 850(1999)9

Temperature gradients

Detecting single base substitutions, mismatches and bulges in DNA by temperature gradient gel electrophoresis and related methods 806(1998)169

Temperature programming

Retention simulation in gas chromatography 840(1999)137

Evaluation of column performance in constant pressure and constant flow capillary gas chromatography 842(1999)15

Retention index in temperature-programmed gas chromatography 842(1999)29

Terdentate ligands

Chiral discrimination of Dns- and unmodified p,L-amino acids by copper(II) complexes of terdentate ligands in highperformance liquid chromatography 829(1998)101

Therapeutic drug monitoring

Therapeutic drug monitoring by capillary electrophoresis (Review) 807(1998)27

Thermal conductivity detection

Thermal conductivity detection relative molar response factors for halogenated compounds 841(1999)187

Thermal degradation

Quantitative analysis of poly(methyl methacrylate-butyl acrylate) copolymer composition by liquid chromatography-particle beam mass spectrometry 824(1998)181

Thermal desorption

Retention model for sorptive extraction—thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples 805(1998)237

Development and application of a thermal desorption method for the analysis of polar volatile organic compounds in workplace air 809(1998)47

Evaluation of a new graphitized carbon black employed in sampling volatile organic compounds 810(1998)131

Thermal effects

Evaporation-induced solvent migration in electrically-driven thin layer chromatography 841(1999)127

Thermal lens detection

Fiber optic modified thermal lens detector system for the determination of amino acids 817(1998)223

Thermal lens spectrometry

Conjunction of thermal lens spectrometry and high-performance liquid chromatography. Approach to data treatment 827(1998)13

Determination of iron in complex matrices by ion chromatography with UV–Vis, thermal lens and amperometric detection using post-column reagents 829(1998)167

Thermal membrane desorption

On-line gas chromatography-mass spectrometry for process monitoring using solvent-free sample preparation 819(1998)51

Thermal membrane desorption application

Experimental study on solvent-less sample preparation methods. Membrane extraction with a sorbent interface, thermal membrane desorption application and purge-and-trap 830(1999)365

Thermal redistribution

Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy 848(1999)251

Thermal stability

Thermal stability studies of immunoglobulins using capillary isoelectric focusing and capillary zone electrophoretic methods 807(1998)121

Characterization of silica-based octyl phases of different bonding density. Part I. Thermal stability studies 828(1998)51

Thermochemolysis

Structural characterization of bio- and geo-macromolecules by off-line thermochemolysis with tetramethylammonium hydroxide 823(1998)433

Thermochromatography

Thermochromatography for evolved gas analysis of apatite materials 819(1998)75

Thermodesorption

Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry 847(1999)1

Thermodynamic parameters

Biphasic thermodynamic characterization of interactions by quantitative affinity chromatography and biosensor technology 803(1998)291

Study of the thermodynamics and mass transfer kinetics of two enantiomers on a polymeric imprinted stationary phase 810(1998)1

Considerations on the dependence of gas-liquid chromatographic retention of n-alkanes with the carbon number 810(1998)105

Interaction between cyclodextrins and aflatoxins Q_1 , M_1 and P_1 . Fluorescence and chromatographic studies 815(1998)21

Effect of temperature on retention of alkali and alkaline-earth metal ions on some aminocarboxylic acid functionalised silica based ion exchangers 826(1998)15

Overall mass-transfer coefficients in non-linear chromatography 827(1998)235

Effect of temperature on retention of enantiomers of β -methyl amino acids on a teicoplanin chiral stationary phase 828(1998)177

Determination of Henry's law coefficients by combination of the equilibrium partitioning in closed systems and solid-phase microextraction techniques 830(1999)353

Consistency of gas hold-up determinations 832(1999)165

Measuring conformational stability of proteins using an optimized temperature-controlled capillary electrophoresis approach 838(1999)157

Retention simulation in gas chromatography 840(1999)137

Retention index in temperature-programmed gas chromatography 842(1999)29

Comparison of two methods for the gas chromatographic determination of thermodynamic parameters of enantioselectivity 843(1999)123

Determination of heats of adsorption of hydrocarbons on a synthetic clay by gas-solid chromatography using a wall coated open tubular column approach 844(1999)191

Influence of temperature and *n*-alkane pair on the methylene increments to the thermodynamic functions of solution on SE-30 and Carbowax-20M capillary columns 844(1999)201

Gas chromatography study of retention of organic compounds on silica with an attached layer of hydrophobic groups 844(1999)225 Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

Gas chromatographic characterization of the adsorption properties of the natural adsorbent CACMM2 845(1999)373

Inverse gas chromatography: a new approach to the estimation of specific interactions 845(1999)53

Application of inverse gas chromatography to the measurement of diffusion and phase equilibria in polyacrylate-solvent systems 845(1999)93

Thermodynamic properties for the solute transfer from the mobile to the stationary phase in reversed phase liquid chromatography obtained by squalane-impregnated C_{18} bonded phase 848(1999)9

Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. II. The hyperbolic equation 848(1999)215

Thermodynamic study and separation mechanism of diltiazem optical isomers in packed-column supercritical fluid chromatography 848(1999)337

Estimation of the adsorption energy distributions for the Jovanovic-Freundlich isotherm model with Jovanovic local behavior 849(1999)45

Thermodynamics

Frameworks of separation theories from two separate worlds: dynamics and thermodynamics 828(1998)3

Thermostated thin-layer chromatography

Interactions between native cyclodextrins and *n*-alcohols studied using thermostated thin-layer chromatography 839(1999)149

Thermostripping

Ion exchange on resins with temperature-responsive selectivity. II. Thermo-induced concentration waves in ion-exchange column 802(1998)251

Thermus aquaticus

Purification of TaqI endonuclease from *Thermus aquaticus* 828(1998)373

Thin-layer conditioning

Distribution of cationic ion-pairing reagents on thin-layers after continuous overpressured layer chromatography 803(1998)235

Thyreostatic drugs

Confirmation of residues of thyreostatic drugs in thyroid glands by multiple mass spectrometry after thin-layer chromatographic screening 819(1998)99

Time-resolved fluorescence spectroscopy

Ion-exchange chromatography of proteins: modulation of selectivity by addition of organic solvents to mobile phase. Application to single-step purification of a proteinase inhibitor from corn and study of the mechanism of selectivity modulation 825(1998)17

Titanium-nickel electrode

Nickel content dependence of electrochemical behavior of carbohydrates on a titanium-nickel alloy electrode and its application to a liquid chromatography detector 837(1999)17

Titan's atmosphere

Gas chromatography in space exploration. Capillary and micropacked columns for in situ analysis of Titan's atmosphere 846(1999)307

Tobacco

Separation of alcohol-soluble proteins from tobacco seeds by capillary zone electrophoresis 803(1998)321

Analytical determination of nicotine in tobacco by supercritical fluid chromatography-ion mobility detection 811(1998)157

Sample purification for the analysis of caffeine in tobacco by gas chromatography—mass spectrometry 814(1998)171

Application of a digital signal enhancement processor to investigate improvements in sensitivity for capillary electrophoresis and capillary electrochromatography applications 836(1999)15

Topological indices

Semi-empirical topological method for the prediction of the chromatographic retention of *cis*- and *trans*-alkene isomers and alkanes 849(1999)495

Toroidal coil centrifuge

Toroidal coil counter-current chromatography. Achievement of high resolution by optimizing flow-rate, rotation speed, sample volume and tube length 808(1998)95

Torreya jackii

Lignans from *Torreya jackii* identified by stopped-flow highperformance liquid chromatography–nuclear magnetic resonance spectroscopy 837(1999)83

Toxicological analysis

Evaluation of capillary electrophoretic techniques towards systematic toxicological analysis 838(1999)259

Trace analysis

Trace analysis by combined use of off-line solid-phase extraction, on-column sample focusing and U-shape flow cell in capillary liquid chromatography 808(1998)79

Determination of trace metal ions by ion-pair chromatography after enrichment using supported liquid membrane 826(1998)103

Determination of trace level bromate in drinking water by direct injection ion chromatography 829(1998)187

Applications of ion chromatography in the semiconductor industry. II. Determination of basic airborne contaminants in a cleanroom 850(1999)283

Trace enrichment

On-line trace enrichment in hyphenated liquid chromatographynuclear magnetic resonance spectroscopy 813(1998)55

Transfer ratio

Transfer ratio in indirect UV detection in capillary zone electrophoresis. A mathematical approach 844(1999)321

Transfer techniques

High-performance liquid chromatography coupled on-line with high resolution gas chromatography State of the art 842(1999)373

Transference numbers

Moving chemical reaction boundary and isoelectric focusing. II. Existence of quasi/equal fluxes (or transference numbers) of hydrogen and hydroxyl ions in stationary electrolysis and Svensson's isoelectric focusing 813(1998)173

Precise measurement of mobility from the length of isotachophoretic zones 831(1999)277

Transmethylation

Microwave induced rapid transmethylation of fatty acids for analysis of food oil 818(1998)133

Triacylglycerides

Evaluation by high-performance liquid chromatography of the hydrolysis of human milk triacylglycerides during storage at low temperatures 823(1998)467

Triangle theory

Continuous chromatographic separation through simulated moving beds under linear and nonlinear conditions 827(1998)161

Erratum to "Continuous chromatographic separation through simulated moving beds under linear and nonlinear conditions" [J. Chromatogr. A 827 (1998) 161–173] 835(1999)247

Trichoderma reesei

Ion-exchange chromatographic purification and quantitative analysis of *Trichoderma reesei* cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography 808(1998)153

Triplet peaks

Prediction of numbers of singlets, doublets, and triplets in poorly resolved separations by statistical-overlap theory 831(1999)37

Trouton's rule

Thermodynamic significance of boiling point correlations for alkylbenzenes in gas chromatography. Extension of Trouton's rule 845(1999)13

True moving bed chromatography

True moving bed chromatography: solid-liquid multi-stage counter-current extraction 849(1999)61

Tryptic mapping

Rapid verification of disulfide linkages in recombinant human growth hormone by tandem column tryptic mapping 808(1998)121

Turboionspray ionization

Quantification of amino acid conjugates of jasmonic acid in rice leaves by high-performance liquid chromatography—turboionspray tandem mass spectrometry 822(1998)310

Turmeric

Liquid chromatography—electrospray mass spectrometric analysis of curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa*) 818(1998)127

Tutorial

Interlaboratory studies on two high-performance liquid chromatographic assays for tylosin (tartrate) 830(1999)3

Two-dimensional gas chromatography

Prediction of comprehensive two-dimensional gas chromatographic separations. A theoretical and practical exercise 822(1998)233

Two-film theory

Overall mass-transfer coefficients in non-linear chromatography 827(1998)235



Ultrafiltration

Ultrafiltration-capillary zone electrophoresis for the determination of humic acid fractions 807(1998)275

General approach for the development of high-performance liquid chromatography methods for biosurfactant analysis and purification 825(1998)149

Column switching in capillary liquid chromatography-tandem mass spectrometry for the quantitation of pg/ml concentrations of the free basic drug tolterodine and its active 5-hydroxymethyl metabolite in microliter volumes of plasma 828(1998)209

Ultra-high flow-rate liquid chromatography

Optimisation and routine use of generic ultra-high flow-rate liquid chromatography with mass spectrometric detection for the direct on-line analysis of pharmaceuticals in plasma 828(1998)199

Ultrasonic solvent extraction

Ultrasonic solvent extraction of pesticides from soil 823(1998)3

Ultrasound

Acoustic effects in chromatography 850(1999)9

Ultra-thin-layer agarose gel electrophoresis

Real-time detection of allele-specific polymerase chain reaction products by automated ultra-thin-layer agarose gel electrophoresis 828(1998)481

Ultra-thin-layer agarose gel electrophoresis. I. Effect of the gel concentration and temperature on the separation of DNA fragments 830(1999)465

Unichiral

On the meaning and use of homochiral 829(1998)417

Uremic retention solutes

Study by means of high-performance liquid chromatography of solutes that decrease theophylline/protein binding in the serum of uremic patients 847(1999)141

UV filters

Identification of UV filters in sunscreen products by highperformance liquid chromatography-diode-array detection 828(1998)311



Vaccines

Determination of the molecular size distribution of *Haemophilus influenzae* type b-tetanus toxoid conjugate vaccines by size-exclusion chromatography 847(1999)209

Validation

Kinetic properties of DNA migration under clamped homogeneous electric field conditions. DNA size, migration velocities and reorientation time determined in a single clamped homogeneous electric field run 806(1998)123

Development and validation of amoxicillin determination by micellar electrokinetic capillary chromatography 812(1998)227

Separation of ibuprofen, codeine phosphate, their degradation products and impurities by capillary electrophoresis. II. Validation 826(1998)95

Column liquid chromatography determination of vitamins A and E in powdered milk and local flour: a validation procedure 826(1998)183

Validated high-performance liquid chromatographic methods for quantitation of a novel nonsteroidal antiestrogen 828(1998)247

Validation of a shielded-hydrophobic-phase high-performance liquid chromatography method for the determination of residual methotrexate in recombinant protein biopharmaceuticals 828(1998)303

Micellar electrokinetic capillary chromatography method for direct determination of glucuronides of entacapone and its (Z)-isomer in human urine 836(1999)173

Analysis of urinary drugs of abuse by a multianalyte capillary electrophoretic immunoassay 838(1999)197

Determination of system suitability limits with a robustness test 845(1999)145

High-performance thin-layer chromatography for the determination of ranitidine hydrochloride and famotidine in pharmaceuticals 846(1999)193

Comparison of analytical methods for investigating the photostability of isoxicam 846(1999)207

Determination of bentazon residues in water by highperformance liquid chromatography. Validation of the method 846(1999)369

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

Vaporiser interface

Analysis of pesticides in red wines by on-line coupled reversedphase liquid chromatography—gas chromatography with vaporiser/precolumn solvent split/gas discharge interface 813(1998)113

Varnishes

Analysis of fresh triterpenoid resins and aged triterpenoid varnishes by high-performance liquid chromatography—atmospheric pressure chemical ionisation (tandem) mass spectrometry 809(1998)21

Vegetable oils

see also Oils

Gas chromatographic characterization of soapstocks from vegetable oil refining 816(1998)185

Microwave induced rapid transmethylation of fatty acids for analysis of food oil 818(1998)133

New method of stationary phase preparation for silver ion column chromatography: Application to the isolation of steroidal hydrocarbons in vegetable oils 823(1998)291

Effort to improve the quantitative determination of oxidation and hydrolysis compound classes in edible vegetable oils 844(1999)77

Determination of fatty acids in vegetable oil by reversed-phase liquid chromatography with fluorescence detection 849(1999)357

Vegetables

Validation of an immunoassay method for the determination of traces of carbaryl in vegetable and fruit extracts by liquid chromatography with photodiode array and mass spectrometric detection 823(1998)109

Anti-nutritional constituents of six underutilized legumes grown in Nigeria 823(1998)307

Analysis of carbendazim, benomyl, thiophanate methyl and 2,4-dichlorophenoxyacetic acid in fruits and vegetables after supercritical fluid extraction 825(1998)45

Levels of metamidophos in air and vegetables after greenhouse applications by gas chromatography 829(1998)251

Determination of carbaryl, carbofuran and methiocarb in cucumbers and strawberries by monoclonal enzyme immunoassays and high-performance liquid chromatography with fluorescence detection. An analytical comparison 833(1999)3

Determination of abamectin residues in fruits and vegetables by high-performance liquid chromatography 833(1999)13

Selective clean-up applicable to aqueous acetone extracts for the determination of carbendazim and thiabendazole in fruits and vegetables by high-performance liquid chromatography with UV detection 833(1999)61

Capillary electrophoresis of inorganic anions 834(1999)133

Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection 849(1999)235

W

Verbascum thapsus

Hybrid affinity chromatography of α -galactosidase from Verbascum thapsus L. 808(1998)133

Vinegars

Ion-exclusion chromatographic determination of organic acids in vinegars 822(1998)45

Erratum to "Ion-exclusion chromatographic determination of organic acids in vinegars". [J. Chromatogr. A 822 (1998) 45–51] 831(1999)331

Virus-like particles

Reversed-phase high-performance liquid chromatography of virus-like particles 816(1998)21

Viscometry

Evaluation of size-exclusion chromatography and viscometry for the determination of molecular masses of oxidised cellulose 805(1998)93

Viscosity

Peak distortion in reversed-phase liquid chromatography as a consequence of viscosity differences between sample solvent and mobile phase 805(1998)55

Viscous fingering

Visualization of viscous fingering in chromatographic columns 822(1998)173

Viscous heat dissipation

Influence of viscous heat dissipation on efficiency in high-speed high-performance liquid chromatography 845(1999)155

Visualization of solute migration

Visualization of solute migration in liquid chromatography columns 826(1998)1

Vitis vinifera

Study of volatiles in grapes by dynamic headspace analysis. Application to the differentiation of some *Vitis vinifera* varieties 847(1999)155

Volatile organic compounds

Analysis of volatile organic compounds in human urine by headspace gas chromatography-mass spectrometry with a multipurpose sampler 847(1999)117

Wall adsorption

Binding of proline- and hydroxyproline-containing peptides and proteins to the capillary wall 838(1999)167

Wall friction

Evidence of a wall friction effect in the consolidation of beds of packing materials in chromatographic columns 835(1999)41

Warfare agents

Determination of organoarsenicals in the environment by solidphase microextraction—gas chromatography—mass spectrometry 807(1998)253

Analysis of mustard hydrolysis products by packed capillary liquid chromatography–electrospray mass spectrometry 808(1998)177

Characterization of equimolar VX-water reaction product by gas chromatography-mass spectrometry 809(1998)131

Detection of alkyl methylphosphonic acids in complex matrices by gas chromatography-tandem mass spectrometry 809(1998)141

Chromatography and mass spectrometry of chemical warfare agents, toxins and related compounds: state of the art and future prospects 814(1998)1

Effect of cation-exchange pretreatment of aqueous soil extracts on the gas chromatographic—mass spectrometric determination of nerve agent hydrolysis products after *tert.*-butyldimethylsilylation 824(1998)211

Identification of phosphonic acids by capillary electrophoresisionspray mass spectrometry 825(1998)71

In-situ derivatisation of degradation products of chemical warfare agents in water by solid-phase microextraction and gas chromatographic-mass spectrometric analysis 832(1999)173

On-line solid-phase extraction liquid chromatography-continuous flow frit fast atom bombardment mass spectrometric and tandem mass spectrometric determination of hydrolysis products of nerve agents alkyl methylphosphonic acids by *p*-bromophenacyl derivatization 833(1999)169

Analysis of *O*-ethyl *S*-[2-(diisopropylamino)ethyl] methylphosphonothiolate (VX) and its degradation products by packed capillary liquid chromatography–electrospray mass spectrometry 837(1999)93

Packed capillary liquid chromatography-electrospray mass spectrometry analysis of organophosphorus chemical warfare agents 840(1999)289

Determination of the sulfur mustard hydrolysis product thiodiglycol by microcolumn liquid chromatography coupled online with sulfur flame photometric detection using large-volume injections and peak compression 849(1999)433

Detection of the chemical warfare agents bis-(2-chloroethyl)ethylamine (HN-1) and tris-(2-chloroethyl)amine (HN-3) in air 849(1999)529

Water analysis

Determination of bromide ions in seawater by capillary zone electrophoresis using diluted artificial seawater as the buffer solution 802(1998)211

Parallel factor analysis of partially resolved chromatographic data. Determination of polycyclic aromatic hydrocarbons in water samples 802(1998)263

Determination of phenylurea herbicides in water samples using on-line sorptive preconcentration and high-performance liquid chromatography with UV or electrospray mass spectrometric detection 802(1998)285

New chemically modified polymeric resin for solid-phase extraction of pesticides and phenolic compounds from water 803(1998)147

Determination of chlorobenzenes in water by solid-phase extraction and gas chromatography-mass spectrometry 803(1998)219

Separation and visible detection of alkaline earth metals on a polymeric reversed-phase column with a mobile phase containing a selective colour-forming chelating ligand 804(1998)95

Analysis of oxyhalides in water by ion chromatographyionspray mass spectrometry 804(1998)105

Determination of iodide in ground water and soil by ion chromatography 804(1998)131

New, sensitive and selective method for determining sub- μ g/1 levels of bromate in drinking water 804(1998)137

Determination of sulfur anions at the ppb level by ion chromatography utilizing their catalytic effects on the postcolumn reaction of iodine with azide 804(1998)143

Ion-exchange chromatography of mono- and divalent cations in natural waters on a weak-acid anion-exclusion column 804(1998)179

Determination of alkali and alkaline earth metals in oilfield waters by ion chromatography 804(1998)217

Electrochemical detection of sulphonated azo dyes and their metal complexes in ion interaction chromatography 804(1998)241

Improved application of ion chromatographic determination of carboxylic acids in ozonated drinking water 804(1998)265

Determination by ion chromatography of selected organic and inorganic acids in rainwater at Maracaibo, Venezuela 804(1998)289

Analysis of water from the Space Shuttle and Mir Space Station by ion chromatography and capillary electrophoresis 804(1998)295

Identification of pesticides by liquid chromatography—particle beam mass spectrometry using electron ionization and chemical ionization 805(1998)127

Capillary electrophoresis in the analysis of humic substances. Facts and artifacts 807(1998)101

Trace chromatographic analysis of dimethyl sulfoxide and related methylated sulfur compounds in natural waters (Review) 807(1998)151

On-line preconcentration and determination of chromium(VI) in waters by high-performance liquid chromatography using precolumn complexation with 1,5-diphenylcarbazide 808(1998)193

Capillary zone electrophoresis with indirect UV detection of haloacetic acids in water 808(1998)229

Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environmental water samples 808(1998)257

Determination of carbonyl compounds in water by derivatization-solid-phase microextraction and gas chromatographic analysis 809(1998)75

Application of pentafluorophenyldimethylsilyl derivatization for gas chromatography-electron-capture detection of supercritically extracted sterols 809(1998)109

Determination of very volatile organic compounds in environmental water by injection of a large amount of headspace gas into a gas chromatograph 810(1998)141

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. I. Derivatization 810(1998)161

Gas chromatographic determination of aromatic amines in water samples after solid-phase extraction and derivatization with iodine. II. Enrichment 810(1998)173

Use of a presolvent to include volatile organic analytes in the application range of on-line solid-phase extraction-gas

chromatography-mass spectrometry 811(1998)117

Application of an on-line liquid chromatographic system for the determination of polar herbicides in drinking water within a routine laboratory 813(1998)63

Determination of antibiotics in different water compartments via liquid chromatography-electrospray tandem mass spectrometry 815(1998)213

Electrophoretic separation of inorganic anions with an anion complexone-modified capillary column 815(1998)251

Solid-phase microextraction for determining the binding state of organic pollutants in contaminated water rich in humic organic matter 816(1998)159

Separation and determination of aromatic acids in natural water with preconcentration by capillary zone electrophoresis 817(1998)145

Determination of organonitrogen pesticides in large volumes of surface water by liquid-liquid and solid-phase extraction using gas chromatography with nitrogen-phosphorus detection and liquid chromatography with atmospheric pressure chemical ionization mass spectrometry 818(1998)197

On-line coupling of solid-phase extraction to gas chromatography with mass spectrometric detection to determine pesticides in water 818(1998)85

Matrix effects and selectivity of the detector in the determination of butyl- and phenyltins by gas chromatography–flame photometric detection 819(1998)221

Automated solid-phase extraction on-line coupled to gas chromatography 822(1998)75

Deuterated internal standards for gas chromatographic-mass spectrometric analysis of polar organophosphorus pesticides in water samples 822(1998)91

Use of column-switching ion chromatography for the simultaneous determination of total nitrogen and phosphorus after microwave assisted persulphate digestion 822(1998)162

Analysis of aromatic sulfonates in water by solid-phase extraction and capillary electrophoresis 822(1998)291

Comparison of simplified methods for pesticide residue analysis. Use of large-volume injection in capillary gas chromatography 823(1998)25

Comparison of various sample handling and analytical procedures for the monitoring of pesticides and metabolites in ground waters 823(1998)35

Determination of a variety of chemical classes of pesticides in surface and ground waters by off-line solid-phase extraction, gas chromatography with electron-capture and nitrogen-phosphorus detection, and high-performance liquid chromatography with post-column derivatization and fluorescence detection 823(1998)49

Monitoring of pesticide residues and their metabolites in surface and underground waters of Imathia (N. Greece) by means of solid-phase extraction disks and gas chromatography 823(1998)59

Application of gas and liquid chromatography—mass spectrometry to the evaluation of pirimiphos methyl degradation products in industrial water under ozone treatment 823(1998)97

Automated determination of phenylcarbamate herbicides in environmental waters by on-line trace enrichment and reversedphase liquid chromatography-diode array detection 823(1998)121

Analysis and degradation study of glyphosate and of aminomethylphosphonic acid in natural waters by means of polymeric and ion-exchange solid-phase extraction columns followed by ion chromatography-post-column derivatization with fluorescence detection 823(1998)129

Improving the solid-phase extraction of "quat" pesticides from water samples. Removal of interferences 823(1998)137

Trace analysis of polar organic pollutants in aqueous samples. Tools for the rapid prediction and optimisation of the solid-phase extraction parameters 823(1998)147

Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water 823(1998)163

On-line coupling of immunosorbent and liquid chromatographic analysis for the selective extraction and determination of polycyclic aromatic hydrocarbons in water samples at the ng l^{-1} level 823(1998)197

Solvent-free method for the determination of polynuclear aromatic hydrocarbons in waste water by solid-phase microextraction-high-performance liquid chromatography with photodiode-array detection 823(1998)211

Analysis of cations in drainage water and soil solution by single-column ion chromatography 823(1998)279

Analysis of inorganic anions in drainage water and soil solution by single-column ion chromatography 823(1998)285

Analysis of nonylphenol polyethoxylates and their degradation products in river water and sewage effluent by gas chromatography-ion trap (tandem) mass spectrometry with electron impact and chemical ionization 824(1998)79

Determination of selected antifouling booster biocides by highperformance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 825(1998)29 Identification of phosphonic acids by capillary electrophoresisionspray mass spectrometry 825(1998)71

Pyrolysis—gas chromatography of chloroorganic compounds in precipitation 826(1998)201

Analysis of trace atrazine and simazine in environmental samples by liquid chromatography-fluorescence detection with pre-column derivatization reaction 827(1998)57

Comparative study of a solid-phase extraction system coupled to capillary electrophoresis in the determination of haloacetic compounds in tap water 827(1998)105

Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water 829(1998)223

Determination of chlorinated acid herbicides and related compounds in water by capillary electrophoresis-electrospray negative ion mass spectrometry 829(1998)327

Simultaneous determination of inorganic anions and cations in waters by capillary electrophoresis 829(1998)359

Ion-pair liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of quaternary ammonium herbicides 830(1999)145

Discrimination of structural isomers of chlorinated phenols in waters using gas chromatography—mass spectrometry in the negative chemical ionization mode 830(1999)165

Semi-micro ion chromatography of iodide in seawater 830(1999)211

On-line coupling of immunoaffinity-based solid-phase extraction and gas chromatography for the determination of s-triazines in aqueous samples 830(1999)377

Measurement of reduced sulphur compounds contained in aqueous matrices by direct injection into a gas chromatograph with a flame photometric detector 830(1999)485

Determination of enantiomeric amino acids with highperformance liquid chromatography and pre-column derivatisation with *o*-phthaldialdehyde and *N*-isobutyrylcysteine in seawater and fossil samples (mollusks) 832(1999)123

In-situ derivatisation of degradation products of chemical warfare agents in water by solid-phase microextraction and gas chromatographic-mass spectrometric analysis 832(1999)173

Electrochemical detection in the capillary electrophoresis analysis of inorganic compounds 834(1999)103

Capillary electrophoresis of inorganic anions 834(1999)133

Application of capillary electrophoresis to the analysis of inorganic ions in environmental samples 834(1999)349

Analysis of inorganic species in environmental samples by capillary electrophoresis 834(1999)363

Improved selectivity of anions with methanol as additive. Determination of Cl^- , NO_3^- and SO_4^{2-} in river water by capillary electrophoresis 834(1999)393

Determination of hydroxyaromatic compounds in water by solid-phase microextraction coupled to high-performance liquid chromatography 835(1999)127

Evaluation of different electrolyte systems and on-line preconcentrations for the analysis of haloacetic acids by capillary zone electrophoresis 835(1999)187

Simultaneous capillary electrophoretic separation of small anions and cations after complexation with ethylenediaminetetraacetic acid 836(1999)75

Analysis of polar organic micropollutants in water with ion chromatography-electrospray mass spectrometry 837(1999)117

Sample concentration by sample stacking and sweeping using a microemulsion and a single-isomer sulfated β -cyclodextrin as pseudostationary phases in electrokinetic chromatography 838(1999)3

New leading electrolyte for the direct determination of chloride and other anions in analytical isotachophoresis 838(1999)81

Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution 838(1999)303

Determination of bromide ion in raw and drinking waters by capillary zone electrophoresis 839(1999)217

On-line solid-phase extraction-short-column liquid chromatography combined with various tandem mass spectrometric scanning strategies for the rapid study of transformation of pesticides in surface water 841(1999)33

Solid-phase microextraction for the determination of iodinated trihalomethanes in drinking water 841(1999)197

On-line combination of aqueous-sample preparation and capillary gas chromatography 842(1999)391

Anthropogenic volatile organic compounds in ambient air and natural waters: a review on recent developments of analytical methodology, performance and interpretation of field measurements 843(1999)163

Trace analysis of pesticides by gas chromatography 843(1999)301

Determination of explosives in soil and ground water by liquid chromatography-amperometric detection 844(1999)97

Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection 844(1999)425

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Selective on-line immunoextraction coupled to liquid chromatography for the trace determination of benzidine, congeners and related azo dyes in surface water and industrial effluents 846(1999)317

Quantitation of chlorophenoxy acid herbicides by highperformance liquid chromatography with coulometric detection 846(1999)349

Determination of bentazon residues in water by highperformance liquid chromatography. Validation of the method 846(1999)369

Analysis of priority pollutants in environmental samples by online supercritical fluid chromatography cleanup-cryo-trap-gas chromatography-mass spectrometry 846(1999)387

Sulphonated azoligand for metal ion determination in ion interaction chromatography 847(1999)233

Ion chromatographic determination of bromate in drinking water by post-column reaction with fuchsin 847(1999)271

Matrix effects in the determination of bromate in drinking water by ion chromatography 847(1999)279

Continuous solid-phase extraction and dansylation of low-molecular-mass amines coupled on-line with liquid chromatography and peroxyoxalate chemiluminescence-based detection 848(1999)105

On-line trace enrichment for the simultaneous determination of microcystins in aqueous samples using high-performance liquid chromatography with diode-array detection 848(1999)179

Evaluation of dynamic headspace and purge-and-trap techniques for the high-resolution gas chromatography analysis of nitrous oxide in seawater 848(1999)327

Determination of iron(II) in natural waters by capillary zone electrophoresis using on-capillary complexation with 2,4,6-tri(2'-pyridyl)-1,3,5-triazine 848(1999)491

Quantitative determination of sulfur-containing anions in complex matrices with capillary electrophoresis and conductivity detection 848(1999)503

Capillary electrophoretic determination of inorganic anions in the drainage and surface water samples 848(1999)545

Determination of chlorate at low $\mu g/l$ levels by ion-chromatography with postcolumn reaction 849(1999)209

Analysis of odorous compounds in water by isolation by closed-loop stripping with a multichannel silicone rubber trap followed by gas chromatography—mass spectrometry 849(1999)521

Lack-of-fit testing of ion chromatographic calibration curves with inexact replicates 850(1999)43

Simultaneous determination of anions and cations by ion-exclusion chromatography-cation-exchange chromatography with tartaric acid/18-crown-6 as eluent 850(1999)79

Combination of suppressed and non-suppressed ion chromatography with atmospheric pressure ionization mass spectrometry for the determination of anions 850(1999)99

Low-level calibration study for a new ion chromatographic column to determine borate in deionized water 850(1999)107

Analysis of 500-ng/l levels of bromate in drinking water by direct-injection suppressed ion chromatography coupled with a single, pneumatically delivered post-column reagent 850(1999)119

Determination of trace level perchlorate in drinking water and ground water by ion chromatography 850(1999)131

Ion chromatography of nitrite at the ppb level with photometric measurement of iodine formed by post-column reaction of nitrite with iodide 850(1999)153

Electrostatic ion chromatography of polarizable anions in saline waters with N-{2-[acetyl(3-sulfopropyl)amino]ethyl}-N,N-dimethyldodecanaminium hydroxide (ammonium sulfobetaine-1) as the stationary phase and a dilute electrolytic solution as the mobile phase 850(1999)161

Preconcentration and separation of haloacetic acids by ion chromatography 850(1999)197

Simultaneous separation of common mono- and divalent cations on silica gel modified with aluminium by non-suppressed ion chromatography with conductimetric detection and nitric acid—15-crown-5 as eluent 850(1999)229

Determination of glyphosate by ion chromatography 850(1999)297

Analysis of wastewater for anionic and cationic nutrients by ion chromatography in a single run with sequential flow injection analysis 850(1999)303

Acid-rain monitoring in East Asia with a portable-type ionexclusion-cation-exchange chromatographic analyzer 850(1999)311

Water leachates

Comparative studies of the leachate of an industrial landfill by gas chromatography—mass spectrometry, liquid chromatography—nuclear magnetic resonance and liquid chromatography—mass spectrometry 831(1999)243

Weak acids

Enhancement of conductometric detection of weak acids in ion chromatography 850(1999)85

Wetting transition model

Wetting transition in alkane liquids on silanised diatomaceous gas chromatographic supports 829(1998)201

Wheat flour

Analysis of wheat flour proteins related to grain hardness using capillary electrophoresis 836(1999)147

Whey

Preparative ion-exchange chromatography of proteins from dairy whey 808(1998)141

Determination of the minor whey protein bovine lactoferrin in cheese whey concentrates with capillary electrophoresis 817(1998)187

Two ion-exchange chromatographic methods for the isolation of antibacterial peptides from lactoferrin. In situ enzymatic hydrolysis on an ion-exchange membrane 831(1999)191

Determination of cows' milk in goats' milk and cheese by capillary electrophoresis of the whey protein fractions 846(1999)135

Whole-column imaging detection

Optimizing separation conditions for proteins and peptides using imaged capillary isoelectric focusing 817(1998)163

Wide-bore capillaries

Capillary electrophoresis with wide-bore capillaries and non-aqueous media 813(1998)179

Windowed mass selection method

Windowed mass selection method: a new data processing algorithm for liquid chromatography-mass spectrometry data 849(1999)71

Wine

Direct determination of biogenic amines in wine by integrating continuous flow clean-up and capillary electrophoresis with indirect UV detection 803(1998)249

Quantitative determination of trace and ultratrace flavour active compounds in red wines through gas chromatographic-ion trap mass spectrometric analysis of microextracts 806(1998)349

Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma 808(1998)211

Analysis of pesticides in red wines by on-line coupled reversedphase liquid chromatography—gas chromatography with vaporiser/precolumn solvent split/gas discharge interface 813(1998)113 Improved size-exclusion high-performance liquid chromatographic method for the simple analysis of grape juice and wine polysaccharides 823(1998)339

Determination of acids and volatile compounds in red Txakoli wine by high-performance liquid chromatography and gas chromatography 823(1998)349

Determination of riboflavin, flavin mononucleotide and flavin– adenine dinucleotide in wine and other beverages by highperformance liquid chromatography with fluorescence detection 823(1998)355

Synthesis of labelled $[^2H_4]\beta$ -damascenone, $[^2H_4]2$ -methoxy-3-isobutylpyrazine, $[^2H_3]\alpha$ -ionone, and $[^2H_3]\beta$ -ionone, for quantification in grapes, juices and wines 824(1998)71

High-performance liquid chromatography with real-time Fourier-transform infrared detection for the determination of carbohydrates, alcohols and organic acids in wines 824(1998)159

Determination of chlorpyrifos, penconazole, fenarimol, vinclozolin and metalaxyl in grapes, must and wine by on-line microextraction and gas chromatography 833(1999)43

High-performance liquid chromatographic determination of benzoylurea insecticides residues in grapes and wine using liquid and solid-phase extraction 835(1999)113

Headspace solid-phase microextraction of sulphides and disulphides using Carboxen-polydimethylsiloxane fibers in the analysis of wine aroma 835(1999)137

Determination of biogenic amines by capillary electrophoresis 836(1999)305

Quantitative determination of 2-methoxy-3-isobutylpyrazine in red wines and grapes of Bordeaux using a stable isotope dilution assay 841(1999)229

Various applications of liquid chromatography-mass spectrometry to the analysis of phenolic compounds 847(1999)75

Identification of anthocyanin derivatives in grape skin extracts and red wines by liquid chromatography with diode array and mass spectrometric detection 847(1999)83

Quantitative determination of β -ionone in red wines and grapes of Bordeaux using a stable isotope dilution assay 848(1999)317

Quantitative determination of free and hydrolytically liberated β -damascenone in red grapes and wines using a stable isotope dilution assay 849(1999)245

Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction-gas chromatography 849(1999)293

High-performance liquid chromatography coupled with fluorescence detection for the determination of *trans*-astringin in wine 849(1999)617

Wood

Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography 823(1998)449

Characterization of organic deposits produced in the kraft pulping of *Eucalyptus globulus* wood 823(1998)457

Gas chromatographic and mass spectrometric analysis of 36 lignin-related methoxyphenols from uncontrolled combustion of wood 824(1998)205

Analysis of impurities occurring in a totally chlorine free-bleached Kraft pulp 830(1999)227



XAD resins

Comparison of XAD resins for the isolation of humic substances from seawater 845(1999)329

Xylene stationary phases

Molecular recognition towards coplanar polychlorinated biphenyls based on the porogen imprinting effects of xylenes 828(1998)91



Yeast

Chromatographic determination of flavin derivatives in baker's yeast 822(1998)59

Immobilised metal ion affinity chromatography purification of alcohol dehydrogenase from baker's yeast using an expanded bed adsorption system 840(1999)195



Zea mays

Comparison of oriented and random antibody immobilization in immunoaffinity chromatography of cytokinins 811(1998)77

Analysis of polysaccharides and monosaccharides in the root mucilage of maize (*Zea mays* L.) by gas chromatography 831(1999)267

Zirconia

Purification of monoclonal antibodies from cell culture supernatants using a modified zirconia based cation-exchange support 831(1999)63