



ELSEVIER

Journal of Chromatography A, 852 (1999) 609–612

JOURNAL OF
CHROMATOGRAPHY A

Author Index Vol. 852

- Affonso, R., see De Oliveira, J.E. 852(1999)441
Aguilar, M.I., see Purcell, A.W. 852(1999)43
Alessandrini, J.L., see Gonzalez, F.R. 852(1999)583
Aragon-Ortiz, F., see Leonardi, A. 852(1999)237
Arkaten, R.R., see De Oliveira, J.E. 852(1999)441
Bailey, D.J. and Dorsey, J.G.
pH effects on micelle–water partitioning determined by micellar electrokinetic chromatography 852(1999)559
Ballschmitter, K., see Schneider, M. 852(1999)525
Barlet, O., see Tamisier-Karolak, S.L. 852(1999)487
Bartolini, P., see De Oliveira, J.E. 852(1999)441
Beigi, F. and Lundahl, P.
Immobilized biomembrane chromatography of highly lipophilic drugs 852(1999)313
Bellini, M.H., see De Oliveira, J.E. 852(1999)441
Benko, B., see Gebauer, B. 852(1999)83
Benko, B., see Treščec, A. 852(1999)87
Bereuter, T.L., see Zenker, A. 852(1999)337
Berset, J.D. and Holzer, R.
Quantitative determination of polycyclic aromatic hydrocarbons, polychlorinated biphenyls and organochlorine pesticides in sewage sludges using supercritical fluid extraction and mass spectrometric detection 852(1999)545
Bílková, Z., Mazurová, J., Churáček, J., Horák, D. and Turková, J.
Oriented immobilization of chymotrypsin by use of suitable antibodies coupled to a nonporous solid support 852(1999)141
Blackwell, J.A., Stringham, R.W., Xiang, D. and Waltermire, R.E.
Empirical relationship between chiral selectivity and mobile phase modifier properties 852(1999)383
Blasco Gómez, F., see Campíns Falcó, P. 852(1999)361
Bosch Reig, F., see Campíns Falcó, P. 852(1999)361
Branović, K., Forčič, D., Kosutic-Gulija, T., Šantak, M., Zgorelec, R. and Mažuran, R.
Introduction of the gene amplification technique to decrease the risk of hepatitis C virus transmission by plasma products 852(1999)305
Branović, K., see Gebauer, B. 852(1999)83
Branović, K., see Treščec, A. 852(1999)87
Byrdwell, W.C. and Neff, W.E.
Non-volatile products of triolein produced at frying temperatures characterized using liquid chromatography with online mass spectrometric detection 852(1999)417
Camargo, I.M.C., see De Oliveira, J.E. 852(1999)441
Campíns Falcó, P., Bosch Reig, F., Blasco Gómez, F., Herráez Hernández, R. and Molins Legua, C.
Generalised *H*-point standard addition method for the isolation of the analyte signal from the sample signal when coelution of unknown compounds occurs in liquid chromatography 852(1999)361
Chaouk, H. and Hearn, M.T.W.
New ligand, *N*-(2-pyridylmethyl)aminoacetate, for use in the immobilised metal ion affinity chromatographic separation of proteins 852(1999)105
Chen, H.-M., Luo, S.-L., Chen, K.-T. and Lii, C.-K.
Affinity purification of *Schistosoma japonicum* glutathione-S-transferase and its site-directed mutants with glutathione affinity chromatography and immobilized metal affinity chromatography 852(1999)151
Chen, K.-T., see Chen, H.-M. 852(1999)151
Churáček, J., see Bílková, Z. 852(1999)141
Ciolino, L.A., Turner, J.A., McCauley, H.A., Smallwood, A.W. and Yi, T.Y.
Optimization study for the reversed-phase ion-pair liquid chromatographic determination of nicotine in commercial tobacco products 852(1999)451
Clapes, P., see Piera, E. 852(1999)499
Costantino, A., see Di Corcia, A. 852(1999)465
Crescenzi, C., see Di Corcia, A. 852(1999)465
Czok, M., see Tamisier-Karolak, S.L. 852(1999)487
Demmer, W. and Nussbaumer, D.
Large-scale membrane adsorbers 852(1999)73
De Oliveira, J.E., Soares, C.R.J., Peroni, C.N., Gimbo, E., Camargo, I.M.C., Morganti, L., Bellini, M.H., Affonso, R., Arkaten, R.R., Bartolini, P. and Ribela, M.T.C.P.
High-yield purification of biosynthetic human growth hormone secreted in *Escherichia coli* periplasmic space 852(1999)441
Deyl, Z., see Mikšík, I. 852(1999)245
Deyl, Z., see Mikšík, I. 852(1999)325
Di Corcia, A., Costantino, A., Crescenzi, C. and Samperi, R.
Quantification of phenylurea herbicides and their free and humic acid-associated metabolites in natural waters 852(1999)465
Ding, F., see Liu, Z. 852(1999)319
Domínguez, C., see Piera, E. 852(1999)499
Dorsey, J.G., see Bailey, D.J. 852(1999)559
Erra, P., see Piera, E. 852(1999)499

- Feng, D., see Yamamoto, S. 852(1999)37
- Feng, S., see Liu, Z. 852(1999)319
- Feng, W., Graumann, K., Hahn, R. and Jungbauer, A.
Affinity chromatography of human estrogen receptor- α expressed in *Saccharomyces cerevisiae*. Combination of heparin- and 17 β -estradiol-affinity chromatography 852(1999)161
- Fernández Laespada, M^a.E., Pérez Pavón, J.L. and Moreno Cordero, B.
Automated on-line membrane extraction liquid chromatographic determination of phenols in crude oils, gasolines and diesel fuels 852(1999)395
- Forčič, D., see Branović, K. 852(1999)305
- Forssmann, W.-G., see Mark, S. 852(1999)197
- Forssmann, W.-G., see Seiler, P. 852(1999)273
- Forssmann, W.-G., see Tammen, H. 852(1999)285
- Fréchet, J.M.J., see Sýkora, D. 852(1999)297
- Gaberc-Porekar, V., Menart, V., Jevševar, S., Videnšek, A. and Štalc, A.
Histidines in affinity tags and surface clusters for immobilized metal-ion affinity chromatography of trimeric tumor necrosis factor α 852(1999)117
- Galanski, M., see Zenker, A. 852(1999)337
- Galuszka, A., see Wilimowska-Pelc, A. 852(1999)227
- Gavril, D., Katsanos, N.A. and Karaiskakis, G.
Gas chromatographic kinetic study of carbon monoxide oxidation over platinum-rhodium alloy catalysts 852(1999)507
- Gebauer, B., Šimić, M., Branović, K., Treščec, A. and Benko, B.
Ion-exchange chromatography separation of the detergent and the solvent from immunoglobulins after solvent-detergent treatment 852(1999)83
- Gebauer, B., see Treščec, A. 852(1999)87
- Gimbo, E., see De Oliveira, J.E. 852(1999)441
- Gonzalez, F.R., Alessandrini, J.L. and Nardillo, A.M.
Revision of a theoretical expression for gas-liquid chromatographic retention 852(1999)583
- Grasserbauer, M., see Haberhauer-Troyer, C. 852(1999)589
- Graumann, K., see Feng, W. 852(1999)161
- Greco, N., see Saenko, E. 852(1999)59
- Grimsrud, E.P., see Hughes, R.A. 852(1999)535
- Gubenshek, F., see Leonardi, A. 852(1999)237
- Guiochon, G.
On the need to retain unregulated choice of high-performance liquid chromatography columns 852(1999)603
- Guyonnet, V., Fluscik, F., Long, P.L., Polanowski, A. and Travis, J.
Purification and partial characterization of the pancreatic proteolytic enzymes trypsin, chymotrypsin and elastase from the chicken 852(1999)217
- Haberhauer-Troyer, C., Rosenberg, E. and Grasserbauer, M.
Investigation of membrane dryers and evaluation of a new ozone scrubbing material for the sampling of organosulphur compounds in air 852(1999)589
- Hahn, R., see Feng, W. 852(1999)161
- Hahn, W., see Seiler, P. 852(1999)273
- Hallgren, E.
Prediction of protein retention at gradient elution conditions in ion-exchange chromatography 852(1999)351
- Hashimoto, M., Tsukagoshi, K., Nakajima, R. and Kondo, K.
Chemiluminescence detection of heme proteins separated by capillary isoelectric focusing 852(1999)597
- Hearn, M.T.W., see Chaouk, H. 852(1999)105
- Hearn, M.T.W., see Kronina, V.V. 852(1999)261
- Hearn, M.T.W., see Purcell, A.W. 852(1999)43
- Herget, J., see Mikšič, I. 852(1999)245
- Herráez Hernández, R., see Campíns Falcó, P. 852(1999)361
- Holzer, R., see Berset, J.D. 852(1999)545
- Horák, D., see Bílková, Z. 852(1999)141
- Horváth, Cs.
Professor Barry L. Karger's 60th birthday 852(1999)349
- Hughes, R.A., Knighton, W.B. and Grimsrud, E.P.
Enhancement of electron-capture detection of methyl bromide in air by iodination 852(1999)535
- Il'ina, I.Y., see Platonova, G.A. 852(1999)129
- Infante, M^a.R., see Piera, E. 852(1999)499
- Ishihara, T., see Yamamoto, S. 852(1999)31
- Jäderlund, B., see Mohammad, J. 852(1999)255
- Jevševar, S., see Gaberc-Porekar, V. 852(1999)117
- Josic, D., see Pock, K. 852(1999)175
- Josic, D., see Saenko, E. 852(1999)59
- Jungbauer, A., see Feng, W. 852(1999)161
- Kaiser, T., Luppá, P. and Voelter, W.
Solid-phase synthesis, isolation and analysis of a mouse protein, the macrophage migration inhibitory factor 852(1999)189
- Kaltenbrunner, O., see Yamamoto, S. 852(1999)37
- Kamiusuki, T., Monde, T., Nemoto, F., Konakahara, T. and Takahashi, Y.
Separation and characterization of octylphenol ethoxylate surfactants used by reversed-phase high-performance liquid chromatography on branched fluorinated silica gel columns 852(1999)475
- Karaiskakis, G., see Gavril, D. 852(1999)507
- Katoh, S. and Miura, T.
Sandwich-type immunoassay with an affinity column coupled to anti-peptide antibodies 852(1999)97
- Katsanos, N.A., see Gavril, D. 852(1999)507
- Keppler, B.K., see Zenker, A. 852(1999)337
- Knighton, W.B., see Hughes, R.A. 852(1999)535
- Koizumi, K., Sanbe, H., Kubota, Y., Terada, Y. and Takaha, T.
Isolation and characterization of cyclic α -(1 \rightarrow 4)-glucans having degrees of polymerization 9-31 and their quantitative analysis by high-performance anion-exchange chromatography with pulsed amperometric detection 852(1999)407
- Konakahara, T., see Kamiusuki, T. 852(1999)475
- Kondo, K., see Hashimoto, M. 852(1999)597
- Kosutic-Gulija, T., see Branović, K. 852(1999)305
- Kowalska, J., see Wilimowska-Pelc, A. 852(1999)227
- Križaj, I., see Leonardi, A. 852(1999)237
- Kronina, V.V., Wirth, H.-J. and Hearn, M.T.W.
Characterisation by immobilised metal ion affinity chromatographic procedures of the binding behaviour of several synthetic peptides designed to have high affinity for Cu(II) ions 852(1999)261
- Kubota, Y., see Koizumi, K. 852(1999)407
- Le Potier, I., see Tamisier-Karolak, S.L. 852(1999)487

- Leonardi, A., Aragon-Ortiz, F., Gubenšek, F. and Križaj, I.
Partial primary structure of a fibrinogenase from the venom
of the snake *Lachesis stenophrys* 852(1999)237
- Liapis, A.I., see Meyers, J.J. 852(1999)3
- Lii, C.-K., see Chen, H.-M. 852(1999)151
- Lindblom, H., see Mohammad, J. 852(1999)255
- Lindner, W., see Zenker, A. 852(1999)337
- Liu, Z., Feng, S., Yin, J., Ding, F. and Yuan, N.
Experimental studies on affinity chromatography in an
electric field 852(1999)319
- Long, P.L., see Guyonnet, V. 852(1999)217
- Lopuska, A., Polanowska, J., Wilusz, T. and Polanowski, A.
Purification of two low-molecular-mass serine proteinase
inhibitors from chicken liver 852(1999)207
- Loster, K., see Saenko, E. 852(1999)59
- Lundahl, P., see Beigi, F. 852(1999)313
- Lundahl, P., see Lundqvist, A. 852(1999)93
- Lundqvist, A. and Lundahl, P.
Biomembrane-affinity centrifugal analyses of solute
interactions with membrane proteins 852(1999)93
- Luo, S.-L., see Chen, H.-M. 852(1999)151
- Luppa, P., see Kaiser, T. 852(1999)189
- Marecak, D., see Yeung, B. 852(1999)573
- Mark, S., Forssmann, W.-G. and Ständker, L.
Strategy for identifying circulating fragments of insulin-like
growth factor binding proteins in a hemofiltrate peptide
bank 852(1999)197
- Mark, S., see Seiler, P. 852(1999)273
- Mažuran, R., see Branović, K. 852(1999)305
- Mazurová, J., see Bílková, Z. 852(1999)141
- McCauley, H.A., see Ciolino, L.A. 852(1999)451
- Menart, V., see Gaberc-Porekar, V. 852(1999)117
- Mestek, O., see Mikšík, I. 852(1999)245
- Meyer, M., see Seiler, P. 852(1999)273
- Meyers, J.J. and Liapis, A.I.
Network modeling of the convective flow and diffusion of
molecules adsorbing in monoliths and in porous particles
packed in a chromatographic column 852(1999)3
- Mikšík, I., Deyl, Z., Herget, J., Novotná, J. and Mestek, O.
Binding of lead to collagen type I and V and $\alpha_2(I)$ CNBr
(3,5) fragment by a modified Hummel–Dreyer method
852(1999)245
- Mikšík, I. and Deyl, Z.
Separation of proteins and peptides by capillary
electrophoresis in acid buffers containing high
concentrations of surfactants 852(1999)325
- Miura, T., see Katoh, S. 852(1999)97
- Miyagawa, E., see Yamamoto, S. 852(1999)25
- Mohammad, J., Jäderlund, B. and Lindblom, H.
New polymer-based prepacked column for the reversed-
phase liquid chromatographic separation of peptides over
the pH range 2–12 852(1999)255
- Molins Legua, C., see Campíns Falcó, P. 852(1999)361
- Monde, T., see Kamiusuki, T. 852(1999)475
- Moreno Cordero, B., see Fernández Laespada, M^a.E.
852(1999)395
- Morganti, L., see De Oliveira, J.E. 852(1999)441
- Nakajima, R., see Hashimoto, M. 852(1999)597
- Nardillo, A.M., see Gonzalez, F.R. 852(1999)583
- Neff, W.E., see Byrdwell, W.C. 852(1999)417
- Nemoto, F., see Kamiusuki, T. 852(1999)475
- Novotná, J., see Mikšík, I. 852(1999)245
- Nussbaumer, D., see Demmer, W. 852(1999)73
- Olichwier, Z., see Wilimowska-Pelc, A. 852(1999)227
- Pankova, G.A., see Platonova, G.A. 852(1999)129
- Pérez Pavón, J.L., see Fernández Laespada, M^a.E.
852(1999)395
- Peroni, C.N., see De Oliveira, J.E. 852(1999)441
- Péter, A., see Wölfling, J. 852(1999)433
- Piera, E., see Clapes, P. 852(1999)499
- Platonova, G.A., Pankova, G.A., Il'ina, I.Y., Vlasov, G.P. and
Tennikova, T.B.
Quantitative fast fractionation of a pool of polyclonal
antibodies by immunoaffinity membrane chromatography
852(1999)129
- Pock, K., Rizzi, A. and Josic, D.
Use of high-resolution techniques for the characterization
of clotting factor VIII 852(1999)175
- Polanowska, J., see Lopuska, A. 852(1999)207
- Polanowski, A., see Guyonnet, V. 852(1999)217
- Polanowski, A., see Lopuska, A. 852(1999)207
- Polanowski, A., see Wilimowska-Pelc, A. 852(1999)227
- Purcell, A.W., Zhao, G.L., Aguilar, M.I. and Hearn, M.T.W.
Comparison between the isocratic and gradient retention
behaviour of polypeptides in reversed-phase liquid
chromatographic environments 852(1999)43
- Ribela, M.T.C.P., see De Oliveira, J.E. 852(1999)441
- Richter, R., see Tammen, H. 852(1999)285
- Rizzi, A., see Pock, K. 852(1999)175
- Rosenberg, E., see Haberhauer-Troyer, C. 852(1999)589
- Saenko, E., Sarafanov, A., Greco, N., Shima, M., Loster, K.,
Schwinn, H. and Josic, D.
Use of surface plasmon resonance for studies of protein–
protein and protein–phospholipid membrane interactions.
Application to the binding of factor VIII to von Willebrand
factor and to phosphatidylserine-containing membranes
852(1999)59
- Samperi, R., see Di Corcia, A. 852(1999)465
- Sanbe, H., see Koizumi, K. 852(1999)407
- Sandoval, J.E.
Equation for calculating surface coverage from end-capping
of chromatographic bonded phases 852(1999)375
- Šantak, M., see Branović, K. 852(1999)305
- Sarafanov, A., see Saenko, E. 852(1999)59
- Schneider, G., see Wölfling, J. 852(1999)433
- Schneider, M. and Ballschmiter, K.
Alkyl nitrates as achiral and chiral solute probes in gas
chromatography. Novel properties of a β -cyclodextrin
derivative and characterization of its enantioselective forces
852(1999)525
- Schwinn, H., see Saenko, E. 852(1999)59
- Seiler, P., Ständker, L., Mark, S., Hahn, W., Forssmann, W.-G.
and Meyer, M.
Application of a peptide bank from porcine brain in
isolation of regulatory peptides 852(1999)273
- Shima, M., see Saenko, E. 852(1999)59
- Šimić, M., see Gebauer, B. 852(1999)83
- Šimić, M., see Treščec, A. 852(1999)87
- Smallwood, A.W., see Ciolino, L.A. 852(1999)451
- Soares, C.R.J., see De Oliveira, J.E. 852(1999)441

- Štalc, A., see Gaberc-Porekar, V. 852(1999)117
- Ständker, L., see Mark, S. 852(1999)197
- Ständker, L., see Seiler, P. 852(1999)273
- Stringham, R.W., see Blackwell, J.A. 852(1999)383
- Svec, F., see Sýkora, D. 852(1999)297
- Sýkora, D., Svec, F. and Fréchet, J.M.J.
Separation of oligonucleotides on novel monolithic columns
with ion-exchange functional surfaces 852(1999)297
- Szuskiewicz, W., see Wilimowska-Pelc, A. 852(1999)227
- Takaha, T., see Koizumi, K. 852(1999)407
- Takahashi, Y., see Kamiyusuki, T. 852(1999)475
- Tamisier-Karolak, S.L., Le Potier, I., Barlet, O. and Czok, M.
Analysis of anions in aqueous samples by ion
chromatography and capillary electrophoresis. A
comparative study of peak modeling and validation criteria
852(1999)487
- Tammen, H., Forssmann, W.-G. and Richter, R.
Proteolytic cleavage of glucagon-like peptide-1 by
pancreatic β cells and by fetal calf serum analyzed by
mass spectrometry 852(1999)285
- Tennikova, T.B., see Platonova, G.A. 852(1999)129
- Terada, Y., see Koizumi, K. 852(1999)407
- Tluscik, F., see Guyonnet, V. 852(1999)217
- Travis, J., see Guyonnet, V. 852(1999)217
- Treščec, A., see Gebauer, B. 852(1999)83
- Treščec, A., Šimić, M., Branović, K., Gebauer, B. and Benko,
B.
Removal of detergent and solvent from solvent-detergent-
treated immunoglobulins 852(1999)87
- Tsukagoshi, K., see Hashimoto, M. 852(1999)597
- Turková, J., see Bílková, Z. 852(1999)141
- Turner, J.A., see Ciolino, L.A. 852(1999)451
- Videnšek, A., see Gaberc-Porekar, V. 852(1999)117
- Vlasov, G.P., see Platonova, G.A. 852(1999)129
- Voelter, W., see Kaiser, T. 852(1999)189
- Waltermire, R.E., see Blackwell, J.A. 852(1999)383
- Watler, P.K., see Yamamoto, S. 852(1999)37
- Wilimowska-Pelc, A., Olichwier, Z., Kowalska, J., Gałuszka,
A., Szuskiewicz, W., Polanowski, A. and Wilusz, T.
High concentrations of sodium chloride facilitate the use of
immobilized chymotrypsin for separating virgin forms of
specific trypsin inhibitors 852(1999)227
- Wilusz, T., see Lopuska, A. 852(1999)207
- Wilusz, T., see Wilimowska-Pelc, A. 852(1999)227
- Wirth, H.-J., see Kronina, V.V. 852(1999)261
- Wölfling, J., Schneider, G. and Péter, A.
High-performance liquid chromatographic methods for
monitoring of isomers of 17-hydroxy-16-hydroxymethyl-3-
methoxyestra-1,3,5(10)-triene 852(1999)433
- Xiang, D., see Blackwell, J.A. 852(1999)383
- Yamamoto, S. and Ishihara, T.
Ion-exchange chromatography of proteins near the
isoelectric points 852(1999)31
- Yamamoto, S. and Miyagawa, E.
Retention behavior of very large biomolecules in ion-
exchange chromatography 852(1999)25
- Yamamoto, S., Watler, P.K., Feng, D. and Kaltenbrunner, O.
Characterization of unstable ion-exchange chromatographic
separation of proteins 852(1999)37
- Yeung, B. and Marecak, D.
Molecular weight determination of hyaluronic acid by gel
filtration chromatography coupled to matrix-assisted laser
desorption ionization mass spectrometry 852(1999)573
- Yi, T.Y., see Ciolino, L.A. 852(1999)451
- Yin, J., see Liu, Z. 852(1999)319
- Yuan, N., see Liu, Z. 852(1999)319
- Zenker, A., Galanski, M., Bereuter, T.L., Keppler, B.K. and
Lindner, W.
Capillary electrophoretic study of cisplatin interaction with
nucleoside monophosphates, di- and trinucleotides
852(1999)337
- Zgorelec, R., see Branović, K. 852(1999)305
- Zhao, G.L., see Purcell, A.W. 852(1999)43