



ELSEVIER

Journal of Chromatography A, 854 (1999) 291–295

JOURNAL OF
CHROMATOGRAPHY A

Subject Index Vol. 854

Alkyl polyglucosides

Investigations on the metabolism of alkyl polyglucosides and their determination in waste water by means of liquid chromatography–electrospray mass spectrometry 854(1999)221

Amines

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

Anaesthetics

Highly sensitive bioassay of lidocaine in human plasma by high-performance liquid chromatography–tandem mass spectrometry 854(1999)3

Azure B

Investigation on the iodination reaction of methylene blue by liquid chromatography–mass spectrometry with ionspray ionisation 854(1999)57

Biopterin

Reversed-phase ion-pair chromatography coupled to electrospray ionisation mass spectrometry by on-line removal of the counterions 854(1999)155

Bupivacaine

Highly sensitive bioassay of lidocaine in human plasma by high-performance liquid chromatography–tandem mass spectrometry 854(1999)3

Capillary electrophoresis–mass spectrometry

New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141

Carotenes

Liquid chromatography–electrospray mass spectrometry of β -carotene and xanthophylls. Validation of the analytical method 854(1999)233

Carotenoids

Separation and identification of various carotenoids by C_{30} reversed-phase high-performance liquid chromatography coupled to UV and atmospheric pressure chemical ionization mass spectrometric detection 854(1999)37

Liquid chromatography–electrospray mass spectrometry of β -carotene and xanthophylls. Validation of the analytical method 854(1999)233

Codeine

Method for quantification of morphine and its 3- and 6-glucuronides, codeine, codeine glucuronide and 6-monoacetylmorphine in human blood by liquid chromatography–electrospray mass spectrometry for routine analysis in forensic toxicology 854(1999)109

Column switching

Determination of 4-demethoxy-3'-deamino-3'-aziridinyl-4'-methylsulphonyldaunorubicin and its 13-hydroxy metabolite by direct injection of human plasma into a column-switching liquid chromatography system with mass spectrometric detection 854(1999)81

Detection, LC

Reversed-phase ion-pair chromatography coupled to electrospray ionisation mass spectrometry by on-line removal of the counterions 854(1999)155

Demethoxydeaminoaziridinylmethylsulphonyldaunorubicin

Determination of 4-demethoxy-3'-deamino-3'-aziridinyl-4'-methylsulphonyldaunorubicin and its 13-hydroxy metabolite by direct injection of human plasma into a column-switching liquid chromatography system with mass spectrometric detection 854(1999)81

Deoxynivalenol

Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45

Dyes

Investigation on the iodination reaction of methylene blue by liquid chromatography–mass spectrometry with ionspray ionisation 854(1999)57

Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes 854(1999)259

Electrospray ionization

New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141

Liquid chromatography–electrospray mass spectrometry of β -carotene and xanthophylls. Validation of the analytical method 854(1999)233

Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes 854(1999)259

EMD 122 347

Determination of the impurity profile of ethyl-2-(4-((5*R*)-3-[4-(methoxycarboxamidoiminomethyl)-phenyl]-2-oxo-5-oxazolidinylmethyl)-1-piperazinyl) acetate, citrate, a highly active platelet aggregation inhibitor, by liquid chromatography–mass spectrometry 854(1999)13

Environmental analysis

Detection and identification of sulphonamide drugs in municipal waste water by liquid chromatography coupled with electrospray ionisation tandem mass spectrometry 854(1999)163

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

On-line solid-phase extraction–ion-pair liquid chromatography–electrospray mass spectrometry for the trace determination of naphthalene monosulphonates in water 854(1999)187

Simultaneous determination of antifouling herbicides in marina water samples by on-line solid-phase extraction followed by liquid chromatography–mass spectrometry 854(1999)197

Investigations on the metabolism of alkyl polyglucosides and their determination in waste water by means of liquid chromatography–electrospray mass spectrometry 854(1999)221

Ethoxylates

Characterization of nonyl phenol ethoxylates in sewage treatment plants by combined precursor ion scanning and multiple reaction monitoring 854(1999)245

Ethyl-2-(4-((5*R*)-3-[4-(methoxycarboxamidoiminomethyl)-phenyl]-2-oxo-5-oxazolidinylmethyl)-1-piperazinyl) acetate

Determination of the impurity profile of ethyl-2-(4-((5*R*)-3-[4-(methoxycarboxamidoiminomethyl)-phenyl]-2-oxo-5-oxazolidinylmethyl)-1-piperazinyl) acetate, citrate, a highly active platelet aggregation inhibitor, by liquid chromatography–mass spectrometry 854(1999)13

Fatty acids

New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141

Food analysis

Separation and identification of various carotenoids by C_{30} reversed-phase high-performance liquid chromatography coupled to UV and atmospheric pressure chemical ionization mass spectrometric detection 854(1999)37

Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45

Forensic analysis

Method for quantification of morphine and its 3- and 6-glucuronides, codeine, codeine glucuronide and 6-monoacetylmorphine in human blood by liquid chromatography–electrospray mass spectrometry for routine analysis in forensic toxicology 854(1999)109

Ginsenosides

Liquid chromatography–electrospray mass spectrometric identification of ginsenosides in *Panax ginseng* roots 854(1999)69

Glucuronides

Method for quantification of morphine and its 3- and 6-glucuronides, codeine, codeine glucuronide and 6-monoacetylmorphine in human blood by liquid chromatography–electrospray mass spectrometry for routine analysis in forensic toxicology 854(1999)109

Glycoproteins

Liquid chromatography–electrospray mass spectrometry as a tool for the analysis of sulfated oligosaccharides from mucin glycoproteins 854(1999)131

Guanidine

Reversed-phase ion-pair chromatography coupled to electrospray ionisation mass spectrometry by on-line removal of the counterions 854(1999)155

HIV-p24

Preliminary comparison of precursor scans and liquid chromatography–tandem mass spectrometry on a hybrid quadrupole time-of-flight mass spectrometer 854(1999)119

Inorganic anions

Analysis of low-molecular-mass inorganic and organic anions by ion chromatography–atmospheric pressure ionization mass spectrometry 854(1999)275

Instrumentation

New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141

Interfaces, CE–MS

New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141

Iodination

Investigation on the iodination reaction of methylene blue by liquid chromatography–mass spectrometry with ionspray ionisation 854(1999)57

Ion-pair chromatography

Reversed-phase ion-pair chromatography coupled to electrospray ionisation mass spectrometry by on-line removal of the counterions 854(1999)155

Ion-pairing reagents

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

Lidocaine

Highly sensitive bioassay of lidocaine in human plasma by high-performance liquid chromatography–tandem mass spectrometry 854(1999)3

Liquid chromatography–mass spectrometry

Reversed-phase ion-pair chromatography coupled to electrospray ionisation mass spectrometry by on-line removal of the counterions 854(1999)155

Mass spectrometry

Preliminary comparison of precursor scans and liquid chromatography–tandem mass spectrometry on a hybrid quadrupole time-of-flight mass spectrometer 854(1999)119

Atmospheric pressure ionisation multiple mass spectrometric analysis of pesticides 854(1999)207

Characterization of nonyl phenol ethoxylates in sewage treatment plants by combined precursor ion scanning and multiple reaction monitoring 854(1999)245

Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes 854(1999)259

Methylene blue

Investigation on the iodination reaction of methylene blue by liquid chromatography–mass spectrometry with ionspray ionisation 854(1999)57

Monoacetylmorphine

Method for quantification of morphine and its 3- and 6-glucuronides, codeine, codeine glucuronide and 6-monoacetylmorphine in human blood by liquid chromatography–electrospray mass spectrometry for routine analysis in forensic toxicology 854(1999)109

Morphine

Routine determination of morphine, morphine 3- β -D-glucuronide and morphine 6- β -D-glucuronide in human serum by liquid chromatography coupled to electrospray mass spectrometry 854(1999)93

Method for quantification of morphine and its 3- and 6-glucuronides, codeine, codeine glucuronide and 6-monoacetylmorphine in human blood by liquid chromatography–electrospray mass spectrometry for routine analysis in forensic toxicology 854(1999)109

Morphine glucuronides

Routine determination of morphine, morphine 3- β -D-glucuronide and morphine 6- β -D-glucuronide in human serum by liquid chromatography coupled to electrospray mass spectrometry 854(1999)93

Mycotoxins

Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45

Naphthalene monosulfonates

On-line solid-phase extraction–ion-pair liquid chromatography–electrospray mass spectrometry for the trace determination of naphthalene monosulphonates in water 854(1999)187

Naphthalenesulfonic acids

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

Nivalenol

Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45

Nonyl phenol ethoxylates

Characterization of nonyl phenol ethoxylates in sewage treatment plants by combined precursor ion scanning and multiple reaction monitoring 854(1999)245

Oligosaccharides

Liquid chromatography–electrospray mass spectrometry as a tool for the analysis of sulfated oligosaccharides from mucin glycoproteins 854(1999)131

Organic acids

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

Analysis of low-molecular-mass inorganic and organic anions by ion chromatography–atmospheric pressure ionization mass spectrometry 854(1999)275

Oxyhalides

Analysis of low-molecular-mass inorganic and organic anions by ion chromatography–atmospheric pressure ionization mass spectrometry 854(1999)275

Panax ginseng

Liquid chromatography–electrospray mass spectrometric identification of ginsenosides in *Panax ginseng* roots 854(1999)69

Peptides

Preliminary comparison of precursor scans and liquid chromatography–tandem mass spectrometry on a hybrid quadrupole time-of-flight mass spectrometer 854(1999)119

Pesticides

Simultaneous determination of antifouling herbicides in marina water samples by on-line solid-phase extraction followed by liquid chromatography–mass spectrometry 854(1999)197

Atmospheric pressure ionisation multiple mass spectrometric analysis of pesticides 854(1999)207

Pharmaceutical analysis

Determination of the impurity profile of ethyl-2-(4-((5*R*)-3-[4-(methoxycarboxamidoiminomethyl)-phenyl]-2-oxo-5-oxazolidinylmethyl)-1-piperazinyl) acetate, citrate, a highly active platelet aggregation inhibitor, by liquid chromatography–mass spectrometry 854(1999)13

Comparison of turbulent-flow chromatography with automated solid-phase extraction in 96-well plates and liquid–liquid extraction used as plasma sample preparation techniques for liquid chromatography–tandem mass spectrometry 854(1999)23

Investigation on the iodination reaction of methylene blue by liquid chromatography–mass spectrometry with ionspray ionisation 854(1999)57

Plant materials

Liquid chromatography–electrospray mass spectrometric identification of ginsenosides in *Panax ginseng* roots 854(1999)69

Platelet aggregation inhibitors

Determination of the impurity profile of ethyl-2-(4-((5*R*)-3-[4-(methoxycarboxamidoiminomethyl)-phenyl]-2-oxo-5-oxazolidinylmethyl)-1-piperazinyl) acetate, citrate, a highly active platelet aggregation inhibitor, by liquid chromatography–mass spectrometry 854(1999)13

PNU-159548

Determination of 4-demethoxy-3'-deamino-3'-aziridinyl-4'-methylsulphonyldaunorubicin and its 13-hydroxy metabolite by direct injection of human plasma into a column-switching liquid chromatography system with mass spectrometric detection 854(1999)81

PNU-169884

Determination of 4-demethoxy-3'-deamino-3'-aziridinyl-4'-methylsulphonyldaunorubicin and its 13-hydroxy metabolite by direct injection of human plasma into a column-switching liquid chromatography system with mass spectrometric detection 854(1999)81

Prostaglandins

New sheathless interface for coupling capillary electrophoresis to electrospray mass spectrometry evaluated by the analysis of fatty acids and prostaglandins 854(1999)141

Proteins

Liquid chromatography–electrospray mass spectrometry as a tool for the analysis of sulfated oligosaccharides from mucin glycoproteins 854(1999)131

Remazol dyes

Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes 854(1999)259

Sample preparation

Comparison of turbulent-flow chromatography with automated solid-phase extraction in 96-well plates and liquid–liquid extraction used as plasma sample preparation techniques for liquid chromatography–tandem mass spectrometry 854(1999)23

Sewage treatment plants

Characterization of nonyl phenol ethoxylates in sewage treatment plants by combined precursor ion scanning and multiple reaction monitoring 854(1999)245

Substance P

Preliminary comparison of precursor scans and liquid chromatography–tandem mass spectrometry on a hybrid quadrupole time-of-flight mass spectrometer 854(1999)119

Sulfates

Liquid chromatography–electrospray mass spectrometry as a tool for the analysis of sulfated oligosaccharides from mucin glycoproteins 854(1999)131

Sulfonates

On-line solid-phase extraction–ion-pair liquid chromatography–electrospray mass spectrometry for the trace determination of naphthalene monosulphonates in water 854(1999)187

Sulfonic acids

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

Sulphonamides

Detection and identification of sulphonamide drugs in municipal waste water by liquid chromatography coupled with electrospray ionisation tandem mass spectrometry 854(1999)163

Surfactants

Investigations on the metabolism of alkyl polyglucosides and their determination in waste water by means of liquid chromatography–electrospray mass spectrometry 854(1999)221

Characterization of nonyl phenol ethoxylates in sewage treatment plants by combined precursor ion scanning and multiple reaction monitoring 854(1999)245

Terpenes

Separation and identification of various carotenoids by C₃₀ reversed-phase high-performance liquid chromatography coupled to UV and atmospheric pressure chemical ionization mass spectrometric detection 854(1999)37

Trichothecenes

Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45

Turbulent flow chromatography

Comparison of turbulent-flow chromatography with automated solid-phase extraction in 96-well plates and liquid–liquid extraction used as plasma sample preparation techniques for liquid chromatography–tandem mass spectrometry 854(1999)23

Validation

Comparison of turbulent-flow chromatography with automated solid-phase extraction in 96-well plates and liquid–liquid extraction used as plasma sample preparation techniques for liquid chromatography–tandem mass spectrometry 854(1999)23

Vegetable juices

Separation and identification of various carotenoids by C₃₀ reversed-phase high-performance liquid chromatography coupled to UV and atmospheric pressure chemical ionization mass spectrometric detection 854(1999)37

Water analysis

Detection and identification of sulphonamide drugs in municipal waste water by liquid chromatography coupled with electrospray ionisation tandem mass spectrometry 854(1999)163

Use of volatile amines as ion-pairing agents for the high-performance liquid chromatographic–tandem mass spectrometric determination of aromatic sulfonates in industrial wastewater 854(1999)175

On-line solid-phase extraction–ion-pair liquid chromatography–electrospray mass spectrometry for the trace determination of naphthalene monosulphonates in water 854(1999)187

Simultaneous determination of antifouling herbicides in marina water samples by on-line solid-phase extraction followed by liquid chromatography–mass spectrometry 854(1999)197

Investigations on the metabolism of alkyl polyglucosides and their determination in waste water by means of liquid chromatography–electrospray mass spectrometry 854(1999)221

Analysis of low-molecular-mass inorganic and organic anions by ion chromatography–atmospheric pressure ionization mass spectrometry 854(1999)275

Wheat

Determination of nivalenol and deoxynivalenol in wheat using liquid chromatography–mass spectrometry with negative ion atmospheric pressure chemical ionisation 854(1999)45

Xanthophylls

Liquid chromatography–electrospray mass spectrometry of β -carotene and xanthophylls. Validation of the analytical method 854(1999)233